

APPENDIX REPORT

Project No.	SHT2104006201EW	Radio Specification	WIFI 2.4G
Test sample No.	YPHT21040062001	Model No.	RBcAPGi-5acD2nD-XL
Start test date	2021-04-25	Finish date	2021-04-25
Temperature	24.7°C	Humidity	42%
Test Engineer	Hailey Chen	Auditor	Xiaodong Zhu

Appendix clause	Test item	Result
A	Conducted Peak Output Power	PASS
B	Power Spectral Density	PASS
C	6 dB Bandwidth	PASS
D	99% Occupied Bandwidth	PASS
E	Duty Cycle	PASS
F	Band edge and Spurious Emissions(coducted)	PASS


Appendix A: Conducted Peak Output Power


Type	Channel	Peak Output power (dBm)			Average Output power (dBm)			Limit (dBm)	Result
		Antenna 0	Antenna 1	Total	Antenna 0	Antenna 1	Total		
802.11b	01	16.91	17.85	-	14.48	15.42	-	≤30.00	Pass
	06	16.93	17.69	-	14.49	15.23	-		
	11	17.18	17.46	-	14.72	15.03	-		
802.11g	01	16.39	16.51	-	14.09	14.26	-	≤30.00	Pass
	06	16.93	17.32	-	14.59	15.17	-		
	11	16.57	17.13	-	14.21	14.65	-		
802.11n (HT20)	01	13.61	13.86	16.76	11.02	11.27	14.16	≤30.00	Pass
	06	13.70	14.02	16.86	11.24	12.06	14.58		
	11	13.80	13.92	16.86	11.30	11.83	14.58		
802.11n (HT40)	03	13.63	13.85	16.76	10.82	10.97	13.91	≤30.00	Pass
	06	14.03	14.45	17.27	11.35	12.08	14.74		
	09	14.04	14.05	17.06	11.47	11.62	14.56		


NOTE: duty cycle factor = $10\log(1/\text{duty cycle})$, the factor is included in AV power value.


Appendix B: Power Spectral Density


Type	Channel	Power Spectral Density (dBm/30KHz)		Total Power Spectral Density (dBm/30KHz)	Limit (dBm/3KHz)	Result
		Antenna 0	Antenna 1			
802.11b	01	3.22	3.42	--	≤5.5	Pass
	06	2.03	3.49	--		
	11	3.82	4.51	--		
802.11g	01	-6.64	-6.76	--	≤5.5	Pass
	06	-7.88	-7.25	--		
	11	-8.47	-7.08	--		
802.11n(HT20)	01	-11.52	-11.63	-8.56	≤5.5	Pass
	06	-10.98	-10.28	-7.61		
	11	-12.15	-11.43	-8.76		
802.11n(HT40)	03	-14.50	-15.01	-11.74	≤5.5	Pass
	06	-14.20	-13.60	-10.88		
	09	-14.39	-14.22	-11.29		
























Appendix C: 6dB Bandwidth


Type	Channel	6dB Bandwidth (MHz)		Limit (kHz)	Result
		Antenna 0	Antenna 1		
802.11b	01	8.07	8.10	≥500	Pass
	06	8.13	8.13		
	11	8.61	8.13		
802.11g	01	16.38	16.41	≥500	Pass
	06	16.38	16.38		
	11	16.38	16.41		
802.11n(HT20)	01	16.98	17.61	≥500	Pass
	06	17.22	17.61		
	11	17.22	17.61		
802.11n(HT40)	03	35.28	35.22	≥500	Pass
	06	35.28	35.22		
	09	35.28	35.22		
















802.11n(HT20)

Antenna 1


CH01




CH06




CH11








Appendix D: 99% Occupied Bandwidth

Type	Channel	99% Bandwidth (MHz)		Limit (kHz)	Result
		Antenna 0	Antenna 1		
802.11b	01	12.89	12.89	-	Pass
	06	12.86	12.92		
	11	12.89	12.89		
802.11g	01	16.45	16.48	-	Pass
	06	16.45	16.48		
	11	16.48	16.48		
802.11n(HT20)	01	17.62	17.62	-	Pass
	06	17.65	17.62		
	11	17.65	17.62		
802.11n(HT40)	03	36.02	35.96	-	Pass
	06	35.96	35.96		
	09	36.02	35.96		











802.11 b

Antenna 1


CH01





CH06




CH11











Appendix E: Duty Cycle


Modulation Type	Test Frequency (MHz)	T _{on time} for single burst (ms)	T _{period} (ms)	Duty cycle	1/T _{on time} (kHz)
11b	2437	12.45	12.77	97.5%	0.1
11g	2437	2.06	2.20	93.6%	0.5
11n20	2437	1.92	2.06	93.2%	0.5
11n40	2437	0.94	1.11	84.7%	1.1

11b





11g








Appendix F: Band Edge and Spurious Emissions (Conducted)



Test Item:	Bandedge	802.11 b	Antenna 0
CH01			
CH11			











Test Item:	Bandedge	802.11 n(HT40)	Antenna 0																																										
CH03	MultiViewSpectrum Ref Level 20.00 dBm Offset 1.50 dB BW 100 kHz Count 200/300 Att 30 dB SWT 1.52 ms VBW 300 kHz Mode Auto Sweep 1 Frequency Sweep  2 Marker Table <table><tr><th>Type</th><th>Ref</th><th>Trc</th><th>X-Value</th><th>Y-Value</th><th>Function</th><th>Function Result</th></tr><tr><td>M1</td><td>1</td><td></td><td>2.41688 GHz</td><td>-7.40 dBm</td><td></td><td></td></tr><tr><td>M2</td><td>1</td><td></td><td>2.4 GHz</td><td>-53.75 dBm</td><td></td><td></td></tr><tr><td>M3</td><td>1</td><td></td><td>2.39 GHz</td><td>-60.26 dBm</td><td></td><td></td></tr><tr><td>M4</td><td>1</td><td></td><td>2.31 GHz</td><td>-63.07 dBm</td><td></td><td></td></tr><tr><td>M5</td><td>1</td><td></td><td>2.395668 GHz</td><td>-51.47 dBm</td><td></td><td></td></tr></table> Date: 25 APR 2021 11:08:20			Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.41688 GHz	-7.40 dBm			M2	1		2.4 GHz	-53.75 dBm			M3	1		2.39 GHz	-60.26 dBm			M4	1		2.31 GHz	-63.07 dBm			M5	1		2.395668 GHz	-51.47 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																							
M1	1		2.41688 GHz	-7.40 dBm																																									
M2	1		2.4 GHz	-53.75 dBm																																									
M3	1		2.39 GHz	-60.26 dBm																																									
M4	1		2.31 GHz	-63.07 dBm																																									
M5	1		2.395668 GHz	-51.47 dBm																																									
CH09	MultiViewSpectrum Ref Level 20.00 dBm Offset 1.50 dB BW 100 kHz Count 300/300 Att 30 dB SWT 1.1 ms VBW 300 kHz Mode Auto Sweep 1 Frequency Sweep  2 Marker Table <table><tr><th>Type</th><th>Ref</th><th>Trc</th><th>X-Value</th><th>Y-Value</th><th>Function</th><th>Function Result</th></tr><tr><td>M1</td><td>1</td><td></td><td>2.456965 GHz</td><td>-7.15 dBm</td><td></td><td></td></tr><tr><td>M2</td><td>1</td><td></td><td>2.4835 GHz</td><td>-58.67 dBm</td><td></td><td></td></tr><tr><td>M3</td><td>1</td><td></td><td>2.5 GHz</td><td>-58.58 dBm</td><td></td><td></td></tr><tr><td>M4</td><td>1</td><td></td><td>2.485108 GHz</td><td>-58.40 dBm</td><td></td><td></td></tr></table> Date: 25 APR 2021 11:06:09			Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.456965 GHz	-7.15 dBm			M2	1		2.4835 GHz	-58.67 dBm			M3	1		2.5 GHz	-58.58 dBm			M4	1		2.485108 GHz	-58.40 dBm									
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																							
M1	1		2.456965 GHz	-7.15 dBm																																									
M2	1		2.4835 GHz	-58.67 dBm																																									
M3	1		2.5 GHz	-58.58 dBm																																									
M4	1		2.485108 GHz	-58.40 dBm																																									


Test Item:	Bandedge	802.11 b	Antenna 1																																										
CH01	MultiView Spectrum Ref Level 20.00 dBm Offset 1.50 dB RBW 100 kHz Att 30 dB SWT 1.12 ms VBW 300 kHz Mode Auto Sweep Count 200/200 1 Frequency Sweep 30 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm 2.31 GHz 1001 pts 11.2 MHz/ 2.422 GHz M1 [1] 6.87 dBm M2 [1] 2.412430 GHz M3 [1] -49.59 dBm M4 [1] 2.397024 GHz M5 [1] -44.63 dBm 2 Marker Table <table><tr><th>Type</th><th>Ref</th><th>Trc</th><th>X-Value</th><th>Y-Value</th><th>Function</th><th>Function Result</th></tr><tr><td>M1</td><td>1</td><td></td><td>2.41243 GHz</td><td>6.87 dBm</td><td></td><td></td></tr><tr><td>M2</td><td>1</td><td></td><td>2.4 GHz</td><td>-49.59 dBm</td><td></td><td></td></tr><tr><td>M3</td><td>1</td><td></td><td>2.39 GHz</td><td>-55.80 dBm</td><td></td><td></td></tr><tr><td>M4</td><td>1</td><td></td><td>2.31 GHz</td><td>-60.39 dBm</td><td></td><td></td></tr><tr><td>M5</td><td>1</td><td></td><td>2.397024 GHz</td><td>-44.63 dBm</td><td></td><td></td></tr></table> Date: 25 APR 2021 09:45:08			Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.41243 GHz	6.87 dBm			M2	1		2.4 GHz	-49.59 dBm			M3	1		2.39 GHz	-55.80 dBm			M4	1		2.31 GHz	-60.39 dBm			M5	1		2.397024 GHz	-44.63 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																							
M1	1		2.41243 GHz	6.87 dBm																																									
M2	1		2.4 GHz	-49.59 dBm																																									
M3	1		2.39 GHz	-55.80 dBm																																									
M4	1		2.31 GHz	-60.39 dBm																																									
M5	1		2.397024 GHz	-44.63 dBm																																									
CH11	MultiView Spectrum Ref Level 20.00 dBm Offset 1.50 dB RBW 100 kHz Att 30 dB SWT 1.03 ms VBW 300 kHz Mode Auto Sweep Count 300/300 1 Frequency Sweep 30 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm 2.452 GHz 1001 pts 4.8 MHz/ 2.5 GHz M1 [1] 6.47 dBm M2 [1] 2.4614710 GHz M3 [1] -55.24 dBm M4 [1] 2.4835000 GHz M5 [1] -50.29 dBm 2 Marker Table <table><tr><th>Type</th><th>Ref</th><th>Trc</th><th>X-Value</th><th>Y-Value</th><th>Function</th><th>Function Result</th></tr><tr><td>M1</td><td>1</td><td></td><td>2.461471 GHz</td><td>6.47 dBm</td><td></td><td></td></tr><tr><td>M2</td><td>1</td><td></td><td>2.4835 GHz</td><td>-55.24 dBm</td><td></td><td></td></tr><tr><td>M3</td><td>1</td><td></td><td>2.5 GHz</td><td>-54.49 dBm</td><td></td><td></td></tr><tr><td>M4</td><td>1</td><td></td><td>2.496016 GHz</td><td>-50.29 dBm</td><td></td><td></td></tr></table> Date: 25 APR 2021 09:50:43			Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.461471 GHz	6.47 dBm			M2	1		2.4835 GHz	-55.24 dBm			M3	1		2.5 GHz	-54.49 dBm			M4	1		2.496016 GHz	-50.29 dBm									
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																							
M1	1		2.461471 GHz	6.47 dBm																																									
M2	1		2.4835 GHz	-55.24 dBm																																									
M3	1		2.5 GHz	-54.49 dBm																																									
M4	1		2.496016 GHz	-50.29 dBm																																									

Test Item:	Bandedge	802.11 g	Antenna 1																																										
CH01	MultiView Spectrum Ref Level 20.00 dBm Offset 1.50 dB BW 100 kHz Att 30 dB SWT 1.12 ms VBW 300 kHz Mode Auto Sweep Count 200/300 Frequency Sweep M1[1] -2.20 dBm M2[1] 2.410640 GHz M2[1] -42.01 dBm M2[1] 2.400000 GHz  2.31 GHz 1001 pts 11.2 MHz/ 2.422 GHz 2 Marker Table <table><tr><th>Type</th><th>Ref</th><th>Trc</th><th>X-Value</th><th>Y-Value</th><th>Function</th><th>Function Result</th></tr><tr><td>M1</td><td>1</td><td></td><td>2.41064 GHz</td><td>-2.20 dBm</td><td></td><td></td></tr><tr><td>M2</td><td>1</td><td></td><td>2.4 GHz</td><td>-42.01 dBm</td><td></td><td></td></tr><tr><td>M3</td><td>1</td><td></td><td>2.39 GHz</td><td>-58.91 dBm</td><td></td><td></td></tr><tr><td>M4</td><td>1</td><td></td><td>2.399936 GHz</td><td>-63.56 dBm</td><td></td><td></td></tr><tr><td>M5</td><td>1</td><td></td><td>2.399936 GHz</td><td>-45.56 dBm</td><td></td><td></td></tr></table> Date: 25 APR 2021 09:59:51			Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.41064 GHz	-2.20 dBm			M2	1		2.4 GHz	-42.01 dBm			M3	1		2.39 GHz	-58.91 dBm			M4	1		2.399936 GHz	-63.56 dBm			M5	1		2.399936 GHz	-45.56 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																							
M1	1		2.41064 GHz	-2.20 dBm																																									
M2	1		2.4 GHz	-42.01 dBm																																									
M3	1		2.39 GHz	-58.91 dBm																																									
M4	1		2.399936 GHz	-63.56 dBm																																									
M5	1		2.399936 GHz	-45.56 dBm																																									
CH11	MultiView Spectrum Ref Level 20.00 dBm Offset 1.50 dB BW 100 kHz Att 30 dB SWT 1.03 ms VBW 300 kHz Mode Auto Sweep Count 300/300 Frequency Sweep M1[1] -1.32 dBm M2[1] 2.4669850 GHz M2[1] -56.86 dBm M2[1] 2.4835000 GHz  2.452 GHz 1001 pts 4.8 MHz/ 2.5 GHz 2 Marker Table <table><tr><th>Type</th><th>Ref</th><th>Trc</th><th>X-Value</th><th>Y-Value</th><th>Function</th><th>Function Result</th></tr><tr><td>M1</td><td>1</td><td></td><td>2.466985 GHz</td><td>-1.32 dBm</td><td></td><td></td></tr><tr><td>M2</td><td>1</td><td></td><td>2.4835 GHz</td><td>-56.86 dBm</td><td></td><td></td></tr><tr><td>M3</td><td>1</td><td></td><td>2.5 GHz</td><td>-57.28 dBm</td><td></td><td></td></tr><tr><td>M4</td><td>1</td><td></td><td>2.495968 GHz</td><td>-54.72 dBm</td><td></td><td></td></tr></table> Date: 25 APR 2021 10:09:31			Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.466985 GHz	-1.32 dBm			M2	1		2.4835 GHz	-56.86 dBm			M3	1		2.5 GHz	-57.28 dBm			M4	1		2.495968 GHz	-54.72 dBm									
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																							
M1	1		2.466985 GHz	-1.32 dBm																																									
M2	1		2.4835 GHz	-56.86 dBm																																									
M3	1		2.5 GHz	-57.28 dBm																																									
M4	1		2.495968 GHz	-54.72 dBm																																									


Test Item:	Bandedge	802.11 n(HT20)	Antenna 1																																										
CH01	MultiViewSpectrum Ref Level 20.00 dBm Offset 1.50 dB BW 100 kHz Count 200/200 Att 30 dB SWT 1.12 ms VBW 300 kHz Mode Auto Sweep 1 Frequency Sweep  M1[1] -5.01 dBm 2.416910 GHz M2[1] -46.85 dBm 2.400000 GHz 2 Marker Table <table><thead><tr><th>Type</th><th>Ref</th><th>Trc</th><th>X-Value</th><th>Y-Value</th><th>Function</th><th>Function Result</th></tr></thead><tbody><tr><td>M1</td><td>1</td><td></td><td>2.41691 GHz</td><td>-5.01 dBm</td><td></td><td></td></tr><tr><td>M2</td><td>1</td><td></td><td>2.4 GHz</td><td>-46.85 dBm</td><td></td><td></td></tr><tr><td>M3</td><td>1</td><td></td><td>2.39 GHz</td><td>-59.81 dBm</td><td></td><td></td></tr><tr><td>M4</td><td>1</td><td></td><td>2.31 GHz</td><td>-63.54 dBm</td><td></td><td></td></tr><tr><td>M5</td><td>1</td><td></td><td>2.399936 GHz</td><td>-47.28 dBm</td><td></td><td></td></tr></tbody></table> Date: 25 APR 2021 10:53:29			Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.41691 GHz	-5.01 dBm			M2	1		2.4 GHz	-46.85 dBm			M3	1		2.39 GHz	-59.81 dBm			M4	1		2.31 GHz	-63.54 dBm			M5	1		2.399936 GHz	-47.28 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																							
M1	1		2.41691 GHz	-5.01 dBm																																									
M2	1		2.4 GHz	-46.85 dBm																																									
M3	1		2.39 GHz	-59.81 dBm																																									
M4	1		2.31 GHz	-63.54 dBm																																									
M5	1		2.399936 GHz	-47.28 dBm																																									
CH11	MultiViewSpectrum Ref Level 20.00 dBm Offset 1.50 dB BW 100 kHz Count 300/300 Att 30 dB SWT 1.03 ms VBW 300 kHz Mode Auto Sweep 1 Frequency Sweep  M1[1] -4.37 dBm 2.4669850 GHz M2[1] -59.38 dBm 2.4835000 GHz 2 Marker Table <table><thead><tr><th>Type</th><th>Ref</th><th>Trc</th><th>X-Value</th><th>Y-Value</th><th>Function</th><th>Function Result</th></tr></thead><tbody><tr><td>M1</td><td>1</td><td></td><td>2.466985 GHz</td><td>-4.37 dBm</td><td></td><td></td></tr><tr><td>M2</td><td>1</td><td></td><td>2.4835 GHz</td><td>-59.38 dBm</td><td></td><td></td></tr><tr><td>M3</td><td>1</td><td></td><td>2.5 GHz</td><td>-57.08 dBm</td><td></td><td></td></tr><tr><td>M4</td><td>1</td><td></td><td>2.495968 GHz</td><td>-55.98 dBm</td><td></td><td></td></tr></tbody></table> Date: 25 APR 2021 10:50:53			Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.466985 GHz	-4.37 dBm			M2	1		2.4835 GHz	-59.38 dBm			M3	1		2.5 GHz	-57.08 dBm			M4	1		2.495968 GHz	-55.98 dBm									
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																							
M1	1		2.466985 GHz	-4.37 dBm																																									
M2	1		2.4835 GHz	-59.38 dBm																																									
M3	1		2.5 GHz	-57.08 dBm																																									
M4	1		2.495968 GHz	-55.98 dBm																																									





Test Item:	SE	802.11 b	Antenna 0
Reference level CH01	 Ref Level 30.00 dBm Offset 1.50 dB RBW 100 kHz Att 30 dB SWF 1.04 ms VBW 300 kHz Mode Auto Sweep Count 100/100 MI[1] 6.20 dBm 2.413910 GHz CF 2.412 GHz 1001 pts 3.0 MHz/ Span 30.0 MHz Date: 25 APR 2021 09:04:36		
CH01	 Ref Level 20.00 dBm Offset 1.50 dB RBW 100 kHz Att 30 dB SWF 30.1 ms VBW 300 kHz Mode Auto Sweep Count 10/10 MI[1] -59.10 dBm 30.0 MHz 30.0 MHz 30001 pts 97.0 MHz/ 1.0 GHz Date: 25 APR 2021 09:04:52		
	 Ref Level 20.00 dBm Offset 1.50 dB RBW 100 kHz Att 30 dB SWF 250 ms VBW 300 kHz Mode Auto Sweep Count 10/10 MI[1] -33.43 dBm 3.215833 GHz 1.0 GHz 30001 pts 2.5 GHz/ 26.0 GHz Date: 25 APR 2021 09:05:08		






Reference level CH11




CH11





Test Item:	SE	802.11 g	Antenna 0
Reference level CH01			
CH01			
			


Reference level CH06





CH06






Reference level CH11



CH11



Test Item:	SE	802.11 n(HT20)	Antenna 0
Reference level CH01	MultiView Spectrum Ref Level 30.00 dBm Att 30.0 dB Offset 1.50 dB RBW 100 kHz Mode Auto Sweep Count 100/100 1 Frequency Sweep  MI[1] -4.94 dBm 2.4169750 GHz CF 2.412 GHz 1001 pts 3.0 MHz/ Span 30.0 MHz Date: 25 APR 2021 10:42:40		
CH01	MultiView Spectrum Ref Level 20.00 dBm Att 30.0 dB Offset 1.50 dB RBW 100 kHz Mode Auto Sweep Count 10/10 1 Frequency Sweep  MI[1] -59.54 dBm 947.5090 MHz 30.0 MHz 30001 pts 97.0 MHz/ 1.0 GHz Date: 25 APR 2021 10:42:26		
	MultiView Spectrum Ref Level 20.00 dBm Att 30.0 dB Offset 1.50 dB RBW 100 kHz Mode Auto Sweep Count 10/10 1 Frequency Sweep  MI[1] -33.34 dBm 3.215833 GHz 1.0 GHz 30001 pts 2.5 GHz/ 26.0 GHz Date: 25 APR 2021 10:43:12		

