


































Appendix E: Frequency Stability

Test Result (Worst case as below)

TestMode	Antenna	Frequen cy[MHz]	Voltage [Vdc]	Temper ature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
11A	Ant1	5180	NV	NT	-40000.00	-7.722008	20	PASS
11A	Ant1	5180	LV	NT	-20000.00	-3.861004	20	PASS
11A	Ant1	5180	HV	NT	-20000.00	-3.861004	20	PASS
11A	Ant2	5180	NV	NT	-20000.00	-3.861004	20	PASS
11A	Ant2	5180	LV	NT	-20000.00	-3.861004	20	PASS
11A	Ant2	5180	HV	NT	-40000.00	-7.722008	20	PASS
11A	Ant1	5200	NV	NT	-20000.00	-3.846154	20	PASS
11A	Ant1	5200	LV	NT	-40000.00	-7.692308	20	PASS
11A	Ant1	5200	HV	NT	-20000.00	-3.846154	20	PASS
11A	Ant2	5200	NV	NT	-40000.00	-7.692308	20	PASS
11A	Ant2	5200	LV	NT	-40000.00	-7.692308	20	PASS
11A	Ant2	5200	HV	NT	-20000.00	-3.846154	20	PASS
11A	Ant1	5240	NV	NT	-40000.00	-7.633588	20	PASS
11A	Ant1	5240	LV	NT	-40000.00	-7.633588	20	PASS
11A	Ant1	5240	HV	NT	-40000.00	-7.633588	20	PASS
11A	Ant2	5240	NV	NT	-20000.00	-3.816794	20	PASS
11A	Ant2	5240	LV	NT	-20000.00	-3.816794	20	PASS
11A	Ant2	5240	HV	NT	-20000.00	-3.816794	20	PASS
11A	Ant1	5260	NV	NT	-40000.00	-7.604563	20	PASS
11A	Ant1	5260	LV	NT	-20000.00	-3.802281	20	PASS
11A	Ant1	5260	HV	NT	-40000.00	-7.604563	20	PASS
11A	Ant2	5260	NV	NT	-20000.00	-3.802281	20	PASS
11A	Ant2	5260	LV	NT	-20000.00	-3.802281	20	PASS
11A	Ant2	5260	HV	NT	-20000.00	-3.802281	20	PASS
11A	Ant1	5280	NV	NT	-20000.00	-3.787879	20	PASS
11A	Ant1	5280	LV	NT	-40000.00	-7.575758	20	PASS
11A	Ant1	5280	HV	NT	-40000.00	-7.575758	20	PASS
11A	Ant2	5280	NV	NT	-20000.00	-3.787879	20	PASS
11A	Ant2	5280	LV	NT	-40000.00	-7.575758	20	PASS
11A	Ant2	5280	HV	NT	-20000.00	-3.787879	20	PASS
11A	Ant1	5320	NV	NT	-40000.00	-7.518797	20	PASS
11A	Ant1	5320	LV	NT	-20000.00	-3.759398	20	PASS
11A	Ant1	5320	HV	NT	-40000.00	-7.518797	20	PASS
11A	Ant2	5320	NV	NT	-20000.00	-3.759398	20	PASS
11A	Ant2	5320	LV	NT	-40000.00	-7.518797	20	PASS
11A	Ant2	5320	HV	NT	-20000.00	-3.759398	20	PASS
11A	Ant1	5500	NV	NT	-20000.00	-3.636364	20	PASS

Waltek Testing Group (Shenzhen) Co., Ltd.

[Http://www.waltek.com.cn](http://www.waltek.com.cn)

11A	Ant1	5500	LV	NT	-20000.00	-3.636364	20	PASS
11A	Ant1	5500	HV	NT	-40000.00	-7.272727	20	PASS
11A	Ant2	5500	NV	NT	-40000.00	-7.272727	20	PASS
11A	Ant2	5500	LV	NT	-20000.00	-3.636364	20	PASS
11A	Ant2	5500	HV	NT	-20000.00	-3.636364	20	PASS
11A	Ant1	5580	NV	NT	-20000.00	-3.584229	20	PASS
11A	Ant1	5580	LV	NT	-20000.00	-3.584229	20	PASS
11A	Ant1	5580	HV	NT	-20000.00	-3.584229	20	PASS
11A	Ant2	5580	NV	NT	-20000.00	-3.584229	20	PASS
11A	Ant2	5580	LV	NT	-20000.00	-3.584229	20	PASS
11A	Ant2	5580	HV	NT	-40000.00	-7.168459	20	PASS
11A	Ant1	5700	NV	NT	-20000.00	-3.508772	20	PASS
11A	Ant1	5700	LV	NT	-40000.00	-7.017544	20	PASS
11A	Ant1	5700	HV	NT	-20000.00	-3.508772	20	PASS
11A	Ant2	5700	NV	NT	-20000.00	-3.508772	20	PASS
11A	Ant2	5700	LV	NT	-40000.00	-7.017544	20	PASS
11A	Ant2	5700	HV	NT	-20000.00	-3.508772	20	PASS
11A	Ant1	5745	NV	NT	-40000.00	-6.962576	20	PASS
11A	Ant1	5745	LV	NT	-20000.00	-3.481288	20	PASS
11A	Ant1	5745	HV	NT	-20000.00	-3.481288	20	PASS
11A	Ant2	5745	NV	NT	-20000.00	-3.481288	20	PASS
11A	Ant2	5745	LV	NT	-40000.00	-6.962576	20	PASS
11A	Ant2	5745	HV	NT	-40000.00	-6.962576	20	PASS
11A	Ant1	5785	NV	NT	-40000.00	-6.914434	20	PASS
11A	Ant1	5785	LV	NT	-20000.00	-3.457217	20	PASS
11A	Ant1	5785	HV	NT	-20000.00	-3.457217	20	PASS
11A	Ant2	5785	NV	NT	-20000.00	-3.457217	20	PASS
11A	Ant2	5785	LV	NT	-20000.00	-3.457217	20	PASS
11A	Ant2	5785	HV	NT	-40000.00	-6.914434	20	PASS
11A	Ant1	5825	NV	NT	-20000.00	-3.433476	20	PASS
11A	Ant1	5825	LV	NT	-40000.00	-6.866953	20	PASS
11A	Ant1	5825	HV	NT	-40000.00	-6.866953	20	PASS
11A	Ant2	5825	NV	NT	-20000.00	-3.433476	20	PASS
11A	Ant2	5825	LV	NT	-20000.00	-3.433476	20	PASS
11A	Ant2	5825	HV	NT	-40000.00	-6.866953	20	PASS

TestMode	Antenna	Frequen cy[MHz]	Voltage [Vdc]	Temper ature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
11A	Ant1	5180	NV	-30	-20000.00	-3.861004	20	PASS
11A	Ant1	5180	NV	-20	-40000.00	-7.722008	20	PASS
11A	Ant1	5180	NV	-10	-20000.00	-3.861004	20	PASS
11A	Ant1	5180	NV	0	-20000.00	-3.861004	20	PASS
11A	Ant1	5180	NV	10	-20000.00	-3.861004	20	PASS
11A	Ant1	5180	NV	20	-20000.00	-3.861004	20	PASS
11A	Ant1	5180	NV	30	-20000.00	-3.861004	20	PASS
11A	Ant1	5180	NV	40	-40000.00	-7.722008	20	PASS
11A	Ant1	5180	NV	50	-40000.00	-7.722008	20	PASS
11A	Ant2	5180	NV	-30	-20000.00	-3.861004	20	PASS
11A	Ant2	5180	NV	-20	-20000.00	-3.861004	20	PASS
11A	Ant2	5180	NV	-10	-20000.00	-3.861004	20	PASS
11A	Ant2	5180	NV	0	-20000.00	-3.861004	20	PASS
11A	Ant2	5180	NV	10	-20000.00	-3.861004	20	PASS
11A	Ant2	5180	NV	20	-40000.00	-7.722008	20	PASS
11A	Ant2	5180	NV	30	-20000.00	-3.861004	20	PASS
11A	Ant2	5180	NV	40	-20000.00	-3.861004	20	PASS
11A	Ant2	5180	NV	50	-20000.00	-3.861004	20	PASS
11A	Ant1	5200	NV	-30	-40000.00	-7.692308	20	PASS
11A	Ant1	5200	NV	-20	-20000.00	-3.846154	20	PASS
11A	Ant1	5200	NV	-10	-20000.00	-3.846154	20	PASS
11A	Ant1	5200	NV	0	-40000.00	-7.692308	20	PASS
11A	Ant1	5200	NV	10	-40000.00	-7.692308	20	PASS
11A	Ant1	5200	NV	20	-40000.00	-7.692308	20	PASS
11A	Ant1	5200	NV	30	-40000.00	-7.692308	20	PASS
11A	Ant1	5200	NV	40	-20000.00	-3.846154	20	PASS
11A	Ant1	5200	NV	50	-20000.00	-3.846154	20	PASS
11A	Ant2	5200	NV	-30	-20000.00	-3.846154	20	PASS
11A	Ant2	5200	NV	-20	-20000.00	-3.846154	20	PASS
11A	Ant2	5200	NV	-10	-40000.00	-7.692308	20	PASS
11A	Ant2	5200	NV	0	-20000.00	-3.846154	20	PASS
11A	Ant2	5200	NV	10	-20000.00	-3.846154	20	PASS
11A	Ant2	5200	NV	20	-20000.00	-3.846154	20	PASS
11A	Ant2	5200	NV	30	-20000.00	-3.846154	20	PASS
11A	Ant2	5200	NV	40	-20000.00	-3.846154	20	PASS
11A	Ant2	5200	NV	50	-40000.00	-7.692308	20	PASS
11A	Ant1	5240	NV	-30	-40000.00	-7.633588	20	PASS
11A	Ant1	5240	NV	-20	-40000.00	-7.633588	20	PASS
11A	Ant1	5240	NV	-10	-40000.00	-7.633588	20	PASS

11A	Ant1	5240	NV	0	-40000.00	-7.633588	20	PASS
11A	Ant1	5240	NV	10	-20000.00	-3.816794	20	PASS
11A	Ant1	5240	NV	20	-20000.00	-3.816794	20	PASS
11A	Ant1	5240	NV	30	-20000.00	-3.816794	20	PASS
11A	Ant1	5240	NV	40	-40000.00	-7.633588	20	PASS
11A	Ant1	5240	NV	50	-40000.00	-7.633588	20	PASS
11A	Ant2	5240	NV	-30	-40000.00	-7.633588	20	PASS
11A	Ant2	5240	NV	-20	-40000.00	-7.633588	20	PASS
11A	Ant2	5240	NV	-10	-20000.00	-3.816794	20	PASS
11A	Ant2	5240	NV	0	-20000.00	-3.816794	20	PASS
11A	Ant2	5240	NV	10	0.00	0.000000	20	PASS
11A	Ant2	5240	NV	20	-20000.00	-3.816794	20	PASS
11A	Ant2	5240	NV	30	-20000.00	-3.816794	20	PASS
11A	Ant2	5240	NV	40	-20000.00	-3.816794	20	PASS
11A	Ant2	5240	NV	50	-20000.00	-3.816794	20	PASS
11A	Ant1	5260	NV	-30	-40000.00	-7.604563	20	PASS
11A	Ant1	5260	NV	-20	-40000.00	-7.604563	20	PASS
11A	Ant1	5260	NV	-10	-20000.00	-3.802281	20	PASS
11A	Ant1	5260	NV	0	-40000.00	-7.604563	20	PASS
11A	Ant1	5260	NV	10	-20000.00	-3.802281	20	PASS
11A	Ant1	5260	NV	20	-40000.00	-7.604563	20	PASS
11A	Ant1	5260	NV	30	-40000.00	-7.604563	20	PASS
11A	Ant1	5260	NV	40	-40000.00	-7.604563	20	PASS
11A	Ant1	5260	NV	50	-40000.00	-7.604563	20	PASS
11A	Ant2	5260	NV	-30	-40000.00	-7.604563	20	PASS
11A	Ant2	5260	NV	-20	-20000.00	-3.802281	20	PASS
11A	Ant2	5260	NV	-10	-40000.00	-7.604563	20	PASS
11A	Ant2	5260	NV	0	-20000.00	-3.802281	20	PASS
11A	Ant2	5260	NV	10	-40000.00	-7.604563	20	PASS
11A	Ant2	5260	NV	20	-40000.00	-7.604563	20	PASS
11A	Ant2	5260	NV	30	-20000.00	-3.802281	20	PASS
11A	Ant2	5260	NV	40	-20000.00	-3.802281	20	PASS
11A	Ant2	5260	NV	50	-20000.00	-3.802281	20	PASS
11A	Ant1	5280	NV	-30	-40000.00	-7.575758	20	PASS
11A	Ant1	5280	NV	-20	-20000.00	-3.787879	20	PASS
11A	Ant1	5280	NV	-10	-40000.00	-7.575758	20	PASS
11A	Ant1	5280	NV	0	-40000.00	-7.575758	20	PASS
11A	Ant1	5280	NV	10	-20000.00	-3.787879	20	PASS
11A	Ant1	5280	NV	20	-20000.00	-3.787879	20	PASS
11A	Ant1	5280	NV	30	-40000.00	-7.575758	20	PASS
11A	Ant1	5280	NV	40	-40000.00	-7.575758	20	PASS
11A	Ant1	5280	NV	50	-20000.00	-3.787879	20	PASS

11A	Ant2	5280	NV	-30	-40000.00	-7.575758	20	PASS
11A	Ant2	5280	NV	-20	-40000.00	-7.575758	20	PASS
11A	Ant2	5280	NV	-10	-20000.00	-3.787879	20	PASS
11A	Ant2	5280	NV	0	-20000.00	-3.787879	20	PASS
11A	Ant2	5280	NV	10	-20000.00	-3.787879	20	PASS
11A	Ant2	5280	NV	20	-20000.00	-3.787879	20	PASS
11A	Ant2	5280	NV	30	-40000.00	-7.575758	20	PASS
11A	Ant2	5280	NV	40	-40000.00	-7.575758	20	PASS
11A	Ant2	5280	NV	50	-40000.00	-7.575758	20	PASS
11A	Ant1	5320	NV	-30	-20000.00	-3.759398	20	PASS
11A	Ant1	5320	NV	-20	-40000.00	-7.518797	20	PASS
11A	Ant1	5320	NV	-10	-40000.00	-7.518797	20	PASS
11A	Ant1	5320	NV	0	-20000.00	-3.759398	20	PASS
11A	Ant1	5320	NV	10	-40000.00	-7.518797	20	PASS
11A	Ant1	5320	NV	20	-40000.00	-7.518797	20	PASS
11A	Ant1	5320	NV	30	-40000.00	-7.518797	20	PASS
11A	Ant1	5320	NV	40	-40000.00	-7.518797	20	PASS
11A	Ant1	5320	NV	50	-20000.00	-3.759398	20	PASS
11A	Ant2	5320	NV	-30	-20000.00	-3.759398	20	PASS
11A	Ant2	5320	NV	-20	-20000.00	-3.759398	20	PASS
11A	Ant2	5320	NV	-10	0.00	0.000000	20	PASS
11A	Ant2	5320	NV	0	-20000.00	-3.759398	20	PASS
11A	Ant2	5320	NV	10	-40000.00	-7.518797	20	PASS
11A	Ant2	5320	NV	20	-40000.00	-7.518797	20	PASS
11A	Ant2	5320	NV	30	-20000.00	-3.759398	20	PASS
11A	Ant2	5320	NV	40	-20000.00	-3.759398	20	PASS
11A	Ant2	5320	NV	50	-20000.00	-3.759398	20	PASS
11A	Ant1	5500	NV	-30	-40000.00	-7.272727	20	PASS
11A	Ant1	5500	NV	-20	-20000.00	-3.636364	20	PASS
11A	Ant1	5500	NV	-10	-40000.00	-7.272727	20	PASS
11A	Ant1	5500	NV	0	-40000.00	-7.272727	20	PASS
11A	Ant1	5500	NV	10	-20000.00	-3.636364	20	PASS
11A	Ant1	5500	NV	20	-40000.00	-7.272727	20	PASS
11A	Ant1	5500	NV	30	-40000.00	-7.272727	20	PASS
11A	Ant1	5500	NV	40	-20000.00	-3.636364	20	PASS
11A	Ant1	5500	NV	50	-40000.00	-7.272727	20	PASS
11A	Ant2	5500	NV	-30	-20000.00	-3.636364	20	PASS
11A	Ant2	5500	NV	-20	-20000.00	-3.636364	20	PASS
11A	Ant2	5500	NV	-10	-20000.00	-3.636364	20	PASS
11A	Ant2	5500	NV	0	-40000.00	-7.272727	20	PASS
11A	Ant2	5500	NV	10	-40000.00	-7.272727	20	PASS
11A	Ant2	5500	NV	20	-20000.00	-3.636364	20	PASS

11A	Ant2	5500	NV	30	-40000.00	-7.272727	20	PASS
11A	Ant2	5500	NV	40	-20000.00	-3.636364	20	PASS
11A	Ant2	5500	NV	50	-20000.00	-3.636364	20	PASS
11A	Ant1	5580	NV	-30	-20000.00	-3.584229	20	PASS
11A	Ant1	5580	NV	-20	-20000.00	-3.584229	20	PASS
11A	Ant1	5580	NV	-10	-20000.00	-3.584229	20	PASS
11A	Ant1	5580	NV	0	-20000.00	-3.584229	20	PASS
11A	Ant1	5580	NV	10	-20000.00	-3.584229	20	PASS
11A	Ant1	5580	NV	20	-20000.00	-3.584229	20	PASS
11A	Ant1	5580	NV	30	-20000.00	-3.584229	20	PASS
11A	Ant1	5580	NV	40	-20000.00	-3.584229	20	PASS
11A	Ant1	5580	NV	50	-20000.00	-3.584229	20	PASS
11A	Ant2	5580	NV	-30	-20000.00	-3.584229	20	PASS
11A	Ant2	5580	NV	-20	-20000.00	-3.584229	20	PASS
11A	Ant2	5580	NV	-10	-20000.00	-3.584229	20	PASS
11A	Ant2	5580	NV	0	0.00	0.000000	20	PASS
11A	Ant2	5580	NV	10	-40000.00	-7.168459	20	PASS
11A	Ant2	5580	NV	20	-20000.00	-3.584229	20	PASS
11A	Ant2	5580	NV	30	-20000.00	-3.584229	20	PASS
11A	Ant2	5580	NV	40	-20000.00	-3.584229	20	PASS
11A	Ant2	5580	NV	50	-20000.00	-3.584229	20	PASS
11A	Ant1	5700	NV	-30	-20000.00	-3.508772	20	PASS
11A	Ant1	5700	NV	-20	-20000.00	-3.508772	20	PASS
11A	Ant1	5700	NV	-10	-20000.00	-3.508772	20	PASS
11A	Ant1	5700	NV	0	-20000.00	-3.508772	20	PASS
11A	Ant1	5700	NV	10	-20000.00	-3.508772	20	PASS
11A	Ant1	5700	NV	20	-20000.00	-3.508772	20	PASS
11A	Ant1	5700	NV	30	-20000.00	-3.508772	20	PASS
11A	Ant1	5700	NV	40	-20000.00	-3.508772	20	PASS
11A	Ant1	5700	NV	50	-20000.00	-3.508772	20	PASS
11A	Ant2	5700	NV	-30	-20000.00	-3.508772	20	PASS
11A	Ant2	5700	NV	-20	-40000.00	-7.017544	20	PASS
11A	Ant2	5700	NV	-10	-20000.00	-3.508772	20	PASS
11A	Ant2	5700	NV	0	-40000.00	-7.017544	20	PASS
11A	Ant2	5700	NV	10	-40000.00	-7.017544	20	PASS
11A	Ant2	5700	NV	20	-40000.00	-7.017544	20	PASS
11A	Ant2	5700	NV	30	-20000.00	-3.508772	20	PASS
11A	Ant2	5700	NV	40	-20000.00	-3.508772	20	PASS
11A	Ant2	5700	NV	50	-40000.00	-7.017544	20	PASS
11A	Ant1	5745	NV	-30	-20000.00	-3.481288	20	PASS
11A	Ant1	5745	NV	-20	-40000.00	-6.962576	20	PASS
11A	Ant1	5745	NV	-10	-40000.00	-6.962576	20	PASS

11A	Ant1	5745	NV	0	-40000.00	-6.962576	20	PASS
11A	Ant1	5745	NV	10	-40000.00	-6.962576	20	PASS
11A	Ant1	5745	NV	20	-40000.00	-6.962576	20	PASS
11A	Ant1	5745	NV	30	-40000.00	-6.962576	20	PASS
11A	Ant1	5745	NV	40	-20000.00	-3.481288	20	PASS
11A	Ant1	5745	NV	50	-40000.00	-6.962576	20	PASS
11A	Ant2	5745	NV	-30	-40000.00	-6.962576	20	PASS
11A	Ant2	5745	NV	-20	-20000.00	-3.481288	20	PASS
11A	Ant2	5745	NV	-10	-40000.00	-6.962576	20	PASS
11A	Ant2	5745	NV	0	-40000.00	-6.962576	20	PASS
11A	Ant2	5745	NV	10	-40000.00	-6.962576	20	PASS
11A	Ant2	5745	NV	20	0.00	0.000000	20	PASS
11A	Ant2	5745	NV	30	-40000.00	-6.962576	20	PASS
11A	Ant2	5745	NV	40	-20000.00	-3.481288	20	PASS
11A	Ant2	5745	NV	50	-40000.00	-6.962576	20	PASS
11A	Ant1	5785	NV	-30	-20000.00	-3.457217	20	PASS
11A	Ant1	5785	NV	-20	-20000.00	-3.457217	20	PASS
11A	Ant1	5785	NV	-10	-40000.00	-6.914434	20	PASS
11A	Ant1	5785	NV	0	-20000.00	-3.457217	20	PASS
11A	Ant1	5785	NV	10	-40000.00	-6.914434	20	PASS
11A	Ant1	5785	NV	20	-20000.00	-3.457217	20	PASS
11A	Ant1	5785	NV	30	-40000.00	-6.914434	20	PASS
11A	Ant1	5785	NV	40	-20000.00	-3.457217	20	PASS
11A	Ant1	5785	NV	50	-20000.00	-3.457217	20	PASS
11A	Ant2	5785	NV	-30	-20000.00	-3.457217	20	PASS
11A	Ant2	5785	NV	-20	-20000.00	-3.457217	20	PASS
11A	Ant2	5785	NV	-10	-40000.00	-6.914434	20	PASS
11A	Ant2	5785	NV	0	-40000.00	-6.914434	20	PASS
11A	Ant2	5785	NV	10	-20000.00	-3.457217	20	PASS
11A	Ant2	5785	NV	20	-20000.00	-3.457217	20	PASS
11A	Ant2	5785	NV	30	-40000.00	-6.914434	20	PASS
11A	Ant2	5785	NV	40	-20000.00	-3.457217	20	PASS
11A	Ant2	5785	NV	50	-20000.00	-3.457217	20	PASS
11A	Ant1	5825	NV	-30	-40000.00	-6.866953	20	PASS
11A	Ant1	5825	NV	-20	-20000.00	-3.433476	20	PASS
11A	Ant1	5825	NV	-10	-40000.00	-6.866953	20	PASS
11A	Ant1	5825	NV	0	-20000.00	-3.433476	20	PASS
11A	Ant1	5825	NV	10	-20000.00	-3.433476	20	PASS
11A	Ant1	5825	NV	20	-40000.00	-6.866953	20	PASS
11A	Ant1	5825	NV	30	-20000.00	-3.433476	20	PASS
11A	Ant1	5825	NV	40	-40000.00	-6.866953	20	PASS
11A	Ant1	5825	NV	50	-40000.00	-6.866953	20	PASS

11A	Ant2	5825	NV	-30	-20000.00	-3.433476	20	PASS
11A	Ant2	5825	NV	-20	-20000.00	-3.433476	20	PASS
11A	Ant2	5825	NV	-10	-20000.00	-3.433476	20	PASS
11A	Ant2	5825	NV	0	-40000.00	-6.866953	20	PASS
11A	Ant2	5825	NV	10	-20000.00	-3.433476	20	PASS
11A	Ant2	5825	NV	20	-20000.00	-3.433476	20	PASS
11A	Ant2	5825	NV	30	-40000.00	-6.866953	20	PASS
11A	Ant2	5825	NV	40	-40000.00	-6.866953	20	PASS
11A	Ant2	5825	NV	50	-40000.00	-6.866953	20	PASS