













Mode	13																																																																																																																														
	Harmonic																																																																																																																														
	U-NII-1_5.15-5.25_802.11ax HE40_CH46_Full RU_5230MHz																																																																																																																														
ANT	1+2																																																																																																																														
Pol.	Horizontal												Vertical																																																																																																																		
Peak Avg.																																																																																																																															
	Site : 03CH20-HY Condition: PEAK(UNII) 3m HF_91200_02360_231030 HORIZONTAL												Site : 03CH20-HY Condition: PEAK(UNII) 3m HF_91200_02360_231030 VERTICAL																																																																																																																		
<table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10460.00</td><td>51.68</td><td>68.20</td><td>-16.52</td><td>35.52</td><td>38.60</td><td>18.53</td><td>41.48</td><td>0.51</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>15690.00</td><td>51.76</td><td>74.00</td><td>-22.24</td><td>34.76</td><td>38.18</td><td>22.94</td><td>44.59</td><td>0.47</td><td>115</td><td>87</td><td>PEAK</td></tr><tr><td>3</td><td>15690.00</td><td>41.96</td><td>54.00</td><td>-12.04</td><td>24.96</td><td>38.18</td><td>22.94</td><td>44.59</td><td>0.47</td><td>115</td><td>87</td><td>Average</td></tr></table>													MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	10460.00	51.68	68.20	-16.52	35.52	38.60	18.53	41.48	0.51	--	--	PEAK	2	15690.00	51.76	74.00	-22.24	34.76	38.18	22.94	44.59	0.47	115	87	PEAK	3	15690.00	41.96	54.00	-12.04	24.96	38.18	22.94	44.59	0.47	115	87	Average	<table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10460.00</td><td>50.98</td><td>68.20</td><td>-17.22</td><td>34.82</td><td>38.60</td><td>18.53</td><td>41.48</td><td>0.51</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>15690.00</td><td>51.41</td><td>74.00</td><td>-22.59</td><td>34.41</td><td>38.18</td><td>22.94</td><td>44.59</td><td>0.47</td><td>158</td><td>224</td><td>PEAK</td></tr><tr><td>3</td><td>15690.00</td><td>42.02</td><td>54.00</td><td>-11.98</td><td>25.02</td><td>38.18</td><td>22.94</td><td>44.59</td><td>0.47</td><td>158</td><td>224</td><td>Average</td></tr></table>													MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	10460.00	50.98	68.20	-17.22	34.82	38.60	18.53	41.48	0.51	--	--	PEAK	2	15690.00	51.41	74.00	-22.59	34.41	38.18	22.94	44.59	0.47	158	224	PEAK	3	15690.00	42.02	54.00	-11.98	25.02	38.18	22.94	44.59	0.47	158	224	Average
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1	10460.00	51.68	68.20	-16.52	35.52	38.60	18.53	41.48	0.51	--	--	PEAK																																																																																																																			
2	15690.00	51.76	74.00	-22.24	34.76	38.18	22.94	44.59	0.47	115	87	PEAK																																																																																																																			
3	15690.00	41.96	54.00	-12.04	24.96	38.18	22.94	44.59	0.47	115	87	Average																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1	10460.00	50.98	68.20	-17.22	34.82	38.60	18.53	41.48	0.51	--	--	PEAK																																																																																																																			
2	15690.00	51.41	74.00	-22.59	34.41	38.18	22.94	44.59	0.47	158	224	PEAK																																																																																																																			
3	15690.00	42.02	54.00	-11.98	25.02	38.18	22.94	44.59	0.47	158	224	Average																																																																																																																			



Mode	13	
	Harmonic	
	U-NII-1_5.15-5.25_802.11ax HE40_CH46_Full RU_5230MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg.	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 HORIZONTAL	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 VERTICAL
17.7G ~18G Avg.	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 HORIZONTAL	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 VERTICAL







Mode	14																																													
	Band Edge - L																																													
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_5210MHz																																													
ANT	1+2																																													
Pol.	Horizontal	Fundamental																																												
Peak	 Site : 03CH20-HY Condition: PEAK_BE_74 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.94</td><td>53.34</td><td>74.00</td><td>-20.66</td><td>45.31</td><td>32.90</td><td>12.91</td><td>37.78</td><td>0.00</td><td>100 121 PEAK</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.94	53.34	74.00	-20.66	45.31	32.90	12.91	37.78	0.00	100 121 PEAK	 Site : 03CH20-HY Condition: PEAK(UNII) 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>103.38</td><td>-----</td><td>-----</td><td>95.25</td><td>32.96</td><td>13.01</td><td>37.84</td><td>0.00</td><td>100 121 PEAK</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	103.38	-----	-----	95.25	32.96	13.01	37.84	0.00	100 121 PEAK
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	5149.94	53.34	74.00	-20.66	45.31	32.90	12.91	37.78	0.00	100 121 PEAK																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	5210.00	103.38	-----	-----	95.25	32.96	13.01	37.84	0.00	100 121 PEAK																																				
Avg.	 Site : 03CH20-HY Condition: AVG_BE_54 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5147.63</td><td>44.12</td><td>54.00</td><td>-9.88</td><td>36.08</td><td>32.91</td><td>12.91</td><td>37.78</td><td>0.00</td><td>100 121 AVERAGE</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5147.63	44.12	54.00	-9.88	36.08	32.91	12.91	37.78	0.00	100 121 AVERAGE	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>96.33</td><td>-----</td><td>-----</td><td>88.23</td><td>32.94</td><td>12.99</td><td>37.83</td><td>0.00</td><td>100 121 AVERAGE</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	96.33	-----	-----	88.23	32.94	12.99	37.83	0.00	100 121 AVERAGE
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	5147.63	44.12	54.00	-9.88	36.08	32.91	12.91	37.78	0.00	100 121 AVERAGE																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	5210.00	96.33	-----	-----	88.23	32.94	12.99	37.83	0.00	100 121 AVERAGE																																				





Mode	14	
	Band Edge - R	
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_5210MHz	
ANT	1+2	
Pol.	Horizontal	Fundamental
Peak	Site : 03CH20-HY Condition: PEAK_BE_74 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dBuV/m dB dB/m dB dB dB cm deg 1 5376.00 46.92 74.00 -27.08 38.82 32.78 13.31 37.99 0.00 100 121 PEAK	Blank
Avg.	Site : 03CH20-HY Condition: AVG_BE_54 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto MHz dBuV/m dBuV/m dB dB/m dB dB dB cm deg 1 5376.00 39.29 54.00 -14.71 31.26 32.75 13.22 37.94 0.00 100 121 AVERAGE	Blank





Mode	14	
	Band Edge - L	
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_5210MHz	
ANT	1+2	
Pol.	Vertical	Fundamental
Peak	 Site : 03CH20-HY Condition: PEAK_BE_74 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5145.32 61.93 74.00 -12.07 53.87 32.92 12.91 37.77 0.00 175 360 PEAK	 Site : 03CH20-HY Condition: PEAK(UNII) 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5210.00 111.71 ----- 103.58 32.96 13.01 37.84 0.00 175 360 PEAK
	 Site : 03CH20-HY Condition: AVG_BE_54 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5145.74 52.46 54.00 -1.54 44.40 32.92 12.91 37.77 0.00 175 360 AVERAGE	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5210.00 104.89 ----- 96.79 32.94 12.99 37.83 0.00 175 360 AVERAGE







Mode	14	
	Band Edge - R	
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_5210MHz	
ANT	1+2	
Pol.	Vertical	Fundamental
Peak	 Site : 03CH20-HY Condition: PEAK_BE_74 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dBuV/m dB dB/m dB dB dB cm deg 1 5376.25 53.07 74.00 -20.93 45.04 32.75 13.22 37.94 0.00 175 360 PEAK	Blank
Avg.	 Site : 03CH20-HY Condition: AVG_BE_54 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto MHz dBuV/m dBuV/m dB dB/m dB dB dB cm deg 1 5376.00 47.64 54.00 -6.36 39.61 32.75 13.22 37.94 0.00 175 360 AVERAGE	Blank







Mode	14																																																																																																					
	Harmonic																																																																																																					
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_5210MHz																																																																																																					
ANT	1+2																																																																																																					
Pol.	Horizontal	Vertical																																																																																																				
Peak Avg.	 Site : 03CH20-HY Condition: PEAK(UNII) 3m HF_91200_02360_231030 HORIZONTAL <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10420.00</td><td>51.80</td><td>68.20</td><td>-16.40</td><td>35.65</td><td>38.60</td><td>18.49</td><td>41.45</td><td>0.51</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>15630.00</td><td>51.69</td><td>74.00</td><td>-22.31</td><td>34.00</td><td>38.18</td><td>22.89</td><td>44.65</td><td>0.47</td><td>248</td><td>154 PEAK</td></tr><tr><td>3</td><td>15638.00</td><td>41.87</td><td>54.00</td><td>-12.13</td><td>24.98</td><td>38.18</td><td>22.89</td><td>44.65</td><td>0.47</td><td>248</td><td>154 Average</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	10420.00	51.80	68.20	-16.40	35.65	38.60	18.49	41.45	0.51	--	PEAK	2	15630.00	51.69	74.00	-22.31	34.00	38.18	22.89	44.65	0.47	248	154 PEAK	3	15638.00	41.87	54.00	-12.13	24.98	38.18	22.89	44.65	0.47	248	154 Average	 Site : 03CH20-HY Condition: PEAK(UNII) 3m HF_91200_02360_231030 VERTICAL <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10420.00</td><td>52.17</td><td>68.20</td><td>-16.03</td><td>36.02</td><td>38.60</td><td>18.49</td><td>41.45</td><td>0.51</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>15630.00</td><td>52.37</td><td>74.00</td><td>-21.63</td><td>35.48</td><td>38.18</td><td>22.89</td><td>44.65</td><td>0.47</td><td>154</td><td>87</td><td>PEAK</td></tr><tr><td>3</td><td>15638.00</td><td>42.02</td><td>54.00</td><td>-11.98</td><td>25.13</td><td>38.18</td><td>22.89</td><td>44.65</td><td>0.47</td><td>154</td><td>87</td><td>Average</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	10420.00	52.17	68.20	-16.03	36.02	38.60	18.49	41.45	0.51	--	--	PEAK	2	15630.00	52.37	74.00	-21.63	35.48	38.18	22.89	44.65	0.47	154	87	PEAK	3	15638.00	42.02	54.00	-11.98	25.13	38.18	22.89	44.65	0.47	154	87	Average
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	10420.00	51.80	68.20	-16.40	35.65	38.60	18.49	41.45	0.51	--	PEAK																																																																																											
2	15630.00	51.69	74.00	-22.31	34.00	38.18	22.89	44.65	0.47	248	154 PEAK																																																																																											
3	15638.00	41.87	54.00	-12.13	24.98	38.18	22.89	44.65	0.47	248	154 Average																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	10420.00	52.17	68.20	-16.03	36.02	38.60	18.49	41.45	0.51	--	--	PEAK																																																																																										
2	15630.00	52.37	74.00	-21.63	35.48	38.18	22.89	44.65	0.47	154	87	PEAK																																																																																										
3	15638.00	42.02	54.00	-11.98	25.13	38.18	22.89	44.65	0.47	154	87	Average																																																																																										





Mode	14	
	Harmonic	
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_5210MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg.	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 HORIZONTAL	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 VERTICAL
17.7G ~18G Avg.	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 HORIZONTAL	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 VERTICAL







		15																																																				
Mode	Band Edge - L																																																					
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_Full RU_5210MHz																																																					
ANT	1+2																																																					
Pol.	Horizontal						Fundamental																																															
Peak																																																						
	Site : 03CH20-HY Condition: PEAK_BE_74 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.10</td><td>57.50</td><td>74.00</td><td>-16.50</td><td>49.47</td><td>32.90</td><td>12.91</td><td>37.78</td><td>0.00</td><td>112 127 PEAK</td></tr></table>							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.10	57.50	74.00	-16.50	49.47	32.90	12.91	37.78	0.00	112 127 PEAK	Site : 03CH20-HY Condition: PEAK(UNII) 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>106.10</td><td>-----</td><td>-----</td><td>98.04</td><td>32.91</td><td>12.97</td><td>37.82</td><td>0.00</td><td>112 127 PEAK</td></tr></table>						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	106.10	-----	-----	98.04	32.91	12.97	37.82	0.00
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5149.10	57.50	74.00	-16.50	49.47	32.90	12.91	37.78	0.00	112 127 PEAK																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5210.00	106.10	-----	-----	98.04	32.91	12.97	37.82	0.00	112 127 PEAK																																												
Avg.																																																						
	Site : 03CH20-HY Condition: AVG_BE_54 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5143.64</td><td>45.23</td><td>54.00</td><td>-8.77</td><td>37.16</td><td>32.93</td><td>12.91</td><td>37.77</td><td>0.00</td><td>112 127 AVERAGE</td></tr></table>							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5143.64	45.23	54.00	-8.77	37.16	32.93	12.91	37.77	0.00	112 127 AVERAGE	Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>97.53</td><td>-----</td><td>-----</td><td>89.49</td><td>32.90</td><td>12.95</td><td>37.81</td><td>0.00</td><td>112 127 AVERAGE</td></tr></table>						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	97.53	-----	-----	89.49	32.90	12.95	37.81	0.00
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5143.64	45.23	54.00	-8.77	37.16	32.93	12.91	37.77	0.00	112 127 AVERAGE																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5210.00	97.53	-----	-----	89.49	32.90	12.95	37.81	0.00	112 127 AVERAGE																																												





Mode	15	
	Band Edge - R	
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_Full RU_5210MHz	
ANT	1+2	
Pol.	Horizontal	Fundamental
Peak	 Site : 03CH20-HY Condition: PEAK_BE_74 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dBuV/m dB dB/m dB dB dB cm deg 1 5376.75 48.83 74.00 -25.17 40.79 32.76 13.22 37.94 0.00 112 127 PEAK	Blank
Avg.	 Site : 03CH20-HY Condition: AVG_BE_54 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto MHz dBuV/m dBuV/m dB dB/m dB dB dB cm deg 1 5376.00 40.49 54.00 -13.51 32.46 32.75 13.22 37.94 0.00 112 127 AVERAGE	Blank





Mode	15	
	Band Edge - L	
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_Full RU_5210MHz	
ANT	1+2	
Pol.	Vertical	Fundamental
Peak	 Site : 03CH20-HY Condition: PEAK_BE_74 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5146.37 64.51 74.00 -9.49 56.47 32.91 12.91 37.78 0.00 200 12 PEAK	 Site : 03CH20-HY Condition: PEAK(UNII) 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5210.00 112.07 ----- 104.03 32.90 12.95 37.81 0.00 200 12 PEAK
Avg.	 Site : 03CH20-HY Condition: AVG_BE_54 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5149.73 52.80 54.00 -1.20 44.77 32.90 12.91 37.78 0.00 200 12 AVERAGE	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5210.00 104.04 ----- 95.99 32.90 12.96 37.81 0.00 200 12 AVERAGE







Mode	15	
	Band Edge - R	
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_Full RU_5210MHz	
ANT	1+2	
Pol.	Vertical	Fundamental
Peak	 Site : 03CH20-HY Condition: PEAK_BE_74 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dBuV/m dB dB/m dB dB cm deg 1 5360.00 54.79 74.00 -19.21 46.74 32.78 13.20 37.93 0.00 200 12 PEAK	Blank
Avg.	 Site : 03CH20-HY Condition: AVG_BE_54 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto MHz dBuV/m dBuV/m dB dB/m dB dB dB cm deg 1 5376.00 48.57 54.00 -5.43 40.54 32.75 13.22 37.94 0.00 200 12 AVERAGE	Blank







Mode	15																																																																																																																		
	Harmonic																																																																																																																		
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_Full RU_5210MHz																																																																																																																		
ANT	1+2																																																																																																																		
Pol.	Horizontal										Vertical																																																																																																								
Peak Avg.																																																																																																																			
	Site : 03CH20-HY Condition: PEAK(UNII) 3m HF_91200_02360_231030 HORIZONTAL										Site : 03CH20-HY Condition: PEAK(UNII) 3m HF_91200_02360_231030 VERTICAL																																																																																																								
<table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10420.00</td><td>51.86</td><td>68.20</td><td>-16.34</td><td>35.71</td><td>38.60</td><td>18.49</td><td>41.45</td><td>0.51</td><td>--</td><td>-- PEAK</td></tr><tr><td>2</td><td>15630.00</td><td>52.86</td><td>74.00</td><td>-21.14</td><td>35.97</td><td>38.18</td><td>22.89</td><td>44.65</td><td>0.47</td><td>224</td><td>97 PEAK</td></tr><tr><td>3</td><td>15630.00</td><td>42.57</td><td>54.00</td><td>-11.43</td><td>25.68</td><td>38.18</td><td>22.89</td><td>44.65</td><td>0.47</td><td>224</td><td>97 Average</td></tr></table>																MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	10420.00	51.86	68.20	-16.34	35.71	38.60	18.49	41.45	0.51	--	-- PEAK	2	15630.00	52.86	74.00	-21.14	35.97	38.18	22.89	44.65	0.47	224	97 PEAK	3	15630.00	42.57	54.00	-11.43	25.68	38.18	22.89	44.65	0.47	224	97 Average	<table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10420.00</td><td>52.69</td><td>68.20</td><td>-15.51</td><td>36.54</td><td>38.60</td><td>18.49</td><td>41.45</td><td>0.51</td><td>--</td><td>-- PEAK</td></tr><tr><td>2</td><td>15630.00</td><td>52.33</td><td>74.00</td><td>-21.67</td><td>35.44</td><td>38.18</td><td>22.89</td><td>44.65</td><td>0.47</td><td>154</td><td>58 PEAK</td></tr><tr><td>3</td><td>15630.00</td><td>42.52</td><td>54.00</td><td>-11.48</td><td>25.63</td><td>38.18</td><td>22.89</td><td>44.65</td><td>0.47</td><td>154</td><td>58 Average</td></tr></table>						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	10420.00	52.69	68.20	-15.51	36.54	38.60	18.49	41.45	0.51	--	-- PEAK	2	15630.00	52.33	74.00	-21.67	35.44	38.18	22.89	44.65	0.47	154	58 PEAK	3	15630.00	42.52	54.00	-11.48	25.63	38.18	22.89	44.65	0.47	154	58 Average
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																									
1	10420.00	51.86	68.20	-16.34	35.71	38.60	18.49	41.45	0.51	--	-- PEAK																																																																																																								
2	15630.00	52.86	74.00	-21.14	35.97	38.18	22.89	44.65	0.47	224	97 PEAK																																																																																																								
3	15630.00	42.57	54.00	-11.43	25.68	38.18	22.89	44.65	0.47	224	97 Average																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																									
1	10420.00	52.69	68.20	-15.51	36.54	38.60	18.49	41.45	0.51	--	-- PEAK																																																																																																								
2	15630.00	52.33	74.00	-21.67	35.44	38.18	22.89	44.65	0.47	154	58 PEAK																																																																																																								
3	15630.00	42.52	54.00	-11.48	25.63	38.18	22.89	44.65	0.47	154	58 Average																																																																																																								



Mode	15	
	Harmonic	
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_Full RU_5210MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg.	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 HORIZONTAL	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 VERTICAL
17.7G ~18G Avg.	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 HORIZONTAL	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 VERTICAL







Mode	16	
	Band Edge - L	
	U-NII-2A_5.25-5.35_802.11a_CH52_5260MHz	
ANT	1+2	
Pol.	Horizontal	Fundamental
Peak	 Site : 03CH20-HY Condition: PEAK_BE_74 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5012.22 49.59 74.00 -24.41 41.39 33.10 12.78 37.68 0.00 100 303 PEAK	 Site : 03CH20-HY Condition: PEAK(UNII) 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5260.00 106.68 ----- 98.50 32.99 13.04 37.85 0.00 100 303 PEAK
Avg.	 Site : 03CH20-HY Condition: AVG_BE_54 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:0.510kHz SMT:Auto MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5061.88 39.41 54.00 -14.59 31.19 33.10 12.83 37.71 0.00 100 303 AVERAGE	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:0.510kHz SMT:Auto MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5260.00 101.01 ----- 92.83 32.99 13.04 37.85 0.00 100 303 AVERAGE



Mode	16	
	Band Edge - R	
	U-NII-2A_5.25-5.35_802.11a_CH52_5260MHz	
ANT	1+2	
Pol.	Horizontal	Fundamental
Peak	Site : 03CH20-HY Condition: PEAK_BE_74 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dBuV/m dB dB/m dB dB dB cm deg 1 5363.40 47.89 74.00 -26.11 39.84 32.77 13.21 37.93 0.00 100 303 PEAK	Blank
Avg.	Site : 03CH20-HY Condition: AVG_BE_54 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:0.510kHz SMT:Auto MHz dBuV/m dBuV/m dB dB/m dB dB dB cm deg 1 5376.00 42.16 54.00 -11.84 34.13 32.75 13.22 37.94 0.00 100 303 AVERAGE	Blank





Mode	16	
	Band Edge - L	
	U-NII-2A_5.25-5.35_802.11a_CH52_5260MHz	
ANT	1+2	
Pol.	Vertical	Fundamental
Peak	 Site : 03CH20-HY Condition: PEAK_BE_74 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dBuV/m dB dB dB dB dB cm deg 1 5070.72 51.38 74.00 -22.62 43.16 33.10 12.84 37.72 0.00 107 227 PEAK	 Site : 03CH20-HY Condition: PEAK(UNII) 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dBuV/m dB dB dB dB dB cm deg 1 5260.00 116.56 ----- 108.39 32.97 13.06 37.86 0.00 107 227 PEAK
	 Site : 03CH20-HY Condition: AVG_BE_54 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:0.510kHz SMT:Auto MHz dBuV/m dBuV/m dB dB dB dB dB cm deg 1 5066.04 42.08 54.00 -11.92 33.87 33.10 12.83 37.72 0.00 107 227 AVERAGE	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:0.510kHz SMT:Auto MHz dBuV/m dBuV/m dB dB dB dB dB cm deg 1 5260.00 109.60 ----- 101.43 32.98 13.05 37.86 0.00 107 227 AVERAGE







Mode	16	
	Band Edge - R	
	U-NII-2A_5.25-5.35_802.11a_CH52_5260MHz	
ANT	1+2	
Pol.	Vertical	Fundamental
Peak	Site : 03CH20-HY Condition: PEAK_BE_74 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dBuV/m dB dB/m dB dB dB cm deg 1 5376.20 53.08 74.00 -20.92 45.05 32.75 13.22 37.94 0.00 107 227 PEAK	Blank
Avg.	Site : 03CH20-HY Condition: AVG_BE_54 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:0.510kHz SMT:Auto MHz dBuV/m dBuV/m dB dB/m dB dB dB cm deg 1 5376.00 48.38 54.00 -5.62 40.35 32.75 13.22 37.94 0.00 107 227 AVERAGE	Blank







Mode	16																																																																																																					
	Harmonic																																																																																																					
	U-NII-2A_5.25-5.35_802.11a_CH52_5260MHz																																																																																																					
ANT	1+2																																																																																																					
Pol.	Horizontal	Vertical																																																																																																				
Peak Avg.	 Site : 03CH20-HY Condition: PEAK(UNII) 3m HF_91200_02360_231030 HORIZONTAL <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10520.00</td><td>51.14</td><td>68.20</td><td>-17.06</td><td>34.92</td><td>38.64</td><td>18.59</td><td>41.52</td><td>0.51</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>15780.00</td><td>51.36</td><td>74.00</td><td>-22.64</td><td>34.39</td><td>37.98</td><td>23.02</td><td>44.49</td><td>0.46</td><td>100</td><td>113 PEAK</td></tr><tr><td>3</td><td>15780.00</td><td>41.64</td><td>54.00</td><td>-12.36</td><td>24.67</td><td>37.98</td><td>23.02</td><td>44.49</td><td>0.46</td><td>100</td><td>113 Average</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	10520.00	51.14	68.20	-17.06	34.92	38.64	18.59	41.52	0.51	--	PEAK	2	15780.00	51.36	74.00	-22.64	34.39	37.98	23.02	44.49	0.46	100	113 PEAK	3	15780.00	41.64	54.00	-12.36	24.67	37.98	23.02	44.49	0.46	100	113 Average	 Site : 03CH20-HY Condition: PEAK(UNII) 3m HF_91200_02360_231030 VERTICAL <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10520.00</td><td>51.26</td><td>68.20</td><td>-16.94</td><td>35.04</td><td>38.64</td><td>18.59</td><td>41.52</td><td>0.51</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>15780.00</td><td>51.05</td><td>74.00</td><td>-22.95</td><td>34.08</td><td>37.98</td><td>23.02</td><td>44.49</td><td>0.46</td><td>250</td><td>265</td><td>PEAK</td></tr><tr><td>3</td><td>15780.00</td><td>41.62</td><td>54.00</td><td>-12.38</td><td>24.65</td><td>37.98</td><td>23.02</td><td>44.49</td><td>0.46</td><td>250</td><td>265</td><td>Average</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	10520.00	51.26	68.20	-16.94	35.04	38.64	18.59	41.52	0.51	--	--	PEAK	2	15780.00	51.05	74.00	-22.95	34.08	37.98	23.02	44.49	0.46	250	265	PEAK	3	15780.00	41.62	54.00	-12.38	24.65	37.98	23.02	44.49	0.46	250	265	Average
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	10520.00	51.14	68.20	-17.06	34.92	38.64	18.59	41.52	0.51	--	PEAK																																																																																											
2	15780.00	51.36	74.00	-22.64	34.39	37.98	23.02	44.49	0.46	100	113 PEAK																																																																																											
3	15780.00	41.64	54.00	-12.36	24.67	37.98	23.02	44.49	0.46	100	113 Average																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	10520.00	51.26	68.20	-16.94	35.04	38.64	18.59	41.52	0.51	--	--	PEAK																																																																																										
2	15780.00	51.05	74.00	-22.95	34.08	37.98	23.02	44.49	0.46	250	265	PEAK																																																																																										
3	15780.00	41.62	54.00	-12.38	24.65	37.98	23.02	44.49	0.46	250	265	Average																																																																																										



Mode	16	
	Harmonic	
	U-NII-2A_5.25-5.35_802.11a_CH52_5260MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg.	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 HORIZONTAL	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 VERTICAL
	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 HORIZONTAL	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 VERTICAL







Mode	17	
	Band Edge - L	
	U-NII-2A_5.25-5.35_802.11a_CH60_5300MHz	
ANT	1+2	
Pol.	Horizontal	Fundamental
Peak	 Site : 03CH20-HY Condition: PEAK_BE_74 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dBuV/m dB dB/m dB dB cm deg 1 5058.00 49.47 74.00 -24.53 41.25 33.10 12.83 37.71 0.00 100 303 PEAK	 Site : 03CH20-HY Condition: PEAK(UNII) 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dBuV/m dB dB/m dB dB cm deg 1 5300.00 104.82 ----- 96.71 32.88 13.12 37.89 0.00 100 303 PEAK
	 Site : 03CH20-HY Condition: AVG_BE_54 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:0.510kHz SMT:Auto MHz dBuV/m dBuV/m dB dB/m dB dB dB cm deg 1 5107.10 39.53 54.00 -14.47 31.34 33.07 12.87 37.75 0.00 100 303 AVERAGE	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:0.510kHz SMT:Auto MHz dBuV/m dBuV/m dB dB/m dB dB dB cm deg 1 5300.00 100.12 ----- 92.01 32.88 13.12 37.89 0.00 100 303 AVERAGE





Mode	17	
	Band Edge - R	
	U-NII-2A_5.25-5.35_802.11a_CH60_5300MHz	
ANT	1+2	
Pol.	Horizontal	Fundamental
Peak	Site : 03CH20-HY Condition: PEAK_BE_74 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dBuV/m dB dB dB dB dB cm deg 1 5375.84 48.29 74.00 -25.71 40.26 32.75 13.22 37.94 0.00 100 303 PEAK	Blank
Avg.	Site : 03CH20-HY Condition: AVG_BE_54 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:0.510kHz SMT:Auto MHz dBuV/m dBuV/m dB dB dB dB dB cm deg 1 5376.00 42.05 54.00 -11.95 34.02 32.75 13.22 37.94 0.00 100 303 AVERAGE	Blank





Mode	17	
	Band Edge - L	
	U-NII-2A_5.25-5.35_802.11a_CH60_5300MHz	
ANT	1+2	
Pol.	Vertical	Fundamental
Peak	 Site : 03CH20-HY Condition: PEAK_BE_74 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dBuV/m dB dB dB dB dB cm deg 1 5139.50 50.73 74.00 -23.27 42.66 32.94 12.90 37.77 0.00 100 123 PEAK	 Site : 03CH20-HY Condition: PEAK(UNII) 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dBuV/m dB dB dB dB dB cm deg 1 5300.00 115.02 ----- 106.91 32.88 13.12 37.89 0.00 100 123 PEAK
	 Site : 03CH20-HY Condition: AVG_BE_54 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:0.510kHz SMT:Auto MHz dBuV/m dBuV/m dB dB dB dB dB cm deg 1 5102.90 40.98 54.00 -13.02 32.76 33.09 12.87 37.74 0.00 100 123 AVERAGE	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:0.510kHz SMT:Auto MHz dBuV/m dBuV/m dB dB dB dB dB cm deg 1 5300.00 108.16 ----- 100.03 32.91 13.10 37.88 0.00 100 123 AVERAGE







Mode	17	
	Band Edge - R	
	U-NII-2A_5.25-5.35_802.11a_CH60_5300MHz	
ANT	1+2	
Pol.	Vertical	Fundamental
Peak	 Site : 03CH20-HY Condition: PEAK_BE_74 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dBuV/m dB dB/m dB dB dB cm deg 1 5375.84 52.42 74.00 -21.58 44.39 32.75 13.22 37.94 0.00 100 123 PEAK	Blank
Avg.	 Site : 03CH20-HY Condition: AVG_BE_54 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:0.510kHz SMT:Auto MHz dBuV/m dBuV/m dB dB/m dB dB dB cm deg 1 5376.00 47.46 54.00 -6.54 39.43 32.75 13.22 37.94 0.00 100 123 AVERAGE	Blank







Mode	17																																																																						
	Harmonic																																																																						
	U-NII-2A_5.25-5.35_802.11a_CH60_5300MHz																																																																						
ANT	1+2																																																																						
Pol.	Horizontal																																																																						
Peak Avg.	 Site : 03CH20-HY Condition: PEAK(UNII) 3m HF_91200_02360_231030 HORIZONTAL <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10600.00</td><td>54.25</td><td>74.00</td><td>-19.75</td><td>37.76</td><td>38.90</td><td>18.67</td><td>41.59</td><td>0.51</td><td>100</td><td>144 PEAK</td></tr><tr><td>2</td><td>10600.00</td><td>47.19</td><td>54.00</td><td>-6.81</td><td>30.70</td><td>38.90</td><td>18.67</td><td>41.59</td><td>0.51</td><td>100</td><td>144 Average</td></tr><tr><td>3</td><td>15900.00</td><td>51.46</td><td>74.00</td><td>-22.54</td><td>34.25</td><td>38.00</td><td>23.12</td><td>44.37</td><td>0.46</td><td>200</td><td>183 PEAK</td></tr><tr><td>4</td><td>15900.00</td><td>41.97</td><td>54.00</td><td>-12.03</td><td>24.76</td><td>38.00</td><td>23.12</td><td>44.37</td><td>0.46</td><td>200</td><td>183 Average</td></tr></table>												MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10600.00	54.25	74.00	-19.75	37.76	38.90	18.67	41.59	0.51	100	144 PEAK	2	10600.00	47.19	54.00	-6.81	30.70	38.90	18.67	41.59	0.51	100	144 Average	3	15900.00	51.46	74.00	-22.54	34.25	38.00	23.12	44.37	0.46	200	183 PEAK	4	15900.00	41.97	54.00	-12.03	24.76	38.00	23.12	44.37	0.46	200	183 Average
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																											
1	10600.00	54.25	74.00	-19.75	37.76	38.90	18.67	41.59	0.51	100	144 PEAK																																																												
2	10600.00	47.19	54.00	-6.81	30.70	38.90	18.67	41.59	0.51	100	144 Average																																																												
3	15900.00	51.46	74.00	-22.54	34.25	38.00	23.12	44.37	0.46	200	183 PEAK																																																												
4	15900.00	41.97	54.00	-12.03	24.76	38.00	23.12	44.37	0.46	200	183 Average																																																												
Peak Avg.	 Site : 03CH20-HY Condition: PEAK(UNII) 3m HF_91200_02360_231030 VERTICAL <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10600.00</td><td>55.37</td><td>74.00</td><td>-18.63</td><td>38.80</td><td>38.90</td><td>18.67</td><td>41.59</td><td>0.51</td><td>100</td><td>228 PEAK</td></tr><tr><td>2</td><td>10600.00</td><td>50.95</td><td>54.00</td><td>-3.05</td><td>34.46</td><td>38.90</td><td>18.67</td><td>41.59</td><td>0.51</td><td>100</td><td>228 Average</td></tr><tr><td>3</td><td>15900.00</td><td>50.86</td><td>74.00</td><td>-23.14</td><td>33.65</td><td>38.00</td><td>23.12</td><td>44.37</td><td>0.46</td><td>150</td><td>169 PEAK</td></tr><tr><td>4</td><td>15900.00</td><td>41.90</td><td>54.00</td><td>-12.10</td><td>24.69</td><td>38.00</td><td>23.12</td><td>44.37</td><td>0.46</td><td>150</td><td>169 Average</td></tr></table>												MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10600.00	55.37	74.00	-18.63	38.80	38.90	18.67	41.59	0.51	100	228 PEAK	2	10600.00	50.95	54.00	-3.05	34.46	38.90	18.67	41.59	0.51	100	228 Average	3	15900.00	50.86	74.00	-23.14	33.65	38.00	23.12	44.37	0.46	150	169 PEAK	4	15900.00	41.90	54.00	-12.10	24.69	38.00	23.12	44.37	0.46	150	169 Average
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																											
1	10600.00	55.37	74.00	-18.63	38.80	38.90	18.67	41.59	0.51	100	228 PEAK																																																												
2	10600.00	50.95	54.00	-3.05	34.46	38.90	18.67	41.59	0.51	100	228 Average																																																												
3	15900.00	50.86	74.00	-23.14	33.65	38.00	23.12	44.37	0.46	150	169 PEAK																																																												
4	15900.00	41.90	54.00	-12.10	24.69	38.00	23.12	44.37	0.46	150	169 Average																																																												







Mode	17	
	Harmonic	
	U-NII-2A_5.25-5.35_802.11a_CH60_5300MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg.	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 HORIZONTAL	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 VERTICAL
	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 HORIZONTAL	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 VERTICAL





Mode	18	
	Band Edge	
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz	
ANT	1+2	
Pol.	Horizontal	Fundamental
Peak	 Site : 03CH20-HY Condition: PEAK_BE_74 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dBuV/m dB dB/m dB dB cm deg 1 5350.10 48.76 74.00 -25.24 40.69 32.80 13.19 37.92 0.00 100 299 PEAK	 Site : 03CH20-HY Condition: PEAK(UNII) 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dBuV/m dB dB/m dB dB cm deg 1 5320.00 108.04 ----- 99.94 32.86 13.14 37.90 0.00 100 299 PEAK
	 Site : 03CH20-HY Condition: AVG_BE_54 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:0.510kHz SMT:Auto MHz dBuV/m dBuV/m dB dB/m dB dB dB cm deg 1 5376.00 42.19 54.00 -11.81 34.16 32.75 13.22 37.94 0.00 100 299 AVERAGE	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:0.510kHz SMT:Auto MHz dBuV/m dBuV/m dB dB/m dB dB dB cm deg 1 5320.00 101.82 ----- 93.72 32.86 13.14 37.90 0.00 100 299 AVERAGE







Mode	18	
	Band Edge	
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz	
ANT	1+2	
Pol.	Vertical	Fundamental
Peak	 Site : 03CH20-HY Condition: PEAK_BE_74 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dBuV/m dB dB/m dB dB cm deg 1 5352.90 55.37 74.00 -18.63 47.31 32.79 13.19 37.92 0.00 148 351 PEAK	 Site : 03CH20-HY Condition: PEAK(UNII) 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dBuV/m dB dB/m dB dB cm deg 1 5320.00 116.24 ----- 108.14 32.85 13.15 37.90 0.00 148 351 PEAK
	 Site : 03CH20-HY Condition: AVG_BE_54 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:0.510kHz SMT:Auto MHz dBuV/m dBuV/m dB dB/m dB dB dB cm deg 1 5376.00 49.77 54.00 -4.23 41.74 32.75 13.22 37.94 0.00 148 351 AVERAGE	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:0.510kHz SMT:Auto MHz dBuV/m dBuV/m dB dB/m dB dB dB cm deg 1 5320.00 109.90 ----- 101.80 32.86 13.14 37.90 0.00 148 351 AVERAGE







Mode	18																																																																
	Harmonic																																																																
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																
ANT	1+2																																																																
Pol.	Horizontal																																																																
Peak Avg.																																																																	
	Site : 03CH20-HY Condition: PEAK(UNII) 3m HF_91200_02360_231030 HORIZONTAL <table><thead><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>10640.00</td><td>54.10</td><td>74.00</td><td>-19.90</td><td>37.55</td><td>38.98</td><td>18.70</td><td>41.63</td><td>0.50</td><td>268 188 PEAK</td></tr><tr><td>2</td><td>10640.00</td><td>48.56</td><td>54.00</td><td>-5.44</td><td>32.01</td><td>38.98</td><td>18.70</td><td>41.63</td><td>0.50</td><td>268 188 Average</td></tr><tr><td>3</td><td>15960.00</td><td>51.95</td><td>74.00</td><td>-22.05</td><td>34.61</td><td>38.02</td><td>23.17</td><td>44.31</td><td>0.46</td><td>100 174 PEAK</td></tr><tr><td>4</td><td>15960.00</td><td>40.97</td><td>54.00</td><td>-13.03</td><td>23.63</td><td>38.02</td><td>23.17</td><td>44.31</td><td>0.46</td><td>100 174 Average</td></tr></tbody></table>												MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10640.00	54.10	74.00	-19.90	37.55	38.98	18.70	41.63	0.50	268 188 PEAK	2	10640.00	48.56	54.00	-5.44	32.01	38.98	18.70	41.63	0.50	268 188 Average	3	15960.00	51.95	74.00	-22.05	34.61	38.02	23.17	44.31	0.46	100 174 PEAK	4	15960.00	40.97	54.00	-13.03	23.63	38.02	23.17	44.31	0.46
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																							
1	10640.00	54.10	74.00	-19.90	37.55	38.98	18.70	41.63	0.50	268 188 PEAK																																																							
2	10640.00	48.56	54.00	-5.44	32.01	38.98	18.70	41.63	0.50	268 188 Average																																																							
3	15960.00	51.95	74.00	-22.05	34.61	38.02	23.17	44.31	0.46	100 174 PEAK																																																							
4	15960.00	40.97	54.00	-13.03	23.63	38.02	23.17	44.31	0.46	100 174 Average																																																							
Peak Avg.																																																																	
	Site : 03CH20-HY Condition: PEAK(UNII) 3m HF_91200_02360_231030 VERTICAL <table><thead><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>10640.00</td><td>55.05</td><td>74.00</td><td>-18.95</td><td>38.50</td><td>38.98</td><td>18.70</td><td>41.63</td><td>0.50</td><td>100 174 PEAK</td></tr><tr><td>2</td><td>10640.00</td><td>50.49</td><td>54.00</td><td>-3.51</td><td>33.94</td><td>38.98</td><td>18.70</td><td>41.63</td><td>0.50</td><td>100 174 Average</td></tr><tr><td>3</td><td>15960.00</td><td>51.41</td><td>74.00</td><td>-22.59</td><td>34.07</td><td>38.02</td><td>23.17</td><td>44.31</td><td>0.46</td><td>400 271 PEAK</td></tr><tr><td>4</td><td>15960.00</td><td>40.95</td><td>54.00</td><td>-13.05</td><td>23.61</td><td>38.02</td><td>23.17</td><td>44.31</td><td>0.46</td><td>400 271 Average</td></tr></tbody></table>												MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10640.00	55.05	74.00	-18.95	38.50	38.98	18.70	41.63	0.50	100 174 PEAK	2	10640.00	50.49	54.00	-3.51	33.94	38.98	18.70	41.63	0.50	100 174 Average	3	15960.00	51.41	74.00	-22.59	34.07	38.02	23.17	44.31	0.46	400 271 PEAK	4	15960.00	40.95	54.00	-13.05	23.61	38.02	23.17	44.31	0.46
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																							
1	10640.00	55.05	74.00	-18.95	38.50	38.98	18.70	41.63	0.50	100 174 PEAK																																																							
2	10640.00	50.49	54.00	-3.51	33.94	38.98	18.70	41.63	0.50	100 174 Average																																																							
3	15960.00	51.41	74.00	-22.59	34.07	38.02	23.17	44.31	0.46	400 271 PEAK																																																							
4	15960.00	40.95	54.00	-13.05	23.61	38.02	23.17	44.31	0.46	400 271 Average																																																							



Mode	18	
	Harmonic	
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg.	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 HORIZONTAL	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 VERTICAL
17.7G ~18G Avg.	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 HORIZONTAL	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 VERTICAL







Mode	19	
	Band Edge - L	
	U-NII-2A_5.25-5.35_802.11n HT20_CH52_5260MHz	
ANT	1+2	
Pol.	Horizontal	Fundamental
Peak	 Site : 03CH20-HY Condition: PEAK_BE_74 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5115.18 49.90 74.00 -24.10 41.73 33.04 12.88 37.75 0.00 100 301 PEAK	 Site : 03CH20-HY Condition: PEAK(UNII) 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5260.00 108.52 ----- 100.34 32.99 13.04 37.85 0.00 100 301 PEAK
	 Site : 03CH20-HY Condition: AVG_BE_54 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5071.76 39.44 54.00 -14.56 31.22 33.10 12.84 37.72 0.00 100 301 AVERAGE	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5260.00 102.47 ----- 94.29 32.99 13.04 37.85 0.00 100 301 AVERAGE





Mode	19	
	Band Edge - R	
	U-NII-2A_5.25-5.35_802.11n HT20_CH52_5260MHz	
ANT	1+2	
Pol.	Horizontal	Fundamental
Peak	Site : 03CH20-HY Condition: PEAK_BE_74 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dBuV/m dB dB dB dB dB cm deg 1 5405.60 48.62 74.00 -25.38 40.60 32.71 13.27 37.96 0.00 100 301 PEAK	Blank
Avg.	Site : 03CH20-HY Condition: AVG_BE_54 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto MHz dBuV/m dBuV/m dB dB dB dB dB cm deg 1 5376.00 42.33 54.00 -11.67 34.30 32.75 13.22 37.94 0.00 100 301 AVERAGE	Blank





Mode	19	
	Band Edge - L	
	U-NII-2A_5.25-5.35_802.11n HT20_CH52_5260MHz	
ANT	1+2	
Pol.	Vertical	Fundamental
Peak	 Site : 03CH20-HY Condition: PEAK_BE_74 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dBuV/m dB dB dB dB dB cm deg 1 5067.34 51.41 74.00 -22.59 43.20 33.10 12.83 37.72 0.00 100 127 PEAK	 Site : 03CH20-HY Condition: PEAK(UNII) 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dBuV/m dB dB dB dB dB cm deg 1 5260.00 116.84 ----- 100.66 32.99 13.04 37.85 0.00 100 127 PEAK
	 Site : 03CH20-HY Condition: AVG_BE_54 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto MHz dBuV/m dBuV/m dB dB dB dB dB cm deg 1 5074.36 41.25 54.00 -12.75 33.03 33.10 12.84 37.72 0.00 100 127 AVERAGE	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto MHz dBuV/m dBuV/m dB dB dB dB dB cm deg 1 5260.00 109.09 ----- 100.91 32.99 13.04 37.85 0.00 100 127 AVERAGE







Mode	19	
	Band Edge - R	
	U-NII-2A_5.25-5.35_802.11n HT20_CH52_5260MHz	
ANT	1+2	
Pol.	Vertical	Fundamental
Peak	 Site : 03CH20-HY Condition: PEAK_BE_74 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dBuV/m dB dB/m dB dB cm deg 1 5376.00 53.27 74.00 -20.73 45.24 32.75 13.22 37.94 0.00 100 127 PEAK	Blank
Avg.	 Site : 03CH20-HY Condition: AVG_BE_54 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto MHz dBuV/m dBuV/m dB dB/m dB dB cm deg 1 5376.00 49.03 54.00 -4.97 41.00 32.75 13.22 37.94 0.00 100 127 AVERAGE	Blank



Mode	20																																																																																																																																									
	Harmonic																																																																																																																																									
	U-NII-2A_5.25-5.35_802.11n HT20_CH60_5300MHz																																																																																																																																									
ANT	1+2																																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																																			
Peak Avg.																																																																																																																																										
	Site : 03CH20-HY Condition: PEAK(UNII) 3m HF_91200_02360_231030 HORIZONTAL						Site : 03CH20-HY Condition: PEAK(UNII) 3m HF_91200_02360_231030 VERTICAL																																																																																																																																			
<table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10600.00</td><td>54.67</td><td>74.00</td><td>-19.33</td><td>38.18</td><td>38.90</td><td>18.67</td><td>41.59</td><td>0.51</td><td>315</td><td>188 PEAK</td></tr><tr><td>2</td><td>10600.00</td><td>47.78</td><td>54.00</td><td>-6.22</td><td>31.29</td><td>38.90</td><td>18.67</td><td>41.59</td><td>0.51</td><td>315</td><td>188 Average</td></tr><tr><td>3</td><td>15900.00</td><td>52.11</td><td>74.00</td><td>-21.89</td><td>34.90</td><td>38.00</td><td>23.12</td><td>44.37</td><td>0.46</td><td>100</td><td>55 PEAK</td></tr><tr><td>4</td><td>15900.00</td><td>41.66</td><td>54.00</td><td>-12.34</td><td>24.45</td><td>38.00</td><td>23.12</td><td>44.37</td><td>0.46</td><td>100</td><td>55 Average</td></tr></table>														MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10600.00	54.67	74.00	-19.33	38.18	38.90	18.67	41.59	0.51	315	188 PEAK	2	10600.00	47.78	54.00	-6.22	31.29	38.90	18.67	41.59	0.51	315	188 Average	3	15900.00	52.11	74.00	-21.89	34.90	38.00	23.12	44.37	0.46	100	55 PEAK	4	15900.00	41.66	54.00	-12.34	24.45	38.00	23.12	44.37	0.46	100	55 Average	<table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10600.00</td><td>56.84</td><td>74.00</td><td>-17.16</td><td>40.35</td><td>38.90</td><td>18.67</td><td>41.59</td><td>0.51</td><td>100</td><td>230 PEAK</td></tr><tr><td>2</td><td>10600.00</td><td>50.67</td><td>54.00</td><td>-3.33</td><td>34.18</td><td>38.90</td><td>18.67</td><td>41.59</td><td>0.51</td><td>100</td><td>230 Average</td></tr><tr><td>3</td><td>15900.00</td><td>52.01</td><td>74.00</td><td>-21.99</td><td>34.80</td><td>38.00</td><td>23.12</td><td>44.37</td><td>0.46</td><td>300</td><td>117 PEAK</td></tr><tr><td>4</td><td>15900.00</td><td>41.65</td><td>54.00</td><td>-12.35</td><td>24.44</td><td>38.00</td><td>23.12</td><td>44.37</td><td>0.46</td><td>300</td><td>117 Average</td></tr></table>							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10600.00	56.84	74.00	-17.16	40.35	38.90	18.67	41.59	0.51	100	230 PEAK	2	10600.00	50.67	54.00	-3.33	34.18	38.90	18.67	41.59	0.51	100	230 Average	3	15900.00	52.01	74.00	-21.99	34.80	38.00	23.12	44.37	0.46	300	117 PEAK	4	15900.00	41.65	54.00	-12.35	24.44	38.00	23.12	44.37	0.46	300	117 Average
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	10600.00	54.67	74.00	-19.33	38.18	38.90	18.67	41.59	0.51	315	188 PEAK																																																																																																																															
2	10600.00	47.78	54.00	-6.22	31.29	38.90	18.67	41.59	0.51	315	188 Average																																																																																																																															
3	15900.00	52.11	74.00	-21.89	34.90	38.00	23.12	44.37	0.46	100	55 PEAK																																																																																																																															
4	15900.00	41.66	54.00	-12.34	24.45	38.00	23.12	44.37	0.46	100	55 Average																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	10600.00	56.84	74.00	-17.16	40.35	38.90	18.67	41.59	0.51	100	230 PEAK																																																																																																																															
2	10600.00	50.67	54.00	-3.33	34.18	38.90	18.67	41.59	0.51	100	230 Average																																																																																																																															
3	15900.00	52.01	74.00	-21.99	34.80	38.00	23.12	44.37	0.46	300	117 PEAK																																																																																																																															
4	15900.00	41.65	54.00	-12.35	24.44	38.00	23.12	44.37	0.46	300	117 Average																																																																																																																															







Mode	20	
	Harmonic	
	U-NII-2A_5.25-5.35_802.11n HT20_CH60_5300MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg.	 Site : 03CH20-HY Condition: AVG_54 3m HF_91280_02360_231030 HORIZONTAL	 Site : 03CH20-HY Condition: AVG_54 3m HF_91280_02360_231030 VERTICAL
	 Site : 03CH20-HY Condition: AVG_54 3m HF_91280_02360_231030 HORIZONTAL	 Site : 03CH20-HY Condition: AVG_54 3m HF_91280_02360_231030 VERTICAL







Mode	21	
	Band Edge	
	U-NII-2A_5.25-5.35_802.11n HT20_CH64_5320MHz	
ANT	1+2	
Pol.	Horizontal	Fundamental
Peak	Level (dBuV/m) Frequency (MHz) Site : 03CH20-HY Condition: PEAK_BE_74 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dBuV/m dB dB/m dB dB cm deg 1 5376.28 48.84 74.00 -25.16 40.81 32.75 13.22 37.94 0.00 129 301 PEAK	Level (dBuV/m) Frequency (MHz) Site : 03CH20-HY Condition: PEAK(UNII) 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dBuV/m dB dB/m dB dB cm deg 1 5320.00 106.92 ----- 98.82 32.85 13.15 37.90 0.00 129 301 PEAK
	Level (dBuV/m) Frequency (MHz) Site : 03CH20-HY Condition: AVG_BE_54 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto MHz dBuV/m dBuV/m dB dB/m dB dB dB cm deg 1 5376.00 42.63 54.00 -11.37 34.60 32.75 13.22 37.94 0.00 129 301 AVERAGE	Level (dBuV/m) Frequency (MHz) Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto MHz dBuV/m dBuV/m dB dB/m dB dB dB cm deg 1 5320.00 100.69 ----- 92.59 32.86 13.14 37.90 0.00 129 301 AVERAGE





Mode	21	
	Band Edge	
	U-NII-2A_5.25-5.35_802.11n HT20_CH64_5320MHz	
ANT	1+2	
Pol.	Vertical	Fundamental
Peak	 Site : 03CH20-HY Condition: PEAK_BE_74 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5353.46 54.33 74.00 -19.67 46.27 32.79 13.19 37.92 0.00 114 227 PEAK	 Site : 03CH20-HY Condition: PEAK(UNII) 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5320.00 116.76 ----- 108.66 32.85 13.15 37.90 0.00 114 227 PEAK
	 Site : 03CH20-HY Condition: AVG_BE_54 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5376.00 48.74 54.00 -5.26 40.71 32.75 13.22 37.94 0.00 114 227 AVERAGE	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5320.00 109.96 ----- 101.86 32.85 13.15 37.90 0.00 114 227 AVERAGE







Mode	22																																									
	Band Edge - L																																									
	U-NII-2A_5.25-5.35_802.11ax HE20_CH52_Full RU_5260MHz																																									
ANT	1+2																																									
Pol.	Horizontal	Fundamental																																								
Peak	 Site : 03CH20-HY Condition: PEAK_BE_74 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>NHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5076.18</td><td>48.36</td><td>74.00</td><td>-25.64</td><td>40.14</td><td>33.10</td><td>12.84</td><td>37.72</td><td>0.00 110 303 PEAK</td></tr></table>	NHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5076.18	48.36	74.00	-25.64	40.14	33.10	12.84	37.72	0.00 110 303 PEAK	 Site : 03CH20-HY Condition: PEAK(UNII) 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>NHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5260.00</td><td>109.00</td><td>-----</td><td>-----</td><td>100.82</td><td>32.99</td><td>13.04</td><td>37.85</td><td>0.00 110 303 PEAK</td></tr></table>	NHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5260.00	109.00	-----	-----	100.82	32.99	13.04	37.85	0.00 110 303 PEAK
	NHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1	5076.18	48.36	74.00	-25.64	40.14	33.10	12.84	37.72	0.00 110 303 PEAK																																	
NHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1	5260.00	109.00	-----	-----	100.82	32.99	13.04	37.85	0.00 110 303 PEAK																																	
Avg.	 Site : 03CH20-HY Condition: AVG_BE_54 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto <table><tr><th>NHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5072.02</td><td>38.97</td><td>54.00</td><td>-15.03</td><td>30.75</td><td>33.10</td><td>12.84</td><td>37.72</td><td>0.00 110 303 AVERAGE</td></tr></table>	NHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5072.02	38.97	54.00	-15.03	30.75	33.10	12.84	37.72	0.00 110 303 AVERAGE	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto <table><tr><th>NHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5260.00</td><td>101.13</td><td>-----</td><td>-----</td><td>92.95</td><td>32.99</td><td>13.04</td><td>37.85</td><td>0.00 110 303 AVERAGE</td></tr></table>	NHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5260.00	101.13	-----	-----	92.95	32.99	13.04	37.85	0.00 110 303 AVERAGE
NHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1	5072.02	38.97	54.00	-15.03	30.75	33.10	12.84	37.72	0.00 110 303 AVERAGE																																	
NHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1	5260.00	101.13	-----	-----	92.95	32.99	13.04	37.85	0.00 110 303 AVERAGE																																	





Mode	22	
	Band Edge - R	
	U-NII-2A_5.25-5.35_802.11ax HE20_CH52_Full RU_5260MHz	
ANT	1+2	
Pol.	Horizontal	Fundamental
Peak	 Site : 03CH20-HY Condition: PEAK_BE_74 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dBuV/m dB dB/m dB dB dB cm deg 1 5376.20 49.05 74.00 -24.95 41.02 32.75 13.22 37.94 0.00 110 303 PEAK	Blank
Avg.	 Site : 03CH20-HY Condition: AVG_BE_54 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto MHz dBuV/m dBuV/m dB dB/m dB dB dB cm deg 1 5376.00 42.08 54.00 -11.92 34.05 32.75 13.22 37.94 0.00 110 303 AVERAGE	Blank





Mode	22	
	Band Edge - L	
	U-NII-2A_5.25-5.35_802.11ax HE20_CH52_Full RU_5260MHz	
ANT	1+2	
Pol.	Vertical	Fundamental
Peak	 Site : 03CH20-HY Condition: PEAK_BE_74 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5073.06 50.55 74.00 -23.45 42.33 33.10 12.84 37.72 0.00 107 130 PEAK	 Site : 03CH20-HY Condition: PEAK(UNII) 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5260.00 116.06 ----- 107.89 32.97 13.06 37.86 0.00 107 130 PEAK
Avg.	 Site : 03CH20-HY Condition: AVG_BE_54 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5074.36 41.14 54.00 -12.86 32.92 33.10 12.84 37.72 0.00 107 130 AVERAGE	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5260.00 108.81 ----- 100.63 32.99 13.04 37.85 0.00 107 130 AVERAGE







Mode	22	
	Band Edge - R	
	U-NII-2A_5.25-5.35_802.11ax HE20_CH52_Full RU_5260MHz	
ANT	1+2	
Pol.	Vertical	Fundamental
Peak	 Site : 03CH20-HY Condition: PEAK_BE_74 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dBuV/m dB dB/m dB dB dB cm deg 1 5376.20 53.46 74.00 -20.54 45.43 32.75 13.22 37.94 0.00 107 130 PEAK	Blank
Avg.	 Site : 03CH20-HY Condition: AVG_BE_54 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto MHz dBuV/m dBuV/m dB dB/m dB dB dB cm deg 1 5376.00 48.98 54.00 -5.02 40.95 32.75 13.22 37.94 0.00 107 130 AVERAGE	Blank







Mode	22																																																																																																	
	Harmonic																																																																																																	
	U-NII-2A_5.25-5.35_802.11ax HE20_CH52_Full RU_5260MHz																																																																																																	
ANT	1+2																																																																																																	
Pol.	Horizontal						Vertical																																																																																											
Peak Avg.																																																																																																		
	Site : 03CH20-HY Condition: PEAK(UNII) 3m HF_91200_02360_231030 HORIZONTAL						Site : 03CH20-HY Condition: PEAK(UNII) 3m HF_91200_02360_231030 VERTICAL																																																																																											
	<table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10520.00</td><td>50.84</td><td>68.20</td><td>-17.36</td><td>34.62</td><td>38.64</td><td>18.59</td><td>41.52</td><td>0.51</td><td>--</td></tr><tr><td>2</td><td>15780.00</td><td>52.01</td><td>74.00</td><td>-21.99</td><td>35.04</td><td>37.98</td><td>23.02</td><td>44.49</td><td>0.46</td><td>300</td></tr><tr><td>3</td><td>15780.00</td><td>41.39</td><td>54.00</td><td>-12.61</td><td>24.42</td><td>37.98</td><td>23.02</td><td>44.49</td><td>0.46</td><td>300</td></tr></table>							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10520.00	50.84	68.20	-17.36	34.62	38.64	18.59	41.52	0.51	--	2	15780.00	52.01	74.00	-21.99	35.04	37.98	23.02	44.49	0.46	300	3	15780.00	41.39	54.00	-12.61	24.42	37.98	23.02	44.49	0.46	300	<table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10520.00</td><td>51.23</td><td>68.20</td><td>-16.97</td><td>35.01</td><td>38.64</td><td>18.59</td><td>41.52</td><td>0.51</td><td>--</td></tr><tr><td>2</td><td>15780.00</td><td>52.03</td><td>74.00</td><td>-21.97</td><td>35.06</td><td>37.98</td><td>23.02</td><td>44.49</td><td>0.46</td><td>300</td></tr><tr><td>3</td><td>15780.00</td><td>41.43</td><td>54.00</td><td>-12.57</td><td>24.46</td><td>37.98</td><td>23.02</td><td>44.49</td><td>0.46</td><td>300</td></tr></table>						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10520.00	51.23	68.20	-16.97	35.01	38.64	18.59	41.52	0.51	--	2	15780.00	52.03	74.00	-21.97	35.06	37.98	23.02	44.49	0.46	300	3	15780.00	41.43	54.00	-12.57	24.46	37.98	23.02	44.49	0.46
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	10520.00	50.84	68.20	-17.36	34.62	38.64	18.59	41.52	0.51	--																																																																																								
2	15780.00	52.01	74.00	-21.99	35.04	37.98	23.02	44.49	0.46	300																																																																																								
3	15780.00	41.39	54.00	-12.61	24.42	37.98	23.02	44.49	0.46	300																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	10520.00	51.23	68.20	-16.97	35.01	38.64	18.59	41.52	0.51	--																																																																																								
2	15780.00	52.03	74.00	-21.97	35.06	37.98	23.02	44.49	0.46	300																																																																																								
3	15780.00	41.43	54.00	-12.57	24.46	37.98	23.02	44.49	0.46	300																																																																																								



Mode	22	
	Harmonic	
	U-NII-2A_5.25-5.35_802.11ax HE20_CH52_Full RU_5260MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg.	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 HORIZONTAL	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 VERTICAL
	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 HORIZONTAL	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 VERTICAL







Mode	23	
	Band Edge - L	
	U-NII-2A_5.25-5.35_802.11ax HE20_CH60_Full RU_5300MHz	
ANT	1+2	
Pol.	Horizontal	Fundamental
Peak	 Site : 03CH20-HY Condition: PEAK_BE_74 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5069.00 48.53 74.00 -25.47 40.31 33.10 12.84 37.72 0.00 130 304 PEAK	 Site : 03CH20-HY Condition: PEAK(UNII) 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5300.00 109.60 ----- 101.48 32.90 13.11 37.89 0.00 130 304 PEAK
Avg.	 Site : 03CH20-HY Condition: AVG_BE_54 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5106.20 38.84 54.00 -15.16 30.64 33.08 12.87 37.75 0.00 130 304 AVERAGE	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5300.00 100.64 ----- 92.52 32.90 13.11 37.89 0.00 130 304 AVERAGE





Mode	23	
	Band Edge - R	
	U-NII-2A_5.25-5.35_802.11ax HE20_CH60_Full RU_5300MHz	
ANT	1+2	
Pol.	Horizontal	Fundamental
Peak	Site : 03CH20-HY Condition: PEAK_BE_74 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dBuV/m dB dB dB dB cm deg 1 5376.00 48.13 74.00 -25.87 40.10 32.75 13.22 37.94 0.00 130 304 PEAK	Blank
Avg.	Site : 03CH20-HY Condition: AVG_BE_54 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto MHz dBuV/m dBuV/m dB dB dB dB cm deg 1 5376.16 41.98 54.00 -12.02 33.95 32.75 13.22 37.94 0.00 130 304 AVERAGE	Blank





Mode	23	
	Band Edge - L	
	U-NII-2A_5.25-5.35_802.11ax HE20_CH60_Full RU_5300MHz	
ANT	1+2	
Pol.	Vertical	Fundamental
Peak	 Site : 03CH20-HY Condition: PEAK_BE_74 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dBuV/m dB dB dB dB dB cm deg 1 5070.20 50.47 74.00 -23.53 42.25 33.10 12.84 37.72 0.00 105 130 PEAK	 Site : 03CH20-HY Condition: PEAK(UNII) 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dBuV/m dB dB dB dB dB cm deg 1 5300.00 116.68 ----- 100.56 32.90 13.11 37.89 0.00 105 130 PEAK
	 Site : 03CH20-HY Condition: AVG_BE_54 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto MHz dBuV/m dBuV/m dB dB dB dB dB cm deg 1 5110.40 41.31 54.00 -12.69 33.13 33.06 12.87 37.75 0.00 105 130 AVERAGE	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto MHz dBuV/m dBuV/m dB dB dB dB dB cm deg 1 5300.00 109.00 ----- 100.96 32.90 13.11 37.89 0.00 105 130 AVERAGE







Mode	23	
	Band Edge - R	
	U-NII-2A_5.25-5.35_802.11ax HE20_CH60_Full RU_5300MHz	
ANT	1+2	
Pol.	Vertical	Fundamental
Peak	 Site : 03CH20-HY Condition: PEAK_BE_74 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dBuV/m dB dB/m dB dB dB cm deg 1 5376.00 53.48 74.00 -20.52 45.45 32.75 13.22 37.94 0.00 105 130 PEAK	Blank
Avg.	 Site : 03CH20-HY Condition: AVG_BE_54 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto MHz dBuV/m dBuV/m dB dB/m dB dB dB cm deg 1 5376.00 49.11 54.00 -4.89 41.08 32.75 13.22 37.94 0.00 105 130 AVERAGE	Blank







Mode	23																																																																																																																																																			
	Harmonic																																																																																																																																																			
	U-NII-2A_5.25-5.35_802.11ax HE20_CH60_Full RU_5300MHz																																																																																																																																																			
ANT	1+2																																																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																																																													
Peak Avg.																																																																																																																																																				
	Site : 03CH20-HY Condition: PEAK(UNII) 3m HF_91200_02360_231030 HORIZONTAL						Site : 03CH20-HY Condition: PEAK(UNII) 3m HF_91200_02360_231030 VERTICAL																																																																																																																																													
<table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10600.00</td><td>54.99</td><td>74.00</td><td>-19.01</td><td>38.50</td><td>38.90</td><td>18.67</td><td>41.59</td><td>0.51</td><td>314</td><td>188</td><td>PEAK</td></tr><tr><td>2</td><td>10600.00</td><td>47.71</td><td>54.00</td><td>-6.29</td><td>31.22</td><td>38.90</td><td>18.67</td><td>41.59</td><td>0.51</td><td>314</td><td>188</td><td>Average</td></tr><tr><td>3</td><td>15900.00</td><td>51.65</td><td>74.00</td><td>-22.35</td><td>34.44</td><td>38.00</td><td>23.12</td><td>44.37</td><td>0.46</td><td>100</td><td>9</td><td>PEAK</td></tr><tr><td>4</td><td>15900.00</td><td>41.56</td><td>54.00</td><td>-12.44</td><td>24.35</td><td>38.00</td><td>23.12</td><td>44.37</td><td>0.46</td><td>100</td><td>9</td><td>Average</td></tr></table>														MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	10600.00	54.99	74.00	-19.01	38.50	38.90	18.67	41.59	0.51	314	188	PEAK	2	10600.00	47.71	54.00	-6.29	31.22	38.90	18.67	41.59	0.51	314	188	Average	3	15900.00	51.65	74.00	-22.35	34.44	38.00	23.12	44.37	0.46	100	9	PEAK	4	15900.00	41.56	54.00	-12.44	24.35	38.00	23.12	44.37	0.46	100	9	Average	<table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10600.00</td><td>56.75</td><td>74.00</td><td>-17.25</td><td>40.26</td><td>38.90</td><td>18.67</td><td>41.59</td><td>0.51</td><td>100</td><td>228</td><td>PEAK</td></tr><tr><td>2</td><td>10600.00</td><td>50.90</td><td>54.00</td><td>-3.10</td><td>34.41</td><td>38.90</td><td>18.67</td><td>41.59</td><td>0.51</td><td>100</td><td>228</td><td>Average</td></tr><tr><td>3</td><td>15900.00</td><td>51.97</td><td>74.00</td><td>-22.03</td><td>34.76</td><td>38.00</td><td>23.12</td><td>44.37</td><td>0.46</td><td>300</td><td>319</td><td>PEAK</td></tr><tr><td>4</td><td>15900.00</td><td>41.57</td><td>54.00</td><td>-12.43</td><td>24.36</td><td>38.00</td><td>23.12</td><td>44.37</td><td>0.46</td><td>300</td><td>319</td><td>Average</td></tr></table>							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	10600.00	56.75	74.00	-17.25	40.26	38.90	18.67	41.59	0.51	100	228	PEAK	2	10600.00	50.90	54.00	-3.10	34.41	38.90	18.67	41.59	0.51	100	228	Average	3	15900.00	51.97	74.00	-22.03	34.76	38.00	23.12	44.37	0.46	300	319	PEAK	4	15900.00	41.57	54.00	-12.43	24.36	38.00	23.12	44.37	0.46	300	319	Average
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																									
1	10600.00	54.99	74.00	-19.01	38.50	38.90	18.67	41.59	0.51	314	188	PEAK																																																																																																																																								
2	10600.00	47.71	54.00	-6.29	31.22	38.90	18.67	41.59	0.51	314	188	Average																																																																																																																																								
3	15900.00	51.65	74.00	-22.35	34.44	38.00	23.12	44.37	0.46	100	9	PEAK																																																																																																																																								
4	15900.00	41.56	54.00	-12.44	24.35	38.00	23.12	44.37	0.46	100	9	Average																																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																									
1	10600.00	56.75	74.00	-17.25	40.26	38.90	18.67	41.59	0.51	100	228	PEAK																																																																																																																																								
2	10600.00	50.90	54.00	-3.10	34.41	38.90	18.67	41.59	0.51	100	228	Average																																																																																																																																								
3	15900.00	51.97	74.00	-22.03	34.76	38.00	23.12	44.37	0.46	300	319	PEAK																																																																																																																																								
4	15900.00	41.57	54.00	-12.43	24.36	38.00	23.12	44.37	0.46	300	319	Average																																																																																																																																								







Mode	23	
	Harmonic	
	U-NII-2A_5.25-5.35_802.11ax HE20_CH60_Full RU_5300MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg.	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 HORIZONTAL	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 VERTICAL
	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 HORIZONTAL	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 VERTICAL





Mode	24	
	Band Edge	
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_Full RU_5320MHz	
ANT	1+2	
Pol.	Horizontal	Fundamental
Peak	 Site : 03CH20-HY Condition: PEAK_BE_74 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5376.00 48.66 74.00 -25.34 40.63 32.75 13.22 37.94 0.00 119 304 PEAK	 Site : 03CH20-HY Condition: PEAK(UNII) 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5320.00 108.35 ----- 100.25 32.87 13.13 37.90 0.00 119 304 PEAK
	 Site : 03CH20-HY Condition: AVG_BE_54 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5376.00 42.44 54.00 -11.56 34.41 32.75 13.22 37.94 0.00 119 304 AVERAGE	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5320.00 100.05 ----- 91.95 32.87 13.13 37.90 0.00 119 304 AVERAGE







Mode	24	
	Band Edge	
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_Full RU_5320MHz	
ANT	1+2	
Pol.	Vertical	Fundamental
Peak	 Site : 03CH20-HY Condition: PEAK_BE_74 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dBuV/m dB dB/m dB dB cm deg 1 5355.00 53.49 74.00 -20.51 45.44 32.79 13.19 37.93 0.00 100 216 PEAK	 Site : 03CH20-HY Condition: PEAK(UNI) 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dBuV/m dB dB/m dB dB cm deg 1 5320.00 116.12 ----- 108.02 32.87 13.13 37.90 0.00 100 216 PEAK
	 Site : 03CH20-HY Condition: AVG_BE_54 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto MHz dBuV/m dBuV/m dB dB/m dB dB dB cm deg 1 5376.00 48.71 54.00 -5.29 40.68 32.75 13.22 37.94 0.00 100 216 AVERAGE	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto MHz dBuV/m dBuV/m dB dB/m dB dB dB cm deg 1 5320.00 107.64 ----- 99.54 32.87 13.13 37.90 0.00 100 216 AVERAGE







Mode	24																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_Full RU_5320MHz																																																																																																																									
ANT	1+2																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																								
Peak																																																																																																																										
Avg.	Site : 03CH20-HY Condition: PEAK(UNII) 3m HF_91200_02360_231030 HORIZONTAL <table><thead><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>10640.00</td><td>55.54</td><td>74.00</td><td>-18.46</td><td>38.99</td><td>38.98</td><td>18.70</td><td>41.63</td><td>0.50</td><td>289</td><td>205 PEAK</td></tr><tr><td>2</td><td>10640.00</td><td>49.21</td><td>54.00</td><td>-4.79</td><td>32.66</td><td>38.98</td><td>18.70</td><td>41.63</td><td>0.50</td><td>289</td><td>205 Average</td></tr><tr><td>3</td><td>15960.00</td><td>51.16</td><td>74.00</td><td>-22.84</td><td>33.82</td><td>38.02</td><td>23.17</td><td>44.31</td><td>0.46</td><td>300</td><td>89 PEAK</td></tr><tr><td>4</td><td>15960.00</td><td>41.69</td><td>54.00</td><td>-12.31</td><td>24.35</td><td>38.02</td><td>23.17</td><td>44.31</td><td>0.46</td><td>300</td><td>89 Average</td></tr></tbody></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10640.00	55.54	74.00	-18.46	38.99	38.98	18.70	41.63	0.50	289	205 PEAK	2	10640.00	49.21	54.00	-4.79	32.66	38.98	18.70	41.63	0.50	289	205 Average	3	15960.00	51.16	74.00	-22.84	33.82	38.02	23.17	44.31	0.46	300	89 PEAK	4	15960.00	41.69	54.00	-12.31	24.35	38.02	23.17	44.31	0.46	300	89 Average	Site : 03CH20-HY Condition: PEAK(UNII) 3m HF_91200_02360_231030 VERTICAL <table><thead><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>10640.00</td><td>56.01</td><td>74.00</td><td>-17.99</td><td>39.46</td><td>38.98</td><td>18.70</td><td>41.63</td><td>0.50</td><td>104</td><td>229 PEAK</td></tr><tr><td>2</td><td>10640.00</td><td>50.02</td><td>54.00</td><td>-3.98</td><td>33.47</td><td>38.98</td><td>18.70</td><td>41.63</td><td>0.50</td><td>104</td><td>229 Average</td></tr><tr><td>3</td><td>15960.00</td><td>51.89</td><td>74.00</td><td>-22.11</td><td>34.55</td><td>38.02</td><td>23.17</td><td>44.31</td><td>0.46</td><td>400</td><td>211 PEAK</td></tr><tr><td>4</td><td>15960.00</td><td>41.71</td><td>54.00</td><td>-12.29</td><td>24.37</td><td>38.02</td><td>23.17</td><td>44.31</td><td>0.46</td><td>400</td><td>211 Average</td></tr></tbody></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10640.00	56.01	74.00	-17.99	39.46	38.98	18.70	41.63	0.50	104	229 PEAK	2	10640.00	50.02	54.00	-3.98	33.47	38.98	18.70	41.63	0.50	104	229 Average	3	15960.00	51.89	74.00	-22.11	34.55	38.02	23.17	44.31	0.46	400	211 PEAK	4	15960.00	41.71	54.00	-12.29	24.37	38.02	23.17	44.31	0.46	400	211 Average
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																															
1	10640.00	55.54	74.00	-18.46	38.99	38.98	18.70	41.63	0.50	289	205 PEAK																																																																																																															
2	10640.00	49.21	54.00	-4.79	32.66	38.98	18.70	41.63	0.50	289	205 Average																																																																																																															
3	15960.00	51.16	74.00	-22.84	33.82	38.02	23.17	44.31	0.46	300	89 PEAK																																																																																																															
4	15960.00	41.69	54.00	-12.31	24.35	38.02	23.17	44.31	0.46	300	89 Average																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																															
1	10640.00	56.01	74.00	-17.99	39.46	38.98	18.70	41.63	0.50	104	229 PEAK																																																																																																															
2	10640.00	50.02	54.00	-3.98	33.47	38.98	18.70	41.63	0.50	104	229 Average																																																																																																															
3	15960.00	51.89	74.00	-22.11	34.55	38.02	23.17	44.31	0.46	400	211 PEAK																																																																																																															
4	15960.00	41.71	54.00	-12.29	24.37	38.02	23.17	44.31	0.46	400	211 Average																																																																																																															



Mode	24	
	Harmonic	
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_Full RU_5320MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg.	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 HORIZONTAL	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 VERTICAL
17.7G ~18G Avg.	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 HORIZONTAL	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 VERTICAL



Mode	25																																															
	Band Edge - L																																															
	U-NII-2A_5.25-5.35_802.11n HT40_CH54_5270MHz																																															
ANT	1+2																																															
Pol.	Horizontal	Fundamental																																														
Peak	 Site : 03CH20-HY Condition: PEAK_BE_74 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>NHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5017.01</td><td>49.42</td><td>74.00</td><td>-24.58</td><td>41.21</td><td>33.10</td><td>12.79</td><td>37.68</td><td>0.00</td><td>100</td><td>299</td><td>PEAK</td></tr></table>	NHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5017.01	49.42	74.00	-24.58	41.21	33.10	12.79	37.68	0.00	100	299	PEAK	 Site : 03CH20-HY Condition: PEAK(UNII) 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>NHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5270.00</td><td>108.79</td><td>-----</td><td>-----</td><td>100.62</td><td>32.97</td><td>13.06</td><td>37.86</td><td>0.00</td><td>100</td><td>299</td><td>PEAK</td></tr></table>	NHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5270.00	108.79	-----	-----	100.62	32.97	13.06	37.86	0.00	100	299	PEAK
NHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																							
1	5017.01	49.42	74.00	-24.58	41.21	33.10	12.79	37.68	0.00	100	299	PEAK																																				
NHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																							
1	5270.00	108.79	-----	-----	100.62	32.97	13.06	37.86	0.00	100	299	PEAK																																				
Avg.	 Site : 03CH20-HY Condition: AVG_BE_54 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto <table><tr><th>NHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5093.69</td><td>39.60</td><td>54.00</td><td>-14.40</td><td>31.38</td><td>33.10</td><td>12.86</td><td>37.74</td><td>0.00</td><td>100</td><td>299</td><td>AVERAGE</td></tr></table>	NHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5093.69	39.60	54.00	-14.40	31.38	33.10	12.86	37.74	0.00	100	299	AVERAGE	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto <table><tr><th>NHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5270.00</td><td>102.17</td><td>-----</td><td>-----</td><td>94.02</td><td>32.94</td><td>13.08</td><td>37.87</td><td>0.00</td><td>100</td><td>299</td><td>AVERAGE</td></tr></table>	NHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5270.00	102.17	-----	-----	94.02	32.94	13.08	37.87	0.00	100	299	AVERAGE
NHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																							
1	5093.69	39.60	54.00	-14.40	31.38	33.10	12.86	37.74	0.00	100	299	AVERAGE																																				
NHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																							
1	5270.00	102.17	-----	-----	94.02	32.94	13.08	37.87	0.00	100	299	AVERAGE																																				





Mode	25	
	Band Edge - R	
	U-NII-2A_5.25-5.35_802.11n HT40_CH54_5270MHz	
ANT	1+2	
Pol.	Horizontal	Fundamental
Peak	Site : 03CH20-HY Condition: PEAK_BE_74 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5376.21 50.02 74.00 -23.98 41.99 32.75 13.22 37.94 0.00 100 299 PEAK	Blank
Avg.	Site : 03CH20-HY Condition: AVG_BE_54 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5376.02 43.88 54.00 -10.12 35.85 32.75 13.22 37.94 0.00 100 299 AVERAGE	Blank





Mode	25	
	Band Edge - L	
	U-NII-2A_5.25-5.35_802.11n HT40_CH54_5270MHz	
ANT	1+2	
Pol.	Vertical	Fundamental
Peak	Site : 03CH20-HY Condition: PEAK_BE_74 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dBuV/m dB dB dB dB dB cm deg 1 5142.56 54.12 74.00 -19.88 46.05 32.93 12.91 37.77 0.00 150 11 PEAK	Site : 03CH20-HY Condition: PEAK(UNII) 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dBuV/m dB dB dB dB dB cm deg 1 5270.00 117.52 ----- 109.35 32.97 13.06 37.86 0.00 150 11 PEAK
Avg.	Site : 03CH20-HY Condition: AVG_BE_54 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto MHz dBuV/m dBuV/m dB dB dB dB dB cm deg 1 5148.77 44.17 54.00 -9.83 36.14 32.90 12.91 37.78 0.00 150 11 AVERAGE	Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto MHz dBuV/m dBuV/m dB dB dB dB dB cm deg 1 5270.00 109.96 ----- 101.79 32.97 13.06 37.86 0.00 150 11 AVERAGE







Mode	25	
	Band Edge - R	
	U-NII-2A_5.25-5.35_802.11n HT40_CH54_5270MHz	
ANT	1+2	
Pol.	Vertical	Fundamental
Peak	 Site : 03CH20-HY Condition: PEAK_BE_74 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dBuV/m dB dB/m dB dB dB cm deg 1 5375.83 56.73 74.00 -17.27 48.70 32.75 13.22 37.94 0.00 150 11 PEAK	Blank
Avg.	 Site : 03CH20-HY Condition: AVG_BE_54 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto MHz dBuV/m dBuV/m dB dB/m dB dB dB cm deg 1 5376.02 51.47 54.00 -2.53 43.44 32.75 13.22 37.94 0.00 150 11 AVERAGE	Blank







Mode	25																																																																																																					
	Harmonic																																																																																																					
	U-III-2A_5.25-5.35_802.11n HT40_CH54_5270MHz																																																																																																					
ANT	1+2																																																																																																					
Pol.	Horizontal	Vertical																																																																																																				
Peak Avg.	 Site : 03CH20-HY Condition: PEAK(UNII) 3m HF_91200_02360_231030 HORIZONTAL <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10540.00</td><td>52.34</td><td>68.20</td><td>-15.86</td><td>36.08</td><td>38.68</td><td>18.61</td><td>41.54</td><td>0.51</td><td>--</td><td>-- PEAK</td></tr><tr><td>2</td><td>15810.00</td><td>52.05</td><td>74.00</td><td>-21.95</td><td>35.13</td><td>37.88</td><td>23.04</td><td>44.46</td><td>0.46</td><td>200</td><td>1 PEAK</td></tr><tr><td>3</td><td>15810.00</td><td>41.78</td><td>54.00</td><td>-12.22</td><td>24.06</td><td>37.88</td><td>23.04</td><td>44.46</td><td>0.46</td><td>200</td><td>1 Average</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	10540.00	52.34	68.20	-15.86	36.08	38.68	18.61	41.54	0.51	--	-- PEAK	2	15810.00	52.05	74.00	-21.95	35.13	37.88	23.04	44.46	0.46	200	1 PEAK	3	15810.00	41.78	54.00	-12.22	24.06	37.88	23.04	44.46	0.46	200	1 Average	 Site : 03CH20-HY Condition: PEAK(UNII) 3m HF_91200_02360_231030 VERTICAL <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10540.00</td><td>52.98</td><td>68.20</td><td>-15.22</td><td>36.72</td><td>38.68</td><td>18.61</td><td>41.54</td><td>0.51</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>15810.00</td><td>51.70</td><td>74.00</td><td>-22.30</td><td>34.78</td><td>37.88</td><td>23.04</td><td>44.46</td><td>0.46</td><td>400</td><td>105</td><td>PEAK</td></tr><tr><td>3</td><td>15810.00</td><td>41.80</td><td>54.00</td><td>-12.20</td><td>24.88</td><td>37.88</td><td>23.04</td><td>44.46</td><td>0.46</td><td>400</td><td>105</td><td>Average</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	10540.00	52.98	68.20	-15.22	36.72	38.68	18.61	41.54	0.51	--	--	PEAK	2	15810.00	51.70	74.00	-22.30	34.78	37.88	23.04	44.46	0.46	400	105	PEAK	3	15810.00	41.80	54.00	-12.20	24.88	37.88	23.04	44.46	0.46	400	105	Average
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	10540.00	52.34	68.20	-15.86	36.08	38.68	18.61	41.54	0.51	--	-- PEAK																																																																																											
2	15810.00	52.05	74.00	-21.95	35.13	37.88	23.04	44.46	0.46	200	1 PEAK																																																																																											
3	15810.00	41.78	54.00	-12.22	24.06	37.88	23.04	44.46	0.46	200	1 Average																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	10540.00	52.98	68.20	-15.22	36.72	38.68	18.61	41.54	0.51	--	--	PEAK																																																																																										
2	15810.00	51.70	74.00	-22.30	34.78	37.88	23.04	44.46	0.46	400	105	PEAK																																																																																										
3	15810.00	41.80	54.00	-12.20	24.88	37.88	23.04	44.46	0.46	400	105	Average																																																																																										





Mode	25	
	Harmonic	
	U-NII-2A_5.25-5.35_802.11n HT40_CH54_5270MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg.	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 HORIZONTAL	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 VERTICAL
	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 HORIZONTAL	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 VERTICAL







Mode	26	
	Band Edge - L	
	U-NII-2A_5.25-5.35_802.11n HT40_CH62_5310MHz	
ANT	1+2	
Pol.	Horizontal	Fundamental
Peak	 Site : 03CH20-HY Condition: PEAK_BE_74 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5070.37 48.36 74.00 -25.64 40.14 33.10 12.84 37.72 0.00 100 59 PEAK	 Site : 03CH20-HY Condition: PEAK(UNII) 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5310.00 106.26 ----- 98.15 32.88 13.12 37.89 0.00 100 59 PEAK
	 Site : 03CH20-HY Condition: AVG_BE_54 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5119.35 38.86 54.00 -15.14 30.72 33.02 12.88 37.76 0.00 100 59 AVERAGE	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5310.00 99.72 ----- 91.62 32.86 13.14 37.90 0.00 100 59 AVERAGE





Mode	26	
	Band Edge - R	
	U-NII-2A_5.25-5.35_802.11n HT40_CH62_5310MHz	
ANT	1+2	
Pol.	Horizontal	Fundamental
Peak	 Site : 03CH20-HY Condition: PEAK_BE_74 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dBuV/m dB dB/m dB dB dB cm deg 1 5350.95 54.15 74.00 -19.85 46.08 32.80 13.19 37.92 0.00 100 59 PEAK	Blank
Avg.	 Site : 03CH20-HY Condition: AVG_BE_54 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto MHz dBuV/m dBuV/m dB dB/m dB dB dB cm deg 1 5350.05 45.83 54.00 -8.17 37.76 32.80 13.19 37.92 0.00 100 59 AVERAGE	Blank





Mode	26	
	Band Edge - L	
	U-NII-2A_5.25-5.35_802.11n HT40_CH62_5310MHz	
ANT	1+2	
Pol.	Vertical	Fundamental
Peak	 Site : 03CH20-HY Condition: PEAK_BE_74 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5149.42 51.35 74.00 -22.65 43.32 32.90 12.91 37.78 0.00 150 11 PEAK	 Site : 03CH20-HY Condition: PEAK(UNII) 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5310.00 115.12 ----- 107.02 32.87 13.13 37.90 0.00 150 11 PEAK
	 Site : 03CH20-HY Condition: AVG_BE_54 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5129.58 41.48 54.00 -12.52 33.37 32.90 12.89 37.76 0.00 150 11 AVERAGE	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5310.00 108.83 ----- 100.73 32.87 13.13 37.90 0.00 150 11 AVERAGE







Mode	26	
	Band Edge - R	
	U-NII-2A_5.25-5.35_802.11n HT40_CH62_5310MHz	
ANT	1+2	
Pol.	Vertical	Fundamental
Peak	 Site : 03CH20-HY Condition: PEAK_BE_74 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dBuV/m dB dB/m dB dB dB cm deg 1 5351.70 62.50 74.00 -11.50 54.43 32.80 13.19 37.92 0.00 150 11 PEAK	Blank
Avg.	 Site : 03CH20-HY Condition: AVG_BE_54 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto MHz dBuV/m dBuV/m dB dB/m dB dB dB cm deg 1 5352.45 52.77 54.00 -1.23 44.70 32.80 13.19 37.92 0.00 150 11 AVERAGE	Blank







Mode	26										
	Harmonic										
	U-NII-2A_5.25-5.35_802.11n HT40_CH62_5310MHz										
ANT	1+2										
Pol.	Horizontal						Vertical				
Peak Avg.											
	Site : 03CH20-HY Condition: PEAK(UNII) 3m HF_91200_02360_231030 HORIZONTAL						Site : 03CH20-HY Condition: PEAK(UNII) 3m HF_91200_02360_231030 VERTICAL				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg
1	10620.00	55.68	74.00	-18.32	39.15	38.94	18.69	41.61	0.51	261	191 PEAK
2	10620.00	50.67	54.00	-3.33	34.14	38.94	18.69	41.61	0.51	261	191 Average
3	15930.00	51.78	74.00	-22.22	34.52	38.00	23.14	44.34	0.46	200	328 PEAK
4	15930.00	42.12	54.00	-11.88	24.86	38.00	23.14	44.34	0.46	200	328 Average
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg
1	10620.00	55.31	74.00	-18.69	38.78	38.94	18.69	41.61	0.51	100	224 PEAK
2	10620.00	50.46	54.00	-3.54	33.93	38.94	18.69	41.61	0.51	100	224 Average
3	15930.00	52.69	74.00	-21.31	35.43	38.00	23.14	44.34	0.46	400	42 PEAK
4	15930.00	42.16	54.00	-11.84	24.90	38.00	23.14	44.34	0.46	400	42 Average



Mode	26	
	Harmonic	
	U-NII-2A_5.25-5.35_802.11n HT40_CH62_5310MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg.	 Site : 03CH20-HY Condition: AVG_54 3m HF_91280_02360_231030 HORIZONTAL	 Site : 03CH20-HY Condition: AVG_54 3m HF_91280_02360_231030 VERTICAL
	 Site : 03CH20-HY Condition: AVG_54 3m HF_91280_02360_231030 HORIZONTAL	 Site : 03CH20-HY Condition: AVG_54 3m HF_91280_02360_231030 VERTICAL





Mode	27																																													
	Band Edge - L																																													
	U-NII-2A_5.25-5.35_802.11ax HE40_CH54_Full RU_5270MHz																																													
ANT	1+2																																													
Pol.	Horizontal	Fundamental																																												
Peak	 Site : 03CH20-HY Condition: PEAK_BE_74 3m HF_91200_02038_240729 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5132.30</td><td>49.98</td><td>74.00</td><td>-24.02</td><td>41.82</td><td>33.03</td><td>12.90</td><td>37.77</td><td>0.00</td><td>108 234 PEAK</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5132.30	49.98	74.00	-24.02	41.82	33.03	12.90	37.77	0.00	108 234 PEAK	 Site : 03CH20-HY Condition: PEAK(UNII) 3m HF_91200_02038_240729 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5270.00</td><td>107.09</td><td>-----</td><td>-----</td><td>98.94</td><td>32.94</td><td>13.08</td><td>37.87</td><td>0.00</td><td>108 234 PEAK</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5270.00	107.09	-----	-----	98.94	32.94	13.08	37.87	0.00	108 234 PEAK
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	5132.30	49.98	74.00	-24.02	41.82	33.03	12.90	37.77	0.00	108 234 PEAK																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	5270.00	107.09	-----	-----	98.94	32.94	13.08	37.87	0.00	108 234 PEAK																																				
Avg.	 Site : 03CH20-HY Condition: AVG_BE_54 3m HF_91200_02038_240729 HORIZONTAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5147.96</td><td>40.08</td><td>54.00</td><td>-13.92</td><td>31.86</td><td>33.09</td><td>12.91</td><td>37.78</td><td>0.00</td><td>108 234 AVERAGE</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5147.96	40.08	54.00	-13.92	31.86	33.09	12.91	37.78	0.00	108 234 AVERAGE	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02038_240729 HORIZONTAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5270.00</td><td>100.30</td><td>-----</td><td>-----</td><td>92.13</td><td>32.98</td><td>13.05</td><td>37.86</td><td>0.00</td><td>108 234 AVERAGE</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5270.00	100.30	-----	-----	92.13	32.98	13.05	37.86	0.00	108 234 AVERAGE
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	5147.96	40.08	54.00	-13.92	31.86	33.09	12.91	37.78	0.00	108 234 AVERAGE																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	5270.00	100.30	-----	-----	92.13	32.98	13.05	37.86	0.00	108 234 AVERAGE																																				





Mode	27	
	Band Edge - R	
	U-NII-2A_5.25-5.35_802.11ax HE40_CH54_Full RU_5270MHz	
ANT	1+2	
Pol.	Horizontal	Fundamental
Peak	Site : 03CH20-HY Condition: PEAK_BE_74 3m HF_91200_02038_240729 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB cm deg 1 5376.21 51.47 74.00 -22.53 43.34 32.85 13.22 37.94 0.00 108 234 PEAK	Blank
Avg.	Site : 03CH20-HY Condition: AVG_BE_54 3m HF_91200_02038_240729 HORIZONTAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB cm deg 1 5376.02 44.38 54.00 -9.62 36.25 32.85 13.22 37.94 0.00 108 234 AVERAGE	Blank

Mode	27	
	Band Edge - L	
	U-NII-2A_5.25-5.35_802.11ax HE40_CH54_Full RU_5270MHz	
ANT	1+2	
Pol.	Vertical	Fundamental
Peak	Site : 03CH20-HY Condition: PEAK_BE_74 3m HF_91200_02038_240729 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5125.82 53.58 74.00 -20.42 45.45 33.00 12.89 37.76 0.00 161 0 PEAK	Site : 03CH20-HY Condition: PEAK(UNII) 3m HF_91200_02038_240729 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5270.00 117.33 ----- 109.16 32.98 13.05 37.86 0.00 161 0 PEAK
Avg.	Site : 03CH20-HY Condition: AVG_BE_54 3m HF_91200_02038_240729 VERTICAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5149.58 43.83 54.00 -10.17 35.60 33.10 12.91 37.78 0.00 161 0 AVERAGE	Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02038_240729 VERTICAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5270.00 109.48 ----- 101.31 32.98 13.05 37.86 0.00 161 0 AVERAGE







Mode	27	
	Band Edge - R	
	U-NII-2A_5.25-5.35_802.11ax HE40_CH54_Full RU_5270MHz	
ANT	1+2	
Pol.	Vertical	Fundamental
Peak	 Site : 03CH20-HY Condition: PEAK_BE_74 3m HF_91200_02038_240729 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dBuV/m dB dB/m dB dB dB cm deg 1 5376.21 55.99 74.00 -18.01 47.06 32.85 13.22 37.94 0.00 161 0 PEAK	Blank
Avg.	 Site : 03CH20-HY Condition: AVG_BE_54 3m HF_91200_02038_240729 VERTICAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto MHz dBuV/m dBuV/m dB dB/m dB dB dB cm deg 1 5376.02 51.46 54.00 -2.54 43.33 32.85 13.22 37.94 0.00 161 0 AVERAGE	Blank







Mode	27																																																																																																																								
	Harmonic																																																																																																																								
	U-NII-2A_5.25-5.35_802.11ax HE40_CH54_Full RU_5270MHz																																																																																																																								
ANT	1+2																																																																																																																								
Pol.	Horizontal						Vertical																																																																																																																		
Peak Avg.																																																																																																																									
	Site : 03CH20-HY Condition: PEAK(UNII) 3m HF_91200_02360_231030 HORIZONTAL						Site : 03CH20-HY Condition: PEAK(UNII) 3m HF_91200_02360_231030 VERTICAL																																																																																																																		
<table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10540.00</td><td>51.85</td><td>68.20</td><td>-16.35</td><td>35.59</td><td>38.68</td><td>18.61</td><td>41.54</td><td>0.51</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>15810.00</td><td>52.20</td><td>74.00</td><td>-21.80</td><td>35.28</td><td>37.88</td><td>23.04</td><td>44.46</td><td>0.46</td><td>300</td><td>175</td><td>PEAK</td></tr><tr><td>3</td><td>15810.00</td><td>41.84</td><td>54.00</td><td>-12.16</td><td>24.92</td><td>37.88</td><td>23.04</td><td>44.46</td><td>0.46</td><td>300</td><td>175</td><td>Average</td></tr></table>													MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	10540.00	51.85	68.20	-16.35	35.59	38.68	18.61	41.54	0.51	--	--	PEAK	2	15810.00	52.20	74.00	-21.80	35.28	37.88	23.04	44.46	0.46	300	175	PEAK	3	15810.00	41.84	54.00	-12.16	24.92	37.88	23.04	44.46	0.46	300	175	Average	<table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10540.00</td><td>52.88</td><td>68.20</td><td>-15.32</td><td>36.62</td><td>38.68</td><td>18.61</td><td>41.54</td><td>0.51</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>15810.00</td><td>51.75</td><td>74.00</td><td>-22.25</td><td>34.83</td><td>37.88</td><td>23.04</td><td>44.46</td><td>0.46</td><td>200</td><td>134</td><td>PEAK</td></tr><tr><td>3</td><td>15810.00</td><td>41.83</td><td>54.00</td><td>-12.17</td><td>24.91</td><td>37.88</td><td>23.04</td><td>44.46</td><td>0.46</td><td>200</td><td>134</td><td>Average</td></tr></table>							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	10540.00	52.88	68.20	-15.32	36.62	38.68	18.61	41.54	0.51	--	--	PEAK	2	15810.00	51.75	74.00	-22.25	34.83	37.88	23.04	44.46	0.46	200	134	PEAK	3	15810.00	41.83	54.00	-12.17	24.91	37.88	23.04	44.46	0.46	200	134	Average
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																														
1	10540.00	51.85	68.20	-16.35	35.59	38.68	18.61	41.54	0.51	--	--	PEAK																																																																																																													
2	15810.00	52.20	74.00	-21.80	35.28	37.88	23.04	44.46	0.46	300	175	PEAK																																																																																																													
3	15810.00	41.84	54.00	-12.16	24.92	37.88	23.04	44.46	0.46	300	175	Average																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																														
1	10540.00	52.88	68.20	-15.32	36.62	38.68	18.61	41.54	0.51	--	--	PEAK																																																																																																													
2	15810.00	51.75	74.00	-22.25	34.83	37.88	23.04	44.46	0.46	200	134	PEAK																																																																																																													
3	15810.00	41.83	54.00	-12.17	24.91	37.88	23.04	44.46	0.46	200	134	Average																																																																																																													




Mode	27	
	Harmonic	
	U-NII-2A_5.25-5.35_802.11ax HE40_CH54_Full RU_5270MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg.	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 HORIZONTAL	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 VERTICAL
	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 HORIZONTAL	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 VERTICAL





Mode	28	
	Band Edge - L	
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_Full RU_5310MHz	
ANT	1+2	
Pol.	Horizontal	Fundamental
Peak	 Site : 03CH20-HY Condition: PEAK_BE_74 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5127.10 49.27 74.00 -24.73 41.15 32.99 12.89 37.76 0.00 100 129 PEAK	 Site : 03CH20-HY Condition: PEAK(UNII) 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5310.00 105.16 ----- 97.06 32.86 13.14 37.90 0.00 100 129 PEAK
	 Site : 03CH20-HY Condition: AVG_BE_54 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5125.55 38.94 54.00 -15.06 30.81 33.00 12.89 37.76 0.00 100 129 AVERAGE	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5310.00 90.31 ----- 90.20 32.88 13.12 37.89 0.00 100 129 AVERAGE





Mode	28	
	Band Edge - R	
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_Full RU_5310MHz	
ANT	1+2	
Pol.	Horizontal	Fundamental
Peak	 Site : 03CH20-HY Condition: PEAK_BE_74 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5360.10 53.76 74.00 -20.24 45.71 32.78 13.20 37.93 0.00 100 129 PEAK	Blank

	28	
Mode	Band Edge - L	
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_Full RU_5310MHz	
ANT	1+2	
Pol.	Vertical	Fundamental
Peak	Site : 03CH20-HY Condition: PEAK_BE_74_3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5129.27 51.27 74.00 -22.73 43.16 32.98 12.89 37.76 0.00 100 234 PEAK	Site : 03CH20-HY Condition: PEAK(UNII)_3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5310.00 116.07 ----- 107.97 32.86 13.14 37.90 0.00 100 234 PEAK
Avg.	Site : 03CH20-HY Condition: AVG_BE_54_3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5132.37 41.39 54.00 -12.61 33.29 32.97 12.90 37.77 0.00 100 234 AVERAGE	Site : 03CH20-HY Condition: AVG_54_3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5310.00 100.02 ----- 99.91 32.88 13.12 37.89 0.00 100 234 AVERAGE







Mode	28	
	Band Edge - R	
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_Full RU_5310MHz	
ANT	1+2	
Pol.	Vertical	Fundamental
Peak	 Site : 03CH20-HY Condition: PEAK_BE_74 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dBuV/m dB dB/m dB dB dB cm deg 1 5350.20 61.87 74.00 -12.13 53.00 32.00 13.19 37.92 0.00 100 234 PEAK	Blank
Avg.	 Site : 03CH20-HY Condition: AVG_BE_54 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto MHz dBuV/m dBuV/m dB dB/m dB dB dB cm deg 1 5350.05 52.30 54.00 -1.70 44.23 32.00 13.19 37.92 0.00 100 234 AVERAGE	Blank







Mode	28																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_Full RU_5310MHz																																																																																																																									
ANT	1+2																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																								
Peak																																																																																																																										
Avg.	Site : 03CH20-HY Condition: PEAK(UNII) 3m HF_91200_02038_240729 HORIZONTAL <table><thead><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>10620.00</td><td>52.05</td><td>74.00</td><td>-21.95</td><td>35.58</td><td>38.88</td><td>18.69</td><td>41.61</td><td>0.51</td><td>107</td><td>204 PEAK</td></tr><tr><td>2</td><td>10620.00</td><td>47.97</td><td>54.00</td><td>-6.03</td><td>31.50</td><td>38.88</td><td>18.69</td><td>41.61</td><td>0.51</td><td>107</td><td>204 Average</td></tr><tr><td>3</td><td>15930.00</td><td>51.73</td><td>74.00</td><td>-22.27</td><td>34.65</td><td>37.82</td><td>23.14</td><td>44.34</td><td>0.46</td><td>139</td><td>358 PEAK</td></tr><tr><td>4</td><td>15930.00</td><td>42.03</td><td>54.00</td><td>-11.97</td><td>24.95</td><td>37.82</td><td>23.14</td><td>44.34</td><td>0.46</td><td>139</td><td>358 Average</td></tr></tbody></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10620.00	52.05	74.00	-21.95	35.58	38.88	18.69	41.61	0.51	107	204 PEAK	2	10620.00	47.97	54.00	-6.03	31.50	38.88	18.69	41.61	0.51	107	204 Average	3	15930.00	51.73	74.00	-22.27	34.65	37.82	23.14	44.34	0.46	139	358 PEAK	4	15930.00	42.03	54.00	-11.97	24.95	37.82	23.14	44.34	0.46	139	358 Average	Site : 03CH20-HY Condition: PEAK(UNII) 3m HF_91200_02038_240729 VERTICAL <table><thead><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>10620.00</td><td>52.46</td><td>74.00</td><td>-21.54</td><td>35.99</td><td>38.88</td><td>18.69</td><td>41.61</td><td>0.51</td><td>100</td><td>173 PEAK</td></tr><tr><td>2</td><td>10620.00</td><td>48.07</td><td>54.00</td><td>-5.93</td><td>31.60</td><td>38.88</td><td>18.69</td><td>41.61</td><td>0.51</td><td>100</td><td>173 Average</td></tr><tr><td>3</td><td>15930.00</td><td>51.69</td><td>74.00</td><td>-22.31</td><td>34.61</td><td>37.82</td><td>23.14</td><td>44.34</td><td>0.46</td><td>115</td><td>344 PEAK</td></tr><tr><td>4</td><td>15930.00</td><td>42.14</td><td>54.00</td><td>-11.86</td><td>25.06</td><td>37.82</td><td>23.14</td><td>44.34</td><td>0.46</td><td>115</td><td>344 Average</td></tr></tbody></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10620.00	52.46	74.00	-21.54	35.99	38.88	18.69	41.61	0.51	100	173 PEAK	2	10620.00	48.07	54.00	-5.93	31.60	38.88	18.69	41.61	0.51	100	173 Average	3	15930.00	51.69	74.00	-22.31	34.61	37.82	23.14	44.34	0.46	115	344 PEAK	4	15930.00	42.14	54.00	-11.86	25.06	37.82	23.14	44.34	0.46	115	344 Average
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																															
1	10620.00	52.05	74.00	-21.95	35.58	38.88	18.69	41.61	0.51	107	204 PEAK																																																																																																															
2	10620.00	47.97	54.00	-6.03	31.50	38.88	18.69	41.61	0.51	107	204 Average																																																																																																															
3	15930.00	51.73	74.00	-22.27	34.65	37.82	23.14	44.34	0.46	139	358 PEAK																																																																																																															
4	15930.00	42.03	54.00	-11.97	24.95	37.82	23.14	44.34	0.46	139	358 Average																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																															
1	10620.00	52.46	74.00	-21.54	35.99	38.88	18.69	41.61	0.51	100	173 PEAK																																																																																																															
2	10620.00	48.07	54.00	-5.93	31.60	38.88	18.69	41.61	0.51	100	173 Average																																																																																																															
3	15930.00	51.69	74.00	-22.31	34.61	37.82	23.14	44.34	0.46	115	344 PEAK																																																																																																															
4	15930.00	42.14	54.00	-11.86	25.06	37.82	23.14	44.34	0.46	115	344 Average																																																																																																															





Mode	28	
	Harmonic	
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_Full RU_5310MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg.	 Site : 03CH20-HY Condition: AVG_54 3m HF_91280_02038_240729 HORIZONTAL	 Site : 03CH20-HY Condition: AVG_54 3m HF_91280_02038_240729 VERTICAL
	 Site : 03CH20-HY Condition: AVG_54 3m HF_91280_02038_240729 HORIZONTAL	 Site : 03CH20-HY Condition: AVG_54 3m HF_91280_02038_240729 VERTICAL



Mode	29	
	Band Edge - L	
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz	
ANT	1+2	
Pol.	Horizontal	Fundamental
Peak	 Site : 03CH20-HY Condition: PEAK_BE_74 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dBuV/m dB dB/m dB dB cm deg 1 5039.73 49.49 74.00 -24.51 41.28 33.10 12.81 37.70 0.00 100 68 PEAK	 Site : 03CH20-HY Condition: PEAK(UNII) 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dBuV/m dB dB/m dB dB cm deg 1 5290.00 106.21 ----- 98.10 32.88 13.12 37.89 0.00 100 68 PEAK
	 Site : 03CH20-HY Condition: AVG_BE_54 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto MHz dBuV/m dBuV/m dB dB/m dB dB dB cm deg 1 5120.64 39.68 54.00 -14.32 31.54 33.02 12.88 37.76 0.00 100 68 AVERAGE	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto MHz dBuV/m dBuV/m dB dB/m dB dB dB cm deg 1 5290.00 97.86 ----- 89.74 32.90 13.11 37.89 0.00 100 68 AVERAGE





Mode	29	
	Band Edge - R	
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz	
ANT	1+2	
Pol.	Horizontal	Fundamental
Peak	 Site : 03CH20-HY Condition: PEAK_BE_74 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dBuV/m dB dB/m dB dB dB cm deg 1 5409.34 59.46 74.00 -14.54 51.43 32.72 13.27 37.96 0.00 100 68 PEAK	Blank
Avg.	 Site : 03CH20-HY Condition: AVG_BE_54 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto MHz dBuV/m dBuV/m dB dB/m dB dB dB cm deg 1 5350.86 43.72 54.00 -10.28 35.65 32.80 13.19 37.92 0.00 100 68 AVERAGE	Blank





Mode	29	
	Band Edge - L	
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz	
ANT	1+2	
Pol.	Vertical	Fundamental
Peak	Site : 03CH20-HY Condition: PEAK_BE_74 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB cm deg 1 5109.33 53.62 74.00 -20.38 45.44 33.06 12.87 37.75 0.00 100 224 PEAK	Site : 03CH20-HY Condition: PEAK(UNII) 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5290.00 113.19 ----- 105.03 32.96 13.07 37.87 0.00 100 224 PEAK
Avg.	Site : 03CH20-HY Condition: AVG_BE_54 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5149.64 44.69 54.00 -9.31 36.66 32.90 12.91 37.78 0.00 100 224 AVERAGE	Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5290.00 106.04 ----- 97.92 32.90 13.11 37.89 0.00 100 224 AVERAGE







Mode	29	
	Band Edge - R	
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz	
ANT	1+2	
Pol.	Vertical	Fundamental
Peak	 Site : 03CH20-HY Condition: PEAK_BE_74 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dBuV/m dB dB dB dB dB cm deg 1 5351.37 62.38 74.00 -11.62 54.31 32.00 13.19 37.92 0.00 100 224 PEAK	Blank
Avg.	 Site : 03CH20-HY Condition: AVG_BE_54 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto MHz dBuV/m dBuV/m dB dB dB dB dB cm deg 1 5352.22 52.54 54.00 -1.46 44.47 32.00 13.19 37.92 0.00 100 224 AVERAGE	Blank







Mode	29																																																																																																		
	Harmonic																																																																																																		
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																																																																																		
ANT	1+2																																																																																																		
Pol.	Horizontal	Vertical																																																																																																	
Peak Avg.	 Site : 03CH20-HY Condition: PEAK(UNII) 3m HF_91200_02360_231030 HORIZONTAL <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10580.00</td><td>52.20</td><td>68.20</td><td>-16.00</td><td>35.79</td><td>38.82</td><td>18.65</td><td>41.57</td><td>0.51</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>15870.00</td><td>52.26</td><td>74.00</td><td>-21.74</td><td>35.23</td><td>37.88</td><td>23.09</td><td>44.40</td><td>0.46</td><td>225</td><td>177 PEAK</td></tr><tr><td>3</td><td>15878.00</td><td>42.30</td><td>54.00</td><td>-11.70</td><td>25.27</td><td>37.88</td><td>23.09</td><td>44.40</td><td>0.46</td><td>225</td><td>177 Average</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	10580.00	52.20	68.20	-16.00	35.79	38.82	18.65	41.57	0.51	--	PEAK	2	15870.00	52.26	74.00	-21.74	35.23	37.88	23.09	44.40	0.46	225	177 PEAK	3	15878.00	42.30	54.00	-11.70	25.27	37.88	23.09	44.40	0.46	225	177 Average	 Site : 03CH20-HY Condition: PEAK(UNII) 3m HF_91200_02360_231030 VERTICAL <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10580.00</td><td>53.07</td><td>68.20</td><td>-15.13</td><td>36.66</td><td>38.82</td><td>18.65</td><td>41.57</td><td>0.51</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>15870.00</td><td>51.94</td><td>74.00</td><td>-22.06</td><td>34.91</td><td>37.88</td><td>23.09</td><td>44.40</td><td>0.46</td><td>154</td><td>96 PEAK</td></tr><tr><td>3</td><td>15878.00</td><td>42.45</td><td>54.00</td><td>-11.55</td><td>25.42</td><td>37.88</td><td>23.09</td><td>44.40</td><td>0.46</td><td>154</td><td>96 Average</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	10580.00	53.07	68.20	-15.13	36.66	38.82	18.65	41.57	0.51	--	PEAK	2	15870.00	51.94	74.00	-22.06	34.91	37.88	23.09	44.40	0.46	154	96 PEAK	3	15878.00	42.45	54.00	-11.55	25.42	37.88	23.09	44.40	0.46	154	96 Average
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	10580.00	52.20	68.20	-16.00	35.79	38.82	18.65	41.57	0.51	--	PEAK																																																																																								
2	15870.00	52.26	74.00	-21.74	35.23	37.88	23.09	44.40	0.46	225	177 PEAK																																																																																								
3	15878.00	42.30	54.00	-11.70	25.27	37.88	23.09	44.40	0.46	225	177 Average																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1	10580.00	53.07	68.20	-15.13	36.66	38.82	18.65	41.57	0.51	--	PEAK																																																																																								
2	15870.00	51.94	74.00	-22.06	34.91	37.88	23.09	44.40	0.46	154	96 PEAK																																																																																								
3	15878.00	42.45	54.00	-11.55	25.42	37.88	23.09	44.40	0.46	154	96 Average																																																																																								





Mode	29	
	Harmonic	
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg.	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 HORIZONTAL	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 VERTICAL
	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 HORIZONTAL	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 VERTICAL







Mode	30																																															
	Band Edge - L																																															
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full RU_5290MHz																																															
ANT	1+2																																															
Pol.	Horizontal	Fundamental																																														
Peak	 Site : 03CH20-HY Condition: PEAK_BE_74 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>NHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5116.87</td><td>50.03</td><td>74.00</td><td>-23.97</td><td>41.87</td><td>33.03</td><td>12.88</td><td>37.75</td><td>0.00</td><td>100</td><td>71</td><td>PEAK</td></tr></table>	NHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5116.87	50.03	74.00	-23.97	41.87	33.03	12.88	37.75	0.00	100	71	PEAK	 Site : 03CH20-HY Condition: PEAK(UNII) 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>NHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>105.95</td><td>-----</td><td>-----</td><td>97.85</td><td>32.87</td><td>13.13</td><td>37.90</td><td>0.00</td><td>100</td><td>71</td><td>PEAK</td></tr></table>	NHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	105.95	-----	-----	97.85	32.87	13.13	37.90	0.00	100	71	PEAK
NHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																							
1	5116.87	50.03	74.00	-23.97	41.87	33.03	12.88	37.75	0.00	100	71	PEAK																																				
NHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																							
1	5290.00	105.95	-----	-----	97.85	32.87	13.13	37.90	0.00	100	71	PEAK																																				
Avg.	 Site : 03CH20-HY Condition: AVG_BE_54 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto <table><tr><th>NHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5144.71</td><td>39.96</td><td>54.00</td><td>-14.04</td><td>31.90</td><td>32.92</td><td>12.91</td><td>37.77</td><td>0.00</td><td>100</td><td>71</td><td>AVERAGE</td></tr></table>	NHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5144.71	39.96	54.00	-14.04	31.90	32.92	12.91	37.77	0.00	100	71	AVERAGE	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto <table><tr><th>NHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>97.93</td><td>-----</td><td>-----</td><td>89.82</td><td>32.88</td><td>13.12</td><td>37.89</td><td>0.00</td><td>100</td><td>71</td><td>AVERAGE</td></tr></table>	NHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	97.93	-----	-----	89.82	32.88	13.12	37.89	0.00	100	71	AVERAGE
NHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																							
1	5144.71	39.96	54.00	-14.04	31.90	32.92	12.91	37.77	0.00	100	71	AVERAGE																																				
NHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																							
1	5290.00	97.93	-----	-----	89.82	32.88	13.12	37.89	0.00	100	71	AVERAGE																																				





Mode	30	
	Band Edge - R	
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full RU_5290MHz	
ANT	1+2	
Pol.	Horizontal	Fundamental
Peak	 Site : 03CH20-HY Condition: PEAK_BE_74 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dBuV/m dB dB/m dB dB cm deg 1 5356.64 52.70 74.00 -21.30 44.65 32.79 13.19 37.93 0.00 100 71 PEAK	Blank
Avg.	 Site : 03CH20-HY Condition: AVG_BE_54 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto MHz dBuV/m dBuV/m dB dB/m dB dB dB cm deg 1 5354.94 43.89 54.00 -10.11 35.84 32.79 13.19 37.93 0.00 100 71 AVERAGE	Blank





Mode	30	
	Band Edge - L	
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full RU_5290MHz	
ANT	1+2	
Pol.	Vertical	Fundamental
Peak	 Site : 03CH20-HY Condition: PEAK_BE_74 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg 1 5091.35 52.87 74.00 -21.13 44.65 33.10 12.86 37.74 0.00 100 217 PEAK	 Site : 03CH20-HY Condition: PEAK(UNII) 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg 1 5290.00 112.95 ----- 104.81 32.92 13.10 37.88 0.00 100 217 PEAK
	 Site : 03CH20-HY Condition: AVG_BE_54 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg 1 5149.93 44.13 54.00 -9.87 36.10 32.90 12.91 37.78 0.00 100 217 AVERAGE	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg 1 5290.00 105.30 ----- 97.23 32.93 13.09 37.87 0.00 100 217 AVERAGE







Mode	30	
	Band Edge - R	
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full RU_5290MHz	
ANT	1+2	
Pol.	Vertical	Fundamental
Peak	 Site : 03CH20-HY Condition: PEAK_BE_74 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dBuV/m dB dB/m dB dB dB cm deg 1 5354.77 60.91 74.00 -13.09 52.86 32.79 13.19 37.93 0.00 100 217 PEAK	Blank
Avg.	 Site : 03CH20-HY Condition: AVG_BE_54 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto MHz dBuV/m dBuV/m dB dB/m dB dB dB cm deg 1 5352.73 52.84 54.00 -1.16 44.78 32.79 13.19 37.92 0.00 100 217 AVERAGE	Blank







Mode	30																																																																																																					
	Harmonic																																																																																																					
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full RU_5290MHz																																																																																																					
ANT	1+2																																																																																																					
Pol.	Horizontal	Vertical																																																																																																				
Peak Avg.	 Site : 03CH20-HY Condition: PEAK(UNII) 3m HF_91200_02360_231030 HORIZONTAL <table><thead><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>10580.00</td><td>52.28</td><td>68.20</td><td>-15.92</td><td>35.07</td><td>38.82</td><td>18.65</td><td>41.57</td><td>0.51</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>15870.00</td><td>52.63</td><td>74.00</td><td>-21.37</td><td>35.00</td><td>37.88</td><td>23.09</td><td>44.40</td><td>0.46</td><td>225</td><td>114 PEAK</td></tr><tr><td>3</td><td>15870.00</td><td>42.43</td><td>54.00</td><td>-11.57</td><td>25.40</td><td>37.88</td><td>23.09</td><td>44.40</td><td>0.46</td><td>225</td><td>114 Average</td></tr></tbody></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	10580.00	52.28	68.20	-15.92	35.07	38.82	18.65	41.57	0.51	--	PEAK	2	15870.00	52.63	74.00	-21.37	35.00	37.88	23.09	44.40	0.46	225	114 PEAK	3	15870.00	42.43	54.00	-11.57	25.40	37.88	23.09	44.40	0.46	225	114 Average	 Site : 03CH20-HY Condition: PEAK(UNII) 3m HF_91200_02360_231030 VERTICAL <table><thead><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>10580.00</td><td>52.99</td><td>68.20</td><td>-15.21</td><td>36.58</td><td>38.82</td><td>18.65</td><td>41.57</td><td>0.51</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>15870.00</td><td>53.01</td><td>74.00</td><td>-20.99</td><td>35.98</td><td>37.88</td><td>23.09</td><td>44.40</td><td>0.46</td><td>184</td><td>25</td><td>PEAK</td></tr><tr><td>3</td><td>15870.00</td><td>42.47</td><td>54.00</td><td>-11.53</td><td>25.44</td><td>37.88</td><td>23.09</td><td>44.40</td><td>0.46</td><td>184</td><td>25</td><td>Average</td></tr></tbody></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	10580.00	52.99	68.20	-15.21	36.58	38.82	18.65	41.57	0.51	--	--	PEAK	2	15870.00	53.01	74.00	-20.99	35.98	37.88	23.09	44.40	0.46	184	25	PEAK	3	15870.00	42.47	54.00	-11.53	25.44	37.88	23.09	44.40	0.46	184	25	Average
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	10580.00	52.28	68.20	-15.92	35.07	38.82	18.65	41.57	0.51	--	PEAK																																																																																											
2	15870.00	52.63	74.00	-21.37	35.00	37.88	23.09	44.40	0.46	225	114 PEAK																																																																																											
3	15870.00	42.43	54.00	-11.57	25.40	37.88	23.09	44.40	0.46	225	114 Average																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	10580.00	52.99	68.20	-15.21	36.58	38.82	18.65	41.57	0.51	--	--	PEAK																																																																																										
2	15870.00	53.01	74.00	-20.99	35.98	37.88	23.09	44.40	0.46	184	25	PEAK																																																																																										
3	15870.00	42.47	54.00	-11.53	25.44	37.88	23.09	44.40	0.46	184	25	Average																																																																																										







Mode	30	
	Harmonic	
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full RU_5290MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg.	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 HORIZONTAL	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 VERTICAL
	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 HORIZONTAL	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 VERTICAL





Mode	31																																																													
	Band Edge																																																													
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																													
ANT	1+2																																																													
Pol.	Horizontal	Fundamental																																																												
Peak	 Site : 03CH20-HY Condition: PEAK_BE(UNII)_B3 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5450.35</td><td>48.40</td><td>74.00</td><td>-25.60</td><td>40.27</td><td>32.80</td><td>13.32</td><td>37.99</td><td>0.00</td><td>100</td><td>299 PEAK</td></tr><tr><td>2</td><td>5463.55</td><td>48.21</td><td>68.20</td><td>-19.99</td><td>40.08</td><td>32.80</td><td>13.33</td><td>38.00</td><td>0.00</td><td>100</td><td>299 PEAK</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5450.35	48.40	74.00	-25.60	40.27	32.80	13.32	37.99	0.00	100	299 PEAK	2	5463.55	48.21	68.20	-19.99	40.08	32.80	13.33	38.00	0.00	100	299 PEAK	 Site : 03CH20-HY Condition: PEAK(UNII) 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>106.29</td><td>-----</td><td>-----</td><td>98.14</td><td>32.80</td><td>13.38</td><td>38.03</td><td>0.00</td><td>100</td><td>299 PEAK</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5500.00	106.29	-----	-----	98.14	32.80	13.38	38.03	0.00	100	299 PEAK
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																			
1	5450.35	48.40	74.00	-25.60	40.27	32.80	13.32	37.99	0.00	100	299 PEAK																																																			
2	5463.55	48.21	68.20	-19.99	40.08	32.80	13.33	38.00	0.00	100	299 PEAK																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																			
1	5500.00	106.29	-----	-----	98.14	32.80	13.38	38.03	0.00	100	299 PEAK																																																			
Avg.	 Site : 03CH20-HY Condition: AVG_BE(UNII)_B3 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:0.510kHz SMT:Auto <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5375.95</td><td>41.53</td><td>54.00</td><td>-12.47</td><td>33.50</td><td>32.75</td><td>13.22</td><td>37.94</td><td>0.00</td><td>100</td><td>299 AVERAGE</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5375.95	41.53	54.00	-12.47	33.50	32.75	13.22	37.94	0.00	100	299 AVERAGE	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:0.510kHz SMT:Auto <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>100.52</td><td>-----</td><td>-----</td><td>92.37</td><td>32.80</td><td>13.38</td><td>38.03</td><td>0.00</td><td>100</td><td>299 AVERAGE</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5500.00	100.52	-----	-----	92.37	32.80	13.38	38.03	0.00	100	299 AVERAGE												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																			
1	5375.95	41.53	54.00	-12.47	33.50	32.75	13.22	37.94	0.00	100	299 AVERAGE																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																			
1	5500.00	100.52	-----	-----	92.37	32.80	13.38	38.03	0.00	100	299 AVERAGE																																																			







		31																																																																			
Mode	Band Edge																																																																				
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																				
ANT	1+2																																																																				
Pol.	Vertical						Fundamental																																																														
Peak																																																																					
	Site : 03CH20-HY Condition: PEAK_BE(UNII)_B3 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5375.95</td><td>53.20</td><td>74.00</td><td>-20.80</td><td>45.17</td><td>32.75</td><td>13.22</td><td>37.94</td><td>0.00</td><td>108</td><td>229 PEAK</td></tr><tr><td>2</td><td>5466.55</td><td>53.19</td><td>68.20</td><td>-15.01</td><td>45.06</td><td>32.80</td><td>13.34</td><td>38.01</td><td>0.00</td><td>108</td><td>229 PEAK</td></tr></tbody></table>							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5375.95	53.20	74.00	-20.80	45.17	32.75	13.22	37.94	0.00	108	229 PEAK	2	5466.55	53.19	68.20	-15.01	45.06	32.80	13.34	38.01	0.00	108	229 PEAK	Site : 03CH20-HY Condition: PEAK(UNII) 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>114.09</td><td>-----</td><td>105.94</td><td>32.80</td><td>13.38</td><td>38.03</td><td>0.00</td><td>108</td><td>229 PEAK</td></tr></tbody></table>						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5500.00	114.09	-----	105.94	32.80	13.38	38.03	0.00	108
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																										
1	5375.95	53.20	74.00	-20.80	45.17	32.75	13.22	37.94	0.00	108	229 PEAK																																																										
2	5466.55	53.19	68.20	-15.01	45.06	32.80	13.34	38.01	0.00	108	229 PEAK																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																										
1	5500.00	114.09	-----	105.94	32.80	13.38	38.03	0.00	108	229 PEAK																																																											
Avg.																																																																					
	Site : 03CH20-HY Condition: AVG_BE(UNII)_B3 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:0.510kHz SMT:Auto <table><thead><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5376.10</td><td>48.47</td><td>54.00</td><td>-5.53</td><td>40.44</td><td>32.75</td><td>13.22</td><td>37.94</td><td>0.00</td><td>108</td><td>229 AVERAGE</td></tr></tbody></table>							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5376.10	48.47	54.00	-5.53	40.44	32.75	13.22	37.94	0.00	108	229 AVERAGE	Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:0.510kHz SMT:Auto <table><thead><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>108.36</td><td>-----</td><td>100.22</td><td>32.80</td><td>13.37</td><td>38.03</td><td>0.00</td><td>108</td><td>229 AVERAGE</td></tr></tbody></table>						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5500.00	108.36	-----	100.22	32.80	13.37	38.03	0.00	108	229 AVERAGE											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																										
1	5376.10	48.47	54.00	-5.53	40.44	32.75	13.22	37.94	0.00	108	229 AVERAGE																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																										
1	5500.00	108.36	-----	100.22	32.80	13.37	38.03	0.00	108	229 AVERAGE																																																											







Mode	31																																																																																																									
	Harmonic																																																																																																									
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																																																									
ANT	1+2																																																																																																									
Pol.	Horizontal	Vertical																																																																																																								
Peak Avg.	 Site : 03CH20-HY Condition: PEAK(UNII) 3m HF_91200_02360_231030 HORIZONTAL <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11000.00</td><td>51.84</td><td>74.00</td><td>-22.16</td><td>35.96</td><td>38.70</td><td>19.05</td><td>41.96</td><td>0.49</td><td>100</td><td>191</td><td>PEAK</td></tr><tr><td>2</td><td>11000.00</td><td>42.72</td><td>54.00</td><td>-11.28</td><td>26.44</td><td>38.70</td><td>19.05</td><td>41.96</td><td>0.49</td><td>100</td><td>191</td><td>Average</td></tr><tr><td>3</td><td>16500.00</td><td>52.43</td><td>68.20</td><td>-15.77</td><td>34.01</td><td>38.60</td><td>23.55</td><td>44.21</td><td>0.48</td><td>--</td><td>--</td><td>PEAK</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	11000.00	51.84	74.00	-22.16	35.96	38.70	19.05	41.96	0.49	100	191	PEAK	2	11000.00	42.72	54.00	-11.28	26.44	38.70	19.05	41.96	0.49	100	191	Average	3	16500.00	52.43	68.20	-15.77	34.01	38.60	23.55	44.21	0.48	--	--	PEAK	 Site : 03CH20-HY Condition: PEAK(UNII) 3m HF_91200_02360_231030 VERTICAL <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11000.00</td><td>52.20</td><td>74.00</td><td>-21.80</td><td>35.92</td><td>38.70</td><td>19.05</td><td>41.96</td><td>0.49</td><td>102</td><td>155</td><td>PEAK</td></tr><tr><td>2</td><td>11000.00</td><td>44.12</td><td>54.00</td><td>-9.88</td><td>27.84</td><td>38.70</td><td>19.05</td><td>41.96</td><td>0.49</td><td>102</td><td>155</td><td>Average</td></tr><tr><td>3</td><td>16500.00</td><td>52.11</td><td>68.20</td><td>-16.09</td><td>33.69</td><td>38.60</td><td>23.55</td><td>44.21</td><td>0.48</td><td>--</td><td>--</td><td>PEAK</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	11000.00	52.20	74.00	-21.80	35.92	38.70	19.05	41.96	0.49	102	155	PEAK	2	11000.00	44.12	54.00	-9.88	27.84	38.70	19.05	41.96	0.49	102	155	Average	3	16500.00	52.11	68.20	-16.09	33.69	38.60	23.55	44.21	0.48	--	--	PEAK
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	11000.00	51.84	74.00	-22.16	35.96	38.70	19.05	41.96	0.49	100	191	PEAK																																																																																														
2	11000.00	42.72	54.00	-11.28	26.44	38.70	19.05	41.96	0.49	100	191	Average																																																																																														
3	16500.00	52.43	68.20	-15.77	34.01	38.60	23.55	44.21	0.48	--	--	PEAK																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	11000.00	52.20	74.00	-21.80	35.92	38.70	19.05	41.96	0.49	102	155	PEAK																																																																																														
2	11000.00	44.12	54.00	-9.88	27.84	38.70	19.05	41.96	0.49	102	155	Average																																																																																														
3	16500.00	52.11	68.20	-16.09	33.69	38.60	23.55	44.21	0.48	--	--	PEAK																																																																																														




Mode	31	
	Harmonic	
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg.	 Site : 03CH20-HY Condition: AVG_54 3m HF_91280_02360_231030 HORIZONTAL	 Site : 03CH20-HY Condition: AVG_54 3m HF_91280_02360_231030 VERTICAL
	 Site : 03CH20-HY Condition: AVG_54 3m HF_91280_02360_231030 HORIZONTAL	 Site : 03CH20-HY Condition: AVG_54 3m HF_91280_02360_231030 VERTICAL







Mode	32																																																													
	Band Edge - L																																																													
	U-NII-2C_5.47-5.725_802.11a_CH116_5580MHz																																																													
ANT	1+2																																																													
Pol.	Horizontal	Fundamental																																																												
Peak	 Site : 03CH20-HY Condition: PEAK_BE(UNII)_B3 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5395.31</td><td>47.72</td><td>74.00</td><td>-26.28</td><td>39.71</td><td>32.71</td><td>13.25</td><td>37.95</td><td>0.00</td><td>100</td><td>300 PEAK</td></tr><tr><td>2</td><td>5461.32</td><td>46.76</td><td>68.20</td><td>-21.44</td><td>38.63</td><td>32.00</td><td>13.33</td><td>38.00</td><td>0.00</td><td>100</td><td>300 PEAK</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5395.31	47.72	74.00	-26.28	39.71	32.71	13.25	37.95	0.00	100	300 PEAK	2	5461.32	46.76	68.20	-21.44	38.63	32.00	13.33	38.00	0.00	100	300 PEAK	 Site : 03CH20-HY Condition: PEAK(UNII) 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5580.00</td><td>106.14</td><td>-----</td><td>-----</td><td>97.83</td><td>32.86</td><td>13.46</td><td>38.01</td><td>0.00</td><td>100</td><td>300 PEAK</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5580.00	106.14	-----	-----	97.83	32.86	13.46	38.01	0.00	100	300 PEAK
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																			
1	5395.31	47.72	74.00	-26.28	39.71	32.71	13.25	37.95	0.00	100	300 PEAK																																																			
2	5461.32	46.76	68.20	-21.44	38.63	32.00	13.33	38.00	0.00	100	300 PEAK																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																			
1	5580.00	106.14	-----	-----	97.83	32.86	13.46	38.01	0.00	100	300 PEAK																																																			
Avg.	 Site : 03CH20-HY Condition: AVG_BE(UNII)_B3 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:0.510kHz SMT:Auto <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5375.99</td><td>41.58</td><td>54.00</td><td>-12.42</td><td>33.55</td><td>32.75</td><td>13.22</td><td>37.94</td><td>0.00</td><td>100</td><td>300 AVERAGE</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5375.99	41.58	54.00	-12.42	33.55	32.75	13.22	37.94	0.00	100	300 AVERAGE	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:0.510kHz SMT:Auto <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5580.00</td><td>98.56</td><td>-----</td><td>-----</td><td>90.25</td><td>32.86</td><td>13.46</td><td>38.01</td><td>0.00</td><td>100</td><td>300 AVERAGE</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5580.00	98.56	-----	-----	90.25	32.86	13.46	38.01	0.00	100	300 AVERAGE												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																			
1	5375.99	41.58	54.00	-12.42	33.55	32.75	13.22	37.94	0.00	100	300 AVERAGE																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																			
1	5580.00	98.56	-----	-----	90.25	32.86	13.46	38.01	0.00	100	300 AVERAGE																																																			




Mode	32	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11a_CH116_5580MHz	
ANT	1+2	
Pol.	Horizontal	Fundamental
Peak	 Site : 03CH20-HY Condition: PEAK_BE(UNII)_B3 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5732.07 49.43 68.20 -18.77 40.17 33.56 13.67 37.97 0.00 100 300 PEAK	Blank





		32																																																																				
Mode	Band Edge - L																																																																					
	U-NII-2C_5.47-5.725_802.11a_CH116_5580MHz																																																																					
ANT	1+2																																																																					
Pol.	Vertical						Fundamental																																																															
Peak																																																																						
	Site : 03CH20-HY Condition: PEAK_BE(UNII)_B3 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5375.99</td><td>52.53</td><td>74.00</td><td>-21.47</td><td>44.50</td><td>32.75</td><td>13.22</td><td>37.94</td><td>0.00</td><td>106</td><td>129 PEAK</td></tr><tr><td>2</td><td>5465.92</td><td>49.84</td><td>68.20</td><td>-18.36</td><td>41.71</td><td>32.80</td><td>13.34</td><td>38.01</td><td>0.00</td><td>106</td><td>129 PEAK</td></tr></tbody></table>							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5375.99	52.53	74.00	-21.47	44.50	32.75	13.22	37.94	0.00	106	129 PEAK	2	5465.92	49.84	68.20	-18.36	41.71	32.80	13.34	38.01	0.00	106	129 PEAK	Site : 03CH20-HY Condition: PEAK(UNII) 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5580.00</td><td>114.78</td><td>-----</td><td>-----</td><td>106.43</td><td>32.88</td><td>13.48</td><td>38.01</td><td>0.00</td><td>106</td><td>129 PEAK</td></tr></tbody></table>						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5580.00	114.78	-----	-----	106.43	32.88	13.48	38.01	0.00	106
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																											
1	5375.99	52.53	74.00	-21.47	44.50	32.75	13.22	37.94	0.00	106	129 PEAK																																																											
2	5465.92	49.84	68.20	-18.36	41.71	32.80	13.34	38.01	0.00	106	129 PEAK																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																											
1	5580.00	114.78	-----	-----	106.43	32.88	13.48	38.01	0.00	106	129 PEAK																																																											
Avg.																																																																						
	Site : 03CH20-HY Condition: AVG_BE(UNII)_B3 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:0.510kHz SMT:Auto <table><thead><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5375.99</td><td>47.62</td><td>54.00</td><td>-6.38</td><td>39.59</td><td>32.75</td><td>13.22</td><td>37.94</td><td>0.00</td><td>106</td><td>129 AVERAGE</td></tr></tbody></table>							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5375.99	47.62	54.00	-6.38	39.59	32.75	13.22	37.94	0.00	106	129 AVERAGE	Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:0.510kHz SMT:Auto <table><thead><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5580.00</td><td>108.14</td><td>-----</td><td>-----</td><td>99.81</td><td>32.87</td><td>13.47</td><td>38.01</td><td>0.00</td><td>106</td><td>129 AVERAGE</td></tr></tbody></table>						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5580.00	108.14	-----	-----	99.81	32.87	13.47	38.01	0.00	106	129 AVERAGE											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																											
1	5375.99	47.62	54.00	-6.38	39.59	32.75	13.22	37.94	0.00	106	129 AVERAGE																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																											
1	5580.00	108.14	-----	-----	99.81	32.87	13.47	38.01	0.00	106	129 AVERAGE																																																											







Mode	32	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11a_CH116_5580MHz	
ANT	1+2	
Pol.	Vertical	Fundamental
Peak	 Site : 03CH20-HY Condition: PEAK_BE(UNII)_B3 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5760.38 51.96 68.20 -16.24 42.56 33.66 13.71 37.97 0.00 106 129 PEAK	Blank






Mode	32																								
	Harmonic																								
	U-NII-2C_5.47-5.725_802.11a_CH116_5580MHz																								
ANT	1+2																								
Pol.	Horizontal												Vertical												
Peak Avg.																									
	Site : 03CH20-HY Condition: PEAK(UNII) 3m HF_91200_02360_231030 HORIZONTAL												Site : 03CH20-HY Condition: PEAK(UNII) 3m HF_91200_02360_231030 VERTICAL												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		
1	11160.00	50.84	74.00	-23.16	34.54	38.82	19.18	42.18	0.48	100	128	PEAK	1	11160.00	51.87	74.00	-22.13	35.57	38.82	19.18	42.18	0.48	300	183	PEAK
2	11160.00	42.23	54.00	-11.77	25.93	38.82	19.18	42.18	0.48	100	128	Average	2	11160.00	42.39	54.00	-11.61	26.09	38.82	19.18	42.18	0.48	300	183	Average
3	16740.00	52.21	68.20	-15.99	34.03	38.34	23.72	44.37	0.49	--	--	PEAK	3	16740.00	51.80	68.20	-16.40	33.62	38.34	23.72	44.37	0.49	--	--	PEAK



Mode	32	
	Harmonic	
	U-NII-2C_5.47-5.725_802.11a_CH116_5580MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg.	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 HORIZONTAL	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 VERTICAL
17.7G ~18G Avg.	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 HORIZONTAL	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 VERTICAL



Mode	33	
	Band Edge	
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz	
ANT	1+2	
Pol.	Horizontal	Fundamental
Peak	 Site : 03CH20-HY Condition: PEAK_BE(UNII)_B3 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto MHz dBuV/m dB dB dB dB dB dB dB cm deg 1 5725.35 49.29 68.20 -18.91 40.06 33.55 13.66 37.98 0.00 100 60 PEAK	 Site : 03CH20-HY Condition: PEAK(UNII) 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto MHz dBuV/m dB dB dB dB dB dB dB cm deg 1 5700.00 105.16 ----- 96.00 33.51 13.63 37.98 0.00 100 60 PEAK
Avg.	Blank	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:0.510kHz SWT:Auto MHz dBuV/m dB dB dB dB dB dB dB cm deg 1 5700.00 98.94 ----- 89.82 33.48 13.62 37.98 0.00 100 60 AVERAGE