













Mode	24	
	Band Edge - L	
	2400-2483.5_802.11ax HE40_CH03_Full RU_2422MHz	
ANT	1+2	
Pol.	Horizontal	Fundamental
Peak	 Site : 03CH20-HY Condition: PEAK_BE_74_3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dB dB dB dB dB dB dB cm deg 1 2377.09 53.15 74.00 -20.85 43.32 27.37 8.67 36.24 10.03 100 307 PEAK	 Site : 03CH20-HY Condition: PEAK_74_3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dB dB dB dB dB dB dB cm deg 1 2422.00 101.68 ----- 91.65 27.50 8.76 36.26 10.03 100 307 PEAK
Avg	 Site : 03CH20-HY Condition: AVG_BE_54_3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto MHz dBuV/m dB dB dB dB dB dB dB cm deg 1 2388.18 42.74 54.00 -11.26 32.94 27.32 8.69 36.24 10.03 100 307 AVERAGE	 Site : 03CH20-HY Condition: AVG_54_3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto MHz dBuV/m dB dB dB dB dB dB dB cm deg 1 2422.00 93.39 ----- 83.36 27.50 8.76 36.26 10.03 100 307 AVERAGE





Mode	24	
	Band Edge - R	
	2400-2483.5_802.11ax HE40_CH03_Full RU_2422MHz	
ANT	1+2	
Pol.	Horizontal	Fundamental
Peak	 Site : 03CH20-HY Condition: PEAK_BE_74 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dBuV/m dB dB/m dB dB dB cm deg 1 2495.09 50.52 74.00 -23.48 40.18 27.70 8.89 36.28 10.03 100 307 PEAK	Blank
Avg	 Site : 03CH20-HY Condition: AVG_BE_54 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto MHz dBuV/m dBuV/m dB dB/m dB dB dB cm deg 1 2497.50 39.76 54.00 -14.24 29.42 27.70 8.89 36.28 10.03 100 307 AVERAGE	Blank





Mode	24	
	Band Edge - L	
	2400-2483.5_802.11ax HE40_CH03_Full RU_2422MHz	
ANT	1+2	
Pol.	Vertical	Fundamental
Peak	 Level (dBuV/m) Frequency (MHz) Site : 03CH20-HY Condition: PEAK_BE_74 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2388.85 62.99 74.00 -11.01 53.20 27.31 8.69 36.24 10.03 176 285 PEAK	 Level (dBuV/m) Frequency (MHz) Site : 03CH20-HY Condition: PEAK_74 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2422.00 113.57 ----- 103.54 27.50 8.75 36.25 10.03 176 285 PEAK
Avg	 Level (dBuV/m) Frequency (MHz) Site : 03CH20-HY Condition: AVG_BE_54 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2389.74 52.14 54.00 -1.86 42.36 27.30 8.69 36.24 10.03 176 285 AVERAGE	 Level (dBuV/m) Frequency (MHz) Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2422.00 104.80 ----- 94.76 27.50 8.77 36.26 10.03 176 285 AVERAGE







Mode	24	
	Band Edge - R	
	2400-2483.5_802.11ax HE40_CH03_Full RU_2422MHz	
ANT	1+2	
Pol.	Vertical	Fundamental
Peak	 Site : 03CH20-HY Condition: PEAK_BE_74 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dBuV/m dB dB/m dB dB dB cm deg 1 2489.94 56.06 74.00 -17.94 45.73 27.70 8.88 36.28 10.03 176 285 PEAK	Blank
Avg	 Site : 03CH20-HY Condition: AVG_BE_54 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto MHz dBuV/m dBuV/m dB dB/m dB dB dB cm deg 1 2489.78 44.98 54.00 -9.02 34.65 27.70 8.88 36.28 10.03 176 285 AVERAGE	Blank







Mode	24																																																																																									
	Harmonic																																																																																									
	2400-2483.5_802.11ax HE40_CH03_Full RU_2422MHz																																																																																									
ANT	1+2																																																																																									
Pol.	Horizontal	Vertical																																																																																								
Peak Avg	 Site : 03CH20-HY Condition: PEAK_74 3m HF_91200_02360_231030 HORIZONTAL <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4844.00</td><td>44.57</td><td>74.00</td><td>-29.43</td><td>36.50</td><td>32.35</td><td>12.50</td><td>37.53</td><td>0.75</td><td>-- -- PEAK</td></tr><tr><td>2</td><td>7266.00</td><td>49.70</td><td>74.00</td><td>-24.30</td><td>35.60</td><td>36.90</td><td>15.40</td><td>38.57</td><td>0.37</td><td>100 89 PEAK</td></tr><tr><td>3</td><td>7266.00</td><td>38.46</td><td>54.00</td><td>-15.54</td><td>24.36</td><td>36.90</td><td>15.40</td><td>38.57</td><td>0.37</td><td>100 89 Average</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4844.00	44.57	74.00	-29.43	36.50	32.35	12.50	37.53	0.75	-- -- PEAK	2	7266.00	49.70	74.00	-24.30	35.60	36.90	15.40	38.57	0.37	100 89 PEAK	3	7266.00	38.46	54.00	-15.54	24.36	36.90	15.40	38.57	0.37	100 89 Average	 Site : 03CH20-HY Condition: PEAK_74 3m HF_91200_02360_231030 VERTICAL <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4844.00</td><td>44.64</td><td>74.00</td><td>-29.36</td><td>36.57</td><td>32.35</td><td>12.50</td><td>37.53</td><td>0.75</td><td>-- -- PEAK</td></tr><tr><td>2</td><td>7266.00</td><td>48.34</td><td>74.00</td><td>-25.66</td><td>34.24</td><td>36.90</td><td>15.40</td><td>38.57</td><td>0.37</td><td>100 47 PEAK</td></tr><tr><td>3</td><td>7266.00</td><td>38.45</td><td>54.00</td><td>-15.55</td><td>24.35</td><td>36.90</td><td>15.40</td><td>38.57</td><td>0.37</td><td>100 47 Average</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4844.00	44.64	74.00	-29.36	36.57	32.35	12.50	37.53	0.75	-- -- PEAK	2	7266.00	48.34	74.00	-25.66	34.24	36.90	15.40	38.57	0.37	100 47 PEAK	3	7266.00	38.45	54.00	-15.55	24.35	36.90	15.40	38.57	0.37	100 47 Average
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	4844.00	44.57	74.00	-29.43	36.50	32.35	12.50	37.53	0.75	-- -- PEAK																																																																																
2	7266.00	49.70	74.00	-24.30	35.60	36.90	15.40	38.57	0.37	100 89 PEAK																																																																																
3	7266.00	38.46	54.00	-15.54	24.36	36.90	15.40	38.57	0.37	100 89 Average																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	4844.00	44.64	74.00	-29.36	36.57	32.35	12.50	37.53	0.75	-- -- PEAK																																																																																
2	7266.00	48.34	74.00	-25.66	34.24	36.90	15.40	38.57	0.37	100 47 PEAK																																																																																
3	7266.00	38.45	54.00	-15.55	24.35	36.90	15.40	38.57	0.37	100 47 Average																																																																																



Mode	24	
	Harmonic	
	2400-2483.5_802.11ax HE40_CH03_Full RU_2422MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH20-HY Condition: AVG_54 3m HF_91280_02360_231030 HORIZONTAL	 Site : 03CH20-HY Condition: AVG_54 3m HF_91280_02360_231030 VERTICAL
17.7G ~18G Avg	 Site : 03CH20-HY Condition: AVG_54 3m HF_91280_02360_231030 HORIZONTAL	 Site : 03CH20-HY Condition: AVG_54 3m HF_91280_02360_231030 VERTICAL







Mode	25	
	Band Edge - L	
	2400-2483.5_802.11ax HE40_CH06_Full RU_2437MHz	
ANT	1+2	
Pol.	Horizontal	Fundamental
Peak	 Site : 03CH20-HY Condition: PEAK_BE_74_3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2387.98 55.31 74.00 -18.69 45.51 27.32 8.69 36.24 10.03 100 151 PEAK	 Site : 03CH20-HY Condition: PEAK_74_3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2437.00 102.97 ----- 92.93 27.50 8.77 36.26 10.03 100 151 PEAK
Avg	 Site : 03CH20-HY Condition: AVG_BE_54_3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2389.88 44.41 54.00 -9.59 34.63 27.30 8.69 36.24 10.03 100 151 AVERAGE	 Site : 03CH20-HY Condition: AVG_54_3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2437.00 93.68 ----- 83.64 27.50 8.77 36.26 10.03 100 151 AVERAGE





Mode	25	
	Band Edge - R	
	2400-2483.5_802.11ax HE40_CH06_Full RU_2437MHz	
ANT	1+2	
Pol.	Horizontal	Fundamental
Peak	Site : 03CH20-HY Condition: PEAK_BE_74 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dBuV/m dB dB/m dB dB dB cm deg 1 2486.83 53.54 74.00 -20.46 43.25 27.67 8.87 36.28 10.03 100 151 PEAK	Blank
Avg	Site : 03CH20-HY Condition: AVG_BE_54 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto MHz dBuV/m dBuV/m dB dB/m dB dB dB cm deg 1 2487.34 41.58 54.00 -12.42 31.29 27.67 8.87 36.28 10.03 100 151 AVERAGE	Blank





Mode	25	
	Band Edge - L	
	2400-2483.5_802.11ax HE40_CH06_Full RU_2437MHz	
ANT	1+2	
Pol.	Vertical	Fundamental
Peak	 Site : 03CH20-HY Condition: PEAK_BE_74 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dB dB dB dB dB dB dB dB dB cm deg 1 2388.11 63.97 74.00 -10.03 54.17 27.32 8.69 36.24 10.03 176 284 PEAK	 Site : 03CH20-HY Condition: PEAK_74 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dB dB dB dB dB dB dB dB dB cm deg 1 2437.00 117.35 ----- 107.31 27.50 8.77 36.26 10.03 176 284 PEAK
Avg	 Site : 03CH20-HY Condition: AVG_BE_54 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto MHz dBuV/m dB dB dB dB dB dB dB dB dB cm deg 1 2389.25 52.67 54.00 -1.33 42.88 27.31 8.69 36.24 10.03 176 284 AVERAGE	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto MHz dBuV/m dB dB dB dB dB dB dB dB dB cm deg 1 2437.00 107.17 ----- 97.12 27.50 8.78 36.26 10.03 176 284 AVERAGE







Mode	25	
	Band Edge - R	
	2400-2483.5_802.11ax HE40_CH06_Full RU_2437MHz	
ANT	1+2	
Pol.	Vertical	Fundamental
Peak	 Site : 03CH20-HY Condition: PEAK_BE_74 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dBuV/m dB dB/m dB dB dB cm deg 1 2483.56 63.49 74.00 -10.51 53.23 27.64 8.86 36.27 10.03 176 284 PEAK	Blank
Avg	 Site : 03CH20-HY Condition: AVG_BE_54 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto MHz dBuV/m dBuV/m dB dB/m dB dB dB cm deg 1 2489.04 50.78 54.00 -3.22 40.47 27.69 8.87 36.28 10.03 176 284 AVERAGE	Blank







Mode	25																																																																																									
	Harmonic																																																																																									
	2400-2483.5_802.11ax HE40_CH06_Full RU_2437MHz																																																																																									
ANT	1+2																																																																																									
Pol.	Horizontal	Vertical																																																																																								
Peak Avg	 Site : 03CH20-HY Condition: PEAK_74 3m HF_91200_02360_231030 HORIZONTAL <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4874.00</td><td>44.49</td><td>74.00</td><td>-29.51</td><td>36.28</td><td>32.54</td><td>12.55</td><td>37.56</td><td>0.68</td><td>-- -- PEAK</td></tr><tr><td>2</td><td>7311.00</td><td>48.18</td><td>74.00</td><td>-25.82</td><td>34.11</td><td>36.88</td><td>15.44</td><td>38.61</td><td>0.36</td><td>100 11 PEAK</td></tr><tr><td>3</td><td>7311.00</td><td>38.32</td><td>54.00</td><td>-15.68</td><td>24.25</td><td>36.88</td><td>15.44</td><td>38.61</td><td>0.36</td><td>100 11 Average</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4874.00	44.49	74.00	-29.51	36.28	32.54	12.55	37.56	0.68	-- -- PEAK	2	7311.00	48.18	74.00	-25.82	34.11	36.88	15.44	38.61	0.36	100 11 PEAK	3	7311.00	38.32	54.00	-15.68	24.25	36.88	15.44	38.61	0.36	100 11 Average	 Site : 03CH20-HY Condition: PEAK_74 3m HF_91200_02360_231030 VERTICAL <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4874.00</td><td>44.36</td><td>74.00</td><td>-29.64</td><td>36.15</td><td>32.54</td><td>12.55</td><td>37.56</td><td>0.68</td><td>-- -- PEAK</td></tr><tr><td>2</td><td>7311.00</td><td>48.16</td><td>74.00</td><td>-25.84</td><td>34.09</td><td>36.88</td><td>15.44</td><td>38.61</td><td>0.36</td><td>400 168 PEAK</td></tr><tr><td>3</td><td>7311.00</td><td>38.33</td><td>54.00</td><td>-15.67</td><td>24.26</td><td>36.88</td><td>15.44</td><td>38.61</td><td>0.36</td><td>400 168 Average</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4874.00	44.36	74.00	-29.64	36.15	32.54	12.55	37.56	0.68	-- -- PEAK	2	7311.00	48.16	74.00	-25.84	34.09	36.88	15.44	38.61	0.36	400 168 PEAK	3	7311.00	38.33	54.00	-15.67	24.26	36.88	15.44	38.61	0.36	400 168 Average
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	4874.00	44.49	74.00	-29.51	36.28	32.54	12.55	37.56	0.68	-- -- PEAK																																																																																
2	7311.00	48.18	74.00	-25.82	34.11	36.88	15.44	38.61	0.36	100 11 PEAK																																																																																
3	7311.00	38.32	54.00	-15.68	24.25	36.88	15.44	38.61	0.36	100 11 Average																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	4874.00	44.36	74.00	-29.64	36.15	32.54	12.55	37.56	0.68	-- -- PEAK																																																																																
2	7311.00	48.16	74.00	-25.84	34.09	36.88	15.44	38.61	0.36	400 168 PEAK																																																																																
3	7311.00	38.33	54.00	-15.67	24.26	36.88	15.44	38.61	0.36	400 168 Average																																																																																



Mode	25	
	Harmonic	
	2400-2483.5_802.11ax HE40_CH06_Full RU_2437MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 HORIZONTAL	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 VERTICAL
	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 HORIZONTAL	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 VERTICAL







Mode	26	
	Band Edge - L	
	2400-2483.5_802.11ax HE40_CH09_Full RU_2452MHz	
ANT	1+2	
Pol.	Horizontal	Fundamental
Peak	 Level (dBuV/m) Frequency (MHz) Site : 03CH20-HY Condition: PEAK_BE_74_3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2329.45 50.37 74.00 -23.63 40.88 27.10 8.58 36.22 10.03 100 44 PEAK	 Level (dBuV/m) Frequency (MHz) Site : 03CH20-HY Condition: PEAK_74_3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2452.00 98.84 ----- 88.79 27.50 8.78 36.26 10.03 100 44 PEAK
Avg	 Level (dBuV/m) Frequency (MHz) Site : 03CH20-HY Condition: AVG_BE_54_3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2384.98 39.73 54.00 -14.27 29.91 27.35 8.68 36.24 10.03 100 44 AVERAGE	 Level (dBuV/m) Frequency (MHz) Site : 03CH20-HY Condition: AVG_54_3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2452.00 90.38 ----- 80.30 27.50 8.81 36.26 10.03 100 44 AVERAGE



Mode	26	
	Band Edge - R	
	2400-2483.5_802.11ax HE40_CH09_Full RU_2452MHz	
ANT	1+2	
Pol.	Horizontal	Fundamental
Peak	Site : 03CH20-HY Condition: PEAK_BE_74 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dBuV/m dB dB dB dB dB cm deg 1 2483.58 52.78 74.00 -21.22 42.52 27.64 8.86 36.27 10.03 100 44 PEAK	Blank
Avg	Site : 03CH20-HY Condition: AVG_BE_54 3m HF_91200_02360_231030 HORIZONTAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto MHz dBuV/m dBuV/m dB dB dB dB dB cm deg 1 2484.21 42.32 54.00 -11.68 32.05 27.64 8.87 36.27 10.03 100 44 AVERAGE	Blank





Mode	26	
	Band Edge - L	
	2400-2483.5_802.11ax HE40_CH09_Full RU_2452MHz	
ANT	1+2	
Pol.	Vertical	Fundamental
Peak	 Site : 03CH20-HY Condition: PEAK_BE_74_3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2383.70 54.55 74.00 -19.45 44.72 27.36 8.68 36.24 10.03 145 231 PEAK	 Site : 03CH20-HY Condition: PEAK_74_3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2452.00 111.38 ----- 101.31 27.50 8.81 36.27 10.03 145 231 PEAK
Avg	 Site : 03CH20-HY Condition: AVG_BE_54_3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2385.40 43.87 54.00 -10.13 34.05 27.35 8.68 36.24 10.03 145 231 AVERAGE	 Site : 03CH20-HY Condition: AVG_54_3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2452.00 103.48 ----- 93.41 27.50 8.81 36.27 10.03 145 231 AVERAGE







Mode	26	
	Band Edge - R	
	2400-2483.5_802.11ax HE40_CH09_Full RU_2452MHz	
ANT	1+2	
Pol.	Vertical	Fundamental
Peak	Site : 03CH20-HY Condition: PEAK_BE_74 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dBuV/m dB dB/m dB dB dB cm deg 1 2484.45 63.00 74.00 -11.00 52.73 27.64 8.87 36.27 10.03 145 231 PEAK	Blank
Avg	Site : 03CH20-HY Condition: AVG_BE_54 3m HF_91200_02360_231030 VERTICAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto MHz dBuV/m dBuV/m dB dB/m dB dB dB cm deg 1 2485.94 51.65 54.00 -2.35 41.37 27.66 8.87 36.28 10.03 145 231 AVERAGE	Blank





Mode	26																																																																																										
	Harmonic																																																																																										
	2400-2483.5_802.11ax HE40_CH09_Full RU_2452MHz																																																																																										
ANT	1+2																																																																																										
Pol.	Horizontal	Vertical																																																																																									
Peak Avg	 Site : 03CH20-HY Condition: PEAK_74 3m HF_91200_02360_231030 HORIZONTAL <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4904.00</td><td>44.54</td><td>74.00</td><td>-29.46</td><td>36.19</td><td>32.72</td><td>12.60</td><td>37.59</td><td>0.62</td><td>-- -- PEAK</td></tr><tr><td>2</td><td>7356.00</td><td>48.17</td><td>74.00</td><td>-25.83</td><td>34.20</td><td>36.78</td><td>15.49</td><td>38.64</td><td>0.34</td><td>200 165 PEAK</td></tr><tr><td>3</td><td>7356.00</td><td>38.00</td><td>54.00</td><td>-16.00</td><td>24.03</td><td>36.78</td><td>15.49</td><td>38.64</td><td>0.34</td><td>200 165 Average</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4904.00	44.54	74.00	-29.46	36.19	32.72	12.60	37.59	0.62	-- -- PEAK	2	7356.00	48.17	74.00	-25.83	34.20	36.78	15.49	38.64	0.34	200 165 PEAK	3	7356.00	38.00	54.00	-16.00	24.03	36.78	15.49	38.64	0.34	200 165 Average	 Site : 03CH20-HY Condition: PEAK_74 3m HF_91200_02360_231030 VERTICAL <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4904.00</td><td>44.86</td><td>74.00</td><td>-29.14</td><td>36.51</td><td>32.72</td><td>12.60</td><td>37.59</td><td>0.62</td><td>-- -- PEAK</td></tr><tr><td>2</td><td>7356.00</td><td>48.35</td><td>74.00</td><td>-25.65</td><td>34.38</td><td>36.78</td><td>15.49</td><td>38.64</td><td>0.34</td><td>300 342 PEAK</td></tr><tr><td>3</td><td>7356.00</td><td>38.02</td><td>54.00</td><td>-15.98</td><td>24.05</td><td>36.78</td><td>15.49</td><td>38.64</td><td>0.34</td><td>300 342 Average</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4904.00	44.86	74.00	-29.14	36.51	32.72	12.60	37.59	0.62	-- -- PEAK	2	7356.00	48.35	74.00	-25.65	34.38	36.78	15.49	38.64	0.34	300 342 PEAK	3	7356.00	38.02	54.00	-15.98	24.05	36.78	15.49	38.64	0.34	300 342 Average
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	4904.00	44.54	74.00	-29.46	36.19	32.72	12.60	37.59	0.62	-- -- PEAK																																																																																	
2	7356.00	48.17	74.00	-25.83	34.20	36.78	15.49	38.64	0.34	200 165 PEAK																																																																																	
3	7356.00	38.00	54.00	-16.00	24.03	36.78	15.49	38.64	0.34	200 165 Average																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	4904.00	44.86	74.00	-29.14	36.51	32.72	12.60	37.59	0.62	-- -- PEAK																																																																																	
2	7356.00	48.35	74.00	-25.65	34.38	36.78	15.49	38.64	0.34	300 342 PEAK																																																																																	
3	7356.00	38.02	54.00	-15.98	24.05	36.78	15.49	38.64	0.34	300 342 Average																																																																																	



Mode	26	
	Harmonic	
	2400-2483.5_802.11ax HE40_CH09_Full RU_2452MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 HORIZONTAL	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 VERTICAL
17.7G ~18G Avg	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 HORIZONTAL	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_231030 VERTICAL







Mode	27																																																																																																																																																	
	LF																																																																																																																																																	
	2400-2483.5_802.11n HT40_CH06_2437MHz																																																																																																																																																	
ANT	1+2																																																																																																																																																	
Pol.	Horizontal	Vertical																																																																																																																																																
QPI Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><td>3</td><td>247.28</td><td>23.48</td><td>46.00</td><td>-22.52</td><td>37.47</td><td>18.17</td><td>2.88</td><td>35.23</td><td>0.19</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>384.05</td><td>27.64</td><td>46.00</td><td>-18.36</td><td>37.57</td><td>21.19</td><td>3.57</td><td>34.84</td><td>0.15</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>721.61</td><td>34.21</td><td>46.00</td><td>-11.79</td><td>35.66</td><td>27.39</td><td>4.83</td><td>33.83</td><td>0.16</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>6</td><td>946.65</td><td>35.41</td><td>46.00</td><td>-10.59</td><td>32.17</td><td>30.64</td><td>5.49</td><td>32.99</td><td>0.10</td><td>--</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	3	247.28	23.48	46.00	-22.52	37.47	18.17	2.88	35.23	0.19	--	--	Peak	4	384.05	27.64	46.00	-18.36	37.57	21.19	3.57	34.84	0.15	--	--	Peak	5	721.61	34.21	46.00	-11.79	35.66	27.39	4.83	33.83	0.16	--	--	Peak	6	946.65	35.41	46.00	-10.59	32.17	30.64	5.49	32.99	0.10	--	--	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><td>3</td><td>224.97</td><td>28.89</td><td>46.00</td><td>-17.11</td><td>45.40</td><td>15.81</td><td>2.75</td><td>35.27</td><td>0.20</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>501.42</td><td>27.95</td><td>46.00</td><td>-18.05</td><td>34.40</td><td>23.96</td><td>4.87</td><td>34.61</td><td>0.13</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>718.70</td><td>37.45</td><td>46.00</td><td>-8.55</td><td>39.10</td><td>27.22</td><td>4.82</td><td>33.85</td><td>0.16</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>6</td><td>940.83</td><td>37.04</td><td>46.00</td><td>-8.96</td><td>34.23</td><td>30.24</td><td>5.47</td><td>33.01</td><td>0.11</td><td>--</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	3	224.97	28.89	46.00	-17.11	45.40	15.81	2.75	35.27	0.20	--	--	Peak	4	501.42	27.95	46.00	-18.05	34.40	23.96	4.87	34.61	0.13	--	--	Peak	5	718.70	37.45	46.00	-8.55	39.10	27.22	4.82	33.85	0.16	--	--	Peak	6	940.83	37.04	46.00	-8.96	34.23	30.24	5.47	33.01	0.11	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																									
3	247.28	23.48	46.00	-22.52	37.47	18.17	2.88	35.23	0.19	--	--	Peak																																																																																																																																						
4	384.05	27.64	46.00	-18.36	37.57	21.19	3.57	34.84	0.15	--	--	Peak																																																																																																																																						
5	721.61	34.21	46.00	-11.79	35.66	27.39	4.83	33.83	0.16	--	--	Peak																																																																																																																																						
6	946.65	35.41	46.00	-10.59	32.17	30.64	5.49	32.99	0.10	--	--	Peak																																																																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																									
3	224.97	28.89	46.00	-17.11	45.40	15.81	2.75	35.27	0.20	--	--	Peak																																																																																																																																						
4	501.42	27.95	46.00	-18.05	34.40	23.96	4.87	34.61	0.13	--	--	Peak																																																																																																																																						
5	718.70	37.45	46.00	-8.55	39.10	27.22	4.82	33.85	0.16	--	--	Peak																																																																																																																																						
6	940.83	37.04	46.00	-8.96	34.23	30.24	5.47	33.01	0.11	--	--	Peak																																																																																																																																						



Mode	28																																																	
	SHF																																																	
	2400-2483.5_802.11n HT40_CH06_2437MHz																																																	
ANT	1+2																																																	
Pol.	Horizontal	Vertical																																																
Peak	Level (dBuV/m) Site : Condition: PEAK_74 1m 88HA9170_1224_240624 HORIZONTAL <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>25512.00</td><td>43.54</td><td>74.00</td><td>-30.46</td><td>37.50</td><td>39.28</td><td>29.40</td><td>53.10</td><td>-9.54</td><td>--</td><td>-- Peak</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	25512.00	43.54	74.00	-30.46	37.50	39.28	29.40	53.10	-9.54	--	-- Peak	Level (dBuV/m) Site : Condition: PEAK_74 1m 88HA9170_1224_240624 VERTICAL <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>25640.00</td><td>43.87</td><td>74.00</td><td>-30.13</td><td>37.66</td><td>39.38</td><td>29.47</td><td>53.10</td><td>-9.54</td><td>--</td><td>-- Peak</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	25640.00	43.87	74.00	-30.13	37.66	39.38	29.47	53.10	-9.54	--	-- Peak
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																							
1	25512.00	43.54	74.00	-30.46	37.50	39.28	29.40	53.10	-9.54	--	-- Peak																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																							
1	25640.00	43.87	74.00	-30.13	37.66	39.38	29.47	53.10	-9.54	--	-- Peak																																							





Mode	29	
	Band Edge	
	2400-2483.5_802.11b_CH10_2457MHz	
ANT	1+2	
Pol.	Horizontal	Fundamental
Peak	 Level (dBuV/m) Frequency (MHz) Site : 03CH20-HY Condition: PEAK_BE_74 3m HF_91200_02038_240729 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB cm deg 1 2483.53 52.21 74.00 -21.79 42.20 27.74 8.86 36.27 9.68 100 49 PEAK	 Level (dBuV/m) Frequency (MHz) Site : 03CH20-HY Condition: PEAK_74 3m HF_91200_02038_240729 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB cm deg 1 2457.00 110.25 ----- 100.43 27.60 8.81 36.27 9.68 100 49 PEAK
Avg	 Level (dBuV/m) Frequency (MHz) Site : 03CH20-HY Condition: AVG_BE_54 3m HF_91200_02038_240729 HORIZONTAL : RBW:1000.000kHz VBW:1.600kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB cm deg 1 2483.79 43.86 54.00 -10.14 33.84 27.74 8.87 36.27 9.68 100 49 AVERAGE	 Level (dBuV/m) Frequency (MHz) Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02038_240729 HORIZONTAL : RBW:1000.000kHz VBW:1.600kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB cm deg 1 2457.00 107.08 ----- 97.26 27.60 8.81 36.27 9.68 100 49 AVERAGE







Mode	29	
	Band Edge	
	2400-2483.5_802.11b_CH10_2457MHz	
ANT	1+2	
Pol.	Vertical	Fundamental
Peak	Site : 03CH20-HY Condition: PEAK_BE_74 3m HF_91200_02038_240729 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2486.93 58.97 74.00 -15.03 48.93 27.77 8.87 36.28 9.68 200 265 PEAK	Site : 03CH20-HY Condition: PEAK_74 3m HF_91200_02038_240729 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2457.00 119.67 ----- 109.84 27.60 8.82 36.27 9.68 200 265 PEAK
Avg	Site : 03CH20-HY Condition: AVG_BE_54 3m HF_91200_02038_240729 VERTICAL : RBW:1000.000kHz VBW:1.600kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2483.83 52.14 54.00 -1.86 42.12 27.74 8.87 36.27 9.68 200 265 AVERAGE	Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02038_240729 VERTICAL : RBW:1000.000kHz VBW:1.600kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2457.00 115.82 ----- 105.99 27.60 8.82 36.27 9.68 200 265 AVERAGE







Mode	29																																																																																																																																			
	Harmonic																																																																																																																																			
	2400-2483.5_802.11b_CH10_2457MHz																																																																																																																																			
ANT	1+2																																																																																																																																			
Pol.	Horizontal	Vertical																																																																																																																																		
Peak Avg	 Site : 03CH20-HY Condition: PEAK_74 3m HF_91200_02038_240729 HORIZONTAL <table><thead><tr><th></th><th>1MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>4914.00</td><td>53.25</td><td>74.00</td><td>-20.75</td><td>44.94</td><td>32.68</td><td>12.62</td><td>37.59</td><td>0.60</td><td>300</td><td>177</td><td>PEAK</td></tr><tr><td>2</td><td>4914.00</td><td>50.43</td><td>54.00</td><td>-3.57</td><td>42.12</td><td>32.68</td><td>12.62</td><td>37.59</td><td>0.60</td><td>300</td><td>177</td><td>Average</td></tr><tr><td>3</td><td>7371.00</td><td>48.19</td><td>74.00</td><td>-25.81</td><td>34.53</td><td>36.47</td><td>15.50</td><td>38.65</td><td>0.34</td><td>250</td><td>297</td><td>PEAK</td></tr><tr><td>4</td><td>7371.00</td><td>37.96</td><td>54.00</td><td>-16.04</td><td>24.30</td><td>36.47</td><td>15.50</td><td>38.65</td><td>0.34</td><td>250</td><td>297</td><td>Average</td></tr></tbody></table>		1MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4914.00	53.25	74.00	-20.75	44.94	32.68	12.62	37.59	0.60	300	177	PEAK	2	4914.00	50.43	54.00	-3.57	42.12	32.68	12.62	37.59	0.60	300	177	Average	3	7371.00	48.19	74.00	-25.81	34.53	36.47	15.50	38.65	0.34	250	297	PEAK	4	7371.00	37.96	54.00	-16.04	24.30	36.47	15.50	38.65	0.34	250	297	Average	 Site : 03CH20-HY Condition: PEAK_74 3m HF_91200_02038_240729 VERTICAL <table><thead><tr><th></th><th>1MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>4914.00</td><td>54.92</td><td>74.00</td><td>-19.08</td><td>46.61</td><td>32.68</td><td>12.62</td><td>37.59</td><td>0.60</td><td>100</td><td>144</td><td>PEAK</td></tr><tr><td>2</td><td>4914.00</td><td>52.54</td><td>54.00</td><td>-1.46</td><td>44.23</td><td>32.68</td><td>12.62</td><td>37.59</td><td>0.60</td><td>100</td><td>144</td><td>Average</td></tr><tr><td>3</td><td>7371.00</td><td>48.39</td><td>74.00</td><td>-25.61</td><td>34.73</td><td>36.47</td><td>15.50</td><td>38.65</td><td>0.34</td><td>300</td><td>49</td><td>PEAK</td></tr><tr><td>4</td><td>7371.00</td><td>38.00</td><td>54.00</td><td>-16.00</td><td>24.34</td><td>36.47</td><td>15.50</td><td>38.65</td><td>0.34</td><td>300</td><td>49</td><td>Average</td></tr></tbody></table>		1MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4914.00	54.92	74.00	-19.08	46.61	32.68	12.62	37.59	0.60	100	144	PEAK	2	4914.00	52.54	54.00	-1.46	44.23	32.68	12.62	37.59	0.60	100	144	Average	3	7371.00	48.39	74.00	-25.61	34.73	36.47	15.50	38.65	0.34	300	49	PEAK	4	7371.00	38.00	54.00	-16.00	24.34	36.47	15.50	38.65	0.34	300	49	Average
		1MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1	4914.00	53.25	74.00	-20.75	44.94	32.68	12.62	37.59	0.60	300	177	PEAK																																																																																																																								
2	4914.00	50.43	54.00	-3.57	42.12	32.68	12.62	37.59	0.60	300	177	Average																																																																																																																								
3	7371.00	48.19	74.00	-25.81	34.53	36.47	15.50	38.65	0.34	250	297	PEAK																																																																																																																								
4	7371.00	37.96	54.00	-16.04	24.30	36.47	15.50	38.65	0.34	250	297	Average																																																																																																																								
	1MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1	4914.00	54.92	74.00	-19.08	46.61	32.68	12.62	37.59	0.60	100	144	PEAK																																																																																																																								
2	4914.00	52.54	54.00	-1.46	44.23	32.68	12.62	37.59	0.60	100	144	Average																																																																																																																								
3	7371.00	48.39	74.00	-25.61	34.73	36.47	15.50	38.65	0.34	300	49	PEAK																																																																																																																								
4	7371.00	38.00	54.00	-16.00	24.34	36.47	15.50	38.65	0.34	300	49	Average																																																																																																																								







Mode	29	
	Harmonic	
	2400-2483.5_802.11b_CH10_2457MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH20-HY Condition: AVG_54 3m HF_91280_02038_240729 HORIZONTAL	 Site : 03CH20-HY Condition: AVG_54 3m HF_91280_02038_240729 VERTICAL
	 Site : 03CH20-HY Condition: AVG_54 3m HF_91280_02038_240729 HORIZONTAL	 Site : 03CH20-HY Condition: AVG_54 3m HF_91280_02038_240729 VERTICAL







Mode	30	
	Band Edge	
	2400-2483.5_802.11g_CH02_2417MHz	
ANT	1+2	
Pol.	Horizontal	Fundamental
Peak	 Site : 03CH20-HY Condition: PEAK_BE_74_3m HF_91200_02038_240729 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2389.82 57.30 74.00 -16.70 47.77 27.40 8.69 36.24 9.68 100 303 PEAK	 Site : 03CH20-HY Condition: PEAK_74_3m HF_91200_02038_240729 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2417.00 114.22 ----- 104.55 27.50 8.74 36.25 9.68 100 303 PEAK
Avg	 Site : 03CH20-HY Condition: AVG_BE_54_3m HF_91200_02038_240729 HORIZONTAL : RBW:1000.000kHz VBW:0.750kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2387.87 46.94 54.00 -7.06 37.43 27.38 8.69 36.24 9.68 100 303 AVERAGE	 Site : 03CH20-HY Condition: AVG_54_3m HF_91200_02038_240729 HORIZONTAL : RBW:1000.000kHz VBW:0.750kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2417.00 106.06 ----- 96.39 27.50 8.74 36.25 9.68 100 303 AVERAGE







Mode	30	
	Band Edge	
	2400-2483.5_802.11g_CH02_2417MHz	
ANT	1+2	
Pol.	Vertical	Fundamental
Peak	 Site : 03CH20-HY Condition: PEAK_BE_74_3m HF_91200_02038_240729 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg 1 2389.95 63.26 74.00 -10.74 53.73 27.40 8.69 36.24 9.68 200 312 PEAK	 Site : 03CH20-HY Condition: PEAK_74_3m HF_91200_02038_240729 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg 1 2417.00 121.43 ----- 111.73 27.52 8.75 36.25 9.68 200 312 PEAK
Avg	 Site : 03CH20-HY Condition: AVG_BE_54_3m HF_91200_02038_240729 VERTICAL : RBW:1000.000kHz VBW:0.750kHz SMT:Auto MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg 1 2389.95 52.37 54.00 -1.63 42.84 27.40 8.69 36.24 9.68 200 312 AVERAGE	 Site : 03CH20-HY Condition: AVG_54_3m HF_91200_02038_240729 VERTICAL : RBW:1000.000kHz VBW:0.750kHz SMT:Auto MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg 1 2417.00 114.11 ----- 104.43 27.50 8.75 36.25 9.68 200 312 AVERAGE



Mode	31	
	Band Edge	
	2400-2483.5_802.11g_CH10_2457MHz	
ANT	1+2	
Pol.	Horizontal	Fundamental
Peak	 Site : 03CH20-HY Condition: PEAK_BE_74 3m HF_91200_02038_240729 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2485.38 54.57 74.00 -19.43 44.55 27.75 8.87 36.28 9.68 100 308 PEAK	 Site : 03CH20-HY Condition: PEAK_74 3m HF_91200_02038_240729 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2457.00 112.97 ----- 103.15 27.60 8.81 36.27 9.68 100 308 PEAK
Avg	 Site : 03CH20-HY Condition: AVG_BE_54 3m HF_91200_02038_240729 HORIZONTAL : RBW:1000.000kHz VBW:0.750kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2484.95 43.81 54.00 -10.19 33.78 27.75 8.87 36.27 9.68 100 308 AVERAGE	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02038_240729 HORIZONTAL : RBW:1000.000kHz VBW:0.750kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2457.00 104.95 ----- 95.13 27.60 8.81 36.27 9.68 100 308 AVERAGE



Mode	31	
	Band Edge	
	2400-2483.5_802.11g_CH10_2457MHz	
ANT	1+2	
Pol.	Vertical	Fundamental
Peak	 Site : 03CH20-HY Condition: PEAK_BE_74 3m HF_91200_02038_240729 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dB dB dB dB dB dB dB cm deg 1 2486.54 63.25 74.00 -10.75 53.21 27.77 8.87 36.28 9.68 200 286 PEAK	 Site : 03CH20-HY Condition: PEAK_74 3m HF_91200_02038_240729 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dB dB dB dB dB dB dB cm deg 1 2457.00 121.24 ----- 111.42 27.60 8.81 36.27 9.68 200 286 PEAK
Avg	 Site : 03CH20-HY Condition: AVG_BE_54 3m HF_91200_02038_240729 VERTICAL : RBW:1000.000kHz VBW:0.750kHz SMT:Auto MHz dBuV/m dB dB dB dB dB dB dB cm deg 1 2486.03 52.32 54.00 -1.68 42.29 27.76 8.87 36.28 9.68 200 286 AVERAGE	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02038_240729 VERTICAL : RBW:1000.000kHz VBW:0.750kHz SMT:Auto MHz dBuV/m dB dB dB dB dB dB dB cm deg 1 2457.00 113.66 ----- 103.83 27.60 8.82 36.27 9.68 200 286 AVERAGE



Mode	32	
	Band Edge	
	2400-2483.5_802.11n HT20_CH02_2417MHz	
ANT	1+2	
Pol.	Horizontal	Fundamental
Peak	Site : 03CH20-HY Condition: PEAK_BE_74_3m HF_91200_02038_240729 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2389.95 56.62 74.00 -17.38 47.09 27.40 8.69 36.24 9.68 100 318 PEAK	Site : 03CH20-HY Condition: PEAK_74_3m HF_91200_02038_240729 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2417.00 114.65 ----- 104.95 27.52 8.75 36.25 9.68 100 318 PEAK
Avg	Site : 03CH20-HY Condition: AVG_BE_54_3m HF_91200_02038_240729 HORIZONTAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2389.95 45.55 54.00 -8.45 36.02 27.40 8.69 36.24 9.68 100 318 AVERAGE	Site : 03CH20-HY Condition: AVG_54_3m HF_91200_02038_240729 HORIZONTAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2417.00 106.15 ----- 96.49 27.50 8.73 36.25 9.68 100 318 AVERAGE







Mode	32	
	Band Edge	
	2400-2483.5_802.11n HT20_CH02_2417MHz	
ANT	1+2	
Pol.	Vertical	Fundamental
Peak	Site : 03CH20-HY Condition: PEAK_BE_74_3m HF_91200_02038_240729 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2389.30 62.64 74.00 -11.36 53.12 27.39 8.69 36.24 9.68 173 307 PEAK	Site : 03CH20-HY Condition: PEAK_74_3m HF_91200_02038_240729 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2417.00 121.85 ----- 112.15 27.52 8.75 36.25 9.68 173 307 PEAK
Avg	Site : 03CH20-HY Condition: AVG_BE_54_3m HF_91200_02038_240729 VERTICAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2389.95 51.71 54.00 -2.29 42.18 27.40 8.69 36.24 9.68 173 307 AVERAGE	Site : 03CH20-HY Condition: AVG_54_3m HF_91200_02038_240729 VERTICAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2417.00 113.84 ----- 104.14 27.52 8.75 36.25 9.68 173 307 AVERAGE







Mode	33	
	Band Edge	
	2400-2483.5_802.11n HT20_CH10_2457MHz	
ANT	1+2	
Pol.	Horizontal	Fundamental
Peak	Site : 03CH20-HY Condition: PEAK_BE_74 3m HF_91200_02038_240729 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2483.57 56.17 74.00 -17.83 46.16 27.74 8.86 36.27 9.68 128 312 PEAK	Site : 03CH20-HY Condition: PEAK_74 3m HF_91200_02038_240729 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2457.00 111.41 ----- 101.58 27.60 8.81 36.26 9.68 128 312 PEAK
Avg	Site : 03CH20-HY Condition: AVG_BE_54 3m HF_91200_02038_240729 HORIZONTAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2483.53 45.08 54.00 -8.92 35.07 27.74 8.86 36.27 9.68 128 312 AVERAGE	Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02038_240729 HORIZONTAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2457.00 104.12 ----- 94.29 27.60 8.81 36.26 9.68 128 312 AVERAGE



Mode	33	
	Band Edge	
	2400-2483.5_802.11n HT20_CH10_2457MHz	
ANT	1+2	
Pol.	Vertical	Fundamental
Peak	 Site : 03CH20-HY Condition: PEAK_BE_74 3m HF_91200_02038_240729 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2485.29 64.51 74.00 -9.49 54.49 27.75 8.87 36.28 9.68 203 253 PEAK	 Site : 03CH20-HY Condition: PEAK_74 3m HF_91200_02038_240729 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2457.00 120.53 ----- 110.70 27.60 8.81 36.26 9.68 203 253 PEAK
	 Site : 03CH20-HY Condition: AVG_BE_54 3m HF_91200_02038_240729 VERTICAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2484.13 52.69 54.00 -1.31 42.67 27.74 8.87 36.27 9.68 203 253 AVERAGE	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02038_240729 VERTICAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2457.00 113.21 ----- 103.38 27.60 8.81 36.26 9.68 203 253 AVERAGE







Mode	34	
	Band Edge - L	
	2400-2483.5_802.11n HT40_CH04_2427MHz	
ANT	1+2	
Pol.	Horizontal	Fundamental
Peak	 Site : 03CH20-HY Condition: PEAK_BE_74_3m HF_91200_02038_240729 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2388.62 55.68 74.00 -18.32 46.16 27.39 8.69 36.24 9.68 100 304 PEAK	 Site : 03CH20-HY Condition: PEAK_74_3m HF_91200_02038_240729 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2427.00 105.05 ----- 95.26 27.60 8.77 36.26 9.68 100 304 PEAK
Avg	 Site : 03CH20-HY Condition: AVG_BE_54_3m HF_91200_02038_240729 HORIZONTAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2389.30 45.09 54.00 -8.91 35.57 27.39 8.69 36.24 9.68 100 304 AVERAGE	 Site : 03CH20-HY Condition: AVG_54_3m HF_91200_02038_240729 HORIZONTAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2427.00 96.39 ----- 86.60 27.60 8.77 36.26 9.68 100 304 AVERAGE





Mode	34	
	Band Edge - R	
	2400-2483.5_802.11n HT40_CH04_2427MHz	
ANT	1+2	
Pol.	Horizontal	Fundamental
Peak	Site : 03CH20-HY Condition: PEAK_BE_74 3m HF_91200_02038_240729 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dBuV/m dB dB dB dB dB cm deg 1 2499.12 51.19 74.00 -22.81 41.10 27.80 8.89 36.28 9.68 100 304 PEAK	Blank
Avg	Site : 03CH20-HY Condition: AVG_BE_54 3m HF_91200_02038_240729 HORIZONTAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto MHz dBuV/m dBuV/m dB dB dB dB dB cm deg 1 2488.25 40.49 54.00 -13.51 30.44 27.78 8.87 36.28 9.68 100 304 AVERAGE	Blank







Mode	34	
	Band Edge - L	
	2400-2483.5_802.11n HT40_CH04_2427MHz	
ANT	1+2	
Pol.	Vertical	Fundamental
Peak	 Level (dBuV/m) Frequency (MHz) Site : 03CH20-HY Condition: PEAK_BE_74_3m HF_91200_02038_240729 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2389.41 63.16 74.00 -10.84 53.64 27.39 8.69 36.24 9.68 199 16 PEAK	 Level (dBuV/m) Frequency (MHz) Site : 03CH20-HY Condition: PEAK_74_3m HF_91200_02038_240729 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2427.00 113.50 ----- 103.82 27.50 8.75 36.25 9.68 199 16 PEAK
Avg	 Level (dBuV/m) Frequency (MHz) Site : 03CH20-HY Condition: AVG_BE_54_3m HF_91200_02038_240729 VERTICAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2389.52 52.76 54.00 -1.24 43.23 27.40 8.69 36.24 9.68 199 16 AVERAGE	 Level (dBuV/m) Frequency (MHz) Site : 03CH20-HY Condition: AVG_54_3m HF_91200_02038_240729 VERTICAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2427.00 105.69 ----- 95.90 27.60 8.77 36.26 9.68 199 16 AVERAGE





Mode	34	
	Band Edge - R	
	2400-2483.5_802.11n HT40_CH04_2427MHz	
ANT	1+2	
Pol.	Vertical	Fundamental
Peak	 Site : 03CH20-HY Condition: PEAK_BE_74 3m HF_91200_02038_240729 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dBuV/m dB dB/m dB dB dB cm deg 1 2488.54 57.52 74.00 -16.48 47.46 27.79 8.87 36.28 9.68 199 16 PEAK	Blank
Avg	 Site : 03CH20-HY Condition: AVG_BE_54 3m HF_91200_02038_240729 VERTICAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto MHz dBuV/m dBuV/m dB dB/m dB dB dB cm deg 1 2489.78 46.78 54.00 -7.22 36.70 27.80 8.88 36.28 9.68 199 16 AVERAGE	Blank







Mode	35	
	Band Edge - L	
	2400-2483.5_802.11n HT40_CH08_2447MHz	
ANT	1+2	
Pol.	Horizontal	Fundamental
Peak	 Site : 03CH20-HY Condition: PEAK_BE_74_3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2352.03 51.09 74.00 -22.91 41.75 27.30 8.62 36.26 9.68 183 323 PEAK	 Site : 03CH20-HY Condition: PEAK_74_3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2447.00 100.80 ----- 91.06 27.56 8.78 36.28 9.68 183 323 PEAK
Avg	 Site : 03CH20-HY Condition: AVG_BE_54_3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2384.69 39.53 54.00 -14.47 30.15 27.29 8.68 36.27 9.68 183 323 AVERAGE	 Site : 03CH20-HY Condition: AVG_54_3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2447.00 92.21 ----- 82.47 27.56 8.78 36.28 9.68 183 323 AVERAGE



Mode	35	
	Band Edge - R	
	2400-2483.5_802.11n HT40_CH08_2447MHz	
ANT	1+2	
Pol.	Horizontal	Fundamental
Peak	 Site : 03CH20-HY Condition: PEAK_BE_74 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dBuV/m dB dB/m dB dB dB cm deg 1 2486.43 54.53 74.00 -19.47 44.32 27.96 8.87 36.30 9.68 183 323 PEAK	Blank
Avg	 Site : 03CH20-HY Condition: AVG_BE_54 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto MHz dBuV/m dBuV/m dB dB/m dB dB dB cm deg 1 2486.27 42.96 54.00 -11.04 32.75 27.96 8.87 36.30 9.68 183 323 AVERAGE	Blank







Mode	35	
	Band Edge - L	
	2400-2483.5_802.11n HT40_CH08_2447MHz	
ANT	1+2	
Pol.	Vertical	Fundamental
Peak	 Level (dBuV/m) Frequency (MHz) Site : 03CH20-HY Condition: PEAK_BE_74_3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2384.41 55.75 74.00 -18.25 46.34 27.29 8.68 36.24 9.68 123 234 PEAK	 Level (dBuV/m) Frequency (MHz) PEAK_74 Site : 03CH20-HY Condition: PEAK_74_3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2447.00 113.87 ----- 104.05 27.60 8.81 36.27 9.68 123 234 PEAK
Avg	 Level (dBuV/m) Frequency (MHz) Site : 03CH20-HY Condition: AVG_BE_54_3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2384.12 44.28 54.00 -9.72 34.88 27.28 8.68 36.24 9.68 123 234 AVERAGE	 Level (dBuV/m) Frequency (MHz) AVG_54 Site : 03CH20-HY Condition: AVG_54_3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2447.00 105.55 ----- 95.73 27.60 8.80 36.26 9.68 123 234 AVERAGE







Mode	35	
	Band Edge - R	
	2400-2483.5_802.11n HT40_CH08_2447MHz	
ANT	1+2	
Pol.	Vertical	Fundamental
Peak	Site : 03CH20-HY Condition: PEAK_BE_74 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dBuV/m dB dB/m dB dB dB cm deg 1 2484.90 64.41 74.00 -9.59 54.18 27.95 8.87 36.27 9.68 123 234 PEAK	Blank
Avg	Site : 03CH20-HY Condition: AVG_BE_54 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto MHz dBuV/m dBuV/m dB dB/m dB dB dB cm deg 1 2485.43 52.98 54.00 -1.02 42.76 27.95 8.87 36.28 9.68 123 234 AVERAGE	Blank







Mode	36	
	Band Edge	
	2400-2483.5_802.11ax HE20_CH02_Full RU_2417MHz	
ANT	1+2	
Pol.	Horizontal	Fundamental
Peak	 Level (dBuV/m) Frequency (MHz) Site : 03CH20-HY Condition: PEAK_BE_74_3m HF_91200_02038_240729 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2389.56 55.42 74.00 -18.58 45.89 27.40 8.69 36.24 9.68 122 307 PEAK	 Level (dBuV/m) Frequency (MHz) Site : 03CH20-HY Condition: PEAK_74_3m HF_91200_02038_240729 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2417.00 113.99 ----- 104.31 27.50 8.75 36.25 9.68 122 307 PEAK
Avg	 Level (dBuV/m) Frequency (MHz) Site : 03CH20-HY Condition: AVG_BE_54_3m HF_91200_02038_240729 HORIZONTAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2389.95 45.43 54.00 -8.57 35.90 27.40 8.69 36.24 9.68 122 307 AVERAGE	 Level (dBuV/m) Frequency (MHz) Site : 03CH20-HY Condition: AVG_54_3m HF_91200_02038_240729 HORIZONTAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2417.00 104.55 ----- 94.87 27.50 8.75 36.25 9.68 122 307 AVERAGE







Mode	36	
	Band Edge	
	2400-2483.5_802.11ax HE20_CH02_Full RU_2417MHz	
ANT	1+2	
Pol.	Vertical	Fundamental
Peak	 Site : 03CH20-HY Condition: PEAK_BE_74_3m HF_91200_02038_240729 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2389.95 64.17 74.00 -9.83 54.64 27.40 8.69 36.24 9.68 199 251 PEAK	 Site : 03CH20-HY Condition: PEAK_74_3m HF_91200_02038_240729 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2417.00 121.00 ----- 111.32 27.50 8.75 36.25 9.68 199 251 PEAK
Avg	 Site : 03CH20-HY Condition: AVG_BE_54_3m HF_91200_02038_240729 VERTICAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2389.82 52.13 54.00 -1.87 42.60 27.40 8.69 36.24 9.68 199 251 AVERAGE	 Site : 03CH20-HY Condition: AVG_54_3m HF_91200_02038_240729 VERTICAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2417.00 113.39 ----- 103.72 27.50 8.74 36.25 9.68 199 251 AVERAGE







Mode	37	
	Band Edge	
	2400-2483.5_802.11ax HE20_CH10_Full RU_2457MHz	
ANT	1+2	
Pol.	Horizontal	Fundamental
Peak	 Site : 03CH20-HY Condition: PEAK_BE_74 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB cm deg 1 2483.75 54.29 74.00 -19.71 44.08 27.94 8.86 36.27 9.68 250 319 PEAK	 Site : 03CH20-HY Condition: PEAK_74 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB cm deg 1 2457.00 111.82 ----- 101.99 27.60 8.81 36.26 9.68 250 319 PEAK
Avg	 Site : 03CH20-HY Condition: AVG_BE_54 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB cm deg 1 2483.53 42.73 54.00 -11.27 32.52 27.94 8.86 36.27 9.68 250 319 AVERAGE	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB cm deg 1 2457.00 99.95 ----- 90.12 27.60 8.81 36.26 9.68 250 319 AVERAGE



Mode	37	
	Band Edge	
	2400-2483.5_802.11ax HE20_CH10_Full RU_2457MHz	
ANT	1+2	
Pol.	Vertical	Fundamental
Peak	 Site : 03CH20-HY Condition: PEAK_BE_74 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2483.70 63.32 74.00 -10.68 53.11 27.94 8.86 36.27 9.68 300 355 PEAK	 Site : 03CH20-HY Condition: PEAK_74 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2457.00 120.30 ----- 110.38 27.68 8.83 36.27 9.68 300 355 PEAK
Avg	 Site : 03CH20-HY Condition: AVG_BE_54 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2483.53 51.59 54.00 -2.41 41.38 27.94 8.86 36.27 9.68 300 355 AVERAGE	 Site : 03CH20-HY Condition: AVG_54 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2457.00 111.58 ----- 101.71 27.64 8.82 36.27 9.68 300 355 AVERAGE







Mode	38	
	Band Edge - L	
	2400-2483.5_802.11ax HE40_CH08_Full RU_2447MHz	
ANT	1+2	
Pol.	Horizontal	Fundamental
Peak	 Site : 03CH20-HY Condition: PEAK_BE_74_3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2387.11 50.95 74.00 -23.05 41.51 27.34 8.69 36.27 9.68 156 317 PEAK	 Site : 03CH20-HY Condition: PEAK_74_3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2447.00 100.57 ----- 90.77 27.60 8.81 36.29 9.68 156 317 PEAK
Avg	 Site : 03CH20-HY Condition: AVG_BE_54_3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2389.00 39.37 54.00 -14.63 29.87 27.40 8.69 36.27 9.68 156 317 AVERAGE	 Site : 03CH20-HY Condition: AVG_54_3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2447.00 91.57 ----- 81.77 27.60 8.81 36.29 9.68 156 317 AVERAGE



Mode	38	
	Band Edge - R	
	2400-2483.5_802.11ax HE40_CH08_Full RU_2447MHz	
ANT	1+2	
Pol.	Horizontal	Fundamental
Peak	Site : 03CH20-HY Condition: PEAK_BE_74 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dBuV/m dB dB/m dB dB dB cm deg 1 2483.57 42.93 74.00 -11.07 32.75 27.94 8.86 36.30 9.68 156 317 PEAK	Blank
Avg	Site : 03CH20-HY Condition: AVG_BE_54 3m HF_91200_02360_241101 HORIZONTAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto MHz dBuV/m dBuV/m dB dB/m dB dB dB cm deg 1 2483.57 42.93 54.00 -11.07 32.75 27.94 8.86 36.30 9.68 156 317 AVERAGE	Blank



Mode	38	
	Band Edge - L	
	2400-2483.5_802.11ax HE40_CH08_Full RU_2447MHz	
ANT	1+2	
Pol.	Vertical	Fundamental
Peak	 Level (dBuV/m) Frequency (MHz) Site : 03CH20-HY Condition: PEAK_BE_74_3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2383.27 54.93 74.00 -19.07 45.54 27.27 8.68 36.24 9.68 141 233 PEAK	 Level (dBuV/m) Frequency (MHz) Site : 03CH20-HY Condition: PEAK_74_3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2447.00 113.89 ----- 104.06 27.60 8.82 36.27 9.68 141 233 PEAK
Avg	 Level (dBuV/m) Frequency (MHz) Site : 03CH20-HY Condition: AVG_BE_54_3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2383.41 43.25 54.00 -10.75 33.86 27.27 8.68 36.24 9.68 141 233 AVERAGE	 Level (dBuV/m) Frequency (MHz) Site : 03CH20-HY Condition: AVG_54_3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto MHz dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2447.00 104.76 ----- 94.94 27.60 8.81 36.27 9.68 141 233 AVERAGE




Mode	38	
	Band Edge - R	
	2400-2483.5_802.11ax HE40_CH08_Full RU_2447MHz	
ANT	1+2	
Pol.	Vertical	Fundamental
Peak	Site : 03CH20-HY Condition: PEAK_BE_74 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto MHz dBuV/m dBuV/m dB dB/m dB dB dB cm deg 1 2485.06 65.46 74.00 -8.54 55.23 27.96 8.87 36.28 9.68 141 233 PEAK	Blank
Avg	Site : 03CH20-HY Condition: AVG_BE_54 3m HF_91200_02360_241101 VERTICAL : RBW:1000.000kHz VBW:0.200kHz SMT:Auto MHz dBuV/m dBuV/m dB dB/m dB dB dB cm deg 1 2485.53 52.16 54.00 -1.84 41.93 27.96 8.87 36.28 9.68 141 233 AVERAGE	Blank





Appendix D. Duty Cycle Plots

Antenna	Band	Duty Cycle(%)	T(us)	1/T(kHz)	VBW Setting
1+2	802.11b	69.68	648	1.54	1.6kHz
1+2	802.11g	94.50	1375	0.73	750Hz
1+2	2.4GHz 802.11n HT20	80.01	5422	0.18	200Hz
1+2	2.4GHz 802.11n HT40	80.09	5430	0.18	200Hz
1+2	2.4GHz 802.11ax HE20 Full RU	80.36	5462	0.18	200Hz
1+2	2.4GHz 802.11ax HE40 Full RU	80.09	5430	0.18	200Hz

MIMO <Ant. 1+2>






Appendix E. Setup Photographs

<Conducted Emission>


Mode 2

Remote View






Rear View



<Radiated Emission>

Ant. 90°

LF



HF



SHF



————THE END————