


5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX


6425MHz_TX

EUT_Y_2TX
SET 26

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.8532G	48.04	88.20	-40.16	39.83	3	Horizontal	110	1.80	26	39.10	11.73	42.62			
RMS	12.84169G	34.79	68.20	-33.41	26.63	3	Horizontal	110	1.80	26	39.08	11.72	42.64			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX


6425MHz_TX

EUT_V_2TX
Setting 26

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.3105G	47.30	83.54	-36.24	43.09	1	Vertical	46	1.70	-	37.80	15.21	48.80			
AV	19.2866G	34.38	63.54	-29.16	30.12	1	Vertical	46	1.70	-	37.85	15.21	48.80			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX


6425MHz_TX

EUT_Y_2TX
Setting 26

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.3074G	47.12	83.54	-36.42	42.91	1	Horizontal	259	1.57	-	37.80	15.21	48.80			
AV	19.2809G	34.40	63.54	-29.14	30.11	1	Horizontal	259	1.57	-	37.88	15.21	48.80			

6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_2TX


6585MHz_TX

EUT_Y_2TX
SET 25

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.92065G	45.98	88.20	-42.22	37.58	3	Vertical	292	1.80	25	39.14	11.80	42.54			
RMS	13.21028G	34.63	68.20	-33.57	25.80	3	Vertical	292	1.80	25	39.12	12.10	42.39			

6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_2TX


6585MHz_TX

EUT_Y_2TX
SET 25

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.85735G	46.23	88.20	-41.97	38.01	3	Horizontal	192	2.52	25	39.10	11.74	42.62			
RMS	12.91681G	34.60	68.20	-33.60	26.21	3	Horizontal	192	2.52	25	39.13	11.80	42.54			

6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_2TX


6585MHz_TX

EUT_Y_2TX
Setting 25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.7086G	46.83	83.54	-36.71	42.74	1	Vertical	339	1.90	-	37.70	15.19	48.80			
AV	19.7521G	34.75	63.54	-28.79	30.67	1	Vertical	339	1.90	-	37.70	15.18	48.80			

6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_2TX


6585MHz_TX

EUT_V_2TX
Setting 25

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.7514G	46.74	83.54	-36.80	42.66	1	Horizontal	140	2.98	-	37.70	15.18	48.80			
AV	19.7521G	34.75	63.54	-28.79	30.67	1	Horizontal	140	2.98	-	37.70	15.18	48.80			

6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_2TX


6745MHz_TX

EUT_Y_2TX
SET 25.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.5111G	47.62	88.20	-40.58	37.47	3	Vertical	310	1.80	25.5	40.07	12.41	42.33			
RMS	13.47529G	34.99	68.20	-33.21	24.94	3	Vertical	310	1.80	25.5	40.00	12.38	42.33			

6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_2TX


6745MHz_TX

EUT_Y_2TX
SET 25.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.5111G	49.54	88.20	-38.66	39.39	3	Horizontal	310	2.67	25.5	40.07	12.41	42.33			
RMS	13.59741G	38.05	68.20	-30.15	27.79	3	Horizontal	310	2.67	25.5	40.21	12.50	42.45			

6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_2TX


6745MHz_TX

EUT_Y_2TX
Setting 25.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.2148G	48.62	83.54	-34.92	44.23	1	Vertical	6	1.78	-	37.80	15.35	48.76			
AV	20.2611G	35.70	63.54	-27.84	31.27	1	Vertical	6	1.78	-	37.80	15.38	48.75			

6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_2TX


6745MHz_TX

EUT_Y_2TX
Setting 25.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.2379G	47.49	83.54	-36.05	43.08	1	Horizontal	261	1.64	-	37.80	15.36	48.75			
AV	20.2612G	35.56	63.54	-27.98	31.13	1	Horizontal	261	1.64	-	37.80	15.38	48.75			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6905MHz_TX




EUT V_2TX
Setting 21.5
05-L-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9698G	107.24	Inf	-Inf	97.19	3	Vertical	302	1.80	-	36.14	9.21	35.30
RMS	6.7714G	96.86	Inf	-Inf	86.76	3	Vertical	302	1.80	-	36.16	8.96	35.02
PK	7.221G	80.20	88.20	-8.00	68.73	3	Vertical	302	1.80	-	37.10	9.31	34.94
RMS	7.181G	59.53	68.20	-8.67	48.22	3	Vertical	302	1.80	-	37.02	9.30	35.01
PK	7.3002G	68.01	74.00	-5.99	56.33	3	Vertical	302	1.80	-	37.10	9.37	34.79
AV	7.2658G	52.32	54.00	-1.68	40.74	3	Vertical	302	1.80	-	37.10	9.34	34.86

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6905MHz_TX




EUT_V_2TX
Setting 21.5
05-L-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.973G	107.43	Inf	-Inf	97.37	3	Horizontal	54	1.80	-	36.15	9.21	35.30			
RMS	6.8306G	96.77	Inf	-Inf	86.83	3	Horizontal	54	1.80	-	36.04	9.00	35.10			
PK	7.1762G	79.50	88.20	-8.70	68.23	3	Horizontal	54	1.80	-	37.00	9.29	35.02			
RMS	7.1466G	60.89	68.20	-7.31	49.79	3	Horizontal	54	1.80	-	36.88	9.29	35.07			
PK	7.2666G	64.72	74.00	-9.28	53.13	3	Horizontal	54	1.80	-	37.10	9.34	34.85			
AV	7.25G	52.90	54.00	-1.10	41.35	3	Horizontal	54	1.80	-	37.10	9.33	34.88			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX


6905MHz_TX

EUT_Y_2TX
SET 22

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.83174G	50.66	88.20	-37.54	40.20	3	Vertical	267	1.80	22	40.46	12.75	42.75			
RMS	13.81G	38.65	68.20	-29.55	28.23	3	Vertical	267	1.80	22	40.42	12.72	42.72			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX


6905MHz_TX

EUT_Y_2TX
SET 22

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.80169G	51.33	88.20	-36.87	40.93	3	Horizontal	306	2.45	22	40.40	12.71	42.71			
RMS	13.80169G	39.13	68.20	-29.07	28.73	3	Horizontal	306	2.45	22	40.40	12.71	42.71			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX


6905MHz_TX

EUT_Y_2TX
Setting 22

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.7433G	48.24	83.54	-35.30	43.26	1	Vertical	178	1.93	-	37.90	15.78	48.70			
AV	20.7057G	36.16	63.54	-27.38	31.21	1	Vertical	178	1.93	-	37.90	15.75	48.70			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX


6905MHz_TX

EUT_V_2TX
Setting 22

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.6679G	48.22	83.54	-35.32	43.31	1	Horizontal	93	1.63	-	37.90	15.71	48.70			
AV	20.7153G	36.16	63.54	-27.38	31.21	1	Horizontal	93	1.63	-	37.90	15.75	48.70			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


5955MHz_TX

EUT_Y_4TX
Setting 15
02-R-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9221G	66.49	88.20	-21.71	55.04	3	Vertical	310	1.88	-	34.20	7.88	30.63			
RMS	5.9122G	54.58	68.20	-13.62	43.14	3	Vertical	310	1.88	-	34.20	7.87	30.63			
PK	5.9634G	109.47	Inf	-Inf	97.95	3	Vertical	310	1.88	-	34.23	7.91	30.62			
RMS	5.9637G	99.17	Inf	-Inf	87.65	3	Vertical	310	1.88	-	34.23	7.91	30.62			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Y_4TX
Setting 15
02-R-E-3-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9238G	67.68	88.20	-20.52	56.23	3	Horizontal	52	1.80	-	34.20	7.88	30.63			
RMS	5.9052G	54.66	68.20	-13.54	43.22	3	Horizontal	52	1.80	-	34.20	7.87	30.63			
PK	5.9476G	109.03	Inf	-Inf	97.55	3	Horizontal	52	1.80	-	34.20	7.90	30.62			
RMS	5.9481G	96.89	Inf	-Inf	85.41	3	Horizontal	52	1.80	-	34.20	7.90	30.62			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


5955MHz_TX

EUT_V_2TX
Setting 15
05-L-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.90337G	43.79	74.00	-30.21	38.44	3	Vertical	322	1.80	-	38.61	12.08	45.34			
AV	11.90319G	32.07	54.00	-21.93	26.72	3	Vertical	322	1.80	-	38.61	12.08	45.34			
PK	17.86089G	52.01	74.00	-21.99	39.42	3	Vertical	254	1.21	-	41.69	15.23	44.33			
AV	17.87979G	40.34	54.00	-13.66	27.58	3	Vertical	254	1.21	-	41.84	15.24	44.32			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


5955MHz_TX

EUT_V_2TX
Setting 15
05-L-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.90202G	45.02	74.00	-28.98	39.68	3	Horizontal	9	2.14	-	38.60	12.08	45.34			
AV	11.90301G	32.56	54.00	-21.44	27.21	3	Horizontal	9	2.14	-	38.61	12.08	45.34			
PK	17.86643G	51.55	74.00	-22.45	38.91	3	Horizontal	89	2.45	-	41.73	15.23	44.32			
AV	17.86584G	39.73	54.00	-14.27	27.09	3	Horizontal	89	2.45	-	41.73	15.23	44.32			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5955MHz_TX




EUT V_2TX
Setting 15
05-L-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.82023G	46.93	83.54	-36.61	38.22	1	Vertical	183	1.50	-	39.10	17.28	47.67			
AV	23.81991G	37.00	63.54	-26.54	28.29	1	Vertical	183	1.50	-	39.10	17.28	47.67			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5955MHz_TX




EUT V_2TX
Setting 15
05-L-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.81996G	46.63	83.54	-36.91	37.92	1	Horizontal	127	2.82	-	39.10	17.28	47.67			
AV	23.82011G	37.12	63.54	-26.42	28.41	1	Horizontal	127	2.82	-	39.10	17.28	47.67			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


6195MHz_TX

EUT V_2TX
Setting 16
05-L-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.396G	47.67	74.00	-26.33	41.80	3	Vertical	208	1.50	-	38.90	12.54	45.57			
AV	12.38055G	35.56	54.00	-18.44	29.70	3	Vertical	208	1.50	-	38.90	12.53	45.57			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6195MHz_TX




EUT V_2TX
Setting 16
05-L-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.40191G	47.23	74.00	-26.77	41.36	3	Horizontal	298	1.49	-	38.90	12.55	45.58			
AV	12.40479G	35.58	54.00	-18.42	29.70	3	Horizontal	298	1.49	-	38.91	12.55	45.58			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


6195MHz_TX

EUT_V_2TX
Setting 16
05-L-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.58976G	44.42	83.54	-39.12	39.76	1	Vertical	24	1.16	-	37.80	15.25	48.39			
AV	18.58068G	31.58	63.54	-31.96	26.90	1	Vertical	24	1.16	-	37.80	15.26	48.38			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_V_2TX
Setting 16
05-L-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.58115G	43.51	83.54	-40.03	38.83	1	Horizontal	153	1.92	-	37.80	15.26	48.38			
AV	18.58654G	31.62	63.54	-31.92	26.96	1	Horizontal	153	1.92	-	37.80	15.25	48.39			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


6415MHz_TX

EUT_Y_2TX
Setting 15
05-L-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.83978G	49.06	88.20	-39.14	41.51	3	Vertical	185	1.74	-	39.80	13.00	45.25			
RMS	12.83138G	37.47	68.20	-30.73	29.94	3	Vertical	185	1.74	-	39.80	12.99	45.26			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


6415MHz_TX

EUT_Y_2TX
Setting 15
05-L-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.84266G	49.67	88.20	-38.53	42.11	3	Horizontal	128	1.55	-	39.80	13.01	45.25			
RMS	12.84212G	37.55	68.20	-30.65	29.99	3	Horizontal	128	1.55	-	39.80	13.01	45.25			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


6415MHz_TX

EUT_Y_2TX
Setting 15
05-L-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.24402G	43.03	83.54	-40.51	38.63	1	Vertical	168	1.97	-	37.98	15.22	48.80			
AV	19.24446G	31.53	63.54	-32.01	27.13	1	Vertical	168	1.97	-	37.98	15.22	48.80			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


6415MHz_TX

EUT_Y_2TX
Setting 15
05-L-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.24137G	43.08	83.54	-40.46	38.69	1	Horizontal	138	2.72	-	37.97	15.22	48.80			
AV	19.24347G	31.40	63.54	-32.14	27.01	1	Horizontal	138	2.72	-	37.97	15.22	48.80			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


6435MHz_TX

EUT_V_2TX
Setting 16
05-L-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.8673G	49.82	88.20	-38.38	42.18	3	Vertical	41	1.80	-	39.83	13.03	45.22			
RMS	12.87855G	38.03	68.20	-30.17	30.34	3	Vertical	41	1.80	-	39.86	13.04	45.21			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6435MHz_TX




EUT_V_2TX
Setting 16
05-L-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.86589G	50.20	88.20	-38.00	42.56	3	Horizontal	290	1.51	-	39.83	13.03	45.22			
RMS	12.8808G	38.06	68.20	-30.14	30.35	3	Horizontal	290	1.51	-	39.86	13.05	45.20			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


6435MHz_TX

EUT V_2TX
Setting 16
05-L-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.30634G	43.82	83.54	-39.72	39.61	1	Vertical	265	2.49	-	37.80	15.21	48.80			
AV	19.30702G	31.20	63.54	-32.34	26.99	1	Vertical	265	2.49	-	37.80	15.21	48.80			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


6435MHz_TX

EUT_V_2TX
Setting 16
05-L-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.30961G	42.85	83.54	-40.69	38.64	1	Horizontal	288	2.12	-	37.80	15.21	48.80			
AV	19.30345G	31.19	63.54	-32.35	26.98	1	Horizontal	288	2.12	-	37.80	15.21	48.80			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


6475MHz_TX

EUT_V_2TX
Setting 16
05-L-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.95933G	49.85	88.20	-38.35	41.84	3	Vertical	229	1.23	-	40.00	13.13	45.12			
RMS	12.96299G	38.19	68.20	-30.01	30.17	3	Vertical	229	1.23	-	40.00	13.13	45.11			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6475MHz_TX




EUT_V_2TX
Setting 16
05-L-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.94928G	49.67	88.20	-38.53	41.68	3	Horizontal	33	2.96	-	40.00	13.12	45.13			
RMS	12.96482G	38.12	68.20	-30.08	30.10	3	Horizontal	33	2.96	-	40.00	13.13	45.11			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


6475MHz_TX

EUT V_2TX
Setting 16
05-L-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.4243G	44.00	83.54	-39.54	39.80	1	Vertical	60	1.32	-	37.80	15.20	48.80			
AV	19.4232G	32.22	63.54	-31.32	28.01	1	Vertical	60	1.32	-	37.81	15.20	48.80			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


6475MHz_TX

EUT_V_2TX
Setting 16
05-L-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.4292G	44.26	83.54	-39.28	40.08	1	Horizontal	102	1.85	-	37.78	15.20	48.80			
AV	19.42328G	32.22	63.54	-31.32	28.01	1	Horizontal	102	1.85	-	37.81	15.20	48.80			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


6515MHz_TX

EUT_Y_2TX
Setting 15
05-L-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.02322G	50.33	88.20	-37.87	42.28	3	Vertical	155	2.27	-	39.91	13.19	45.05			
RMS	13.03447G	38.61	68.20	-29.59	30.58	3	Vertical	155	2.27	-	39.86	13.21	45.04			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


6515MHz_TX

EUT_Y_2TX
Setting 15
05-L-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.02898G	50.20	88.20	-38.00	42.17	3	Horizontal	158	2.74	-	39.88	13.20	45.05			
RMS	13.0321G	38.60	68.20	-29.60	30.57	3	Horizontal	158	2.74	-	39.87	13.20	45.04			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


6515MHz_TX

EUT_Y_2TX
Setting 15
05-L-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.54224G	43.49	83.54	-40.05	39.37	1	Vertical	347	1.37	-	37.72	15.20	48.80			
AV	19.5405G	31.59	63.54	-31.95	27.47	1	Vertical	347	1.37	-	37.72	15.20	48.80			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


6515MHz_TX

EUT_Y_2TX
Setting 15
05-L-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.54065G	43.50	83.54	-40.04	39.38	1	Horizontal	9	2.72	-	37.72	15.20	48.80			
AV	19.54198G	31.45	63.54	-32.09	27.33	1	Horizontal	9	2.72	-	37.72	15.20	48.80			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


6535MHz_TX

EUT_V_2TX
Setting 15
05-L-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.07195G	49.99	88.20	-38.21	41.92	3	Vertical	330	3.00	-	39.84	13.24	45.01			
RMS	13.07064G	38.52	68.20	-29.68	30.45	3	Vertical	330	3.00	-	39.84	13.24	45.01			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_V_2TX
Setting 15
05-L-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.07039G	50.32	88.20	-37.88	42.25	3	Horizontal	79	2.18	-	39.84	13.24	45.01			
RMS	13.06676G	38.53	68.20	-29.67	30.48	3	Horizontal	79	2.18	-	39.83	13.24	45.02			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


6535MHz_TX

EUT V_2TX
Setting 15
05-L-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.60316G	43.55	83.54	-39.99	39.46	1	Vertical	50	2.06	-	37.70	15.19	48.80			
AV	19.60665G	31.50	63.54	-32.04	27.41	1	Vertical	50	2.06	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


6535MHz_TX

EUT V_2TX
Setting 15
05-L-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.60422G	43.24	83.54	-40.30	39.15	1	Horizontal	84	2.76	-	37.70	15.19	48.80			
AV	19.60335G	31.61	63.54	-31.93	27.52	1	Horizontal	84	2.76	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


6695MHz_TX

EUT_V_2TX
Setting 15
05-L-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.39207G	51.80	74.00	-22.20	42.65	3	Vertical	119	1.56	-	40.32	13.58	44.75			
AV	13.38518G	39.44	54.00	-14.56	30.29	3	Vertical	119	1.56	-	40.33	13.57	44.75			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


6695MHz_TX

EUT_V_2TX
Setting 15
05-L-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.39245G	51.19	74.00	-22.81	42.04	3	Horizontal	132	2.91	-	40.32	13.58	44.75			
AV	13.38564G	39.68	54.00	-14.32	30.53	3	Horizontal	132	2.91	-	40.33	13.57	44.75			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


6695MHz_TX

EUT V_2TX
Setting 15
05-L-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.08863G	44.11	83.54	-39.43	39.85	1	Vertical	249	2.87	-	37.80	15.24	48.78			
AV	20.08255G	32.15	63.54	-31.39	27.89	1	Vertical	249	2.87	-	37.80	15.24	48.78			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


6695MHz_TX

EUT V_2TX
Setting 15
05-L-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.08216G	43.66	83.54	-39.88	39.40	1	Horizontal	63	1.76	-	37.80	15.24	48.78			
AV	20.08463G	32.17	63.54	-31.37	27.91	1	Horizontal	63	1.76	-	37.80	15.24	48.78			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


6875MHz_TX

EUT_V_2TX
Setting 15
05-L-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.74785G	52.13	88.20	-36.07	42.17	3	Vertical	92	2.49	-	40.50	13.95	44.49			
RMS	13.74894G	40.36	68.20	-27.84	30.40	3	Vertical	92	2.49	-	40.50	13.95	44.49			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6875MHz_TX




EUT_V_2TX
Setting 15
05-L-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.74626G	51.81	88.20	-36.39	41.85	3	Horizontal	188	2.50	-	40.50	13.95	44.49			
RMS	13.74592G	40.28	68.20	-27.92	30.32	3	Horizontal	188	2.50	-	40.50	13.95	44.49			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


6875MHz_TX

EUT_V_2TX
Setting 15
05-L-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.62088G	43.28	83.54	-40.26	38.40	1	Vertical	356	2.81	-	37.90	15.68	48.70			
AV	20.62957G	31.27	63.54	-32.27	26.39	1	Vertical	356	2.81	-	37.90	15.68	48.70			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


6875MHz_TX

EUT V_2TX
Setting 15
05-L-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.62256G	42.97	83.54	-40.57	38.09	1	Horizontal	310	1.19	-	37.90	15.68	48.70			
AV	20.62077G	31.16	63.54	-32.38	26.28	1	Horizontal	310	1.19	-	37.90	15.68	48.70			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


6895MHz_TX

EUT_V_2TX
Setting 16
05-L-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.80684G	64.05	88.20	-24.15	54.19	3	Vertical	34	3.00	-	40.30	14.01	44.45			
RMS	13.80076G	48.74	68.20	-19.46	38.89	3	Vertical	34	3.00	-	40.30	14.00	44.45			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6895MHz_TX




EUT_V_2TX
Setting 16
05-L-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.7928G	61.88	88.20	-26.32	52.02	3	Horizontal	334	2.53	-	40.33	13.99	44.46			
RMS	13.78976G	48.59	68.20	-19.61	38.72	3	Horizontal	334	2.53	-	40.34	13.99	44.46			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


6895MHz_TX

EUT_V_2TX
Setting 16
05-L-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.68144G	43.13	83.54	-40.41	38.20	1	Vertical	47	1.50	-	37.90	15.73	48.70			
AV	20.68295G	31.20	63.54	-32.34	26.27	1	Vertical	47	1.50	-	37.90	15.73	48.70			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


6895MHz_TX

EUT_V_2TX
Setting 16
05-L-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.68066G	43.67	83.54	-39.87	38.75	1	Horizontal	323	1.94	-	37.90	15.72	48.70			
AV	20.68083G	31.19	63.54	-32.35	26.27	1	Horizontal	323	1.94	-	37.90	15.72	48.70			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


6995MHz_TX

EUT_Y_2TX
Setting 15
05-L-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.9932G	52.41	88.20	-35.79	42.02	3	Vertical	257	2.64	-	40.50	14.20	44.31			
RMS	13.97172G	40.47	68.20	-27.73	30.12	3	Vertical	257	2.64	-	40.50	14.18	44.33			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


6995MHz_TX

EUT_Y_2TX
Setting 15
05-L-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.00816G	52.58	88.20	-35.62	42.21	3	Horizontal	250	1.42	-	40.48	14.21	44.32			
RMS	13.9708G	40.30	68.20	-27.90	29.95	3	Horizontal	250	1.42	-	40.50	14.18	44.33			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


6995MHz_TX

EUT_Y_2TX
Setting 15
05-L-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.98276G	43.33	83.54	-40.21	38.09	1	Vertical	115	1.51	-	37.97	15.97	48.70			
AV	20.98018G	31.09	63.54	-32.45	25.86	1	Vertical	115	1.51	-	37.96	15.97	48.70			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


6995MHz_TX

EUT_Y_2TX
Setting 15
05-L-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.98815G	43.29	83.54	-40.25	38.03	1	Horizontal	72	1.54	-	37.98	15.98	48.70			
AV	20.98312G	31.09	63.54	-32.45	25.85	1	Horizontal	72	1.54	-	37.97	15.97	48.70			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


7095MHz_TX

EUT_Y_2TX
Setting 16
02-R-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0912G	109.70	Inf	-Inf	96.64	3	Vertical	311	1.51	-	35.38	9.10	31.42			
RMS	7.0881G	100.08	Inf	-Inf	87.02	3	Vertical	311	1.51	-	35.38	9.10	31.42			
PK	7.1341G	63.46	88.20	-24.74	50.07	3	Vertical	311	1.51	-	35.60	9.21	31.42			
RMS	7.1321G	52.60	68.20	-15.60	39.23	3	Vertical	311	1.51	-	35.59	9.20	31.42			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


7095MHz_TX

EUT_Y_2TX
Setting 16
02-R-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0869G	108.27	Inf	-Inf	95.23	3	Horizontal	24	1.57	-	35.37	9.09	31.42			
RMS	7.0862G	98.61	Inf	-Inf	85.57	3	Horizontal	24	1.57	-	35.37	9.09	31.42			
PK	7.1254G	62.98	88.20	-25.22	49.66	3	Horizontal	24	1.57	-	35.55	9.19	31.42			
RMS	7.1309G	52.59	68.20	-15.61	39.22	3	Horizontal	24	1.57	-	35.59	9.20	31.42			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

7095MHz_TX




EUT_V_2TX
Setting 15
05-L-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.20064G	51.28	88.20	-36.92	41.15	3	Vertical	228	1.25	-	40.50	14.21	44.58			
RMS	14.18564G	39.80	68.20	-28.40	29.65	3	Vertical	228	1.25	-	40.50	14.21	44.56			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


7095MHz_TX

EUT_V_2TX
Setting 15
05-L-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.1864G	51.29	88.20	-36.91	41.14	3	Horizontal	70	1.20	-	40.50	14.21	44.56			
RMS	14.18584G	39.80	68.20	-28.40	29.65	3	Horizontal	70	1.20	-	40.50	14.21	44.56			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

7095MHz_TX




EUT V_2TX
Setting 15
05-L-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.28928G	43.22	83.54	-40.32	37.56	1	Vertical	122	1.95	-	38.08	16.22	48.64			
AV	21.28768G	31.08	63.54	-32.46	25.42	1	Vertical	122	1.95	-	38.08	16.22	48.64			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


7095MHz_TX

EUT_V_2TX
Setting 15
05-L-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.28654G	43.07	83.54	-40.47	37.42	1	Horizontal	166	1.46	-	38.07	16.22	48.64			
AV	21.2849G	31.41	63.54	-32.13	25.76	1	Horizontal	166	1.46	-	38.07	16.22	48.64			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

7115MHz_TX




EUT_Y_2TX
Setting 12
02-R-A-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	7.1195G	100.47	Inf	-Inf	87.20	3	Vertical	311	2.96	BP 1MHz	35.52	9.17	31.42				
RMS	7.1195G	94.57	Inf	-Inf	81.30	3	Vertical	311	2.96	BP 1MHz	35.52	9.17	31.42				
PK	7.1255G	78.01	88.20	-10.19	64.69	3	Vertical	311	2.96	BP 1MHz	35.55	9.19	31.42				
RMS	7.1255G	67.07	68.20	-1.13	53.75	3	Vertical	311	2.96	BP 1MHz	35.55	9.19	31.42				

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


7115MHz_TX

EUT_Y_2TX
Setting 12
02-R-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	7.1085G	99.65	Inf	-Inf	86.47	3	Horizontal	24	1.61	BP 1MHz	35.45	9.15	31.42				
RMS	7.1065G	92.67	Inf	-Inf	79.51	3	Horizontal	24	1.61	BP 1MHz	35.44	9.14	31.42				
PK	7.1255G	75.51	88.20	-12.69	62.19	3	Horizontal	24	1.61	BP 1MHz	35.55	9.19	31.42				
RMS	7.1255G	64.86	68.20	-3.34	51.54	3	Horizontal	24	1.61	BP 1MHz	35.55	9.19	31.42				

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


7115MHz_TX

EUT_V_2TX
Setting 12
05-L-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.23156G	51.94	88.20	-36.26	41.91	3	Vertical	30	2.19	-	40.44	14.21	44.62			
RMS	14.21356G	39.55	68.20	-28.65	29.47	3	Vertical	30	2.19	-	40.47	14.21	44.60			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


7115MHz_TX

EUT_V_2TX
Setting 12
05-L-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.23648G	51.46	88.20	-36.74	41.45	3	Horizontal	118	2.00	-	40.43	14.21	44.63			
RMS	14.2126G	39.55	68.20	-28.65	29.47	3	Horizontal	118	2.00	-	40.47	14.21	44.60			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

7115MHz_TX




EUT_V_2TX
Setting 12
05-L-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.34076G	42.28	83.54	-41.26	36.55	1	Vertical	133	1.50	-	38.10	16.26	48.63			
AV	21.34015G	30.93	63.54	-32.61	25.20	1	Vertical	133	1.50	-	38.10	16.26	48.63			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


7115MHz_TX

EUT V_2TX
Setting 12
05-L-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.34113G	43.11	83.54	-40.43	37.38	1	Horizontal	182	1.40	-	38.10	16.26	48.63			
AV	21.34534G	30.93	63.54	-32.61	25.19	1	Horizontal	182	1.40	-	38.10	16.27	48.63			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Y_2TX
Setting 19
02-R-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.8856G	66.46	88.20	-21.74	55.10	3	Vertical	303	2.80	-	34.14	7.86	30.64			
RMS	5.91G	54.68	68.20	-13.52	43.24	3	Vertical	303	2.80	-	34.20	7.87	30.63			
PK	5.955G	110.42	Inf	-Inf	98.93	3	Vertical	303	2.80	-	34.21	7.90	30.62			
RMS	5.9562G	99.66	Inf	-Inf	88.17	3	Vertical	303	2.80	-	34.21	7.90	30.62			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Y_2TX
Setting 19
02-R-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.922G	70.11	88.20	-18.09	58.66	3	Horizontal	289	1.74	-	34.20	7.88	30.63			
RMS	5.9236G	54.99	68.20	-13.21	43.54	3	Horizontal	289	1.74	-	34.20	7.88	30.63			
PK	5.9518G	108.94	Inf	-Inf	97.46	3	Horizontal	289	1.74	-	34.20	7.90	30.62			
RMS	5.9686G	97.62	Inf	-Inf	86.09	3	Horizontal	289	1.74	-	34.24	7.91	30.62			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_V_2TX
Setting 19
05-L-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.925G	45.08	74.00	-28.92	39.68	3	Vertical	223	2.41	-	38.65	12.09	45.34			
AV	11.94644G	32.83	54.00	-21.17	27.39	3	Vertical	223	2.41	-	38.69	12.10	45.35			
PK	17.89338G	52.34	74.00	-21.66	39.46	3	Vertical	190	2.68	-	41.95	15.24	44.31			
AV	17.88204G	40.08	54.00	-13.92	27.30	3	Vertical	190	2.68	-	41.86	15.24	44.32			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


5965MHz_TX

EUT_V_2TX
Setting 19
05-L-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.91104G	44.55	74.00	-29.45	39.19	3	Horizontal	328	1.96	-	38.62	12.08	45.34			
AV	11.94368G	32.82	54.00	-21.18	27.38	3	Horizontal	328	1.96	-	38.69	12.10	45.35			
PK	17.89578G	51.99	74.00	-22.01	39.08	3	Horizontal	20	1.09	-	41.97	15.25	44.31			
AV	17.88012G	39.95	54.00	-14.05	27.19	3	Horizontal	20	1.09	-	41.84	15.24	44.32			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


5965MHz_TX

EUT V_2TX
Setting 19
05-L-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.84587G	46.11	83.54	-37.43	37.38	1	Vertical	105	1.27	-	39.10	17.29	47.66			
AV	23.85217G	34.06	63.54	-29.48	25.33	1	Vertical	105	1.27	-	39.10	17.29	47.66			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


5965MHz_TX

EUT_V_2TX
Setting 19
05-L-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.87392G	45.83	83.54	-37.71	37.13	1	Horizontal	64	1.83	-	39.05	17.30	47.65			
AV	23.86228G	34.13	63.54	-29.41	25.42	1	Horizontal	64	1.83	-	39.08	17.29	47.66			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


6205MHz_TX

EUT_Y_2TX
Setting 21
02-R-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.42348G	47.48	74.00	-26.52	41.55	3	Vertical	114	1.53	-	38.95	12.57	45.59			
AV	12.40004G	35.67	54.00	-18.33	29.80	3	Vertical	114	1.53	-	38.90	12.55	45.58			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


6205MHz_TX

EUT_Y_2TX
Setting 21
02-R-J-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.40012G	47.28	74.00	-26.72	41.41	3	Horizontal	179	2.98	-	38.90	12.55	45.58			
AV	12.42424G	35.58	54.00	-18.42	29.65	3	Horizontal	179	2.98	-	38.95	12.57	45.59			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


6205MHz_TX

EUT_Y_2TX
Setting 21
02-R-J-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.61187G	43.25	83.54	-40.29	38.59	1	Vertical	141	1.76	-	37.82	15.25	48.41			
AV	18.61287G	31.49	63.54	-32.05	26.82	1	Vertical	141	1.76	-	37.83	15.25	48.41			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


6205MHz_TX

EUT_Y_2TX
Setting 21
02-R-J-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.61052G	44.25	83.54	-39.29	39.59	1	Horizontal	2	1.90	-	37.82	15.25	48.41			
AV	18.61398G	31.50	63.54	-32.04	26.83	1	Horizontal	2	1.90	-	37.83	15.25	48.41			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_V_2TX
Setting 19
05-L-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.802G	49.50	88.20	-38.70	42.03	3	Vertical	76	1.45	-	39.80	12.96	45.29			
RMS	12.82832G	37.37	68.20	-30.83	29.84	3	Vertical	76	1.45	-	39.80	12.99	45.26			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


6405MHz_TX

EUT_V_2TX
Setting 19
05-L-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.80928G	49.20	88.20	-39.00	41.71	3	Horizontal	0	2.40	-	39.80	12.97	45.28			
RMS	12.82864G	37.37	68.20	-30.83	29.84	3	Horizontal	0	2.40	-	39.80	12.99	45.26			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


6405MHz_TX

EUT V_2TX
Setting 19
05-L-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.21526G	42.63	83.54	-40.91	38.35	1	Vertical	221	1.35	-	37.86	15.22	48.80			
AV	19.21622G	31.22	63.54	-32.32	26.94	1	Vertical	221	1.35	-	37.86	15.22	48.80			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


6405MHz_TX

EUT_V_2TX
Setting 19
05-L-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.2111G	43.42	83.54	-40.12	39.16	1	Horizontal	339	1.91	-	37.84	15.22	48.80			
AV	19.21141G	31.25	63.54	-32.29	26.98	1	Horizontal	339	1.91	-	37.85	15.22	48.80			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


6445MHz_TX

EUT_V_2TX
Setting 19
05-L-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.87156G	50.67	88.20	-37.53	43.00	3	Vertical	4	1.84	-	39.84	13.04	45.21			
RMS	12.87008G	38.29	68.20	-29.91	30.64	3	Vertical	4	1.84	-	39.84	13.03	45.22			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


6445MHz_TX

EUT_V_2TX
Setting 19
05-L-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.88008G	51.05	88.20	-37.15	43.34	3	Horizontal	175	2.03	-	39.86	13.05	45.20			
RMS	12.8754G	38.26	68.20	-29.94	30.58	3	Horizontal	175	2.03	-	39.85	13.04	45.21			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


6445MHz_TX

EUT_V_2TX
Setting 19
05-L-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.33876G	43.52	83.54	-40.02	39.31	1	Vertical	284	1.67	-	37.80	15.21	48.80			
AV	19.33968G	31.42	63.54	-32.12	27.21	1	Vertical	284	1.67	-	37.80	15.21	48.80			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


6445MHz_TX

EUT_V_2TX
Setting 19
05-L-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.33807G	43.19	83.54	-40.35	38.98	1	Horizontal	111	1.68	-	37.80	15.21	48.80			
AV	19.33691G	31.41	63.54	-32.13	27.20	1	Horizontal	111	1.68	-	37.80	15.21	48.80			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6485MHz_TX




EUT_V_2TX
Setting 20
05-L-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.97336G	50.49	88.20	-37.71	42.45	3	Vertical	0	1.80	-	40.00	13.14	45.10			
RMS	12.97216G	37.86	68.20	-30.34	29.82	3	Vertical	0	1.80	-	40.00	13.14	45.10			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6485MHz_TX




EUT_V_2TX
Setting 20
05-L-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.98101G	50.64	88.20	-37.56	42.58	3	Horizontal	146	1.75	-	40.00	13.15	45.09			
RMS	12.96694G	37.64	68.20	-30.56	29.61	3	Horizontal	146	1.75	-	40.00	13.14	45.11			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6485MHz_TX




EUT_V_2TX
Setting 20
05-L-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.45289G	43.33	83.54	-40.21	39.22	1	Vertical	190	1.39	-	37.71	15.20	48.80			
AV	19.45817G	31.88	63.54	-31.66	27.76	1	Vertical	190	1.39	-	37.72	15.20	48.80			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6485MHz_TX




EUT_V_2TX
Setting 20
05-L-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.45856G	43.39	83.54	-40.15	39.27	1	Horizontal	235	1.60	-	37.72	15.20	48.80			
AV	19.45479G	31.88	63.54	-31.66	27.77	1	Horizontal	235	1.60	-	37.71	15.20	48.80			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6525MHz_TX




EUT_V_2TX
Setting 17
05-L-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.04547G	49.96	88.20	-38.24	41.95	3	Vertical	347	2.94	-	39.82	13.22	45.03			
RMS	13.04862G	37.52	68.20	-30.68	29.52	3	Vertical	347	2.94	-	39.81	13.22	45.03			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6525MHz_TX




EUT_V_2TX
Setting 17
05-L-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.04244G	49.81	88.20	-38.39	41.81	3	Horizontal	312	2.89	-	39.83	13.21	45.04			
RMS	13.04532G	37.52	68.20	-30.68	29.51	3	Horizontal	312	2.89	-	39.82	13.22	45.03			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


6525MHz_TX

EUT_V_2TX
Setting 17
05-L-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.57666G	43.46	83.54	-40.08	39.36	1	Vertical	67	1.73	-	37.70	15.20	48.80			
AV	19.57152G	31.44	63.54	-32.10	27.34	1	Vertical	67	1.73	-	37.70	15.20	48.80			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


6525MHz_TX

EUT_V_2TX
Setting 17
05-L-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.57575G	43.49	83.54	-40.05	39.39	1	Horizontal	298	1.68	-	37.70	15.20	48.80			
AV	19.57158G	31.44	63.54	-32.10	27.34	1	Horizontal	298	1.68	-	37.70	15.20	48.80			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


6565MHz_TX

EUT_V_2TX
Setting 17
05-L-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.13189G	49.99	88.20	-38.21	41.61	3	Vertical	265	2.21	-	40.03	13.31	44.96			
RMS	13.13813G	37.79	68.20	-30.41	29.39	3	Vertical	265	2.21	-	40.05	13.31	44.96			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


6565MHz_TX

EUT_V_2TX
Setting 17
05-L-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.13288G	50.06	88.20	-38.14	41.68	3	Horizontal	259	1.44	-	40.03	13.31	44.96			
RMS	13.13558G	37.88	68.20	-30.32	29.49	3	Horizontal	259	1.44	-	40.04	13.31	44.96			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_V_2TX
Setting 17
05-L-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.69518G	44.48	83.54	-39.06	40.39	1	Vertical	173	2.00	-	37.70	15.19	48.80			
AV	19.6986G	32.20	63.54	-31.34	28.11	1	Vertical	173	2.00	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_V_2TX
Setting 17
05-L-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.69995G	44.53	83.54	-39.01	40.44	1	Horizontal	179	1.95	-	37.70	15.19	48.80			
AV	19.69882G	32.20	63.54	-31.34	28.11	1	Horizontal	179	1.95	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


6685MHz_TX

EUT_V_2TX
Setting 17
05-L-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.36232G	50.39	74.00	-23.61	41.23	3	Vertical	60	1.16	-	40.38	13.55	44.77			
AV	13.36175G	38.36	54.00	-15.64	29.20	3	Vertical	60	1.16	-	40.38	13.55	44.77			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_V_2TX
Setting 17
05-L-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.36847G	50.67	74.00	-23.33	41.53	3	Horizontal	289	2.81	-	40.36	13.55	44.77			
AV	13.35998G	38.43	54.00	-15.57	29.28	3	Horizontal	289	2.81	-	40.38	13.54	44.77			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


6685MHz_TX

EUT_V_2TX
Setting 17
05-L-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.05476G	43.90	83.54	-39.64	39.68	1	Vertical	278	1.93	-	37.80	15.21	48.79			
AV	20.05885G	32.04	63.54	-31.50	27.81	1	Vertical	278	1.93	-	37.80	15.22	48.79			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


6685MHz_TX

EUT V_2TX
Setting 17
05-L-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.05892G	45.15	83.54	-38.39	40.92	1	Horizontal	90	1.36	-	37.80	15.22	48.79			
AV	20.05801G	32.03	63.54	-31.51	27.80	1	Horizontal	90	1.36	-	37.80	15.22	48.79			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


6885MHz_TX

EUT_V_2TX
Setting 19
05-L-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.76664G	51.39	88.20	-36.81	41.46	3	Vertical	156	2.45	-	40.43	13.97	44.47			
RMS	13.78302G	39.51	68.20	-28.69	29.62	3	Vertical	156	2.45	-	40.37	13.98	44.46			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6885MHz_TX




EUT_V_2TX
Setting 19
05-L-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.76316G	51.69	88.20	-36.51	41.76	3	Horizontal	224	1.14	-	40.45	13.96	44.48			
RMS	13.78272G	39.51	68.20	-28.69	29.62	3	Horizontal	224	1.14	-	40.37	13.98	44.46			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


6885MHz_TX

EUT_V_2TX
Setting 19
05-L-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.6554G	43.42	83.54	-40.12	38.52	1	Vertical	199	2.04	-	37.90	15.70	48.70			
AV	20.65655G	31.05	63.54	-32.49	26.14	1	Vertical	199	2.04	-	37.90	15.71	48.70			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


6885MHz_TX

EUT_V_2TX
Setting 19
05-L-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.65221G	42.86	83.54	-40.68	37.96	1	Horizontal	351	1.40	-	37.90	15.70	48.70			
AV	20.65719G	31.05	63.54	-32.49	26.14	1	Horizontal	351	1.40	-	37.90	15.71	48.70			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


6925MHz_TX

EUT_V_2TX
Setting 19
05-L-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.8383G	51.64	88.20	-36.56	41.72	3	Vertical	98	1.96	-	40.30	14.04	44.42			
RMS	13.84211G	39.85	68.20	-28.35	29.92	3	Vertical	98	1.96	-	40.30	14.05	44.42			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


6925MHz_TX

EUT_V_2TX
Setting 19
05-L-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.85126G	52.09	88.20	-36.11	42.13	3	Horizontal	325	1.74	-	40.31	14.06	44.41			
RMS	13.86473G	39.86	68.20	-28.34	29.83	3	Horizontal	325	1.74	-	40.36	14.07	44.40			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


6925MHz_TX

EUT V_2TX
Setting 19
05-L-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.77832G	43.31	83.54	-40.23	38.31	1	Vertical	89	1.84	-	37.90	15.80	48.70			
AV	20.77304G	31.34	63.54	-32.20	26.34	1	Vertical	89	1.84	-	37.90	15.80	48.70			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


6925MHz_TX

EUT_V_2TX
Setting 19
05-L-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.77767G	43.99	83.54	-39.55	38.99	1	Horizontal	56	2.02	-	37.90	15.80	48.70			
AV	20.77132G	31.33	63.54	-32.21	26.33	1	Horizontal	56	2.02	-	37.90	15.80	48.70			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


7005MHz_TX

EUT_Y_2TX
Setting 20
02-R-J-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.00793G	52.51	88.20	-35.69	42.14	3	Vertical	282	2.84	-	40.48	14.21	44.32			
RMS	13.99632G	40.12	68.20	-28.08	29.72	3	Vertical	282	2.84	-	40.50	14.21	44.31			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


7005MHz_TX

EUT_Y_2TX
Setting 20
02-R-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.99518G	51.96	88.20	-36.24	41.57	3	Horizontal	270	2.06	-	40.50	14.20	44.31			
RMS	14.00502G	40.16	68.20	-28.04	29.78	3	Horizontal	270	2.06	-	40.49	14.21	44.32			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


7005MHz_TX

EUT_Y_2TX
Setting 20
02-R-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.0137G	42.87	83.54	-40.67	37.57	1	Vertical	226	1.89	-	38.00	16.00	48.70			
AV	21.01814G	30.90	63.54	-32.64	25.60	1	Vertical	226	1.89	-	38.00	16.00	48.70			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


7005MHz_TX

EUT_Y_2TX
Setting 20
02-R-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.01983G	43.42	83.54	-40.12	38.12	1	Horizontal	85	1.60	-	38.00	16.00	48.70			
AV	21.0123G	30.74	63.54	-32.80	25.44	1	Horizontal	85	1.60	-	38.00	16.00	48.70			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


7085MHz_TX

EUT_V_2TX
Setting 19
05-L-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0727G	109.61	Inf	-Inf	99.06	3	Vertical	301	2.95	-	36.49	9.27	35.21			
RMS	7.0739G	98.79	Inf	-Inf	88.23	3	Vertical	301	2.95	-	36.50	9.27	35.21			
PK	7.1351G	68.34	88.20	-19.86	57.34	3	Vertical	301	2.95	-	36.81	9.28	35.09			
RMS	7.2293G	52.26	68.20	-15.94	40.76	3	Vertical	301	2.95	-	37.10	9.32	34.92			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7085MHz_TX




EUT_V_2TX
Setting 19
05-L-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0772G	108.14	Inf	-Inf	97.56	3	Horizontal	50	1.98	-	36.51	9.27	35.20			
RMS	7.0817G	97.86	Inf	-Inf	87.25	3	Horizontal	50	1.98	-	36.53	9.27	35.19			
PK	7.1267G	71.56	88.20	-16.64	60.63	3	Horizontal	50	1.98	-	36.76	9.28	35.11			
RMS	7.1321G	54.41	68.20	-13.79	43.44	3	Horizontal	50	1.98	-	36.79	9.28	35.10			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7085MHz_TX




EUT V_2TX
Setting 19
05-L-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.16934G	59.82	88.20	-28.38	49.65	3	Vertical	24	1.80	-	40.50	14.21	44.54			
RMS	14.17027G	45.97	68.20	-22.23	35.80	3	Vertical	24	1.80	-	40.50	14.21	44.54			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7085MHz_TX




EUT V_2TX
Setting 19
05-L-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.17132G	60.95	88.20	-27.25	50.78	3	Horizontal	332	1.79	-	40.50	14.21	44.54			
RMS	14.16565G	47.36	68.20	-20.84	37.19	3	Horizontal	332	1.79	-	40.50	14.21	44.54			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


7085MHz_TX

EUT V_2TX
Setting 19
05-L-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.25548G	43.53	83.54	-40.01	37.98	1	Vertical	76	1.79	-	38.01	16.19	48.65			
AV	21.25857G	30.95	63.54	-32.59	25.38	1	Vertical	76	1.79	-	38.02	16.20	48.65			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


7085MHz_TX

EUT_V_2TX
Setting 19
05-L-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.25421G	43.19	83.54	-40.35	37.64	1	Horizontal	109	1.97	-	38.01	16.19	48.65			
AV	21.2543G	30.93	63.54	-32.61	25.38	1	Horizontal	109	1.97	-	38.01	16.19	48.65			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Y_2TX
Setting 20
05-L-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.925G	69.58	88.20	-18.62	62.35	3	Vertical	314	1.62	-	34.30	8.51	35.58			
RMS	5.925G	51.89	68.20	-16.31	44.66	3	Vertical	314	1.62	-	34.30	8.51	35.58			
PK	5.9866G	109.42	Inf	-Inf	102.26	3	Vertical	314	1.62	-	34.23	8.53	35.60			
RMS	5.9838G	99.46	Inf	-Inf	92.30	3	Vertical	314	1.62	-	34.23	8.53	35.60			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


5985MHz_TX

EUT Y_2TX
Setting 20
05-L-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9122G	73.49	88.20	-14.71	66.27	3	Horizontal	304	1.75	-	34.30	8.50	35.58			
RMS	5.925G	54.05	68.20	-14.15	46.82	3	Horizontal	304	1.75	-	34.30	8.51	35.58			
PK	5.9946G	109.03	Inf	-Inf	101.89	3	Horizontal	304	1.75	-	34.21	8.54	35.61			
RMS	5.9978G	98.06	Inf	-Inf	90.93	3	Horizontal	304	1.75	-	34.20	8.54	35.61			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_V_2TX
Setting 20
05-L-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.96676G	45.26	74.00	-28.74	39.77	3	Vertical	155	2.50	-	38.73	12.11	45.35			
AV	11.96561G	32.72	54.00	-21.28	27.23	3	Vertical	155	2.50	-	38.73	12.11	45.35			
PK	17.94177G	52.63	74.00	-21.37	39.48	3	Vertical	96	1.65	-	42.17	15.27	44.29			
AV	17.9691G	40.13	54.00	-13.87	26.82	3	Vertical	96	1.65	-	42.31	15.28	44.28			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


5985MHz_TX

EUT_V_2TX
Setting 20
05-L-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.97063G	44.71	74.00	-29.29	39.21	3	Horizontal	49	2.69	-	38.74	12.11	45.35			
AV	11.98389G	32.93	54.00	-21.07	27.40	3	Horizontal	49	2.69	-	38.77	12.12	45.36			
PK	17.96685G	52.21	74.00	-21.79	38.91	3	Horizontal	145	1.22	-	42.30	15.28	44.28			
AV	17.96919G	40.00	54.00	-14.00	26.68	3	Horizontal	145	1.22	-	42.32	15.28	44.28			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


5985MHz_TX

EUT_V_2TX
Setting 20
05-L-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.93787G	45.70	83.54	-37.84	37.01	1	Vertical	223	2.93	-	39.00	17.31	47.62			
AV	23.925G	33.64	63.54	-29.90	24.96	1	Vertical	223	2.93	-	39.00	17.31	47.63			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


5985MHz_TX

EUT_V_2TX
Setting 20
05-L-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.95362G	45.51	83.54	-38.03	36.80	1	Horizontal	167	1.19	-	39.01	17.32	47.62			
AV	23.92551G	33.82	63.54	-29.72	25.14	1	Horizontal	167	1.19	-	39.00	17.31	47.63			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


6225MHz_TX

EUT_V_2TX
Setting 19
05-L-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.44533G	47.16	74.00	-26.84	41.18	3	Vertical	133	2.15	-	38.99	12.59	45.60			
AV	12.44509G	34.95	54.00	-19.05	28.97	3	Vertical	133	2.15	-	38.99	12.59	45.60			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6225MHz_TX




EUT_V_2TX
Setting 19
05-L-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.44746G	46.86	74.00	-27.14	40.87	3	Horizontal	235	2.56	-	38.99	12.60	45.60			
AV	12.44504G	35.04	54.00	-18.96	29.06	3	Horizontal	235	2.56	-	38.99	12.59	45.60			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


6225MHz_TX

EUT_V_2TX
Setting 19
05-L-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.67595G	43.38	83.54	-40.16	38.71	1	Vertical	67	1.72	-	37.90	15.25	48.48			
AV	18.67773G	31.38	63.54	-32.16	26.71	1	Vertical	67	1.72	-	37.90	15.25	48.48			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6225MHz_TX




EUT V_2TX
Setting 19
05-L-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.67844G	43.65	83.54	-39.89	38.98	1	Horizontal	32	1.43	-	37.90	15.25	48.48			
AV	18.67922G	31.38	63.54	-32.16	26.71	1	Horizontal	32	1.43	-	37.90	15.25	48.48			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6385MHz_TX




EUT_V_2TX
Setting 18
05-L-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.76761G	49.33	88.20	-38.87	42.12	3	Vertical	117	1.76	-	39.61	12.93	45.33			
RMS	12.76886G	36.21	68.20	-31.99	29.00	3	Vertical	117	1.76	-	39.61	12.93	45.33			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6385MHz_TX




EUT_V_2TX
Setting 18
05-L-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.76926G	48.08	88.20	-40.12	40.86	3	Horizontal	161	2.14	-	39.62	12.93	45.33			
RMS	12.76894G	36.21	68.20	-31.99	29.00	3	Horizontal	161	2.14	-	39.61	12.93	45.33			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


6385MHz_TX

EUT_V_2TX
Setting 18
05-L-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.15825G	43.61	83.54	-39.93	39.22	1	Vertical	263	1.52	-	37.97	15.22	48.80			
AV	19.15093G	31.73	63.54	-31.81	27.31	1	Vertical	263	1.52	-	38.00	15.22	48.80			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


6385MHz_TX

EUT_V_2TX
Setting 18
05-L-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.15953G	44.10	83.54	-39.44	39.72	1	Horizontal	255	1.51	-	37.96	15.22	48.80			
AV	19.15269G	31.70	63.54	-31.84	27.29	1	Horizontal	255	1.51	-	37.99	15.22	48.80			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


6465MHz_TX

EUT_V_2TX
Setting 17
05-L-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.93242G	49.50	88.20	-38.70	41.59	3	Vertical	268	1.51	-	39.96	13.10	45.15			
RMS	12.92733G	36.90	68.20	-31.30	29.01	3	Vertical	268	1.51	-	39.95	13.09	45.15			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


6465MHz_TX

EUT_V_2TX
Setting 17
05-L-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.92761G	49.26	88.20	-38.94	41.36	3	Horizontal	213	2.61	-	39.96	13.09	45.15			
RMS	12.93026G	36.86	68.20	-31.34	28.95	3	Horizontal	213	2.61	-	39.96	13.10	45.15			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


6465MHz_TX

EUT V_2TX
Setting 17
05-L-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.39062G	45.04	83.54	-38.50	40.75	1	Vertical	12	1.92	-	37.88	15.21	48.80			
AV	19.39017G	32.47	63.54	-31.07	28.18	1	Vertical	12	1.92	-	37.88	15.21	48.80			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


6465MHz_TX

EUT_V_2TX
Setting 17
05-L-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.39733G	44.67	83.54	-38.87	40.37	1	Horizontal	170	1.68	-	37.89	15.21	48.80			
AV	19.39338G	32.50	63.54	-31.04	28.20	1	Horizontal	170	1.68	-	37.89	15.21	48.80			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6545MHz_TX




EUT_V_2TX
Setting 18
05-L-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.08637G	49.19	88.20	-39.01	41.06	3	Vertical	315	1.80	-	39.87	13.26	45.00			
RMS	13.08527G	37.26	68.20	-30.94	29.13	3	Vertical	315	1.80	-	39.87	13.26	45.00			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


6545MHz_TX

EUT_V_2TX
Setting 18
05-L-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.08768G	48.94	88.20	-39.26	40.80	3	Horizontal	299	1.47	-	39.88	13.26	45.00			
RMS	13.08505G	37.26	68.20	-30.94	29.13	3	Horizontal	299	1.47	-	39.87	13.26	45.00			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


6545MHz_TX

EUT_V_2TX
Setting 18
05-L-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.63344G	43.42	83.54	-40.12	39.33	1	Vertical	90	1.37	-	37.70	15.19	48.80			
AV	19.637G	31.50	63.54	-32.04	27.41	1	Vertical	90	1.37	-	37.70	15.19	48.80			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


6545MHz_TX

EUT_V_2TX
Setting 18
05-L-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.63572G	43.46	83.54	-40.08	39.37	1	Horizontal	198	1.45	-	37.70	15.19	48.80			
AV	19.63941G	31.51	63.54	-32.03	27.42	1	Horizontal	198	1.45	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


6625MHz_TX

EUT_V_2TX
Setting 18
05-L-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.24677G	49.31	88.20	-38.89	40.75	3	Vertical	145	1.48	-	40.00	13.43	44.87			
RMS	13.24959G	37.65	68.20	-30.55	29.09	3	Vertical	145	1.48	-	40.00	13.43	44.87			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_V_2TX
Setting 18
05-L-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.24903G	49.27	88.20	-38.93	40.71	3	Horizontal	129	1.59	-	40.00	13.43	44.87			
RMS	13.24882G	37.73	68.20	-30.47	29.17	3	Horizontal	129	1.59	-	40.00	13.43	44.87			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


6625MHz_TX

EUT_V_2TX
Setting 18
05-L-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.87305G	45.22	83.54	-38.32	41.14	1	Vertical	106	1.56	-	37.70	15.18	48.80			
AV	19.87227G	32.85	63.54	-30.69	28.77	1	Vertical	106	1.56	-	37.70	15.18	48.80			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


6625MHz_TX

EUT_V_2TX
Setting 18
05-L-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.87658G	44.19	83.54	-39.35	40.11	1	Horizontal	36	1.84	-	37.70	15.18	48.80			
AV	19.87692G	32.68	63.54	-30.86	28.60	1	Horizontal	36	1.84	-	37.70	15.18	48.80			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


6705MHz_TX

EUT_V_2TX
Setting 20
05-L-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.40664G	51.18	88.20	-37.02	41.99	3	Vertical	195	2.76	-	40.34	13.59	44.74			
RMS	13.41429G	39.11	68.20	-29.09	29.85	3	Vertical	195	2.76	-	40.39	13.60	44.73			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


6705MHz_TX

EUT_V_2TX
Setting 20
05-L-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.41138G	51.82	88.20	-36.38	42.58	3	Horizontal	24	1.80	-	40.37	13.60	44.73			
RMS	13.41454G	39.20	68.20	-29.00	29.94	3	Horizontal	24	1.80	-	40.39	13.60	44.73			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6705MHz_TX




EUT V_2TX
Setting 20
05-L-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.11911G	44.67	83.54	-38.87	40.38	1	Vertical	299	1.98	-	37.80	15.27	48.78			
AV	20.11982G	32.52	63.54	-31.02	28.23	1	Vertical	299	1.98	-	37.80	15.27	48.78			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


6705MHz_TX

EUT_V_2TX
Setting 20
05-L-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.11413G	44.21	83.54	-39.33	39.93	1	Horizontal	255	2.02	-	37.80	15.26	48.78			
AV	20.11754G	32.51	63.54	-31.03	28.22	1	Horizontal	255	2.02	-	37.80	15.27	48.78			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


6785MHz_TX

EUT_V_2TX
Setting 19
05-L-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.57176G	51.01	88.20	-37.19	41.05	3	Vertical	327	2.05	-	40.81	13.76	44.61			
RMS	13.56671G	39.30	68.20	-28.90	29.32	3	Vertical	327	2.05	-	40.83	13.76	44.61			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


6785MHz_TX

EUT_V_2TX
Setting 19
05-L-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.56853G	51.37	88.20	-36.83	41.39	3	Horizontal	112	2.19	-	40.83	13.76	44.61			
RMS	13.56702G	39.30	68.20	-28.90	29.32	3	Horizontal	112	2.19	-	40.83	13.76	44.61			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


6785MHz_TX

EUT_V_2TX
Setting 19
05-L-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.35856G	44.15	83.54	-39.39	39.54	1	Vertical	181	1.58	-	37.88	15.46	48.73			
AV	20.35838G	31.52	63.54	-32.02	26.91	1	Vertical	181	1.58	-	37.88	15.46	48.73			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


6785MHz_TX

EUT_V_2TX
Setting 19
05-L-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.35809G	43.27	83.54	-40.27	38.66	1	Horizontal	259	1.79	-	37.88	15.46	48.73			
AV	20.35157G	31.63	63.54	-31.91	27.00	1	Horizontal	259	1.79	-	37.90	15.46	48.73			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


6865MHz_TX

EUT_V_2TX
Setting 19
05-L-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.72746G	50.97	88.20	-37.23	41.04	3	Vertical	83	2.09	-	40.50	13.93	44.50			
RMS	13.72658G	39.19	68.20	-29.01	29.26	3	Vertical	83	2.09	-	40.50	13.93	44.50			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


6865MHz_TX

EUT_V_2TX
Setting 19
05-L-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.72902G	50.92	88.20	-37.28	40.99	3	Horizontal	293	1.77	-	40.50	13.93	44.50			
RMS	13.72598G	39.10	68.20	-29.10	29.17	3	Horizontal	293	1.77	-	40.50	13.93	44.50			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


6865MHz_TX

EUT_V_2TX
Setting 19
05-L-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.59138G	43.64	83.54	-39.90	38.79	1	Vertical	25	1.53	-	37.90	15.65	48.70			
AV	20.59355G	31.28	63.54	-32.26	26.43	1	Vertical	25	1.53	-	37.90	15.65	48.70			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


6865MHz_TX

EUT_V_2TX
Setting 19
05-L-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.59906G	44.09	83.54	-39.45	39.23	1	Horizontal	55	1.43	-	37.90	15.66	48.70			
AV	20.59925G	31.25	63.54	-32.29	26.39	1	Horizontal	55	1.43	-	37.90	15.66	48.70			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6945MHz_TX




EUT_V_2TX
Setting 21
05-L-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.88796G	58.50	88.20	-29.70	48.35	3	Vertical	40	1.80	-	40.45	14.09	44.39			
RMS	13.88831G	46.13	68.20	-22.07	35.98	3	Vertical	40	1.80	-	40.45	14.09	44.39			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


6945MHz_TX

EUT_V_2TX
Setting 21
05-L-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.8915G	59.75	88.20	-28.45	49.57	3	Horizontal	40	1.80	-	40.47	14.10	44.39			
RMS	13.88572G	46.13	68.20	-22.07	35.99	3	Horizontal	40	1.80	-	40.44	14.09	44.39			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


6945MHz_TX

EUT_V_2TX
Setting 21
05-L-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.83822G	42.85	83.54	-40.69	37.80	1	Vertical	47	1.80	-	37.90	15.85	48.70			
AV	20.8399G	31.27	63.54	-32.27	26.22	1	Vertical	47	1.80	-	37.90	15.85	48.70			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6945MHz_TX




EUT V_2TX
Setting 21
05-L-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.83324G	42.83	83.54	-40.71	37.78	1	Horizontal	337	1.42	-	37.90	15.85	48.70			
AV	20.83758G	31.10	63.54	-32.44	26.05	1	Horizontal	337	1.42	-	37.90	15.85	48.70			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

7025MHz_TX




EUT Y_2TX
Setting 21
05-L-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0352G	110.41	Inf	-Inf	100.09	3	Vertical	44.9	2.73	-	36.34	9.26	35.28			
RMS	7.0382G	99.83	Inf	-Inf	89.49	3	Vertical	44.9	2.73	-	36.35	9.26	35.27			
PK	7.1297G	63.53	88.20	-24.67	52.57	3	Vertical	44.9	2.73	-	36.78	9.28	35.10			
RMS	7.1414G	53.81	68.20	-14.39	42.75	3	Vertical	44.9	2.73	-	36.85	9.29	35.08			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

7025MHz_TX




EUT Y_2TX
Setting 21
05-L-A-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.0409G	106.76	Inf	-Inf	96.41	3	Horizontal	300	1.80	-	36.36	9.26	35.27			
RMS	7.0475G	98.13	Inf	-Inf	87.73	3	Horizontal	300	1.80	-	36.39	9.26	35.25			
PK	7.1252G	64.19	88.20	-24.01	53.27	3	Horizontal	300	1.80	-	36.75	9.28	35.11			
RMS	7.1297G	54.04	68.20	-14.16	43.08	3	Horizontal	300	1.80	-	36.78	9.28	35.10			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


7025MHz_TX

EUT_V_2TX
Setting 21
05-L-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.05008G	60.27	88.20	-27.93	50.04	3	Vertical	26	1.80	-	40.40	14.21	44.38			
RMS	14.05444G	45.30	68.20	-22.90	35.05	3	Vertical	26	1.80	-	40.42	14.21	44.38			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

7025MHz_TX




EUT_V_2TX
Setting 21
05-L-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.04979G	59.13	88.20	-29.07	48.90	3	Horizontal	317	1.74	-	40.40	14.21	44.38			
RMS	14.04534G	46.05	68.20	-22.15	35.80	3	Horizontal	317	1.74	-	40.41	14.21	44.37			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


7025MHz_TX

EUT V_2TX
Setting 21
05-L-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.0767G	42.56	83.54	-40.98	37.19	1	Vertical	77	1.79	-	38.00	16.05	48.68			
AV	21.0767G	30.98	63.54	-32.56	25.61	1	Vertical	77	1.79	-	38.00	16.05	48.68			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


7025MHz_TX

EUT_V_2TX
Setting 21
05-L-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.07804G	42.90	83.54	-40.64	37.53	1	Horizontal	40	1.86	-	38.00	16.05	48.68			
AV	21.0774G	30.98	63.54	-32.56	25.61	1	Horizontal	40	1.86	-	38.00	16.05	48.68			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6025MHz_TX

EUT_Y_2TX
Setting 23
02-R-J-10-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9122G	69.44	88.20	-18.76	58.00	3	Vertical	300	1.80	-	34.20	7.87	30.63			
AV	5.8906G	55.06	68.20	-13.14	43.68	3	Vertical	300	1.80	-	34.16	7.86	30.64			
PK	6.0994G	103.45	Inf	-Inf	91.59	3	Vertical	300	1.80	-	34.50	8.08	30.72			
AV	5.9698G	93.02	Inf	-Inf	81.49	3	Vertical	300	1.80	-	34.24	7.91	30.62			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6025MHz_TX

EUT_Y_2TX
Setting 23
02-R-J-10-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.8898G	72.83	88.20	-15.37	61.45	3	Horizontal	39	1.94	-	34.16	7.86	30.64			
AV	5.9186G	54.94	68.20	-13.26	43.49	3	Horizontal	39	1.94	-	34.20	7.88	30.63			
PK	6.0762G	104.95	Inf	-Inf	93.19	3	Horizontal	39	1.94	-	34.40	8.05	30.69			
AV	6.0754G	96.04	Inf	-Inf	84.28	3	Horizontal	39	1.94	-	34.40	8.05	30.69			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6025MHz_TX

EUT_Y_2TX
Setting 23
02-R-J-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.04615G	44.73	74.00	-29.27	39.04	3	Vertical	12	2.68	-	38.89	12.18	45.38			
AV	12.04523G	32.99	54.00	-21.01	27.30	3	Vertical	12	2.68	-	38.89	12.18	45.38			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6025MHz_TX

EUT_Y_2TX
Setting 23
02-R-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.04882G	45.13	74.00	-28.87	39.44	3	Horizontal	168	3.00	-	38.90	12.18	45.39			
AV	12.04507G	32.99	54.00	-21.01	27.30	3	Horizontal	168	3.00	-	38.89	12.18	45.38			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6025MHz_TX

EUT_Y_2TX
Setting 23
02-R-J-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07093G	43.48	83.54	-40.06	38.87	1	Vertical	63	1.78	-	37.53	15.29	48.21			
AV	18.07923G	31.90	63.54	-31.64	27.25	1	Vertical	63	1.78	-	37.58	15.29	48.22			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6025MHz_TX

EUT_Y_2TX
Setting 23
02-R-J-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.0733G	43.54	83.54	-40.00	38.92	1	Horizontal	204	1.68	-	37.54	15.29	48.21			
AV	18.0792G	31.90	63.54	-31.64	27.25	1	Horizontal	204	1.68	-	37.58	15.29	48.22			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6185MHz_TX

EUT_V_4TX
Setting 23
02-R-J-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.36548G	47.33	74.00	-26.67	41.48	3	Vertical	141	2.45	-	38.90	12.51	45.56			
AV	12.36502G	34.88	54.00	-19.12	29.03	3	Vertical	141	2.45	-	38.90	12.51	45.56			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6185MHz_TX

EUT_V_4TX
Setting 23
02-R-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.36888G	45.28	74.00	-28.72	39.43	3	Horizontal	330	2.70	-	38.90	12.51	45.56			
AV	12.36509G	33.76	54.00	-20.24	27.91	3	Horizontal	330	2.70	-	38.90	12.51	45.56			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6185MHz_TX

EUT_Y_2TX
Setting 23
02-R-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.55074G	44.13	83.54	-39.41	39.42	1	Vertical	354	1.42	-	37.80	15.26	48.35			
AV	18.55452G	31.78	63.54	-31.76	27.07	1	Vertical	354	1.42	-	37.80	15.26	48.35			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6185MHz_TX

EUT_Y_2TX
Setting 23
02-R-J-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.5554G	44.52	83.54	-39.02	39.82	1	Horizontal	49	1.61	-	37.80	15.26	48.36			
AV	18.55788G	31.73	63.54	-31.81	27.03	1	Horizontal	49	1.61	-	37.80	15.26	48.36			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6345MHz_TX

EUT_V_4TX
Setting 23
02-R-J-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.68704G	48.45	74.00	-25.55	28.92	3	Vertical	122	1.61	-	38.70	11.98	31.15			
AV	12.68578G	36.40	54.00	-17.60	16.87	3	Vertical	122	1.61	-	38.70	11.98	31.15			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6345MHz_TX

EUT_V_4TX
Setting 23
02-R-J-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.68974G	48.90	74.00	-25.10	29.37	3	Horizontal	68	2.17	-	38.70	11.98	31.15			
AV	12.69271G	36.23	54.00	-17.77	16.70	3	Horizontal	68	2.17	-	38.70	11.98	31.15			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6345MHz_TX

EUT_Y_2TX
Setting 23
02-R-J-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.03845G	43.79	83.54	-39.75	39.44	1	Vertical	59	1.53	-	37.92	15.23	48.80			
AV	19.03757G	32.04	63.54	-31.50	27.69	1	Vertical	59	1.53	-	37.92	15.23	48.80			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6345MHz_TX

EUT_Y_2TX
Setting 23
02-R-J-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.03871G	43.69	83.54	-39.85	39.34	1	Horizontal	88	1.88	-	37.92	15.23	48.80			
AV	19.03952G	32.06	63.54	-31.48	27.71	1	Horizontal	88	1.88	-	37.92	15.23	48.80			

6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6505MHz_TX

EUT_V_4TX
Setting 23
02-R-J-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.00843G	49.99	88.20	-38.21	41.90	3	Vertical	102	2.26	-	39.97	13.18	45.06			
RMS	13.00751G	37.64	88.20	-50.56	29.55	3	Vertical	102	2.26	-	39.97	13.18	45.06			

6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6505MHz_TX

EUT_V_4TX
Setting 23
02-R-J-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.00651G	49.30	88.20	-38.90	41.21	3	Horizontal	55	1.13	-	39.97	13.18	45.06			
RMS	13.00714G	37.72	88.20	-50.48	29.63	3	Horizontal	55	1.13	-	39.97	13.18	45.06			

6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6505MHz_TX

EUT_Y_2TX
Setting 23
02-R-J-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.51256G	44.33	83.54	-39.21	40.16	1	Vertical	309	1.38	-	37.77	15.20	48.80			
AV	19.51632G	31.81	63.54	-31.73	27.64	1	Vertical	309	1.38	-	37.77	15.20	48.80			

6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6505MHz_TX

EUT_Y_2TX
Setting 23
02-R-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.51807G	44.40	83.54	-39.14	40.24	1	Horizontal	191	2.04	-	37.76	15.20	48.80			
AV	19.51352G	31.83	63.54	-31.71	27.66	1	Horizontal	191	2.04	-	37.77	15.20	48.80			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6665MHz_TX

EUT_Y_4TX
Setting 23
02-R-J-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.33152G	51.08	74.00	-22.92	30.44	3	Vertical	305	1.88	-	40.16	11.88	31.40			
AV	13.33464G	38.75	54.00	-15.25	18.10	3	Vertical	305	1.88	-	40.17	11.88	31.40			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6665MHz_TX

EUT_V_4TX
Setting 23
02-R-J-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.33358G	50.68	74.00	-23.32	30.03	3	Horizontal	217	1.71	-	40.17	11.88	31.40			
AV	13.33428G	38.75	54.00	-15.25	18.10	3	Horizontal	217	1.71	-	40.17	11.88	31.40			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6665MHz_TX

EUT_Y_2TX
Setting 23
02-R-J-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.99846G	43.90	83.54	-39.64	39.83	1	Vertical	5	1.87	-	37.70	15.17	48.80			
AV	19.99476G	31.67	63.54	-31.87	27.59	1	Vertical	5	1.87	-	37.71	15.17	48.80			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6665MHz_TX

EUT_Y_2TX
Setting 23
02-R-J-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.99385G	43.67	83.54	-39.87	39.59	1	Horizontal	43	1.94	-	37.71	15.17	48.80			
AV	19.99154G	31.69	63.54	-31.85	27.60	1	Horizontal	43	1.94	-	37.72	15.17	48.80			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6825MHz_TX

EUT_V_4TX
Setting 23
02-R-J-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.64628G	50.85	88.20	-37.35	29.90	3	Vertical	88	1.33	-	40.69	11.83	31.57			
RMS	13.65173G	39.04	88.20	-49.16	18.07	3	Vertical	88	1.33	-	40.71	11.83	31.57			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6825MHz_TX




EUT_V_4TX
Setting 23
02-R-J-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.65226G	50.48	88.20	-37.72	29.51	3	Horizontal	233	1.79	-	40.71	11.83	31.57			
RMS	13.65265G	39.13	88.20	-49.07	18.16	3	Horizontal	233	1.79	-	40.71	11.83	31.57			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6825MHz_TX

EUT_Y_2TX
Setting 23
02-R-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.47389G	42.75	83.54	-40.79	38.00	1	Vertical	241	2.06	-	37.90	15.56	48.71			
AV	20.47807G	30.83	63.54	-32.71	26.07	1	Vertical	241	2.06	-	37.90	15.56	48.70			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6825MHz_TX

EUT_Y_2TX
Setting 23
02-R-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.4764G	43.02	83.54	-40.52	38.26	1	Horizontal	231	1.86	-	37.90	15.56	48.70			
AV	20.47167G	30.77	63.54	-32.77	26.03	1	Horizontal	231	1.86	-	37.90	15.55	48.71			

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6985MHz_TX




EUT_Y_4TX
Setting 23
02-R-J-10-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.9346G	104.57	Inf	-Inf	91.74	3	Vertical	295	1.04	-	35.30	8.91	31.38			
AV	6.9714G	94.54	Inf	-Inf	81.75	3	Vertical	295	1.04	-	35.30	8.89	31.40			
PK	7.1394G	69.12	88.20	-19.08	55.68	3	Vertical	295	1.04	-	35.64	9.22	31.42			
AV	7.133G	57.71	68.20	-10.49	44.32	3	Vertical	295	1.04	-	35.60	9.21	31.42			
PK	7.2922G	64.15	74.00	-9.85	49.84	3	Vertical	295	1.04	-	36.37	9.37	31.43			
AV	7.3506G	52.89	54.00	-1.11	38.35	3	Vertical	295	1.04	-	36.60	9.37	31.43			

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6985MHz_TX




EUT_Y_4TX
Setting 23
02-R-J-10-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9994G	103.22	Inf	-Inf	90.46	3	Horizontal	44	2.78	-	35.30	8.88	31.42
AV	6.9074G	93.08	Inf	-Inf	80.22	3	Horizontal	44	2.78	-	35.30	8.93	31.37
PK	7.1274G	83.25	88.20	-4.95	69.92	3	Horizontal	44	2.78	-	35.56	9.19	31.42
AV	7.129G	61.50	68.20	-6.70	48.15	3	Horizontal	44	2.78	-	35.57	9.20	31.42
PK	7.3498G	64.66	74.00	-9.34	50.12	3	Horizontal	44	2.78	-	36.60	9.37	31.43
AV	7.377G	52.95	54.00	-1.05	38.41	3	Horizontal	44	2.78	-	36.60	9.37	31.43

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6985MHz_TX

EUT_V_4TX
Setting 23
02-R-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.96682G	52.38	88.20	-35.82	42.03	3	Vertical	225	2.67	-	40.50	14.18	44.33			
RMS	13.97149G	40.56	88.20	-47.64	30.21	3	Vertical	225	2.67	-	40.50	14.18	44.33			

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6985MHz_TX

EUT_V_4TX
Setting 23
02-R-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.97121G	52.48	88.20	-35.72	42.13	3	Horizontal	141	2.79	-	40.50	14.18	44.33			
RMS	13.96828G	40.39	88.20	-47.81	30.04	3	Horizontal	141	2.79	-	40.50	14.18	44.33			

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6985MHz_TX

EUT_Y_2TX
Setting 23
02-R-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.95255G	43.06	83.54	-40.48	37.90	1	Vertical	52	1.54	-	37.91	15.95	48.70			
AV	20.95361G	31.29	63.54	-32.25	26.13	1	Vertical	52	1.54	-	37.91	15.95	48.70			

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6985MHz_TX

EUT_Y_2TX
Setting 23
02-R-J-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.957G	43.04	83.54	-40.50	37.88	1	Horizontal	181	2.04	-	37.91	15.95	48.70			
AV	20.95385G	31.13	63.54	-32.41	25.97	1	Horizontal	181	2.04	-	37.91	15.95	48.70			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX


6105MHz_TX

EUT_Y_2TX
Setting 23
02-R-J-10-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.925G	67.92	88.20	-20.28	60.69	3	Vertical	295	1.59	-	34.30	8.51	35.58			
RMS	5.8998G	50.87	68.20	-17.33	43.65	3	Vertical	295	1.59	-	34.30	8.49	35.57			
PK	6.1542G	99.64	Inf	-Inf	92.04	3	Vertical	295	1.59	-	34.31	8.60	35.31			
AV	5.9694G	88.82	Inf	-Inf	81.63	3	Vertical	295	1.59	-	34.26	8.53	35.60			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX


6105MHz_TX

EUT_Y_2TX
Setting 23
02-R-J-10-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9238G	65.46	88.20	-22.74	58.23	3	Horizontal	53	1.80	-	34.30	8.51	35.58			
RMS	5.925G	50.04	68.20	-18.16	42.81	3	Horizontal	53	1.80	-	34.30	8.51	35.58			
PK	6.1422G	98.76	Inf	-Inf	91.21	3	Horizontal	53	1.80	-	34.28	8.60	35.33			
AV	5.9682G	95.82	Inf	-Inf	88.63	3	Horizontal	53	1.80	-	34.26	8.53	35.60			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX


6105MHz_TX

EUT_Y_2TX
Setting 23
02-R-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.20661G	46.18	74.00	-27.82	40.21	3	Vertical	96	1.09	-	39.10	12.34	45.47			
AV	12.20988G	34.53	54.00	-19.47	28.55	3	Vertical	96	1.09	-	39.10	12.35	45.47			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX


6105MHz_TX

EUT_Y_4TX
Setting 23
02-R-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.20838G	46.39	74.00	-27.61	40.41	3	Horizontal	23	1.80	-	39.10	12.35	45.47			
AV	12.20988G	34.44	54.00	-19.56	28.46	3	Horizontal	23	1.80	-	39.10	12.35	45.47			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX


6105MHz_TX

EUT_V_4TX
Setting 23
02-R-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.31097G	44.19	83.54	-39.35	39.56	1	Vertical	60	1.72	-	37.62	15.27	48.26			
AV	18.31878G	31.85	63.54	-31.69	27.20	1	Vertical	60	1.72	-	37.64	15.27	48.26			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX


6105MHz_TX

EUT_V_4TX
Setting 23
02-R-J-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.31625G	43.89	83.54	-39.65	39.25	1	Horizontal	336	1.79	-	37.63	15.27	48.26			
AV	18.3181G	31.84	63.54	-31.70	27.19	1	Horizontal	336	1.79	-	37.64	15.27	48.26			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX


6265MHz_TX

EUT_Y_2TX
Setting 23
02-R-J-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.53774G	47.37	74.00	-26.63	41.17	3	Vertical	145	2.88	-	39.10	12.69	45.59			
AV	12.51611G	35.38	54.00	-18.62	29.22	3	Vertical	145	2.88	-	39.10	12.67	45.61			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX


6265MHz_TX

EUT_Y_4TX
Setting 23
02-R-J-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.51905G	47.28	74.00	-26.72	41.12	3	Horizontal	96	1.63	-	39.10	12.67	45.61			
AV	12.51701G	35.39	54.00	-18.61	29.23	3	Horizontal	96	1.63	-	39.10	12.67	45.61			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX


6265MHz_TX

EUT_V_4TX
Setting 23
02-R-J-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.79418G	43.51	83.54	-40.03	38.96	1	Vertical	283	1.48	-	37.90	15.24	48.59			
AV	18.79801G	31.89	63.54	-31.65	27.35	1	Vertical	283	1.48	-	37.90	15.24	48.60			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX


6265MHz_TX

EUT_V_4TX
Setting 23
02-R-J-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.79109G	43.79	83.54	-39.75	39.24	1	Horizontal	233	1.71	-	37.90	15.24	48.59			
AV	18.7953G	31.76	63.54	-31.78	27.22	1	Horizontal	233	1.71	-	37.90	15.24	48.60			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX


6425MHz_TX

EUT_Y_4TX
Setting 23
02-R-J-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.86314G	49.58	88.20	-38.62	29.80	3	Vertical	168	1.63	-	39.03	11.95	31.20			
RMS	12.86296G	37.55	88.20	-50.65	17.77	3	Vertical	168	1.63	-	39.03	11.95	31.20			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX


6425MHz_TX

EUT_Y_4TX
Setting 23
02-R-J-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.844G	49.79	88.20	-38.41	30.05	3	Horizontal	222	1.63	-	38.99	11.95	31.20			
RMS	12.86329G	37.46	88.20	-50.74	17.68	3	Horizontal	222	1.63	-	39.03	11.95	31.20			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX


6425MHz_TX

EUT_V_4TX
Setting 23
02-R-J-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.27694G	43.67	83.54	-39.87	39.37	1	Vertical	54	1.41	-	37.89	15.21	48.80			
AV	19.27733G	31.38	63.54	-32.16	27.08	1	Vertical	54	1.41	-	37.89	15.21	48.80			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX


6425MHz_TX

EUT_V_4TX
Setting 23
02-R-J-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.27455G	43.41	83.54	-40.13	39.10	1	Horizontal	35	1.49	-	37.90	15.21	48.80			
AV	19.27637G	31.39	63.54	-32.15	27.09	1	Horizontal	35	1.49	-	37.89	15.21	48.80			

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX


6585MHz_TX

EUT_V_4TX
Setting 23
02-R-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.16193G	49.40	88.20	-38.80	40.92	3	Vertical	354	2.64	-	40.08	13.34	44.94			
RMS	13.15791G	37.21	88.20	-50.99	28.74	3	Vertical	354	2.64	-	40.08	13.33	44.94			

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX


6585MHz_TX

EUT_V_4TX
Setting 23
02-R-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.17354G	49.99	88.20	-38.21	41.52	3	Horizontal	296	1.82	-	40.05	13.35	44.93			
RMS	13.15863G	37.31	88.20	-50.89	28.84	3	Horizontal	296	1.82	-	40.08	13.33	44.94			

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX


6585MHz_TX

EUT_V_4TX
Setting 23
02-R-J-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.75612G	44.98	83.54	-38.56	40.90	1	Vertical	222	1.85	-	37.70	15.18	48.80			
AV	19.75321G	32.07	63.54	-31.47	27.99	1	Vertical	222	1.85	-	37.70	15.18	48.80			

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX


6585MHz_TX

EUT_V_4TX
Setting 23
02-R-J-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.75051G	44.41	83.54	-39.13	40.33	1	Horizontal	68	1.96	-	37.70	15.18	48.80			
AV	19.75361G	32.08	63.54	-31.46	28.00	1	Horizontal	68	1.96	-	37.70	15.18	48.80			

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX


6745MHz_TX

EUT_Y_2TX
Setting 23
02-R-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.50365G	51.06	88.20	-37.14	41.32	3	Vertical	275	2.36	-	40.71	13.69	44.66			
RMS	13.50155G	39.51	88.20	-48.69	29.77	3	Vertical	275	2.36	-	40.71	13.69	44.66			

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX


6745MHz_TX

EUT_V_4TX
Setting 23
02-R-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.4984G	52.27	88.20	-35.93	42.54	3	Horizontal	288	2.11	-	40.70	13.69	44.66			
RMS	13.49813G	39.35	88.20	-48.85	29.62	3	Horizontal	288	2.11	-	40.70	13.69	44.66			

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX


6745MHz_TX

EUT_Y_4TX
Setting 23
02-R-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.23713G	44.49	83.54	-39.05	40.08	1	Vertical	197	1.93	-	37.80	15.36	48.75			
AV	20.23095G	31.89	63.54	-31.65	27.48	1	Vertical	197	1.93	-	37.80	15.36	48.75			

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX


6745MHz_TX

EUT_Y_4TX
Setting 23
02-R-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.23391G	44.31	83.54	-39.23	39.90	1	Horizontal	120	1.91	-	37.80	15.36	48.75			
AV	20.23461G	31.87	63.54	-31.67	27.46	1	Horizontal	120	1.91	-	37.80	15.36	48.75			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX


6905MHz_TX

EUT_Y_4TX
Setting 23
02-R-J-10-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.8666G	102.02	Inf	-Inf	89.12	3	Vertical	291	1.77	-	35.30	8.95	31.35			
RMS	6.8618G	91.61	Inf	-Inf	78.70	3	Vertical	291	1.77	-	35.30	8.95	31.34			
PK	7.373G	64.22	74.00	-9.78	49.68	3	Vertical	291	1.77	-	36.60	9.37	31.43			
RMS	7.3982G	52.54	54.00	-1.46	38.00	3	Vertical	291	1.77	-	36.60	9.37	31.43			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX


6905MHz_TX

EUT_Y_4TX
Setting 23
02-R-J-10-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.8666G	102.02	Inf	-Inf	89.12	3	Vertical	291	1.77	-	35.30	8.95	31.35			
RMS	6.8618G	91.61	Inf	-Inf	78.70	3	Vertical	291	1.77	-	35.30	8.95	31.34			
PK	7.373G	64.22	74.00	-9.78	49.68	3	Vertical	291	1.77	-	36.60	9.37	31.43			
RMS	7.3982G	52.54	54.00	-1.46	38.00	3	Vertical	291	1.77	-	36.60	9.37	31.43			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX


6905MHz_TX

EUT_V_4TX
Setting 23
02-R-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.82086G	56.31	88.20	-31.89	35.09	3	Vertical	349	1.80	-	41.08	11.81	31.67			
RMS	13.82443G	42.77	88.20	-45.43	21.53	3	Vertical	349	1.80	-	41.10	11.81	31.67			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX


6905MHz_TX

EUT_V_4TX
Setting 23
02-R-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.82224G	62.20	88.20	-26.00	40.97	3	Horizontal	50	1.80	-	41.09	11.81	31.67			
RMS	13.82269G	46.35	88.20	-41.85	25.12	3	Horizontal	50	1.80	-	41.09	11.81	31.67			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX


6905MHz_TX

EUT_Y_4TX
Setting 23
02-R-J-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.71991G	44.96	83.54	-38.58	40.00	1	Vertical	297	1.73	-	37.90	15.76	48.70			
AV	20.71995G	37.75	63.54	-25.79	32.79	1	Vertical	297	1.73	-	37.90	15.76	48.70			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6905MHz_TX

EUT_Y_4TX
Setting 23
02-R-J-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.71972G	46.33	83.54	-37.21	41.37	1	Horizontal	310	1.51	-	37.90	15.76	48.70			
AV	20.71998G	37.61	63.54	-25.93	32.65	1	Horizontal	310	1.51	-	37.90	15.76	48.70			

5.925-6.425GHz_11a_Nss1,(6Mbps)_2TX

MASK

5955MHz_TX

21/01/2025

CF (Hz)
5.955G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.962173G	-3.67	5.96635G	-35.73	-23.75	-11.98	1
5.962548G	-3.47	5.966425G	-35.88	-23.61	-12.27	2

5.925-6.425GHz_11a_Nss1,(6Mbps)_2TX

MASK

6195MHz_TX

21/01/2025

CF (Hz)
6.195G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.198149G	-4.73	6.206525G	-36.71	-24.87	-11.84	1
6.199449G	-4.50	6.206475G	-36.37	-24.78	-11.59	2

5.925-6.425GHz_11a_Nss1,(6Mbps)_2TX

MASK

6415MHz_TX

21/01/2025




6.425-6.525GHz_11a_Nss1,(6Mbps)_2TX

MASK

6435MHz_TX

21/01/2025




6.425-6.525GHz_11a_Nss1,(6Mbps)_2TX

MASK

6475MHz_TX

21/01/2025




6.425-6.525GHz_11a_Nss1,(6Mbps)_2TX

MASK

6515MHz_TX

21/01/2025




6.525-6.875GHz_11a_Nss1,(6Mbps)_2TX

MASK

6535MHz_TX

21/01/2025

CF (Hz)
6.535G
Span (Hz)
100M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.528427G	-4.72	6.523825G	-36.25	-24.72	-11.53	1
6.542523G	-5.25	6.524G	-35.52	-24.55	-10.97	2


6.525-6.875GHz_11a_Nss1,(6Mbps)_2TX

MASK

6695MHz_TX

21/01/2025

CF (Hz)
6.695G
Span (Hz)
100M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.687852G	-4.98	6.68385G	-36.52	-24.98	-11.54	1
6.699424G	-5.07	6.683425G	-37.35	-25.08	-12.27	2

6.525-6.875GHz_11a_Nss1,(6Mbps)_2TX

MASK

6875MHz_TX

21/01/2025

CF (Hz)
6.875G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.870651G	-3.92	6.886325G	-35.87	-23.98	-11.89	1
6.869426G	-3.90	6.886275G	-35.42	-23.70	-11.72	2

6.875-7.125GHz_11a_Nss1,(6Mbps)_2TX

MASK

6895MHz_TX

21/01/2025

CF (Hz)
6.895G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.887552G	-1.81	6.906275G	-33.43	-22.00	-11.43	1
6.900299G	-2.65	6.86G	-54.24	-42.65	-11.59	2

6.875-7.125GHz_11a_Nss1,(6Mbps)_2TX

MASK

6995MHz_TX

21/01/2025




6.875-7.125GHz_11a_Nss1,(6Mbps)_2TX

MASK

7095MHz_TX

21/01/2025




6.875-7.125GHz_11a_Nss1,(6Mbps)_2TX

MASK

7115MHz_TX

21/01/2025




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

5955MHz_TX

21/01/2025




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6195MHz_TX

21/01/2025




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6415MHz_TX

21/01/2025




6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6435MHz_TX

21/01/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.428827G	-4.83	6.402275G	-60.11	-44.83	-15.28	1
6.429101G	-5.10	6.4465G	-39.35	-25.00	-14.35	2

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6475MHz_TX

21/01/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.467177G	-5.76	6.437075G	-61.14	-45.76	-15.38	1
6.478174G	-5.84	6.441825G	-60.14	-45.84	-14.30	2

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6515MHz_TX

21/01/2025




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6535MHz_TX

21/01/2025




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6695MHz_TX

21/01/2025




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6875MHz_TX

21/01/2025




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6895MHz_TX

21/01/2025




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6995MHz_TX

21/01/2025




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

7095MHz_TX

21/01/2025




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

7115MHz_TX

21/01/2025




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

5965MHz_TX

21/01/2025




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6205MHz_TX

21/01/2025




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6405MHz_TX

21/01/2025




6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6445MHz_TX

21/01/2025




6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6485MHz_TX

21/01/2025




6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6525MHz_TX

21/01/2025




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6565MHz_TX

21/01/2025




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6685MHz_TX

21/01/2025




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6885MHz_TX

21/01/2025




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6925MHz_TX

21/01/2025




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

7005MHz_TX

21/01/2025




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

7085MHz_TX

21/01/2025




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

5985MHz_TX

21/01/2025




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6225MHz_TX

21/01/2025




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6385MHz_TX

21/01/2025




6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6465MHz_TX

21/01/2025




6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6545MHz_TX

21/01/2025




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6625MHz_TX

21/01/2025



6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6705MHz_TX

21/01/2025

CF (Hz)
6.705G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.67951G	0.85	6.5753G	-52.29	-39.15	-13.14	1
6.7223G	0.75	6.8543G	-52.75	-39.25	-13.50	2

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6785MHz_TX

21/01/2025

CF (Hz)
6.785G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.7772G	2.44	6.6428G	-50.58	-37.56	-13.02	1
6.82169G	2.45	6.6398G	-49.69	-37.55	-12.14	2

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6865MHz_TX

21/01/2025




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6945MHz_TX

21/01/2025



6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

7025MHz_TX

21/01/2025

CF (Hz)
7.025G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.98941G	1.64	6.878G	-50.79	-38.36	-12.43	1
6.98831G	1.29	6.8874G	-50.19	-38.71	-11.48	2

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6025MHz_TX

21/01/2025

CF (Hz)
6.025G


Span (Hz)
800M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.09418G	3.45	6.2632G	-41.40	-35.20	-6.20	1
6.10178G	3.43	6.2906G	-38.14	-36.57	-1.57	2

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6185MHz_TX

26/05/2025




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6345MHz_TX

21/01/2025




6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6505MHz_TX

21/01/2025




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6665MHz_TX

21/01/2025




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6825MHz_TX

21/01/2025

CF (Hz)
6.825G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8444G	4.99	6.552G	-39.41	-35.01	-4.40	1
6.88159G	4.64	6.5624G	-35.91	-35.36	-0.55	2


6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6985MHz_TX

21/01/2025

CF (Hz)
6.985G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.95301G	2.79	6.728G	-39.57	-37.15	-2.42	1
6.92382G	3.08	6.6892G	-42.24	-36.92	-5.32	2

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

MASK

6105MHz_TX

26/05/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.13419G	7.37	6.3758G	-16.32	-12.73	-3.59	1
6.12619G	7.50	6.4094G	-16.93	-14.02	-2.91	2

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

MASK

6265MHz_TX

26/05/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.35778G	6.51	7.009G	-37.11	-32.72	-4.39	1
6.12703G	6.63	5.977G	-19.36	-14.16	-5.20	2

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

MASK

6425MHz_TX

21/01/2025




6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_2TX

MASK

6585MHz_TX

21/01/2025



6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_2TX

MASK

6745MHz_TX

21/01/2025

CF (Hz)
6.745G


Span (Hz)
1.6G

RBW (Hz)
5M

VBW (Hz)
10M

Sweep Time (s)
6.4m

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.63703G	7.05	6.1242G	-33.70	-29.20	-4.50	1
6.86217G	7.44	6.9986G	-19.10	-12.59	-6.51	2

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX

MASK

6905MHz_TX

26/05/2025

CF (Hz)
6.905G


Span (Hz)
1.6G

RBW (Hz)
5M

VBW (Hz)
10M

Sweep Time (s)
6.4m

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.86221G	7.23	7.1638G	-19.32	-12.80	-6.52	1
6.84462G	7.33	7.1478G	-17.96	-13.28	-4.68	2

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

5955MHz_TX

11/02/2025

CF (Hz)
5.955G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.963048G	-6.67	6.0035G	-59.84	-46.67	-13.17	1
5.958599G	-6.95	5.9993G	-59.71	-46.95	-12.76	2

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6195MHz_TX

11/02/2025

CF (Hz)
6.195G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.199424G	-5.93	6.2296G	-58.64	-45.93	-12.71	1
6.203723G	-5.54	6.23945G	-58.60	-45.54	-13.06	2

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6415MHz_TX

11/02/2025




6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6435MHz_TX

11/02/2025




6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6475MHz_TX

11/02/2025




6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6515MHz_TX

11/02/2025




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6535MHz_TX

11/02/2025




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6695MHz_TX

11/02/2025




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6875MHz_TX

11/02/2025




6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6895MHz_TX

11/02/2025




6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6995MHz_TX

11/02/2025




6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

7095MHz_TX

11/02/2025




6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

7115MHz_TX

11/02/2025




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

5965MHz_TX

11/02/2025




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6205MHz_TX

11/02/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.217397G	0.13	6.27375G	-53.08	-39.87	-13.21	1
6.191603G	0.52	6.14195G	-51.42	-38.75	-12.67	2

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6405MHz_TX

11/02/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.397352G	-2.44	6.3378G	-54.25	-42.44	-11.81	1
6.423495G	-2.53	6.3121G	-54.58	-42.53	-12.05	2

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6445MHz_TX

11/02/2025



6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6485MHz_TX

11/02/2025

