


6.425-6.525GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_2TX

MASK

6525MHz\_TX

11/02/2025




6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_2TX

MASK

6565MHz\_TX

11/02/2025




6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_2TX

MASK

6685MHz\_TX

11/02/2025




6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_2TX

MASK

6685MHz\_TX

11/02/2025




6.875-7.125GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_2TX

MASK

6925MHz\_TX

11/02/2025




6.875-7.125GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_2TX

MASK

7005MHz\_TX

11/02/2025




6.875-7.125GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_2TX

MASK

7085MHz\_TX

11/02/2025




5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_2TX

MASK

5985MHz\_TX

11/02/2025




5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_2TX

MASK

6225MHz\_TX

11/02/2025




5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_2TX

MASK

6385MHz\_TX

11/02/2025




6.425-6.525GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_2TX

MASK

6465MHz\_TX

11/02/2025




6.425-6.525GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_2TX

MASK

6545MHz\_TX

11/02/2025




6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_2TX

MASK

6625MHz\_TX

11/02/2025




6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_2TX

MASK

6705MHz\_TX

11/02/2025




6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_2TX

MASK

6785MHz\_TX

11/02/2025




6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_2TX

MASK

6865MHz\_TX

11/02/2025






6.875-7.125GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_2TX

MASK

6945MHz\_TX

11/02/2025




6.875-7.125GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_2TX

MASK

7025MHz\_TX

11/02/2025




5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_2TX

MASK

6025MHz\_TX

11/02/2025

CF (Hz)  
6.025G  
Span (Hz)  
800M  
RBW (Hz)  
2M  
VBW (Hz)  
10M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS



| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.07499G | 0.78     | 6.3852G  | -47.92     | -39.22     | -8.70      | 1    |
| 6.08199G | 0.66     | 6.2848G  | -47.75     | -39.34     | -8.41      | 2    |


5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_2TX

MASK

6185MHz\_TX

11/02/2025

CF (Hz)  
6.185G  
Span (Hz)  
800M  
RBW (Hz)  
2M  
VBW (Hz)  
10M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS




| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.25118G | 1.76     | 6.3284G  | -30.91     | -23.83     | -7.08      | 1    |
| 6.12681G | 1.47     | 6.4304G  | -45.43     | -38.32     | -7.11      | 2    |

5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_2TX

MASK

6345MHz\_TX

11/02/2025




6.425-6.525GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_2TX

MASK

6505MHz\_TX

11/02/2025




6.525-6.875GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_2TX

MASK

6665MHz\_TX

11/02/2025




| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.60821G | 1.02     | 6.4088G  | -46.13     | -38.98     | -7.15      | 1    |
| 6.60282G | 1.72     | 6.4086G  | -45.29     | -38.28     | -7.01      | 2    |

6.525-6.875GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_2TX

MASK

6825MHz\_TX

11/02/2025



| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.78261G | 1.71     | 6.5798G  | -44.65     | -36.94     | -7.71      | 1    |
| 6.85939G | 2.21     | 6.5478G  | -46.69     | -37.79     | -8.90      | 2    |


6.875-7.125GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_2TX

MASK

6985MHz\_TX

11/02/2025

CF (Hz)  
6.985G  
Span (Hz)  
800M  
RBW (Hz)  
2M  
VBW (Hz)  
10M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS



| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.91122G | 0.57     | 6.6336G  | -47.78     | -39.43     | -8.35      | 1    |
| 6.91642G | 1.61     | 6.6404G  | -47.84     | -38.39     | -9.45      | 2    |


5.925-6.425GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_2TX

MASK

6105MHz\_TX

26/05/2025

CF (Hz)  
6.105G  
Span (Hz)  
1.6G  
RBW (Hz)  
5M  
VBW (Hz)  
10M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS




| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.1174G  | 6.67     | 6.6338G  | -39.51     | -33.33     | -6.18      | 1    |
| 6.13979G | 5.87     | 6.5842G  | -40.35     | -33.45     | -6.90      | 2    |

5.925-6.425GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_2TX

MASK

6265MHz\_TX

26/05/2025




| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.13463G | 3.51     | 6.7598G  | -38.19     | -36.49     | -1.70      | 1    |
| 6.16463G | 2.85     | 6.7586G  | -38.98     | -37.15     | -1.83      | 2    |

5.925-6.425GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_2TX

MASK

6425MHz\_TX

26/05/2025




| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.48898G | 1.30     | 6.9622G  | -42.79     | -38.70     | -4.09      | 1    |
| 6.48738G | 1.54     | 6.9234G  | -42.66     | -38.46     | -4.20      | 2    |

6.425-6.525GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_2TX

MASK

6585MHz\_TX

26/05/2025




| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.49022G | 3.04     | 6.1022G  | -39.03     | -36.55     | -2.48      | 1    |
| 6.48542G | 3.46     | 6.1042G  | -38.50     | -36.17     | -2.33      | 2    |

6.425-6.525GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_2TX

MASK

6745MHz\_TX

26/05/2025



| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.84138G | 1.59     | 6.1794G  | -42.40     | -38.41     | -3.99      | 1    |
| 6.88177G | 1.79     | 6.1722G  | -41.68     | -38.21     | -3.47      | 2    |

6.525-6.875GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_2TX

MASK

6905MHz\_TX

26/05/2025

CF (Hz)  
6.905G


Span (Hz)  
1.6G

RBW (Hz)  
5M

VBW (Hz)  
10M

Sweep Time (s)  
6.4m

Detector Type  
RMS



| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.84062G | 1.46     | 6.3966G  | -43.96     | -38.54     | -5.42      | 1    |
| 6.85701G | 1.66     | 6.4166G  | -43.57     | -38.15     | -5.42      | 2    |



| Contention Based Protocol Threshold Level 802.11be EHT20 |         |                 |                 |                              |      |            |                           |                |                      |                       |
|----------------------------------------------------------|---------|-----------------|-----------------|------------------------------|------|------------|---------------------------|----------------|----------------------|-----------------------|
| UNII Band                                                | Channel | Bandwidth (MHz) | Frequency (MHz) | Interference frequency (MHz) |      | EUT Status | Injected AWGN Power (dBm) | Ant Gain (dBi) | Detection Power(dBm) | Detection Limit (dBm) |
| 5                                                        | 53      | 20              | 6215            | Center                       | 6215 | OFF        | -68.10                    | 4.90           | -73.00               | ≤ -62                 |
|                                                          |         |                 |                 |                              |      | Minimal    | -69.10                    | 4.90           | -74.00               | ≤ -62                 |
|                                                          |         |                 |                 |                              |      | ON         | -77.10                    | 4.90           | -82.00               | ≤ -62                 |
| 6                                                        | 101     | 20              | 6455            | Center                       | 6455 | OFF        | -71.10                    | 4.90           | -76.00               | ≤ -62                 |
|                                                          |         |                 |                 |                              |      | Minimal    | -72.10                    | 4.90           | -77.00               | ≤ -62                 |
|                                                          |         |                 |                 |                              |      | ON         | -77.10                    | 4.90           | -82.00               | ≤ -62                 |
| 7                                                        | 149     | 20              | 6695            | Center                       | 6695 | OFF        | -66.10                    | 4.90           | -71.00               | ≤ -62                 |
|                                                          |         |                 |                 |                              |      | Minimal    | -67.10                    | 4.90           | -72.00               | ≤ -62                 |
|                                                          |         |                 |                 |                              |      | ON         | -77.10                    | 4.90           | -82.00               | ≤ -62                 |
| 8                                                        | 213     | 20              | 7015            | Center                       | 7015 | OFF        | -69.10                    | 4.90           | -74.00               | ≤ -62                 |
|                                                          |         |                 |                 |                              |      | Minimal    | -70.10                    | 4.90           | -75.00               | ≤ -62                 |
|                                                          |         |                 |                 |                              |      | ON         | -77.10                    | 4.90           | -82.00               | ≤ -62                 |

| Contention Based Protocol Threshold Level 802.11be EHT320 |         |                 |                 |                              |      |            |                           |                |                      |                       |
|-----------------------------------------------------------|---------|-----------------|-----------------|------------------------------|------|------------|---------------------------|----------------|----------------------|-----------------------|
| UNII Band                                                 | Channel | Bandwidth (MHz) | Frequency (MHz) | Interference frequency (MHz) |      | EUT Status | Injected AWGN Power (dBm) | Ant Gain (dBi) | Detection Power(dBm) | Detection Limit (dBm) |
| 5                                                         | 31      | 320             | 6105            | Low edge                     | 5950 | OFF        | -71.10                    | 4.90           | -76.00               | ≤ -62                 |
|                                                           |         |                 |                 |                              |      | Minimal    | -71.20                    | 4.90           | -76.10               | ≤ -62                 |
|                                                           |         |                 |                 |                              |      | ON         | -77.10                    | 4.90           | -82.00               | ≤ -62                 |
|                                                           |         |                 |                 | Center                       | 6105 | OFF        | -65.10                    | 4.90           | -70.00               | ≤ -62                 |
|                                                           |         |                 |                 |                              |      | Minimal    | -66.10                    | 4.90           | -71.00               | ≤ -62                 |
|                                                           |         |                 |                 |                              |      | ON         | -77.10                    | 4.90           | -82.00               | ≤ -62                 |
|                                                           |         |                 |                 | High edge                    | 6260 | OFF        | -67.10                    | 4.90           | -72.00               | ≤ -62                 |
|                                                           |         |                 |                 |                              |      | Minimal    | -68.10                    | 4.90           | -73.00               | ≤ -62                 |
|                                                           |         |                 |                 |                              |      | ON         | -77.10                    | 4.90           | -82.00               | ≤ -62                 |
| 5/6/7                                                     | 95      | 320             | 6425            | Low edge                     | 6270 | OFF        | -64.10                    | 4.90           | -69.00               | ≤ -62                 |
|                                                           |         |                 |                 |                              |      | Minimal    | -65.10                    | 4.90           | -70.00               | ≤ -62                 |
|                                                           |         |                 |                 |                              |      | ON         | -77.10                    | 4.90           | -82.00               | ≤ -62                 |
|                                                           |         |                 |                 | Center                       | 6425 | OFF        | -63.10                    | 4.90           | -68.00               | ≤ -62                 |
|                                                           |         |                 |                 |                              |      | Minimal    | -64.10                    | 4.90           | -69.00               | ≤ -62                 |
|                                                           |         |                 |                 |                              |      | ON         | -77.10                    | 4.90           | -82.00               | ≤ -62                 |
|                                                           |         |                 |                 | High edge                    | 6580 | OFF        | -67.10                    | 4.90           | -72.00               | ≤ -62                 |
|                                                           |         |                 |                 |                              |      | Minimal    | -68.10                    | 4.90           | -73.00               | ≤ -62                 |
|                                                           |         |                 |                 |                              |      | ON         | -77.10                    | 4.90           | -82.00               | ≤ -62                 |
| 7/8                                                       | 159     | 320             | 6745            | Low edge                     | 6590 | OFF        | -72.10                    | 4.90           | -77.00               | ≤ -62                 |
|                                                           |         |                 |                 |                              |      | Minimal    | -73.10                    | 4.90           | -78.00               | ≤ -62                 |
|                                                           |         |                 |                 |                              |      | ON         | -77.10                    | 4.90           | -82.00               | ≤ -62                 |
|                                                           |         |                 |                 | Center                       | 6745 | OFF        | -63.10                    | 4.90           | -68.00               | ≤ -62                 |
|                                                           |         |                 |                 |                              |      | Minimal    | -64.10                    | 4.90           | -69.00               | ≤ -62                 |
|                                                           |         |                 |                 |                              |      | ON         | -77.10                    | 4.90           | -82.00               | ≤ -62                 |
|                                                           |         |                 |                 | High edge                    | 6900 | OFF        | -70.10                    | 4.90           | -75.00               | ≤ -62                 |
|                                                           |         |                 |                 |                              |      | Minimal    | -71.10                    | 4.90           | -76.00               | ≤ -62                 |
|                                                           |         |                 |                 |                              |      | ON         | -77.10                    | 4.90           | -82.00               | ≤ -62                 |
| 7/8                                                       | 191     | 320             | 6905            | Low edge                     | 6750 | OFF        | -73.10                    | 4.90           | -78.00               | ≤ -62                 |
|                                                           |         |                 |                 |                              |      | Minimal    | -74.10                    | 4.90           | -79.00               | ≤ -62                 |
|                                                           |         |                 |                 |                              |      | ON         | -77.10                    | 4.90           | -82.00               | ≤ -62                 |
|                                                           |         |                 |                 | Center                       | 6905 | OFF        | -62.10                    | 4.90           | -67.00               | ≤ -62                 |
|                                                           |         |                 |                 |                              |      | Minimal    | -63.10                    | 4.90           | -68.00               | ≤ -62                 |
|                                                           |         |                 |                 |                              |      | ON         | -77.10                    | 4.90           | -82.00               | ≤ -62                 |
|                                                           |         |                 |                 | High edge                    | 7060 | OFF        | -67.10                    | 4.90           | -72.00               | ≤ -62                 |
|                                                           |         |                 |                 |                              |      | Minimal    | -68.10                    | 4.90           | -73.00               | ≤ -62                 |
|                                                           |         |                 |                 |                              |      | ON         | -77.10                    | 4.90           | -82.00               | ≤ -62                 |


| Contention Based protocol 802.11be EHT 20 |         |                 |                 |                              |      |                            |            |                                      |                           |           |             |
|-------------------------------------------|---------|-----------------|-----------------|------------------------------|------|----------------------------|------------|--------------------------------------|---------------------------|-----------|-------------|
| UNII Band                                 | Channel | Bandwidth (MHz) | Frequency (MHz) | Interference frequency (MHz) |      | AWGN Threshold Level (dBm) | EUT Status | Number of Detected (out of 10 times) | Detection Probability (%) | Limit (%) | Test Result |
| 5                                         | 53      | 20              | 6215            | Center                       | 6215 | -73.00                     | OFF        | 10                                   | 100                       | 90        | PASS        |
| 6                                         | 101     | 20              | 6455            | Center                       | 6455 | -76.00                     | OFF        | 10                                   | 100                       | 90        | PASS        |
| 7                                         | 149     | 20              | 6695            | Center                       | 6695 | -71.00                     | OFF        | 9                                    | 90                        | 90        | PASS        |
| 8                                         | 213     | 20              | 7015            | Center                       | 7015 | -74.00                     | OFF        | 9                                    | 90                        | 90        | PASS        |

| Contention Based protocol 802.11be EHT320 |         |                 |                 |                              |      |                            |            |                                      |                           |           |             |
|-------------------------------------------|---------|-----------------|-----------------|------------------------------|------|----------------------------|------------|--------------------------------------|---------------------------|-----------|-------------|
| UNII Band                                 | Channel | Bandwidth (MHz) | Frequency (MHz) | Interference frequency (MHz) |      | AWGN Threshold Level (dBm) | EUT Status | Number of Detected (out of 10 times) | Detection Probability (%) | Limit (%) | Test Result |
| 5                                         | 31      | 320             | 6105            | Low edge                     | 5950 | -76.00                     | OFF        | 10                                   | 100                       | 90        | PASS        |
|                                           |         |                 |                 | Center                       | 6105 | -70.00                     | OFF        | 9                                    | 90                        | 90        | PASS        |
|                                           |         |                 |                 | High edge                    | 6260 | -72.00                     | OFF        | 9                                    | 90                        | 90        | PASS        |
| 5/6/7                                     | 95      | 320             | 6425            | Low edge                     | 6270 | -69.00                     | OFF        | 9                                    | 90                        | 90        | PASS        |
|                                           |         |                 |                 | Center                       | 6425 | -68.00                     | OFF        | 9                                    | 90                        | 90        | PASS        |
|                                           |         |                 |                 | High edge                    | 6580 | -72.00                     | OFF        | 9                                    | 90                        | 90        | PASS        |
| 7/8                                       | 159     | 320             | 6745            | Low edge                     | 6590 | -77.00                     | OFF        | 9                                    | 90                        | 90        | PASS        |
|                                           |         |                 |                 | Center                       | 6745 | -68.00                     | OFF        | 9                                    | 90                        | 90        | PASS        |
|                                           |         |                 |                 | High edge                    | 6900 | -75.00                     | OFF        | 9                                    | 90                        | 90        | PASS        |
| 7/8                                       | 191     | 320             | 6905            | Low edge                     | 6750 | -78.00                     | OFF        | 9                                    | 90                        | 90        | PASS        |
|                                           |         |                 |                 | Center                       | 6905 | -67.00                     | OFF        | 9                                    | 90                        | 90        | PASS        |
|                                           |         |                 |                 | High edge                    | 7060 | -72.00                     | OFF        | 9                                    | 90                        | 90        | PASS        |

## Incumbent signal (AWGN) Plot


Bandwidth: 20MHz

Frequency (MHz): 6215 MHz




Date: 18.MAR.2025 21:39:57

Frequency (MHz): 6455 MHz




Date: 18.MAR.2025 21:41:20

## Frequency (MHz): 6695 MHz



Date: 18.MAR.2025 21:41:51

## Frequency (MHz): 7015 MHz




Date: 18.MAR.2025 21:43:31




Bandwidth: 320MHz

Frequency (MHz): 5950 MHz




Date: 18.MAR.2025 21:45:31

Frequency (MHz): 6105 MHz




Date: 18.MAR.2025 21:46:26

## Frequency (MHz): 6260 MHz



Date: 18.MAR.2025 21:47:15


## Frequency (MHz): 6270 MHz



Date: 18.MAR.2025 21:48:12




## Frequency (MHz): 6425 MHz




Date: 18.MAR.2025 21:48:50

## Frequency (MHz): 6580 MHz




Date: 18.MAR.2025 21:49:44

## Frequency (MHz): 6590 MHz




Date: 18.MAR.2025 21:51:30

## Frequency (MHz): 6745 MHz




Date: 18.MAR.2025 21:52:32

## Frequency (MHz): 6750 MHz




Date: 18.MAR.2025 21:54:35

## Frequency (MHz): 6900 MHz




Date: 18.MAR.2025 21:53:17

## Frequency (MHz): 6905 MHz



Date: 18.MAR.2025 21:55:22

## Frequency (MHz): 7060 MHz




Date: 18.MAR.2025 21:56:12



## Contention-Based Protocol Plot


Bandwidth: 20MHz

Test CH 53 ; Incumbent signal 6215 MHz




Note : M1 : Inject AWGN signal

Test CH 101 ; Incumbent signal 6455 MHz



Note : M1 : Inject AWGN signal


## Test CH 149 ; Incumbent signal 6695 MHz



Date: 18.MAR.2025 21:18:36

Note : M1 : Inject AWGN signal

## Test CH 213 ; Incumbent signal 7015 MHz




Date: 18.MAR.2025 21:29:54

Note : M1 : Inject AWGN signal

Bandwidth: 320MHz


Test CH 31 ; Incumbent signal 5950 MHz



Date: 18.MAR.2025 20:39:35

Note : M1 : Inject AWGN signal


Test CH 31 ; Incumbent signal 6105 MHz



Date: 18.MAR.2025 20:47:00


Note : M1 : Inject AWGN signal

## Test CH 31 ; Incumbent signal 6260 MHz



Note : M1 : Inject AWGN signal


## Test CH 95 ; Incumbent signal 6270 MHz



Note : M1 : Inject AWGN signal




## Test CH 95 ; Incumbent signal 6425 MHz




Note : M1 : Inject AWGN signal

## Test CH 95 ; Incumbent signal 6580 MHz




Note : M1 : Inject AWGN signal

## Test CH 159 ; Incumbent signal 6590 MHz




Note : M1 : Inject AWGN signal

## Test CH 159 ; Incumbent signal 6745 MHz




Note : M1 : Inject AWGN signal

## Test CH 159 ; Incumbent signal 6750 MHz




Note : M1 : Inject AWGN signal

## Test CH 191 ; Incumbent signal 6900 MHz




Note : M1 : Inject AWGN signal

## Test CH 191 ; Incumbent signal 6905 MHz



Note : M1 : Inject AWGN signal

## Test CH 191 ; Incumbent signal 7060 MHz



Note : M1 : Inject AWGN signal