


5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5230MHz_TX

EUT_Y_2TX
SET 22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.4425G	56.37	68.20	-11.83	41.84	3	Horizontal	186	1.08	22	37.90	11.20	34.57			
PK	15.69564G	59.12	74.00	-14.88	43.11	3	Horizontal	2	2.01	-	37.99	13.03	35.01			
AV	15.69318G	46.73	54.00	-7.27	30.71	3	Horizontal	2	2.01	-	37.99	13.03	35.00			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_Y_2TX
SET 23
23
0.70

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.254G	116.76	Inf	-Inf	110.24	3	Vertical	352	2.59	23	34.12	7.68	35.28			
AV	5.2532G	105.27	Inf	-Inf	98.76	3	Vertical	352	2.59	23	34.11	7.68	35.28			
PK	5.3562G	68.41	74.00	-5.59	61.46	3	Vertical	352	2.59	23	34.41	7.81	35.27			
AV	5.354G	52.30	54.00	-1.70	45.36	3	Vertical	352	2.59	23	34.41	7.80	35.27			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_Y_2TX
SET 23
15\18.5\20\20.5\21\21.5\22\22.5\23
3.61\3.31\2.80\2.45\2.29\1.84\1.22\0.66\0.13

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.2594G	120.46	Inf	-Inf	113.92	3	Horizontal	49	1.93	23	34.14	7.68	35.28				
AV	5.2568G	107.93	Inf	-Inf	101.40	3	Horizontal	49	1.93	23	34.13	7.68	35.28				
PK	5.356G	71.35	74.00	-2.65	64.40	3	Horizontal	49	1.93	23	34.41	7.81	35.27				
AV	5.3584G	52.87	54.00	-1.13	45.91	3	Horizontal	49	1.93	23	34.42	7.81	35.27				

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5270MHz_TX

EUT_Y_2TX
SET 23

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.51594G	57.39	68.20	-10.81	42.65	3	Vertical	71	1.80	23	38.00	11.23	34.49			
PK	15.80373G	59.72	74.00	-14.28	44.07	3	Vertical	148	1.93	-	37.59	13.11	35.05			
AV	15.82422G	45.19	54.00	-8.81	29.57	3	Vertical	148	1.93	-	37.55	13.13	35.06			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5270MHz_TX

EUT_Y_2TX
SET23

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.55966G	57.14	68.20	-11.06	42.34	3	Horizontal	331	2.62	23	38.04	11.25	34.49			
PK	15.79896G	58.75	74.00	-15.25	43.08	3	Horizontal	331	2.89	-	37.61	13.11	35.05			
AV	15.8187G	45.20	54.00	-8.80	29.57	3	Horizontal	331	2.89	-	37.56	13.13	35.06			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Y_2TX
SET 16.5
16.5
3.14

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3226G	110.24	Inf	-Inf	103.40	3	Vertical	340	1.80	16.5	34.35	7.76	35.27			
AV	5.3224G	98.47	Inf	-Inf	91.64	3	Vertical	340	1.80	16.5	34.34	7.76	35.27			
PK	5.353G	68.74	74.00	-5.26	61.80	3	Vertical	340	1.80	16.5	34.41	7.80	35.27			
AV	5.3602G	49.86	54.00	-4.14	42.90	3	Vertical	340	1.80	16.5	34.42	7.81	35.27			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Y_2TX
SET 16.5
15\18\16.5\17\16.5
3.00\ -3.54\1.34\ -0.23\1.03

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.2944G	113.95	Inf	-Inf	107.22	3	Horizontal	45	1.89	16.5	34.28	7.73	35.28			
AV	5.2954G	101.34	Inf	-Inf	94.61	3	Horizontal	45	1.89	16.5	34.28	7.73	35.28			
PK	5.3514G	71.97	74.00	-2.03	65.04	3	Horizontal	45	1.89	16.5	34.40	7.80	35.27			
AV	5.355G	50.99	54.00	-3.01	44.05	3	Horizontal	45	1.89	16.5	34.41	7.80	35.27			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5310MHz_TX

EUT_Y_2TX
SET 16.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.6228G	57.04	74.00	-16.96	42.05	3	Vertical	156	1.80	16.5	38.20	11.27	34.48			
AV	10.60793G	44.76	54.00	-9.24	29.77	3	Vertical	156	1.80	16.5	38.20	11.27	34.48			
PK	15.93402G	59.69	74.00	-14.31	44.08	3	Vertical	20	2.44	-	37.50	13.22	35.11			
AV	15.91992G	45.27	54.00	-8.73	29.66	3	Vertical	20	2.44	-	37.50	13.21	35.10			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5310MHz_TX

EUT_Y_2TX
SET 16.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.64653G	57.35	74.00	-16.65	42.35	3	Horizontal	169	1.63	16.5	38.20	11.28	34.48			
AV	10.61353G	44.77	54.00	-9.23	29.78	3	Horizontal	169	1.63	16.5	38.20	11.27	34.48			
PK	15.9162G	59.47	74.00	-14.53	43.87	3	Horizontal	215	2.42	-	37.50	13.20	35.10			
AV	15.9321G	45.29	54.00	-8.71	29.68	3	Horizontal	215	2.42	-	37.50	13.22	35.11			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Y_2TX
Setting 20.5
03-P-K-3-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4592G	63.14	74.00	-10.86	56.00	3	Vertical	360	2.77	-	34.60	7.79	35.25			
AV	5.46G	49.60	54.00	-4.40	42.46	3	Vertical	360	2.77	-	34.60	7.79	35.25			
PK	5.4642G	67.04	68.20	-1.16	59.91	3	Vertical	360	2.77	-	34.60	7.78	35.25			
PK	5.5242G	115.52	Inf	-Inf	108.51	3	Vertical	360	2.77	-	34.55	7.70	35.24			
AV	5.5238G	102.01	Inf	-Inf	94.99	3	Vertical	360	2.77	-	34.55	7.71	35.24			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5510MHz_TX




EUT Y_2TX
Setting 20.5
03-P-K-3-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4564G	65.38	74.00	-8.62	58.24	3	Horizontal	312	1.99	-	34.60	7.79	35.25			
AV	5.4584G	50.16	54.00	-3.84	43.02	3	Horizontal	312	1.99	-	34.60	7.79	35.25			
PK	5.4688G	66.02	68.20	-2.18	58.90	3	Horizontal	312	1.99	-	34.60	7.77	35.25			
PK	5.5162G	116.70	Inf	-Inf	109.66	3	Horizontal	312	1.99	-	34.57	7.71	35.24			
AV	5.496G	102.85	Inf	-Inf	95.75	3	Horizontal	312	1.99	-	34.60	7.74	35.24			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Y_2TX
Setting 20.5
03-P-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.03371G	57.89	74.00	-16.11	42.52	3	Vertical	34	1.57	-	38.37	11.44	34.44			
AV	11.00512G	43.91	54.00	-10.09	28.62	3	Vertical	34	1.57	-	38.31	11.43	34.45			
PK	16.5447G	62.05	68.20	-6.15	45.05	3	Vertical	40	1.80	-	38.27	13.54	34.81			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Y_2TX
Setting 20.5
03-P-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.02318G	58.27	74.00	-15.73	42.94	3	Horizontal	194	1.80	-	38.35	11.43	34.45			
AV	11.005G	43.88	54.00	-10.12	28.59	3	Horizontal	194	1.80	-	38.31	11.43	34.45			
PK	16.5252G	61.42	68.20	-6.78	44.57	3	Horizontal	262	1.24	-	38.15	13.53	34.83			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5550MHz_TX

EUT Y_2TX
SET 19.5
19.5
3.24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4588G	61.75	74.00	-12.25	54.69	3	Vertical	342	1.76	19.5	34.52	7.79	35.25			
AV	5.45G	49.76	54.00	-4.24	42.71	3	Vertical	342	1.76	19.5	34.50	7.80	35.25			
PK	5.4672G	63.91	68.20	-4.29	56.85	3	Vertical	342	1.76	19.5	34.53	7.78	35.25			
PK	5.5434G	115.42	Inf	-Inf	108.55	3	Vertical	342	1.76	19.5	34.43	7.68	35.24			
AV	5.564G	103.30	Inf	-Inf	96.50	3	Vertical	342	1.76	19.5	34.37	7.66	35.23			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_Y_2TX
SET 19.5
15\18\19.5
3.24\3.05\0.24

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.4584G	62.73	74.00	-11.27	55.67	3	Horizontal	45	1.86	19.5	34.52	7.79	35.25				
AV	5.455G	50.14	54.00	-3.86	43.09	3	Horizontal	45	1.86	19.5	34.51	7.79	35.25				
PK	5.468G	66.96	68.20	-1.24	59.89	3	Horizontal	45	1.86	19.5	34.54	7.78	35.25				
PK	5.559G	116.31	Inf	-Inf	109.50	3	Horizontal	45	1.86	19.5	34.38	7.66	35.23				
AV	5.5394G	104.41	Inf	-Inf	97.52	3	Horizontal	45	1.86	19.5	34.44	7.69	35.24				

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5550MHz_TX

EUT_Y_2TX
SET 19.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.13916G	58.28	74.00	-15.72	42.90	3	Vertical	349	1.07	19.5	38.32	11.48	34.42			
AV	11.09177G	45.30	54.00	-8.70	29.87	3	Vertical	349	1.07	19.5	38.40	11.46	34.43			
PK	16.63695G	61.38	68.20	-6.82	43.89	3	Vertical	239	1.37	-	38.62	13.58	34.71			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5550MHz_TX

EUT_Y_2TX
SET 19.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.12861G	59.02	74.00	-14.98	43.62	3	Horizontal	265	1.80	19.5	38.34	11.48	34.42			
AV	11.09313G	45.36	54.00	-8.64	29.93	3	Horizontal	265	1.80	19.5	38.40	11.46	34.43			
PK	16.64559G	62.09	68.20	-6.11	44.53	3	Horizontal	197	1.88	-	38.67	13.59	34.70			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_Y_2TX
Setting 22
03-P-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.6536G	115.89	Inf	-Inf	109.12	3	Vertical	20	2.89	-	34.29	7.70	35.22				
AV	5.653G	102.40	Inf	-Inf	95.63	3	Vertical	20	2.89	-	34.29	7.70	35.22				
PK	5.7268G	63.33	68.20	-4.87	56.52	3	Vertical	20	2.89	-	34.20	7.83	35.22				

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5670MHz_TX

EUT_Y_2TX
Setting 22
03-P-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6568G	118.16	Inf	-Inf	111.38	3	Horizontal	314	1.97	-	34.29	7.71	35.22			
AV	5.657G	104.87	Inf	-Inf	98.09	3	Horizontal	314	1.97	-	34.29	7.71	35.22			
PK	5.7274G	67.13	68.20	-1.07	60.32	3	Horizontal	314	1.97	-	34.20	7.83	35.22			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5670MHz_TX

EUT_Y_2TX
Setting 22
03-P-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.35416G	58.12	74.00	-15.88	42.32	3	Vertical	0	1.80	-	38.61	11.57	34.38			
AV	11.33127G	44.14	54.00	-9.86	28.40	3	Vertical	0	1.80	-	38.56	11.56	34.38			
PK	17.00385G	63.15	68.20	-5.05	43.71	3	Vertical	114	1.85	-	40.00	13.76	34.32			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5670MHz_TX

EUT_Y_2TX
Setting 22
03-P-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.33214G	58.28	74.00	-15.72	42.54	3	Horizontal	203	1.80	-	38.56	11.56	34.38			
AV	11.33733G	44.28	54.00	-9.72	28.53	3	Horizontal	203	1.80	-	38.57	11.56	34.38			
PK	17.00847G	63.08	68.20	-5.12	43.63	3	Horizontal	235	1.83	-	40.00	13.76	34.31			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
SET 23.5
24\23.5
-0.13\1.10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4418G	61.73	74.00	-12.27	54.67	3	Vertical	343	2.93	23.5	34.50	7.81	35.25			
AV	5.419G	50.18	54.00	-3.82	43.09	3	Vertical	343	2.93	23.5	34.50	7.84	35.25			
PK	5.4616G	61.54	68.20	-6.66	54.49	3	Vertical	343	2.93	23.5	34.52	7.78	35.25			
PK	5.7166G	118.02	Inf	-Inf	111.30	3	Vertical	343	2.93	23.5	34.13	7.81	35.22			
AV	5.716G	106.95	Inf	-Inf	100.23	3	Vertical	343	2.93	23.5	34.13	7.81	35.22			
PK	5.8576G	66.10	68.20	-2.10	58.95	3	Vertical	343	2.93	23.5	34.33	8.02	35.20			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
SET 24
15\18\19.5\20\23\24.5\24
3.20\3.20\3.04\3.01\1.59\0.39\0.09

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.443G	62.17	74.00	-11.83	55.11	3	Horizontal	41	1.78	24	34.50	7.81	35.25
AV	5.419G	50.36	54.00	-3.64	43.27	3	Horizontal	41	1.78	24	34.50	7.84	35.25
PK	5.4694G	61.06	68.20	-7.14	54.00	3	Horizontal	41	1.78	24	34.54	7.77	35.25
PK	5.7184G	120.62	Inf	-Inf	113.88	3	Horizontal	41	1.78	24	34.14	7.82	35.22
AV	5.6986G	108.94	Inf	-Inf	102.28	3	Horizontal	41	1.78	24	34.10	7.78	35.22
PK	5.8516G	67.11	68.20	-1.09	59.99	3	Horizontal	41	1.78	24	34.31	8.01	35.20

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5710MHz Straddle 5.47-5.725GHz_TX

EUT_Y_2TX
SET23.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.3957G	57.61	74.00	-16.39	41.70	3	Vertical	11	1.80	23.5	38.69	11.59	34.37			
AV	11.38851G	45.47	54.00	-8.53	29.58	3	Vertical	11	1.80	23.5	38.68	11.58	34.37			
PK	17.115G	63.48	68.20	-4.72	43.53	3	Vertical	324	2.82	-	40.33	13.82	34.20			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5710MHz Straddle 5.47-5.725GHz_TX

EUT_Y_2TX
SET23.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.40258G	57.94	74.00	-16.06	42.02	3	Horizontal	358	1.80	23.5	38.70	11.59	34.37			
AV	11.39898G	45.44	54.00	-8.56	29.52	3	Horizontal	358	1.80	23.5	38.70	11.59	34.37			
PK	17.11566G	63.05	68.20	-5.15	43.10	3	Horizontal	3	1.65	-	40.33	13.82	34.20			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5755MHz_TX




EUT_Y_2TX
SET 23.5
24\23.5
-0.02\1.54

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
AV	5.455G	50.13	54.00	-3.87	43.08	3	Vertical	341	2.12	23.5	34.51	7.79	35.25				
PK	5.65G	65.66	68.20	-2.54	58.99	3	Vertical	341	2.12	23.5	34.20	7.70	35.23				
PK	5.7718G	120.49	Inf	-Inf	113.59	3	Vertical	341	2.12	23.5	34.20	7.91	35.21				
AV	5.773G	109.26	Inf	-Inf	102.36	3	Vertical	341	2.12	23.5	34.20	7.91	35.21				
PK	5.929G	63.46	68.20	-4.74	56.00	3	Vertical	341	2.12	23.5	34.56	8.10	35.20				

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5755MHz_TX




EUT_Y_2TX
SET 24
15\18\19.5\20\23\24.5\24
3.45\3.25\3.25\3.11\1.75\0.41\1.46

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
AV	5.4562G	50.32	54.00	-3.68	43.27	3	Horizontal	39	1.85	24	34.51	7.79	35.25				
PK	5.6434G	65.74	68.20	-2.46	59.07	3	Horizontal	39	1.85	24	34.21	7.69	35.23				
PK	5.7424G	121.04	Inf	-Inf	114.22	3	Horizontal	39	1.85	24	34.18	7.86	35.22				
AV	5.7436G	109.32	Inf	-Inf	102.49	3	Horizontal	39	1.85	24	34.19	7.86	35.22				
PK	5.9572G	62.84	68.20	-5.36	55.30	3	Horizontal	39	1.85	24	34.60	8.13	35.19				

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5755MHz_TX

EUT_Y_2TX
SET23.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.53597G	58.16	74.00	-15.84	41.86	3	Vertical	257	1.79	23.5	39.04	11.64	34.38			
AV	11.54684G	45.70	54.00	-8.30	29.35	3	Vertical	257	1.79	23.5	39.09	11.65	34.39			
PK	17.25963G	64.45	68.20	-3.75	43.67	3	Vertical	306	1.01	-	40.94	13.89	34.05			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5755MHz_TX

EUT_Y_2TX
SET23.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.51056G	58.09	74.00	-15.91	41.88	3	Horizontal	183	2.95	23.5	38.94	11.63	34.36			
AV	11.54341G	45.64	54.00	-8.36	29.31	3	Horizontal	183	2.95	23.5	39.07	11.65	34.39			
PK	17.26227G	63.85	68.20	-4.35	43.06	3	Horizontal	316	2.42	-	40.95	13.89	34.05			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5795MHz_TX




EUT_Y_2TX
SET 22.5
23.5\22.5\23\22.5
-0.83\1.22\1.32\0.80

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.5298G	62.41	68.20	-5.79	55.47	3	Vertical	-0	1.73	22.5	34.48	7.70	35.24
PK	5.783G	120.36	Inf	-Inf	113.44	3	Vertical	-0	1.73	22.5	34.20	7.93	35.21
AV	5.8028G	108.41	Inf	-Inf	101.45	3	Vertical	-0	1.73	22.5	34.21	7.96	35.21
PK	5.9276G	66.40	68.20	-1.80	58.95	3	Vertical	-0	1.73	22.5	34.56	8.09	35.20

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5795MHz_TX




EUT_Y_2TX
SET 23.5
15\18.5\20\20.5\23.5\25\24.5\24\23.5
3.99\3.77\3.74\4.14\0.51\ -2.77\ -2.10\ -1.45\1.23

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6168G	62.15	68.20	-6.05	55.47	3	Horizontal	36	1.80	23.5	34.27	7.64	35.23			
PK	5.804G	119.82	Inf	-Inf	112.86	3	Horizontal	36	1.80	23.5	34.21	7.96	35.21			
AV	5.8016G	108.20	Inf	-Inf	101.25	3	Horizontal	36	1.80	23.5	34.20	7.96	35.21			
PK	5.9276G	65.97	68.20	-2.23	58.52	3	Horizontal	36	1.80	23.5	34.56	8.09	35.20			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5795MHz_TX

EUT_Y_2TX
SET22.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.62876G	58.21	74.00	-15.79	41.80	3	Vertical	76	2.31	22.5	39.20	11.68	34.47			
AV	11.56115G	45.82	54.00	-8.18	29.46	3	Vertical	76	2.31	22.5	39.12	11.65	34.41			
PK	17.39238G	64.01	68.20	-4.19	42.32	3	Vertical	273	2.28	-	41.65	13.95	33.91			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5795MHz_TX

EUT_Y_2TX
SET22.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.58537G	58.84	74.00	-15.16	42.44	3	Horizontal	5	1.80	22.5	39.17	11.66	34.43			
AV	11.5717G	45.86	54.00	-8.14	29.48	3	Horizontal	5	1.80	22.5	39.14	11.66	34.42			
PK	17.37246G	64.40	68.20	-3.80	42.86	3	Horizontal	340	2.62	-	41.53	13.94	33.93			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_Y_2TX
SET 17
17
3.44

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1485G	68.70	74.00	-5.30	62.52	3	Vertical	344	2.48	17	33.99	7.49	35.30			
AV	5.1495G	48.81	54.00	-5.19	42.62	3	Vertical	344	2.48	17	34.00	7.49	35.30			
PK	5.2085G	107.92	Inf	-Inf	101.57	3	Vertical	344	2.48	17	34.02	7.62	35.29			
AV	5.2085G	95.62	Inf	-Inf	89.27	3	Vertical	344	2.48	17	34.02	7.62	35.29			
PK	5.407G	61.77	74.00	-12.23	54.68	3	Vertical	344	2.48	17	34.50	7.85	35.26			
AV	5.4495G	49.56	54.00	-4.44	42.51	3	Vertical	344	2.48	17	34.50	7.80	35.25			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_Y_2TX
SET 17
16.5\19.5\15.5\17.5\17
3.36\ -4.29\3.35\ -0.61\1.64

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.147G	71.36	74.00	-2.64	65.19	3	Horizontal	52	1.88	17	33.98	7.49	35.30			
AV	5.136G	49.38	54.00	-4.62	43.31	3	Horizontal	52	1.88	17	33.92	7.46	35.31			
PK	5.219G	110.65	Inf	-Inf	104.27	3	Horizontal	52	1.88	17	34.04	7.63	35.29			
AV	5.2175G	98.16	Inf	-Inf	91.79	3	Horizontal	52	1.88	17	34.03	7.63	35.29			
PK	5.4025G	62.22	74.00	-11.78	55.12	3	Horizontal	52	1.88	17	34.50	7.86	35.26			
AV	5.4525G	49.75	54.00	-4.25	42.70	3	Horizontal	52	1.88	17	34.51	7.79	35.25			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5210MHz_TX

EUT_Y_2TX
SET 17

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.4582G	56.89	68.20	-11.31	42.31	3	Vertical	275	1.80	17	37.92	11.21	34.55			
PK	15.62256G	59.09	74.00	-14.91	43.24	3	Vertical	167	2.77	-	37.85	12.97	34.97			
AV	15.62217G	45.28	54.00	-8.72	29.44	3	Vertical	167	2.77	-	37.84	12.97	34.97			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5210MHz_TX

EUT_Y_2TX
SET 17

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.47435G	57.19	68.20	-11.01	42.55	3	Horizontal	255	1.05	17	37.95	11.21	34.52			
PK	15.62901G	59.34	74.00	-14.66	43.48	3	Horizontal	273	2.43	-	37.86	12.98	34.98			
AV	15.6213G	45.39	54.00	-8.61	29.55	3	Horizontal	273	2.43	-	37.84	12.97	34.97			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_Y_2TX
SET 16.5
16.5
1.55

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.0935G	60.45	74.00	-13.55	54.71	3	Vertical	353	2.58	16.5	33.69	7.36	35.31				
AV	5.141G	48.36	54.00	-5.64	42.24	3	Vertical	353	2.58	16.5	33.95	7.47	35.30				
PK	5.253G	107.29	Inf	-Inf	100.78	3	Vertical	353	2.58	16.5	34.11	7.68	35.28				
AV	5.254G	95.92	Inf	-Inf	89.40	3	Vertical	353	2.58	16.5	34.12	7.68	35.28				
PK	5.367G	69.12	74.00	-4.88	62.13	3	Vertical	353	2.58	16.5	34.43	7.82	35.26				
AV	5.355G	51.45	54.00	-2.55	44.51	3	Vertical	353	2.58	16.5	34.41	7.80	35.27				
PK	5.4895G	61.81	68.20	-6.39	54.72	3	Vertical	353	2.58	16.5	34.58	7.75	35.24				

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_Y_2TX
SET 16.5
15\16.5\17\16.5
1.97\0.52\0.12\0.52

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.135G	60.63	74.00	-13.37	54.57	3	Horizontal	48	1.91	16.5	33.91	7.46	35.31			
AV	5.1495G	48.62	54.00	-5.38	42.43	3	Horizontal	48	1.91	16.5	34.00	7.49	35.30			
PK	5.2555G	110.84	Inf	-Inf	104.32	3	Horizontal	48	1.91	16.5	34.12	7.68	35.28			
AV	5.2565G	98.63	Inf	-Inf	92.10	3	Horizontal	48	1.91	16.5	34.13	7.68	35.28			
PK	5.367G	71.10	74.00	-2.90	64.11	3	Horizontal	48	1.91	16.5	34.43	7.82	35.26			
AV	5.358G	52.48	54.00	-1.52	45.52	3	Horizontal	48	1.91	16.5	34.42	7.81	35.27			
PK	5.4995G	62.77	68.20	-5.43	55.67	3	Horizontal	48	1.91	16.5	34.60	7.74	35.24			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5290MHz_TX

EUT_Y_2TX
SET 16.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	10.60941G	57.44	74.00	-16.56	42.45	3	Vertical	349	1.05	16.5	38.20	11.27	34.48				
AV	10.62539G	44.91	54.00	-9.09	29.92	3	Vertical	349	1.05	16.5	38.20	11.27	34.48				
PK	15.86118G	59.37	74.00	-14.63	43.79	3	Vertical	221	2.64	-	37.50	13.16	35.08				
AV	15.88329G	45.41	54.00	-8.59	29.82	3	Vertical	221	2.64	-	37.50	13.18	35.09				

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5290MHz_TX

EUT_Y_2TX
SET 16.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.61389G	57.15	74.00	-16.85	42.16	3	Horizontal	319	1.80	16.5	38.20	11.27	34.48			
AV	10.63802G	44.94	54.00	-9.06	29.94	3	Horizontal	319	1.80	16.5	38.20	11.28	34.48			
PK	15.87159G	59.16	74.00	-14.84	43.57	3	Horizontal	90	1.45	-	37.50	13.17	35.08			
AV	15.86061G	45.36	54.00	-8.64	29.78	3	Horizontal	90	1.45	-	37.50	13.16	35.08			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_Y_2TX
SET 14.5
15\13\14\14.5
-1.61\3.05\3.05\2.86

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.349G	61.20	68.20	-7.00	54.27	3	Vertical	343	2.25	14.5	34.40	7.80	35.27
AV	5.35G	49.20	54.00	-4.80	42.27	3	Vertical	343	2.25	14.5	34.40	7.80	35.27
PK	5.415G	62.55	74.00	-11.45	55.47	3	Vertical	343	2.25	14.5	34.50	7.84	35.26
PK	5.47G	63.78	68.20	-4.42	56.72	3	Vertical	343	2.25	14.5	34.54	7.77	35.25
AV	5.4485G	50.14	54.00	-3.86	43.09	3	Vertical	343	2.25	14.5	34.50	7.80	35.25
PK	5.5485G	107.76	Inf	-Inf	100.92	3	Vertical	343	2.25	14.5	34.41	7.67	35.24
AV	5.548G	95.49	Inf	-Inf	88.64	3	Vertical	343	2.25	14.5	34.41	7.68	35.24
PK	5.751G	62.49	68.20	-5.71	55.63	3	Vertical	343	2.25	14.5	34.20	7.87	35.21

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_Y_2TX
SET 15
15
0.11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3485G	61.85	68.20	-6.35	54.92	3	Horizontal	46	1.91	15	34.40	7.80	35.27
AV	5.35G	49.39	54.00	-4.61	42.46	3	Horizontal	46	1.91	15	34.40	7.80	35.27
PK	5.4555G	68.25	74.00	-5.75	61.20	3	Horizontal	46	1.91	15	34.51	7.79	35.25
AV	5.4565G	50.86	54.00	-3.14	43.81	3	Horizontal	46	1.91	15	34.51	7.79	35.25
PK	5.4625G	67.09	68.20	-1.11	60.04	3	Horizontal	46	1.91	15	34.52	7.78	35.25
PK	5.4985G	108.97	Inf	-Inf	101.87	3	Horizontal	46	1.91	15	34.60	7.74	35.24
AV	5.52G	97.00	Inf	-Inf	90.01	3	Horizontal	46	1.91	15	34.52	7.71	35.24
PK	5.7775G	62.41	68.20	-5.79	55.50	3	Horizontal	46	1.91	15	34.20	7.92	35.21

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5530MHz_TX

EUT_Y_2TX
SET 14.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.05936G	58.64	74.00	-15.36	43.23	3	Vertical	94	1.80	14.5	38.40	11.45	34.44			
AV	11.00022G	45.44	54.00	-8.56	30.16	3	Vertical	94	1.80	14.5	38.30	11.43	34.45			
PK	16.58985G	61.57	68.20	-6.63	44.41	3	Vertical	244	2.88	-	38.36	13.56	34.76			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5530MHz_TX

EUT_Y_2TX
SET 14.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.00613G	58.45	74.00	-15.55	43.16	3	Horizontal	293	1.80	14.5	38.31	11.43	34.45			
AV	10.98328G	45.45	54.00	-8.55	30.18	3	Horizontal	293	1.80	14.5	38.30	11.42	34.45			
PK	16.58634G	61.35	68.20	-6.85	44.21	3	Horizontal	229	1.02	-	38.35	13.56	34.77			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5610MHz_TX




EUT_Y_2TX
SET 19
19
0.82

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4255G	62.12	74.00	-11.88	55.04	3	Vertical	344	1.92	19	34.50	7.83	35.25
PK	5.47G	61.88	68.20	-6.32	54.82	3	Vertical	344	1.92	19	34.54	7.77	35.25
AV	5.4485G	49.95	54.00	-4.05	42.90	3	Vertical	344	1.92	19	34.50	7.80	35.25
PK	5.6265G	111.80	Inf	-Inf	105.12	3	Vertical	344	1.92	19	34.25	7.66	35.23
AV	5.627G	100.17	Inf	-Inf	93.49	3	Vertical	344	1.92	19	34.25	7.66	35.23
PK	5.7275G	66.38	68.20	-1.82	59.61	3	Vertical	344	1.92	19	34.16	7.83	35.22

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5610MHz_TX




EUT_Y_2TX
SET 19
15\18\19.5\19
3.07\2.02\1.20\2.48

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4315G	63.24	74.00	-10.76	56.17	3	Horizontal	48	1.80	19	34.50	7.82	35.25			
AV	5.438G	50.27	54.00	-3.73	43.21	3	Horizontal	48	1.80	19	34.50	7.81	35.25			
PK	5.4615G	64.40	68.20	-3.80	57.35	3	Horizontal	48	1.80	19	34.52	7.78	35.25			
PK	5.639G	114.03	Inf	-Inf	107.36	3	Horizontal	48	1.80	19	34.22	7.68	35.23			
AV	5.642G	101.34	Inf	-Inf	94.67	3	Horizontal	48	1.80	19	34.22	7.68	35.23			
PK	5.7265G	64.72	68.20	-3.48	57.96	3	Horizontal	48	1.80	19	34.15	7.83	35.22			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5610MHz_TX

EUT_Y_2TX
SET 19

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.18803G	58.46	74.00	-15.54	42.99	3	Vertical	157	1.09	19	38.38	11.50	34.41			
AV	11.18004G	45.51	54.00	-8.49	30.06	3	Vertical	157	1.09	19	38.36	11.50	34.41			
PK	16.81755G	62.02	68.20	-6.18	43.47	3	Vertical	29	1.62	-	39.40	13.67	34.52			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5610MHz_TX

EUT_Y_2TX
SET 19

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.23375G	58.22	74.00	-15.78	42.63	3	Horizontal	98	1.80	19	38.47	11.52	34.40			
AV	11.17445G	45.45	54.00	-8.55	30.02	3	Horizontal	98	1.80	19	38.35	11.50	34.42			
PK	16.84299G	62.24	68.20	-5.96	43.65	3	Horizontal	218	2.19	-	39.40	13.68	34.49			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
SET 19
20\18\19\19.5\19
-1.65\2.85\2.85\0.27\3.01

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4116G	62.84	74.00	-11.16	55.75	3	Vertical	343	1.79	19	34.50	7.85	35.26			
AV	5.42G	49.99	54.00	-4.01	42.91	3	Vertical	343	1.79	19	34.50	7.83	35.25			
PK	5.468G	61.02	68.20	-7.18	53.95	3	Vertical	343	1.79	19	34.54	7.78	35.25			
PK	5.6648G	111.53	Inf	-Inf	104.86	3	Vertical	343	1.79	19	34.17	7.72	35.22			
AV	5.6654G	100.04	Inf	-Inf	93.37	3	Vertical	343	1.79	19	34.17	7.72	35.22			
PK	5.987G	63.67	68.20	-4.53	56.10	3	Vertical	343	1.79	19	34.60	8.16	35.19			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
SET 20
15\18\19.5\20
3.05\2.87\1.00\0.37

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4122G	62.96	74.00	-11.04	55.88	3	Horizontal	44	1.77	20	34.50	7.84	35.26
AV	5.4098G	50.48	54.00	-3.52	43.39	3	Horizontal	44	1.77	20	34.50	7.85	35.26
PK	5.4662G	61.44	68.20	-6.76	54.38	3	Horizontal	44	1.77	20	34.53	7.78	35.25
PK	5.6618G	114.26	Inf	-Inf	107.58	3	Horizontal	44	1.77	20	34.18	7.72	35.22
AV	5.66G	102.51	Inf	-Inf	95.83	3	Horizontal	44	1.77	20	34.18	7.72	35.22
PK	5.8532G	66.83	68.20	-1.37	59.70	3	Horizontal	44	1.77	20	34.31	8.02	35.20

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5690MHz Straddle 5.47-5.725GHz_TX

EUT_Y_2TX
SET 19

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.40446G	58.34	74.00	-15.66	42.42	3	Vertical	239	1.80	19	38.70	11.59	34.37			
AV	11.39582G	45.68	54.00	-8.32	29.77	3	Vertical	239	1.80	19	38.69	11.59	34.37			
PK	17.07963G	63.63	68.20	-4.57	43.81	3	Vertical	166	2.08	-	40.26	13.80	34.24			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5690MHz Straddle 5.47-5.725GHz_TX

EUT_Y_2TX
SET 19

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.37888G	58.84	74.00	-15.16	42.97	3	Horizontal	5	1.80	19	38.66	11.58	34.37			
AV	11.37616G	45.61	54.00	-8.39	29.75	3	Horizontal	5	1.80	19	38.65	11.58	34.37			
PK	17.085G	63.67	68.20	-4.53	43.83	3	Horizontal	49	2.52	-	40.27	13.80	34.23			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5775MHz_TX




EUT_Y_2TX
SET 19
19
0.96

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6256G	65.52	68.20	-2.68	58.85	3	Vertical	355	1.72	19	34.25	7.65	35.23			
PK	5.7996G	113.85	Inf	-Inf	106.90	3	Vertical	355	1.72	19	34.20	7.96	35.21			
AV	5.7996G	102.04	Inf	-Inf	95.09	3	Vertical	355	1.72	19	34.20	7.96	35.21			
PK	5.9322G	66.24	68.20	-1.96	58.78	3	Vertical	355	1.72	19	34.56	8.10	35.20			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5775MHz_TX




EUT_Y_2TX
SET 19
15\19
4.44\0.01

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.6274G	67.19	68.20	-1.01	60.51	3	Horizontal	40	1.80	19	34.25	7.66	35.23				
PK	5.7618G	113.05	Inf	-Inf	106.17	3	Horizontal	40	1.80	19	34.20	7.89	35.21				
AV	5.7636G	101.28	Inf	-Inf	94.39	3	Horizontal	40	1.80	19	34.20	7.90	35.21				
PK	5.9286G	65.29	68.20	-2.91	57.83	3	Horizontal	40	1.80	19	34.56	8.10	35.20				

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5775MHz_TX

EUT_Y_2TX
SET 19

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.61665G	58.21	74.00	-15.79	41.80	3	Vertical	50	1.80	20.5	39.20	11.67	34.46			
AV	11.57126G	45.86	54.00	-8.14	29.48	3	Vertical	50	1.80	20.5	39.14	11.66	34.42			
PK	17.32482G	64.16	68.20	-4.04	42.97	3	Vertical	322	1.70	-	41.25	13.92	33.98			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5775MHz_TX

EUT_Y_2TX
SET 19

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.62193G	58.51	74.00	-15.49	42.09	3	Horizontal	159	2.70	20.5	39.20	11.68	34.46			
AV	11.56375G	45.89	54.00	-8.11	29.52	3	Horizontal	159	2.70	20.5	39.13	11.65	34.41			
PK	17.31912G	63.82	68.20	-4.38	42.68	3	Horizontal	300	2.71	-	41.21	13.92	33.99			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_2TX
SET 14.5
14.5
2.70

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.1228G	68.79	74.00	-5.21	62.83	3	Vertical	340	2.27	14.5	33.84	7.43	35.31				
AV	5.145G	48.77	54.00	-5.23	42.62	3	Vertical	340	2.27	14.5	33.97	7.48	35.30				
PK	5.2062G	102.20	Inf	-Inf	95.86	3	Vertical	340	2.27	14.5	34.01	7.62	35.29				
AV	5.205G	90.53	Inf	-Inf	84.19	3	Vertical	340	2.27	14.5	34.01	7.62	35.29				
PK	5.3892G	67.29	74.00	-6.71	60.22	3	Vertical	340	2.27	14.5	34.48	7.85	35.26				
AV	5.3682G	50.30	54.00	-3.70	43.30	3	Vertical	340	2.27	14.5	34.44	7.82	35.26				
PK	5.4654G	64.06	68.20	-4.14	57.00	3	Vertical	340	2.27	14.5	34.53	7.78	35.25				

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz TX




EUT_Y_2TX
SET 14.5
15\13\14\14.5
-1.78\2.79\2.28\1.24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.1312G	71.76	74.00	-2.24	65.73	3	Horizontal	51	1.89	14.5	33.89	7.45	35.31				
AV	5.1342G	49.20	54.00	-4.80	43.14	3	Horizontal	51	1.89	14.5	33.91	7.46	35.31				
PK	5.2188G	104.81	Inf	-Inf	98.43	3	Horizontal	51	1.89	14.5	34.04	7.63	35.29				
AV	5.2176G	93.26	Inf	-Inf	86.88	3	Horizontal	51	1.89	14.5	34.04	7.63	35.29				
PK	5.3874G	68.81	74.00	-5.19	61.76	3	Horizontal	51	1.89	14.5	34.47	7.84	35.26				
AV	5.3598G	51.04	54.00	-2.96	44.08	3	Horizontal	51	1.89	14.5	34.42	7.81	35.27				
PK	5.4636G	64.90	68.20	-3.30	57.84	3	Horizontal	51	1.89	14.5	34.53	7.78	35.25				

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX


5250MHz Straddle 5.25-5.35GHz_TX

EUT_Y_2TX
SET 14.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.65952G	56.88	74.00	-17.12	41.89	3	Vertical	144	1.80	14.5	38.18	11.29	34.48			
PK	15.74814G	59.23	74.00	-14.77	43.29	3	Vertical	304	1.20	-	37.90	13.07	35.03			
AV	15.74739G	45.26	54.00	-8.74	29.31	3	Vertical	304	1.20	-	37.91	13.07	35.03			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX


5250MHz Straddle 5.25-5.35GHz_TX

EUT_Y_2TX
SET 14.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.36509G	57.41	68.20	-10.79	42.94	3	Horizontal	21	2.91	14.5	37.97	11.17	34.67			
PK	15.74445G	59.35	74.00	-14.65	43.40	3	Horizontal	215	1.18	-	37.91	13.07	35.03			
AV	15.74118G	45.29	54.00	-8.71	29.34	3	Horizontal	215	1.18	-	37.92	13.06	35.03			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX


5570MHz_TX

EUT_Y_2TX
Setting 14
02-R-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3474G	64.03	68.20	-4.17	53.98	3	Vertical	5	2.93	-	33.90	6.97	30.82			
PK	5.4572G	67.23	74.00	-6.77	56.82	3	Vertical	5	2.93	-	34.01	7.15	30.75			
AV	5.4596G	51.73	54.00	-2.27	41.30	3	Vertical	5	2.93	-	34.02	7.16	30.75			
PK	5.4668G	66.81	68.20	-1.39	56.35	3	Vertical	5	2.93	-	34.03	7.18	30.75			
PK	5.624G	103.24	Inf	-Inf	92.30	3	Vertical	5	2.93	-	34.00	7.64	30.70			
AV	5.6228G	91.75	Inf	-Inf	80.81	3	Vertical	5	2.93	-	34.00	7.64	30.70			
PK	5.822G	65.80	68.20	-2.40	54.58	3	Vertical	5	2.93	-	34.06	7.81	30.65			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX


5570MHz_TX

EUT_Y_2TX
Setting 14
02-R-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.3456G	63.82	68.20	-4.38	53.77	3	Horizontal	316	1.94	-	33.90	6.97	30.82				
PK	5.4416G	68.75	74.00	-5.25	58.41	3	Horizontal	316	1.94	-	34.00	7.10	30.76				
PK	5.4662G	67.18	68.20	-1.02	56.72	3	Horizontal	316	1.94	-	34.03	7.18	30.75				
AV	5.4578G	51.95	54.00	-2.05	41.53	3	Horizontal	316	1.94	-	34.02	7.15	30.75				
PK	5.6384G	104.79	Inf	-Inf	93.84	3	Horizontal	316	1.94	-	34.00	7.65	30.70				
AV	5.618G	92.31	Inf	-Inf	81.37	3	Horizontal	316	1.94	-	34.00	7.64	30.70				
PK	5.792G	67.08	68.20	-1.12	55.87	3	Horizontal	316	1.94	-	34.08	7.79	30.66				

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX


5570MHz_TX

EUT_Y_2TX
Setting 14
02-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.14252G	58.41	74.00	-15.59	38.82	3	Vertical	134	3.00	-	38.60	11.54	30.55			
AV	11.13568G	45.80	54.00	-8.20	26.21	3	Vertical	134	3.00	-	38.60	11.53	30.54			
PK	16.69902G	60.03	68.20	-8.17	40.01	3	Vertical	89	1.80	-	39.90	12.20	32.08			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5570MHz_TX

EUT_Y_2TX
Setting 14
02-R-G-5


Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.14186G	58.19	74.00	-15.81	38.60	3	Horizontal	26	2.75	-	38.60	11.54	30.55			
AV	11.13895G	45.73	54.00	-8.27	26.14	3	Horizontal	26	2.75	-	38.60	11.53	30.54			
PK	16.71552G	60.02	68.20	-8.18	39.96	3	Horizontal	301	2.67	-	39.93	12.21	32.08			



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	1.8282G	44.21	54.00	-9.79	Vertical

Mode 1



Mode 1

