


5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

PSD

5200MHz

08/01/2025




5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

PSD

5240MHz

08/01/2025




5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

PSD

5260MHz

08/01/2025

CF (Hz)
5.26G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
7.56	7.56	5.62	5.00

Sum
Port 1
Port 2


5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

PSD

5300MHz

08/01/2025

CF (Hz)
5.3G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
7.05	7.05	5.02	3.92

Sum
Port 1
Port 2


5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

PSD

5320MHz

08/01/2025

CF (Hz)
5.32G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum (dBm/RBW)	PD (dBm/RBW)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)
7.44	7.44	5.12	4.38

Sum
Port 1
Port 2


5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

PSD

5500MHz

08/01/2025

CF (Hz)
5.5G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum (dBm/RBW)	PD (dBm/RBW)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)
5.87	5.87	4.35	2.47

Sum
Port 1
Port 2


5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

PSD

5580MHz

08/01/2025

CF (Hz)
5.58G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.17	7.17	5.98	4.25

Sum
Port 1
Port 2


5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

PSD

5700MHz

08/01/2025

CF (Hz)
5.7G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.83	1.83	-0.00	-1.31


Sum
Port 1
Port 2

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

PSD

5720MHz Straddle 5.47-5.725GHz

08/01/2025




5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

PSD

5720MHz Straddle 5.725-5.85GHz

08/01/2025




5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

PSD

5745MHz

08/01/2025

CF (Hz)
5.745G
Span (Hz)
30M
RBW (Hz)
500k
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
6.50	6.50	3.53	3.56

Sum
Port 1
Port 2


5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

PSD

5785MHz

08/01/2025

CF (Hz)
5.785G
Span (Hz)
30M
RBW (Hz)
500k
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
6.23	6.23	4.03	2.78

Sum
Port 1
Port 2


5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

PSD

5825MHz

08/01/2025

CF (Hz)
5.825G
Span (Hz)
30M
RBW (Hz)
500k
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
6.54	6.54	3.83	3.93


5.15-5.25GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

PSD

5190MHz

08/01/2025

CF (Hz)
5.19G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
2.00	2.00	-1.01	-0.40

5.15-5.25GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

PSD

5230MHz

08/01/2025

CF (Hz)
5.23G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum (dBm/Hz)	PD (dBm/Hz)	Port 1 (dBm/Hz)	Port 2 (dBm/Hz)
3.66	3.66	0.75	0.92

Sum 

Port 1 

Port 2 

5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

PSD

5270MHz

08/01/2025

CF (Hz)
5.27G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum (dBm/Hz)	PD (dBm/Hz)	Port 1 (dBm/Hz)	Port 2 (dBm/Hz)
3.89	3.89	1.84	0.20

Sum 

Port 1 

Port 2 


5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

PSD

5310MHz

08/01/2025

CF (Hz)
5.31G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
2.52	2.52	0.39	0.03

Sum
Port 1
Port 2


5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

PSD

5510MHz

09/01/2025

CF (Hz)
5.51G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
2.99	2.99	0.52	-0.58

Sum
Port 1
Port 2


5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

PSD

5550MHz

09/01/2025

CF (Hz)
5.55G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.18	4.18	1.19	1.34

Sum
Port 1
Port 2


5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

PSD

5670MHz

09/01/2025

CF (Hz)
5.67G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.37	1.37	-0.76	-1.81


Sum
Port 1
Port 2

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

PSD

5710MHz Straddle 5.47-5.725GHz

09/01/2025




5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

PSD

5710MHz Straddle 5.725-5.85GHz

09/01/2025




5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

PSD

5755MHz

09/01/2025

CF (Hz)
5.755G
Span (Hz)
60M
RBW (Hz)
500k
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.67	2.67	-0.20	-0.16

Sum
Port 1
Port 2


5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

PSD

5795MHz

09/01/2025

CF (Hz)
5.795G
Span (Hz)
60M
RBW (Hz)
500k
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.21	2.21	-0.10	-0.88


Sum
Port 1
Port 2

5.15-5.25GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

PSD

5210MHz

09/01/2025




5.25-5.35GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

PSD

5290MHz

09/01/2025




5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

PSD

5530MHz

09/01/2025

CF (Hz)
5.53G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum (dBm/Hz)	PD (dBm/Hz)	Port 1 (dBm/Hz)	Port 2 (dBm/Hz)
0.40	0.40	-2.24	-2.72


5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

PSD

5610MHz

09/01/2025

CF (Hz)
5.61G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS




Sum (dBm/Hz)	PD (dBm/Hz)	Port 1 (dBm/Hz)	Port 2 (dBm/Hz)
1.50	1.50	0.31	-3.18

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

PSD

5690MHz Straddle 5.47-5.725GHz

09/01/2025




5.725-5.85GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

PSD

5690MHz Straddle 5.725-5.85GHz

09/01/2025




5.725-5.85GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

PSD

5775MHz

09/01/2025

CF (Hz)
5.775G
Span (Hz)
120M
RBW (Hz)
500k
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.12	-1.12	-3.74	-3.70

Sum
Port 1
Port 2


5.15-5.25GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

PSD

5250MHz Straddle 5.15-5.25GHz

09/01/2025

CF (Hz)
5.17G
Span (Hz)
320M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.80	-1.80	-4.75	-4.28


Sum
Port 1
Port 2

5.25-5.35GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

PSD

5250MHz Straddle 5.25-5.35GHz

09/01/2025




5.47-5.725GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

PSD

5570MHz

09/01/2025






Radiated Emissions below 1GHz

Appendix E.1

Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 2	Pass	PK	30M	36.74	40.00	-3.26	Vertical

Mode 2



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)		
PK	30M	36.74	40.00	-3.26	-19.15	3	Vertical	112	1.25	"Worst"	55.89	23.86	1.15	44.16		
PK	59.1M	35.50	40.00	-4.50	-30.32	3	Vertical	9	1.50	-	65.82	12.46	1.62	44.40		
PK	67.83M	32.06	40.00	-7.94	-30.54	3	Vertical	360	1.00	-	62.60	12.25	1.65	44.44		
PK	87.23M	31.14	40.00	-8.86	-27.98	3	Vertical	134	1.50	-	59.12	14.68	1.85	44.51		
PK	444.19M	36.59	46.00	-9.41	-16.70	3	Vertical	198	1.25	-	53.29	22.60	4.55	43.85		
PK	940.83M	36.95	46.00	-9.05	-10.34	3	Vertical	214	1.00	-	47.29	26.53	6.57	43.44		

Mode 2



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)		
PK	30.97M	35.98	40.00	-4.02	-19.80	3	Horizontal	244	1.50	"Worst"	55.78	23.23	1.15	44.18		
PK	167.74M	36.04	43.50	-7.46	-25.85	3	Horizontal	105	2.00	-	61.89	15.86	2.73	44.44		
PK	263.77M	38.40	46.00	-7.60	-21.28	3	Horizontal	316	1.25	-	59.68	19.50	3.50	44.28		
PK	323.91M	38.51	46.00	-7.49	-20.84	3	Horizontal	321	1.00	-	59.35	19.40	3.92	44.16		
PK	335.55M	39.29	46.00	-6.71	-20.57	3	Horizontal	321	1.00	-	59.86	19.58	3.98	44.13		
PK	944.71M	37.80	46.00	-8.20	-10.20	3	Horizontal	202	1.50	-	48.00	26.66	6.58	43.44		




Summary

Mode	Result	Type	Freq	Level	Limit	Margin	Dist	Condition	Azimuth	Height	Comments
			(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(m)		(°)	(m)	
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80-BF_Nss1,(MCS0)_2TX	Pass	PK	17.32501G	68.17	68.20	-0.03	3	Vertical	274	2.02	-

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




EUT_Y_2TX
SET 20.5
15\21.5\18.5\20\20.5\21\20.5
6.59\ -2.06\3.67\2.12\1.50\ -0.27\1.56

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.1472G	67.45	74.00	-6.55	60.56	3	Vertical	170	1.80	20.5	32.79	6.64	32.54				
AV	5.1478G	52.44	54.00	-1.56	45.54	3	Vertical	170	1.80	20.5	32.80	6.64	32.54				
PK	5.1826G	115.72	Inf	-Inf	108.76	3	Vertical	170	1.80	20.5	32.87	6.63	32.54				
AV	5.1829G	105.50	Inf	-Inf	98.54	3	Vertical	170	1.80	20.5	32.87	6.63	32.54				

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




EUT_Y_2TX
SET 20.5
20.5
6.39

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1467G	61.07	74.00	-12.93	54.18	3	Horizontal	141	2.65	20.5	32.79	6.64	32.54			
AV	5.1472G	47.61	54.00	-6.39	40.72	3	Horizontal	141	2.65	20.5	32.79	6.64	32.54			
PK	5.1868G	106.91	Inf	-Inf	99.95	3	Horizontal	141	2.65	20.5	32.87	6.63	32.54			
AV	5.1868G	96.43	Inf	-Inf	89.47	3	Horizontal	141	2.65	20.5	32.87	6.63	32.54			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




EUT Y_2TX
Setting 20.5
01-C-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.358G	58.86	68.20	-9.34	41.93	3	Vertical	116	2.95	-	38.78	10.69	32.54			
PK	15.53782G	62.89	74.00	-11.11	43.42	3	Vertical	0	2.40	-	38.60	13.60	32.73			
AV	15.54744G	49.97	54.00	-4.03	30.50	3	Vertical	0	2.40	-	38.60	13.60	32.73			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




EUT_Y_2TX
Setting 20.5
01-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.35868G	58.24	68.20	-9.96	41.31	3	Horizontal	250	1.46	-	38.78	10.69	32.54			
PK	15.54966G	62.29	74.00	-11.71	42.82	3	Horizontal	193	1.40	-	38.60	13.60	32.73			
AV	15.54812G	50.11	54.00	-3.89	30.64	3	Horizontal	193	1.40	-	38.60	13.60	32.73			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




EUT_Y_2TX
SET 23.5
15\22.5\26\24.5\24\23.5
7.93\3.48\ -7.30\ -2.92\ -1.82\0.06

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.1468G	68.71	74.00	-5.29	61.82	3	Vertical	192	1.80	23.5	32.79	6.64	32.54				
AV	5.147G	53.94	54.00	-0.06	47.05	3	Vertical	192	1.80	23.5	32.79	6.64	32.54				
PK	5.2014G	119.01	Inf	-Inf	112.01	3	Vertical	192	1.80	23.5	32.90	6.63	32.53				
AV	5.1964G	109.12	Inf	-Inf	102.13	3	Vertical	192	1.80	23.5	32.89	6.63	32.53				

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




EUT_Y_2TX
SET 23.5
23.5
6.02

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.1476G	62.98	74.00	-11.02	56.08	3	Horizontal	140	2.51	23.5	32.80	6.64	32.54				
AV	5.1484G	47.98	54.00	-6.02	41.08	3	Horizontal	140	2.51	23.5	32.80	6.64	32.54				
PK	5.207G	110.41	Inf	-Inf	103.41	3	Horizontal	140	2.51	23.5	32.90	6.63	32.53				
AV	5.207G	100.01	Inf	-Inf	93.01	3	Horizontal	140	2.51	23.5	32.90	6.63	32.53				

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




EUT_Y_2TX
Setting 23.5
01-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.40516G	59.08	68.20	-9.12	42.14	3	Vertical	9	1.87	-	38.71	10.73	32.50			
PK	15.60802G	61.27	74.00	-12.73	42.05	3	Vertical	176	1.47	-	38.35	13.61	32.74			
AV	15.59014G	49.25	54.00	-4.75	29.93	3	Vertical	176	1.47	-	38.44	13.61	32.73			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




EUT_Y_2TX
Setting 23.5
01-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.39718G	59.12	68.20	-9.08	42.18	3	Horizontal	100	1.78	-	38.71	10.73	32.50			
PK	15.60588G	61.34	74.00	-12.66	42.11	3	Horizontal	244	1.96	-	38.36	13.61	32.74			
AV	15.59384G	49.34	54.00	-4.66	30.05	3	Horizontal	244	1.96	-	38.42	13.61	32.74			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX




EUT_Y_2TX
SET 25.5
15\22.5\28\25.5\26.5\26\25.5
7.71\7.13\3.12\1.75\2.98\0.55\1.49

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.15G	64.98	74.00	-9.02	58.08	3	Vertical	183	1.80	25.5	32.80	6.64	32.54			
AV	5.15G	52.51	54.00	-1.49	45.61	3	Vertical	183	1.80	25.5	32.80	6.64	32.54			
PK	5.2352G	121.37	Inf	-Inf	114.34	3	Vertical	183	1.80	25.5	32.90	6.65	32.52			
AV	5.2349G	111.45	Inf	-Inf	104.42	3	Vertical	183	1.80	25.5	32.90	6.65	32.52			
PK	5.3591G	62.91	74.00	-11.09	55.55	3	Vertical	183	1.80	25.5	33.14	6.71	32.49			
AV	5.3537G	49.37	54.00	-4.63	42.05	3	Vertical	183	1.80	25.5	33.11	6.71	32.50			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX




EUT_Y_2TX
SET 25.5
25.5
6.40

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1242G	59.31	74.00	-14.69	52.46	3	Horizontal	140	2.50	25.5	32.75	6.65	32.55			
AV	5.1482G	47.60	54.00	-6.40	40.70	3	Horizontal	140	2.50	25.5	32.80	6.64	32.54			
PK	5.2424G	112.66	Inf	-Inf	105.63	3	Horizontal	140	2.50	25.5	32.90	6.65	32.52			
AV	5.2424G	102.26	Inf	-Inf	95.23	3	Horizontal	140	2.50	25.5	32.90	6.65	32.52			
PK	5.372G	58.81	74.00	-15.19	51.39	3	Horizontal	140	2.50	25.5	33.19	6.72	32.49			
AV	5.381G	46.26	54.00	-7.74	38.81	3	Horizontal	140	2.50	25.5	33.22	6.72	32.49			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX




EUT_Y_2TX
Setting 25.5
01-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.48856G	59.18	68.20	-9.02	41.83	3	Vertical	274	1.62	-	38.95	10.82	32.42			
PK	15.72674G	61.67	74.00	-12.33	42.50	3	Vertical	53	1.41	-	38.31	13.62	32.76			
AV	15.72736G	49.72	54.00	-4.28	30.55	3	Vertical	53	1.41	-	38.31	13.62	32.76			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX




EUT_Y_2TX
Setting 25.5
01-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.47388G	59.14	68.20	-9.06	41.87	3	Horizontal	271	1.74	-	38.90	10.80	32.43			
PK	15.71854G	62.30	74.00	-11.70	43.16	3	Horizontal	326	1.61	-	38.27	13.62	32.75			
AV	15.72962G	49.68	54.00	-4.32	30.50	3	Horizontal	326	1.61	-	38.32	13.62	32.76			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




EUT_Y_2TX
SET 25.5
15\22.5\28\25.5\26.5\26\25.5
7.54\6.90\3.31\1.15\3.18\0.98\0.96

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1475G	63.66	74.00	-10.34	56.77	3	Vertical	192	1.80	25.5	32.79	6.64	32.54			
AV	5.1478G	50.97	54.00	-3.03	44.07	3	Vertical	192	1.80	25.5	32.80	6.64	32.54			
PK	5.2663G	121.87	Inf	-Inf	114.80	3	Vertical	192	1.80	25.5	32.93	6.66	32.52			
AV	5.2618G	111.54	Inf	-Inf	104.48	3	Vertical	192	1.80	25.5	32.92	6.66	32.52			
PK	5.3563G	66.83	74.00	-7.17	59.48	3	Vertical	192	1.80	25.5	33.13	6.71	32.49			
AV	5.3503G	53.04	54.00	-0.96	45.73	3	Vertical	192	1.80	25.5	33.10	6.71	32.50			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




EUT_Y_2TX
SET 25.5
25.5
7.04

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1472G	59.38	74.00	-14.62	52.49	3	Horizontal	141	2.61	25.5	32.79	6.64	32.54			
AV	5.1484G	46.92	54.00	-7.08	40.02	3	Horizontal	141	2.61	25.5	32.80	6.64	32.54			
PK	5.2672G	112.29	Inf	-Inf	105.22	3	Horizontal	141	2.61	25.5	32.93	6.66	32.52			
AV	5.2669G	101.84	Inf	-Inf	94.77	3	Horizontal	141	2.61	25.5	32.93	6.66	32.52			
PK	5.3509G	59.29	74.00	-14.71	51.98	3	Horizontal	141	2.61	25.5	33.10	6.71	32.50			
AV	5.3509G	46.96	54.00	-7.04	39.65	3	Horizontal	141	2.61	25.5	33.10	6.71	32.50			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




EUT_Y_2TX
Setting 25.5
01-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.523666G	59.65	68.20	-8.55	42.16	3	Vertical	188	1.78	-	39.05	10.85	32.41			
PK	15.77738G	63.15	74.00	-10.85	43.88	3	Vertical	349	1.38	-	38.40	13.63	32.76			
AV	15.77616G	50.74	54.00	-3.26	31.47	3	Vertical	349	1.38	-	38.40	13.63	32.76			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




EUT_Y_2TX
Setting 25.5
01-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.51248G	59.28	68.20	-8.92	41.83	3	Horizontal	357	1.91	-	39.02	10.84	32.41			
PK	15.77154G	63.56	74.00	-10.44	44.29	3	Horizontal	235	1.97	-	38.40	13.63	32.76			
AV	15.77328G	50.75	54.00	-3.25	31.48	3	Horizontal	235	1.97	-	38.40	13.63	32.76			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX


5300MHz_TX

EUT_Y_2TX
SET 22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.2978G	116.36	Inf	-Inf	109.19	3	Vertical	170	1.80	-	33.00	6.68	32.51			
AV	5.2928G	107.89	Inf	-Inf	100.73	3	Vertical	170	1.80	-	32.99	6.68	32.51			
PK	5.3502G	66.75	74.00	-7.25	59.44	3	Vertical	170	1.80	-	33.10	6.71	32.50			
AV	5.3502G	53.85	54.00	-0.15	46.54	3	Vertical	170	1.80	-	33.10	6.71	32.50			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




EUT_Y_2TX
SET 22

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.2946G	104.49	Inf	-Inf	97.33	3	Horizontal	60	1.80	22.5	32.99	6.68	32.51				
AV	5.2948G	94.58	Inf	-Inf	87.42	3	Horizontal	60	1.80	22.5	32.99	6.68	32.51				
PK	5.35G	60.88	74.00	-13.12	53.57	3	Horizontal	60	1.80	22.5	33.10	6.71	32.50				
AV	5.35G	46.70	54.00	-7.30	39.39	3	Horizontal	60	1.80	22.5	33.10	6.71	32.50				

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




EUT_Y_2TX
Setting 22
01-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	10.60324G	58.21	74.00	-15.79	40.57	3	Vertical	194	1.69	-	39.11	10.94	32.41				
AV	10.60682G	46.57	54.00	-7.43	28.93	3	Vertical	194	1.69	-	39.11	10.94	32.41				
PK	15.89976G	62.42	74.00	-11.58	42.96	3	Vertical	313	1.44	-	38.60	13.64	32.78				
AV	15.89096G	50.36	54.00	-3.64	30.94	3	Vertical	313	1.44	-	38.56	13.64	32.78				

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




EUT_Y_2TX
Setting 22
01-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.59684G	58.94	68.20	-9.26	41.32	3	Horizontal	83	1.97	-	39.10	10.93	32.41			
AV	10.60392G	46.66	54.00	-7.34	29.02	3	Horizontal	83	1.97	-	39.11	10.94	32.41			
PK	15.90848G	62.46	74.00	-11.54	43.03	3	Horizontal	115	1.59	-	38.58	13.64	32.79			
AV	15.89028G	50.30	54.00	-3.70	30.88	3	Horizontal	115	1.59	-	38.56	13.64	32.78			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUT_Y_2TX
SET 20.5
15\21\18\19.5\20\20.5
6.02\1.12\3.30\1.89\1.43\0.57

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.313G	114.76	Inf	-Inf	107.54	3	Vertical	169	1.80	20.5	33.03	6.69	32.50				
AV	5.3131G	104.32	Inf	-Inf	97.10	3	Vertical	169	1.80	20.5	33.03	6.69	32.50				
PK	5.3528G	67.45	74.00	-6.55	60.13	3	Vertical	169	1.80	20.5	33.11	6.71	32.50				
AV	5.3525G	53.43	54.00	-0.57	46.11	3	Vertical	169	1.80	20.5	33.11	6.71	32.50				

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUT_Y_2TX
SET 20.5
20.5
7.23

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA					
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)					
PK	5.3269G	104.03	Inf	-Inf	96.79	3	Horizontal	51	2.81	20.5	33.05	6.69	32.50					
AV	5.3264G	93.32	Inf	-Inf	86.08	3	Horizontal	51	2.81	20.5	33.05	6.69	32.50					
PK	5.3503G	59.64	74.00	-14.36	52.33	3	Horizontal	51	2.81	20.5	33.10	6.71	32.50					
AV	5.3513G	46.77	54.00	-7.23	39.45	3	Horizontal	51	2.81	20.5	33.11	6.71	32.50					

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUT_Y_2TX
Setting 20.5
01-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.63388G	58.76	74.00	-15.24	41.04	3	Vertical	33	1.72	-	39.17	10.97	32.42			
AV	10.63012G	46.48	54.00	-7.52	28.78	3	Vertical	33	1.72	-	39.16	10.96	32.42			
PK	15.95738G	61.99	74.00	-12.01	42.66	3	Vertical	339	1.82	-	38.47	13.65	32.79			
AV	15.955G	49.76	54.00	-4.24	30.42	3	Vertical	339	1.82	-	38.48	13.65	32.79			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUT_Y_2TX
Setting 20.5
01-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.64123G	58.45	74.00	-15.55	40.72	3	Horizontal	347	1.74	-	39.18	10.97	32.42			
AV	10.63628G	46.46	54.00	-7.54	28.74	3	Horizontal	347	1.74	-	39.17	10.97	32.42			
PK	15.96412G	62.36	74.00	-11.64	43.06	3	Horizontal	240	1.77	-	38.44	13.65	32.79			
AV	15.955G	49.76	54.00	-4.24	30.42	3	Horizontal	240	1.77	-	38.48	13.65	32.79			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




EUT_Y_2TX
SET 17.5
15\18.5\17\17.5\18\17.5
3.83\0.56\0.85\0.97\0.94\0.92

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4598G	62.44	74.00	-11.56	54.51	3	Vertical	183	2.95	17.5	33.56	6.84	32.47			
AV	5.4598G	48.92	54.00	-5.08	40.99	3	Vertical	183	2.95	17.5	33.56	6.84	32.47			
PK	5.4696G	67.28	68.20	-0.92	59.27	3	Vertical	183	2.95	17.5	33.62	6.86	32.47			
PK	5.5054G	114.43	Inf	-Inf	106.16	3	Vertical	183	2.95	17.5	33.81	6.92	32.46			
AV	5.5052G	104.37	Inf	-Inf	96.10	3	Vertical	183	2.95	17.5	33.81	6.92	32.46			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




EUT_Y_2TX
SET 17.5
17.5
6.91

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.46G	59.95	74.00	-14.05	52.02	3	Horizontal	342	1.80	17.5	33.56	6.84	32.47				
AV	5.459G	47.09	54.00	-6.91	39.17	3	Horizontal	342	1.80	17.5	33.55	6.84	32.47				
PK	5.463G	60.46	68.20	-7.74	52.50	3	Horizontal	342	1.80	17.5	33.58	6.85	32.47				
PK	5.4958G	105.74	Inf	-Inf	97.52	3	Horizontal	342	1.80	17.5	33.77	6.91	32.46				
AV	5.5062G	95.19	Inf	-Inf	86.91	3	Horizontal	342	1.80	17.5	33.81	6.93	32.46				

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




EUT_Y_2TX
Setting 17.5
01-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.99566G	59.00	74.00	-15.00	40.98	3	Vertical	250	1.42	-	39.11	11.34	32.43			
AV	10.9964G	47.24	54.00	-6.76	29.22	3	Vertical	250	1.42	-	39.11	11.34	32.43			
PK	16.50082G	63.54	68.20	-4.66	42.60	3	Vertical	141	1.64	-	39.60	13.80	32.46			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




EUT_Y_2TX
Setting 17.5
01-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.00224G	60.07	74.00	-13.93	42.06	3	Horizontal	10	1.75	-	39.10	11.34	32.43			
AV	10.9964G	47.24	54.00	-6.76	29.22	3	Horizontal	10	1.75	-	39.11	11.34	32.43			
PK	16.50246G	63.26	68.20	-4.94	42.32	3	Horizontal	154	1.95	-	39.60	13.80	32.46			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX




EUT_Y_2TX
SET 26
15\21.5\27.5\24.5\26\26.5\26
6.95\6.47\1.88\4.53\1.42\0.45\1.35

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4459G	65.98	74.00	-8.02	58.16	3	Vertical	182	1.80	26	33.48	6.81	32.47			
PK	5.4615G	66.10	68.20	-2.10	58.16	3	Vertical	182	1.80	26	33.57	6.84	32.47			
AV	5.4564G	52.65	54.00	-1.35	44.75	3	Vertical	182	1.80	26	33.54	6.83	32.47			
PK	5.5761G	121.75	Inf	-Inf	113.25	3	Vertical	182	1.80	26	33.90	7.06	32.46			
AV	5.5752G	111.54	Inf	-Inf	103.05	3	Vertical	182	1.80	26	33.90	7.05	32.46			
PK	5.7285G	62.62	68.20	-5.58	53.71	3	Vertical	182	1.80	26	34.10	7.26	32.45			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX




EUT_Y_2TX
SET 26
26
5.93

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.457G	60.62	74.00	-13.38	52.71	3	Horizontal	340	1.80	26	33.54	6.84	32.47			
AV	5.4573G	48.07	54.00	-5.93	40.16	3	Horizontal	340	1.80	26	33.54	6.84	32.47			
PK	5.4678G	61.38	68.20	-6.82	53.38	3	Horizontal	340	1.80	26	33.61	6.86	32.47			
PK	5.577G	114.32	Inf	-Inf	105.82	3	Horizontal	340	1.80	26	33.90	7.06	32.46			
AV	5.5764G	103.27	Inf	-Inf	94.77	3	Horizontal	340	1.80	26	33.90	7.06	32.46			
PK	5.7285G	60.79	68.20	-7.41	51.88	3	Horizontal	340	1.80	26	34.10	7.26	32.45			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5580MHz_TX

EUT_Y_2TX
Setting 26
01-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.16441G	59.98	74.00	-14.02	42.15	3	Vertical	22	1.49	-	38.80	11.51	32.48			
AV	11.16171G	48.10	54.00	-5.90	30.28	3	Vertical	22	1.49	-	38.80	11.50	32.48			
PK	16.74265G	64.40	68.20	-3.80	42.84	3	Vertical	312	1.42	-	39.97	13.87	32.28			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX




EUT_Y_2TX
Setting 26
01-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.16129G	58.63	74.00	-15.37	40.81	3	Horizontal	104	1.44	-	38.80	11.50	32.48			
AV	11.16167G	46.10	54.00	-7.90	28.28	3	Horizontal	104	1.44	-	38.80	11.50	32.48			
PK	16.74344G	64.12	68.20	-4.08	42.55	3	Horizontal	328	1.89	-	39.97	13.87	32.27			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




EUT Y_2TX
Setting 20.5
03-V-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6946G	118.47	Inf	-Inf	111.80	3	Vertical	328	1.80	-	34.11	7.78	35.22			
AV	5.6948G	110.14	Inf	-Inf	103.47	3	Vertical	328	1.80	-	34.11	7.78	35.22			
PK	5.726G	67.86	68.20	-0.34	61.10	3	Vertical	328	1.80	-	34.15	7.83	35.22			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




EUT_Y_2TX
Setting 20.5
03-V-R-7-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.7046G	109.98	Inf	-Inf	103.30	3	Horizontal	303	1.80	-	34.11	7.79	35.22			
AV	5.7044G	101.26	Inf	-Inf	94.58	3	Horizontal	303	1.80	-	34.11	7.79	35.22			
PK	5.7304G	60.83	68.20	-7.37	54.05	3	Horizontal	303	1.80	-	34.16	7.84	35.22			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5700MHz_TX

EUT_Y_2TX
Setting 20.5
03-V-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.39217G	59.40	74.00	-14.60	43.51	3	Vertical	168	2.69	-	38.68	11.58	34.37			
AV	11.4027G	48.04	54.00	-5.96	32.12	3	Vertical	168	2.69	-	38.70	11.59	34.37			
PK	17.08974G	65.16	68.20	-3.04	45.31	3	Vertical	326	1.78	-	40.28	13.80	34.23			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5700MHz_TX

EUT_Y_2TX
Setting 20.5
03-V-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.40471G	58.62	74.00	-15.38	42.70	3	Horizontal	55	1.25	-	38.70	11.59	34.37			
AV	11.40255G	48.22	54.00	-5.78	32.30	3	Horizontal	55	1.25	-	38.70	11.59	34.37			
PK	17.09889G	63.69	68.20	-4.51	43.80	3	Horizontal	72	1.34	-	40.30	13.81	34.22			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
SET 28
15\20\26\28
5.49\6.23\4.28\1.80

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.46G	61.51	74.00	-12.49	53.58	3	Vertical	173	2.76	28	33.56	6.84	32.47			
AV	5.4206G	50.10	54.00	-3.90	42.43	3	Vertical	173	2.76	28	33.38	6.77	32.48			
PK	5.4656G	62.03	68.20	-6.17	54.06	3	Vertical	173	2.76	28	33.59	6.85	32.47			
PK	5.7242G	124.44	Inf	-Inf	115.53	3	Vertical	173	2.76	28	34.10	7.26	32.45			
AV	5.7188G	114.69	Inf	-Inf	105.79	3	Vertical	173	2.76	28	34.10	7.25	32.45			
PK	5.8544G	66.40	68.20	-1.80	56.93	3	Vertical	173	2.76	28	34.53	7.39	32.45			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
SET 28
28
5.25

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4512G	59.24	74.00	-14.76	51.38	3	Horizontal	343	1.80	28	33.51	6.82	32.47			
AV	5.42G	47.24	54.00	-6.76	39.57	3	Horizontal	343	1.80	28	33.38	6.77	32.48			
PK	5.4644G	58.77	68.20	-9.43	50.80	3	Horizontal	343	1.80	28	33.59	6.85	32.47			
PK	5.714G	113.70	Inf	-Inf	104.81	3	Horizontal	343	1.80	28	34.10	7.24	32.45			
AV	5.7272G	103.36	Inf	-Inf	94.45	3	Horizontal	343	1.80	28	34.10	7.26	32.45			
PK	5.9462G	62.95	68.20	-5.25	52.85	3	Horizontal	343	1.80	28	35.08	7.46	32.44			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 28
01-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.44008G	62.05	74.00	-11.95	43.80	3	Vertical	168	1.80	-	39.02	11.79	32.56			
AV	11.43991G	49.64	54.00	-4.36	31.39	3	Vertical	168	1.80	-	39.02	11.79	32.56			
PK	17.16206G	65.30	68.20	-2.90	42.07	3	Vertical	360	1.80	-	41.22	13.99	31.98			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5720MHz Straddle 5.47-5.725GHz_TX

EUT_Y_2TX
Setting 28
01-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.44048G	62.08	74.00	-11.92	43.83	3	Horizontal	254	1.80	-	39.02	11.79	32.56			
AV	11.43999G	49.70	54.00	-4.30	31.45	3	Horizontal	254	1.80	-	39.02	11.79	32.56			
PK	17.16421G	65.97	68.20	-2.23	42.72	3	Horizontal	183	1.80	-	41.23	13.99	31.97			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX




EUT_Y_2TX
Setting 24.5
01-C-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.648G	67.43	68.20	-0.77	58.72	3	Vertical	194	1.80	-	34.00	7.16	32.45				
PK	5.738G	119.58	Inf	-Inf	110.66	3	Vertical	194	1.80	-	34.10	7.27	32.45				
AV	5.738G	111.24	Inf	-Inf	102.32	3	Vertical	194	1.80	-	34.10	7.27	32.45				
PK	5.9815G	64.38	68.20	-3.82	54.10	3	Vertical	194	1.80	-	35.23	7.49	32.44				

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX




EUT_Y_2TX
Setting 24.5
01-C-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.641G	63.59	68.20	-4.61	54.91	3	Horizontal	338	1.24	-	33.98	7.15	32.45			
PK	5.748G	111.73	Inf	-Inf	102.80	3	Horizontal	338	1.24	-	34.10	7.28	32.45			
AV	5.7485G	102.80	Inf	-Inf	93.86	3	Horizontal	338	1.24	-	34.10	7.29	32.45			
PK	5.9385G	64.51	68.20	-3.69	54.47	3	Horizontal	338	1.24	-	35.03	7.45	32.44			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX




EUT_Y_2TX
Setting 24.5
01-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.48685G	60.19	74.00	-13.81	42.00	3	Vertical	221	1.89	-	38.93	11.84	32.58			
AV	11.48712G	46.92	54.00	-7.08	28.73	3	Vertical	221	1.89	-	38.93	11.84	32.58			
PK	17.23123G	65.16	68.20	-3.04	41.66	3	Vertical	153	1.65	-	41.42	14.01	31.93			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX




EUT_Y_2TX
Setting 24.5
01-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.48899G	59.12	74.00	-14.88	40.94	3	Horizontal	267	1.83	-	38.92	11.84	32.58			
AV	11.4871G	46.92	54.00	-7.08	28.73	3	Horizontal	267	1.83	-	38.93	11.84	32.58			
PK	17.23293G	65.76	68.20	-2.44	42.25	3	Horizontal	194	1.68	-	41.43	14.01	31.93			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5785MHz_TX




EUT_Y_2TX
Setting 25
01-C-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.642G	65.31	68.20	-2.89	56.63	3	Vertical	196	2.35	-	33.98	7.15	32.45				
PK	5.7825G	118.27	Inf	-Inf	109.23	3	Vertical	196	2.35	-	34.16	7.33	32.45				
AV	5.7875G	109.76	Inf	-Inf	100.70	3	Vertical	196	2.35	-	34.18	7.33	32.45				
PK	6.033G	63.63	68.20	-4.57	53.19	3	Vertical	196	2.35	-	35.37	7.51	32.44				

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5785MHz_TX




EUT_Y_2TX
Setting 25
01-C-J-8-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.647G	68.00	68.20	-0.20	59.30	3	Horizontal	340	1.33	-	33.99	7.16	32.45			
PK	5.7785G	110.25	Inf	-Inf	101.22	3	Horizontal	340	1.33	-	34.16	7.32	32.45			
AV	5.7885G	101.55	Inf	-Inf	92.48	3	Horizontal	340	1.33	-	34.18	7.34	32.45			
PK	6.007G	64.14	68.20	-4.06	53.77	3	Horizontal	340	1.33	-	35.31	7.50	32.44			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX


5785MHz_TX

EUT_Y_2TX
Setting 25
01-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.57376G	60.55	74.00	-13.45	42.28	3	Vertical	150	1.66	-	38.95	11.93	32.61			
AV	11.56624G	46.83	54.00	-7.17	28.55	3	Vertical	150	1.66	-	38.97	11.92	32.61			
PK	17.35088G	65.54	68.20	-2.66	41.56	3	Vertical	290	1.82	-	41.80	14.04	31.86			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX


5785MHz_TX

EUT_Y_2TX
Setting 25
01-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.56516G	59.87	74.00	-14.13	41.59	3	Horizontal	308	1.93	-	38.97	11.92	32.61			
AV	11.56645G	46.90	54.00	-7.10	28.62	3	Horizontal	308	1.93	-	38.97	11.92	32.61			
PK	17.3511G	65.19	68.20	-3.01	41.21	3	Horizontal	126	2.00	-	41.80	14.04	31.86			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5825MHz_TX




EUT_Y_2TX
Setting 28
01-C-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.636G	65.96	68.20	-2.24	57.30	3	Vertical	173	2.57	-	33.97	7.14	32.45				
PK	5.829G	123.54	Inf	-Inf	114.25	3	Vertical	173	2.57	-	34.37	7.37	32.45				
AV	5.824G	114.23	Inf	-Inf	104.97	3	Vertical	173	2.57	-	34.34	7.37	32.45				
PK	6.023G	64.81	68.20	-3.39	54.39	3	Vertical	173	2.57	-	35.35	7.51	32.44				

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5825MHz_TX




EUT_Y_2TX
Setting 28
01-C-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.594G	62.79	68.20	-5.41	54.26	3	Horizontal	337	1.05	-	33.90	7.09	32.46				
PK	5.828G	115.24	Inf	-Inf	105.95	3	Horizontal	337	1.05	-	34.37	7.37	32.45				
AV	5.8285G	103.11	Inf	-Inf	93.82	3	Horizontal	337	1.05	-	34.37	7.37	32.45				
PK	6.006G	64.89	68.20	-3.31	54.52	3	Horizontal	337	1.05	-	35.31	7.50	32.44				

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5825MHz_TX




EUT_Y_2TX
Setting 28
01-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.65274G	60.43	74.00	-13.57	42.17	3	Vertical	350	1.51	-	38.90	12.01	32.65			
AV	11.65312G	47.10	54.00	-6.90	28.84	3	Vertical	350	1.51	-	38.90	12.01	32.65			
PK	17.47222G	65.76	68.20	-2.44	41.55	3	Vertical	341	1.81	-	41.91	14.08	31.78			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5825MHz_TX




EUT_Y_2TX
Setting 28
01-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.65351G	60.40	74.00	-13.60	42.14	3	Horizontal	35	1.46	-	38.90	12.01	32.65			
AV	11.64872G	47.25	54.00	-6.75	29.00	3	Horizontal	35	1.46	-	38.90	12.00	32.65			
PK	17.47166G	65.71	68.20	-2.49	41.50	3	Horizontal	160	1.94	-	41.91	14.08	31.78			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX




EUT_Y_2TX
SET 18.5
15\18.5
3.70\0.44

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.15G	67.60	74.00	-6.40	60.70	3	Vertical	165	1.78	18.5	32.80	6.64	32.54				
AV	5.1494G	53.56	54.00	-0.44	46.66	3	Vertical	165	1.78	18.5	32.80	6.64	32.54				
PK	5.1875G	116.76	Inf	-Inf	109.79	3	Vertical	165	1.78	18.5	32.87	6.63	32.53				
AV	5.188G	104.24	Inf	-Inf	97.26	3	Vertical	165	1.78	18.5	32.88	6.63	32.53				

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX




EUT_Y_2TX
SET 18.5
18.5
6.51

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.1484G	60.31	74.00	-13.69	53.41	3	Horizontal	134	2.95	18.5	32.80	6.64	32.54				
AV	5.1498G	47.49	54.00	-6.51	40.59	3	Horizontal	134	2.95	18.5	32.80	6.64	32.54				
PK	5.1883G	106.75	Inf	-Inf	99.77	3	Horizontal	134	2.95	18.5	32.88	6.63	32.53				
AV	5.1885G	93.45	Inf	-Inf	86.47	3	Horizontal	134	2.95	18.5	32.88	6.63	32.53				

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX




EUT_Y_2TX
Setting 18.5
01-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.35694G	58.36	68.20	-9.84	41.43	3	Vertical	14	1.88	-	38.79	10.68	32.54			
PK	15.53523G	61.34	74.00	-12.66	41.87	3	Vertical	265	1.79	-	38.60	13.60	32.73			
AV	15.54456G	49.45	54.00	-4.55	29.98	3	Vertical	265	1.79	-	38.60	13.60	32.73			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX




EUT_Y_2TX
Setting 18.5
01-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.3605G	58.55	68.20	-9.65	41.62	3	Horizontal	23	1.95	-	38.78	10.69	32.54			
PK	15.54029G	61.80	74.00	-12.20	42.33	3	Horizontal	68	1.88	-	38.60	13.60	32.73			
AV	15.54433G	49.45	54.00	-4.55	29.98	3	Horizontal	68	1.88	-	38.60	13.60	32.73			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5200MHz_TX




EUT_Y_2TX
SET 22.5
15\22.5
7.66\0.21

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.1496G	68.25	74.00	-5.75	61.35	3	Vertical	163	1.80	22.5	32.80	6.64	32.54				
AV	5.1498G	53.79	54.00	-0.21	46.89	3	Vertical	163	1.80	22.5	32.80	6.64	32.54				
PK	5.2086G	120.08	Inf	-Inf	113.08	3	Vertical	163	1.80	22.5	32.90	6.63	32.53				
AV	5.2076G	108.31	Inf	-Inf	101.31	3	Vertical	163	1.80	22.5	32.90	6.63	32.53				

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5200MHz_TX




EUT_Y_2TX
SET 22.5
22.5
5.55

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.1494G	61.06	74.00	-12.94	54.16	3	Horizontal	140	2.50	22.5	32.80	6.64	32.54				
AV	5.1496G	48.45	54.00	-5.55	41.55	3	Horizontal	140	2.50	22.5	32.80	6.64	32.54				
PK	5.2076G	111.41	Inf	-Inf	104.41	3	Horizontal	140	2.50	22.5	32.90	6.63	32.53				
AV	5.2086G	99.40	Inf	-Inf	92.40	3	Horizontal	140	2.50	22.5	32.90	6.63	32.53				

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5200MHz_TX




EUT_Y_2TX
Setting 22.5
01-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.40088G	58.68	68.20	-9.52	41.75	3	Vertical	262	1.62	-	38.70	10.73	32.50			
PK	15.5994G	61.34	74.00	-12.66	42.07	3	Vertical	297	1.37	-	38.40	13.61	32.74			
AV	15.59764G	49.08	54.00	-4.92	29.80	3	Vertical	297	1.37	-	38.41	13.61	32.74			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5200MHz_TX




EUT_Y_2TX
Setting 22.5
01-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.40029G	59.18	68.20	-9.02	42.25	3	Horizontal	133	1.87	-	38.70	10.73	32.50			
PK	15.5955G	61.20	74.00	-12.80	41.91	3	Horizontal	210	1.58	-	38.42	13.61	32.74			
AV	15.59534G	49.11	54.00	-4.89	29.82	3	Horizontal	210	1.58	-	38.42	13.61	32.74			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5240MHz_TX




EUT_Y_2TX
SET 25.5
15\22.5\28\25.5\26.5\26\25.5
7.65\6.80\2.29\1.17\2.25\0.75\1.02

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.138G	66.49	74.00	-7.51	59.62	3	Vertical	174	1.80	25.5	32.78	6.64	32.55
AV	5.1377G	52.98	54.00	-1.02	46.11	3	Vertical	174	1.80	25.5	32.78	6.64	32.55
PK	5.2343G	124.05	Inf	-Inf	117.02	3	Vertical	174	1.80	25.5	32.90	6.65	32.52
AV	5.2346G	111.28	Inf	-Inf	104.25	3	Vertical	174	1.80	25.5	32.90	6.65	32.52
PK	5.3507G	65.92	74.00	-8.08	58.61	3	Vertical	174	1.80	25.5	33.10	6.71	32.50
AV	5.35G	51.59	54.00	-2.41	44.28	3	Vertical	174	1.80	25.5	33.10	6.71	32.50

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5240MHz_TX




EUT_Y_2TX
SET 25.5
25.5
5.20

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1488G	61.54	74.00	-12.46	54.64	3	Horizontal	140	2.53	25.5	32.80	6.64	32.54			
AV	5.1494G	48.80	54.00	-5.20	41.90	3	Horizontal	140	2.53	25.5	32.80	6.64	32.54			
PK	5.2463G	114.19	Inf	-Inf	107.16	3	Horizontal	140	2.53	25.5	32.90	6.65	32.52			
AV	5.2481G	101.80	Inf	-Inf	94.77	3	Horizontal	140	2.53	25.5	32.90	6.65	32.52			
PK	5.3666G	58.82	74.00	-15.18	51.43	3	Horizontal	140	2.53	25.5	33.17	6.71	32.49			
AV	5.3858G	46.31	54.00	-7.69	38.84	3	Horizontal	140	2.53	25.5	33.24	6.72	32.49			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5240MHz_TX




EUT_Y_2TX
Setting 25.5
01-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.48223G	58.84	68.20	-9.36	41.53	3	Vertical	339	1.69	-	38.93	10.81	32.43			
PK	15.72126G	61.56	74.00	-12.44	42.41	3	Vertical	347	1.61	-	38.29	13.62	32.76			
AV	15.72476G	49.36	54.00	-4.64	30.20	3	Vertical	347	1.61	-	38.30	13.62	32.76			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5240MHz_TX




EUT_Y_2TX
Setting 25.5
01-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.47998G	58.81	68.20	-9.39	41.51	3	Horizontal	340	1.53	-	38.92	10.81	32.43			
PK	15.72362G	61.35	74.00	-12.65	42.20	3	Horizontal	317	1.94	-	38.29	13.62	32.76			
AV	15.72325G	49.40	54.00	-4.60	30.25	3	Horizontal	317	1.94	-	38.29	13.62	32.76			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5260MHz_TX




EUT_Y_2TX
SET 25.5
15\22.5\28\25.5\26.5\26\25.5
7.56\6.60\4.38\0.52\4.32\2.60\0.42

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.149G	66.74	74.00	-7.26	59.84	3	Vertical	192	1.80	25.5	32.80	6.64	32.54
AV	5.1496G	52.83	54.00	-1.17	45.93	3	Vertical	192	1.80	25.5	32.80	6.64	32.54
PK	5.2678G	123.27	Inf	-Inf	116.19	3	Vertical	192	1.80	25.5	32.94	6.66	32.52
AV	5.2666G	111.25	Inf	-Inf	104.18	3	Vertical	192	1.80	25.5	32.93	6.66	32.52
PK	5.3602G	67.21	74.00	-6.79	59.85	3	Vertical	192	1.80	25.5	33.14	6.71	32.49
AV	5.3614G	53.58	54.00	-0.42	46.21	3	Vertical	192	1.80	25.5	33.15	6.71	32.49

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5260MHz_TX




EUT Y_2TX
SET 25.5
25.5
6.74

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1127G	60.50	74.00	-13.50	53.67	3	Horizontal	141	2.61	25.5	32.73	6.65	32.55			
AV	5.1499G	47.26	54.00	-6.74	40.36	3	Horizontal	141	2.61	25.5	32.80	6.64	32.54			
PK	5.2681G	114.10	Inf	-Inf	107.02	3	Horizontal	141	2.61	25.5	32.94	6.66	32.52			
AV	5.2669G	101.27	Inf	-Inf	94.20	3	Horizontal	141	2.61	25.5	32.93	6.66	32.52			
PK	5.3599G	59.07	74.00	-14.93	51.71	3	Horizontal	141	2.61	25.5	33.14	6.71	32.49			
AV	5.3593G	47.07	54.00	-6.93	39.71	3	Horizontal	141	2.61	25.5	33.14	6.71	32.49			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5260MHz_TX




EUT_Y_2TX
Setting 25.5
01-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.52003G	59.39	68.20	-8.81	41.91	3	Vertical	193	1.94	-	39.04	10.85	32.41			
PK	15.78454G	62.65	74.00	-11.35	43.39	3	Vertical	84	1.74	-	38.40	13.63	32.77			
AV	15.77502G	50.45	54.00	-3.55	31.18	3	Vertical	84	1.74	-	38.40	13.63	32.76			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5260MHz_TX




EUT_Y_2TX
Setting 25.5
01-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.51813G	58.60	68.20	-9.60	41.12	3	Horizontal	102	2.00	-	39.04	10.85	32.41			
PK	15.78047G	63.18	74.00	-10.82	43.91	3	Horizontal	282	1.83	-	38.40	13.63	32.76			
AV	15.77504G	50.15	54.00	-3.85	30.88	3	Horizontal	282	1.83	-	38.40	13.63	32.76			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5300MHz_TX

EUT_Y_2TX
SET21.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.2932G	118.67	Inf	-Inf	111.51	3	Vertical	169	1.80	-	32.99	6.68	32.51			
AV	5.2914G	107.66	Inf	-Inf	100.51	3	Vertical	169	1.80	-	32.98	6.68	32.51			
PK	5.3556G	66.85	74.00	-7.15	59.51	3	Vertical	169	1.80	-	33.12	6.71	32.49			
AV	5.3538G	53.27	54.00	-0.73	45.94	3	Vertical	169	1.80	-	33.12	6.71	32.50			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5300MHz_TX

EUT_Y_2TX
SET21.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.298G	105.39	Inf	-Inf	98.22	3	Horizontal	61	1.80	21	33.00	6.68	32.51				
AV	5.2982G	92.94	Inf	-Inf	85.77	3	Horizontal	61	1.80	21	33.00	6.68	32.51				
PK	5.3502G	59.59	74.00	-14.41	52.28	3	Horizontal	61	1.80	21	33.10	6.71	32.50				
AV	5.3968G	46.24	54.00	-7.76	38.70	3	Horizontal	61	1.80	21	33.29	6.73	32.48				

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5300MHz_TX




EUT_Y_2TX
Setting 21.5
01-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.60348G	58.40	74.00	-15.60	40.76	3	Vertical	23	1.36	-	39.11	10.94	32.41			
AV	10.60354G	46.36	54.00	-7.64	28.72	3	Vertical	23	1.36	-	39.11	10.94	32.41			
PK	15.90228G	62.81	74.00	-11.19	43.35	3	Vertical	28	2.00	-	38.60	13.64	32.78			
AV	15.89507G	50.06	54.00	-3.94	30.62	3	Vertical	28	2.00	-	38.58	13.64	32.78			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5300MHz_TX




EUT_Y_2TX
Setting 21.5
01-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.60041G	58.66	74.00	-15.34	41.04	3	Horizontal	337	1.99	-	39.10	10.93	32.41			
AV	10.60353G	46.36	54.00	-7.64	28.72	3	Horizontal	337	1.99	-	39.11	10.94	32.41			
PK	15.90151G	62.56	74.00	-11.44	43.10	3	Horizontal	19	1.91	-	38.60	13.64	32.78			
AV	15.89641G	50.05	54.00	-3.95	30.60	3	Horizontal	19	1.91	-	38.59	13.64	32.78			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




EUT_Y_2TX
SET 19
15\18.5\20\19.5\19
3.75\0.62\0.61\0.12\0.24

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3143G	115.71	Inf	-Inf	108.49	3	Vertical	173	1.80	19	33.03	6.69	32.50			
AV	5.3132G	102.91	Inf	-Inf	95.69	3	Vertical	173	1.80	19	33.03	6.69	32.50			
PK	5.3527G	67.82	74.00	-6.18	60.50	3	Vertical	173	1.80	19	33.11	6.71	32.50			
AV	5.3512G	53.76	54.00	-0.24	46.45	3	Vertical	173	1.80	19	33.10	6.71	32.50			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5320MHz_TX

EUT_Y_2TX
SET 19
19
7.53

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.3179G	102.60	Inf	-Inf	95.37	3	Horizontal	61	1.80	19	33.04	6.69	32.50				
AV	5.3189G	90.04	Inf	-Inf	82.81	3	Horizontal	61	1.80	19	33.04	6.69	32.50				
PK	5.3544G	59.07	74.00	-14.93	51.73	3	Horizontal	61	1.80	19	33.12	6.71	32.49				
AV	5.3577G	46.47	54.00	-7.53	39.12	3	Horizontal	61	1.80	19	33.13	6.71	32.49				

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




EUT_Y_2TX
Setting 19
01-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.641G	58.88	74.00	-15.12	41.15	3	Vertical	104	1.44	-	39.18	10.97	32.42			
AV	10.63631G	46.54	54.00	-7.46	28.82	3	Vertical	104	1.44	-	39.17	10.97	32.42			
PK	15.96123G	61.96	74.00	-12.04	42.64	3	Vertical	73	1.83	-	38.46	13.65	32.79			
AV	15.96311G	49.72	54.00	-4.28	30.41	3	Vertical	73	1.83	-	38.45	13.65	32.79			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




EUT_Y_2TX
Setting 19
01-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.63903G	58.20	74.00	-15.80	40.47	3	Horizontal	49	1.50	-	39.18	10.97	32.42			
AV	10.63638G	46.54	54.00	-7.46	28.82	3	Horizontal	49	1.50	-	39.17	10.97	32.42			
PK	15.95976G	63.34	74.00	-10.66	44.02	3	Horizontal	131	2.00	-	38.46	13.65	32.79			
AV	15.9632G	49.56	54.00	-4.44	30.25	3	Horizontal	131	2.00	-	38.45	13.65	32.79			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5500MHz_TX




EUT_Y_2TX
SET 17.5
15\17.5
2.52\0.24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4506G	63.60	74.00	-10.40	55.75	3	Vertical	198	1.80	17.5	33.50	6.82	32.47			
AV	5.4538G	48.58	54.00	-5.42	40.70	3	Vertical	198	1.80	17.5	33.52	6.83	32.47			
PK	5.4675G	67.96	68.20	-0.24	59.98	3	Vertical	198	1.80	17.5	33.60	6.85	32.47			
PK	5.4928G	115.73	Inf	-Inf	107.53	3	Vertical	198	1.80	17.5	33.76	6.90	32.46			
AV	5.4916G	103.67	Inf	-Inf	95.48	3	Vertical	198	1.80	17.5	33.75	6.90	32.46			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5500MHz_TX




EUT_Y_2TX
SET 17.5
17.5
5.65

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4521G	60.01	74.00	-13.99	52.14	3	Horizontal	343	1.80	17.5	33.51	6.83	32.47			
PK	5.4649G	62.55	68.20	-5.65	54.58	3	Horizontal	343	1.80	17.5	33.59	6.85	32.47			
AV	5.46G	47.39	54.00	-6.61	39.46	3	Horizontal	343	1.80	17.5	33.56	6.84	32.47			
PK	5.505G	107.96	Inf	-Inf	99.69	3	Horizontal	343	1.80	17.5	33.81	6.92	32.46			
AV	5.5039G	95.06	Inf	-Inf	86.79	3	Horizontal	343	1.80	17.5	33.81	6.92	32.46			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5500MHz_TX

EUT_Y_2TX
Setting 17.5
01-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.00369G	59.15	74.00	-14.85	41.15	3	Vertical	231	1.94	-	39.09	11.34	32.43			
AV	10.99637G	47.39	54.00	-6.61	29.37	3	Vertical	231	1.94	-	39.11	11.34	32.43			
PK	16.50421G	63.85	68.20	-4.35	42.91	3	Vertical	129	1.72	-	39.60	13.80	32.46			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5500MHz_TX




EUT_Y_2TX
Setting 17.5
01-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.00439G	59.40	74.00	-14.60	41.40	3	Horizontal	276	1.66	-	39.09	11.34	32.43			
AV	10.99632G	47.58	54.00	-6.42	29.56	3	Horizontal	276	1.66	-	39.11	11.34	32.43			
PK	16.50371G	64.24	68.20	-3.96	43.30	3	Horizontal	125	1.69	-	39.60	13.80	32.46			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5580MHz_TX




EUT_Y_2TX
SET 25.5
15\21.5\27.5\24.5\26\25.5
6.93\6.49\4.25\2.55\0.18\0.04

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4537G	66.11	74.00	-7.89	58.23	3	Vertical	197	1.80	25.5	33.52	6.83	32.47
AV	5.4564G	52.78	54.00	-1.22	44.88	3	Vertical	197	1.80	25.5	33.54	6.83	32.47
PK	5.4675G	68.16	68.20	-0.04	60.18	3	Vertical	197	1.80	25.5	33.60	6.85	32.47
PK	5.5731G	122.46	Inf	-Inf	113.97	3	Vertical	197	1.80	25.5	33.90	7.05	32.46
AV	5.5716G	111.32	Inf	-Inf	102.83	3	Vertical	197	1.80	25.5	33.90	7.05	32.46
PK	5.7288G	64.90	68.20	-3.30	55.99	3	Vertical	197	1.80	25.5	34.10	7.26	32.45

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5580MHz_TX




EUT_Y_2TX
SET 25.5
25.5
6.15

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4525G	60.00	74.00	-14.00	52.12	3	Horizontal	342	1.80	25.5	33.52	6.83	32.47			
AV	5.4498G	47.85	54.00	-6.15	40.00	3	Horizontal	342	1.80	25.5	33.50	6.82	32.47			
PK	5.4678G	61.90	68.20	-6.30	53.90	3	Horizontal	342	1.80	25.5	33.61	6.86	32.47			
PK	5.5824G	114.29	Inf	-Inf	105.78	3	Horizontal	342	1.80	25.5	33.90	7.07	32.46			
AV	5.5875G	101.95	Inf	-Inf	93.43	3	Horizontal	342	1.80	25.5	33.90	7.08	32.46			
PK	5.7294G	61.60	68.20	-6.60	52.69	3	Horizontal	342	1.80	25.5	34.10	7.26	32.45			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5580MHz_TX

EUT_Y_2TX
Setting 25.5
01-C-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.16499G	58.59	74.00	-15.41	40.76	3	Vertical	65	1.56	-	38.80	11.51	32.48			
AV	11.16177G	46.58	54.00	-7.42	28.75	3	Vertical	65	1.56	-	38.80	11.51	32.48			
PK	16.73899G	64.12	68.20	-4.08	42.58	3	Vertical	3	1.90	-	39.96	13.86	32.28			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5580MHz_TX

EUT_Y_2TX
Setting 25.5
01-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.16234G	58.44	74.00	-15.56	40.61	3	Horizontal	12	1.42	-	38.80	11.51	32.48			
AV	11.16144G	46.28	54.00	-7.72	28.46	3	Horizontal	12	1.42	-	38.80	11.50	32.48			
PK	16.74031G	64.17	68.20	-4.03	42.63	3	Horizontal	31	1.81	-	39.96	13.86	32.28			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5700MHz_TX

EUT_Y_2TX
Setting 20
03-V-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6964G	120.57	Inf	-Inf	113.90	3	Vertical	174	1.30	-	34.11	7.78	35.22			
AV	5.6962G	108.68	Inf	-Inf	102.01	3	Vertical	174	1.30	-	34.11	7.78	35.22			
PK	5.7256G	67.98	68.20	-0.22	61.22	3	Vertical	174	1.30	-	34.15	7.83	35.22			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5700MHz_TX




EUT_Y_2TX
Setting 20
03-V-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6946G	109.04	Inf	-Inf	102.37	3	Horizontal	337	1.80	-	34.11	7.78	35.22			
AV	5.6968G	97.56	Inf	-Inf	90.89	3	Horizontal	337	1.80	-	34.11	7.78	35.22			
PK	5.7364G	60.82	68.20	-7.38	54.02	3	Horizontal	337	1.80	-	34.17	7.85	35.22			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5700MHz_TX

EUT_Y_2TX
Setting 20
03-V-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.40255G	58.22	74.00	-15.78	42.30	3	Vertical	93	1.72	-	38.70	11.59	34.37			
AV	11.40138G	46.30	54.00	-7.70	30.38	3	Vertical	93	1.72	-	38.70	11.59	34.37			
PK	17.0901G	64.95	68.20	-3.25	45.10	3	Vertical	134	1.80	-	40.28	13.80	34.23			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5700MHz_TX

EUT_Y_2TX
Setting 20
03-V-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	11.40162G	57.53	74.00	-16.47	41.61	3	Horizontal	87	1.04	-	38.70	11.59	34.37				
AV	11.40132G	46.17	54.00	-7.83	30.25	3	Horizontal	87	1.04	-	38.70	11.59	34.37				
PK	17.11287G	63.28	68.20	-4.92	43.33	3	Horizontal	348	2.84	-	40.33	13.82	34.20				

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
SET 28
15\21\27\28
6.05\6.31\1.21\1.41

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA					
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)					
PK	5.4494G	62.71	74.00	-11.29	54.86	3	Vertical	182	2.76	28	33.50	6.82	32.47					
AV	5.4482G	49.86	54.00	-4.14	42.02	3	Vertical	182	2.76	28	33.49	6.82	32.47					
PK	5.4662G	63.56	68.20	-4.64	55.58	3	Vertical	182	2.76	28	33.60	6.85	32.47					
PK	5.723G	124.95	Inf	-Inf	116.05	3	Vertical	182	2.76	28	34.10	7.25	32.45					
AV	5.7212G	113.60	Inf	-Inf	104.70	3	Vertical	182	2.76	28	34.10	7.25	32.45					
PK	5.8544G	66.79	68.20	-1.41	57.32	3	Vertical	182	2.76	28	34.53	7.39	32.45					

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
SET 28
28
6.50

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4476G	60.62	74.00	-13.38	52.78	3	Horizontal	335	1.05	28	33.49	6.82	32.47			
AV	5.456G	47.18	54.00	-6.82	39.28	3	Horizontal	335	1.05	28	33.54	6.83	32.47			
PK	5.4686G	58.99	68.20	-9.21	50.99	3	Horizontal	335	1.05	28	33.61	6.86	32.47			
PK	5.7146G	114.88	Inf	-Inf	105.99	3	Horizontal	335	1.05	28	34.10	7.24	32.45			
AV	5.7152G	103.35	Inf	-Inf	94.46	3	Horizontal	335	1.05	28	34.10	7.24	32.45			
PK	5.8964G	61.70	68.20	-6.50	51.94	3	Horizontal	335	1.05	28	34.78	7.42	32.44			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5720MHz Straddle 5.47-5.725GHz_TX

EUT_Y_2TX
Setting 28
01-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.43883G	61.38	74.00	-12.62	43.13	3	Vertical	166	1.80	-	39.02	11.79	32.56			
AV	11.43954G	48.82	54.00	-5.18	30.57	3	Vertical	166	1.80	-	39.02	11.79	32.56			
PK	17.16468G	65.97	68.20	-2.23	42.72	3	Vertical	216	1.89	-	41.23	13.99	31.97			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5720MHz Straddle 5.47-5.725GHz_TX

EUT_Y_2TX
Setting 28
01-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.44022G	62.05	74.00	-11.95	43.80	3	Horizontal	298	1.80	-	39.02	11.79	32.56			
AV	11.43908G	49.52	54.00	-4.48	31.27	3	Horizontal	298	1.80	-	39.02	11.79	32.56			
PK	17.15565G	65.48	68.20	-2.72	42.26	3	Horizontal	78	1.57	-	41.21	13.99	31.98			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5745MHz_TX




EUT_Y_2TX
Setting 23.5
01-C-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6395G	67.42	68.20	-0.78	58.74	3	Vertical	177	2.95	-	33.98	7.15	32.45			
PK	5.7425G	122.73	Inf	-Inf	113.80	3	Vertical	177	2.95	-	34.10	7.28	32.45			
AV	5.743G	111.38	Inf	-Inf	102.45	3	Vertical	177	2.95	-	34.10	7.28	32.45			
PK	5.965G	64.40	68.20	-3.80	54.21	3	Vertical	177	2.95	-	35.16	7.47	32.44			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5745MHz_TX




EUT_Y_2TX
Setting 23.5
01-C-J-8-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	5.6285G	62.55	68.20	-5.65	53.90	3	Horizontal	342	1.05	-	33.96	7.14	32.45
PK	5.736G	111.11	Inf	-Inf	102.19	3	Horizontal	342	1.05	-	34.10	7.27	32.45
AV	5.7365G	100.41	Inf	-Inf	91.49	3	Horizontal	342	1.05	-	34.10	7.27	32.45
PK	5.952G	64.24	68.20	-3.96	54.11	3	Horizontal	342	1.05	-	35.11	7.46	32.44

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5745MHz_TX




EUT_Y_2TX
Setting 23.5
01-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.48531G	59.87	74.00	-14.13	41.68	3	Vertical	207	1.90	-	38.93	11.84	32.58			
AV	11.48705G	46.92	54.00	-7.08	28.73	3	Vertical	207	1.90	-	38.93	11.84	32.58			
PK	17.23049G	64.27	68.20	-3.93	40.77	3	Vertical	198	1.61	-	41.42	14.01	31.93			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5745MHz_TX




EUT_Y_2TX
Setting 23.5
01-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.49036G	59.93	74.00	-14.07	41.75	3	Horizontal	169	1.48	-	38.92	11.84	32.58			
AV	11.48708G	46.33	54.00	-7.67	28.14	3	Horizontal	169	1.48	-	38.93	11.84	32.58			
PK	17.23238G	65.51	68.20	-2.69	42.00	3	Horizontal	180	1.72	-	41.43	14.01	31.93			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5785MHz_TX

EUT_Y_2TX
Setting 24
01-C-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.648G	68.11	68.20	-0.09	59.40	3	Vertical	181	2.80	-	34.00	7.16	32.45				
PK	5.787G	123.40	Inf	-Inf	114.35	3	Vertical	181	2.80	-	34.17	7.33	32.45				
AV	5.7865G	112.60	Inf	-Inf	103.55	3	Vertical	181	2.80	-	34.17	7.33	32.45				
PK	6.0035G	64.44	68.20	-3.76	54.07	3	Vertical	181	2.80	-	35.31	7.50	32.44				

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5785MHz_TX

EUT_Y_2TX
Setting 24
01-C-J-8-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.6315G	62.40	68.20	-5.80	53.75	3	Horizontal	340	1.05	-	33.96	7.14	32.45				
PK	5.776G	112.01	Inf	-Inf	102.99	3	Horizontal	340	1.05	-	34.15	7.32	32.45				
AV	5.7765G	101.38	Inf	-Inf	92.36	3	Horizontal	340	1.05	-	34.15	7.32	32.45				
PK	6.028G	64.39	68.20	-3.81	53.96	3	Horizontal	340	1.05	-	35.36	7.51	32.44				

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5785MHz_TX

EUT_Y_2TX
Setting 24
01-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.56891G	59.37	74.00	-14.63	41.10	3	Vertical	231	1.58	-	38.96	11.92	32.61			
AV	11.56622G	46.90	54.00	-7.10	28.62	3	Vertical	231	1.58	-	38.97	11.92	32.61			
PK	17.35711G	64.14	68.20	-4.06	40.12	3	Vertical	97	1.93	-	41.83	14.04	31.85			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5785MHz_TX

EUT_Y_2TX
Setting 24
01-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.57392G	59.97	74.00	-14.03	41.70	3	Horizontal	326	1.36	-	38.95	11.93	32.61			
AV	11.5664G	46.63	54.00	-7.37	28.35	3	Horizontal	326	1.36	-	38.97	11.92	32.61			
PK	17.35859G	65.11	68.20	-3.09	41.09	3	Horizontal	350	1.72	-	41.83	14.04	31.85			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5825MHz_TX




EUT_Y_2TX
Setting 24
01-C-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.646G	67.86	68.20	-0.34	59.16	3	Vertical	180	2.87	-	33.99	7.16	32.45				
PK	5.825G	122.85	Inf	-Inf	113.58	3	Vertical	180	2.87	-	34.35	7.37	32.45				
AV	5.824G	112.17	Inf	-Inf	102.91	3	Vertical	180	2.87	-	34.34	7.37	32.45				
PK	5.925G	66.99	68.20	-1.21	57.04	3	Vertical	180	2.87	-	34.95	7.44	32.44				

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5825MHz_TX

EUT_Y_2TX
Setting 24
01-C-J-8-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.6G	62.65	68.20	-5.55	54.11	3	Horizontal	339	1.11	-	33.90	7.10	32.46				
PK	5.8205G	112.72	Inf	-Inf	103.48	3	Horizontal	339	1.11	-	34.32	7.37	32.45				
AV	5.818G	102.14	Inf	-Inf	92.92	3	Horizontal	339	1.11	-	34.31	7.36	32.45				
PK	6.0585G	65.41	68.20	-2.79	54.91	3	Horizontal	339	1.11	-	35.40	7.53	32.43				

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5825MHz_TX

EUT_Y_2TX
Setting 24
01-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.6519G	58.96	74.00	-15.04	40.71	3	Vertical	271	1.98	-	38.90	12.00	32.65			
AV	11.65259G	46.53	54.00	-7.47	28.27	3	Vertical	271	1.98	-	38.90	12.01	32.65			
PK	17.47555G	66.30	68.20	-1.90	42.10	3	Vertical	26	1.61	-	41.90	14.08	31.78			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5825MHz_TX

EUT_Y_2TX
Setting 24
01-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.648G	58.78	74.00	-15.22	40.53	3	Horizontal	235	1.70	-	38.90	12.00	32.65			
AV	11.65243G	46.69	54.00	-7.31	28.43	3	Horizontal	235	1.70	-	38.90	12.01	32.65			
PK	17.47187G	65.65	68.20	-2.55	41.44	3	Horizontal	2	1.55	-	41.91	14.08	31.78			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX




EUT_Y_2TX
SET 16
15\17\16\16.5\16
2.44\0.37\0.76\0.02\0.60

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1382G	67.56	74.00	-6.44	60.69	3	Vertical	166	1.80	16	32.78	6.64	32.55			
AV	5.1408G	53.40	54.00	-0.60	46.53	3	Vertical	166	1.80	16	32.78	6.64	32.55			
PK	5.2G	110.82	Inf	-Inf	103.82	3	Vertical	166	1.80	16	32.90	6.63	32.53			
AV	5.1994G	97.94	Inf	-Inf	90.94	3	Vertical	166	1.80	16	32.90	6.63	32.53			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX




EUT_Y_2TX
SET 16
16
7.15

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1424G	59.11	74.00	-14.89	52.24	3	Horizontal	25	1.80	16	32.78	6.64	32.55			
AV	5.1498G	46.85	54.00	-7.15	39.95	3	Horizontal	25	1.80	16	32.80	6.64	32.54			
PK	5.2056G	98.58	Inf	-Inf	91.58	3	Horizontal	25	1.80	16	32.90	6.63	32.53			
AV	5.2048G	85.76	Inf	-Inf	78.76	3	Horizontal	25	1.80	16	32.90	6.63	32.53			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX




EUT_Y_2TX
Setting 16
01-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	10.37533G	58.46	68.20	-9.74	41.53	3	Vertical	63	1.42	-	38.75	10.70	32.52				
PK	15.57237G	61.51	74.00	-12.49	42.12	3	Vertical	235	1.97	-	38.51	13.61	32.73				
AV	15.57058G	49.18	54.00	-4.82	29.78	3	Vertical	235	1.97	-	38.52	13.61	32.73				

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX




EUT_Y_2TX
Setting 16
01-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.37597G	58.31	68.20	-9.89	41.38	3	Horizontal	328	1.99	-	38.75	10.70	32.52			
PK	15.57473G	61.20	74.00	-12.80	41.82	3	Horizontal	255	1.71	-	38.50	13.61	32.73			
AV	15.56743G	49.50	54.00	-4.50	30.09	3	Horizontal	255	1.71	-	38.53	13.61	32.73			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5230MHz_TX




EUT_Y_2TX
SET 21.5
15\22.5\19\20.5\21\21.5\22\21.5
7.50\ -2.53\5.75\4.20\2.63\0.87\ -1.15\0.78

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1488G	68.05	74.00	-5.95	61.15	3	Vertical	181	1.80	21.5	32.80	6.64	32.54			
AV	5.1496G	53.22	54.00	-0.78	46.32	3	Vertical	181	1.80	21.5	32.80	6.64	32.54			
PK	5.2484G	117.34	Inf	-Inf	110.31	3	Vertical	181	1.80	21.5	32.90	6.65	32.52			
AV	5.229G	104.87	Inf	-Inf	97.86	3	Vertical	181	1.80	21.5	32.90	6.64	32.53			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5230MHz_TX




EUT_Y_2TX
SET 21.5
21.5
6.94

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.1406G	60.84	74.00	-13.16	53.97	3	Horizontal	140	2.52	21.5	32.78	6.64	32.55				
AV	5.1402G	47.06	54.00	-6.94	40.19	3	Horizontal	140	2.52	21.5	32.78	6.64	32.55				
PK	5.2366G	108.60	Inf	-Inf	101.57	3	Horizontal	140	2.52	21.5	32.90	6.65	32.52				
AV	5.2188G	95.67	Inf	-Inf	88.66	3	Horizontal	140	2.52	21.5	32.90	6.64	32.53				

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5230MHz_TX




EUT_Y_2TX
Setting 21.5
01-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.45915G	58.73	68.20	-9.47	41.55	3	Vertical	69	1.91	-	38.84	10.79	32.45			
PK	15.68501G	61.56	74.00	-12.44	42.52	3	Vertical	286	1.97	-	38.17	13.62	32.75			
AV	15.68785G	49.35	54.00	-4.65	30.30	3	Vertical	286	1.97	-	38.18	13.62	32.75			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5230MHz_TX




EUT_Y_2TX
Setting 21.5
01-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.45605G	59.64	68.20	-8.56	42.48	3	Horizontal	296	1.98	-	38.82	10.79	32.45			
PK	15.68853G	61.19	74.00	-12.81	42.14	3	Horizontal	77	1.73	-	38.18	13.62	32.75			
AV	15.68786G	49.09	54.00	-4.91	30.04	3	Horizontal	77	1.73	-	38.18	13.62	32.75			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_Y_2TX
SET 21.5
15\22.5\19\20.5\21\21.5
7.62\ -2.73\6.00\3.78\1.94\0.27

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.2586G	117.16	Inf	-Inf	110.10	3	Vertical	195	1.80	21.5	32.92	6.66	32.52			
AV	5.2578G	103.94	Inf	-Inf	96.88	3	Vertical	195	1.80	21.5	32.92	6.66	32.52			
PK	5.3568G	68.75	74.00	-5.25	61.40	3	Vertical	195	1.80	21.5	33.13	6.71	32.49			
AV	5.3556G	53.73	54.00	-0.27	46.39	3	Vertical	195	1.80	21.5	33.12	6.71	32.49			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_Y_2TX
SET 21.5
21.5
6.70

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.2604G	106.49	Inf	-Inf	99.43	3	Horizontal	140	2.60	21.5	32.92	6.66	32.52			
AV	5.2586G	94.80	Inf	-Inf	87.74	3	Horizontal	140	2.60	21.5	32.92	6.66	32.52			
PK	5.3524G	59.91	74.00	-14.09	52.59	3	Horizontal	140	2.60	21.5	33.11	6.71	32.50			
AV	5.3548G	47.30	54.00	-6.70	39.96	3	Horizontal	140	2.60	21.5	33.12	6.71	32.49			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_Y_2TX
Setting 21.5
01-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.53934G	59.57	68.20	-8.63	42.03	3	Vertical	199	1.68	-	39.08	10.87	32.41			
PK	15.80858G	62.75	74.00	-11.25	43.49	3	Vertical	210	1.92	-	38.40	13.63	32.77			
AV	15.81077G	50.26	54.00	-3.74	31.00	3	Vertical	210	1.92	-	38.40	13.63	32.77			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_Y_2TX
Setting 21.5
01-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.53825G	58.61	68.20	-9.59	41.07	3	Horizontal	139	1.86	-	39.08	10.87	32.41			
PK	15.80842G	62.96	74.00	-11.04	43.70	3	Horizontal	22	1.52	-	38.40	13.63	32.77			
AV	15.80634G	50.29	54.00	-3.71	31.03	3	Horizontal	22	1.52	-	38.40	13.63	32.77			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Y_2TX
SET 14
15\14
-0.94\0.25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.2982G	109.33	Inf	-Inf	102.16	3	Vertical	192	1.77	14	33.00	6.68	32.51			
AV	5.2968G	96.21	Inf	-Inf	89.05	3	Vertical	192	1.77	14	32.99	6.68	32.51			
PK	5.3534G	67.37	74.00	-6.63	60.05	3	Vertical	192	1.77	14	33.11	6.71	32.50			
AV	5.3544G	53.75	54.00	-0.25	46.41	3	Vertical	192	1.77	14	33.12	6.71	32.49			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Y_2TX
SET 14
14
7.12

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.292G	94.43	Inf	-Inf	87.28	3	Horizontal	64	2.18	14	32.98	6.68	32.51			
AV	5.2918G	82.14	Inf	-Inf	74.99	3	Horizontal	64	2.18	14	32.98	6.68	32.51			
PK	5.3872G	58.69	74.00	-15.31	51.21	3	Horizontal	64	2.18	14	33.25	6.72	32.49			
AV	5.35G	46.88	54.00	-7.12	39.57	3	Horizontal	64	2.18	14	33.10	6.71	32.50			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Y_2TX
Setting 14
01-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.62062G	59.88	74.00	-14.12	42.20	3	Vertical	55	1.88	-	39.14	10.95	32.41			
AV	10.6191G	46.65	54.00	-7.35	28.97	3	Vertical	55	1.88	-	39.14	10.95	32.41			
PK	15.92973G	62.25	74.00	-11.75	42.86	3	Vertical	158	2.10	-	38.54	13.64	32.79			
AV	15.92922G	49.57	54.00	-4.43	30.18	3	Vertical	158	2.10	-	38.54	13.64	32.79			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Y_2TX
Setting 14
01-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.62G	59.75	74.00	-14.25	42.07	3	Horizontal	166	2.51	-	39.14	10.95	32.41			
AV	10.61917G	46.56	54.00	-7.44	28.88	3	Horizontal	166	2.51	-	39.14	10.95	32.41			
PK	15.93077G	62.27	74.00	-11.73	42.88	3	Horizontal	301	2.30	-	38.54	13.64	32.79			
AV	15.92915G	49.75	54.00	-4.25	30.36	3	Horizontal	301	2.30	-	38.54	13.64	32.79			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Y_2TX
SET 14
15\13\14\14.5\14
-1.95\2.28\0.61\0.59\1.21

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.458G	69.21	74.00	-4.79	61.29	3	Vertical	194	2.95	14	33.55	6.84	32.47			
PK	5.4604G	66.25	68.20	-1.95	58.32	3	Vertical	194	2.95	14	33.56	6.84	32.47			
AV	5.4598G	52.79	54.00	-1.21	44.86	3	Vertical	194	2.95	14	33.56	6.84	32.47			
PK	5.5164G	110.83	Inf	-Inf	102.51	3	Vertical	194	2.95	14	33.83	6.95	32.46			
AV	5.498G	97.74	Inf	-Inf	89.50	3	Vertical	194	2.95	14	33.79	6.91	32.46			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5510MHz_TX




EUT Y_2TX
SET 14
14
5.81

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.4522G	60.31	74.00	-13.69	52.44	3	Horizontal	343	1.80	14	33.51	6.83	32.47				
AV	5.4588G	47.79	54.00	-6.21	39.87	3	Horizontal	343	1.80	14	33.55	6.84	32.47				
PK	5.47G	62.39	68.20	-5.81	54.38	3	Horizontal	343	1.80	14	33.62	6.86	32.47				
PK	5.5124G	100.57	Inf	-Inf	92.27	3	Horizontal	343	1.80	14	33.82	6.94	32.46				
AV	5.5138G	88.65	Inf	-Inf	80.34	3	Horizontal	343	1.80	14	33.83	6.94	32.46				

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5510MHz_TX

EUT_Y_2TX
Setting 14
01-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.01938G	60.35	74.00	-13.65	42.37	3	Vertical	125	2.01	-	39.06	11.36	32.44			
AV	11.02069G	47.27	54.00	-6.73	29.29	3	Vertical	125	2.01	-	39.06	11.36	32.44			
PK	16.53098G	63.28	68.20	-4.92	42.32	3	Vertical	1	1.31	-	39.60	13.80	32.44			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5510MHz_TX

EUT_Y_2TX
Setting 14
01-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.02075G	61.02	74.00	-12.98	43.04	3	Horizontal	110	2.88	-	39.06	11.36	32.44			
AV	11.02061G	47.72	54.00	-6.28	29.74	3	Horizontal	110	2.88	-	39.06	11.36	32.44			
PK	16.52958G	64.00	68.20	-4.20	43.04	3	Horizontal	170	1.73	-	39.60	13.80	32.44			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_Y_2TX
SET 22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.452G	64.13	74.00	-9.87	56.26	3	Vertical	186	1.80	-	33.51	6.83	32.47			
AV	5.4592G	51.53	54.00	-2.47	43.60	3	Vertical	186	1.80	-	33.56	6.84	32.47			
PK	5.4682G	65.40	68.20	-2.80	57.40	3	Vertical	186	1.80	-	33.61	6.86	32.47			
PK	5.534G	118.41	Inf	-Inf	110.02	3	Vertical	186	1.80	-	33.87	6.98	32.46			
AV	5.5546G	104.82	Inf	-Inf	96.36	3	Vertical	186	1.80	-	33.90	7.02	32.46			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5550MHz_TX

EUT_Y_2TX
SET 22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4528G	60.03	74.00	-13.97	52.15	3	Horizontal	340	1.80	21	33.52	6.83	32.47			
PK	5.4642G	59.58	68.20	-8.62	51.61	3	Horizontal	340	1.80	21	33.59	6.85	32.47			
AV	5.46G	47.57	54.00	-6.43	39.64	3	Horizontal	340	1.80	21	33.56	6.84	32.47			
PK	5.5348G	108.42	Inf	-Inf	100.03	3	Horizontal	340	1.80	21	33.87	6.98	32.46			
AV	5.5326G	95.65	Inf	-Inf	87.26	3	Horizontal	340	1.80	21	33.87	6.98	32.46			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_Y_2TX
Setting 22
01-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.09937G	59.54	74.00	-14.46	41.56	3	Vertical	132	1.63	-	39.00	11.44	32.46			
AV	11.09906G	47.13	54.00	-6.87	29.15	3	Vertical	132	1.63	-	39.00	11.44	32.46			
PK	16.64937G	63.31	68.20	-4.89	42.02	3	Vertical	356	2.39	-	39.80	13.84	32.35			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5550MHz_TX

EUT_Y_2TX
Setting 22
01-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.09973G	59.90	74.00	-14.10	41.92	3	Horizontal	293	2.23	-	39.00	11.44	32.46			
AV	11.0994G	47.05	54.00	-6.95	29.07	3	Horizontal	293	2.23	-	39.00	11.44	32.46			
PK	16.65001G	63.88	68.20	-4.32	42.59	3	Horizontal	240	1.40	-	39.80	13.84	32.35			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_Y_2TX
SET 18.5
15\19\17\18\18.5
4.09\1.74\1.08\1.34\0.33

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6607G	115.02	Inf	-Inf	106.27	3	Vertical	196	2.95	18.5	34.02	7.18	32.45			
AV	5.6598G	102.16	Inf	-Inf	93.42	3	Vertical	196	2.95	18.5	34.02	7.17	32.45			
PK	5.7255G	67.87	68.20	-0.33	58.96	3	Vertical	196	2.95	18.5	34.10	7.26	32.45			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_Y_2TX
SET 18.5
18.5
4.61

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6613G	106.33	Inf	-Inf	97.58	3	Horizontal	340	1.36	18.5	34.02	7.18	32.45			
AV	5.661G	93.11	Inf	-Inf	84.36	3	Horizontal	340	1.36	18.5	34.02	7.18	32.45			
PK	5.7255G	63.59	68.20	-4.61	54.68	3	Horizontal	340	1.36	18.5	34.10	7.26	32.45			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_Y_2TX
Setting 18.5
01-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.34033G	59.97	74.00	-14.03	41.73	3	Vertical	2	2.46	-	39.08	11.69	32.53			
AV	11.33901G	47.67	54.00	-6.33	29.43	3	Vertical	2	2.46	-	39.08	11.69	32.53			
PK	17.00475G	65.03	68.20	-3.17	42.54	3	Vertical	155	1.76	-	40.63	13.94	32.08			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5670MHz_TX

EUT_Y_2TX
Setting 18.5
01-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.34027G	60.38	74.00	-13.62	42.14	3	Horizontal	108	2.05	-	39.08	11.69	32.53			
AV	11.33927G	47.44	54.00	-6.56	29.20	3	Horizontal	108	2.05	-	39.08	11.69	32.53			
PK	17.01822G	65.20	68.20	-3.00	42.61	3	Horizontal	167	1.52	-	40.71	13.95	32.07			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
SET 23
15\21\26.5\24\23.5\23
6.13\5.94\9.88\2.29\0.29\0.96

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4172G	61.97	74.00	-12.03	54.32	3	Vertical	179	2.95	-	33.37	6.76	32.48
AV	5.4208G	50.62	54.00	-3.38	42.95	3	Vertical	179	2.95	-	33.38	6.77	32.48
PK	5.464G	62.69	68.20	-5.51	54.73	3	Vertical	179	2.95	-	33.58	6.85	32.47
PK	5.7094G	118.65	Inf	-Inf	109.76	3	Vertical	179	2.95	-	34.10	7.24	32.45
AV	5.728G	108.07	Inf	-Inf	99.16	3	Vertical	179	2.95	-	34.10	7.26	32.45
PK	5.8588G	67.24	68.20	-0.96	57.75	3	Vertical	179	2.95	-	34.55	7.39	32.45

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
SET 23
23.5
6.04

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4406G	59.45	74.00	-14.55	51.65	3	Horizontal	335	1.05	23.5	33.46	6.81	32.47			
PK	5.4652G	59.11	68.20	-9.09	51.14	3	Horizontal	335	1.05	23.5	33.59	6.85	32.47			
AV	5.4574G	47.09	54.00	-6.91	39.18	3	Horizontal	335	1.05	23.5	33.54	6.84	32.47			
PK	5.7028G	109.30	Inf	-Inf	100.42	3	Horizontal	335	1.05	23.5	34.10	7.23	32.45			
AV	5.7052G	98.21	Inf	-Inf	89.33	3	Horizontal	335	1.05	23.5	34.10	7.23	32.45			
PK	5.8822G	62.16	68.20	-6.04	52.50	3	Horizontal	335	1.05	23.5	34.69	7.41	32.44			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5710MHz Straddle 5.47-5.725GHz_TX

EUT_Y_2TX
Setting 23
01-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.41982G	60.42	74.00	-13.58	42.15	3	Vertical	4	2.64	-	39.06	11.77	32.56			
AV	11.42048G	47.79	54.00	-6.21	29.52	3	Vertical	4	2.64	-	39.06	11.77	32.56			
PK	17.12983G	64.62	68.20	-3.58	41.48	3	Vertical	78	2.86	-	41.16	13.98	32.00			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5710MHz Straddle 5.47-5.725GHz_TX

EUT_Y_2TX
Setting 23
01-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.42069G	60.79	74.00	-13.21	42.52	3	Horizontal	275	2.03	-	39.06	11.77	32.56			
AV	11.42054G	47.97	54.00	-6.03	29.70	3	Horizontal	275	2.03	-	39.06	11.77	32.56			
PK	17.13003G	64.97	68.20	-3.23	41.83	3	Horizontal	315	1.01	-	41.16	13.98	32.00			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5755MHz_TX




EUT_Y_2TX
Setting 22
01-C-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6495G	68.15	68.20	-0.05	59.44	3	Vertical	184	2.95	-	34.00	7.16	32.45			
PK	5.738G	118.82	Inf	-Inf	109.90	3	Vertical	184	2.95	-	34.10	7.27	32.45			
AV	5.7375G	107.66	Inf	-Inf	98.74	3	Vertical	184	2.95	-	34.10	7.27	32.45			
PK	5.9375G	64.60	68.20	-3.60	54.57	3	Vertical	184	2.95	-	35.02	7.45	32.44			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5755MHz_TX




EUT_Y_2TX
Setting 22
01-C-J-8-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.6395G	63.53	68.20	-4.67	54.85	3	Horizontal	340	1.22	-	33.98	7.15	32.45				
PK	5.749G	107.87	Inf	-Inf	98.93	3	Horizontal	340	1.22	-	34.10	7.29	32.45				
AV	5.748G	96.43	Inf	-Inf	87.50	3	Horizontal	340	1.22	-	34.10	7.28	32.45				
PK	5.985G	64.29	68.20	-3.91	54.00	3	Horizontal	340	1.22	-	35.24	7.49	32.44				

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5755MHz_TX

EUT_Y_2TX
Setting 22
01-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.50912G	60.00	74.00	-14.00	41.80	3	Vertical	51	1.49	-	38.92	11.86	32.58			
AV	11.509G	46.64	54.00	-7.36	28.44	3	Vertical	51	1.49	-	38.92	11.86	32.58			
PK	17.26441G	64.53	68.20	-3.67	40.86	3	Vertical	120	1.46	-	41.56	14.02	31.91			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5755MHz_TX

EUT_Y_2TX
Setting 22
01-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.51063G	60.06	74.00	-13.94	41.86	3	Horizontal	120	1.79	-	38.92	11.86	32.58			
AV	11.509G	46.55	54.00	-7.45	28.35	3	Horizontal	120	1.79	-	38.92	11.86	32.58			
PK	17.26441G	64.65	68.20	-3.55	40.98	3	Horizontal	294	1.09	-	41.56	14.02	31.91			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5795MHz_TX




EUT_Y_2TX
Setting 21.5
01-C-J-8-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.647G	65.30	68.20	-2.90	56.60	3	Vertical	195	2.34	-	33.99	7.16	32.45			
PK	5.7845G	118.56	Inf	-Inf	109.51	3	Vertical	195	2.34	-	34.17	7.33	32.45			
AV	5.786G	106.68	Inf	-Inf	97.63	3	Vertical	195	2.34	-	34.17	7.33	32.45			
PK	6.001G	64.47	68.20	-3.73	54.11	3	Vertical	195	2.34	-	35.30	7.50	32.44			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5795MHz_TX




EUT_Y_2TX
Setting 21.5
01-C-J-8-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA					
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)					
PK	5.643G	62.36	68.20	-5.84	53.67	3	Horizontal	338	1.80	-	33.99	7.15	32.45					
PK	5.789G	107.68	Inf	-Inf	98.61	3	Horizontal	338	1.80	-	34.18	7.34	32.45					
AV	5.789G	95.75	Inf	-Inf	86.68	3	Horizontal	338	1.80	-	34.18	7.34	32.45					
PK	6.035G	64.77	68.20	-3.43	54.32	3	Horizontal	338	1.80	-	35.37	7.52	32.44					

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5795MHz_TX




EUT_Y_2TX
Setting 21.5
01-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.59014G	60.20	74.00	-13.80	41.96	3	Vertical	274	1.16	-	38.92	11.94	32.62			
AV	11.59056G	46.44	54.00	-7.56	28.20	3	Vertical	274	1.16	-	38.92	11.94	32.62			
PK	17.38477G	65.60	68.20	-2.60	41.44	3	Vertical	319	1.39	-	41.94	14.05	31.83			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5795MHz_TX

EUT_Y_2TX
Setting 21.5
01-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.58911G	59.80	74.00	-14.20	41.56	3	Horizontal	318	2.15	-	38.92	11.94	32.62			
AV	11.59046G	46.89	54.00	-7.11	28.65	3	Horizontal	318	2.15	-	38.92	11.94	32.62			
PK	17.38418G	65.44	68.20	-2.76	41.28	3	Horizontal	171	1.42	-	41.94	14.05	31.83			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_Y_2TX
SET 12.5
15\11.5\13\12.5
-3.29\1.42\0.25\0.30

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.149G	66.17	74.00	-7.83	59.27	3	Vertical	182	1.80	12.5	32.80	6.64	32.54			
AV	5.1485G	53.70	54.00	-0.30	46.80	3	Vertical	182	1.80	12.5	32.80	6.64	32.54			
PK	5.228G	103.90	Inf	-Inf	96.89	3	Vertical	182	1.80	12.5	32.90	6.64	32.53			
AV	5.2305G	92.36	Inf	-Inf	85.33	3	Vertical	182	1.80	12.5	32.90	6.65	32.52			
PK	5.4525G	60.11	74.00	-13.89	52.23	3	Vertical	182	1.80	12.5	33.52	6.83	32.47			
AV	5.46G	46.99	54.00	-7.01	39.06	3	Vertical	182	1.80	12.5	33.56	6.84	32.47			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_Y_2TX
SET 12.5
12.5
6.62

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.0465G	59.00	74.00	-15.00	52.10	3	Horizontal	141	2.46	12.5	32.81	6.66	32.57			
AV	5.14G	47.38	54.00	-6.62	40.51	3	Horizontal	141	2.46	12.5	32.78	6.64	32.55			
PK	5.1985G	95.62	Inf	-Inf	88.62	3	Horizontal	141	2.46	12.5	32.90	6.63	32.53			
AV	5.2195G	82.10	Inf	-Inf	75.09	3	Horizontal	141	2.46	12.5	32.90	6.64	32.53			
PK	5.4575G	59.44	74.00	-14.56	51.52	3	Horizontal	141	2.46	12.5	33.55	6.84	32.47			
AV	5.45G	46.87	54.00	-7.13	39.02	3	Horizontal	141	2.46	12.5	33.50	6.82	32.47			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_Y_2TX
Setting 12.5
01-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.42029G	59.30	68.20	-8.90	42.29	3	Vertical	70	1.02	-	38.74	10.75	32.48			
PK	15.61857G	61.20	74.00	-12.80	42.04	3	Vertical	108	1.46	-	38.29	13.61	32.74			
AV	15.62133G	48.18	54.00	-5.82	29.04	3	Vertical	108	1.46	-	38.27	13.61	32.74			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_Y_2TX
Setting 12.5
01-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.41959G	59.78	68.20	-8.42	42.77	3	Horizontal	3	2.75	-	38.74	10.75	32.48			
PK	15.61716G	60.65	74.00	-13.35	41.48	3	Horizontal	351	1.38	-	38.30	13.61	32.74			
AV	15.615G	48.84	54.00	-5.16	29.66	3	Horizontal	351	1.38	-	38.31	13.61	32.74			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_Y_2TX
SET 14
15\14
-0.98\0.10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1215G	59.42	74.00	-14.58	52.58	3	Vertical	199	1.80	14	32.74	6.65	32.55			
AV	5.1375G	46.49	54.00	-7.51	39.63	3	Vertical	199	1.80	14	32.77	6.64	32.55			
PK	5.26G	104.90	Inf	-Inf	97.84	3	Vertical	199	1.80	14	32.92	6.66	32.52			
AV	5.261G	93.68	Inf	-Inf	86.62	3	Vertical	199	1.80	14	32.92	6.66	32.52			
PK	5.363G	65.39	74.00	-8.61	58.02	3	Vertical	199	1.80	14	33.15	6.71	32.49			
AV	5.359G	53.90	54.00	-0.10	46.54	3	Vertical	199	1.80	14	33.14	6.71	32.49			
PK	5.534G	60.67	68.20	-7.53	52.28	3	Vertical	199	1.80	14	33.87	6.98	32.46			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_Y_2TX
SET 14
14
6.57

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.0565G	59.03	74.00	-14.97	52.15	3	Horizontal	138	2.34	14	32.79	6.66	32.57				
AV	5.102G	46.29	54.00	-7.71	39.50	3	Horizontal	138	2.34	14	32.70	6.65	32.56				
PK	5.2575G	95.61	Inf	-Inf	88.56	3	Horizontal	138	2.34	14	32.91	6.66	32.52				
AV	5.2585G	84.22	Inf	-Inf	77.16	3	Horizontal	138	2.34	14	32.92	6.66	32.52				
PK	5.4475G	59.20	74.00	-14.80	51.36	3	Horizontal	138	2.34	14	33.49	6.82	32.47				
AV	5.357G	47.43	54.00	-6.57	40.08	3	Horizontal	138	2.34	14	33.13	6.71	32.49				
PK	5.502G	59.73	68.20	-8.47	51.47	3	Horizontal	138	2.34	14	33.80	6.92	32.46				

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_Y_2TX
Setting 14
01-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.57926G	58.86	68.20	-9.34	41.26	3	Vertical	170	2.58	-	39.10	10.91	32.41			
PK	15.86964G	62.67	74.00	-11.33	43.33	3	Vertical	312	1.18	-	38.48	13.64	32.78			
AV	15.86947G	50.25	54.00	-3.75	30.91	3	Vertical	312	1.18	-	38.48	13.64	32.78			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_Y_2TX
Setting 14
01-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.58053G	59.10	68.20	-9.10	41.50	3	Horizontal	191	2.55	-	39.10	10.91	32.41			
PK	15.86905G	63.43	74.00	-10.57	44.09	3	Horizontal	9	1.65	-	38.48	13.64	32.78			
AV	15.869G	50.18	54.00	-3.82	30.84	3	Horizontal	9	1.65	-	38.48	13.64	32.78			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_Y_2TX
SET 12
15\11\13\12
-3.85\1.27\1.01\0.28

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3455G	58.78	68.20	-9.42	51.49	3	Vertical	172	2.95	12	33.09	6.70	32.50			
AV	5.35G	45.86	54.00	-8.14	38.55	3	Vertical	172	2.95	12	33.10	6.71	32.50			
PK	5.443G	64.87	74.00	-9.13	57.06	3	Vertical	172	2.95	12	33.47	6.81	32.47			
PK	5.467G	67.50	68.20	-0.70	59.52	3	Vertical	172	2.95	12	33.60	6.85	32.47			
AV	5.46G	53.72	54.00	-0.28	45.79	3	Vertical	172	2.95	12	33.56	6.84	32.47			
AV	5.504G	93.07	Inf	-Inf	84.80	3	Vertical	172	2.95	12	33.81	6.92	32.46			
PK	5.545G	105.12	Inf	-Inf	96.69	3	Vertical	172	2.95	12	33.89	7.00	32.46			
PK	5.753G	60.81	68.20	-7.39	51.86	3	Vertical	172	2.95	12	34.11	7.29	32.45			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_Y_2TX
SET 12
12
5.71

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3375G	58.92	68.20	-9.28	51.64	3	Horizontal	347	1.80	12	33.08	6.70	32.50			
AV	5.35G	45.77	54.00	-8.23	38.46	3	Horizontal	347	1.80	12	33.10	6.71	32.50			
PK	5.453G	60.09	74.00	-13.91	52.21	3	Horizontal	347	1.80	12	33.52	6.83	32.47			
AV	5.453G	48.29	54.00	-5.71	40.41	3	Horizontal	347	1.80	12	33.52	6.83	32.47			
PK	5.468G	61.36	68.20	-6.84	53.36	3	Horizontal	347	1.80	12	33.61	6.86	32.47			
PK	5.55G	97.45	Inf	-Inf	89.00	3	Horizontal	347	1.80	12	33.90	7.01	32.46			
AV	5.531G	83.98	Inf	-Inf	75.61	3	Horizontal	347	1.80	12	33.86	6.97	32.46			
PK	5.7665G	61.42	68.20	-6.78	52.43	3	Horizontal	347	1.80	12	34.13	7.31	32.45			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5530MHz_TX

EUT_Y_2TX
Setting 12
01-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.05694G	58.46	74.00	-15.54	40.51	3	Vertical	147	1.74	-	39.00	11.40	32.45			
AV	11.04725G	47.26	54.00	-6.74	29.30	3	Vertical	147	1.74	-	39.01	11.39	32.44			
PK	16.58907G	63.03	68.20	-5.17	42.00	3	Vertical	137	2.00	-	39.60	13.82	32.39			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5530MHz_TX

EUT_Y_2TX
Setting 12
01-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.07227G	59.04	74.00	-14.96	41.08	3	Horizontal	162	1.63	-	39.00	11.41	32.45			
AV	11.04707G	46.62	54.00	-7.38	28.66	3	Horizontal	162	1.63	-	39.01	11.39	32.44			
PK	16.5907G	63.31	68.20	-4.89	42.28	3	Horizontal	152	2.81	-	39.60	13.82	32.39			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5610MHz_TX




EUT_Y_2TX
SET 20
15\19.5\21.5\20.5\20
4.75\1.04\7.48\1.01\0.74

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4495G	64.28	74.00	-9.72	56.43	3	Vertical	179	2.95	20	33.50	6.82	32.47
AV	5.4475G	51.19	54.00	-2.81	43.35	3	Vertical	179	2.95	20	33.49	6.82	32.47
PK	5.469G	65.26	68.20	-2.94	57.26	3	Vertical	179	2.95	20	33.61	6.86	32.47
PK	5.6295G	115.62	Inf	-Inf	106.97	3	Vertical	179	2.95	20	33.96	7.14	32.45
AV	5.629G	101.71	Inf	-Inf	93.06	3	Vertical	179	2.95	20	33.96	7.14	32.45
PK	5.726G	67.46	68.20	-0.74	58.55	3	Vertical	179	2.95	20	34.10	7.26	32.45

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5610MHz_TX




EUT_Y_2TX
SET 20
20
6.27

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.446G	60.78	74.00	-13.22	52.95	3	Horizontal	347	1.80	20	33.48	6.82	32.47			
AV	5.451G	47.73	54.00	-6.27	39.87	3	Horizontal	347	1.80	20	33.51	6.82	32.47			
PK	5.4675G	59.32	68.20	-8.88	51.34	3	Horizontal	347	1.80	20	33.60	6.85	32.47			
PK	5.591G	103.15	Inf	-Inf	94.63	3	Horizontal	347	1.80	20	33.90	7.08	32.46			
AV	5.5715G	91.41	Inf	-Inf	82.92	3	Horizontal	347	1.80	20	33.90	7.05	32.46			
PK	5.765G	61.92	68.20	-6.28	52.93	3	Horizontal	347	1.80	20	34.13	7.31	32.45			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5610MHz_TX

EUT_Y_2TX
Setting 20
01-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.21951G	59.23	74.00	-14.77	41.33	3	Vertical	333	2.35	-	38.84	11.56	32.50			
AV	11.219G	46.86	54.00	-7.14	28.96	3	Vertical	333	2.35	-	38.84	11.56	32.50			
PK	16.83043G	64.94	68.20	-3.26	42.94	3	Vertical	300	1.43	-	40.32	13.89	32.21			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5610MHz_TX

EUT_Y_2TX
Setting 20
01-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.22052G	59.71	74.00	-14.29	41.81	3	Horizontal	200	1.53	-	38.84	11.56	32.50			
AV	11.219G	46.56	54.00	-7.44	28.66	3	Horizontal	200	1.53	-	38.84	11.56	32.50			
PK	16.82958G	64.43	68.20	-3.77	42.43	3	Horizontal	170	1.99	-	40.32	13.89	32.21			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 21.5
01-C-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.447G	63.42	74.00	-10.58	55.58	3	Vertical	193	2.89	-	33.49	6.82	32.47			
AV	5.4465G	52.26	54.00	-1.74	44.42	3	Vertical	193	2.89	-	33.49	6.82	32.47			
PK	5.4645G	65.01	68.20	-3.19	57.04	3	Vertical	193	2.89	-	33.59	6.85	32.47			
PK	5.6595G	112.08	Inf	-Inf	103.34	3	Vertical	193	2.89	-	34.02	7.17	32.45			
AV	5.677G	102.95	Inf	-Inf	94.15	3	Vertical	193	2.89	-	34.05	7.20	32.45			
PK	5.8565G	66.34	68.20	-1.86	56.86	3	Vertical	193	2.89	-	34.54	7.39	32.45			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 21.5
01-C-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.455G	60.30	74.00	-13.70	52.41	3	Horizontal	338	1.80	-	33.53	6.83	32.47			
AV	5.46G	48.89	54.00	-5.11	40.96	3	Horizontal	338	1.80	-	33.56	6.84	32.47			
PK	5.4675G	59.69	68.20	-8.51	51.71	3	Horizontal	338	1.80	-	33.60	6.85	32.47			
PK	5.688G	102.57	Inf	-Inf	93.73	3	Horizontal	338	1.80	-	34.08	7.21	32.45			
AV	5.6875G	91.92	Inf	-Inf	83.08	3	Horizontal	338	1.80	-	34.08	7.21	32.45			
PK	5.9025G	63.23	68.20	-4.97	53.43	3	Horizontal	338	1.80	-	34.81	7.43	32.44			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 21.5
01-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.38064G	60.15	74.00	-13.85	41.86	3	Vertical	247	2.53	-	39.10	11.73	32.54			
AV	11.379G	47.62	54.00	-6.38	29.33	3	Vertical	247	2.53	-	39.10	11.73	32.54			
PK	17.07076G	64.65	68.20	-3.55	41.74	3	Vertical	303	2.77	-	40.98	13.96	32.03			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 21.5
01-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.37973G	61.16	74.00	-12.84	42.87	3	Horizontal	181	2.16	-	39.10	11.73	32.54			
AV	11.37911G	47.70	54.00	-6.30	29.41	3	Horizontal	181	2.16	-	39.10	11.73	32.54			
PK	17.06977G	64.54	68.20	-3.66	41.64	3	Horizontal	190	2.30	-	40.98	13.96	32.04			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5775MHz_TX




EUT_Y_2TX
Setting 20.5
01-C-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.65G	64.63	68.20	-3.57	55.92	3	Vertical	182	2.95	-	34.00	7.16	32.45				
PK	5.7735G	112.71	Inf	-Inf	103.69	3	Vertical	182	2.95	-	34.15	7.32	32.45				
AV	5.7365G	103.49	Inf	-Inf	94.57	3	Vertical	182	2.95	-	34.10	7.27	32.45				
PK	6.0085G	63.08	68.20	-5.12	52.70	3	Vertical	182	2.95	-	35.32	7.50	32.44				

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5775MHz_TX




EUT_Y_2TX
Setting 20.5
01-C-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.638G	61.31	68.20	-6.89	52.63	3	Horizontal	342	1.05	-	33.98	7.15	32.45			
PK	5.788G	102.04	Inf	-Inf	92.98	3	Horizontal	342	1.05	-	34.18	7.33	32.45			
AV	5.7665G	92.42	Inf	-Inf	83.43	3	Horizontal	342	1.05	-	34.13	7.31	32.45			
PK	5.9955G	63.68	68.20	-4.52	53.34	3	Horizontal	342	1.05	-	35.28	7.50	32.44			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5775MHz_TX




EUT_Y_2TX
Setting 20.5
01-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.55038G	59.52	74.00	-14.48	41.22	3	Vertical	25	1.98	-	39.00	11.90	32.60			
AV	11.54902G	46.74	54.00	-7.26	28.44	3	Vertical	25	1.98	-	39.00	11.90	32.60			
PK	17.32467G	65.12	68.20	-3.08	41.21	3	Vertical	267	1.86	-	41.75	14.03	31.87			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5775MHz_TX




EUT_Y_2TX
Setting 20.5
01-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.54933G	59.46	74.00	-14.54	41.16	3	Horizontal	79	2.13	-	39.00	11.90	32.60			
AV	11.54929G	47.08	54.00	-6.92	28.78	3	Horizontal	79	2.13	-	39.00	11.90	32.60			
PK	17.32458G	64.99	68.20	-3.21	41.08	3	Horizontal	329	2.77	-	41.75	14.03	31.87			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_2TX
SET 12.5
15\11.5\13\12.5
-3.03\1.92\0.05\0.36

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA					
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)					
PK	5.127G	65.36	74.00	-8.64	58.52	3	Vertical	181	1.80	12.5	32.75	6.64	32.55					
AV	5.1486G	53.64	54.00	-0.36	46.74	3	Vertical	181	1.80	12.5	32.80	6.64	32.54					
PK	5.229G	102.63	Inf	-Inf	95.62	3	Vertical	181	1.80	12.5	32.90	6.64	32.53					
AV	5.2296G	90.33	Inf	-Inf	83.31	3	Vertical	181	1.80	12.5	32.90	6.64	32.52					
PK	5.3682G	63.19	74.00	-10.81	55.80	3	Vertical	181	1.80	12.5	33.17	6.71	32.49					
AV	5.35G	51.75	54.00	-2.25	44.44	3	Vertical	181	1.80	12.5	33.10	6.71	32.50					
PK	5.5206G	60.58	68.20	-7.62	52.25	3	Vertical	181	1.80	12.5	33.84	6.95	32.46					

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_2TX
SET 12.5
12.5
6.07

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.1384G	59.76	74.00	-14.24	52.89	3	Horizontal	140	2.53	12.5	32.78	6.64	32.55				
AV	5.1384G	47.93	54.00	-6.07	41.06	3	Horizontal	140	2.53	12.5	32.78	6.64	32.55				
PK	5.199G	93.51	Inf	-Inf	86.51	3	Horizontal	140	2.53	12.5	32.90	6.63	32.53				
AV	5.1978G	80.79	Inf	-Inf	73.79	3	Horizontal	140	2.53	12.5	32.90	6.63	32.53				
PK	5.358G	59.82	74.00	-14.18	52.47	3	Horizontal	140	2.53	12.5	33.13	6.71	32.49				
PK	5.523G	59.77	68.20	-8.43	51.42	3	Horizontal	140	2.53	12.5	33.85	6.96	32.46				
AV	5.4582G	46.89	54.00	-7.11	38.97	3	Horizontal	140	2.53	12.5	33.55	6.84	32.47				

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_2TX
Setting 12.5
01-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.49972G	59.55	68.20	-8.65	42.13	3	Vertical	101	1.35	-	39.00	10.83	32.41			
PK	15.75097G	62.67	74.00	-11.33	43.40	3	Vertical	316	1.31	-	38.40	13.63	32.76			
AV	15.75046G	50.64	54.00	-3.36	31.37	3	Vertical	316	1.31	-	38.40	13.63	32.76			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_2TX
Setting 12.5
01-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.49904G	59.33	68.20	-8.87	41.91	3	Horizontal	248	2.55	-	39.00	10.83	32.41			
PK	15.74988G	62.68	74.00	-11.32	43.42	3	Horizontal	129	1.81	-	38.40	13.62	32.76			
AV	15.74904G	50.44	54.00	-3.56	31.18	3	Horizontal	129	1.81	-	38.40	13.62	32.76			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5570MHz_TX




EUT_Y_2TX
SET 12
15\11.5\13\12.5\12
-3.33\0.98\0.90\0.19\0.32

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3492G	59.03	68.20	-9.17	51.73	3	Vertical	182	2.93	12	33.10	6.70	32.50			
PK	5.4536G	65.48	74.00	-8.52	57.60	3	Vertical	182	2.93	12	33.52	6.83	32.47			
AV	5.4512G	53.60	54.00	-0.40	45.74	3	Vertical	182	2.93	12	33.51	6.82	32.47			
PK	5.4698G	67.88	68.20	-0.32	59.87	3	Vertical	182	2.93	12	33.62	6.86	32.47			
PK	5.6114G	103.20	Inf	-Inf	94.63	3	Vertical	182	2.93	12	33.92	7.11	32.46			
AV	5.6306G	90.47	Inf	-Inf	81.82	3	Vertical	182	2.93	12	33.96	7.14	32.45			
PK	5.732G	64.09	68.20	-4.11	55.18	3	Vertical	182	2.93	12	34.10	7.26	32.45			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5570MHz_TX




EUT_Y_2TX
SET 12
12
5.26

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.273G	58.61	68.20	-9.59	51.50	3	Horizontal	344	1.80	12	32.95	6.67	32.51			
PK	5.4458G	61.75	74.00	-12.25	53.93	3	Horizontal	344	1.80	12	33.48	6.81	32.47			
AV	5.4524G	48.74	54.00	-5.26	40.87	3	Horizontal	344	1.80	12	33.51	6.83	32.47			
PK	5.4614G	60.32	68.20	-7.88	52.38	3	Horizontal	344	1.80	12	33.57	6.84	32.47			
PK	5.5316G	94.92	Inf	-Inf	86.55	3	Horizontal	344	1.80	12	33.86	6.97	32.46			
AV	5.531G	81.93	Inf	-Inf	73.56	3	Horizontal	344	1.80	12	33.86	6.97	32.46			
PK	5.864G	60.73	68.20	-7.47	51.20	3	Horizontal	344	1.80	12	34.58	7.40	32.45			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX


5570MHz_TX

EUT_Y_2TX
Setting 12
01-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.13966G	58.89	74.00	-15.11	41.04	3	Vertical	285	1.28	-	38.84	11.48	32.47			
AV	11.139G	46.21	54.00	-7.79	28.36	3	Vertical	285	1.28	-	38.84	11.48	32.47			
PK	16.71052G	64.94	68.20	-3.26	43.54	3	Vertical	83	2.36	-	39.84	13.86	32.30			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX


5570MHz_TX

EUT_Y_2TX
Setting 12
01-C-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.14002G	58.84	74.00	-15.16	40.99	3	Horizontal	224	2.54	-	38.84	11.48	32.47			
AV	11.139G	46.02	54.00	-7.98	28.17	3	Horizontal	224	2.54	-	38.84	11.48	32.47			
PK	16.70983G	63.25	68.20	-4.95	41.85	3	Horizontal	334	1.62	-	39.84	13.86	32.30			

5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5180MHz_TX




EUT_Y_2TX
Setting 21
01-C-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.15G	73.84	74.00	-0.16	66.94	3	Vertical	172	1.80	-	32.80	6.64	32.54			
AV	5.1495G	50.47	54.00	-3.53	43.57	3	Vertical	172	1.80	-	32.80	6.64	32.54			
PK	5.1716G	118.90	Inf	-Inf	111.96	3	Vertical	172	1.80	-	32.84	6.64	32.54			
AV	5.172G	105.42	Inf	-Inf	98.48	3	Vertical	172	1.80	-	32.84	6.64	32.54			

5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5180MHz_TX




EUT_Y_2TX
Setting 21
01-C-J-8-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1495G	59.70	74.00	-14.30	52.80	3	Horizontal	287	1.66	-	32.80	6.64	32.54			
AV	5.1494G	47.04	54.00	-6.96	40.14	3	Horizontal	287	1.66	-	32.80	6.64	32.54			
PK	5.1875G	105.61	Inf	-Inf	98.64	3	Horizontal	287	1.66	-	32.87	6.63	32.53			
AV	5.1887G	93.77	Inf	-Inf	86.79	3	Horizontal	287	1.66	-	32.88	6.63	32.53			

5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5180MHz_TX




EUT_Y_2TX
Setting 21
01-C-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.34893G	59.47	68.20	-8.73	42.54	3	Vertical	175	1.38	-	38.80	10.68	32.55			
PK	15.54063G	64.31	74.00	-9.69	44.84	3	Vertical	351	2.44	-	38.60	13.60	32.73			
AV	15.53994G	51.19	54.00	-2.81	31.72	3	Vertical	351	2.44	-	38.60	13.60	32.73			

5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5180MHz_TX




EUT_Y_2TX
Setting 21
01-C-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.35547G	59.03	68.20	-9.17	42.10	3	Horizontal	131	2.79	-	38.79	10.68	32.54			
PK	15.54047G	64.04	74.00	-9.96	44.57	3	Horizontal	103	2.00	-	38.60	13.60	32.73			
AV	15.53969G	51.19	54.00	-2.81	31.72	3	Horizontal	103	2.00	-	38.60	13.60	32.73			

5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5200MHz_TX




EUT_Y_2TX
Setting 22
01-C-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1492G	64.80	74.00	-9.20	57.90	3	Vertical	169	1.80	-	32.80	6.64	32.54			
AV	5.1496G	48.61	54.00	-5.39	41.71	3	Vertical	169	1.80	-	32.80	6.64	32.54			
PK	5.2082G	119.44	Inf	-Inf	112.44	3	Vertical	169	1.80	-	32.90	6.63	32.53			
AV	5.2064G	106.58	Inf	-Inf	99.58	3	Vertical	169	1.80	-	32.90	6.63	32.53			

5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5200MHz_TX




EUT_Y_2TX
Setting 22
01-C-J-8-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1402G	59.64	74.00	-14.36	52.77	3	Horizontal	297	1.78	-	32.78	6.64	32.55			
AV	5.1G	46.92	54.00	-7.08	40.13	3	Horizontal	297	1.78	-	32.70	6.65	32.56			
PK	5.209G	110.89	Inf	-Inf	103.89	3	Horizontal	297	1.78	-	32.90	6.63	32.53			
AV	5.209G	98.97	Inf	-Inf	91.97	3	Horizontal	297	1.78	-	32.90	6.63	32.53			

5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5200MHz_TX




EUT_Y_2TX
Setting 22
01-C-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.39973G	59.07	68.20	-9.13	42.14	3	Vertical	121	2.95	-	38.70	10.73	32.50
PK	15.59971G	63.69	74.00	-10.31	44.42	3	Vertical	236	2.25	-	38.40	13.61	32.74
AV	15.60052G	50.88	54.00	-3.12	31.61	3	Vertical	236	2.25	-	38.40	13.61	32.74

5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5200MHz_TX




EUT_Y_2TX
Setting 22
01-C-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.40006G	58.90	68.20	-9.30	41.97	3	Horizontal	66	1.33	-	38.70	10.73	32.50			
PK	15.601G	63.78	74.00	-10.22	44.52	3	Horizontal	264	2.74	-	38.39	13.61	32.74			
AV	15.60012G	50.92	54.00	-3.08	31.65	3	Horizontal	264	2.74	-	38.40	13.61	32.74			

5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5240MHz_TX




EUT_Y_2TX
Setting 22
01-C-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.147G	61.08	74.00	-12.92	54.19	3	Vertical	207	2.57	-	32.79	6.64	32.54			
AV	5.1497G	47.30	54.00	-6.70	40.40	3	Vertical	207	2.57	-	32.80	6.64	32.54			
PK	5.2493G	119.00	Inf	-Inf	111.97	3	Vertical	207	2.57	-	32.90	6.65	32.52			
AV	5.2487G	107.15	Inf	-Inf	100.12	3	Vertical	207	2.57	-	32.90	6.65	32.52			
PK	5.3519G	59.80	74.00	-14.20	52.48	3	Vertical	207	2.57	-	33.11	6.71	32.50			
AV	5.3738G	47.03	54.00	-6.97	39.60	3	Vertical	207	2.57	-	33.20	6.72	32.49			

5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5240MHz_TX




EUT Y_2TX
Setting 22
01-C-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1236G	59.94	74.00	-14.06	53.09	3	Horizontal	309	1.80	-	32.75	6.65	32.55			
AV	5.1215G	46.87	54.00	-7.13	40.03	3	Horizontal	309	1.80	-	32.74	6.65	32.55			
PK	5.2493G	108.99	Inf	-Inf	101.96	3	Horizontal	309	1.80	-	32.90	6.65	32.52			
AV	5.249G	97.89	Inf	-Inf	90.86	3	Horizontal	309	1.80	-	32.90	6.65	32.52			
PK	5.3633G	59.88	74.00	-14.12	52.51	3	Horizontal	309	1.80	-	33.15	6.71	32.49			
AV	5.3873G	46.66	54.00	-7.34	39.18	3	Horizontal	309	1.80	-	33.25	6.72	32.49			

5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5240MHz_TX




EUT_Y_2TX
Setting 22
01-C-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.48071G	58.72	68.20	-9.48	41.42	3	Vertical	35	1.35	-	38.92	10.81	32.43			
PK	15.72073G	64.57	74.00	-9.43	45.43	3	Vertical	74	2.13	-	38.28	13.62	32.76			
AV	15.72064G	51.43	54.00	-2.57	32.29	3	Vertical	74	2.13	-	38.28	13.62	32.76			

5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5240MHz_TX




EUT_Y_2TX
Setting 22
01-C-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.48001G	59.02	68.20	-9.18	41.72	3	Horizontal	169	1.33	-	38.92	10.81	32.43			
PK	15.72064G	64.69	74.00	-9.31	45.55	3	Horizontal	55	2.63	-	38.28	13.62	32.76			
AV	15.72076G	51.26	54.00	-2.74	32.12	3	Horizontal	55	2.63	-	38.28	13.62	32.76			

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5260MHz_TX




EUT_Y_2TX
Setting 22
01-C-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1448G	60.04	74.00	-13.96	53.16	3	Vertical	168	1.54	-	32.79	6.64	32.55			
AV	5.1493G	47.28	54.00	-6.72	40.38	3	Vertical	168	1.54	-	32.80	6.64	32.54			
PK	5.2666G	118.50	Inf	-Inf	111.43	3	Vertical	168	1.54	-	32.93	6.66	32.52			
AV	5.269G	106.78	Inf	-Inf	99.70	3	Vertical	168	1.54	-	32.94	6.66	32.52			
PK	5.3794G	61.08	74.00	-12.92	53.63	3	Vertical	168	1.54	-	33.22	6.72	32.49			
AV	5.3788G	47.22	54.00	-6.78	39.77	3	Vertical	168	1.54	-	33.22	6.72	32.49			

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5260MHz_TX




EUT_Y_2TX
Setting 22
01-C-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1205G	59.15	74.00	-14.85	52.31	3	Horizontal	254	1.53	-	32.74	6.65	32.55			
AV	5.1121G	46.86	54.00	-7.14	40.04	3	Horizontal	254	1.53	-	32.72	6.65	32.55			
PK	5.2648G	111.66	Inf	-Inf	104.59	3	Horizontal	254	1.53	-	32.93	6.66	32.52			
AV	5.2663G	99.01	Inf	-Inf	91.94	3	Horizontal	254	1.53	-	32.93	6.66	32.52			
PK	5.3581G	59.43	74.00	-14.57	52.08	3	Horizontal	254	1.53	-	33.13	6.71	32.49			
AV	5.4043G	46.86	54.00	-7.14	39.28	3	Horizontal	254	1.53	-	33.32	6.74	32.48			

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5260MHz_TX




EUT_Y_2TX
Setting 22
01-C-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.52077G	59.19	68.20	-9.01	41.71	3	Vertical	296	1.09	-	39.04	10.85	32.41			
PK	15.78078G	63.58	74.00	-10.42	44.31	3	Vertical	4	1.98	-	38.40	13.63	32.76			
AV	15.77918G	50.31	54.00	-3.69	31.04	3	Vertical	4	1.98	-	38.40	13.63	32.76			

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5260MHz_TX




EUT_Y_2TX
Setting 22
01-C-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.51918G	59.99	68.20	-8.21	42.51	3	Horizontal	322	2.00	-	39.04	10.85	32.41			
PK	15.78064G	62.80	74.00	-11.20	43.53	3	Horizontal	0	2.97	-	38.40	13.63	32.76			
AV	15.77906G	50.04	54.00	-3.96	30.77	3	Horizontal	0	2.97	-	38.40	13.63	32.76			

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


5300MHz_TX

EUT_Y_2TX
Setting 22
01-C-J-8-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.2934G	116.53	Inf	-Inf	109.37	3	Vertical	168	1.80	-	32.99	6.68	32.51			
AV	5.2912G	104.36	Inf	-Inf	97.21	3	Vertical	168	1.80	-	32.98	6.68	32.51			
PK	5.353G	67.12	74.00	-6.88	59.80	3	Vertical	168	1.80	-	33.11	6.71	32.50			
AV	5.3502G	49.16	54.00	-4.84	41.85	3	Vertical	168	1.80	-	33.10	6.71	32.50			

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


5300MHz_TX

EUT_Y_2TX
Setting 22
01-C-J-8-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3086G	112.18	Inf	-Inf	104.99	3	Horizontal	254	1.37	-	33.02	6.68	32.51			
AV	5.3086G	100.33	Inf	-Inf	93.14	3	Horizontal	254	1.37	-	33.02	6.68	32.51			
PK	5.3562G	60.35	74.00	-13.65	53.01	3	Horizontal	254	1.37	-	33.12	6.71	32.49			
AV	5.373G	46.95	54.00	-7.05	39.53	3	Horizontal	254	1.37	-	33.19	6.72	32.49			

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5300MHz_TX




EUT_Y_2TX
Setting 22
01-C-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.60004G	60.00	74.00	-14.00	42.38	3	Vertical	123	1.82	-	39.10	10.93	32.41			
PK	15.89931G	63.43	74.00	-10.57	43.97	3	Vertical	180	1.08	-	38.60	13.64	32.78			
AV	15.899G	49.92	54.00	-4.08	30.46	3	Vertical	180	1.08	-	38.60	13.64	32.78			

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5300MHz_TX




EUT_Y_2TX
Setting 22
01-C-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.59972G	60.52	68.20	-7.68	42.90	3	Horizontal	154	2.18	-	39.10	10.93	32.41			
PK	15.89915G	63.60	74.00	-10.40	44.14	3	Horizontal	253	1.01	-	38.60	13.64	32.78			
AV	15.89942G	49.95	54.00	-4.05	30.49	3	Horizontal	253	1.01	-	38.60	13.64	32.78			

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5320MHz_TX




EUT_Y_2TX
Setting 22
01-C-J-8-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3122G	117.78	Inf	-Inf	110.58	3	Vertical	195	3.00	-	33.02	6.69	32.51			
AV	5.3126G	105.32	Inf	-Inf	98.10	3	Vertical	195	3.00	-	33.03	6.69	32.50			
PK	5.3504G	73.74	74.00	-0.26	66.43	3	Vertical	195	3.00	-	33.10	6.71	32.50			
AV	5.3506G	53.04	54.00	-0.96	45.73	3	Vertical	195	3.00	-	33.10	6.71	32.50			

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5320MHz_TX




EUT_Y_2TX
Setting 22
01-C-J-8-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3132G	109.10	Inf	-Inf	101.88	3	Horizontal	257	2.14	-	33.03	6.69	32.50			
AV	5.313G	96.99	Inf	-Inf	89.77	3	Horizontal	257	2.14	-	33.03	6.69	32.50			
PK	5.3524G	63.69	74.00	-10.31	56.37	3	Horizontal	257	2.14	-	33.11	6.71	32.50			
AV	5.3504G	47.87	54.00	-6.13	40.56	3	Horizontal	257	2.14	-	33.10	6.71	32.50			

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5320MHz_TX




EUT_Y_2TX
Setting 22
01-C-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.6401G	60.12	74.00	-13.88	42.39	3	Vertical	107	2.30	-	39.18	10.97	32.42			
AV	10.64024G	46.30	54.00	-7.70	28.57	3	Vertical	107	2.30	-	39.18	10.97	32.42			
PK	15.9591G	64.29	74.00	-9.71	44.97	3	Vertical	218	1.03	-	38.46	13.65	32.79			
AV	15.95998G	50.29	54.00	-3.71	30.97	3	Vertical	218	1.03	-	38.46	13.65	32.79			

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5320MHz_TX




EUT_Y_2TX
Setting 22
01-C-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.6395G	60.35	74.00	-13.65	42.62	3	Horizontal	101	2.81	-	39.18	10.97	32.42			
AV	10.64025G	46.50	54.00	-7.50	28.77	3	Horizontal	101	2.81	-	39.18	10.97	32.42			
PK	15.96077G	63.88	74.00	-10.12	44.56	3	Horizontal	335	1.08	-	38.46	13.65	32.79			
AV	15.96042G	50.30	54.00	-3.70	30.98	3	Horizontal	335	1.08	-	38.46	13.65	32.79			

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5500MHz_TX




EUT_Y_2TX
Setting 19
01-C-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4584G	61.18	74.00	-12.82	53.26	3	Vertical	147	2.31	-	33.55	6.84	32.47			
AV	5.4592G	48.34	54.00	-5.66	40.41	3	Vertical	147	2.31	-	33.56	6.84	32.47			
PK	5.4676G	64.26	68.20	-3.94	56.26	3	Vertical	147	2.31	-	33.61	6.86	32.47			
PK	5.4944G	115.80	Inf	-Inf	107.59	3	Vertical	147	2.31	-	33.77	6.90	32.46			
AV	5.4935G	102.78	Inf	-Inf	94.58	3	Vertical	147	2.31	-	33.76	6.90	32.46			

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5500MHz_TX




EUT_Y_2TX
Setting 19
01-C-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4554G	60.83	74.00	-13.17	52.94	3	Horizontal	303	1.90	-	33.53	6.83	32.47			
AV	5.4571G	47.79	54.00	-6.21	39.88	3	Horizontal	303	1.90	-	33.54	6.84	32.47			
PK	5.4666G	61.32	68.20	-6.88	53.34	3	Horizontal	303	1.90	-	33.60	6.85	32.47			
PK	5.5087G	105.69	Inf	-Inf	97.40	3	Horizontal	303	1.90	-	33.82	6.93	32.46			
AV	5.4934G	93.95	Inf	-Inf	85.75	3	Horizontal	303	1.90	-	33.76	6.90	32.46			

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


5500MHz_TX

EUT_Y_2TX
Setting 19
01-C-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.99978G	60.14	74.00	-13.86	42.13	3	Vertical	98	1.56	-	39.10	11.34	32.43			
AV	11.00075G	46.60	54.00	-7.40	28.59	3	Vertical	98	1.56	-	39.10	11.34	32.43			
PK	16.49994G	65.66	68.20	-2.54	44.73	3	Vertical	310	1.36	-	39.60	13.79	32.46			

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5500MHz_TX




EUT_Y_2TX
Setting 19
01-C-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.0004G	60.09	74.00	-13.91	42.08	3	Horizontal	286	2.30	-	39.10	11.34	32.43			
AV	10.99952G	46.55	54.00	-7.45	28.54	3	Horizontal	286	2.30	-	39.10	11.34	32.43			
PK	16.49947G	65.67	68.20	-2.53	44.74	3	Horizontal	132	2.13	-	39.60	13.79	32.46			

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5580MHz_TX




EUT_Y_2TX
Setting 22
01-C-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4512G	60.48	74.00	-13.52	52.62	3	Vertical	156	1.80	-	33.51	6.82	32.47			
AV	5.4568G	48.14	54.00	-5.86	40.23	3	Vertical	156	1.80	-	33.54	6.84	32.47			
PK	5.4652G	60.09	68.20	-8.11	52.12	3	Vertical	156	1.80	-	33.59	6.85	32.47			
PK	5.5716G	119.50	Inf	-Inf	111.01	3	Vertical	156	1.80	-	33.90	7.05	32.46			
AV	5.5728G	106.64	Inf	-Inf	98.15	3	Vertical	156	1.80	-	33.90	7.05	32.46			
PK	5.7428G	61.83	68.20	-6.37	52.90	3	Vertical	156	1.80	-	34.10	7.28	32.45			

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5580MHz_TX




EUT_Y_2TX
Setting 22
01-C-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4336G	59.96	74.00	-14.04	52.22	3	Horizontal	306	1.71	-	33.43	6.79	32.48			
PK	5.4684G	60.77	68.20	-7.43	52.77	3	Horizontal	306	1.71	-	33.61	6.86	32.47			
AV	5.4588G	47.66	54.00	-6.34	39.74	3	Horizontal	306	1.71	-	33.55	6.84	32.47			
PK	5.5884G	111.58	Inf	-Inf	103.06	3	Horizontal	306	1.71	-	33.90	7.08	32.46			
AV	5.5888G	100.14	Inf	-Inf	91.62	3	Horizontal	306	1.71	-	33.90	7.08	32.46			
PK	5.748G	62.28	68.20	-5.92	53.35	3	Horizontal	306	1.71	-	34.10	7.28	32.45			

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


5580MHz_TX

EUT_Y_2TX
Setting 22
01-C-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.16089G	60.65	74.00	-13.35	42.83	3	Vertical	281	2.48	-	38.80	11.50	32.48			
AV	11.15915G	46.56	54.00	-7.44	28.74	3	Vertical	281	2.48	-	38.80	11.50	32.48			
PK	16.73956G	65.04	68.20	-3.16	43.50	3	Vertical	57	2.79	-	39.96	13.86	32.28			

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5580MHz_TX




EUT_Y_2TX
Setting 22
01-C-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.16038G	60.17	74.00	-13.83	42.35	3	Horizontal	13	1.37	-	38.80	11.50	32.48			
AV	11.16095G	46.62	54.00	-7.38	28.80	3	Horizontal	13	1.37	-	38.80	11.50	32.48			
PK	16.74019G	65.65	68.20	-2.55	44.11	3	Horizontal	204	1.71	-	39.96	13.86	32.28			

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5700MHz_TX




EUT_Y_2TX
Setting 15
01-C-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6921G	113.19	Inf	-Inf	104.34	3	Vertical	154	1.80	-	34.08	7.22	32.45
AV	5.6937G	100.16	Inf	-Inf	91.30	3	Vertical	154	1.80	-	34.09	7.22	32.45
PK	5.7321G	66.66	68.20	-1.54	57.74	3	Vertical	154	1.80	-	34.10	7.27	32.45

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


5700MHz_TX

EUT_Y_2TX
Setting 15
01-C-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7089G	105.26	Inf	-Inf	96.37	3	Horizontal	207	3.00	-	34.10	7.24	32.45			
AV	5.7089G	92.69	Inf	-Inf	83.80	3	Horizontal	207	3.00	-	34.10	7.24	32.45			
PK	5.7354G	62.32	68.20	-5.88	53.40	3	Horizontal	207	3.00	-	34.10	7.27	32.45			

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


5700MHz_TX

EUT_Y_2TX
Setting 15
01-C-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.40099G	60.98	74.00	-13.02	42.68	3	Vertical	284	2.50	-	39.10	11.75	32.55			
AV	11.40029G	47.57	54.00	-6.43	29.27	3	Vertical	284	2.50	-	39.10	11.75	32.55			
PK	17.1001G	67.23	68.20	-0.97	44.18	3	Vertical	280	2.45	-	41.10	13.97	32.02			

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


5700MHz_TX

EUT_Y_2TX
Setting 15
01-C-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.4002G	60.84	74.00	-13.16	42.54	3	Horizontal	218	2.37	-	39.10	11.75	32.55			
AV	11.40065G	47.48	54.00	-6.52	29.18	3	Horizontal	218	2.37	-	39.10	11.75	32.55			
PK	17.09926G	66.89	68.20	-1.31	43.84	3	Horizontal	163	1.76	-	41.10	13.97	32.02			

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 22
01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4169G	61.32	74.00	-12.68	53.67	3	Vertical	181	1.50	-	33.37	6.76	32.48			
AV	5.4204G	48.61	54.00	-5.39	40.94	3	Vertical	181	1.50	-	33.38	6.77	32.48			
PK	5.4659G	59.60	68.20	-8.60	51.62	3	Vertical	181	1.50	-	33.60	6.85	32.47			
PK	5.7242G	119.99	Inf	-Inf	111.08	3	Vertical	181	1.50	-	34.10	7.26	32.45			
AV	5.7235G	106.73	Inf	-Inf	97.83	3	Vertical	181	1.50	-	34.10	7.25	32.45			
PK	5.8908G	63.29	68.20	-4.91	53.57	3	Vertical	181	1.50	-	34.74	7.42	32.44			

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 22
01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3903G	59.99	74.00	-14.01	52.49	3	Horizontal	252	1.80	-	33.26	6.73	32.49			
PK	5.4666G	60.14	68.20	-8.06	52.16	3	Horizontal	252	1.80	-	33.60	6.85	32.47			
AV	5.4463G	47.74	54.00	-6.26	39.90	3	Horizontal	252	1.80	-	33.49	6.82	32.47			
PK	5.7123G	112.18	Inf	-Inf	103.29	3	Horizontal	252	1.80	-	34.10	7.24	32.45			
AV	5.7116G	100.21	Inf	-Inf	91.32	3	Horizontal	252	1.80	-	34.10	7.24	32.45			
PK	5.9027G	61.83	68.20	-6.37	52.02	3	Horizontal	252	1.80	-	34.82	7.43	32.44			

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


5720MHz Straddle 5.47-5.725GHz_TX

EUT_Y_2TX
Setting 22
01-C-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.43901G	61.23	74.00	-12.77	42.98	3	Vertical	344	2.02	-	39.02	11.79	32.56			
AV	11.44007G	48.02	54.00	-5.98	29.77	3	Vertical	344	2.02	-	39.02	11.79	32.56			
PK	17.15931G	67.19	68.20	-1.01	43.96	3	Vertical	222	1.10	-	41.22	13.99	31.98			

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 22
01-C-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.43955G	61.33	74.00	-12.67	43.08	3	Horizontal	251	2.93	-	39.02	11.79	32.56			
AV	11.43902G	48.03	54.00	-5.97	29.78	3	Horizontal	251	2.93	-	39.02	11.79	32.56			
PK	17.16098G	67.24	68.20	-0.96	44.01	3	Horizontal	195	1.77	-	41.22	13.99	31.98			

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5745MHz_TX




EUT_Y_2TX
Setting 22
01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.5935G	62.25	68.20	-5.95	53.72	3	Vertical	174	2.96	-	33.90	7.09	32.46			
PK	5.7535G	120.20	Inf	-Inf	111.25	3	Vertical	174	2.96	-	34.11	7.29	32.45			
AV	5.754G	108.55	Inf	-Inf	99.60	3	Vertical	174	2.96	-	34.11	7.29	32.45			
PK	5.976G	62.13	68.20	-6.07	51.89	3	Vertical	174	2.96	-	35.20	7.48	32.44			

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5745MHz_TX




EUT_Y_2TX
Setting 22
01-C-E-2-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.608G	62.22	68.20	-5.98	53.65	3	Horizontal	224	1.80	-	33.92	7.11	32.46			
PK	5.7535G	110.98	Inf	-Inf	102.03	3	Horizontal	224	1.80	-	34.11	7.29	32.45			
AV	5.752G	98.30	Inf	-Inf	89.36	3	Horizontal	224	1.80	-	34.10	7.29	32.45			
PK	5.975G	63.21	68.20	-4.99	52.97	3	Horizontal	224	1.80	-	35.20	7.48	32.44			

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5745MHz_TX




EUT_Y_2TX
Setting 22
01-C-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.49023G	61.63	74.00	-12.37	43.45	3	Vertical	295	1.09	-	38.92	11.84	32.58			
AV	11.48946G	47.67	54.00	-6.33	29.49	3	Vertical	295	1.09	-	38.92	11.84	32.58			
PK	17.23434G	67.51	68.20	-0.69	43.99	3	Vertical	1	1.05	-	41.44	14.01	31.93			

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5745MHz_TX




EUT_Y_2TX
Setting 22
01-C-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.49059G	61.13	74.00	-12.87	42.95	3	Horizontal	96	2.89	-	38.92	11.84	32.58			
AV	11.49013G	47.79	54.00	-6.21	29.61	3	Horizontal	96	2.89	-	38.92	11.84	32.58			
PK	17.23565G	64.30	68.20	-3.90	40.78	3	Horizontal	182	2.19	-	41.44	14.01	31.93			

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5785MHz_TX




EUT_Y_2TX
Setting 22
01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.602G	61.81	68.20	-6.39	53.27	3	Vertical	171	2.26	-	33.90	7.10	32.46				
PK	5.7765G	117.43	Inf	-Inf	108.41	3	Vertical	171	2.26	-	34.15	7.32	32.45				
AV	5.776G	106.06	Inf	-Inf	97.04	3	Vertical	171	2.26	-	34.15	7.32	32.45				
PK	5.929G	62.58	68.20	-5.62	52.60	3	Vertical	171	2.26	-	34.97	7.45	32.44				

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5785MHz_TX




EUT_Y_2TX
Setting 22
01-C-E-2-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.6215G	61.22	68.20	-6.98	52.61	3	Horizontal	251	1.79	-	33.94	7.13	32.46			
PK	5.781G	111.47	Inf	-Inf	102.43	3	Horizontal	251	1.79	-	34.16	7.33	32.45			
AV	5.7785G	98.81	Inf	-Inf	89.78	3	Horizontal	251	1.79	-	34.16	7.32	32.45			
PK	6.032G	62.41	68.20	-5.79	51.98	3	Horizontal	251	1.79	-	35.36	7.51	32.44			

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5785MHz_TX




EUT_Y_2TX
Setting 22
01-C-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.57022G	60.90	74.00	-13.10	42.63	3	Vertical	213	2.16	-	38.96	11.92	32.61			
AV	11.57007G	47.32	54.00	-6.68	29.05	3	Vertical	213	2.16	-	38.96	11.92	32.61			
PK	17.35572G	67.67	68.20	-0.53	43.66	3	Vertical	127	1.06	-	41.82	14.04	31.85			

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


5785MHz_TX

EUT_Y_2TX
Setting 22
01-C-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.56987G	61.02	74.00	-12.98	42.75	3	Horizontal	44	1.28	-	38.96	11.92	32.61			
AV	11.57057G	47.33	54.00	-6.67	29.06	3	Horizontal	44	1.28	-	38.96	11.92	32.61			
PK	17.35495G	68.09	68.20	-0.11	44.08	3	Horizontal	162	1.35	-	41.82	14.04	31.85			

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5825MHz_TX




EUT_Y_2TX
Setting 22
01-C-E-2-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.6175G	62.68	68.20	-5.52	54.09	3	Vertical	171	1.73	-	33.93	7.12	32.46			
PK	5.834G	119.33	Inf	-Inf	110.00	3	Vertical	171	1.73	-	34.40	7.38	32.45			
AV	5.834G	107.37	Inf	-Inf	98.04	3	Vertical	171	1.73	-	34.40	7.38	32.45			
PK	6.0615G	62.96	68.20	-5.24	52.46	3	Vertical	171	1.73	-	35.40	7.53	32.43			

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5825MHz_TX




EUT_Y_2TX
Setting 22
01-C-E-2-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.6445G	61.69	68.20	-6.51	52.99	3	Horizontal	250	1.80	-	33.99	7.16	32.45			
PK	5.833G	110.83	Inf	-Inf	101.51	3	Horizontal	250	1.80	-	34.40	7.37	32.45			
AV	5.8335G	98.94	Inf	-Inf	89.61	3	Horizontal	250	1.80	-	34.40	7.38	32.45			
PK	6.031G	63.34	68.20	-4.86	52.91	3	Horizontal	250	1.80	-	35.36	7.51	32.44			

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


5825MHz_TX

EUT_Y_2TX
Setting 22
01-C-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.65011G	60.80	74.00	-13.20	42.55	3	Vertical	257	1.62	-	38.90	12.00	32.65			
AV	11.65085G	47.20	54.00	-6.80	28.95	3	Vertical	257	1.62	-	38.90	12.00	32.65			
PK	17.47597G	68.10	68.20	-0.10	43.90	3	Vertical	190	1.49	-	41.90	14.08	31.78			

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


5825MHz_TX

EUT_Y_2TX
Setting 22
01-C-J-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.64964G	61.01	74.00	-12.99	42.76	3	Horizontal	325	2.17	-	38.90	12.00	32.65			
AV	11.6507G	47.18	54.00	-6.82	28.93	3	Horizontal	325	2.17	-	38.90	12.00	32.65			
PK	17.47526G	67.55	68.20	-0.65	43.35	3	Horizontal	238	2.24	-	41.90	14.08	31.78			

5.15-5.25GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5190MHz_TX



EUT_Y_2TX
Setting 19
01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1474G	72.38	74.00	-1.62	65.49	3	Vertical	163.2	1.80	-	32.79	6.64	32.54			
AV	5.1474G	48.39	54.00	-5.61	41.50	3	Vertical	163.2	1.80	-	32.79	6.64	32.54			
PK	5.176G	113.74	Inf	-Inf	106.80	3	Vertical	163.2	1.80	-	32.85	6.63	32.54			
AV	5.1746G	100.66	Inf	-Inf	93.71	3	Vertical	163.2	1.80	-	32.85	6.64	32.54			