


6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6905MHz_TX




EUT_Y_2TX
Setting 21
06-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	6.8842G	110.07	Inf	-Inf	101.35	3	Vertical	176	1.86	-	34.81	8.09	34.18				
AV	6.8842G	110.07	Inf	-Inf	101.35	3	Vertical	176	1.86	-	34.81	8.09	34.18				
PK	7.2682G	64.19	74.00	-9.81	53.37	3	Vertical	176	1.86	-	36.47	8.54	34.19				
AV	7.2634G	52.92	54.00	-1.08	42.13	3	Vertical	176	1.86	-	36.45	8.53	34.19				

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6905MHz_TX




EUT_Y_2TX
Setting 21
06-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.8438G	100.69	Inf	-Inf	92.27	3	Horizontal	221	1.87	-	34.58	8.02	34.18			
AV	6.761G	92.33	Inf	-Inf	84.15	3	Horizontal	221	1.87	-	34.40	7.96	34.18			
PK	7.25G	55.98	74.00	-18.02	45.25	3	Horizontal	221	1.87	-	36.40	8.52	34.19			
AV	7.25G	45.56	54.00	-8.44	34.83	3	Horizontal	221	1.87	-	36.40	8.52	34.19			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6905MHz_TX




EUT_Y_2TX
Setting 21
06-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.64452G	59.19	88.20	-29.01	71.67	3	Vertical	329	1.80	0	40.10	11.74	64.32			
RMS	13.66934G	45.06	68.20	-23.14	57.54	3	Vertical	329	1.80	0	40.10	11.75	64.33			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6905MHz_TX




EUT_Y_2TX
Setting 21
06-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.475G	58.09	88.20	-30.11	70.67	3	Horizontal	158	1.80	0	40.05	11.68	64.31			
RMS	13.4916G	45.06	68.20	-23.14	57.57	3	Horizontal	158	1.80	0	40.08	11.69	64.28			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6905MHz_TX




EUT_Y_2TX
Setting 21
06-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.72994G	55.69	83.54	-27.85	50.73	1	Vertical	6	1.08	-	37.90	15.76	48.70			
AV	20.73G	41.98	63.54	-21.56	37.02	1	Vertical	6	1.08	-	37.90	15.76	48.70			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6905MHz_TX




EUT_Y_2TX
Setting 21
06-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.72232G	54.27	83.54	-29.27	49.31	1	Horizontal	46	2.41	-	37.90	15.76	48.70			
AV	20.72958G	42.96	63.54	-20.58	38.00	1	Horizontal	46	2.41	-	37.90	15.76	48.70			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Y_2TX
Setting 15
04-V-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9234G	54.50	88.20	-33.70	59.63	3	Vertical	213	1.87	-	32.30	5.64	43.07			
RMS	5.9238G	43.29	68.20	-24.91	48.42	3	Vertical	213	1.87	-	32.30	5.64	43.07			
PK	5.96G	109.45	Inf	-Inf	114.52	3	Vertical	213	1.87	-	32.32	5.66	43.05			
RMS	5.9606G	97.43	Inf	-Inf	102.50	3	Vertical	213	1.87	-	32.32	5.66	43.05			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Y_2TX
Setting 15
04-V-J-8-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9108G	53.25	88.20	-34.95	58.40	3	Horizontal	210	1.80	-	32.30	5.63	43.08			
RMS	5.9176G	42.66	68.20	-25.54	47.80	3	Horizontal	210	1.80	-	32.30	5.64	43.08			
PK	5.9502G	99.81	Inf	-Inf	104.91	3	Horizontal	210	1.80	-	32.30	5.66	43.06			
RMS	5.9618G	86.55	Inf	-Inf	91.61	3	Horizontal	210	1.80	-	32.32	5.67	43.05			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_V_2TX
Setting 15
04-V-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.90977G	42.55	74.00	-31.45	36.00	3	Vertical	3	1.54	-	38.72	10.78	42.95			
AV	11.90954G	30.54	54.00	-23.46	23.99	3	Vertical	3	1.54	-	38.72	10.78	42.95			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_V_2TX
Setting 15
04-V-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.91093G	42.61	74.00	-31.39	36.06	3	Horizontal	217	1.17	-	38.72	10.78	42.95			
AV	11.90999G	30.56	54.00	-23.44	24.01	3	Horizontal	217	1.17	-	38.72	10.78	42.95			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


5955MHz_TX

EUT_Y_2TX
Setting 15
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.81942G	51.00	83.54	-32.54	41.19	1	Vertical	60	1.80	-	38.86	18.13	47.18			
AV	23.81947G	43.82	63.54	-19.72	34.01	1	Vertical	60	1.80	-	38.86	18.13	47.18			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


5955MHz_TX

EUT_Y_2TX
Setting 15
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.8194G	52.60	83.54	-30.94	42.79	1	Horizontal	229	2.07	-	38.86	18.13	47.18			
AV	23.81932G	46.52	63.54	-17.02	36.71	1	Horizontal	229	2.07	-	38.86	18.13	47.18			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_V_2TX
Setting 15
04-V-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.39009G	42.75	74.00	-31.25	35.99	3	Vertical	23	2.47	-	38.54	11.25	43.03			
AV	12.3891G	30.96	54.00	-23.04	24.20	3	Vertical	23	2.47	-	38.54	11.25	43.03			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_V_2TX
Setting 15
04-V-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.39086G	42.48	74.00	-31.52	35.72	3	Horizontal	119	1.43	-	38.54	11.25	43.03			
AV	12.38983G	31.01	54.00	-22.99	24.25	3	Horizontal	119	1.43	-	38.54	11.25	43.03			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_Y_2TX
Setting 15
03-P-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.59016G	55.20	83.54	-28.34	51.23	1	Vertical	20.9	1.59	-	37.88	15.71	49.62			
AV	18.58191G	42.71	63.54	-20.83	38.76	1	Vertical	20.9	1.59	-	37.86	15.71	49.62			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


6195MHz_TX

EUT_Y_2TX
Setting 15
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.57846G	49.26	83.54	-34.28	45.32	1	Horizontal	314	1.81	-	37.86	15.71	49.63			
AV	18.58116G	36.51	63.54	-27.03	32.56	1	Horizontal	314	1.81	-	37.86	15.71	49.62			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_V_2TX
Setting 15
04-V-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.83054G	44.79	88.20	-43.41	36.67	3	Vertical	346	2.35	-	39.06	11.71	42.65			
RMS	12.83053G	33.01	68.20	-35.19	24.89	3	Vertical	346	2.35	-	39.06	11.71	42.65			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_V_2TX
Setting 15
04-V-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.83091G	44.39	88.20	-43.81	36.27	3	Horizontal	350	1.80	-	39.06	11.71	42.65			
RMS	12.82947G	33.02	68.20	-35.18	24.90	3	Horizontal	350	1.80	-	39.06	11.71	42.65			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


6415MHz_TX

EUT_Y_2TX
Setting 15
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.24524G	52.40	83.54	-31.14	48.00	1	Vertical	24	2.00	-	37.90	16.01	49.51			
AV	19.24101G	38.11	63.54	-25.43	33.70	1	Vertical	24	2.00	-	37.90	16.01	49.50			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


6415MHz_TX

EUT_Y_2TX
Setting 15
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.25121G	46.97	83.54	-36.57	42.57	1	Horizontal	319	1.54	-	37.90	16.01	49.51			
AV	19.25142G	34.39	63.54	-29.15	29.99	1	Horizontal	319	1.54	-	37.90	16.01	49.51			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


6435MHz_TX

EUT_Y_2TX
Setting 15
04-V-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.87087G	45.29	88.20	-42.91	37.04	3	Vertical	164	1.70	-	39.10	11.75	42.60			
RMS	12.86948G	32.99	68.20	-35.21	24.74	3	Vertical	164	1.70	-	39.10	11.75	42.60			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


6435MHz_TX

EUT_Y_2TX
Setting 15
04-V-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.86992G	45.39	88.20	-42.81	37.14	3	Horizontal	22	2.70	-	39.10	11.75	42.60			
RMS	12.86943G	32.98	68.20	-35.22	24.73	3	Horizontal	22	2.70	-	39.10	11.75	42.60			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6435MHz_TX




EUT_Y_2TX
Setting 15
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.29549G	47.78	83.54	-35.76	43.40	1	Vertical	349	1.80	-	37.90	16.02	49.54			
AV	19.29543G	39.91	63.54	-23.63	35.53	1	Vertical	349	1.80	-	37.90	16.02	49.54			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


6435MHz_TX

EUT_Y_2TX
Setting 15
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.30869G	47.53	83.54	-36.01	43.16	1	Horizontal	262	1.60	-	37.90	16.02	49.55			
AV	19.2954G	37.87	63.54	-25.67	33.49	1	Horizontal	262	1.60	-	37.90	16.02	49.54			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


6475MHz_TX

EUT_Y_2TX
Setting 15
04-V-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.94902G	45.71	88.20	-42.49	37.18	3	Vertical	136	1.36	-	39.20	11.83	42.50			
RMS	12.94988G	32.95	68.20	-35.25	24.42	3	Vertical	136	1.36	-	39.20	11.83	42.50			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


6475MHz_TX

EUT_V_2TX
Setting 15
04-V-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.94918G	43.99	88.20	-44.21	35.46	3	Horizontal	54	2.21	-	39.20	11.83	42.50			
RMS	12.94902G	32.99	68.20	-35.21	24.46	3	Horizontal	54	2.21	-	39.20	11.83	42.50			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


6475MHz_TX

EUT_Y_2TX
Setting 15
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.4151G	50.85	83.54	-32.69	46.60	1	Vertical	20	1.94	-	37.83	16.04	49.62			
AV	19.41891G	36.25	63.54	-27.29	31.99	1	Vertical	20	1.94	-	37.84	16.04	49.62			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


6475MHz_TX

EUT_Y_2TX
Setting 15
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.428G	45.47	83.54	-38.07	41.19	1	Horizontal	74	2.06	-	37.86	16.05	49.63			
AV	19.42509G	33.14	63.54	-30.40	28.87	1	Horizontal	74	2.06	-	37.85	16.05	49.63			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


6515MHz_TX

EUT_V_2TX
Setting 15
04-V-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.02972G	44.41	88.20	-43.79	35.94	3	Vertical	162	1.58	-	38.98	11.92	42.43			
RMS	13.03074G	31.84	68.20	-36.36	23.37	3	Vertical	162	1.58	-	38.98	11.92	42.43			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


6515MHz_TX

EUT_V_2TX
Setting 15
04-V-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.03096G	44.58	88.20	-43.62	36.11	3	Horizontal	320	1.54	-	38.98	11.92	42.43			
RMS	13.03054G	31.92	68.20	-36.28	23.45	3	Horizontal	320	1.54	-	38.98	11.92	42.43			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


6515MHz_TX

EUT_Y_2TX
Setting 15
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.54452G	50.66	83.54	-32.88	46.42	1	Vertical	272	2.18	-	37.80	16.08	49.64			
AV	19.54506G	39.47	63.54	-24.07	35.23	1	Vertical	272	2.18	-	37.80	16.08	49.64			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


6515MHz_TX

EUT_Y_2TX
Setting 15
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.54321G	51.23	83.54	-32.31	47.00	1	Horizontal	36	2.17	-	37.80	16.07	49.64			
AV	19.54501G	40.17	63.54	-23.37	35.93	1	Horizontal	36	2.17	-	37.80	16.08	49.64			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


6535MHz_TX

EUT_V_2TX
Setting 15
04-V-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.06904G	42.36	88.20	-45.84	33.88	3	Vertical	155	2.48	-	38.94	11.96	42.42			
RMS	13.0697G	30.95	68.20	-37.25	22.47	3	Vertical	155	2.48	-	38.94	11.96	42.42			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_V_2TX
Setting 15
04-V-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.06991G	41.65	88.20	-46.55	33.17	3	Horizontal	215	2.91	-	38.94	11.96	42.42			
RMS	13.06929G	31.02	68.20	-37.18	22.54	3	Horizontal	215	2.91	-	38.94	11.96	42.42			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


6535MHz_TX

EUT_Y_2TX
Setting 15
03-P-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.59837G	53.17	83.54	-30.37	48.78	1	Vertical	174	2.19	-	37.90	16.09	49.60			
AV	19.59228G	39.55	63.54	-23.99	35.18	1	Vertical	174	2.19	-	37.88	16.09	49.60			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


6535MHz_TX

EUT_Y_2TX
Setting 15
03-P-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.598236G	53.17	83.54	-30.37	48.78	1	Horizontal	217	1.58	-	37.90	16.09	49.60			
AV	19.598321G	39.55	63.54	-23.99	35.16	1	Horizontal	217	1.58	-	37.90	16.09	49.60			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6695MHz_TX




EUT_Y_2TX
Setting 15
04-V-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.39064G	44.50	74.00	-29.50	34.86	3	Vertical	165	2.88	-	39.70	12.29	42.35			
AV	13.39073G	32.97	54.00	-21.03	23.33	3	Vertical	165	2.88	-	39.70	12.29	42.35			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6695MHz_TX




EUT_V_2TX
Setting 15
04-V-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.39057G	44.03	74.00	-29.97	34.39	3	Horizontal	280	1.39	-	39.70	12.29	42.35			
AV	13.3905G	32.91	54.00	-21.09	23.27	3	Horizontal	280	1.39	-	39.70	12.29	42.35			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6695MHz_TX




EUT_Y_2TX
Setting 15
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.08209G	52.33	83.54	-31.21	47.45	1	Vertical	143	2.17	-	37.86	16.27	49.25			
AV	20.09481G	39.75	63.54	-23.79	34.83	1	Vertical	143	2.17	-	37.89	16.28	49.25			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


6695MHz_TX

EUT_Y_2TX
Setting 15
03-P-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.0973G	51.67	83.54	-31.87	46.74	1	Horizontal	7	1.71	-	37.89	16.28	49.24			
AV	20.08158G	41.55	63.54	-21.99	36.67	1	Horizontal	7	1.71	-	37.86	16.27	49.25			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


6875MHz_TX

EUT_Y_2TX
Setting 15
04-V-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.74998G	43.84	88.20	-44.36	33.52	3	Vertical	115	2.69	-	40.30	12.66	42.64			
RMS	13.74924G	32.79	68.20	-35.41	22.47	3	Vertical	115	2.69	-	40.30	12.66	42.64			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


6875MHz_TX

EUT_V_2TX
Setting 15
04-V-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.75098G	45.10	88.20	-43.10	34.79	3	Horizontal	51	1.49	-	40.30	12.66	42.65			
RMS	13.74946G	32.84	68.20	-35.36	22.52	3	Horizontal	51	1.49	-	40.30	12.66	42.64			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6875MHz_TX




EUT_Y_2TX
Setting 15
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.61069G	52.61	83.54	-30.93	47.22	1	Vertical	27	2.22	-	38.00	16.47	49.08			
AV	20.62341G	40.25	63.54	-23.29	34.86	1	Vertical	27	2.22	-	38.00	16.47	49.08			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


6875MHz_TX

EUT_Y_2TX
Setting 15
03-P-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.62926G	52.07	83.54	-31.47	46.67	1	Horizontal	42	2.53	-	38.00	16.47	49.07			
AV	20.62946G	41.35	63.54	-22.19	35.95	1	Horizontal	42	2.53	-	38.00	16.47	49.07			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6895MHz_TX




EUT_Y_2TX
Setting 15
04-V-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.79044G	44.20	88.20	-44.00	33.82	3	Vertical	214	2.75	-	40.38	12.70	42.70			
RMS	13.79053G	33.17	68.20	-35.03	22.79	3	Vertical	214	2.75	-	40.38	12.70	42.70			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6895MHz_TX




EUT_Y_2TX
Setting 15
04-V-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.78939G	44.43	88.20	-43.77	34.05	3	Horizontal	76	1.45	-	40.38	12.70	42.70			
RMS	13.78921G	33.09	68.20	-35.11	22.71	3	Horizontal	76	1.45	-	40.38	12.70	42.70			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6895MHz_TX




EUT_Y_2TX
Setting 15
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.6916G	52.91	83.54	-30.63	47.57	1	Vertical	106	2.66	-	37.92	16.46	49.04			
AV	20.69173G	41.66	63.54	-21.88	36.32	1	Vertical	106	2.66	-	37.92	16.46	49.04			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


6895MHz_TX

EUT_Y_2TX
Setting 15
03-P-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.68026G	51.70	83.54	-31.84	46.35	1	Horizontal	43	2.46	-	37.94	16.46	49.05			
AV	20.69034G	41.56	63.54	-21.98	36.22	1	Horizontal	43	2.46	-	37.92	16.46	49.04			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6995MHz_TX




EUT_Y_2TX
Setting 15
04-V-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.99051G	44.05	88.20	-44.15	33.14	3	Vertical	201	2.22	-	40.96	12.91	42.96			
RMS	13.98933G	32.68	68.20	-35.52	21.77	3	Vertical	201	2.22	-	40.96	12.91	42.96			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6995MHz_TX




EUT_V_2TX
Setting 15
04-V-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.98946G	44.68	88.20	-43.52	33.77	3	Horizontal	153	2.89	-	40.96	12.91	42.96			
RMS	13.99067G	32.74	68.20	-35.46	21.83	3	Horizontal	153	2.89	-	40.96	12.91	42.96			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


6995MHz_TX

EUT_Y_2TX
Setting 15
03-P-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.99445G	51.66	83.54	-31.88	46.04	1	Vertical	55	2.07	-	38.08	16.42	48.88			
AV	20.97306G	42.52	63.54	-21.02	37.00	1	Vertical	55	2.07	-	37.99	16.42	48.89			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6995MHz_TX




EUT_Y_2TX
Setting 15
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.98305G	52.14	83.54	-31.40	46.58	1	Horizontal	109	2.11	-	38.03	16.42	48.89			
AV	20.99637G	43.11	63.54	-20.43	37.48	1	Horizontal	109	2.11	-	38.09	16.42	48.88			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

7095MHz_TX




EUT_Y_2TX
Setting 15
04-V-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.089G	110.84	Inf	-Inf	110.44	3	Vertical	190	1.76	-	35.61	7.23	42.44			
RMS	7.0888G	99.10	Inf	-Inf	98.70	3	Vertical	190	1.76	-	35.61	7.23	42.44			
PK	7.126G	59.73	88.20	-28.47	59.20	3	Vertical	190	1.76	-	35.80	7.22	42.49			
RMS	7.1266G	48.52	68.20	-19.68	47.98	3	Vertical	190	1.76	-	35.81	7.22	42.49			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

7095MHz_TX




EUT_Y_2TX
Setting 15
04-V-J-8-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	7.1014G	99.70	Inf	-Inf	99.22	3	Horizontal	270	1.80	-	35.71	7.23	42.46				
RMS	7.092G	88.59	Inf	-Inf	88.16	3	Horizontal	270	1.80	-	35.64	7.23	42.44				
PK	7.1494G	59.34	88.20	-28.86	58.75	3	Horizontal	270	1.80	-	35.90	7.22	42.53				
RMS	7.1504G	47.98	68.20	-20.22	47.39	3	Horizontal	270	1.80	-	35.90	7.22	42.53				

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


7095MHz_TX

EUT_V_2TX
Setting 15
04-V-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.18969G	45.83	88.20	-42.37	33.65	3	Vertical	146	2.53	-	41.58	13.20	42.60			
RMS	14.18913G	34.92	68.20	-33.28	22.74	3	Vertical	146	2.53	-	41.58	13.20	42.60			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

7095MHz_TX




EUT_Y_2TX
Setting 15
04-V-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.19058G	46.16	88.20	-42.04	33.98	3	Horizontal	207	2.64	-	41.58	13.20	42.60			
RMS	14.18929G	34.92	68.20	-33.28	22.74	3	Horizontal	207	2.64	-	41.58	13.20	42.60			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


7095MHz_TX

EUT_Y_2TX
Setting 15
03-P-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.27546G	51.80	83.54	-31.74	45.84	1	Vertical	13	2.06	-	38.10	16.71	48.85			
AV	21.27123G	42.59	63.54	-20.95	36.63	1	Vertical	13	2.06	-	38.10	16.71	48.85			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


7095MHz_TX

EUT_Y_2TX
Setting 15
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.27117G	51.27	83.54	-32.27	45.31	1	Horizontal	355	2.01	-	38.10	16.71	48.85			
AV	21.27381G	41.66	63.54	-21.88	35.70	1	Horizontal	355	2.01	-	38.10	16.71	48.85			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

7115MHz_TX




EUT_Y_2TX
Setting 6
04-V-J-8-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.1225G	100.75	Inf	-Inf	100.22	3	Vertical	155	1.58	BP 1MHz	35.79	7.23	42.49			
RMS	7.1215G	94.97	Inf	-Inf	94.44	3	Vertical	155	1.58	BP 1MHz	35.79	7.23	42.49			
PK	7.1255G	79.29	88.20	-8.91	78.76	3	Vertical	155	1.58	BP 1MHz	35.80	7.22	42.49			
RMS	7.1255G	68.19	68.20	-0.01	67.66	3	Vertical	155	1.58	BP 1MHz	35.80	7.22	42.49			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

7115MHz_TX




EUT_Y_2TX
Setting 6
04-V-J-8-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.1165G	90.55	Inf	-Inf	90.03	3	Horizontal	272	1.80	BP 1MHz	35.77	7.23	42.48			
RMS	7.1215G	83.95	Inf	-Inf	83.42	3	Horizontal	272	1.80	BP 1MHz	35.79	7.23	42.49			
PK	7.1255G	67.89	88.20	-20.31	67.36	3	Horizontal	272	1.80	BP 1MHz	35.80	7.22	42.49			
RMS	7.1255G	57.74	68.20	-10.46	57.21	3	Horizontal	272	1.80	BP 1MHz	35.80	7.22	42.49			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

7115MHz_TX




EUT_Y_2TX
Setting 6
04-V-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.23073G	46.89	88.20	-41.31	34.61	3	Vertical	256	1.40	-	41.54	13.26	42.52			
RMS	14.2305G	34.81	68.20	-33.39	22.53	3	Vertical	256	1.40	-	41.54	13.26	42.52			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


7115MHz_TX

EUT_V_2TX
Setting 6
04-V-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.23056G	45.81	88.20	-42.39	33.53	3	Horizontal	322	2.61	-	41.54	13.26	42.52			
RMS	14.22982G	34.89	68.20	-33.31	22.61	3	Horizontal	322	2.61	-	41.54	13.26	42.52			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


7115MHz_TX

EUT_Y_2TX
Setting 15
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.33339G	52.33	83.54	-31.21	46.30	1	Vertical	152	1.87	-	38.10	16.77	48.84			
AV	21.33597G	41.36	63.54	-22.18	35.32	1	Vertical	152	1.87	-	38.10	16.78	48.84			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


7115MHz_TX

EUT_Y_2TX
Setting 15
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.35484G	50.79	83.54	-32.75	44.72	1	Horizontal	161	1.23	-	38.11	16.80	48.84			
AV	21.33252G	41.69	63.54	-21.85	35.66	1	Horizontal	161	1.23	-	38.10	16.77	48.84			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Y_2TX
Setting 17
04-V-J-8-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9238G	61.94	88.20	-26.26	67.07	3	Vertical	212	1.80	-	32.30	5.64	43.07			
RMS	5.925G	45.82	68.20	-22.38	50.95	3	Vertical	212	1.80	-	32.30	5.64	43.07			
PK	5.9822G	108.98	Inf	-Inf	113.98	3	Vertical	212	1.80	-	32.36	5.68	43.04			
RMS	5.9824G	97.42	Inf	-Inf	102.42	3	Vertical	212	1.80	-	32.36	5.68	43.04			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Y_2TX
Setting 17
04-V-J-8-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.8918G	53.38	88.20	-34.82	58.58	3	Horizontal	116	1.80	-	32.27	5.62	43.09			
RMS	5.9246G	42.71	68.20	-25.49	47.84	3	Horizontal	116	1.80	-	32.30	5.64	43.07			
PK	5.9482G	96.68	Inf	-Inf	101.78	3	Horizontal	116	1.80	-	32.30	5.66	43.06			
RMS	5.9468G	85.72	Inf	-Inf	90.82	3	Horizontal	116	1.80	-	32.30	5.66	43.06			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_V_2TX
Setting 17
04-V-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.92922G	44.06	74.00	-29.94	37.43	3	Vertical	359	1.88	-	38.76	10.80	42.93			
AV	11.92913G	31.15	54.00	-22.85	24.52	3	Vertical	359	1.88	-	38.76	10.80	42.93			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


5965MHz_TX

EUT_Y_2TX
Setting 17
04-V-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.93041G	43.42	74.00	-30.58	36.79	3	Horizontal	121	2.40	-	38.76	10.80	42.93			
AV	11.92906G	31.13	54.00	-22.87	24.50	3	Horizontal	121	2.40	-	38.76	10.80	42.93			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Y_2TX
Setting 17
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.86231G	60.19	83.54	-23.35	50.39	1	Vertical	360	1.54	-	38.82	18.14	47.16			
AV	23.86209G	45.58	63.54	-17.96	35.78	1	Vertical	360	1.54	-	38.82	18.14	47.16			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


5965MHz_TX

EUT_Y_2TX
Setting 17
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.8632G	61.36	83.54	-22.18	51.55	1	Vertical	360	1.54	-	38.83	18.14	47.16			
AV	23.86597G	46.80	63.54	-16.74	36.99	1	Vertical	360	1.54	-	38.83	18.14	47.16			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


6205MHz_TX

EUT_V_2TX
Setting 17
04-V-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.4096G	42.98	74.00	-31.02	36.27	3	Vertical	160	1.10	-	38.48	11.27	43.04			
AV	12.41072G	31.13	54.00	-22.87	24.41	3	Vertical	160	1.10	-	38.48	11.28	43.04			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6205MHz_TX




EUT_V_2TX
Setting 17
04-V-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.4102G	42.48	74.00	-31.52	35.77	3	Horizontal	177	1.12	-	38.48	11.27	43.04			
AV	12.41065G	31.12	54.00	-22.88	24.40	3	Horizontal	177	1.12	-	38.48	11.28	43.04			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


6205MHz_TX

EUT_Y_2TX
Setting 17
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.6021G	50.79	83.54	-32.75	46.78	1	Vertical	69	1.90	-	37.90	15.72	49.61			
AV	18.60249G	42.66	63.54	-20.88	38.65	1	Vertical	69	1.90	-	37.90	15.72	49.61			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6205MHz_TX




EUT_Y_2TX
Setting 17
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.60234G	51.54	83.54	-32.00	47.53	1	Horizontal	293	2.26	-	37.90	15.72	49.61			
AV	18.60543G	43.19	63.54	-20.35	39.17	1	Horizontal	293	2.26	-	37.91	15.72	49.61			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


6405MHz_TX

EUT_Y_2TX
Setting 17
04-V-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.81071G	44.66	88.20	-43.54	36.63	3	Vertical	254	2.66	-	39.02	11.69	42.68			
RMS	12.81036G	32.99	68.20	-35.21	24.96	3	Vertical	254	2.66	-	39.02	11.69	42.68			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


6405MHz_TX

EUT_V_2TX
Setting 17
04-V-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.80973G	44.25	88.20	-43.95	36.22	3	Horizontal	65	2.45	-	39.02	11.69	42.68			
RMS	12.8094G	33.01	68.20	-35.19	24.98	3	Horizontal	65	2.45	-	39.02	11.69	42.68			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_Y_2TX
Setting 17
03-P-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.21809G	51.69	83.54	-31.85	47.28	1	Vertical	143	2.30	-	37.90	16.00	49.49			
AV	19.20006G	42.66	63.54	-20.88	38.24	1	Vertical	143	2.30	-	37.90	16.00	49.48			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_Y_2TX
Setting 17
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.21359G	54.60	83.54	-28.94	50.19	1	Horizontal	10	2.59	-	37.90	16.00	49.49			
AV	19.20273G	43.69	63.54	-19.85	39.27	1	Horizontal	10	2.59	-	37.90	16.00	49.48			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


6445MHz_TX

EUT_Y_2TX
Setting 17
04-V-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.88906G	44.55	88.20	-43.65	36.26	3	Vertical	0	2.20	-	39.10	11.77	42.58			
RMS	12.88903G	32.97	68.20	-35.23	24.68	3	Vertical	0	2.20	-	39.10	11.77	42.58			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


6445MHz_TX

EUT_Y_2TX
Setting 17
04-V-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.89052G	44.90	88.20	-43.30	36.61	3	Horizontal	53	2.35	-	39.10	11.77	42.58			
RMS	12.89088G	32.93	68.20	-35.27	24.64	3	Horizontal	53	2.35	-	39.10	11.77	42.58			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


6445MHz_TX

EUT_Y_2TX
Setting 17
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.34919G	50.19	83.54	-33.35	45.84	1	Vertical	261	2.53	-	37.90	16.03	49.58			
AV	19.3248G	42.55	63.54	-20.99	38.19	1	Vertical	261	2.53	-	37.90	16.02	49.56			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6445MHz_TX




EUT_Y_2TX
Setting 17
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.32534G	51.36	83.54	-32.18	46.99	1	Horizontal	172	2.08	-	37.90	16.03	49.56			
AV	19.32225G	41.20	63.54	-22.34	36.84	1	Horizontal	172	2.08	-	37.90	16.02	49.56			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6485MHz_TX




EUT_Y_2TX
Setting 17
04-V-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.97044G	44.20	88.20	-44.00	35.67	3	Vertical	147	2.69	-	39.16	11.85	42.48			
RMS	12.96976G	32.50	68.20	-35.70	23.97	3	Vertical	147	2.69	-	39.16	11.85	42.48			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


6485MHz_TX

EUT_Y_2TX
Setting 17
04-V-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.97033G	43.81	88.20	-44.39	35.28	3	Horizontal	305	1.54	-	39.16	11.85	42.48			
RMS	12.96974G	32.56	68.20	-35.64	24.03	3	Horizontal	305	1.54	-	39.16	11.85	42.48			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


6485MHz_TX

EUT_Y_2TX
Setting 17
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.44033G	51.36	83.54	-32.18	47.07	1	Vertical	201	1.82	-	37.88	16.05	49.64			
AV	19.44645G	42.66	63.54	-20.88	38.36	1	Vertical	201	1.82	-	37.89	16.05	49.64			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6485MHz_TX




EUT_Y_2TX
Setting 17
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.44858G	52.69	83.54	-30.85	49.43	1	Horizontal	348	1.15	-	37.71	15.20	49.65			
AV	19.45239G	43.50	63.54	-20.04	40.25	1	Horizontal	348	1.15	-	37.70	15.20	49.65			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6525MHz_TX




EUT_Y_2TX
Setting 17
04-V-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.05052G	44.34	88.20	-43.86	35.93	3	Vertical	215	1.38	-	38.90	11.94	42.43			
RMS	13.05022G	31.50	68.20	-36.70	23.09	3	Vertical	215	1.38	-	38.90	11.94	42.43			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6525MHz_TX




EUT_V_2TX
Setting 17
04-V-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.04932G	43.78	88.20	-44.42	35.37	3	Horizontal	172	1.66	-	38.90	11.94	42.43			
RMS	13.05093G	31.50	68.20	-36.70	23.09	3	Horizontal	172	1.66	-	38.90	11.94	42.43			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


6525MHz_TX

EUT_Y_2TX
Setting 17
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.5756G	51.96	83.54	-31.58	47.64	1	Vertical	138	1.98	-	37.85	16.09	49.62			
AV	19.56462G	42.01	63.54	-21.53	37.73	1	Vertical	138	1.98	-	37.83	16.08	49.63			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6525MHz_TX




EUT_Y_2TX
Setting 17
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.57404G	52.36	83.54	-31.18	48.04	1	Horizontal	59	1.57	-	37.85	16.09	49.62			
AV	19.56873G	43.50	63.54	-20.04	39.20	1	Horizontal	59	1.57	-	37.84	16.08	49.62			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_V_2TX
Setting 16
04-V-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.1303G	43.05	88.20	-45.15	34.32	3	Vertical	241	2.23	-	39.12	12.02	42.41			
RMS	13.12904G	31.61	68.20	-36.59	22.88	3	Vertical	241	2.23	-	39.12	12.02	42.41			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_V_2TX
Setting 16
04-V-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.13065G	43.32	88.20	-44.88	34.59	3	Horizontal	94	2.72	-	39.12	12.02	42.41			
RMS	13.12954G	31.61	68.20	-36.59	22.88	3	Horizontal	94	2.72	-	39.12	12.02	42.41			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


6565MHz_TX

EUT_Y_2TX
Setting 17
03-P-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.68105G	51.80	83.54	-31.74	47.41	1	Vertical	126	1.93	-	37.80	16.12	49.53			
AV	19.69779G	42.69	63.54	-20.85	38.28	1	Vertical	126	1.93	-	37.80	16.13	49.52			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_Y_2TX
Setting 17
03-P-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.70166G	51.83	83.54	-31.71	47.41	1	Horizontal	353	1.31	-	37.80	16.13	49.51			
AV	19.70937G	43.22	63.54	-20.32	38.78	1	Horizontal	353	1.31	-	37.82	16.13	49.51			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_Y_2TX
Setting 17
04-V-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.36903G	43.66	74.00	-30.34	34.04	3	Vertical	144	2.25	-	39.70	12.27	42.35			
AV	13.36902G	32.40	54.00	-21.60	22.78	3	Vertical	144	2.25	-	39.70	12.27	42.35			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_V_2TX
Setting 17
04-V-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.36961G	43.99	74.00	-30.01	34.37	3	Horizontal	162	1.04	-	39.70	12.27	42.35			
AV	13.36976G	32.41	54.00	-21.59	22.79	3	Horizontal	162	1.04	-	39.70	12.27	42.35			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


6685MHz_TX

EUT_Y_2TX
Setting 17
03-P-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.04717G	51.32	83.54	-32.22	46.52	1	Vertical	338	2.21	-	37.81	16.25	49.26			
AV	20.05005G	43.56	63.54	-19.98	38.76	1	Vertical	338	2.21	-	37.80	16.26	49.26			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


6685MHz_TX

EUT_Y_2TX
Setting 17
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.05056G	52.33	83.54	-31.21	47.53	1	Horizontal	60	2.28	-	37.80	16.26	49.26			
AV	20.05129G	42.09	63.54	-21.45	37.29	1	Horizontal	60	2.28	-	37.80	16.26	49.26			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


6885MHz_TX

EUT_Y_2TX
Setting 17
04-V-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.76913G	43.83	88.20	-44.37	33.48	3	Vertical	51	1.71	-	40.34	12.68	42.67			
RMS	13.77098G	32.80	68.20	-35.40	22.45	3	Vertical	51	1.71	-	40.34	12.68	42.67			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


6885MHz_TX

EUT_Y_2TX
Setting 17
04-V-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.76905G	43.90	88.20	-44.30	33.55	3	Horizontal	46	1.80	-	40.34	12.68	42.67			
RMS	13.76955G	32.77	68.20	-35.43	22.42	3	Horizontal	46	1.80	-	40.34	12.68	42.67			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


6885MHz_TX

EUT_Y_2TX
Setting 17
03-P-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.65386G	51.63	83.54	-31.91	46.23	1	Vertical	249	2.06	-	37.99	16.47	49.06			
AV	20.65233G	40.51	63.54	-23.03	35.10	1	Vertical	249	2.06	-	38.00	16.47	49.06			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


6885MHz_TX

EUT_Y_2TX
Setting 17
03-P-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.64045G	50.66	83.54	-32.88	45.26	1	Horizontal	253	2.22	-	38.00	16.47	49.07			
AV	20.65239G	41.13	63.54	-22.41	35.72	1	Horizontal	253	2.22	-	38.00	16.47	49.06			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


6925MHz_TX

EUT_Y_2TX
Setting 17
04-V-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.84972G	43.98	88.20	-44.22	33.49	3	Vertical	35	1.69	-	40.50	12.76	42.77			
RMS	13.84968G	32.76	68.20	-35.44	22.27	3	Vertical	35	1.69	-	40.50	12.76	42.77			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


6925MHz_TX

EUT_V_2TX
Setting 17
04-V-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.84908G	43.76	88.20	-44.44	33.27	3	Horizontal	157	2.62	-	40.50	12.76	42.77			
RMS	13.84913G	32.72	68.20	-35.48	22.23	3	Horizontal	157	2.62	-	40.50	12.76	42.77			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6925MHz_TX




EUT_Y_2TX
Setting 17
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.77947G	52.66	83.54	-30.88	47.22	1	Vertical	278	2.41	-	37.98	16.45	48.99			
AV	20.77275G	41.36	63.54	-22.18	35.90	1	Vertical	278	2.41	-	38.01	16.45	49.00			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6925MHz_TX




EUT_Y_2TX
Setting 17
03-P-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.77827G	52.06	83.54	-31.48	46.62	1	Horizontal	320	1.76	-	37.99	16.45	49.00			
AV	20.7723G	41.97	63.54	-21.57	36.51	1	Horizontal	320	1.76	-	38.01	16.45	49.00			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7005MHz_TX




EUT_Y_2TX
Setting 17
04-V-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.00911G	44.04	88.20	-44.16	33.02	3	Vertical	45	1.68	-	41.04	12.93	42.95			
RMS	14.0096G	32.89	68.20	-35.31	21.87	3	Vertical	45	1.68	-	41.04	12.93	42.95			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


7005MHz_TX

EUT_V_2TX
Setting 17
04-V-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.01037G	43.98	88.20	-44.22	32.95	3	Horizontal	275	2.30	-	41.04	12.94	42.95			
RMS	14.00952G	32.77	68.20	-35.43	21.75	3	Horizontal	275	2.30	-	41.04	12.93	42.95			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7005MHz_TX




EUT_Y_2TX
Setting 17
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.02802G	51.29	83.54	-32.25	45.68	1	Vertical	239	1.42	-	38.04	16.45	48.88			
AV	21.02004G	42.11	63.54	-21.43	36.49	1	Vertical	239	1.42	-	38.06	16.44	48.88			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


7005MHz_TX

EUT_Y_2TX
Setting 17
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.00081G	51.22	83.54	-32.32	45.58	1	Horizontal	275	1.01	-	38.10	16.42	48.88			
AV	21.00636G	40.39	63.54	-23.15	34.75	1	Horizontal	275	1.01	-	38.09	16.43	48.88			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


7085MHz_TX


EUT_Y_2TX
Setting 17
04-V-Y-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.076G	109.64	Inf	-Inf	109.32	3	Vertical	190	1.80	-	35.51	7.23	42.42			
RMS	7.08G	99.22	Inf	-Inf	98.88	3	Vertical	190	1.80	-	35.54	7.23	42.43			
PK	7.1256G	68.33	88.20	-19.87	67.80	3	Vertical	190	1.80	-	35.80	7.22	42.49			
RMS	7.1288G	49.38	68.20	-18.82	48.84	3	Vertical	190	1.80	-	35.82	7.22	42.50			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7085MHz_TX




EUT_Y_2TX
Setting 17
04-V-Y-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.0936G	99.28	Inf	-Inf	98.85	3	Horizontal	271	1.80	-	35.65	7.23	42.45			
RMS	7.0936G	87.48	Inf	-Inf	87.05	3	Horizontal	271	1.80	-	35.65	7.23	42.45			
PK	7.154G	59.43	88.20	-28.77	58.83	3	Horizontal	271	1.80	-	35.91	7.22	42.53			
RMS	7.1844G	48.14	68.20	-20.06	47.54	3	Horizontal	271	1.80	-	35.97	7.21	42.58			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7085MHz_TX




EUT_Y_2TX
Setting 17
04-V-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.17049G	46.56	88.20	-41.64	34.49	3	Vertical	237	2.33	-	41.54	13.17	42.64			
RMS	14.1693G	34.66	68.20	-33.54	22.59	3	Vertical	237	2.33	-	41.54	13.17	42.64			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7085MHz_TX




EUT_V_2TX
Setting 17
04-V-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.1707G	45.83	88.20	-42.37	33.76	3	Horizontal	252	2.26	-	41.54	13.17	42.64			
RMS	14.16948G	34.70	68.20	-33.50	22.63	3	Horizontal	252	2.26	-	41.54	13.17	42.64			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


7085MHz_TX

EUT_Y_2TX
Setting 17
03-P-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.24642G	51.36	83.54	-32.18	45.44	1	Vertical	67	2.11	-	38.09	16.68	48.85			
AV	21.2463G	42.81	63.54	-20.73	36.89	1	Vertical	67	2.11	-	38.09	16.68	48.85			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7085MHz_TX




EUT_Y_2TX
Setting 17
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.24744G	52.33	83.54	-31.21	46.41	1	Horizontal	304	1.98	-	38.09	16.68	48.85			
AV	21.24648G	42.96	63.54	-20.58	37.04	1	Horizontal	304	1.98	-	38.09	16.68	48.85			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Y_2TX
Setting 20
04-V-Y-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.9238G	66.15	88.20	-22.05	71.28	3	Vertical	208	1.80	-	32.30	5.64	43.07				
RMS	5.9242G	46.04	68.20	-22.16	51.17	3	Vertical	208	1.80	-	32.30	5.64	43.07				
PK	5.9606G	108.01	Inf	-Inf	113.08	3	Vertical	208	1.80	-	32.32	5.66	43.05				
RMS	5.9898G	96.82	Inf	-Inf	101.80	3	Vertical	208	1.80	-	32.38	5.68	43.04				

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Y_2TX
Setting 20
04-V-Y-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9226G	56.01	88.20	-32.19	61.14	3	Horizontal	190	1.42	-	32.30	5.64	43.07			
RMS	5.9238G	42.95	68.20	-25.25	48.08	3	Horizontal	190	1.42	-	32.30	5.64	43.07			
PK	6.023G	98.27	Inf	-Inf	103.18	3	Horizontal	190	1.42	-	32.40	5.71	43.02			
RMS	6.023G	87.80	Inf	-Inf	92.71	3	Horizontal	190	1.42	-	32.40	5.71	43.02			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


5985MHz_TX

EUT_Y_2TX
Setting 20
04-V-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.96922G	44.14	74.00	-29.86	37.38	3	Vertical	48	2.33	-	38.84	10.83	42.91			
AV	11.9691G	31.79	54.00	-22.21	25.03	3	Vertical	48	2.33	-	38.84	10.83	42.91			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_V_2TX
Setting 20
04-V-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.96958G	44.14	74.00	-29.86	37.38	3	Horizontal	344	2.81	-	38.84	10.83	42.91			
AV	11.96921G	31.95	54.00	-22.05	25.19	3	Horizontal	344	2.81	-	38.84	10.83	42.91			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


5985MHz_TX

EUT_Y_2TX
Setting 20
03-P-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	23.93367G	56.27	83.54	-27.27	46.27	1	Vertical	166	2.99	-	38.97	18.15	47.12			
AV	23.93011G	41.31	63.54	-22.23	31.32	1	Vertical	166	2.99	-	38.96	18.15	47.12			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


5985MHz_TX

EUT_Y_2TX
Setting 20
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.93373G	55.29	83.54	-28.25	46.10	1	Horizontal	104	2.50	-	39.00	17.31	47.12			
AV	23.93356G	42.91	63.54	-20.63	33.72	1	Horizontal	104	2.50	-	39.00	17.31	47.12			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


6225MHz_TX

EUT_V_2TX
Setting 20
04-V-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.44929G	42.47	74.00	-31.53	35.80	3	Vertical	217	2.07	-	38.40	11.32	43.05			
AV	12.44952G	30.67	54.00	-23.33	24.00	3	Vertical	217	2.07	-	38.40	11.32	43.05			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


6225MHz_TX

EUT_Y_2TX
Setting 20
04-V-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.44911G	41.80	74.00	-32.20	35.14	3	Horizontal	345	1.16	-	38.40	11.31	43.05			
AV	12.44922G	30.62	54.00	-23.38	23.96	3	Horizontal	345	1.16	-	38.40	11.31	43.05			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6225MHz_TX




EUT_Y_2TX
Setting 20
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.6627G	50.36	83.54	-33.18	46.22	1	Vertical	5	2.51	-	37.95	15.76	49.57			
AV	18.67827G	42.63	63.54	-20.91	38.53	1	Vertical	5	2.51	-	37.89	15.77	49.56			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


6225MHz_TX

EUT_Y_2TX
Setting 20
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.67935G	51.26	83.54	-32.28	47.17	1	Horizontal	192	2.95	-	37.88	15.77	49.56			
AV	18.67821G	42.00	63.54	-21.54	37.90	1	Horizontal	192	2.95	-	37.89	15.77	49.56			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


6385MHz_TX

EUT_V_2TX
Setting 20
04-V-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.77013G	44.21	88.20	-43.99	36.47	3	Vertical	154	1.26	-	38.82	11.65	42.73			
RMS	12.76933G	32.83	68.20	-35.37	25.09	3	Vertical	154	1.26	-	38.82	11.65	42.73			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6385MHz_TX




EUT_V_2TX
Setting 20
04-V-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.77053G	44.98	88.20	-43.22	37.24	3	Horizontal	220	2.43	-	38.82	11.65	42.73			
RMS	12.77081G	32.88	68.20	-35.32	25.14	3	Horizontal	220	2.43	-	38.82	11.65	42.73			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6385MHz_TX




EUT_Y_2TX
Setting 20
03-P-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.14345G	51.69	83.54	-31.85	47.24	1	Vertical	279	2.44	-	37.90	15.99	49.44			
AV	19.15758G	40.33	63.54	-23.21	35.89	1	Vertical	279	2.44	-	37.90	15.99	49.45			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


6385MHz_TX

EUT_Y_2TX
Setting 20
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.1613G	51.03	83.54	-32.51	46.59	1	Horizontal	31	1.81	-	37.90	15.99	49.45			
AV	19.16346G	40.96	63.54	-22.58	36.52	1	Horizontal	31	1.81	-	37.90	15.99	49.45			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6465MHz_TX




EUT_Y_2TX
Setting 20
04-V-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.9304G	44.70	88.20	-43.50	36.26	3	Vertical	185	2.13	-	39.16	11.81	42.53			
RMS	12.92921G	33.11	68.20	-35.09	24.67	3	Vertical	185	2.13	-	39.16	11.81	42.53			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


6465MHz_TX

EUT_Y_2TX
Setting 20
04-V-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.9307G	43.90	88.20	-44.30	35.46	3	Horizontal	282	1.01	-	39.16	11.81	42.53			
RMS	12.92924G	33.07	68.20	-35.13	24.63	3	Horizontal	282	1.01	-	39.16	11.81	42.53			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


6465MHz_TX

EUT_Y_2TX
Setting 20
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.39902G	53.69	83.54	-29.85	49.46	1	Vertical	2	2.19	-	37.80	16.04	49.61			
AV	19.39227G	42.33	63.54	-21.21	38.08	1	Vertical	2	2.19	-	37.82	16.04	49.61			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


6465MHz_TX

EUT_Y_2TX
Setting 20
03-P-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.38135G	52.00	83.54	-31.54	47.72	1	Horizontal	123	1.38	-	37.84	16.04	49.60			
AV	19.40139G	41.39	63.54	-22.15	37.16	1	Horizontal	123	1.38	-	37.80	16.04	49.61			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6545MHz_TX




EUT_V_2TX
Setting 20
04-V-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.08937G	42.78	88.20	-45.42	34.24	3	Vertical	100	2.09	-	38.98	11.98	42.42			
RMS	13.09028G	31.38	68.20	-36.82	22.84	3	Vertical	100	2.09	-	38.98	11.98	42.42			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6545MHz_TX




EUT_V_2TX
Setting 20
04-V-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.08915G	42.55	88.20	-45.65	34.01	3	Horizontal	290	1.23	-	38.98	11.98	42.42			
RMS	13.09045G	31.35	68.20	-36.85	22.81	3	Horizontal	290	1.23	-	38.98	11.98	42.42			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


6545MHz_TX

EUT_Y_2TX
Setting 20
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.63005G	50.23	83.54	-33.31	45.86	1	Vertical	310	1.52	-	37.84	16.10	49.57			
AV	19.62642G	41.69	63.54	-21.85	37.32	1	Vertical	310	1.52	-	37.85	16.10	49.58			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6545MHz_TX




EUT_Y_2TX
Setting 20
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.62342G	51.36	83.54	-32.18	46.99	1	Horizontal	124	1.29	-	37.85	16.10	49.58			
AV	19.62012G	42.96	63.54	-20.58	38.58	1	Horizontal	124	1.29	-	37.86	16.10	49.58			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


6625MHz_TX

EUT_Y_2TX
Setting 20
04-V-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.24957G	43.22	88.20	-44.98	34.26	3	Vertical	352	2.11	-	39.20	12.14	42.38			
AV	13.25044G	31.66	54.00	-22.34	22.70	3	Vertical	352	2.11	-	39.20	12.14	42.38			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


6625MHz_TX

EUT_V_2TX
Setting 20
04-V-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.2503G	43.13	74.00	-30.87	34.17	3	Horizontal	100	1.45	-	39.20	12.14	42.38			
RMS	13.24924G	31.71	68.20	-36.49	22.75	3	Horizontal	100	1.45	-	39.20	12.14	42.38			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


6625MHz_TX

EUT_Y_2TX
Setting 20
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.88577G	51.09	83.54	-32.45	46.36	1	Vertical	15	1.14	-	37.90	16.19	49.36			
AV	19.87332G	42.83	63.54	-20.71	38.11	1	Vertical	15	1.14	-	37.90	16.19	49.37			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


6625MHz_TX

EUT_Y_2TX
Setting 20
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.88916G	51.22	83.54	-32.32	46.49	1	Horizontal	199	1.55	-	37.90	16.19	49.36			
AV	19.87827G	40.13	63.54	-23.41	35.41	1	Horizontal	199	1.55	-	37.90	16.19	49.37			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_Y_2TX
Setting 20
04-V-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.4096G	44.81	88.20	-43.39	35.08	3	Vertical	109	1.64	-	39.76	12.31	42.34			
RMS	13.40906G	33.21	68.20	-34.99	23.49	3	Vertical	109	1.64	-	39.75	12.31	42.34			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


6705MHz_TX

EUT_V_2TX
Setting 20
04-V-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.40957G	44.53	88.20	-43.67	34.80	3	Horizontal	42	2.83	-	39.76	12.31	42.34			
RMS	13.4095G	33.25	68.20	-34.95	23.52	3	Horizontal	42	2.83	-	39.76	12.31	42.34			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


6705MHz_TX

EUT_Y_2TX
Setting 20
03-P-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.1075G	50.14	83.54	-33.40	45.19	1	Vertical	203	2.65	-	37.90	16.29	49.24			
AV	20.12499G	40.22	63.54	-23.32	35.27	1	Vertical	203	2.65	-	37.90	16.29	49.24			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


6705MHz_TX

EUT_Y_2TX
Setting 20
03-P-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.10036G	51.69	83.54	-31.85	46.75	1	Horizontal	188	2.05	-	37.90	16.28	49.24			
AV	20.12442G	42.50	63.54	-21.04	37.55	1	Horizontal	188	2.05	-	37.90	16.29	49.24			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


6785MHz_TX

EUT_Y_2TX
Setting 19
04-V-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.5708G	44.19	88.20	-44.01	33.86	3	Vertical	62	1.82	-	40.26	12.48	42.41			
RMS	13.56919G	33.22	68.20	-34.98	22.90	3	Vertical	62	1.82	-	40.26	12.47	42.41			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_V_2TX
Setting 19
04-V-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.56934G	44.42	88.20	-43.78	34.10	3	Horizontal	222	2.86	-	40.26	12.47	42.41			
RMS	13.56924G	33.27	68.20	-34.93	22.95	3	Horizontal	222	2.86	-	40.26	12.47	42.41			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


6785MHz_TX

EUT_Y_2TX
Setting 20
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.34711G	51.30	83.54	-32.24	46.08	1	Vertical	190	2.21	-	37.99	16.41	49.18			
AV	20.34204G	40.29	63.54	-23.25	35.08	1	Vertical	190	2.21	-	37.98	16.41	49.18			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


6785MHz_TX

EUT_Y_2TX
Setting 20
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.34657G	50.26	83.54	-33.28	45.04	1	Horizontal	29	1.31	-	37.99	16.41	49.18			
AV	20.34114G	40.90	63.54	-22.64	35.69	1	Horizontal	29	1.31	-	37.98	16.41	49.18			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6865MHz_TX




EUT_Y_2TX
Setting 20
04-V-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.73065G	44.12	88.20	-44.08	33.84	3	Vertical	269	2.78	-	40.26	12.64	42.62			
RMS	13.73088G	32.74	68.20	-35.46	22.46	3	Vertical	269	2.78	-	40.26	12.64	42.62			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6865MHz_TX




EUT_V_2TX
Setting 20
04-V-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.72974G	43.00	88.20	-45.20	32.72	3	Horizontal	163	2.64	-	40.26	12.64	42.62			
RMS	13.73042G	32.74	68.20	-35.46	22.46	3	Horizontal	163	2.64	-	40.26	12.64	42.62			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


6865MHz_TX

EUT_Y_2TX
Setting 20
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.59851G	51.07	83.54	-32.47	45.68	1	Vertical	233	2.81	-	38.00	16.48	49.09			
AV	20.60688G	42.57	63.54	-20.97	37.17	1	Vertical	233	2.81	-	38.00	16.48	49.08			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


6865MHz_TX

EUT_Y_2TX
Setting 20
03-P-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.58564G	51.06	83.54	-32.48	45.71	1	Horizontal	78	1.63	-	37.97	16.48	49.10			
AV	20.58633G	42.22	63.54	-21.32	36.87	1	Horizontal	78	1.63	-	37.97	16.48	49.10			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6945MHz_TX




EUT_Y_2TX
Setting 20
04-V-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.88928G	45.11	88.20	-43.09	34.39	3	Vertical	79	2.83	-	40.74	12.81	42.83			
RMS	13.88996G	32.99	68.20	-35.21	22.27	3	Vertical	79	2.83	-	40.74	12.81	42.83			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


6945MHz_TX

EUT_Y_2TX
Setting 20
04-V-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.89096G	43.99	88.20	-44.21	33.26	3	Horizontal	165	2.79	-	40.75	12.81	42.83			
RMS	13.89087G	32.99	68.20	-35.21	22.26	3	Horizontal	165	2.79	-	40.75	12.81	42.83			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


6945MHz_TX

EUT_Y_2TX
Setting 20
03-P-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.83755G	51.06	83.54	-32.48	45.60	1	Vertical	326	2.54	-	37.98	16.44	48.96			
AV	20.83521G	40.25	63.54	-23.29	34.81	1	Vertical	326	2.54	-	37.97	16.44	48.97			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


6945MHz_TX

EUT_Y_2TX
Setting 20
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.82912G	51.03	83.54	-32.51	45.60	1	Horizontal	26	2.01	-	37.96	16.44	48.97			
AV	20.83926G	42.69	63.54	-20.85	37.23	1	Horizontal	26	2.01	-	37.98	16.44	48.96			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

7025MHz_TX




EUT_Y_2TX
Setting 20
04-V-S-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.9865G	109.42	Inf	-Inf	109.55	3	Vertical	168	1.80	-	34.95	7.24	42.32			
RMS	6.988G	98.26	Inf	-Inf	98.39	3	Vertical	168	1.80	-	34.95	7.24	42.32			
PK	7.249G	56.52	88.20	-31.68	55.78	3	Vertical	168	1.80	-	36.20	7.21	42.67			
RMS	7.248G	48.10	68.20	-20.10	47.37	3	Vertical	168	1.80	-	36.19	7.21	42.67			
PK	7.2515G	58.72	74.00	-15.28	57.98	3	Vertical	168	1.80	-	36.20	7.22	42.68			
AV	7.2525G	48.23	54.00	-5.77	47.49	3	Vertical	168	1.80	-	36.20	7.22	42.68			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


7025MHz_TX

EUT_Y_2TX
Setting 20
04-V-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.9905G	101.07	Inf	-Inf	101.19	3	Horizontal	153	1.67	-	34.96	7.24	42.32			
RMS	6.994G	89.87	Inf	-Inf	89.97	3	Horizontal	153	1.67	-	34.98	7.24	42.32			
PK	7.248G	57.80	88.20	-30.40	57.07	3	Horizontal	153	1.67	-	36.19	7.21	42.67			
RMS	7.249G	47.96	68.20	-20.24	47.22	3	Horizontal	153	1.67	-	36.20	7.21	42.67			
PK	7.275G	58.59	74.00	-15.41	57.88	3	Horizontal	153	1.67	-	36.20	7.22	42.71			
AV	7.2605G	48.05	54.00	-5.95	47.32	3	Horizontal	153	1.67	-	36.20	7.22	42.69			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

7025MHz_TX




EUT_Y_2TX
Setting 20
04-V-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.05084G	45.36	88.20	-42.84	34.03	3	Vertical	55	2.03	-	41.20	13.00	42.87			
RMS	14.04908G	33.12	68.20	-35.08	21.80	3	Vertical	55	2.03	-	41.20	12.99	42.87			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


7025MHz_TX

EUT_Y_2TX
Setting 20
04-V-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.04949G	45.25	88.20	-42.95	33.93	3	Horizontal	120	1.06	-	41.20	12.99	42.87			
RMS	14.04901G	33.05	68.20	-35.15	21.73	3	Horizontal	120	1.06	-	41.20	12.99	42.87			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


7025MHz_TX

EUT_Y_2TX
Setting 20
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.0843G	53.01	83.54	-30.53	47.37	1	Vertical	65	1.12	-	38.00	16.51	48.87			
AV	21.07896G	42.03	63.54	-21.51	36.40	1	Vertical	65	1.12	-	38.00	16.50	48.87			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


7025MHz_TX

EUT_Y_2TX
Setting 20
03-P-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.08367G	53.09	83.54	-30.45	47.45	1	Horizontal	101	2.19	-	38.00	16.51	48.87			
AV	21.08115G	42.50	63.54	-21.04	36.86	1	Horizontal	101	2.19	-	38.00	16.51	48.87			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Y_2TX
Setting 22
04-V-S-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.9234G	61.16	88.20	-27.04	66.29	3	Vertical	231	1.77	-	32.30	5.64	43.07				
RMS	5.925G	47.87	68.20	-20.33	53.00	3	Vertical	231	1.77	-	32.30	5.64	43.07				
PK	6.0922G	105.65	Inf	-Inf	110.39	3	Vertical	231	1.77	-	32.48	5.78	43.00				
RMS	6.0442G	95.27	Inf	-Inf	100.15	3	Vertical	231	1.77	-	32.40	5.73	43.01				

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Y_2TX
Setting 22
04-V-S-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.757G	63.77	88.20	-24.43	69.28	3	Horizontal	141	1.80	-	32.10	5.56	43.17			
RMS	5.757G	43.29	68.20	-24.91	48.80	3	Horizontal	141	1.80	-	32.10	5.56	43.17			
PK	6.0978G	95.80	Inf	-Inf	100.51	3	Horizontal	141	1.80	-	32.50	5.79	43.00			
RMS	6.0938G	85.51	Inf	-Inf	90.24	3	Horizontal	141	1.80	-	32.49	5.78	43.00			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_V_2TX
Setting 22
04-V-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.05002G	44.40	74.00	-29.60	37.41	3	Vertical	116	1.41	-	39.00	10.90	42.91			
AV	12.04947G	31.85	54.00	-22.15	24.86	3	Vertical	116	1.41	-	39.00	10.90	42.91			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6025MHz_TX

EUT_Y_2TX
Setting 22
04-V-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.04902G	44.63	74.00	-29.37	37.64	3	Horizontal	119	2.74	-	39.00	10.90	42.91			
AV	12.05058G	31.88	54.00	-22.12	24.89	3	Horizontal	119	2.74	-	39.00	10.90	42.91			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6025MHz_TX

EUT_Y_2TX
Setting 22
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07734G	50.22	83.54	-33.32	46.70	1	Vertical	251	2.57	-	37.56	15.44	49.48			
AV	18.0855G	41.27	63.54	-22.27	37.70	1	Vertical	251	2.57	-	37.61	15.44	49.48			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6025MHz_TX

EUT_Y_2TX
Setting 22
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.0861G	50.36	83.54	-33.18	46.78	1	Horizontal	357	2.39	-	37.62	15.44	49.48			
AV	18.08457G	41.27	63.54	-22.27	37.70	1	Horizontal	357	2.39	-	37.61	15.44	49.48			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6185MHz_TX

EUT_Y_2TX
Setting 22
04-V-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.36904G	42.87	74.00	-31.13	36.04	3	Vertical	35	1.93	-	38.62	11.23	43.02			
AV	12.3695G	31.42	54.00	-22.58	24.59	3	Vertical	35	1.93	-	38.62	11.23	43.02			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6185MHz_TX

EUT_V_2TX
Setting 22
04-V-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.36902G	43.74	74.00	-30.26	36.91	3	Horizontal	96	1.47	-	38.62	11.23	43.02			
AV	12.36985G	31.37	54.00	-22.63	24.54	3	Horizontal	96	1.47	-	38.62	11.23	43.02			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6185MHz_TX

EUT_Y_2TX
Setting 22
03-P-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.55668G	51.23	83.54	-32.31	47.37	1	Vertical	199	1.97	-	37.81	15.69	49.64			
AV	18.54012G	42.66	63.54	-20.88	38.79	1	Vertical	199	1.97	-	37.84	15.68	49.65			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6185MHz_TX

EUT_Y_2TX
Setting 22
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.54534G	51.35	83.54	-32.19	47.49	1	Horizontal	140	1.11	-	37.82	15.69	49.65			
AV	18.54108G	42.55	63.54	-20.99	38.68	1	Horizontal	140	1.11	-	37.84	15.68	49.65			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6345MHz_TX




EUT_Y_2TX
Setting 22
04-V-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.68956G	42.87	74.00	-31.13	35.46	3	Vertical	11	1.28	-	38.68	11.56	42.83			
AV	12.68962G	31.63	54.00	-22.37	24.22	3	Vertical	11	1.28	-	38.68	11.56	42.83			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6345MHz_TX




EUT_V_2TX
Setting 22
04-V-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.68988G	43.38	74.00	-30.62	35.97	3	Horizontal	350	2.76	-	38.68	11.56	42.83			
AV	12.68927G	31.63	54.00	-22.37	24.22	3	Horizontal	350	2.76	-	38.68	11.56	42.83			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6345MHz_TX

EUT_Y_2TX
Setting 22
03-P-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.02765G	50.22	83.54	-33.32	45.60	1	Vertical	236	2.20	-	38.01	15.97	49.36			
AV	19.04811G	41.27	63.54	-22.27	36.58	1	Vertical	236	2.20	-	38.09	15.97	49.37			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6345MHz_TX

EUT_Y_2TX
Setting 22
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.04271G	50.92	83.54	-32.62	46.25	1	Horizontal	42	2.89	-	38.07	15.97	49.37			
AV	19.03857G	41.33	63.54	-22.21	36.68	1	Horizontal	42	2.89	-	38.05	15.97	49.37			

6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6505MHz_TX

EUT_V_2TX
Setting 22
04-V-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.00936G	43.89	88.20	-44.31	35.38	3	Vertical	122	2.95	-	39.06	11.89	42.44			
RMS	13.011G	32.49	68.20	-35.71	23.97	3	Vertical	122	2.95	-	39.06	11.90	42.44			

6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6505MHz_TX

EUT_Y_2TX
Setting 22
04-V-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.0093G	44.66	88.20	-43.54	36.15	3	Horizontal	29	1.50	-	39.06	11.89	42.44			
RMS	13.01072G	32.39	68.20	-35.81	23.87	3	Horizontal	29	1.50	-	39.06	11.90	42.44			

6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6505MHz_TX

EUT_Y_2TX
Setting 22
03-P-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.52151G	50.33	83.54	-33.21	46.12	1	Vertical	245	2.17	-	37.80	16.07	49.66			
AV	19.51698G	41.23	63.54	-22.31	37.03	1	Vertical	245	2.17	-	37.80	16.07	49.67			

6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6505MHz_TX




EUT_Y_2TX
Setting 22
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	19.50045G	50.21	83.54	-33.33	46.03	1	Horizontal	264	1.51	-	37.80	16.06	49.68				
AV	19.50021G	41.37	63.54	-22.17	37.19	1	Horizontal	264	1.51	-	37.80	16.06	49.68				

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6665MHz_TX




EUT_Y_2TX
Setting 22
04-V-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.3304G	43.61	74.00	-30.39	34.16	3	Vertical	68	1.84	-	39.58	12.23	42.36			
AV	13.32988G	32.32	54.00	-21.68	22.87	3	Vertical	68	1.84	-	39.58	12.23	42.36			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6665MHz_TX




EUT_V_2TX
Setting 22
04-V-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.32966G	45.18	74.00	-28.82	35.73	3	Horizontal	155	2.89	-	39.58	12.23	42.36			
AV	13.32964G	32.40	54.00	-21.60	22.95	3	Horizontal	155	2.89	-	39.58	12.23	42.36			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6665MHz_TX




EUT_Y_2TX
Setting 22
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.99248G	50.26	83.54	-33.28	45.34	1	Vertical	107	2.41	-	37.97	16.23	49.28			
AV	19.99287G	41.27	63.54	-22.27	36.35	1	Vertical	107	2.41	-	37.97	16.23	49.28			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6665MHz_TX

EUT_Y_2TX
Setting 22
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.9959G	51.30	83.54	-32.24	46.36	1	Horizontal	274	1.04	-	37.98	16.23	49.27			
AV	19.99854G	42.07	63.54	-21.47	37.12	1	Horizontal	274	1.04	-	37.99	16.23	49.27			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6825MHz_TX

EUT_Y_2TX
Setting 22
04-V-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.65044G	43.65	88.20	-44.55	33.41	3	Vertical	338	2.10	-	40.20	12.56	42.52			
RMS	13.6508G	32.64	68.20	-35.56	22.40	3	Vertical	338	2.10	-	40.20	12.56	42.52			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6825MHz_TX

EUT_Y_2TX
Setting 22
04-V-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.64991G	43.54	88.20	-44.66	33.29	3	Horizontal	299	2.81	-	40.20	12.56	42.51			
RMS	13.65041G	32.66	68.20	-35.54	22.42	3	Horizontal	299	2.81	-	40.20	12.56	42.52			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6825MHz_TX

EUT_Y_2TX
Setting 22
03-P-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.4771G	50.39	83.54	-33.15	45.06	1	Vertical	88	2.37	-	38.00	16.48	49.15			
AV	20.4891G	41.57	63.54	-21.97	36.23	1	Vertical	88	2.37	-	38.00	16.48	49.14			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6825MHz_TX

EUT_Y_2TX
Setting 22
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.487G	51.67	83.54	-31.87	46.33	1	Horizontal	294	2.19	-	38.00	16.48	49.14			
AV	20.47911G	40.33	63.54	-23.21	35.00	1	Horizontal	294	2.19	-	38.00	16.48	49.15			

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6985MHz_TX




EUT_Y_2TX
Setting 22
04-V-S-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.9634G	108.73	Inf	-Inf	109.02	3	Vertical	190	1.80	-	34.85	7.21	42.35			
RMS	6.9642G	98.45	Inf	-Inf	98.73	3	Vertical	190	1.80	-	34.86	7.21	42.35			
PK	7.1386G	76.19	88.20	-12.01	75.63	3	Vertical	190	1.80	-	35.85	7.22	42.51			
RMS	7.1306G	52.65	68.20	-15.55	52.11	3	Vertical	190	1.80	-	35.82	7.22	42.50			
PK	7.2538G	59.99	74.00	-14.01	59.25	3	Vertical	190	1.80	-	36.20	7.22	42.68			
AV	7.25G	49.69	54.00	-4.31	48.95	3	Vertical	190	1.80	-	36.20	7.22	42.68			

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6985MHz_TX




EUT_Y_2TX
Setting 22
04-V-S-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.9506G	109.93	Inf	-Inf	110.29	3	Horizontal	166	1.84	-	34.80	7.20	42.36			
RMS	6.9538G	98.89	Inf	-Inf	99.23	3	Horizontal	166	1.84	-	34.82	7.20	42.36			
PK	7.1362G	72.55	88.20	-15.65	72.00	3	Horizontal	166	1.84	-	35.84	7.22	42.51			
RMS	7.1314G	53.65	68.20	-14.55	53.10	3	Horizontal	166	1.84	-	35.83	7.22	42.50			
PK	7.2562G	61.16	74.00	-12.84	60.42	3	Horizontal	166	1.84	-	36.20	7.22	42.68			
AV	7.2506G	50.19	54.00	-3.81	49.45	3	Horizontal	166	1.84	-	36.20	7.22	42.68			

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6985MHz_TX

EUT_Y_2TX
Setting 22
04-V-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.96911G	45.00	88.20	-43.20	34.16	3	Vertical	179	1.28	-	40.88	12.89	42.93			
RMS	13.96915G	32.59	68.20	-35.61	21.75	3	Vertical	179	1.28	-	40.88	12.89	42.93			

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6985MHz_TX




EUT_V_2TX
Setting 22
04-V-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.97084G	44.87	88.20	-43.33	34.03	3	Horizontal	217	1.54	-	40.88	12.89	42.93			
RMS	13.97096G	32.46	68.20	-35.74	21.62	3	Horizontal	217	1.54	-	40.88	12.89	42.93			

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6985MHz_TX

EUT_Y_2TX
Setting 22
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.9466G	50.55	83.54	-32.99	45.12	1	Vertical	6	2.88	-	37.91	16.43	48.91			
AV	20.94636G	40.27	63.54	-23.27	34.84	1	Vertical	6	2.88	-	37.91	16.43	48.91			

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6985MHz_TX




EUT_Y_2TX
Setting 22
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.94483G	51.03	83.54	-32.51	45.59	1	Horizontal	273	2.41	-	37.92	16.43	48.91			
AV	20.94417G	42.78	63.54	-20.76	37.34	1	Horizontal	273	2.41	-	37.92	16.43	48.91			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6105MHz_TX




EUT_Y_2TX
Setting 21
04-V-S-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.757G	65.42	88.20	-22.78	70.93	3	Vertical	203	1.42	-	32.10	5.56	43.17			
RMS	5.757G	47.24	68.20	-20.96	52.75	3	Vertical	203	1.42	-	32.10	5.56	43.17			
PK	6.0282G	102.25	Inf	-Inf	107.15	3	Vertical	203	1.42	-	32.40	5.72	43.02			
RMS	6.1818G	90.74	Inf	-Inf	95.11	3	Vertical	203	1.42	-	32.73	5.87	42.97			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX


6105MHz_TX

EUT_Y_2TX
Setting 21
04-V-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9226G	54.70	88.20	-33.50	59.83	3	Horizontal	165	1.80	-	32.30	5.64	43.07			
RMS	5.9226G	42.80	68.20	-25.40	47.93	3	Horizontal	165	1.80	-	32.30	5.64	43.07			
PK	6.2118G	95.10	Inf	-Inf	99.29	3	Horizontal	165	1.80	-	32.85	5.92	42.96			
RMS	6.207G	84.45	Inf	-Inf	88.67	3	Horizontal	165	1.80	-	32.83	5.91	42.96			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6105MHz_TX




EUT_Y_2TX
Setting 21
04-V-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.20955G	44.27	74.00	-29.73	37.19	3	Vertical	247	2.61	-	38.98	11.07	42.97			
AV	12.21071G	32.93	54.00	-21.07	25.85	3	Vertical	247	2.61	-	38.98	11.07	42.97			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6105MHz_TX




EUT_Y_2TX
Setting 21
04-V-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.21005G	44.56	74.00	-29.44	37.48	3	Horizontal	10	1.68	-	38.98	11.07	42.97			
AV	12.21053G	32.88	54.00	-21.12	25.80	3	Horizontal	10	1.68	-	38.98	11.07	42.97			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX


6105MHz_TX

EUT_Y_2TX
Setting 21
03-P-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.30528G	51.66	83.54	-31.88	48.07	1	Vertical	331	2.88	-	37.62	15.56	49.59			
AV	18.32472G	40.57	63.54	-22.97	36.90	1	Vertical	331	2.88	-	37.70	15.57	49.60			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX


6105MHz_TX

EUT_Y_2TX
Setting 21
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.30627G	50.26	83.54	-33.28	46.66	1	Horizontal	165	2.72	-	37.63	15.56	49.59			
AV	18.32604G	41.99	63.54	-21.55	38.32	1	Horizontal	165	2.72	-	37.70	15.57	49.60			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6265MHz_TX




EUT_Y_2TX
Setting 21
04-V-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.52973G	42.01	74.00	-31.99	35.30	3	Vertical	14	2.73	-	38.34	11.40	43.03			
AV	12.52918G	30.37	54.00	-23.63	23.66	3	Vertical	14	2.73	-	38.34	11.40	43.03			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6265MHz_TX




EUT_V_2TX
Setting 21
04-V-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.53087G	42.49	74.00	-31.51	35.78	3	Horizontal	285	1.70	-	38.34	11.40	43.03			
AV	12.52948G	30.31	54.00	-23.69	23.60	3	Horizontal	285	1.70	-	38.34	11.40	43.03			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX


6265MHz_TX

EUT_Y_2TX
Setting 21
03-P-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.80283G	50.11	83.54	-33.43	45.75	1	Vertical	113	2.85	-	37.99	15.84	49.47			
AV	18.79239G	40.63	63.54	-22.91	36.27	1	Vertical	113	2.85	-	38.00	15.84	49.48			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX


6265MHz_TX

EUT_Y_2TX
Setting 21
03-P-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.79095G	50.31	83.54	-33.23	45.96	1	Horizontal	124	2.24	-	38.00	15.83	49.48			
AV	18.80463G	41.69	63.54	-21.85	37.33	1	Horizontal	124	2.24	-	37.99	15.84	49.47			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX


6425MHz_TX

EUT_Y_2TX
Setting 21
04-V-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.84955G	45.53	88.20	-42.67	37.33	3	Vertical	182	2.40	-	39.10	11.73	42.63			
RMS	12.84954G	33.28	68.20	-34.92	25.08	3	Vertical	182	2.40	-	39.10	11.73	42.63			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6425MHz_TX




EUT_Y_2TX
Setting 21
04-V-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.85008G	44.87	88.20	-43.33	36.67	3	Horizontal	274	1.28	-	39.10	11.73	42.63			
RMS	12.84924G	33.31	68.20	-34.89	25.11	3	Horizontal	274	1.28	-	39.10	11.73	42.63			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX


6425MHz_TX

EUT_Y_2TX
Setting 21
03-P-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.27068G	50.83	83.54	-32.71	46.44	1	Vertical	43	1.82	-	37.90	16.01	49.52			
AV	19.28721G	40.16	63.54	-23.38	35.78	1	Vertical	43	1.82	-	37.90	16.02	49.54			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX


6425MHz_TX

EUT_Y_2TX
Setting 21
03-P-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.27881G	50.61	83.54	-32.93	46.22	1	Horizontal	33	2.17	-	37.90	16.02	49.53			
AV	19.28373G	40.27	63.54	-23.27	35.88	1	Horizontal	33	2.17	-	37.90	16.02	49.53			

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX


6585MHz_TX


EUT_Y_2TX
Setting 21
04-V-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.17067G	42.88	88.20	-45.32	34.06	3	Vertical	79	1.45	-	39.16	12.06	42.40			
RMS	13.1697G	31.67	68.20	-36.53	22.85	3	Vertical	79	1.45	-	39.16	12.06	42.40			

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX


6585MHz_TX

EUT_Y_2TX
Setting 21
04-V-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.16926G	43.89	88.20	-44.31	35.07	3	Horizontal	58	1.53	-	39.16	12.06	42.40			
RMS	13.16909G	31.69	68.20	-36.51	22.87	3	Horizontal	58	1.53	-	39.16	12.06	42.40			

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX


6585MHz_TX

EUT_Y_2TX
Setting 21
03-P-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.75101G	50.11	83.54	-33.43	45.53	1	Vertical	92	1.21	-	37.90	16.15	49.47			
AV	19.74969G	41.09	63.54	-22.45	36.53	1	Vertical	92	1.21	-	37.90	16.14	49.48			

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6585MHz_TX




EUT_Y_2TX
Setting 21
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.75644G	50.17	83.54	-33.37	45.60	1	Horizontal	287	1.82	-	37.89	16.15	49.47			
AV	19.74687G	41.92	63.54	-21.62	37.37	1	Horizontal	287	1.82	-	37.89	16.14	49.48			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6745MHz_TX




EUT_Y_2TX
Setting 21
04-V-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.49057G	45.91	88.20	-42.29	35.84	3	Vertical	177	2.37	-	40.00	12.39	42.32			
RMS	13.48928G	33.75	68.20	-34.45	23.68	3	Vertical	177	2.37	-	40.00	12.39	42.32			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6745MHz_TX




EUT_V_2TX
Setting 21
04-V-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.48981G	45.19	88.20	-43.01	35.12	3	Horizontal	219	2.39	-	40.00	12.39	42.32			
RMS	13.48987G	33.63	68.20	-34.57	23.56	3	Horizontal	219	2.39	-	40.00	12.39	42.32			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX


6745MHz_TX

EUT_Y_2TX
Setting 21
03-P-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.2308G	50.96	83.54	-32.58	45.86	1	Vertical	38	1.16	-	37.96	16.35	49.21			
AV	20.22006G	40.18	63.54	-23.36	35.11	1	Vertical	38	1.16	-	37.94	16.34	49.21			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX


6745MHz_TX

EUT_Y_2TX
Setting 21
04-V--

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.23524G	50.64	83.54	-32.90	45.53	1	Horizontal	119	2.16	-	37.97	16.35	49.21			
AV	20.22054G	42.11	63.54	-21.43	37.04	1	Horizontal	119	2.16	-	37.94	16.34	49.21			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6905MHz_TX




EUT_Y_2TX
Setting 21
04-V-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.8738G	106.82	Inf	-Inf	107.72	3	Vertical	168	1.91	-	34.44	7.11	42.45			
RMS	6.8774G	95.40	Inf	-Inf	96.26	3	Vertical	168	1.91	-	34.46	7.12	42.44			
PK	7.1738G	64.08	88.20	-24.12	63.47	3	Vertical	168	1.91	-	35.95	7.22	42.56			
RMS	7.1738G	51.45	68.20	-16.75	50.84	3	Vertical	168	1.91	-	35.95	7.22	42.56			
PK	7.259G	60.56	74.00	-13.44	59.83	3	Vertical	168	1.91	-	36.20	7.22	42.69			
AV	7.25G	49.80	54.00	-4.20	49.06	3	Vertical	168	1.91	-	36.20	7.22	42.68			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6905MHz_TX




EUT_Y_2TX
Setting 21
04-V-S-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.8918G	93.56	Inf	-Inf	94.31	3	Horizontal	154	1.80	-	34.55	7.13	42.43			
RMS	6.8954G	84.16	Inf	-Inf	84.89	3	Horizontal	154	1.80	-	34.57	7.13	42.43			
PK	7.1978G	59.20	88.20	-29.00	58.59	3	Horizontal	154	1.80	-	36.00	7.21	42.60			
RMS	7.211G	47.99	68.20	-20.21	47.36	3	Horizontal	154	1.80	-	36.04	7.21	42.62			
PK	7.2806G	59.44	74.00	-14.56	58.74	3	Horizontal	154	1.80	-	36.20	7.22	42.72			
AV	7.4822G	48.14	54.00	-5.86	47.58	3	Horizontal	154	1.80	-	36.26	7.31	43.01			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6905MHz_TX




EUT_V_2TX
Setting 21
04-V-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.8092G	44.28	88.20	-43.92	33.86	3	Vertical	191	2.67	-	40.42	12.72	42.72			
RMS	13.81083G	33.35	68.20	-34.85	22.93	3	Vertical	191	2.67	-	40.42	12.72	42.72			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX


6905MHz_TX

EUT_V_2TX
Setting 21
04-V-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.80977G	45.17	88.20	-43.03	34.75	3	Horizontal	265	2.71	-	40.42	12.72	42.72			
RMS	13.80976G	33.21	68.20	-34.99	22.79	3	Horizontal	265	2.71	-	40.42	12.72	42.72			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX


6905MHz_TX

EUT_Y_2TX
Setting 21
03-P-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.70786G	52.16	83.54	-31.38	46.80	1	Vertical	109	1.50	-	37.93	16.46	49.03			
AV	20.71932G	40.22	63.54	-23.32	34.81	1	Vertical	109	1.50	-	37.98	16.46	49.03			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6905MHz_TX

EUT_Y_2TX
Setting 21
03-P-R-7


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.7276G	50.81	83.54	-32.73	45.36	1	Horizontal	306	2.35	-	38.01	16.46	49.02			
AV	20.71947G	40.60	63.54	-22.94	35.19	1	Horizontal	306	2.35	-	37.98	16.46	49.03			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

5955MHz_TX

11/12/2024




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6195MHz_TX

11/12/2024




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6415MHz_TX

11/12/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.423548G	-6.49	6.450875G	-54.15	-46.49	-7.66	1
6.407452G	-6.48	6.4551G	-54.03	-46.48	-7.55	2

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6435MHz_TX

11/12/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.427277G	-6.75	6.3956G	-53.79	-46.75	-7.04	1
6.428677G	-7.30	6.47995G	-54.07	-47.30	-6.77	2

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6475MHz_TX

11/12/2024




6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6515MHz_TX

11/12/2024




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6535MHz_TX

11/12/2024




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6695MHz_TX

11/12/2024




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6875MHz_TX

11/12/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.866302G	-8.36	6.9194G	-53.05	-48.36	-4.69	1
6.866277G	-8.14	6.9229G	-53.19	-48.14	-5.05	2

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6895MHz_TX

11/12/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.904223G	-7.68	6.934125G	-52.97	-47.68	-5.29	1
6.886402G	-7.19	6.939375G	-53.04	-47.19	-5.85	2

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6995MHz_TX

11/12/2024




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

7095MHz_TX

11/12/2024




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

7115MHz_TX

11/12/2024




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

5965MHz_TX

11/12/2024




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6205MHz_TX

11/12/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.221546G	-3.51	6.2825G	-51.14	-43.51	-7.63	1
6.222596G	-3.40	6.2903G	-50.86	-43.40	-7.46	2

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6405MHz_TX

11/12/2024



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.422196G	-3.71	6.4888G	-50.50	-43.71	-6.79	1
6.391353G	-3.83	6.4908G	-50.61	-43.83	-6.78	2

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6445MHz_TX

11/12/2024

CF (Hz)
6.445G


Span (Hz)
200M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
20m

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.462846G	-2.42	6.37485G	-50.87	-42.42	-8.45	1
6.438102G	-2.83	6.37445G	-50.93	-42.83	-8.10	2

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6485MHz_TX

11/12/2024

CF (Hz)
6.485G


Span (Hz)
200M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
20m

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.501046G	-2.72	6.41245G	-50.69	-42.72	-7.97	1
6.477852G	-2.90	6.41635G	-50.50	-42.90	-7.60	2

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6525MHz_TX

11/12/2024

CF (Hz)
6.525G


Span (Hz)
200M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
20m

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.542146G	-3.45	6.44235G	-50.70	-43.45	-7.25	1
6.508354G	-3.70	6.4309G	-50.62	-43.70	-6.92	2

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6565MHz_TX

11/12/2024

CF (Hz)
6.565G


Span (Hz)
200M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
20m

Detector Type
RMS



Port 1 

Port 2 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.582146G	-4.04	6.485G	-50.55	-44.04	-6.51	1
6.558852G	-3.94	6.4768G	-50.62	-43.94	-6.68	2

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6685MHz_TX

11/12/2024




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6885MHz_TX

11/12/2024




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6925MHz_TX

11/12/2024




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

7005MHz_TX

11/12/2024




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

7085MHz_TX

11/12/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.072903G	-1.42	7.006G	-49.41	-41.42	-7.99	1
7.091848G	-2.62	7.00415G	-49.26	-42.62	-6.64	2

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

5985MHz_TX

11/12/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.02249G	0.31	6.1639G	-48.00	-39.69	-8.31	1
6.01069G	-0.11	6.1429G	-47.59	-40.11	-7.48	2

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6225MHz_TX

11/12/2024




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6385MHz_TX

11/12/2024




6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6465MHz_TX

11/12/2024




6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6545MHz_TX

11/12/2024




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6625MHz_TX

11/12/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.60281G	-0.90	6.4836G	-47.57	-40.90	-6.67	1
6.59701G	-1.24	6.4788G	-47.10	-41.24	-5.86	2

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6705MHz_TX

11/12/2024



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.66751G	-1.19	6.8967G	-47.05	-41.19	-5.86	1
6.6934G	-1.58	6.8811G	-46.87	-41.58	-5.29	2

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6785MHz_TX

11/12/2024

CF (Hz)
6.785G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.74851G	-1.53	6.9734G	-46.33	-41.53	-4.80	1
6.74901G	-1.91	6.9578G	-46.27	-41.91	-4.36	2

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6865MHz_TX

11/12/2024

CF (Hz)
6.865G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.82881G	-1.44	6.7198G	-46.34	-41.44	-4.90	1
6.82841G	-1.87	7.005G	-46.33	-41.87	-4.46	2

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6945MHz_TX

11/12/2024




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

7025MHz_TX

11/12/2024




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6025MHz_TX

11/12/2024

CF (Hz)
6.025G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
20m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.04599G	2.42	6.3052G	-44.23	-37.58	-6.65	1
6.029G	2.29	6.2874G	-41.12	-37.71	-3.41	2


5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6185MHz_TX

11/12/2024

CF (Hz)
6.185G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
20m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.1804G	3.91	6.447G	-40.18	-36.09	-4.09	1
6.11222G	3.98	6.4708G	-39.31	-36.02	-3.29	2

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6345MHz_TX

11/12/2024




6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6505MHz_TX

11/12/2024




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6665MHz_TX

11/12/2024




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6825MHz_TX

11/12/2024




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6985MHz_TX

11/12/2024




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

MASK

6105MHz_TX

11/12/2024



5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

MASK

6265MHz_TX

11/12/2024

CF (Hz)
6.265G


Span (Hz)
1.6G

RBW (Hz)
3M

VBW (Hz)
10M

Sweep Time (s)
20m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.2802G	3.03	6.8182G	-39.36	-36.97	-2.39	1
6.10944G	3.06	6.7694G	-37.15	-36.94	-0.21	2

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

MASK

6425MHz_TX

11/12/2024

CF (Hz)
6.425G


Span (Hz)
1.6G

RBW (Hz)
3M

VBW (Hz)
10M

Sweep Time (s)
20m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4214G	2.68	6.9366G	-41.12	-37.32	-3.80	1
6.33142G	2.93	5.991G	-33.38	-32.22	-1.16	2

6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_2TX

MASK

6585MHz_TX

11/12/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.52102G	1.80	6.0702G	-43.96	-38.20	-5.76	1
6.49262G	2.03	6.0822G	-38.40	-37.97	-0.43	2

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX

MASK

6745MHz_TX

11/12/2024



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.60384G	1.99	6.213G	-41.70	-38.01	-3.69	1
6.61183G	1.78	6.2298G	-39.05	-38.22	-0.83	2

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX

MASK

6905MHz_TX

11/12/2024

CF (Hz)
6.905G


Span (Hz)
1.6G

RBW (Hz)
3M

VBW (Hz)
10M

Sweep Time (s)
20m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.82902G	1.69	6.3946G	-43.21	-38.31	-4.90	1
6.75424G	1.87	6.3946G	-38.45	-38.13	-0.32	2

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

5955MHz_TX

09/01/2025

CF (Hz)
5.955G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
20m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.959949G	-6.33	5.99025G	-54.52	-46.33	-8.19	1
5.960674G	-7.05	5.987625G	-55.00	-46.90	-8.10	2

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6195MHz_TX

09/01/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.191176G	-6.48	6.228275G	-55.41	-46.48	-8.93	1
6.203448G	-7.55	6.228925G	-54.93	-47.55	-7.38	2

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6415MHz_TX

09/01/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.422598G	-7.22	6.3796G	-54.73	-47.22	-7.51	1
6.407577G	-7.81	6.379025G	-55.01	-47.81	-7.20	2

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6435MHz_TX

09/01/2025




6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6475MHz_TX

09/01/2025




6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6515MHz_TX

09/01/2025




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6535MHz_TX

09/01/2025




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6695MHz_TX

09/01/2025




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6875MHz_TX

09/01/2025




6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6895MHz_TX

09/01/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.901298G	-7.06	6.85865G	-54.54	-47.06	-7.48	1
6.903248G	-7.36	6.8568G	-53.99	-47.36	-6.63	2

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6995MHz_TX

09/01/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.987527G	-6.73	6.96035G	-53.59	-46.73	-6.86	1
6.989901G	-7.39	6.94905G	-53.28	-47.39	-5.89	2

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

7095MHz_TX

09/01/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.087752G	-7.04	7.062625G	-56.85	-47.04	-9.81	1
7.086227G	-7.23	7.057475G	-56.81	-47.23	-9.58	2

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

7115MHz_TX

09/01/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.121998G	-16.99	7.08025G	-58.09	-56.99	-1.10	1
7.105777G	-16.70	7.077675G	-57.54	-56.70	-0.84	2

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

5965MHz_TX

09/01/2025




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6205MHz_TX

09/01/2025




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6405MHz_TX

09/01/2025




6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6445MHz_TX

09/01/2025




6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6485MHz_TX

09/01/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.471603G	-3.17	6.4163G	-50.96	-43.17	-7.79	1
6.503195G	-3.69	6.4021G	-50.55	-43.69	-6.86	2

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6525MHz_TX

09/01/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.510504G	-3.21	6.4282G	-51.15	-43.21	-7.94	1
6.511103G	-3.71	6.4258G	-51.14	-43.71	-7.43	2

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6565MHz_TX

09/01/2025




6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6685MHz_TX

09/01/2025




6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6885MHz_TX

09/01/2025



6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6925MHz_TX

09/01/2025

