



RSE TX above 1GHz_Non-Beamforming_Radio 2

Appendix E.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5785MHz	Pass	PK	5.5426G	57.03	68.20	-11.17	3	Horizontal	59	1.72	-
5785MHz	Pass	PK	5.7826G	100.94	Inf	-Inf	3	Horizontal	59	1.72	-
5785MHz	Pass	PK	6.0394G	57.94	68.20	-10.26	3	Horizontal	59	1.72	-
5785MHz	Pass	AV	11.57222G	44.70	54.00	-9.30	3	Vertical	338	1.75	-
5785MHz	Pass	PK	11.56718G	57.85	74.00	-16.15	3	Vertical	338	1.75	-
5785MHz	Pass	AV	11.56832G	46.02	54.00	-7.98	3	Horizontal	39	1.58	-
5785MHz	Pass	PK	11.56832G	59.41	74.00	-14.59	3	Horizontal	39	1.58	-
5825MHz	Pass	AV	5.819G	103.43	Inf	-Inf	3	Vertical	345	1.59	-
5825MHz	Pass	PK	5.6258G	58.66	68.20	-9.54	3	Vertical	345	1.59	-
5825MHz	Pass	PK	5.8202G	113.37	Inf	-Inf	3	Vertical	345	1.59	-
5825MHz	Pass	PK	6.0146G	58.62	68.20	-9.58	3	Vertical	345	1.59	-
5825MHz	Pass	AV	5.8178G	89.00	Inf	-Inf	3	Horizontal	56	1.87	-
5825MHz	Pass	PK	5.525G	57.21	68.20	-10.99	3	Horizontal	56	1.87	-
5825MHz	Pass	PK	5.8286G	99.17	Inf	-Inf	3	Horizontal	56	1.87	-
5825MHz	Pass	PK	5.9258G	58.34	68.20	-9.86	3	Horizontal	56	1.87	-
5825MHz	Pass	AV	11.64856G	43.66	54.00	-10.34	3	Vertical	341	1.76	-
5825MHz	Pass	PK	11.63902G	56.56	74.00	-17.44	3	Vertical	341	1.76	-
5825MHz	Pass	AV	11.64868G	44.56	54.00	-9.44	3	Horizontal	44	1.63	-
5825MHz	Pass	PK	11.64454G	57.81	74.00	-16.19	3	Horizontal	44	1.63	-
802.11ac VHT40_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.15G	51.75	54.00	-2.25	3	Vertical	345	2.37	-
5190MHz	Pass	AV	5.2012G	96.67	Inf	-Inf	3	Vertical	345	2.37	-
5190MHz	Pass	PK	5.1496G	64.02	74.00	-9.98	3	Vertical	345	2.37	-
5190MHz	Pass	PK	5.2012G	106.47	Inf	-Inf	3	Vertical	345	2.37	-
5190MHz	Pass	AV	5.15G	49.36	54.00	-4.64	3	Horizontal	52	1.66	-
5190MHz	Pass	AV	5.196G	92.03	Inf	-Inf	3	Horizontal	52	1.66	-
5190MHz	Pass	PK	5.1496G	60.40	74.00	-13.60	3	Horizontal	52	1.66	-
5190MHz	Pass	PK	5.2036G	101.70	Inf	-Inf	3	Horizontal	52	1.66	-
5190MHz	Pass	PK	10.38072G	55.38	68.20	-12.82	3	Vertical	0	1.37	-
5190MHz	Pass	PK	10.38G	54.83	68.20	-13.37	3	Horizontal	140	2.34	-
5230MHz	Pass	AV	5.1496G	49.26	54.00	-4.74	3	Vertical	333	2.06	-
5230MHz	Pass	AV	5.236G	101.03	Inf	-Inf	3	Vertical	333	2.06	-
5230MHz	Pass	PK	5.15G	60.88	74.00	-13.12	3	Vertical	333	2.06	-
5230MHz	Pass	PK	5.2372G	110.47	Inf	-Inf	3	Vertical	333	2.06	-
5230MHz	Pass	AV	5.1488G	47.10	54.00	-6.90	3	Horizontal	46	1.71	-
5230MHz	Pass	AV	5.2428G	94.99	Inf	-Inf	3	Horizontal	46	1.71	-
5230MHz	Pass	PK	5.1496G	58.12	74.00	-15.88	3	Horizontal	46	1.71	-
5230MHz	Pass	PK	5.244G	104.66	Inf	-Inf	3	Horizontal	46	1.71	-
5230MHz	Pass	PK	10.46384G	55.20	68.20	-13.00	3	Vertical	137	1.57	-
5230MHz	Pass	PK	10.45466G	55.35	68.20	-12.85	3	Horizontal	133	1.70	-
5755MHz	Pass	AV	5.7454G	101.98	Inf	-Inf	3	Vertical	336	1.49	-
5755MHz	Pass	PK	5.6422G	60.31	68.20	-7.89	3	Vertical	336	1.49	-
5755MHz	Pass	PK	5.7442G	111.56	Inf	-Inf	3	Vertical	336	1.49	-
5755MHz	Pass	PK	5.9818G	57.67	68.20	-10.53	3	Vertical	336	1.49	-
5755MHz	Pass	AV	5.7406G	88.25	Inf	-Inf	3	Horizontal	53	1.75	-
5755MHz	Pass	PK	5.5522G	56.87	68.20	-11.33	3	Horizontal	53	1.75	-
5755MHz	Pass	PK	5.761G	98.11	Inf	-Inf	3	Horizontal	53	1.75	-
5755MHz	Pass	PK	5.9614G	57.17	68.20	-11.03	3	Horizontal	53	1.75	-
5755MHz	Pass	AV	11.51504G	44.59	54.00	-9.41	3	Vertical	313	2.89	-
5755MHz	Pass	PK	11.51966G	56.53	74.00	-17.47	3	Vertical	313	2.89	-
5755MHz	Pass	AV	11.51072G	45.59	54.00	-8.41	3	Horizontal	38	1.50	-
5755MHz	Pass	PK	11.50946G	57.98	74.00	-16.02	3	Horizontal	38	1.50	-
5795MHz	Pass	AV	5.7806G	101.50	Inf	-Inf	3	Vertical	342	1.71	-
5795MHz	Pass	PK	5.6366G	60.04	68.20	-8.16	3	Vertical	342	1.71	-
5795MHz	Pass	PK	5.7806G	111.13	Inf	-Inf	3	Vertical	342	1.71	-
5795MHz	Pass	PK	5.9426G	58.43	68.20	-9.77	3	Vertical	342	1.71	-
5795MHz	Pass	AV	5.7818G	87.44	Inf	-Inf	3	Horizontal	54	1.73	-
5795MHz	Pass	PK	5.6378G	57.40	68.20	-10.80	3	Horizontal	54	1.73	-
5795MHz	Pass	PK	5.7854G	96.84	Inf	-Inf	3	Horizontal	54	1.73	-
5795MHz	Pass	PK	5.987G	57.45	68.20	-10.75	3	Horizontal	54	1.73	-
5795MHz	Pass	AV	11.58034G	44.02	54.00	-9.98	3	Vertical	335	1.62	-
5795MHz	Pass	PK	11.58634G	56.18	74.00	-17.82	3	Vertical	335	1.62	-




RSE TX above 1GHz_Non-Beamforming_Radio 2

Appendix E.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5795MHz	Pass	AV	11.5915G	44.64	54.00	-9.36	3	Horizontal	40	1.49	-
5795MHz	Pass	PK	11.58082G	57.14	74.00	-16.86	3	Horizontal	40	1.49	-
802.11ac VHT80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.15G	53.15	54.00	-0.85	3	Vertical	3	2.52	-
5210MHz	Pass	AV	5.244G	91.67	Inf	-Inf	3	Vertical	3	2.52	-
5210MHz	Pass	AV	5.441G	48.91	54.00	-5.09	3	Vertical	3	2.52	-
5210MHz	Pass	PK	5.15G	63.93	74.00	-10.07	3	Vertical	3	2.52	-
5210MHz	Pass	PK	5.199G	101.32	Inf	-Inf	3	Vertical	3	2.52	-
5210MHz	Pass	PK	5.368G	59.20	74.00	-14.80	3	Vertical	3	2.52	-
5210MHz	Pass	AV	5.15G	49.74	54.00	-4.26	3	Horizontal	48	1.77	-
5210MHz	Pass	AV	5.241G	86.50	Inf	-Inf	3	Horizontal	48	1.77	-
5210MHz	Pass	AV	5.441G	46.05	54.00	-7.95	3	Horizontal	48	1.77	-
5210MHz	Pass	PK	5.15G	61.78	74.00	-12.22	3	Horizontal	48	1.77	-
5210MHz	Pass	PK	5.238G	96.11	Inf	-Inf	3	Horizontal	48	1.77	-
5210MHz	Pass	PK	5.408G	57.58	74.00	-16.42	3	Horizontal	48	1.77	-
5210MHz	Pass	PK	10.41166G	54.34	68.20	-13.86	3	Vertical	309	1.08	-
5210MHz	Pass	PK	10.41508G	55.86	68.20	-12.34	3	Horizontal	37	1.86	-
5775MHz	Pass	AV	5.7414G	96.86	Inf	-Inf	3	Vertical	333	1.49	-
5775MHz	Pass	PK	5.649G	66.61	68.20	-1.59	3	Vertical	333	1.49	-
5775MHz	Pass	PK	5.7642G	109.63	Inf	-Inf	3	Vertical	333	1.49	-
5775MHz	Pass	PK	5.925G	61.05	68.20	-7.15	3	Vertical	333	1.49	-
5775MHz	Pass	AV	5.7438G	83.45	Inf	-Inf	3	Horizontal	2	2.01	-
5775MHz	Pass	PK	5.6502G	58.08	68.35	-10.27	3	Horizontal	2	2.01	-
5775MHz	Pass	PK	5.7474G	94.00	Inf	-Inf	3	Horizontal	2	2.01	-
5775MHz	Pass	PK	5.9886G	58.45	68.20	-9.75	3	Horizontal	2	2.01	-
5775MHz	Pass	AV	11.53962G	43.66	54.00	-10.34	3	Vertical	319	2.85	-
5775MHz	Pass	PK	11.53986G	55.97	74.00	-18.03	3	Vertical	319	2.85	-
5775MHz	Pass	AV	11.5359G	44.21	54.00	-9.79	3	Horizontal	37	1.49	-
5775MHz	Pass	PK	11.55588G	56.81	74.00	-17.19	3	Horizontal	37	1.49	-

802.11a_Nss1,(6Mbps)_1TX


5180MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.15G	52.43	54.00	-1.57	5.99	3	Vertical	324	2.05	-	46.44	31.70	8.52	34.23
AV	5.186G	102.69	Inf	-Inf	5.89	3	Vertical	324	2.05	-	96.80	31.56	8.56	34.23
PK	5.1496G	67.24	74.00	-6.76	5.99	3	Vertical	324	2.05	-	61.25	31.70	8.52	34.23
PK	5.1832G	112.68	Inf	-Inf	5.89	3	Vertical	324	2.05	-	106.79	31.57	8.55	34.23

802.11a_Nss1,(6Mbps)_1TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1498G	48.69	54.00	-5.31	5.99	3	Horizontal	47	1.49	-	42.70	31.70	8.52	34.23
AV	5.186G	97.08	Inf	-Inf	5.89	3	Horizontal	47	1.49	-	91.19	31.56	8.56	34.23
PK	5.1496G	62.26	74.00	-11.74	5.99	3	Horizontal	47	1.49	-	56.27	31.70	8.52	34.23
PK	5.1774G	107.26	Inf	-Inf	5.91	3	Horizontal	47	1.49	-	101.35	31.59	8.55	34.23

802.11a_Nss1,(6Mbps)_1TX


5180MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
PK	10.35418G	55.39	68.20	-12.81	16.86	3	Vertical	350	1.41	-	38.53	39.36	12.18	34.68

802.11a_Nss1,(6Mbps)_1TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.35538G	55.95	68.20	-12.25	16.87	3	Horizontal	52	1.74	-	39.08	39.37	12.18	34.68

802.11a_Nss1,(6Mbps)_1TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1484G	46.01	54.00	-7.99	5.99	3	Vertical	360	2.79	-	40.02	31.70	8.52	34.23
AV	5.2068G	101.82	Inf	-Inf	5.79	3	Vertical	360	2.79	-	96.03	31.46	8.57	34.24
PK	5.1492G	58.51	74.00	-15.49	5.99	3	Vertical	360	2.79	-	52.52	31.70	8.52	34.23
PK	5.2052G	112.14	Inf	-Inf	5.80	3	Vertical	360	2.79	-	106.34	31.47	8.57	34.24

802.11a_Nss1,(6Mbps)_1TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.148G	45.16	54.00	-8.84	5.99	3	Horizontal	45	1.46	-	39.17	31.70	8.52	34.23
AV	5.2064G	97.77	Inf	-Inf	5.79	3	Horizontal	45	1.46	-	91.98	31.46	8.57	34.24
PK	5.1396G	57.51	74.00	-16.49	5.98	3	Horizontal	45	1.46	-	51.53	31.70	8.51	34.23
PK	5.2032G	108.30	Inf	-Inf	5.81	3	Horizontal	45	1.46	-	102.49	31.48	8.57	34.24

802.11a_Nss1,(6Mbps)_1TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.40824G	55.27	68.20	-12.93	17.09	3	Vertical	80	2.30	-	38.18	39.52	12.21	34.64

802.11a_Nss1,(6Mbps)_1TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.39404G	55.66	68.20	-12.54	17.03	3	Horizontal	224	1.20	-	38.63	39.48	12.20	34.65

802.11a_Nss1,(6Mbps)_1TX


5240MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.1272G	46.51	54.00	-7.49	5.97	3	Vertical	329	2.13	-	40.54	31.70	8.50	34.23
AV	5.2478G	103.99	Inf	-Inf	5.55	3	Vertical	329	2.13	-	98.44	31.21	8.58	34.24
AV	5.3606G	48.52	54.00	-5.48	5.41	3	Vertical	329	2.13	-	43.11	31.06	8.60	34.25
PK	5.1338G	58.25	74.00	-15.75	5.98	3	Vertical	329	2.13	-	52.27	31.70	8.51	34.23
PK	5.2454G	114.07	Inf	-Inf	5.57	3	Vertical	329	2.13	-	108.50	31.23	8.58	34.24
PK	5.3624G	61.24	74.00	-12.76	5.42	3	Vertical	329	2.13	-	55.82	31.07	8.60	34.25

802.11a_Nss1,(6Mbps)_1TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1308G	45.46	54.00	-8.54	5.97	3	Horizontal	46	1.46	-	39.49	31.70	8.50	34.23
AV	5.2466G	98.13	Inf	-Inf	5.56	3	Horizontal	46	1.46	-	92.57	31.22	8.58	34.24
AV	5.36G	45.61	54.00	-8.39	5.41	3	Horizontal	46	1.46	-	40.20	31.06	8.60	34.25
PK	5.1236G	57.58	74.00	-16.42	5.97	3	Horizontal	46	1.46	-	51.61	31.70	8.50	34.23
PK	5.2466G	108.13	Inf	-Inf	5.56	3	Horizontal	46	1.46	-	102.57	31.22	8.58	34.24
PK	5.3846G	57.17	74.00	-16.83	5.57	3	Horizontal	46	1.46	-	51.60	31.21	8.61	34.25

802.11a_Nss1,(6Mbps)_1TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.48992G	55.74	68.20	-12.46	17.35	3	Vertical	39	1.91	-	38.39	39.68	12.25	34.58

802.11a_Nss1,(6Mbps)_1TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.48016G	55.99	68.20	-12.21	17.31	3	Horizontal	118	1.60	-	38.68	39.66	12.24	34.59

802.11a_Nss1,(6Mbps)_1TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.739G	105.74	Inf	-Inf	6.71	3	Vertical	339	1.49	-	99.03	31.96	9.03	34.28
PK	5.6178G	61.34	68.20	-6.86	6.29	3	Vertical	339	1.49	-	55.05	31.64	8.92	34.27
PK	5.7414G	115.49	Inf	-Inf	6.72	3	Vertical	339	1.49	-	108.77	31.97	9.03	34.28
PK	5.9478G	58.39	68.20	-9.81	7.15	3	Vertical	339	1.49	-	51.24	32.30	9.15	34.30

802.11a_Nss1,(6Mbps)_1TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.739G	93.30	Inf	-Inf	6.71	3	Horizontal	53	1.52	-	86.59	31.96	9.03	34.28
PK	5.5026G	57.87	68.20	-10.33	6.19	3	Horizontal	53	1.52	-	51.68	31.69	8.76	34.26
PK	5.739G	103.07	Inf	-Inf	6.71	3	Horizontal	53	1.52	-	96.36	31.96	9.03	34.28
PK	5.955G	58.22	68.20	-9.98	7.15	3	Horizontal	53	1.52	-	51.07	32.31	9.15	34.31

802.11a_Nss1,(6Mbps)_1TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.48332G	43.35	54.00	-10.65	18.56	3	Vertical	45	1.65	-	24.79	39.97	12.75	34.16
PK	11.49668G	56.90	74.00	-17.10	18.59	3	Vertical	45	1.65	-	38.31	39.99	12.76	34.16

802.11a_Nss1,(6Mbps)_1TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.49768G	43.37	54.00	-10.63	18.60	3	Horizontal	142	1.91	-	24.77	40.00	12.76	34.16
PK	11.49124G	56.17	74.00	-17.83	18.57	3	Horizontal	142	1.91	-	37.60	39.98	12.75	34.16

802.11a_Nss1,(6Mbps)_1TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7778G	105.22	Inf	-Inf	6.77	3	Vertical	344	1.65	-	98.45	32.00	9.06	34.29
PK	5.6302G	60.58	68.20	-7.62	6.32	3	Vertical	344	1.65	-	54.26	31.66	8.93	34.27
PK	5.7838G	114.72	Inf	-Inf	6.78	3	Vertical	344	1.65	-	107.94	32.00	9.07	34.29
PK	5.9602G	57.91	68.20	-10.29	7.16	3	Vertical	344	1.65	-	50.75	32.32	9.15	34.31

802.11a_Nss1,(6Mbps)_1TX


5785MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.779G	92.52	Inf	-Inf	6.77	3	Horizontal	57	1.87	-	85.75	32.00	9.06	34.29
PK	5.635G	58.08	68.20	-10.12	6.33	3	Horizontal	57	1.87	-	51.75	31.67	8.93	34.27
PK	5.786G	102.07	Inf	-Inf	6.78	3	Horizontal	57	1.87	-	95.29	32.00	9.07	34.29
PK	6.055G	57.88	68.20	-10.32	7.21	3	Horizontal	57	1.87	-	50.67	32.31	9.21	34.31

802.11a_Nss1,(6Mbps)_1TX


5785MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.56464G	43.17	54.00	-10.83	18.54	3	Vertical	80	2.27	-	24.63	39.94	12.79	34.19
PK	11.5602G	57.64	74.00	-16.36	18.54	3	Vertical	80	2.27	-	39.10	39.94	12.79	34.19

802.11a_Nss1,(6Mbps)_1TX


5785MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.56692G	43.25	54.00	-10.75	18.53	3	Horizontal	1	1.50	-	24.72	39.93	12.79	34.19
PK	11.56184G	56.36	74.00	-17.64	18.54	3	Horizontal	1	1.50	-	37.82	39.94	12.79	34.19

802.11a_Nss1,(6Mbps)_1TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.819G	104.60	Inf	-Inf	6.88	3	Vertical	330	1.86	-	97.72	32.08	9.09	34.29
PK	5.5586G	58.92	68.20	-9.28	6.17	3	Vertical	330	1.86	-	52.75	31.60	8.84	34.27
PK	5.8226G	114.76	Inf	-Inf	6.89	3	Vertical	330	1.86	-	107.87	32.09	9.09	34.29
PK	5.9642G	58.38	68.20	-9.82	7.17	3	Vertical	330	1.86	-	51.21	32.33	9.15	34.31

802.11a_Nss1,(6Mbps)_1TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.819G	91.52	Inf	-Inf	6.88	3	Horizontal	60	1.74	-	84.64	32.08	9.09	34.29
PK	5.6138G	57.28	68.20	-10.92	6.27	3	Horizontal	60	1.74	-	51.01	31.63	8.91	34.27
PK	5.8202G	101.79	Inf	-Inf	6.88	3	Horizontal	60	1.74	-	94.91	32.08	9.09	34.29
PK	6.125G	58.37	68.20	-9.83	7.40	3	Horizontal	60	1.74	-	50.97	32.45	9.27	34.32

802.11a_Nss1,(6Mbps)_1TX


5825MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.64084G	42.87	54.00	-11.13	18.21	3	Vertical	310	1.16	-	24.66	39.61	12.83	34.23
PK	11.6418G	56.30	74.00	-17.70	18.21	3	Vertical	310	1.16	-	38.09	39.61	12.83	34.23

802.11a_Nss1,(6Mbps)_1TX


5825MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.6414G	42.71	54.00	-11.29	18.21	3	Horizontal	100	2.29	-	24.50	39.61	12.83	34.23
PK	11.65664G	56.17	74.00	-17.83	18.10	3	Horizontal	100	2.29	-	38.07	39.50	12.84	34.24

802.11ac VHT20_Nss1,(MCS0)_1TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	52.46	54.00	-1.54	5.99	3	Vertical	318	2.02	-	46.47	31.70	8.52	34.23
AV	5.1862G	102.04	Inf	-Inf	5.89	3	Vertical	318	2.02	-	96.15	31.56	8.56	34.23
PK	5.1496G	66.66	74.00	-7.34	5.99	3	Vertical	318	2.02	-	60.67	31.70	8.52	34.23
PK	5.1858G	112.36	Inf	-Inf	5.89	3	Vertical	318	2.02	-	106.47	31.56	8.56	34.23

802.11ac VHT20_Nss1,(MCS0)_1TX


5180MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.15G	48.50	54.00	-5.50	5.99	3	Horizontal	49	1.57	-	42.51	31.70	8.52	34.23
AV	5.1868G	96.83	Inf	-Inf	5.88	3	Horizontal	49	1.57	-	90.95	31.55	8.56	34.23
PK	5.1496G	61.41	74.00	-12.59	5.99	3	Horizontal	49	1.57	-	55.42	31.70	8.52	34.23
PK	5.186G	107.22	Inf	-Inf	5.89	3	Horizontal	49	1.57	-	101.33	31.56	8.56	34.23

802.11ac VHT20_Nss1,(MCS0)_1TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.36788G	55.25	68.20	-12.95	16.92	3	Vertical	189	1.85	-	38.33	39.40	12.19	34.67

802.11ac VHT20_Nss1,(MCS0)_1TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.36288G	54.94	68.20	-13.26	16.90	3	Horizontal	27	1.08	-	38.04	39.39	12.18	34.67

802.11ac VHT20_Nss1,(MCS0)_1TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	46.60	54.00	-7.40	5.99	3	Vertical	334	2.16	-	40.61	31.70	8.52	34.23
AV	5.2068G	103.08	Inf	-Inf	5.79	3	Vertical	334	2.16	-	97.29	31.46	8.57	34.24
PK	5.1472G	58.82	74.00	-15.18	5.99	3	Vertical	334	2.16	-	52.83	31.70	8.52	34.23
PK	5.1928G	112.92	Inf	-Inf	5.85	3	Vertical	334	2.16	-	107.07	31.53	8.56	34.24

802.11ac VHT20_Nss1,(MCS0)_1TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1484G	45.28	54.00	-8.72	5.99	3	Horizontal	46	1.47	-	39.29	31.70	8.52	34.23
AV	5.2064G	97.68	Inf	-Inf	5.79	3	Horizontal	46	1.47	-	91.89	31.46	8.57	34.24
PK	5.1004G	57.22	74.00	-16.78	5.95	3	Horizontal	46	1.47	-	51.27	31.70	8.48	34.23
PK	5.2036G	107.89	Inf	-Inf	5.81	3	Horizontal	46	1.47	-	102.08	31.48	8.57	34.24

802.11ac VHT20_Nss1,(MCS0)_1TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.39632G	55.66	68.20	-12.54	17.04	3	Vertical	55	1.95	-	38.62	39.49	12.20	34.65

802.11ac VHT20_Nss1,(MCS0)_1TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.39404G	56.30	68.20	-11.90	17.03	3	Horizontal	53	1.48	-	39.27	39.48	12.20	34.65

802.11ac VHT20_Nss1,(MCS0)_1TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1284G	46.32	54.00	-7.68	5.97	3	Vertical	328	2.13	-	40.35	31.70	8.50	34.23
AV	5.2478G	103.99	Inf	-Inf	5.55	3	Vertical	328	2.13	-	98.44	31.21	8.58	34.24
AV	5.363G	48.84	54.00	-5.16	5.43	3	Vertical	328	2.13	-	43.41	31.08	8.60	34.25
PK	5.1152G	58.57	74.00	-15.43	5.96	3	Vertical	328	2.13	-	52.61	31.70	8.49	34.23
PK	5.246G	113.60	Inf	-Inf	5.56	3	Vertical	328	2.13	-	108.04	31.22	8.58	34.24
PK	5.3564G	60.95	74.00	-13.05	5.39	3	Vertical	328	2.13	-	55.56	31.04	8.60	34.25

802.11ac VHT20_Nss1,(MCS0)_1TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.135G	45.38	54.00	-8.62	5.98	3	Horizontal	46	1.46	-	39.40	31.70	8.51	34.23
AV	5.246G	97.65	Inf	-Inf	5.56	3	Horizontal	46	1.46	-	92.09	31.22	8.58	34.24
AV	5.3606G	45.63	54.00	-8.37	5.41	3	Horizontal	46	1.46	-	40.22	31.06	8.60	34.25
PK	5.1488G	57.24	74.00	-16.76	5.99	3	Horizontal	46	1.46	-	51.25	31.70	8.52	34.23
PK	5.246G	107.48	Inf	-Inf	5.56	3	Horizontal	46	1.46	-	101.92	31.22	8.58	34.24
PK	5.3876G	58.80	74.00	-15.20	5.59	3	Horizontal	46	1.46	-	53.21	31.23	8.61	34.25

802.11ac VHT20_Nss1,(MCS0)_1TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.47708G	55.96	68.20	-12.24	17.30	3	Vertical	360	1.48	-	38.66	39.65	12.24	34.59

802.11ac VHT20_Nss1,(MCS0)_1TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.48092G	56.74	68.20	-11.46	17.32	3	Horizontal	50	1.53	-	39.42	39.66	12.24	34.58

802.11ac VHT20_Nss1,(MCS0)_1TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.7378G	105.27	Inf	-Inf	6.69	3	Vertical	339	1.93	-	98.58	31.95	9.02	34.28
PK	5.6226G	61.77	68.20	-6.43	6.30	3	Vertical	339	1.93	-	55.47	31.65	8.92	34.27
PK	5.7438G	115.03	Inf	-Inf	6.73	3	Vertical	339	1.93	-	108.30	31.98	9.03	34.28
PK	6.0222G	57.75	68.20	-10.45	7.24	3	Vertical	339	1.93	-	50.51	32.36	9.19	34.31

802.11ac VHT20_Nss1,(MCS0)_1TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.739G	92.24	Inf	-Inf	6.71	3	Horizontal	56	1.80	-	85.53	31.96	9.03	34.28
PK	5.5506G	58.21	68.20	-9.99	6.16	3	Horizontal	56	1.80	-	52.05	31.60	8.83	34.27
PK	5.7378G	101.92	Inf	-Inf	6.69	3	Horizontal	56	1.80	-	95.23	31.95	9.02	34.28
PK	6.045G	58.35	68.20	-9.85	7.21	3	Horizontal	56	1.80	-	51.14	32.31	9.21	34.31

802.11ac VHT20_Nss1,(MCS0)_1TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.48952G	45.45	54.00	-8.55	18.57	3	Vertical	340	3.00	-	26.88	39.98	12.75	34.16
PK	11.48808G	58.72	74.00	-15.28	18.57	3	Vertical	340	3.00	-	40.15	39.98	12.75	34.16

802.11ac VHT20_Nss1,(MCS0)_1TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.48826G	46.79	54.00	-7.21	18.57	3	Horizontal	39	1.54	-	28.22	39.98	12.75	34.16
PK	11.49042G	60.52	74.00	-13.48	18.57	3	Horizontal	39	1.54	-	41.95	39.98	12.75	34.16

802.11ac VHT20_Nss1,(MCS0)_1TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7802G	104.59	Inf	-Inf	6.77	3	Vertical	345	1.70	-	97.82	32.00	9.06	34.29
PK	5.6218G	61.07	68.20	-7.13	6.29	3	Vertical	345	1.70	-	54.78	31.64	8.92	34.27
PK	5.7838G	114.50	Inf	-Inf	6.78	3	Vertical	345	1.70	-	107.72	32.00	9.07	34.29
PK	5.9434G	58.82	68.20	-9.38	7.14	3	Vertical	345	1.70	-	51.68	32.30	9.14	34.30

802.11ac VHT20_Nss1,(MCS0)_1TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.779G	90.87	Inf	-Inf	6.77	3	Horizontal	59	1.72	-	84.10	32.00	9.06	34.29
PK	5.5426G	57.03	68.20	-11.17	6.17	3	Horizontal	59	1.72	-	50.86	31.61	8.82	34.26
PK	5.7826G	100.94	Inf	-Inf	6.77	3	Horizontal	59	1.72	-	94.17	32.00	9.06	34.29
PK	6.0394G	57.94	68.20	-10.26	7.21	3	Horizontal	59	1.72	-	50.73	32.32	9.20	34.31

802.11ac VHT20_Nss1,(MCS0)_1TX


5785MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.57222G	44.70	54.00	-9.30	18.53	3	Vertical	338	1.75	-	26.17	39.93	12.79	34.19
PK	11.56718G	57.85	74.00	-16.15	18.53	3	Vertical	338	1.75	-	39.32	39.93	12.79	34.19

802.11ac VHT20_Nss1,(MCS0)_1TX


5785MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.56832G	46.02	54.00	-7.98	18.53	3	Horizontal	39	1.58	-	27.49	39.93	12.79	34.19
PK	11.56832G	59.41	74.00	-14.59	18.53	3	Horizontal	39	1.58	-	40.88	39.93	12.79	34.19

802.11ac VHT20_Nss1,(MCS0)_1TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.819G	103.43	Inf	-Inf	6.88	3	Vertical	345	1.59	-	96.55	32.08	9.09	34.29
PK	5.8258G	58.66	68.20	-9.54	6.30	3	Vertical	345	1.59	-	52.36	31.65	8.92	34.27
PK	5.8202G	113.37	Inf	-Inf	6.88	3	Vertical	345	1.59	-	106.49	32.08	9.09	34.29
PK	6.0146G	58.62	68.20	-9.58	7.24	3	Vertical	345	1.59	-	51.38	32.37	9.18	34.31

802.11ac VHT20_Nss1,(MCS0)_1TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8178G	89.00	Inf	-Inf	6.87	3	Horizontal	56	1.87	-	82.13	32.07	9.09	34.29
PK	5.525G	57.21	68.20	-10.99	6.18	3	Horizontal	56	1.87	-	51.03	31.65	8.79	34.26
PK	5.8286G	99.17	Inf	-Inf	6.91	3	Horizontal	56	1.87	-	92.26	32.11	9.09	34.29
PK	5.9258G	58.34	68.20	-9.86	7.14	3	Horizontal	56	1.87	-	51.20	32.30	9.14	34.30

802.11ac VHT20_Nss1,(MCS0)_1TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.64856G	43.66	54.00	-10.34	18.16	3	Vertical	341	1.76	-	25.50	39.56	12.83	34.23
PK	11.63902G	56.56	74.00	-17.44	18.23	3	Vertical	341	1.76	-	38.33	39.63	12.83	34.23

802.11ac VHT20_Nss1,(MCS0)_1TX


5825MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.64868G	44.56	54.00	-9.44	18.16	3	Horizontal	44	1.63	-	26.40	39.56	12.83	34.23
PK	11.64454G	57.81	74.00	-16.19	18.19	3	Horizontal	44	1.63	-	39.62	39.59	12.83	34.23

802.11ac VHT40_Nss1,(MCS0)_1TX


5190MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.15G	51.75	54.00	-2.25	5.99	3	Vertical	345	2.37	-	45.76	31.70	8.52	34.23
AV	5.2012G	96.67	Inf	-Inf	5.82	3	Vertical	345	2.37	-	90.85	31.49	8.57	34.24
PK	5.1496G	64.02	74.00	-9.98	5.99	3	Vertical	345	2.37	-	58.03	31.70	8.52	34.23
PK	5.2012G	106.47	Inf	-Inf	5.82	3	Vertical	345	2.37	-	100.65	31.49	8.57	34.24

802.11ac VHT40_Nss1,(MCS0)_1TX


5190MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.15G	49.36	54.00	-4.64	5.99	3	Horizontal	52	1.66	-	43.37	31.70	8.52	34.23
AV	5.196G	92.03	Inf	-Inf	5.85	3	Horizontal	52	1.66	-	86.18	31.52	8.57	34.24
PK	5.1496G	60.40	74.00	-13.60	5.99	3	Horizontal	52	1.66	-	54.41	31.70	8.52	34.23
PK	5.2036G	101.70	Inf	-Inf	5.81	3	Horizontal	52	1.66	-	95.89	31.48	8.57	34.24

802.11ac VHT40_Nss1,(MCS0)_1TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.38072G	55.38	68.20	-12.82	16.97	3	Vertical	0	1.37	-	38.41	39.44	12.19	34.66

802.11ac VHT40_Nss1,(MCS0)_1TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.38G	54.83	68.20	-13.37	16.97	3	Horizontal	140	2.34	-	37.86	39.44	12.19	34.66

802.11ac VHT40_Nss1,(MCS0)_1TX


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	49.26	54.00	-4.74	5.99	3	Vertical	333	2.06	-	43.27	31.70	8.52	34.23
AV	5.236G	101.03	Inf	-Inf	5.62	3	Vertical	333	2.06	-	95.41	31.28	8.58	34.24
PK	5.15G	60.88	74.00	-13.12	5.99	3	Vertical	333	2.06	-	54.89	31.70	8.52	34.23
PK	5.2372G	110.47	Inf	-Inf	5.62	3	Vertical	333	2.06	-	104.85	31.28	8.58	34.24

802.11ac VHT40_Nss1,(MCS0)_1TX


5230MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.1488G	47.10	54.00	-6.90	5.99	3	Horizontal	46	1.71	-	41.11	31.70	8.52	34.23
AV	5.2428G	94.99	Inf	-Inf	5.58	3	Horizontal	46	1.71	-	89.41	31.24	8.58	34.24
PK	5.1496G	58.12	74.00	-15.88	5.99	3	Horizontal	46	1.71	-	52.13	31.70	8.52	34.23
PK	5.244G	104.66	Inf	-Inf	5.58	3	Horizontal	46	1.71	-	99.08	31.24	8.58	34.24

802.11ac VHT40_Nss1,(MCS0)_1TX


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.46384G	55.20	68.20	-13.00	17.26	3	Vertical	137	1.57	-	37.94	39.63	12.23	34.60

802.11ac VHT40_Nss1,(MCS0)_1TX


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.454666G	55.35	68.20	-12.85	17.24	3	Horizontal	133	1.70	-	38.11	39.61	12.23	34.60

802.11ac VHT40_Nss1,(MCS0)_1TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7454G	101.98	Inf	-Inf	6.73	3	Vertical	336	1.49	-	95.25	31.98	9.03	34.28
PK	5.6422G	60.31	68.20	-7.89	6.35	3	Vertical	336	1.49	-	53.96	31.68	8.94	34.27
PK	5.7442G	111.56	Inf	-Inf	6.73	3	Vertical	336	1.49	-	104.83	31.98	9.03	34.28
PK	5.9818G	57.67	68.20	-10.53	7.21	3	Vertical	336	1.49	-	50.46	32.36	9.16	34.31

802.11ac VHT40_Nss1,(MCS0)_1TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7406G	88.25	Inf	-Inf	6.71	3	Horizontal	53	1.75	-	81.54	31.96	9.03	34.28
PK	5.5522G	56.87	68.20	-11.33	6.16	3	Horizontal	53	1.75	-	50.71	31.60	8.83	34.27
PK	5.761G	98.11	Inf	-Inf	6.75	3	Horizontal	53	1.75	-	91.36	32.00	9.04	34.29
PK	5.9614G	57.17	68.20	-11.03	7.16	3	Horizontal	53	1.75	-	50.01	32.32	9.15	34.31

802.11ac VHT40_Nss1,(MCS0)_1TX


5755MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.51504G	44.59	54.00	-9.41	18.58	3	Vertical	313	2.89	-	26.01	39.98	12.77	34.17
PK	11.51966G	56.53	74.00	-17.47	18.58	3	Vertical	313	2.89	-	37.95	39.98	12.77	34.17

802.11ac VHT40_Nss1,(MCS0)_1TX


5755MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.51072G	45.59	54.00	-8.41	18.58	3	Horizontal	38	1.50	-	27.01	39.99	12.76	34.17
PK	11.50946G	57.98	74.00	-16.02	18.59	3	Horizontal	38	1.50	-	39.39	39.99	12.76	34.16

802.11ac VHT40_Nss1,(MCS0)_1TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7806G	101.50	Inf	-Inf	6.77	3	Vertical	342	1.71	-	94.73	32.00	9.06	34.29
PK	5.6366G	60.04	68.20	-8.16	6.33	3	Vertical	342	1.71	-	53.71	31.67	8.93	34.27
PK	5.7806G	111.13	Inf	-Inf	6.77	3	Vertical	342	1.71	-	104.36	32.00	9.06	34.29
PK	5.9426G	58.43	68.20	-9.77	7.14	3	Vertical	342	1.71	-	51.29	32.30	9.14	34.30

802.11ac VHT40_Nss1,(MCS0)_1TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7818G	87.44	Inf	-Inf	6.77	3	Horizontal	54	1.73	-	80.67	32.00	9.06	34.29
PK	5.6378G	57.40	68.20	-10.80	6.34	3	Horizontal	54	1.73	-	51.06	31.68	8.93	34.27
PK	5.7854G	96.84	Inf	-Inf	6.78	3	Horizontal	54	1.73	-	90.06	32.00	9.07	34.29
PK	5.987G	57.45	68.20	-10.75	7.22	3	Horizontal	54	1.73	-	50.23	32.37	9.16	34.31

802.11ac VHT40_Nss1,(MCS0)_1TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.58034G	44.02	54.00	-9.98	18.52	3	Vertical	335	1.62	-	25.50	39.92	12.80	34.20
PK	11.58634G	56.18	74.00	-17.82	18.51	3	Vertical	335	1.62	-	37.67	39.91	12.80	34.20

802.11ac VHT40_Nss1,(MCS0)_1TX


5795MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.5915G	44.64	54.00	-9.36	18.51	3	Horizontal	40	1.49	-	26.13	39.91	12.80	34.20
PK	11.58082G	57.14	74.00	-16.86	18.52	3	Horizontal	40	1.49	-	38.62	39.92	12.80	34.20

802.11ac VHT80_Nss1,(MCS0)_1TX


5210MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.15G	53.15	54.00	-0.85	5.99	3	Vertical	3	2.52	-	47.16	31.70	8.52	34.23
AV	5.244G	91.67	Inf	-Inf	5.58	3	Vertical	3	2.52	-	86.09	31.24	8.58	34.24
AV	5.441G	48.91	54.00	-5.09	5.96	3	Vertical	3	2.52	-	42.95	31.55	8.67	34.26
PK	5.15G	63.93	74.00	-10.07	5.99	3	Vertical	3	2.52	-	57.94	31.70	8.52	34.23
PK	5.199G	101.32	Inf	-Inf	5.83	3	Vertical	3	2.52	-	95.49	31.50	8.57	34.24
PK	5.368G	59.20	74.00	-14.80	5.46	3	Vertical	3	2.52	-	53.74	31.11	8.60	34.25

802.11ac VHT80_Nss1,(MCS0)_1TX


5210MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.15G	49.74	54.00	-4.26	5.99	3	Horizontal	48	1.77	-	43.75	31.70	8.52	34.23
AV	5.241G	86.50	Inf	-Inf	5.59	3	Horizontal	48	1.77	-	80.91	31.25	8.58	34.24
AV	5.441G	46.05	54.00	-7.95	5.96	3	Horizontal	48	1.77	-	40.09	31.55	8.67	34.26
PK	5.15G	61.78	74.00	-12.22	5.99	3	Horizontal	48	1.77	-	55.79	31.70	8.52	34.23
PK	5.238G	96.11	Inf	-Inf	5.61	3	Horizontal	48	1.77	-	90.50	31.27	8.58	34.24
PK	5.408G	57.58	74.00	-16.42	5.72	3	Horizontal	48	1.77	-	51.86	31.35	8.62	34.25

802.11ac VHT80_Nss1,(MCS0)_1TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.41166G	54.34	68.20	-13.86	17.09	3	Vertical	309	1.08	-	37.25	39.52	12.21	34.64

802.11ac VHT80_Nss1,(MCS0)_1TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.41508G	55.86	68.20	-12.34	17.11	3	Horizontal	37	1.86	-	38.75	39.53	12.21	34.63

802.11ac VHT80_Nss1,(MCS0)_1TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7414G	96.86	Inf	-Inf	6.72	3	Vertical	333	1.49	-	90.14	31.97	9.03	34.28
PK	5.649G	66.61	68.20	-1.59	6.37	3	Vertical	333	1.49	-	60.24	31.70	8.94	34.27
PK	5.7642G	109.63	Inf	-Inf	6.76	3	Vertical	333	1.49	-	102.87	32.00	9.05	34.29
PK	5.925G	61.05	68.20	-7.15	7.14	3	Vertical	333	1.49	-	53.91	32.30	9.14	34.30

802.11ac VHT80_Nss1,(MCS0)_1TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7438G	83.45	Inf	-Inf	6.73	3	Horizontal	2	2.01	-	76.72	31.98	9.03	34.28
PK	5.6502G	58.08	68.35	-10.27	6.37	3	Horizontal	2	2.01	-	51.71	31.70	8.95	34.28
PK	5.7474G	94.00	Inf	-Inf	6.74	3	Horizontal	2	2.01	-	87.26	31.99	9.03	34.28
PK	5.9886G	58.45	68.20	-9.75	7.23	3	Horizontal	2	2.01	-	51.22	32.38	9.16	34.31

802.11ac VHT80_Nss1,(MCS0)_1TX


5775MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.53962G	43.66	54.00	-10.34	18.56	3	Vertical	319	2.85	-	25.10	39.96	12.78	34.18
PK	11.53986G	55.97	74.00	-18.03	18.56	3	Vertical	319	2.85	-	37.41	39.96	12.78	34.18

802.11ac VHT80_Nss1,(MCS0)_1TX

5775MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.5359G	44.21	54.00	-9.79	18.56	3	Horizontal	37	1.49	-	25.65	39.96	12.78	34.18
PK	11.55588G	56.81	74.00	-17.19	18.54	3	Horizontal	37	1.49	-	38.27	39.94	12.79	34.19


**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
Mode 1	Pass	AV	11.55218G	43.88	54.00	-10.12	18.54	3	Vertical	263	1.42	-

Mode Configure


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
Mode 1	Pass	AV	4.92412G	33.74	54.00	-20.26	5.18	3	Vertical	5	1.53	-
Mode 1	Pass	AV	11.55218G	43.88	54.00	-10.12	18.54	3	Vertical	263	1.42	-
Mode 1	Pass	PK	4.92436G	41.50	74.00	-32.50	4.90	3	Vertical	5	1.53	-
Mode 1	Pass	PK	11.55218G	53.27	74.00	-20.73	18.54	3	Vertical	263	1.42	-
Mode 1	Pass	AV	4.90715G	35.33	54.00	-18.67	5.10	3	Horizontal	26	1.89	-
Mode 1	Pass	AV	11.52365G	43.27	54.00	-10.73	18.58	3	Horizontal	70	1.57	-
Mode 1	Pass	PK	4.90726G	42.84	74.00	-31.16	5.10	3	Horizontal	26	1.89	-
Mode 1	Pass	PK	11.55325G	54.04	74.00	-19.96	18.54	3	Horizontal	70	1.57	-

Radiated Emissions above 1GHz_Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.92412G	33.74	54.00	-20.26	5.18	3	Vertical	5	1.53	-	28.56	31.10	8.33	34.25
AV	11.55218G	43.88	54.00	-10.12	18.54	3	Vertical	263	1.42	-	25.34	39.95	12.78	34.19
PK	4.92436G	41.50	74.00	-32.50	4.90	3	Vertical	5	1.53	-	36.60	30.93	8.26	34.29
PK	11.55218G	53.27	74.00	-20.73	18.54	3	Vertical	263	1.42	-	34.73	39.94	12.79	34.19

Radiated Emissions above 1GHz_Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.90715G	35.33	54.00	-18.67	5.10	3	Horizontal	26	1.89	-	30.23	31.03	8.32	34.25
AV	11.52365G	43.27	54.00	-10.73	18.58	3	Horizontal	70	1.57	-	24.69	39.98	12.77	34.17
PK	4.90726G	42.84	74.00	-31.16	5.10	3	Horizontal	26	1.89	-	37.74	31.03	8.32	34.25
PK	11.55325G	54.04	74.00	-19.96	18.54	3	Horizontal	70	1.57	-	35.50	39.95	12.78	34.19