


Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT80) Mode 5775 MHz

Vertical

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	45.48	15.99	61.47	109.40	-47.93	Peak	
2	5725.0000	38.78	16.00	54.78	122.20	-67.42	Peak	
3 *	5778.2000	86.43	16.03	102.46	122.20	-19.74	Peak	No Limit
4	5850.0000	35.08	16.08	51.16	122.20	-71.04	Peak	
5	5860.0000	40.53	16.08	56.61	109.40	-52.79	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT80) Mode 5775 MHz

Vertical



No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	17239.4500	36.39	18.96	55.35	68.30	-12.95	Peak	

REMARKS:


(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT80) Mode 5775 MHz

Horizontal

130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5637.6000	50.21	15.95	66.16	68.20	-2.04	Peak	
2	5715.0000	59.48	15.99	75.47	109.40	-33.93	Peak	
3	5725.0000	54.42	16.00	70.42	122.20	-51.78	Peak	
4	5778.0000	97.65	16.03	113.68	122.20	-8.52	Peak	No Limit
5	5850.0000	52.40	16.08	68.48	122.20	-53.72	Peak	
6	5860.0000	54.71	16.08	70.79	109.40	-38.61	Peak	


REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT80) Mode 5775 MHz

Horizontal

80 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	17359.0000	37.15	19.38	56.53	68.30	-11.77	Peak	


REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Straddle Channel:

Orthogonal Axis	X
Test Mode	UNII-2C_TX A Mode 5720 MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		5460.000	34.82	20.31	55.13	74.00	-18.87	peak	
2		5460.000	26.75	20.31	47.06	54.00	-6.94	AVG	
3	*	5723.000	84.62	21.54	106.16	68.30	37.86	peak	No Limit
4	X	5723.000	77.96	21.54	99.50	68.30	31.20	AVG	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.
- (3) Straddle channels 138, 142 and 144 are considered to be operating in both U-NII-2C and U-NII-3. The worst case out-of-band emission limit, i.e., -27 dBm/MHz peak EIRP, applies at the band edges. The band edges are considered to be 5.47 GHz and 5.85 GHz.

Orthogonal Axis	X
Test Mode	UNII-2C_TX A Mode 5720 MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		5460.000	33.70	20.31	54.01	74.00	-19.99	peak	
2		5460.000	26.15	20.31	46.46	54.00	-7.54	AVG	
3	*	5718.200	75.92	21.52	97.44	68.30	29.14	peak	No Limit
4	X	5718.200	68.32	21.52	89.84	68.30	21.54	AVG	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.
- (3) Straddle channels 138, 142 and 144 are considered to be operating in both U-NII-2C and U-NII-3. The worst case out-of-band emission limit, i.e., -27 dBm/MHz peak EIRP, applies at the band edges. The band edges are considered to be 5.47 GHz and 5.85 GHz.

Orthogonal Axis	X
Test Mode	UNII-3_TX A Mode 5720 MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	5850.000	35.72	22.16	57.88	122.20	-64.32	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.
- (3) Straddle channels 138, 142 and 144 are considered to be operating in both U-NII-2C and U-NII-3. The worst case out-of-band emission limit, i.e., -27 dBm/MHz peak EIRP, applies at the band edges. The band edges are considered to be 5.47 GHz and 5.85 GHz.

Orthogonal Axis	X
Test Mode	UNII-3_TX A Mode 5720 MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	5850.000	32.98	22.16	55.14	122.20	-67.06	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.
- (3) Straddle channels 138, 142 and 144 are considered to be operating in both U-NII-2C and U-NII-3. The worst case out-of-band emission limit, i.e., -27 dBm/MHz peak EIRP, applies at the band edges. The band edges are considered to be 5.47 GHz and 5.85 GHz.

Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT20) Mode 5720 MHz

Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5460.000	35.72	20.31	56.03	74.00	-17.97	peak	
2		5460.000	26.31	20.31	46.62	54.00	-7.38	AVG	
3	X	5726.000	76.90	21.55	98.45	68.30	30.15	AVG	No Limit
4	*	5726.600	84.48	21.55	106.03	68.30	37.73	peak	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.
- (3) Straddle channels 138, 142 and 144 are considered to be operating in both U-NII-2C and U-NII-3. The worst case out-of-band emission limit, i.e., -27 dBm/MHz peak EIRP, applies at the band edges. The band edges are considered to be 5.47 GHz and 5.85 GHz.

Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT20) Mode 5720 MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		5460.000	33.26	20.31	53.57	74.00	-20.43	peak	
2		5460.000	26.45	20.31	46.76	54.00	-7.24	AVG	
3	*	5718.800	76.87	21.52	98.39	68.30	30.09	peak	No Limit
4	X	5718.800	69.30	21.52	90.82	68.30	22.52	AVG	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.
- (3) Straddle channels 138, 142 and 144 are considered to be operating in both U-NII-2C and U-NII-3. The worst case out-of-band emission limit, i.e., -27 dBm/MHz peak EIRP, applies at the band edges. The band edges are considered to be 5.47 GHz and 5.85 GHz.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT20) Mode 5720 MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	5850.000	32.29	22.16	54.45	122.20	-67.75	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.
- (3) Straddle channels 138, 142 and 144 are considered to be operating in both U-NII-2C and U-NII-3. The worst case out-of-band emission limit, i.e., -27 dBm/MHz peak EIRP, applies at the band edges. The band edges are considered to be 5.47 GHz and 5.85 GHz.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT20) Mode 5720 MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	5850.000	34.28	22.16	56.44	122.20	-65.76	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.
- (3) Straddle channels 138, 142 and 144 are considered to be operating in both U-NII-2C and U-NII-3. The worst case out-of-band emission limit, i.e., -27 dBm/MHz peak EIRP, applies at the band edges. The band edges are considered to be 5.47 GHz and 5.85 GHz.

Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT40) Mode 5710 MHz

Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5460.000	34.00	20.31	54.31	74.00	-19.69	peak	
2		5460.000	26.40	20.31	46.71	54.00	-7.29	AVG	
3	X	5715.400	77.83	21.50	99.33	68.30	31.03	AVG	No Limit
4	*	5716.000	84.71	21.50	106.21	68.30	37.91	peak	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.
- (3) Straddle channels 138, 142 and 144 are considered to be operating in both U-NII-2C and U-NII-3. The worst case out-of-band emission limit, i.e., -27 dBm/MHz peak EIRP, applies at the band edges. The band edges are considered to be 5.47 GHz and 5.85 GHz.

Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT40) Mode 5710 MHz

Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5460.000	34.80	20.31	55.11	74.00	-18.89	peak	
2		5460.000	26.67	20.31	46.98	54.00	-7.02	AVG	
3	*	5708.800	77.85	21.47	99.32	68.30	31.02	peak	No Limit
4	X	5708.800	70.61	21.47	92.08	68.30	23.78	AVG	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.
- (3) Straddle channels 138, 142 and 144 are considered to be operating in both U-NII-2C and U-NII-3. The worst case out-of-band emission limit, i.e., -27 dBm/MHz peak EIRP, applies at the band edges. The band edges are considered to be 5.47 GHz and 5.85 GHz.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT40) Mode 5710 MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	5850.000	33.88	22.16	56.04	122.20	-66.16	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.
- (3) Straddle channels 138, 142 and 144 are considered to be operating in both U-NII-2C and U-NII-3. The worst case out-of-band emission limit, i.e., -27 dBm/MHz peak EIRP, applies at the band edges. The band edges are considered to be 5.47 GHz and 5.85 GHz.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT40) Mode 5710 MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	5850.000	32.66	22.16	54.82	122.20	-67.38	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.
- (3) Straddle channels 138, 142 and 144 are considered to be operating in both U-NII-2C and U-NII-3. The worst case out-of-band emission limit, i.e., -27 dBm/MHz peak EIRP, applies at the band edges. The band edges are considered to be 5.47 GHz and 5.85 GHz.

Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT80) Mode 5690 MHz

Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5460.000	34.03	20.31	54.34	74.00	-19.66	peak	
2		5460.000	26.19	20.31	46.50	54.00	-7.50	AVG	
3	X	5693.600	76.18	21.41	97.59	68.30	29.29	AVG	No Limit
4	*	5694.200	83.50	21.41	104.91	68.30	36.61	peak	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.
- (3) Straddle channels 138, 142 and 144 are considered to be operating in both U-NII-2C and U-NII-3. The worst case out-of-band emission limit, i.e., -27 dBm/MHz peak EIRP, applies at the band edges. The band edges are considered to be 5.47 GHz and 5.85 GHz.

Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT80) Mode 5690 MHz

Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5460.000	32.97	20.31	53.28	74.00	-20.72	peak	
2		5460.000	26.50	20.31	46.81	54.00	-7.19	AVG	
3	*	5669.600	79.08	21.29	100.37	68.30	32.07	peak	No Limit
4	X	5669.600	71.78	21.29	93.07	68.30	24.77	AVG	No Limit

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.
- (3) Straddle channels 138, 142 and 144 are considered to be operating in both U-NII-2C and U-NII-3. The worst case out-of-band emission limit, i.e., -27 dBm/MHz peak EIRP, applies at the band edges. The band edges are considered to be 5.47 GHz and 5.85 GHz.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT80) Mode 5690 MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	5850.000	35.86	22.16	58.02	122.20	-64.18	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.
- (3) Straddle channels 138, 142 and 144 are considered to be operating in both U-NII-2C and U-NII-3. The worst case out-of-band emission limit, i.e., -27 dBm/MHz peak EIRP, applies at the band edges. The band edges are considered to be 5.47 GHz and 5.85 GHz.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT80) Mode 5690 MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	5850.000	35.02	22.16	57.18	122.20	-65.02	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.
- (3) Straddle channels 138, 142 and 144 are considered to be operating in both U-NII-2C and U-NII-3. The worst case out-of-band emission limit, i.e., -27 dBm/MHz peak EIRP, applies at the band edges. The band edges are considered to be 5.47 GHz and 5.85 GHz.

Orthogonal Axis	X
Test Mode	TX A Mode 5720 MHz

Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		11447.450	40.26	19.79	60.05	74.00	-13.95	peak	
2	*	11448.300	27.64	19.79	47.43	54.00	-6.57	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
 (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	TX A Mode 5720 MHz

Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	11440.100	23.25	19.80	43.05	54.00	-10.95	AVG	
2		11464.900	32.96	19.76	52.72	74.00	-21.28	peak	


REMARKS:

(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	TX AC (VHT20) Mode 5720 MHz

Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		11446.400	38.04	19.80	57.84	74.00	-16.16	peak	
2	*	11448.650	30.91	19.79	50.70	54.00	-3.30	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	TX AC (VHT20) Mode 5720 MHz

Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		11421.600	33.25	19.83	53.08	74.00	-20.92	peak	
2	*	11425.350	23.50	19.83	43.33	54.00	-10.67	AVG	

REMARKS:

(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	TX AC (VHT40) Mode 5710 MHz




No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	11428.250	30.45	19.83	50.28	54.00	-3.72	AVG	
2		11428.500	39.48	19.82	59.30	74.00	-14.70	peak	

REMARKS:
 (1) Measurement Value = Reading Level + Correct Factor.
 (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	TX AC (VHT40) Mode 5710 MHz

Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		11425.250	34.55	19.83	54.38	74.00	-19.62	peak	
2	*	11426.250	24.18	19.83	44.01	54.00	-9.99	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	TX AC (VHT80) Mode 5690 MHz

Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		11385.650	39.83	19.91	59.74	74.00	-14.26	peak	
2	*	11387.550	30.50	19.91	50.41	54.00	-3.59	AVG	


REMARKS:

(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	TX AC (VHT80) Mode 5690 MHz

Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		11368.950	33.46	19.95	53.41	74.00	-20.59	peak	
2	*	11392.000	23.65	19.90	43.55	54.00	-10.45	AVG	

REMARKS:


- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

APPENDIX E - BANDWIDTH

Test Mode	UNII-1_TX N (HT40) Mode
-----------	-------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
38	5190	40.99	36.20
46	5230	40.80	36.20

CH38



Date: 7.NOV.2019 19:27:43


CH46




Date: 7.NOV.2019 19:28:43

Test Mode	UNII-2A_TX A Mode
-----------	-------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
52	5260	19.65	16.50
60	5300	19.50	16.60
64	5320	19.95	16.50



Date: 25,NOV,2019 17:51:30




Date: 25,NOV,2019 17:58:02




Date: 25,NOV,2019 18:01:40

Test Mode	UNII-2A_TX N (HT20) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
52	5260	20.40	17.60
60	5300	20.35	17.60
64	5320	20.55	17.60



Date: 25,NOV,2019 18:25:23



Date: 25,NOV,2019 18:26:17




Date: 25,NOV,2019 18:31:38

Test Mode	UNII-2A_TX N (HT40) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
54	5270	40.81	36.20
62	5310	40.70	36.40

CH54



Date: 25.NOV.2019 19:20:23

CH62




Date: 25.NOV.2019 19:22:08

Test Mode	UNII-2C_TX A Mode
-----------	-------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
100	5500	19.89	16.50
116	5580	19.85	16.50
140	5700	19.95	16.50
144	5720	14.77	13.30

CH100




Date: 25.NOV.2019 18:07:06

CH116




Date: 25.NOV.2019 18:13:27

CH140



Date: 25.NOV.2019 18:20:18

CH144




Date: 14.DEC.2019 14:56:41

Test Mode	UNII-2C_TX N (HT20) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
100	5500	20.69	17.70
116	5580	20.69	17.70
140	5700	20.51	17.70
144	5720	15.54	14.00

CH100




Date: 25.NOV.2019 18:32:26

CH116




Date: 25.NOV.2019 19:18:49

CH140



Date: 25.NOV.2019 19:19:36

CH144




Date: 14.DEC.2019 15:07:40

Test Mode	UNII-2C_TX N (HT40) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
102	5510	40.80	36.20
110	5550	40.79	36.20
134	5670	40.80	36.20
142	5710	35.14	32.76

CH102




Date: 25.NOV.2019 19:23:02

CH110




Date: 25.NOV.2019 19:24:32

CH134



Date: 25.NOV.2019 19:25:21

CH142




Date: 17.DEC.2019 20:35:57

Test Mode UNII-3_TX N (HT20) Mode


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
144	5720	3.76	4.24	500	Complies
149	5745	17.65	23.00	500	Complies
157	5785	17.70	18.00	500	Complies
165	5825	17.59	34.70	500	Complies

CH144




Date: 14.DEC.2019 15:31:47

CH149




Date: 7.NOV.2019 19:30:19

CH157



Date: 7.NOV.2019 19:31:14

CH165




Date: 7.NOV.2019 19:33:09

Test Mode UNII-3_TX N (HT40) Mode


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
142	5710	3.04	4.32	500	Complies
151	5755	36.50	36.40	500	Complies
159	5795	34.38	40.60	500	Complies

CH142




Date: 17.DEC.2019 20:29:12

CH151



Date: 7.NOV.2019 19:35:22


CH159




Date: 7.NOV.2019 19:37:03

Test Mode	UNII-1_TX AC (VHT20) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
36	5180	24.00	18.00
40	5200	34.49	18.50
48	5240	21.60	17.70



Date: 20.JUL.2019 16:34:13




Date: 20.JUL.2019 16:35:04




Date: 20.JUL.2019 16:35:54

Test Mode	UNII-1_TX AC (VHT40) Mode
-----------	---------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
38	5190	57.30	37.00
46	5230	60.59	37.40




Date: 20.JUL.2019 16:40:22




Date: 20.JUL.2019 16:41:19

Test Mode	UNII-2A_TX AC (VHT20) Mode
-----------	----------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
52	5260	20.70	17.60
60	5300	20.55	17.60
64	5320	20.39	17.60



Date: 27.NOV.2019 16:23:39




Date: 27.NOV.2019 16:25:19




Date: 27.NOV.2019 16:27:21

Test Mode	UNII-2A_TX AC (VHT40) Mode
-----------	----------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
54	5270	40.90	36.40
62	5310	41.10	36.40



Date: 27.NOV.2019 18:26:15




Date: 27.NOV.2019 18:32:22

Test Mode	UNII-2C_TX AC (VHT20) Mode
-----------	----------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
100	5500	20.75	17.70
116	5580	20.70	17.70
140	5700	20.50	17.70
144	5720	15.75	14.00

CH100




Date: 27.NOV.2019 16:32:22

CH116




Date: 27.NOV.2019 16:40:16

CH140



Date: 27.NOV.2019 16:45:33

CH144




Date: 14.DEC.2019 15:09:16

Test Mode	UNII-3_TX AC (VHT20) Mode
-----------	---------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
144	5720	3.76	4.16	500	Complies
149	5745	17.25	19.70	500	Complies
157	5785	17.00	18.30	500	Complies
165	5825	17.80	38.20	500	Complies

CH144




Date: 14.DEC.2019 15:34:23

CH149




Date: 20.JUL.2019 16:37:08

CH157



Date: 20.JUL.2019 16:37:59

CH165




Date: 20.JUL.2019 16:38:54

Test Mode	UNII-3_TX AC (VHT40) Mode
-----------	---------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
142	5710	3.12	4.32	500	Complies
151	5755	35.90	36.40	500	Complies
159	5795	36.00	39.00	500	Complies

CH142




Date: 17.DEC.2019 20:16:13

CH151



Date: 20.JUL.2019 16:43:03

CH159




Date: 20.JUL.2019 16:43:30

Test Mode	UNII-3_TX AC (VHT80)
-----------	----------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
138	5690	3.12	5.84	500	Complies
155	5775	77.00	76.40	500	Complies

CH138



Date: 21.DEC.2019 10:06:37

CH155



Date: 20.JUL.2019 16:48:34

APPENDIX F - CONDUCTED OUTPUT POWER

Non Beamforming

Test Mode	UNII-1_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	20.32	0.13	20.45	30.00	1.00	Complies
40	5200	20.38	0.13	20.51	30.00	1.00	Complies
48	5240	20.09	0.13	20.22	30.00	1.00	Complies

Test Mode	UNII-1_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	20.86	0.13	20.99	30.00	1.00	Complies
40	5200	20.83	0.13	20.96	30.00	1.00	Complies
48	5240	20.66	0.13	20.79	30.00	1.00	Complies

Test Mode	UNII-1_TX A Mode_Ant. 3
-----------	-------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	20.35	0.13	20.48	30.00	1.00	Complies
40	5200	20.31	0.13	20.44	30.00	1.00	Complies
48	5240	20.41	0.13	20.54	30.00	1.00	Complies

Test Mode	UNII-1_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	25.42	30.00	1.00	Complies
40	5200	25.42	30.00	1.00	Complies
48	5240	25.30	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.43	0.00	18.43	30.00	1.00	Complies
40	5200	18.41	0.00	18.41	30.00	1.00	Complies
48	5240	17.89	0.00	17.89	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.37	0.00	19.37	30.00	1.00	Complies
40	5200	19.28	0.00	19.28	30.00	1.00	Complies
48	5240	18.58	0.00	18.58	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT20) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.57	0.00	18.57	30.00	1.00	Complies
40	5200	18.71	0.00	18.71	30.00	1.00	Complies
48	5240	18.51	0.00	18.51	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	23.58	30.00	1.00	Complies
40	5200	23.59	30.00	1.00	Complies
48	5240	23.11	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	18.31	0.14	18.45	30.00	1.00	Complies
46	5230	18.17	0.14	18.31	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	19.26	0.14	19.40	30.00	1.00	Complies
46	5230	19.03	0.14	19.17	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	18.64	0.14	18.78	30.00	1.00	Complies
46	5230	19.06	0.14	19.20	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	23.66	30.00	1.00	Complies
46	5230	23.68	30.00	1.00	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	15.82	0.13	15.95	23.93	0.25	Complies
60	5300	15.71	0.13	15.84	23.90	0.25	Complies
64	5320	15.73	0.13	15.86	24.00	0.25	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 2
-----------	--------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	16.46	0.13	16.59	23.93	0.25	Complies
60	5300	16.16	0.13	16.29	23.90	0.25	Complies
64	5320	16.07	0.13	16.20	24.00	0.25	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 3
-----------	--------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	16.44	0.13	16.57	23.93	0.25	Complies
60	5300	16.47	0.13	16.60	23.90	0.25	Complies
64	5320	16.18	0.13	16.31	24.00	0.25	Complies

Test Mode	UNII-2A_TX A Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	21.16	23.93	0.25	Complies
60	5300	21.03	23.90	0.25	Complies
64	5320	20.90	24.00	0.25	Complies

Note:

For the 5.25-5.35 GHz and 5.47-5.725 GHz bands, the maximum conducted output power over the frequency bands of operation shall not exceed the lesser of 250 mW or 11 dBm + 10log B, where B is the 26dB Bandwidth in megahertz.

Test Mode	UNII-2A_TX N (HT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	15.34	0.00	15.34	24.00	0.25	Complies
60	5300	15.43	0.00	15.43	24.00	0.25	Complies
64	5320	15.35	0.00	15.35	24.00	0.25	Complies

Test Mode	UNII-2A_TX N (HT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	16.12	0.00	16.12	24.00	0.25	Complies
60	5300	15.76	0.00	15.76	24.00	0.25	Complies
64	5320	15.78	0.00	15.78	24.00	0.25	Complies

Test Mode	UNII-2A_TX N (HT20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	16.25	0.00	16.25	24.00	0.25	Complies
60	5300	16.12	0.00	16.12	24.00	0.25	Complies
64	5320	16.01	0.00	16.01	24.00	0.25	Complies

Test Mode	UNII-2A_TX N (HT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	20.69	24.00	0.25	Complies
60	5300	20.55	24.00	0.25	Complies
64	5320	20.49	24.00	0.25	Complies

Test Mode	UNII-2A_TX N (HT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	18.56	0.14	18.70	24.00	0.25	Complies
62	5310	18.15	0.14	18.29	24.00	0.25	Complies

Test Mode	UNII-2A_TX N (HT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	19.09	0.14	19.23	24.00	0.25	Complies
62	5310	18.47	0.14	18.61	24.00	0.25	Complies

Test Mode	UNII-2A_TX N (HT40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	19.17	0.14	19.31	24.00	0.25	Complies
62	5310	18.43	0.14	18.57	24.00	0.25	Complies

Test Mode	UNII-2A_TX N (HT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	23.86	24.00	0.25	Complies
62	5310	23.26	24.00	0.25	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	17.47	0.13	17.60	23.99	0.25	Complies
116	5580	17.93	0.13	18.06	23.98	0.25	Complies
140	5700	16.31	0.13	16.44	24.00	0.25	Complies
144	5720	11.19	0.13	11.32	22.69	0.19	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 2
-----------	--------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	17.77	0.13	17.90	23.99	0.25	Complies
116	5580	18.22	0.13	18.35	23.98	0.25	Complies
140	5700	16.35	0.13	16.48	24.00	0.25	Complies
144	5720	11.56	0.13	11.69	22.69	0.19	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 3
-----------	--------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	17.79	0.13	17.92	23.99	0.25	Complies
116	5580	18.41	0.13	18.54	23.98	0.25	Complies
140	5700	16.26	0.13	16.39	24.00	0.25	Complies
144	5720	11.27	0.13	11.40	22.69	0.19	Complies

Test Mode	UNII-2C_TX A Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	22.58	23.99	0.25	Complies
116	5580	23.10	23.98	0.25	Complies
140	5700	21.21	24.00	0.25	Complies
144	5720	16.25	22.69	0.19	24.00

Note:

For the 5.25-5.35 GHz and 5.47-5.725 GHz bands, the maximum conducted output power over the frequency bands of operation shall not exceed the lesser of 250 mW or 11 dBm + 10log B, where B is the 26dB Bandwidth in megahertz.

Test Mode	UNII-2C_TX N (HT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	17.13	0.00	17.13	24.00	0.25	Complies
116	5580	17.48	0.00	17.48	24.00	0.25	Complies
140	5700	16.01	0.00	16.01	24.00	0.25	Complies
144	5720	11.40	0.00	11.40	22.91	0.20	Complies

Test Mode	UNII-2C_TX N (HT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	17.07	0.00	17.07	24.00	0.25	Complies
116	5580	17.52	0.00	17.52	24.00	0.25	Complies
140	5700	15.43	0.00	15.43	24.00	0.25	Complies
144	5720	11.15	0.00	11.15	22.91	0.20	Complies

Test Mode	UNII-2C_TX N (HT20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	17.43	0.00	17.43	24.00	0.25	Complies
116	5580	17.99	0.00	17.99	24.00	0.25	Complies
140	5700	16.07	0.00	16.07	24.00	0.25	Complies
144	5720	11.28	0.00	11.28	22.91	0.20	Complies

Test Mode	UNII-2C_TX N (HT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	21.98	24.00	0.25	Complies
116	5580	22.44	24.00	0.25	Complies
140	5700	20.62	24.00	0.25	Complies
144	5720	16.05	22.91	0.20	Complies

Note:

For the 5.25-5.35 GHz and 5.47-5.725 GHz bands, the maximum conducted output power over the frequency bands of operation shall not exceed the lesser of 250 mW or 11 dBm + 10log B, where B is the 26dB Bandwidth in megahertz.

Test Mode	UNII-2C_TX N (HT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	18.86	0.14	19.00	24.00	0.25	Complies
110	5550	18.79	0.14	18.93	24.00	0.25	Complies
134	5670	18.58	0.14	18.72	24.00	0.25	Complies
142	5710	15.03	0.14	15.17	24.00	0.25	Complies

Test Mode	UNII-2C_TX N (HT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	18.95	0.14	19.09	24.00	0.25	Complies
110	5550	18.82	0.14	18.96	24.00	0.25	Complies
134	5670	18.87	0.14	19.01	24.00	0.25	Complies
142	5710	15.40	0.14	15.54	24.00	0.25	Complies

Test Mode	UNII-2C_TX N (HT40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	19.04	0.14	19.18	24.00	0.25	Complies
110	5550	18.95	0.14	19.09	24.00	0.25	Complies
134	5670	18.44	0.14	18.58	24.00	0.25	Complies
142	5710	15.07	0.14	15.21	24.00	0.25	Complies

Test Mode	UNII-2C_TX N (HT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	23.86	24.00	0.25	Complies
110	5550	23.76	24.00	0.25	Complies
134	5670	23.54	24.00	0.25	Complies
142	5710	20.08	24.00	0.25	Complies

Test Mode	UNII-3_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
144	5720	5.05	0.13	5.18	30.00	1.00	Complies
149	5745	12.95	0.13	13.08	30.00	1.00	Complies
157	5785	12.72	0.13	12.85	30.00	1.00	Complies
165	5825	11.53	0.13	11.66	30.00	1.00	Complies

Test Mode	UNII-3_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
144	5720	5.58	0.13	5.71	30.00	1.00	Complies
149	5745	13.09	0.13	13.22	30.00	1.00	Complies
157	5785	12.66	0.13	12.79	30.00	1.00	Complies
165	5825	11.46	0.13	11.59	30.00	1.00	Complies

Test Mode	UNII-3_TX A Mode_Ant. 3
-----------	-------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
144	5720	3.93	0.13	4.06	30.00	1.00	Complies
149	5745	13.14	0.13	13.27	30.00	1.00	Complies
157	5785	12.68	0.13	12.81	30.00	1.00	Complies
165	5825	11.51	0.13	11.64	30.00	1.00	Complies

Test Mode	UNII-3_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
144	5720	9.81	30.00	1.00	Complies
149	5745	17.97	30.00	1.00	Complies
157	5785	17.59	30.00	1.00	Complies
165	5825	16.41	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
144	5720	6.14	0.00	6.14	30.00	1.00	Complies
149	5745	24.38	0.00	24.38	30.00	1.00	Complies
157	5785	23.87	0.00	23.87	30.00	1.00	Complies
165	5825	25.22	0.00	25.22	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
144	5720	7.31	0.00	7.31	30.00	1.00	Complies
149	5745	24.84	0.00	24.84	30.00	1.00	Complies
157	5785	24.17	0.00	24.17	30.00	1.00	Complies
165	5825	25.04	0.00	25.04	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
144	5720	6.44	0.00	6.44	30.00	1.00	Complies
149	5745	24.75	0.00	24.75	30.00	1.00	Complies
157	5785	24.32	0.00	24.32	30.00	1.00	Complies
165	5825	24.95	0.00	24.95	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
144	5720	11.43	30.00	1.00	Complies
149	5745	29.43	30.00	1.00	Complies
157	5785	28.90	30.00	1.00	Complies
165	5825	29.84	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
142	5710	3.27	0.14	3.41	30.00	1.00	Complies
151	5755	23.03	0.14	23.17	30.00	1.00	Complies
159	5795	24.12	0.14	24.26	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
142	5710	2.12	0.14	2.26	30.00	1.00	Complies
151	5755	24.11	0.14	24.25	30.00	1.00	Complies
159	5795	24.05	0.14	24.19	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
142	5710	3.08	0.14	3.22	30.00	1.00	Complies
151	5755	23.05	0.14	23.19	30.00	1.00	Complies
159	5795	24.22	0.14	24.36	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
142	5710	7.76	30.00	1.00	Complies
151	5755	28.33	30.00	1.00	Complies
159	5795	29.04	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.56	0.00	18.56	30.00	1.00	Complies
40	5200	18.47	0.00	18.47	30.00	1.00	Complies
48	5240	17.97	0.00	17.97	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.41	0.00	19.41	30.00	1.00	Complies
40	5200	19.30	0.00	19.30	30.00	1.00	Complies
48	5240	18.63	0.00	18.63	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.65	0.00	18.65	30.00	1.00	Complies
40	5200	18.74	0.00	18.74	30.00	1.00	Complies
48	5240	18.57	0.00	18.57	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	23.66	30.00	1.00	Complies
40	5200	23.62	30.00	1.00	Complies
48	5240	23.17	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	18.44	0.13	18.57	30.00	1.00	Complies
46	5230	18.27	0.13	18.40	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	19.34	0.13	19.47	30.00	1.00	Complies
46	5230	19.03	0.13	19.16	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	18.77	0.13	18.90	30.00	1.00	Complies
46	5230	19.06	0.13	19.19	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	23.76	30.00	1.00	Complies
46	5230	23.70	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	15.33	0.24	15.57	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	16.20	0.24	16.44	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	15.71	0.24	15.95	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	20.77	30.00	1.00	Complies

Test Mode	UNII-2A_TX AC (VHT20) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	15.52	0.00	15.52	24.00	0.25	Complies
60	5300	15.47	0.00	15.47	24.00	0.25	Complies
64	5320	15.41	0.00	15.41	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT20) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	16.21	0.00	16.21	24.00	0.25	Complies
60	5300	15.88	0.00	15.88	24.00	0.25	Complies
64	5320	15.81	0.00	15.81	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT20) Mode_Ant. 3
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	16.32	0.00	16.32	24.00	0.25	Complies
60	5300	16.37	0.00	16.37	24.00	0.25	Complies
64	5320	16.18	0.00	16.18	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT20) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	20.80	24.00	0.25	Complies
60	5300	20.69	24.00	0.25	Complies
64	5320	20.58	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT40) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	18.68	0.13	18.81	24.00	0.25	Complies
62	5310	18.07	0.13	18.20	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT40) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	19.11	0.13	19.24	24.00	0.25	Complies
62	5310	18.53	0.13	18.66	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT40) Mode_Ant. 3
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	19.19	0.13	19.32	24.00	0.25	Complies
62	5310	18.68	0.13	18.81	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT40) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	23.90	24.00	0.25	Complies
62	5310	23.33	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT80) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	17.71	0.24	17.95	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT80) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	17.75	0.24	17.99	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT80) Mode_Ant. 3
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	17.86	0.24	18.10	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT80) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	22.79	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT20) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	17.28	0.00	17.28	24.00	0.25	Complies
116	5580	17.68	0.00	17.68	24.00	0.25	Complies
140	5700	16.12	0.00	16.12	24.00	0.25	Complies
144	5720	11.47	0.00	11.47	22.97	0.20	Complies

Test Mode	UNII-2C_TX AC (VHT20) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	17.14	0.00	17.14	24.00	0.25	Complies
116	5580	17.61	0.00	17.61	24.00	0.25	Complies
140	5700	15.68	0.00	15.68	24.00	0.25	Complies
144	5720	11.18	0.00	11.18	22.97	0.20	Complies

Test Mode	UNII-2C_TX AC (VHT20) Mode_Ant. 3
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	17.51	0.00	17.51	24.00	0.25	Complies
116	5580	18.08	0.00	18.08	24.00	0.25	Complies
140	5700	16.11	0.00	16.11	24.00	0.25	Complies
144	5720	11.38	0.00	11.38	22.97	0.20	Complies

Test Mode	UNII-2C_TX AC (VHT20) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	22.08	24.00	0.25	Complies
116	5580	22.57	24.00	0.25	Complies
140	5700	20.75	24.00	0.25	Complies
144	5720	16.12	22.97	0.20	Complies

Note:

For the 5.25-5.35 GHz and 5.47-5.725 GHz bands, the maximum conducted output power over the frequency bands of operation shall not exceed the lesser of 250 mW or 11 dBm + 10log B, where B is the 26dB Bandwidth in megahertz.

Test Mode	UNII-2C_TX AC (VHT40) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	18.95	0.13	19.08	24.00	0.25	Complies
110	5550	18.84	0.13	18.97	24.00	0.25	Complies
134	5670	18.69	0.13	18.82	24.00	0.25	Complies
142	5710	15.06	0.13	15.19	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT40) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	18.98	0.13	19.11	24.00	0.25	Complies
110	5550	18.89	0.13	19.02	24.00	0.25	Complies
134	5670	18.92	0.13	19.05	24.00	0.25	Complies
142	5710	15.46	0.13	15.59	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT40) Mode_Ant. 3
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	19.06	0.13	19.19	24.00	0.25	Complies
110	5550	18.92	0.13	19.05	24.00	0.25	Complies
134	5670	18.41	0.13	18.54	24.00	0.25	Complies
142	5710	15.12	0.13	15.25	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT40) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	23.90	24.00	0.25	Complies
110	5550	23.78	24.00	0.25	Complies
134	5670	23.58	24.00	0.25	Complies
142	5710	20.12	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT80) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	17.68	0.24	17.92	24.00	0.25	Complies
122	5610	18.72	0.24	18.96	24.00	0.25	Complies
138	5690	18.72	0.24	18.96	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT80) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	17.77	0.24	18.01	24.00	0.25	Complies
122	5610	18.89	0.24	19.13	24.00	0.25	Complies
138	5690	18.74	0.24	18.98	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT80) Mode_Ant. 3
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	18.03	0.24	18.27	24.00	0.25	Complies
122	5610	18.66	0.24	18.90	24.00	0.25	Complies
138	5690	18.85	0.24	19.09	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT80) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	22.84	24.00	0.25	Complies
122	5610	23.77	24.00	0.25	Complies
138	5690	23.78	24.00	0.25	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
144	5720	6.16	0.00	6.16	30.00	1.00	Complies
149	5745	24.41	0.00	24.41	30.00	1.00	Complies
157	5785	23.90	0.00	23.90	30.00	1.00	Complies
165	5825	25.07	0.00	25.07	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
144	5720	7.28	0.00	7.28	30.00	1.00	Complies
149	5745	24.89	0.00	24.89	30.00	1.00	Complies
157	5785	24.21	0.00	24.21	30.00	1.00	Complies
165	5825	25.11	0.00	25.11	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
144	5720	6.45	0.00	6.45	30.00	1.00	Complies
149	5745	24.77	0.00	24.77	30.00	1.00	Complies
157	5785	24.30	0.00	24.30	30.00	1.00	Complies
165	5825	25.37	0.00	25.37	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
144	5720	11.43	30.00	1.00	Complies
149	5745	29.47	30.00	1.00	Complies
157	5785	28.91	30.00	1.00	Complies
165	5825	29.96	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
142	5710	3.40	0.13	3.53	30.00	1.00	Complies
151	5755	23.03	0.13	23.16	30.00	1.00	Complies
159	5795	24.14	0.13	24.27	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
142	5710	2.17	0.13	2.30	30.00	1.00	Complies
151	5755	24.14	0.13	24.27	30.00	1.00	Complies
159	5795	24.05	0.13	24.18	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
142	5710	2.95	0.13	3.08	30.00	1.00	Complies
151	5755	23.09	0.13	23.22	30.00	1.00	Complies
159	5795	24.27	0.13	24.40	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
142	5710	7.77	30.00	1.00	Complies
151	5755	28.35	30.00	1.00	Complies
159	5795	29.05	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
138	5690	4.20	0.24	4.44	30.00	1.00	Complies
155	5775	18.12	0.24	18.36	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
138	5690	3.25	0.24	3.49	30.00	1.00	Complies
155	5775	18.51	0.24	18.75	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
138	5690	3.94	0.24	4.18	30.00	1.00	Complies
155	5775	18.22	0.24	18.46	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
138	560	8.83	30.00	1.00	Complies
155	5775	23.30	30.00	1.00	Complies

Beamforming

Test Mode	UNII-1_TX N (HT20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.33	0.00	18.33	27.50	0.56	Complies
40	5200	18.17	0.00	18.17	27.50	0.56	Complies
48	5240	17.81	0.00	17.81	27.50	0.56	Complies

Test Mode	UNII-1_TX N (HT20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.34	0.00	19.34	27.50	0.56	Complies
40	5200	18.95	0.00	18.95	27.50	0.56	Complies
48	5240	18.52	0.00	18.52	27.50	0.56	Complies

Test Mode	UNII-1_TX N (HT20) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.19	0.00	18.19	27.50	0.56	Complies
40	5200	18.64	0.00	18.64	27.50	0.56	Complies
48	5240	18.26	0.00	18.26	27.50	0.56	Complies

Test Mode	UNII-1_TX N (HT20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	23.42	27.50	0.56	Complies
40	5200	23.37	27.50	0.56	Complies
48	5240	22.98	27.50	0.56	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	18.15	0.14	18.29	27.50	0.56	Complies
46	5230	18.12	0.14	18.26	27.50	0.56	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	19.26	0.14	19.40	27.50	0.56	Complies
46	5230	19.21	0.14	19.35	27.50	0.56	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	18.41	0.14	18.55	27.50	0.56	Complies
46	5230	18.68	0.14	18.82	27.50	0.56	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	23.54	27.50	0.56	Complies
46	5230	23.60	27.50	0.56	Complies

Test Mode	UNII-2A_TX N (HT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	15.03	0.00	15.03	21.50	0.14	Complies
60	5300	15.06	0.00	15.06	21.50	0.14	Complies
64	5320	15.03	0.00	15.03	21.50	0.14	Complies

Test Mode	UNII-2A_TX N (HT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	15.67	0.00	15.67	21.50	0.14	Complies
60	5300	15.21	0.00	15.21	21.50	0.14	Complies
64	5320	15.22	0.00	15.22	21.50	0.14	Complies

Test Mode	UNII-2A_TX N (HT20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	15.72	0.00	15.72	21.50	0.14	Complies
60	5300	15.74	0.00	15.74	21.50	0.14	Complies
64	5320	15.52	0.00	15.52	21.50	0.14	Complies

Test Mode	UNII-2A_TX N (HT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	20.26	21.50	0.14	Complies
60	5300	20.12	21.50	0.14	Complies
64	5320	20.03	21.50	0.14	Complies

Test Mode	UNII-2A_TX N (HT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	14.97	0.14	15.11	21.50	0.14	Complies
62	5310	14.81	0.14	14.95	21.50	0.14	Complies

Test Mode	UNII-2A_TX N (HT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	15.66	0.14	15.80	21.50	0.14	Complies
62	5310	15.26	0.14	15.40	21.50	0.14	Complies

Test Mode	UNII-2A_TX N (HT40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	15.73	0.14	15.87	21.50	0.14	Complies
62	5310	15.51	0.14	15.65	21.50	0.14	Complies

Test Mode	UNII-2A_TX N (HT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	20.37	21.50	0.14	Complies
62	5310	20.11	21.50	0.14	Complies

Test Mode	UNII-2C_TX N (HT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	16.56	0.00	16.56	21.50	0.14	Complies
116	5580	16.53	0.00	16.53	21.50	0.14	Complies
140	5700	15.47	0.00	15.47	21.50	0.14	Complies
144	5720	10.93	0.00	10.93	21.50	0.14	Complies

Test Mode	UNII-2C_TX N (HT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	16.44	0.00	16.44	21.50	0.14	Complies
116	5580	16.47	0.00	16.47	21.50	0.14	Complies
140	5700	15.26	0.00	15.26	21.50	0.14	Complies
144	5720	10.74	0.00	10.74	21.50	0.14	Complies

Test Mode	UNII-2C_TX N (HT20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	16.85	0.00	16.85	21.50	0.14	Complies
116	5580	17.03	0.00	17.03	21.50	0.14	Complies
140	5700	15.54	0.00	15.54	21.50	0.14	Complies
144	5720	10.90	0.00	10.90	21.50	0.14	Complies

Test Mode	UNII-2C_TX N (HT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	21.39	21.50	0.14	Complies
116	5580	21.46	21.50	0.14	Complies
140	5700	20.20	21.50	0.14	Complies
144	5720	15.63	21.50	0.14	Complies

Test Mode	UNII-2C_TX N (HT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	15.07	0.14	15.21	21.50	0.14	Complies
110	5550	16.13	0.14	16.27	21.50	0.14	Complies
134	5670	16.27	0.14	16.41	21.50	0.14	Complies
142	5710	14.86	0.14	15.00	21.50	0.14	Complies

Test Mode	UNII-2C_TX N (HT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	15.45	0.14	15.59	21.50	0.14	Complies
110	5550	16.48	0.14	16.62	21.50	0.14	Complies
134	5670	16.06	0.14	16.20	21.50	0.14	Complies
142	5710	15.22	0.14	15.36	21.50	0.14	Complies

Test Mode	UNII-2C_TX N (HT40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	15.42	0.14	15.56	21.50	0.14	Complies
110	5550	16.37	0.14	16.51	21.50	0.14	Complies
134	5670	16.23	0.14	16.37	21.50	0.14	Complies
142	5710	15.06	0.14	15.20	21.50	0.14	Complies

Test Mode	UNII-2C_TX N (HT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	20.22	21.50	0.14	Complies
110	5550	21.24	21.50	0.14	Complies
134	5670	21.10	21.50	0.14	Complies
142	5710	19.96	21.50	0.14	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
144	5720	5.15	0.00	5.15	27.50	0.56	Complies
149	5745	22.43	0.00	22.43	27.50	0.56	Complies
157	5785	22.35	0.00	22.35	27.50	0.56	Complies
165	5825	22.36	0.00	22.36	27.50	0.56	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
144	5720	6.37	0.00	6.37	27.50	0.56	Complies
149	5745	22.78	0.00	22.78	27.50	0.56	Complies
157	5785	22.79	0.00	22.79	27.50	0.56	Complies
165	5825	22.78	0.00	22.78	27.50	0.56	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
144	5720	5.54	0.00	5.54	27.50	0.56	Complies
149	5745	22.53	0.00	22.53	27.50	0.56	Complies
157	5785	22.67	0.00	22.67	27.50	0.56	Complies
165	5825	22.87	0.00	22.87	27.50	0.56	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
144	5720	10.49	27.50	0.56	Complies
149	5745	27.35	27.50	0.56	Complies
157	5785	27.38	27.50	0.56	Complies
165	5825	27.45	27.50	0.56	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
142	5710	3.20	0.14	3.34	27.50	0.56	Complies
151	5755	22.35	0.14	22.49	27.50	0.56	Complies
159	5795	22.28	0.14	22.42	27.50	0.56	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
142	5710	1.77	0.14	1.91	27.50	0.56	Complies
151	5755	22.91	0.14	23.05	27.50	0.56	Complies
159	5795	22.86	0.14	23.00	27.50	0.56	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
142	5710	2.77	0.14	2.91	27.50	0.56	Complies
151	5755	22.41	0.14	22.55	27.50	0.56	Complies
159	5795	22.57	0.14	22.71	27.50	0.56	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
142	5710	7.53	27.50	0.56	Complies
151	5755	27.47	27.50	0.56	Complies
159	5795	27.48	27.50	0.56	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.36	0.00	18.36	27.50	0.56	Complies
40	5200	18.21	0.00	18.21	27.50	0.56	Complies
48	5240	17.86	0.00	17.86	27.50	0.56	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.28	0.00	19.28	27.50	0.56	Complies
40	5200	18.96	0.00	18.96	27.50	0.56	Complies
48	5240	18.54	0.00	18.54	27.50	0.56	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.23	0.00	18.23	27.50	0.56	Complies
40	5200	18.62	0.00	18.62	27.50	0.56	Complies
48	5240	18.32	0.00	18.32	27.50	0.56	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	23.42	27.50	0.56	Complies
40	5200	23.38	27.50	0.56	Complies
48	5240	23.02	27.50	0.56	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	18.18	0.13	18.31	27.50	0.56	Complies
46	5230	18.15	0.13	18.28	27.50	0.56	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	19.29	0.13	19.42	27.50	0.56	Complies
46	5230	19.21	0.13	19.34	27.50	0.56	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	18.45	0.13	18.58	27.50	0.56	Complies
46	5230	18.76	0.13	18.89	27.50	0.56	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	23.56	27.50	0.56	Complies
46	5230	23.63	27.50	0.56	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	15.08	0.24	15.32	27.50	0.56	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	16.21	0.24	16.45	27.50	0.56	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	15.76	0.24	16.00	27.50	0.56	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	20.72	27.50	0.56	Complies

Test Mode	UNII-2A_TX AC (VHT20) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	15.05	0.00	15.05	21.50	0.14	Complies
60	5300	14.94	0.00	14.94	21.50	0.14	Complies
64	5320	14.93	0.00	14.93	21.50	0.14	Complies

Test Mode	UNII-2A_TX AC (VHT20) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	15.75	0.00	15.75	21.50	0.14	Complies
60	5300	15.46	0.00	15.46	21.50	0.14	Complies
64	5320	15.31	0.00	15.31	21.50	0.14	Complies

Test Mode	UNII-2A_TX AC (VHT20) Mode_Ant. 3
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	15.77	0.00	15.77	21.50	0.14	Complies
60	5300	15.83	0.00	15.83	21.50	0.14	Complies
64	5320	15.61	0.00	15.61	21.50	0.14	Complies

Test Mode	UNII-2A_TX AC (VHT20) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	20.31	21.50	0.14	Complies
60	5300	20.20	21.50	0.14	Complies
64	5320	20.06	21.50	0.14	Complies

Test Mode	UNII-2A_TX AC (VHT40) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	14.98	0.13	15.11	21.50	0.14	Complies
62	5310	14.91	0.13	15.04	21.50	0.14	Complies

Test Mode	UNII-2A_TX AC (VHT40) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	15.69	0.13	15.82	21.50	0.14	Complies
62	5310	15.42	0.13	15.55	21.50	0.14	Complies

Test Mode	UNII-2A_TX AC (VHT40) Mode_Ant. 3
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	15.82	0.13	15.95	21.50	0.14	Complies
62	5310	15.56	0.13	15.69	21.50	0.14	Complies

Test Mode	UNII-2A_TX AC (VHT40) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	20.41	21.50	0.14	Complies
62	5310	20.20	21.50	0.14	Complies

Test Mode	UNII-2A_TX AC (VHT80) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	14.92	0.24	15.16	21.50	0.14	Complies

Test Mode	UNII-2A_TX AC (VHT80) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	15.52	0.24	15.76	21.50	0.14	Complies

Test Mode	UNII-2A_TX AC (VHT80) Mode_Ant. 3
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	15.67	0.24	15.91	21.50	0.14	Complies

Test Mode	UNII-2A_TX AC (VHT80) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	20.39	21.50	0.14	Complies

Test Mode	UNII-2C_TX AC (VHT20) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	16.58	0.00	16.58	21.50	0.14	Complies
116	5580	16.65	0.00	16.65	21.50	0.14	Complies
140	5700	15.57	0.00	15.57	21.50	0.14	Complies
144	5720	10.92	0.00	10.92	21.50	0.14	Complies

Test Mode	UNII-2C_TX AC (VHT20) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	16.53	0.00	16.53	21.50	0.14	Complies
116	5580	16.52	0.00	16.52	21.50	0.14	Complies
140	5700	15.09	0.00	15.09	21.50	0.14	Complies
144	5720	10.74	0.00	10.74	21.50	0.14	Complies

Test Mode	UNII-2C_TX AC (VHT20) Mode_Ant. 3
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	16.94	0.00	16.94	21.50	0.14	Complies
116	5580	16.97	0.00	16.97	21.50	0.14	Complies
140	5700	15.66	0.00	15.66	21.50	0.14	Complies
144	5720	10.93	0.00	10.93	21.50	0.14	Complies

Test Mode	UNII-2C_TX AC (VHT20) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	21.46	21.50	0.14	Complies
116	5580	21.49	21.50	0.14	Complies
140	5700	20.22	21.50	0.14	Complies
144	5720	15.64	21.50	0.14	Complies

Test Mode	UNII-2C_TX AC (VHT40) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	15.23	0.13	15.36	21.50	0.14	Complies
110	5550	16.12	0.13	16.25	21.50	0.14	Complies
134	5670	16.28	0.13	16.41	21.50	0.14	Complies
142	5710	14.86	0.13	14.99	21.50	0.14	Complies

Test Mode	UNII-2C_TX AC (VHT40) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	15.53	0.13	15.66	21.50	0.14	Complies
110	5550	16.58	0.13	16.71	21.50	0.14	Complies
134	5670	16.12	0.13	16.25	21.50	0.14	Complies
142	5710	15.24	0.13	15.37	21.50	0.14	Complies

Test Mode	UNII-2C_TX AC (VHT40) Mode_Ant. 3
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	15.47	0.13	15.60	21.50	0.14	Complies
110	5550	16.47	0.13	16.60	21.50	0.14	Complies
134	5670	16.23	0.13	16.36	21.50	0.14	Complies
142	5710	15.06	0.13	15.19	21.50	0.14	Complies

Test Mode	UNII-2C_TX AC (VHT40) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	20.31	21.50	0.14	Complies
110	5550	21.29	21.50	0.14	Complies
134	5670	21.11	21.50	0.14	Complies
142	5710	19.95	21.50	0.14	Complies

Test Mode	UNII-2C_TX AC (VHT80) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	16.09	0.24	16.33	21.50	0.14	Complies
122	5610	16.27	0.24	16.51	21.50	0.14	Complies
138	5690	15.89	0.24	16.13	21.50	0.14	Complies

Test Mode	UNII-2C_TX AC (VHT80) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	16.36	0.24	16.60	21.50	0.14	Complies
122	5610	16.71	0.24	16.95	21.50	0.14	Complies
138	5690	15.96	0.24	16.20	21.50	0.14	Complies

Test Mode	UNII-2C_TX AC (VHT80) Mode_Ant. 3
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	16.44	0.24	16.68	21.50	0.14	Complies
122	5610	16.38	0.24	16.62	21.50	0.14	Complies
138	5690	15.98	0.24	16.22	21.50	0.14	Complies

Test Mode	UNII-2C_TX AC (VHT80) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	21.31	21.50	0.14	Complies
122	5610	21.47	21.50	0.14	Complies
138	5690	20.96	21.50	0.14	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
144	5720	5.17	0.00	5.17	27.50	0.56	Complies
149	5745	22.44	0.00	22.44	27.50	0.56	Complies
157	5785	22.36	0.00	22.36	27.50	0.56	Complies
165	5825	22.41	0.00	22.41	27.50	0.56	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
144	5720	6.36	0.00	6.36	27.50	0.56	Complies
149	5745	22.78	0.00	22.78	27.50	0.56	Complies
157	5785	22.77	0.00	22.77	27.50	0.56	Complies
165	5825	22.85	0.00	22.85	27.50	0.56	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
144	5720	5.53	0.00	5.53	27.50	0.56	Complies
149	5745	22.51	0.00	22.51	27.50	0.56	Complies
157	5785	22.73	0.00	22.73	27.50	0.56	Complies
165	5825	22.88	0.00	22.88	27.50	0.56	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
144	5720	10.49	27.50	0.56	Complies
149	5745	27.35	27.50	0.56	Complies
157	5785	27.40	27.50	0.56	Complies
165	5825	27.49	27.50	0.56	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
142	5710	3.19	0.13	3.32	27.50	0.56	Complies
151	5755	22.34	0.13	22.47	27.50	0.56	Complies
159	5795	22.31	0.13	22.44	27.50	0.56	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
142	5710	1.80	0.13	1.93	27.50	0.56	Complies
151	5755	22.90	0.13	23.03	27.50	0.56	Complies
159	5795	22.88	0.13	23.01	27.50	0.56	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
142	5710	2.75	0.13	2.88	27.50	0.56	Complies
151	5755	22.46	0.13	22.59	27.50	0.56	Complies
159	5795	22.56	0.13	22.69	27.50	0.56	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
142	5710	7.52	27.50	0.56	Complies
151	5755	27.47	27.50	0.56	Complies
159	5795	27.49	27.50	0.56	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
138	5690	1.42	0.24	1.66	27.50	0.56	Complies
155	5775	17.86	0.24	18.10	27.50	0.56	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
138	5690	0.37	0.24	0.61	27.50	0.56	Complies
155	5775	18.14	0.24	18.38	27.50	0.56	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
138	5690	0.95	0.24	1.19	27.50	0.56	Complies
155	5775	18.21	0.24	18.45	27.50	0.56	Complies


Test Mode	UNII-3_TX AC (VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
138	5690	5.95	27.50	0.56	Complies
155	5775	23.08	27.50	0.56	Complies

APPENDIX G - POWER SPECTRAL DENSITY

Test Mode	UNII-1_TX A Mode_Ant. 1
-----------	-------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	8.93	0.13	9.06	14.23	Complies
40	5200	8.59	0.13	8.72	14.23	Complies
48	5240	8.30	0.13	8.43	14.23	Complies



Date: 30,SEP,2019 07:58:08




Date: 30,SEP,2019 07:59:22




Date: 30,SEP,2019 08:00:03

Test Mode	UNII-1_TX A Mode_Ant. 2
-----------	-------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	9.28	0.13	9.41	14.23	Complies
40	5200	9.04	0.13	9.17	14.23	Complies
48	5240	8.54	0.13	8.67	14.23	Complies



Date: 30,SEP,2019 08:00:53




Date: 30,SEP,2019 08:01:28




Date: 30,SEP,2019 08:01:45

Test Mode	UNII-1_TX A Mode_Ant. 3
-----------	-------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	9.42	0.13	9.55	14.23	Complies
40	5200	10.17	0.13	10.30	14.23	Complies
48	5240	9.53	0.13	9.66	14.23	Complies



Date: 30.SEP.2019 08:02:19



Date: 30.SEP.2019 08:02:17



Date: 30.SEP.2019 08:02:55

Test Mode	UNII-1_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	14.12	14.23	Complies
40	5200	14.22	14.23	Complies
48	5240	13.73	14.23	Complies