


5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4588G	47.96	54.00	-6.04	5.48	3	Vertical	27	1.81	42.48	33.02	6.64	34.18
AV	5.4968G	109.19	Inf	-Inf	5.59	3	Vertical	27	1.81	103.60	33.09	6.68	34.18
PK	5.4596G	61.30	74.00	-12.70	5.48	3	Vertical	27	1.81	55.82	33.02	6.64	34.18
PK	5.4638G	61.69	68.20	-6.51	5.50	3	Vertical	27	1.81	56.19	33.03	6.65	34.18
PK	5.4968G	118.12	Inf	-Inf	5.59	3	Vertical	27	1.81	112.53	33.09	6.68	34.18

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4584G	48.11	54.00	-5.89	5.48	3	Horizontal	14	2.85	42.63	33.02	6.64	34.18
AV	5.4978G	109.45	Inf	-Inf	5.60	3	Horizontal	14	2.85	103.85	33.10	6.68	34.18
PK	5.4572G	60.19	74.00	-13.81	5.48	3	Horizontal	14	2.85	54.71	33.01	6.64	34.17
PK	5.469G	60.86	68.20	-7.34	5.51	3	Horizontal	14	2.85	55.35	33.04	6.65	34.18
PK	5.502G	119.44	Inf	-Inf	5.60	3	Horizontal	14	2.85	113.84	33.10	6.68	34.18




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX



5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5500MHz_TX






5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX



5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5580MHz_TX






5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX



5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5580MHz_TX






5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX



5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5720MHz Straddle 5.47-5.725GHz_TX






5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX



5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5720MHz Straddle 5.47-5.725GHz_TX






5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5260MHz_TX



5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5260MHz_TX






5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5260MHz_TX



5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5260MHz_TX





5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3024G	110.30	Inf	-Inf	5.46	3	Vertical	26	1.94	104.84	33.10	6.52	34.16
AV	5.3764G	49.59	54.00	-4.41	5.40	3	Vertical	26	1.94	44.19	33.00	6.57	34.17
PK	5.3032G	122.26	Inf	-Inf	5.45	3	Vertical	26	1.94	116.81	33.09	6.52	34.16
PK	5.3512G	60.71	74.00	-13.29	5.40	3	Vertical	26	1.94	55.31	33.00	6.56	34.16

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2972G	110.06	Inf	-Inf	5.45	3	Horizontal	14	1.89	104.61	33.09	6.52	34.16
AV	5.3948G	48.61	54.00	-5.39	5.42	3	Horizontal	14	1.89	43.19	33.00	6.59	34.17
PK	5.2984G	122.68	Inf	-Inf	5.46	3	Horizontal	14	1.89	117.22	33.10	6.52	34.16
PK	5.3508G	60.23	74.00	-13.77	5.40	3	Horizontal	14	1.89	54.83	33.00	6.56	34.16


5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5300MHz_TX



5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5300MHz_TX





5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.323G	97.67	Inf	-Inf	5.43	3	Vertical	290	1.50	92.24	33.05	6.54	34.16
AV	5.35G	45.74	54.00	-8.26	5.39	3	Vertical	290	1.50	40.35	33.00	6.55	34.16
PK	5.3228G	109.97	Inf	-Inf	5.43	3	Vertical	290	1.50	104.54	33.05	6.54	34.16
PK	5.3588G	57.66	74.00	-16.34	5.40	3	Vertical	290	1.50	52.26	33.00	6.56	34.16

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3218G	108.62	Inf	-Inf	5.44	3	Horizontal	14	1.61	103.18	33.06	6.54	34.16
AV	5.35G	53.07	54.00	-0.93	5.39	3	Horizontal	14	1.61	47.68	33.00	6.55	34.16
PK	5.3214G	120.94	Inf	-Inf	5.43	3	Horizontal	14	1.61	115.51	33.06	6.53	34.16
PK	5.35G	65.25	74.00	-8.75	5.39	3	Horizontal	14	1.61	59.86	33.00	6.55	34.16


5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5320MHz_TX




5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5320MHz_TX



5.47-5.725GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4598G	50.22	54.00	-3.78	5.48	3	Vertical	31	1.91	44.74	33.02	6.64	34.18
AV	5.5034G	108.84	Inf	-Inf	5.59	3	Vertical	31	1.91	103.25	33.09	6.68	34.18
PK	5.46G	63.05	74.00	-10.95	5.48	3	Vertical	31	1.91	57.57	33.02	6.64	34.18
PK	5.4694G	67.63	68.20	-0.57	5.51	3	Vertical	31	1.91	62.12	33.04	6.65	34.18
PK	5.5034G	121.32	Inf	-Inf	5.59	3	Vertical	31	1.91	115.73	33.09	6.68	34.18

5.47-5.725GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4574G	47.79	54.00	-6.21	5.48	3	Horizontal	16	2.84	42.31	33.01	6.64	34.17
AV	5.4958G	109.21	Inf	-Inf	5.59	3	Horizontal	16	2.84	103.62	33.09	6.68	34.18
PK	5.4556G	60.06	74.00	-13.94	5.48	3	Horizontal	16	2.84	54.58	33.01	6.64	34.17
PK	5.4674G	66.21	68.20	-1.99	5.50	3	Horizontal	16	2.84	60.71	33.03	6.65	34.18
PK	5.5044G	120.81	Inf	-Inf	5.59	3	Horizontal	16	2.84	115.22	33.09	6.68	34.18




5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TX




5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TX




5.47-5.725GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5580MHz_TX




5.47-5.725GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5580MHz_TX




5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TX



5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5580MHz_TX






5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TX




5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TX




5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TX



5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5700MHz_TX






5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX



5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5720MHz Straddle 5.47-5.725GHz_TX






5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX



5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5720MHz Straddle 5.47-5.725GHz_TX





5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2632G	107.58	Inf	-Inf	5.37	3	Vertical	25	1.74	102.21	33.03	6.49	34.15
AV	5.3516G	52.54	54.00	-1.46	5.40	3	Vertical	25	1.74	47.14	33.00	6.56	34.16
PK	5.272G	120.38	Inf	-Inf	5.39	3	Vertical	25	1.74	114.99	33.04	6.50	34.15
PK	5.3532G	65.19	74.00	-8.81	5.40	3	Vertical	25	1.74	59.79	33.00	6.56	34.16

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5270MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2676G	107.81	Inf	-Inf	5.39	3	Horizontal	15	1.75	102.42	33.04	6.50	34.15
AV	5.35G	51.66	54.00	-2.34	5.39	3	Horizontal	15	1.75	46.27	33.00	6.55	34.16
PK	5.2748G	119.32	Inf	-Inf	5.40	3	Horizontal	15	1.75	113.92	33.05	6.50	34.15
PK	5.3504G	65.86	74.00	-8.14	5.40	3	Horizontal	15	1.75	60.46	33.00	6.56	34.16




5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5270MHz_TX



5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5270MHz_TX





5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3072G	103.43	Inf	-Inf	5.46	3	Vertical	30	1.71	97.97	33.09	6.53	34.16
AV	5.35G	53.24	54.00	-0.76	5.39	3	Vertical	30	1.71	47.85	33.00	6.55	34.16
PK	5.308G	115.52	Inf	-Inf	5.45	3	Vertical	30	1.71	110.07	33.08	6.53	34.16
PK	5.35G	65.27	74.00	-8.73	5.39	3	Vertical	30	1.71	59.88	33.00	6.55	34.16

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3028G	102.94	Inf	-Inf	5.45	3	Horizontal	18	1.90	97.49	33.09	6.52	34.16
AV	5.35G	51.13	54.00	-2.87	5.39	3	Horizontal	18	1.90	45.74	33.00	6.55	34.16
PK	5.3136G	115.47	Inf	-Inf	5.44	3	Horizontal	18	1.90	110.03	33.07	6.53	34.16
PK	5.35G	63.87	74.00	-10.13	5.39	3	Horizontal	18	1.90	58.48	33.00	6.55	34.16


5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5310MHz_TX




5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5310MHz_TX




5.47-5.725GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5510MHz_TX



5.47-5.725GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX


5510MHz_TX






5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5510MHz_TX




5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5510MHz_TX



5.47-5.725GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)				
AV	5.4596G	49.26	54.00	-4.74	5.48	3	Vertical	29	1.69	43.78	33.02	6.64	34.18				
AV	5.5436G	106.21	Inf	-Inf	5.55	3	Vertical	29	1.69	100.66	33.01	6.72	34.18				
PK	5.4596G	61.40	74.00	-12.60	5.48	3	Vertical	29	1.69	55.92	33.02	6.64	34.18				
PK	5.464G	64.11	68.20	-4.09	5.50	3	Vertical	29	1.69	58.61	33.03	6.65	34.18				
PK	5.5428G	118.02	Inf	-Inf	5.55	3	Vertical	29	1.69	112.47	33.01	6.72	34.18				

5.47-5.725GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)				
AV	5.46G	48.84	54.00	-5.16	5.48	3	Horizontal	16	2.94	43.36	33.02	6.64	34.18				
AV	5.5448G	107.73	Inf	-Inf	5.55	3	Horizontal	16	2.94	102.18	33.01	6.72	34.18				
PK	5.4564G	60.64	74.00	-13.36	5.48	3	Horizontal	16	2.94	55.16	33.01	6.64	34.17				
PK	5.47G	64.85	68.20	-3.35	5.51	3	Horizontal	16	2.94	59.34	33.04	6.65	34.18				
PK	5.5452G	119.70	Inf	-Inf	5.55	3	Horizontal	16	2.94	114.15	33.01	6.72	34.18				


5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5550MHz_TX




5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5550MHz_TX




5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5670MHz_TX



5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5670MHz_TX






5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5670MHz_TX




5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5670MHz_TX




5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX



5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5710MHz Straddle 5.47-5.725GHz_TX






5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX



5.25-5.35GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.149G	46.45	54.00	-7.55	5.27	3	Vertical	30	1.93	41.18	33.00	6.41	34.14
AV	5.297G	100.20	Inf	-Inf	5.45	3	Vertical	30	1.93	94.75	33.09	6.52	34.16
AV	5.35G	53.82	54.00	-0.18	5.39	3	Vertical	30	1.93	48.43	33.00	6.55	34.16
PK	5.136G	58.85	74.00	-15.15	5.29	3	Vertical	30	1.93	53.56	33.03	6.40	34.14
PK	5.287G	112.81	Inf	-Inf	5.43	3	Vertical	30	1.93	107.38	33.07	6.51	34.15
PK	5.359G	65.27	74.00	-8.73	5.40	3	Vertical	30	1.93	59.87	33.00	6.56	34.16
PK	5.504G	58.36	68.20	-9.84	5.59	3	Vertical	30	1.93	52.77	33.09	6.68	34.18

5.25-5.35GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX

5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.124G	46.28	54.00	-7.72	5.31	3	Horizontal	17	1.65	40.97	33.05	6.39	34.13
AV	5.292G	99.69	Inf	-Inf	5.43	3	Horizontal	17	1.65	94.26	33.08	6.51	34.16
AV	5.352G	52.16	54.00	-1.84	5.40	3	Horizontal	17	1.65	46.76	33.00	6.56	34.16
PK	5.144G	57.71	74.00	-16.29	5.28	3	Horizontal	17	1.65	52.43	33.01	6.41	34.14
PK	5.301G	111.57	Inf	-Inf	5.46	3	Horizontal	17	1.65	106.11	33.10	6.52	34.16
PK	5.351G	63.51	74.00	-10.49	5.40	3	Horizontal	17	1.65	58.11	33.00	6.56	34.16
PK	5.506G	59.26	68.20	-8.94	5.60	3	Horizontal	17	1.65	53.66	33.09	6.69	34.18




5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5290MHz_TX



5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5290MHz_TX





5.47-5.725GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	46.09	54.00	-7.91	5.39	3	Vertical	27	1.81	40.70	33.00	6.55	34.16
AV	5.459G	53.44	54.00	-0.56	5.48	3	Vertical	27	1.81	47.96	33.02	6.64	34.18
AV	5.519G	100.37	Inf	-Inf	5.58	3	Vertical	27	1.81	94.79	33.06	6.70	34.18
PK	5.334G	58.03	68.20	-10.17	5.41	3	Vertical	27	1.81	52.62	33.03	6.54	34.16
PK	5.458G	66.15	74.00	-7.85	5.49	3	Vertical	27	1.81	60.66	33.02	6.64	34.17
PK	5.47G	66.35	68.20	-1.85	5.51	3	Vertical	27	1.81	60.84	33.04	6.65	34.18
PK	5.519G	112.41	Inf	-Inf	5.58	3	Vertical	27	1.81	106.83	33.06	6.70	34.18
PK	5.767G	60.14	68.20	-8.06	6.58	3	Vertical	27	1.81	53.56	33.90	6.88	34.20

5.47-5.725GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX

5530MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	45.69	54.00	-8.31	5.39	3	Horizontal	14	2.91	40.30	33.00	6.55	34.16
AV	5.46G	52.46	54.00	-1.54	5.48	3	Horizontal	14	2.91	46.98	33.02	6.64	34.18
AV	5.54G	101.18	Inf	-Inf	5.56	3	Horizontal	14	2.91	95.62	33.02	6.72	34.18
PK	5.334G	57.98	68.20	-10.22	5.41	3	Horizontal	14	2.91	52.57	33.03	6.54	34.16
PK	5.45G	63.69	74.00	-10.31	5.46	3	Horizontal	14	2.91	58.23	33.00	6.63	34.17
PK	5.47G	65.39	68.20	-2.81	5.51	3	Horizontal	14	2.91	59.88	33.04	6.65	34.18
PK	5.54G	112.29	Inf	-Inf	5.56	3	Horizontal	14	2.91	106.73	33.02	6.72	34.18
PK	5.753G	58.90	68.20	-9.30	6.49	3	Horizontal	14	2.91	52.41	33.82	6.87	34.20




5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5530MHz_TX



5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5530MHz_TX






5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5610MHz_TX



5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5610MHz_TX






5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5610MHz_TX



5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5610MHz_TX






5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX



5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5690MHz Straddle 5.47-5.725GHz_TX






5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX



5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX



**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	5.35G	52.49	54.00	-1.51	3	Vertical	14	1.50
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	AV	5.35G	52.98	54.00	-1.02	3	Vertical	353	1.02
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	AV	5.3504G	53.54	54.00	-0.46	3	Vertical	24	1.64
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	AV	5.354G	53.55	54.00	-0.45	3	Vertical	22	1.61
802.11ax HEW160_Nss1,(MCS0)_2TX	Pass	AV	5.3544G	53.91	54.00	-0.09	3	Vertical	360	1.38
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	PK	5.7276G	67.48	68.20	-0.72	3	Vertical	351	1.07
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	PK	5.7252G	67.10	68.20	-1.10	3	Horizontal	353	1.50
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	PK	5.4648G	67.95	68.20	-0.25	3	Vertical	19	1.59
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	PK	5.725G	67.50	68.20	-0.70	3	Vertical	14	1.69
802.11ax HEW160_Nss1,(MCS0)_2TX	Pass	PK	5.7296G	67.11	68.20	-1.09	3	Vertical	16	1.49

**Result**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	AV	5.1196G	49.08	54.00	-4.92	3	Vertical	360	1.37
5260MHz	Pass	AV	5.2624G	112.23	Inf	-Inf	3	Vertical	360	1.37
5260MHz	Pass	AV	5.4028G	49.45	54.00	-4.55	3	Vertical	360	1.37
5260MHz	Pass	PK	5.119G	61.05	74.00	-12.95	3	Vertical	360	1.37
5260MHz	Pass	PK	5.2618G	121.95	Inf	-Inf	3	Vertical	360	1.37
5260MHz	Pass	PK	5.3992G	60.94	74.00	-13.06	3	Vertical	360	1.37
5260MHz	Pass	AV	5.1262G	48.75	54.00	-5.25	3	Horizontal	10	1.03
5260MHz	Pass	AV	5.2588G	111.76	Inf	-Inf	3	Horizontal	10	1.03
5260MHz	Pass	AV	5.398G	48.38	54.00	-5.62	3	Horizontal	10	1.03
5260MHz	Pass	PK	5.119G	60.26	74.00	-13.74	3	Horizontal	10	1.03
5260MHz	Pass	PK	5.2594G	119.62	Inf	-Inf	3	Horizontal	10	1.03
5260MHz	Pass	PK	5.41G	59.78	74.00	-14.22	3	Horizontal	10	1.03
5260MHz	Pass	AV	15.77658G	47.57	54.00	-6.43	3	Vertical	120	1.50
5260MHz	Pass	PK	10.5155G	55.53	68.20	-12.67	3	Vertical	188	2.87
5260MHz	Pass	PK	15.79056G	59.68	74.00	-14.32	3	Vertical	120	1.50
5260MHz	Pass	AV	15.76956G	47.59	54.00	-6.41	3	Horizontal	319	2.33
5260MHz	Pass	PK	10.52486G	55.34	68.20	-12.86	3	Horizontal	68	1.79
5260MHz	Pass	PK	15.78396G	58.93	74.00	-15.07	3	Horizontal	319	2.33
5300MHz	Pass	AV	5.298G	111.57	Inf	-Inf	3	Vertical	20	1.61
5300MHz	Pass	AV	5.35G	48.92	54.00	-5.08	3	Vertical	20	1.61
5300MHz	Pass	PK	5.302G	121.23	Inf	-Inf	3	Vertical	20	1.61
5300MHz	Pass	PK	5.3504G	60.41	74.00	-13.59	3	Vertical	20	1.61
5300MHz	Pass	AV	5.2992G	111.90	Inf	-Inf	3	Horizontal	11	2.00
5300MHz	Pass	AV	5.35G	48.76	54.00	-5.24	3	Horizontal	11	2.00
5300MHz	Pass	PK	5.2992G	119.75	Inf	-Inf	3	Horizontal	11	2.00
5300MHz	Pass	PK	5.35G	61.11	74.00	-12.89	3	Horizontal	11	2.00
5300MHz	Pass	AV	15.90006G	46.89	54.00	-7.11	3	Vertical	301	1.50
5300MHz	Pass	PK	10.59298G	56.04	68.20	-12.16	3	Vertical	342	1.01
5300MHz	Pass	PK	15.9051G	58.13	74.00	-15.87	3	Vertical	301	1.50
5300MHz	Pass	AV	10.60024G	44.23	54.00	-9.77	3	Horizontal	351	1.50
5300MHz	Pass	AV	15.89322G	47.05	54.00	-6.95	3	Horizontal	66	2.51
5300MHz	Pass	PK	10.60018G	56.16	74.00	-17.84	3	Horizontal	351	1.50
5300MHz	Pass	PK	15.89856G	59.09	74.00	-14.91	3	Horizontal	66	2.51
5320MHz	Pass	AV	5.3226G	109.69	Inf	-Inf	3	Vertical	14	1.50
5320MHz	Pass	AV	5.35G	52.49	54.00	-1.51	3	Vertical	14	1.50
5320MHz	Pass	PK	5.3226G	119.81	Inf	-Inf	3	Vertical	14	1.50
5320MHz	Pass	PK	5.3514G	64.94	74.00	-9.06	3	Vertical	14	1.50
5320MHz	Pass	AV	5.319G	109.46	Inf	-Inf	3	Horizontal	12	1.91
5320MHz	Pass	AV	5.35G	50.06	54.00	-3.94	3	Horizontal	12	1.91
5320MHz	Pass	PK	5.3244G	117.92	Inf	-Inf	3	Horizontal	12	1.91
5320MHz	Pass	PK	5.3504G	61.83	74.00	-12.17	3	Horizontal	12	1.91
5320MHz	Pass	AV	10.64012G	44.44	54.00	-9.56	3	Vertical	12	1.50
5320MHz	Pass	AV	15.95568G	46.57	54.00	-7.43	3	Vertical	360	2.50
5320MHz	Pass	PK	10.6421G	55.93	74.00	-18.07	3	Vertical	12	1.50
5320MHz	Pass	PK	15.94698G	58.53	74.00	-15.47	3	Vertical	360	2.50
5320MHz	Pass	AV	10.64438G	44.22	54.00	-9.78	3	Horizontal	347	1.50
5320MHz	Pass	AV	15.95916G	46.63	54.00	-7.37	3	Horizontal	14	1.50
5320MHz	Pass	PK	10.6508G	55.56	74.00	-18.44	3	Horizontal	347	1.50
5320MHz	Pass	PK	15.9588G	58.23	74.00	-15.77	3	Horizontal	14	1.50
5500MHz	Pass	AV	5.4598G	49.99	54.00	-4.01	3	Vertical	0	1.34
5500MHz	Pass	AV	5.5024G	111.30	Inf	-Inf	3	Vertical	0	1.34
5500MHz	Pass	PK	5.459G	62.30	74.00	-11.70	3	Vertical	0	1.34
5500MHz	Pass	PK	5.4698G	67.39	68.20	-0.81	3	Vertical	0	1.34
5500MHz	Pass	PK	5.5018G	121.17	Inf	-Inf	3	Vertical	0	1.34
5500MHz	Pass	AV	5.4598G	48.63	54.00	-5.37	3	Horizontal	360	1.80
5500MHz	Pass	AV	5.5054G	108.35	Inf	-Inf	3	Horizontal	360	1.80
5500MHz	Pass	PK	5.4596G	60.91	74.00	-13.09	3	Horizontal	360	1.80
5500MHz	Pass	PK	5.47G	62.96	68.20	-5.24	3	Horizontal	360	1.80
5500MHz	Pass	PK	5.5028G	116.61	Inf	-Inf	3	Horizontal	360	1.80
5500MHz	Pass	AV	11.00012G	43.86	54.00	-10.14	3	Vertical	20	1.49



RSE TX above 1GHz_Non-Beamforming_Radio 3

Appendix D.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5500MHz	Pass	PK	11.00936G	55.48	74.00	-18.52	3	Vertical	20	1.49
5500MHz	Pass	PK	16.50228G	59.41	68.20	-8.79	3	Vertical	239	1.41
5500MHz	Pass	AV	11G	44.02	54.00	-9.98	3	Horizontal	31	1.49
5500MHz	Pass	PK	11.01044G	55.93	74.00	-18.07	3	Horizontal	31	1.49
5500MHz	Pass	PK	16.5102G	59.03	68.20	-9.17	3	Horizontal	176	3.00
5580MHz	Pass	AV	5.4366G	48.80	54.00	-5.20	3	Vertical	14	1.49
5580MHz	Pass	AV	5.5818G	113.39	Inf	-Inf	3	Vertical	14	1.49
5580MHz	Pass	PK	5.4516G	59.95	74.00	-14.05	3	Vertical	14	1.49
5580MHz	Pass	PK	5.463G	60.10	68.20	-8.10	3	Vertical	14	1.49
5580MHz	Pass	PK	5.5818G	122.98	Inf	-Inf	3	Vertical	14	1.49
5580MHz	Pass	PK	5.7258G	61.32	68.20	-6.88	3	Vertical	14	1.49
5580MHz	Pass	AV	5.4306G	48.12	54.00	-5.88	3	Horizontal	7	1.50
5580MHz	Pass	AV	5.5794G	111.48	Inf	-Inf	3	Horizontal	7	1.50
5580MHz	Pass	PK	5.43G	59.69	74.00	-14.31	3	Horizontal	7	1.50
5580MHz	Pass	PK	5.463G	58.79	68.20	-9.41	3	Horizontal	7	1.50
5580MHz	Pass	PK	5.5794G	119.32	Inf	-Inf	3	Horizontal	7	1.50
5580MHz	Pass	PK	5.7288G	61.02	68.20	-7.18	3	Horizontal	7	1.50
5580MHz	Pass	AV	11.16012G	44.75	54.00	-9.25	3	Vertical	344	1.48
5580MHz	Pass	PK	11.15982G	56.24	74.00	-17.76	3	Vertical	344	1.48
5580MHz	Pass	PK	16.7538G	59.34	68.20	-8.86	3	Vertical	311	1.50
5580MHz	Pass	AV	11.16G	44.83	54.00	-9.17	3	Horizontal	17	1.24
5580MHz	Pass	PK	11.15532G	56.56	74.00	-17.44	3	Horizontal	17	1.24
5580MHz	Pass	PK	16.74252G	58.92	68.20	-9.28	3	Horizontal	55	1.50
5700MHz	Pass	AV	5.7024G	110.30	Inf	-Inf	3	Vertical	351	1.07
5700MHz	Pass	PK	5.702G	120.09	Inf	-Inf	3	Vertical	351	1.07
5700MHz	Pass	PK	5.7276G	67.48	68.20	-0.72	3	Vertical	351	1.07
5700MHz	Pass	AV	5.698G	110.14	Inf	-Inf	3	Horizontal	353	1.32
5700MHz	Pass	PK	5.6976G	118.42	Inf	-Inf	3	Horizontal	353	1.32
5700MHz	Pass	PK	5.7272G	65.44	68.20	-2.76	3	Horizontal	353	1.32
5700MHz	Pass	AV	11.39658G	43.97	54.00	-10.03	3	Vertical	106	2.17
5700MHz	Pass	PK	11.38734G	55.50	74.00	-18.50	3	Vertical	106	2.17
5700MHz	Pass	PK	17.0958G	58.76	68.20	-9.44	3	Vertical	360	2.64
5700MHz	Pass	AV	11.38842G	44.07	54.00	-9.93	3	Horizontal	105	1.50
5700MHz	Pass	PK	11.38566G	55.10	74.00	-18.90	3	Horizontal	105	1.50
5700MHz	Pass	PK	17.09736G	59.30	68.20	-8.90	3	Horizontal	185	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.456G	47.93	54.00	-6.07	3	Vertical	343	1.35
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7188G	111.89	Inf	-Inf	3	Vertical	343	1.35
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4368G	59.35	74.00	-14.65	3	Vertical	343	1.35
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4668G	58.56	68.20	-9.64	3	Vertical	343	1.35
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7236G	122.14	Inf	-Inf	3	Vertical	343	1.35
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.882G	61.91	68.20	-6.29	3	Vertical	343	1.35
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4308G	47.95	54.00	-6.05	3	Horizontal	360	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7212G	111.72	Inf	-Inf	3	Horizontal	360	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4224G	58.75	74.00	-15.25	3	Horizontal	360	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4692G	58.42	68.20	-9.78	3	Horizontal	360	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7164G	119.60	Inf	-Inf	3	Horizontal	360	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.9132G	62.57	68.20	-5.63	3	Horizontal	360	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.42716G	43.42	54.00	-10.58	3	Vertical	209	2.76
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44426G	55.96	74.00	-18.04	3	Vertical	209	2.76
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.169G	58.80	68.20	-9.40	3	Vertical	281	2.63
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.42992G	43.46	54.00	-10.54	3	Horizontal	360	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43022G	55.07	74.00	-18.93	3	Horizontal	360	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.15184G	58.99	68.20	-9.21	3	Horizontal	336	1.50
802.11ax HEW20_Nss1_(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	AV	5.143G	48.01	54.00	-5.99	3	Vertical	345	1.16
5260MHz	Pass	AV	5.2612G	110.80	Inf	-Inf	3	Vertical	345	1.16
5260MHz	Pass	AV	5.398G	48.04	54.00	-5.96	3	Vertical	345	1.16
5260MHz	Pass	PK	5.1394G	60.16	74.00	-13.84	3	Vertical	345	1.16
5260MHz	Pass	PK	5.257G	121.91	Inf	-Inf	3	Vertical	345	1.16
5260MHz	Pass	PK	5.4028G	59.87	74.00	-14.13	3	Vertical	345	1.16
5260MHz	Pass	AV	5.11G	48.11	54.00	-5.89	3	Horizontal	10	1.03
5260MHz	Pass	AV	5.2582G	111.15	Inf	-Inf	3	Horizontal	10	1.03



RSE TX above 1GHz_Non-Beamforming_Radio 3

Appendix D.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5260MHz	Pass	AV	5.4094G	47.86	54.00	-6.14	3	Horizontal	10	1.03
5260MHz	Pass	PK	5.1484G	60.33	74.00	-13.67	3	Horizontal	10	1.03
5260MHz	Pass	PK	5.2588G	122.27	Inf	-Inf	3	Horizontal	10	1.03
5260MHz	Pass	PK	5.3536G	59.93	74.00	-14.07	3	Horizontal	10	1.03
5260MHz	Pass	AV	15.78162G	46.93	54.00	-7.07	3	Vertical	175	1.50
5260MHz	Pass	PK	10.52498G	55.75	68.20	-12.45	3	Vertical	337	1.50
5260MHz	Pass	PK	15.7698G	59.08	74.00	-14.92	3	Vertical	175	1.50
5260MHz	Pass	AV	15.78582G	46.98	54.00	-7.02	3	Horizontal	31	2.50
5260MHz	Pass	PK	10.52426G	55.71	68.20	-12.49	3	Horizontal	341	1.46
5260MHz	Pass	PK	15.78612G	59.53	74.00	-14.47	3	Horizontal	31	2.50
5300MHz	Pass	AV	5.3008G	111.11	Inf	-Inf	3	Vertical	17	2.13
5300MHz	Pass	AV	5.35G	50.06	54.00	-3.94	3	Vertical	17	2.13
5300MHz	Pass	PK	5.3012G	123.41	Inf	-Inf	3	Vertical	17	2.13
5300MHz	Pass	PK	5.3508G	64.32	74.00	-9.68	3	Vertical	17	2.13
5300MHz	Pass	AV	5.298G	111.17	Inf	-Inf	3	Horizontal	12	1.43
5300MHz	Pass	AV	5.35G	49.36	54.00	-4.64	3	Horizontal	12	1.43
5300MHz	Pass	PK	5.2984G	123.02	Inf	-Inf	3	Horizontal	12	1.43
5300MHz	Pass	PK	5.3508G	63.39	74.00	-10.61	3	Horizontal	12	1.43
5300MHz	Pass	AV	15.90408G	46.48	54.00	-7.52	3	Vertical	0	1.12
5300MHz	Pass	PK	10.6111G	56.04	74.00	-17.96	3	Vertical	0	1.50
5300MHz	Pass	PK	15.89886G	58.91	74.00	-15.09	3	Vertical	0	1.12
5300MHz	Pass	AV	15.89808G	46.61	54.00	-7.39	3	Horizontal	69	2.49
5300MHz	Pass	PK	10.60678G	56.56	74.00	-17.44	3	Horizontal	351	1.59
5300MHz	Pass	PK	15.90642G	59.23	74.00	-14.77	3	Horizontal	69	2.49
5320MHz	Pass	AV	5.3184G	109.80	Inf	-Inf	3	Vertical	353	1.02
5320MHz	Pass	AV	5.35G	52.98	54.00	-1.02	3	Vertical	353	1.02
5320MHz	Pass	PK	5.3178G	121.12	Inf	-Inf	3	Vertical	353	1.02
5320MHz	Pass	PK	5.3522G	68.89	74.00	-5.11	3	Vertical	353	1.02
5320MHz	Pass	AV	5.3188G	108.89	Inf	-Inf	3	Horizontal	10	1.91
5320MHz	Pass	AV	5.35G	50.58	54.00	-3.42	3	Horizontal	10	1.91
5320MHz	Pass	PK	5.3174G	120.15	Inf	-Inf	3	Horizontal	10	1.91
5320MHz	Pass	PK	5.3502G	62.64	74.00	-11.36	3	Horizontal	10	1.91
5320MHz	Pass	AV	10.64006G	44.12	54.00	-9.88	3	Vertical	9	1.49
5320MHz	Pass	AV	15.94674G	46.09	54.00	-7.91	3	Vertical	308	1.18
5320MHz	Pass	PK	10.64978G	56.45	74.00	-17.55	3	Vertical	9	1.49
5320MHz	Pass	PK	15.97266G	58.76	74.00	-15.24	3	Vertical	308	1.18
5320MHz	Pass	AV	10.65266G	43.58	54.00	-10.42	3	Horizontal	160	1.50
5320MHz	Pass	AV	15.95142G	46.15	54.00	-7.85	3	Horizontal	279	1.50
5320MHz	Pass	PK	10.64108G	56.02	74.00	-17.98	3	Horizontal	160	1.50
5320MHz	Pass	PK	15.95202G	58.29	74.00	-15.71	3	Horizontal	279	1.50
5500MHz	Pass	AV	5.46G	49.11	54.00	-4.89	3	Vertical	14	1.50
5500MHz	Pass	AV	5.504G	109.72	Inf	-Inf	3	Vertical	14	1.50
5500MHz	Pass	PK	5.4592G	61.52	74.00	-12.48	3	Vertical	14	1.50
5500MHz	Pass	PK	5.4686G	66.32	68.20	-1.88	3	Vertical	14	1.50
5500MHz	Pass	PK	5.5034G	122.29	Inf	-Inf	3	Vertical	14	1.50
5500MHz	Pass	AV	5.46G	48.46	54.00	-5.54	3	Horizontal	0	1.94
5500MHz	Pass	AV	5.5014G	107.31	Inf	-Inf	3	Horizontal	0	1.94
5500MHz	Pass	PK	5.457G	60.66	74.00	-13.34	3	Horizontal	0	1.94
5500MHz	Pass	PK	5.4694G	62.37	68.20	-5.83	3	Horizontal	0	1.94
5500MHz	Pass	PK	5.5024G	119.18	Inf	-Inf	3	Horizontal	0	1.94
5500MHz	Pass	AV	10.99016G	43.08	54.00	-10.92	3	Vertical	209	1.50
5500MHz	Pass	PK	11.00402G	55.39	74.00	-18.61	3	Vertical	209	1.50
5500MHz	Pass	PK	16.5117G	59.07	68.20	-9.13	3	Vertical	0	2.93
5500MHz	Pass	AV	11G	43.38	54.00	-10.62	3	Horizontal	331	1.50
5500MHz	Pass	PK	10.98698G	56.02	74.00	-17.98	3	Horizontal	331	1.50
5500MHz	Pass	PK	16.51386G	59.24	68.20	-8.96	3	Horizontal	124	2.24
5580MHz	Pass	AV	5.4402G	48.17	54.00	-5.83	3	Vertical	16	1.50
5580MHz	Pass	AV	5.583G	112.67	Inf	-Inf	3	Vertical	16	1.50
5580MHz	Pass	PK	5.436G	60.10	74.00	-13.90	3	Vertical	16	1.50
5580MHz	Pass	PK	5.4678G	59.83	68.20	-8.37	3	Vertical	16	1.50
5580MHz	Pass	PK	5.583G	124.79	Inf	-Inf	3	Vertical	16	1.50
5580MHz	Pass	PK	5.7288G	60.53	68.20	-7.67	3	Vertical	16	1.50



RSE TX above 1GHz_Non-Beamforming_Radio 3

Appendix D.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5580MHz	Pass	AV	5.4438G	47.67	54.00	-6.33	3	Horizontal	8	1.50
5580MHz	Pass	AV	5.5788G	111.06	Inf	-Inf	3	Horizontal	8	1.50
5580MHz	Pass	PK	5.451G	59.95	74.00	-14.05	3	Horizontal	8	1.50
5580MHz	Pass	PK	5.4612G	59.32	68.20	-8.88	3	Horizontal	8	1.50
5580MHz	Pass	PK	5.5788G	121.97	Inf	-Inf	3	Horizontal	8	1.50
5580MHz	Pass	PK	5.7276G	60.74	68.20	-7.46	3	Horizontal	8	1.50
5580MHz	Pass	AV	11.16024G	44.13	54.00	-9.87	3	Vertical	346	1.46
5580MHz	Pass	PK	11.15292G	55.84	74.00	-18.16	3	Vertical	346	1.46
5580MHz	Pass	PK	16.74138G	59.55	68.20	-8.65	3	Vertical	331	2.18
5580MHz	Pass	AV	11.16G	44.13	54.00	-9.87	3	Horizontal	46	1.40
5580MHz	Pass	PK	11.1591G	55.87	74.00	-18.13	3	Horizontal	46	1.40
5580MHz	Pass	PK	16.7394G	58.62	68.20	-9.58	3	Horizontal	323	2.77
5700MHz	Pass	AV	5.7036G	108.71	Inf	-Inf	3	Vertical	352	1.02
5700MHz	Pass	PK	5.7056G	120.27	Inf	-Inf	3	Vertical	352	1.02
5700MHz	Pass	PK	5.7256G	66.62	68.20	-1.58	3	Vertical	352	1.02
5700MHz	Pass	AV	5.6972G	108.21	Inf	-Inf	3	Horizontal	353	1.50
5700MHz	Pass	PK	5.7028G	119.51	Inf	-Inf	3	Horizontal	353	1.50
5700MHz	Pass	PK	5.7252G	67.10	68.20	-1.10	3	Horizontal	353	1.50
5700MHz	Pass	AV	11.3979G	43.51	54.00	-10.49	3	Vertical	250	1.50
5700MHz	Pass	PK	11.3961G	55.77	74.00	-18.23	3	Vertical	250	1.50
5700MHz	Pass	PK	17.106G	59.00	68.20	-9.20	3	Vertical	299	1.00
5700MHz	Pass	AV	11.38614G	43.43	54.00	-10.57	3	Horizontal	34	1.35
5700MHz	Pass	PK	11.40228G	56.12	74.00	-17.88	3	Horizontal	34	1.35
5700MHz	Pass	PK	17.10576G	59.02	68.20	-9.18	3	Horizontal	6	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4452G	47.68	54.00	-6.32	3	Vertical	360	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7236G	111.43	Inf	-Inf	3	Vertical	360	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.444G	59.54	74.00	-14.46	3	Vertical	360	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4656G	59.07	68.20	-9.13	3	Vertical	360	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.726G	123.12	Inf	-Inf	3	Vertical	360	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.9792G	61.42	68.20	-6.78	3	Vertical	360	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4524G	47.55	54.00	-6.45	3	Horizontal	345	1.41
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7176G	109.21	Inf	-Inf	3	Horizontal	345	1.41
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4416G	59.10	74.00	-14.90	3	Horizontal	345	1.41
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.462G	59.13	68.20	-9.07	3	Horizontal	345	1.41
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7176G	120.52	Inf	-Inf	3	Horizontal	345	1.41
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.9108G	61.84	68.20	-6.36	3	Horizontal	345	1.41
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.4301G	43.00	54.00	-11.00	3	Vertical	67	2.95
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.42674G	55.01	74.00	-18.99	3	Vertical	67	2.95
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.15286G	59.02	68.20	-9.18	3	Vertical	0	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43202G	43.15	54.00	-10.85	3	Horizontal	33	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44606G	54.98	74.00	-19.02	3	Horizontal	33	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.15838G	59.96	68.20	-8.24	3	Horizontal	338	1.61
802.11ax HEW40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5270MHz	Pass	AV	5.2664G	108.04	Inf	-Inf	3	Vertical	24	1.64
5270MHz	Pass	AV	5.3504G	53.54	54.00	-0.46	3	Vertical	24	1.64
5270MHz	Pass	PK	5.266G	119.67	Inf	-Inf	3	Vertical	24	1.64
5270MHz	Pass	PK	5.3516G	67.25	74.00	-6.75	3	Vertical	24	1.64
5270MHz	Pass	AV	5.2684G	107.10	Inf	-Inf	3	Horizontal	10	1.50
5270MHz	Pass	AV	5.35G	50.06	54.00	-3.94	3	Horizontal	10	1.50
5270MHz	Pass	PK	5.268G	118.43	Inf	-Inf	3	Horizontal	10	1.50
5270MHz	Pass	PK	5.3512G	62.43	74.00	-11.57	3	Horizontal	10	1.50
5270MHz	Pass	AV	15.80916G	47.12	54.00	-6.88	3	Vertical	295	2.86
5270MHz	Pass	PK	10.54095G	55.47	68.20	-12.73	3	Vertical	279	1.00
5270MHz	Pass	PK	15.80946G	59.36	74.00	-14.64	3	Vertical	295	2.86
5270MHz	Pass	AV	15.80906G	47.30	54.00	-6.70	3	Horizontal	343	1.46
5270MHz	Pass	PK	10.53991G	55.77	68.20	-12.43	3	Horizontal	14	2.81
5270MHz	Pass	PK	15.80992G	59.99	74.00	-14.01	3	Horizontal	343	1.46
5310MHz	Pass	AV	5.3112G	103.34	Inf	-Inf	3	Vertical	17	2.15
5310MHz	Pass	AV	5.3504G	53.17	54.00	-0.83	3	Vertical	17	2.15
5310MHz	Pass	PK	5.3012G	114.85	Inf	-Inf	3	Vertical	17	2.15
5310MHz	Pass	PK	5.3504G	65.38	74.00	-8.62	3	Vertical	17	2.15
5310MHz	Pass	AV	5.3184G	103.66	Inf	-Inf	3	Horizontal	12	1.92



RSE TX above 1GHz_Non-Beamforming_Radio 3

Appendix D.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5310MHz	Pass	AV	5.35G	50.83	54.00	-3.17	3	Horizontal	12	1.92
5310MHz	Pass	PK	5.3184G	116.26	Inf	-Inf	3	Horizontal	12	1.92
5310MHz	Pass	PK	5.35G	63.13	74.00	-10.87	3	Horizontal	12	1.92
5310MHz	Pass	AV	10.61918G	43.17	54.00	-10.83	3	Vertical	48	1.42
5310MHz	Pass	AV	15.92974G	46.11	54.00	-7.89	3	Vertical	106	2.42
5310MHz	Pass	PK	10.61957G	55.69	74.00	-18.31	3	Vertical	48	1.42
5310MHz	Pass	PK	15.92902G	58.95	74.00	-15.05	3	Vertical	106	2.42
5310MHz	Pass	AV	10.61992G	43.35	54.00	-10.65	3	Horizontal	141	2.17
5310MHz	Pass	AV	15.92949G	46.11	54.00	-7.89	3	Horizontal	187	2.62
5310MHz	Pass	PK	10.62013G	55.44	74.00	-18.56	3	Horizontal	141	2.17
5310MHz	Pass	PK	15.93035G	57.79	74.00	-16.21	3	Horizontal	187	2.62
5510MHz	Pass	AV	5.4596G	49.41	54.00	-4.59	3	Vertical	19	1.59
5510MHz	Pass	AV	5.5148G	105.68	Inf	-Inf	3	Vertical	19	1.59
5510MHz	Pass	PK	5.458G	65.20	74.00	-8.80	3	Vertical	19	1.59
5510MHz	Pass	PK	5.4648G	67.95	68.20	-0.25	3	Vertical	19	1.59
5510MHz	Pass	PK	5.5144G	117.24	Inf	-Inf	3	Vertical	19	1.59
5510MHz	Pass	AV	5.4596G	49.26	54.00	-4.74	3	Horizontal	360	1.96
5510MHz	Pass	AV	5.5116G	103.97	Inf	-Inf	3	Horizontal	360	1.96
5510MHz	Pass	PK	5.4528G	61.45	74.00	-12.55	3	Horizontal	360	1.96
5510MHz	Pass	PK	5.47G	64.55	68.20	-3.65	3	Horizontal	360	1.96
5510MHz	Pass	PK	5.5108G	115.64	Inf	-Inf	3	Horizontal	360	1.96
5510MHz	Pass	AV	11.01988G	42.96	54.00	-11.04	3	Vertical	248	1.59
5510MHz	Pass	PK	11.01933G	55.77	74.00	-18.23	3	Vertical	248	1.59
5510MHz	Pass	PK	16.52963G	58.17	68.20	-10.03	3	Vertical	281	1.34
5510MHz	Pass	AV	11.0198G	43.05	54.00	-10.95	3	Horizontal	287	1.46
5510MHz	Pass	PK	11.02011G	55.92	74.00	-18.08	3	Horizontal	287	1.46
5510MHz	Pass	PK	16.53092G	58.47	68.20	-9.73	3	Horizontal	99	2.60
5550MHz	Pass	AV	5.46G	50.67	54.00	-3.33	3	Vertical	16	1.49
5550MHz	Pass	AV	5.544G	109.17	Inf	-Inf	3	Vertical	16	1.49
5550MHz	Pass	PK	5.4584G	63.47	74.00	-10.53	3	Vertical	16	1.49
5550MHz	Pass	PK	5.4672G	65.31	68.20	-2.89	3	Vertical	16	1.49
5550MHz	Pass	PK	5.552G	120.59	Inf	-Inf	3	Vertical	16	1.49
5550MHz	Pass	AV	5.4596G	48.12	54.00	-5.88	3	Horizontal	0	1.89
5550MHz	Pass	AV	5.5516G	105.95	Inf	-Inf	3	Horizontal	0	1.89
5550MHz	Pass	PK	5.4572G	59.44	74.00	-14.56	3	Horizontal	0	1.89
5550MHz	Pass	PK	5.4676G	59.92	68.20	-8.28	3	Horizontal	0	1.89
5550MHz	Pass	PK	5.552G	117.84	Inf	-Inf	3	Horizontal	0	1.89
5550MHz	Pass	AV	11.09967G	43.35	54.00	-10.65	3	Vertical	184	2.61
5550MHz	Pass	PK	11.10045G	56.21	74.00	-17.79	3	Vertical	184	2.61
5550MHz	Pass	PK	16.65047G	58.02	68.20	-10.18	3	Vertical	235	1.26
5550MHz	Pass	AV	11.09993G	43.45	54.00	-10.55	3	Horizontal	340	1.54
5550MHz	Pass	PK	11.1009G	55.30	74.00	-18.70	3	Horizontal	340	1.54
5550MHz	Pass	PK	16.64996G	58.59	68.20	-9.61	3	Horizontal	318	1.29
5670MHz	Pass	AV	5.6736G	105.70	Inf	-Inf	3	Vertical	0	1.19
5670MHz	Pass	PK	5.6718G	118.08	Inf	-Inf	3	Vertical	0	1.19
5670MHz	Pass	PK	5.727G	65.56	68.20	-2.64	3	Vertical	0	1.19
5670MHz	Pass	AV	5.676G	105.44	Inf	-Inf	3	Horizontal	352	1.36
5670MHz	Pass	PK	5.6772G	117.12	Inf	-Inf	3	Horizontal	352	1.36
5670MHz	Pass	PK	5.7258G	66.13	68.20	-2.07	3	Horizontal	352	1.36
5670MHz	Pass	AV	11.34062G	43.40	54.00	-10.60	3	Vertical	257	1.50
5670MHz	Pass	PK	11.33917G	55.27	74.00	-18.73	3	Vertical	257	1.50
5670MHz	Pass	PK	17.00989G	58.97	68.20	-9.23	3	Vertical	251	1.86
5670MHz	Pass	AV	11.33908G	43.40	54.00	-10.60	3	Horizontal	140	2.12
5670MHz	Pass	PK	11.33915G	55.52	74.00	-18.48	3	Horizontal	140	2.12
5670MHz	Pass	PK	17.01088G	58.61	68.20	-9.59	3	Horizontal	124	2.01
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.46G	47.78	54.00	-6.22	3	Vertical	352	1.02
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.704G	110.72	Inf	-Inf	3	Vertical	352	1.02
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4532G	59.60	74.00	-14.40	3	Vertical	352	1.02
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4616G	59.60	68.20	-8.60	3	Vertical	352	1.02
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7052G	122.19	Inf	-Inf	3	Vertical	352	1.02
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8684G	62.93	68.20	-5.27	3	Vertical	352	1.02
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4556G	47.57	54.00	-6.43	3	Horizontal	354	1.26



RSE TX above 1GHz_Non-Beamforming_Radio 3

Appendix D.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7052G	109.58	Inf	-Inf	3	Horizontal	354	1.26
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.416G	59.35	74.00	-14.65	3	Horizontal	354	1.26
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4616G	59.08	68.20	-9.12	3	Horizontal	354	1.26
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.716G	120.97	Inf	-Inf	3	Horizontal	354	1.26
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.9872G	62.95	68.20	-5.25	3	Horizontal	354	1.26
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.40452G	43.33	54.00	-10.67	3	Vertical	279	1.94
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.39408G	55.34	74.00	-18.66	3	Vertical	279	1.94
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.12556G	59.19	68.20	-9.01	3	Vertical	155	3.00
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.39G	43.32	54.00	-10.68	3	Horizontal	71	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.39012G	55.18	74.00	-18.82	3	Horizontal	71	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.14584G	59.07	68.20	-9.13	3	Horizontal	341	1.18
802.11ax HEW80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	AV	5.143G	48.00	54.00	-6.00	3	Vertical	22	1.61
5290MHz	Pass	AV	5.296G	99.83	Inf	-Inf	3	Vertical	22	1.61
5290MHz	Pass	AV	5.354G	53.55	54.00	-0.45	3	Vertical	22	1.61
5290MHz	Pass	PK	5.104G	59.60	74.00	-14.40	3	Vertical	22	1.61
5290MHz	Pass	PK	5.286G	111.16	Inf	-Inf	3	Vertical	22	1.61
5290MHz	Pass	PK	5.353G	65.14	74.00	-8.86	3	Vertical	22	1.61
5290MHz	Pass	PK	5.513G	59.93	68.20	-8.27	3	Vertical	22	1.61
5290MHz	Pass	AV	5.15G	48.14	54.00	-5.86	3	Horizontal	0	1.50
5290MHz	Pass	AV	5.289G	99.22	Inf	-Inf	3	Horizontal	0	1.50
5290MHz	Pass	AV	5.35G	52.69	54.00	-1.31	3	Horizontal	0	1.50
5290MHz	Pass	PK	5.135G	59.46	74.00	-14.54	3	Horizontal	0	1.50
5290MHz	Pass	PK	5.31G	110.36	Inf	-Inf	3	Horizontal	0	1.50
5290MHz	Pass	PK	5.35G	64.79	74.00	-9.21	3	Horizontal	0	1.50
5290MHz	Pass	PK	5.52G	59.41	68.20	-8.79	3	Horizontal	0	1.50
5290MHz	Pass	AV	15.86994G	46.51	54.00	-7.49	3	Vertical	224	1.96
5290MHz	Pass	PK	10.57902G	55.68	68.20	-12.52	3	Vertical	108	1.42
5290MHz	Pass	PK	15.86983G	58.40	74.00	-15.60	3	Vertical	224	1.96
5290MHz	Pass	AV	15.87G	46.51	54.00	-7.49	3	Horizontal	198	1.27
5290MHz	Pass	PK	10.57986G	55.73	68.20	-12.47	3	Horizontal	203	1.37
5290MHz	Pass	PK	15.87092G	58.89	74.00	-15.11	3	Horizontal	198	1.27
5530MHz	Pass	AV	5.35G	47.43	54.00	-6.57	3	Vertical	12	1.40
5530MHz	Pass	AV	5.46G	51.17	54.00	-2.83	3	Vertical	12	1.40
5530MHz	Pass	AV	5.532G	102.73	Inf	-Inf	3	Vertical	12	1.40
5530MHz	Pass	PK	5.307G	59.07	68.20	-9.13	3	Vertical	12	1.40
5530MHz	Pass	PK	5.452G	63.97	74.00	-10.03	3	Vertical	12	1.40
5530MHz	Pass	PK	5.469G	65.86	68.20	-2.34	3	Vertical	12	1.40
5530MHz	Pass	PK	5.544G	113.84	Inf	-Inf	3	Vertical	12	1.40
5530MHz	Pass	PK	5.765G	60.89	68.20	-7.31	3	Vertical	12	1.40
5530MHz	Pass	AV	5.35G	47.43	54.00	-6.57	3	Horizontal	0	1.86
5530MHz	Pass	AV	5.46G	50.13	54.00	-3.87	3	Horizontal	0	1.86
5530MHz	Pass	AV	5.531G	101.44	Inf	-Inf	3	Horizontal	0	1.86
5530MHz	Pass	PK	5.317G	60.07	68.20	-8.13	3	Horizontal	0	1.86
5530MHz	Pass	PK	5.458G	62.23	74.00	-11.77	3	Horizontal	0	1.86
5530MHz	Pass	PK	5.47G	62.07	68.20	-6.13	3	Horizontal	0	1.86
5530MHz	Pass	PK	5.531G	113.70	Inf	-Inf	3	Horizontal	0	1.86
5530MHz	Pass	PK	5.774G	61.53	68.20	-6.67	3	Horizontal	0	1.86
5530MHz	Pass	AV	11.06014G	43.15	54.00	-10.85	3	Vertical	180	1.10
5530MHz	Pass	PK	11.06068G	55.27	74.00	-18.73	3	Vertical	180	1.10
5530MHz	Pass	PK	16.59078G	58.17	68.20	-10.03	3	Vertical	333	1.33
5530MHz	Pass	AV	11.06023G	43.15	54.00	-10.85	3	Horizontal	245	1.41
5530MHz	Pass	PK	11.0608G	55.12	74.00	-18.88	3	Horizontal	245	1.41
5530MHz	Pass	PK	16.58964G	58.83	68.20	-9.37	3	Horizontal	247	2.55
5610MHz	Pass	AV	5.46G	49.11	54.00	-4.89	3	Vertical	14	1.69
5610MHz	Pass	AV	5.614G	104.25	Inf	-Inf	3	Vertical	14	1.69
5610MHz	Pass	PK	5.456G	60.94	74.00	-13.06	3	Vertical	14	1.69
5610MHz	Pass	PK	5.461G	61.72	68.20	-6.48	3	Vertical	14	1.69
5610MHz	Pass	PK	5.633G	115.55	Inf	-Inf	3	Vertical	14	1.69
5610MHz	Pass	PK	5.725G	67.50	68.20	-0.70	3	Vertical	14	1.69
5610MHz	Pass	AV	5.459G	48.12	54.00	-5.88	3	Horizontal	0	1.50
5610MHz	Pass	AV	5.62G	101.83	Inf	-Inf	3	Horizontal	0	1.50



RSE TX above 1GHz_Non-Beamforming_Radio 3

Appendix D.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5610MHz	Pass	PK	5.449G	59.44	74.00	-14.56	3	Horizontal	0	1.50
5610MHz	Pass	PK	5.463G	59.42	68.20	-8.78	3	Horizontal	0	1.50
5610MHz	Pass	PK	5.623G	112.92	Inf	-Inf	3	Horizontal	0	1.50
5610MHz	Pass	PK	5.731G	63.60	68.20	-4.60	3	Horizontal	0	1.50
5610MHz	Pass	AV	11.21935G	43.47	54.00	-10.53	3	Vertical	39	1.55
5610MHz	Pass	PK	11.21994G	55.02	74.00	-18.98	3	Vertical	39	1.55
5610MHz	Pass	PK	16.83096G	59.18	68.20	-9.02	3	Vertical	109	2.07
5610MHz	Pass	AV	11.21994G	43.58	54.00	-10.42	3	Horizontal	94	1.74
5610MHz	Pass	PK	11.21976G	55.46	74.00	-18.54	3	Horizontal	94	1.74
5610MHz	Pass	PK	16.83022G	58.65	68.20	-9.55	3	Horizontal	100	1.61
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4596G	48.47	54.00	-5.53	3	Vertical	12	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6828G	105.87	Inf	-Inf	3	Vertical	12	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4548G	60.06	74.00	-13.94	3	Vertical	12	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4644G	59.99	68.20	-8.21	3	Vertical	12	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6936G	117.47	Inf	-Inf	3	Vertical	12	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8628G	67.16	68.20	-1.04	3	Vertical	12	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4512G	47.90	54.00	-6.10	3	Horizontal	352	1.32
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6972G	105.74	Inf	-Inf	3	Horizontal	352	1.32
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4512G	59.91	74.00	-14.09	3	Horizontal	352	1.32
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4692G	58.99	68.20	-9.21	3	Horizontal	352	1.32
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.696G	116.80	Inf	-Inf	3	Horizontal	352	1.32
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8604G	63.42	68.20	-4.78	3	Horizontal	352	1.32
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.344G	43.59	54.00	-10.41	3	Vertical	112	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.37976G	56.24	74.00	-17.76	3	Vertical	112	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.12568G	59.08	68.20	-9.12	3	Vertical	324	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.33824G	43.51	54.00	-10.49	3	Horizontal	360	2.02
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.41744G	55.67	74.00	-18.33	3	Horizontal	360	2.02
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.1216G	59.29	68.20	-8.91	3	Horizontal	150	1.99
802.11ax HEW160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.15G	52.75	54.00	-1.25	3	Vertical	360	1.38
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.2656G	96.15	Inf	-Inf	3	Vertical	360	1.38
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3544G	53.91	54.00	-0.09	3	Vertical	360	1.38
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.148G	65.60	74.00	-8.40	3	Vertical	360	1.38
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.2476G	108.33	Inf	-Inf	3	Vertical	360	1.38
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3652G	66.38	74.00	-7.62	3	Vertical	360	1.38
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.466G	60.84	68.20	-7.36	3	Vertical	360	1.38
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.148G	53.17	54.00	-0.83	3	Horizontal	6	1.19
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.238G	96.69	Inf	-Inf	3	Horizontal	6	1.19
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3592G	52.54	54.00	-1.46	3	Horizontal	6	1.19
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.142G	66.37	74.00	-7.63	3	Horizontal	6	1.19
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.2176G	109.33	Inf	-Inf	3	Horizontal	6	1.19
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3628G	65.77	74.00	-8.23	3	Horizontal	6	1.19
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.4732G	59.68	68.20	-8.52	3	Horizontal	6	1.19
5250MHz Straddle 5.25-5.35GHz	Pass	AV	15.75083G	46.35	54.00	-7.65	3	Vertical	1	1.81
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.49944G	55.23	68.20	-12.97	3	Vertical	337	1.64
5250MHz Straddle 5.25-5.35GHz	Pass	PK	15.74991G	58.29	74.00	-15.71	3	Vertical	1	1.81
5250MHz Straddle 5.25-5.35GHz	Pass	AV	15.75039G	46.35	54.00	-7.65	3	Horizontal	290	1.76
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.499G	56.06	68.20	-12.14	3	Horizontal	82	2.89
5250MHz Straddle 5.25-5.35GHz	Pass	PK	15.74943G	58.46	74.00	-15.54	3	Horizontal	290	1.76
5570MHz	Pass	AV	5.4428G	51.77	54.00	-2.23	3	Vertical	16	1.49
5570MHz	Pass	AV	5.5436G	100.55	Inf	-Inf	3	Vertical	16	1.49
5570MHz	Pass	PK	5.336G	60.08	68.20	-8.12	3	Vertical	16	1.49
5570MHz	Pass	PK	5.4308G	64.06	74.00	-9.94	3	Vertical	16	1.49
5570MHz	Pass	PK	5.4692G	64.57	68.20	-3.63	3	Vertical	16	1.49
5570MHz	Pass	PK	5.534G	112.78	Inf	-Inf	3	Vertical	16	1.49
5570MHz	Pass	PK	5.7296G	67.11	68.20	-1.09	3	Vertical	16	1.49
5570MHz	Pass	AV	5.4596G	51.05	54.00	-2.95	3	Horizontal	0	1.75
5570MHz	Pass	AV	5.612G	99.19	Inf	-Inf	3	Horizontal	0	1.75
5570MHz	Pass	PK	5.3252G	60.22	68.20	-7.98	3	Horizontal	0	1.75
5570MHz	Pass	PK	5.4524G	62.27	74.00	-11.73	3	Horizontal	0	1.75
5570MHz	Pass	PK	5.4632G	65.21	68.20	-2.99	3	Horizontal	0	1.75
5570MHz	Pass	PK	5.6132G	111.30	Inf	-Inf	3	Horizontal	0	1.75




RSE TX above 1GHz_Non-Beamforming_Radio 3

Appendix D.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5570MHz	Pass	PK	5.732G	64.99	68.20	-3.21	3	Horizontal	0	1.75
5570MHz	Pass	AV	11.14021G	43.40	54.00	-10.60	3	Vertical	88	2.09
5570MHz	Pass	PK	11.14058G	55.18	74.00	-18.82	3	Vertical	88	2.09
5570MHz	Pass	PK	16.71043G	59.04	68.20	-9.16	3	Vertical	188	1.28
5570MHz	Pass	AV	11.14021G	43.40	54.00	-10.60	3	Horizontal	107	1.85
5570MHz	Pass	PK	11.14024G	55.09	74.00	-18.91	3	Horizontal	107	1.85
5570MHz	Pass	PK	16.70956G	58.38	68.20	-9.82	3	Horizontal	322	1.23

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1196G	49.08	54.00	-4.92	6.16	3	Vertical	360	1.37	42.92	33.14	6.99	33.97
AV	5.2624G	112.23	Inf	-Inf	6.25	3	Vertical	360	1.37	105.98	33.08	7.11	33.94
AV	5.4028G	49.45	54.00	-4.55	6.28	3	Vertical	360	1.37	43.17	33.00	7.19	33.91
PK	5.119G	61.05	74.00	-12.95	6.16	3	Vertical	360	1.37	54.89	33.14	6.99	33.97
PK	5.2618G	121.95	Inf	-Inf	6.25	3	Vertical	360	1.37	115.70	33.08	7.11	33.94
PK	5.3992G	60.94	74.00	-13.06	6.28	3	Vertical	360	1.37	54.66	33.00	7.19	33.91

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1262G	48.75	54.00	-5.25	6.19	3	Horizontal	10	1.03	42.56	33.15	7.00	33.96
AV	5.2588G	111.76	Inf	-Inf	6.25	3	Horizontal	10	1.03	105.51	33.08	7.11	33.94
AV	5.398G	48.38	54.00	-5.62	6.28	3	Horizontal	10	1.03	42.10	33.00	7.19	33.91
PK	5.119G	60.26	74.00	-13.74	6.16	3	Horizontal	10	1.03	54.10	33.14	6.99	33.97
PK	5.2594G	119.62	Inf	-Inf	6.25	3	Horizontal	10	1.03	113.37	33.08	7.11	33.94
PK	5.41G	59.78	74.00	-14.22	6.29	3	Horizontal	10	1.03	53.49	33.00	7.20	33.91




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX



5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX


5300MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.298G	111.57	Inf	-Inf	6.20	3	Vertical	20	1.61	105.37	33.00	7.13	33.93
AV	5.35G	48.92	54.00	-5.08	6.14	3	Vertical	20	1.61	42.78	32.90	7.16	33.92
PK	5.302G	121.23	Inf	-Inf	6.20	3	Vertical	20	1.61	115.03	33.00	7.13	33.93
PK	5.3504G	60.41	74.00	-13.59	6.14	3	Vertical	20	1.61	54.27	32.90	7.16	33.92

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX


5300MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.2992G	111.90	Inf	-Inf	6.20	3	Horizontal	11	2.00	105.70	33.00	7.13	33.93
AV	5.35G	48.76	54.00	-5.24	6.14	3	Horizontal	11	2.00	42.62	32.90	7.16	33.92
PK	5.2992G	119.75	Inf	-Inf	6.20	3	Horizontal	11	2.00	113.55	33.00	7.13	33.93
PK	5.35G	61.11	74.00	-12.89	6.14	3	Horizontal	11	2.00	54.97	32.90	7.16	33.92


5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX



5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4598G	49.99	54.00	-4.01	6.32	3	Vertical	0	1.34	43.67	33.00	7.22	33.90
AV	5.5024G	111.30	Inf	-Inf	6.36	3	Vertical	0	1.34	104.94	33.00	7.25	33.89
PK	5.459G	62.30	74.00	-11.70	6.32	3	Vertical	0	1.34	55.98	33.00	7.22	33.90
PK	5.4698G	67.39	68.20	-0.81	6.33	3	Vertical	0	1.34	61.06	33.00	7.23	33.90
PK	5.5018G	121.17	Inf	-Inf	6.36	3	Vertical	0	1.34	114.81	33.00	7.25	33.89

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4598G	48.63	54.00	-5.37	6.32	3	Horizontal	360	1.80	42.31	33.00	7.22	33.90
AV	5.5054G	108.35	Inf	-Inf	6.36	3	Horizontal	360	1.80	101.99	33.00	7.25	33.89
PK	5.4596G	60.91	74.00	-13.09	6.32	3	Horizontal	360	1.80	54.59	33.00	7.22	33.90
PK	5.47G	62.96	68.20	-5.24	6.33	3	Horizontal	360	1.80	56.63	33.00	7.23	33.90
PK	5.5028G	116.61	Inf	-Inf	6.36	3	Horizontal	360	1.80	110.25	33.00	7.25	33.89


5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX



5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5580MHz_TX






5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX



5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5700MHz_TX






5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX



5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5700MHz_TX






5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX



5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5720MHz Straddle 5.47-5.725GHz_TX






5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX



5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5720MHz Straddle 5.47-5.725GHz_TX






5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5260MHz_TX



5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5260MHz_TX






5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5260MHz_TX




5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5260MHz_TX



5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX


5300MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.3008G	111.11	Inf	-Inf	6.20	3	Vertical	17	2.13	104.91	33.00	7.13	33.93
AV	5.35G	50.06	54.00	-3.94	6.14	3	Vertical	17	2.13	43.92	32.90	7.16	33.92
PK	5.3012G	123.41	Inf	-Inf	6.20	3	Vertical	17	2.13	117.21	33.00	7.13	33.93
PK	5.3508G	64.32	74.00	-9.68	6.14	3	Vertical	17	2.13	58.18	32.90	7.16	33.92

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5300MHz_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.298G	111.17	Inf	-Inf	6.20	3	Horizontal	12	1.43	104.97	33.00	7.13	33.93
AV	5.35G	49.36	54.00	-4.64	6.14	3	Horizontal	12	1.43	43.22	32.90	7.16	33.92
PK	5.2984G	123.02	Inf	-Inf	6.20	3	Horizontal	12	1.43	116.82	33.00	7.13	33.93
PK	5.3508G	63.39	74.00	-10.61	6.14	3	Horizontal	12	1.43	57.25	32.90	7.16	33.92




5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5300MHz_TX




5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5300MHz_TX



5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3184G	109.80	Inf	-Inf	6.17	3	Vertical	353	1.02	103.63	32.96	7.14	33.93
AV	5.35G	52.98	54.00	-1.02	6.14	3	Vertical	353	1.02	46.84	32.90	7.16	33.92
PK	5.3178G	121.12	Inf	-Inf	6.17	3	Vertical	353	1.02	114.95	32.96	7.14	33.93
PK	5.3522G	68.89	74.00	-5.11	6.14	3	Vertical	353	1.02	62.75	32.90	7.16	33.92

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3188G	108.89	Inf	-Inf	6.17	3	Horizontal	10	1.91	102.72	32.96	7.14	33.93
AV	5.35G	50.58	54.00	-3.42	6.14	3	Horizontal	10	1.91	44.44	32.90	7.16	33.92
PK	5.3174G	120.15	Inf	-Inf	6.18	3	Horizontal	10	1.91	113.97	32.97	7.14	33.93
PK	5.3502G	62.64	74.00	-11.36	6.14	3	Horizontal	10	1.91	56.50	32.90	7.16	33.92

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.64006G	44.12	54.00	-9.88	15.28	3	Vertical	9	1.49	28.84	39.12	10.45	34.29
AV	15.94674G	46.09	54.00	-7.91	17.39	3	Vertical	308	1.18	28.70	38.15	13.05	33.81
PK	10.64978G	56.45	74.00	-17.55	15.33	3	Vertical	9	1.49	41.12	39.15	10.46	34.28
PK	15.97266G	58.76	74.00	-15.24	17.37	3	Vertical	308	1.18	41.39	38.13	13.06	33.82

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.65266G	43.58	54.00	-10.42	15.34	3	Horizontal	160	1.50	28.24	39.16	10.46	34.28
AV	15.95142G	46.15	54.00	-7.85	17.39	3	Horizontal	279	1.50	28.76	38.15	13.05	33.81
PK	10.64108G	56.02	74.00	-17.98	15.28	3	Horizontal	160	1.50	40.74	39.12	10.45	34.29
PK	15.95202G	58.29	74.00	-15.71	17.39	3	Horizontal	279	1.50	40.90	38.15	13.05	33.81




5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TX



5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5500MHz_TX






5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TX



5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5500MHz_TX






5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TX



5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5580MHz_TX






5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TX



5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5580MHz_TX






5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TX



5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5700MHz_TX






5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TX



5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5700MHz_TX






5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX



5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5720MHz Straddle 5.47-5.725GHz_TX






5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX



5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX


5270MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.2664G	108.04	Inf	-Inf	6.24	3	Vertical	24	1.64	101.80	33.07	7.11	33.94
AV	5.3504G	53.54	54.00	-0.46	6.14	3	Vertical	24	1.64	47.40	32.90	7.16	33.92
PK	5.266G	119.67	Inf	-Inf	6.24	3	Vertical	24	1.64	113.43	33.07	7.11	33.94
PK	5.3516G	67.25	74.00	-6.75	6.14	3	Vertical	24	1.64	61.11	32.90	7.16	33.92

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX


5270MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.2684G	107.10	Inf	-Inf	6.23	3	Horizontal	10	1.50	100.87	33.06	7.11	33.94
AV	5.35G	50.06	54.00	-3.94	6.14	3	Horizontal	10	1.50	43.92	32.90	7.16	33.92
PK	5.268G	118.43	Inf	-Inf	6.23	3	Horizontal	10	1.50	112.20	33.06	7.11	33.94
PK	5.3512G	62.43	74.00	-11.57	6.14	3	Horizontal	10	1.50	56.29	32.90	7.16	33.92


5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5270MHz_TX




5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5270MHz_TX



5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX


5310MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.3112G	103.34	Inf	-Inf	6.19	3	Vertical	17	2.15	97.15	32.98	7.14	33.93
AV	5.3504G	53.17	54.00	-0.83	6.14	3	Vertical	17	2.15	47.03	32.90	7.16	33.92
PK	5.3012G	114.85	Inf	-Inf	6.20	3	Vertical	17	2.15	108.65	33.00	7.13	33.93
PK	5.3504G	65.38	74.00	-8.62	6.14	3	Vertical	17	2.15	59.24	32.90	7.16	33.92

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX


5310MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.3184G	103.66	Inf	-Inf	6.17	3	Horizontal	12	1.92	97.49	32.96	7.14	33.93
AV	5.35G	50.83	54.00	-3.17	6.14	3	Horizontal	12	1.92	44.69	32.90	7.16	33.92
PK	5.3184G	116.26	Inf	-Inf	6.17	3	Horizontal	12	1.92	110.09	32.96	7.14	33.93
PK	5.35G	63.13	74.00	-10.87	6.14	3	Horizontal	12	1.92	56.99	32.90	7.16	33.92


5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5310MHz_TX




5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5310MHz_TX




5.47-5.725GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5510MHz_TX



5.47-5.725GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX


5510MHz_TX






5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5510MHz_TX



5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5510MHz_TX





5.47-5.725GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	50.67	54.00	-3.33	6.32	3	Vertical	16	1.49	44.35	33.00	7.22	33.90
AV	5.544G	109.17	Inf	-Inf	6.37	3	Vertical	16	1.49	102.80	33.00	7.27	33.90
PK	5.4584G	63.47	74.00	-10.53	6.32	3	Vertical	16	1.49	57.15	33.00	7.22	33.90
PK	5.4672G	65.31	68.20	-2.89	6.33	3	Vertical	16	1.49	58.98	33.00	7.23	33.90
PK	5.552G	120.59	Inf	-Inf	6.36	3	Vertical	16	1.49	114.23	33.00	7.27	33.91

5.47-5.725GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	48.12	54.00	-5.88	6.32	3	Horizontal	0	1.89	41.80	33.00	7.22	33.90
AV	5.5516G	105.95	Inf	-Inf	6.36	3	Horizontal	0	1.89	99.59	33.00	7.27	33.91
PK	5.4572G	59.44	74.00	-14.56	6.32	3	Horizontal	0	1.89	53.12	33.00	7.22	33.90
PK	5.4676G	59.92	68.20	-8.28	6.33	3	Horizontal	0	1.89	53.59	33.00	7.23	33.90
PK	5.552G	117.84	Inf	-Inf	6.36	3	Horizontal	0	1.89	111.48	33.00	7.27	33.91




5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5550MHz_TX



5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5550MHz_TX






5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5670MHz_TX



5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5670MHz_TX






5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5670MHz_TX




5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5670MHz_TX




5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX



5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5710MHz Straddle 5.47-5.725GHz_TX






5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX



5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.143G	48.00	54.00	-6.00	6.24	3	Vertical	22	1.61	41.76	33.19	7.01	33.96
AV	5.296G	99.83	Inf	-Inf	6.21	3	Vertical	22	1.61	93.62	33.01	7.13	33.93
AV	5.354G	53.55	54.00	-0.45	6.15	3	Vertical	22	1.61	47.40	32.91	7.16	33.92
PK	5.104G	59.60	74.00	-14.40	6.11	3	Vertical	22	1.61	53.49	33.11	6.97	33.97
PK	5.286G	111.16	Inf	-Inf	6.22	3	Vertical	22	1.61	104.94	33.03	7.12	33.93
PK	5.353G	65.14	74.00	-8.86	6.15	3	Vertical	22	1.61	58.99	32.91	7.16	33.92
PK	5.513G	59.93	68.20	-8.27	6.36	3	Vertical	22	1.61	53.57	33.00	7.25	33.89

5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	48.14	54.00	-5.86	6.26	3	Horizontal	0	1.50	41.88	33.20	7.02	33.96
AV	5.289G	99.22	Inf	-Inf	6.21	3	Horizontal	0	1.50	93.01	33.02	7.12	33.93
AV	5.35G	52.69	54.00	-1.31	6.14	3	Horizontal	0	1.50	46.55	32.90	7.16	33.92
PK	5.135G	59.46	74.00	-14.54	6.22	3	Horizontal	0	1.50	53.24	33.17	7.01	33.96
PK	5.31G	110.36	Inf	-Inf	6.19	3	Horizontal	0	1.50	104.17	32.98	7.14	33.93
PK	5.35G	64.79	74.00	-9.21	6.14	3	Horizontal	0	1.50	58.65	32.90	7.16	33.92
PK	5.52G	59.41	68.20	-8.79	6.36	3	Horizontal	0	1.50	53.05	33.00	7.26	33.90




5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5290MHz_TX




5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5290MHz_TX



5.47-5.725GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	47.43	54.00	-6.57	6.14	3	Vertical	12	1.40	41.29	32.90	7.16	33.92
AV	5.46G	51.17	54.00	-2.83	6.32	3	Vertical	12	1.40	44.85	33.00	7.22	33.90
AV	5.532G	102.73	Inf	-Inf	6.36	3	Vertical	12	1.40	96.37	33.00	7.26	33.90
PK	5.307G	59.07	68.20	-9.13	6.19	3	Vertical	12	1.40	52.88	32.99	7.13	33.93
PK	5.452G	63.97	74.00	-10.03	6.32	3	Vertical	12	1.40	57.65	33.00	7.22	33.90
PK	5.469G	65.86	68.20	-2.34	6.33	3	Vertical	12	1.40	59.53	33.00	7.23	33.90
PK	5.544G	113.84	Inf	-Inf	6.37	3	Vertical	12	1.40	107.47	33.00	7.27	33.90
PK	5.765G	60.89	68.20	-7.31	7.46	3	Vertical	12	1.40	53.43	33.96	7.47	33.97

5.47-5.725GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX

5530MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	47.43	54.00	-6.57	6.14	3	Horizontal	0	1.86	41.29	32.90	7.16	33.92
AV	5.46G	50.13	54.00	-3.87	6.32	3	Horizontal	0	1.86	43.81	33.00	7.22	33.90
AV	5.531G	101.44	Inf	-Inf	6.36	3	Horizontal	0	1.86	95.08	33.00	7.26	33.90
PK	5.317G	60.07	68.20	-8.13	6.18	3	Horizontal	0	1.86	53.89	32.97	7.14	33.93
PK	5.458G	62.23	74.00	-11.77	6.32	3	Horizontal	0	1.86	55.91	33.00	7.22	33.90
PK	5.47G	62.07	68.20	-6.13	6.33	3	Horizontal	0	1.86	55.74	33.00	7.23	33.90
PK	5.531G	113.70	Inf	-Inf	6.36	3	Horizontal	0	1.86	107.34	33.00	7.26	33.90
PK	5.774G	61.53	68.20	-6.67	7.50	3	Horizontal	0	1.86	54.03	34.00	7.48	33.98




5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5530MHz_TX



5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5530MHz_TX






5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5610MHz_TX



5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5610MHz_TX






5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5610MHz_TX




5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5610MHz_TX




5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX



5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5690MHz Straddle 5.47-5.725GHz_TX






5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX



5.25-5.35GHz_802.11ax HEW160_Nss1,(MCS0)_2TX


5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	52.75	54.00	-1.25	6.26	3	Vertical	360	1.38	46.49	33.20	7.02	33.96
AV	5.2656G	96.15	Inf	-Inf	6.24	3	Vertical	360	1.38	89.91	33.07	7.11	33.94
AV	5.3544G	53.91	54.00	-0.09	6.15	3	Vertical	360	1.38	47.76	32.91	7.16	33.92
PK	5.148G	65.60	74.00	-8.40	6.26	3	Vertical	360	1.38	59.34	33.20	7.02	33.96
PK	5.2476G	108.33	Inf	-Inf	6.26	3	Vertical	360	1.38	102.07	33.10	7.10	33.94
PK	5.3652G	66.38	74.00	-7.62	6.18	3	Vertical	360	1.38	60.20	32.93	7.17	33.92
PK	5.466G	60.84	68.20	-7.36	6.33	3	Vertical	360	1.38	54.51	33.00	7.23	33.90

5.25-5.35GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.148G	53.17	54.00	-0.83	6.26	3	Horizontal	6	1.19	46.91	33.20	7.02	33.96
AV	5.238G	96.69	Inf	-Inf	6.27	3	Horizontal	6	1.19	90.42	33.12	7.09	33.94
AV	5.3592G	52.54	54.00	-1.46	6.17	3	Horizontal	6	1.19	46.37	32.92	7.17	33.92
PK	5.142G	66.37	74.00	-7.63	6.23	3	Horizontal	6	1.19	60.14	33.18	7.01	33.96
PK	5.2176G	109.33	Inf	-Inf	6.29	3	Horizontal	6	1.19	103.04	33.16	7.08	33.95
PK	5.3628G	65.77	74.00	-8.23	6.18	3	Horizontal	6	1.19	59.59	32.93	7.17	33.92
PK	5.4732G	59.68	68.20	-8.52	6.33	3	Horizontal	6	1.19	53.35	33.00	7.23	33.90




5.25-5.35GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




5.25-5.35GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX



5.47-5.725GHz_802.11ax_HEW160_Nss1,(MCS0)_2TX


5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4428G	51.77	54.00	-2.23	6.31	3	Vertical	16	1.49	45.46	33.00	7.21	33.90
AV	5.5436G	100.55	Inf	-Inf	6.37	3	Vertical	16	1.49	94.18	33.00	7.27	33.90
PK	5.336G	60.08	68.20	-8.12	6.16	3	Vertical	16	1.49	53.92	32.93	7.15	33.92
PK	5.4308G	64.06	74.00	-9.94	6.31	3	Vertical	16	1.49	57.75	33.00	7.21	33.90
PK	5.4692G	64.57	68.20	-3.63	6.33	3	Vertical	16	1.49	58.24	33.00	7.23	33.90
PK	5.534G	112.78	Inf	-Inf	6.36	3	Vertical	16	1.49	106.42	33.00	7.26	33.90
PK	5.7296G	67.11	68.20	-1.09	7.30	3	Vertical	16	1.49	59.81	33.82	7.44	33.96

5.47-5.725GHz_802.11ax_HEW160_Nss1,(MCS0)_2TX

5570MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	51.05	54.00	-2.95	6.32	3	Horizontal	0	1.75	44.73	33.00	7.22	33.90
AV	5.612G	99.19	Inf	-Inf	6.48	3	Horizontal	0	1.75	92.71	33.10	7.31	33.93
PK	5.3252G	60.22	68.20	-7.98	6.18	3	Horizontal	0	1.75	54.04	32.95	7.15	33.92
PK	5.4524G	62.27	74.00	-11.73	6.32	3	Horizontal	0	1.75	55.95	33.00	7.22	33.90
PK	5.4632G	65.21	68.20	-2.99	6.32	3	Horizontal	0	1.75	58.89	33.00	7.22	33.90
PK	5.6132G	111.30	Inf	-Inf	6.48	3	Horizontal	0	1.75	104.82	33.10	7.31	33.93
PK	5.732G	64.99	68.20	-3.21	7.31	3	Horizontal	0	1.75	57.68	33.83	7.44	33.96




5.47-5.725GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

5570MHz_TX



5.47-5.725GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

5570MHz_TX





**RSE TX above 1GHz_
Non-Beamforming_Radio 2(Low Band)+Radio 3(High Band)**

Appendix D.3

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	5.35G	53.54	54.00	-0.46	3	Vertical	30	1.71
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	AV	5.3506G	53.46	54.00	-0.54	3	Vertical	29	1.71
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	AV	5.35G	53.78	54.00	-0.22	3	Vertical	32	1.71
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	AV	5.35G	53.94	54.00	-0.06	3	Vertical	34	1.57
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	PK	5.7252G	68.09	68.20	-0.11	3	Horizontal	7	1.10
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	PK	5.726G	67.92	68.20	-0.28	3	Horizontal	7	1.18
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	PK	5.7264G	67.43	68.20	-0.77	3	Horizontal	8	1.30
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	PK	5.467G	67.03	68.20	-1.17	3	Horizontal	20	1.05
802.11ax HEW160_Nss1,(MCS0)_2TX	Pass	PK	5.4668G	66.74	68.20	-1.46	3	Vertical	22	1.40



RSE TX above 1GHz
Non-Beamforming_Radio 2(Low Band)+Radio 3(High Band)

Appendix D.3

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	AV	5.1154G	46.50	54.00	-7.50	3	Vertical	23	1.74
5260MHz	Pass	AV	5.2636G	111.32	Inf	-Inf	3	Vertical	23	1.74
5260MHz	Pass	AV	5.3506G	47.35	54.00	-6.65	3	Vertical	23	1.74
5260MHz	Pass	PK	5.1166G	58.55	74.00	-15.45	3	Vertical	23	1.74
5260MHz	Pass	PK	5.2636G	120.13	Inf	-Inf	3	Vertical	23	1.74
5260MHz	Pass	PK	5.3638G	57.97	74.00	-16.03	3	Vertical	23	1.74
5260MHz	Pass	AV	5.1478G	46.97	54.00	-7.03	3	Horizontal	12	1.82
5260MHz	Pass	AV	5.257G	112.31	Inf	-Inf	3	Horizontal	12	1.82
5260MHz	Pass	AV	5.3542G	47.69	54.00	-6.31	3	Horizontal	12	1.82
5260MHz	Pass	PK	5.1184G	58.91	74.00	-15.09	3	Horizontal	12	1.82
5260MHz	Pass	PK	5.2618G	122.56	Inf	-Inf	3	Horizontal	12	1.82
5260MHz	Pass	PK	5.3572G	59.24	74.00	-14.76	3	Horizontal	12	1.82
5260MHz	Pass	AV	15.77952G	49.83	54.00	-4.17	3	Vertical	352	1.81
5260MHz	Pass	PK	10.52216G	54.28	68.20	-13.92	3	Vertical	31	1.76
5260MHz	Pass	PK	15.77982G	63.46	74.00	-10.54	3	Vertical	352	1.81
5260MHz	Pass	AV	15.78264G	47.47	54.00	-6.53	3	Horizontal	355	1.50
5260MHz	Pass	PK	10.5125G	54.37	68.20	-13.83	3	Horizontal	27	1.58
5260MHz	Pass	PK	15.77784G	60.07	74.00	-13.93	3	Horizontal	355	1.50
5300MHz	Pass	AV	5.2992G	112.57	Inf	-Inf	3	Vertical	29	1.93
5300MHz	Pass	AV	5.35G	49.15	54.00	-4.85	3	Vertical	29	1.93
5300MHz	Pass	PK	5.3036G	121.22	Inf	-Inf	3	Vertical	29	1.93
5300MHz	Pass	PK	5.3624G	60.28	74.00	-13.72	3	Vertical	29	1.93
5300MHz	Pass	AV	5.2968G	112.30	Inf	-Inf	3	Horizontal	18	1.83
5300MHz	Pass	AV	5.3512G	48.74	54.00	-5.26	3	Horizontal	18	1.83
5300MHz	Pass	PK	5.302G	121.89	Inf	-Inf	3	Horizontal	18	1.83
5300MHz	Pass	PK	5.3512G	59.84	74.00	-14.16	3	Horizontal	18	1.83
5300MHz	Pass	AV	15.90186G	42.48	54.00	-11.52	3	Vertical	-0	1.96
5300MHz	Pass	PK	10.59994G	55.43	68.20	-12.77	3	Vertical	42	1.61
5300MHz	Pass	PK	15.89652G	54.28	74.00	-19.72	3	Vertical	-0	1.96
5300MHz	Pass	AV	10.60198G	47.98	54.00	-6.02	3	Horizontal	37	1.49
5300MHz	Pass	AV	15.90216G	41.97	54.00	-12.03	3	Horizontal	350	1.76
5300MHz	Pass	PK	10.60174G	58.60	74.00	-15.40	3	Horizontal	37	1.49
5300MHz	Pass	PK	15.89886G	53.98	74.00	-20.02	3	Horizontal	350	1.76
5320MHz	Pass	AV	5.3214G	110.54	Inf	-Inf	3	Vertical	30	1.71
5320MHz	Pass	AV	5.35G	53.54	54.00	-0.46	3	Vertical	30	1.71
5320MHz	Pass	PK	5.317G	119.87	Inf	-Inf	3	Vertical	30	1.71
5320MHz	Pass	PK	5.35G	65.03	74.00	-8.97	3	Vertical	30	1.71
5320MHz	Pass	AV	5.319G	109.96	Inf	-Inf	3	Horizontal	19	1.62
5320MHz	Pass	AV	5.35G	51.82	54.00	-2.18	3	Horizontal	19	1.62
5320MHz	Pass	PK	5.322G	119.49	Inf	-Inf	3	Horizontal	19	1.62
5320MHz	Pass	PK	5.3502G	63.62	74.00	-10.38	3	Horizontal	19	1.62
5320MHz	Pass	AV	10.63988G	45.10	54.00	-8.90	3	Vertical	44	1.33
5320MHz	Pass	AV	15.95688G	42.06	54.00	-11.94	3	Vertical	-0	1.92
5320MHz	Pass	PK	10.64606G	56.01	74.00	-17.99	3	Vertical	44	1.33
5320MHz	Pass	PK	15.97362G	54.19	74.00	-19.81	3	Vertical	-0	1.92
5320MHz	Pass	AV	10.64216G	46.91	54.00	-7.09	3	Horizontal	37	1.58
5320MHz	Pass	AV	15.95322G	41.84	54.00	-12.16	3	Horizontal	177	3.00
5320MHz	Pass	PK	10.64198G	58.85	74.00	-15.15	3	Horizontal	37	1.58
5320MHz	Pass	PK	15.96312G	54.42	74.00	-19.58	3	Horizontal	177	3.00
5500MHz	Pass	AV	5.458G	47.92	54.00	-6.08	3	Vertical	22	1.41
5500MHz	Pass	AV	5.4968G	109.84	Inf	-Inf	3	Vertical	22	1.41
5500MHz	Pass	PK	5.458G	61.63	74.00	-12.37	3	Vertical	22	1.41
5500MHz	Pass	PK	5.4672G	66.17	68.20	-2.03	3	Vertical	22	1.41
5500MHz	Pass	PK	5.5018G	119.83	Inf	-Inf	3	Vertical	22	1.41
5500MHz	Pass	AV	5.459G	47.25	54.00	-6.75	3	Horizontal	352	1.42
5500MHz	Pass	AV	5.5034G	108.70	Inf	-Inf	3	Horizontal	352	1.42
5500MHz	Pass	PK	5.4578G	60.66	74.00	-13.34	3	Horizontal	352	1.42
5500MHz	Pass	PK	5.4682G	64.98	68.20	-3.22	3	Horizontal	352	1.42
5500MHz	Pass	PK	5.4986G	117.06	Inf	-Inf	3	Horizontal	352	1.42
5500MHz	Pass	AV	11.00006G	42.40	54.00	-11.60	3	Vertical	350	1.64



RSE TX above 1GHz
Non-Beamforming_Radio 2(Low Band)+Radio 3(High Band)

Appendix D.3

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5500MHz	Pass	PK	11.00018G	54.50	74.00	-19.50	3	Vertical	350	1.64
5500MHz	Pass	PK	16.4952G	54.04	68.20	-14.16	3	Vertical	352	1.47
5500MHz	Pass	AV	11.00018G	43.04	54.00	-10.96	3	Horizontal	12	1.52
5500MHz	Pass	PK	11.0009G	54.60	74.00	-19.40	3	Horizontal	12	1.52
5500MHz	Pass	PK	16.49964G	54.61	68.20	-13.59	3	Horizontal	129	1.99
5580MHz	Pass	AV	5.454G	46.11	54.00	-7.89	3	Vertical	342	1.56
5580MHz	Pass	AV	5.583G	112.95	Inf	-Inf	3	Vertical	342	1.56
5580MHz	Pass	PK	5.4312G	57.60	74.00	-16.40	3	Vertical	342	1.56
5580MHz	Pass	PK	5.4618G	58.37	68.20	-9.83	3	Vertical	342	1.56
5580MHz	Pass	PK	5.583G	122.06	Inf	-Inf	3	Vertical	342	1.56
5580MHz	Pass	PK	5.7276G	58.47	68.20	-9.73	3	Vertical	342	1.56
5580MHz	Pass	AV	5.4438G	46.23	54.00	-7.77	3	Horizontal	24	1.26
5580MHz	Pass	AV	5.5794G	114.00	Inf	-Inf	3	Horizontal	24	1.26
5580MHz	Pass	PK	5.454G	58.45	74.00	-15.55	3	Horizontal	24	1.26
5580MHz	Pass	PK	5.469G	58.38	68.20	-9.82	3	Horizontal	24	1.26
5580MHz	Pass	PK	5.5836G	122.52	Inf	-Inf	3	Horizontal	24	1.26
5580MHz	Pass	PK	5.727G	59.06	68.20	-9.14	3	Horizontal	24	1.26
5580MHz	Pass	AV	11.16018G	49.81	54.00	-4.19	3	Vertical	353	1.55
5580MHz	Pass	PK	11.1606G	62.05	74.00	-11.95	3	Vertical	353	1.55
5580MHz	Pass	PK	16.73142G	58.49	68.20	-9.71	3	Vertical	346	1.47
5580MHz	Pass	AV	11.16018G	50.81	54.00	-3.19	3	Horizontal	15	1.54
5580MHz	Pass	PK	11.16078G	62.84	74.00	-11.16	3	Horizontal	15	1.54
5580MHz	Pass	PK	16.73484G	58.06	68.20	-10.14	3	Horizontal	318	1.50
5700MHz	Pass	AV	5.6968G	108.16	Inf	-Inf	3	Vertical	6	1.13
5700MHz	Pass	PK	5.6968G	118.44	Inf	-Inf	3	Vertical	6	1.13
5700MHz	Pass	PK	5.7252G	66.96	68.20	-1.24	3	Vertical	6	1.13
5700MHz	Pass	AV	5.6968G	109.94	Inf	-Inf	3	Horizontal	7	1.10
5700MHz	Pass	PK	5.7024G	118.06	Inf	-Inf	3	Horizontal	7	1.10
5700MHz	Pass	PK	5.7252G	68.09	68.20	-0.11	3	Horizontal	7	1.10
5700MHz	Pass	AV	11.4G	44.18	54.00	-9.82	3	Horizontal	14	1.55
5700MHz	Pass	PK	11.3952G	54.59	74.00	-19.41	3	Horizontal	14	1.55
5700MHz	Pass	PK	17.09238G	53.63	68.20	-14.57	3	Horizontal	338	1.50
5700MHz	Pass	AV	11.39988G	43.02	54.00	-10.98	3	Vertical	355	1.50
5700MHz	Pass	PK	11.4009G	54.67	74.00	-19.33	3	Vertical	355	1.50
5700MHz	Pass	PK	17.09166G	54.20	68.20	-14.00	3	Vertical	360	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4236G	45.92	54.00	-8.08	3	Vertical	6	1.34
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7188G	113.47	Inf	-Inf	3	Vertical	6	1.34
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4572G	57.52	74.00	-16.48	3	Vertical	6	1.34
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.468G	57.56	68.20	-10.64	3	Vertical	6	1.34
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7224G	123.24	Inf	-Inf	3	Vertical	6	1.34
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.9204G	59.95	68.20	-8.25	3	Vertical	6	1.34
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4428G	45.83	54.00	-8.17	3	Horizontal	8	1.15
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7164G	113.81	Inf	-Inf	3	Horizontal	8	1.15
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.45G	57.25	74.00	-16.75	3	Horizontal	8	1.15
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4668G	56.71	68.20	-11.49	3	Horizontal	8	1.15
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7164G	122.53	Inf	-Inf	3	Horizontal	8	1.15
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8916G	60.49	68.20	-7.71	3	Horizontal	8	1.15
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43994G	46.66	54.00	-7.34	3	Horizontal	13	1.51
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44012G	57.70	74.00	-16.30	3	Horizontal	13	1.51
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.15478G	55.22	68.20	-12.98	3	Horizontal	320	1.35
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44168G	47.17	54.00	-6.83	3	Vertical	26	1.36
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44084G	58.23	74.00	-15.77	3	Vertical	26	1.36
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.16684G	54.13	68.20	-14.07	3	Vertical	39	1.50
802.11ax HEW20_Nss1_(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	AV	5.1172G	46.87	54.00	-7.13	3	Vertical	29	1.82
5260MHz	Pass	AV	5.2576G	112.20	Inf	-Inf	3	Vertical	29	1.82
5260MHz	Pass	AV	5.3542G	48.16	54.00	-5.84	3	Vertical	29	1.82
5260MHz	Pass	PK	5.1178G	58.77	74.00	-15.23	3	Vertical	29	1.82
5260MHz	Pass	PK	5.2582G	123.02	Inf	-Inf	3	Vertical	29	1.82
5260MHz	Pass	PK	5.3578G	59.82	74.00	-14.18	3	Vertical	29	1.82
5260MHz	Pass	AV	5.1256G	47.50	54.00	-6.50	3	Horizontal	14	1.69
5260MHz	Pass	AV	5.263G	112.77	Inf	-Inf	3	Horizontal	14	1.69



RSE TX above 1GHz
Non-Beamforming_Radio 2(Low Band)+Radio 3(High Band)

Appendix D.3

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5260MHz	Pass	AV	5.35G	48.30	54.00	-5.70	3	Horizontal	14	1.69
5260MHz	Pass	PK	5.1172G	59.88	74.00	-14.12	3	Horizontal	14	1.69
5260MHz	Pass	PK	5.2618G	123.66	Inf	-Inf	3	Horizontal	14	1.69
5260MHz	Pass	PK	5.35G	60.38	74.00	-13.62	3	Horizontal	14	1.69
5260MHz	Pass	AV	15.77514G	50.24	54.00	-3.76	3	Vertical	-0	1.51
5260MHz	Pass	PK	10.52186G	53.10	68.20	-15.10	3	Vertical	42	1.26
5260MHz	Pass	PK	15.78306G	66.02	74.00	-7.98	3	Vertical	-0	1.51
5260MHz	Pass	AV	15.77934G	47.25	54.00	-6.75	3	Horizontal	4	1.50
5260MHz	Pass	PK	10.51568G	54.60	68.20	-13.60	3	Horizontal	35	1.71
5260MHz	Pass	PK	15.7905G	61.04	74.00	-12.96	3	Horizontal	4	1.50
5300MHz	Pass	AV	5.2976G	111.05	Inf	-Inf	3	Vertical	30	1.75
5300MHz	Pass	AV	5.3504G	48.88	54.00	-5.12	3	Vertical	30	1.75
5300MHz	Pass	PK	5.2984G	123.28	Inf	-Inf	3	Vertical	30	1.75
5300MHz	Pass	PK	5.35G	61.46	74.00	-12.54	3	Vertical	30	1.75
5300MHz	Pass	AV	5.3024G	111.00	Inf	-Inf	3	Horizontal	16	1.60
5300MHz	Pass	AV	5.3512G	48.60	54.00	-5.40	3	Horizontal	16	1.60
5300MHz	Pass	PK	5.3016G	123.39	Inf	-Inf	3	Horizontal	16	1.60
5300MHz	Pass	PK	5.3524G	59.93	74.00	-14.07	3	Horizontal	16	1.60
5300MHz	Pass	AV	10.60012G	43.38	54.00	-10.62	3	Vertical	44	1.55
5300MHz	Pass	AV	15.88908G	41.65	54.00	-12.35	3	Vertical	4	1.50
5300MHz	Pass	PK	10.60186G	55.11	74.00	-18.89	3	Vertical	44	1.55
5300MHz	Pass	PK	15.8982G	55.37	74.00	-18.63	3	Vertical	4	1.50
5300MHz	Pass	AV	10.60378G	45.57	54.00	-8.43	3	Horizontal	38	1.49
5300MHz	Pass	AV	15.88704G	41.50	54.00	-12.50	3	Horizontal	192	1.50
5300MHz	Pass	PK	10.60408G	57.08	74.00	-16.92	3	Horizontal	38	1.49
5300MHz	Pass	PK	15.9102G	54.20	74.00	-19.80	3	Horizontal	192	1.50
5320MHz	Pass	AV	5.3226G	109.96	Inf	-Inf	3	Vertical	29	1.71
5320MHz	Pass	AV	5.3506G	53.46	54.00	-0.54	3	Vertical	29	1.71
5320MHz	Pass	PK	5.3238G	122.28	Inf	-Inf	3	Vertical	29	1.71
5320MHz	Pass	PK	5.3502G	67.31	74.00	-6.69	3	Vertical	29	1.71
5320MHz	Pass	AV	5.3172G	109.18	Inf	-Inf	3	Horizontal	10	1.91
5320MHz	Pass	AV	5.35G	50.42	54.00	-3.58	3	Horizontal	10	1.91
5320MHz	Pass	PK	5.316G	121.43	Inf	-Inf	3	Horizontal	10	1.91
5320MHz	Pass	PK	5.3548G	63.13	74.00	-10.87	3	Horizontal	10	1.91
5320MHz	Pass	AV	10.63994G	44.44	54.00	-9.56	3	Vertical	43	1.41
5320MHz	Pass	AV	15.96366G	41.78	54.00	-12.22	3	Vertical	360	2.07
5320MHz	Pass	PK	10.64174G	55.60	74.00	-18.40	3	Vertical	43	1.41
5320MHz	Pass	PK	15.954G	55.38	74.00	-18.62	3	Vertical	360	2.07
5320MHz	Pass	AV	10.63484G	45.75	54.00	-8.25	3	Horizontal	37	1.61
5320MHz	Pass	AV	15.95394G	41.30	54.00	-12.70	3	Horizontal	89	1.50
5320MHz	Pass	PK	10.63328G	58.14	74.00	-15.86	3	Horizontal	37	1.61
5320MHz	Pass	PK	15.94902G	54.96	74.00	-19.04	3	Horizontal	89	1.50
5500MHz	Pass	AV	5.457G	46.13	54.00	-7.87	3	Vertical	28	1.40
5500MHz	Pass	AV	5.504G	107.93	Inf	-Inf	3	Vertical	28	1.40
5500MHz	Pass	PK	5.46G	57.69	74.00	-16.31	3	Vertical	28	1.40
5500MHz	Pass	PK	5.4654G	63.20	68.20	-5.00	3	Vertical	28	1.40
5500MHz	Pass	PK	5.5046G	119.85	Inf	-Inf	3	Vertical	28	1.40
5500MHz	Pass	AV	5.4596G	47.08	54.00	-6.92	3	Horizontal	18	1.25
5500MHz	Pass	AV	5.499G	107.85	Inf	-Inf	3	Horizontal	18	1.25
5500MHz	Pass	PK	5.46G	60.80	74.00	-13.20	3	Horizontal	18	1.25
5500MHz	Pass	PK	5.47G	67.25	68.20	-0.95	3	Horizontal	18	1.25
5500MHz	Pass	PK	5.5006G	119.26	Inf	-Inf	3	Horizontal	18	1.25
5500MHz	Pass	AV	11.00012G	41.51	54.00	-12.49	3	Horizontal	13	1.56
5500MHz	Pass	PK	11.00102G	54.69	74.00	-19.31	3	Horizontal	13	1.56
5500MHz	Pass	PK	16.49682G	53.57	68.20	-14.63	3	Horizontal	322	1.44
5500MHz	Pass	AV	10.99982G	41.19	54.00	-12.81	3	Vertical	0	2.36
5500MHz	Pass	PK	11.00012G	53.03	74.00	-20.97	3	Vertical	0	2.36
5500MHz	Pass	PK	16.50738G	54.01	68.20	-14.19	3	Vertical	342	1.50
5580MHz	Pass	AV	5.46G	47.26	54.00	-6.74	3	Vertical	14	1.26
5580MHz	Pass	AV	5.5824G	112.85	Inf	-Inf	3	Vertical	14	1.26
5580MHz	Pass	PK	5.46G	61.90	74.00	-12.10	3	Vertical	14	1.26
5580MHz	Pass	PK	5.4696G	62.90	68.20	-5.30	3	Vertical	14	1.26



RSE TX above 1GHz
Non-Beamforming_Radio 2(Low Band)+Radio 3(High Band)

Appendix D.3

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5580MHz	Pass	PK	5.5752G	124.37	Inf	-Inf	3	Vertical	14	1.26
5580MHz	Pass	PK	5.7288G	59.21	68.20	-8.99	3	Vertical	14	1.26
5580MHz	Pass	AV	5.4582G	46.34	54.00	-7.66	3	Horizontal	24	1.26
5580MHz	Pass	AV	5.5788G	113.59	Inf	-Inf	3	Horizontal	24	1.26
5580MHz	Pass	PK	5.4588G	59.76	74.00	-14.24	3	Horizontal	24	1.26
5580MHz	Pass	PK	5.469G	60.56	68.20	-7.64	3	Horizontal	24	1.26
5580MHz	Pass	PK	5.5878G	124.31	Inf	-Inf	3	Horizontal	24	1.26
5580MHz	Pass	PK	5.7252G	58.29	68.20	-9.91	3	Horizontal	24	1.26
5580MHz	Pass	AV	11.16012G	49.56	54.00	-4.44	3	Horizontal	17	1.56
5580MHz	Pass	PK	11.16048G	62.90	74.00	-11.10	3	Horizontal	17	1.56
5580MHz	Pass	PK	16.72776G	57.47	68.20	-10.73	3	Horizontal	318	1.42
5580MHz	Pass	AV	11.16036G	48.92	54.00	-5.08	3	Vertical	354	1.51
5580MHz	Pass	PK	11.16096G	61.25	74.00	-12.75	3	Vertical	354	1.51
5580MHz	Pass	PK	16.7427G	59.43	68.20	-8.77	3	Vertical	347	1.50
5700MHz	Pass	AV	5.7028G	106.33	Inf	-Inf	3	Vertical	6	1.05
5700MHz	Pass	PK	5.7016G	118.67	Inf	-Inf	3	Vertical	6	1.05
5700MHz	Pass	PK	5.7264G	67.75	68.20	-0.45	3	Vertical	6	1.05
5700MHz	Pass	AV	5.6944G	107.75	Inf	-Inf	3	Horizontal	7	1.18
5700MHz	Pass	PK	5.6952G	119.75	Inf	-Inf	3	Horizontal	7	1.18
5700MHz	Pass	PK	5.726G	67.92	68.20	-0.28	3	Horizontal	7	1.18
5700MHz	Pass	AV	11.39982G	41.56	54.00	-12.44	3	Horizontal	14	1.46
5700MHz	Pass	PK	11.39958G	53.72	74.00	-20.28	3	Horizontal	14	1.46
5700MHz	Pass	PK	17.11266G	54.20	68.20	-14.00	3	Horizontal	130	1.50
5700MHz	Pass	AV	11.39988G	41.68	54.00	-12.32	3	Vertical	356	1.54
5700MHz	Pass	PK	11.39982G	53.59	74.00	-20.41	3	Vertical	356	1.54
5700MHz	Pass	PK	17.08974G	53.31	68.20	-14.89	3	Vertical	177	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4476G	45.44	54.00	-8.56	3	Vertical	5	1.34
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7188G	112.90	Inf	-Inf	3	Vertical	5	1.34
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4512G	57.21	74.00	-16.79	3	Vertical	5	1.34
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4632G	56.51	68.20	-11.69	3	Vertical	5	1.34
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7164G	123.78	Inf	-Inf	3	Vertical	5	1.34
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.9012G	60.18	68.20	-8.02	3	Vertical	5	1.34
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4596G	45.32	54.00	-8.68	3	Horizontal	7	1.15
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.714G	113.43	Inf	-Inf	3	Horizontal	7	1.15
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4548G	57.92	74.00	-16.08	3	Horizontal	7	1.15
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4632G	56.69	68.20	-11.51	3	Horizontal	7	1.15
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7152G	125.12	Inf	-Inf	3	Horizontal	7	1.15
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.966G	60.31	68.20	-7.89	3	Horizontal	7	1.15
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44006G	45.38	54.00	-8.62	3	Horizontal	13	1.53
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43988G	57.11	74.00	-16.89	3	Horizontal	13	1.53
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.16012G	55.72	68.20	-12.48	3	Horizontal	320	1.35
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44342G	46.20	54.00	-7.80	3	Vertical	26	1.38
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43304G	58.14	74.00	-15.86	3	Vertical	26	1.38
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.1474G	53.82	68.20	-14.38	3	Vertical	326	1.50
802.11ax HEW40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5270MHz	Pass	AV	5.2728G	108.75	Inf	-Inf	3	Vertical	31	1.56
5270MHz	Pass	AV	5.352G	53.46	54.00	-0.54	3	Vertical	31	1.56
5270MHz	Pass	PK	5.2628G	120.83	Inf	-Inf	3	Vertical	31	1.56
5270MHz	Pass	PK	5.3552G	66.35	74.00	-7.65	3	Vertical	31	1.56
5270MHz	Pass	AV	5.2672G	109.83	Inf	-Inf	3	Horizontal	15	1.70
5270MHz	Pass	AV	5.35G	51.62	54.00	-2.38	3	Horizontal	15	1.70
5270MHz	Pass	PK	5.2688G	121.44	Inf	-Inf	3	Horizontal	15	1.70
5270MHz	Pass	PK	5.358G	64.67	74.00	-9.33	3	Horizontal	15	1.70
5270MHz	Pass	AV	15.81516G	47.74	54.00	-6.26	3	Vertical	360	1.74
5270MHz	Pass	PK	10.54708G	52.89	68.20	-15.31	3	Vertical	44	1.42
5270MHz	Pass	PK	15.82488G	61.37	74.00	-12.63	3	Vertical	360	1.74
5270MHz	Pass	AV	15.80568G	44.75	54.00	-9.25	3	Horizontal	46	1.49
5270MHz	Pass	PK	10.54588G	54.26	68.20	-13.94	3	Horizontal	37	1.66
5270MHz	Pass	PK	15.82428G	58.02	74.00	-15.98	3	Horizontal	46	1.49
5310MHz	Pass	AV	5.3132G	104.28	Inf	-Inf	3	Vertical	32	1.71
5310MHz	Pass	AV	5.35G	53.78	54.00	-0.22	3	Vertical	32	1.71
5310MHz	Pass	PK	5.312G	116.38	Inf	-Inf	3	Vertical	32	1.71



RSE TX above 1GHz
Non-Beamforming_Radio 2(Low Band)+Radio 3(High Band)

Appendix D.3

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5310MHz	Pass	PK	5.3512G	66.21	74.00	-7.79	3	Vertical	32	1.71
5310MHz	Pass	AV	5.3076G	103.75	Inf	-Inf	3	Horizontal	13	1.80
5310MHz	Pass	AV	5.35G	51.62	54.00	-2.38	3	Horizontal	13	1.80
5310MHz	Pass	PK	5.3172G	116.53	Inf	-Inf	3	Horizontal	13	1.80
5310MHz	Pass	PK	5.35G	65.44	74.00	-8.56	3	Horizontal	13	1.80
5310MHz	Pass	AV	10.62G	42.40	54.00	-11.60	3	Vertical	353	1.50
5310MHz	Pass	AV	15.95148G	41.31	54.00	-12.69	3	Vertical	360	1.50
5310MHz	Pass	PK	10.61988G	53.41	74.00	-20.59	3	Vertical	353	1.50
5310MHz	Pass	PK	15.90468G	53.60	74.00	-20.40	3	Vertical	360	1.50
5310MHz	Pass	AV	10.62468G	42.75	54.00	-11.25	3	Horizontal	36	1.61
5310MHz	Pass	AV	15.93936G	41.35	54.00	-12.65	3	Horizontal	93	1.50
5310MHz	Pass	PK	10.6356G	54.55	74.00	-19.45	3	Horizontal	36	1.61
5310MHz	Pass	PK	15.91416G	53.65	74.00	-20.35	3	Horizontal	93	1.50
5510MHz	Pass	AV	5.456G	46.51	54.00	-7.49	3	Vertical	29	1.40
5510MHz	Pass	AV	5.5132G	103.56	Inf	-Inf	3	Vertical	29	1.40
5510MHz	Pass	PK	5.458G	62.78	74.00	-11.22	3	Vertical	29	1.40
5510MHz	Pass	PK	5.4684G	64.47	68.20	-3.73	3	Vertical	29	1.40
5510MHz	Pass	PK	5.5136G	115.63	Inf	-Inf	3	Vertical	29	1.40
5510MHz	Pass	AV	5.4596G	47.76	54.00	-6.24	3	Horizontal	15	1.50
5510MHz	Pass	AV	5.5108G	103.39	Inf	-Inf	3	Horizontal	15	1.50
5510MHz	Pass	PK	5.46G	64.70	74.00	-9.30	3	Horizontal	15	1.50
5510MHz	Pass	PK	5.4696G	65.43	68.20	-2.77	3	Horizontal	15	1.50
5510MHz	Pass	PK	5.5004G	115.49	Inf	-Inf	3	Horizontal	15	1.50
5510MHz	Pass	AV	11.02G	42.66	54.00	-11.34	3	Horizontal	24	1.32
5510MHz	Pass	PK	11.01976G	52.16	74.00	-21.84	3	Horizontal	24	1.32
5510MHz	Pass	PK	16.52712G	53.61	68.20	-14.59	3	Horizontal	133	1.65
5510MHz	Pass	AV	11.01988G	41.46	54.00	-12.54	3	Vertical	346	1.02
5510MHz	Pass	PK	11.01988G	51.91	74.00	-22.09	3	Vertical	346	1.02
5510MHz	Pass	PK	16.51032G	54.41	68.20	-13.79	3	Vertical	0	1.50
5550MHz	Pass	AV	5.4544G	50.15	54.00	-3.85	3	Vertical	28	1.38
5550MHz	Pass	AV	5.5528G	106.90	Inf	-Inf	3	Vertical	28	1.38
5550MHz	Pass	PK	5.4544G	63.55	74.00	-10.45	3	Vertical	28	1.38
5550MHz	Pass	PK	5.4672G	66.38	68.20	-1.82	3	Vertical	28	1.38
5550MHz	Pass	PK	5.5524G	118.49	Inf	-Inf	3	Vertical	28	1.38
5550MHz	Pass	AV	5.4552G	48.37	54.00	-5.63	3	Horizontal	356	1.27
5550MHz	Pass	AV	5.546G	106.80	Inf	-Inf	3	Horizontal	356	1.27
5550MHz	Pass	PK	5.4568G	62.01	74.00	-11.99	3	Horizontal	356	1.27
5550MHz	Pass	PK	5.4656G	63.50	68.20	-4.70	3	Horizontal	356	1.27
5550MHz	Pass	PK	5.5452G	118.33	Inf	-Inf	3	Horizontal	356	1.27
5550MHz	Pass	AV	11.09988G	43.44	54.00	-10.56	3	Horizontal	16	1.55
5550MHz	Pass	PK	11.11056G	55.65	74.00	-18.35	3	Horizontal	16	1.55
5550MHz	Pass	PK	16.66008G	55.13	68.20	-13.07	3	Horizontal	24	1.36
5550MHz	Pass	AV	11.1G	42.95	54.00	-11.05	3	Vertical	350	1.53
5550MHz	Pass	PK	11.10936G	53.82	74.00	-20.18	3	Vertical	350	1.53
5550MHz	Pass	PK	16.64376G	54.71	68.20	-13.49	3	Vertical	347	1.50
5670MHz	Pass	AV	5.673G	105.12	Inf	-Inf	3	Vertical	5	1.06
5670MHz	Pass	PK	5.673G	116.62	Inf	-Inf	3	Vertical	5	1.06
5670MHz	Pass	PK	5.7258G	65.87	68.20	-2.33	3	Vertical	5	1.06
5670MHz	Pass	AV	5.6736G	106.93	Inf	-Inf	3	Horizontal	8	1.30
5670MHz	Pass	PK	5.673G	117.87	Inf	-Inf	3	Horizontal	8	1.30
5670MHz	Pass	PK	5.7264G	67.43	68.20	-0.77	3	Horizontal	8	1.30
5670MHz	Pass	AV	11.33964G	42.42	54.00	-11.58	3	Horizontal	14	1.55
5670MHz	Pass	PK	11.35272G	53.81	74.00	-20.19	3	Horizontal	14	1.55
5670MHz	Pass	PK	17.01156G	53.57	68.20	-14.63	3	Horizontal	265	1.82
5670MHz	Pass	AV	11.33988G	41.84	54.00	-12.16	3	Vertical	355	1.52
5670MHz	Pass	PK	11.34012G	53.41	74.00	-20.59	3	Vertical	355	1.52
5670MHz	Pass	PK	17.00988G	54.02	68.20	-14.18	3	Vertical	338	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.46G	46.15	54.00	-7.85	3	Vertical	6	1.06
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.704G	110.85	Inf	-Inf	3	Vertical	6	1.06
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4568G	57.63	74.00	-16.37	3	Vertical	6	1.06
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4616G	58.88	68.20	-9.32	3	Vertical	6	1.06
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7112G	122.68	Inf	-Inf	3	Vertical	6	1.06



RSE TX above 1GHz
Non-Beamforming_Radio 2(Low Band)+Radio 3(High Band)

Appendix D.3

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8516G	63.41	68.20	-4.79	3	Vertical	6	1.06
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.46G	45.54	54.00	-8.46	3	Horizontal	8	1.21
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.704G	111.22	Inf	-Inf	3	Horizontal	8	1.21
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4364G	57.53	74.00	-16.47	3	Horizontal	8	1.21
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4688G	57.57	68.20	-10.63	3	Horizontal	8	1.21
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.704G	122.84	Inf	-Inf	3	Horizontal	8	1.21
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8528G	63.33	68.20	-4.87	3	Horizontal	8	1.21
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.42036G	43.62	54.00	-10.38	3	Horizontal	14	1.49
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.42072G	55.07	74.00	-18.93	3	Horizontal	14	1.49
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.136G	54.21	68.20	-13.99	3	Horizontal	321	1.27
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.41988G	43.06	54.00	-10.94	3	Vertical	354	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.42G	54.76	74.00	-19.24	3	Vertical	354	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.10804G	54.23	68.20	-13.97	3	Vertical	24	2.91
802.11ax HEW80_Nss1(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	AV	5.088G	46.94	54.00	-7.06	3	Vertical	34	1.57
5290MHz	Pass	AV	5.278G	100.14	Inf	-Inf	3	Vertical	34	1.57
5290MHz	Pass	AV	5.35G	53.94	54.00	-0.06	3	Vertical	34	1.57
5290MHz	Pass	PK	5.058G	58.91	74.00	-15.09	3	Vertical	34	1.57
5290MHz	Pass	PK	5.289G	112.12	Inf	-Inf	3	Vertical	34	1.57
5290MHz	Pass	PK	5.35G	65.25	74.00	-8.75	3	Vertical	34	1.57
5290MHz	Pass	PK	5.505G	57.86	68.20	-10.34	3	Vertical	34	1.57
5290MHz	Pass	AV	5.15G	47.12	54.00	-6.88	3	Horizontal	22	1.58
5290MHz	Pass	AV	5.283G	100.69	Inf	-Inf	3	Horizontal	22	1.58
5290MHz	Pass	AV	5.35G	53.78	54.00	-0.22	3	Horizontal	22	1.58
5290MHz	Pass	PK	5.128G	59.01	74.00	-14.99	3	Horizontal	22	1.58
5290MHz	Pass	PK	5.275G	112.50	Inf	-Inf	3	Horizontal	22	1.58
5290MHz	Pass	PK	5.353G	65.47	74.00	-8.53	3	Horizontal	22	1.58
5290MHz	Pass	PK	5.495G	57.88	68.20	-10.32	3	Horizontal	22	1.58
5290MHz	Pass	AV	15.81264G	41.73	54.00	-12.27	3	Vertical	92	1.50
5290MHz	Pass	PK	10.63208G	52.69	74.00	-21.31	3	Vertical	352	1.50
5290MHz	Pass	PK	15.89136G	53.99	74.00	-20.01	3	Vertical	92	1.50
5290MHz	Pass	AV	15.81528G	41.72	54.00	-12.28	3	Horizontal	-0	1.50
5290MHz	Pass	PK	10.63184G	52.32	74.00	-21.68	3	Horizontal	38	1.66
5290MHz	Pass	PK	15.90432G	54.31	74.00	-19.69	3	Horizontal	-0	1.50
5530MHz	Pass	AV	5.35G	44.84	54.00	-9.16	3	Vertical	20	1.32
5530MHz	Pass	AV	5.455G	48.21	54.00	-5.79	3	Vertical	20	1.32
5530MHz	Pass	AV	5.524G	100.45	Inf	-Inf	3	Vertical	20	1.32
5530MHz	Pass	PK	5.3G	57.90	68.20	-10.30	3	Vertical	20	1.32
5530MHz	Pass	PK	5.453G	63.22	74.00	-10.78	3	Vertical	20	1.32
5530MHz	Pass	PK	5.467G	67.02	68.20	-1.18	3	Vertical	20	1.32
5530MHz	Pass	PK	5.515G	112.63	Inf	-Inf	3	Vertical	20	1.32
5530MHz	Pass	PK	5.728G	59.95	68.20	-8.25	3	Vertical	20	1.32
5530MHz	Pass	AV	5.35G	44.84	54.00	-9.16	3	Horizontal	20	1.05
5530MHz	Pass	AV	5.458G	48.84	54.00	-5.16	3	Horizontal	20	1.05
5530MHz	Pass	AV	5.519G	100.31	Inf	-Inf	3	Horizontal	20	1.05
5530MHz	Pass	PK	5.308G	57.57	68.20	-10.63	3	Horizontal	20	1.05
5530MHz	Pass	PK	5.46G	65.93	74.00	-8.07	3	Horizontal	20	1.05
5530MHz	Pass	PK	5.467G	67.03	68.20	-1.17	3	Horizontal	20	1.05
5530MHz	Pass	PK	5.528G	112.09	Inf	-Inf	3	Horizontal	20	1.05
5530MHz	Pass	PK	5.774G	59.81	68.20	-8.39	3	Horizontal	20	1.05
5530MHz	Pass	AV	11.06G	42.86	54.00	-11.14	3	Horizontal	0	1.36
5530MHz	Pass	PK	11.10752G	52.97	74.00	-21.03	3	Horizontal	0	1.36
5530MHz	Pass	PK	16.61904G	53.60	68.20	-14.60	3	Horizontal	163	2.30
5530MHz	Pass	AV	11.05976G	41.41	54.00	-12.59	3	Vertical	350	1.58
5530MHz	Pass	PK	11.05952G	51.77	74.00	-22.23	3	Vertical	350	1.58
5530MHz	Pass	PK	16.64496G	53.61	68.20	-14.59	3	Vertical	349	2.49
5610MHz	Pass	AV	5.46G	47.93	54.00	-6.07	3	Vertical	358	1.37
5610MHz	Pass	AV	5.606G	101.93	Inf	-Inf	3	Vertical	358	1.37
5610MHz	Pass	PK	5.459G	59.80	74.00	-14.20	3	Vertical	358	1.37
5610MHz	Pass	PK	5.469G	63.43	68.20	-4.77	3	Vertical	358	1.37
5610MHz	Pass	PK	5.606G	114.12	Inf	-Inf	3	Vertical	358	1.37
5610MHz	Pass	PK	5.727G	65.32	68.20	-2.88	3	Vertical	358	1.37



RSE TX above 1GHz
Non-Beamforming_Radio 2(Low Band)+Radio 3(High Band)

Appendix D.3

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5610MHz	Pass	AV	5.459G	49.26	54.00	-4.74	3	Horizontal	15	1.25
5610MHz	Pass	AV	5.608G	103.61	Inf	-Inf	3	Horizontal	15	1.25
5610MHz	Pass	PK	5.458G	61.02	74.00	-12.98	3	Horizontal	15	1.25
5610MHz	Pass	PK	5.469G	65.17	68.20	-3.03	3	Horizontal	15	1.25
5610MHz	Pass	PK	5.609G	114.97	Inf	-Inf	3	Horizontal	15	1.25
5610MHz	Pass	PK	5.729G	66.30	68.20	-1.90	3	Horizontal	15	1.25
5610MHz	Pass	AV	11.22024G	42.16	54.00	-11.84	3	Horizontal	14	1.57
5610MHz	Pass	PK	11.19024G	53.28	74.00	-20.72	3	Horizontal	14	1.57
5610MHz	Pass	PK	16.8324G	54.14	68.20	-14.06	3	Horizontal	0	1.50
5610MHz	Pass	AV	11.22G	41.92	54.00	-12.08	3	Vertical	355	1.49
5610MHz	Pass	PK	11.202G	53.86	74.00	-20.14	3	Vertical	355	1.49
5610MHz	Pass	PK	16.77504G	54.74	68.20	-13.46	3	Vertical	334	1.06
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4584G	47.92	54.00	-6.08	3	Vertical	358	1.16
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6828G	104.25	Inf	-Inf	3	Vertical	358	1.16
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4464G	60.03	74.00	-13.97	3	Vertical	358	1.16
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.468G	61.42	68.20	-6.78	3	Vertical	358	1.16
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6744G	115.84	Inf	-Inf	3	Vertical	358	1.16
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8508G	63.36	68.20	-4.84	3	Vertical	358	1.16
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4596G	49.26	54.00	-4.74	3	Horizontal	359	1.24
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.684G	107.73	Inf	-Inf	3	Horizontal	359	1.24
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4572G	61.63	74.00	-12.37	3	Horizontal	359	1.24
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4644G	63.23	68.20	-4.97	3	Horizontal	359	1.24
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.7044G	118.56	Inf	-Inf	3	Horizontal	359	1.24
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8508G	66.46	68.20	-1.74	3	Horizontal	359	1.24
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.37976G	42.97	54.00	-11.03	3	Horizontal	14	1.54
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.37856G	55.44	74.00	-18.56	3	Horizontal	14	1.54
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.08344G	53.74	68.20	-14.46	3	Horizontal	346	2.05
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.38024G	42.20	54.00	-11.80	3	Vertical	356	1.52
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.37928G	53.21	74.00	-20.79	3	Vertical	356	1.52
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.1036G	53.63	68.20	-14.57	3	Vertical	18	2.28
802.11ax HEW160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5570MHz	Pass	AV	5.4548G	52.43	54.00	-1.57	3	Vertical	22	1.40
5570MHz	Pass	AV	5.5436G	98.38	Inf	-Inf	3	Vertical	22	1.40
5570MHz	Pass	PK	5.3252G	57.47	68.20	-10.73	3	Vertical	22	1.40
5570MHz	Pass	PK	5.4572G	64.89	74.00	-9.11	3	Vertical	22	1.40
5570MHz	Pass	PK	5.4668G	66.74	68.20	-1.46	3	Vertical	22	1.40
5570MHz	Pass	PK	5.5136G	109.81	Inf	-Inf	3	Vertical	22	1.40
5570MHz	Pass	PK	5.7296G	62.47	68.20	-5.73	3	Vertical	22	1.40
5570MHz	Pass	AV	5.4596G	51.12	54.00	-2.88	3	Horizontal	23	1.50
5570MHz	Pass	AV	5.5988G	98.38	Inf	-Inf	3	Horizontal	23	1.50
5570MHz	Pass	PK	5.3072G	56.67	68.20	-11.53	3	Horizontal	23	1.50
5570MHz	Pass	PK	5.4584G	63.96	74.00	-10.04	3	Horizontal	23	1.50
5570MHz	Pass	PK	5.4608G	64.42	68.20	-3.78	3	Horizontal	23	1.50
5570MHz	Pass	PK	5.5784G	109.85	Inf	-Inf	3	Horizontal	23	1.50
5570MHz	Pass	PK	5.7404G	62.24	68.20	-5.96	3	Horizontal	23	1.50
5570MHz	Pass	AV	11.14G	43.78	54.00	-10.22	3	Horizontal	0	1.34
5570MHz	Pass	PK	11.14G	52.09	74.00	-21.91	3	Horizontal	0	1.34
5570MHz	Pass	PK	16.74984G	53.28	68.20	-14.92	3	Horizontal	83	2.14
5570MHz	Pass	AV	11.14G	42.16	54.00	-11.84	3	Vertical	352	2.02
5570MHz	Pass	PK	11.19952G	52.69	74.00	-21.31	3	Vertical	352	2.02
5570MHz	Pass	PK	16.80168G	53.18	68.20	-15.02	3	Vertical	89	1.50




RSE TX above 1GHz Non-Beamforming_Radio 2(Low Band)+Radio 3(High Band)

Appendix D.3

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1154G	46.50	54.00	-7.50	5.33	3	Vertical	23	1.74	41.17	33.07	6.39	34.13
AV	5.2636G	111.32	Inf	-Inf	5.37	3	Vertical	23	1.74	105.95	33.03	6.49	34.15
AV	5.3506G	47.35	54.00	-6.65	5.40	3	Vertical	23	1.74	41.95	33.00	6.56	34.16
PK	5.1166G	58.55	74.00	-15.45	5.33	3	Vertical	23	1.74	53.22	33.07	6.39	34.13
PK	5.2636G	120.13	Inf	-Inf	5.37	3	Vertical	23	1.74	114.76	33.03	6.49	34.15
PK	5.3638G	57.97	74.00	-16.03	5.40	3	Vertical	23	1.74	52.57	33.00	6.56	34.16

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1478G	46.97	54.00	-7.03	5.27	3	Horizontal	12	1.82	41.70	33.00	6.41	34.14
AV	5.257G	112.31	Inf	-Inf	5.35	3	Horizontal	12	1.82	106.96	33.01	6.49	34.15
AV	5.3542G	47.69	54.00	-6.31	5.40	3	Horizontal	12	1.82	42.29	33.00	6.56	34.16
PK	5.1184G	58.91	74.00	-15.09	5.32	3	Horizontal	12	1.82	53.59	33.06	6.39	34.13
PK	5.2618G	122.56	Inf	-Inf	5.36	3	Horizontal	12	1.82	117.20	33.02	6.49	34.15
PK	5.3572G	59.24	74.00	-14.76	5.40	3	Horizontal	12	1.82	53.84	33.00	6.56	34.16




**RSE TX above 1GHz_
Non-Beamforming_Radio 2(Low Band)+Radio 3(High Band)**

Appendix D.3


5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX



5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX






RSE TX above 1GHz
Non-Beamforming_Radio 2(Low Band)+Radio 3(High Band)

Appendix D.3


5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX



5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX






**RSE TX above 1GHz_
Non-Beamforming_Radio 2(Low Band)+Radio 3(High Band)**

Appendix D.3


5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX



5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX






RSE TX above 1GHz
Non-Beamforming_Radio 2(Low Band)+Radio 3(High Band)

Appendix D.3

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3214G	110.54	Inf	-Inf	5.43	3	Vertical	30	1.71	105.11	33.06	6.53	34.16
AV	5.35G	53.54	54.00	-0.46	5.39	3	Vertical	30	1.71	48.15	33.00	6.55	34.16
PK	5.317G	119.87	Inf	-Inf	5.44	3	Vertical	30	1.71	114.43	33.07	6.53	34.16
PK	5.35G	65.03	74.00	-8.97	5.39	3	Vertical	30	1.71	59.64	33.00	6.55	34.16

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.319G	109.96	Inf	-Inf	5.43	3	Horizontal	19	1.62	104.53	33.06	6.53	34.16
AV	5.35G	51.82	54.00	-2.18	5.39	3	Horizontal	19	1.62	46.43	33.00	6.55	34.16
PK	5.322G	119.49	Inf	-Inf	5.44	3	Horizontal	19	1.62	114.05	33.06	6.54	34.16
PK	5.3502G	63.62	74.00	-10.38	5.40	3	Horizontal	19	1.62	58.22	33.00	6.56	34.16




RSE TX above 1GHz
Non-Beamforming_Radio 2(Low Band)+Radio 3(High Band)

Appendix D.3


5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX



5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX






RSE TX above 1GHz Non-Beamforming_Radio 2(Low Band)+Radio 3(High Band)

Appendix D.3

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)				
AV	5.458G	47.92	54.00	-6.08	5.49	3	Vertical	22	1.41	42.43	33.02	6.64	34.17				
AV	5.4968G	109.84	Inf	-Inf	5.59	3	Vertical	22	1.41	104.25	33.09	6.68	34.18				
PK	5.458G	61.63	74.00	-12.37	5.49	3	Vertical	22	1.41	56.14	33.02	6.64	34.17				
PK	5.4672G	66.17	68.20	-2.03	5.50	3	Vertical	22	1.41	60.67	33.03	6.65	34.18				
PK	5.5018G	119.83	Inf	-Inf	5.60	3	Vertical	22	1.41	114.23	33.10	6.68	34.18				

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)				
AV	5.459G	47.25	54.00	-6.75	5.48	3	Horizontal	352	1.42	41.77	33.02	6.64	34.18				
AV	5.5034G	108.70	Inf	-Inf	5.59	3	Horizontal	352	1.42	103.11	33.09	6.68	34.18				
PK	5.4578G	60.66	74.00	-13.34	5.49	3	Horizontal	352	1.42	55.17	33.02	6.64	34.17				
PK	5.4682G	64.98	68.20	-3.22	5.51	3	Horizontal	352	1.42	59.47	33.04	6.65	34.18				
PK	5.4986G	117.06	Inf	-Inf	5.60	3	Horizontal	352	1.42	111.46	33.10	6.68	34.18				




**RSE TX above 1GHz_
Non-Beamforming_Radio 2(Low Band)+Radio 3(High Band)**

Appendix D.3


5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX



5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX






RSE TX above 1GHz
Non-Beamforming_Radio 2(Low Band)+Radio 3(High Band)

Appendix D.3


5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX



5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX






**RSE TX above 1GHz_
Non-Beamforming_Radio 2(Low Band)+Radio 3(High Band)**

Appendix D.3


5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX



5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX






**RSE TX above 1GHz_
Non-Beamforming_Radio 2(Low Band)+Radio 3(High Band)**

Appendix D.3


5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX



5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX






**RSE TX above 1GHz_
Non-Beamforming_Radio 2(Low Band)+Radio 3(High Band)**

Appendix D.3


5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX



5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX






RSE TX above 1GHz
Non-Beamforming_Radio 2(Low Band)+Radio 3(High Band)

Appendix D.3


5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX



5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX






**RSE TX above 1GHz_
Non-Beamforming_Radio 2(Low Band)+Radio 3(High Band)**

Appendix D.3


5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX



5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX






RSE TX above 1GHz
Non-Beamforming_Radio 2(Low Band)+Radio 3(High Band)

Appendix D.3


5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5260MHz_TX



5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5260MHz_TX






**RSE TX above 1GHz_
Non-Beamforming_Radio 2(Low Band)+Radio 3(High Band)**

Appendix D.3


5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5260MHz_TX



5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5260MHz_TX






RSE TX above 1GHz
Non-Beamforming_Radio 2(Low Band)+Radio 3(High Band)

Appendix D.3

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5300MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.2976G	111.05	Inf	-Inf	5.46	3	Vertical	30	1.75	105.59	33.10	6.52	34.16
AV	5.3504G	48.88	54.00	-5.12	5.40	3	Vertical	30	1.75	43.48	33.00	6.56	34.16
PK	5.2984G	123.28	Inf	-Inf	5.46	3	Vertical	30	1.75	117.82	33.10	6.52	34.16
PK	5.35G	61.46	74.00	-12.54	5.39	3	Vertical	30	1.75	56.07	33.00	6.55	34.16

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5300MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.3024G	111.00	Inf	-Inf	5.46	3	Horizontal	16	1.60	105.54	33.10	6.52	34.16
AV	5.3512G	48.60	54.00	-5.40	5.40	3	Horizontal	16	1.60	43.20	33.00	6.56	34.16
PK	5.3016G	123.39	Inf	-Inf	5.46	3	Horizontal	16	1.60	117.93	33.10	6.52	34.16
PK	5.3524G	59.93	74.00	-14.07	5.40	3	Horizontal	16	1.60	54.53	33.00	6.56	34.16




RSE TX above 1GHz
Non-Beamforming_Radio 2(Low Band)+Radio 3(High Band)

Appendix D.3


5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5300MHz_TX



5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5300MHz_TX






RSE TX above 1GHz Non-Beamforming_Radio 2(Low Band)+Radio 3(High Band)

Appendix D.3

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3226G	109.96	Inf	-Inf	5.43	3	Vertical	29	1.71	104.53	33.05	6.54	34.16
AV	5.3506G	53.46	54.00	-0.54	5.40	3	Vertical	29	1.71	48.06	33.00	6.56	34.16
PK	5.3238G	122.28	Inf	-Inf	5.43	3	Vertical	29	1.71	116.85	33.05	6.54	34.16
PK	5.3502G	67.31	74.00	-6.69	5.40	3	Vertical	29	1.71	61.91	33.00	6.56	34.16

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3172G	109.18	Inf	-Inf	5.44	3	Horizontal	10	1.91	103.74	33.07	6.53	34.16
AV	5.35G	50.42	54.00	-3.58	5.39	3	Horizontal	10	1.91	45.03	33.00	6.55	34.16
PK	5.316G	121.43	Inf	-Inf	5.44	3	Horizontal	10	1.91	115.99	33.07	6.53	34.16
PK	5.3548G	63.13	74.00	-10.87	5.40	3	Horizontal	10	1.91	57.73	33.00	6.56	34.16




RSE TX above 1GHz
Non-Beamforming_Radio 2(Low Band)+Radio 3(High Band)

Appendix D.3

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.63994G	44.44	54.00	-9.56	15.97	3	Vertical	43	1.41	28.47	39.26	11.12	34.41
AV	15.96366G	41.78	54.00	-12.22	15.90	3	Vertical	360	2.07	25.88	38.13	12.42	34.65
PK	10.64174G	55.60	74.00	-18.40	15.98	3	Vertical	43	1.41	39.62	39.27	11.12	34.41
PK	15.954G	55.38	74.00	-18.62	15.88	3	Vertical	360	2.07	39.50	38.11	12.41	34.64

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.63484G	45.75	54.00	-8.25	15.93	3	Horizontal	37	1.61	29.82	39.24	11.11	34.42
AV	15.95394G	41.30	54.00	-12.70	15.88	3	Horizontal	89	1.50	25.42	38.11	12.41	34.64
PK	10.63328G	58.14	74.00	-15.86	15.92	3	Horizontal	37	1.61	42.22	39.23	11.11	34.42
PK	15.94902G	54.96	74.00	-19.04	15.87	3	Horizontal	89	1.50	39.09	38.10	12.41	34.64




RSE TX above 1GHz_ Non-Beamforming_Radio 2(Low Band)+Radio 3(High Band)

Appendix D.3


5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TX



5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TX






**RSE TX above 1GHz_
Non-Beamforming_Radio 2(Low Band)+Radio 3(High Band)**

Appendix D.3


5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TX



5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TX






RSE TX above 1GHz Non-Beamforming_Radio 2(Low Band)+Radio 3(High Band)

Appendix D.3


5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TX



5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TX






**RSE TX above 1GHz_
Non-Beamforming_Radio 2(Low Band)+Radio 3(High Band)**

Appendix D.3


5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TX



5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TX






**RSE TX above 1GHz_
Non-Beamforming_Radio 2(Low Band)+Radio 3(High Band)**

Appendix D.3


5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TX



5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TX






**RSE TX above 1GHz_
Non-Beamforming_Radio 2(Low Band)+Radio 3(High Band)**

Appendix D.3


5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TX



5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TX






RSE TX above 1GHz
Non-Beamforming_Radio 2(Low Band)+Radio 3(High Band)

Appendix D.3


5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX



5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX






**RSE TX above 1GHz_
Non-Beamforming_Radio 2(Low Band)+Radio 3(High Band)**

Appendix D.3


5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX



5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX






RSE TX above 1GHz
Non-Beamforming_Radio 2(Low Band)+Radio 3(High Band)

Appendix D.3

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2728G	108.75	Inf	-Inf	5.40	3	Vertical	31	1.56	103.35	33.05	6.50	34.15
AV	5.352G	53.46	54.00	-0.54	5.40	3	Vertical	31	1.56	48.06	33.00	6.56	34.16
PK	5.2628G	120.83	Inf	-Inf	5.37	3	Vertical	31	1.56	115.46	33.03	6.49	34.15
PK	5.3552G	66.35	74.00	-7.65	5.40	3	Vertical	31	1.56	60.95	33.00	6.56	34.16

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2672G	109.83	Inf	-Inf	5.38	3	Horizontal	15	1.70	104.45	33.03	6.50	34.15
AV	5.35G	51.62	54.00	-2.38	5.39	3	Horizontal	15	1.70	46.23	33.00	6.55	34.16
PK	5.2688G	121.44	Inf	-Inf	5.39	3	Horizontal	15	1.70	116.05	33.04	6.50	34.15
PK	5.358G	64.67	74.00	-9.33	5.40	3	Horizontal	15	1.70	59.27	33.00	6.56	34.16




RSE TX above 1GHz
Non-Beamforming_Radio 2(Low Band)+Radio 3(High Band)

Appendix D.3


5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5270MHz_TX



5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5270MHz_TX






RSE TX above 1GHz
Non-Beamforming_Radio 2(Low Band)+Radio 3(High Band)

Appendix D.3


5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5310MHz_TX



5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5310MHz_TX






RSE TX above 1GHz
Non-Beamforming_Radio 2(Low Band)+Radio 3(High Band)

Appendix D.3

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.62G	42.40	54.00	-11.60	15.86	3	Vertical	353	1.50	26.54	39.18	11.11	34.43
AV	15.95148G	41.31	54.00	-12.69	15.87	3	Vertical	360	1.50	25.44	38.10	12.41	34.64
PK	10.61988G	53.41	74.00	-20.59	15.86	3	Vertical	353	1.50	37.55	39.18	11.11	34.43
PK	15.90468G	53.60	74.00	-20.40	15.69	3	Vertical	360	1.50	37.91	37.92	12.38	34.61

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.62468G	42.75	54.00	-11.25	15.89	3	Horizontal	36	1.61	26.86	39.20	11.11	34.42
AV	15.93936G	41.35	54.00	-12.65	15.83	3	Horizontal	93	1.50	25.52	38.06	12.40	34.63
PK	10.6356G	54.55	74.00	-19.45	15.94	3	Horizontal	36	1.61	38.61	39.24	11.12	34.42
PK	15.91416G	53.65	74.00	-20.35	15.74	3	Horizontal	93	1.50	37.91	37.96	12.39	34.61




RSE TX above 1GHz
Non-Beamforming_Radio 2(Low Band)+Radio 3(High Band)

Appendix D.3


5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5510MHz_TX



5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5510MHz_TX






**RSE TX above 1GHz_
Non-Beamforming_Radio 2(Low Band)+Radio 3(High Band)**

Appendix D.3


5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5510MHz_TX



5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5510MHz_TX






RSE TX above 1GHz Non-Beamforming_Radio 2(Low Band)+Radio 3(High Band)

Appendix D.3

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)				
AV	5.4544G	50.15	54.00	-3.85	5.48	3	Vertical	28	1.38	44.67	33.01	6.64	34.17				
AV	5.5528G	106.90	Inf	-Inf	5.55	3	Vertical	28	1.38	101.35	33.00	6.73	34.18				
PK	5.4544G	63.55	74.00	-10.45	5.48	3	Vertical	28	1.38	58.07	33.01	6.64	34.17				
PK	5.4672G	66.38	68.20	-1.82	5.50	3	Vertical	28	1.38	60.88	33.03	6.65	34.18				
PK	5.5524G	118.49	Inf	-Inf	5.55	3	Vertical	28	1.38	112.94	33.00	6.73	34.18				

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)				
AV	5.4552G	48.37	54.00	-5.63	5.48	3	Horizontal	356	1.27	42.89	33.01	6.64	34.17				
AV	5.546G	106.80	Inf	-Inf	5.55	3	Horizontal	356	1.27	101.25	33.01	6.72	34.18				
PK	5.4568G	62.01	74.00	-11.99	5.48	3	Horizontal	356	1.27	56.53	33.01	6.64	34.17				
PK	5.4656G	63.50	68.20	-4.70	5.50	3	Horizontal	356	1.27	58.00	33.03	6.65	34.18				
PK	5.5452G	118.33	Inf	-Inf	5.55	3	Horizontal	356	1.27	112.78	33.01	6.72	34.18				




**RSE TX above 1GHz_
Non-Beamforming_Radio 2(Low Band)+Radio 3(High Band)**

Appendix D.3


5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5550MHz_TX



5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5550MHz_TX






RSE TX above 1GHz_
Non-Beamforming_Radio 2(Low Band)+Radio 3(High Band)

Appendix D.3


5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5670MHz_TX



5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5670MHz_TX






**RSE TX above 1GHz_
Non-Beamforming_Radio 2(Low Band)+Radio 3(High Band)**

Appendix D.3


5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5670MHz_TX



5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5670MHz_TX






RSE TX above 1GHz
Non-Beamforming_Radio 2(Low Band)+Radio 3(High Band)

Appendix D.3


5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX



5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX






**RSE TX above 1GHz_
Non-Beamforming_Radio 2(Low Band)+Radio 3(High Band)**

Appendix D.3


5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX



5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX






RSE TX above 1GHz Non-Beamforming_Radio 2(Low Band)+Radio 3(High Band)

Appendix D.3

5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.088G	46.94	54.00	-7.06	5.36	3	Vertical	34	1.57	41.58	33.12	6.37	34.13
AV	5.278G	100.14	Inf	-Inf	5.41	3	Vertical	34	1.57	94.73	33.06	6.50	34.15
AV	5.35G	53.94	54.00	-0.06	5.39	3	Vertical	34	1.57	48.55	33.00	6.55	34.16
PK	5.058G	58.91	74.00	-15.09	5.39	3	Vertical	34	1.57	53.52	33.18	6.34	34.13
PK	5.289G	112.12	Inf	-Inf	5.44	3	Vertical	34	1.57	106.68	33.08	6.51	34.15
PK	5.35G	65.25	74.00	-8.75	5.39	3	Vertical	34	1.57	59.86	33.00	6.55	34.16
PK	5.505G	57.86	68.20	-10.34	5.59	3	Vertical	34	1.57	52.27	33.09	6.68	34.18

5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	47.12	54.00	-6.88	5.27	3	Horizontal	22	1.58	41.85	33.00	6.41	34.14
AV	5.283G	100.69	Inf	-Inf	5.43	3	Horizontal	22	1.58	95.26	33.07	6.51	34.15
AV	5.35G	53.78	54.00	-0.22	5.39	3	Horizontal	22	1.58	48.39	33.00	6.55	34.16
PK	5.128G	59.01	74.00	-14.99	5.30	3	Horizontal	22	1.58	53.71	33.04	6.40	34.14
PK	5.275G	112.50	Inf	-Inf	5.40	3	Horizontal	22	1.58	107.10	33.05	6.50	34.15
PK	5.353G	65.47	74.00	-8.53	5.40	3	Horizontal	22	1.58	60.07	33.00	6.56	34.16
PK	5.495G	57.88	68.20	-10.32	5.59	3	Horizontal	22	1.58	52.29	33.09	6.68	34.18




**RSE TX above 1GHz_
Non-Beamforming_Radio 2(Low Band)+Radio 3(High Band)**

Appendix D.3


5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5290MHz_TX



5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5290MHz_TX






RSE TX above 1GHz Non-Beamforming_Radio 2(Low Band)+Radio 3(High Band)

Appendix D.3

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	44.84	54.00	-9.16	5.39	3	Vertical	20	1.32	39.45	33.00	6.55	34.16
AV	5.455G	48.21	54.00	-5.79	5.48	3	Vertical	20	1.32	42.73	33.01	6.64	34.17
AV	5.524G	100.45	Inf	-Inf	5.57	3	Vertical	20	1.32	94.88	33.05	6.70	34.18
PK	5.3G	57.90	68.20	-10.30	5.46	3	Vertical	20	1.32	52.44	33.10	6.52	34.16
PK	5.453G	63.22	74.00	-10.78	5.48	3	Vertical	20	1.32	57.74	33.01	6.64	34.17
PK	5.467G	67.02	68.20	-1.18	5.50	3	Vertical	20	1.32	61.52	33.03	6.65	34.18
PK	5.515G	112.63	Inf	-Inf	5.58	3	Vertical	20	1.32	107.05	33.07	6.69	34.18
PK	5.728G	59.95	68.20	-8.25	6.32	3	Vertical	20	1.32	53.63	33.67	6.85	34.20

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	44.84	54.00	-9.16	5.39	3	Horizontal	20	1.05	39.45	33.00	6.55	34.16
AV	5.458G	48.84	54.00	-5.16	5.49	3	Horizontal	20	1.05	43.35	33.02	6.64	34.17
AV	5.519G	100.31	Inf	-Inf	5.58	3	Horizontal	20	1.05	94.73	33.06	6.70	34.18
PK	5.308G	57.57	68.20	-10.63	5.45	3	Horizontal	20	1.05	52.12	33.08	6.53	34.16
PK	5.46G	65.93	74.00	-8.07	5.48	3	Horizontal	20	1.05	60.45	33.02	6.64	34.18
PK	5.467G	67.03	68.20	-1.17	5.50	3	Horizontal	20	1.05	61.53	33.03	6.65	34.18
PK	5.528G	112.09	Inf	-Inf	5.57	3	Horizontal	20	1.05	106.52	33.04	6.71	34.18
PK	5.774G	59.81	68.20	-8.39	6.62	3	Horizontal	20	1.05	53.19	33.94	6.88	34.20




**RSE TX above 1GHz_
Non-Beamforming_Radio 2(Low Band)+Radio 3(High Band)**

Appendix D.3


5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5530MHz_TX



5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5530MHz_TX






RSE TX above 1GHz
Non-Beamforming_Radio 2(Low Band)+Radio 3(High Band)

Appendix D.3


5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5610MHz_TX



5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5610MHz_TX






**RSE TX above 1GHz_
Non-Beamforming_Radio 2(Low Band)+Radio 3(High Band)**

Appendix D.3


5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5610MHz_TX



5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5610MHz_TX






RSE TX above 1GHz
Non-Beamforming_Radio 2(Low Band)+Radio 3(High Band)

Appendix D.3


5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX



5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX






**RSE TX above 1GHz_
Non-Beamforming_Radio 2(Low Band)+Radio 3(High Band)**

Appendix D.3


5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX



5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX






RSE TX above 1GHz Non-Beamforming_Radio 2(Low Band)+Radio 3(High Band)

Appendix D.3

5.47-5.725GHz_802.11ax HEW160_Nss1,(MCS0)_2TX


5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4548G	52.43	54.00	-1.57	5.48	3	Vertical	22	1.40	46.95	33.01	6.64	34.17
AV	5.5436G	98.38	Inf	-Inf	5.55	3	Vertical	22	1.40	92.83	33.01	6.72	34.18
PK	5.3252G	57.47	68.20	-10.73	5.43	3	Vertical	22	1.40	52.04	33.05	6.54	34.16
PK	5.4572G	64.89	74.00	-9.11	5.48	3	Vertical	22	1.40	59.41	33.01	6.64	34.17
PK	5.4668G	66.74	68.20	-1.46	5.50	3	Vertical	22	1.40	61.24	33.03	6.65	34.18
PK	5.5136G	109.81	Inf	-Inf	5.58	3	Vertical	22	1.40	104.23	33.07	6.69	34.18
PK	5.7296G	62.47	68.20	-5.73	6.33	3	Vertical	22	1.40	56.14	33.68	6.85	34.20

5.47-5.725GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	51.12	54.00	-2.88	5.48	3	Horizontal	23	1.50	45.64	33.02	6.64	34.18
AV	5.5988G	98.38	Inf	-Inf	5.58	3	Horizontal	23	1.50	92.80	33.00	6.77	34.19
PK	5.3072G	56.67	68.20	-11.53	5.46	3	Horizontal	23	1.50	51.21	33.09	6.53	34.16
PK	5.4584G	63.96	74.00	-10.04	5.48	3	Horizontal	23	1.50	58.48	33.02	6.64	34.18
PK	5.4608G	64.42	68.20	-3.78	5.48	3	Horizontal	23	1.50	58.94	33.02	6.64	34.18
PK	5.5784G	109.85	Inf	-Inf	5.56	3	Horizontal	23	1.50	104.29	33.00	6.75	34.19
PK	5.7404G	62.24	68.20	-5.96	6.40	3	Horizontal	23	1.50	55.84	33.74	6.86	34.20




**RSE TX above 1GHz_
Non-Beamforming_Radio 2(Low Band)+Radio 3(High Band)**

Appendix D.3

5.47-5.725GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

5570MHz_TX



5.47-5.725GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

5570MHz_TX

