


6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

MASK

6875MHz\_TX

18/10/2023




| Ref(Hz)   | Ref(dBm) | Freq(Hz)  | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|-----------|------------|------------|------------|------|
| 6.878799G | -13.72   | 6.91465G  | -61.34     | -53.72     | -7.62      | 1    |
| 6.880974G | -13.99   | 6.843525G | -59.31     | -53.99     | -5.32      | 2    |
| 6.866602G | -14.04   | 6.91075G  | -59.61     | -54.04     | -5.57      | 3    |
| 6.878024G | -13.96   | 6.9189G   | -59.90     | -53.96     | -5.94      | 4    |

6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

MASK

6895MHz\_TX

18/10/2023




| Ref(Hz)   | Ref(dBm) | Freq(Hz)  | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|-----------|------------|------------|------------|------|
| 6.891576G | -14.41   | 6.94255G  | -61.50     | -54.41     | -7.09      | 1    |
| 6.904398G | -14.52   | 6.926775G | -60.68     | -54.52     | -6.16      | 2    |
| 6.885752G | -14.03   | 6.9375G   | -60.78     | -54.03     | -6.75      | 3    |
| 6.887252G | -13.93   | 6.862175G | -60.22     | -53.93     | -6.29      | 4    |

6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

MASK

6995MHz\_TX

18/10/2023




6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

MASK

7095MHz\_TX

18/10/2023




6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

MASK

7115MHz\_TX

18/10/2023




| Ref(Hz)   | Ref(dBm) | Freq(Hz)  | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|-----------|------------|------------|------------|------|
| 7.110201G | -16.09   | 7.0764G   | -66.30     | -56.09     | -10.21     | 1    |
| 7.107202G | -15.13   | 7.0725G   | -65.19     | -55.13     | -10.06     | 2    |
| 7.107602G | -15.18   | 7.08015G  | -65.59     | -55.18     | -10.41     | 3    |
| 7.121723G | -15.68   | 7.082775G | -64.79     | -55.68     | -9.11      | 4    |

5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

MASK

5965MHz\_TX

18/10/2023



| Ref(Hz)   | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|----------|------------|------------|------------|------|
| 5.975497G | -11.70   | 6.0645G  | -59.46     | -51.70     | -7.76      | 1    |
| 5.981296G | -10.65   | 6.02865G | -56.81     | -50.65     | -6.16      | 2    |
| 5.979096G | -9.91    | 6.03125G | -58.45     | -49.91     | -8.54      | 3    |
| 5.983045G | -11.10   | 6.0299G  | -57.50     | -50.95     | -6.55      | 4    |


5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

MASK

6205MHz\_TX

18/10/2023

CF (Hz)  
6.205G  
Span (Hz)  
200M  
RBW (Hz)  
500k  
VBW (Hz)  
2M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS



Port 1  
Port 2  
Port 3  
Port 4

| Ref(Hz)   | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|----------|------------|------------|------------|------|
| 6.213748G | -9.56    | 6.27465G | -57.70     | -49.56     | -8.14      | 1    |
| 6.221096G | -9.59    | 6.27175G | -56.37     | -49.59     | -6.78      | 2    |
| 6.221196G | -10.45   | 6.2695G  | -57.14     | -50.45     | -6.69      | 3    |
| 6.220196G | -10.44   | 6.2752G  | -56.96     | -50.44     | -6.52      | 4    |


5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

MASK

6405MHz\_TX

18/10/2023

CF (Hz)  
6.405G  
Span (Hz)  
200M  
RBW (Hz)  
500k  
VBW (Hz)  
2M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS



Port 1  
Port 2  
Port 3  
Port 4


| Ref(Hz)   | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|----------|------------|------------|------------|------|
| 6.393353G | -9.68    | 6.4822G  | -57.48     | -49.68     | -7.80      | 1    |
| 6.413998G | -9.30    | 6.47095G | -56.72     | -49.30     | -7.42      | 2    |
| 6.420546G | -8.39    | 6.30535G | -57.63     | -48.39     | -9.24      | 3    |
| 6.411998G | -10.24   | 6.3371G  | -57.01     | -50.24     | -6.77      | 4    |

6.425-6.525GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

MASK

6445MHz\_TX

18/10/2023




6.425-6.525GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

MASK

6485MHz\_TX

18/10/2023




6.425-6.525GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

MASK

6525MHz\_TX

18/10/2023

CF (Hz)  
6.525G  
Span (Hz)  
200M  
RBW (Hz)  
500k  
VBW (Hz)  
2M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS



| Ref(Hz)   | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|----------|------------|------------|------------|------|
| 6.542396G | -8.49    | 6.43455G | -57.52     | -48.49     | -9.03      | 1    |
| 6.520651G | -8.28    | 6.44405G | -56.86     | -48.28     | -8.58      | 2    |
| 6.541196G | -8.55    | 6.4458G  | -56.99     | -48.55     | -8.44      | 3    |
| 6.507604G | -8.09    | 6.4541G  | -56.68     | -48.09     | -8.59      | 4    |


6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

MASK

6565MHz\_TX

18/10/2023

CF (Hz)  
6.565G  
Span (Hz)  
200M  
RBW (Hz)  
500k  
VBW (Hz)  
2M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS




| Ref(Hz)   | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|----------|------------|------------|------------|------|
| 6.573148G | -8.58    | 6.47625G | -58.02     | -48.58     | -9.44      | 1    |
| 6.578147G | -8.13    | 6.48805G | -56.98     | -48.13     | -8.85      | 2    |
| 6.573348G | -8.83    | 6.47295G | -57.40     | -48.83     | -8.57      | 3    |
| 6.582196G | -8.25    | 6.49585G | -56.95     | -48.25     | -8.70      | 4    |

6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

MASK

6685MHz\_TX

18/10/2023




6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

MASK

6885MHz\_TX

18/10/2023




6.875-7.125GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

MASK

6925MHz\_TX

18/10/2023




6.875-7.125GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

MASK

7005MHz\_TX

18/10/2023





6.875-7.125GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

MASK

7085MHz\_TX

18/10/2023

CF (Hz)  
7.085G


Span (Hz)  
200M

RBW (Hz)  
500k

VBW (Hz)  
2M

Sweep Time (s)  
4.01m

Detector Type  
RMS



| Ref(Hz)   | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|----------|------------|------------|------------|------|
| 7.102146G | -13.18   | 6.9864G  | -61.99     | -53.18     | -8.81      | 1    |
| 7.093948G | -12.20   | 7.0196G  | -59.80     | -52.20     | -7.60      | 2    |
| 7.069104G | -12.55   | 6.9889G  | -61.79     | -52.55     | -9.24      | 3    |
| 7.069604G | -12.18   | 7.0224G  | -59.94     | -52.18     | -7.76      | 4    |

5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

MASK

5985MHz\_TX

18/10/2023

CF (Hz)  
5.985G


Span (Hz)  
400M

RBW (Hz)  
1M

VBW (Hz)  
3M

Sweep Time (s)  
4.01m

Detector Type  
RMS



| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.01989G | -10.18   | 6.0958G  | -50.46     | -45.82     | -4.64      | 1    |
| 6.01959G | -9.15    | 6.1422G  | -54.76     | -49.15     | -5.61      | 2    |
| 6.01799G | -8.79    | 6.1223G  | -54.42     | -48.79     | -5.63      | 3    |
| 6.0032G  | -10.17   | 6.1268G  | -54.57     | -50.17     | -4.40      | 4    |

5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

MASK

6225MHz\_TX

18/10/2023

CF (Hz)  
6.225G


Span (Hz)  
400M

RBW (Hz)  
1M

VBW (Hz)  
3M

Sweep Time (s)  
4.01m

Detector Type  
RMS



| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.19801G | -7.14    | 6.3916G  | -54.49     | -47.14     | -7.35      | 1    |
| 6.2432G  | -7.71    | 6.3728G  | -53.86     | -47.71     | -6.15      | 2    |
| 6.19381G | -8.04    | 6.4097G  | -53.79     | -48.04     | -5.75      | 3    |
| 6.2056G  | -8.50    | 6.4033G  | -53.68     | -48.50     | -5.18      | 4    |

5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

MASK

6385MHz\_TX

18/10/2023

CF (Hz)  
6.385G


Span (Hz)  
400M

RBW (Hz)  
1M

VBW (Hz)  
3M

Sweep Time (s)  
4.01m

Detector Type  
RMS



| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.3679G  | -7.54    | 6.2165G  | -53.77     | -47.54     | -6.23      | 1    |
| 6.35401G | -7.60    | 6.2263G  | -53.31     | -47.60     | -5.71      | 2    |
| 6.35361G | -7.01    | 6.2533G  | -53.37     | -47.01     | -6.36      | 3    |
| 6.3854G  | -7.46    | 6.227G   | -53.18     | -47.46     | -5.72      | 4    |

6.425-6.525GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

MASK

6465MHz\_TX

18/10/2023

CF (Hz)  
6.465G


Span (Hz)  
400M

RBW (Hz)  
1M

VBW (Hz)  
3M

Sweep Time (s)  
4.01m

Detector Type  
RMS



| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.4575G  | -5.35    | 6.2801G  | -53.85     | -45.35     | -8.50      | 1    |
| 6.4773G  | -5.47    | 6.5964G  | -53.43     | -45.47     | -7.96      | 2    |
| 6.42871G | -6.36    | 6.2874G  | -53.24     | -46.36     | -6.88      | 3    |
| 6.4653G  | -6.85    | 6.3316G  | -53.13     | -46.85     | -6.28      | 4    |

6.425-6.525GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

MASK

6545MHz\_TX

18/10/2023

CF (Hz)  
6.545G


Span (Hz)  
400M

RBW (Hz)  
1M

VBW (Hz)  
3M

Sweep Time (s)  
4.01m

Detector Type  
RMS



| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.51141G | -7.22    | 6.4213G  | -53.58     | -47.11     | -6.47      | 1    |
| 6.50711G | -7.52    | 6.4091G  | -53.08     | -47.52     | -5.56      | 2    |
| 6.57319G | -7.98    | 6.41G    | -53.35     | -47.98     | -5.37      | 3    |
| 6.51971G | -8.32    | 6.4054G  | -52.66     | -48.32     | -4.34      | 4    |

6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

MASK

6625MHz\_TX

18/10/2023

CF (Hz)  
6.625G


Span (Hz)  
400M

RBW (Hz)  
1M

VBW (Hz)  
3M

Sweep Time (s)  
4.01m

Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.65009G | -5.94    | 6.7922G  | -53.48     | -45.94     | -7.54      | 1    |
| 6.6275G  | -5.97    | 6.7745G  | -52.96     | -45.97     | -6.99      | 2    |
| 6.66229G | -6.19    | 6.7763G  | -53.06     | -46.19     | -6.87      | 3    |
| 6.59661G | -6.58    | 6.4754G  | -53.10     | -46.58     | -6.52      | 4    |

6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

MASK

6705MHz\_TX

18/10/2023

CF (Hz)  
6.705G


Span (Hz)  
400M

RBW (Hz)  
1M

VBW (Hz)  
3M

Sweep Time (s)  
4.01m

Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 


| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.7207G  | -7.26    | 6.8801G  | -53.89     | -47.26     | -6.63      | 1    |
| 6.67861G | -7.74    | 6.8357G  | -52.62     | -47.74     | -4.88      | 2    |
| 6.6852G  | -7.63    | 6.8355G  | -52.81     | -47.63     | -5.18      | 3    |
| 6.72909G | -7.38    | 6.8356G  | -53.06     | -47.38     | -5.68      | 4    |

6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

MASK

6785MHz\_TX

18/10/2023




6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

MASK

6865MHz\_TX

18/10/2023




6.875-7.125GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

MASK

6945MHz\_TX

18/10/2023




| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.97719G | -8.31    | 6.8017G  | -53.97     | -48.31     | -5.66      | 1    |
| 6.96989G | -7.65    | 6.8032G  | -52.77     | -47.65     | -5.12      | 2    |
| 6.932G   | -7.60    | 6.8122G  | -52.73     | -47.60     | -5.13      | 3    |
| 6.97209G | -7.42    | 6.8057G  | -53.03     | -47.42     | -5.61      | 4    |

6.875-7.125GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

MASK

7025MHz\_TX

18/10/2023




| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.99891G | -8.10    | 6.8991G  | -53.81     | -48.10     | -5.71      | 1    |
| 6.99671G | -6.39    | 6.8332G  | -53.73     | -46.39     | -7.34      | 2    |
| 6.99211G | -7.29    | 6.885G   | -52.79     | -47.29     | -5.50      | 3    |
| 6.99771G | -8.12    | 6.8896G  | -52.86     | -48.12     | -4.74      | 4    |

5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

MASK

6025MHz\_TX

18/10/2023




| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.0206G  | -6.94    | 6.2828G  | -51.93     | -46.94     | -4.99      | 1    |
| 5.98781G | -8.65    | 6.4104G  | -51.63     | -48.65     | -2.98      | 2    |
| 6.0216G  | -8.46    | 6.2826G  | -51.96     | -48.46     | -3.50      | 3    |
| 6.06739G | -8.23    | 6.2938G  | -51.75     | -48.23     | -3.52      | 4    |

5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

MASK

6185MHz\_TX

18/10/2023




| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.23099G | -6.70    | 6.4216G  | -47.63     | -44.84     | -2.79      | 1    |
| 6.24219G | -7.58    | 6.4418G  | -51.81     | -47.58     | -4.23      | 2    |
| 6.176G   | -7.50    | 6.434G   | -52.14     | -47.50     | -4.64      | 3    |
| 6.21819G | -7.75    | 6.4342G  | -51.77     | -47.75     | -4.02      | 4    |

5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

MASK

6345MHz\_TX

18/10/2023




6.425-6.525GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

MASK

6505MHz\_TX

18/10/2023





6.525-6.875GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

MASK

6665MHz\_TX

18/10/2023

CF (Hz)  
6.665G


Span (Hz)  
800M

RBW (Hz)  
2M

VBW (Hz)  
10M

Sweep Time (s)  
4.01m

Detector Type  
RMS



| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.659G   | -2.71    | 6.9348G  | -50.58     | -42.71     | -7.87      | 1    |
| 6.6726G  | -3.04    | 6.9796G  | -50.39     | -43.04     | -7.35      | 2    |
| 6.59062G | -3.77    | 6.941G   | -50.61     | -43.77     | -6.84      | 3    |
| 6.60821G | -2.92    | 6.4146G  | -50.35     | -42.92     | -7.43      | 4    |

6.525-6.875GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

MASK

6825MHz\_TX

18/10/2023

CF (Hz)  
6.825G


Span (Hz)  
800M

RBW (Hz)  
2M

VBW (Hz)  
10M

Sweep Time (s)  
4.01m

Detector Type  
RMS




| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.79621G | -10.12   | 6.5612G  | -52.26     | -50.12     | -2.14      | 1    |
| 6.78961G | -10.99   | 6.434G   | -52.39     | -50.99     | -1.40      | 2    |
| 6.85439G | -11.09   | 6.4348G  | -52.63     | -51.09     | -1.54      | 3    |
| 6.77941G | -11.39   | 6.427G   | -52.34     | -51.39     | -0.95      | 4    |

6.875-7.125GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

MASK

6985MHz\_TX

18/10/2023




5.925-6.425GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

MASK

6105MHz\_TX

03/11/2023



5.925-6.425GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

MASK

6265MHz\_TX

03/11/2023



5.925-6.425GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

MASK

6425MHz\_TX

03/11/2023




6.425-6.525GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

MASK

6585MHz\_TX

03/11/2023




| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.44144G | 2.18     | 7.2006G  | -38.86     | -35.76     | -3.10      | 1    |
| 6.62699G | 4.03     | 6.753G   | -28.70     | -16.00     | -12.70     | 2    |
| 6.5826G  | 2.56     | 6.7534G  | -26.54     | -17.47     | -9.07      | 3    |
| 6.69697G | 2.54     | 6.0818G  | -47.96     | -37.46     | -10.50     | 4    |

6.525-6.875GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

MASK

6745MHz\_TX

03/11/2023




| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.60264G | 3.11     | 6.0938G  | -40.86     | -36.89     | -3.97      | 1    |
| 6.60424G | 4.10     | 6.2246G  | -48.91     | -35.90     | -13.01     | 2    |
| 6.749G   | 4.87     | 6.1966G  | -48.54     | -35.13     | -13.41     | 3    |
| 6.79179G | 2.93     | 6.1842G  | -47.86     | -37.07     | -10.79     | 4    |

6.525-6.875GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

MASK

6905MHz\_TX

03/11/2023



**Summary**

| Mode                               | Result | Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) |
|------------------------------------|--------|------|--------------|-------------------|-------------------|----------------|-------------|------------|----------------|---------------|
| 5.925-6.425GHz                     | -      | -    | -            | -                 | -                 | -              | -           | -          | -              | -             |
| 802.11be EHT20-BF_Nss1,(MCS0)_4TX  | Pass   | AV   | 12.37569G    | 40.30             | 54.00             | -13.70         | 3           | Horizontal | 178            | 1.50          |
| 802.11be EHT40-BF_Nss1,(MCS0)_4TX  | Pass   | AV   | 12.42083G    | 39.88             | 54.00             | -14.12         | 3           | Horizontal | 96             | 1.50          |
| 802.11be EHT80-BF_Nss1,(MCS0)_4TX  | Pass   | AV   | 12.44139G    | 40.20             | 54.00             | -13.80         | 3           | Horizontal | 90             | 1.00          |
| 802.11be EHT160-BF_Nss1,(MCS0)_4TX | Pass   | AV   | 12.0788G     | 40.17             | 54.00             | -13.83         | 3           | Vertical   | 118            | 1.50          |
| 802.11be EHT320-BF_Nss1,(MCS0)_4TX | Pass   | AV   | 5.9245G      | 61.06             | 68.20             | -7.14          | 3           | Vertical   | 50             | 1.85          |
| 6.425-6.525GHz                     | -      | -    | -            | -                 | -                 | -              | -           | -          | -              | -             |
| 802.11be EHT20-BF_Nss1,(MCS0)_4TX  | Pass   | AV   | 12.8784G     | 41.81             | 68.20             | -26.39         | 3           | Horizontal | 294.9          | 1.17          |
| 802.11be EHT40-BF_Nss1,(MCS0)_4TX  | Pass   | AV   | 12.90113G    | 41.46             | 68.20             | -26.74         | 3           | Horizontal | 330            | 1.92          |
| 802.11be EHT80-BF_Nss1,(MCS0)_4TX  | Pass   | AV   | 12.92115G    | 41.48             | 68.20             | -26.72         | 3           | Horizontal | 191            | 1.50          |
| 802.11be EHT160-BF_Nss1,(MCS0)_4TX | Pass   | AV   | 12.97032G    | 40.72             | 68.20             | -27.48         | 3           | Vertical   | 345            | 1.50          |
| 802.11be EHT320-BF_Nss1,(MCS0)_4TX | Pass   | AV   | 13.17336G    | 41.37             | 68.20             | -26.83         | 3           | Vertical   | 244            | 1.50          |
| 6.525-6.875GHz                     | -      | -    | -            | -                 | -                 | -              | -           | -          | -              | -             |
| 802.11be EHT20-BF_Nss1,(MCS0)_4TX  | Pass   | AV   | 13.37749G    | 42.13             | 54.00             | -11.87         | 3           | Vertical   | 163            | 1.75          |
| 802.11be EHT40-BF_Nss1,(MCS0)_4TX  | Pass   | AV   | 13.35767G    | 41.72             | 54.00             | -12.28         | 3           | Horizontal | 263            | 1.50          |
| 802.11be EHT80-BF_Nss1,(MCS0)_4TX  | Pass   | AV   | 13.39659G    | 41.56             | 54.00             | -12.44         | 3           | Horizontal | 151.9          | 1.50          |
| 802.11be EHT160-BF_Nss1,(MCS0)_4TX | Pass   | AV   | 13.35232G    | 41.78             | 54.00             | -12.22         | 3           | Horizontal | 216            | 1.08          |
| 802.11be EHT320-BF_Nss1,(MCS0)_4TX | Pass   | AV   | 7.2995G      | 52.41             | 54.00             | -1.59          | 3           | Horizontal | 16             | 2.35          |
| 6.875-7.125GHz                     | -      | -    | -            | -                 | -                 | -              | -           | -          | -              | -             |
| 802.11be EHT20-BF_Nss1,(MCS0)_4TX  | Pass   | AV   | 7.1255G      | 68.12             | 68.20             | -0.08          | 3           | Vertical   | 292            | 1.73          |
| 802.11be EHT40-BF_Nss1,(MCS0)_4TX  | Pass   | AV   | 7.1339G      | 59.44             | 68.20             | -8.76          | 3           | Vertical   | 318            | 1.40          |
| 802.11be EHT80-BF_Nss1,(MCS0)_4TX  | Pass   | AV   | 12.0788G     | 40.17             | 54.00             | -13.83         | 3           | Vertical   | 118            | 1.50          |
| 802.11be EHT160-BF_Nss1,(MCS0)_4TX | Pass   | PK   | 7.1345G      | 78.79             | 88.20             | -9.41          | 3           | Vertical   | 315.9          | 1.78          |

Result

| Mode                              | Result | Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) |
|-----------------------------------|--------|------|--------------|-------------------|-------------------|----------------|-------------|------------|----------------|---------------|
| 802.11be EHT20-BF_Nss1,(MCS0)_4TX | -      | -    | -            | -                 | -                 | -              | -           | -          | -              | -             |
| 5955MHz                           | Pass   | AV   | 5.9142G      | 48.56             | 68.20             | -19.64         | 3           | Vertical   | 306            | 1.62          |
| 5955MHz                           | Pass   | AV   | 5.9613G      | 99.23             | Inf               | -Inf           | 3           | Vertical   | 306            | 1.62          |
| 5955MHz                           | Pass   | PK   | 5.8935G      | 59.40             | 88.20             | -28.80         | 3           | Vertical   | 306            | 1.62          |
| 5955MHz                           | Pass   | PK   | 5.9541G      | 110.27            | Inf               | -Inf           | 3           | Vertical   | 306            | 1.62          |
| 5955MHz                           | Pass   | AV   | 5.9199G      | 47.96             | 68.20             | -20.24         | 3           | Horizontal | 26             | 1.00          |
| 5955MHz                           | Pass   | AV   | 5.9463G      | 90.87             | Inf               | -Inf           | 3           | Horizontal | 26             | 1.00          |
| 5955MHz                           | Pass   | PK   | 5.9073G      | 59.24             | 88.20             | -28.96         | 3           | Horizontal | 26             | 1.00          |
| 5955MHz                           | Pass   | PK   | 5.949G       | 101.75            | Inf               | -Inf           | 3           | Horizontal | 26             | 1.00          |
| 5955MHz                           | Pass   | AV   | 11.89749G    | 39.83             | 54.00             | -14.17         | 3           | Vertical   | 312            | 1.08          |
| 5955MHz                           | Pass   | PK   | 11.89854G    | 51.70             | 74.00             | -22.30         | 3           | Vertical   | 312            | 1.08          |
| 5955MHz                           | Pass   | AV   | 11.91744G    | 39.90             | 54.00             | -14.10         | 3           | Horizontal | 149            | 1.50          |
| 5955MHz                           | Pass   | PK   | 11.89779G    | 51.22             | 74.00             | -22.78         | 3           | Horizontal | 149            | 1.50          |
| 6195MHz                           | Pass   | PK   | 12.39801G    | 52.26             | 74.00             | -21.74         | 3           | Vertical   | 247            | 1.50          |
| 6195MHz                           | Pass   | AV   | 12.3801G     | 40.18             | 54.00             | -13.82         | 3           | Vertical   | 247            | 1.50          |
| 6195MHz                           | Pass   | PK   | 12.4017G     | 52.26             | 74.00             | -21.74         | 3           | Horizontal | 178            | 1.50          |
| 6195MHz                           | Pass   | AV   | 12.37569G    | 40.30             | 54.00             | -13.70         | 3           | Horizontal | 178            | 1.50          |
| 6415MHz                           | Pass   | PK   | 12.84167G    | 52.85             | 88.20             | -35.35         | 3           | Vertical   | 143            | 1.50          |
| 6415MHz                           | Pass   | AV   | 12.84089G    | 41.66             | 68.20             | -26.54         | 3           | Vertical   | 143            | 1.50          |
| 6415MHz                           | Pass   | PK   | 12.82961G    | 52.92             | 88.20             | -35.28         | 3           | Horizontal | 328            | 2.37          |
| 6415MHz                           | Pass   | AV   | 12.82892G    | 41.76             | 68.20             | -26.44         | 3           | Horizontal | 328            | 2.37          |
| 6435MHz                           | Pass   | AV   | 12.88383G    | 41.69             | 68.20             | -26.51         | 3           | Vertical   | 346            | 1.48          |
| 6435MHz                           | Pass   | PK   | 12.86424G    | 52.58             | 88.20             | -35.62         | 3           | Vertical   | 346            | 1.48          |
| 6435MHz                           | Pass   | AV   | 12.8784G     | 41.81             | 68.20             | -26.39         | 3           | Horizontal | 294.9          | 1.17          |
| 6435MHz                           | Pass   | PK   | 12.8784G     | 52.76             | 88.20             | -35.44         | 3           | Horizontal | 294.9          | 1.17          |
| 6475MHz                           | Pass   | PK   | 12.95144G    | 53.78             | 88.20             | -34.42         | 3           | Vertical   | 66             | 1.50          |
| 6475MHz                           | Pass   | AV   | 12.94844G    | 41.58             | 68.20             | -26.62         | 3           | Vertical   | 66             | 1.50          |
| 6475MHz                           | Pass   | PK   | 12.93665G    | 52.99             | 88.20             | -35.21         | 3           | Horizontal | 47             | 1.50          |
| 6475MHz                           | Pass   | AV   | 12.95024G    | 41.57             | 68.20             | -26.63         | 3           | Horizontal | 47             | 1.50          |
| 6515MHz                           | Pass   | PK   | 13.01947G    | 54.03             | 88.20             | -34.17         | 3           | Vertical   | 84             | 1.50          |
| 6515MHz                           | Pass   | AV   | 13.02049G    | 41.07             | 68.20             | -27.13         | 3           | Vertical   | 84             | 1.50          |
| 6515MHz                           | Pass   | PK   | 13.04395G    | 52.45             | 88.20             | -35.75         | 3           | Horizontal | 345            | 1.50          |
| 6515MHz                           | Pass   | AV   | 13.01875G    | 40.95             | 68.20             | -27.25         | 3           | Horizontal | 345            | 1.50          |
| 6535MHz                           | Pass   | PK   | 13.07279G    | 52.77             | 88.20             | -35.43         | 3           | Vertical   | 106            | 1.50          |
| 6535MHz                           | Pass   | AV   | 13.06793G    | 41.07             | 68.20             | -27.13         | 3           | Vertical   | 106            | 1.50          |
| 6535MHz                           | Pass   | PK   | 13.05716G    | 53.14             | 88.20             | -35.06         | 3           | Horizontal | 185            | 1.50          |
| 6535MHz                           | Pass   | AV   | 13.07999G    | 40.96             | 68.20             | -27.24         | 3           | Horizontal | 185            | 1.50          |
| 6695MHz                           | Pass   | PK   | 13.38736G    | 54.26             | 74.00             | -19.74         | 3           | Vertical   | 163            | 1.75          |
| 6695MHz                           | Pass   | AV   | 13.37749G    | 42.13             | 54.00             | -11.87         | 3           | Vertical   | 163            | 1.75          |
| 6695MHz                           | Pass   | PK   | 13.37884G    | 53.41             | 74.00             | -20.59         | 3           | Horizontal | 303            | 1.00          |
| 6695MHz                           | Pass   | AV   | 13.37833G    | 41.98             | 54.00             | -12.02         | 3           | Horizontal | 303            | 1.00          |
| 6875MHz                           | Pass   | PK   | 13.71552G    | 53.67             | 88.20             | -34.53         | 3           | Vertical   | 14             | 1.82          |
| 6875MHz                           | Pass   | AV   | 13.78832G    | 42.04             | 68.20             | -26.16         | 3           | Vertical   | 14             | 1.82          |
| 6875MHz                           | Pass   | PK   | 13.75528G    | 53.36             | 88.20             | -34.84         | 3           | Horizontal | 57             | 1.50          |
| 6875MHz                           | Pass   | AV   | 13.78752G    | 42.03             | 68.20             | -26.17         | 3           | Horizontal | 57             | 1.50          |
| 6895MHz                           | Pass   | PK   | 13.78391G    | 53.67             | 88.20             | -34.53         | 3           | Vertical   | 140            | 1.50          |
| 6895MHz                           | Pass   | AV   | 13.78796G    | 42.32             | 68.20             | -25.88         | 3           | Vertical   | 140            | 1.50          |
| 6895MHz                           | Pass   | PK   | 13.79165G    | 53.97             | 88.20             | -34.23         | 3           | Horizontal | 167            | 1.27          |
| 6895MHz                           | Pass   | AV   | 13.80092G    | 42.18             | 68.20             | -26.02         | 3           | Horizontal | 167            | 1.27          |
| 6995MHz                           | Pass   | PK   | 13.99825G    | 53.76             | 88.20             | -34.44         | 3           | Vertical   | 17             | 1.50          |
| 6995MHz                           | Pass   | AV   | 13.99315G    | 42.32             | 68.20             | -25.88         | 3           | Vertical   | 17             | 1.50          |
| 6995MHz                           | Pass   | PK   | 13.98727G    | 54.04             | 88.20             | -34.16         | 3           | Horizontal | 94             | 1.50          |
| 6995MHz                           | Pass   | AV   | 13.99999G    | 42.29             | 68.20             | -25.91         | 3           | Horizontal | 94             | 1.50          |
| 7095MHz                           | Pass   | PK   | 14.17959G    | 54.32             | 88.20             | -33.88         | 3           | Vertical   | 0              | 1.50          |
| 7095MHz                           | Pass   | AV   | 14.19876G    | 42.33             | 68.20             | -25.87         | 3           | Vertical   | 0              | 1.50          |
| 7095MHz                           | Pass   | PK   | 14.19G       | 53.97             | 88.20             | -34.23         | 3           | Horizontal | 224            | 1.73          |
| 7095MHz                           | Pass   | AV   | 14.17752G    | 42.38             | 68.20             | -25.82         | 3           | Horizontal | 224            | 1.73          |
| 7115MHz                           | Pass   | AV   | 7.1065G      | 97.85             | Inf               | -Inf           | 3           | Vertical   | 292            | 1.73          |
| 7115MHz                           | Pass   | AV   | 7.1255G      | 68.12             | 68.20             | -0.08          | 3           | Vertical   | 292            | 1.73          |
| 7115MHz                           | Pass   | PK   | 7.1115G      | 103.70            | Inf               | -Inf           | 3           | Vertical   | 292            | 1.73          |
| 7115MHz                           | Pass   | PK   | 7.1255G      | 78.33             | 88.20             | -9.87          | 3           | Vertical   | 292            | 1.73          |

| Mode                              | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition  | Azimuth (°) | Height (m) |
|-----------------------------------|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|
| 7115MHz                           | Pass   | AV   | 7.1065G   | 89.65          | Inf            | -Inf        | 3        | Horizontal | 359         | 1.69       |
| 7115MHz                           | Pass   | AV   | 7.1255G   | 61.15          | 68.20          | -7.05       | 3        | Horizontal | 359         | 1.69       |
| 7115MHz                           | Pass   | PK   | 7.1065G   | 95.78          | Inf            | -Inf        | 3        | Horizontal | 359         | 1.69       |
| 7115MHz                           | Pass   | PK   | 7.1255G   | 71.95          | 88.20          | -16.25      | 3        | Horizontal | 359         | 1.69       |
| 7115MHz                           | Pass   | PK   | 14.24449G | 54.54          | 88.20          | -33.66      | 3        | Vertical   | 24          | 1.50       |
| 7115MHz                           | Pass   | AV   | 14.22799G | 42.13          | 68.20          | -26.07      | 3        | Vertical   | 24          | 1.50       |
| 7115MHz                           | Pass   | PK   | 14.21755G | 53.70          | 88.20          | -34.50      | 3        | Horizontal | 288         | 1.50       |
| 7115MHz                           | Pass   | AV   | 14.22868G | 42.13          | 68.20          | -26.07      | 3        | Horizontal | 288         | 1.50       |
| 802.11be EHT40-BF_Nss1,(MCS0)_4TX | -      | -    | -         | -              | -              | -           | -        | -          | -           | -          |
| 5965MHz                           | Pass   | AV   | 5.9236G   | 48.40          | 68.20          | -19.80      | 3        | Vertical   | 67          | 1.79       |
| 5965MHz                           | Pass   | AV   | 5.9833G   | 99.09          | Inf            | -Inf        | 3        | Vertical   | 67          | 1.79       |
| 5965MHz                           | Pass   | PK   | 5.9161G   | 60.22          | 88.20          | -27.98      | 3        | Vertical   | 67          | 1.79       |
| 5965MHz                           | Pass   | PK   | 5.9512G   | 110.11         | Inf            | -Inf        | 3        | Vertical   | 67          | 1.79       |
| 5965MHz                           | Pass   | AV   | 5.9248G   | 47.54          | 68.20          | -20.66      | 3        | Horizontal | 354         | 2.58       |
| 5965MHz                           | Pass   | AV   | 5.9551G   | 90.95          | Inf            | -Inf        | 3        | Horizontal | 354         | 2.58       |
| 5965MHz                           | Pass   | PK   | 5.9119G   | 59.66          | 88.20          | -28.54      | 3        | Horizontal | 354         | 2.58       |
| 5965MHz                           | Pass   | PK   | 5.9572G   | 102.39         | Inf            | -Inf        | 3        | Horizontal | 354         | 2.58       |
| 5965MHz                           | Pass   | PK   | 11.93747G | 51.83          | 74.00          | -22.17      | 3        | Vertical   | 252         | 1.50       |
| 5965MHz                           | Pass   | AV   | 11.94092G | 39.55          | 54.00          | -14.45      | 3        | Vertical   | 252         | 1.50       |
| 5965MHz                           | Pass   | PK   | 11.94146G | 51.82          | 74.00          | -22.18      | 3        | Horizontal | 202         | 1.50       |
| 5965MHz                           | Pass   | AV   | 11.9429G  | 39.54          | 54.00          | -14.46      | 3        | Horizontal | 202         | 1.50       |
| 6205MHz                           | Pass   | PK   | 12.41705G | 52.65          | 74.00          | -21.35      | 3        | Vertical   | 360         | 1.50       |
| 6205MHz                           | Pass   | AV   | 12.41591G | 39.80          | 54.00          | -14.20      | 3        | Vertical   | 360         | 1.50       |
| 6205MHz                           | Pass   | PK   | 12.41126G | 52.34          | 74.00          | -21.66      | 3        | Horizontal | 96          | 1.50       |
| 6205MHz                           | Pass   | AV   | 12.42083G | 39.88          | 54.00          | -14.12      | 3        | Horizontal | 96          | 1.50       |
| 6405MHz                           | Pass   | PK   | 12.80118G | 53.26          | 88.20          | -34.94      | 3        | Vertical   | 73          | 1.50       |
| 6405MHz                           | Pass   | AV   | 12.82299G | 41.01          | 68.20          | -27.19      | 3        | Vertical   | 73          | 1.50       |
| 6405MHz                           | Pass   | PK   | 12.80832G | 53.69          | 88.20          | -34.51      | 3        | Horizontal | 17          | 1.50       |
| 6405MHz                           | Pass   | AV   | 12.8232G  | 41.01          | 68.20          | -27.19      | 3        | Horizontal | 17          | 1.50       |
| 6445MHz                           | Pass   | PK   | 12.89066G | 54.25          | 88.20          | -33.95      | 3        | Vertical   | 91          | 1.50       |
| 6445MHz                           | Pass   | AV   | 12.89513G | 41.45          | 68.20          | -26.75      | 3        | Vertical   | 91          | 1.50       |
| 6445MHz                           | Pass   | PK   | 12.89978G | 54.26          | 88.20          | -33.94      | 3        | Horizontal | 330         | 1.92       |
| 6445MHz                           | Pass   | AV   | 12.90113G | 41.46          | 68.20          | -26.74      | 3        | Horizontal | 330         | 1.92       |
| 6485MHz                           | Pass   | PK   | 12.97561G | 52.96          | 88.20          | -35.24      | 3        | Vertical   | 330         | 2.13       |
| 6485MHz                           | Pass   | AV   | 12.95854G | 41.07          | 68.20          | -27.13      | 3        | Vertical   | 330         | 2.13       |
| 6485MHz                           | Pass   | PK   | 12.95527G | 53.51          | 88.20          | -34.69      | 3        | Horizontal | 63          | 1.50       |
| 6485MHz                           | Pass   | AV   | 12.95545G | 41.10          | 68.20          | -27.10      | 3        | Horizontal | 63          | 1.50       |
| 6525MHz                           | Pass   | PK   | 13.05375G | 52.97          | 88.20          | -35.23      | 3        | Vertical   | 288         | 1.50       |
| 6525MHz                           | Pass   | AV   | 13.05585G | 40.51          | 68.20          | -27.69      | 3        | Vertical   | 288         | 1.50       |
| 6525MHz                           | Pass   | PK   | 13.0611G  | 52.95          | 88.20          | -35.25      | 3        | Horizontal | 156         | 1.50       |
| 6525MHz                           | Pass   | AV   | 13.03587G | 40.49          | 68.20          | -27.71      | 3        | Horizontal | 156         | 1.50       |
| 6565MHz                           | Pass   | PK   | 13.11548G | 53.57          | 88.20          | -34.63      | 3        | Vertical   | 286         | 1.50       |
| 6565MHz                           | Pass   | AV   | 13.14182G | 41.13          | 68.20          | -27.07      | 3        | Vertical   | 286         | 1.50       |
| 6565MHz                           | Pass   | PK   | 13.13705G | 53.15          | 88.20          | -35.05      | 3        | Horizontal | 16          | 1.50       |
| 6565MHz                           | Pass   | AV   | 13.14473G | 41.18          | 68.20          | -27.02      | 3        | Horizontal | 16          | 1.50       |
| 6685MHz                           | Pass   | PK   | 13.36151G | 54.30          | 74.00          | -19.70      | 3        | Vertical   | 284         | 1.50       |
| 6685MHz                           | Pass   | AV   | 13.36022G | 41.71          | 54.00          | -12.29      | 3        | Vertical   | 284         | 1.50       |
| 6685MHz                           | Pass   | PK   | 13.37396G | 53.53          | 74.00          | -20.47      | 3        | Horizontal | 263         | 1.50       |
| 6685MHz                           | Pass   | AV   | 13.35767G | 41.72          | 54.00          | -12.28      | 3        | Horizontal | 263         | 1.50       |
| 6885MHz                           | Pass   | PK   | 13.7829G  | 53.55          | 88.20          | -34.65      | 3        | Vertical   | 124         | 1.50       |
| 6885MHz                           | Pass   | AV   | 13.78458G | 41.71          | 68.20          | -26.49      | 3        | Vertical   | 124         | 1.50       |
| 6885MHz                           | Pass   | PK   | 13.77459G | 54.05          | 88.20          | -34.15      | 3        | Horizontal | 190         | 1.50       |
| 6885MHz                           | Pass   | AV   | 13.7655G  | 41.66          | 68.20          | -26.54      | 3        | Horizontal | 190         | 1.50       |
| 6925MHz                           | Pass   | AV   | 13.86338G | 42.11          | 68.20          | -26.09      | 3        | Vertical   | 1           | 1.50       |
| 6925MHz                           | Pass   | PK   | 13.86368G | 53.88          | 88.20          | -34.32      | 3        | Vertical   | 1           | 1.50       |
| 6925MHz                           | Pass   | AV   | 13.86305G | 42.11          | 68.20          | -26.09      | 3        | Horizontal | 99          | 1.50       |
| 6925MHz                           | Pass   | PK   | 13.8572G  | 54.06          | 88.20          | -34.14      | 3        | Horizontal | 99          | 1.50       |
| 7005MHz                           | Pass   | PK   | 14.00286G | 53.94          | 88.20          | -34.26      | 3        | Vertical   | 12          | 1.50       |
| 7005MHz                           | Pass   | AV   | 13.99971G | 41.72          | 68.20          | -26.48      | 3        | Vertical   | 12          | 1.50       |
| 7005MHz                           | Pass   | PK   | 14.02365G | 54.58          | 88.20          | -33.62      | 3        | Horizontal | 282         | 1.50       |
| 7005MHz                           | Pass   | AV   | 14.00316G | 41.72          | 68.20          | -26.48      | 3        | Horizontal | 282         | 1.50       |
| 7085MHz                           | Pass   | AV   | 7.0679G   | 99.50          | Inf            | -Inf        | 3        | Vertical   | 318         | 1.40       |




| Mode                              | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition  | Azimuth (°) | Height (m) |
|-----------------------------------|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|
| 7085MHz                           | Pass   | AV   | 7.1339G   | 59.44          | 68.20          | -8.76       | 3        | Vertical   | 318         | 1.40       |
| 7085MHz                           | Pass   | PK   | 7.073G    | 110.41         | Inf            | -Inf        | 3        | Vertical   | 318         | 1.40       |
| 7085MHz                           | Pass   | PK   | 7.1255G   | 74.94          | 88.20          | -13.26      | 3        | Vertical   | 318         | 1.40       |
| 7085MHz                           | Pass   | AV   | 7.0715G   | 95.85          | Inf            | -Inf        | 3        | Horizontal | 336         | 2.86       |
| 7085MHz                           | Pass   | AV   | 7.1321G   | 57.90          | 68.20          | -10.30      | 3        | Horizontal | 336         | 2.86       |
| 7085MHz                           | Pass   | PK   | 7.0679G   | 106.38         | Inf            | -Inf        | 3        | Horizontal | 336         | 2.86       |
| 7085MHz                           | Pass   | PK   | 7.1342G   | 72.42          | 88.20          | -15.78      | 3        | Horizontal | 336         | 2.86       |
| 7085MHz                           | Pass   | PK   | 14.18347G | 53.66          | 88.20          | -34.54      | 3        | Vertical   | 1           | 1.50       |
| 7085MHz                           | Pass   | AV   | 14.17711G | 41.94          | 68.20          | -26.26      | 3        | Vertical   | 1           | 1.50       |
| 7085MHz                           | Pass   | PK   | 14.17669G | 54.31          | 88.20          | -33.89      | 3        | Horizontal | 347         | 1.50       |
| 7085MHz                           | Pass   | AV   | 14.1724G  | 41.92          | 68.20          | -26.28      | 3        | Horizontal | 347         | 1.50       |
| 802.11be EHT80-BF_Nss1,(MCS0)_4TX | -      | -    | -         | -              | -              | -           | -        | -          | -           | -          |
| 5985MHz                           | Pass   | AV   | 5.925G    | 50.66          | 68.20          | -17.54      | 3        | Vertical   | 65          | 1.78       |
| 5985MHz                           | Pass   | AV   | 6.0055G   | 98.33          | Inf            | -Inf        | 3        | Vertical   | 65          | 1.78       |
| 5985MHz                           | Pass   | PK   | 5.922G    | 64.77          | 88.20          | -23.43      | 3        | Vertical   | 65          | 1.78       |
| 5985MHz                           | Pass   | PK   | 6.0035G   | 110.48         | Inf            | -Inf        | 3        | Vertical   | 65          | 1.78       |
| 5985MHz                           | Pass   | AV   | 5.924G    | 47.60          | 68.20          | -20.60      | 3        | Horizontal | 356         | 2.65       |
| 5985MHz                           | Pass   | AV   | 5.998G    | 90.77          | Inf            | -Inf        | 3        | Horizontal | 356         | 2.65       |
| 5985MHz                           | Pass   | PK   | 5.9235G   | 59.24          | 88.20          | -28.96      | 3        | Horizontal | 356         | 2.65       |
| 5985MHz                           | Pass   | PK   | 6.004G    | 102.57         | Inf            | -Inf        | 3        | Horizontal | 356         | 2.65       |
| 5985MHz                           | Pass   | PK   | 11.9805G  | 51.72          | 74.00          | -22.28      | 3        | Vertical   | 334         | 1.50       |
| 5985MHz                           | Pass   | AV   | 11.95884G | 39.64          | 54.00          | -14.36      | 3        | Vertical   | 334         | 1.50       |
| 5985MHz                           | Pass   | PK   | 11.98017G | 51.79          | 74.00          | -22.21      | 3        | Horizontal | 312         | 1.27       |
| 5985MHz                           | Pass   | AV   | 11.98116G | 39.75          | 54.00          | -14.25      | 3        | Horizontal | 312         | 1.27       |
| 6225MHz                           | Pass   | PK   | 12.45693G | 52.15          | 74.00          | -21.85      | 3        | Vertical   | 112         | 2.11       |
| 6225MHz                           | Pass   | AV   | 12.44364G | 40.10          | 54.00          | -13.90      | 3        | Vertical   | 112         | 2.11       |
| 6225MHz                           | Pass   | PK   | 12.44328G | 52.20          | 74.00          | -21.80      | 3        | Horizontal | 90          | 1.00       |
| 6225MHz                           | Pass   | AV   | 12.44139G | 40.20          | 54.00          | -13.80      | 3        | Horizontal | 90          | 1.00       |
| 6385MHz                           | Pass   | PK   | 12.7733G  | 53.15          | 88.20          | -35.05      | 3        | Vertical   | 129.9       | 1.50       |
| 6385MHz                           | Pass   | AV   | 12.77114G | 40.75          | 68.20          | -27.45      | 3        | Vertical   | 129.9       | 1.50       |
| 6385MHz                           | Pass   | PK   | 12.76007G | 53.28          | 88.20          | -34.92      | 3        | Horizontal | 127         | 1.50       |
| 6385MHz                           | Pass   | AV   | 12.77939G | 41.00          | 68.20          | -27.20      | 3        | Horizontal | 127         | 1.50       |
| 6465MHz                           | Pass   | PK   | 12.92085G | 53.56          | 88.20          | -34.64      | 3        | Vertical   | 121         | 1.50       |
| 6465MHz                           | Pass   | AV   | 12.91974G | 41.34          | 68.20          | -26.86      | 3        | Vertical   | 121         | 1.50       |
| 6465MHz                           | Pass   | PK   | 12.92058G | 53.85          | 88.20          | -34.35      | 3        | Horizontal | 191         | 1.50       |
| 6465MHz                           | Pass   | AV   | 12.92115G | 41.48          | 68.20          | -26.72      | 3        | Horizontal | 191         | 1.50       |
| 6545MHz                           | Pass   | PK   | 13.09852G | 53.56          | 88.20          | -34.64      | 3        | Vertical   | 273         | 1.50       |
| 6545MHz                           | Pass   | AV   | 13.10413G | 40.76          | 68.20          | -27.44      | 3        | Vertical   | 273         | 1.50       |
| 6545MHz                           | Pass   | PK   | 13.07644G | 52.88          | 88.20          | -35.32      | 3        | Horizontal | 59          | 2.95       |
| 6545MHz                           | Pass   | AV   | 13.10185G | 40.71          | 68.20          | -27.49      | 3        | Horizontal | 59          | 2.95       |
| 6625MHz                           | Pass   | PK   | 13.25438G | 54.21          | 74.00          | -19.79      | 3        | Vertical   | 198         | 2.44       |
| 6625MHz                           | Pass   | AV   | 13.2587G  | 41.27          | 54.00          | -12.73      | 3        | Vertical   | 198         | 2.44       |
| 6625MHz                           | Pass   | PK   | 13.2512G  | 53.58          | 74.00          | -20.42      | 3        | Horizontal | 130         | 1.50       |
| 6625MHz                           | Pass   | AV   | 13.24763G | 41.20          | 68.20          | -27.00      | 3        | Horizontal | 130         | 1.50       |
| 6705MHz                           | Pass   | PK   | 13.41936G | 54.18          | 88.20          | -34.02      | 3        | Vertical   | 137         | 1.50       |
| 6705MHz                           | Pass   | AV   | 13.40928G | 41.45          | 68.20          | -26.75      | 3        | Vertical   | 137         | 1.50       |
| 6705MHz                           | Pass   | PK   | 13.40985G | 54.73          | 88.20          | -33.47      | 3        | Horizontal | 151.9       | 1.50       |
| 6705MHz                           | Pass   | AV   | 13.39659G | 41.56          | 54.00          | -12.44      | 3        | Horizontal | 151.9       | 1.50       |
| 6785MHz                           | Pass   | PK   | 13.60904G | 54.08          | 88.20          | -34.12      | 3        | Vertical   | 347.9       | 1.50       |
| 6785MHz                           | Pass   | AV   | 13.54328G | 41.98          | 68.20          | -26.22      | 3        | Vertical   | 347.9       | 1.50       |
| 6785MHz                           | Pass   | PK   | 13.5744G  | 54.17          | 88.20          | -34.03      | 3        | Horizontal | 21          | 1.50       |
| 6785MHz                           | Pass   | AV   | 13.5468G  | 41.98          | 68.20          | -26.22      | 3        | Horizontal | 21          | 1.50       |
| 6865MHz                           | Pass   | PK   | 13.75672G | 53.67          | 88.20          | -34.53      | 3        | Vertical   | 261         | 1.50       |
| 6865MHz                           | Pass   | AV   | 13.75816G | 41.43          | 68.20          | -26.77      | 3        | Vertical   | 261         | 1.50       |
| 6865MHz                           | Pass   | PK   | 13.72648G | 53.38          | 88.20          | -34.82      | 3        | Horizontal | 100         | 1.50       |
| 6865MHz                           | Pass   | AV   | 13.75272G | 41.51          | 68.20          | -26.69      | 3        | Horizontal | 100         | 1.50       |
| 6945MHz                           | Pass   | AV   | 13.9008G  | 42.43          | 68.20          | -25.77      | 3        | Vertical   | 318         | 1.50       |
| 6945MHz                           | Pass   | PK   | 13.91496G | 54.06          | 88.20          | -34.14      | 3        | Vertical   | 318         | 1.50       |
| 6945MHz                           | Pass   | AV   | 13.90032G | 42.58          | 68.20          | -25.62      | 3        | Horizontal | 360         | 1.50       |
| 6945MHz                           | Pass   | PK   | 13.87664G | 54.23          | 88.20          | -33.97      | 3        | Horizontal | 360         | 1.50       |
| 7025MHz                           | Pass   | AV   | 5.9245G   | 52.66          | 68.20          | -15.54      | 3        | Vertical   | 56          | 2.29       |
| 7025MHz                           | Pass   | AV   | 6.0735G   | 98.35          | Inf            | -Inf        | 3        | Vertical   | 56          | 2.29       |

| Mode                               | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition  | Azimuth (°) | Height (m) |
|------------------------------------|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|
| 7025MHz                            | Pass   | PK   | 5.8965G   | 62.86          | 88.20          | -25.34      | 3        | Vertical   | 56          | 2.29       |
| 7025MHz                            | Pass   | PK   | 6.0715G   | 108.03         | Inf            | -Inf        | 3        | Vertical   | 56          | 2.29       |
| 7025MHz                            | Pass   | AV   | 5.891G    | 48.52          | 68.20          | -19.68      | 3        | Horizontal | 54          | 1.05       |
| 7025MHz                            | Pass   | AV   | 6.001G    | 86.21          | Inf            | -Inf        | 3        | Horizontal | 54          | 1.05       |
| 7025MHz                            | Pass   | PK   | 5.89G     | 61.47          | 88.20          | -26.73      | 3        | Horizontal | 54          | 1.05       |
| 7025MHz                            | Pass   | PK   | 6.0475G   | 96.60          | Inf            | -Inf        | 3        | Horizontal | 54          | 1.05       |
| 7025MHz                            | Pass   | AV   | 12.0788G  | 40.17          | 54.00          | -13.83      | 3        | Vertical   | 118         | 1.50       |
| 7025MHz                            | Pass   | PK   | 12.03744G | 52.25          | 74.00          | -21.75      | 3        | Vertical   | 118         | 1.50       |
| 7025MHz                            | Pass   | AV   | 12.07688G | 40.15          | 54.00          | -13.85      | 3        | Horizontal | 45          | 1.50       |
| 7025MHz                            | Pass   | PK   | 12.04792G | 53.23          | 74.00          | -20.77      | 3        | Horizontal | 45          | 1.50       |
| 802.11be EHT160-BF_Nss1,(MCS0)_4TX | -      | -    | -         | -              | -              | -           | -        | -          | -           | -          |
| 6025MHz                            | Pass   | AV   | 5.9245G   | 52.66          | 68.20          | -15.54      | 3        | Vertical   | 56          | 2.29       |
| 6025MHz                            | Pass   | AV   | 6.0735G   | 98.35          | Inf            | -Inf        | 3        | Vertical   | 56          | 2.29       |
| 6025MHz                            | Pass   | PK   | 5.8965G   | 62.86          | 88.20          | -25.34      | 3        | Vertical   | 56          | 2.29       |
| 6025MHz                            | Pass   | PK   | 6.0715G   | 108.03         | Inf            | -Inf        | 3        | Vertical   | 56          | 2.29       |
| 6025MHz                            | Pass   | AV   | 5.891G    | 48.52          | 68.20          | -19.68      | 3        | Horizontal | 54          | 1.05       |
| 6025MHz                            | Pass   | AV   | 6.001G    | 86.21          | Inf            | -Inf        | 3        | Horizontal | 54          | 1.05       |
| 6025MHz                            | Pass   | PK   | 5.89G     | 61.47          | 88.20          | -26.73      | 3        | Horizontal | 54          | 1.05       |
| 6025MHz                            | Pass   | PK   | 6.0475G   | 96.60          | Inf            | -Inf        | 3        | Horizontal | 54          | 1.05       |
| 6025MHz                            | Pass   | PK   | 12.03744G | 52.25          | 74.00          | -21.75      | 3        | Vertical   | 118         | 1.50       |
| 6025MHz                            | Pass   | AV   | 12.0788G  | 40.17          | 54.00          | -13.83      | 3        | Vertical   | 118         | 1.50       |
| 6025MHz                            | Pass   | PK   | 12.04792G | 53.23          | 74.00          | -20.77      | 3        | Horizontal | 45          | 1.50       |
| 6025MHz                            | Pass   | AV   | 12.07688G | 40.15          | 54.00          | -13.85      | 3        | Horizontal | 45          | 1.50       |
| 6185MHz                            | Pass   | PK   | 12.34352G | 52.19          | 74.00          | -21.81      | 3        | Vertical   | 248         | 1.50       |
| 6185MHz                            | Pass   | AV   | 12.3716G  | 39.79          | 54.00          | -14.21      | 3        | Vertical   | 248         | 1.50       |
| 6185MHz                            | Pass   | PK   | 12.33848G | 51.87          | 74.00          | -22.13      | 3        | Horizontal | 43          | 2.35       |
| 6185MHz                            | Pass   | AV   | 12.34984G | 39.90          | 54.00          | -14.10      | 3        | Horizontal | 43          | 2.35       |
| 6345MHz                            | Pass   | PK   | 12.67128G | 53.04          | 74.00          | -20.96      | 3        | Vertical   | 5           | 1.50       |
| 6345MHz                            | Pass   | AV   | 12.708G   | 40.95          | 68.20          | -27.25      | 3        | Vertical   | 5           | 1.50       |
| 6345MHz                            | Pass   | PK   | 12.72504G | 53.55          | 88.20          | -34.65      | 3        | Horizontal | 187         | 1.50       |
| 6345MHz                            | Pass   | AV   | 12.71224G | 40.84          | 68.20          | -27.36      | 3        | Horizontal | 187         | 1.50       |
| 6505MHz                            | Pass   | PK   | 12.97152G | 53.28          | 88.20          | -34.92      | 3        | Vertical   | 345         | 1.50       |
| 6505MHz                            | Pass   | AV   | 12.97032G | 40.72          | 68.20          | -27.48      | 3        | Vertical   | 345         | 1.50       |
| 6505MHz                            | Pass   | PK   | 13.03888G | 52.48          | 88.20          | -35.72      | 3        | Horizontal | 12          | 1.50       |
| 6505MHz                            | Pass   | AV   | 12.97216G | 40.70          | 68.20          | -27.50      | 3        | Horizontal | 12          | 1.50       |
| 6665MHz                            | Pass   | PK   | 13.3556G  | 53.54          | 74.00          | -20.46      | 3        | Vertical   | 187         | 1.50       |
| 6665MHz                            | Pass   | AV   | 13.3528G  | 41.77          | 54.00          | -12.23      | 3        | Vertical   | 187         | 1.50       |
| 6665MHz                            | Pass   | PK   | 13.35104G | 53.50          | 74.00          | -20.50      | 3        | Horizontal | 216         | 1.08       |
| 6665MHz                            | Pass   | AV   | 13.35232G | 41.78          | 54.00          | -12.22      | 3        | Horizontal | 216         | 1.08       |
| 6825MHz                            | Pass   | PK   | 13.67168G | 53.34          | 88.20          | -34.86      | 3        | Vertical   | 348         | 3.00       |
| 6825MHz                            | Pass   | AV   | 13.61176G | 41.40          | 68.20          | -26.80      | 3        | Vertical   | 348         | 3.00       |
| 6825MHz                            | Pass   | PK   | 13.65248G | 53.26          | 88.20          | -34.94      | 3        | Horizontal | 40          | 1.50       |
| 6825MHz                            | Pass   | AV   | 13.61136G | 41.40          | 68.20          | -26.80      | 3        | Horizontal | 40          | 1.50       |
| 6985MHz                            | Pass   | AV   | 6.9595G   | 99.59          | Inf            | -Inf        | 3        | Vertical   | 315.9       | 1.78       |
| 6985MHz                            | Pass   | AV   | 7.1405G   | 55.72          | 68.20          | -12.48      | 3        | Vertical   | 315.9       | 1.78       |
| 6985MHz                            | Pass   | PK   | 6.9525G   | 107.04         | Inf            | -Inf        | 3        | Vertical   | 315.9       | 1.78       |
| 6985MHz                            | Pass   | PK   | 7.1345G   | 78.79          | 88.20          | -9.41       | 3        | Vertical   | 315.9       | 1.78       |
| 6985MHz                            | Pass   | AV   | 6.9125G   | 92.56          | Inf            | -Inf        | 3        | Horizontal | 27          | 2.39       |
| 6985MHz                            | Pass   | AV   | 7.1405G   | 52.94          | 68.20          | -15.26      | 3        | Horizontal | 27          | 2.39       |
| 6985MHz                            | Pass   | PK   | 6.9125G   | 100.02         | Inf            | -Inf        | 3        | Horizontal | 27          | 2.39       |
| 6985MHz                            | Pass   | PK   | 7.1345G   | 73.00          | 88.20          | -15.20      | 3        | Horizontal | 27          | 2.39       |
| 6985MHz                            | Pass   | PK   | 13.95088G | 53.59          | 88.20          | -34.61      | 3        | Vertical   | 142         | 2.29       |
| 6985MHz                            | Pass   | AV   | 13.93784G | 41.96          | 68.20          | -26.24      | 3        | Vertical   | 142         | 2.29       |
| 6985MHz                            | Pass   | PK   | 13.99168G | 53.70          | 88.20          | -34.50      | 3        | Horizontal | 269         | 1.45       |
| 6985MHz                            | Pass   | AV   | 13.93752G | 41.97          | 68.20          | -26.23      | 3        | Horizontal | 269         | 1.45       |
| 802.11be EHT320-BF_Nss1,(MCS0)_4TX | -      | -    | -         | -              | -              | -           | -        | -          | -           | -          |
| 6105MHz                            | Pass   | AV   | 5.9245G   | 61.06          | 68.20          | -7.14       | 3        | Vertical   | 50          | 1.85       |
| 6105MHz                            | Pass   | AV   | 6.03275G  | 101.33         | Inf            | -Inf        | 3        | Vertical   | 50          | 1.85       |
| 6105MHz                            | Pass   | PK   | 5.9235G   | 75.04          | 88.20          | -13.16      | 3        | Vertical   | 50          | 1.85       |
| 6105MHz                            | Pass   | PK   | 6.03775G  | 109.27         | Inf            | -Inf        | 3        | Vertical   | 50          | 1.85       |
| 6105MHz                            | Pass   | AV   | 5.9225G   | 51.22          | 68.20          | -16.98      | 3        | Horizontal | 341.9       | 2.85       |
| 6105MHz                            | Pass   | AV   | 6.00775G  | 93.52          | Inf            | -Inf        | 3        | Horizontal | 341.9       | 2.85       |

| Mode    | Result | Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) |
|---------|--------|------|--------------|-------------------|-------------------|----------------|-------------|------------|----------------|---------------|
| 6105MHz | Pass   | PK   | 5.9225G      | 70.13             | 88.20             | -18.07         | 3           | Horizontal | 341.9          | 2.85          |
| 6105MHz | Pass   | PK   | 6.00975G     | 101.79            | Inf               | -Inf           | 3           | Horizontal | 341.9          | 2.85          |
| 6105MHz | Pass   | PK   | 12.24136G    | 53.34             | 74.00             | -20.66         | 3           | Vertical   | 91             | 1.50          |
| 6105MHz | Pass   | AV   | 12.17072G    | 40.22             | 54.00             | -13.78         | 3           | Vertical   | 91             | 1.50          |
| 6105MHz | Pass   | PK   | 12.23232G    | 52.67             | 74.00             | -21.33         | 3           | Horizontal | 285            | 1.50          |
| 6105MHz | Pass   | AV   | 12.1704G     | 40.22             | 54.00             | -13.78         | 3           | Horizontal | 285            | 1.50          |
| 6265MHz | Pass   | PK   | 12.54208G    | 52.97             | 74.00             | -21.03         | 3           | Vertical   | 263            | 1.50          |
| 6265MHz | Pass   | AV   | 12.51576G    | 40.31             | 54.00             | -13.69         | 3           | Vertical   | 263            | 1.50          |
| 6265MHz | Pass   | PK   | 12.51168G    | 52.75             | 74.00             | -21.25         | 3           | Horizontal | 13             | 1.50          |
| 6265MHz | Pass   | AV   | 12.53064G    | 40.41             | 54.00             | -13.59         | 3           | Horizontal | 13             | 1.50          |
| 6425MHz | Pass   | PK   | 12.85632G    | 53.44             | 88.20             | -34.76         | 3           | Vertical   | 209            | 1.50          |
| 6425MHz | Pass   | AV   | 12.88632G    | 41.26             | 68.20             | -26.94         | 3           | Vertical   | 209            | 1.50          |
| 6425MHz | Pass   | PK   | 12.82064G    | 52.61             | 88.20             | -35.59         | 3           | Horizontal | 160            | 2.00          |
| 6425MHz | Pass   | AV   | 12.888G      | 41.41             | 68.20             | -26.79         | 3           | Horizontal | 160            | 2.00          |
| 6585MHz | Pass   | PK   | 13.1856G     | 53.25             | 88.20             | -34.95         | 3           | Vertical   | 244            | 1.50          |
| 6585MHz | Pass   | AV   | 13.17336G    | 41.37             | 68.20             | -26.83         | 3           | Vertical   | 244            | 1.50          |
| 6585MHz | Pass   | PK   | 13.1908G     | 53.28             | 88.20             | -34.92         | 3           | Horizontal | 298            | 2.68          |
| 6585MHz | Pass   | AV   | 13.19536G    | 41.35             | 68.20             | -26.85         | 3           | Horizontal | 298            | 2.68          |
| 6745MHz | Pass   | AV   | 13.50344G    | 42.20             | 68.20             | -26.00         | 3           | Vertical   | 194            | 1.78          |
| 6745MHz | Pass   | PK   | 13.50076G    | 54.08             | 88.20             | -34.12         | 3           | Vertical   | 194            | 1.78          |
| 6745MHz | Pass   | AV   | 13.50472G    | 42.20             | 68.20             | -26.00         | 3           | Horizontal | 23             | 1.50          |
| 6745MHz | Pass   | PK   | 13.49396G    | 54.29             | 88.20             | -33.91         | 3           | Horizontal | 23             | 1.50          |
| 6905MHz | Pass   | AV   | 6.8795G      | 99.25             | Inf               | -Inf           | 3           | Vertical   | 302            | 1.67          |
| 6905MHz | Pass   | AV   | 7.1875G      | 54.80             | 68.20             | -13.40         | 3           | Vertical   | 302            | 1.67          |
| 6905MHz | Pass   | PK   | 6.8815G      | 107.26            | Inf               | -Inf           | 3           | Vertical   | 302            | 1.67          |
| 6905MHz | Pass   | PK   | 7.1895G      | 76.89             | 88.20             | -11.31         | 3           | Vertical   | 302            | 1.67          |
| 6905MHz | Pass   | AV   | 6.8235G      | 92.66             | Inf               | -Inf           | 3           | Horizontal | 16             | 2.35          |
| 6905MHz | Pass   | AV   | 7.2995G      | 52.41             | 54.00             | -1.59          | 3           | Horizontal | 16             | 2.35          |
| 6905MHz | Pass   | PK   | 6.8215G      | 100.70            | Inf               | -Inf           | 3           | Horizontal | 16             | 2.35          |
| 6905MHz | Pass   | PK   | 7.2145G      | 70.46             | 88.20             | -17.74         | 3           | Horizontal | 16             | 2.35          |
| 6905MHz | Pass   | PK   | 13.78432G    | 53.79             | 88.20             | -34.41         | 3           | Vertical   | 134            | 1.50          |
| 6905MHz | Pass   | AV   | 13.84688G    | 42.06             | 68.20             | -26.14         | 3           | Vertical   | 134            | 1.50          |
| 6905MHz | Pass   | PK   | 13.77224G    | 53.99             | 88.20             | -34.21         | 3           | Horizontal | 264            | 1.50          |
| 6905MHz | Pass   | AV   | 13.84928G    | 41.93             | 68.20             | -26.27         | 3           | Horizontal | 264            | 1.50          |


5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

5955MHz\_TX




5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

5955MHz\_TX




5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

5955MHz\_TX




5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

5955MHz\_TX




5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6195MHz\_TX




5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6195MHz\_TX




5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6415MHz\_TX




5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6415MHz\_TX




6.425-6.525GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6435MHz\_TX



6.425-6.525GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX


6435MHz\_TX






6.425-6.525GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6475MHz\_TX




6.425-6.525GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6475MHz\_TX




6.425-6.525GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6515MHz\_TX




6.425-6.525GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6515MHz\_TX




6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6535MHz\_TX




6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6535MHz\_TX




6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6695MHz\_TX




6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6695MHz\_TX




6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6875MHz\_TX




6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6875MHz\_TX




6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6895MHz\_TX




6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6895MHz\_TX




6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6995MHz\_TX




6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6995MHz\_TX




6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

7095MHz\_TX



6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX


7095MHz\_TX





6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX


7115MHz\_TX



| Type | Freq    | Level    | Limit    | Margin | Factor | Dist | Condition | Azimuth | Height | Raw    | AF    | CL   | PA    |  |  |  |  |
|------|---------|----------|----------|--------|--------|------|-----------|---------|--------|--------|-------|------|-------|--|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dB)   | (m)  |           | (°)     | (m)    | (dBuV) | (dB)  | (dB) | (dB)  |  |  |  |  |
| AV   | 7.1065G | 97.85    | Inf      | -Inf   | 9.42   | 3    | Vertical  | 292     | 1.73   | 88.43  | 36.23 | 7.66 | 34.47 |  |  |  |  |
| AV   | 7.1255G | 68.12    | 68.20    | -0.08  | 9.50   | 3    | Vertical  | 292     | 1.73   | 58.62  | 36.30 | 7.68 | 34.48 |  |  |  |  |
| PK   | 7.1115G | 103.70   | Inf      | -Inf   | 9.45   | 3    | Vertical  | 292     | 1.73   | 94.25  | 36.25 | 7.67 | 34.47 |  |  |  |  |
| PK   | 7.1255G | 78.33    | 88.20    | -9.87  | 9.50   | 3    | Vertical  | 292     | 1.73   | 68.83  | 36.30 | 7.68 | 34.48 |  |  |  |  |

6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX


7115MHz\_TX



| Type | Freq    | Level    | Limit    | Margin | Factor | Dist | Condition  | Azimuth | Height | Raw    | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|------------|---------|--------|--------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dB)   | (m)  |            | (°)     | (m)    | (dBuV) | (dB)  | (dB) | (dB)  |  |  |  |
| AV   | 7.1065G | 89.65    | Inf      | -Inf   | 9.42   | 3    | Horizontal | 359     | 1.69   | 80.23  | 36.23 | 7.66 | 34.47 |  |  |  |
| AV   | 7.1255G | 61.15    | 68.20    | -7.05  | 9.50   | 3    | Horizontal | 359     | 1.69   | 51.65  | 36.30 | 7.68 | 34.48 |  |  |  |
| PK   | 7.1065G | 95.78    | Inf      | -Inf   | 9.42   | 3    | Horizontal | 359     | 1.69   | 86.36  | 36.23 | 7.66 | 34.47 |  |  |  |
| PK   | 7.1255G | 71.95    | 88.20    | -16.25 | 9.50   | 3    | Horizontal | 359     | 1.69   | 62.45  | 36.30 | 7.68 | 34.48 |  |  |  |


6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

7115MHz\_TX




6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

7115MHz\_TX



## 5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX


### 5965MHz\_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV   | 5.9245G   | 48.17          | 68.20          | -20.03      | 6.85        | 3        | Vertical  | 60          | 1.79       | 41.32      | 34.05   | 7.01    | 34.21   |
| AV   | 5.9827G   | 98.61          | Inf            | -Inf        | 6.77        | 3        | Vertical  | 60          | 1.79       | 91.84      | 33.93   | 7.06    | 34.22   |
| PK   | 5.884G    | 58.26          | 88.20          | -29.94      | 6.80        | 3        | Vertical  | 60          | 1.79       | 51.46      | 34.04   | 6.97    | 34.21   |
| PK   | 5.9731G   | 110.15         | Inf            | -Inf        | 6.78        | 3        | Vertical  | 60          | 1.79       | 103.37     | 33.95   | 7.05    | 34.22   |

## 5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX


### 5965MHz\_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV   | 5.9242G   | 47.30          | 68.20          | -20.90      | 6.85        | 3        | Horizontal | 357         | 2.49       | 40.45      | 34.05   | 7.01    | 34.21   |
| AV   | 5.9545G   | 92.04          | Inf            | -Inf        | 6.80        | 3        | Horizontal | 357         | 2.49       | 85.24      | 33.99   | 7.03    | 34.22   |
| PK   | 5.8498G   | 59.20          | 88.20          | -29.00      | 6.63        | 3        | Horizontal | 357         | 2.49       | 52.57      | 33.90   | 6.94    | 34.21   |
| PK   | 5.9551G   | 103.49         | Inf            | -Inf        | 6.80        | 3        | Horizontal | 357         | 2.49       | 96.69      | 33.99   | 7.03    | 34.22   |


5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

5965MHz\_TX




5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

5965MHz\_TX




5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6205MHz\_TX




5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6205MHz\_TX




5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6405MHz\_TX




5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6405MHz\_TX




6.425-6.525GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6445MHz\_TX




6.425-6.525GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6445MHz\_TX




6.425-6.525GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6485MHz\_TX



6.425-6.525GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX


6485MHz\_TX






6.425-6.525GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6525MHz\_TX




6.425-6.525GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6525MHz\_TX




6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6565MHz\_TX




6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6565MHz\_TX




6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6685MHz\_TX




6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6685MHz\_TX




6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6885MHz\_TX




6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6885MHz\_TX




6.875-7.125GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6925MHz\_TX




6.875-7.125GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6925MHz\_TX




6.875-7.125GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

7005MHz\_TX




6.875-7.125GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

7005MHz\_TX



## 6.875-7.125GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX


### 7085MHz\_TX



| Type | Freq    | Level    | Limit    | Margin | Factor | Dist | Condition | Azimuth | Height | Raw    | AF    | CL   | PA    |  |  |  |  |
|------|---------|----------|----------|--------|--------|------|-----------|---------|--------|--------|-------|------|-------|--|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dB)   | (m)  |           | (°)     | (m)    | (dBuV) | (dB)  | (dB) | (dB)  |  |  |  |  |
| AV   | 7.0679G | 99.50    | Inf      | -Inf   | 9.18   | 3    | Vertical  | 318     | 1.40   | 90.32  | 36.01 | 7.64 | 34.47 |  |  |  |  |
| AV   | 7.1339G | 59.44    | 68.20    | -8.76  | 9.54   | 3    | Vertical  | 318     | 1.40   | 49.90  | 36.34 | 7.68 | 34.48 |  |  |  |  |
| PK   | 7.073G  | 110.41   | Inf      | -Inf   | 9.21   | 3    | Vertical  | 318     | 1.40   | 101.20 | 36.04 | 7.64 | 34.47 |  |  |  |  |
| PK   | 7.1255G | 74.94    | 88.20    | -13.26 | 9.50   | 3    | Vertical  | 318     | 1.40   | 65.44  | 36.30 | 7.68 | 34.48 |  |  |  |  |

## 6.875-7.125GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX


### 7085MHz\_TX



| Type | Freq    | Level    | Limit    | Margin | Factor | Dist | Condition  | Azimuth | Height | Raw    | AF    | CL   | PA    |  |  |  |  |
|------|---------|----------|----------|--------|--------|------|------------|---------|--------|--------|-------|------|-------|--|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dB)   | (m)  |            | (°)     | (m)    | (dBuV) | (dB)  | (dB) | (dB)  |  |  |  |  |
| AV   | 7.0715G | 95.85    | Inf      | -Inf   | 9.20   | 3    | Horizontal | 336     | 2.86   | 86.65  | 36.03 | 7.64 | 34.47 |  |  |  |  |
| AV   | 7.1321G | 57.90    | 68.20    | -10.30 | 9.53   | 3    | Horizontal | 336     | 2.86   | 48.37  | 36.33 | 7.68 | 34.48 |  |  |  |  |
| PK   | 7.0679G | 106.38   | Inf      | -Inf   | 9.18   | 3    | Horizontal | 336     | 2.86   | 97.20  | 36.01 | 7.64 | 34.47 |  |  |  |  |
| PK   | 7.1342G | 72.42    | 88.20    | -15.78 | 9.54   | 3    | Horizontal | 336     | 2.86   | 62.88  | 36.34 | 7.68 | 34.48 |  |  |  |  |


6.875-7.125GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

7085MHz\_TX



6.875-7.125GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX


7085MHz\_TX





## 5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX


### 5985MHz\_TX



| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Raw<br>(dBuV) | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------------|------------|------------|------------|
| AV   | 5.925G       | 50.66             | 68.20             | -17.54         | 6.85           | 3           | Vertical  | 65             | 1.78          | 43.81         | 34.05      | 7.01       | 34.21      |
| AV   | 6.0055G      | 98.33             | Inf               | -Inf           | 6.75           | 3           | Vertical  | 65             | 1.78          | 91.58         | 33.90      | 7.07       | 34.22      |
| PK   | 5.922G       | 64.77             | 88.20             | -23.43         | 6.85           | 3           | Vertical  | 65             | 1.78          | 57.92         | 34.06      | 7.00       | 34.21      |
| PK   | 6.0035G      | 110.48            | Inf               | -Inf           | 6.75           | 3           | Vertical  | 65             | 1.78          | 103.73        | 33.90      | 7.07       | 34.22      |

## 5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX


### 5985MHz\_TX



| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Raw<br>(dBuV) | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------------|------------|------------|------------|
| AV   | 5.924G       | 47.60             | 68.20             | -20.60         | 6.85           | 3           | Horizontal | 356            | 2.65          | 40.75         | 34.05      | 7.01       | 34.21      |
| AV   | 5.998G       | 90.77             | Inf               | -Inf           | 6.75           | 3           | Horizontal | 356            | 2.65          | 84.02         | 33.90      | 7.07       | 34.22      |
| PK   | 5.9235G      | 59.24             | 88.20             | -28.96         | 6.84           | 3           | Horizontal | 356            | 2.65          | 52.40         | 34.05      | 7.00       | 34.21      |
| PK   | 6.004G       | 102.57            | Inf               | -Inf           | 6.75           | 3           | Horizontal | 356            | 2.65          | 95.82         | 33.90      | 7.07       | 34.22      |


5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

5985MHz\_TX




5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

5985MHz\_TX




5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6225MHz\_TX




5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6225MHz\_TX




5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6385MHz\_TX




5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6385MHz\_TX




6.425-6.525GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6465MHz\_TX




6.425-6.525GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6465MHz\_TX




6.425-6.525GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6545MHz\_TX




6.425-6.525GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6545MHz\_TX




6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6625MHz\_TX




6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6625MHz\_TX




6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6705MHz\_TX



6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX


6705MHz\_TX






6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6785MHz\_TX




6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6785MHz\_TX




6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6865MHz\_TX




6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6865MHz\_TX




6.875-7.125GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6945MHz\_TX




6.875-7.125GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6945MHz\_TX



6.875-7.125GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX


7025MHz\_TX



| Type | Freq     | Level    | Limit | Margin | Factor | Dist | Condition | Azimuth | Height | Raw    | AF    | CL   | PA    |
|------|----------|----------|-------|--------|--------|------|-----------|---------|--------|--------|-------|------|-------|
| (Hz) | (dBuV/m) | (dBuV/m) | (dB)  | (dB)   | (m)    | (*)  | (m)       | (dBuV)  | (dB)   | (dB)   | (dB)  | (dB) | (dB)  |
| AV   | 6.9917G  | 98.61    | Inf   | -Inf   | 8.73   | 3    | Vertical  | 323     | 1.55   | 89.88  | 35.60 | 7.59 | 34.46 |
| AV   | 7.1456G  | 49.24    | 68.20 | -18.96 | 9.59   | 3    | Vertical  | 323     | 1.55   | 39.65  | 36.38 | 7.69 | 34.48 |
| PK   | 6.9866G  | 109.03   | Inf   | -Inf   | 8.72   | 3    | Vertical  | 323     | 1.55   | 100.31 | 35.60 | 7.58 | 34.46 |
| PK   | 7.1549G  | 59.46    | 88.20 | -28.74 | 9.63   | 3    | Vertical  | 323     | 1.55   | 49.83  | 36.41 | 7.70 | 34.48 |

6.875-7.125GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX


7025MHz\_TX



| Type | Freq     | Level    | Limit | Margin | Factor | Dist | Condition  | Azimuth | Height | Raw   | AF    | CL   | PA    |
|------|----------|----------|-------|--------|--------|------|------------|---------|--------|-------|-------|------|-------|
| (Hz) | (dBuV/m) | (dBuV/m) | (dB)  | (dB)   | (m)    | (*)  | (m)        | (dBuV)  | (dB)   | (dB)  | (dB)  | (dB) | (dB)  |
| AV   | 6.9869G  | 90.15    | Inf   | -Inf   | 8.72   | 3    | Horizontal | 33      | 1.40   | 81.43 | 35.60 | 7.58 | 34.46 |
| AV   | 7.1705G  | 48.90    | 68.20 | -19.30 | 9.67   | 3    | Horizontal | 33      | 1.40   | 39.23 | 36.44 | 7.71 | 34.48 |
| PK   | 6.9893G  | 100.08   | Inf   | -Inf   | 8.72   | 3    | Horizontal | 33      | 1.40   | 91.36 | 35.60 | 7.58 | 34.46 |
| PK   | 7.1672G  | 61.22    | 88.20 | -26.98 | 9.66   | 3    | Horizontal | 33      | 1.40   | 51.56 | 36.43 | 7.71 | 34.48 |


6.875-7.125GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

7025MHz\_TX




6.875-7.125GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

7025MHz\_TX



### 5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX


#### 6025MHz\_TX



| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Raw<br>(dBuV) | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------------|------------|------------|------------|
| AV   | 5.9245G      | 52.66             | 68.20             | -15.54         | 6.85           | 3           | Vertical  | 56             | 2.29          | 45.81         | 34.05      | 7.01       | 34.21      |
| AV   | 6.0735G      | 98.35             | Inf               | -Inf           | 6.72           | 3           | Vertical  | 56             | 2.29          | 91.63         | 33.85      | 7.11       | 34.24      |
| PK   | 5.8965G      | 62.86             | 88.20             | -25.34         | 6.86           | 3           | Vertical  | 56             | 2.29          | 56.00         | 34.09      | 6.98       | 34.21      |
| PK   | 6.0715G      | 108.03            | Inf               | -Inf           | 6.73           | 3           | Vertical  | 56             | 2.29          | 101.30        | 33.86      | 7.11       | 34.24      |

### 5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX


#### 6025MHz\_TX



| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Raw<br>(dBuV) | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------------|------------|------------|------------|
| AV   | 5.891G       | 48.52             | 68.20             | -19.68         | 6.83           | 3           | Horizontal | 54             | 1.05          | 41.69         | 34.06      | 6.98       | 34.21      |
| AV   | 6.001G       | 86.21             | Inf               | -Inf           | 6.75           | 3           | Horizontal | 54             | 1.05          | 79.46         | 33.90      | 7.07       | 34.22      |
| PK   | 5.89G        | 61.47             | 88.20             | -26.73         | 6.83           | 3           | Horizontal | 54             | 1.05          | 54.64         | 34.06      | 6.98       | 34.21      |
| PK   | 6.0475G      | 96.60             | Inf               | -Inf           | 6.76           | 3           | Horizontal | 54             | 1.05          | 89.84         | 33.90      | 7.09       | 34.23      |


5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6025MHz\_TX




5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6025MHz\_TX




5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6185MHz\_TX



5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX


6185MHz\_TX






5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6345MHz\_TX




5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6345MHz\_TX




6.425-6.525GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6505MHz\_TX




6.425-6.525GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6505MHz\_TX




6.525-6.875GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6665MHz\_TX




6.525-6.875GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6665MHz\_TX




6.525-6.875GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6825MHz\_TX




6.525-6.875GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6825MHz\_TX



6.875-7.125GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX


6985MHz\_TX



| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Raw<br>(dBuV) | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------------|------------|------------|------------|
| PK   | 6.9425G      | 108.45            | Inf               | -Inf           | 8.71           | 3           | Vertical  | 324            | 1.67          | 99.74         | 35.60      | 7.56       | 34.45      |
| AV   | 6.9295G      | 101.74            | Inf               | -Inf           | 8.71           | 3           | Vertical  | 324            | 1.67          | 93.03         | 35.60      | 7.55       | 34.44      |
| PK   | 7.1365G      | 68.05             | 88.20             | -20.15         | 9.56           | 3           | Vertical  | 324            | 1.67          | 58.49         | 36.35      | 7.69       | 34.48      |
| AV   | 7.1365G      | 53.50             | 68.20             | -14.70         | 9.56           | 3           | Vertical  | 324            | 1.67          | 43.94         | 36.35      | 7.69       | 34.48      |

6.875-7.125GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX


6985MHz\_TX



| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Raw<br>(dBuV) | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------------|------------|------------|------------|
| PK   | 6.9355G      | 100.49            | Inf               | -Inf           | 8.71           | 3           | Horizontal | 33             | 1.33          | 91.78         | 35.60      | 7.55       | 34.44      |
| AV   | 6.9355G      | 94.30             | Inf               | -Inf           | 8.71           | 3           | Horizontal | 33             | 1.33          | 85.59         | 35.60      | 7.55       | 34.44      |
| PK   | 7.2065G      | 59.60             | 88.20             | -28.60         | 9.76           | 3           | Horizontal | 33             | 1.33          | 49.84         | 36.51      | 7.73       | 34.48      |
| AV   | 7.1365G      | 51.81             | 68.20             | -16.39         | 9.56           | 3           | Horizontal | 33             | 1.33          | 42.25         | 36.35      | 7.69       | 34.48      |


6.875-7.125GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6985MHz\_TX




6.875-7.125GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6985MHz\_TX



5.925-6.425GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX


6105MHz\_TX



| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Raw<br>(dBuV) | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------------|------------|------------|------------|
| PK   | 5.8995G      | 71.49             | 88.20             | -16.71         | 6.87           | 3           | Vertical  | 63             | 1.79          | 64.62         | 34.10      | 6.98       | 34.21      |
| AV   | 5.9245G      | 61.53             | 68.20             | -6.67          | 6.85           | 3           | Vertical  | 63             | 1.79          | 54.68         | 34.05      | 7.01       | 34.21      |
| PK   | 6.00975G     | 108.13            | Inf               | -Inf           | 6.75           | 3           | Vertical  | 63             | 1.79          | 101.38        | 33.90      | 7.07       | 34.22      |
| AV   | 6.00375G     | 100.71            | Inf               | -Inf           | 6.75           | 3           | Vertical  | 63             | 1.79          | 93.96         | 33.90      | 7.07       | 34.22      |

5.925-6.425GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX


6105MHz\_TX



| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Raw<br>(dBuV) | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------------|------------|------------|------------|
| PK   | 5.9215G      | 62.57             | 88.20             | -25.63         | 6.85           | 3           | Horizontal | 351.1          | 2.65          | 55.72         | 34.06      | 7.00       | 34.21      |
| AV   | 5.9215G      | 50.65             | 68.20             | -17.55         | 6.85           | 3           | Horizontal | 351.1          | 2.65          | 43.80         | 34.06      | 7.00       | 34.21      |
| PK   | 5.99675G     | 100.96            | Inf               | -Inf           | 6.76           | 3           | Horizontal | 351.1          | 2.65          | 94.20         | 33.91      | 7.07       | 34.22      |
| AV   | 5.99875G     | 94.00             | Inf               | -Inf           | 6.75           | 3           | Horizontal | 351.1          | 2.65          | 87.25         | 33.90      | 7.07       | 34.22      |


5.925-6.425GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6105MHz\_TX



5.925-6.425GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX


6105MHz\_TX






5.925-6.425GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6265MHz\_TX




5.925-6.425GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6265MHz\_TX




5.925-6.425GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6425MHz\_TX




5.925-6.425GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6425MHz\_TX




6.425-6.525GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6585MHz\_TX




6.425-6.525GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6585MHz\_TX




6.525-6.875GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6745MHz\_TX




6.525-6.875GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6745MHz\_TX




6.525-6.875GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6905MHz\_TX




6.525-6.875GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6905MHz\_TX




6.525-6.875GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6905MHz\_TX



6.525-6.875GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6905MHz\_TX



| Antenna Gain(dBi) |       |       |       |
|-------------------|-------|-------|-------|
| UNII5             | UNII6 | UNII7 | UNII8 |
| 4.26              | 4.26  | 4.26  | 4.26  |

| Contention Based protocol (802.11ax HEW20) |              |                 |                 |                              |      |                            |            |                                      |                           |           |             |
|--------------------------------------------|--------------|-----------------|-----------------|------------------------------|------|----------------------------|------------|--------------------------------------|---------------------------|-----------|-------------|
| UNII Band                                  | Test Channel | Bandwidth (MHz) | Frequency (MHz) | Intetference frequency (MHz) |      | AWGN Threshold Level (dBm) | EUT Status | Number of Detected (out of 10 times) | Detection Probability (%) | Limit (%) | Test Result |
| 5                                          | 53           | 20              | 6215            | Center                       | 6215 | -70.26                     | OFF        | 10                                   | 100                       | 90        | Pass        |
| 6                                          | 101          | 20              | 6455            | Center                       | 6455 | -72.26                     | OFF        | 10                                   | 100                       | 90        | Pass        |
| 7                                          | 149          | 20              | 6695            | Center                       | 6695 | -74.26                     | OFF        | 10                                   | 100                       | 90        | Pass        |
| 8                                          | 213          | 20              | 7015            | Center                       | 7015 | -76.26                     | OFF        | 10                                   | 100                       | 90        | Pass        |

| Contention Based protocol (802.11ax HEW320) |              |                 |                 |                              |      |                            |            |                                      |                           |           |             |
|---------------------------------------------|--------------|-----------------|-----------------|------------------------------|------|----------------------------|------------|--------------------------------------|---------------------------|-----------|-------------|
| UNII Band                                   | Test Channel | Bandwidth (MHz) | Frequency (MHz) | Intetference frequency (MHz) |      | AWGN Threshold Level (dBm) | EUT Status | Number of Detected (out of 10 times) | Detection Probability (%) | Limit (%) | Test Result |
| 5                                           | 31           | 320             | 6105            | Low edge                     | 5950 | -76.26                     | OFF        | 10                                   | 100                       | 90        | Pass        |
|                                             |              |                 |                 | Center                       | 6105 | -62.26                     | OFF        | 10                                   | 100                       | 90        | Pass        |
|                                             |              |                 |                 | High edge                    | 6260 | -73.26                     | OFF        | 10                                   | 100                       | 90        | Pass        |
| 5,6,7                                       | 95           | 320             | 6425            | Low edge                     | 6270 | -74.26                     | OFF        | 10                                   | 100                       | 90        | Pass        |
|                                             |              |                 |                 | Center                       | 6425 | -63.26                     | OFF        | 10                                   | 100                       | 90        | Pass        |
|                                             |              |                 |                 | High edge                    | 6580 | -70.26                     | OFF        | 10                                   | 100                       | 90        | Pass        |
| 6,7                                         | 127          | 320             | 6585            | Low edge                     | 6430 | -82.26                     | OFF        | 10                                   | 100                       | 90        | Pass        |
|                                             |              |                 |                 | Center                       | 6585 | -72.26                     | OFF        | 10                                   | 100                       | 90        | Pass        |
|                                             |              |                 |                 | High edge                    | 6740 | -80.26                     | OFF        | 10                                   | 100                       | 90        | Pass        |
| 7,8                                         | 191          | 320             | 6905            | Low edge                     | 6750 | -79.26                     | OFF        | 10                                   | 100                       | 90        | Pass        |
|                                             |              |                 |                 | Center                       | 6905 | -75.26                     | OFF        | 10                                   | 100                       | 90        | Pass        |
|                                             |              |                 |                 | High edge                    | 7060 | -75.26                     | OFF        | 10                                   | 100                       | 90        | Pass        |

| Contention Based Protocol Threshold Level (802.11ax HEW20) |              |                 |                 |                              |      |            |                           |                |                      |                       |
|------------------------------------------------------------|--------------|-----------------|-----------------|------------------------------|------|------------|---------------------------|----------------|----------------------|-----------------------|
| UNII Band                                                  | Test Channel | Bandwidth (MHz) | Frequency (MHz) | Intetference frequency (MHz) |      | EUT Status | Injected AWGN Power (dBm) | Ant Gain (dBi) | Detection Power(dBm) | Detection Limit (dBm) |
| 5                                                          | 53           | 20              | 6215            | Center                       | 6215 | OFF        | -66.00                    | 4.26           | -70.26               | ≤ -62                 |
|                                                            |              |                 |                 |                              |      | Minimal    | -68.00                    | 4.26           | -72.26               | ≤ -62                 |
|                                                            |              |                 |                 |                              |      | ON         | -69.00                    | 4.26           | -73.26               | ≤ -62                 |
| 6                                                          | 101          | 20              | 6455            | Center                       | 6455 | OFF        | -68.00                    | 4.26           | -72.26               | ≤ -62                 |
|                                                            |              |                 |                 |                              |      | Minimal    | -71.00                    | 4.26           | -75.26               | ≤ -62                 |
|                                                            |              |                 |                 |                              |      | ON         | -72.00                    | 4.26           | -76.26               | ≤ -62                 |
| 7                                                          | 149          | 20              | 6695            | Center                       | 6695 | OFF        | -70.00                    | 4.26           | -74.26               | ≤ -62                 |
|                                                            |              |                 |                 |                              |      | Minimal    | -73.00                    | 4.26           | -77.26               | ≤ -62                 |
|                                                            |              |                 |                 |                              |      | ON         | -74.00                    | 4.26           | -78.26               | ≤ -62                 |
| 8                                                          | 213          | 20              | 7015            | Center                       | 7015 | OFF        | -72.00                    | 4.26           | -76.26               | ≤ -62                 |
|                                                            |              |                 |                 |                              |      | Minimal    | -73.00                    | 4.26           | -77.26               | ≤ -62                 |
|                                                            |              |                 |                 |                              |      | ON         | -73.00                    | 4.26           | -77.26               | ≤ -62                 |




| Contention Based Protocol Threshold Level (802.11ax HEW320) |              |                 |                 |                              |      |            |                           |                |                      |                       |
|-------------------------------------------------------------|--------------|-----------------|-----------------|------------------------------|------|------------|---------------------------|----------------|----------------------|-----------------------|
| UNII Band                                                   | Test Channel | Bandwidth (MHz) | Frequency (MHz) | Intetference frequency (MHz) |      | EUT Status | Injected AWGN Power (dBm) | Ant Gain (dBi) | Detection Power(dBm) | Detection Limit (dBm) |
| 5                                                           | 31           | 320             | 6105            | Low edge                     | 5950 | OFF        | -72.00                    | 4.26           | -76.26               | ≤ -62                 |
|                                                             |              |                 |                 |                              |      | Minimal    | -73.00                    | 4.26           | -77.26               |                       |
|                                                             |              |                 |                 |                              |      | ON         | -73.00                    | 4.26           | -77.26               |                       |
|                                                             |              |                 |                 | Center                       | 6105 | OFF        | -58.00                    | 4.26           | -62.26               | ≤ -62                 |
|                                                             |              |                 |                 |                              |      | Minimal    | -61.00                    | 4.26           | -65.26               |                       |
|                                                             |              |                 |                 |                              |      | ON         | -62.00                    | 4.26           | -66.26               |                       |
|                                                             |              |                 |                 | High edge                    | 6260 | OFF        | -69.00                    | 4.26           | -73.26               | ≤ -62                 |
|                                                             |              |                 |                 |                              |      | Minimal    | -70.00                    | 4.26           | -74.26               |                       |
|                                                             |              |                 |                 |                              |      | ON         | -71.00                    | 4.26           | -75.26               |                       |
| 5,6,7                                                       | 95           | 320             | 6425            | Low edge                     | 6270 | OFF        | -70.00                    | 4.26           | -74.26               | ≤ -62                 |
|                                                             |              |                 |                 |                              |      | Minimal    | -71.00                    | 4.26           | -75.26               |                       |
|                                                             |              |                 |                 |                              |      | ON         | -71.00                    | 4.26           | -75.26               |                       |
|                                                             |              |                 |                 | Center                       | 6425 | OFF        | -59.00                    | 4.26           | -63.26               | ≤ -62                 |
|                                                             |              |                 |                 |                              |      | Minimal    | -61.00                    | 4.26           | -65.26               |                       |
|                                                             |              |                 |                 |                              |      | ON         | -62.00                    | 4.26           | -66.26               |                       |
|                                                             |              |                 |                 | High edge                    | 6580 | OFF        | -66.00                    | 4.26           | -70.26               | ≤ -62                 |
|                                                             |              |                 |                 |                              |      | Minimal    | -68.00                    | 4.26           | -72.26               |                       |
|                                                             |              |                 |                 |                              |      | ON         | -69.00                    | 4.26           | -73.26               |                       |
| 6,7                                                         | 127          | 320             | 6585            | Low edge                     | 6430 | OFF        | -78.00                    | 4.26           | -82.26               | ≤ -62                 |
|                                                             |              |                 |                 |                              |      | Minimal    | -79.00                    | 4.26           | -83.26               |                       |
|                                                             |              |                 |                 |                              |      | ON         | -79.00                    | 4.26           | -83.26               |                       |
|                                                             |              |                 |                 | Center                       | 6585 | OFF        | -68.00                    | 4.26           | -72.26               | ≤ -62                 |
|                                                             |              |                 |                 |                              |      | Minimal    | -69.00                    | 4.26           | -73.26               |                       |
|                                                             |              |                 |                 |                              |      | ON         | -70.00                    | 4.26           | -74.26               |                       |
|                                                             |              |                 |                 | High edge                    | 6740 | OFF        | -76.00                    | 4.26           | -80.26               | ≤ -62                 |
|                                                             |              |                 |                 |                              |      | Minimal    | -77.00                    | 4.26           | -81.26               |                       |
|                                                             |              |                 |                 |                              |      | ON         | -77.00                    | 4.26           | -81.26               |                       |
| 7,8                                                         | 191          | 320             | 6905            | Low edge                     | 6750 | OFF        | -75.00                    | 4.26           | -79.26               | ≤ -62                 |
|                                                             |              |                 |                 |                              |      | Minimal    | -76.00                    | 4.26           | -80.26               |                       |
|                                                             |              |                 |                 |                              |      | ON         | -76.00                    | 4.26           | -80.26               |                       |
|                                                             |              |                 |                 | Center                       | 6905 | OFF        | -71.00                    | 4.26           | -75.26               | ≤ -62                 |
|                                                             |              |                 |                 |                              |      | Minimal    | -72.00                    | 4.26           | -76.26               |                       |
|                                                             |              |                 |                 |                              |      | ON         | -73.00                    | 4.26           | -77.26               |                       |
|                                                             |              |                 |                 | High edge                    | 7060 | OFF        | -71.00                    | 4.26           | -75.26               | ≤ -62                 |
|                                                             |              |                 |                 |                              |      | Minimal    | -72.00                    | 4.26           | -76.26               |                       |
|                                                             |              |                 |                 |                              |      | ON         | -72.00                    | 4.26           | -76.26               |                       |

## Bandwidth 20MHz: Traffic Loading Plot - 6215MHz

Time Analysis

Main



Sample Time

12.5us

All TX Time

96.4375ms

All TX Sample

7715

Duty Cycle

0.964254

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

## Bandwidth 20MHz: Traffic Loading Plot - 6455MHz

Time Analysis

Main



Sample Time

12.5us

All TX Time

94.975ms

All TX Sample

7598

Duty Cycle

0.949631

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

## Bandwidth 20MHz: Traffic Loading Plot - 6695MHz

Time Analysis

Main



Sample Time

12.5us

All TX Time

92.575ms

All TX Sample

7406

Duty Cycle

0.925634

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

## Bandwidth 20MHz: Traffic Loading Plot - 7015MHz

Time Analysis

Main



Sample Time

12.5us

All TX Time

94.8625ms

All TX Sample

7589

Duty Cycle

0.948506

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

## Bandwidth 320MHz: Traffic Loading Plot - 5950MHz

Time Analysis

Main



Sample Time

12.5us

All TX Time

96.1625ms

All TX Sample

7693

Duty Cycle

0.961505

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

## Bandwidth 320MHz: Traffic Loading Plot - 6105MHz

Time Analysis

Main



Sample Time

12.5us

All TX Time

94.0875ms

All TX Sample

7527

Duty Cycle

0.940757

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

## Bandwidth 320MHz: Traffic Loading Plot - 6260MHz

Time Analysis

Main



Sample Time

12.5us

All TX Time

94.625ms

All TX Sample

7570

Duty Cycle

0.946132

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

## Bandwidth 320MHz: Traffic Loading Plot - 6270MHz

Time Analysis

Main



Sample Time

12.5us

All TX Time

95.075ms

All TX Sample

7606

Duty Cycle

0.950631

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

## Bandwidth 320MHz: Traffic Loading Plot - 6425MHz

Time Analysis

Main



Sample Time

12.5us

All TX Time

94.975ms

All TX Sample

7598

Duty Cycle

0.949631

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

## Bandwidth 320MHz: Traffic Loading Plot - 6430MHz

Time Analysis

Main



Sample Time

12.5us

All TX Time

93.3875ms

All TX Sample

7471

Duty Cycle

0.933758

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

## Bandwidth 320MHz: Traffic Loading Plot - 6580MHz

Time Analysis

Main



Sample Time

12.5us

All TX Time

94.8875ms

All TX Sample

7591

Duty Cycle

0.948756

T1[s]

T2[s]

NaNs

NaNs

T3[s]

T4[s]


NaNs

NaNs

## Bandwidth 320MHz: Traffic Loading Plot - 6585MHz

Time Analysis

Main



Sample Time

12.5us

All TX Time

94.125ms

All TX Sample

7530

Duty Cycle

0.941132

T1[s]

T2[s]

NaNs

NaNs

T3[s]

T4[s]


NaNs

NaNs

## Bandwidth 320MHz: Traffic Loading Plot - 6740MHz

Time Analysis

Main



Sample Time

12.5us

All TX Time

94.2ms

All TX Sample

7536

Duty Cycle

0.941882

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

## Bandwidth 320MHz: Traffic Loading Plot - 6750MHz

Time Analysis

Main



Sample Time

12.5us

All TX Time

94.55ms

All TX Sample

7564

Duty Cycle

0.945382

T1[s] T2[s]

NaNs NaNs

T3[s] T4[s]


NaNs NaNs



## Bandwidth 320MHz: Traffic Loading Plot - 6905MHz

Time Analysis

Main



Sample Time

12.5us

All TX Time

92.5875ms

All TX Sample

7407

Duty Cycle

0.925759

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

## Bandwidth 320MHz: Traffic Loading Plot - 7060MHz

Time Analysis

Main



Sample Time

12.5us

All TX Time

94.175ms

All TX Sample

7534

Duty Cycle

0.941632


T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

## 1. Incumbent signal (AWGN) Plot




## Frequency (MHz): 6695 MHz



Date: 27.SEP.2023 16:42:52

AWGN Bandwidth: 10MHz

## Frequency (MHz): 7015 MHz




Date: 27.SEP.2023 16:35:42

AWGN Bandwidth: 10MHz

## 802.11ax HEW320


### Frequency (MHz): 5950 MHz



Date: 27.SEP.2023 19:00:58

AWGN Bandwidth: 10MHz


### Frequency (MHz): 6105 MHz



Date: 27.SEP.2023 19:02:22

AWGN Bandwidth: 10MHz


## Frequency (MHz): 6260 MHz



Date: 27.SEP.2023 19:03:26

AWGN Bandwidth: 10MHz


## Frequency (MHz): 6270 MHz



Date: 27.SEP.2023 19:04:13

AWGN Bandwidth: 10MHz


### Frequency (MHz): 6425 MHz



Date: 27.SEP.2023 19:04:58

AWGN Bandwidth: 10MHz


### Frequency (MHz): 6430 MHz



Date: 27.SEP.2023 23:24:07

AWGN Bandwidth: 10MHz


### Frequency (MHz): 6580 MHz



Date: 27.SEP.2023 19:05:58

AWGN Bandwidth: 10MHz


### Frequency (MHz): 6585 MHz



Date: 27.SEP.2023 23:25:11

AWGN Bandwidth: 10MHz


## Frequency (MHz): 6740 MHz



Date: 27.SEP.2023 23:26:14

AWGN Bandwidth: 10MHz

## Frequency (MHz): 6750 MHz




Date: 27.SEP.2023 19:08:59

AWGN Bandwidth: 10MHz




## Frequency (MHz): 6905 MHz



Date: 27.SEP.2023 19:10:11

AWGN Bandwidth: 10MHz

## Frequency (MHz): 7060 MHz



Date: 27.SEP.2023 19:10:57


AWGN Bandwidth: 10MHz

## 2. Contention-Based Protocol Plot



## Test CH 149 ; Incumbent signal 6695 MHz


### Time Analysis



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

## Test CH 213 ; Incumbent signal 7015 MHz

### Time Analysis




Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

## 802.11ax HEW320

### Test CH 31 ; Incumbent signal 5950 MHz


#### Time Analysis



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

### Test CH 31 ; Incumbent signal 6105 MHz


#### Time Analysis



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

## Test CH 31 ; Incumbent signal 6260 MHz


### Time Analysis



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

## Test CH 95 ; Incumbent signal 6270 MHz


### Time Analysis



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

## Test CH 95 ; Incumbent signal 6425 MHz


### Time Analysis



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

## Test CH 95 ; Incumbent signal 6580 MHz


### Time Analysis



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

## Test CH 127 ; Incumbent signal 6430 MHz


### Time Analysis



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

## Test CH 127 ; Incumbent signal 6585 MHz


### Time Analysis



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

## Test CH 127 ; Incumbent signal 6740 MHz


### Time Analysis



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

## Test CH 191 ; Incumbent signal 6750 MHz

### Time Analysis




Note: M1: Inject AWGN signal; M2: Remove AWGN signal.



## Test CH 191 ; Incumbent signal 6905 MHz


### Time Analysis



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

## Test CH 191 ; Incumbent signal 7060 MHz

### Time Analysis




Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

## 3. Contention Based Protocol Threshold Level Verify Plot



Frequency (MHz): 6215 MHz (Threshold Level: -69 dBm)


## Time Analysis



Bandwidth (MHz): 320


Frequency (MHz): 5950 MHz (Threshold Level: -72dBm)

## Time Analysis




## Frequency (MHz): 5950 MHz (Threshold Level: -73dBm)

### Time Analysis




## Frequency (MHz): 6105 MHz (Threshold Level: -58dBm)

### Time Analysis




## Frequency (MHz): 6105 MHz (Threshold Level: -61dBm)

### Time Analysis




## Frequency (MHz): 6105 MHz (Threshold Level: -62dBm)

### Time Analysis




Frequency (MHz): 6260 MHz (Threshold Level: -69 dBm)

## Time Analysis




Frequency (MHz): 6260 MHz (Threshold Level: -70dBm)

## Time Analysis



Frequency (MHz): 6260 MHz (Threshold Level: -71dBm)

Time Analysis



|               |       |
|---------------|-------|
| Sample Time   |       |
| 1us           |       |
| All TX Time   |       |
| 939.737ms     |       |
| All TX Sample |       |
| 939737        |       |
| Duty Cycle    |       |
| 0.939736      |       |
| T1[s]         | T2[s] |
| 0s            | 0s    |
| T3[s]         | T4[s] |
| NaNs          | NaNs  |



**Summary**


| Mode   | Result | Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Condition  |
|--------|--------|------|--------------|-------------------|-------------------|----------------|------------|
| Mode 1 | Pass   | PK   | 7.31775G     | 62.50             | 74.00             | -11.50         | Vertical   |
| Mode 2 | Pass   | AV   | 11.49282G    | 41.85             | 54.00             | -12.15         | Horizontal |




**Result**

| Mode   | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comments |
|--------|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|----------|
| Mode 1 | Pass   | AV   | 4.80849G  | 33.21          | 54.00          | -20.79      | 3        | Vertical   | 0           | 1.50       | -        |
| Mode 1 | Pass   | AV   | 4.87352G  | 40.96          | 54.00          | -13.04      | 3        | Vertical   | 300         | 1.88       | -        |
| Mode 1 | Pass   | AV   | 7.3168G   | 41.23          | 54.00          | -12.77      | 3        | Vertical   | 40          | 2.18       | -        |
| Mode 1 | Pass   | AV   | 11.4897G  | 40.31          | 54.00          | -13.69      | 3        | Vertical   | 356         | 1.50       | -        |
| Mode 1 | Pass   | AV   | 12.84735G | 38.49          | 68.20          | -29.71      | 3        | Vertical   | 79          | 1.55       | -        |
| Mode 1 | Pass   | AV   | 17.2222G  | 37.90          | 68.20          | -30.30      | 3        | Vertical   | 116         | 1.90       | -        |
| Mode 1 | Pass   | PK   | 4.81095G  | 44.43          | 74.00          | -29.57      | 3        | Vertical   | 0           | 1.50       | -        |
| Mode 1 | Pass   | PK   | 4.87872G  | 55.78          | 74.00          | -18.22      | 3        | Vertical   | 300         | 1.88       | -        |
| Mode 1 | Pass   | PK   | 7.31775G  | 62.50          | 74.00          | -11.50      | 3        | Vertical   | 40          | 2.18       | -        |
| Mode 1 | Pass   | PK   | 11.4888G  | 54.05          | 74.00          | -19.95      | 3        | Vertical   | 356         | 1.50       | -        |
| Mode 1 | Pass   | PK   | 12.847G   | 52.60          | 88.20          | -35.60      | 3        | Vertical   | 79          | 1.55       | -        |
| Mode 1 | Pass   | PK   | 17.2157G  | 52.49          | 88.20          | -35.71      | 3        | Vertical   | 116         | 1.90       | -        |
| Mode 1 | Pass   | AV   | 4.80864G  | 35.21          | 54.00          | -18.79      | 3        | Horizontal | 60          | 1.50       | -        |
| Mode 1 | Pass   | AV   | 4.87904G  | 41.85          | 54.00          | -12.15      | 3        | Horizontal | 312         | 1.96       | -        |
| Mode 1 | Pass   | AV   | 7.31739G  | 41.66          | 54.00          | -12.34      | 3        | Horizontal | 287         | 1.79       | -        |
| Mode 1 | Pass   | AV   | 11.49275G | 41.20          | 54.00          | -12.80      | 3        | Horizontal | 317         | 1.56       | -        |
| Mode 1 | Pass   | AV   | 12.8502G  | 38.48          | 68.20          | -29.72      | 3        | Horizontal | 279         | 1.60       | -        |
| Mode 1 | Pass   | AV   | 17.2308G  | 37.85          | 68.20          | -30.35      | 3        | Horizontal | 310         | 1.70       | -        |
| Mode 1 | Pass   | PK   | 4.80956G  | 46.57          | 74.00          | -27.43      | 3        | Horizontal | 60          | 1.50       | -        |
| Mode 1 | Pass   | PK   | 4.87844G  | 56.96          | 74.00          | -17.04      | 3        | Horizontal | 312         | 1.96       | -        |
| Mode 1 | Pass   | PK   | 7.31779G  | 61.73          | 74.00          | -12.27      | 3        | Horizontal | 287         | 1.79       | -        |
| Mode 1 | Pass   | PK   | 11.4927G  | 54.63          | 74.00          | -19.37      | 3        | Horizontal | 317         | 1.56       | -        |
| Mode 1 | Pass   | PK   | 12.82535G | 52.24          | 88.20          | -35.96      | 3        | Horizontal | 279         | 1.60       | -        |
| Mode 1 | Pass   | PK   | 17.22765G | 52.68          | 88.20          | -35.52      | 3        | Horizontal | 310         | 1.70       | -        |
| Mode 2 | Pass   | AV   | 4.81036G  | 33.79          | 54.00          | -20.21      | 3        | Vertical   | 11          | 1.50       | -        |
| Mode 2 | Pass   | AV   | 4.87744G  | 28.82          | 54.00          | -25.18      | 3        | Vertical   | 351         | 1.73       | -        |
| Mode 2 | Pass   | AV   | 7.30016G  | 35.52          | 54.00          | -18.48      | 3        | Vertical   | 70          | 2.58       | -        |
| Mode 2 | Pass   | AV   | 11.4906G  | 38.93          | 54.00          | -15.07      | 3        | Vertical   | 341         | 1.72       | -        |
| Mode 2 | Pass   | AV   | 12.84988G | 38.92          | 68.20          | -29.28      | 3        | Vertical   | 229         | 1.15       | -        |
| Mode 2 | Pass   | AV   | 17.23075G | 38.08          | 68.20          | -30.12      | 3        | Vertical   | 187         | 2.39       | -        |
| Mode 2 | Pass   | PK   | 4.81077G  | 44.54          | 74.00          | -29.46      | 3        | Vertical   | 11          | 1.50       | -        |
| Mode 2 | Pass   | PK   | 4.87464G  | 42.62          | 74.00          | -31.38      | 3        | Vertical   | 351         | 1.73       | -        |
| Mode 2 | Pass   | PK   | 7.29828G  | 50.02          | 74.00          | -23.98      | 3        | Vertical   | 70          | 2.58       | -        |
| Mode 2 | Pass   | PK   | 11.4915G  | 52.17          | 74.00          | -21.83      | 3        | Vertical   | 341         | 1.72       | -        |
| Mode 2 | Pass   | PK   | 12.85026G | 52.27          | 88.20          | -35.93      | 3        | Vertical   | 229         | 1.15       | -        |
| Mode 2 | Pass   | PK   | 17.23109G | 52.14          | 88.20          | -36.06      | 3        | Vertical   | 187         | 2.39       | -        |
| Mode 2 | Pass   | AV   | 4.80985G  | 34.67          | 54.00          | -19.33      | 3        | Horizontal | 113         | 1.44       | -        |
| Mode 2 | Pass   | AV   | 4.86456G  | 29.19          | 54.00          | -24.81      | 3        | Horizontal | 352         | 1.34       | -        |
| Mode 2 | Pass   | AV   | 7.31308G  | 33.76          | 54.00          | -20.24      | 3        | Horizontal | 349         | 1.33       | -        |
| Mode 2 | Pass   | AV   | 11.49282G | 41.85          | 54.00          | -12.15      | 3        | Horizontal | 319         | 1.50       | -        |
| Mode 2 | Pass   | AV   | 12.8504G  | 38.95          | 68.20          | -29.25      | 3        | Horizontal | 144         | 2.75       | -        |
| Mode 2 | Pass   | AV   | 17.23334G | 38.12          | 68.20          | -30.08      | 3        | Horizontal | 296         | 1.19       | -        |
| Mode 2 | Pass   | PK   | 4.81065G  | 44.62          | 74.00          | -29.38      | 3        | Horizontal | 113         | 1.44       | -        |
| Mode 2 | Pass   | PK   | 4.86556G  | 42.50          | 74.00          | -31.50      | 3        | Horizontal | 352         | 1.34       | -        |
| Mode 2 | Pass   | PK   | 7.2964G   | 47.95          | 74.00          | -26.05      | 3        | Horizontal | 349         | 1.33       | -        |
| Mode 2 | Pass   | PK   | 11.49168G | 55.50          | 74.00          | -18.50      | 3        | Horizontal | 319         | 1.50       | -        |
| Mode 2 | Pass   | PK   | 12.84591G | 52.37          | 88.20          | -35.83      | 3        | Horizontal | 144         | 2.75       | -        |
| Mode 2 | Pass   | PK   | 17.23286G | 51.73          | 88.20          | -36.47      | 3        | Horizontal | 296         | 1.19       | -        |


### Radiated Emissions above 1GHz\_Mode 1



### Radiated Emissions above 1GHz\_Mode 1



### Radiated Emissions above 1GHz\_Mode 2



### Radiated Emissions above 1GHz\_Mode 2

