


5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6415MHz_TX

12/12/2023




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6535MHz_TX

12/12/2023




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6695MHz_TX

12/12/2023




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6855MHz_TX

12/12/2023



5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

5965MHz_TX

13/12/2023

CF (Hz)
5.965G


Span (Hz)
200M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
60

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.953853G	-1.97	6.0226G	-48.38	-37.63	-10.75	1
5.948954G	-1.98	5.9877G	-36.65	-22.12	-14.53	2
5.983645G	-1.83	5.9869G	-34.63	-21.83	-12.80	3
5.981346G	-1.90	5.98775G	-35.42	-22.02	-13.40	4

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6205MHz_TX

13/12/2023

CF (Hz)
6.205G


Span (Hz)
200M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
60

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.195152G	0.25	6.1398G	-49.77	-39.49	-10.28	1
6.214598G	-0.58	6.22735G	-34.66	-20.61	-14.05	2
6.192853G	-0.58	6.22735G	-33.79	-20.69	-13.10	3
6.222596G	-0.43	6.27G	-55.29	-40.43	-14.86	4

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6405MHz_TX

13/12/2023




6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6565MHz_TX

13/12/2023



6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6685MHz_TX

13/12/2023

CF (Hz)
6.685G


Span (Hz)
200M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
60

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.670904G	0.77	6.6475G	-35.48	-25.23	-10.25	1
6.695247G	1.71	6.70695G	-29.55	-18.35	-11.20	2
6.702396G	0.83	6.70725G	-33.35	-19.20	-14.15	3
6.666605G	0.49	6.7504G	-53.22	-39.51	-13.71	4

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6845MHz_TX

13/12/2023

CF (Hz)
6.845G


Span (Hz)
200M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
60

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.833103G	0.99	6.8829G	-33.55	-21.85	-11.70	1
6.836552G	1.21	6.75095G	-52.95	-38.79	-14.16	2
6.839101G	0.67	6.9088G	-52.61	-39.21	-13.40	3
6.858947G	1.00	6.77965G	-52.76	-39.00	-13.76	4

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

5985MHz_TX

13/12/2023




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.94921G	0.02	6.1422G	-51.68	-39.98	-11.70	1
5.95311G	0.08	6.0286G	-30.94	-19.93	-11.01	2
5.9982G	-0.37	6.1116G	-52.33	-40.37	-11.96	3
6.0011G	0.54	6.1113G	-49.22	-38.97	-10.25	4

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6225MHz_TX

13/12/2023




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.19441G	1.19	6.3571G	-50.47	-38.81	-11.66	1
6.239G	-0.63	6.3849G	-51.58	-40.63	-10.95	2
6.2386G	-0.35	6.3822G	-51.41	-40.35	-11.06	3
6.24959G	-0.79	6.4086G	-51.70	-40.79	-10.91	4

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6385MHz_TX

13/12/2023




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.3725G	0.04	6.513G	-50.72	-39.95	-10.77	1
6.35231G	0.95	6.5473G	-51.21	-39.05	-12.16	2
6.35141G	-0.19	6.574G	-50.88	-40.19	-10.69	3
6.3999G	-0.17	6.2585G	-49.67	-40.11	-9.56	4

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6625MHz_TX

13/12/2023




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.60131G	0.51	6.7636G	-50.81	-39.49	-11.32	1
6.59031G	2.00	6.5815G	-29.81	-18.03	-11.78	2
6.6076G	0.28	6.7678G	-50.23	-39.72	-10.51	3
6.6168G	0.14	6.4566G	-50.81	-39.86	-10.95	4

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6705MHz_TX

13/12/2023




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6785MHz_TX

13/12/2023




5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

MASK

6025MHz_TX

13/12/2023




5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

MASK

6185MHz_TX

13/12/2023




5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

MASK

6345MHz_TX

13/12/2023




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.27502G	0.32	6.568G	-43.65	-35.86	-7.79	1
6.37579G	1.69	6.5982G	-48.78	-38.31	-10.47	2
6.31141G	-0.27	6.6336G	-48.97	-40.27	-8.70	3
6.3314G	-0.46	6.5978G	-48.74	-40.46	-8.28	4

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

MASK

6665MHz_TX

13/12/2023




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6494G	0.58	6.893G	-42.97	-35.31	-7.66	1
6.62041G	1.37	6.9884G	-47.46	-38.63	-8.83	2
6.676G	0.18	6.9618G	-47.54	-39.82	-7.72	3
6.61301G	0.73	6.9682G	-47.27	-39.27	-8.00	4

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

MASK

6105MHz_TX

13/12/2023




5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

MASK

6265MHz_TX

13/12/2023



**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_4TX	Pass	PK	5.9241G	77.31	88.20	-10.89	3	Vertical	42	1.78
802.11be EHT40-BF_Nss1,(MCS0)_4TX	Pass	AV	5.9248G	67.20	68.20	-1.00	3	Vertical	43	2.13
802.11be EHT80-BF_Nss1,(MCS0)_4TX	Pass	AV	5.9247G	63.28	68.20	-4.92	3	Vertical	327	2.18
802.11be EHT160-BF_Nss1,(MCS0)_4TX	Pass	AV	5.9165G	64.15	68.20	-4.05	3	Vertical	54	1.95
802.11be EHT320-BF_Nss1,(MCS0)_4TX	Pass	AV	5.9244G	61.70	68.20	-6.50	3	Vertical	347	1.96
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_4TX	Pass	AV	13.38808G	39.45	54.00	-14.55	3	Horizontal	195	1.78
802.11be EHT40-BF_Nss1,(MCS0)_4TX	Pass	AV	13.37758G	38.94	54.00	-15.06	3	Vertical	35	1.60
802.11be EHT80-BF_Nss1,(MCS0)_4TX	Pass	AV	13.5518G	39.60	68.20	-28.60	3	Vertical	111	1.90
802.11be EHT160-BF_Nss1,(MCS0)_4TX	Pass	AV	13.32959G	38.65	54.00	-15.35	3	Vertical	100	1.61

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.9247G	55.20	68.20	-13.00	3	Vertical	42	1.78
5955MHz	Pass	AV	5.9487G	109.41	Inf	-Inf	3	Vertical	42	1.78
5955MHz	Pass	PK	5.9241G	77.31	88.20	-10.89	3	Vertical	42	1.78
5955MHz	Pass	PK	5.9496G	121.78	Inf	-Inf	3	Vertical	42	1.78
5955MHz	Pass	AV	5.922G	45.11	68.20	-23.09	3	Horizontal	24	1.19
5955MHz	Pass	AV	5.946G	96.62	Inf	-Inf	3	Horizontal	24	1.19
5955MHz	Pass	PK	5.8605G	57.63	88.20	-30.57	3	Horizontal	24	1.19
5955MHz	Pass	PK	5.9457G	109.52	Inf	-Inf	3	Horizontal	24	1.19
5955MHz	Pass	AV	11.90887G	37.54	54.00	-16.46	3	Vertical	198	1.50
5955MHz	Pass	PK	11.91249G	50.20	74.00	-23.80	3	Vertical	198	1.50
5955MHz	Pass	AV	11.91064G	37.54	54.00	-16.46	3	Horizontal	354	1.50
5955MHz	Pass	PK	11.9116G	51.02	74.00	-22.98	3	Horizontal	354	1.50
6195MHz	Pass	AV	12.38609G	37.44	54.00	-16.56	3	Vertical	300	1.50
6195MHz	Pass	PK	12.39075G	49.73	74.00	-24.27	3	Vertical	300	1.50
6195MHz	Pass	AV	12.39445G	37.48	54.00	-16.52	3	Horizontal	177	1.50
6195MHz	Pass	PK	12.38817G	50.60	74.00	-23.40	3	Horizontal	177	1.50
6415MHz	Pass	AV	12.82755G	39.13	68.20	-29.07	3	Vertical	283	1.50
6415MHz	Pass	PK	12.8282G	51.81	88.20	-36.39	3	Vertical	283	1.50
6415MHz	Pass	AV	12.8253G	39.16	68.20	-29.04	3	Horizontal	43	2.16
6415MHz	Pass	PK	12.82689G	51.70	88.20	-36.50	3	Horizontal	43	2.16
6535MHz	Pass	AV	13.06796G	39.05	68.20	-29.15	3	Vertical	308	1.50
6535MHz	Pass	PK	13.06985G	52.20	88.20	-36.00	3	Vertical	308	1.50
6535MHz	Pass	AV	13.06706G	38.99	68.20	-29.21	3	Horizontal	354	1.50
6535MHz	Pass	PK	13.07365G	51.77	88.20	-36.43	3	Horizontal	354	1.50
6695MHz	Pass	AV	13.3863G	39.29	54.00	-14.71	3	Vertical	145	1.50
6695MHz	Pass	PK	13.39173G	51.94	74.00	-22.06	3	Vertical	145	1.50
6695MHz	Pass	AV	13.38808G	39.45	54.00	-14.55	3	Horizontal	195	1.78
6695MHz	Pass	PK	13.38803G	52.02	74.00	-21.98	3	Horizontal	195	1.78
6855MHz	Pass	AV	13.70884G	39.32	68.20	-28.88	3	Vertical	271	2.65
6855MHz	Pass	PK	13.70543G	52.04	88.20	-36.16	3	Vertical	271	2.65
6855MHz	Pass	AV	13.70672G	39.39	68.20	-28.81	3	Horizontal	112	1.50
6855MHz	Pass	PK	13.70847G	51.77	88.20	-36.43	3	Horizontal	112	1.50
802.11be EHT40-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	AV	5.9248G	67.20	68.20	-1.00	3	Vertical	43	2.13
5965MHz	Pass	AV	5.9503G	105.74	Inf	-Inf	3	Vertical	43	2.13
5965MHz	Pass	PK	5.9212G	82.66	88.20	-5.54	3	Vertical	43	2.13
5965MHz	Pass	PK	5.9512G	118.75	Inf	-Inf	3	Vertical	43	2.13
5965MHz	Pass	AV	5.923G	45.09	68.20	-23.11	3	Horizontal	25	1.21
5965MHz	Pass	AV	5.9833G	90.77	Inf	-Inf	3	Horizontal	25	1.21
5965MHz	Pass	PK	5.923G	58.13	88.20	-30.07	3	Horizontal	25	1.21
5965MHz	Pass	PK	5.9815G	103.06	Inf	-Inf	3	Horizontal	25	1.21
5965MHz	Pass	AV	11.93006G	37.34	54.00	-16.66	3	Vertical	23	1.15
5965MHz	Pass	PK	11.9303G	50.93	74.00	-23.07	3	Vertical	23	1.15
5965MHz	Pass	AV	11.93396G	37.45	54.00	-16.55	3	Horizontal	1	1.42
5965MHz	Pass	PK	11.92284G	50.20	74.00	-23.80	3	Horizontal	1	1.42
6205MHz	Pass	AV	12.40344G	36.93	54.00	-17.07	3	Vertical	289	2.40
6205MHz	Pass	PK	12.41762G	49.71	74.00	-24.29	3	Vertical	289	2.40
6205MHz	Pass	AV	12.40154G	37.00	54.00	-17.00	3	Horizontal	323	1.50
6205MHz	Pass	PK	12.4164G	50.14	74.00	-23.86	3	Horizontal	323	1.50
6405MHz	Pass	AV	12.81048G	38.52	68.20	-29.68	3	Vertical	207	1.50
6405MHz	Pass	PK	12.81046G	52.07	88.20	-36.13	3	Vertical	207	1.50
6405MHz	Pass	AV	12.81036G	38.42	68.20	-29.78	3	Horizontal	297	1.50
6405MHz	Pass	PK	12.8177G	51.56	88.20	-36.64	3	Horizontal	297	1.50
6565MHz	Pass	AV	13.13126G	38.65	68.20	-29.55	3	Vertical	313	1.52
6565MHz	Pass	PK	13.12242G	51.76	88.20	-36.44	3	Vertical	313	1.52
6565MHz	Pass	AV	13.1323G	38.55	68.20	-29.65	3	Horizontal	36	1.50
6565MHz	Pass	PK	13.12688G	51.22	88.20	-36.98	3	Horizontal	36	1.50
6685MHz	Pass	AV	13.37758G	38.94	54.00	-15.06	3	Vertical	35	1.60
6685MHz	Pass	PK	13.37406G	51.65	74.00	-22.35	3	Vertical	35	1.60
6685MHz	Pass	AV	13.3759G	38.88	54.00	-15.12	3	Horizontal	264	1.50

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6685MHz	Pass	PK	13.3767G	51.81	74.00	-22.19	3	Horizontal	264	1.50
6845MHz	Pass	AV	13.68344G	39.02	68.20	-29.18	3	Vertical	33	1.00
6845MHz	Pass	PK	13.69834G	52.08	88.20	-36.12	3	Vertical	33	1.00
6845MHz	Pass	AV	13.69642G	39.12	68.20	-29.08	3	Horizontal	313	1.60
6845MHz	Pass	PK	13.68004G	51.62	88.20	-36.58	3	Horizontal	313	1.60
802.11be EHT80-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.9247G	63.28	68.20	-4.92	3	Vertical	327	2.18
5985MHz	Pass	AV	6.0201G	102.91	Inf	-Inf	3	Vertical	327	2.18
5985MHz	Pass	PK	5.925G	77.94	88.20	-10.26	3	Vertical	327	2.18
5985MHz	Pass	PK	6.0207G	115.24	Inf	-Inf	3	Vertical	327	2.18
5985MHz	Pass	AV	5.9196G	48.06	68.20	-20.14	3	Horizontal	233	2.97
5985MHz	Pass	AV	5.9994G	90.46	Inf	-Inf	3	Horizontal	233	2.97
5985MHz	Pass	PK	5.9217G	63.22	88.20	-24.98	3	Horizontal	233	2.97
5985MHz	Pass	PK	5.9982G	103.15	Inf	-Inf	3	Horizontal	233	2.97
5985MHz	Pass	AV	11.979G	37.89	54.00	-16.11	3	Vertical	112	2.00
5985MHz	Pass	PK	11.97658G	51.23	74.00	-22.77	3	Vertical	112	2.00
5985MHz	Pass	AV	12.00984G	37.99	54.00	-16.01	3	Horizontal	313	2.86
5985MHz	Pass	PK	11.97432G	50.61	74.00	-23.39	3	Horizontal	313	2.86
5985MHz	Pass	AV	11.97558G	37.92	54.00	-16.08	3	Vertical	193	1.52
5985MHz	Pass	PK	11.97322G	52.21	74.00	-21.79	3	Vertical	193	1.52
6225MHz	Pass	AV	12.4662G	36.89	54.00	-17.11	3	Vertical	295	1.50
6225MHz	Pass	PK	12.43584G	50.99	74.00	-23.01	3	Vertical	295	1.50
6225MHz	Pass	AV	12.44988G	37.01	54.00	-16.99	3	Horizontal	209	1.50
6225MHz	Pass	PK	12.46912G	50.55	74.00	-23.45	3	Horizontal	209	1.50
6385MHz	Pass	AV	12.77736G	38.24	68.20	-29.96	3	Vertical	349	1.50
6385MHz	Pass	PK	12.75832G	51.04	88.20	-37.16	3	Vertical	349	1.50
6385MHz	Pass	AV	12.77628G	38.30	68.20	-29.90	3	Horizontal	281	1.50
6385MHz	Pass	PK	12.77672G	51.50	88.20	-36.70	3	Horizontal	281	1.50
6625MHz	Pass	AV	13.2302G	38.65	68.20	-29.55	3	Vertical	31	1.50
6625MHz	Pass	PK	13.23132G	52.42	88.20	-35.78	3	Vertical	31	1.50
6625MHz	Pass	AV	13.23012G	38.59	68.20	-29.61	3	Horizontal	360	2.67
6625MHz	Pass	PK	13.23176G	52.44	88.20	-35.76	3	Horizontal	360	2.67
6705MHz	Pass	AV	13.4238G	39.16	68.20	-29.04	3	Vertical	75	1.50
6705MHz	Pass	PK	13.42392G	52.94	88.20	-35.26	3	Vertical	75	1.50
6705MHz	Pass	AV	13.42392G	39.09	68.20	-29.11	3	Horizontal	360	1.50
6705MHz	Pass	PK	13.40896G	52.10	88.20	-36.10	3	Horizontal	360	1.50
6785MHz	Pass	AV	13.5518G	39.60	68.20	-28.60	3	Vertical	111	1.90
6785MHz	Pass	PK	13.558G	52.63	88.20	-35.57	3	Vertical	111	1.90
6785MHz	Pass	AV	13.55144G	39.54	68.20	-28.66	3	Horizontal	102	1.50
6785MHz	Pass	PK	13.55572G	52.53	88.20	-35.67	3	Horizontal	102	1.50
802.11be EHT160-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.9165G	64.15	68.20	-4.05	3	Vertical	54	1.95
6025MHz	Pass	AV	6.1015G	100.46	Inf	-Inf	3	Vertical	54	1.95
6025MHz	Pass	PK	5.892G	81.32	88.20	-6.88	3	Vertical	54	1.95
6025MHz	Pass	PK	6.1G	113.76	Inf	-Inf	3	Vertical	54	1.95
6025MHz	Pass	AV	5.9G	45.92	68.20	-22.28	3	Horizontal	25	1.81
6025MHz	Pass	AV	6.071G	85.36	Inf	-Inf	3	Horizontal	25	1.81
6025MHz	Pass	PK	5.9025G	59.75	88.20	-28.45	3	Horizontal	25	1.81
6025MHz	Pass	PK	6.078G	97.75	Inf	-Inf	3	Horizontal	25	1.81
6025MHz	Pass	AV	12.04907G	37.34	54.00	-16.66	3	Vertical	311	2.23
6025MHz	Pass	PK	12.04998G	50.20	74.00	-23.80	3	Vertical	311	2.23
6025MHz	Pass	AV	12.04951G	37.42	54.00	-16.58	3	Horizontal	321	2.50
6025MHz	Pass	PK	12.04964G	50.52	74.00	-23.48	3	Horizontal	321	2.50
6185MHz	Pass	AV	12.36951G	36.97	54.00	-17.03	3	Vertical	77	1.01
6185MHz	Pass	PK	12.36996G	50.03	74.00	-23.97	3	Vertical	77	1.01
6185MHz	Pass	AV	12.36963G	36.98	54.00	-17.02	3	Horizontal	92	2.64
6185MHz	Pass	PK	12.36945G	49.24	74.00	-24.76	3	Horizontal	92	2.64
6345MHz	Pass	AV	12.69041G	37.28	54.00	-16.72	3	Vertical	41	2.09
6345MHz	Pass	PK	12.69066G	49.93	74.00	-24.07	3	Vertical	41	2.09
6345MHz	Pass	AV	12.68931G	37.25	54.00	-16.75	3	Horizontal	315	2.69
6345MHz	Pass	PK	12.69097G	50.04	74.00	-23.96	3	Horizontal	315	2.69
6665MHz	Pass	AV	13.32959G	38.65	54.00	-15.35	3	Vertical	100	1.61




RSE TX above 1GHz_Beamforming_Radio 3

Appendix E.5

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6665MHz	Pass	PK	13.32978G	51.63	74.00	-22.37	3	Vertical	100	1.61
6665MHz	Pass	AV	13.32997G	38.41	54.00	-15.59	3	Horizontal	103	2.83
6665MHz	Pass	PK	13.32992G	51.70	74.00	-22.30	3	Horizontal	103	2.83
802.11be EHT320-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.9244G	61.70	68.20	-6.50	3	Vertical	347	1.96
6105MHz	Pass	AV	6.0354G	97.46	Inf	-Inf	3	Vertical	347	1.96
6105MHz	Pass	PK	5.853G	76.74	88.20	-11.46	3	Vertical	347	1.96
6105MHz	Pass	PK	6.0336G	109.34	Inf	-Inf	3	Vertical	347	1.96
6105MHz	Pass	AV	5.895G	46.76	68.20	-21.44	3	Horizontal	171	2.63
6105MHz	Pass	AV	6.0438G	81.38	Inf	-Inf	3	Horizontal	171	2.63
6105MHz	Pass	PK	5.9022G	59.58	88.20	-28.62	3	Horizontal	171	2.63
6105MHz	Pass	PK	6.2532G	94.55	Inf	-Inf	3	Horizontal	171	2.63
6105MHz	Pass	AV	12.24984G	38.21	54.00	-15.79	3	Vertical	184	2.74
6105MHz	Pass	PK	12.13896G	50.52	74.00	-23.48	3	Vertical	184	2.74
6105MHz	Pass	AV	12.21768G	38.21	54.00	-15.79	3	Horizontal	26	1.76
6105MHz	Pass	PK	12.25144G	51.27	74.00	-22.73	3	Horizontal	26	1.76
6265MHz	Pass	AV	12.52949G	36.99	54.00	-17.01	3	Vertical	43	1.91
6265MHz	Pass	PK	12.52968G	49.64	74.00	-24.36	3	Vertical	43	1.91
6265MHz	Pass	AV	12.53064G	37.00	54.00	-17.00	3	Horizontal	256	2.27
6265MHz	Pass	PK	12.52906G	51.06	74.00	-22.94	3	Horizontal	256	2.27


5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5955MHz_TX




5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5955MHz_TX




5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5955MHz_TX




5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5955MHz_TX




5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6195MHz_TX




5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6195MHz_TX




5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6415MHz_TX




5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6415MHz_TX




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6535MHz_TX




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6535MHz_TX




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6695MHz_TX




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6695MHz_TX




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6855MHz_TX




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6855MHz_TX



5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


5965MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9248G	67.20	68.20	-1.00	-4.03	3	Vertical	43	2.13	71.23	34.60	5.54	44.17
AV	5.9503G	105.74	Inf	-Inf	-4.02	3	Vertical	43	2.13	109.76	34.60	5.55	44.17
PK	5.9212G	82.66	88.20	-5.54	-4.03	3	Vertical	43	2.13	86.69	34.60	5.54	44.17
PK	5.9512G	118.75	Inf	-Inf	-4.02	3	Vertical	43	2.13	122.77	34.60	5.55	44.17

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


5965MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.923G	45.09	68.20	-23.11	-4.03	3	Horizontal	25	1.21	49.12	34.60	5.54	44.17
AV	5.9833G	90.77	Inf	-Inf	-4.02	3	Horizontal	25	1.21	94.79	34.60	5.56	44.18
PK	5.923G	58.13	88.20	-30.07	-4.03	3	Horizontal	25	1.21	62.16	34.60	5.54	44.17
PK	5.9815G	103.06	Inf	-Inf	-4.02	3	Horizontal	25	1.21	107.08	34.60	5.56	44.18


5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5965MHz_TX




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5965MHz_TX




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6205MHz_TX




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6205MHz_TX




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6405MHz_TX




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6405MHz_TX




6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6565MHz_TX




6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6565MHz_TX




6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6685MHz_TX




6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6685MHz_TX




6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6845MHz_TX




6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6845MHz_TX



5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


5985MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)			(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.9247G	63.28	68.20	-4.92	-4.03	3	Vertical	327	2.18	67.31	34.60	5.54	44.17
AV	6.0201G	102.91	Inf	-Inf	-4.08	3	Vertical	327	2.18	106.99	34.52	5.58	44.18
PK	5.925G	77.94	88.20	-10.26	-4.03	3	Vertical	327	2.18	81.97	34.60	5.54	44.17
PK	6.0207G	115.24	Inf	-Inf	-4.08	3	Vertical	327	2.18	119.32	34.52	5.58	44.18

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


5985MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)			(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.9196G	48.06	68.20	-20.14	-4.03	3	Horizontal	233	2.97	52.09	34.60	5.54	44.17
AV	5.9994G	90.46	Inf	-Inf	-4.01	3	Horizontal	233	2.97	94.47	34.60	5.57	44.18
PK	5.9217G	63.22	88.20	-24.98	-4.03	3	Horizontal	233	2.97	67.25	34.60	5.54	44.17
PK	5.9982G	103.15	Inf	-Inf	-4.01	3	Horizontal	233	2.97	107.16	34.60	5.57	44.18


5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6225MHz_TX




5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6225MHz_TX




5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6385MHz_TX




5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6385MHz_TX




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6625MHz_TX




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6625MHz_TX




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6705MHz_TX




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6705MHz_TX




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6785MHz_TX




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6785MHz_TX



5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6025MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)			(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.9165G	64.15	68.20	-4.05	-4.03	3	Vertical	54	1.95	68.18	34.60	5.54	44.17
AV	6.1015G	100.46	Inf	-Inf	-4.14	3	Vertical	54	1.95	104.60	34.40	5.63	44.17
PK	5.892G	81.32	88.20	-6.88	-4.07	3	Vertical	54	1.95	85.39	34.57	5.53	44.17
PK	6.1G	113.76	Inf	-Inf	-4.15	3	Vertical	54	1.95	117.91	34.40	5.62	44.17

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6025MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)			(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.9G	45.92	68.20	-22.28	-4.03	3	Horizontal	25	1.81	49.95	34.60	5.54	44.17
AV	6.071G	85.36	Inf	-Inf	-4.16	3	Horizontal	25	1.81	89.52	34.40	5.61	44.17
PK	5.9025G	59.75	88.20	-28.45	-4.03	3	Horizontal	25	1.81	63.78	34.60	5.54	44.17
PK	6.078G	97.75	Inf	-Inf	-4.16	3	Horizontal	25	1.81	101.91	34.40	5.61	44.17


5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6185MHz_TX




5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6185MHz_TX




5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6345MHz_TX




5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6345MHz_TX




6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6665MHz_TX




6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6665MHz_TX



5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6105MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9244G	61.70	68.20	-6.50	-4.03	3	Vertical	347	1.96	65.73	34.60	5.54	44.17
AV	6.0354G	97.46	Inf	-Inf	-4.13	3	Vertical	347	1.96	101.59	34.46	5.59	44.18
PK	5.853G	76.74	88.20	-11.46	-4.23	3	Vertical	347	1.96	80.97	34.41	5.52	44.16
PK	6.0336G	109.34	Inf	-Inf	-4.12	3	Vertical	347	1.96	113.46	34.47	5.59	44.18

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6105MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.895G	46.76	68.20	-21.44	-4.06	3	Horizontal	171	2.63	50.82	34.58	5.53	44.17
AV	6.0438G	81.38	Inf	-Inf	-4.17	3	Horizontal	171	2.63	85.55	34.42	5.59	44.18
PK	5.9022G	59.58	88.20	-28.62	-4.03	3	Horizontal	171	2.63	63.61	34.60	5.54	44.17
PK	6.2532G	94.55	Inf	-Inf	-3.66	3	Horizontal	171	2.63	98.21	34.80	5.69	44.15


5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6105MHz_TX




5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6105MHz_TX




5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6265MHz_TX



5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6265MHz_TX






Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	PK	5.11722G	67.41	74.00	-6.59	Horizontal
Mode 2	Pass	AV	4.91877G	42.08	54.00	-11.92	Horizontal

Result


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 1	Pass	AV	2.35024G	24.88	54.00	-29.12	3	Vertical	218	1.45
Mode 1	Pass	AV	4.91393G	33.92	54.00	-20.08	3	Vertical	11	2.46
Mode 1	Pass	AV	5.09623G	31.72	54.00	-22.28	3	Vertical	121	1.17
Mode 1	Pass	PK	2.34736G	39.05	74.00	-34.95	3	Vertical	218	1.45
Mode 1	Pass	PK	4.91401G	52.48	74.00	-21.52	3	Vertical	11	2.46
Mode 1	Pass	PK	5.10952G	47.36	74.00	-26.64	3	Vertical	121	1.17
Mode 1	Pass	AV	2.34923G	25.27	54.00	-28.73	3	Horizontal	341	1.24
Mode 1	Pass	AV	4.91402G	35.66	54.00	-18.34	3	Horizontal	93	1.00
Mode 1	Pass	AV	5.1293G	31.98	54.00	-22.02	3	Horizontal	259	1.74
Mode 1	Pass	PK	2.34468G	42.12	74.00	-31.88	3	Horizontal	341	1.24
Mode 1	Pass	PK	4.91395G	60.89	74.00	-13.11	3	Horizontal	93	1.00
Mode 1	Pass	PK	5.11722G	67.41	74.00	-6.59	3	Horizontal	259	1.74
Mode 2	Pass	AV	2.46062G	28.29	68.20	-39.91	3	Vertical	189	1.50
Mode 2	Pass	AV	4.91404G	34.55	54.00	-19.45	3	Vertical	0	2.47
Mode 2	Pass	AV	5.21878G	32.30	68.20	-35.90	3	Vertical	123	1.50
Mode 2	Pass	PK	2.46034G	44.83	88.20	-43.37	3	Vertical	189	1.50
Mode 2	Pass	PK	4.9139G	52.79	74.00	-21.21	3	Vertical	0	2.47
Mode 2	Pass	PK	5.2176G	53.38	88.20	-34.82	3	Vertical	123	1.50
Mode 2	Pass	AV	2.3463G	38.74	54.00	-15.26	3	Horizontal	72	2.15
Mode 2	Pass	AV	4.91877G	42.08	54.00	-11.92	3	Horizontal	92	1.00
Mode 2	Pass	AV	5.21412G	47.64	68.20	-20.56	3	Horizontal	273	2.11
Mode 2	Pass	PK	2.34478G	57.02	74.00	-16.98	3	Horizontal	72	2.15
Mode 2	Pass	PK	4.91398G	61.68	74.00	-12.32	3	Horizontal	92	1.00
Mode 2	Pass	PK	5.21568G	65.62	88.20	-22.58	3	Horizontal	273	2.11

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	2.35024G	24.88	54.00	-29.12	-3.62	3	Vertical	218	1.45	28.50	27.10	4.22	34.94
AV	4.91393G	33.92	54.00	-20.08	4.12	3	Vertical	11	2.46	29.80	32.68	6.24	34.80
AV	5.09623G	31.72	54.00	-22.28	4.42	3	Vertical	121	1.17	27.30	32.81	6.37	34.76
PK	2.34736G	39.05	74.00	-34.95	-3.64	3	Vertical	218	1.45	42.69	27.07	4.22	34.93
PK	4.91401G	52.48	74.00	-21.52	4.12	3	Vertical	11	2.46	48.36	32.68	6.24	34.80
PK	5.10952G	47.36	74.00	-26.64	4.48	3	Vertical	121	1.17	42.88	32.86	6.38	34.76

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	2.34923G	25.27	54.00	-28.73	-3.62	3	Horizontal	341	1.24	28.89	27.09	4.22	34.93
AV	4.91402G	35.66	54.00	-18.34	4.12	3	Horizontal	93	1.00	31.54	32.68	6.24	34.80
AV	5.1293G	31.98	54.00	-22.02	4.62	3	Horizontal	259	1.74	27.36	32.98	6.40	34.76
PK	2.34468G	42.12	74.00	-31.88	-3.67	3	Horizontal	341	1.24	45.79	27.05	4.21	34.93
PK	4.91395G	60.89	74.00	-13.11	4.12	3	Horizontal	93	1.00	56.77	32.68	6.24	34.80
PK	5.11722G	67.41	74.00	-6.59	4.53	3	Horizontal	259	1.74	62.88	32.90	6.39	34.76

Radiated Emissions above 1GHz_Mode 2



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	2.46062G	28.29	68.20	-39.91	-3.27	3	Vertical	189	1.50	31.56	27.40	4.30	34.97
AV	4.91404G	34.55	54.00	-19.45	4.12	3	Vertical	0	2.47	30.43	32.68	6.24	34.80
AV	5.21878G	32.30	68.20	-35.90	4.57	3	Vertical	123	1.50	27.73	32.86	6.46	34.75
PK	2.46034G	44.83	88.20	-43.37	-3.27	3	Vertical	189	1.50	48.10	27.40	4.30	34.97
PK	4.9139G	52.79	74.00	-21.21	4.12	3	Vertical	0	2.47	48.67	32.68	6.24	34.80
PK	5.2176G	53.38	88.20	-34.82	4.57	3	Vertical	123	1.50	48.81	32.86	6.46	34.75

Radiated Emissions above 1GHz_Mode 2



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	2.3463G	38.74	54.00	-15.26	-3.66	3	Horizontal	72	2.15	42.40	27.06	4.21	34.93
AV	4.91877G	42.08	54.00	-11.92	4.16	3	Horizontal	92	1.00	37.92	32.71	6.24	34.79
AV	5.21412G	47.64	68.20	-20.56	4.58	3	Horizontal	273	2.11	43.06	32.87	6.46	34.75
PK	2.34478G	57.02	74.00	-16.98	-3.67	3	Horizontal	72	2.15	60.69	27.05	4.21	34.93
PK	4.91398G	61.68	74.00	-12.32	4.12	3	Horizontal	92	1.00	57.56	32.68	6.24	34.80
PK	5.21568G	65.62	88.20	-22.58	4.58	3	Horizontal	273	2.11	61.04	32.87	6.46	34.75