


6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6695MHz_TX

01/11/2023




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6855MHz_TX

01/11/2023




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

5965MHz_TX

01/11/2023




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6205MHz_TX

01/11/2023




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6405MHz_TX

01/11/2023




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.417747G	-1.05	6.3473G	-48.22	-37.92	-10.30	1
6.420746G	-0.47	6.4737G	-54.04	-40.47	-13.57	2
6.408649G	-0.37	6.47025G	-53.30	-40.37	-12.93	3
6.418597G	-1.22	6.47215G	-53.92	-41.22	-12.70	4

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6565MHz_TX

01/11/2023



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.554003G	-0.88	6.62275G	-48.41	-37.69	-10.72	1
6.580246G	-0.60	6.5432G	-32.11	-20.60	-11.51	2
6.571198G	-0.40	6.4986G	-54.67	-40.40	-14.27	3
6.577297G	-1.56	6.50085G	-54.33	-41.56	-12.77	4


6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6685MHz_TX

01/11/2023

CF (Hz)
6.685G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.673053G	-0.53	6.66145G	-32.94	-20.89	-12.05	1
6.671303G	-0.16	6.62135G	-53.89	-40.04	-13.85	2
6.692998G	-1.61	6.62065G	-54.55	-41.61	-12.94	3
6.667554G	-1.50	6.6196G	-54.72	-41.50	-13.22	4


6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6845MHz_TX

01/11/2023

CF (Hz)
6.845G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.856847G	-1.03	6.80255G	-40.46	-29.99	-10.47	1
6.832053G	-0.41	6.77785G	-55.27	-40.41	-14.86	2
6.826955G	-0.95	6.7814G	-54.12	-40.95	-13.17	3
6.828804G	-0.83	6.8228G	-33.45	-20.84	-12.61	4


5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

5985MHz_TX

01/11/2023

CF (Hz)
5.985G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.01719G	-5.84	6.0286G	-37.33	-25.93	-11.40	1
6.02049G	-4.56	6.0287G	-36.09	-24.61	-11.48	2
6.01589G	-4.44	6.1181G	-55.77	-44.44	-11.33	3
6.02279G	-5.24	6.1165G	-56.06	-45.24	-10.82	4


5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6225MHz_TX

01/11/2023

CF (Hz)
6.225G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.2387G	0.04	6.359G	-53.18	-39.96	-13.22	1
6.25679G	0.16	6.358G	-51.97	-39.84	-12.13	2
6.2336G	-0.39	6.3643G	-51.63	-40.39	-11.24	3
6.2077G	-0.35	6.36G	-52.56	-40.35	-12.21	4

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6385MHz_TX

01/11/2023




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.35021G	-0.61	6.3425G	-30.54	-20.62	-9.92	1
6.34951G	-0.99	6.5132G	-53.15	-40.31	-12.84	2
6.40899G	-0.59	6.2546G	-52.64	-40.59	-12.05	3
6.35381G	-1.33	6.2489G	-53.13	-41.33	-11.80	4

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6625MHz_TX

01/11/2023




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6418G	-0.40	6.5813G	-30.54	-20.53	-10.01	1
6.6409G	-0.35	6.4867G	-53.97	-40.35	-13.62	2
6.59411G	0.06	6.7555G	-52.94	-39.94	-13.00	3
6.59991G	-0.86	6.491G	-52.75	-40.86	-11.89	4

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6705MHz_TX

01/11/2023




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6785MHz_TX

01/11/2023




5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

MASK

6025MHz_TX

01/11/2023

CF (Hz)
6.025G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.04599G	-3.10	6.2874G	-54.36	-43.10	-11.26	1
6.04979G	-2.56	6.2918G	-52.43	-42.56	-9.87	2
6.032G	-3.38	6.286G	-53.69	-43.38	-10.31	3
6.04999G	-3.36	6.278G	-53.03	-43.30	-9.73	4


5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

MASK

6185MHz_TX

01/11/2023

CF (Hz)
6.185G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.24119G	-0.31	6.5022G	-48.25	-39.76	-8.49	1
6.25258G	0.23	6.436G	-50.03	-39.77	-10.26	2
6.16121G	-0.75	6.4316G	-50.09	-39.96	-10.13	3
6.21399G	-0.96	6.4352G	-51.26	-40.78	-10.48	4

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

MASK

6345MHz_TX

01/11/2023




6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

MASK

6665MHz_TX

01/11/2023




5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

MASK

6105MHz_TX

01/11/2023




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.21097G	-4.15	6.4214G	-37.23	-31.28	-5.95	1
6.21177G	-3.28	6.6306G	-52.74	-43.28	-9.46	2
6.03822G	-4.18	6.5974G	-53.43	-43.80	-9.63	3
6.1022G	-4.17	6.607G	-53.46	-44.17	-9.29	4

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

MASK

6265MHz_TX

01/11/2023



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.23981G	0.91	5.9918G	-30.14	-19.72	-10.42	1
6.23781G	0.92	6.787G	-50.47	-39.07	-11.40	2
6.40976G	0.43	6.7702G	-50.29	-39.57	-10.72	3
6.20901G	-0.17	6.7818G	-50.53	-40.18	-10.35	4

**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_4TX	Pass	AV	11.90933G	38.05	54.00	-15.95	3	Vertical	92	1.20
802.11be EHT40-BF_Nss1,(MCS0)_4TX	Pass	AV	5.9248G	66.73	68.20	-1.47	3	Vertical	55	2.66
802.11be EHT80-BF_Nss1,(MCS0)_4TX	Pass	AV	5.9245G	68.01	68.20	-0.19	3	Vertical	56	2.17
802.11be EHT160-BF_Nss1,(MCS0)_4TX	Pass	AV	5.9235G	67.38	68.20	-0.82	3	Vertical	60	2.23
802.11be EHT320-BF_Nss1,(MCS0)_4TX	Pass	AV	5.9244G	66.50	68.20	-1.70	3	Vertical	53	2.37
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_4TX	Pass	AV	13.39036G	38.80	54.00	-15.20	3	Horizontal	77	1.34
802.11be EHT40-BF_Nss1,(MCS0)_4TX	Pass	AV	13.37015G	39.07	54.00	-14.93	3	Vertical	343	1.30
802.11be EHT80-BF_Nss1,(MCS0)_4TX	Pass	AV	13.25084G	38.91	54.00	-15.09	3	Horizontal	67	1.96
802.11be EHT160-BF_Nss1,(MCS0)_4TX	Pass	AV	13.32913G	39.01	54.00	-14.99	3	Horizontal	223	2.85

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.925G	51.13	68.20	-17.07	3	Vertical	48	1.86
5955MHz	Pass	AV	5.9637G	112.05	Inf	-Inf	3	Vertical	48	1.86
5955MHz	Pass	PK	5.925G	69.58	88.20	-18.62	3	Vertical	48	1.86
5955MHz	Pass	PK	5.9631G	124.20	Inf	-Inf	3	Vertical	48	1.86
5955MHz	Pass	AV	5.9244G	46.80	68.20	-21.40	3	Horizontal	337	2.86
5955MHz	Pass	AV	5.9523G	103.94	Inf	-Inf	3	Horizontal	337	2.86
5955MHz	Pass	PK	5.9226G	65.42	88.20	-22.78	3	Horizontal	337	2.86
5955MHz	Pass	PK	5.9535G	116.31	Inf	-Inf	3	Horizontal	337	2.86
5955MHz	Pass	AV	11.90933G	38.05	54.00	-15.95	3	Vertical	92	1.20
5955MHz	Pass	PK	11.9103G	50.05	74.00	-23.95	3	Vertical	92	1.20
5955MHz	Pass	AV	11.91016G	37.84	54.00	-16.16	3	Horizontal	18	1.62
5955MHz	Pass	PK	11.90932G	50.08	74.00	-23.92	3	Horizontal	18	1.62
6195MHz	Pass	AV	12.39055G	37.67	54.00	-16.33	3	Vertical	160	1.01
6195MHz	Pass	PK	12.39026G	50.99	74.00	-23.01	3	Vertical	160	1.01
6195MHz	Pass	AV	12.3894G	37.68	54.00	-16.32	3	Horizontal	320	2.37
6195MHz	Pass	PK	12.38997G	50.04	74.00	-23.96	3	Horizontal	320	2.37
6415MHz	Pass	AV	12.82955G	38.82	68.20	-29.38	3	Vertical	29	1.99
6415MHz	Pass	PK	12.82977G	53.28	88.20	-34.92	3	Vertical	29	1.99
6415MHz	Pass	AV	12.83012G	38.82	68.20	-29.38	3	Horizontal	238	1.75
6415MHz	Pass	PK	12.83085G	52.28	88.20	-35.92	3	Horizontal	238	1.75
6535MHz	Pass	AV	13.07053G	38.47	68.20	-29.73	3	Vertical	322	2.23
6535MHz	Pass	PK	13.07031G	51.76	88.20	-36.44	3	Vertical	322	2.23
6535MHz	Pass	AV	13.06945G	38.55	68.20	-29.65	3	Horizontal	120	2.16
6535MHz	Pass	PK	13.07011G	51.39	88.20	-36.81	3	Horizontal	120	2.16
6695MHz	Pass	AV	13.38914G	38.77	54.00	-15.23	3	Vertical	296	1.91
6695MHz	Pass	PK	13.38956G	51.56	74.00	-22.44	3	Vertical	296	1.91
6695MHz	Pass	AV	13.39036G	38.80	54.00	-15.20	3	Horizontal	77	1.34
6695MHz	Pass	PK	13.39086G	51.72	74.00	-22.28	3	Horizontal	77	1.34
6855MHz	Pass	AV	13.70932G	39.20	68.20	-29.00	3	Vertical	82	1.52
6855MHz	Pass	PK	13.71007G	52.03	88.20	-36.17	3	Vertical	82	1.52
6855MHz	Pass	AV	13.71064G	39.08	68.20	-29.12	3	Horizontal	34	1.90
6855MHz	Pass	PK	13.70901G	51.43	88.20	-36.77	3	Horizontal	34	1.90
802.11be EHT40-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	AV	5.9248G	66.73	68.20	-1.47	3	Vertical	55	2.66
5965MHz	Pass	AV	5.9722G	106.99	Inf	-Inf	3	Vertical	55	2.66
5965MHz	Pass	PK	5.9242G	84.24	88.20	-3.96	3	Vertical	55	2.66
5965MHz	Pass	PK	5.9746G	119.86	Inf	-Inf	3	Vertical	55	2.66
5965MHz	Pass	AV	5.9191G	49.31	68.20	-18.89	3	Horizontal	318	2.97
5965MHz	Pass	AV	5.9824G	97.96	Inf	-Inf	3	Horizontal	318	2.97
5965MHz	Pass	PK	5.9185G	65.67	88.20	-22.53	3	Horizontal	318	2.97
5965MHz	Pass	PK	5.9827G	111.41	Inf	-Inf	3	Horizontal	318	2.97
5965MHz	Pass	AV	11.92972G	37.90	54.00	-16.10	3	Vertical	315	2.52
5965MHz	Pass	PK	11.92992G	51.55	74.00	-22.45	3	Vertical	315	2.52
5965MHz	Pass	AV	11.92947G	38.01	54.00	-15.99	3	Horizontal	63	2.56
5965MHz	Pass	PK	11.93081G	50.64	74.00	-23.36	3	Horizontal	63	2.56
6205MHz	Pass	AV	12.41085G	37.81	54.00	-16.19	3	Vertical	217	2.55
6205MHz	Pass	PK	12.40986G	50.14	74.00	-23.86	3	Vertical	217	2.55
6205MHz	Pass	AV	12.40931G	37.79	54.00	-16.21	3	Horizontal	347	2.74
6205MHz	Pass	PK	12.40949G	50.18	74.00	-23.82	3	Horizontal	347	2.74
6405MHz	Pass	AV	12.81084G	38.95	68.20	-29.25	3	Vertical	181	1.33
6405MHz	Pass	PK	12.80989G	51.32	88.20	-36.88	3	Vertical	181	1.33
6405MHz	Pass	AV	12.81077G	38.90	68.20	-29.30	3	Horizontal	257	1.07
6405MHz	Pass	PK	12.81072G	51.46	88.20	-36.74	3	Horizontal	257	1.07
6565MHz	Pass	AV	13.13062G	38.67	68.20	-29.53	3	Vertical	312	1.19
6565MHz	Pass	PK	13.12969G	51.11	88.20	-37.09	3	Vertical	312	1.19
6565MHz	Pass	AV	13.12911G	38.72	68.20	-29.48	3	Horizontal	224	2.39
6565MHz	Pass	PK	13.12961G	51.51	88.20	-36.69	3	Horizontal	224	2.39
6685MHz	Pass	AV	13.37015G	39.07	54.00	-14.93	3	Vertical	343	1.30
6685MHz	Pass	PK	13.3699G	52.20	74.00	-21.80	3	Vertical	343	1.30
6685MHz	Pass	AV	13.36929G	39.00	54.00	-15.00	3	Horizontal	116	2.49

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6685MHz	Pass	PK	13.37001G	52.55	74.00	-21.45	3	Horizontal	116	2.49
6845MHz	Pass	AV	13.68981G	39.38	68.20	-28.82	3	Vertical	241	1.44
6845MHz	Pass	PK	13.69099G	52.07	88.20	-36.13	3	Vertical	241	1.44
6845MHz	Pass	AV	13.68986G	39.42	68.20	-28.78	3	Horizontal	110	1.37
6845MHz	Pass	PK	13.69003G	52.34	88.20	-35.86	3	Horizontal	110	1.37
802.11be EHT80-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.9245G	68.01	68.20	-0.19	3	Vertical	56	2.17
5985MHz	Pass	AV	6.0165G	100.96	Inf	-Inf	3	Vertical	56	2.17
5985MHz	Pass	PK	5.9245G	84.78	88.20	-3.42	3	Vertical	56	2.17
5985MHz	Pass	PK	6.0115G	114.22	Inf	-Inf	3	Vertical	56	2.17
5985MHz	Pass	AV	5.9055G	48.99	68.20	-19.21	3	Horizontal	350	2.95
5985MHz	Pass	AV	5.957G	94.37	Inf	-Inf	3	Horizontal	350	2.95
5985MHz	Pass	PK	5.925G	61.45	88.20	-26.75	3	Horizontal	350	2.95
5985MHz	Pass	PK	5.953G	106.72	Inf	-Inf	3	Horizontal	350	2.95
5985MHz	Pass	AV	11.97044G	38.06	54.00	-15.94	3	Vertical	83	1.02
5985MHz	Pass	PK	11.96974G	50.27	74.00	-23.73	3	Vertical	83	1.02
5985MHz	Pass	AV	11.97034G	38.06	54.00	-15.94	3	Horizontal	71	1.75
5985MHz	Pass	PK	11.97078G	51.50	74.00	-22.50	3	Horizontal	71	1.75
6225MHz	Pass	AV	12.45011G	38.00	54.00	-16.00	3	Vertical	308	1.38
6225MHz	Pass	PK	12.44931G	50.44	74.00	-23.56	3	Vertical	308	1.38
6225MHz	Pass	AV	12.45014G	38.05	54.00	-15.95	3	Horizontal	174	2.49
6225MHz	Pass	PK	12.44909G	50.63	74.00	-23.37	3	Horizontal	174	2.49
6385MHz	Pass	AV	12.76981G	39.13	68.20	-29.07	3	Vertical	133	1.13
6385MHz	Pass	PK	12.76962G	53.12	88.20	-35.08	3	Vertical	133	1.13
6385MHz	Pass	AV	12.77033G	39.01	68.20	-29.19	3	Horizontal	133	1.75
6385MHz	Pass	PK	12.76964G	51.18	88.20	-37.02	3	Horizontal	133	1.75
6625MHz	Pass	AV	13.24968G	38.84	68.20	-29.36	3	Vertical	230	1.48
6625MHz	Pass	PK	13.25055G	51.31	74.00	-22.69	3	Vertical	230	1.48
6625MHz	Pass	AV	13.25084G	38.91	54.00	-15.09	3	Horizontal	67	1.96
6625MHz	Pass	PK	13.2508G	51.41	74.00	-22.59	3	Horizontal	67	1.96
6705MHz	Pass	AV	13.4095G	39.57	68.20	-28.63	3	Vertical	165	1.78
6705MHz	Pass	PK	13.41032G	52.35	88.20	-35.85	3	Vertical	165	1.78
6705MHz	Pass	AV	13.4097G	39.48	68.20	-28.72	3	Horizontal	47	2.12
6705MHz	Pass	PK	13.41085G	52.53	88.20	-35.67	3	Horizontal	47	2.12
6785MHz	Pass	AV	13.56907G	39.70	68.20	-28.50	3	Vertical	201	2.82
6785MHz	Pass	PK	13.56956G	52.42	88.20	-35.78	3	Vertical	201	2.82
6785MHz	Pass	AV	13.56988G	39.84	68.20	-28.36	3	Horizontal	12	1.57
6785MHz	Pass	PK	13.56916G	52.35	88.20	-35.85	3	Horizontal	12	1.57
802.11be EHT160-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.9235G	67.38	68.20	-0.82	3	Vertical	60	2.23
6025MHz	Pass	AV	6.0555G	99.55	Inf	-Inf	3	Vertical	60	2.23
6025MHz	Pass	PK	5.917G	81.29	88.20	-6.91	3	Vertical	60	2.23
6025MHz	Pass	PK	6.069G	112.38	Inf	-Inf	3	Vertical	60	2.23
6025MHz	Pass	AV	5.9005G	50.19	68.20	-18.01	3	Horizontal	345	2.86
6025MHz	Pass	AV	6.068G	93.11	Inf	-Inf	3	Horizontal	345	2.86
6025MHz	Pass	PK	5.8875G	66.61	88.20	-21.59	3	Horizontal	345	2.86
6025MHz	Pass	PK	6.07G	107.22	Inf	-Inf	3	Horizontal	345	2.86
6025MHz	Pass	AV	12.05049G	38.11	54.00	-15.89	3	Vertical	270	2.92
6025MHz	Pass	PK	12.05064G	51.93	74.00	-22.07	3	Vertical	270	2.92
6025MHz	Pass	AV	12.04954G	38.06	54.00	-15.94	3	Horizontal	350	1.55
6025MHz	Pass	PK	12.05075G	51.26	74.00	-22.74	3	Horizontal	350	1.55
6185MHz	Pass	AV	12.36968G	37.76	54.00	-16.24	3	Vertical	163	2.69
6185MHz	Pass	PK	12.3704G	49.78	74.00	-24.22	3	Vertical	163	2.69
6185MHz	Pass	AV	12.37058G	37.84	54.00	-16.16	3	Horizontal	335	1.30
6185MHz	Pass	PK	12.36931G	50.73	74.00	-23.27	3	Horizontal	335	1.30
6345MHz	Pass	AV	12.68967G	38.82	54.00	-15.18	3	Vertical	203	2.21
6345MHz	Pass	PK	12.68957G	51.13	74.00	-22.87	3	Vertical	203	2.21
6345MHz	Pass	AV	12.68968G	38.92	54.00	-15.08	3	Horizontal	130	2.76
6345MHz	Pass	PK	12.68922G	51.29	74.00	-22.71	3	Horizontal	130	2.76
6665MHz	Pass	AV	13.33006G	38.94	54.00	-15.06	3	Vertical	289	1.12
6665MHz	Pass	PK	13.32937G	51.45	74.00	-22.55	3	Vertical	289	1.12
6665MHz	Pass	AV	13.32913G	39.01	54.00	-14.99	3	Horizontal	223	2.85




RSE TX above 1GHz_Beamforming_Radio 3

Appendix E.5

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6665MHz	Pass	PK	13.33049G	51.19	74.00	-22.81	3	Horizontal	223	2.85
802.11be EHT320-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.9244G	66.50	68.20	-1.70	3	Vertical	53	2.37
6105MHz	Pass	AV	6.1104G	96.13	Inf	-Inf	3	Vertical	53	2.37
6105MHz	Pass	PK	5.916G	80.95	88.20	-7.25	3	Vertical	53	2.37
6105MHz	Pass	PK	6.0216G	109.61	Inf	-Inf	3	Vertical	53	2.37
6105MHz	Pass	AV	5.9166G	49.36	68.20	-18.84	3	Horizontal	352	2.61
6105MHz	Pass	AV	6.0228G	89.65	Inf	-Inf	3	Horizontal	352	2.61
6105MHz	Pass	PK	5.9214G	64.91	88.20	-23.29	3	Horizontal	352	2.61
6105MHz	Pass	PK	6.0222G	103.07	Inf	-Inf	3	Horizontal	352	2.61
6105MHz	Pass	AV	12.20973G	38.25	54.00	-15.75	3	Vertical	65	1.01
6105MHz	Pass	PK	12.20911G	51.24	74.00	-22.76	3	Vertical	65	1.01
6105MHz	Pass	AV	12.2107G	38.43	54.00	-15.57	3	Horizontal	327	1.25
6105MHz	Pass	PK	12.20947G	50.74	74.00	-23.26	3	Horizontal	327	1.25
6265MHz	Pass	AV	12.52983G	38.41	54.00	-15.59	3	Vertical	99	1.52
6265MHz	Pass	PK	12.53095G	51.00	74.00	-23.00	3	Vertical	99	1.52
6265MHz	Pass	AV	12.52999G	38.38	54.00	-15.62	3	Horizontal	318	1.78
6265MHz	Pass	PK	12.53066G	53.24	74.00	-20.76	3	Horizontal	318	1.78


5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5955MHz_TX




5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5955MHz_TX




5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5955MHz_TX




5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5955MHz_TX




5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6195MHz_TX




5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6195MHz_TX




5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6415MHz_TX




5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6415MHz_TX




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6535MHz_TX




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6535MHz_TX




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6695MHz_TX




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6695MHz_TX




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6855MHz_TX




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6855MHz_TX



5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


5965MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)			(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.9248G	66.73	68.20	-1.47	-4.03	3	Vertical	55	2.66	70.76	34.60	5.54	44.17
AV	5.9722G	106.99	Inf	-Inf	-4.02	3	Vertical	55	2.66	111.01	34.60	5.56	44.18
PK	5.9242G	84.24	88.20	-3.96	-4.03	3	Vertical	55	2.66	88.27	34.60	5.54	44.17
PK	5.9746G	119.86	Inf	-Inf	-4.02	3	Vertical	55	2.66	123.88	34.60	5.56	44.18

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


5965MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)			(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.9191G	49.31	68.20	-18.89	-4.03	3	Horizontal	318	2.97	53.34	34.60	5.54	44.17
AV	5.9824G	97.96	Inf	-Inf	-4.02	3	Horizontal	318	2.97	101.98	34.60	5.56	44.18
PK	5.9185G	65.67	88.20	-22.53	-4.03	3	Horizontal	318	2.97	69.70	34.60	5.54	44.17
PK	5.9827G	111.41	Inf	-Inf	-4.02	3	Horizontal	318	2.97	115.43	34.60	5.56	44.18


5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5965MHz_TX




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5965MHz_TX




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6205MHz_TX




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6205MHz_TX




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6405MHz_TX




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6405MHz_TX




6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6565MHz_TX




6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6565MHz_TX




6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6685MHz_TX




6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6685MHz_TX




6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6845MHz_TX




6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6845MHz_TX



5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


5985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9245G	68.01	68.20	-0.19	-4.03	3	Vertical	56	2.17	72.04	34.60	5.54	44.17
AV	6.0165G	100.96	Inf	-Inf	-4.07	3	Vertical	56	2.17	105.03	34.53	5.58	44.18
PK	5.9245G	84.78	88.20	-3.42	-4.03	3	Vertical	56	2.17	88.81	34.60	5.54	44.17
PK	6.0115G	114.22	Inf	-Inf	-4.05	3	Vertical	56	2.17	118.27	34.55	5.58	44.18

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


5985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9055G	48.99	68.20	-19.21	-4.03	3	Horizontal	350	2.95	53.02	34.60	5.54	44.17
AV	5.957G	94.37	Inf	-Inf	-4.02	3	Horizontal	350	2.95	98.39	34.60	5.55	44.17
PK	5.925G	61.45	88.20	-26.75	-4.03	3	Horizontal	350	2.95	65.48	34.60	5.54	44.17
PK	5.953G	106.72	Inf	-Inf	-4.02	3	Horizontal	350	2.95	110.74	34.60	5.55	44.17


5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6225MHz_TX




5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6225MHz_TX




5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6385MHz_TX




5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6385MHz_TX




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6625MHz_TX




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6625MHz_TX




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6705MHz_TX




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6705MHz_TX




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6785MHz_TX




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6785MHz_TX



5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6025MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)			(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.9235G	67.38	68.20	-0.82	-4.03	3	Vertical	60	2.23	71.41	34.60	5.54	44.17
AV	6.0555G	99.55	Inf	-Inf	-4.17	3	Vertical	60	2.23	103.72	34.40	5.60	44.17
PK	5.917G	81.29	88.20	-6.91	-4.03	3	Vertical	60	2.23	85.32	34.60	5.54	44.17
PK	6.069G	112.38	Inf	-Inf	-4.16	3	Vertical	60	2.23	116.54	34.40	5.61	44.17

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6025MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)			(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.9005G	50.19	68.20	-18.01	-4.03	3	Horizontal	345	2.86	54.22	34.60	5.54	44.17
AV	6.068G	93.11	Inf	-Inf	-4.16	3	Horizontal	345	2.86	97.27	34.40	5.61	44.17
PK	5.8875G	66.61	88.20	-21.59	-4.09	3	Horizontal	345	2.86	70.70	34.55	5.53	44.17
PK	6.07G	107.22	Inf	-Inf	-4.16	3	Horizontal	345	2.86	111.38	34.40	5.61	44.17


5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6185MHz_TX




5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6185MHz_TX




5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6345MHz_TX




5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6345MHz_TX




6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6665MHz_TX




6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6665MHz_TX



5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6105MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9244G	66.50	68.20	-1.70	-4.03	3	Vertical	53	2.37	70.53	34.60	5.54	44.17
AV	6.1104G	96.13	Inf	-Inf	-4.12	3	Vertical	53	2.37	100.25	34.42	5.63	44.17
PK	5.916G	80.95	88.20	-7.25	-4.03	3	Vertical	53	2.37	84.98	34.60	5.54	44.17
PK	6.0216G	109.61	Inf	-Inf	-4.09	3	Vertical	53	2.37	113.70	34.51	5.58	44.18

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX


6105MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9166G	49.36	68.20	-18.84	-4.03	3	Horizontal	352	2.61	53.39	34.60	5.54	44.17
AV	6.0228G	89.65	Inf	-Inf	-4.09	3	Horizontal	352	2.61	93.74	34.51	5.58	44.18
PK	5.9214G	64.91	88.20	-23.29	-4.03	3	Horizontal	352	2.61	68.94	34.60	5.54	44.17
PK	6.0222G	103.07	Inf	-Inf	-4.09	3	Horizontal	352	2.61	107.16	34.51	5.58	44.18


5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6105MHz_TX




5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6105MHz_TX




5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6265MHz_TX



5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6265MHz_TX






Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	11.48856G	43.45	54.00	-10.55	Horizontal
Mode 2	Pass	AV	11.49G	43.22	54.00	-10.78	Horizontal


Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 1	Pass	AV	4.79374G	31.96	54.00	-22.04	3	Vertical	28	2.32
Mode 1	Pass	AV	4.87274G	38.89	54.00	-15.11	3	Vertical	241	2.42
Mode 1	Pass	AV	7.31312G	37.94	54.00	-16.06	3	Vertical	271	1.95
Mode 1	Pass	AV	11.47674G	43.44	54.00	-10.56	3	Vertical	211	1.50
Mode 1	Pass	AV	12.37896G	38.70	54.00	-15.30	3	Vertical	170	1.50
Mode 1	Pass	AV	17.24484G	45.34	68.20	-22.86	3	Vertical	54	1.50
Mode 1	Pass	PK	4.80208G	44.79	74.00	-29.21	3	Vertical	28	2.32
Mode 1	Pass	PK	4.87322G	51.30	74.00	-22.70	3	Vertical	241	2.42
Mode 1	Pass	PK	7.30436G	51.30	74.00	-22.70	3	Vertical	271	1.95
Mode 1	Pass	PK	11.48364G	56.44	74.00	-17.56	3	Vertical	211	1.50
Mode 1	Pass	PK	12.37468G	50.98	74.00	-23.02	3	Vertical	170	1.50
Mode 1	Pass	PK	17.23244G	57.98	88.20	-30.22	3	Vertical	54	1.50
Mode 1	Pass	AV	4.80324G	31.88	54.00	-22.12	3	Horizontal	2	1.50
Mode 1	Pass	AV	4.87376G	38.83	54.00	-15.17	3	Horizontal	208	3.00
Mode 1	Pass	AV	7.31256G	37.92	54.00	-16.08	3	Horizontal	22	1.26
Mode 1	Pass	AV	11.48856G	43.45	54.00	-10.55	3	Horizontal	257	2.40
Mode 1	Pass	AV	12.3798G	38.65	54.00	-15.35	3	Horizontal	250	2.53
Mode 1	Pass	AV	17.22708G	45.34	68.20	-22.86	3	Horizontal	275	1.50
Mode 1	Pass	PK	4.80624G	44.87	74.00	-29.13	3	Horizontal	2	1.50
Mode 1	Pass	PK	4.87334G	50.57	74.00	-23.43	3	Horizontal	208	3.00
Mode 1	Pass	PK	7.31368G	50.95	74.00	-23.05	3	Horizontal	22	1.26
Mode 1	Pass	PK	11.48052G	55.57	74.00	-18.43	3	Horizontal	257	2.40
Mode 1	Pass	PK	12.37384G	50.65	74.00	-23.35	3	Horizontal	250	2.53
Mode 1	Pass	PK	17.22608G	58.73	88.20	-29.47	3	Horizontal	275	1.50
Mode 2	Pass	AV	4.80328G	31.85	54.00	-22.15	3	Vertical	218	1.50
Mode 2	Pass	AV	4.87244G	39.43	54.00	-14.57	3	Vertical	236	2.32
Mode 2	Pass	AV	7.30224G	37.80	54.00	-16.20	3	Vertical	120	1.50
Mode 2	Pass	AV	11.4816G	43.17	54.00	-10.83	3	Vertical	267	2.93
Mode 2	Pass	AV	12.38236G	39.63	54.00	-14.37	3	Vertical	199	1.44
Mode 2	Pass	AV	17.23416G	45.52	68.20	-22.68	3	Vertical	272	1.50
Mode 2	Pass	PK	4.80004G	45.62	74.00	-28.38	3	Vertical	218	1.50
Mode 2	Pass	PK	4.87328G	50.90	74.00	-23.10	3	Vertical	236	2.32
Mode 2	Pass	PK	7.32012G	50.55	74.00	-23.45	3	Vertical	120	1.50
Mode 2	Pass	PK	11.4908G	56.04	74.00	-17.96	3	Vertical	267	2.93
Mode 2	Pass	PK	12.38278G	53.09	74.00	-20.91	3	Vertical	199	1.44
Mode 2	Pass	PK	17.239G	57.64	88.20	-30.56	3	Vertical	272	1.50
Mode 2	Pass	AV	4.8028G	31.74	54.00	-22.26	3	Horizontal	112	1.50
Mode 2	Pass	AV	4.87382G	38.23	54.00	-15.77	3	Horizontal	208	2.82
Mode 2	Pass	AV	7.31936G	37.90	54.00	-16.10	3	Horizontal	248	2.01
Mode 2	Pass	AV	11.49G	43.22	54.00	-10.78	3	Horizontal	359	1.50
Mode 2	Pass	AV	12.40168G	39.85	54.00	-14.15	3	Horizontal	209	2.47
Mode 2	Pass	AV	17.2376G	45.48	68.20	-22.72	3	Horizontal	338	1.50
Mode 2	Pass	PK	4.8142G	45.50	74.00	-28.50	3	Horizontal	112	1.50
Mode 2	Pass	PK	4.87376G	52.21	74.00	-21.79	3	Horizontal	208	2.82
Mode 2	Pass	PK	7.30904G	51.21	74.00	-22.79	3	Horizontal	248	2.01
Mode 2	Pass	PK	11.497G	55.68	74.00	-18.32	3	Horizontal	359	1.50
Mode 2	Pass	PK	12.41128G	52.21	74.00	-21.79	3	Horizontal	209	2.47
Mode 2	Pass	PK	17.23384G	57.66	88.20	-30.54	3	Horizontal	338	1.50


Radiated Emissions above 1GHz_Mode 1



Radiated Emissions above 1GHz_Mode 1



Radiated Emissions above 1GHz_Mode 2



Radiated Emissions above 1GHz_Mode 2

