


Test Mode	UNII-2C_TX AC(VHT20) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
100	5500	25.850	18.400
116	5580	23.199	18.300
140	5700	22.690	18.200

CH100




Date: 12.SEP.2024 19:05:06

CH116
26 dB Bandwidth




Date: 12.SEP.2024 19:06:02

CH140




Date: 12.SEP.2024 19:07:15


99 % Occupied Bandwidth



Date: 12.SEP.2024 19:04:37



Date: 12.SEP.2024 19:05:24




Date: 12.SEP.2024 19:06:44

Test Mode	UNII-2C_TX AC(VHT40) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
102	5510	50.390	37.000
110	5550	51.199	37.200
134	5670	47.199	37.000

CH102




Date: 12.SEP.2024 19:22:59

CH110
26 dB Bandwidth




Date: 12.SEP.2024 19:25:00

CH134




Date: 12.SEP.2024 19:26:07


99 % Occupied Bandwidth



Date: 12.SEP.2024 19:22:03



Date: 12.SEP.2024 19:23:38




Date: 12.SEP.2024 19:25:23

Test Mode	UNII-2C_TX AC(VHT80) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
106	5530	102.790	76.000
122	5610	107.990	76.000

CH106




Date: 12.SEP.2024 19:37:09

CH122
26 dB Bandwidth




Date: 12.SEP.2024 19:38:37

99 % Occupied Bandwidth



Date: 12.SEP.2024 19:35:47




Date: 12.SEP.2024 19:37:55

Test Mode	UNII-3_TX A Mode
-----------	------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	16.350	17.300	0.5	Complies
157	5785	16.200	17.200	0.5	Complies
165	5825	16.190	17.300	0.5	Complies

CH149




Date: 12.SEP.2024 18:56:57

CH157
6 dB Bandwidth




Date: 12.SEP.2024 18:58:03

CH165




Date: 12.SEP.2024 18:58:59


99 % Occupied Bandwidth



Date: 12.SEP.2024 18:56:22



Date: 12.SEP.2024 18:57:28




Date: 12.SEP.2024 18:58:22

Test Mode	UNII-3_TX AC(VHT20) Mode
-----------	--------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	17.150	18.300	0.5	Complies
157	5785	16.650	18.300	0.5	Complies
165	5825	15.500	18.300	0.5	Complies

CH149




Date: 12.SEP.2024 19:08:08

CH157
6 dB Bandwidth




Date: 12.SEP.2024 19:09:36

CH165




Date: 12.SEP.2024 19:10:41


99 % Occupied Bandwidth



Date: 12.SEP.2024 19:07:33



Date: 12.SEP.2024 19:09:00




Date: 12.SEP.2024 19:09:59

Test Mode	UNII-3_TX AC(VHT40) Mode
-----------	--------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
151	5755	35.390	36.800	0.5	Complies
159	5795	35.300	37.000	0.5	Complies

CH151




Date: 12.SEP.2024 19:28:25

CH159
6 dB Bandwidth




Date: 12.SEP.2024 19:29:38

99 % Occupied Bandwidth



Date: 12.SEP.2024 19:27:33




Date: 12.SEP.2024 19:28:45

Test Mode	UNII-3_TX AC(VHT80) Mode
-----------	--------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
155	5775	74.390	76.000	0.5	Complies

CH155 6 dB Bandwidth



Date: 12.SEP.2024 19:40:22

99 % Occupied Bandwidth



Date: 12.SEP.2024 19:39:31

APPENDIX F - MAXIMUM OUTPUT POWER

Test Mode	UNII-1_TX A Mode
-----------	------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	12.75	0.14	12.89	23.98	0.2500	Complies
40	5200	12.95	0.14	13.09	23.98	0.2500	Complies
48	5240	13.14	0.14	13.28	23.98	0.2500	Complies

Test Mode	UNII-1_TX N(HT20) Mode
-----------	------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	13.39	0.15	13.54	23.98	0.2500	Complies
40	5200	13.49	0.15	13.64	23.98	0.2500	Complies
48	5240	12.53	0.15	12.68	23.98	0.2500	Complies

Test Mode	UNII-1_TX N(HT40) Mode
-----------	------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	11.27	0.26	11.53	23.98	0.2500	Complies
46	5230	11.25	0.26	11.51	23.98	0.2500	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	13.42	0.13	13.55	23.98	0.2500	Complies
40	5200	13.52	0.13	13.65	23.98	0.2500	Complies
48	5240	12.76	0.13	12.89	23.98	0.2500	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	13.13	0.50	13.63	23.98	0.2500	Complies
46	5230	13.41	0.50	13.91	23.98	0.2500	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	12.61	0.56	13.17	23.98	0.2500	Complies

Test Mode	UNII-2A_TX A Mode
-----------	-------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	13.02	0.14	13.16	23.98	0.2500	Complies
60	5300	12.87	0.14	13.01	23.98	0.2500	Complies
64	5320	12.49	0.14	12.63	23.98	0.2500	Complies

Test Mode	UNII-2A_TX N(HT20) Mode
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	13.24	0.15	13.39	23.98	0.2500	Complies
60	5300	13.47	0.15	13.62	23.98	0.2500	Complies
64	5320	12.18	0.15	12.33	23.98	0.2500	Complies

Test Mode	UNII-2A_TX N(HT40) Mode
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	10.27	0.26	10.53	23.98	0.2500	Complies
62	5310	11.46	0.26	11.72	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode
-----------	---------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	13.65	0.13	13.78	23.98	0.2500	Complies
60	5300	13.54	0.13	13.67	23.98	0.2500	Complies
64	5320	12.24	0.13	12.37	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode
-----------	---------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	12.52	0.50	13.02	23.98	0.2500	Complies
62	5310	13.03	0.50	13.53	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode
-----------	---------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	12.51	0.56	13.07	23.98	0.2500	Complies

Test Mode	UNII-2C_TX A Mode
-----------	-------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	13.02	0.14	13.16	23.98	0.2500	Complies
116	5580	12.84	0.14	12.98	23.98	0.2500	Complies
140	5700	12.51	0.14	12.65	23.98	0.2500	Complies

Test Mode	UNII-2C_TX N(HT20) Mode
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	12.48	0.15	12.63	23.98	0.2500	Complies
116	5580	12.38	0.15	12.53	23.98	0.2500	Complies
140	5700	13.01	0.15	13.16	23.98	0.2500	Complies

Test Mode	UNII-2C_TX N(HT40) Mode
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	12.31	0.26	12.57	23.98	0.2500	Complies
110	5550	12.33	0.26	12.59	23.98	0.2500	Complies
134	5670	12.28	0.26	12.54	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode
-----------	---------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	12.55	0.13	12.68	23.98	0.2500	Complies
116	5580	12.45	0.13	12.58	23.98	0.2500	Complies
140	5700	13.06	0.13	13.19	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode
-----------	---------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	12.36	0.50	12.86	23.98	0.2500	Complies
110	5550	12.82	0.50	13.32	23.98	0.2500	Complies
134	5670	12.42	0.50	12.92	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode
-----------	---------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	12.03	0.56	12.59	23.98	0.2500	Complies
122	5610	12.45	0.56	13.01	23.98	0.2500	Complies

Test Mode	UNII-3_TX A Mode
-----------	------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	13.45	0.14	13.59	30.00	1.0000	Complies
157	5785	12.79	0.14	12.93	30.00	1.0000	Complies
165	5825	12.93	0.14	13.07	30.00	1.0000	Complies

Test Mode	UNII-3_TX N(HT20) Mode
-----------	------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	13.02	0.15	13.17	30.00	1.0000	Complies
157	5785	13.42	0.15	13.57	30.00	1.0000	Complies
165	5825	12.51	0.15	12.66	30.00	1.0000	Complies

Test Mode	UNII-3_TX N(HT40) Mode
-----------	------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	11.46	0.26	11.72	30.00	1.0000	Complies
159	5795	10.34	0.26	10.60	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	13.06	0.13	13.19	30.00	1.0000	Complies
157	5785	13.47	0.13	13.60	30.00	1.0000	Complies
165	5825	12.71	0.13	12.84	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	13.11	0.50	13.61	30.00	1.0000	Complies
159	5795	12.42	0.50	12.92	30.00	1.0000	Complies


Test Mode	UNII-3_TX AC(VHT80) Mode
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	12.55	0.56	13.11	30.00	1.0000	Complies


APPENDIX G - POWER SPECTRAL DENSITY

Test Mode	UNII-1_TX A Mode
-----------	------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	5.88	0.14	6.02	11.00	Complies
40	5200	5.78	0.14	5.92	11.00	Complies
48	5240	5.99	0.14	6.13	11.00	Complies



Date: 7.SEP.2024 14:11:08




Date: 7.SEP.2024 14:15:55




Date: 7.SEP.2024 14:16:37

Test Mode	UNII-1_TX AC(VHT20) Mode
-----------	--------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	6.23	0.13	6.36	11.00	Complies
40	5200	6.36	0.13	6.49	11.00	Complies
48	5240	6.37	0.13	6.50	11.00	Complies



Date: 7.SEP.2024 14:33:04




Date: 7.SEP.2024 14:34:16




Date: 7.SEP.2024 14:39:03

Test Mode	UNII-2A_TX A Mode
-----------	-------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	6.02	0.14	6.16	11.00	Complies
60	5300	6.20	0.14	6.34	11.00	Complies
64	5320	6.37	0.14	6.51	11.00	Complies



Date: 7.SEP.2024 14:17:05




Date: 7.SEP.2024 14:17:55




Date: 7.SEP.2024 14:18:34

Test Mode	UNII-2A_TX AC(VHT20) Mode
-----------	---------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	6.35	0.13	6.48	11.00	Complies
60	5300	6.61	0.13	6.74	11.00	Complies
64	5320	6.57	0.13	6.70	11.00	Complies



Date: 7.SEP.2024 14:39:29



Date: 7.SEP.2024 14:40:26




Date: 7.SEP.2024 14:41:02

Test Mode	UNII-2A_TX AC(VHT40) Mode
-----------	---------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	3.34	0.50	3.84	11.00	Complies
62	5310	3.53	0.50	4.03	11.00	Complies

CH54



Date: 7,SEP,2024 15:36:17

CH62




Date: 7,SEP,2024 15:36:48

Test Mode	UNII-2A_TX AC(VHT80) Mode
-----------	---------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	0.05	0.56	0.61	11.00	Complies


CH58




Date: 7,SEP,2024 15:46:10

Test Mode	UNII-2C_TX A Mode
-----------	-------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	3.39	0.14	3.53	11.00	Complies
116	5580	2.39	0.14	2.53	11.00	Complies
140	5700	2.50	0.14	2.64	11.00	Complies



Date: 7.SEP.2024 14:19:30




Date: 7.SEP.2024 14:20:41




Date: 7.SEP.2024 14:27:34

Test Mode	UNII-2C_TX AC(VHT20) Mode
-----------	---------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	2.69	0.13	2.82	11.00	Complies
116	5580	1.71	0.13	1.84	11.00	Complies
140	5700	1.91	0.13	2.04	11.00	Complies



Date: 7.SEP.2024 14:41:39




Date: 7.SEP.2024 14:42:23




Date: 7.SEP.2024 14:43:27

Test Mode	UNII-2C_TX AC(VHT40) Mode
-----------	---------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	-0.30	0.50	0.20	11.00	Complies
110	5550	-1.02	0.50	-0.52	11.00	Complies
134	5670	-1.11	0.50	-0.61	11.00	Complies



Date: 7.SEP.2024 15:37:18




Date: 7.SEP.2024 15:37:55




Date: 7.SEP.2024 15:38:26

Test Mode	UNII-2C_TX AC(VHT80) Mode
-----------	---------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-3.94	0.56	-3.38	11.00	Complies
122	5610	-4.68	0.56	-4.12	11.00	Complies




Date: 7.SEP.2024 15:47:05




Date: 7.SEP.2024 15:48:11

Test Mode	UNII-3_TX A Mode
-----------	------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	3.21	0.14	3.35	30.00	Complies
157	5785	3.71	0.14	3.85	30.00	Complies
165	5825	3.87	0.14	4.01	30.00	Complies



Date: 7.88P.2024 14:28:26



Date: 7.88P.2024 14:29:18




Date: 7.88P.2024 14:29:43

Test Mode	UNII-3_TX AC(VHT20) Mode
-----------	--------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	2.59	0.13	2.72	30.00	Complies
157	5785	3.18	0.13	3.31	30.00	Complies
165	5825	3.45	0.13	3.58	30.00	Complies



Date: 7.88P.2024 14:44:04




Date: 7.88P.2024 14:44:42




Date: 7.88P.2024 14:45:32

Test Mode	UNII-3_TX AC(VHT40) Mode
-----------	--------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	-1.07	0.50	-0.57	30.00	Complies
159	5795	-0.66	0.50	-0.16	30.00	Complies




Date: 7,SEP,2024 15:40:52



Date: 7,SEP,2024 15:41:24

Test Mode	UNII-3_TX AC(VHT80) Mode
-----------	--------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-4.86	0.56	-4.30	30.00	Complies



Date: 7,SEP,2024 15:49:47

APPENDIX H - FREQUENCY STABILITY

Test Mode	UNII-1
-----------	--------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5180.0000
138	5179.9401
120	5179.9350
102	5179.9550
Maximum Deviation (MHz)	0.0650
Maximum Deviation (ppm)	12.5483

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5180.0000
0	5179.9399
10	5179.9350
20	5179.9348
30	5179.9400
40	5179.9400
45	5179.9348
Maximum Deviation (MHz)	0.0652
Maximum Deviation (ppm)	12.5845

Test Mode	UNII-2A
-----------	---------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5260.0000
138	5259.9550
120	5259.9552
102	5259.9600
Maximum Deviation (MHz)	0.0450
Maximum Deviation (ppm)	8.5528

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5260.0000
0	5259.9551
10	5259.9600
20	5259.9550
30	5259.9552
40	5259.9550
45	5259.9550
Maximum Deviation (MHz)	0.0450
Maximum Deviation (ppm)	8.5528

Test Mode	UNII-2C
-----------	---------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5500.0000
138	5499.9550
120	5499.9399
102	5499.9400
Maximum Deviation (MHz)	0.0601
Maximum Deviation (ppm)	10.9295

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5500.0000
0	5499.9399
10	5499.9399
20	5499.9400
30	5499.9399
40	5499.9350
45	5499.9550
Maximum Deviation (MHz)	0.0650
Maximum Deviation (ppm)	11.8182

Test Mode	UNII-3
-----------	--------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5745.0000
138	5744.9399
120	5744.9399
102	5744.9400
Maximum Deviation (MHz)	0.0601
Maximum Deviation (ppm)	10.4634

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5745.0000
0	5744.9400
10	5744.9400
20	5744.9400
30	5744.9400
40	5744.9200
45	5744.9400
Maximum Deviation (MHz)	0.0800
Maximum Deviation (ppm)	13.9295

End of Test Report