CONSTRUCTION PHOTOS OF EUT


U98H132
802462 3
V045 GP/HF
1
WLAN MAC:
D89C673EFC31
U98H132.00 REV:08
MO:2372003214-07
HW:2V4 FW:2.00
HP P/N:915620-001
SPS#/SA#:915621-001
Product of China
CT: GGFMP086NB5FIE


AVA94V-0
E253117
Realtek Model:RTL8821CE
HP P/N:915620-001
201-163301
D160283201
RL4F39161GF
5GHz帯は屋内使用に限定されます
IC:6317A-RTL8821CE
FCC ID:TX2-RTL8821CE
CMIIT ID:2016AJ7893(M)
MSIP-CRM-RTK-RTL8821CE
HP,HQ-TRE,71025 Boeblingen,Germany
PCB-NFA821C04_2V1




M


Li-ion


M2.0×L3.0
PO02XL Rechargeable Battery
European Regulatory Address:
HP, HQ-TRE, 71025 Boeblingen, Germany
CELL ORIGIN CHINA FURTHER PROCESSED IN CHINA
电芯原产地中国并于中国加工组装
電芯原產地中國並於中國加工組裝
Regulatory Model Number 型號/型号:HSTNN-DB7G 系列
FOR USE WITH HP SERIES TPN-Q166 FAMILY OF
COMPUTER PRODUCTS ONLY.
HP part number:823908-2C1
7.6V 37Wh
Nom: 4868mAh
STORE BETWEEN
0°C TO 60°C
32°F TO 140°F
(EU 4810mAh)
WARNING!
To reduce risk of fire or burns, do not disassemble, crush, or puncture;
do not short external contacts; do not dispose of in fire or water.
AVERTISSEMENT!
Pour réduire le risque d'incendie ou de brûlures,abstenez-vous de démonter,
d'écraser, de perforer, de jeter dans l'eau ou dans le feu une batterie,
ou encore de court-circuiter ses connecteurs externes.
警告！请勿拆解，撞击，挤压，加热或投入火中，若严重鼓胀或浸水后禁止使用，勿置于高温环境中
警告！為避免引起火災或燃燒，請勿拆卸、擠壓、刺戳電池，或使電池外部接點短路；請不要將電池置入到火中或水中
IS 16046/IEC 62133
Nihon HP
7.6Vdc
4810mAh
DYNA-CHA-COSLIGHT DYNA-WJ
R-41022039
REPLACE WITH HP SPARE 824560-005
CT: 6FFUH08TZB00QO Mfg date: 2018/06
E230128
Li-ion
XU100429-15002
HSTNN-DB7G
7.6Vdc,4810mAh
DYNAPACK ELECTRONIC
TECHNOLOGY(SUZHOU) CO.,LTD.
A/S-1588-3003