

## Label information Model : HSN-I39C

1. Images of the e-label screen are provided below:

RMN : HSN-I39C

Contains Realtek Radio Model: RTL8852AE

Contains IC: 6317A-RTL8852AE

Contains FCC ID: TX2-RTL8852AE

2. The information that will be displayed on the e-label and information that will remain in the user manual is shown below:

Information	on E-label	In Manual
FCC ID/ISED Certification number	Yes	No
Model	Yes	No
<i>15.19 statement ("This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation. ")</i>	No	Yes
<i>RSS GEN or other mandatory user information required to be on the surface of the device</i>	No	Yes
Class A/B Digital Device user manual statement	No	Yes

3. Users are able to access the information in no more than three steps in a device's menu.

[The actual Steps are: Choose esc or F10 > Advanced > Electronic Labels](#)

No special access codes or permissions are required to go through the above steps beyond entering

[a user-defined password to protect against unauthorized access to the device.](#)

4. The information is stored on the device, no special accessories or supplemental plug-ins (e.g., a SIM/USIM card) are required to access the information.

[Yes.](#)

5. Users are provided specific instructions on how to access the information.

[Yes.](#)

6. The above information must be programmed by the responsible party and the information must be secured in such a manner that third-parties cannot modify it.

[The e-label information is pre-programmed by the manufacturer. The user cannot modify the e-label formation.](#)

7. When e-labeling is used, a physical temporary label is also required on the product, or a label on

the packaging, at the time of importation, marketing, and sales.

[The physical label will be on the packaging box.](#)