

Page: 1 of 102

RF Exposure report





The following samples were submitted and identified on behalf of the client as:

11ax RTL8852BE Combo module **Product Name**

REALTEK Brand Name RTL8852BE Model No.

Realtek Semiconductor Corp. **Applicant**

No. 2, Innovation Road II, Hsinchu Science Park, Hsinchu

300, Taiwan

IEEE/ANSI C95.1-1992, IEEE 1528-2013 **Standards**

FCC ID TX2-RTL8852BE

Date of EUT Receipt Oct. 27, 2022

Date of Test(s) Nov. 14, 2022 ~ Nov. 17, 2022

Date of Issue Jan. 04, 2023

In the configuration tested, the EUT complied with the standards specified above.

This report details the results of the testing carried out on one sample, the results contained in this test report do not relate to other samples of the same product. The manufacturer should ensure that all products in series production are in conformity with the product sample detailed in this report.

This report may only be reproduced and distributed in full. If the product in this report is used in any configuration other than that detailed in the report, the manufacturer must ensure the new system complies with all relevant standards. Any mention of SGS Taiwan Ltd. Central RF Lab or testing done by SGS Taiwan Ltd. Central RF Lab in connection with distribution or use of the product described in this report must be approved by SGS Taiwan Ltd. Central RF Lab in writing.

Signed on behalf of SGS

Clerk / Cindy Chou	PM / Bond Tsai	Approved By / John Yeh
Cindy Chou	BondIsai	John Teh

Date: Jan. 04, 2023

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 2 of 102

Revision History

Report Number	Revision	Description	Issue Date	Revised By	Remark
TESA2208000311E5	00	Initial creation of document	Nov. 24, 2022	Cindy Chou	*
TESA2208000311E5 01		Update HB antenna information and 2.4G Power Table	Jan. 04, 2023	Cindy Chou	

NI	ΔT

 The mark " * " is the revised version of the report due to comments submitted by the certi
--

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有的时,他都是好用魔影测验之样只有害,同时他接见魔鬼匆匆子。木都些主领大八司事而验可,不可如以推测。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

台灣檢驗科技股份有限公司



Page: 3 of 102

Contents

1	GENERAL INFORMATION	4
	1.1 Test Methodology	4
	1.2 Description of EUT	5
	1.3 Maximum value	
	1.4 Antenna Information	6
2	MEASUREMENT SYSTEM	7
	2.1 Test Facility	7
	2.2 SAR System	8
3	SAR SYSTEM VERIFICATION	
	3.1 Tissue Simulating Liquid	11
	3.2 Tissue Simulant Liquid measurement	11
	3.3 Measurement results of Tissue Simulant Liquid	11
	3.4 The composition of the tissue simulating liquid:	
	3.5 System check	
	3.6 System check results	
4	TEST CONFIGURATIONS	15
	4.1 Test Environment	15
	4.2 Test Note	
	4.3 Test position	
	4.4 Test limit	18
5	MAXIMUM OUTPUT POWER	
	5.1 WLAN	
	5.2 Bluetooth	
	5.3 BLE	
6	DUTY CYCLE	
7	SUMMARY OF RESULTS	
	7.1 Decision rules	
	7.2 Summary of SAR Results	
	7.3 Reporting statements of conformity	
	7.4 Conclusion	
8	SIMULTANEOUS TRANSMISSION ANALYSIS	
	8.1 Simultaneous Transmission Scenarios:	
	8.2 Estimated SAR calculation	
	8.3 SPLSR evaluation and analysis	
	8.4 Conclusion	
9	INSTRUMENTS LIST	
10	UNCERTAINTY BUDGET	
11	SAR MEASUREMENT RESULTS	
12	SAR SYSTEM CHECK RESULTS	
13	APPENDIXES	
	13.1 SAR_Appendix A Photographs	102
	13.2 SAR_Appendix B DAE & Probe Cal. Certificate	102
	13.3 SAR Appendix C Phantom Description & Dipole Cal Certificate	102

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless onerwise stated the results snown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only. We ## heat prosecuted to the fullest extent of the law.



Page: 4 of 102

1 GENERAL INFORMATION

1.1 Test Methodology

The SAR testing method and procedure for this device is in accordance with the following standards:

IEEE/ANSI C95.1-1992

IEEE 1528-2013

KDB447498D01v06

KDB865664D01v01r04

KDB865664D02v01r02

KDB616217D04v01r02

KDB248227D01v02r01

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有铅明,此報华结甲攝影測建立幾只有著,同時世輕早歷歷初的主。大報华主權大公司書面對可,不可可以推測。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 📍 No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488



Page: 5 of 102

1.2 **Description of EUT**

General Information of Host:

Product Name	Portable Computer				
Brand Name	DELL				
Model No.	P152G	P152G			
FCC ID	TX2-RTL8852BE				
Integrated WLAN Module	Brand Name: REALTEK Model Name: RTL8852BE				
Mode	WLAN: 802.11a/b/g/n/ac/ax HT20/HT40/VHT20/VHT40/VHT80/ HE20/HE40/HE80 Bluetooth BR/EDR/LE				
Duty Coals	WLAN802.11	Please refer to section 7			
Duty Cycle	Bluetooth	Please refer to section 7			
	802.11 b/g/n/ax 2.4GHz (2400.0 – 2483.5				
Supported radios (TX Frequency Range, MHz)	5.2GHz (5150.0 –5350.0 I 802.11a/n/ac/ax 5.6GHz (5470.0 – 5725.0 5.8GHz (5725.0 – 5850.0				
	Bluetooth 5.2	2.4GHz (2400.0 – 2483.5 MHz)			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 6 of 102

Maximum value

Summary of Maximum SAR				
	Highest SAR 1g			
Mode	Body			
	(W/kg)			
2.4G WLAN	0.7			
5G WLAN	1.13			
BLE	0.25			

Antenna Information 1.4

Laptop mode_WLAT	V									
Vendor		AWAN								
Antenna			Main					AUX		
Part Number	AYP6Y-100256 (DC33002N10L)			AYP6Y-100257 (DC33002N11L)						
Frequency(MHz)	2400~2500	5150~5250	5250~5350	5470~5725	5725~5850	2400~2500	5150~5250	5250~5350	5470~5725	5725~5850
Gain (dBi)	2.53	2.25	1.52	2.72	2.94	1.56	2.08	0.68	1.48	2.38
Note: Antenna information is provided by the applicant.										
Vendor		Hong Bo Co., Ltd								
Antenna	Main Aux									
Part Number	260-24390 Compal P/N: DC33002N50L			her						
Frequency(MHz)	2400~2500	5150~5250	5250~5350	5470~5725	5725~5850	2400~2500	5150~5250	5250~5350	5470~5725	5725~5850
Gain (dBi)	0.63	0.63 2.35 2.53 2.53 2.71			2.71	1.55	2.15	2.38	2.48	1.73
Note: Antenna information is provided by the applicant.										

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 7 of 102

MEASUREMENT SYSTEM

2.1 **Test Facility**

Laboratory	Test Site Address	Test Site Name	FCC Designation number	IC CAB identifier
	1F, No. 8, Alley 15, Lane 120, Sec. 1, NeiHu Road, Neihu	SAR 2		TW3702
	District, Taipei City, 11493, Taiwan.	SAR 6	TW0029	
	No. 2, Keji 1st Rd., Guishan	SAR 1	TW0028	
	Township, Taoyuan County, 33383, Taiwan	SAR 4		
	No.134, Wu Kung Road, New Taipei Industrial Park, Wuku	SAR 3		
	District, New Taipei City, Taiwan	SAR 7	TW0027	

Note: Test site name is remarked on the equipment list in each section of this report as an indication where measurements occurred in specific test site and address.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page: 8 of 102

2.2 SAR System

Block Diagram (DASY6)

The DASY system used for performing compliance tests consists of the following items:



- A standard high precision 6-axis robot with controller, teach pendant and software. An arm extension for accommodating the data acquisition electronics (DAE).
- An isotropic field probe optimized and calibrated for the targeted measurement.
- A data acquisition electronics (DAE) which performs the signal amplification, signal multiplexing, AD-conversion, offset measurements, mechanical surface detection, collision detection, etc. The unit is battery powered with standard or rechargeable batteries. The signal is optically transmitted to the EOC.
- The Electro-optical converter (EOC) performs the conversion from optical to electrical signals for the digital communication to the DAE. To use optical surface detection, a special version of the EOC is required. The EOC signal is transmitted to the measurement server.
- The function of the measurement server is to perform the time critical tasks such as signal filtering, control of the robot operation and fast movement interrupts.
- The Light Beam used is for probe alignment. This improves the (absolute) accuracy of the probe positioning.
- A computer running Windows 10 and the DASY6 software.
- Remote control and teach pendant as well as additional circuitry for robot safety such as warning lamps, etc.
- The phantom, the device holder and other accessories according to the targeted measurement.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除此只有验明,此就是这种思考的问题。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

GS Taiwan Ltd. _| No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



Page: 9 of 102

EX3DV4 E-Field Probe

ことりひんせ に-し	leid Probe
Construction	Symmetrical design with triangular core Built-in shielding against static charges PEEK enclosure material (resistant to organic solvents, e.g., DGBE)
Calibration	Basic Broad Band Calibration in air Conversion Factors (CF) for HSL 2450/5250/5600/5750 MHz Additional CF for other liquids and frequencies upon request
Frequency	10 MHz to > 6 GHz
Directivity	± 0.3 dB in HSL (rotation around probe axis)
	± 0.5 dB in tissue material (rotation normal to probe axis)
Dynamic	$10 \mu W/g \text{ to > } 100 \text{ mW/g}$
Range	Linearity: ± 0.2 dB (noise: typically < 1 μW/g)
Dimensions	Tip diameter: 2.5 mm
Application	High precision dosimetric measurements in any exposure scenario (e.g., very strong gradient fields). Only probe which enables compliance testing for frequencies up to 6 GHz with precision of better 30%.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有铅明,此報华结甲攝影測建立幾只有著,同時此幾乎攝展例の干。大報华主德大公司書面對可,不可可以猶剩。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488

303 Idiwali Eta.



Page: 10 of 102

PHANTOM (ELI)

I TIAITION (E	
Model	ELI
Construction	The ELI phantom is used for compliance testing of handheld and body-mounted wireless devices in the frequency range of 30 MHz to 6 GHz. ELI is fully compatible with the IEC 62209-2 standard and all known tissue simulating liquids. ELI has been optimized regarding its performance and can be integrated into our standard phantom tables. A cover prevents evaporation of the liquid. Reference markings on the phantom allow installation of the complete setup, including all predefined phantom positions and measurement grids, by teaching three points. The phantom is compatible with all SPEAG dosimetric probes and dipoles.
Shell	2 ± 0.2 mm
Thickness	
Filling Volume	Approx. 30 liters
Dimensions	Major axis: 600 mm
	Minor axis: 400 mm

DEVICE HOLDER (ELI)

Construction	The device holder (Supporter) for Notebook is made by POM (polyoxymethylene resin), which is non-metal and non-conductive. The height can be adjusted to fit varies kind of notebooks.	
		Device Holder

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 11 of 102

3 SAR SYSTEM VERIFICATION

3.1 Tissue Simulating Liquid

For the measurement of the field distribution inside the SAM phantom with DASY, the phantom must be filled with homogeneous tissue simulating liquid. For head SAR testing, the liquid height from the ear reference point (ERP) of the phantom to the liquid top surface is larger than 15cm. For body SAR testing, the liquid height from the center of the flat phantom to the liquid top surface is larger than 15cm.

3.2 Tissue Simulant Liquid measurement

The dielectric properties for this Head-simulant fluid were measured by using the SPEAG Dielectric Assessment Kit (DAKS-3.5)

All dielectric parameters of tissue simulates were measured within 24 hours of SAR measurements. The measured conductivity and permittivity are all within \pm 5% of the target values.

3.3 Measurement results of Tissue Simulant Liquid

AWAN

Tissue Type	Measurement Date	Measured Frequency (MHz)	Target Dielectric Constant, εr	Target Conductivity, σ (S/m)	Measured Dielectric Constant, εr	Measured Conductivity, σ (S/m)	% dev εr	% dev σ
		2402	39.282	1.757	40.174	1.806	2.27%	2.74%
		2412	39.265	1.766	40.157	1.814	2.27%	2.72%
	Nov, 14. 2022	2437	39.222	1.788	40.112	1.836	2.27%	2.67%
		2450	39.200	1.800	40.089	1.848	2.27%	2.64%
		2462	39.184	1.813	40.074	1.858	2.27%	2.52%
		5180	36.020	4.639	36.898	4.742	2.44%	2.21%
		5190	36.010	4.650	36.886	4.752	2.43%	2.21%
		5210	35.990	4.670	36.863	4.773	2.43%	2.20%
		5230	35.970	4.690	36.840	4.794	2.42%	2.21%
		5240	35.960	4.700	36.829	4.804	2.42%	2.22%
		5250	35.950	4.710	36.818	4.815	2.41%	2.22%
		5270	35.930	4.730	36.795	4.836	2.41%	2.23%
		5280	35.920	4.740	36.783	4.846	2.40%	2.24%
Head		5290	35.910	4.750	36.772	4.857	2.40%	2.25%
		5300	35.900	4.760	36.760	4.867	2.40%	2.25%
	Nov. 15. 2022	5310	35.890	4.770	36.749	4.878	2.39%	2.26%
	1100, 15. 2022	5320	35.880	4.780	36.738	4.888	2.39%	2.26%
		5590	35.515	5.060	36.429	5.171	2.57%	2.21%
		5600	35.500	5.070	36.418	5.182	2.58%	2.20%
		5610	35.490	5.080	36.406	5.192	2.58%	2.21%
		5670	35.430	5.140	36.338	5.255	2.56%	2.23%
		5690	35.410	5.160	36.315	5.275	2.55%	2.24%
		5710	35.390	5.180	36.292	5.296	2.55%	2.24%
		5750	35.350	5.220	36.246	5.338	2.53%	2.26%
		5755	35.345	5.225	36.240	5.343	2.53%	2.26%
		5775	35.325	5.245	36.218	5.364	2.53%	2.27%
		5795	35.305	5.265	36.195	5.385	2.52%	2.28%

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有铅明,此報华结甲攝影測建立幾只有著,同時世輕早歷歷初的主。大報华主權大公司書面對可,不可可以推測。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

S Taiwan Ltd. _| No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

www.sqs.com.tw



Page: 12 of 102

HONG-BO

Measurement Date	Measured Frequency (MHz)	Target Dielectric Constant, εr	Target Conductivity, σ (S/m)	Measured Dielectric Constant, εr	Measured Conductivity, σ (S/m)	% dev εr	% dev σ
	2402	39.282	1.757	39.875	1.792	1.51%	1.98%
	2412	39.265	1.766	39.858	1.801	1.51%	1.96%
Nov, 16. 2022	2437	39.222	1.788	39.813	1.823	1.51%	1.91%
	2450	39.200	1.800	39.790	1.834	1.51%	1.89%
	2462	39.184	1.813	39.775	1.845	1.51%	1.76%
	5180	36.020	4.639	36.599	4.704	1.61%	1.40%
	5190	36.010	4.650	36.587	4.714	1.60%	1.40%
	5210	35.990	4.670	36.564	4.735	1.60%	1.40%
	5230	35.970	4.690	36.541	4.756	1.59%	1.41%
	5240	35.960	4.700	36.530	4.766	1.59%	1.41%
	5250	35.950	4.710	36.519	4.777	1.58%	1.42%
	5270	35.930	4.730	36.496	4.798	1.57%	1.43%
	5280	35.920	4.740	36.484	4.808	1.57%	1.43%
	5290	35.910	4.750	36.473	4.818	1.57%	1.44%
	5300	35.900	4.760	36.461	4.829	1.56%	1.44%
Nov, 17. 2022	5310	35.890	4.770	36.450	4.839	1.56%	1.45%
1100, 17. 2022	5320	35.880	4.780	36.439	4.850	1.56%	1.46%
	5590	35.515	5.060	36.130	5.131	1.73%	1.41%
	5600	35.500	5.070	36.119	5.141	1.74%	1.40%
	5610	35.490	5.080	36.107	5.151	1.74%	1.41%
	5670	35.430	5.140	36.039	5.213	1.72%	1.43%
	5690	35.410	5.160	36.016	5.234	1.71%	1.44%
	5710	35.390	5.180	35.993	5.255	1.70%	1.45%
	5750	35.350	5.220	35.947	5.296	1.69%	1.46%
	5755	35.345	5.225	35.941	5.302	1.69%	1.47%
	5775	35.325	5.245	35.919	5.322	1.68%	1.48%
	5795	35.305	5.265	35.896	5.343	1.67%	1.49%

The composition of the tissue simulating liquid: 3.4

Simulating Liquids for 600 MHz -10 GHz, Manufactured by SPEAG:

Broad-band head tissue simulating	SPEAG Product	Frequency range (MHz)	Main Ingredients
liquids	HBBL600- 10000V6	600 - 10000	Water, Oil

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page: 13 of 102

3.5 System check

The microwave circuit arrangement for system check is sketched in below. The daily system accuracy verification occurs within the flat section of the SAM phantom and ELI phantom. A SAR measurement was performed to see if the measured SAR was within +/- 10% from the target SAR values.

The tests were conducted on the same days as the measurement of the DUT. The obtained results from the system accuracy verification are displayed with SAR values normalized to 1W forward power delivered to the dipole.

During the tests, the liquid depth from the center of the flat phantom to the liquid top surface was 15 cm above in all the cases. It is seen that the system is operating within its specification, as the results are within acceptable tolerance of the reference values.



The block diagram of system check

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

S Taiwan Ltd. 」No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



Page: 14 of 102

3.6 System check results

Validation Kit	S/N	Frequency (MHz)	1W Target 1g-SAR (W/kg)	pin=250mW Measured 1g-SAR (W/kg)	Normalized to 1W 1g-SAR (W/kg)	Deviation (%)	Limit	Measurement Date
D2450V2	727	2450	52.8	13	52	-1.52	± 10%	Nov.14,2022
Validation Kit	S/N	Frequency (MHz)	1W Target 1g-SAR (W/kg)	pin=100mW Measured 1g-SAR (W/kg) Normalized to 1W 1g-SAR (W/kg)		Deviation (%)	Limit	Measurement Date
D5GHzV2	1023	5250	81	8 80		-1.23	± 10%	Nov.15,2022
D5GHzV2	1023	5600	84.4	8.18	81.8	-3.08	± 10%	Nov.15,2022
D5GHzV2	1023	5750	81	8.09	80.9	-0.12	± 10%	Nov.15,2022
Validation Kit	S/N	Frequency (MHz)	1W Target 1g-SAR (W/kg)	pin=250mW Measured 1g-SAR (W/kg)	Normalized to 1W 1g-SAR (W/kg)	Deviation (%)	Limit	Measurement Date
D2450V2	727	2450	52.8	13	52	-1.52	± 10%	Nov.16,2022
Validation Kit	S/N	Frequency (MHz)	1W Target 1g-SAR (W/kg)	pin=100mW Measured 1g-SAR (W/kg)	Normalized to 1W 1g-SAR (W/kg)	Deviation (%)	Limit	Measurement Date
D5GHzV2	1023	5250	81	8.13	81.3	0.37	± 10%	Nov.17,2022
D5GHzV2	1023	5600	84.4	8.12	81.2	-3.79	± 10%	Nov.17,2022
D5GHzV2	1023	5750	81	8.17	81.7	0.86	± 10%	Nov.17,2022

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有铅明,此報华结甲攝影測建立幾只有著,同時此幾乎攝展例の干。大報华主德大公司書面對可,不可可以猶剩。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

S Taiwan Ltd. ,No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

www.sgs.com.tw



Page: 15 of 102

4 TEST CONFIGURATIONS

4.1 Test Environment

Ambient Temperature: 22±2° C Tissue Simulating Liquid: 22±2° C

4.2 Test Note

- **General:** Measurements are performed respectively on the lowest, middle and highest channels of the operating band(s).
- **General:** The EUT is set to maximum power level during all tests, and at the beginning of each test the battery is fully charged.
- **General:** During the SAR testing, the DASY system checks power drift by comparing the e-field strength of one specific location measured at the beginning with that measured at the end of the SAR testing.
- **General:** According to KDB447498D01v06, testing of other required channels is not required when the reported 1-g SAR for the highest output channel is \leq 0.8 W/kg, when the transmission band is \leq 100 MHz.
- **General:** According to KDB865664D01v01r04, SAR measurement variability must be assessed for each frequency band. When the original highest measured SAR is ≥ 0.8 W/kg, repeated that measurement once. Perform a second repeated measurement only if the ratio of largest to smallest SAR for the original and first repeated measurements is ≥ 1.20 or when the original or repeated measurement is ≥ 1.45 W/kg ($\sim 10\%$ from the 1-g SAR limit).
- WLAN 2.4GHz: 802.11b DSSS SAR Test Requirements: SAR is measured for 2.4 GHz 802.11b DSSS mode using the highest measured maximum output power channel, when the reported SAR of the highest measured maximum output power channel for the exposure configuration is ≤ 0.8 W/kg, no further SAR testing is required for 802.11b DSSS in that exposure configuration. When the reported SAR is > 0.8 W/kg, SAR is required for that exposure configuration using the next highest measured output power channel. When any reported SAR is > 1.2 W/kg, SAR is required for the third channel; i.e., all channels require testing.
- WLAN 2.4GHz: 802.11g/n OFDM SAR Test Exclusion Requirements: SAR is not required for 802.11g/n since the highest reported SAR for DSSS is adjusted by the ratio of OFDM to DSSS specified maximum output power and the adjusted SAR is ≤ 1.2 W/kg.
- WLAN 5GHz: Initial Test Configuration: An initial test configuration is determined for OFDM transmission modes according to the channel bandwidth, modulation and data rate combination(s) with the highest maximum output power specified for production units in each standalone and aggregated frequency band. SAR is measured using the highest measured maximum output power channel. When the reported SAR of the initial test configuration is > 0.8 W/kg, SAR measurement is required for the subsequent next highest measured output power channel(s) in the initial test configuration until the reported SAR is ≤ 1.2 W/kg or all required channels are tested. Since the highest reported SAR for the initial test configuration is adjusted by the ratio of the subsequent test configuration to initial test configuration

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有铅明,此数些结甲磺胺别对对格里名含,同时此样具属是例如于。大数型主流统大河电流统计,不可如必通制。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

i Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



Page: 16 of 102

specified maximum output power and the adjusted SAR is ≤ 1.2 W/kg, SAR is not required for subsequent test configuration.

• WLAN 5GHz: Based on FCC guidance, general principles of KDB248227D01 can be applied to 802.11ax to determine initial test configuration with 802.11ax being considered as the highest 802.11 mode for the appropriate frequency band.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有铅明,此数些结甲磺胺别对对格里名含,同时此样具属是例如于。大数型主流统大河电流统计,不可如必通制。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



Page: 17 of 102

Test position

Laptop mode SAR test position (0mm)

For laptop PC, according to KDB 616217 D04, SAR evaluation is required for the bottom surface of the keyboard. This EUT was tested in the base of EUT directly against the flat phantom. The required minimum test separation distance for incorporating transmitters and antennas into laptop computer display is determined with the display screen opened at an angle of 90° to the keyboard compartment.




Illustration for Laptop Setup

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 18 of 102

§ 2.1093(d)(1)

Applications for equipment authorization of portable RF sources subject to routine environmental evaluation must contain a statement confirming compliance with the limits specified in § 1.1310 as part of their application. Technical information showing the basis for this statement must be submitted to the Commission upon request. The SAR limits specified in § 1.1310(a) through (c) of this chapter shall be used for evaluation of portable devices transmitting in the frequency range from 100 kHz to 6 GHz. Portable devices that transmit at frequencies above 6 GHz shall be evaluated in terms of the MPE limits specified in Table 1 to § 1.1310(e)(1). A minimum separation distance applicable to the operating configurations and exposure conditions of the device shall be used for the evaluation. In general, maximum time-averaged power levels must be used for evaluation. All unlicensed personal communications service (PCS) devices and unlicensed NII devices shall be subject to the limits for general population/uncontrolled exposure. Radiofrequency radiation exposure limits.

§ 1.1310(a)

Specific absorption rate (SAR) shall be used to evaluate the environmental impact of human exposure to radiofrequency (RF) radiation as specified in § 1.1307(b) within the frequency range of 100 kHz to 6 GHz (inclusive).

§ 1.1310(b)

The SAR limits for occupational/controlled exposure are 0.4 W/kg, as averaged over the whole body, and a peak spatial-average SAR of 8 W/kg, averaged over any 1 gram of tissue (defined as a tissue volume in the shape of a cube). Exceptions are the parts of the human body treated as extremities, such as hands, wrists, feet, ankles, and pinnae, where the peak spatial-average SAR limit for occupational/controlled exposure is 20 W/kg, averaged over any 10 grams of tissue (defined as a tissue volume in the shape of a cube). Exposure may be averaged over a time period not to exceed 6 minutes to determine compliance with occupational/controlled SAR limits. § 1.1310(c)

The SAR limits for general population/uncontrolled exposure are 0.08 W/kg, as averaged over the whole body, and a peak spatial-average SAR of 1.6 W/kg, averaged over any 1 gram of tissue (defined as a tissue volume in the shape of a cube). Exceptions are the parts of the human body treated as extremities, such as hands, wrists, feet, ankles, and pinnae, where the peak spatialaverage SAR limit is 4 W/kg, averaged over any 10 grams of tissue (defined as a tissue volume in the shape of a cube). Exposure may be averaged over a time period not to exceed 30 minutes to determine compliance with general population/uncontrolled SAR limits.

Note to paragraphs (a) through (c):

SAR is a measure of the rate of energy absorption due to exposure to RF electromagnetic energy. These SAR limits to be used for evaluation are based generally on criteria published by the American National Standards Institute (ANSI) for localized SAR in Section 4.2 of "IEEE Standard" for Safety Levels with Respect to Human Exposure to Radio Frequency Electromagnetic Fields, 3 kHz to 300 GHz," ANSI/IEEE Std C95.1-1992, copyright 1992 by the Institute of Electrical and Electronics Engineers, Inc., New York, New York 10017. These criteria for SAR evaluation are similar to those recommended by the National Council on Radiation Protection and Measurements (NCRP) in "Biological Effects and Exposure Criteria for Radiofrequency Electromagnetic Fields," NCRP Report No. 86, Section 17.4.5, copyright 1986 by NCRP, Bethesda, Maryland 20814. Limits for whole body SAR and peak spatial-average SAR are based

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279

www.sgs.com.tw



Page: 19 of 102

on recommendations made in both of these documents. The MPE limits in Table 1 are based generally on criteria published by the NCRP in "Biological Effects and Exposure Criteria for Radiofrequency Electromagnetic Fields," NCRP Report No. 86, Sections 17.4.1, 17.4.1.1, 17.4.2 and 17.4.3, copyright 1986 by NCRP, Bethesda, Maryland 20814. In the frequency range from 100 MHz to 1500 MHz, these MPE exposure limits for field strength and power density are also generally based on criteria recommended by the ANSI in Section 4.1 of "IEEE Standard for Safety Levels with Respect to Human Exposure to Radio Frequency Electromagnetic Fields, 3 kHz to 300 GHz," ANSI/IEEE Std C95.1-1992, copyright 1992 by the Institute of Electrical and Electronics Engineers, Inc., New York, New York 10017.

Portable devices that transmit at frequencies above 6 GHz shall be evaluated in terms of the MPE limits specified in Table 1 to § 1.1310(e)(1).

According to ANSI/IEEE C95.1-1992, the criteria listed in the following Table shall be used to evaluate the environmental impact of human exposure to radio frequency (RF) radiation as specified in §1.1310.

Peak Spatially Averaged Power Density was evaluated over a circular area of 4cm2 per interim FCC Guidance for near-field power density evaluations per October 2018 TCB Workshop notes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 20 of 102

Frequency range (MHz)	Electric field strength (V/m)	Magnetic field strength (A/m)	Power density (mW/cm ²)	Averaging time (minutes)							
	(i) Limits for Occupational/Controlled Exposure										
0.3-3.0	614	1.63	*(100)	≤6							
3.0-30	1842/f	4.89/f	*(900/f ²)	<6							
30-300	61.4	0.163	1.0	<6							
300-1,500			f/300	<6							
1,500- 100,000			5	<6							
	(ii) Limits for Genera	l Population/Uncontrolle	d Exposure								
0.3-1.34	614	1.63	*(100)	<30							
1.34-30	824/f	2.19/f	*(180/f ²)	<30							
30-300	27.5	0.073	0.2	<30							
300-1,500			f/1500	<30							
1,500- 100,000			1.0	<30							

f = frequency in MHz. * = Plane-wave equivalent power density. Table 1 to § 1.1310(e)(1) - Limits for Maximum Permissible Exposure (MPE)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 21 of 102

5 MAXIMUM OUTPUT POWER

5.1 WLAN

AWAN

		ch	nain 0			
Band	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
		1	2412		17.50	17.43
		6	2437	1	17.50	17.38
	802.11b	11	2462	1Mbps	17.50	17.13
		12	2467	1 ' 1	15.08	14.96
		13	2472	1	11.81	11.76
		1	2412		16.74	16.22
		6	2437	1	17.50	16.99
	802.11g	11	2462	6Mbps	16.86	16.42
		12	2467		12.86	12.75
		13	2472	1	11.80	11.76
		1	2412		15.62	15.06
		6	2437	1	17.50	17.11
	802.11n20-HT0	11	2462	MCS0	15.71	15.14
		12	2467	1	12.69	12.62
		13	2472	1	11.61	11.60
0.45011-		1	2412		15.62	15.11
2.45GHz	802.11ac20-VHT0	6	2437	MCS0	17.50	17.09
		11	2462	1	15.71	15.25
		1	2412		15.77	15.26
		6	2437	1	17.50	17.12
	802.11ax20-HE0	11	2462	MCS0	15.88	15.47
		12	2467]	12.93	12.82
		13	2472]	11.80	11.73
		3	2422		14.44	13.92
	802.11n40-HT0	6	2437	MCS0	17.50	17.01
		9	2452]	14.63	14.10
		3	2422		14.44	14.04
	802.11ac40-VHT0	6	2437	MCS0	17.50	17.08
		9	2452]	14.63	14.19
		3	2422		14.63	14.24
	802.11ax40-HE0	6	2437	MCS0	17.50	17.06
		9	2452] [14.82	14.33

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有的时,他都是结果做到的这种,他就是结果的。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司 t (886-2)

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

Member of SGS Group



Page: 22 of 102

		ct	nain 0			
Band	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
		36	5180		17.00	16.94
	802.11a	40	5200	/ Mbno	17.00	16.85
	802.118	44	5220	6Mbps	17.00	16.84
		48	5240	1	17.00	16.99
		36	5180		17.00	16.54
	802.11n20-HT0	40	5200	MCS0	17.00	16.54
		44	5220	IVICSU	17.00	16.54
		48	5240		17.00	16.51
		36	5180		17.00	16.51
	802.11ac20-VHT0	40	5200	MCS0	17.00	16.68
		44	5220		17.00	16.55
5.15-5.25 GHz		48	5240		17.00	16.53
5.15-5.25 GHZ		36	5180		17.00	16.53
	802.11ax20-HE0	40	5200	MCS0	17.00	16.50
	002. I I d X 2 U - I I L U	44	5220	IVICSO	17.00	16.63
		48	5240		17.00	16.57
	802.11n40-HT0	38	5190	MCS0	16.57	16.14
	002.111140-1110	46	5230	IVICSO	17.00	16.70
	802.11ac40-VHT0	38	5190	MCS0	16.57	16.14
	002.11ac40-V1110	46	5230	IVICOU	17.00	16.69
	802.11ax40-HE0	38	5190	MCS0	16.84	16.51
	UUZ. I IAX4U-I IEU	46	5230	IVICOU	17.00	16.59
	802.11ac80-VHT0	42	5210	MCS0	15.56	15.10
	802.11ax80-HE0	42	5210	MCS0	15.76	15.39

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有验明,此起华廷国旗影响建设建设,因此此接到了一个大型,是这种特别,但是华廷国旗影响建设,因此,但是华廷国旗影响建设,是一个大型中国统治,

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

S Taiwan Ltd. ,No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



Page: 23 of 102

		ch	nain 0			
Band	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
		52	5260		17.00	16.58
	802.11a	56	5280	4 Mbns	17.00	16.67
	802.114	60	5300	6Mbps	17.00	16.66
		64	5320]	17.00	16.56
		52	5260		17.00	16.68
	802.11n20-HT0	56	5280	MCS0	17.00	16.67
		60	5300	IVICSU	17.00	16.63
		64	5320		17.00	16.66
		52	5260		17.00	16.68
	802.11ac20-VHT0	56	5280	MCS0	17.00	16.63
		60	5300		17.00	16.57
5.25-5.35 GHz		64	5320		17.00	16.52
J.2J-J.3J GHZ		52	5260	_	17.00	16.58
	802.11ax20-HE0	56	5280	MCS0	17.00	16.61
	002. ITAX20-ITE0	60	5300	IVICSO	17.00	16.65
		64	5320		17.00	16.63
	802.11n40-HT0	54	5270	MCS0	17.00	16.89
	002.111140-1110	62	5310	IVICSO	16.50	16.10
	802.11ac40-VHT0	54	5270	MCS0	17.00	16.69
	002.11dC40-VIII 0	62	5310	IVICOU	16.50	16.16
	802.11ax40-HE0	54	5270	MCS0	17.00	16.64
		62	5310		16.79	16.30
	802.11ac80-VHT0	58	5290	MCS0	16.86	16.41
	802.11ax80-HE0	58	5290	MCS0	17.00	16.91

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 24 of 102

	1					
		cl	nain 0			
Band	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
		100	5500		18.00	17.82
	802.11a	120	5600	/ Mbno	18.00	17.90
	802.118	140	5700	6Mbps	17.98	17.89
		144	5720		17.32	17.13
		100	5500		18.00	17.93
	000 11-00 UT0	120	5600	MCS0	18.00	17.80
	802.11n20-HT0	140	5700	IVICSU	18.00	17.88
		144	5720		16.92	16.85
		100	5500		18.00	17.75
	802.11ac20-VHT0	120	5600	MOCO	18.00	17.80
		140	5700	MCS0	18.00	17.83
		144	5720		16.92	16.70
		100	5500		18.00	17.91
	000 1100 UE0	120	5600	MOCO	18.00	17.86
	802.11ax20-HE0	140	5700	MCS0	18.00	17.93
		144	5720		17.46	17.37
5.6GHz		102	5510		15.17	14.92
5.6GHZ	000 11540 UTO	118	5590	14000	18.00	17.85
	802.11n40-HT0	134	5670	MCS0	18.00	17.95
		142	5710		18.00	17.96
		102	5510		15.17	14.93
	002 110040 VIIITO	118	5590	MCS0	18.00	17.88
	802.11ac40-VHT0	134	5670	IVICSU	18.00	17.77
		142	5710		18.00	17.82
		102	5510		15.41	15.34
	902 11ay 40 UEO	118	5590	MCS0	18.00	17.80
	802.11ax40-HE0	134	5670] IVICSU	18.00	17.82
		142	5710		18.00	17.85
		106	5530		15.35	15.10
	802.11ac80-VHT0	122	5610	MCS0	18.00	17.85
		138	5690		18.00	17.99
		106	5530		15.52	15.28
	802.11ax80-HE0	122	5610	MCS0	18.00	17.96
		138	5690		18.00	17.99

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司



Page: 25 of 102

		cr	nain 0			
Mode	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
		149	5745]	18.50	18.29
	802.11a	157	5785	6Mbps	18.50	18.27
		165	5825		18.50	18.18
		149	5745	MCS0 18.50 18.50 18.50	18.33	
	802.11n20-HT0	157	5785		18.50	18.19
		165	5825		18.50	18.23
	802.11ac20-VHT0	149	5745	MCS0	18.50	18.22
		157	5785		18.50	18.26
		165	5825		18.50	18.26
5.8GHz		149	5745		18.50	18.32
3.0GFZ	802.11ax20-HE0	157	5785	MCS0	18.50	18.25
		165	5825		18.50	18.21
	802.11n40-HT0	151	5755	MCS0	18.50	18.49
	002.11114U-H1U	159	5795	IVICSU	18.50	18.45
	802.11ac40-VHT0	151	5755	MCS0	18.50	18.24
	002.11ac40-V1110	159	5795	IVICOU	18.50	18.32
	802.11ax40-HE0	151	5755	MCS0	18.50	18.26
	OUZ. I I AX4U-TIEU	159	5795	IVICOU	18.50	18.25
	802.11ac80-VHT0	155	5775	MCS0	18.50	18.35
	802.11ax80-HE0	155	5775	MCS0	18.50	18.22

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有验明,此起华廷国旗影响建设建设,因此此接到了一个大型,是这种特别,但是华廷国旗影响建设,因此,但是华廷国旗影响建设,是一个大型中国统治,

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

S Taiwan Ltd. | No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

www.sgs.com.tw



Page: 26 of 102

		cł	nain 1			
Band	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
	802.11b	1 6 11	2412 2437 2462	1Mbps	17.50 17.50 17.50	17.24 17.44 17.47
	002.115	12	2467 2472	TWIDPS	15.26 11.94	15.13 11.79
	802.11g	1 6 11 12 13	2412 2437 2462 2467 2472	6Mbps	16.93 17.50 17.10 13.05 12.15	16.55 17.23 16.77 12.87 12.03
	802.11n20-HT0	1 6 11 12 13	2412 2437 2462 2467 2472	MCS0	15.95 17.50 15.97 13.04 11.81	15.53 17.10 15.62 12.87 11.63
2.45GHz	802.11ac20-VHT0	1 6 11	2412 2437 2462	MCS0	15.95 17.50 15.97	15.66 17.15 15.67
	802.11ax20-HE0	1 6 11 12 13	2412 2437 2462 2467 2472	MCS0	16.14 17.50 16.16 13.19 12.04	15.81 17.16 15.80 13.02 11.94
	802.11n40-HT0	3 6 9	2422 2437 2452	MCS0	14.93 17.50 14.95	14.58 17.17 14.69
	802.11ac40-VHT0	3 6 9	2422 2437 2452	MCS0	14.93 17.50 14.95	14.58 17.11 14.66
	802.11ax40-HE0	3 6 9	2422 2437 2452	MCS0	15.10 17.50 15.12	14.75 17.14 14.84

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 27 of 102

chain 1									
Band	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)			
		36	5180		17.00	16.87			
	000 110	40	5200	(17.00	16.84			
	802.11a	44	5220	6Mbps	17.00	16.91			
		48	5240]	17.00	16.95			
		36	5180		17.00	16.70			
	802.11n20-HT0	40	5200	MCS0	17.00	16.78			
		44	5220		17.00	16.83			
		48	5240]	17.00	16.84			
		36	5180	MCS0	17.00	16.78			
	802.11ac20-VHT0	40	5200		17.00	16.78			
		44	5220		17.00	16.71			
5.15-5.25 GHz		48	5240		17.00	16.85			
5.15-5.25 GHZ		36	5180		17.00	16.72			
	000 11 20 1150	40	5200	MCCO	17.00	16.72			
	802.11ax20-HE0	44	5220	MCS0	17.00	16.86			
		48	5240]	17.00	16.83			
	000 11-40 UT0	38	5190	MCCO	16.55	16.38			
	802.11n40-HT0	46	5230	MCS0	17.00	16.89			
	000 110040 \/\\\	38	5190	MCCO	16.55	16.42			
	802.11ac40-VHT0	46	5230	MCS0	17.00	16.72			
	000 110v40 UF0	38	5190	MOCO	16.77	16.54			
	802.11ax40-HE0	46	5230	MCS0	17.00	16.73			
	802.11ac80-VHT0	42	5210	MCS0	15.43	15.28			
	802.11ax80-HE0	42	5210	MCS0	15.67	15.45			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 28 of 102

		ch	nain 1			
Band	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
		52	5260		17.00	16.87
	802.11a	56	5280	6Mbpc	17.00	16.84
	0U2.11d	60	5300	6Mbps	17.00	16.96
		64	5320		17.00	16.90
		52	5260		17.00	16.74
	802.11n20-HT0	56	5280	MCS0	17.00	16.77
		60	5300	IVICSO	17.00	16.70
		64	5320		17.00	16.61
	802.11ac20-VHT0	52	5260	MCS0	17.00	16.64
		56	5280		17.00	16.75
		60	5300		17.00	16.64
5.25-5.35 GHz		64	5320		17.00	16.76
5.25-5.35 GHZ		52	5260		17.00	16.64
	802.11ax20-HE0	56	5280	MCS0	17.00	16.77
	002.11dX2U-HEU	60	5300	IVICSU	17.00	16.80
		64	5320		17.00	16.77
	802.11n40-HT0	54	5270	MCS0	17.00	16.81
	002.111140-1110	62	5310	IVICSO	17.00	16.89
	802.11ac40-VHT0	54	5270	MCS0	17.00	16.80
	002.11ac40-V111U	62	5310	IVICOU	16.74	16.41
	802.11ax40-HE0	54	5270	MCS0	17.00	16.72
	002.11ax40-11EU	62	5310	IVICOU	16.96	16.65
	802.11ac80-VHT0	58	5290	MCS0	16.62	16.39
	802.11ax80-HE0	58	5290	MCS0	16.89	16.68

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 29 of 102

	100					
		Cl	nain 1			
Band	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
		100	5500		18.00	17.46
	002 110	120	5600	/ Mbns	18.00	17.60
	802.11a	140	5700	6Mbps	18.00	17.55
		144	5720		17.67	17.13
		100	5500		18.00	17.49
	000 11-20 UT0	120	5600	MCS0	18.00	17.61
	802.11n20-HT0	140	5700	IVICSU	18.00	17.42
		144	5720		17.60	17.14
		100	5500		18.00	17.48
	000 1120 1/1/170	120	5600	MCCO	18.00	17.54
	802.11ac20-VHT0	140	5700	MCS0	18.00	17.54
		144	5720		17.60	17.05
	000 11 . 00 UE0	100	5500		18.00	17.55
		120	5600	14000	18.00	17.45
	802.11ax20-HE0	140	5700	MCS0	18.00	17.44
		144	5720	1	17.86	17.38
E (OL)		102	5510	MCS0	15.27	14.68
5.6GHz	000 11 10 1170	118	5590		18.00	17.83
	802.11n40-HT0	134	5670		18.00	17.94
		142	5710	1	18.00	17.97
		102	5510		15.27	14.75
	000 44 40 1 11 17 0	118	5590		18.00	17.41
	802.11ac40-VHT0	134	5670	MCS0	18.00	17.54
		142	5710	†	18.00	17.56
		102	5510		15.52	15.12
	000 11 - 40 1150	118	5590	14000	18.00	17.58
	802.11ax40-HE0	134	5670	MCS0	18.00	17.47
		142	5710	1	18.00	17.59
		106	5530		15.29	14.78
	802.11ac80-VHT0	122	5610	MCS0	18.00	17.94
		138	5690	1	18.00	17.97
		106	5530		15.46	14.93
	802.11ax80-HE0	122	5610	MCS0	18.00	17.61
		138	5690	1	18.00	17.99

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 30 of 102

		ch	nain 1					
Mode	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)		
		149	5745		18.50	18.11		
	802.11a	157	5785	6Mbps	18.50	18.15		
		165	5825	1	18.50	18.21		
		149	5745	MCS0 18.50 18.50 18.50	18.12			
	802.11n20-HT0	157	5785		18.50	18.12		
		165	5825		18.50	18.12		
	802.11ac20-VHT0	149	5745	MCS0	18.50	18.17		
		157	5785		18.50	18.24		
		165	5825		18.50	18.10		
5.8GHz		149	5745		18.50	18.14		
3.0GHZ	802.11ax20-HE0	157	5785	MCS0	18.50	18.17		
		165	5825		18.50	18.12		
	802.11n40-HT0	151	5755	MCS0	18.50	18.49		
	002.111140-1110	159	5795	IVICSO	18.50	18.48		
	802.11ac40-VHT0	151	5755	MCS0	18.50	18.20		
	002.11aC4U-VHTU	159	5795	IVICSU	18.50	18.11		
	802.11ax40-HE0	151	5755	MCS0	18.50	18.14		
	OUZ. I I AX4U-TIEU	159	5795	IVICSU	18.50	18.10		
	802.11ac80-VHT0	155	5775	MCS0	18.50	18.24		
	802.11ax80-HE0	155	5775	MCS0	18.50	18.15		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有铅明,此報华结甲攝影測建立幾只有著,同時此幾乎攝展例の干。大報华主德大公司書面對可,不可可以猶剩。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

GS Talwan Ltd. | No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

www.sgs.com.tw



Page: 31 of 102

HONG-BO

HONG-BO	chain 0								
Band	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)			
		1	2412		17.50	17.41			
		6	2437]	17.50	17.40			
	802.11b	11	2462	1Mbps	17.50	17.21			
		12	2467	1	15.08	14.96			
		13	2472]	11.81	11.76			
		1	2412		16.74	16.24			
		6	2437]	17.50	17.05			
	802.11g	11	2462	6Mbps	16.86	16.34			
		12	2467]	12.86	12.74			
		13	2472]	11.80	11.65			
		1	2412	MCS0	15.62	15.23			
		6	2437		17.50	17.09			
	802.11n20-HT0	11	2462		15.71	15.16			
		12	2467	1	12.69	12.64			
		13	2472		11.61	11.57			
0.4ECU -		1	2412		15.62	15.10			
2.45GHz	802.11ac20-VHT0	6	2437	MCS0	17.50	17.04			
		11	2462		15.71	15.30			
		1	2412		15.77	15.25			
		6	2437	1	17.50	17.12			
	802.11ax20-HE0	11	2462	MCS0	15.88	15.49			
		12	2467	1	12.93	12.78			
		13	2472]	11.80	11.69			
		3	2422		14.44	14.05			
	802.11n40-HT0	6	2437	MCS0	17.50	17.00			
		9	2452]	14.63	14.24			
		3	2422		14.44	13.98			
	802.11ac40-VHT0	6	2437	MCS0	17.50	17.07			
		9	2452]	14.63	14.23			
		3	2422		14.63	14.23			
	802.11ax40-HE0	6	2437	MCS0	17.50	17.02			
		9	2452	1	14.82	14.31			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司



Page: 32 of 102

		ch	nain 0	1	<u> </u>	
Band	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
		36	5180		17.00	16.93
	000 110	40	5200	4Mbpc	17.00	16.86
	802.11a	44	5220	6Mbps	17.00	16.82
		48	5240	1	17.00	16.98
		36	5180		17.00	16.51
	802.11n20-HT0	40	5200	MCS0	17.00	16.58
		44	5220	IVICSU	17.00	16.59
		48	5240		17.00	16.56
	802.11ac20-VHT0	36	5180	MCS0	17.00	16.59
		40	5200		17.00	16.63
	802.11ac20-VH10	44	5220		17.00	16.61
5.15-5.25 GHz		48	5240		17.00	16.62
5.15-5.25 GHZ		36	5180		17.00	16.57
	802.11ax20-HE0	40	5200	MCS0	Rate Power + Max. Tolerance (dBm)	16.50
	002.11ax20-11L0	44	5220	IVICSO	17.00	16.62
		48	5240			16.66
	802.11n40-HT0	38	5190	MCS0		16.08
	002.111140-1110	46	5230	IVICSO		16.82
	802.11ac40-VHT0	38	5190	MCS0		16.15
	002.11ac40-VIII 0	46	5230	IVICOU		16.51
	802.11ax40-HE0	38	5190	MCS0		16.44
		46	5230			16.54
	802.11ac80-VHT0	42	5210	MCS0	15.56	15.22
	802.11ax80-HE0	42	5210	MCS0	15.76	15.44

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 33 of 102

	1	ch	nain 0			
Band	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
		52	5260		17.00	16.57
	000 110	56	5280	/ Mbno	17.00	16.65
	802.11a	60	5300	6Mbps	17.00	16.61
		64	5320	1	17.00	16.71
		52	5260		17.00	16.55
	802.11n20-HT0	56	5280	MCS0	17.00	16.60
		60	5300	IVICSU	17.00	16.63
		64	5320		17.00	16.58
	802.11ac20-VHT0	52	5260	MCS0	17.00	16.56
		56	5280		17.00	16.53
	002.11aC2U-VH1U	60	5300		17.00	16.54
5.25-5.35 GHz		64	5320		17.00	16.72
5.25-5.35 GHZ		52	5260		17.00	16.70
	802.11ax20-HE0	56	5280	MCS0	17.00	16.66
	002.11ax20-11L0	60	5300	IVICSO	17.00	16.60
		64	5320		17.00	16.65
	802.11n40-HT0	54	5270	MCS0	17.00	16.82
	002.111140-1110	62	5310	IVICOU	16.50	16.27
	802.11ac40-VHT0	54	5270	MCS0	17.00	16.60
	002.11ac40-VIII0	62	5310	IVICOU	16.50	16.13
	802.11ax40-HE0	54	5270	MCS0	17.00	16.54
		62	5310		16.79	16.33
	802.11ac80-VHT0	58	5290	MCS0	16.86	16.54
	802.11ax80-HE0	58	5290	MCS0	17.00	16.71

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 34 of 102

	T	Cr	nain 0			T .
Band	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
		100	5500		18.00	17.75
	802.11a	120	5600	4 Mbpc	18.00	17.77
	802.118	140	5700	6Mbps	17.98	17.83
		144	5720		17.32	17.07
		100	5500		18.00	17.73
	000 11p00 LITO	120	5600	MCS0	18.00	17.86
	802.11n20-HT0	140	5700	IVICSU	18.00	17.84
		144	5720		16.92	16.70
		100	5500		18.00	17.79
	802.11ac20-VHT0	120	5600	MCS0	18.00	17.81
	802.11ac20-VH10	140	5700	IVICSU	18.00	17.76
		144	5720		16.92	16.74
	802.11ax20-HE0	100	5500		18.00	17.91
		120	5600	MCS0	18.00	17.88
		140	5700	IVICSO	18.00	17.76
		144	5720		17.46	17.29
5.6GHz		102	5510	MCS0	15.17	14.92
5.00112	802.11n40-HT0	118	5590		18.00	17.87
	002.111140-1110	134	5670	IVICSO	18.00	17.96
		142	5710		18.00	17.96
	802.11ac40-VHT0	102	5510		15.17	14.96
		118	5590	MCS0	18.00	17.78
	002.114040-11110	134	5670	IVICSO	18.00	17.90
		142	5710		18.00	17.91
		102	5510		15.41	15.16
	802.11ax40-HE0	118	5590	MCS0	18.00	17.79
	UUZ. I IAAAU-IILU	134	5670	101030	18.00	17.82
		142	5710		18.00	17.88
		106	5530		15.35	15.15
	802.11ac80-VHT0	122	5610	MCS0	18.00	17.85
		138	5690		18.00	17.99
		106	5530		15.52	15.32
	802.11ax80-HE0	122	5610	MCS0	18.00	17.97
		138	5690		18.00	17.98

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司



Page: 35 of 102

	chain 0									
Mode	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)				
		149	5745		18.50	18.28				
	802.11a	157	5785	6Mbps	18.50	18.28				
		165	5825		18.50	18.18				
		149	5745	MCS0 18.50 18.50 18.50	18.19					
	802.11n20-HT0	157	5785		18.50	18.24				
		165	5825		18.50	18.28				
	802.11ac20-VHT0	149	5745	MCS0	18.50	18.18				
		157	5785		18.50	18.20				
		165	5825		18.50	18.20				
5.8GHz		149	5745	Data Rate	18.50	18.23				
5.0GHZ	802.11ax20-HE0	157	5785		MCS0	18.24				
		165	5825		18.50	18.19				
	802.11n40-HT0	151	5755	MCSO	18.50	18.48				
	002.111140-1110	159	5795	IVICSO	18.50	18.45				
	802.11ac40-VHT0	151	5755	MCSO	18.50	18.16				
	002.11dC40-VIII 0	159	5795	IVICOU	18.50	18.13				
	802.11ax40-HE0	151	5755	MCSO	18.50	18.31				
	002.11ax40-11EU	159	5795	IVICOU	18.50	18.32				
	802.11ac80-VHT0	155	5775			18.41				
	802.11ax80-HE0	155	5775	MCS0	18.50	18.25				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有铅明,此数华红用摄影测过之样只有贵,同既此样只属是例如于。大数华土领太公司隶而实可,无可如必通剩。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

S Taiwan Ltd. | No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



Page: 36 of 102

	Т	cr	nain 1					
Band	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)		
		1	2412		17.50	17.26		
		6	2437]	17.50	17.43		
	802.11b	11	2462	1Mbps	17.50	17.48		
		12	2467		15.26	15.20		
		13	2472		11.94	11.87		
		1	2412		16.93	16.51		
		6	2437		17.50	17.13		
	802.11g	11	2462	6Mbps	17.10	16.81		
		12	2467]	13.05	12.89		
		13	2472		12.15	12.10		
	802.11n20-HT0	1	2412	MCS0	15.95	15.56		
		6	2437		17.50	17.07		
		11	2462		15.97	15.68		
		12	2467		13.04	13.03		
		13	2472		11.81	11.61		
2.45GHz		1	2412	MCS0	15.95	15.61		
2.430112	802.11ac20-VHT0	6	2437		17.50	17.23		
		11	2462		15.97	15.62		
		1	2412		16.14	15.83		
		6	2437]	17.50	17.13		
	802.11ax20-HE0	11	2462	MCS0	16.16	15.76		
		12	2467]	13.19	13.06		
		13	2472		12.04	11.84		
		3	2422		14.93	14.55		
	802.11n40-HT0	6	2437	MCS0	17.50	17.04		
		9	2452		14.95	14.51		
		3	2422		14.93	14.48		
	802.11ac40-VHT0	6	2437	MCS0	17.50	17.11		
		9	2452		14.95	14.67		
		3	2422]	15.10	14.77		
	802.11ax40-HE0	6	2437	MCS0	17.50	17.21		
		9	2452		15.12	14.85		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279 f (886-2) 2298-0488



Page: 37 of 102

		ch	nain 1			
Band	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
		36	5180		17.00	16.86
	802.11a	40	5200	6Mbps	17.00	16.85
	002.11a	44	5220	Olvibbs	17.00	16.92
		48	5240		17.00	16.96
	802.11n20-HT0	36	5180]	17.00	16.76
		40	5200	MCS0	17.00	16.87
		44	5220		17.00	16.86
		48	5240		17.00	16.80
	802.11ac20-VHT0	36	5180		17.00	16.79
		40	5200	MCS0	17.00	16.73
	002.11ac20-V1110	44	5220		17.00	16.74
5.15-5.25 GHz		48	5240		17.00	16.85
5. 15-5.25 GHZ		36	5180		17.00	16.79
	802.11ax20-HE0	40	5200	MCS0	17.00	16.85
	002.11dX2U-HEU	44	5220	IVICSU	17.00	16.86
		48	5240		17.00	16.72
	802.11n40-HT0	38	5190	MCS0	16.55	16.26
	002.111140-1110	46	5230	IVICSO	17.00	16.91
	802.11ac40-VHT0	38	5190	MCS0	16.55	16.29
	002.11ac40-VIII 0	46	5230	IVICOU	17.00	16.75
	802.11ax40-HE0	38	5190	MCS0	16.77	16.51
	002.11ax40-11EU	46	5230	IVICOU	17.00	16.79
	802.11ac80-VHT0	42	5210	MCS0	15.43	15.30
	802.11ax80-HE0	42	5210	MCS0	15.67	15.40

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488

www.sgs.com.tw



Page: 38 of 102

		ct	nain 1			
Band	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
		52	5260		17.00	16.89
	802.11a	56	5280	4Mbpc	17.00	16.86
	802.118	60	5300	6Mbps	17.00	16.98
		64	5320	1	17.00	16.92
	802.11n20-HT0	52	5260		17.00	16.62
		56	5280	MCS0	17.00	16.70
		60	5300		17.00	16.61
		64	5320		17.00	16.79
	002 110020 VIIITO	52	5260		17.00	16.63
		56	5280	MCS0	17.00	16.81
	802.11ac20-VHT0	60	5300		17.00	16.62
5.25-5.35 GHz		64	5320]	17.00	16.63
3.23-3.33 GHZ		52	5260		17.00	16.76
	802.11ax20-HE0	56	5280	MCS0	17.00	16.77
	002.11dX2U-HEU	60	5300	IVICSU	17.00	16.72
		64	5320		17.00	16.73
	802.11n40-HT0	54	5270	MCS0	17.00	16.81
	0UZ. Ι ΙΙΙ4U-Π Ι U	62	5310	IVICOU	17.00	16.89
	802.11ac40-VHT0	54	5270	MCS0	17.00	16.78
	002.11ac40-V1110	62	5310	IVICOU	16.74	16.48
	802.11ax40-HF0	54	5270	MCS0	17.00	16.73
	002.11ax40-11EU	62	5310		16.96	16.64
	802.11ac80-VHT0	58	5290	MCS0	16.62	16.30
	802.11ax80-HE0	58	5290	MCS0	16.89	16.67

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488

www.sgs.com.tw



Page: 39 of 102

	1					
		cl	nain 1			
Band	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
		100	5500		18.00	17.47
	000 11-	120	5600	(N Alasa a	18.00	17.41
	802.11a	140	5700	6Mbps	18.00	17.55
		144	5720		17.67	17.13
		100	5500		18.00	17.47
	000 11 00 UT0	120	5600	14000	18.00	17.48
	802.11n20-HT0	140	5700	MCS0	18.00	17.50
		144	5720		17.60	17.02
		100	5500		18.00	17.57
	000 44 00 14170	120	5600	MCSO	18.00	17.55
	802.11ac20-VHT0	140	5700	MCS0	18.00	17.59
		144	5720		17.60	17.12
		100	5500		18.00	17.49
		120	5600	1	18.00	17.44
	802.11ax20-HE0	140	5700	MCS0	18.00	17.42
		144	5720	1	17.86	17.29
		102	5510		15.27	14.69
5.6GHz		118	5590	-	18.00	17.82
	802.11n40-HT0	134	5670	MCS0	18.00	17.95
		142	5710	1	18.00	17.97
		102	5510		15.27	14.85
		118	5590	1	18.00	17.51
	802.11ac40-VHT0	134	5670	MCS0	18.00	17.41
		142	5710	1	18.00	17.57
		102	5510		15.52	14.97
		118	5590	1	18.00	17.60
	802.11ax40-HE0	134	5670	MCS0	18.00	17.44
		142	5710	1	18.00	17.60
		106	5530		15.29	14.74
	802.11ac80-VHT0	122	5610	MCS0	18.00	17.94
	302000	138	5690	1	18.00	17.97
		106	5530		15.46	15.05
	802.11ax80-HE0	122	5610	MCS0	18.00	17.82
	1121111001120	138	5690	1	18.00	17.99

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有验证,他就是结果成果的证明,不可能以推翻。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 40 of 102

		Ct	nain 1		T	
Mode	Mode	Channel	Frequency (MHz)	Data Rate	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)
		149	5745		18.50	18.22
	802.11a	157	5785	6Mbps	18.50	18.17
		165	5825	1	18.50	18.04
		149	5745		18.50	18.19
	802.11n20-HT0	157	5785	MCS0	18.50	18.13
		165	5825]	18.50	18.07
	802.11ac20-VHT0	149	5745		18.50	18.23
		157	5785	MCS0	18.50	18.20
		165	5825		18.50	18.10
5.8GHz		149	5745		18.50	18.22
3.8GHZ	802.11ax20-HE0	157	5785	MCS0	18.50	18.21
		165	5825		18.50	18.16
	802.11n40-HT0	151	5755	MCS0	18.50	18.46
	002.111140-1110	159	5795	IVICSO	18.50	18.48
	802.11ac40-VHT0	151	5755	MCS0	18.50	18.06
	002.11ac40-V1110	159	5795	IVICOU	18.50	18.15
	802.11ax40-HE0	151	5755	MCS0	18.50	18.09
	UUZ. I TAX4U-TIEU	159	5795	IVICOU	18.50	18.17
	802.11ac80-VHT0	155	5775	MCS0	18.50	18.32
	802.11ax80-HE0	155	5775	MCS0	18.50	18.19

5.2 **Bluetooth**

Δ\Λ/ΔΝ

, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,									
			1Mbps 2Mb				3Mbps		
Mode	Channel	Frequency (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)	
	CH 00	2402		11.65		9.52		9.53	
BR/EDR	CH 39	2441	12.31	11.38	9.54	9.51	9.54	9.50	
	CH 78	2480		11.47		9.53		9.52	

HONG-BO

			1Mbps 2Mbps				3Mbps		
Mode	Channel	Frequency (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Average power (dBm)	
	CH 00	2402		11.51		9.35		9.35	
BR/EDR	CH 39	2441	12.31	11.33	9.54	9.46	9.54	9.26	
	CH 78	2480		11.37		9.33		9.44	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 41 of 102

5.3 **BLE**

AWAN

AVVAIN				
Mode	Channal	Frequency		GFSK
Mode	Channel	(MHz)	Max. Rated Avg.Power + Max. Tolerance (dBm)	Average Output Power (dBm)
	CH 00	2402		12.31
BLE_1M	CH 19	2440	12.37	12.26
	CH 39	2480		12.25
Mode	Channel	Frequency		GFSK
Mode	Cridililei	(MHz)	Max. Rated Avg.Power + Max. Tolerance (dBm)	Average Output Power (dBm)
	CH 00	2402		11.75
BLE_2M	CH 19	2440	12.38	11.62
	CH 39	2480		11.57

HONG-BO

110110-00				
Mode	Ch anna al	Frequency		GFSK
Mode	Channel	(MHz)	Max. Rated Avg.Power + Max. Tolerance (dBm)	Average Output Power (dBm)
	CH 00	2402		12.30
BLE_1M	CH 19	2440	12.37	12.24
	CH 39	2480		12.21
Mode				GFSK
	Channol	Frequency		
Mode	Channel	Frequency (MHz)	Max. Rated Avg.Power + Max. Tolerance (dBm)	Average Output Power (dBm)
iviode	Channel CH 00			Average Output Power (dBm) 11.73
BLE_2M		(MHz)		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


> t (886-2) 2299-3279 f (886-2) 2298-0488



Page: 42 of 102

6 DUTY CYCLE

AWAN




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 43 of 102



1	enter 5.320000000 GHz tes BW 3.0 MHz			P 2-60	sw :	3.0 MHz	Span 0 Sweep 10.00 ms (1001 p				
MKR	MODE	TRC	SCL		X		Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE	
1	Δ2	1	ŧ	(A)	2,630 ms	(A)	4.16 dB				
2	F	1	t		5,060 ms		-12.21 dBm				
3	Δ4	1	t	(A)	2,670 ms	(A)	-0.01 dB				
4	F	4	t	P. 10.	5.060 ms	1000	-12.21 dBm			- 4	
5	-		-							É	
5 6 7		-	-							- 4	
7		_	-								
8			-							3.1	
9.						1					
9											
1				-		1					

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488



Page: 44 of 102




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 45 of 102




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 46 of 102



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 险非只有的明,此想些结果做新测验之缘具负责,同时此模具做是例如于。木型生产概率公司事面纯可,不可可以推测。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


f (886-2) 2298-0488

SGS Taiwan Ltd.



Page: 47 of 102

HONG-BO




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 48 of 102




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 49 of 102




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 50 of 102




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有铅明,此数华红用摄影测过之样只有景,同时此样只属是例如子。太极生土概太公司电荷实可,因可如公指制。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 51 of 102



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有铅明,此報华结甲攝影測建立幾只有著,同時世操具攝風內內干。大報华主權大公司書面對可,不可可以推測。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 52 of 102

SUMMARY OF RESULTS

7.1 **Decision rules**

Reported measurement data comply with Test Methodology in section 1.1. Determining compliance shall be based on the results of the compliance measurement, not taking into account measurement instrumentation uncertainty.

7.2 **Summary of SAR Results**

Δ\Λ/ΔΝ

AVVAN												
Mode	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max.	Measured Avg. Power	Duty cycle scaling	Power scaling	_	over 1g (W/kg)	ID
						Tolerance (dBm)	(dBm)	_	_	Measured	Reported	
WLAN 802.11b	Main	Bottom Surface	0	1	2412	17.50	17.43	1.011	101.62%	0.681	0.700	001
WLAN 802.11b	Main	Bottom Surface	0	6	2437	17.50	17.38	1.011	102.80%	0.625	0.650	-
WLAN 802.11b	Main	Bottom Surface	0	11	2462	17.50	17.13	1.011	108.89%	0.576	0.634	
Mode	Antenna	Position	Distance	Channel	Freq.	Max. Rated Avg. Power + Max.	Measured Avg. Power	Duty cycle	Power	Averaged SAR	over 1g (W/kg)	ID
woue	Antenna	PUSITION	(mm)	Charlie	(MHz)	Tolerance (dBm)	(dBm)	scaling	scaling	Measured	Reported	l ID
WLAN 802.11a 5.2G	Main	Bottom Surface	0	36	5180	17.00	16.94	1.042	101.39%	0.807	0.853	002
WLAN 802.11a 5.2G	Main	Bottom Surface	0	48	5240	17.00	16.99	1.042	100.23%	0.772	0.806	-
Repeated	Main	Bottom Surface	0	36	5180	17.00	16.94	1.042	101.39%	0.799	0.844	_
WLAN 802.11n(40M) 5.2G	Main	Bottom Surface	0	46	5230	17.00	16.70	1.024	107.15%	0.808	0.887	003
						Max. Rated Avg.	Measured					
Mode	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Power + Max. Tolerance (dBm)	Avg. Power (dBm)	Duty cycle scaling	Power scaling	Averaged SAR Measured	over 1g (W/kg) Reported	ID
WLAN 802.11n(40M) 5.3G	Main	Bottom Surface	0	54	5270	17.00	16.89	1.024	102.57%	0.714	0.750	004
WLAN 802.11ax(80M) 5.3G	Main	Bottom Surface	0	58	5290	17.00	16.91	1.015	102.09%	0.845	0.876	005
Mode	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Duty cycle scaling	Power scaling	Averaged SAR Measured	over 1g (W/kg)	ID
MI AN 000 11-(40M) F (C	Maria.	Datters Confess	-	124	F/70	,		1.024	101 1/0/		Reported 0.001	
WLAN 802.11n(40M) 5.6G	Main	Bottom Surface	0	134	5670	18.00	17.95	1.024	101.16%	0.947	0.981	00/
WLAN 802.11n(40M) 5.6G	Main	Bottom Surface	0	142	5710	18.00	17.96	1.024	100.93%	1.030	1.064	006
Repeated	Main	Bottom Surface	0	142	5710	18.00	17.96	1.024	100.93%	0.998	1.031	<u> </u>
WLAN 802.11ac(80M) 5.6G WLAN 802.11ac(80M) 5.6G	Main Main	Bottom Surface Bottom Surface	0	122	5610 5690	18.00 18.00	17.85 17.99	1.031	103.51% 100.23%	0.854	0.911	007
WLAN 802.11ac(80M) 5.6G	Main	Bottom Surface	0	138	2090			1.031	100.23%	0.955	0.987	007
Mode	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Duty cycle scaling	Power scaling	Averaged SAR Measured	over 1g (W/kg) Reported	ID
WLAN 802.11n(40M) 5.8G	Main	Bottom Surface	0	151	5755	18.50	18.49	1.024	100.23%	0.915	0.939	
WLAN 802.11n(40M) 5.8G	Main	Bottom Surface	0	159	5795	18.50	18.45	1.024	101.16%	0.949	0.983	008
Repeated	Main	Bottom Surface	0	159	5795	18.50	18.45	1.024	101.16%	0.927	0.960	-
<u>'</u>												
WLAN 802.11ac(80M) 5.8G	Main	Bottom Surface	0	155	5775	18.50	18.35	1.031	103.51%	0.967	1.032	009
Mode	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Duty cycle scaling	Power scaling	Averaged SAR Measured	over 1g (W/kg) Reported	ID
WLAN 802.11b	Aux	Bottom Surface	0	11	2462	17.50	17.47	1.011	100.69%	0.453	0.461	010
Mode	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max.	Measured Avg. Power	Duty cycle	Power		over 1g (W/kg)	ID
			(11111)		(IVII IZ)	Tolerance (dBm)	(dBm)	scaling	scaling	Measured	Reported	į.
BLE2M	Aux	Bottom Surface	0	0	2402	12.38	11.75	1.297	115.61%	0.159	0.238	011
Mode	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Duty cycle scaling	Power scaling		SAR over 1g //kg) Reported	ID
WLAN 802.11n(40M) 5.2G	Aux	Bottom Surface	0	46	5230	17.00	16.89	1.024	102.57%	0.706	0.741	012
WEAR 002.1111(40W) 3.20	Aux	Bottom Sarrace		70		Max. Rated Avg.	Measured					012
Mode	Antenna	Position	Distance	Channel	Freq. (MHz)	Power + Max.	Avg. Power	Duty cycle	Power	Averaged SAR	over 1g (W/kg)	ID
			(mm)		(IVIHZ)	Tolerance (dBm)	(dBm)	scaling	scaling	Measured	Reported	1
WLAN 802.11a 5.3G	Aux	Bottom Surface	0	60	5300	17.00	16.96	1.042	100.93%	0.821	0.863	013
WLAN 802.11a 5.3G	Aux	Bottom Surface	0	64	5320	17.00	16.90	1.042	102.33%	0.818	0.872	
Repeated	Aux	Bottom Surface	0	60	5300	17.00	16.96	1.042	100.93%	0.813	0.855	
												_
WLAN 802.11n(40M) 5.3G	Aux	Bottom Surface	0	54	5270	17.00	16.81	1.024	104.47%	0.755	0.808	-
WLAN 802.11n(40M) 5.3G	Aux	Bottom Surface	0	62	5310	17.00	16.89	1.024	102.57%	0.855	0.898	014
Mode	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Duty cycle scaling	Power scaling	_	over 1g (W/kg)	ID
M/I ANI 000 11e/40M) 5 / C	Auny	Rottom Surface		124	5670	18.00	17.94	1.024	101 2007	Measured 0.910	Reported	015
WLAN 802.11n(40M) 5.6G	Aux	Bottom Surface	0	134			-	1.024	101.39%		0.945	015
WLAN 802.11n(40M) 5.6G	Aux	Bottom Surface	0	142	5710	18.00	17.97 17.94	1.024	100.69%	0.901	0.929	-
Repeated												
,	Aux	Bottom Surface	0	134	5670	18.00	17.94	1.024	101.39%	0.903	0.938	-
WLAN 802.11ac(80M) 5.6G	Aux	Bottom Surface	0	134	56/0	18.00	17.94	1.024	101.39%	0.903	0.938	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

WLAN 802.11ac(80M) 5.6G



Page: 53 of 102

Mode	Antenna	Position	Distance	Channel	Freq.	Max. Rated Avg. Measured Power + Max. Avg. Power		Duty cycle	Power	Averaged SAR	over 1g (W/kg)	ID
			(mm)		(MHz)	Tolerance (dBm)	(dBm)	scaling	scaling	Measured	Reported	
WLAN 802.11n(40M) 5.8G	Aux	Bottom Surface	0	151	5755	18.50	18.49	1.024	100.23%	0.866	0.889	017
WLAN 802.11n(40M) 5.8G	Aux	Bottom Surface	0	159	5795	18.50	18.48	1.024	100.46%	0.821	0.845	-
Repeated	Aux	Bottom Surface	0	151	5755	18.50	18.49	1.024	100.23%	0.839	0.861	-
		,		•		,						•
WLAN 802.11ac(80M) 5.8G	Aux	Bottom Surface	0	155	5775	18.50	18.24	1.031	106.17%	0.793	0.868	018

HONG-RO

Mode	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max.	Measured Avg. Power	Duty cycle scaling	Power scaling		over 1g (W/kg)	ID
			` '		` ′	Tolerance (dBm)	(dBm)		=	Measured	Reported	
WLAN 802.11b	Main	Bottom Surface	0	1	2412	17.50	17.41	1.009	102.09%	0.497	0.512	-
WLAN 802.11b	Main	Bottom Surface	0	6	2437	17.50	17.40	1.009	102.33%	0.543	0.561	019
WLAN 802.11b	Main	Bottom Surface	0	11	2462	17.50	17.21	1.009	106.91%	0.530	0.572	-
Mode	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max.	Measured Avg. Power	Duty cycle scaling	Power scaling	Averaged SAR	over 1g (W/kg)	ID
			(11111)		(IVII IZ)	Tolerance (dBm)	(dBm)	Scaling	scamig	Measured	Reported	
WLAN 802.11n(40M) 5.2G	Main	Bottom Surface	0	46	5230	17.00	16.82	1.025	104.23%	0.425	0.454	020
Mode	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max.	Measured Avg. Power	Duty cycle scaling	Power scaling		over 1g (W/kg)	ID
					, ,	Tolerance (dBm)	(dBm)	_	-	Measured	Reported	
WLAN 802.11ax(80M) 5.3G	Main	Bottom Surface	0	58	5290	17.00	16.71	1.023	106.91%	0.449	0.491	021
Mode	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Duty cycle scaling	Power scaling	Averaged SAR Measured	over 1g (W/kg) Reported	ID
WLAN 802.11n(40M) 5.6G	Main	Bottom Surface	0	134	5670	18.00	17.96	1.025	100.93%	0.852	0.881	
WLAN 802.11n(40M) 5.6G WLAN 802.11n(40M) 5.6G	Main	Bottom Surface	0	142	5710	18.00	17.96	1.025	100.93%	0.652	0.946	022
Repeated Repeated	Main	Bottom Surface	0	142	5710	18.00	17.96	1.025	100.93%	0.914	0.946	- 022
WLAN 802.11ac(80M) 5.6G	Main	Bottom Surface	0	122	5610	18.00	17.96	1.023	103.51%	0.752	0.796	-
WLAN 802.11ac(80M) 5.6G	Main	Bottom Surface	0	138	5690	18.00	17.00	1.023	100.23%	0.752	0.798	023
WLAN 602.11dL(60W) 5.0G	IVIdIII	BUILDIN SUITACE	U	130	3090			1.023	100.23%			023
Mode	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Duty cycle scaling	Power scaling	Averaged SAR Measured	over 1g (W/kg) Reported	ID
WLAN 802.11n(40M) 5.8G	Main	Bottom Surface	0	151	5755	18.50	18.48	1.025	100.46%	1.080	1.112	024
WLAN 802.11n(40M) 5.8G	Main	Bottom Surface	0	159	5795	18.50	18.45	1.025	101.16%	1.060	1.099	-
Repeated		Bottom Surface	0	151	5755	18.50	18.48	1.025	100.46%	1.050	1.081	
WLAN 802.11ac(80M) 5.8G	Main	Bottom Surface	0	155	5775	18.50	18.41	1.025	102.09%	0.959	1.004	025
Mode	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max.	Measured Avg. Power	Duty cycle scaling	Power scaling	Averaged SAR	over 1g (W/kg)	ID
			(11111)		(IVII IZ)	Tolerance (dBm)	(dBm)	scaling	scaling	Measured	Reported	
WLAN 802.11b	Aux	Bottom Surface	0	11	2462	17.50	17.48	1.009	100.46%	0.416	0.422	026
Mode	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max.	Measured Avg. Power	Duty cycle scaling	Power scaling		over 1g (W/kg)	ID
					, ,	Tolerance (dBm)	(dBm)		_	Measured	Reported	
BLE_2M	Aux	Bottom Surface	0	0	2402	12.38	11.73	1.302	116.14%	0.164	0.248	027
Mode	Antenna	Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Duty cycle scaling	Power scaling		SAR over 1g /kg) Reported	ID
WLAN 802.11n(40M) 5.2G	Aux	Bottom Surface	0	46	5230	17.00	16.91	1.025	102.09%	0.701	0.734	028
Mode	Antenna	Position	Distance	Channel	Freq.	Max. Rated Avg. Power + Max.	Measured Avg. Power	Duty cycle	Power		over 1g (W/kg)	ID
			(mm)		(MHz)	Tolerance (dBm)	(dBm)	scaling	scaling	Measured	Reported	
WLAN 802.11n(40M) 5.3G	Aux	Bottom Surface	0	54	5270	17.00	16.81	1.025	104.47%	0.730	0.782	-
	Aux	Bottom Surface	0	62	5310	17.00	16.89	1.025	102.57%	0.807	0.848	029
WLAN 802.11n(40M) 5.3G							16.89	1.025	102.57%	0.782	0.822	
WLAN 802.11n(40M) 5.3G Repeated		Bottom Surface	0	62	5310	17.00	10.09					
	Antenna	Bottom Surface Position	Distance (mm)	62 Channel	Freq. (MHz)	Max. Rated Avg. Power + Max.	Measured Avg. Power	Duty cycle scaling	Power scaling		over 1g (W/kg)	ID
Repeated Mode		Position	Distance (mm)	Channel	Freq. (MHz)	Max. Rated Avg. Power + Max. Tolerance (dBm)	Measured Avg. Power (dBm)	Duty cycle scaling	Power scaling	Measured	Reported	
Repeated Mode WLAN 802.11n(40M) 5.6G	Aux	Position Bottom Surface	Distance (mm)	Channel	Freq. (MHz) 5670	Max. Rated Avg. Power + Max. Tolerance (dBm) 18.00	Measured Avg. Power (dBm) 17.95	Duty cycle scaling 1.025	Power scaling	Measured 0.955	Reported 0.990	-
Repeated Mode WLAN 802.11n(40M) 5.6G WLAN 802.11n(40M) 5.6G	Aux Aux	Position Bottom Surface Bottom Surface	Distance (mm)	Channel 134 142	Freq. (MHz) 5670 5710	Max. Rated Avg. Power + Max. Tolerance (dBm) 18.00	Measured Avg. Power (dBm) 17.95	Duty cycle scaling 1.025 1.025	Power scaling 101.16% 100.69%	Measured 0.955 1.000	Reported 0.990 1.032	- 030
Repeated Mode WLAN 802.11n(40M) 5.6G	Aux	Position Bottom Surface	Distance (mm)	Channel	Freq. (MHz) 5670	Max. Rated Avg. Power + Max. Tolerance (dBm) 18.00	Measured Avg. Power (dBm) 17.95	Duty cycle scaling 1.025	Power scaling	Measured 0.955	Reported 0.990	-
Repeated Mode WLAN 802.11n(40M) 5.6G WLAN 802.11n(40M) 5.6G Repeated	Aux Aux Aux	Position Bottom Surface Bottom Surface Bottom Surface	Distance (mm) 0 0 0	Channel 134 142 142	Freq. (MHz) 5670 5710	Max. Rated Avg. Power + Max. Tolerance (dBm) 18.00 18.00	Measured Avg. Power (dBm) 17.95 17.97	Duty cycle scaling 1.025 1.025 1.025	Power scaling 101.16% 100.69% 100.69%	Measured 0.955 1.000 0.967	Reported 0.990 1.032 0.998	030
Repeated Mode WLAN 802.11n(40M) 5.6G WLAN 802.11n(40M) 5.6G Repeated WLAN 802.11ac(80M) 5.6G	Aux Aux Aux Aux	Position Bottom Surface Bottom Surface Bottom Surface Bottom Surface	Distance (mm) 0 0 0 0	Channel 134 142 142 142	Freq. (MHz) 5670 5710 5710	Max. Rated Avg. Power + Max. Tolerance (dBm) 18.00 18.00 18.00	Measured Avg. Power (dBm) 17.95 17.97 17.97	Duty cycle scaling 1.025 1.025 1.025	Power scaling 101.16% 100.69% 100.69%	Measured 0.955 1.000 0.967 0.855	Reported 0.990 1.032 0.998	030
Repeated Mode WLAN 802.11n(40M) 5.6G WLAN 802.11n(40M) 5.6G Repeated WLAN 802.11ac(80M) 5.6G WLAN 802.11ac(80M) 5.6G	Aux Aux Aux	Position Bottom Surface Bottom Surface Bottom Surface Bottom Surface Bottom Surface	Distance (mm) 0 0 0 0 0	Channel 134 142 142 142 122 138	Freq. (MHz) 5670 5710 5710 5710 5610 5690	Max. Rated Avg. Power + Max. Tolerance (dBm) 18.00 18.00 18.00 18.00 18.00	Measured Avg. Power (dBm) 17.95 17.97 17.97	Duty cycle scaling 1.025 1.025 1.025 1.025	Power scaling 101.16% 100.69% 100.69% 101.39% 100.69%	Measured 0.955 1.000 0.967 0.855 1.090	Reported 0.990 1.032 0.998 0.889 1.125	030
Repeated Mode WLAN 802.11n(40M) 5.6G WLAN 802.11n(40M) 5.6G Repeated WLAN 802.11ac(80M) 5.6G	Aux Aux Aux Aux	Position Bottom Surface Bottom Surface Bottom Surface Bottom Surface	Distance (mm) 0 0 0 0	Channel 134 142 142 142	Freq. (MHz) 5670 5710 5710	Max. Rated Avg. Power + Max. Tolerance (dBm) 18.00 18.00 18.00 18.00 18.00	Measured Avg. Power (dBm) 17.95 17.97 17.97	Duty cycle scaling 1.025 1.025 1.025	Power scaling 101.16% 100.69% 100.69%	Measured 0.955 1.000 0.967 0.855	Reported 0.990 1.032 0.998	030
Repeated Mode WLAN 802.11n(40M) 5.6G WLAN 802.11n(40M) 5.6G Repeated WLAN 802.11ac(80M) 5.6G WLAN 802.11ac(80M) 5.6G	Aux Aux Aux Aux	Position Bottom Surface Bottom Surface Bottom Surface Bottom Surface Bottom Surface	Distance (mm) 0 0 0 0 0	Channel 134 142 142 142 122 138	Freq. (MHz) 5670 5710 5710 5710 5610 5690	Max. Rated Avg. Power + Max. Tolerance (dBm) 18.00 18.00 18.00 18.00 18.00	Measured Avg. Power (dBm) 17.95 17.97 17.97	Duty cycle scaling 1.025 1.025 1.025 1.025	Power scaling 101.16% 100.69% 100.69% 101.39% 100.69%	Measured 0.955 1.000 0.967 0.855 1.090 1.020	Reported 0.990 1.032 0.998 0.889 1.125	030

Note:

Reported SAR = measured SAR * Power scaling * Duty cycle scaling

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488



Page: 54 of 102

7.3 Reporting statements of conformity

The conformity statement in this report is based solely on the test results, measurement uncertainty is excluded.

7.4 Conclusion

The device is compliant because all the standalone results are less than their corresponding

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有铅明,此数些结甲磺酚酮过少样具色素,同既此样具属是例如于。大数些主领太公司事而纯可,不可如必遏制。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488

SGS Taiwan Ltd.



Page: 55 of 102

8 SIMULTANEOUS TRANSMISSION ANALYSIS

8.1 Simultaneous Transmission Scenarios:

Simultaneous Transmit Configurations	Body
WLAN 2.4GHz Main + BT Aux	Yes
WLAN 2.4GHz Main + WLAN 2.4GHz Aux	Yes
WLAN 5GHz Main + BT Aux	Yes
WLAN 5GHz Main + WLAN 5GHz Aux	Yes
WLAN 5GHz Main + WLAN 5GHz Aux + BT Aux	Yes

Note:

- 1. Bluetooth and WLAN Aux share the same antenna path, and BT can transmit with WLAN Main simultaneously.
- 2. For 2.4/5GHz WLAN Main and Aux antennas, the maximum output power of each antenna during simultaneous transmission is the same with or less than that used in standalone transmission, and we used the sum of 1-g SAR provision in KDB447498D01 to exclude the simultaneous transmitted SAR measurement.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 险非只有的明,此想些结果做新测验之缘具负责,同时此模具做是例如于。木型生产概率公司事面纯可,不可可以推测。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488

SGS Taiwan Ltd.



Page: 56 of 102

8.2 Estimated SAR calculation

According to KDB447498 D01v06 – When standalone SAR test exclusion applies to an antenna that transmits simultaneously with other antennas, the standalone SAR must be estimated according to following to determine simultaneous transmission SAR test exclusion:

Estimated SAR =
$$\frac{\text{Max. tune up power (mW)}}{\text{Min. test separation distance(mm)}} \times \frac{\sqrt{\text{f(GHz)}}}{7.5}$$

If the minimum test separation distance is < 5mm, a distance of 5mm is used for estimated SAR calculation. When the test separation distance is >50mm, the 0.4W/kg is used for SAR-1g.

8.3 SPLSR evaluation and analysis

Per KDB447498D01, when the sum of SAR is larger than the limit, SAR test exclusion is determined by the SAR sum to peak location separation ratio(SPLSR).

The simultaneous transmitting antennas in each operating mode and exposure condition combination must be considered one pair at a time to determine the SAR to peak location separation ratio to qualify for test exclusion.

The ratio is determined by (SAR1 + SAR2)^1.5/Ri, rounded to two decimal digits, and must be ≤ 0.04 for all antenna pairs in the configuration to qualify for 1-g SAR test exclusion.

SAR1 and SAR2 are the highest reported or estimated SAR for each antenna in the pair, and Ri is the separation distance between the peak SAR locations for the antenna pair in mm.

When standalone test exclusion applies, SAR is estimated; the peak location is assumed to be at the feed-point or geometric center of the antenna.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司




Page: 57 of 102

Simultaneous Transmission Combination

~~~~													
			F	CC Reported SAR			Scenario 1	Scenario 2	Scenario 3	Scenario 4	Scenario 5		
		2	3	4	5	7	2+7	2+3	4+7	4+5	4+5+7		
Exposure Po	Exposure Position		2.4GHz WLAN chain 1	5GHz WLAN chain 0	5GHz WLAN chain 1	Bluetooth chain 1	Summed	Summed	Summed	Summed	Summed	SPLSR	
		1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)		
Bottom Surface	0	0.700	0.461	1.064	1.004	0.238	0.938	1.161	1.302	2.068	2.306	Analyzed as below	
Scenario 5:													
Position	Con	SAR ditions Value		(	Coordinates (cm)				Peak cation	SPLSR	Simultaneous		
POSITION	Conc	utilons	Value (W/kg)	Х	у	Z	(W/kg)		aration nce (mm)	SPLSK		Transmission SAR Test	
Bottom	WLAN	5G Main	1.064	-8.28	15.50	-17.70	-		-	-		-	
Surface	WLAN 5	G Aux+BT	1.242	-9.74	-15.08	-17.70	2.306	30	)6.15	0.011		≤ 0.04, equired	

*For peak SAR location of WLAN Aux + BT, using the peak SAR location with smallest separation distance between WLAN Main - WLAN Aux pair and WLAN Main - BT pair to be the worst case condition.



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488




Page: 58 of 102

## **HONG-BO**

				FCC Reported SAR			Scenario 1	Scenario 2	Scenario 3	Scenario 4	Scenario 5	
Exposure Position		2	3	4	5	7	2+7	2+3	4+7	4+5	4+5+7	
		2.4GHz WLAN chain 0	2.4GHz WLAN chain 1	5GHz WLAN chain 0	5GHz WLAN chain 1	Bluetooth chain 1	Summed	Summed	Summed	Summed	Summed	SPLSR
		1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)	1g SAR (W/kg)					
Bottom Surface	0	0.572	0.422	1.112	1.125	0.248	0.820	0.994	1.360	2.237	2.485	Analyzed as below

	Scenario 5:										
Position	Conditions	SAR Value	Coordinates (cm)			ΣSAR	Peak Location	SPLSR	Simultaneous Transmission SAR		
POSITION	Conditions	(W/kg)	Х	у	Z	(W/kg)	Separation Distance (mm)	SPLSK	Test		
Bottom	WLAN 5G Main	1.112	-10.10	14.56	-17.70	-	-	-	-		
Surface	WLAN 5G Aux + BT	1.373	-9.90	-15.08	-17.70	2.485	296.41	0.013	SPLSR ≤ 0.04, Not required		

^{*}For peak SAR location of WLAN Aux + BT, using the peak SAR location with smallest separation distance between WLAN Main - WLAN Aux pair and WLAN Main - BT pair to be the worst case condition.



# 8.4 Conclusion

The simultaneous transmission is compliant because both SAR sum and/or SPLSR are less than their corresponding criteria.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除业只有约明,此程生处用度外侧经少量,同时此类早度内向的工,大规生土领土公司事富统司,不可如公海侧。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 59 of 102

# **INSTRUMENTS LIST**

		Equi	pment List		
Manufacturer	Device	Туре	Serial number	Date of last calibration	Date of next calibration
SPEAG	Data acquisition Electronics	DAE4	1719	Mar/25/2022	Mar/24/2023
SPEAG	Dosimetric E-Field Probe	EX3DV4	7712	Mar/21/2022	Mar/20/2023
SPEAG	System Validation Dipole	D2450V2	727	Apr/25/2022	Apr/24/2023
SPEAG	System Validation Dipole	D5GHzV2	1023	Jan/27/2022	Jan/26/2023
SPEAG	Dielectric Assessment Kit	DAKS-3.5	1053	Feb/28/2022	Feb/27/2023
Agilent	MXG Analog Signal Generator	N5181A	MY50144143	May/19/2022	May/18/2023
Agilent	Dual-directional coupler	778D	MY46151242	Aug/30/2022	Aug/29/2023
Agilent	Dual-directional coupler	772D	MY52180142	Oct/19/2022	Oct/18/2023
EMCI	Amplifier	ZHL-42	980189	Calibration not required	Calibration not required
EMCI	Amplifier	ZVE-8G	980190	Calibration not required	Calibration not required
R&S	Power Sensor	NRP18S	101973	Jan/22/2022	Jan/21/2023
R&S	Power Sensor	NRP18S	101358	Jan/22/2022	Jan/21/2023
R&S	Power Meter	NRX	102191	Jan/22/2022	Jan/21/2023
SPEAG	Software	DASY 8 V16.0.2.83	N/A	Calibration not required	Calibration not required
SPEAG	Phantom	ELI	N/A	Calibration not required	Calibration not required
TECPEL	Digital thermometer	DTM-303A	TP130077	Sep/29/2022	Sep/28/2023
LKM	Digital thermometer	DTM3000	EC14010603	Sep/27/2022	Sep/26/2023

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司



Page: 60 of 102

# **10 UNCERTAINTY BUDGET**

Measurement Uncertainty evaluation template for DUT SAR test (3-6G)

А	С	D	е		f	g	h=c * f / e	i=c * g / e	k
Source of Uncertainty	Tolerance/ Uncertainty	Probability Distributio	Div	Div Value	ci (1g)	ci (10g)	Standard uncertainty	Standard uncertainty	vi, or Veff
Measurement system									
Probe calibration	6.55%	N	1	1	1	1	6.55%	6.55%	œ
Isotropy , Axial	3.50%	R	√3	1.732	1	1	2.02%	2.02%	œ
Isotropy, Hemispherical	9.60%	R	√3	1.732	1	1	5.54%	5.54%	8
Modulation Response	2.40%	R	√3	1.732	1	1	1.40%	1.40%	00
Boundary Effect	1.00%	R	√3	1.732	1	1	0.58%	0.58%	00
Linearity	4.70%	R	√3	1.732	1	1	2.71%	2.71%	00
Detection Limits	1.00%	R	√3	1.732	1	1	0.58%	0.58%	œ
Readout Electronics	0.30%	N	1	1	1	1	0.30%	0.30%	00
Response time	0.80%	R	√3	1.732	1	1	0.46%	0.46%	œ
Integration Time	2.60%	R	√3	1.732	1	1	1.50%	1.50%	00
Measurement drift (class A evaluation)	1.75%	R	√3	1.732	1	1	1.01%	1.01%	œ
RF ambient condition - noise	3.00%	R	√3	1.732	1	1	1.73%	1.73%	œ
RF ambient conditions - reflections	3.00%	R	√3	1.732	1	1	1.73%	1.73%	œ
Probe positioner Mechanical restrictions	0.40%	R	√3	1.732	1	1	0.23%	0.23%	œ
Probe Positioning with respect to phantom shell	2.90%	R	√3	1.732	1	1	1.67%	1.67%	00
Post-processing	1.00%	R	√3	1.732	1	1	0.58%	0.58%	∞
Max SAR Eval	1.00%	R	√3	1.732	1	1	0.58%	0.58%	00
Test Sample related									
Test sample positioning	2.90%	N	1	1	1	1	2.90%	2.90%	M-1
Device Holder Uncertainty	3.60%	N	1	1	1	1	3.60%	3.60%	M-1
Drift of output power	5.00%	R	√3	1.732	1	1	2.89%	2.89%	00
Phantom and Setup									
Phantom Uncertainty	4.00%	R	√3	1.732	1	1	2.31%	2.31%	∞
Liquid permittivity (mea.)	2.58%	N	1	1	0.64	0.43	1.65%	1.11%	М
Liquid Conductivity (mea.)	2.28%	N	1	1	0.6	0.49	1.37%	1.12%	М
Combined standard uncertainty		RSS					11.91%	11.81%	
Expant uncertainty (95% confidence interval), K=2							23.82%	23.62%	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除北只方的时,此就是处理度保护的关键中含素,同时此类早度保护的大学,未就是土壤土壤土人司事富统可,无可如此推测。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Talwan Ltd. _| No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



Page: 61 of 102

Measurement Uncertainty evaluation template for DUT SAR test (0.3-3G)

A	С	D	е		f	g	h=c * f / e	i=c * g / e	k
Source of Uncertainty	Tolerance/ Uncertainty	Probability Distributio	Div	Div Value	ci (1g)	ci (10g)	Standard uncertainty	Standard uncertainty	vi, or Veff
Measurement system									
Probe calibration	6.00%	N	1	1	1	1	6.00%	6.00%	∞
Isotropy , Axial	3.50%	R	√3	1.732	1	1	2.02%	2.02%	∞
Isotropy, Hemispherical	9.60%	R	√3	1.732	1	1	5.54%	5.54%	∞
Modulation Response	2.40%	R	√3	1.732	1	1	1.40%	1.40%	∞
Boundary Effect	1.00%	R	√3	1.732	1	1	0.58%	0.58%	∞
Linearity	4.70%	R	√3	1.732	1	1	2.71%	2.71%	∞
Detection Limits	1.00%	R	√3	1.732	1	1	0.58%	0.58%	∞
Readout Electronics	0.30%	N	1	1	1	1	0.30%	0.30%	∞
Response time	0.80%	R	√3	1.732	1	1	0.46%	0.46%	∞
Integration Time	2.60%	R	√3	1.732	1	1	1.50%	1.50%	∞
Measurement drift (class A evaluation)	1.75%	R	√3	1.732	1	1	1.01%	1.01%	∞
RF ambient condition - noise	3.00%	R	√3	1.732	1	1	1.73%	1.73%	∞
RF ambient conditions - reflections	3.00%	R	√3	1.732	1	1	1.73%	1.73%	∞
Probe positioner Mechanical restrictions	0.40%	R	√3	1.732	1	1	0.23%	0.23%	∞
Probe Positioning with respect to phantom shell	2.90%	R	√3	1.732	1	1	1.67%	1.67%	∞
Post-processing	1.00%	R	√3	1.732	1	1	0.58%	0.58%	∞
Max SAR Eval	1.00%	R	√3	1.732	1	1	0.58%	0.58%	8
Test Sample related									
Test sample positioning	2.90%	N	1	1	1	1	2.90%	2.90%	M-1
Device Holder Uncertainty	3.60%	N	1	1	1	1	3.60%	3.60%	M-1
Drift of output power	5.00%	R	√3	1.732	1	1	2.89%	2.89%	8
Phantom and Setup									
Phantom Uncertainty	4.00%	R	√3	1.732	1	1	2.31%	2.31%	∞
Liquid permittivity (mea.)	2.27%	N	1	1	0.64	0.43	1.45%	0.98%	М
Liquid Conductivity (mea.)	2.74%	N	1	1	0.6	0.49	1.64%	1.34%	М
Combined standard uncertainty		RSS					11.63%	11.53%	
Expant uncertainty (95% confidence interval), K=2							23.25%	23.06%	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 62 of 102

# 11 SAR MEASUREMENT RESULTS

ID: 001

Report No.: TESA2208000311E5

Measurement Report for (AWAN), WLAN 802.11b_Body_Bottom Surface_CH 1_0mm_Main

Ambient temperature: 22.2°C; Liquid temperature: 21.6°C

**Exposure Conditions** 

Phantom Section, TSL	Position, Test Distance [mm]	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat, HSL	Bottom Surface, 0.00	2412.0, 1	8.16	1.814	40.157

**Hardware Setup** 


Phantom	Probe, Calibration Date	DAE, Calibration Date
ELI	EX3DV4 - SN7712, 2022-03-21	DAE4 Sn1719, 2022-03-25

**Scans Setup** 

·	Area Scan	Zoom Scan
Grid Extents [mm]	120.0 x 96.0	30.0 x 30.0 x 30.0
Grid Steps [mm]	12.0 x 12.0	5.0 x 5.0 x 5.0
Sensor Surface [mm]	3.0	1.4

#### **Measurement Results**

	Area Scan	Zoom Scan
Date	2022-11-14	2022-11-14
psSAR1g [W/kg]	0.665	0.681
psSAR8g [W/kg]	0.373	0.395
psSAR10g [W/kg]	0.343	0.365
Power Drift [dB]	0.06	0.05
M2/M1 [%]		57.7
Dist 3dB Peak [mm]		11.4



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 险非只有的明,此想些结果做新测验之缘具负责,同时此模具做是例如于。木型生产概率公司事面纯可,不可可以推测。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 63 of 102

ID: 002

Report No.: TESA2208000311E5

Measurement Report for (AWAN), WLAN 802.11a 5.2G_Body_Bottom Surface_CH 36_0mm_Main

Ambient temperature: 22.3; Liquid temperature: 21.7

**Exposure Conditions** 

Pha	antom Section, TSL	Position, Test Distance [mm]	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat	, HSL	Bottom Surface, 0.00	5180.0, 36	5.94	4.742	36.898

**Hardware Setup** 


Phantom	Probe, Calibration Date	DAE, Calibration Date
ELI	EX3DV4 - SN7712, 2022-03-21	DAE4 Sn1719, 2022-03-25

**Scans Setup** 

	Area Scan	Zoom Scan
Grid Extents [mm]	120.0 x 80.0	24.0 x 24.0 x 22.0
Grid Steps [mm]	10.0 x 10.0	4.0 x 4.0 x 2.0
Sensor Surface [mm]	3.0	1.4

#### **Measurement Results**

	Area Scan	Zoom Scan
Date	2022-11-15	2022-11-15
psSAR1g [W/kg]	0.696	0.807
psSAR8g [W/kg]	0.298	0.230
psSAR10g [W/kg]	0.266	0.202
Power Drift [dB]	-0.05	0.03
M2/M1 [%]		64.6
Dist 3dB Peak [mm]		8.8



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有的时,他都是好用魔影测验之样只有害,同时他接见魔鬼匆匆子。木都些主领大八司事而验可,不可如以推测。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

303 falwari Eta.



Page: 64 of 102

ID: 003

Report No.: TESA2208000311E5

Measurement Report for (AWAN), WLAN 802.11n(40M) 5.2G_Body_Bottom Surface_CH 46_0mm_Main

Ambient temperature: 22.3; Liquid temperature: 21.7

**Exposure Conditions** 

Phantom Section, TSL	Position, Test Distance [mm]	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat, HSL	Bottom Surface, 0.00	5230.0, 46	5.94	4.794	36.84

**Hardware Setup** 


Phantom	Probe, Calibration Date	DAE, Calibration Date
ELI	EX3DV4 - SN7712, 2022-03-21	DAE4 Sn1719, 2022-03-25

**Scans Setup** 

	Area Scan	Zoom Scan
Grid Extents [mm]	120.0 x 80.0	24.0 x 24.0 x 22.0
Grid Steps [mm]	10.0 x 10.0	4.0 x 4.0 x 2.0
Sensor Surface [mm]	3.0	1.4

#### **Measurement Results**

	Area Scan	Zoom Scan
Date	2022-11-15	2022-11-15
psSAR1g [W/kg]	0.761	0.808
psSAR8g [W/kg]	0.308	0.242
psSAR10g [W/kg]	0.273	0.212
Power Drift [dB]	0.01	0.06
M2/M1 [%]		67.5
Dist 3dB Peak [mm]		9.3



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 65 of 102

ID: 004

Report No.: TESA2208000311E5

Measurement Report for (AWAN), WLAN 802.11n(40M) 5.3G_Body_Bottom Surface_CH 54_0mm_Main

Ambient temperature: 22.3; Liquid temperature: 21.7

**Exposure Conditions** 

Р	hantom Section, TSL	Position, Test Distance [mm]	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
F	at, HSL	Bottom Surface, 0.00	5270.0, 54	5.94	4.836	36.795

Hardware Setup


Phantom	Probe, Calibration Date	DAE, Calibration Date
ELI	EX3DV4 - SN7712. 2022-03-21	DAE4 Sn1719. 2022-03-25

**Scans Setup** 

	Area Scan	Zoom Scan
Grid Extents [mm]	120.0 x 80.0	24.0 x 24.0 x 22.0
Grid Steps [mm]	10.0 x 10.0	4.0 x 4.0 x 2.0
Sensor Surface [mm]	3.0	1.4

#### **Measurement Results**

	Area Scan	Zoom Scan
Date	2022-11-15	2022-11-15
psSAR1g [W/kg]	0.625	0.714
psSAR8g [W/kg]	0.266	0.227
psSAR10g [W/kg]	0.237	0.200
Power Drift [dB]	0.04	-0.04
M2/M1 [%]		63.8
Dist 3dB Peak [mm]		8.8



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有铅明,此報华结甲攝影測建立幾只有著,同時世操具攝風內內干。大報华主權大公司書面對可,不可可以推測。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司



Page: 66 of 102

ID: 005

Report No.: TESA2208000311E5

Measurement Report for (AWAN), WLAN 802.11ax(80M) 5.3G_Body_Bottom Surface_CH 58_0mm_Main

Ambient temperature: 22.3; Liquid temperature: 21.7

**Exposure Conditions** 

Р	hantom Section, TSL	Position, Test Distance [mm]	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
FI	at, HSL	Bottom Surface, 0.00	5290.0, 58	5.94	4.857	36.772

Hardware Setup


Phantom	Probe, Calibration Date	DAE, Calibration Date
ELI	EX3DV4 - SN7712. 2022-03-21	DAE4 Sn1719. 2022-03-25

**Scans Setup** 

	Area Scan	Zoom Scan
Grid Extents [mm]	120.0 x 80.0	24.0 x 24.0 x 22.0
Grid Steps [mm]	10.0 x 10.0	4.0 x 4.0 x 2.0
Sensor Surface [mm]	3.0	1.4

#### **Measurement Results**

	Area Scan	Zoom Scan
Date	2022-11-15	2022-11-15
psSAR1g [W/kg]	0.744	0.845
psSAR8g [W/kg]	0.317	0.274
psSAR10g [W/kg]	0.284	0.241
ower Drift [dB]	0.03	0.03
M2/M1 [%]		67.4
Dist 3dB Peak [mm]		8.8



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 险非只有的明,此想些结果做新测验之缘具负责,同时此模具做是例如于。木型生产概率公司事面纯可,不可可以推测。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

S Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

www.sqs.com.tw



Page: 67 of 102

ID: 006

Report No.: TESA2208000311E5

Measurement Report for (AWAN), WLAN 802.11n(40M) 5.6G_Body_Bottom Surface_CH 142_0mm_Main

Ambient temperature: 22.3; Liquid temperature: 21.7

**Exposure Conditions** 

Phantom Section, TSL	Position, Test Distance [mm]	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat, HSL	Bottom Surface, 0.00	5710.0, 142	5.45	5.296	36.292

**Hardware Setup** 


Phantom	Probe, Calibration Date	DAE, Calibration Date
ELI	EX3DV4 - SN7712, 2022-03-21	DAE4 Sn1719, 2022-03-25

**Scans Setup** 

	Area Scan	Zoom Scan
Grid Extents [mm]	80.0 x 120.0	24.0 x 24.0 x 22.0
Grid Steps [mm]	10.0 x 10.0	4.0 x 4.0 x 2.0
Sensor Surface [mm]	3.0	1.4

#### **Measurement Results**

	Area Scan	Zoom Scan
Date	2022-11-15	2022-11-15
psSAR1g [W/kg]	1.02	1.03
psSAR8g [W/kg]	0.418	0.435
psSAR10g [W/kg]	0.375	0.392
Power Drift [dB]	0.05	0.06
M2/M1 [%]		56.3
Dist 3dB Peak [mm]		9.6



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 68 of 102

ID: 007

Report No.: TESA2208000311E5

Measurement Report for (AWAN), WLAN 802.11ac(80M) 5.6G_Body_Bottom Surface_CH 138_0mm_Main

Ambient temperature: 22.3; Liquid temperature: 21.7

**Exposure Conditions** 

Phantom Section, TSL	Position, Test Distance [mm]	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat, HSL	Bottom Surface, 0.00	5690.0, 138	5.45	5.275	36.315

Hardware Setup


Phantom	Probe, Calibration Date	DAE, Calibration Date
ELI	EX3DV4 - SN7712. 2022-03-21	DAE4 Sn1719. 2022-03-25

**Scans Setup** 

	Area Scan	Zoom Scan
Grid Extents [mm]	100.0 x 120.0	24.0 x 24.0 x 22.0
Grid Steps [mm]	10.0 x 10.0	4.0 x 4.0 x 2.0
Sensor Surface [mm]	3.0	1.4

#### **Measurement Results**

	Area Scan	Zoom Scan
Date	2022-11-15	2022-11-15
psSAR1g [W/kg]	0.847	0.955
psSAR8g [W/kg]	0.385	0.405
psSAR10g [W/kg]	0.350	0.365
Power Drift [dB]	0.04	-0.06
M2/M1 [%]		61.8
Dist 3dB Peak [mm]		9.1



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 69 of 102

ID: 008

Report No.: TESA2208000311E5

Measurement Report for (AWAN), WLAN 802.11n(40M) 5.8G_Body_Bottom Surface_CH 159_0mm_Main

Ambient temperature: 22.3; Liquid temperature: 21.7

**Exposure Conditions** 

Phan	tom Section, TSL	Position, Test Distance [mm]	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat, I	HSL	Bottom Surface, 0.00	5795.0, 159	5.45	5.385	36.195

**Hardware Setup** 


Phantom	Probe, Calibration Date	DAE, Calibration Date
ELI	EX3DV4 - SN7712, 2022-03-21	DAE4 Sn1719, 2022-03-25

**Scans Setup** 

	Area Scan	Zoom Scan
Grid Extents [mm]	80.0 x 120.0	24.0 x 24.0 x 22.0
Grid Steps [mm]	10.0 x 10.0	4.0 x 4.0 x 2.0
Sensor Surface [mm]	3.0	1.4

#### **Measurement Results**

	Area Scan	Zoom Scan
Date	2022-11-15	2022-11-15
psSAR1g [W/kg]	0.907	0.949
psSAR8g [W/kg]	0.394	0.404
psSAR10g [W/kg]	0.359	0.366
Power Drift [dB]	-0.06	-0.01
M2/M1 [%]		60.0
Dist 3dB Peak [mm]		8.7



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 f (886-2) 2298-0488 www.sqs.com.tw



Page: 70 of 102

ID: 009

Report No.: TESA2208000311E5

Measurement Report for (AWAN), WLAN 802.11ac(80M) 5.8G_Body_Bottom Surface_CH 155_0mm_Main

Ambient temperature: 22.3; Liquid temperature: 21.7

**Exposure Conditions** 

Ph	antom Section, TSL	Position, Test Distance [mm]	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Fla	it, HSL	Bottom Surface, 0.00	5775.0, 155	5.45	5.364	36.218

Hardware Setup


Phantom	Probe, Calibration Date	DAE, Calibration Date
ELI	EX3DV4 - SN7712. 2022-03-21	DAE4 Sn1719. 2022-03-25

**Scans Setup** 

	Area Scan	Zoom Scan
Grid Extents [mm]	80.0 x 120.0	24.0 x 24.0 x 22.0
Grid Steps [mm]	10.0 x 10.0	4.0 x 4.0 x 2.0
Sensor Surface [mm]	3.0	1.4

#### **Measurement Results**

	Area Scan	Zoom Scan
Date	2022-11-15	2022-11-15
psSAR1g [W/kg]	0.925	0.967
psSAR8g [W/kg]	0.374	0.396
psSAR10g [W/kg]	0.337	0.356
Power Drift [dB]	-0.02	0.04
M2/M1 [%]		61.7
Dist 3dB Peak [mm]		9.1



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 71 of 102

ID: 010

Report No.: TESA2208000311E5

Measurement Report for (AWAN), WLAN 802.11b_Body_Bottom Surface_CH 11_0mm_Aux

Ambient temperature: 22.2°C; Liquid temperature: 21.6°C

**Exposure Conditions** 

Р	hantom Section, TSL	Position, Test Distance [mm]	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
F	lat, HSL	Bottom Surface, 0.00	2462.0, 11	8.16	1.858	40.074

**Hardware Setup** 


Phantom	Probe, Calibration Date	DAE, Calibration Date
ELI	EX3DV4 - SN7712, 2022-03-21	DAE4 Sn1719, 2022-03-25

**Scans Setup** 

	Area Scan	Zoom Scan
Grid Extents [mm]	120.0 x 96.0	30.0 x 30.0 x 30.0
Grid Steps [mm]	12.0 x 12.0	5.0 x 5.0 x 5.0
Sensor Surface [mm]	3.0	1.4

#### **Measurement Results**

	Area Scan	Zoom Scan
Date	2022-11-14	2022-11-14
psSAR1g [W/kg]	0.430	0.453
psSAR8g [W/kg]	0.233	0.254
psSAR10g [W/kg]	0.213	0.233
Power Drift [dB]	0.04	-0.04
M2/M1 [%]		55.3
Dist 3dB Peak [mm]		11.2



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 72 of 102

Report No.: TESA2208000311E5

Measurement Report for (AWAN), BLE2M_Body_Bottom Surface_CH 0_0mm_Aux

Ambient temperature: 22.2°C; Liquid temperature: 21.6°C

**Exposure Conditions** 

Phantom Section, TSL	Position, Test Distance [mm]	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat, HSL	Bottom Surface, 0.00	2402.0, 0	8.16	1.806	40.174

**Hardware Setup** 


Phantom	Probe, Calibration Date	DAE, Calibration Date
ELI	EX3DV4 - SN7712, 2022-03-21	DAE4 Sn1719, 2022-03-25

**Scans Setup** 

	Area Scan	Zoom Scan
Grid Extents [mm]	96.0 x 120.0	30.0 x 30.0 x 30.0
Grid Steps [mm]	12.0 x 12.0	5.0 x 5.0 x 5.0
Sensor Surface [mm]	3.0	1.4

#### **Measurement Results**

	Area Scan	Zoom Scan
Date	2022-11-14	2022-11-14
psSAR1g [W/kg]	0.143	0.159
psSAR8g [W/kg]	0.080	0.088
psSAR10g [W/kg]	0.073	0.080
Power Drift [dB]	0.02	0.01
M2/M1 [%]		54.4
Dist 3dB Peak [mm]		10.6



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 73 of 102

Report No.: TESA2208000311E5

Measurement Report for (AWAN), WLAN 802.11n(40M) 5.2G_Body_Bottom Surface_CH 46_0mm_Aux

Ambient temperature: 22.3; Liquid temperature: 21.7

**Exposure Conditions** 

Phantom Section, TSL	Position, Test Distance [mm]	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat, HSL	Bottom Surface, 0.00	5230.0, 46	5.94	4.794	36.84

**Hardware Setup** 


Phantom	Probe, Calibration Date	DAE, Calibration Date
ELI	EX3DV4 - SN7712. 2022-03-21	DAE4 Sn1719. 2022-03-25

**Scans Setup** 

	Area Scan	Zoom Scan
Grid Extents [mm]	80.0 x 120.0	24.0 x 24.0 x 22.0
Grid Steps [mm]	10.0 x 10.0	4.0 x 4.0 x 2.0
Sensor Surface [mm]	3.0	1.4

#### **Measurement Results**

	Area Scan	Zoom Scan
Date	2022-11-15	2022-11-15
psSAR1g [W/kg]	0.588	0.706
psSAR8g [W/kg]	0.255	0.277
psSAR10g [W/kg]	0.228	0.243
Power Drift [dB]	0.02	0.03
M2/M1 [%]		62.7
Dist 3dB Peak [mm]		8.2



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 74 of 102

ID: 013

Report No.: TESA2208000311E5

Measurement Report for (AWAN), WLAN 802.11a 5.3G_Body_Bottom Surface_CH 60_0mm_Aux

Ambient temperature: 22.3; Liquid temperature: 21.7

**Exposure Conditions** 

Phantom Section, TSL	Position, Test Distance [mm]	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat, HSL	Bottom Surface, 0.00	5300.0, 60	5.94	4.867	36.76

Hardware Setup


Phantom	Probe, Calibration Date	DAE, Calibration Date
ELI	EX3DV4 - SN7712, 2022-03-21	DAE4 Sn1719, 2022-03-25

**Scans Setup** 

	Area Scan	Zoom Scan
Grid Extents [mm]	80.0 x 120.0	24.0 x 24.0 x 22.0
Grid Steps [mm]	10.0 x 10.0	4.0 x 4.0 x 2.0
Sensor Surface [mm]	3.0	1.4

#### **Measurement Results**

	Area Scan	Zoom Scan
Date	2022-11-15	2022-11-15
psSAR1g [W/kg]	0.686	0.821
psSAR8g [W/kg]	0.291	0.316
psSAR10g [W/kg]	0.259	0.277
Power Drift [dB]	0.04	0.01
M2/M1 [%]		59.8
Dist 3dB Peak [mm]		8.4



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 75 of 102

ID: 014

Report No.: TESA2208000311E5

Measurement Report for (AWAN), WLAN 802.11n(40M) 5.3G_Body_Bottom Surface_CH 62_0mm_Aux

Ambient temperature: 22.3; Liquid temperature: 21.7

**Exposure Conditions** 

Phantom Section, TSL	Position, Test Distance [mm]	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat, HSL	Bottom Surface, 0.00	5310.0, 62	5.94	4.878	36.749

Hardware Setup


Phantom	Probe, Calibration Date	DAE, Calibration Date
ELI	EX3DV4 - SN7712. 2022-03-21	DAE4 Sn1719. 2022-03-25

**Scans Setup** 

	Area Scan	Zoom Scan
Grid Extents [mm]	80.0 x 120.0	24.0 x 24.0 x 22.0
Grid Steps [mm]	10.0 x 10.0	4.0 x 4.0 x 2.0
Sensor Surface [mm]	3.0	1.4

#### **Measurement Results**

	Area Scan	Zoom Scan
Date	2022-11-15	2022-11-15
psSAR1g [W/kg]	0.725	0.855
psSAR8g [W/kg]	0.307	0.328
psSAR10g [W/kg]	0.273	0.288
Power Drift [dB]	-0.04	-0.04
M2/M1 [%]		60.1
Dist 3dB Peak [mm]		8.2



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 76 of 102

Report No.: TESA2208000311E5

Measurement Report for (AWAN), WLAN 802.11n(40M) 5.6G_Body_Bottom Surface_CH 134_0mm_Aux

Ambient temperature: 22.3; Liquid temperature: 21.7

**Exposure Conditions** 

Phantom Section	TSL Position	n, Test Distance [mm]	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat, HSL	Bottom	Surface, 0.00	5670.0, 134	5.29	5.255	36.338

Hardware Setup


Phantom	Probe, Calibration Date	DAE, Calibration Date
ELI	EX3DV4 - SN7712. 2022-03-21	DAE4 Sn1719. 2022-03-25

**Scans Setup** 

	Area Scan	Zoom Scan
Grid Extents [mm]	80.0 x 120.0	24.0 x 24.0 x 22.0
Grid Steps [mm]	10.0 x 10.0	4.0 x 4.0 x 2.0
Sensor Surface [mm]	3.0	1.4

# **Measurement Results**

	Area Scan	Zoom Scan
Date	2022-11-15	2022-11-15
psSAR1g [W/kg]	0.785	0.910
psSAR8g [W/kg]	0.324	0.358
psSAR10g [W/kg]	0.289	0.317
Power Drift [dB]	0.03	0.04
M2/M1 [%]		57.5
Dist 3dB Peak [mm]		8.4



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 77 of 102

ID: 016

Report No.: TESA2208000311E5

Measurement Report for (AWAN), WLAN 802.11ac(80M) 5.6G_Body_Bottom Surface_CH 138_0mm_Aux

Ambient temperature: 22.3; Liquid temperature: 21.7

**Exposure Conditions** 

Phantom Section, TSL	Position, Test Distance [mm]	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat, HSL	Bottom Surface, 0.00	5690.0, 138	5.45	5.275	36.315

Hardware Setup


Phantom	Probe, Calibration Date	DAE, Calibration Date
ELI	EX3DV4 - SN7712. 2022-03-21	DAE4 Sn1719. 2022-03-25

**Scans Setup** 

	Area Scan	Zoom Scan
Grid Extents [mm]	80.0 x 120.0	24.0 x 24.0 x 22.0
Grid Steps [mm]	10.0 x 10.0	4.0 x 4.0 x 2.0
Sensor Surface [mm]	3.0	1.4

# **Measurement Results**

	Area Scan	Zoom Scan
Date	2022-11-15	2022-11-15
psSAR1g [W/kg]	0.882	0.967
psSAR8g [W/kg]	0.357	0.379
psSAR10g [W/kg]	0.320	0.335
Power Drift [dB]	0.01	-0.03
M2/M1 [%]		59.2
Dist 3dB Peak [mm]		8.7



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 78 of 102

Report No.: TESA2208000311E5

Measurement Report for (AWAN), WLAN 802.11n(40M) 5.8G_Body_Bottom Surface_CH 151_0mm_Aux

Ambient temperature: 22.3; Liquid temperature: 21.7

**Exposure Conditions** 

Phantom Section, TSL	Position, Test Distance [mm]	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat, HSL	Bottom Surface, 0.00	5755.0, 151	5.45	5.343	36.24

Hardware Setup


Phantom	Probe, Calibration Date	DAE, Calibration Date
ELI	EX3DV4 - SN7712. 2022-03-21	DAE4 Sn1719. 2022-03-25

**Scans Setup** 

	Area Scan	Zoom Scan
Grid Extents [mm]	80.0 x 120.0	24.0 x 24.0 x 22.0
Grid Steps [mm]	10.0 x 10.0	4.0 x 4.0 x 2.0
Sensor Surface [mm]	3.0	1.4

#### **Measurement Results**

	Area Scan	Zoom Scan
Date	2022-11-15	2022-11-15
psSAR1g [W/kg]	0.751	0.866
psSAR8g [W/kg]	0.312	0.341
psSAR10g [W/kg]	0.280	0.303
Power Drift [dB]	0.02	0.06
M2/M1 [%]		57.2
Dist 3dB Peak [mm]		8.0



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 79 of 102

ID: 018

Report No.: TESA2208000311E5

Measurement Report for (AWAN), WLAN 802.11ac(80M) 5.8G_Body_Bottom Surface_CH 155_0mm_Aux

Ambient temperature: 22.3; Liquid temperature: 21.7

**Exposure Conditions** 

Phantom	Section, TSL	Position, Test Distance [mm]	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat, HSL		Bottom Surface, 0.00	5775.0, 155	5.45	5.364	36.218

**Hardware Setup** 


Phantom	Probe, Calibration Date	DAE, Calibration Date
ELI	EX3DV4 - SN7712, 2022-03-21	DAE4 Sn1719, 2022-03-25

Scans Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	80.0 x 120.0	24.0 x 24.0 x 22.0
Grid Steps [mm]	10.0 x 10.0	4.0 x 4.0 x 2.0
Sensor Surface [mm]	3.0	1.4

# **Measurement Results**

	Area Scan	Zoom Scan
Date	2022-11-15	2022-11-15
psSAR1g [W/kg]	0.693	0.793
psSAR8g [W/kg]	0.289	0.316
psSAR10g [W/kg]	0.260	0.282
Power Drift [dB]	0.06	0.01
M2/M1 [%]		57.2
Dist 3dB Peak [mm]		8.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 险非只有的明,此想些结果做新测验之缘具负责,同时此模具做是例如于。木型生产领土人司事而统可,不可可以推测。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 80 of 102

ID: 019

Report No.: TESA2208000311E5

Measurement Report for (HB), WLAN 802.11b_Body_Bottom Surface_CH 6_0mm_Main

Ambient temperature: 22.4; Liquid temperature: 21.9

**Exposure Conditions** 

Phantom Section, TSL	Position, Test Distance [mm]	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat, HSL	Bottom Surface, 0.00	2437.0, 6	8.16	1.823	39.813

**Hardware Setup** 


Phantom	Probe, Calibration Date	DAE, Calibration Date
ELI	EX3DV4 - SN7712, 2022-03-21	DAE4 Sn1719, 2022-03-25

**Scans Setup** 

	Area Scan	Zoom Scan
Grid Extents [mm]	120.0 x 96.0	30.0 x 30.0 x 30.0
Grid Steps [mm]	12.0 x 12.0	5.0 x 5.0 x 5.0
Sensor Surface [mm]	3.0	1.4

#### **Measurement Results**

	Area Scan	Zoom Scan
Date	2022-11-16	2022-11-16
psSAR1g [W/kg]	0.522	0.543
psSAR8g [W/kg]	0.293	0.305
psSAR10g [W/kg]	0.268	0.280
Power Drift [dB]	0.05	0.05
M2/M1 [%]		51.4
Dist 3dB Peak [mm]		10.0



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 81 of 102

ID: 020

Report No.: TESA2208000311E5

Measurement Report for (HB), WLAN 802.11n(40M) 5.2G_Body_Bottom Surface_CH 46_0mm_Main

Ambient temperature: 22.5; Liquid temperature: 21.8

**Exposure Conditions** 

Phantom Section, TSL	Position, Test Distance [mm]	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat, HSL	Bottom Surface, 0.00	5230.0, 46	5.94	4.756	36.541

Hardware Setup


Phantom	Probe, Calibration Date	DAE, Calibration Date
ELI	EX3DV4 - SN7712. 2022-03-21	DAE4 Sn1719. 2022-03-25

**Scans Setup** 

	Area Scan	Zoom Scan
Grid Extents [mm]	120.0 x 80.0	24.0 x 24.0 x 22.0
Grid Steps [mm]	10.0 x 10.0	4.0 x 4.0 x 2.0
Sensor Surface [mm]	3.0	1.4

#### **Measurement Results**

	Area Scan	Zoom Scan
Date	2022-11-17	2022-11-17
psSAR1g [W/kg]	0.420	0.425
psSAR8g [W/kg]	0.183	0.185
psSAR10g [W/kg]	0.164	0.166
Power Drift [dB]	0.03	0.03
M2/M1 [%]		60.6
Dist 3dB Peak [mm]		9.7



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 险非只有的明,此想些结果做新测验之缘具负责,同时此模具做是例如于。木型生产领土人司事而统可,不可可以推测。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

S Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

www.sqs.com.tw



Page: 82 of 102

Report No.: TESA2208000311E5

Measurement Report for (HB), WLAN 802.11ax(80M) 5.3G_Body_Bottom Surface_CH 58_0mm_Main

Ambient temperature: 22.5; Liquid temperature: 21.8

**Exposure Conditions** 

Phantom Section, TSL	Position, Test Distance [mm]	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat, HSL	Bottom Surface, 0.00	5290.0, 58	5.94	4.818	36.473

Hardware Setup


Phantom	Probe, Calibration Date	DAE, Calibration Date
ELI	EX3DV4 - SN7712. 2022-03-21	DAE4 Sn1719. 2022-03-25

**Scans Setup** 

	Area Scan	Zoom Scan
Grid Extents [mm]	120.0 x 80.0	22.0 x 22.0 x 22.0
Grid Steps [mm]	10.0 x 10.0	4.0 x 4.0 x 1.4
Sensor Surface [mm]	3.0	1.4

#### **Measurement Results**

	Area Scan	Zoom Scan
Date	2022-11-17	2022-11-17
psSAR1g [W/kg]	0.444	0.449
psSAR8g [W/kg]	0.181	0.182
psSAR10g [W/kg]	0.162	0.161
Power Drift [dB]	0.01	0.01
M2/M1 [%]		70.2
Dist 3dB Peak [mm]		8.4



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 83 of 102

ID: 022

Report No.: TESA2208000311E5

Measurement Report for (HB), WLAN 802.11n(40M) 5.6G_Body_Bottom Surface_CH 142_0mm_Main

Ambient temperature: 22.5; Liquid temperature: 21.8

**Exposure Conditions** 

Phantom Section, TSL	Position, Test Distance [mm]	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat, HSL	Bottom Surface, 0.00	5710.0, 142	5.45	5.255	35.993

**Hardware Setup** 


Phantom	Probe, Calibration Date	DAE, Calibration Date
ELI	EX3DV4 - SN7712, 2022-03-21	DAE4 Sn1719, 2022-03-25

Scans Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	120.0 x 80.0	24.0 x 24.0 x 22.0
Grid Steps [mm]	10.0 x 10.0	4.0 x 4.0 x 2.0
Sensor Surface [mm]	3.0	1.4

# **Measurement Results**

	Area Scan	Zoom Scan
Date	2022-11-17	2022-11-17
psSAR1g [W/kg]	0.894	0.914
psSAR8g [W/kg]	0.352	0.357
psSAR10g [W/kg]	0.315	0.312
Power Drift [dB]	-0.03	-0.03
M2/M1 [%]		57.8
Dist 3dB Peak [mm]		8.4



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 84 of 102

ID: 023

Report No.: TESA2208000311E5

Measurement Report for (HB), WLAN 802.11ac(80M) 5.6G_Body_Bottom Surface_CH 138_0mm_Main

Ambient temperature: 22.5; Liquid temperature: 21.8

**Exposure Conditions** 

Phantom Section, TSL	Position, Test Distance [mm]	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat, HSL	Bottom Surface, 0.00	5690.0, 138	5.45	5.234	36.016

**Hardware Setup** 


Phantom	Probe, Calibration Date	DAE, Calibration Date
ELI	EX3DV4 - SN7712, 2022-03-21	DAE4 Sn1719, 2022-03-25

**Scans Setup** 

	Area Scan	Zoom Scan
Grid Extents [mm]	120.0 x 80.0	24.0 x 24.0 x 22.0
Grid Steps [mm]	10.0 x 10.0	4.0 x 4.0 x 2.0
Sensor Surface [mm]	3.0	1.4

#### **Measurement Results**

	Area Scan	Zoom Scan
Date	2022-11-17	2022-11-17
psSAR1g [W/kg]	0.812	0.829
psSAR8g [W/kg]	0.321	0.325
psSAR10g [W/kg]	0.287	0.284
Power Drift [dB]	-0.04	-0.04
M2/M1 [%]		56.0
Dist 3dB Peak [mm]		8.9



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除此只有验明,此就是结果既是为键与合善,同时此键与原况如何工,才就是主领于八司事而统可,不可如应编制。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

 +技股份有限公司
 t (886-2) 2299-3279



Page: 85 of 102

ID: 024

Report No.: TESA2208000311E5

Measurement Report for (HB), WLAN 802.11n(40M) 5.8G_Body_Bottom Surface_CH 151_0mm_Main

Ambient temperature: 22.5; Liquid temperature: 21.8

**Exposure Conditions** 

Phantom Sec	tion, TSL	Position, Test Distance [mm]	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat, HSL		Bottom Surface, 0.00	5755.0, 151	5.45	5.302	35.941

**Hardware Setup** 


Phantom	Probe, Calibration Date	DAE, Calibration Date
ELI	EX3DV4 - SN7712, 2022-03-21	DAE4 Sn1719, 2022-03-25

**Scans Setup** 

	Area Scan	Zoom Scan	
Grid Extents [mm]	120.0 x 80.0	24.0 x 24.0 x 22.0	
Grid Steps [mm]	10.0 x 10.0	4.0 x 4.0 x 2.0	
Sensor Surface [mm]	3.0	1.4	

#### **Measurement Results**

	Area Scan	Zoom Scan
Date	2022-11-17	2022-11-17
psSAR1g [W/kg]	1.06	1.08
psSAR8g [W/kg]	0.412	0.430
psSAR10g [W/kg]	0.367	0.382
Power Drift [dB]	-0.02	-0.02
M2/M1 [%]		57.1
Dist 3dB Peak [mm]		8.0



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 86 of 102

Report No.: TESA2208000311E5

Measurement Report for (HB), WLAN 802.11ac(80M) 5.8G_Body_Bottom Surface_CH 155_0mm_Main

Ambient temperature: 22.5; Liquid temperature: 21.8

**Exposure Conditions** 

Pha	ntom Section, TSL	Position, Test Distance [mm]	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat	, HSL	Bottom Surface, 0.00	5775.0, 155	5.45	5.322	35.919

Hardware Setup

Phantom	Probe, Calibration Date	DAE, Calibration Date
ELI	EX3DV4 - SN7712. 2022-03-21	DAE4 Sn1719. 2022-03-25


**Scans Setup** 

	Area Scan	Zoom Scan
Grid Extents [mm]	120.0 x 80.0	24.0 x 24.0 x 22.0
Grid Steps [mm]	10.0 x 10.0	4.0 x 4.0 x 2.0
Sensor Surface [mm]	3.0	1.4

#### **Measurement Results**

台灣檢驗科技股份有限公司

	Area Scan	Zoom Scan
Date	2022-11-17	2022-11-17
psSAR1g [W/kg]	0.932	0.959
psSAR8g [W/kg]	0.362	0.378
psSAR10g [W/kg]	0.323	0.336
Power Drift [dB]	0.02	0.02
M2/M1 [%]		57.0
Dist 3dB Peak [mm]		7.4



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 87 of 102

ID: 026

Report No.: TESA2208000311E5

Measurement Report for (HB), WLAN 802.11b_Body_Bottom Surface_CH 11_0mm_Aux

Ambient temperature: 22.4; Liquid temperature: 21.9

**Exposure Conditions** 

Phantom Section, TSL	Position, Test Distance [mm]	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat, HSL	Bottom Surface, 0.00	2462.0, 11	8.16	1.845	39.775

**Hardware Setup** 


Phantom	Probe, Calibration Date	DAE, Calibration Date
ELI	EX3DV4 - SN7712, 2022-03-21	DAE4 Sn1719, 2022-03-25

Scans Setup

_	Area Scan	Zoom Scan
Grid Extents [mm]	120.0 x 96.0	30.0 x 30.0 x 30.0
Grid Steps [mm]	12.0 x 12.0	5.0 x 5.0 x 5.0
Sensor Surface [mm]	3.0	1.4

#### **Measurement Results**

	Area Scan	Zoom Scan
Date	2022-11-16	2022-11-16
psSAR1g [W/kg]	0.392	0.416
psSAR8g [W/kg]	0.213	0.229
psSAR10g [W/kg]	0.194	0.210
Power Drift [dB]	0.04	0.04
M2/M1 [%]		55.6
Dist 3dB Peak [mm]		10.8



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 88 of 102

ID: 027

Report No.: TESA2208000311E5

Measurement Report for (HB), BLE2M_Body_Bottom Surface_CH 0_0mm_Aux

Ambient temperature: 22.4; Liquid temperature: 21.9

**Exposure Conditions** 

Phantom Section, TSL	Position, Test Distance [mm]	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat, HSL	Bottom Surface, 0.00	2402.0, 0	8.16	1.792	39.875

Hardware Setup


Phantom	Probe, Calibration Date	DAE, Calibration Date
ELI	EX3DV4 - SN7712. 2022-03-21	DAE4 Sn1719. 2022-03-25

**Scans Setup** 

_	Area Scan	Zoom Scan
Grid Extents [mm]	120.0 x 96.0	30.0 x 30.0 x 30.0
Grid Steps [mm]	12.0 x 12.0	5.0 x 5.0 x 5.0
Sensor Surface [mm]	3.0	1.4

#### **Measurement Results**

	Area Scan	Zoom Scan
Date	2022-11-16	2022-11-16
psSAR1g [W/kg]	0.147	0.164
psSAR8g [W/kg]	0.083	0.090
psSAR10g [W/kg]	0.076	0.082
Power Drift [dB]	-0.05	-0.05
M2/M1 [%]		55.2
Dist 3dB Peak [mm]		11.2



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除此只有验明,此就是结果既是为键与合善,同时此键与原况如何工,才就是主领于八司事而统可,不可如应编制。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 89 of 102

ID: 028

Report No.: TESA2208000311E5

Measurement Report for (HB), WLAN 802.11n(40M) 5.2G_Body_Bottom Surface_CH 46_0mm_Aux

Ambient temperature: 22.5; Liquid temperature: 21.8

**Exposure Conditions** 

Phantom Section, TSL	Position, Test Distance [mm]	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat, HSL	Bottom Surface, 0.00	5230.0, 46	5.94	4.756	36.541

Hardware Setup


Phantom	Probe, Calibration Date	DAE, Calibration Date
ELI	EX3DV4 - SN7712. 2022-03-21	DAE4 Sn1719. 2022-03-25

**Scans Setup** 

	Area Scan	Zoom Scan
Grid Extents [mm]	120.0 x 80.0	24.0 x 24.0 x 22.0
Grid Steps [mm]	10.0 x 10.0	4.0 x 4.0 x 2.0
Sensor Surface [mm]	3.0	1.4

#### **Measurement Results**

	Area Scan	Zoom Scan
Date	2022-11-17	2022-11-17
psSAR1g [W/kg]	0.606	0.701
psSAR8g [W/kg]	0.255	0.221
psSAR10g [W/kg]	0.228	0.242
Power Drift [dB]	-0.03	-0.03
M2/M1 [%]		57.3
Dist 3dB Peak [mm]		9.8



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有铅明,此報华结甲攝影測建立幾只有著,同時世操具攝風內內干。大報华主權大公司書面對可,不可可以推測。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

303 falwari Eta.



Page: 90 of 102

ID: 029

Report No.: TESA2208000311E5

Measurement Report for (HB), WLAN 802.11n(40M) 5.3G_Body_Bottom Surface_CH 62_0mm_Aux

Ambient temperature: 22.5; Liquid temperature: 21.8

**Exposure Conditions** 

Phantom	Section, TSL	Position, Test Distance [mm]	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat, HSL		Bottom Surface, 0.00	5310.0, 62	5.94	4.839	36.45

Hardware Setup


Phantom	Probe, Calibration Date	DAE, Calibration Date
ELI	EX3DV4 - SN7712. 2022-03-21	DAE4 Sn1719, 2022-03-25

**Scans Setup** 

	Area Scan	Zoom Scan
Grid Extents [mm]	120.0 x 80.0	24.0 x 24.0 x 22.0
Grid Steps [mm]	10.0 x 10.0	4.0 x 4.0 x 2.0
Sensor Surface [mm]	3.0	1.4

#### **Measurement Results**

	Area Scan	Zoom Scan
Date	2022-11-17	2022-11-17
psSAR1g [W/kg]	0.712	0.807
psSAR8g [W/kg]	0.294	0.312
psSAR10g [W/kg]	0.262	0.275
Power Drift [dB]	-0.01	-0.01
M2/M1 [%]		58.3
Dist 3dB Peak [mm]		8.6



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 91 of 102

ID: 030

Report No.: TESA2208000311E5

Measurement Report for (HB), WLAN 802.11n(40M) 5.6G_Body_Bottom Surface_CH 142_0mm_Aux

Ambient temperature: 22.5; Liquid temperature: 21.8

**Exposure Conditions** 

Phantom Section, TSL	Position, Test Distance [mm]	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat, HSL	Bottom Surface, 0.00	5710.0, 142	5.45	5.255	35.993

Hardware Setup


Phantom	Probe, Calibration Date	DAE, Calibration Date
ELI	EX3DV4 - SN7712. 2022-03-21	DAE4 Sn1719. 2022-03-25

**Scans Setup** 

	Area Scan	Zoom Scan
Grid Extents [mm]	120.0 x 80.0	24.0 x 24.0 x 22.0
Grid Steps [mm]	10.0 x 10.0	4.0 x 4.0 x 2.0
Sensor Surface [mm]	3.0	1.4

#### **Measurement Results**

	Area Scan	Zoom Scan
Date	2022-11-17	2022-11-17
psSAR1g [W/kg]	0.945	1.00
psSAR8g [W/kg]	0.366	0.384
psSAR10g [W/kg]	0.326	0.337
Power Drift [dB]	0.01	0.01
M2/M1 [%]		56.2
Dist 3dB Peak [mm]		8.4



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 92 of 102

ID: 031

Report No.: TESA2208000311E5

Measurement Report for (HB), WLAN 802.11ac(80M) 5.6G_Body_Bottom Surface_CH 138_0mm_Aux

Ambient temperature: 22.5; Liquid temperature: 21.8

**Exposure Conditions** 

Phantom Section, TSL	Position, Test Distance [mm]	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat, HSL	Bottom Surface, 0.00	5690.0, 138	5.45	5.234	36.016

**Hardware Setup** 


Phantom	Probe, Calibration Date	DAE, Calibration Date
ELI	EX3DV4 - SN7712, 2022-03-21	DAE4 Sn1719, 2022-03-25

**Scans Setup** 

	Area Scan	Zoom Scan
Grid Extents [mm]	120.0 x 80.0	24.0 x 24.0 x 22.0
Grid Steps [mm]	10.0 x 10.0	4.0 x 4.0 x 2.0
Sensor Surface [mm]	3.0	1.4

#### **Measurement Results**

	Area Scan	Zoom Scan
Date	2022-11-17	2022-11-17
psSAR1g [W/kg]	1.01	1.09
psSAR8g [W/kg]	0.388	0.419
psSAR10g [W/kg]	0.346	0.368
Power Drift [dB]	0.02	0.02
M2/M1 [%]		56.5
Dist 3dB Peak [mm]		8.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除此只有验明,此就是结果既是为键与合善,同时此键与原况如何工,才就是主领于八司事而统可,不可如应编制。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 93 of 102

ID: 032

Report No.: TESA2208000311E5

Measurement Report for (HB), WLAN 802.11ac(80M) 5.8G_Body_Bottom Surface_CH 155_0mm_Aux

Ambient temperature: 22.5; Liquid temperature: 21.8

**Exposure Conditions** 

Pha	ntom Section, TSL	Position, Test Distance [mm]	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat	, HSL	Bottom Surface, 0.00	5775.0, 155	5.45	5.322	35.919

Hardware Setup


Phantom	Probe, Calibration Date	DAE, Calibration Date
ELI	EX3DV4 - SN7712. 2022-03-21	DAE4 Sn1719. 2022-03-25

**Scans Setup** 

	Area Scan	Zoom Scan
Grid Extents [mm]	120.0 x 80.0	24.0 x 24.0 x 22.0
Grid Steps [mm]	10.0 x 10.0	4.0 x 4.0 x 2.0
Sensor Surface [mm]	3.0	1.4

# **Measurement Results**

	Area Scan	Zoom Scan
Date	2022-11-17	2022-11-17
psSAR1g [W/kg]	0.970	1.05
psSAR8g [W/kg]	0.379	0.403
psSAR10g [W/kg]	0.338	0.354
Power Drift [dB]	0.04	0.04
M2/M1 [%]		55.9
Dist 3dB Peak [mm]		7.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 94 of 102

# 12 SAR SYSTEM CHECK RESULTS

Report No.: TESA2208000311E5

Measurement Report for Device, FRONT, D2450,

CW, Channel 2450 (2450.0 MHz), SN:727

Ambient temperature: 22.2; Liquid temperature: 21.6

**Exposure Conditions** 

Phantom Section, TSL	Position, Test Distance [mm]	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat, HSL	FRONT, 10.00	8.16	1.848	40.089

**Hardware Setup** 


Phantom	Probe, Calibration Date	DAE, Calibration Date	
ELI	EX3DV4 - SN7712, 2022-03-21	DAE4 Sn1719, 2022-03-25	

**Scans Setup** 

	Area Scan	Zoom Scan
Grid Extents [mm]	96.0 x 96.0	30.0 x 30.0 x 30.0
Grid Steps [mm]	12.0 x 12.0	5.0 x 5.0 x 5.0
Sensor Surface [mm]	3.0	1.4

## **Measurement Results**

	Area Scan	Zoom Scan
Date	2022-11-14	2022-11-14
psSAR1g [W/kg]	12.9	13.0
psSAR8g [W/kg]	6.59	6.72
psSAR10g [W/kg]	5.95	6.09
Power Drift [dB]	-0.02	-0.01
M2/M1 [%]		59.8
Dist 3dB Peak [mm]		9.0



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司



Page: 95 of 102

Report No.: TESA2208000311E5

Measurement Report for Device, FRONT, D5250,

CW, Channel 5250 (5250.0 MHz), SN:1023

Ambient temperature: 22.3; Liquid temperature: 21.7

**Exposure Conditions** 

Phantom Section, TSL	Position, Test Distance [mm]	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat, HSL	FRONT, 10.00	5.94	4.815	36.818

**Hardware Setup** 


Phantom	Probe, Calibration Date	DAE, Calibration Date
ELI	EX3DV4 - SN7712, 2022-03-21	DAE4 Sn1719, 2022-03-25

**Scans Setup** 

	Area Scan	Zoom Scan
Grid Extents [mm]	120.0 x 160.0	24.0 x 24.0 x 22.0
Grid Steps [mm]	10.0 x 10.0	4.0 x 4.0 x 2.0
Sensor Surface [mm]	3.0	1.4

#### **Measurement Results**

Area Scan	Zoom Scan
2022-11-15	2022-11-15
6.12	8.00
3.10	2.69
2.86	2.29
-0.09	-0.02
	55.1
	7.2
	Area Scan 2022-11-15 6.12 3.10 2.86 -0.09



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 96 of 102

Report No.: TESA2208000311E5

Measurement Report for Device, FRONT, D5600,

CW, Channel 5600 (5600.0 MHz), SN:1023

Ambient temperature: 22.3; Liquid temperature: 21.7

**Exposure Conditions** 

Phantom Section, TSL	Position, Test Distance [mm]	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat, HSL	FRONT, 10.00	5.29	5.182	36.418

**Hardware Setup** 


Phantom	Probe, Calibration Date	DAE, Calibration Date
ELI	EX3DV4 - SN7712, 2022-03-21	DAE4 Sn1719, 2022-03-25

**Scans Setup** 

	Area Scan	Zoom Scan
Grid Extents [mm]	120.0 x 160.0	24.0 x 24.0 x 22.0
Grid Steps [mm]	10.0 x 10.0	4.0 x 4.0 x 2.0
Sensor Surface [mm]	3.0	1.4

#### **Measurement Results**

	Area Scan	Zoom Scan
Date	2022-11-15	2022-11-15
psSAR1g [W/kg]	7.35	8.18
psSAR8g [W/kg]	2.60	2.69
psSAR10g [W/kg]	2.25	2.31
Power Drift [dB]	-0.03	0.02
M2/M1 [%]		51.6
Dist 3dB Peak [mm]		10.4



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司



Page: 97 of 102

Report No.: TESA2208000311E5

Measurement Report for Device, FRONT, D5750,

CW, Channel 5750 (5750.0 MHz), SN:1023

Ambient temperature: 22.3; Liquid temperature: 21.7

**Exposure Conditions** 

Phantom Section, TSL	Position, Test Distance [mm]	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat, HSL	FRONT, 10.00	5.45	5.338	36.246

**Hardware Setup** 


Pł	hantom	Probe, Calibration Date	DAE, Calibration Date
El	LI	EX3DV4 - SN7712, 2022-03-21	DAE4 Sn1719, 2022-03-25

**Scans Setup** 

	Area Scan	Zoom Scan
Grid Extents [mm]	120.0 x 160.0	24.0 x 24.0 x 22.0
Grid Steps [mm]	10.0 x 10.0	4.0 x 4.0 x 2.0
Sensor Surface [mm]	3.0	1.4

#### **Measurement Results**

Area Scan	Zoom Scan
2022-11-15	2022-11-15
6.96	8.09
2.50	2.70
2.17	2.32
0.08	-0.03
	56.4
	7.4
	Area Scan 2022-11-15 6.96 2.50 2.17 0.08



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 险非只有的明,此想些结果做新测验之缘具负责,同时此模具做是例如于。木型生产领土人司事而统可,不可可以推测。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

GS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

www.sqs.com.tw



Page: 98 of 102

Report No.: TESA2208000311E5

Measurement Report for Device, FRONT, D2450,

CW, Channel 2450 (2450.0 MHz), SN:727

Ambient temperature: 22.4; Liquid temperature: 21.9

**Exposure Conditions** 

Phantom Section, TSL	Position, Test Distance [mm]	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat, HSL	FRONT, 10.00	8.16	1.834	39.79

**Hardware Setup** 


Phantom	Probe, Calibration Date	DAE, Calibration Date
ELI	EX3DV4 - SN7712, 2022-03-21	DAE4 Sn1719, 2022-03-25

**Scans Setup** 

-	Area Scan	Zoom Scan
Grid Extents [mm]	96.0 x 96.0	30.0 x 30.0 x 30.0
Grid Steps [mm]	12.0 x 12.0	5.0 x 5.0 x 5.0
Sensor Surface [mm]	3.0	1.4

#### **Measurement Results**

in the time in the			
	Area Scan	Zoom Scan	
Date	2022-11-16	2022-11-16	
psSAR1g [W/kg]	12.8	13.0	
psSAR8g [W/kg]	6.56	6.68	
psSAR10g [W/kg]	5.92	6.06	
Power Drift [dB]	-0.02	-0.01	
M2/M1 [%]		59.8	
Dist 3dB Peak [mm]		9.0	



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 99 of 102

Report No.: TESA2208000311E5

Measurement Report for Device, FRONT, D5250,

CW, Channel 5250 (5250.0 MHz), SN:1023

Ambient temperature: 22.5; Liquid temperature: 21.8

**Exposure Conditions** 

Phantom Section, TSL	Position, Test Distance [mm]	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat, HSL	FRONT, 10.00	5.94	4.777	36.519

**Hardware Setup** 


Phantom	Probe, Calibration Date	DAE, Calibration Date
ELI	EX3DV4 - SN7712, 2022-03-21	DAE4 Sn1719, 2022-03-25

**Scans Setup** 

	Area Scan	Zoom Scan
Grid Extents [mm]	120.0 x 160.0	24.0 x 24.0 x 22.0
Grid Steps [mm]	60.0 x 80.0	4.0 x 4.0 x 2.0
Sensor Surface [mm]	3.0	1.4

## **Measurement Results**

	Area Scan	Zoom Scan
Date	2022-11-17	2022-11-17
psSAR1g [W/kg]	5.97	8.13
psSAR8g [W/kg]	3.03	2.73
psSAR10g [W/kg]	2.79	2.34
Power Drift [dB]	-0.06	-0.05
M2/M1 [%]		55.2
Dist 3dB Peak [mm]		10.4



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 险非只有的明,此想些结果做新测验之缘具负责,同时此模具做是例如于。木型生产领土人司事而统可,不可可以推测。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 100 of 102

Report No.: TESA2208000311E5

Measurement Report for Device, FRONT, D5600,

CW, Channel 5600 (5600.0 MHz), SN:1023

Ambient temperature: 22.5; Liquid temperature: 21.8

**Exposure Conditions** 

Phantom Section, TSL	Position, Test Distance [mm]	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat, HSL	FRONT, 10.00	5.29	5.141	36.119

**Hardware Setup** 


Phantom	Probe, Calibration Date	DAE, Calibration Date
ELI	EX3DV4 - SN7712, 2022-03-21	DAE4 Sn1719, 2022-03-25

**Scans Setup** 

	Area Scan	Zoom Scan
Grid Extents [mm]	120.0 x 160.0	24.0 x 24.0 x 22.0
Grid Steps [mm]	10.0 x 10.0	4.0 x 4.0 x 2.0
Sensor Surface [mm]	3.0	1.4

## **Measurement Results**

	Area Scan	Zoom Scan		
Date	2022-11-17	2022-11-17		
psSAR1g [W/kg]	7.40	8.12		
psSAR8g [W/kg]	2.62	2.71		
psSAR10g [W/kg]	2.26	2.32		
Power Drift [dB]	-0.03	-0.01		
M2/M1 [%]		51.7		
Dist 3dB Peak [mm]		9.4		



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司



Page: 101 of 102

Report No.: TESA2208000311E5

Measurement Report for Device, FRONT, D5750,

CW, Channel 5750 (5750.0 MHz), SN:1023

Ambient temperature: 22.5; Liquid temperature: 21.8

**Exposure Conditions** 

Phantom Section, TSL	Position, Test Distance [mm]	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat, HSL	FRONT, 10.00	5.45	5.296	35.947

**Hardware Setup** 


Ī	Phantom	Probe, Calibration Date	DAE, Calibration Date
Ī	ELI	EX3DV4 - SN7712, 2022-03-21	DAE4 Sn1719, 2022-03-25

**Scans Setup** 

	Area Scan	Zoom Scan
Grid Extents [mm]	120.0 x 160.0	24.0 x 24.0 x 22.0
Grid Steps [mm]	10.0 x 10.0	4.0 x 4.0 x 2.0
Sensor Surface [mm]	3.0	1.4

## **Measurement Results**

	Area Scan	Zoom Scan
Date	2022-11-17	2022-11-17
psSAR1g [W/kg]	6.99	8.17
psSAR8g [W/kg]	2.51	2.73
psSAR10g [W/kg]	2.17	2.35
Power Drift [dB]	0.06	-0.01
M2/M1 [%]		50.4
Dist 3dB Peak [mm]		7.4



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488

台灣檢驗科技股份有限公司



Page: 102 of 102

# Refer to separated files for the following appendixes.

- 13.1 SAR_Appendix A Photographs
- 13.2 SAR Appendix B DAE & Probe Cal. Certificate
- SAR Appendix C Phantom Description & Dipole Cal. Certificate 13.3

- End of report -

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.