


802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz

PSD

01/06/2022




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
9.09	9.09	6.05	6.19

802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz

PSD

01/06/2022




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
9.00	9.00	6.08	5.98

802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.725-5.85GHz

PSD

01/06/2022




802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz

PSD

21/05/2022




802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

5785MHz

21/05/2022




802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

5825MHz

21/05/2022





Summary

Mode	PD (dBm/RBW)
5.15-5.25GHz	-
802.11ax HEW20_Nss1,(MCS0)_2TX	8.94
5.25-5.35GHz	-
802.11ax HEW20_Nss1,(MCS0)_2TX	8.98
5.47-5.725GHz	-
802.11ax HEW20_Nss1,(MCS0)_2TX	8.98
5.725-5.85GHz	-
802.11ax HEW20_Nss1,(MCS0)_2TX	16.99

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5180MHz	Pass	8.01	5.69	6.18	8.93	8.99
5200MHz	Pass	8.01	5.92	6.01	8.94	8.99
5240MHz	Pass	8.01	5.74	5.86	8.81	8.99
5260MHz	Pass	8.01	5.75	5.99	8.87	8.99
5300MHz	Pass	8.01	5.37	6.47	8.94	8.99
5320MHz	Pass	8.01	5.55	6.40	8.98	8.99
5500MHz	Pass	8.01	5.82	5.92	8.84	8.99
5580MHz	Pass	8.01	6.00	5.98	8.96	8.99
5700MHz	Pass	8.01	5.68	5.91	8.78	8.99
5720MHz Straddle 5.47-5.725GHz	Pass	8.01	5.93	6.03	8.98	8.99
5720MHz Straddle 5.725-5.85GHz	Pass	8.01	-17.79	-18.45	-16.57	27.99
5745MHz	Pass	8.01	14.06	13.94	16.99	27.99
5785MHz	Pass	8.01	11.97	12.30	15.15	27.99
5825MHz	Pass	8.01	10.70	11.19	13.94	27.99


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;

802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

5180MHz

21/05/2022




802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

5200MHz


21/05/2022



802.11ax HEW20_Nss1,(MCS0)_2TX

5240MHz


21/05/2022



802.11ax HEW20_Nss1,(MCS0)_2TX

5260MHz

21/05/2022




802.11ax HEW20_Nss1,(MCS0)_2TX

5300MHz

PSD

21/05/2022



Sum	
Port 1	
Port 2	


Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
8.94	8.94	5.37	6.47

802.11ax HEW20_Nss1,(MCS0)_2TX

5320MHz

PSD

21/05/2022



Sum	
Port 1	
Port 2	


Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
8.98	8.98	5.55	6.40

802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz

PSD

21/05/2022




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
8.84	8.84	5.82	5.92

802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz

PSD

21/05/2022



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
8.96	8.96	6.00	5.98


802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz

PSD

21/05/2022

CF
5.7GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum ☐
Port 1 ☐
Port 2 ☐

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.78	8.78	5.68	5.91


802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz

PSD

21/05/2022

CF
5.71GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum ☐
Port 1 ☐
Port 2 ☐


Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.98	8.98	5.93	6.03

802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.725-5.85GHz

PSD

21/05/2022




802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz

PSD

01/06/2022




802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz

PSD

01/06/2022



Sum 
Port 1 
Port 2 


Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
15.15	15.15	11.97	12.30

802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz

PSD

21/05/2022



Sum 
Port 1 
Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
13.94	13.94	10.70	11.19



PSD

<Partial RU> UNII1~UNII3_RU 52_Ant. 2 (2TX)

Appendix D.20

Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.15-5.25GHz	-	-
802.11ax HEW20_Nss1,(MCS0)_2TX	8.98	16.99
5.25-5.35GHz	-	-
802.11ax HEW20_Nss1,(MCS0)_2TX	8.93	16.94
5.47-5.725GHz	-	-
802.11ax HEW20_Nss1,(MCS0)_2TX	8.98	16.99
5.725-5.85GHz	-	-
802.11ax HEW20_Nss1,(MCS0)_2TX	15.31	23.32

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5180MHz	Pass	8.01	5.53	6.29	8.90	8.99	16.91	17.00
5200MHz	Pass	8.01	5.93	6.00	8.94	8.99	16.95	17.00
5240MHz	Pass	8.01	5.98	6.13	8.98	8.99	16.99	17.00
5260MHz	Pass	8.01	5.73	6.13	8.88	8.99	16.89	17.00
5300MHz	Pass	8.01	6.10	6.06	8.93	8.99	16.94	17.00
5320MHz	Pass	8.01	5.76	5.97	8.84	8.99	16.85	17.00
5500MHz	Pass	8.01	5.87	6.28	8.98	8.99	16.99	17.00
5580MHz	Pass	8.01	5.64	5.90	8.77	8.99	16.78	17.00
5700MHz	Pass	8.01	5.80	6.11	8.92	8.99	16.93	17.00
5720MHz Straddle 5.47-5.725GHz	Pass	8.01	5.52	6.44	8.93	8.99	16.94	17.00
5720MHz Straddle 5.725-5.85GHz	Pass	8.01	-6.04	-6.20	-3.76	27.99	4.25	36.00
5745MHz	Pass	8.01	12.06	12.63	15.20	27.99	23.21	36.00
5785MHz	Pass	8.01	12.17	12.61	15.31	27.99	23.32	36.00
5825MHz	Pass	8.01	12.23	11.30	14.79	27.99	22.80	36.00


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;

802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

5180MHz

21/05/2022




802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

5200MHz

21/05/2022




802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

5240MHz

21/05/2022




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.98	8.98	5.98	6.13

802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

5260MHz

21/05/2022




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.88	8.88	5.73	6.13

802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

5300MHz

21/05/2022




802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

5320MHz

21/05/2022




802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

5500MHz

21/05/2022




802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

5580MHz

21/05/2022




802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz

PSD

01/06/2022




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
8.92	8.92	5.80	6.11

802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz

PSD

21/05/2022




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
8.93	8.93	5.52	6.44

802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.725-5.85GHz

PSD

21/05/2022




802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz

PSD

21/05/2022




802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

5785MHz

21/05/2022




802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

5825MHz

21/05/2022





Summary

Mode	PD (dBm/RBW)
5.15-5.25GHz	-
802.11ax HEW20_Nss1,(MCS0)_2TX	8.92
5.25-5.35GHz	-
802.11ax HEW20_Nss1,(MCS0)_2TX	8.87
5.47-5.725GHz	-
802.11ax HEW20_Nss1,(MCS0)_2TX	8.98
5.725-5.85GHz	-
802.11ax HEW20_Nss1,(MCS0)_2TX	14.45

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5180MHz	Pass	8.01	5.93	5.89	8.92	8.99
5200MHz	Pass	8.01	5.79	6.03	8.90	8.99
5240MHz	Pass	8.01	5.98	5.88	8.89	8.99
5260MHz	Pass	8.01	5.63	6.16	8.87	8.99
5300MHz	Pass	8.01	5.62	6.10	8.80	8.99
5320MHz	Pass	8.01	5.57	6.03	8.79	8.99
5500MHz	Pass	8.01	5.80	6.21	8.96	8.99
5580MHz	Pass	8.01	5.77	6.27	8.98	8.99
5700MHz	Pass	8.01	5.29	5.35	8.24	8.99
5720MHz Straddle 5.47-5.725GHz	Pass	8.01	5.60	6.14	8.78	8.99
5720MHz Straddle 5.725-5.85GHz	Pass	8.01	-6.18	-6.42	-3.34	27.99
5745MHz	Pass	8.01	11.66	11.48	14.45	27.99
5785MHz	Pass	8.01	11.70	11.16	14.35	27.99
5825MHz	Pass	8.01	10.78	10.37	13.51	27.99


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;

802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

5180MHz

21/05/2022




802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

5200MHz


21/05/2022



802.11ax HEW20_Nss1,(MCS0)_2TX

5240MHz


21/05/2022



802.11ax HEW20_Nss1,(MCS0)_2TX

5260MHz

21/05/2022




802.11ax HEW20_Nss1,(MCS0)_2TX

5300MHz

PSD

21/05/2022



Sum
Port 1
Port 2


Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
8.80	8.80	5.62	6.10

802.11ax HEW20_Nss1,(MCS0)_2TX

5320MHz

PSD

21/05/2022



Sum
Port 1
Port 2


Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
8.79	8.79	5.57	6.03

802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz

PSD

21/05/2022




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.96	8.96	5.80	6.21

802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz

PSD

21/05/2022




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.98	8.98	5.77	6.27

802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz

PSD

21/05/2022




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
8.24	8.24	5.29	5.35

802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz

PSD

21/05/2022




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
8.78	8.78	5.60	6.14

802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.725-5.85GHz

PSD

21/05/2022




802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz

PSD

21/05/2022




802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz

PSD

21/05/2022




802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz

PSD

21/05/2022





Summary

Mode	PD (dBm/RBW)
5.15-5.25GHz	-
802.11ax HEW20_Nss1,(MCS0)_2TX	8.94
5.25-5.35GHz	-
802.11ax HEW20_Nss1,(MCS0)_2TX	8.98
5.47-5.725GHz	-
802.11ax HEW20_Nss1,(MCS0)_2TX	8.98
5.725-5.85GHz	-
802.11ax HEW20_Nss1,(MCS0)_2TX	15.32

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5180MHz	Pass	8.01	5.69	6.18	8.93	8.99
5200MHz	Pass	8.01	5.92	6.01	8.94	8.99
5240MHz	Pass	8.01	5.74	5.86	8.81	8.99
5260MHz	Pass	8.01	5.75	5.99	8.87	8.99
5300MHz	Pass	8.01	5.37	6.47	8.94	8.99
5320MHz	Pass	8.01	5.55	6.40	8.98	8.99
5500MHz	Pass	8.01	5.82	5.92	8.84	8.99
5580MHz	Pass	8.01	6.00	5.98	8.96	8.99
5700MHz	Pass	8.01	5.68	5.91	8.78	8.99
5720MHz Straddle 5.47-5.725GHz	Pass	8.01	5.93	6.03	8.98	8.99
5720MHz Straddle 5.725-5.85GHz	Pass	8.01	-17.79	-18.45	-16.57	27.99
5745MHz	Pass	8.01	12.04	12.63	15.32	27.99
5785MHz	Pass	8.01	11.07	11.31	14.17	27.99
5825MHz	Pass	8.01	10.70	11.19	13.94	27.99


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;

802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

5180MHz

21/05/2022




802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

5200MHz


21/05/2022



802.11ax HEW20_Nss1,(MCS0)_2TX

5240MHz


21/05/2022



802.11ax HEW20_Nss1,(MCS0)_2TX

5260MHz


21/05/2022



802.11ax HEW20_Nss1,(MCS0)_2TX

5300MHz


21/05/2022



802.11ax HEW20_Nss1,(MCS0)_2TX

5320MHz

21/05/2022




802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz

PSD

21/05/2022




802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz

PSD

21/05/2022




802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz

PSD

21/05/2022




802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz

PSD

21/05/2022




802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.725-5.85GHz

PSD

21/05/2022




802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz

PSD

21/05/2022




802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

5785MHz

21/05/2022




802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

5825MHz

21/05/2022





Summary

Mode	PD (dBm/RBW)
5.15-5.25GHz	-
802.11ax HEW20_Nss1,(MCS0)_2TX	8.98
5.25-5.35GHz	-
802.11ax HEW20_Nss1,(MCS0)_2TX	8.93
5.47-5.725GHz	-
802.11ax HEW20_Nss1,(MCS0)_2TX	8.98
5.725-5.85GHz	-
802.11ax HEW20_Nss1,(MCS0)_2TX	15.31

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5180MHz	Pass	8.01	5.53	6.29	8.90	8.99
5200MHz	Pass	8.01	5.93	6.00	8.94	8.99
5240MHz	Pass	8.01	5.98	6.13	8.98	8.99
5260MHz	Pass	8.01	5.73	6.13	8.88	8.99
5300MHz	Pass	8.01	6.10	6.06	8.93	8.99
5320MHz	Pass	8.01	5.76	5.97	8.84	8.99
5500MHz	Pass	8.01	5.87	6.28	8.98	8.99
5580MHz	Pass	8.01	5.64	5.90	8.77	8.99
5700MHz	Pass	8.01	4.70	4.88	7.80	8.99
5720MHz Straddle 5.47-5.725GHz	Pass	8.01	5.52	6.44	8.93	8.99
5720MHz Straddle 5.725-5.85GHz	Pass	8.01	-6.04	-6.20	-3.76	27.99
5745MHz	Pass	8.01	12.06	12.63	15.20	27.99
5785MHz	Pass	8.01	12.17	12.61	15.31	27.99
5825MHz	Pass	8.01	12.23	11.30	14.79	27.99


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;

802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

5180MHz

21/05/2022




802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

5200MHz


21/05/2022



802.11ax HEW20_Nss1,(MCS0)_2TX

5240MHz


21/05/2022



802.11ax HEW20_Nss1,(MCS0)_2TX

5260MHz

21/05/2022




802.11ax HEW20_Nss1,(MCS0)_2TX

5300MHz

PSD

21/05/2022




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
8.93	8.93	6.10	6.06

802.11ax HEW20_Nss1,(MCS0)_2TX

5320MHz

PSD

21/05/2022




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
8.84	8.84	5.76	5.97

802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

5500MHz

21/05/2022




802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

5580MHz

21/05/2022




802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz

PSD

21/05/2022




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
7.80	7.80	4.70	4.88

802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz

PSD

21/05/2022




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
8.93	8.93	5.52	6.44

802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.725-5.85GHz

PSD

21/05/2022




802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz

PSD

21/05/2022




802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz

PSD

21/05/2022




802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz

PSD

21/05/2022





Summary

Mode	PD (dBm/RBW)
5.15-5.25GHz	-
802.11ax HEW20_Nss1,(MCS0)_2TX	8.92
5.25-5.35GHz	-
802.11ax HEW20_Nss1,(MCS0)_2TX	8.87
5.47-5.725GHz	-
802.11ax HEW20_Nss1,(MCS0)_2TX	8.98
5.725-5.85GHz	-
802.11ax HEW20_Nss1,(MCS0)_2TX	14.45

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;



PSD

<Partial RU> UNII1~UNII3 RU 106 Ant. 3 (2TX)

Appendix D.24

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5180MHz	Pass	8.01	5.93	5.89	8.92	8.99
5200MHz	Pass	8.01	5.79	6.03	8.90	8.99
5240MHz	Pass	8.01	5.98	5.88	8.89	8.99
5260MHz	Pass	8.01	5.63	6.16	8.87	8.99
5300MHz	Pass	8.01	5.62	6.10	8.80	8.99
5320MHz	Pass	8.01	5.57	6.03	8.79	8.99
5500MHz	Pass	8.01	5.80	6.21	8.96	8.99
5580MHz	Pass	8.01	5.77	6.27	8.98	8.99
5700MHz	Pass	8.01	5.29	5.35	8.24	8.99
5720MHz Straddle 5.47-5.725GHz	Pass	8.01	5.60	6.14	8.78	8.99
5720MHz Straddle 5.725-5.85GHz	Pass	8.01	-6.18	-6.42	-3.34	27.99
5745MHz	Pass	8.01	11.66	11.48	14.45	27.99
5785MHz	Pass	8.01	11.70	11.16	14.35	27.99
5825MHz	Pass	8.01	10.78	10.37	13.51	27.99


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;

802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

5180MHz

21/05/2022




802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

5200MHz

21/05/2022




802.11ax HEW20_Nss1,(MCS0)_2TX

5240MHz

PSD

21/05/2022

CF
5.24GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum ☒
Port 1 ☐
Port 2 ☐

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
8.89	8.89	5.98	5.88


802.11ax HEW20_Nss1,(MCS0)_2TX

5260MHz

PSD

21/05/2022

CF
5.26GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum ☒
Port 1 ☐
Port 2 ☐


Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
8.87	8.87	5.63	6.16

802.11ax HEW20_Nss1,(MCS0)_2TX

5300MHz

PSD

21/05/2022



Sum
Port 1
Port 2


Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.80	8.80	5.62	6.10

802.11ax HEW20_Nss1,(MCS0)_2TX

5320MHz

PSD

21/05/2022



Sum
Port 1
Port 2


Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.79	8.79	5.57	6.03

802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz

PSD

21/05/2022




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
8.96	8.96	5.80	6.21

802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz

PSD

21/05/2022




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
8.98	8.98	5.77	6.27

802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz

PSD

21/05/2022




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
8.24	8.24	5.29	5.35

802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz

PSD

21/05/2022




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
8.78	8.78	5.60	6.14

802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.725-5.85GHz

PSD

21/05/2022




802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz

PSD

21/05/2022




802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

5785MHz

21/05/2022




802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

5825MHz

21/05/2022





Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.725-5.895GHz	-	-
802.11a_Nss1,(6Mbps)_1TX	8.97	13.83
802.11ax HEW20_Nss1,(MCS0)_1TX	8.96	13.82
802.11ax HEW40_Nss1,(MCS0)_1TX	7.56	12.42
802.11ax HEW80_Nss1,(MCS0)_1TX	3.33	8.19
802.11ax HEW160_Nss1,(MCS0)_1TX	-0.98	3.88

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	PD (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11a_Nss1,(6Mbps)_1TX	-	-	-	-	-	-
5845MHz	Pass	4.86	8.97	8.97	13.83	14.00
5865MHz	Pass	4.86	8.95	8.95	13.81	14.00
5885MHz	Pass	4.86	8.94	8.94	13.80	14.00
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-	-
5845MHz	Pass	4.86	8.94	8.94	13.80	14.00
5865MHz	Pass	4.86	8.92	8.92	13.78	14.00
5885MHz	Pass	4.86	8.96	8.96	13.82	14.00
802.11ax HEW40_Nss1,(MCS0)_1TX	-	-	-	-	-	-
5835MHz	Pass	4.86	7.56	7.56	12.42	14.00
5875MHz	Pass	4.86	7.54	7.54	12.40	14.00
802.11ax HEW80_Nss1,(MCS0)_1TX	-	-	-	-	-	-
5855MHz	Pass	4.86	3.33	3.33	8.19	14.00
802.11ax HEW160_Nss1,(MCS0)_1TX	-	-	-	-	-	-
5815MHz	Pass	4.86	-0.98	-0.98	3.88	14.00


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;

802.11a_Nss1,(6Mbps)_1TX

PSD

5845MHz

24/05/2022




Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
8.97	8.97	8.97

802.11a_Nss1,(6Mbps)_1TX

PSD

5865MHz

24/05/2022




Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
8.95	8.95	8.95

802.11a_Nss1,(6Mbps)_1TX

PSD

5885MHz

24/05/2022




802.11ax HEW20_Nss1,(MCS0)_1TX

PSD

5845MHz

24/05/2022




802.11ax HEW20_Nss1,(MCS0)_1TX

PSD

5865MHz

24/05/2022




802.11ax HEW20_Nss1,(MCS0)_1TX

PSD

5885MHz

24/05/2022




802.11ax HEW40_Nss1,(MCS0)_1TX

PSD

5835MHz

24/05/2022




Sum	PD	Port 1
(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)
7.56	7.56	7.56

802.11ax HEW40_Nss1,(MCS0)_1TX

PSD

5875MHz

24/05/2022




Sum	PD	Port 1
(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)
7.54	7.54	7.54

802.11ax HEW80_Nss1,(MCS0)_1TX

PSD

5855MHz

24/05/2022




Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.33	3.33	3.33

802.11ax HEW160_Nss1,(MCS0)_1TX

PSD

5815MHz

25/05/2022



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.98	-0.98	-0.98



Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.725-5.895GHz	-	-
802.11a_Nss1,(6Mbps)_1TX	8.97	13.97
802.11ax HEW20_Nss1,(MCS0)_1TX	8.96	13.96
802.11ax HEW40_Nss1,(MCS0)_1TX	7.56	12.56
802.11ax HEW80_Nss1,(MCS0)_1TX	3.33	8.33
802.11ax HEW160_Nss1,(MCS0)_1TX	-3.65	1.35

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11a_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-
5845MHz	Pass	5.00	8.97	8.97	Inf	13.97	14.00
5865MHz	Pass	5.00	8.95	8.95	Inf	13.95	14.00
5885MHz	Pass	5.00	8.94	8.94	Inf	13.94	14.00
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-
5845MHz	Pass	5.00	8.94	8.94	Inf	13.94	14.00
5865MHz	Pass	5.00	8.92	8.92	Inf	13.92	14.00
5885MHz	Pass	5.00	8.96	8.96	Inf	13.96	14.00
802.11ax HEW40_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-
5835MHz	Pass	5.00	7.56	7.56	Inf	12.56	14.00
5875MHz	Pass	5.00	7.54	7.54	Inf	12.54	14.00
802.11ax HEW80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-
5855MHz	Pass	5.00	3.33	3.33	Inf	8.33	14.00
802.11ax HEW160_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-
5815MHz	Pass	5.00	-3.65	-3.65	Inf	1.35	14.00


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;

802.11a_Nss1,(6Mbps)_1TX

PSD

5845MHz

24/05/2022




802.11a_Nss1,(6Mbps)_1TX

PSD

5865MHz

24/05/2022




802.11a_Nss1,(6Mbps)_1TX

PSD

5885MHz

24/05/2022




802.11ax HEW20_Nss1,(MCS0)_1TX

PSD

5845MHz

24/05/2022




802.11ax HEW20_Nss1,(MCS0)_1TX

PSD

5865MHz

24/05/2022




802.11ax HEW20_Nss1,(MCS0)_1TX

PSD

5885MHz

24/05/2022




802.11ax HEW40_Nss1,(MCS0)_1TX

PSD

5835MHz

24/05/2022




Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.56	7.56	7.56

802.11ax HEW40_Nss1,(MCS0)_1TX

PSD

5875MHz

24/05/2022




Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.54	7.54	7.54

802.11ax HEW80_Nss1,(MCS0)_1TX

PSD

5855MHz

24/05/2022




Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
3.33	3.33	3.33

802.11ax HEW160_Nss1,(MCS0)_1TX

PSD

5815MHz

03/06/2022



Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-3.65	-3.65	-3.65



Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.725-5.895GHz	-	-
802.11a_Nss1,(6Mbps)_1TX	8.97	13.97
802.11ax HEW20_Nss1,(MCS0)_1TX	8.96	13.96
802.11ax HEW40_Nss1,(MCS0)_1TX	7.56	12.56
802.11ax HEW80_Nss1,(MCS0)_1TX	3.33	8.33
802.11ax HEW160_Nss1,(MCS0)_1TX	-1.87	3.13

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	PD (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11a_Nss1,(6Mbps)_1TX	-	-	-	-	-	-
5845MHz	Pass	5.00	8.97	8.97	13.97	14.00
5865MHz	Pass	5.00	8.95	8.95	13.95	14.00
5885MHz	Pass	5.00	8.94	8.94	13.94	14.00
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-	-
5845MHz	Pass	5.00	8.94	8.94	13.94	14.00
5865MHz	Pass	5.00	8.92	8.92	13.92	14.00
5885MHz	Pass	5.00	8.96	8.96	13.96	14.00
802.11ax HEW40_Nss1,(MCS0)_1TX	-	-	-	-	-	-
5835MHz	Pass	5.00	7.56	7.56	12.56	14.00
5875MHz	Pass	5.00	7.54	7.54	12.54	14.00
802.11ax HEW80_Nss1,(MCS0)_1TX	-	-	-	-	-	-
5855MHz	Pass	5.00	3.33	3.33	8.33	14.00
802.11ax HEW160_Nss1,(MCS0)_1TX	-	-	-	-	-	-
5815MHz	Pass	5.00	-1.87	-1.87	3.13	14.00


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;

802.11a_Nss1,(6Mbps)_1TX

PSD

5845MHz

24/05/2022




Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
8.97	8.97	8.97

802.11a_Nss1,(6Mbps)_1TX

PSD

5865MHz

24/05/2022




Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
8.95	8.95	8.95

802.11a_Nss1,(6Mbps)_1TX

PSD

5885MHz

24/05/2022




802.11ax HEW20_Nss1,(MCS0)_1TX

PSD

5845MHz

24/05/2022




802.11ax HEW20_Nss1,(MCS0)_1TX

PSD

5865MHz

24/05/2022




802.11ax HEW20_Nss1,(MCS0)_1TX

PSD

5885MHz

24/05/2022




802.11ax HEW40_Nss1,(MCS0)_1TX

PSD

5835MHz

24/05/2022




802.11ax HEW40_Nss1,(MCS0)_1TX

PSD

5875MHz

24/05/2022




802.11ax HEW80_Nss1,(MCS0)_1TX

PSD

5855MHz

24/05/2022




Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
3.33	3.33	3.33

802.11ax HEW160_Nss1,(MCS0)_1TX

PSD

5815MHz

24/05/2022



Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-1.87	-1.87	-1.87



Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.725-5.895GHz	-	-
802.11a_Nss1,(6Mbps)_2TX	5.97	13.84
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	6.08	13.95
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	5.92	13.79
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	5.51	13.38
802.11ax HEW160-BF_Nss1,(MCS0)_2TX	-0.76	7.11

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-
5845MHz	Pass	7.87	2.93	3.02	5.97	13.84	14.00
5865MHz	Pass	7.87	2.84	2.90	5.83	13.70	14.00
5885MHz	Pass	7.87	2.72	3.11	5.91	13.78	14.00
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5845MHz	Pass	7.87	2.55	3.21	5.89	13.76	14.00
5865MHz	Pass	7.87	2.74	3.15	5.91	13.78	14.00
5885MHz	Pass	7.87	2.92	3.23	6.08	13.95	14.00
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5835MHz	Pass	7.87	2.71	3.09	5.88	13.75	14.00
5875MHz	Pass	7.87	2.64	3.28	5.92	13.79	14.00
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5855MHz	Pass	7.87	2.45	2.65	5.51	13.38	14.00
802.11ax HEW160-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5815MHz	Pass	7.87	-3.56	-3.91	-0.76	7.11	14.00


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;

802.11a_Nss1,(6Mbps)_2TX

PSD

5845MHz

24/05/2022




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.97	5.97	2.93	3.02

802.11a_Nss1,(6Mbps)_2TX

PSD

5865MHz

24/05/2022




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.83	5.83	2.84	2.90

802.11a_Nss1,(6Mbps)_2TX

PSD

5885MHz

24/05/2022




802.11ax HEW20-BF_Nss1,(MCS0)_2TX

PSD

5845MHz


24/05/2022



802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5865MHz

24/05/2022




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.91	5.91	2.74	3.15

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5885MHz

25/05/2022




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.08	6.08	2.92	3.23

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

PSD

5835MHz

24/05/2022




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
5.88	5.88	2.71	3.09

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

PSD

5875MHz

24/05/2022




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
5.92	5.92	2.64	3.28

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

PSD

5855MHz

25/05/2022




802.11ax HEW160-BF_Nss1,(MCS0)_2TX

PSD

5815MHz

25/05/2022





Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.725-5.895GHz	-	-
802.11a_Nss1,(6Mbps)_2TX	5.97	13.98
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	5.91	13.92
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	5.92	13.93
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	2.69	10.70
802.11ax HEW160-BF_Nss1,(MCS0)_2TX	-3.49	4.52

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-
5845MHz	Pass	8.01	2.93	3.02	5.97	Inf	13.98	14.00
5865MHz	Pass	8.01	2.84	2.90	5.83	Inf	13.84	14.00
5885MHz	Pass	8.01	2.72	3.11	5.91	Inf	13.92	14.00
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5845MHz	Pass	8.01	2.55	3.21	5.89	Inf	13.90	14.00
5865MHz	Pass	8.01	2.74	3.15	5.91	Inf	13.92	14.00
5885MHz	Pass	8.01	2.68	2.82	5.75	Inf	13.76	14.00
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5835MHz	Pass	8.01	2.71	3.09	5.88	Inf	13.89	14.00
5875MHz	Pass	8.01	2.64	3.28	5.92	Inf	13.93	14.00
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5855MHz	Pass	8.01	-0.40	-0.24	2.69	Inf	10.70	14.00
802.11ax HEW160-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5815MHz	Pass	8.01	-6.35	-6.66	-3.49	Inf	4.52	14.00


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;

802.11a_Nss1,(6Mbps)_2TX

PSD

5845MHz

24/05/2022




Sum	PD	Port 1	Port 2
(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)
5.97	5.97	2.93	3.02

802.11a_Nss1,(6Mbps)_2TX

PSD

5865MHz

24/05/2022




Sum	PD	Port 1	Port 2
(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)
5.83	5.83	2.84	2.90

802.11a_Nss1,(6Mbps)_2TX

PSD

5885MHz

24/05/2022




802.11ax HEW20-BF_Nss1,(MCS0)_2TX

PSD

5845MHz


24/05/2022



802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5865MHz


24/05/2022



802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5885MHz

24/05/2022




802.11ax HEW40-BF_Nss1,(MCS0)_2TX

PSD

5835MHz

24/05/2022




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
5.88	5.88	2.71	3.09

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

PSD

5875MHz

24/05/2022




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
5.92	5.92	2.64	3.28

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

PSD

5855MHz

03/06/2022




802.11ax HEW160-BF_Nss1,(MCS0)_2TX

PSD

5815MHz

03/06/2022





Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.725-5.895GHz	-	-
802.11a_Nss1,(6Mbps)_2TX	5.97	13.98
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	5.91	13.92
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	5.92	13.93
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	3.64	11.65
802.11ax HEW160-BF_Nss1,(MCS0)_2TX	-2.75	5.26

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-
5845MHz	Pass	8.01	2.93	3.02	5.97	13.98	14.00
5865MHz	Pass	8.01	2.84	2.90	5.83	13.84	14.00
5885MHz	Pass	8.01	2.72	3.11	5.91	13.92	14.00
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5845MHz	Pass	8.01	2.55	3.21	5.89	13.90	14.00
5865MHz	Pass	8.01	2.74	3.15	5.91	13.92	14.00
5885MHz	Pass	8.01	2.68	2.82	5.75	13.76	14.00
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5835MHz	Pass	8.01	2.71	3.09	5.88	13.89	14.00
5875MHz	Pass	8.01	2.64	3.28	5.92	13.93	14.00
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5855MHz	Pass	8.01	0.58	0.69	3.64	11.65	14.00
802.11ax HEW160-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5815MHz	Pass	8.01	-5.42	-5.97	-2.75	5.26	14.00


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;

802.11a_Nss1,(6Mbps)_2TX

PSD

5845MHz

24/05/2022




802.11a_Nss1,(6Mbps)_2TX

PSD

5865MHz

24/05/2022




802.11a_Nss1,(6Mbps)_2TX

PSD

5885MHz

24/05/2022




802.11ax HEW20-BF_Nss1,(MCS0)_2TX

PSD

5845MHz


24/05/2022



802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5865MHz


24/05/2022



802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5885MHz

24/05/2022




802.11ax HEW40-BF_Nss1,(MCS0)_2TX

PSD

5835MHz

24/05/2022




802.11ax HEW40-BF_Nss1,(MCS0)_2TX

PSD

5875MHz

24/05/2022




802.11ax HEW80-BF_Nss1,(MCS0)_2TX

PSD

5855MHz

24/05/2022




802.11ax HEW160-BF_Nss1,(MCS0)_2TX

PSD

5815MHz

24/05/2022





Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.725-5.895GHz	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	9.07	13.93

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	PD (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-	-
5845MHz	Pass	4.86	8.92	8.92	13.78	14.00
5865MHz	Pass	4.86	8.98	8.98	13.84	14.00
5885MHz	Pass	4.86	9.07	9.07	13.93	14.00


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;

802.11ax HEW20_Nss1,(MCS0)_1TX

PSD

5845MHz

02/06/2022




Sum	PD	Port 1
(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)
8.92	8.92	8.92

802.11ax HEW20_Nss1,(MCS0)_1TX

PSD

5865MHz

02/06/2022




Sum	PD	Port 1
(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)
8.98	8.98	8.98

802.11ax HEW20_Nss1,(MCS0)_1TX

PSD

5885MHz

02/06/2022



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.07	9.07	9.07



Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.725-5.895GHz	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	9.11	13.97

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	PD (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-	-
5845MHz	Pass	4.86	9.03	9.03	13.89	14.00
5865MHz	Pass	4.86	9.11	9.11	13.97	14.00
5885MHz	Pass	4.86	9.07	9.07	13.93	14.00


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;

802.11ax HEW20_Nss1,(MCS0)_1TX

PSD

5845MHz

02/06/2022




Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.03	9.03	9.03

802.11ax HEW20_Nss1,(MCS0)_1TX

PSD

5865MHz

02/06/2022




Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.11	9.11	9.11

802.11ax HEW20_Nss1,(MCS0)_1TX

PSD

5885MHz

02/06/2022



Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
9.07	9.07	9.07



Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.725-5.895GHz	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	9.06	13.92

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;



PSD
<Partial RU> UNII 4_RU 106_Ant. 1 (1TX)

Appendix D.33

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	PD (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-	-
5845MHz	Pass	4.86	9.04	9.04	13.90	14.00
5865MHz	Pass	4.86	8.97	8.97	13.83	14.00
5885MHz	Pass	4.86	9.06	9.06	13.92	14.00


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;

802.11ax HEW20_Nss1,(MCS0)_1TX

PSD

5845MHz

02/06/2022




Sum	PD	Port 1
(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)
9.04	9.04	9.04

802.11ax HEW20_Nss1,(MCS0)_1TX

PSD

5865MHz

02/06/2022




Sum	PD	Port 1
(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)
8.97	8.97	8.97

802.11ax HEW20_Nss1,(MCS0)_1TX

PSD

5885MHz

02/06/2022



Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
9.06	9.06	9.06



Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.725-5.895GHz	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	8.92	13.92

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;



PSD
<Partial RU> UNII 4_RU 26_Ant. 2 (1TX)

Appendix D.34

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-
5845MHz	Pass	5.00	8.92	8.92	Inf	13.92	14.00
5865MHz	Pass	5.00	8.77	8.77	Inf	13.77	14.00
5885MHz	Pass	5.00	8.92	8.92	Inf	13.92	14.00


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;

802.11ax HEW20_Nss1,(MCS0)_1TX

PSD

5845MHz

25/05/2022




Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
8.92	8.92	8.92

802.11ax HEW20_Nss1,(MCS0)_1TX

PSD

5865MHz

25/05/2022




Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
8.77	8.77	8.77

802.11ax HEW20_Nss1,(MCS0)_1TX

PSD

5885MHz

03/06/2022



Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
8.92	8.92	8.92



Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.725-5.895GHz	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	8.92	13.92

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;



PSD
<Partial RU> UNII 4_RU 52_Ant. 2 (1TX)

Appendix D.35

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	PD (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-	-
5845MHz	Pass	5.00	8.79	8.79	13.79	14.00
5865MHz	Pass	5.00	8.91	8.91	13.91	14.00
5885MHz	Pass	5.00	8.92	8.92	13.92	14.00


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;

802.11ax HEW20_Nss1,(MCS0)_1TX

PSD

5845MHz

25/05/2022




Sum	PD	Port 1
(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)
8.79	8.79	8.79

802.11ax HEW20_Nss1,(MCS0)_1TX

PSD

5865MHz

25/05/2022




Sum	PD	Port 1
(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)
8.91	8.91	8.91

802.11ax HEW20_Nss1,(MCS0)_1TX

PSD

5885MHz

25/05/2022



Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
8.92	8.92	8.92



PSD
<Partial RU> UNII 4_RU 106_Ant. 2 (1TX)

Appendix D.36

Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.725-5.895GHz	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	8.98	13.98

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;



PSD
<Partial RU> UNII 4_RU 106_Ant. 2 (1TX)

Appendix D.36

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	PD (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-	-
5845MHz	Pass	5.00	8.91	8.91	13.91	14.00
5865MHz	Pass	5.00	8.97	8.97	13.97	14.00
5885MHz	Pass	5.00	8.98	8.98	13.98	14.00


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;

802.11ax HEW20_Nss1,(MCS0)_1TX

PSD

5845MHz

25/05/2022




Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.91	8.91	8.91

802.11ax HEW20_Nss1,(MCS0)_1TX

PSD

5865MHz

25/05/2022




Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.97	8.97	8.97

802.11ax HEW20_Nss1,(MCS0)_1TX

PSD

5885MHz

25/05/2022



Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
8.98	8.98	8.98



PSD
<Partial RU> UNII 4_RU 106_Ant. 3 (1TX)

Appendix D.37

Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.725-5.895GHz	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	8.98	13.98

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;



PSD
<Partial RU> UNII 4_RU 106_Ant. 3 (1TX)

Appendix D.37

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	PD (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-	-
5845MHz	Pass	5.00	8.91	8.91	13.91	14.00
5865MHz	Pass	5.00	8.97	8.97	13.97	14.00
5885MHz	Pass	5.00	8.98	8.98	13.98	14.00


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;

802.11ax HEW20_Nss1,(MCS0)_1TX

PSD

5845MHz

25/05/2022




Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.91	8.91	8.91

802.11ax HEW20_Nss1,(MCS0)_1TX

PSD

5865MHz

25/05/2022




Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.97	8.97	8.97

802.11ax HEW20_Nss1,(MCS0)_1TX

PSD

5885MHz

25/05/2022



Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
8.98	8.98	8.98



Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.725-5.895GHz	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	8.92	13.92

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;



PSD
<Partial RU> UNII 4_RU 26_Ant. 3 (1TX)

Appendix D.38

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	PD (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-	-
5845MHz	Pass	5.00	8.92	8.92	13.92	14.00
5865MHz	Pass	5.00	8.77	8.77	13.77	14.00
5885MHz	Pass	5.00	6.39	6.39	11.39	14.00


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;

802.11ax HEW20_Nss1,(MCS0)_1TX

PSD

5845MHz

25/05/2022




Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
8.92	8.92	8.92

802.11ax HEW20_Nss1,(MCS0)_1TX

PSD

5865MHz

25/05/2022




Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
8.77	8.77	8.77

802.11ax HEW20_Nss1,(MCS0)_1TX

PSD

5885MHz

25/05/2022



Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
6.39	6.39	6.39



Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.725-5.895GHz	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	8.92	13.92

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;



PSD
<Partial RU> UNII 4_RU 52_Ant. 3 (1TX)

Appendix D.39

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	PD (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-	-
5845MHz	Pass	5.00	8.79	8.79	13.79	14.00
5865MHz	Pass	5.00	8.91	8.91	13.91	14.00
5885MHz	Pass	5.00	8.92	8.92	13.92	14.00


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;

802.11ax HEW20_Nss1,(MCS0)_1TX

PSD

5845MHz

25/05/2022




Sum	PD	Port 1
(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)
8.79	8.79	8.79

802.11ax HEW20_Nss1,(MCS0)_1TX

PSD

5865MHz

25/05/2022




Sum	PD	Port 1
(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)
8.91	8.91	8.91

802.11ax HEW20_Nss1,(MCS0)_1TX

PSD

5885MHz

25/05/2022



Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
8.92	8.92	8.92



Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.725-5.895GHz	-	-
802.11ax HEW20_Nss1,(MCS0)_2TX	5.75	13.62

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;



PSD
<Partial RU> UNII 4_RU 26_Ant. 1 (2TX)

Appendix D.40

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5845MHz	Pass	7.87	2.39	2.69	5.55	13.42	14.00
5865MHz	Pass	7.87	2.49	3.04	5.75	13.62	14.00
5885MHz	Pass	7.87	2.39	3.06	5.73	13.60	14.00


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;

802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

5845MHz

02/06/2022




Sum	PD	Port 1	Port 2
(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)
5.55	5.55	2.39	2.69

802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

5865MHz

02/06/2022




Sum	PD	Port 1	Port 2
(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)
5.75	5.75	2.49	3.04

802.11ax HEW20_Nss1,(MCS0)_2TX

5885MHz

PSD

02/06/2022



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.73	5.73	2.39	3.06



Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.725-5.895GHz	-	-
802.11ax HEW20_Nss1,(MCS0)_2TX	6.11	13.98

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;



Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5845MHz	Pass	7.87	3.19	3.16	6.05	13.92	14.00
5865MHz	Pass	7.87	3.27	2.94	6.11	13.98	14.00
5885MHz	Pass	7.87	2.92	3.49	6.11	13.98	14.00


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;

802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

5845MHz

02/06/2022




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
6.05	6.05	3.19	3.16

802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

5865MHz

02/06/2022




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
6.11	6.11	3.27	2.94

802.11ax HEW20_Nss1,(MCS0)_2TX

5885MHz

PSD

02/06/2022



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.11	6.11	2.92	3.49



Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.725-5.895GHz	-	-
802.11ax HEW20_Nss1,(MCS0)_2TX	6.01	13.88

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5845MHz	Pass	7.87	2.87	3.11	5.94	13.81	14.00
5865MHz	Pass	7.87	2.91	3.20	5.98	13.85	14.00
5885MHz	Pass	7.87	2.95	3.26	6.01	13.88	14.00


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;

802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

5845MHz

02/06/2022




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
5.94	5.94	2.87	3.11

802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

5865MHz

02/06/2022




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
5.98	5.98	2.91	3.20

802.11ax HEW20_Nss1,(MCS0)_2TX

5885MHz

PSD

02/06/2022



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
6.01	6.01	2.95	3.26



Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.725-5.895GHz	-	-
802.11ax HEW20_Nss1,(MCS0)_2TX	5.87	13.88

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;



Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5845MHz	Pass	8.01	2.52	2.95	5.74	Inf	13.75	14.00
5865MHz	Pass	8.01	2.65	2.84	5.74	Inf	13.75	14.00
5885MHz	Pass	8.01	2.75	3.00	5.87	Inf	13.88	14.00


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;

802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

5845MHz

25/05/2022




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.74	5.74	2.52	2.95

802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

5865MHz

25/05/2022




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.74	5.74	2.65	2.84

802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

5885MHz

03/06/2022



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.87	5.87	2.75	3.00



Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.725-5.895GHz	-	-
802.11ax HEW20_Nss1,(MCS0)_2TX	5.83	13.84

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5845MHz	Pass	8.01	2.92	2.87	5.83	Inf	13.84	14.00
5865MHz	Pass	8.01	2.62	2.96	5.74	Inf	13.75	14.00
5885MHz	Pass	8.01	2.85	2.77	5.82	Inf	13.83	14.00


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;

802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

5845MHz

25/05/2022




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
5.83	5.83	2.92	2.87

802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

5865MHz

25/05/2022




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
5.74	5.74	2.62	2.96

802.11ax HEW20_Nss1,(MCS0)_2TX

5885MHz

PSD

03/06/2022



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.82	5.82	2.85	2.77



PSD
<Partial RU> UNII 4_RU 106_Ant. 2 (2TX)

Appendix D.45

Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.725-5.895GHz	-	-
802.11ax HEW20_Nss1,(MCS0)_2TX	5.87	13.88

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;



Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5845MHz	Pass	8.01	2.43	3.33	5.87	13.88	14.00
5865MHz	Pass	8.01	2.51	3.02	5.77	13.78	14.00
5885MHz	Pass	8.01	2.53	3.14	5.74	13.75	14.00


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;

802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

5845MHz

25/05/2022




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
5.87	5.87	2.43	3.33

802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

5865MHz

25/05/2022




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
5.77	5.77	2.51	3.02

802.11ax HEW20_Nss1,(MCS0)_2TX

5885MHz

PSD

25/05/2022



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.74	5.74	2.53	3.14



Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.725-5.895GHz	-	-
802.11ax HEW20_Nss1,(MCS0)_2TX	5.74	13.75

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;



Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5845MHz	Pass	8.01	2.52	2.95	5.74	13.75	14.00
5865MHz	Pass	8.01	2.65	2.84	5.74	13.75	14.00
5885MHz	Pass	8.01	-0.57	-0.25	2.60	10.61	14.00


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;

802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

5845MHz

25/05/2022




Sum	PD	Port 1	Port 2
(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)
5.74	5.74	2.52	2.95

802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

5865MHz

25/05/2022




Sum	PD	Port 1	Port 2
(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)
5.74	5.74	2.65	2.84

802.11ax HEW20_Nss1,(MCS0)_2TX

5885MHz

PSD

25/05/2022



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.60	2.60	-0.57	-0.25



Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.725-5.895GHz	-	-
802.11ax HEW20_Nss1,(MCS0)_2TX	5.83	13.84

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5845MHz	Pass	8.01	2.92	2.87	5.83	13.84	14.00
5865MHz	Pass	8.01	2.62	2.96	5.74	13.75	14.00
5885MHz	Pass	8.01	1.89	2.13	5.00	13.01	14.00


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;

802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

5845MHz

25/05/2022




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
5.83	5.83	2.92	2.87

802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

5865MHz

25/05/2022




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
5.74	5.74	2.62	2.96

802.11ax HEW20_Nss1,(MCS0)_2TX

5885MHz

PSD

25/05/2022



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
5.00	5.00	1.89	2.13



Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.725-5.895GHz	-	-
802.11ax HEW20_Nss1,(MCS0)_2TX	5.87	13.88

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5845MHz	Pass	8.01	2.43	3.33	5.87	13.88	14.00
5865MHz	Pass	8.01	2.51	3.02	5.77	13.78	14.00
5885MHz	Pass	8.01	2.53	3.14	5.74	13.75	14.00


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;

802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

5845MHz

25/05/2022




802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

5865MHz

25/05/2022




802.11ax HEW20_Nss1,(MCS0)_2TX

5885MHz

PSD

25/05/2022



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
5.74	5.74	2.53	3.14



Radiated Emissions below 1GHz


Appendix E.1

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 3	Pass	PK	60.01M	35.92	40.00	-4.08	Vertical

Mode 3


18/05/2022



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	30.85M	35.61	40.00	-4.39	-13.16	3	Vertical	55	1.00	-	48.77	14.00	0.73	27.89
PK	60.01M	35.92	40.00	-4.08	-16.67	3	Vertical	193	1.00	"Worst"	52.59	9.80	1.30	27.77
PK	99.62M	33.36	43.50	-10.14	-16.35	3	Vertical	79	1.00	-	49.71	9.56	1.90	27.81
PK	115.6M	31.39	43.50	-12.11	-15.05	3	Vertical	190	2.00	-	46.44	10.50	2.13	27.68
PK	366.4M	35.26	46.00	-10.74	-7.69	3	Vertical	4	2.00	-	42.95	15.38	3.97	27.04
PK	399.6M	33.01	46.00	-12.99	-7.02	3	Vertical	38	2.00	-	40.03	16.22	4.10	27.34

Mode 3

18/05/2022



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	100.04M	31.53	43.50	-11.97	-16.31	3	Horizontal	133	1.00	"Worst"	47.84	9.60	1.90	27.81
PK	199.92M	27.68	43.50	-15.82	-9.56	3	Horizontal	229	3.00	-	37.24	14.51	3.20	27.27
PK	299.6M	28.37	46.00	-17.63	-9.67	3	Horizontal	286	1.00	-	38.04	13.20	3.50	26.37
PK	366.4M	32.51	46.00	-13.49	-7.69	3	Horizontal	214	2.00	-	40.20	15.38	3.97	27.04
PK	399.6M	31.24	46.00	-14.76	-7.02	3	Horizontal	11	1.00	-	38.26	16.22	4.10	27.34
PK	499.6M	31.66	46.00	-14.34	-5.79	3	Horizontal	15	1.00	-	37.45	17.51	4.60	27.90



RSE TX above 1GHz

<Full RU> UNII1~UNII3_Non-Beamforming Mode_Ant.1 (1TX)


Appendix E.2

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW160_Nss1,(MCS0)_1TX	Pass	AV	5.3928G	53.99	54.00	-0.01	3	Vertical	74	1.29	-

802.11a_Nss1,(6Mbps)_1TX

5180MHz_TnomVnom




EUT_X_1TX
Setting 21.25
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	73.45	74.00	-0.55	67.62	3	Vertical	75	1.11	-	34.00	7.17	35.34
AV	5.15G	52.71	54.00	-1.29	46.88	3	Vertical	75	1.11	-	34.00	7.17	35.34
PK	5.1808G	114.18	Inf	-Inf	108.21	3	Vertical	75	1.11	-	34.12	7.19	35.34
AV	5.1792G	104.21	Inf	-Inf	98.24	3	Vertical	75	1.11	-	34.12	7.19	35.34

802.11a_Nss1,(6Mbps)_1TX

5180MHz_TnomVnom




EUT_X_1TX
Setting 21.25
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	69.74	74.00	-4.26	63.91	3	Horizontal	200	2.04	-	34.00	7.17	35.34
AV	5.15G	49.73	54.00	-4.27	43.90	3	Horizontal	200	2.04	-	34.00	7.17	35.34
PK	5.1792G	110.37	Inf	-Inf	104.40	3	Horizontal	200	2.04	-	34.12	7.19	35.34
AV	5.1792G	100.54	Inf	-Inf	94.57	3	Horizontal	200	2.04	-	34.12	7.19	35.34

802.11a_Nss1,(6Mbps)_1TX

5180MHz_TnomVnom




EUT X_1TX
Setting 21.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.52824G	60.68	74.00	-13.32	44.41	3	Vertical	283	1.27	-	38.50	13.16	35.39
AV	15.53694G	46.43	54.00	-7.57	30.22	3	Vertical	283	1.27	-	38.44	13.17	35.40

802.11a_Nss1,(6Mbps)_1TX

5180MHz_TnomVnom




EUT X_1TX
Setting 21.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.53778G	60.24	74.00	-13.76	44.03	3	Horizontal	112	2.93	-	38.44	13.17	35.40
AV	15.52962G	46.52	54.00	-7.48	30.26	3	Horizontal	112	2.93	-	38.49	13.16	35.39

802.11a_Nss1,(6Mbps)_1TX

5200MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	59.12	74.00	-14.88	53.29	3	Vertical	77	1.77	-	34.00	7.17	35.34
AV	5.15G	46.24	54.00	-7.76	40.41	3	Vertical	77	1.77	-	34.00	7.17	35.34
PK	5.2008G	113.53	Inf	-Inf	107.47	3	Vertical	77	1.77	-	34.20	7.20	35.34
AV	5.1992G	103.52	Inf	-Inf	97.46	3	Vertical	77	1.77	-	34.20	7.20	35.34

802.11a_Nss1,(6Mbps)_1TX

5200MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	60.23	74.00	-13.77	54.40	3	Horizontal	203	2.24	-	34.00	7.17	35.34
AV	5.1496G	45.85	54.00	-8.15	40.02	3	Horizontal	203	2.24	-	34.00	7.17	35.34
PK	5.2008G	111.19	Inf	-Inf	105.13	3	Horizontal	203	2.24	-	34.20	7.20	35.34
AV	5.1988G	101.19	Inf	-Inf	95.13	3	Horizontal	203	2.24	-	34.20	7.20	35.34

802.11a_Nss1,(6Mbps)_1TX

5200MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.60216G	59.51	74.00	-14.49	43.78	3	Vertical	224	1.19	-	37.99	13.20	35.46
AV	15.58542G	46.20	54.00	-7.80	30.35	3	Vertical	224	1.19	-	38.10	13.19	35.44

802.11a_Nss1,(6Mbps)_1TX

5200MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.60858G	59.73	74.00	-14.27	44.03	3	Horizontal	119	2.50	-	37.96	13.20	35.46
AV	15.58638G	46.18	54.00	-7.82	30.33	3	Horizontal	119	2.50	-	38.10	13.19	35.44

802.11a_Nss1,(6Mbps)_1TX

5240MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1074G	58.44	74.00	-15.56	52.71	3	Vertical	296	2.10	-	33.91	7.15	35.33
AV	5.1458G	45.37	54.00	-8.63	39.55	3	Vertical	296	2.10	-	33.99	7.17	35.34
PK	5.2412G	113.74	Inf	-Inf	107.52	3	Vertical	296	2.10	-	34.36	7.20	35.34
AV	5.2406G	103.87	Inf	-Inf	97.65	3	Vertical	296	2.10	-	34.36	7.20	35.34
PK	5.3714G	58.72	74.00	-15.28	52.32	3	Vertical	296	2.10	-	34.54	7.20	35.34
AV	5.3888G	46.02	54.00	-7.98	39.59	3	Vertical	296	2.10	-	34.58	7.20	35.35

802.11a_Nss1,(6Mbps)_1TX

5240MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.117G	58.26	74.00	-15.74	52.50	3	Horizontal	201	1.99	-	33.93	7.16	35.33
AV	5.1488G	45.33	54.00	-8.67	39.50	3	Horizontal	201	1.99	-	34.00	7.17	35.34
PK	5.2406G	111.91	Inf	-Inf	105.69	3	Horizontal	201	1.99	-	34.36	7.20	35.34
AV	5.2406G	101.93	Inf	-Inf	95.71	3	Horizontal	201	1.99	-	34.36	7.20	35.34
PK	5.3828G	59.01	74.00	-14.99	52.59	3	Horizontal	201	1.99	-	34.57	7.20	35.35
AV	5.3894G	46.07	54.00	-7.93	39.64	3	Horizontal	201	1.99	-	34.58	7.20	35.35

802.11a_Nss1,(6Mbps)_1TX

5240MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.72618G	59.76	74.00	-14.24	44.46	3	Vertical	205	2.26	-	37.60	13.26	35.56
AV	15.7227G	46.27	54.00	-7.73	30.98	3	Vertical	205	2.26	-	37.59	13.26	35.56

802.11a_Nss1,(6Mbps)_1TX

5240MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.73026G	59.56	74.00	-14.44	44.23	3	Horizontal	210	2.61	-	37.62	13.27	35.56
AV	15.70944G	46.20	54.00	-7.80	30.96	3	Horizontal	210	2.61	-	37.54	13.25	35.55

802.11a_Nss1,(6Mbps)_1TX

5260MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1454G	58.11	74.00	-15.89	52.29	3	Vertical	74	1.00	-	33.99	7.17	35.34
AV	5.146G	45.38	54.00	-8.62	39.56	3	Vertical	74	1.00	-	33.99	7.17	35.34
PK	5.2612G	113.08	Inf	-Inf	106.80	3	Vertical	74	1.00	-	34.42	7.20	35.34
AV	5.2606G	103.20	Inf	-Inf	96.92	3	Vertical	74	1.00	-	34.42	7.20	35.34
PK	5.3674G	59.31	74.00	-14.69	52.92	3	Vertical	74	1.00	-	34.53	7.20	35.34
AV	5.3998G	46.13	54.00	-7.87	39.68	3	Vertical	74	1.00	-	34.60	7.20	35.35

802.11a_Nss1,(6Mbps)_1TX

5260MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1226G	58.48	74.00	-15.52	52.70	3	Horizontal	201	2.18	-	33.95	7.16	35.33
AV	5.1436G	45.34	54.00	-8.66	39.52	3	Horizontal	201	2.18	-	33.99	7.17	35.34
PK	5.2612G	110.65	Inf	-Inf	104.37	3	Horizontal	201	2.18	-	34.42	7.20	35.34
AV	5.2594G	100.91	Inf	-Inf	94.63	3	Horizontal	201	2.18	-	34.42	7.20	35.34
PK	5.3686G	59.70	74.00	-14.30	53.30	3	Horizontal	201	2.18	-	34.54	7.20	35.34
AV	5.3932G	46.10	54.00	-7.90	39.66	3	Horizontal	201	2.18	-	34.59	7.20	35.35

802.11a_Nss1,(6Mbps)_1TX

5260MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.76584G	59.96	74.00	-14.04	44.51	3	Vertical	348	1.29	-	37.76	13.28	35.59
AV	15.78942G	46.40	54.00	-7.60	30.86	3	Vertical	348	1.29	-	37.86	13.29	35.61

802.11a_Nss1,(6Mbps)_1TX

5260MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.78558G	60.12	74.00	-13.88	44.60	3	Horizontal	104	2.50	-	37.84	13.29	35.61
AV	15.78954G	46.36	54.00	-7.64	30.82	3	Horizontal	104	2.50	-	37.86	13.29	35.61

802.11a_Nss1,(6Mbps)_1TX

5300MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3012G	113.14	Inf	-Inf	106.78	3	Vertical	313	1.98	-	34.50	7.20	35.34
AV	5.3008G	103.28	Inf	-Inf	96.92	3	Vertical	313	1.98	-	34.50	7.20	35.34
PK	5.3516G	65.70	74.00	-8.30	59.34	3	Vertical	313	1.98	-	34.50	7.20	35.34
AV	5.35G	48.49	54.00	-5.51	42.13	3	Vertical	313	1.98	-	34.50	7.20	35.34

802.11a_Nss1,(6Mbps)_1TX

5300MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.2984G	111.70	Inf	-Inf	105.34	3	Horizontal	200	1.97	-	34.50	7.20	35.34	
AV	5.2988G	101.93	Inf	-Inf	95.57	3	Horizontal	200	1.97	-	34.50	7.20	35.34	
PK	5.3504G	64.83	74.00	-9.17	58.47	3	Horizontal	200	1.97	-	34.50	7.20	35.34	
AV	5.3504G	47.84	54.00	-6.16	41.48	3	Horizontal	200	1.97	-	34.50	7.20	35.34	

802.11a_Nss1,(6Mbps)_1TX

5300MHz_TnomVnom




EUT_X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.59658G	57.27	68.20	-10.93	43.87	3	Vertical	203	1.80	-	38.20	10.59	35.39
AV	10.60144G	42.65	54.00	-11.35	29.24	3	Vertical	203	1.80	-	38.20	10.59	35.38
PK	15.90042G	61.40	74.00	-12.60	46.16	3	Vertical	153	1.88	-	37.60	13.35	35.71
AV	15.89838G	47.67	54.00	-6.33	32.42	3	Vertical	153	1.88	-	37.60	13.35	35.70

802.11a_Nss1,(6Mbps)_1TX

5300MHz_TnomVnom




EUT_X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60246G	56.74	74.00	-17.26	43.33	3	Horizontal	219	2.28	-	38.20	10.59	35.38
AV	10.6015G	43.23	54.00	-10.77	29.82	3	Horizontal	219	2.28	-	38.20	10.59	35.38
PK	15.9051G	62.82	74.00	-11.18	47.59	3	Horizontal	152	1.85	-	37.59	13.35	35.71
AV	15.90288G	47.48	54.00	-6.52	32.25	3	Horizontal	152	1.85	-	37.59	13.35	35.71

802.11a_Nss1,(6Mbps)_1TX

5320MHz_TnomVnom




EUT X_1TX
Setting 18.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3212G	111.04	Inf	-Inf	104.68	3	Vertical	314	1.99	-	34.50	7.20	35.34
AV	5.3188G	101.34	Inf	-Inf	94.98	3	Vertical	314	1.99	-	34.50	7.20	35.34
PK	5.35G	73.53	74.00	-0.47	67.17	3	Vertical	314	1.99	-	34.50	7.20	35.34
AV	5.35G	53.77	54.00	-0.23	47.41	3	Vertical	314	1.99	-	34.50	7.20	35.34

802.11a_Nss1,(6Mbps)_1TX

5320MHz_TnomVnom




EUT_X_1TX
Setting 18.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.3184G	109.51	Inf	-Inf	103.15	3	Horizontal	202	2.09	-	34.50	7.20	35.34	
AV	5.3192G	99.38	Inf	-Inf	93.02	3	Horizontal	202	2.09	-	34.50	7.20	35.34	
PK	5.3508G	70.97	74.00	-3.03	64.61	3	Horizontal	202	2.09	-	34.50	7.20	35.34	
AV	5.3508G	51.73	54.00	-2.27	45.37	3	Horizontal	202	2.09	-	34.50	7.20	35.34	

802.11a_Nss1,(6Mbps)_1TX

5320MHz_TnomVnom




EUT_X_1TX
Setting 18.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.62872G	55.04	74.00	-18.96	41.55	3	Vertical	345	1.22	-	38.26	10.59	35.36
AV	10.65392G	40.89	54.00	-13.11	27.32	3	Vertical	345	1.22	-	38.31	10.60	35.34
PK	15.94794G	59.14	74.00	-14.86	44.02	3	Vertical	261	1.34	-	37.50	13.37	35.75
AV	15.95178G	45.89	54.00	-8.11	30.76	3	Vertical	261	1.34	-	37.50	13.38	35.75

802.11a_Nss1,(6Mbps)_1TX

5320MHz_TnomVnom




EUT_X_1TX
Setting 18.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	10.63004G	54.60	74.00	-19.40	41.11	3	Horizontal	102	1.41	-	38.26	10.59	35.36	
AV	10.64012G	40.95	54.00	-13.05	27.42	3	Horizontal	102	1.41	-	38.28	10.60	35.35	
PK	15.97176G	59.31	74.00	-14.69	44.23	3	Horizontal	130	1.74	-	37.46	13.39	35.77	
AV	15.95628G	45.91	54.00	-8.09	30.79	3	Horizontal	130	1.74	-	37.49	13.38	35.75	

802.11a_Nss1,(6Mbps)_1TX

5500MHz_TnomVnom




EUT_X_1TX
Setting 18.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.456G	61.41	74.00	-12.59	54.99	3	Vertical	321	1.92	-	34.51	7.26	35.35
AV	5.46G	46.90	54.00	-7.10	40.47	3	Vertical	321	1.92	-	34.52	7.26	35.35
PK	5.47G	67.80	68.20	-0.40	61.34	3	Vertical	321	1.92	-	34.54	7.27	35.35
PK	5.5016G	110.77	Inf	-Inf	104.22	3	Vertical	321	1.92	-	34.60	7.30	35.35
AV	5.5008G	101.17	Inf	-Inf	94.62	3	Vertical	321	1.92	-	34.60	7.30	35.35

802.11a_Nss1,(6Mbps)_1TX

5500MHz_TnomVnom




EUT_X_1TX
Setting 18.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	61.63	74.00	-12.37	55.20	3	Horizontal	196	2.06	-	34.52	7.26	35.35
AV	5.46G	46.63	54.00	-7.37	40.20	3	Horizontal	196	2.06	-	34.52	7.26	35.35
PK	5.47G	67.76	68.20	-0.44	61.30	3	Horizontal	196	2.06	-	34.54	7.27	35.35
PK	5.5012G	109.50	Inf	-Inf	102.95	3	Horizontal	196	2.06	-	34.60	7.30	35.35
AV	5.4992G	99.88	Inf	-Inf	93.33	3	Horizontal	196	2.06	-	34.60	7.30	35.35

802.11a_Nss1,(6Mbps)_1TX

5500MHz_TnomVnom




EUT_X_1TX
Setting 18.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.9883G	54.78	74.00	-19.22	40.79	3	Vertical	336	2.41	-	38.39	10.65	35.05
AV	10.99712G	41.55	54.00	-12.45	27.54	3	Vertical	336	2.41	-	38.40	10.65	35.04

802.11a_Nss1,(6Mbps)_1TX

5500MHz_TnomVnom




EUT_X_1TX
Setting 18.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99904G	55.26	74.00	-18.74	41.25	3	Horizontal	219	1.14	-	38.40	10.65	35.04
AV	10.98554G	41.53	54.00	-12.47	27.54	3	Horizontal	219	1.14	-	38.39	10.65	35.05

802.11a_Nss1,(6Mbps)_1TX

5580MHz_TnomVnom




EUT_X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3848G	59.68	74.00	-14.32	53.26	3	Vertical	321	2.05	-	34.57	7.20	35.35
AV	5.4192G	46.55	54.00	-7.45	40.12	3	Vertical	321	2.05	-	34.56	7.22	35.35
PK	5.4608G	59.03	68.20	-9.17	52.60	3	Vertical	321	2.05	-	34.52	7.26	35.35
PK	5.5792G	114.45	Inf	-Inf	107.86	3	Vertical	321	2.05	-	34.60	7.38	35.39
AV	5.5792G	104.46	Inf	-Inf	97.87	3	Vertical	321	2.05	-	34.60	7.38	35.39
PK	5.7408G	59.71	68.20	-8.49	53.56	3	Vertical	321	2.05	-	34.22	7.40	35.47

802.11a_Nss1,(6Mbps)_1TX

5580MHz_TnomVnom




EUT_X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3848G	59.48	74.00	-14.52	53.06	3	Horizontal	196	1.93	-	34.57	7.20	35.35
AV	5.4192G	46.35	54.00	-7.65	39.92	3	Horizontal	196	1.93	-	34.56	7.22	35.35
PK	5.4616G	58.99	68.20	-9.21	52.56	3	Horizontal	196	1.93	-	34.52	7.26	35.35
PK	5.5792G	113.58	Inf	-Inf	106.99	3	Horizontal	196	1.93	-	34.60	7.38	35.39
AV	5.5792G	103.61	Inf	-Inf	97.02	3	Horizontal	196	1.93	-	34.60	7.38	35.39
PK	5.7408G	58.97	68.20	-9.23	52.82	3	Horizontal	196	1.93	-	34.22	7.40	35.47

802.11a_Nss1,(6Mbps)_1TX

5580MHz_TnomVnom




EUT_X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15862G	57.56	74.00	-16.44	43.55	3	Vertical	326	1.80	-	38.56	10.67	35.22
AV	11.16108G	44.07	54.00	-9.93	30.06	3	Vertical	326	1.80	-	38.56	10.67	35.22

802.11a_Nss1,(6Mbps)_1TX

5580MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1618G	63.05	74.00	-10.95	49.04	3	Horizontal	234	2.13	-	38.56	10.67	35.22
AV	11.16144G	49.33	54.00	-4.67	35.32	3	Horizontal	234	2.13	-	38.56	10.67	35.22

802.11a_Nss1,(6Mbps)_1TX

5700MHz_TnomVnom




EUT X_1TX
Setting 15.25
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7006G	108.96	Inf	-Inf	102.71	3	Vertical	326	2.10	-	34.30	7.40	35.45
AV	5.6992G	99.15	Inf	-Inf	92.90	3	Vertical	326	2.10	-	34.30	7.40	35.45
PK	5.7254G	67.95	68.20	-0.25	61.76	3	Vertical	326	2.10	-	34.25	7.40	35.46

802.11a_Nss1,(6Mbps)_1TX

5700MHz_TnomVnom




EUT X_1TX
Setting 15.25
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7018G	107.66	Inf	-Inf	101.41	3	Horizontal	191	2.05	-	34.30	7.40	35.45
AV	5.7008G	97.98	Inf	-Inf	91.73	3	Horizontal	191	2.05	-	34.30	7.40	35.45
PK	5.7254G	67.58	68.20	-0.62	61.39	3	Horizontal	191	2.05	-	34.25	7.40	35.46

802.11a_Nss1,(6Mbps)_1TX

5700MHz_TnomVnom




EUT_X_1TX
Setting 15.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4084G	55.70	74.00	-18.30	41.67	3	Vertical	212	2.41	-	38.82	10.71	35.50
AV	11.38518G	41.64	54.00	-12.36	27.61	3	Vertical	212	2.41	-	38.79	10.71	35.47

802.11a_Nss1,(6Mbps)_1TX

5700MHz_TnomVnom




EUT_X_1TX
Setting 15.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39952G	55.14	74.00	-18.86	41.12	3	Horizontal	149	2.98	-	38.80	10.71	35.49
AV	11.38794G	41.63	54.00	-12.37	27.60	3	Horizontal	149	2.98	-	38.79	10.71	35.47

802.11a_Nss1,(6Mbps)_1TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3952G	59.24	74.00	-14.76	52.80	3	Vertical	326	2.08	-	34.59	7.20	35.35
AV	5.3854G	46.10	54.00	-7.90	39.68	3	Vertical	326	2.08	-	34.57	7.20	35.35
PK	5.4638G	57.53	68.20	-10.67	51.09	3	Vertical	326	2.08	-	34.53	7.26	35.35
PK	5.7214G	114.15	Inf	-Inf	107.95	3	Vertical	326	2.08	-	34.26	7.40	35.46
AV	5.72G	104.14	Inf	-Inf	97.94	3	Vertical	326	2.08	-	34.26	7.40	35.46
PK	5.9678G	59.00	68.20	-9.20	52.21	3	Vertical	326	2.08	-	34.80	7.57	35.58

802.11a_Nss1,(6Mbps)_1TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3896G	58.67	74.00	-15.33	52.24	3	Horizontal	191	2.04	-	34.58	7.20	35.35
AV	5.3938G	46.08	54.00	-7.92	39.64	3	Horizontal	191	2.04	-	34.59	7.20	35.35
PK	5.4624G	57.99	68.20	-10.21	51.56	3	Horizontal	191	2.04	-	34.52	7.26	35.35
PK	5.7214G	113.38	Inf	-Inf	107.18	3	Horizontal	191	2.04	-	34.26	7.40	35.46
AV	5.72G	103.74	Inf	-Inf	97.54	3	Horizontal	191	2.04	-	34.26	7.40	35.46
PK	5.9034G	59.22	68.20	-8.98	52.66	3	Horizontal	191	2.04	-	34.61	7.50	35.55

802.11a_Nss1,(6Mbps)_1TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44168G	64.20	74.00	-9.80	50.13	3	Vertical	188	2.42	-	38.88	10.72	35.53
AV	11.43982G	50.64	54.00	-3.36	36.57	3	Vertical	188	2.42	-	38.88	10.72	35.53

802.11a_Nss1,(6Mbps)_1TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4436G	61.23	74.00	-12.77	47.16	3	Horizontal	181	2.12	-	38.89	10.72	35.54
AV	11.44156G	47.62	54.00	-6.38	33.55	3	Horizontal	181	2.12	-	38.88	10.72	35.53

802.11a_Nss1,(6Mbps)_1TX

5745MHz_TnomVnom




EUT_X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.617G	59.95	68.20	-8.25	53.39	3	Vertical	327	1.99	-	34.57	7.40	35.41	
PK	5.744G	113.62	Inf	-Inf	107.48	3	Vertical	327	1.99	-	34.21	7.40	35.47	
AV	5.744G	103.56	Inf	-Inf	97.42	3	Vertical	327	1.99	-	34.21	7.40	35.47	
PK	5.959G	59.15	68.20	-9.05	52.37	3	Vertical	327	1.99	-	34.80	7.56	35.58	

802.11a_Nss1,(6Mbps)_1TX

5745MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	5.502G	59.77	68.20	-8.43	53.22	3	Horizontal	192	2.01	-	34.60	7.30	35.35	
PK	5.744G	114.12	Inf	-Inf	107.98	3	Horizontal	192	2.01	-	34.21	7.40	35.47	
AV	5.744G	104.17	Inf	-Inf	98.03	3	Horizontal	192	2.01	-	34.21	7.40	35.47	
PK	5.949G	59.56	68.20	-8.64	52.78	3	Horizontal	192	2.01	-	34.80	7.55	35.57	

802.11a_Nss1,(6Mbps)_1TX

5745MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49366G	62.35	74.00	-11.65	48.23	3	Vertical	169	2.44	-	38.99	10.72	35.59
AV	11.49132G	48.86	54.00	-5.14	34.75	3	Vertical	169	2.44	-	38.98	10.72	35.59

802.11a_Nss1,(6Mbps)_1TX

5745MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.49228G	61.33	74.00	-12.67	47.22	3	Horizontal	185	1.97	-	38.98	10.72	35.59	
AV	11.49156G	47.54	54.00	-6.46	33.43	3	Horizontal	185	1.97	-	38.98	10.72	35.59	

802.11a_Nss1,(6Mbps)_1TX

5785MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.607G	59.59	68.20	-8.61	53.00	3	Vertical	334	2.05	-	34.59	7.40	35.40	
PK	5.784G	113.44	Inf	-Inf	107.33	3	Vertical	334	2.05	-	34.20	7.40	35.49	
AV	5.784G	103.44	Inf	-Inf	97.33	3	Vertical	334	2.05	-	34.20	7.40	35.49	
PK	5.939G	59.21	68.20	-8.99	52.48	3	Vertical	334	2.05	-	34.76	7.54	35.57	

802.11a_Nss1,(6Mbps)_1TX

5785MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.645G	59.57	68.20	-8.63	53.08	3	Horizontal	194	2.08	-	34.51	7.40	35.42	
PK	5.784G	113.81	Inf	-Inf	107.70	3	Horizontal	194	2.08	-	34.20	7.40	35.49	
AV	5.784G	103.86	Inf	-Inf	97.75	3	Horizontal	194	2.08	-	34.20	7.40	35.49	
PK	5.937G	60.33	68.20	-7.87	53.61	3	Horizontal	194	2.08	-	34.75	7.54	35.57	

802.11a_Nss1,(6Mbps)_1TX

5785MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.56772G	64.57	74.00	-9.43	50.15	3	Vertical	187	2.54	-	39.27	10.74	35.59	
AV	11.56982G	51.03	54.00	-2.97	36.59	3	Vertical	187	2.54	-	39.28	10.74	35.58	

802.11a_Nss1,(6Mbps)_1TX

5785MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57084G	61.97	74.00	-12.03	47.53	3	Horizontal	182	2.12	-	39.28	10.74	35.58
AV	11.57156G	48.36	54.00	-5.64	33.91	3	Horizontal	182	2.12	-	39.29	10.74	35.58

802.11a_Nss1,(6Mbps)_1TX

5825MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.584G	59.17	68.20	-9.03	52.58	3	Vertical	280	1.80	-	34.60	7.38	35.39	
PK	5.824G	111.66	Inf	-Inf	105.50	3	Vertical	280	1.80	-	34.25	7.42	35.51	
AV	5.824G	101.77	Inf	-Inf	95.61	3	Vertical	280	1.80	-	34.25	7.42	35.51	
PK	6.037G	59.42	68.20	-8.78	52.52	3	Vertical	280	1.80	-	34.87	7.62	35.59	

802.11a_Nss1,(6Mbps)_1TX

5825MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.603G	59.20	68.20	-9.00	52.61	3	Horizontal	190	1.98	-	34.59	7.40	35.40
PK	5.826G	113.12	Inf	-Inf	106.95	3	Horizontal	190	1.98	-	34.25	7.43	35.51
AV	5.824G	103.50	Inf	-Inf	97.34	3	Horizontal	190	1.98	-	34.25	7.42	35.51
PK	6.009G	59.83	68.20	-8.37	53.01	3	Horizontal	190	1.98	-	34.82	7.60	35.60

802.11a_Nss1,(6Mbps)_1TX

5825MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65216G	63.17	74.00	-10.83	48.59	3	Vertical	161	2.37	-	39.40	10.75	35.57
AV	11.65108G	48.80	54.00	-5.20	34.22	3	Vertical	161	2.37	-	39.40	10.75	35.57

802.11a_Nss1,(6Mbps)_1TX

5825MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65324G	61.72	74.00	-12.28	47.14	3	Horizontal	186	2.03	-	39.40	10.75	35.57
AV	11.65168G	47.65	54.00	-6.35	33.07	3	Horizontal	186	2.03	-	39.40	10.75	35.57

802.11ax HEW20_Nss1,(MCS0)_1TX

5180MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	72.02	74.00	-1.98	66.19	3	Vertical	308	2.05	-	34.00	7.17	35.34
AV	5.15G	53.81	54.00	-0.19	47.98	3	Vertical	308	2.05	-	34.00	7.17	35.34
PK	5.1816G	115.21	Inf	-Inf	109.23	3	Vertical	308	2.05	-	34.13	7.19	35.34
AV	5.1808G	103.36	Inf	-Inf	97.39	3	Vertical	308	2.05	-	34.12	7.19	35.34

802.11ax HEW20_Nss1,(MCS0)_1TX

5180MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	68.57	74.00	-5.43	62.74	3	Horizontal	202	2.16	-	34.00	7.17	35.34
AV	5.15G	51.11	54.00	-2.89	45.28	3	Horizontal	202	2.16	-	34.00	7.17	35.34
PK	5.1796G	112.07	Inf	-Inf	106.10	3	Horizontal	202	2.16	-	34.12	7.19	35.34
AV	5.1808G	100.15	Inf	-Inf	94.18	3	Horizontal	202	2.16	-	34.12	7.19	35.34

802.11ax HEW20_Nss1,(MCS0)_1TX

5180MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.52506G	60.52	74.00	-13.48	44.23	3	Vertical	52	2.28	-	38.52	13.16	35.39
AV	15.5283G	46.63	54.00	-7.37	30.36	3	Vertical	52	2.28	-	38.50	13.16	35.39

802.11ax HEW20_Nss1,(MCS0)_1TX

5180MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.52512G	59.94	74.00	-14.06	43.65	3	Horizontal	266	1.16	-	38.52	13.16	35.39
AV	15.52578G	46.66	54.00	-7.34	30.37	3	Horizontal	266	1.16	-	38.52	13.16	35.39

802.11ax HEW20_Nss1,(MCS0)_1TX

5200MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	60.80	74.00	-13.20	54.97	3	Vertical	77	1.78	-	34.00	7.17	35.34
AV	5.1492G	46.46	54.00	-7.54	40.63	3	Vertical	77	1.78	-	34.00	7.17	35.34
PK	5.1992G	114.68	Inf	-Inf	108.62	3	Vertical	77	1.78	-	34.20	7.20	35.34
AV	5.2008G	102.81	Inf	-Inf	96.75	3	Vertical	77	1.78	-	34.20	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_1TX

5200MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1416G	58.74	74.00	-15.26	52.93	3	Horizontal	203	2.14	-	33.98	7.17	35.34
AV	5.1488G	45.94	54.00	-8.06	40.11	3	Horizontal	203	2.14	-	34.00	7.17	35.34
PK	5.1992G	112.49	Inf	-Inf	106.43	3	Horizontal	203	2.14	-	34.20	7.20	35.34
AV	5.2008G	100.47	Inf	-Inf	94.41	3	Horizontal	203	2.14	-	34.20	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_1TX

5200MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.60438G	60.35	74.00	-13.65	44.63	3	Vertical	272	1.93	-	37.98	13.20	35.46
AV	15.585G	46.38	54.00	-7.62	30.52	3	Vertical	272	1.93	-	38.11	13.19	35.44

802.11ax HEW20_Nss1,(MCS0)_1TX

5200MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.60432G	60.27	74.00	-13.73	44.55	3	Horizontal	71	1.44	-	37.98	13.20	35.46
AV	15.58566G	46.42	54.00	-7.58	30.57	3	Horizontal	71	1.44	-	38.10	13.19	35.44

802.11ax HEW20_Nss1,(MCS0)_1TX

5240MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1266G	58.66	74.00	-15.34	52.89	3	Vertical	304	2.12	-	33.95	7.16	35.34
AV	5.1476G	45.48	54.00	-8.52	39.65	3	Vertical	304	2.12	-	34.00	7.17	35.34
PK	5.2418G	115.31	Inf	-Inf	109.08	3	Vertical	304	2.12	-	34.37	7.20	35.34
AV	5.2406G	103.42	Inf	-Inf	97.20	3	Vertical	304	2.12	-	34.36	7.20	35.34
PK	5.3816G	59.39	74.00	-14.61	52.98	3	Vertical	304	2.12	-	34.56	7.20	35.35
AV	5.3816G	45.99	54.00	-8.01	39.58	3	Vertical	304	2.12	-	34.56	7.20	35.35

802.11ax HEW20_Nss1,(MCS0)_1TX

5240MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1416G	58.28	74.00	-15.72	52.47	3	Horizontal	201	1.99	-	33.98	7.17	35.34
AV	5.15G	45.38	54.00	-8.62	39.55	3	Horizontal	201	1.99	-	34.00	7.17	35.34
PK	5.2418G	113.16	Inf	-Inf	106.93	3	Horizontal	201	1.99	-	34.37	7.20	35.34
AV	5.2406G	101.38	Inf	-Inf	95.16	3	Horizontal	201	1.99	-	34.36	7.20	35.34
PK	5.3564G	59.46	74.00	-14.54	53.09	3	Horizontal	201	1.99	-	34.51	7.20	35.34
AV	5.3792G	45.93	54.00	-8.07	39.52	3	Horizontal	201	1.99	-	34.56	7.20	35.35

802.11ax HEW20_Nss1,(MCS0)_1TX

5240MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.70686G	59.37	74.00	-14.63	44.13	3	Vertical	227	1.01	-	37.53	13.25	35.54
AV	15.71736G	46.21	54.00	-7.79	30.93	3	Vertical	227	1.01	-	37.57	13.26	35.55

802.11ax HEW20_Nss1,(MCS0)_1TX

5240MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.72288G	59.77	74.00	-14.23	44.48	3	Horizontal	334	2.09	-	37.59	13.26	35.56
AV	15.71802G	46.22	54.00	-7.78	30.94	3	Horizontal	334	2.09	-	37.57	13.26	35.55

802.11ax HEW20_Nss1,(MCS0)_1TX

5260MHz_TnomVnom




EUT_X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1136G	58.50	74.00	-15.50	52.74	3	Vertical	75	1.02	-	33.93	7.16	35.33
AV	5.1478G	45.41	54.00	-8.59	39.58	3	Vertical	75	1.02	-	34.00	7.17	35.34
PK	5.2594G	114.87	Inf	-Inf	108.59	3	Vertical	75	1.02	-	34.42	7.20	35.34
AV	5.2606G	102.33	Inf	-Inf	96.05	3	Vertical	75	1.02	-	34.42	7.20	35.34
PK	5.4004G	59.10	74.00	-14.90	52.65	3	Vertical	75	1.02	-	34.60	7.20	35.35
AV	5.4004G	46.15	54.00	-7.85	39.70	3	Vertical	75	1.02	-	34.60	7.20	35.35

802.11ax HEW20_Nss1,(MCS0)_1TX

5260MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1382G	58.67	74.00	-15.33	52.86	3	Horizontal	201	2.18	-	33.98	7.17	35.34
AV	5.146G	45.35	54.00	-8.65	39.53	3	Horizontal	201	2.18	-	33.99	7.17	35.34
PK	5.2594G	112.75	Inf	-Inf	106.47	3	Horizontal	201	2.18	-	34.42	7.20	35.34
AV	5.2606G	100.27	Inf	-Inf	93.99	3	Horizontal	201	2.18	-	34.42	7.20	35.34
PK	5.3896G	58.54	74.00	-15.46	52.11	3	Horizontal	201	2.18	-	34.58	7.20	35.35
AV	5.398G	46.06	54.00	-7.94	39.61	3	Horizontal	201	2.18	-	34.60	7.20	35.35

802.11ax HEW20_Nss1,(MCS0)_1TX

5260MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	15.78336G	60.00	74.00	-14.00	44.49	3	Vertical	145	2.26	-	37.83	13.29	35.61	
AV	15.79026G	46.48	54.00	-7.52	30.93	3	Vertical	145	2.26	-	37.86	13.30	35.61	

802.11ax HEW20_Nss1,(MCS0)_1TX

5260MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	15.78306G	59.75	74.00	-14.25	44.24	3	Horizontal	59	1.36	-	37.83	13.29	35.61
AV	15.7842G	46.54	54.00	-7.46	31.02	3	Horizontal	59	1.36	-	37.84	13.29	35.61

802.11ax HEW20_Nss1,(MCS0)_1TX

5300MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2992G	114.98	Inf	-Inf	108.62	3	Vertical	312	1.97	-	34.50	7.20	35.34
AV	5.3008G	102.57	Inf	-Inf	96.21	3	Vertical	312	1.97	-	34.50	7.20	35.34
PK	5.35G	64.74	74.00	-9.26	58.38	3	Vertical	312	1.97	-	34.50	7.20	35.34
AV	5.35G	48.42	54.00	-5.58	42.06	3	Vertical	312	1.97	-	34.50	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_1TX

5300MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2992G	113.52	Inf	-Inf	107.16	3	Horizontal	200	1.97	-	34.50	7.20	35.34
AV	5.3008G	101.15	Inf	-Inf	94.79	3	Horizontal	200	1.97	-	34.50	7.20	35.34
PK	5.3512G	62.97	74.00	-11.03	56.61	3	Horizontal	200	1.97	-	34.50	7.20	35.34
AV	5.35G	47.83	54.00	-6.17	41.47	3	Horizontal	200	1.97	-	34.50	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_1TX

5300MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	10.60177G	56.61	74.00	-17.39	43.20	3	Vertical	357	1.80	-	38.20	10.59	35.38	
AV	10.6024G	43.53	54.00	-10.47	30.12	3	Vertical	357	1.80	-	38.20	10.59	35.38	
PK	15.88518G	59.50	74.00	-14.50	44.21	3	Vertical	15	1.37	-	37.64	13.34	35.69	
AV	15.89004G	46.30	54.00	-7.70	31.02	3	Vertical	15	1.37	-	37.63	13.35	35.70	

802.11ax HEW20_Nss1,(MCS0)_1TX

5300MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60189G	56.61	74.00	-17.39	43.20	3	Horizontal	98	2.38	-	38.20	10.59	35.38
AV	10.6021G	43.38	54.00	-10.62	29.97	3	Horizontal	98	2.38	-	38.20	10.59	35.38
PK	15.89538G	59.67	74.00	-14.33	44.41	3	Horizontal	193	2.35	-	37.61	13.35	35.70
AV	15.8919G	46.34	54.00	-7.66	31.07	3	Horizontal	193	2.35	-	37.62	13.35	35.70

802.11ax HEW20_Nss1,(MCS0)_1TX

5320MHz_TnomVnom




EUT_X_1TX
Setting 18.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3196G	113.48	Inf	-Inf	107.12	3	Vertical	312	2.00	-	34.50	7.20	35.34
AV	5.3208G	100.62	Inf	-Inf	94.26	3	Vertical	312	2.00	-	34.50	7.20	35.34
PK	5.3516G	71.82	74.00	-2.18	65.46	3	Vertical	312	2.00	-	34.50	7.20	35.34
AV	5.3504G	53.57	54.00	-0.43	47.21	3	Vertical	312	2.00	-	34.50	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_1TX

5320MHz_TnomVnom




EUT_X_1TX
Setting 18.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3196G	111.91	Inf	-Inf	105.55	3	Horizontal	201	1.96	-	34.50	7.20	35.34
AV	5.3204G	98.84	Inf	-Inf	92.48	3	Horizontal	201	1.96	-	34.50	7.20	35.34
PK	5.3504G	70.00	74.00	-4.00	63.64	3	Horizontal	201	1.96	-	34.50	7.20	35.34
AV	5.3504G	52.40	54.00	-1.60	46.04	3	Horizontal	201	1.96	-	34.50	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_1TX

5320MHz_TnomVnom




EUT X_1TX
Setting 18.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.64966G	54.21	74.00	-19.79	40.65	3	Vertical	182	1.35	-	38.30	10.60	35.34
AV	10.6484G	41.01	54.00	-12.99	27.45	3	Vertical	182	1.35	-	38.30	10.60	35.34
PK	15.96114G	59.58	74.00	-14.42	44.48	3	Vertical	177	1.12	-	37.48	13.38	35.76
AV	15.96264G	45.87	54.00	-8.13	30.78	3	Vertical	177	1.12	-	37.47	13.38	35.76

802.11ax HEW20_Nss1,(MCS0)_1TX

5320MHz_TnomVnom




EUT X_1TX
Setting 18.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.64336G	54.71	74.00	-19.29	41.17	3	Horizontal	188	1.89	-	38.29	10.60	35.35
AV	10.64366G	41.02	54.00	-12.98	27.48	3	Horizontal	188	1.89	-	38.29	10.60	35.35
PK	15.95238G	60.01	74.00	-13.99	44.88	3	Horizontal	250	1.30	-	37.50	13.38	35.75
AV	15.95484G	45.93	54.00	-8.07	30.81	3	Horizontal	250	1.30	-	37.49	13.38	35.75

802.11ax HEW20_Nss1,(MCS0)_1TX

5500MHz_TnomVnom




EUT_X_1TX
Setting 17.75
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.444G	59.38	74.00	-14.62	52.98	3	Vertical	260	2.16	-	34.51	7.24	35.35	
PK	5.4692G	67.61	68.20	-0.59	61.15	3	Vertical	260	2.16	-	34.54	7.27	35.35	
AV	5.4588G	46.44	54.00	-7.56	40.01	3	Vertical	260	2.16	-	34.52	7.26	35.35	
PK	5.4996G	112.95	Inf	-Inf	106.40	3	Vertical	260	2.16	-	34.60	7.30	35.35	
AV	5.5008G	100.00	Inf	-Inf	93.45	3	Vertical	260	2.16	-	34.60	7.30	35.35	

802.11ax HEW20_Nss1,(MCS0)_1TX

5500MHz_TnomVnom




EUT X_1TX
Setting 17.75
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.4572G	59.35	74.00	-14.65	52.93	3	Horizontal	197	2.15	-	34.51	7.26	35.35	
AV	5.4016G	46.11	54.00	-7.89	39.66	3	Horizontal	197	2.15	-	34.60	7.20	35.35	
PK	5.4692G	64.12	68.20	-4.08	57.66	3	Horizontal	197	2.15	-	34.54	7.27	35.35	
PK	5.4996G	111.49	Inf	-Inf	104.94	3	Horizontal	197	2.15	-	34.60	7.30	35.35	
AV	5.5008G	98.46	Inf	-Inf	91.91	3	Horizontal	197	2.15	-	34.60	7.30	35.35	

802.11ax HEW20_Nss1,(MCS0)_1TX

5500MHz_TnomVnom




EUT X_1TX
Setting 17.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.9907G	54.97	74.00	-19.03	40.98	3	Vertical	240	1.80	-	38.39	10.65	35.05
AV	10.99676G	41.67	54.00	-12.33	27.66	3	Vertical	240	1.80	-	38.40	10.65	35.04

802.11ax HEW20_Nss1,(MCS0)_1TX

5500MHz_TnomVnom




EUT X_1TX
Setting 17.75
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	10.99016G	55.11	74.00	-18.89	41.12	3	Horizontal	92	2.23	-	38.39	10.65	35.05
AV	10.9877G	41.69	54.00	-12.31	27.70	3	Horizontal	92	2.23	-	38.39	10.65	35.05

802.11ax HEW20_Nss1,(MCS0)_1TX

5580MHz_TnomVnom




EUT_X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.452G	59.67	74.00	-14.33	53.27	3	Vertical	322	2.05	-	34.50	7.25	35.35
AV	5.42G	46.36	54.00	-7.64	39.93	3	Vertical	322	2.05	-	34.56	7.22	35.35
PK	5.4656G	57.94	68.20	-10.26	51.49	3	Vertical	322	2.05	-	34.53	7.27	35.35
PK	5.5816G	115.34	Inf	-Inf	108.75	3	Vertical	322	2.05	-	34.60	7.38	35.39
AV	5.5792G	103.65	Inf	-Inf	97.06	3	Vertical	322	2.05	-	34.60	7.38	35.39
PK	5.7368G	59.11	68.20	-9.09	52.95	3	Vertical	322	2.05	-	34.23	7.40	35.47

802.11ax HEW20_Nss1,(MCS0)_1TX

5580MHz_TnomVnom




EUT_X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4128G	59.54	74.00	-14.46	53.11	3	Horizontal	196	1.93	-	34.57	7.21	35.35
AV	5.4192G	46.21	54.00	-7.79	39.78	3	Horizontal	196	1.93	-	34.56	7.22	35.35
PK	5.4696G	58.84	68.20	-9.36	52.38	3	Horizontal	196	1.93	-	34.54	7.27	35.35
PK	5.5816G	114.23	Inf	-Inf	107.64	3	Horizontal	196	1.93	-	34.60	7.38	35.39
AV	5.5792G	102.85	Inf	-Inf	96.26	3	Horizontal	196	1.93	-	34.60	7.38	35.39
PK	5.7688G	59.06	68.20	-9.14	52.94	3	Horizontal	196	1.93	-	34.20	7.40	35.48

802.11ax HEW20_Nss1,(MCS0)_1TX

5580MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.16156G	61.20	74.00	-12.80	47.19	3	Vertical	196	2.30	-	38.56	10.67	35.22	
AV	11.1576G	47.80	54.00	-6.20	33.79	3	Vertical	196	2.30	-	38.56	10.67	35.22	

802.11ax HEW20_Nss1,(MCS0)_1TX

5580MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.15844G	62.15	74.00	-11.85	48.14	3	Horizontal	234	2.12	-	38.56	10.67	35.22	
AV	11.15736G	49.21	54.00	-4.79	35.20	3	Horizontal	234	2.12	-	38.56	10.67	35.22	

802.11ax HEW20_Nss1,(MCS0)_1TX

5700MHz_TnomVnom




EUT_X_1TX
Setting 14
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6994G	109.03	Inf	-Inf	102.78	3	Vertical	332	2.08	-	34.30	7.40	35.45
AV	5.7006G	96.00	Inf	-Inf	89.75	3	Vertical	332	2.08	-	34.30	7.40	35.45
PK	5.725G	67.56	68.20	-0.64	61.37	3	Vertical	332	2.08	-	34.25	7.40	35.46

802.11ax HEW20_Nss1,(MCS0)_1TX

5700MHz_TnomVnom




EUT X_1TX
Setting 14
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6992G	108.81	Inf	-Inf	102.56	3	Horizontal	193	1.97	-	34.30	7.40	35.45
AV	5.699G	95.95	Inf	-Inf	89.70	3	Horizontal	193	1.97	-	34.30	7.40	35.45
PK	5.725G	65.62	68.20	-2.58	59.43	3	Horizontal	193	1.97	-	34.25	7.40	35.46

802.11ax HEW20_Nss1,(MCS0)_1TX

5700MHz_TnomVnom




EUT X_1TX
Setting 14
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39178G	55.43	74.00	-18.57	41.41	3	Vertical	12	2.96	-	38.79	10.71	35.48
AV	11.41386G	41.78	54.00	-12.22	27.74	3	Vertical	12	2.96	-	38.83	10.71	35.50

802.11ax HEW20_Nss1,(MCS0)_1TX

5700MHz_TnomVnom




EUT X_1TX
Setting 14
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41266G	55.52	74.00	-18.48	41.48	3	Horizontal	67	1.52	-	38.83	10.71	35.50
AV	11.41488G	41.78	54.00	-12.22	27.74	3	Horizontal	67	1.52	-	38.83	10.71	35.50

802.11ax HEW20_Nss1,(MCS0)_1TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.377G	58.31	74.00	-15.69	51.91	3	Vertical	326	2.08	-	34.55	7.20	35.35
AV	5.3994G	46.10	54.00	-7.90	39.65	3	Vertical	326	2.08	-	34.60	7.20	35.35
PK	5.4666G	58.36	68.20	-9.84	51.91	3	Vertical	326	2.08	-	34.53	7.27	35.35
PK	5.7214G	114.51	Inf	-Inf	108.31	3	Vertical	326	2.08	-	34.26	7.40	35.46
AV	5.72G	103.59	Inf	-Inf	97.39	3	Vertical	326	2.08	-	34.26	7.40	35.46
PK	5.9594G	59.19	68.20	-9.01	52.41	3	Vertical	326	2.08	-	34.80	7.56	35.58

802.11ax HEW20_Nss1,(MCS0)_1TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4148G	59.20	74.00	-14.80	52.77	3	Horizontal	193	2.07	-	34.57	7.21	35.35
AV	5.4008G	46.10	54.00	-7.90	39.65	3	Horizontal	193	2.07	-	34.60	7.20	35.35
PK	5.4624G	57.67	68.20	-10.53	51.24	3	Horizontal	193	2.07	-	34.52	7.26	35.35
PK	5.7214G	114.93	Inf	-Inf	108.73	3	Horizontal	193	2.07	-	34.26	7.40	35.46
AV	5.72G	103.23	Inf	-Inf	97.03	3	Horizontal	193	2.07	-	34.26	7.40	35.46
PK	5.9622G	58.91	68.20	-9.29	52.13	3	Horizontal	193	2.07	-	34.80	7.56	35.58

802.11ax HEW20_Nss1,(MCS0)_1TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44162G	63.36	74.00	-10.64	49.29	3	Vertical	187	2.48	-	38.88	10.72	35.53
AV	11.43742G	50.37	54.00	-3.63	36.31	3	Vertical	187	2.48	-	38.87	10.72	35.53

802.11ax HEW20_Nss1,(MCS0)_1TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44192G	61.01	74.00	-12.99	46.94	3	Horizontal	181	2.12	-	38.88	10.72	35.53
AV	11.43742G	47.64	54.00	-6.36	33.58	3	Horizontal	181	2.12	-	38.87	10.72	35.53

802.11ax HEW20_Nss1,(MCS0)_1TX

5745MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.638G	59.13	68.20	-9.07	52.63	3	Vertical	333	2.06	-	34.52	7.40	35.42
PK	5.747G	114.55	Inf	-Inf	108.41	3	Vertical	333	2.06	-	34.21	7.40	35.47
AV	5.746G	102.92	Inf	-Inf	96.78	3	Vertical	333	2.06	-	34.21	7.40	35.47
PK	5.944G	60.07	68.20	-8.13	53.32	3	Vertical	333	2.06	-	34.78	7.54	35.57

802.11ax HEW20_Nss1,(MCS0)_1TX

5745MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.504G	59.60	68.20	-8.60	53.05	3	Horizontal	192	2.02	-	34.60	7.30	35.35
PK	5.744G	114.81	Inf	-Inf	108.67	3	Horizontal	192	2.02	-	34.21	7.40	35.47
AV	5.744G	103.25	Inf	-Inf	97.11	3	Horizontal	192	2.02	-	34.21	7.40	35.47
PK	5.933G	59.52	68.20	-8.68	52.83	3	Horizontal	192	2.02	-	34.73	7.53	35.57

802.11ax HEW20_Nss1,(MCS0)_1TX

5745MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49216G	62.22	74.00	-11.78	48.11	3	Vertical	157	2.39	-	38.98	10.72	35.59
AV	11.4873G	48.71	54.00	-5.29	34.61	3	Vertical	157	2.39	-	38.97	10.72	35.59

802.11ax HEW20_Nss1,(MCS0)_1TX

5745MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49318G	60.78	74.00	-13.22	46.66	3	Horizontal	184	2.00	-	38.99	10.72	35.59
AV	11.48754G	47.63	54.00	-6.37	33.52	3	Horizontal	184	2.00	-	38.98	10.72	35.59

802.11ax HEW20_Nss1,(MCS0)_1TX

5785MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.626G	59.66	68.20	-8.54	53.12	3	Vertical	332	2.05	-	34.55	7.40	35.41
PK	5.787G	114.48	Inf	-Inf	108.37	3	Vertical	332	2.05	-	34.20	7.40	35.49
AV	5.786G	102.76	Inf	-Inf	96.65	3	Vertical	332	2.05	-	34.20	7.40	35.49
PK	6.015G	59.56	68.20	-8.64	52.71	3	Vertical	332	2.05	-	34.83	7.61	35.59

802.11ax HEW20_Nss1,(MCS0)_1TX

5785MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.557G	59.27	68.20	-8.93	52.69	3	Horizontal	194	2.09	-	34.60	7.36	35.38
PK	5.784G	114.58	Inf	-Inf	108.47	3	Horizontal	194	2.09	-	34.20	7.40	35.49
AV	5.784G	102.95	Inf	-Inf	96.84	3	Horizontal	194	2.09	-	34.20	7.40	35.49
PK	5.964G	59.48	68.20	-8.72	52.70	3	Horizontal	194	2.09	-	34.80	7.56	35.58

802.11ax HEW20_Nss1,(MCS0)_1TX

5785MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57162G	63.99	74.00	-10.01	49.54	3	Vertical	189	2.44	-	39.29	10.74	35.58
AV	11.5673G	50.33	54.00	-3.67	35.91	3	Vertical	189	2.44	-	39.27	10.74	35.59

802.11ax HEW20_Nss1,(MCS0)_1TX

5785MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.57342G	61.99	74.00	-12.01	47.54	3	Horizontal	184	2.09	-	39.29	10.74	35.58	
AV	11.56742G	48.16	54.00	-5.84	33.74	3	Horizontal	184	2.09	-	39.27	10.74	35.59	

802.11ax HEW20_Nss1,(MCS0)_1TX

5825MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.645G	60.39	68.20	-7.81	53.90	3	Vertical	286	1.80	-	34.51	7.40	35.42
PK	5.825G	112.97	Inf	-Inf	106.80	3	Vertical	286	1.80	-	34.25	7.43	35.51
AV	5.824G	100.85	Inf	-Inf	94.69	3	Vertical	286	1.80	-	34.25	7.42	35.51
PK	5.95G	59.89	68.20	-8.31	53.12	3	Vertical	286	1.80	-	34.80	7.55	35.58

802.11ax HEW20_Nss1,(MCS0)_1TX

5825MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.612G	58.86	68.20	-9.34	52.29	3	Horizontal	191	1.99	-	34.58	7.40	35.41
PK	5.824G	114.97	Inf	-Inf	108.81	3	Horizontal	191	1.99	-	34.25	7.42	35.51
AV	5.824G	102.66	Inf	-Inf	96.50	3	Horizontal	191	1.99	-	34.25	7.42	35.51
PK	6.06G	60.14	68.20	-8.06	53.17	3	Horizontal	191	1.99	-	34.92	7.63	35.58

802.11ax HEW20_Nss1,(MCS0)_1TX

5825MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65222G	63.29	74.00	-10.71	48.71	3	Vertical	180	2.44	-	39.40	10.75	35.57
AV	11.64742G	49.51	54.00	-4.49	34.93	3	Vertical	180	2.44	-	39.40	10.75	35.57

802.11ax HEW20_Nss1,(MCS0)_1TX

5825MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.65342G	61.82	74.00	-12.18	47.24	3	Horizontal	193	2.07	-	39.40	10.75	35.57	
AV	11.65174G	47.63	54.00	-6.37	33.05	3	Horizontal	193	2.07	-	39.40	10.75	35.57	

802.11ax HEW40_Nss1,(MCS0)_1TX

5190MHz_TnomVnom




EUT_X_1TX
Setting 17
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.1472G	73.34	74.00	-0.66	67.52	3	Vertical	309	2.03	-	33.99	7.17	35.34	
AV	5.1492G	53.30	54.00	-0.70	47.47	3	Vertical	309	2.03	-	34.00	7.17	35.34	
PK	5.1928G	109.91	Inf	-Inf	103.88	3	Vertical	309	2.03	-	34.17	7.20	35.34	
AV	5.192G	97.08	Inf	-Inf	91.05	3	Vertical	309	2.03	-	34.17	7.20	35.34	

802.11ax HEW40_Nss1,(MCS0)_1TX

5190MHz_TnomVnom




EUT_X_1TX
Setting 17
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1472G	71.22	74.00	-2.78	65.40	3	Horizontal	201	2.14	-	33.99	7.17	35.34
AV	5.1492G	51.31	54.00	-2.69	45.48	3	Horizontal	201	2.14	-	34.00	7.17	35.34
PK	5.1928G	107.26	Inf	-Inf	101.23	3	Horizontal	201	2.14	-	34.17	7.20	35.34
AV	5.1924G	94.46	Inf	-Inf	88.43	3	Horizontal	201	2.14	-	34.17	7.20	35.34

802.11ax HEW40_Nss1,(MCS0)_1TX

5190MHz_TnomVnom




EUT X_1TX
Setting 17
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.55848G	59.78	74.00	-14.22	43.73	3	Vertical	115	1.17	-	38.29	13.18	35.42
AV	15.56028G	46.53	54.00	-7.47	30.49	3	Vertical	115	1.17	-	38.28	13.18	35.42

802.11ax HEW40_Nss1,(MCS0)_1TX

5190MHz_TnomVnom




EUT X_1TX
Setting 17
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	15.56664G	59.66	74.00	-14.34	43.68	3	Horizontal	337	2.93	-	38.23	13.18	35.43	
AV	15.5613G	46.57	54.00	-7.43	30.54	3	Horizontal	337	2.93	-	38.27	13.18	35.42	

802.11ax HEW40_Nss1,(MCS0)_1TX

5230MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1484G	59.67	74.00	-14.33	53.84	3	Vertical	311	2.03	-	34.00	7.17	35.34
AV	5.15G	46.72	54.00	-7.28	40.89	3	Vertical	311	2.03	-	34.00	7.17	35.34
PK	5.2324G	112.46	Inf	-Inf	106.27	3	Vertical	311	2.03	-	34.33	7.20	35.34
AV	5.2324G	100.13	Inf	-Inf	93.94	3	Vertical	311	2.03	-	34.33	7.20	35.34
PK	5.3566G	62.09	74.00	-11.91	55.72	3	Vertical	311	2.03	-	34.51	7.20	35.34
AV	5.35G	46.79	54.00	-7.21	40.43	3	Vertical	311	2.03	-	34.50	7.20	35.34

802.11ax HEW40_Nss1,(MCS0)_1TX

5230MHz_TnomVnom




EUT_X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1274G	58.87	74.00	-15.13	53.10	3	Horizontal	201	2.02	-	33.95	7.16	35.34
AV	5.15G	46.33	54.00	-7.67	40.50	3	Horizontal	201	2.02	-	34.00	7.17	35.34
PK	5.2324G	110.79	Inf	-Inf	104.60	3	Horizontal	201	2.02	-	34.33	7.20	35.34
AV	5.2324G	98.48	Inf	-Inf	92.29	3	Horizontal	201	2.02	-	34.33	7.20	35.34
PK	5.3608G	59.40	74.00	-14.60	53.02	3	Horizontal	201	2.02	-	34.52	7.20	35.34
AV	5.3512G	46.54	54.00	-7.46	40.18	3	Horizontal	201	2.02	-	34.50	7.20	35.34

802.11ax HEW40_Nss1,(MCS0)_1TX

5230MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.70224G	59.88	74.00	-14.12	44.66	3	Vertical	97	1.86	-	37.51	13.25	35.54
AV	15.69912G	46.13	54.00	-7.87	30.92	3	Vertical	97	1.86	-	37.50	13.25	35.54

802.11ax HEW40_Nss1,(MCS0)_1TX

5230MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.70452G	59.31	74.00	-14.69	44.08	3	Horizontal	227	2.35	-	37.52	13.25	35.54
AV	15.70476G	46.11	54.00	-7.89	30.88	3	Horizontal	227	2.35	-	37.52	13.25	35.54

802.11ax HEW40_Nss1,(MCS0)_1TX

5270MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1392G	58.83	74.00	-15.17	53.02	3	Vertical	311	1.88	-	33.98	7.17	35.34
AV	5.1488G	45.58	54.00	-8.42	39.75	3	Vertical	311	1.88	-	34.00	7.17	35.34
PK	5.2724G	111.49	Inf	-Inf	105.19	3	Vertical	311	1.88	-	34.44	7.20	35.34
AV	5.2676G	99.04	Inf	-Inf	92.74	3	Vertical	311	1.88	-	34.44	7.20	35.34
PK	5.3564G	68.96	74.00	-5.04	62.59	3	Vertical	311	1.88	-	34.51	7.20	35.34
AV	5.35G	50.74	54.00	-3.26	44.38	3	Vertical	311	1.88	-	34.50	7.20	35.34

802.11ax HEW40_Nss1,(MCS0)_1TX

5270MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.147G	58.80	74.00	-15.20	52.98	3	Horizontal	201	1.95	-	33.99	7.17	35.34
AV	5.147G	45.60	54.00	-8.40	39.78	3	Horizontal	201	1.95	-	33.99	7.17	35.34
PK	5.2724G	109.98	Inf	-Inf	103.68	3	Horizontal	201	1.95	-	34.44	7.20	35.34
AV	5.2724G	97.43	Inf	-Inf	91.13	3	Horizontal	201	1.95	-	34.44	7.20	35.34
PK	5.3558G	67.47	74.00	-6.53	61.10	3	Horizontal	201	1.95	-	34.51	7.20	35.34
AV	5.35G	49.95	54.00	-4.05	43.59	3	Horizontal	201	1.95	-	34.50	7.20	35.34

802.11ax HEW40_Nss1,(MCS0)_1TX

5270MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	15.80496G	59.84	74.00	-14.16	44.28	3	Vertical	127	1.48	-	37.89	13.30	35.63	
AV	15.79554G	46.55	54.00	-7.45	30.99	3	Vertical	127	1.48	-	37.88	13.30	35.62	

802.11ax HEW40_Nss1,(MCS0)_1TX

5270MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.80406G	59.86	74.00	-14.14	44.30	3	Horizontal	317	1.36	-	37.89	13.30	35.63
AV	15.79746G	46.55	54.00	-7.45	30.98	3	Horizontal	317	1.36	-	37.89	13.30	35.62

802.11ax HEW40_Nss1,(MCS0)_1TX

5310MHz_TnomVnom




EUT X_1TX
Setting 16.75
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3128G	109.34	Inf	-Inf	102.98	3	Vertical	74	1.24	-	34.50	7.20	35.34
AV	5.3072G	96.64	Inf	-Inf	90.28	3	Vertical	74	1.24	-	34.50	7.20	35.34
PK	5.3564G	73.70	74.00	-0.30	67.33	3	Vertical	74	1.24	-	34.51	7.20	35.34
AV	5.3508G	53.87	54.00	-0.13	47.51	3	Vertical	74	1.24	-	34.50	7.20	35.34

802.11ax HEW40_Nss1,(MCS0)_1TX

5310MHz_TnomVnom




EUT_X_1TX
Setting 16.75
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3084G	107.97	Inf	-Inf	101.61	3	Horizontal	201	2.06	-	34.50	7.20	35.34
AV	5.3072G	95.60	Inf	-Inf	89.24	3	Horizontal	201	2.06	-	34.50	7.20	35.34
PK	5.3564G	72.82	74.00	-1.18	66.45	3	Horizontal	201	2.06	-	34.51	7.20	35.34
AV	5.3508G	53.25	54.00	-0.75	46.89	3	Horizontal	201	2.06	-	34.50	7.20	35.34

802.11ax HEW40_Nss1,(MCS0)_1TX

5310MHz_TnomVnom




EUT_X_1TX
Setting 16.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.62306G	54.53	74.00	-19.47	41.05	3	Vertical	262	1.60	-	38.25	10.59	35.36
AV	10.62966G	40.99	54.00	-13.01	27.50	3	Vertical	262	1.60	-	38.26	10.59	35.36
PK	15.91938G	60.05	74.00	-13.95	44.85	3	Vertical	92	1.51	-	37.56	13.36	35.72
AV	15.9228G	45.98	54.00	-8.02	30.80	3	Vertical	92	1.51	-	37.55	13.36	35.73

802.11ax HEW40_Nss1,(MCS0)_1TX

5310MHz_TnomVnom




EUT_X_1TX
Setting 16.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	10.60998G	54.63	74.00	-19.37	41.20	3	Horizontal	15	2.74	-	38.22	10.59	35.38	
AV	10.62462G	40.87	54.00	-13.13	27.39	3	Horizontal	15	2.74	-	38.25	10.59	35.36	
PK	15.9246G	60.24	74.00	-13.76	45.06	3	Horizontal	220	2.00	-	37.55	13.36	35.73	
AV	15.915G	46.06	54.00	-7.94	30.85	3	Horizontal	220	2.00	-	37.57	13.36	35.72	

802.11ax HEW40_Nss1,(MCS0)_1TX

5510MHz_TnomVnom




EUT X_1TX
Setting 16.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.456G	65.81	74.00	-8.19	59.39	3	Vertical	320	1.89	-	34.51	7.26	35.35	
AV	5.46G	48.58	54.00	-5.42	42.15	3	Vertical	320	1.89	-	34.52	7.26	35.35	
PK	5.4644G	68.17	68.20	-0.03	61.73	3	Vertical	320	1.89	-	34.53	7.26	35.35	
PK	5.5128G	108.36	Inf	-Inf	101.81	3	Vertical	320	1.89	-	34.60	7.31	35.36	
AV	5.512G	95.54	Inf	-Inf	88.99	3	Vertical	320	1.89	-	34.60	7.31	35.36	

802.11ax HEW40_Nss1,(MCS0)_1TX

5510MHz_TnomVnom




EUT X_1TX
Setting 16.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.4592G	63.74	74.00	-10.26	57.31	3	Horizontal	197	1.96	-	34.52	7.26	35.35	
AV	5.4588G	47.55	54.00	-6.45	41.12	3	Horizontal	197	1.96	-	34.52	7.26	35.35	
PK	5.464G	67.51	68.20	-0.69	61.07	3	Horizontal	197	1.96	-	34.53	7.26	35.35	
PK	5.5128G	107.11	Inf	-Inf	100.56	3	Horizontal	197	1.96	-	34.60	7.31	35.36	
AV	5.5124G	94.44	Inf	-Inf	87.89	3	Horizontal	197	1.96	-	34.60	7.31	35.36	

802.11ax HEW40_Nss1,(MCS0)_1TX

5510MHz_TnomVnom




EUT X_1TX
Setting 16.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.02906G	55.56	74.00	-18.44	41.55	3	Vertical	119	2.58	-	38.43	10.65	35.07
AV	11.02954G	41.67	54.00	-12.33	27.66	3	Vertical	119	2.58	-	38.43	10.65	35.07

802.11ax HEW40_Nss1,(MCS0)_1TX

5510MHz_TnomVnom




EUT X_1TX
Setting 16.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.02882G	54.80	74.00	-19.20	40.79	3	Horizontal	37	2.74	-	38.43	10.65	35.07
AV	11.03266G	41.60	54.00	-12.40	27.60	3	Horizontal	37	2.74	-	38.43	10.65	35.08

802.11ax HEW40_Nss1,(MCS0)_1TX

5550MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4558G	62.55	74.00	-11.45	56.13	3	Vertical	322	2.06	-	34.51	7.26	35.35
PK	5.4612G	63.37	68.20	-4.83	56.94	3	Vertical	322	2.06	-	34.52	7.26	35.35
AV	5.46G	46.79	54.00	-7.21	40.36	3	Vertical	322	2.06	-	34.52	7.26	35.35
PK	5.553G	111.52	Inf	-Inf	104.95	3	Vertical	322	2.06	-	34.60	7.35	35.38
AV	5.5524G	99.11	Inf	-Inf	92.54	3	Vertical	322	2.06	-	34.60	7.35	35.38

802.11ax HEW40_Nss1,(MCS0)_1TX

5550MHz_TnomVnom




EUT_X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.4558G	63.44	74.00	-10.56	57.02	3	Horizontal	197	2.05	-	34.51	7.26	35.35	
AV	5.46G	46.68	54.00	-7.32	40.25	3	Horizontal	197	2.05	-	34.52	7.26	35.35	
PK	5.4678G	64.06	68.20	-4.14	57.60	3	Horizontal	197	2.05	-	34.54	7.27	35.35	
PK	5.5524G	110.50	Inf	-Inf	103.93	3	Horizontal	197	2.05	-	34.60	7.35	35.38	
AV	5.5476G	98.35	Inf	-Inf	91.77	3	Horizontal	197	2.05	-	34.60	7.35	35.37	

802.11ax HEW40_Nss1,(MCS0)_1TX

5550MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.10354G	57.30	74.00	-16.70	43.29	3	Vertical	174	1.93	-	38.50	10.67	35.16
AV	11.10492G	43.14	54.00	-10.86	29.13	3	Vertical	174	1.93	-	38.50	10.67	35.16

802.11ax HEW40_Nss1,(MCS0)_1TX

5550MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	11.09658G	56.47	74.00	-17.53	42.46	3	Horizontal	329	1.67	-	38.50	10.66	35.15
AV	11.09574G	43.05	54.00	-10.95	29.04	3	Horizontal	329	1.67	-	38.50	10.66	35.15

802.11ax HEW40_Nss1,(MCS0)_1TX

5670MHz_TnomVnom




EUT X_1TX
Setting 16
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6728G	108.11	Inf	-Inf	101.74	3	Vertical	330	1.94	-	34.41	7.40	35.44
AV	5.6684G	95.44	Inf	-Inf	89.04	3	Vertical	330	1.94	-	34.43	7.40	35.43
PK	5.726G	67.68	68.20	-0.52	61.49	3	Vertical	330	1.94	-	34.25	7.40	35.46

802.11ax HEW40_Nss1,(MCS0)_1TX

5670MHz_TnomVnom




EUT_X_1TX
Setting 16
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6728G	107.69	Inf	-Inf	101.32	3	Horizontal	196	2.06	-	34.41	7.40	35.44
AV	5.672G	94.87	Inf	-Inf	88.50	3	Horizontal	196	2.06	-	34.41	7.40	35.44
PK	5.726G	66.99	68.20	-1.21	60.80	3	Horizontal	196	2.06	-	34.25	7.40	35.46

802.11ax HEW40_Nss1,(MCS0)_1TX

5670MHz_TnomVnom




EUT X_1TX
Setting 16
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.35452G	54.80	74.00	-19.20	40.79	3	Vertical	211	2.42	-	38.75	10.70	35.44	
AV	11.3547G	41.53	54.00	-12.47	27.52	3	Vertical	211	2.42	-	38.75	10.70	35.44	

802.11ax HEW40_Nss1,(MCS0)_1TX

5670MHz_TnomVnom




EUT X_1TX
Setting 16
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.32752G	55.22	74.00	-18.78	41.20	3	Horizontal	147	1.99	-	38.73	10.70	35.41
AV	11.35452G	41.47	54.00	-12.53	27.46	3	Horizontal	147	1.99	-	38.75	10.70	35.44

802.11ax HEW40_Nss1,(MCS0)_1TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4184G	58.96	74.00	-15.04	52.53	3	Vertical	326	2.10	-	34.56	7.22	35.35
AV	5.41G	46.08	54.00	-7.92	39.64	3	Vertical	326	2.10	-	34.58	7.21	35.35
PK	5.4616G	58.48	68.20	-9.72	52.05	3	Vertical	326	2.10	-	34.52	7.26	35.35
PK	5.7124G	111.59	Inf	-Inf	105.37	3	Vertical	326	2.10	-	34.28	7.40	35.46
AV	5.7076G	99.19	Inf	-Inf	92.96	3	Vertical	326	2.10	-	34.28	7.40	35.45
PK	5.9368G	59.40	68.20	-8.80	52.68	3	Vertical	326	2.10	-	34.75	7.54	35.57

802.11ax HEW40_Nss1,(MCS0)_1TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4112G	59.48	74.00	-14.52	53.04	3	Horizontal	191	2.06	-	34.58	7.21	35.35
AV	5.41G	46.06	54.00	-7.94	39.62	3	Horizontal	191	2.06	-	34.58	7.21	35.35
PK	5.4664G	58.18	68.20	-10.02	51.73	3	Horizontal	191	2.06	-	34.53	7.27	35.35
PK	5.7124G	111.37	Inf	-Inf	105.15	3	Horizontal	191	2.06	-	34.28	7.40	35.46
AV	5.7076G	99.08	Inf	-Inf	92.85	3	Horizontal	191	2.06	-	34.28	7.40	35.45
PK	5.8744G	59.62	68.20	-8.58	53.24	3	Horizontal	191	2.06	-	34.45	7.47	35.54

802.11ax HEW40_Nss1,(MCS0)_1TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42348G	59.58	74.00	-14.42	45.53	3	Vertical	196	2.62	-	38.85	10.71	35.51
AV	11.41586G	46.31	54.00	-7.69	32.28	3	Vertical	196	2.62	-	38.83	10.71	35.51

802.11ax HEW40_Nss1,(MCS0)_1TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42042G	57.71	74.00	-16.29	43.67	3	Horizontal	58	1.74	-	38.84	10.71	35.51
AV	11.4158G	44.39	54.00	-9.61	30.36	3	Horizontal	58	1.74	-	38.83	10.71	35.51

802.11ax HEW40_Nss1,(MCS0)_1TX

5755MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.645G	60.70	68.20	-7.50	54.21	3	Vertical	333	2.06	-	34.51	7.40	35.42
PK	5.757G	112.52	Inf	-Inf	106.40	3	Vertical	333	2.06	-	34.20	7.40	35.48
AV	5.752G	100.56	Inf	-Inf	94.44	3	Vertical	333	2.06	-	34.20	7.40	35.48
PK	5.965G	59.53	68.20	-8.67	52.75	3	Vertical	333	2.06	-	34.80	7.56	35.58

802.11ax HEW40_Nss1,(MCS0)_1TX

5755MHz_TnomVnom




EUT_X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.649G	60.49	68.20	-7.71	54.01	3	Horizontal	192	2.02	-	34.50	7.40	35.42
PK	5.757G	112.51	Inf	-Inf	106.39	3	Horizontal	192	2.02	-	34.20	7.40	35.48
AV	5.752G	100.74	Inf	-Inf	94.62	3	Horizontal	192	2.02	-	34.20	7.40	35.48
PK	5.935G	59.72	68.20	-8.48	53.01	3	Horizontal	192	2.02	-	34.74	7.54	35.57

802.11ax HEW40_Nss1,(MCS0)_1TX

5755MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.51054G	60.86	74.00	-13.14	46.69	3	Vertical	189	2.40	-	39.04	10.73	35.60
AV	11.5058G	46.99	54.00	-7.01	32.84	3	Vertical	189	2.40	-	39.02	10.73	35.60

802.11ax HEW40_Nss1,(MCS0)_1TX

5755MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.51282G	58.84	74.00	-15.16	44.66	3	Horizontal	184	2.10	-	39.05	10.73	35.60
AV	11.50574G	45.19	54.00	-8.81	31.04	3	Horizontal	184	2.10	-	39.02	10.73	35.60

802.11ax HEW40_Nss1,(MCS0)_1TX

5795MHz_TnomVnom




EUT_X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.646G	59.83	68.20	-8.37	53.34	3	Vertical	334	1.94	-	34.51	7.40	35.42
PK	5.797G	112.31	Inf	-Inf	106.21	3	Vertical	334	1.94	-	34.20	7.40	35.50
AV	5.792G	100.42	Inf	-Inf	94.32	3	Vertical	334	1.94	-	34.20	7.40	35.50
PK	5.922G	63.79	70.42	-6.63	57.14	3	Vertical	334	1.94	-	34.69	7.52	35.56

802.11ax HEW40_Nss1,(MCS0)_1TX

5795MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.639G	59.27	68.20	-8.93	52.77	3	Horizontal	191	2.05	-	34.52	7.40	35.42
PK	5.797G	112.71	Inf	-Inf	106.61	3	Horizontal	191	2.05	-	34.20	7.40	35.50
AV	5.792G	100.69	Inf	-Inf	94.59	3	Horizontal	191	2.05	-	34.20	7.40	35.50
PK	5.931G	63.21	68.20	-4.99	56.53	3	Horizontal	191	2.05	-	34.72	7.53	35.57

802.11ax HEW40_Nss1,(MCS0)_1TX

5795MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5816G	62.08	74.00	-11.92	47.59	3	Vertical	188	2.43	-	39.33	10.74	35.58
AV	11.58574G	47.34	54.00	-6.66	32.84	3	Vertical	188	2.43	-	39.34	10.74	35.58

802.11ax HEW40_Nss1,(MCS0)_1TX

5795MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.59504G	58.46	74.00	-15.54	43.92	3	Horizontal	196	1.80	-	39.38	10.74	35.58	
AV	11.5858G	44.42	54.00	-9.58	29.92	3	Horizontal	196	1.80	-	39.34	10.74	35.58	

802.11ax HEW80_Nss1,(MCS0)_1TX

5210MHz_TnomVnom




EUT X_1TX
Setting 15.25
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.147G	68.26	74.00	-5.74	62.44	3	Vertical	297	2.16	-	33.99	7.17	35.34
AV	5.142G	53.76	54.00	-0.24	47.95	3	Vertical	297	2.16	-	33.98	7.17	35.34
PK	5.214G	104.65	Inf	-Inf	98.53	3	Vertical	297	2.16	-	34.26	7.20	35.34
AV	5.213G	94.23	Inf	-Inf	88.12	3	Vertical	297	2.16	-	34.25	7.20	35.34
PK	5.35G	64.81	74.00	-9.19	58.45	3	Vertical	297	2.16	-	34.50	7.20	35.34
AV	5.356G	49.27	54.00	-4.73	42.90	3	Vertical	297	2.16	-	34.51	7.20	35.34

802.11ax HEW80_Nss1,(MCS0)_1TX

5210MHz_TnomVnom




EUT X_1TX
Setting 15.25
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.147G	65.40	74.00	-8.60	59.58	3	Horizontal	201	2.00	-	33.99	7.17	35.34
AV	5.148G	51.63	54.00	-2.37	45.80	3	Horizontal	201	2.00	-	34.00	7.17	35.34
PK	5.213G	102.20	Inf	-Inf	96.09	3	Horizontal	201	2.00	-	34.25	7.20	35.34
AV	5.213G	91.86	Inf	-Inf	85.75	3	Horizontal	201	2.00	-	34.25	7.20	35.34
PK	5.357G	62.92	74.00	-11.08	56.55	3	Horizontal	201	2.00	-	34.51	7.20	35.34
AV	5.352G	49.62	54.00	-4.38	43.26	3	Horizontal	201	2.00	-	34.50	7.20	35.34

802.11ax HEW80_Nss1,(MCS0)_1TX

5210MHz_TnomVnom




EUT X_1TX
Setting 15.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.6396G	60.27	74.00	-13.73	44.74	3	Vertical	260	2.37	-	37.80	13.22	35.49
AV	15.64206G	48.59	54.00	-5.41	33.07	3	Vertical	260	2.37	-	37.79	13.22	35.49

802.11ax HEW80_Nss1,(MCS0)_1TX

5210MHz_TnomVnom




EUT X_1TX
Setting 15.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.6375G	59.17	74.00	-14.83	43.63	3	Horizontal	323	1.06	-	37.81	13.22	35.49
AV	15.61782G	49.05	54.00	-4.95	33.40	3	Horizontal	323	1.06	-	37.91	13.21	35.47

802.11ax HEW80_Nss1,(MCS0)_1TX

5290MHz_TnomVnom




EUT_X_1TX
Setting 14.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.077G	58.33	74.00	-15.67	52.67	3	Vertical	312	1.98	-	33.85	7.14	35.33
AV	5.108G	48.12	54.00	-5.88	42.38	3	Vertical	312	1.98	-	33.92	7.15	35.33
PK	5.294G	103.83	Inf	-Inf	97.48	3	Vertical	312	1.98	-	34.49	7.20	35.34
AV	5.292G	93.37	Inf	-Inf	87.03	3	Vertical	312	1.98	-	34.48	7.20	35.34
PK	5.359G	67.15	74.00	-6.85	60.77	3	Vertical	312	1.98	-	34.52	7.20	35.34
AV	5.355G	53.62	54.00	-0.38	47.25	3	Vertical	312	1.98	-	34.51	7.20	35.34
PK	5.466G	59.23	68.20	-8.97	52.78	3	Vertical	312	1.98	-	34.53	7.27	35.35

802.11ax HEW80_Nss1,(MCS0)_1TX

5290MHz_TnomVnom




EUT X_1TX
Setting 14.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.084G	58.65	74.00	-15.35	52.97	3	Horizontal	200	1.98	-	33.87	7.14	35.33
AV	5.118G	48.23	54.00	-5.77	42.46	3	Horizontal	200	1.98	-	33.94	7.16	35.33
PK	5.294G	102.43	Inf	-Inf	96.08	3	Horizontal	200	1.98	-	34.49	7.20	35.34
AV	5.293G	92.09	Inf	-Inf	85.74	3	Horizontal	200	1.98	-	34.49	7.20	35.34
PK	5.376G	66.13	74.00	-7.87	59.73	3	Horizontal	200	1.98	-	34.55	7.20	35.35
AV	5.355G	52.80	54.00	-1.20	46.43	3	Horizontal	200	1.98	-	34.51	7.20	35.34
PK	5.511G	58.64	68.20	-9.56	52.09	3	Horizontal	200	1.98	-	34.60	7.31	35.36

802.11ax HEW80_Nss1,(MCS0)_1TX

5290MHz_TnomVnom




EUT X_1TX
Setting 14.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.87846G	59.97	74.00	-14.03	44.66	3	Vertical	266	2.38	-	37.66	13.34	35.69
AV	15.88188G	49.03	54.00	-4.97	33.73	3	Vertical	266	2.38	-	37.65	13.34	35.69

802.11ax HEW80_Nss1,(MCS0)_1TX

5290MHz_TnomVnom




EUT X_1TX
Setting 14.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.85704G	60.38	74.00	-13.62	44.99	3	Horizontal	18	2.16	-	37.73	13.33	35.67
AV	15.85512G	49.15	54.00	-4.85	33.76	3	Horizontal	18	2.16	-	37.73	13.33	35.67

802.11ax HEW80_Nss1,(MCS0)_1TX

5530MHz_TnomVnom




EUT X_1TX
Setting 15.75
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.321G	59.38	68.20	-8.82	53.02	3	Vertical	326	2.04	-	34.50	7.20	35.34
PK	5.448G	64.64	74.00	-9.36	58.24	3	Vertical	326	2.04	-	34.50	7.25	35.35
AV	5.451G	53.78	54.00	-0.22	47.38	3	Vertical	326	2.04	-	34.50	7.25	35.35
PK	5.467G	67.42	68.20	-0.78	60.97	3	Vertical	326	2.04	-	34.53	7.27	35.35
PK	5.534G	104.44	Inf	-Inf	97.88	3	Vertical	326	2.04	-	34.60	7.33	35.37
AV	5.533G	94.19	Inf	-Inf	87.63	3	Vertical	326	2.04	-	34.60	7.33	35.37
PK	5.742G	59.68	68.20	-8.52	53.53	3	Vertical	326	2.04	-	34.22	7.40	35.47

802.11ax HEW80_Nss1,(MCS0)_1TX

5530MHz_TnomVnom




EUT X_1TX
Setting 15.75
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.288G	58.89	68.20	-9.31	52.55	3	Horizontal	198	2.11	-	34.48	7.20	35.34
PK	5.458G	64.90	74.00	-9.10	58.47	3	Horizontal	198	2.11	-	34.52	7.26	35.35
AV	5.452G	53.16	54.00	-0.84	46.76	3	Horizontal	198	2.11	-	34.50	7.25	35.35
PK	5.467G	67.79	68.20	-0.41	61.34	3	Horizontal	198	2.11	-	34.53	7.27	35.35
PK	5.534G	103.62	Inf	-Inf	97.06	3	Horizontal	198	2.11	-	34.60	7.33	35.37
AV	5.533G	93.28	Inf	-Inf	86.72	3	Horizontal	198	2.11	-	34.60	7.33	35.37
PK	5.729G	59.17	68.20	-9.03	52.99	3	Horizontal	198	2.11	-	34.24	7.40	35.46

802.11ax HEW80_Nss1,(MCS0)_1TX

5530MHz_TnomVnom




EUT X_1TX
Setting 15.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.06846G	55.70	74.00	-18.30	41.69	3	Vertical	285	2.03	-	38.47	10.66	35.12
AV	11.05406G	45.10	54.00	-8.90	31.09	3	Vertical	285	2.03	-	38.45	10.66	35.10

802.11ax HEW80_Nss1,(MCS0)_1TX

5530MHz_TnomVnom




EUT X_1TX
Setting 15.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0462G	55.59	74.00	-18.41	41.57	3	Horizontal	180	2.42	-	38.45	10.66	35.09
AV	11.06366G	44.85	54.00	-9.15	30.84	3	Horizontal	180	2.42	-	38.46	10.66	35.11

802.11ax HEW80_Nss1,(MCS0)_1TX

5610MHz_TnomVnom




EUT X_1TX
Setting 15.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.411G	59.34	74.00	-14.66	52.90	3	Vertical	329	2.04	-	34.58	7.21	35.35
PK	5.469G	59.33	68.20	-8.87	52.87	3	Vertical	329	2.04	-	34.54	7.27	35.35
AV	5.458G	48.77	54.00	-5.23	42.34	3	Vertical	329	2.04	-	34.52	7.26	35.35
PK	5.614G	104.46	Inf	-Inf	97.90	3	Vertical	329	2.04	-	34.57	7.40	35.41
AV	5.609G	94.30	Inf	-Inf	87.72	3	Vertical	329	2.04	-	34.58	7.40	35.40
PK	5.727G	68.14	68.20	-0.06	61.95	3	Vertical	329	2.04	-	34.25	7.40	35.46

802.11ax HEW80_Nss1,(MCS0)_1TX

5610MHz_TnomVnom




EUT_X_1TX
Setting 15.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.36G	59.25	74.00	-14.75	52.87	3	Horizontal	195	2.03	-	34.52	7.20	35.34
PK	5.467G	58.51	68.20	-9.69	52.06	3	Horizontal	195	2.03	-	34.53	7.27	35.35
AV	5.446G	48.92	54.00	-5.08	42.51	3	Horizontal	195	2.03	-	34.51	7.25	35.35
PK	5.614G	103.84	Inf	-Inf	97.28	3	Horizontal	195	2.03	-	34.57	7.40	35.41
AV	5.609G	93.59	Inf	-Inf	87.01	3	Horizontal	195	2.03	-	34.58	7.40	35.40
PK	5.727G	67.91	68.20	-0.29	61.72	3	Horizontal	195	2.03	-	34.25	7.40	35.46

802.11ax HEW80_Nss1,(MCS0)_1TX

5610MHz_TnomVnom




EUT X_1TX
Setting 15.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.21808G	55.30	74.00	-18.70	41.28	3	Vertical	267	1.54	-	38.62	10.68	35.28
AV	11.2323G	44.43	54.00	-9.57	30.42	3	Vertical	267	1.54	-	38.63	10.68	35.30

802.11ax HEW80_Nss1,(MCS0)_1TX

5610MHz_TnomVnom




EUT X_1TX
Setting 15.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.22258G	54.96	74.00	-19.04	40.95	3	Horizontal	339	1.30	-	38.62	10.68	35.29
AV	11.22714G	44.42	54.00	-9.58	30.40	3	Horizontal	339	1.30	-	38.63	10.68	35.29

802.11ax HEW80_Nss1,(MCS0)_1TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_1TX
Setting 18.25
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4368G	59.16	74.00	-14.84	52.74	3	Vertical	332	1.98	-	34.53	7.24	35.35
PK	5.4668G	59.62	68.20	-8.58	53.17	3	Vertical	332	1.98	-	34.53	7.27	35.35
AV	5.4596G	48.68	54.00	-5.32	42.25	3	Vertical	332	1.98	-	34.52	7.26	35.35
PK	5.6936G	107.20	Inf	-Inf	100.92	3	Vertical	332	1.98	-	34.33	7.40	35.45
AV	5.6924G	96.92	Inf	-Inf	90.64	3	Vertical	332	1.98	-	34.33	7.40	35.45
PK	5.87G	66.69	68.20	-1.51	60.34	3	Vertical	332	1.98	-	34.42	7.47	35.54

802.11ax HEW80_Nss1,(MCS0)_1TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_1TX
Setting 18.25
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4572G	58.51	74.00	-15.49	52.09	3	Horizontal	194	1.96	-	34.51	7.26	35.35
AV	5.3948G	48.91	54.00	-5.09	42.47	3	Horizontal	194	1.96	-	34.59	7.20	35.35
PK	5.47G	59.47	68.20	-8.73	53.01	3	Horizontal	194	1.96	-	34.54	7.27	35.35
PK	5.6936G	107.31	Inf	-Inf	101.03	3	Horizontal	194	1.96	-	34.33	7.40	35.45
AV	5.6924G	97.21	Inf	-Inf	90.93	3	Horizontal	194	1.96	-	34.33	7.40	35.45
PK	5.8748G	67.84	68.20	-0.36	61.46	3	Horizontal	194	1.96	-	34.45	7.47	35.54

802.11ax HEW80_Nss1,(MCS0)_1TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_1TX
Setting 18.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.37844G	56.69	74.00	-17.31	42.66	3	Vertical	73	2.90	-	38.78	10.71	35.46
AV	11.3797G	45.40	54.00	-8.60	31.38	3	Vertical	73	2.90	-	38.78	10.71	35.47

802.11ax HEW80_Nss1,(MCS0)_1TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_1TX
Setting 18.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3917G	56.32	74.00	-17.68	42.30	3	Horizontal	18	1.57	-	38.79	10.71	35.48
AV	11.37862G	45.83	54.00	-8.17	31.80	3	Horizontal	18	1.57	-	38.78	10.71	35.46

802.11ax HEW80_Nss1,(MCS0)_1TX

5775MHz_TnomVnom




EUT X_1TX
Setting 17.75
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.643G	62.97	68.20	-5.23	56.48	3	Vertical	333	1.98	-	34.51	7.40	35.42	
PK	5.778G	105.94	Inf	-Inf	99.83	3	Vertical	333	1.98	-	34.20	7.40	35.49	
AV	5.778G	95.66	Inf	-Inf	89.55	3	Vertical	333	1.98	-	34.20	7.40	35.49	
PK	5.925G	66.28	68.20	-1.92	59.61	3	Vertical	333	1.98	-	34.70	7.53	35.56	

802.11ax HEW80_Nss1,(MCS0)_1TX

5775MHz_TnomVnom




EUT X_1TX
Setting 17.75
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.643G	63.72	68.20	-4.48	57.23	3	Horizontal	194	2.09	-	34.51	7.40	35.42
PK	5.779G	106.35	Inf	-Inf	100.24	3	Horizontal	194	2.09	-	34.20	7.40	35.49
AV	5.774G	96.14	Inf	-Inf	90.03	3	Horizontal	194	2.09	-	34.20	7.40	35.49
PK	5.949G	67.80	68.20	-0.40	61.02	3	Horizontal	194	2.09	-	34.80	7.55	35.57

802.11ax HEW80_Nss1,(MCS0)_1TX

5775MHz_TnomVnom




EUT X_1TX
Setting 17.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.54976G	56.53	74.00	-17.47	42.19	3	Vertical	33	2.32	-	39.20	10.73	35.59
AV	11.55474G	46.09	54.00	-7.91	31.73	3	Vertical	33	2.32	-	39.22	10.73	35.59

802.11ax HEW80_Nss1,(MCS0)_1TX

5775MHz_TnomVnom




EUT X_1TX
Setting 17.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.5575G	57.27	74.00	-16.73	42.90	3	Horizontal	221	1.34	-	39.23	10.73	35.59	
AV	11.55732G	46.12	54.00	-7.88	31.75	3	Horizontal	221	1.34	-	39.23	10.73	35.59	

802.11ax HEW160_Nss1,(MCS0)_1TX

5250MHz Straddle 5.25-5.35GHz_TnomVnom



EUT X_1TX
Setting 11
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1252G	64.56	74.00	-9.44	58.79	3	Vertical	74	1.29	-	33.95	7.16	35.34
AV	5.1432G	52.08	54.00	-1.92	46.26	3	Vertical	74	1.29	-	33.99	7.17	35.34
PK	5.2464G	97.83	Inf	-Inf	91.58	3	Vertical	74	1.29	-	34.39	7.20	35.34
AV	5.2548G	87.95	Inf	-Inf	81.68	3	Vertical	74	1.29	-	34.41	7.20	35.34
PK	5.3928G	65.19	74.00	-8.81	58.75	3	Vertical	74	1.29	-	34.59	7.20	35.35
AV	5.3928G	53.99	54.00	-0.01	47.55	3	Vertical	74	1.29	-	34.59	7.20	35.35
PK	5.4744G	58.94	68.20	-9.26	52.47	3	Vertical	74	1.29	-	34.55	7.27	35.35