


802.11ax HEW160_Nss1,(MCS0)_1TX

5250MHz Straddle 5.25-5.35GHz_TnomVnom




EUT_X_1TX
Setting 11
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.148G	61.42	74.00	-12.58	55.59	3	Horizontal	201	2.22	-	34.00	7.17	35.34
AV	5.1264G	50.10	54.00	-3.90	44.33	3	Horizontal	201	2.22	-	33.95	7.16	35.34
PK	5.2464G	95.60	Inf	-Inf	89.35	3	Horizontal	201	2.22	-	34.39	7.20	35.34
AV	5.2536G	85.30	Inf	-Inf	79.03	3	Horizontal	201	2.22	-	34.41	7.20	35.34
PK	5.3928G	64.18	74.00	-9.82	57.74	3	Horizontal	201	2.22	-	34.59	7.20	35.35
AV	5.394G	52.96	54.00	-1.04	46.52	3	Horizontal	201	2.22	-	34.59	7.20	35.35
PK	5.4876G	59.20	68.20	-9.00	52.68	3	Horizontal	201	2.22	-	34.58	7.29	35.35

802.11ax HEW160_Nss1,(MCS0)_1TX

5250MHz Straddle 5.25-5.35GHz_TnomVnom




EUT X_1TX
Setting 11
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.76104G	59.78	74.00	-14.22	44.35	3	Vertical	168	2.76	-	37.74	13.28	35.59
AV	15.7506G	48.87	54.00	-5.13	33.47	3	Vertical	168	2.76	-	37.70	13.28	35.58

802.11ax HEW160_Nss1,(MCS0)_1TX

5250MHz Straddle 5.25-5.35GHz_TnomVnom




EUT X_1TX
Setting 11
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.75726G	59.43	74.00	-14.57	44.01	3	Horizontal	243	1.71	-	37.73	13.28	35.59
AV	15.76092G	48.74	54.00	-5.26	33.31	3	Horizontal	243	1.71	-	37.74	13.28	35.59

802.11ax HEW160_Nss1,(MCS0)_1TX

5570MHz_TnomVnom




EUT X_1TX
Setting 12.25
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.446G	66.81	74.00	-7.19	60.40	3	Vertical	321	2.03	-	34.51	7.25	35.35
AV	5.446G	53.27	54.00	-0.73	46.86	3	Vertical	321	2.03	-	34.51	7.25	35.35
PK	5.4676G	64.61	68.20	-3.59	58.15	3	Vertical	321	2.03	-	34.54	7.27	35.35
PK	5.5668G	98.67	Inf	-Inf	92.08	3	Vertical	321	2.03	-	34.60	7.37	35.38
AV	5.5748G	88.98	Inf	-Inf	82.40	3	Vertical	321	2.03	-	34.60	7.37	35.39
PK	5.726G	65.79	68.20	-2.41	59.60	3	Vertical	321	2.03	-	34.25	7.40	35.46

802.11ax HEW160_Nss1,(MCS0)_1TX

5570MHz_TnomVnom




EUT X_1TX
Setting 12.25
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.446G	65.04	74.00	-8.96	58.63	3	Horizontal	193	2.02	-	34.51	7.25	35.35
AV	5.446G	52.44	54.00	-1.56	46.03	3	Horizontal	193	2.02	-	34.51	7.25	35.35
PK	5.466G	63.31	68.20	-4.89	56.86	3	Horizontal	193	2.02	-	34.53	7.27	35.35
PK	5.566G	98.06	Inf	-Inf	91.47	3	Horizontal	193	2.02	-	34.60	7.37	35.38
AV	5.5748G	87.95	Inf	-Inf	81.37	3	Horizontal	193	2.02	-	34.60	7.37	35.39
PK	5.726G	67.28	68.20	-0.92	61.09	3	Horizontal	193	2.02	-	34.25	7.40	35.46

802.11ax HEW160_Nss1,(MCS0)_1TX

5570MHz_TnomVnom




EUT X_1TX
Setting 12.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1343G	55.38	74.00	-18.62	41.37	3	Vertical	216	2.49	-	38.53	10.67	35.19
AV	11.1397G	44.45	54.00	-9.55	30.44	3	Vertical	216	2.49	-	38.54	10.67	35.20

802.11ax HEW160_Nss1,(MCS0)_1TX

5570MHz_TnomVnom



EUT X_1TX
Setting 12.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15404G	54.81	74.00	-19.19	40.80	3	Horizontal	295	1.42	-	38.55	10.67	35.21
AV	11.15248G	44.25	54.00	-9.75	30.24	3	Horizontal	295	1.42	-	38.55	10.67	35.21



RSE TX above 1GHz

<Full RU> UNII1~UNII3 Non-Beamforming Mode Ant.2 (1TX)


Appendix E.3

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW160_Nss1,(MCS0)_1TX	Pass	AV	5.402G	53.90	54.00	-0.10	3	Horizontal	111	1.98	-

802.11a_Nss1,(6Mbps)_1TX

5180MHz_TnomVnom




EUT_Z_1TX
Setting 21.5
03-B-E-2-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	5.15G	73.16	74.00	-0.84	67.33	3	Vertical	34	2.02	-	34.00	7.17	35.34	
AV	5.15G	51.08	54.00	-2.92	45.25	3	Vertical	34	2.02	-	34.00	7.17	35.34	
PK	5.1808G	113.05	Inf	-Inf	107.08	3	Vertical	34	2.02	-	34.12	7.19	35.34	
AV	5.1792G	103.19	Inf	-Inf	97.22	3	Vertical	34	2.02	-	34.12	7.19	35.34	

802.11a_Nss1,(6Mbps)_1TX

5180MHz_TnomVnom




EUT_Z_1TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	69.39	74.00	-4.61	63.56	3	Horizontal	54	1.78	-	34.00	7.17	35.34
AV	5.15G	48.51	54.00	-5.49	42.68	3	Horizontal	54	1.78	-	34.00	7.17	35.34
PK	5.1816G	109.73	Inf	-Inf	103.75	3	Horizontal	54	1.78	-	34.13	7.19	35.34
AV	5.1792G	99.89	Inf	-Inf	93.92	3	Horizontal	54	1.78	-	34.12	7.19	35.34

802.11a_Nss1,(6Mbps)_1TX

5180MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.5412G	61.92	74.00	-12.08	45.74	3	Vertical	154	2.09	-	38.41	13.17	35.40
AV	15.53736G	46.91	54.00	-7.09	30.70	3	Vertical	154	2.09	-	38.44	13.17	35.40

802.11a_Nss1,(6Mbps)_1TX

5180MHz_TnomVnom




EUT_X_1TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.53874G	59.57	74.00	-14.43	43.37	3	Horizontal	282	1.80	-	38.43	13.17	35.40
AV	15.5388G	45.59	54.00	-8.41	29.39	3	Horizontal	282	1.80	-	38.43	13.17	35.40

802.11a_Nss1,(6Mbps)_1TX

5200MHz_TnomVnom




EUT_Z_1TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1488G	60.55	74.00	-13.45	54.72	3	Vertical	34	1.99	-	34.00	7.17	35.34
AV	5.15G	45.38	54.00	-8.62	39.55	3	Vertical	34	1.99	-	34.00	7.17	35.34
PK	5.1992G	112.96	Inf	-Inf	106.90	3	Vertical	34	1.99	-	34.20	7.20	35.34
AV	5.2008G	103.09	Inf	-Inf	97.03	3	Vertical	34	1.99	-	34.20	7.20	35.34

802.11a_Nss1,(6Mbps)_1TX

5200MHz_TnomVnom




EUT_Z_1TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.146G	58.95	74.00	-15.05	53.13	3	Horizontal	54	1.80	-	33.99	7.17	35.34
AV	5.1496G	45.09	54.00	-8.91	39.26	3	Horizontal	54	1.80	-	34.00	7.17	35.34
PK	5.2016G	109.88	Inf	-Inf	103.81	3	Horizontal	54	1.80	-	34.21	7.20	35.34
AV	5.1992G	100.05	Inf	-Inf	93.99	3	Horizontal	54	1.80	-	34.20	7.20	35.34

802.11a_Nss1,(6Mbps)_1TX

5200MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.6009G	60.30	74.00	-13.70	44.55	3	Vertical	155	2.10	-	38.00	13.20	35.45
AV	15.60276G	46.57	54.00	-7.43	30.84	3	Vertical	155	2.10	-	37.99	13.20	35.46

802.11a_Nss1,(6Mbps)_1TX

5200MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.59916G	60.06	74.00	-13.94	44.30	3	Horizontal	291	1.89	-	38.01	13.20	35.45
AV	15.60276G	46.34	54.00	-7.66	30.61	3	Horizontal	291	1.89	-	37.99	13.20	35.46

802.11a_Nss1,(6Mbps)_1TX

5240MHz_TnomVnom




EUT_Z_1TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.0936G	57.71	74.00	-16.29	52.00	3	Vertical	33	1.78	-	33.89	7.15	35.33
AV	5.0918G	46.61	54.00	-7.39	40.91	3	Vertical	33	1.78	-	33.88	7.15	35.33
PK	5.2412G	113.09	Inf	-Inf	106.87	3	Vertical	33	1.78	-	34.36	7.20	35.34
AV	5.2412G	105.78	Inf	-Inf	99.56	3	Vertical	33	1.78	-	34.36	7.20	35.34
PK	5.3828G	58.20	74.00	-15.80	51.78	3	Vertical	33	1.78	-	34.57	7.20	35.35
AV	5.3846G	46.97	54.00	-7.03	40.55	3	Vertical	33	1.78	-	34.57	7.20	35.35

802.11a_Nss1,(6Mbps)_1TX

5240MHz_TnomVnom




EUT_Z_1TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1188G	58.01	74.00	-15.99	52.24	3	Horizontal	55	1.89	-	33.94	7.16	35.33
AV	5.1194G	44.86	54.00	-9.14	39.09	3	Horizontal	55	1.89	-	33.94	7.16	35.33
PK	5.2406G	109.78	Inf	-Inf	103.56	3	Horizontal	55	1.89	-	34.36	7.20	35.34
AV	5.2406G	99.90	Inf	-Inf	93.68	3	Horizontal	55	1.89	-	34.36	7.20	35.34
PK	5.3816G	57.79	74.00	-16.21	51.38	3	Horizontal	55	1.89	-	34.56	7.20	35.35
AV	5.3756G	45.26	54.00	-8.74	38.86	3	Horizontal	55	1.89	-	34.55	7.20	35.35

802.11a_Nss1,(6Mbps)_1TX

5240MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.72198G	60.08	74.00	-13.92	44.79	3	Vertical	165	1.94	-	37.59	13.26	35.56
AV	15.71868G	45.43	54.00	-8.57	30.15	3	Vertical	165	1.94	-	37.57	13.26	35.55

802.11a_Nss1,(6Mbps)_1TX

5240MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.72624G	58.77	74.00	-15.23	43.47	3	Horizontal	168	1.62	-	37.60	13.26	35.56
AV	15.7224G	45.35	54.00	-8.65	30.06	3	Horizontal	168	1.62	-	37.59	13.26	35.56

802.11a_Nss1,(6Mbps)_1TX

5260MHz_TnomVnom




EUT_Z_1TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1256G	57.26	74.00	-16.74	51.49	3	Vertical	26	1.84	-	33.95	7.16	35.34
AV	5.1154G	44.77	54.00	-9.23	39.01	3	Vertical	26	1.84	-	33.93	7.16	35.33
PK	5.2612G	112.17	Inf	-Inf	105.89	3	Vertical	26	1.84	-	34.42	7.20	35.34
AV	5.2594G	102.42	Inf	-Inf	96.14	3	Vertical	26	1.84	-	34.42	7.20	35.34
PK	5.3662G	58.05	74.00	-15.95	51.66	3	Vertical	26	1.84	-	34.53	7.20	35.34
AV	5.3752G	45.29	54.00	-8.71	38.89	3	Vertical	26	1.84	-	34.55	7.20	35.35

802.11a_Nss1,(6Mbps)_1TX

5260MHz_TnomVnom




EUT_Z_1TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.149G	57.43	74.00	-16.57	51.60	3	Horizontal	54	1.85	-	34.00	7.17	35.34
AV	5.1106G	44.73	54.00	-9.27	38.98	3	Horizontal	54	1.85	-	33.92	7.16	35.33
PK	5.2612G	109.36	Inf	-Inf	103.08	3	Horizontal	54	1.85	-	34.42	7.20	35.34
AV	5.2606G	99.59	Inf	-Inf	93.31	3	Horizontal	54	1.85	-	34.42	7.20	35.34
PK	5.3794G	58.11	74.00	-15.89	51.70	3	Horizontal	54	1.85	-	34.56	7.20	35.35
AV	5.3836G	45.18	54.00	-8.82	38.76	3	Horizontal	54	1.85	-	34.57	7.20	35.35

802.11a_Nss1,(6Mbps)_1TX

5260MHz_TnomVnom




EUT_X_1TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.77706G	59.27	74.00	-14.73	43.77	3	Vertical	118	1.48	-	37.81	13.29	35.60
AV	15.78276G	45.59	54.00	-8.41	30.08	3	Vertical	118	1.48	-	37.83	13.29	35.61

802.11a_Nss1,(6Mbps)_1TX

5260MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.7791G	58.68	74.00	-15.32	43.17	3	Horizontal	264	1.78	-	37.82	13.29	35.60
AV	15.77976G	44.97	54.00	-9.03	29.46	3	Horizontal	264	1.78	-	37.82	13.29	35.60

802.11a_Nss1,(6Mbps)_1TX

5300MHz_TnomVnom




EUT_Z_1TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.2984G	112.95	Inf	-Inf	106.59	3	Vertical	35	1.92	-	34.50	7.20	35.34	
AV	5.2992G	103.21	Inf	-Inf	96.85	3	Vertical	35	1.92	-	34.50	7.20	35.34	
PK	5.35G	64.64	74.00	-9.36	58.28	3	Vertical	35	1.92	-	34.50	7.20	35.34	
AV	5.35G	47.81	54.00	-6.19	41.45	3	Vertical	35	1.92	-	34.50	7.20	35.34	

802.11a_Nss1,(6Mbps)_1TX

5300MHz_TnomVnom




EUT_Z_1TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2988G	109.96	Inf	-Inf	103.60	3	Horizontal	53	1.80	-	34.50	7.20	35.34
AV	5.2992G	100.17	Inf	-Inf	93.81	3	Horizontal	53	1.80	-	34.50	7.20	35.34
PK	5.3508G	64.10	74.00	-9.90	57.74	3	Horizontal	53	1.80	-	34.50	7.20	35.34
AV	5.3504G	47.03	54.00	-6.97	40.67	3	Horizontal	53	1.80	-	34.50	7.20	35.34

802.11a_Nss1,(6Mbps)_1TX

5300MHz_TnomVnom




EUT_X_1TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60706G	55.48	74.00	-18.52	42.06	3	Vertical	74	1.71	-	38.21	10.59	35.38
AV	10.60174G	41.19	54.00	-12.81	27.78	3	Vertical	74	1.71	-	38.20	10.59	35.38
PK	15.909G	57.99	74.00	-16.01	42.77	3	Vertical	337	1.10	-	37.58	13.35	35.71
AV	15.8874G	44.14	54.00	-9.86	28.86	3	Vertical	337	1.10	-	37.64	13.34	35.70

802.11a_Nss1,(6Mbps)_1TX

5300MHz_TnomVnom




EUT_X_1TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6G	54.44	74.00	-19.56	41.03	3	Horizontal	141	1.80	-	38.20	10.59	35.38
AV	10.60102G	40.48	54.00	-13.52	27.07	3	Horizontal	141	1.80	-	38.20	10.59	35.38
PK	15.9087G	57.86	74.00	-16.14	42.64	3	Horizontal	127	1.34	-	37.58	13.35	35.71
AV	15.90024G	44.13	54.00	-9.87	28.89	3	Horizontal	127	1.34	-	37.60	13.35	35.71

802.11a_Nss1,(6Mbps)_1TX

5320MHz_TnomVnom




EUT_Z_1TX
Setting 17.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3186G	111.50	Inf	-Inf	105.14	3	Vertical	30	1.93	-	34.50	7.20	35.34
AV	5.3192G	101.66	Inf	-Inf	95.30	3	Vertical	30	1.93	-	34.50	7.20	35.34
PK	5.3506G	73.77	74.00	-0.23	67.41	3	Vertical	30	1.93	-	34.50	7.20	35.34
AV	5.35G	52.10	54.00	-1.90	45.74	3	Vertical	30	1.93	-	34.50	7.20	35.34

802.11a_Nss1,(6Mbps)_1TX

5320MHz_TnomVnom




EUT_Z_1TX
Setting 17.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3186G	107.93	Inf	-Inf	101.57	3	Horizontal	55	1.80	-	34.50	7.20	35.34
AV	5.3194G	98.14	Inf	-Inf	91.78	3	Horizontal	55	1.80	-	34.50	7.20	35.34
PK	5.3504G	69.90	74.00	-4.10	63.54	3	Horizontal	55	1.80	-	34.50	7.20	35.34
AV	5.35G	49.21	54.00	-4.79	42.85	3	Horizontal	55	1.80	-	34.50	7.20	35.34

802.11a_Nss1,(6Mbps)_1TX

5320MHz_TnomVnom




EUT_X_1TX
Setting 17.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.63976G	55.06	74.00	-18.94	41.53	3	Vertical	145	1.82	-	38.28	10.60	35.35
AV	10.64204G	41.13	54.00	-12.87	27.60	3	Vertical	145	1.82	-	38.28	10.60	35.35
PK	15.95724G	57.55	74.00	-16.45	42.43	3	Vertical	158	2.59	-	37.49	13.38	35.75
AV	15.96078G	43.93	54.00	-10.07	28.83	3	Vertical	158	2.59	-	37.48	13.38	35.76

802.11a_Nss1,(6Mbps)_1TX

5320MHz_TnomVnom




EUT X_1TX
Setting 17.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.64102G	54.17	74.00	-19.83	40.64	3	Horizontal	342	2.18	-	38.28	10.60	35.35
AV	10.64072G	40.80	54.00	-13.20	27.27	3	Horizontal	342	2.18	-	38.28	10.60	35.35
PK	15.96672G	57.63	74.00	-16.37	42.54	3	Horizontal	197	1.07	-	37.47	13.38	35.76
AV	15.96642G	43.73	54.00	-10.27	28.64	3	Horizontal	197	1.07	-	37.47	13.38	35.76

802.11a_Nss1,(6Mbps)_1TX

5500MHz_TnomVnom




EUT_Z_1TX
Setting 18.25
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45G	59.97	74.00	-14.03	53.57	3	Vertical	29	1.80	-	34.50	7.25	35.35
AV	5.4584G	45.84	54.00	-8.16	39.41	3	Vertical	29	1.80	-	34.52	7.26	35.35
PK	5.468G	67.29	68.20	-0.91	60.83	3	Vertical	29	1.80	-	34.54	7.27	35.35
PK	5.4984G	109.90	Inf	-Inf	103.35	3	Vertical	29	1.80	-	34.60	7.30	35.35
AV	5.4992G	100.11	Inf	-Inf	93.56	3	Vertical	29	1.80	-	34.60	7.30	35.35

802.11a_Nss1,(6Mbps)_1TX

5500MHz_TnomVnom




EUT_Z_1TX
Setting 18.25
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.4076G	58.97	74.00	-15.03	52.53	3	Horizontal	53	1.85	-	34.58	7.21	35.35	
PK	5.4696G	65.61	68.20	-2.59	59.15	3	Horizontal	53	1.85	-	34.54	7.27	35.35	
AV	5.4584G	45.51	54.00	-8.49	39.08	3	Horizontal	53	1.85	-	34.52	7.26	35.35	
PK	5.5016G	107.83	Inf	-Inf	101.28	3	Horizontal	53	1.85	-	34.60	7.30	35.35	
AV	5.5008G	98.11	Inf	-Inf	91.56	3	Horizontal	53	1.85	-	34.60	7.30	35.35	

802.11a_Nss1,(6Mbps)_1TX

5500MHz_TnomVnom




EUT_X_1TX
Setting 18.25
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00006G	54.87	74.00	-19.13	40.86	3	Vertical	252	1.60	-	38.40	10.65	35.04
AV	11.00114G	41.18	54.00	-12.82	27.17	3	Vertical	252	1.60	-	38.40	10.65	35.04

802.11a_Nss1,(6Mbps)_1TX

5500MHz_TnomVnom




EUT_X_1TX
Setting 18.25
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99766G	58.15	74.00	-15.85	44.14	3	Horizontal	137	2.19	-	38.40	10.65	35.04
AV	11.0012G	43.23	54.00	-10.77	29.22	3	Horizontal	137	2.19	-	38.40	10.65	35.04

802.11a_Nss1,(6Mbps)_1TX

5580MHz_TnomVnom




EUT_Z_1TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4376G	58.45	74.00	-15.55	52.04	3	Vertical	31	1.87	-	34.52	7.24	35.35
AV	5.4192G	45.73	54.00	-8.27	39.30	3	Vertical	31	1.87	-	34.56	7.22	35.35
PK	5.4624G	58.17	68.20	-10.03	51.74	3	Vertical	31	1.87	-	34.52	7.26	35.35
PK	5.5816G	112.89	Inf	-Inf	106.30	3	Vertical	31	1.87	-	34.60	7.38	35.39
AV	5.5792G	103.16	Inf	-Inf	96.57	3	Vertical	31	1.87	-	34.60	7.38	35.39
PK	5.78G	58.36	68.20	-9.84	52.25	3	Vertical	31	1.87	-	34.20	7.40	35.49

802.11a_Nss1,(6Mbps)_1TX

5580MHz_TnomVnom




EUT_Z_1TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.42G	59.37	74.00	-14.63	52.94	3	Horizontal	53	1.78	-	34.56	7.22	35.35
AV	5.4208G	45.53	54.00	-8.47	39.10	3	Horizontal	53	1.78	-	34.56	7.22	35.35
PK	5.4608G	57.29	68.20	-10.91	50.86	3	Horizontal	53	1.78	-	34.52	7.26	35.35
PK	5.5792G	110.86	Inf	-Inf	104.27	3	Horizontal	53	1.78	-	34.60	7.38	35.39
AV	5.5792G	100.85	Inf	-Inf	94.26	3	Horizontal	53	1.78	-	34.60	7.38	35.39
PK	5.7704G	58.31	68.20	-9.89	52.20	3	Horizontal	53	1.78	-	34.20	7.40	35.49

802.11a_Nss1,(6Mbps)_1TX

5580MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16198G	61.16	74.00	-12.84	47.15	3	Vertical	178	3.00	-	38.56	10.67	35.22
AV	11.16G	46.99	54.00	-7.01	32.98	3	Vertical	178	3.00	-	38.56	10.67	35.22

802.11a_Nss1,(6Mbps)_1TX

5580MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16192G	60.18	74.00	-13.82	46.17	3	Horizontal	301	1.16	-	38.56	10.67	35.22
AV	11.16174G	46.33	54.00	-7.67	32.32	3	Horizontal	301	1.16	-	38.56	10.67	35.22

802.11a_Nss1,(6Mbps)_1TX

5700MHz_TnomVnom




EUT_Z_1TX
Setting 16.75
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.7006G	109.61	Inf	-Inf	103.36	3	Vertical	32	1.80	-	34.30	7.40	35.45	
AV	5.7008G	99.82	Inf	-Inf	93.57	3	Vertical	32	1.80	-	34.30	7.40	35.45	
PK	5.7306G	67.84	68.20	-0.36	61.67	3	Vertical	32	1.80	-	34.24	7.40	35.47	

802.11a_Nss1,(6Mbps)_1TX

5700MHz_TnomVnom




EUT_Z_1TX
Setting 16.75
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7018G	106.85	Inf	-Inf	100.60	3	Horizontal	45	1.89	-	34.30	7.40	35.45
AV	5.7008G	97.17	Inf	-Inf	90.92	3	Horizontal	45	1.89	-	34.30	7.40	35.45
PK	5.73G	66.01	68.20	-2.19	59.84	3	Horizontal	45	1.89	-	34.24	7.40	35.47

802.11a_Nss1,(6Mbps)_1TX

5700MHz_TnomVnom




EUT_X_1TX
Setting 16.75
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39934G	58.84	74.00	-15.16	44.82	3	Vertical	323	2.76	-	38.80	10.71	35.49
AV	11.40168G	45.11	54.00	-8.89	31.09	3	Vertical	323	2.76	-	38.80	10.71	35.49

802.11a_Nss1,(6Mbps)_1TX

5700MHz_TnomVnom




EUT_X_1TX
Setting 16.75
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39664G	58.97	74.00	-15.03	44.94	3	Horizontal	137	2.08	-	38.80	10.71	35.48
AV	11.40132G	44.71	54.00	-9.29	30.69	3	Horizontal	137	2.08	-	38.80	10.71	35.49

802.11a_Nss1,(6Mbps)_1TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_1TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4526G	58.03	74.00	-15.97	51.62	3	Vertical	30	1.90	-	34.51	7.25	35.35
AV	5.384G	45.16	54.00	-8.84	38.74	3	Vertical	30	1.90	-	34.57	7.20	35.35
PK	5.4652G	57.66	68.20	-10.54	51.21	3	Vertical	30	1.90	-	34.53	7.27	35.35
PK	5.7214G	113.52	Inf	-Inf	107.32	3	Vertical	30	1.90	-	34.26	7.40	35.46
AV	5.7186G	103.74	Inf	-Inf	97.54	3	Vertical	30	1.90	-	34.26	7.40	35.46
PK	5.9552G	58.65	68.20	-9.55	51.87	3	Vertical	30	1.90	-	34.80	7.56	35.58

802.11a_Nss1,(6Mbps)_1TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_1TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4554G	57.76	74.00	-16.24	51.34	3	Horizontal	53	1.80	-	34.51	7.26	35.35
AV	5.391G	45.18	54.00	-8.82	38.75	3	Horizontal	53	1.80	-	34.58	7.20	35.35
PK	5.468G	58.12	68.20	-10.08	51.66	3	Horizontal	53	1.80	-	34.54	7.27	35.35
PK	5.7214G	110.45	Inf	-Inf	104.25	3	Horizontal	53	1.80	-	34.26	7.40	35.46
AV	5.7186G	100.72	Inf	-Inf	94.52	3	Horizontal	53	1.80	-	34.26	7.40	35.46
PK	5.9748G	57.98	68.20	-10.22	51.20	3	Horizontal	53	1.80	-	34.80	7.57	35.59

802.11a_Nss1,(6Mbps)_1TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_1TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44342G	61.27	74.00	-12.73	47.20	3	Vertical	184	2.82	-	38.89	10.72	35.54
AV	11.43922G	47.23	54.00	-6.77	33.16	3	Vertical	184	2.82	-	38.88	10.72	35.53

802.11a_Nss1,(6Mbps)_1TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_1TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44204G	59.99	74.00	-14.01	45.93	3	Horizontal	141	2.05	-	38.88	10.72	35.54
AV	11.43976G	46.16	54.00	-7.84	32.09	3	Horizontal	141	2.05	-	38.88	10.72	35.53

802.11a_Nss1,(6Mbps)_1TX

5745MHz_TnomVnom




EUT_Z_1TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.584G	58.84	68.20	-9.36	52.25	3	Vertical	32	1.88	-	34.60	7.38	35.39
PK	5.746G	113.48	Inf	-Inf	107.34	3	Vertical	32	1.88	-	34.21	7.40	35.47
AV	5.744G	103.70	Inf	-Inf	97.56	3	Vertical	32	1.88	-	34.21	7.40	35.47
PK	5.936G	58.27	68.20	-9.93	51.56	3	Vertical	32	1.88	-	34.74	7.54	35.57

802.11a_Nss1,(6Mbps)_1TX

5745MHz_TnomVnom




EUT_Z_1TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.598G	58.26	68.20	-9.94	51.66	3	Horizontal	47	1.86	-	34.60	7.40	35.40	
PK	5.745G	110.36	Inf	-Inf	104.22	3	Horizontal	47	1.86	-	34.21	7.40	35.47	
AV	5.746G	100.33	Inf	-Inf	94.19	3	Horizontal	47	1.86	-	34.21	7.40	35.47	
PK	5.969G	58.56	68.20	-9.64	51.77	3	Horizontal	47	1.86	-	34.80	7.57	35.58	

802.11a_Nss1,(6Mbps)_1TX

5745MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4918G	61.21	74.00	-12.79	47.10	3	Vertical	181	3.00	-	38.98	10.72	35.59
AV	11.49138G	47.33	54.00	-6.67	33.22	3	Vertical	181	3.00	-	38.98	10.72	35.59

802.11a_Nss1,(6Mbps)_1TX

5745MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48838G	60.25	74.00	-13.75	46.14	3	Horizontal	140	2.08	-	38.98	10.72	35.59
AV	11.48946G	46.32	54.00	-7.68	32.21	3	Horizontal	140	2.08	-	38.98	10.72	35.59

802.11a_Nss1,(6Mbps)_1TX

5785MHz_TnomVnom




EUT_Z_1TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.63G	58.48	68.20	-9.72	51.95	3	Vertical	31	1.80	-	34.54	7.40	35.41
PK	5.784G	113.74	Inf	-Inf	107.63	3	Vertical	31	1.80	-	34.20	7.40	35.49
AV	5.784G	103.73	Inf	-Inf	97.62	3	Vertical	31	1.80	-	34.20	7.40	35.49
PK	5.983G	58.59	68.20	-9.61	51.80	3	Vertical	31	1.80	-	34.80	7.58	35.59

802.11a_Nss1,(6Mbps)_1TX

5785MHz_TnomVnom




EUT_Z_1TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.598G	58.34	68.20	-9.86	51.74	3	Horizontal	46	1.80	-	34.60	7.40	35.40
PK	5.784G	110.07	Inf	-Inf	103.96	3	Horizontal	46	1.80	-	34.20	7.40	35.49
AV	5.784G	100.08	Inf	-Inf	93.97	3	Horizontal	46	1.80	-	34.20	7.40	35.49
PK	5.991G	58.03	68.20	-10.17	51.24	3	Horizontal	46	1.80	-	34.80	7.59	35.60

802.11a_Nss1,(6Mbps)_1TX

5785MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57186G	59.10	74.00	-14.90	44.65	3	Vertical	215	3.00	-	39.29	10.74	35.58
AV	11.57006G	45.14	54.00	-8.86	30.70	3	Vertical	215	3.00	-	39.28	10.74	35.58

802.11a_Nss1,(6Mbps)_1TX

5785MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5733G	62.40	74.00	-11.60	47.95	3	Horizontal	141	2.07	-	39.29	10.74	35.58
AV	11.57156G	48.35	54.00	-5.65	33.90	3	Horizontal	141	2.07	-	39.29	10.74	35.58

802.11a_Nss1,(6Mbps)_1TX

5825MHz_TnomVnom




EUT_Z_1TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.614G	57.90	68.20	-10.30	51.34	3	Vertical	30	1.92	-	34.57	7.40	35.41
PK	5.823G	112.58	Inf	-Inf	106.42	3	Vertical	30	1.92	-	34.25	7.42	35.51
AV	5.824G	103.15	Inf	-Inf	96.99	3	Vertical	30	1.92	-	34.25	7.42	35.51
PK	5.925G	60.50	68.20	-7.70	53.83	3	Vertical	30	1.92	-	34.70	7.53	35.56

802.11a_Nss1,(6Mbps)_1TX

5825MHz_TnomVnom




EUT_Z_1TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.647G	58.54	68.20	-9.66	52.05	3	Horizontal	43	1.84	-	34.51	7.40	35.42	
PK	5.826G	107.91	Inf	-Inf	101.74	3	Horizontal	43	1.84	-	34.25	7.43	35.51	
AV	5.824G	98.41	Inf	-Inf	92.25	3	Horizontal	43	1.84	-	34.25	7.42	35.51	
PK	6.043G	59.06	68.20	-9.14	52.13	3	Horizontal	43	1.84	-	34.89	7.62	35.58	

802.11a_Nss1,(6Mbps)_1TX

5825MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6467G	61.32	74.00	-12.68	46.74	3	Vertical	201	2.42	-	39.40	10.75	35.57
AV	11.65156G	47.41	54.00	-6.59	32.83	3	Vertical	201	2.42	-	39.40	10.75	35.57

802.11a_Nss1,(6Mbps)_1TX

5825MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65216G	63.42	74.00	-10.58	48.84	3	Horizontal	141	2.03	-	39.40	10.75	35.57
AV	11.65162G	49.44	54.00	-4.56	34.86	3	Horizontal	141	2.03	-	39.40	10.75	35.57

802.11ax HEW20_Nss1,(MCS0)_1TX

5180MHz_TnomVnom




EUT_Z_1TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1498G	67.69	74.00	-6.31	61.86	3	Vertical	138	1.99	-	34.00	7.17	35.34
AV	5.15G	49.87	54.00	-4.13	44.04	3	Vertical	138	1.99	-	34.00	7.17	35.34
PK	5.1816G	111.91	Inf	-Inf	105.93	3	Vertical	138	1.99	-	34.13	7.19	35.34
AV	5.1808G	99.77	Inf	-Inf	93.80	3	Vertical	138	1.99	-	34.12	7.19	35.34

802.11ax HEW20_Nss1,(MCS0)_1TX

5180MHz_TnomVnom




EUT_Z_1TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1498G	68.25	74.00	-5.75	62.42	3	Horizontal	111	2.07	-	34.00	7.17	35.34
AV	5.15G	50.18	54.00	-3.82	44.35	3	Horizontal	111	2.07	-	34.00	7.17	35.34
PK	5.1794G	113.01	Inf	-Inf	107.04	3	Horizontal	111	2.07	-	34.12	7.19	35.34
AV	5.1808G	100.97	Inf	-Inf	95.00	3	Horizontal	111	2.07	-	34.12	7.19	35.34

802.11ax HEW20_Nss1,(MCS0)_1TX

5180MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.5388G	59.79	74.00	-14.21	43.59	3	Vertical	151	2.44	-	38.43	13.17	35.40
AV	15.53598G	46.13	54.00	-7.87	29.91	3	Vertical	151	2.44	-	38.45	13.17	35.40

802.11ax HEW20_Nss1,(MCS0)_1TX

5180MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.5301G	59.18	74.00	-14.82	42.92	3	Horizontal	178	1.80	-	38.49	13.17	35.40
AV	15.53874G	44.85	54.00	-9.15	28.65	3	Horizontal	178	1.80	-	38.43	13.17	35.40

802.11ax HEW20_Nss1,(MCS0)_1TX

5200MHz_TnomVnom




EUT_Z_1TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1008G	58.02	74.00	-15.98	52.30	3	Vertical	138	1.97	-	33.90	7.15	35.33
AV	5.15G	45.09	54.00	-8.91	39.26	3	Vertical	138	1.97	-	34.00	7.17	35.34
PK	5.2016G	112.40	Inf	-Inf	106.33	3	Vertical	138	1.97	-	34.21	7.20	35.34
AV	5.2008G	100.33	Inf	-Inf	94.27	3	Vertical	138	1.97	-	34.20	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_1TX

5200MHz_TnomVnom




EUT_Z_1TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.1064G	57.96	74.00	-16.04	52.23	3	Horizontal	111	1.96	-	33.91	7.15	35.33	
AV	5.15G	45.14	54.00	-8.86	39.31	3	Horizontal	111	1.96	-	34.00	7.17	35.34	
PK	5.202G	113.28	Inf	-Inf	107.21	3	Horizontal	111	1.96	-	34.21	7.20	35.34	
AV	5.2008G	101.39	Inf	-Inf	95.33	3	Horizontal	111	1.96	-	34.20	7.20	35.34	

802.11ax HEW20_Nss1,(MCS0)_1TX

5200MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.59502G	60.46	74.00	-13.54	44.68	3	Vertical	154	2.14	-	38.03	13.20	35.45
AV	15.5997G	46.07	54.00	-7.93	30.32	3	Vertical	154	2.14	-	38.00	13.20	35.45

802.11ax HEW20_Nss1,(MCS0)_1TX

5200MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.59712G	58.63	74.00	-15.37	42.86	3	Horizontal	16	2.07	-	38.02	13.20	35.45
AV	15.59556G	44.57	54.00	-9.43	28.79	3	Horizontal	16	2.07	-	38.03	13.20	35.45

802.11ax HEW20_Nss1,(MCS0)_1TX

5240MHz_TnomVnom




EUT_Z_1TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1428G	57.80	74.00	-16.20	51.98	3	Vertical	138	1.94	-	33.99	7.17	35.34
AV	5.0996G	44.66	54.00	-9.34	38.94	3	Vertical	138	1.94	-	33.90	7.15	35.33
PK	5.2394G	112.44	Inf	-Inf	106.22	3	Vertical	138	1.94	-	34.36	7.20	35.34
AV	5.2406G	100.82	Inf	-Inf	94.60	3	Vertical	138	1.94	-	34.36	7.20	35.34
PK	5.3744G	57.94	74.00	-16.06	51.53	3	Vertical	138	1.94	-	34.55	7.20	35.34
AV	5.363G	45.08	54.00	-8.92	38.69	3	Vertical	138	1.94	-	34.53	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_1TX

5240MHz_TnomVnom




EUT_Z_1TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1416G	58.82	74.00	-15.18	53.01	3	Horizontal	110	1.97	-	33.98	7.17	35.34
AV	5.1008G	44.69	54.00	-9.31	38.97	3	Horizontal	110	1.97	-	33.90	7.15	35.33
PK	5.2418G	113.78	Inf	-Inf	107.55	3	Horizontal	110	1.97	-	34.37	7.20	35.34
AV	5.2406G	101.72	Inf	-Inf	95.50	3	Horizontal	110	1.97	-	34.36	7.20	35.34
PK	5.3732G	57.50	74.00	-16.50	51.09	3	Horizontal	110	1.97	-	34.55	7.20	35.34
AV	5.3654G	45.03	54.00	-8.97	38.64	3	Horizontal	110	1.97	-	34.53	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_1TX

5240MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.71898G	59.06	74.00	-14.94	43.77	3	Vertical	316	2.71	-	37.58	13.26	35.55
AV	15.72204G	45.34	54.00	-8.66	30.05	3	Vertical	316	2.71	-	37.59	13.26	35.56

802.11ax HEW20_Nss1,(MCS0)_1TX

5240MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.71778G	58.71	74.00	-15.29	43.43	3	Horizontal	284	1.80	-	37.57	13.26	35.55
AV	15.72192G	44.54	54.00	-9.46	29.25	3	Horizontal	284	1.80	-	37.59	13.26	35.56

802.11ax HEW20_Nss1,(MCS0)_1TX

5260MHz_TnomVnom




EUT_Z_1TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1124G	57.58	74.00	-16.42	51.83	3	Vertical	138	1.98	-	33.92	7.16	35.33
AV	5.14G	44.61	54.00	-9.39	38.80	3	Vertical	138	1.98	-	33.98	7.17	35.34
PK	5.2594G	112.51	Inf	-Inf	106.23	3	Vertical	138	1.98	-	34.42	7.20	35.34
AV	5.2606G	100.14	Inf	-Inf	93.86	3	Vertical	138	1.98	-	34.42	7.20	35.34
PK	5.3626G	58.17	74.00	-15.83	51.78	3	Vertical	138	1.98	-	34.53	7.20	35.34
AV	5.35G	45.10	54.00	-8.90	38.74	3	Vertical	138	1.98	-	34.50	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_1TX

5260MHz_TnomVnom




EUT_Z_1TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1262G	58.26	74.00	-15.74	52.49	3	Horizontal	110	2.08	-	33.95	7.16	35.34
AV	5.1424G	44.62	54.00	-9.38	38.81	3	Horizontal	110	2.08	-	33.98	7.17	35.34
PK	5.2594G	113.35	Inf	-Inf	107.07	3	Horizontal	110	2.08	-	34.42	7.20	35.34
AV	5.2606G	100.76	Inf	-Inf	94.48	3	Horizontal	110	2.08	-	34.42	7.20	35.34
PK	5.3518G	58.57	74.00	-15.43	52.21	3	Horizontal	110	2.08	-	34.50	7.20	35.34
AV	5.3572G	45.13	54.00	-8.87	38.76	3	Horizontal	110	2.08	-	34.51	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_1TX

5260MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.77844G	59.25	74.00	-14.75	43.75	3	Vertical	179	1.93	-	37.81	13.29	35.60
AV	15.77952G	45.82	54.00	-8.18	30.31	3	Vertical	179	1.93	-	37.82	13.29	35.60

802.11ax HEW20_Nss1,(MCS0)_1TX

5260MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.77928G	58.83	74.00	-15.17	43.32	3	Horizontal	32	2.28	-	37.82	13.29	35.60
AV	15.78126G	44.87	54.00	-9.13	29.36	3	Horizontal	32	2.28	-	37.83	13.29	35.61

802.11ax HEW20_Nss1,(MCS0)_1TX

5300MHz_TnomVnom




EUT_Z_1TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2992G	113.43	Inf	-Inf	107.07	3	Vertical	138	1.91	-	34.50	7.20	35.34
AV	5.2988G	100.91	Inf	-Inf	94.55	3	Vertical	138	1.91	-	34.50	7.20	35.34
PK	5.3524G	64.55	74.00	-9.45	58.19	3	Vertical	138	1.91	-	34.50	7.20	35.34
AV	5.35G	47.47	54.00	-6.53	41.11	3	Vertical	138	1.91	-	34.50	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_1TX

5300MHz_TnomVnom




EUT_Z_1TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2996G	114.34	Inf	-Inf	107.98	3	Horizontal	110	1.99	-	34.50	7.20	35.34
AV	5.3008G	101.71	Inf	-Inf	95.35	3	Horizontal	110	1.99	-	34.50	7.20	35.34
PK	5.352G	64.93	74.00	-9.07	58.57	3	Horizontal	110	1.99	-	34.50	7.20	35.34
AV	5.35G	47.53	54.00	-6.47	41.17	3	Horizontal	110	1.99	-	34.50	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_1TX

5300MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60111G	54.68	74.00	-19.32	41.27	3	Vertical	80	1.59	-	38.20	10.59	35.38
AV	10.60156G	40.79	54.00	-13.21	27.38	3	Vertical	80	1.59	-	38.20	10.59	35.38
PK	15.91488G	57.26	74.00	-16.74	42.05	3	Vertical	258	1.47	-	37.57	13.36	35.72
AV	15.8853G	43.77	54.00	-10.23	28.48	3	Vertical	258	1.47	-	37.64	13.34	35.69

802.11ax HEW20_Nss1,(MCS0)_1TX

5300MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	10.60204G	54.39	74.00	-19.61	40.98	3	Horizontal	137	1.80	-	38.20	10.59	35.38	
AV	10.60192G	40.10	54.00	-13.90	26.69	3	Horizontal	137	1.80	-	38.20	10.59	35.38	
PK	15.9063G	57.57	74.00	-16.43	42.34	3	Horizontal	271	3.00	-	37.59	13.35	35.71	
AV	15.9006G	43.99	54.00	-10.01	28.75	3	Horizontal	271	3.00	-	37.60	13.35	35.71	

802.11ax HEW20_Nss1,(MCS0)_1TX

5320MHz_TnomVnom




EUT_Z_1TX
Setting 18
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.3194G	112.69	Inf	-Inf	106.33	3	Vertical	137	1.88	-	34.50	7.20	35.34	
AV	5.3188G	99.78	Inf	-Inf	93.42	3	Vertical	137	1.88	-	34.50	7.20	35.34	
PK	5.3504G	71.51	74.00	-2.49	65.15	3	Vertical	137	1.88	-	34.50	7.20	35.34	
AV	5.35G	53.17	54.00	-0.83	46.81	3	Vertical	137	1.88	-	34.50	7.20	35.34	

802.11ax HEW20_Nss1,(MCS0)_1TX

5320MHz_TnomVnom




EUT_Z_1TX
Setting 18
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.3194G	112.88	Inf	-Inf	106.52	3	Horizontal	113	2.09	-	34.50	7.20	35.34	
AV	5.319G	99.78	Inf	-Inf	93.42	3	Horizontal	113	2.09	-	34.50	7.20	35.34	
PK	5.3516G	70.93	74.00	-3.07	64.57	3	Horizontal	113	2.09	-	34.50	7.20	35.34	
AV	5.35G	52.34	54.00	-1.66	45.98	3	Horizontal	113	2.09	-	34.50	7.20	35.34	

802.11ax HEW20_Nss1,(MCS0)_1TX

5320MHz_TnomVnom




EUT_X_1TX
Setting 18
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.63076G	53.21	74.00	-20.79	39.72	3	Vertical	231	1.16	-	38.26	10.59	35.36
AV	10.646G	39.31	54.00	-14.69	25.76	3	Vertical	231	1.16	-	38.29	10.60	35.34
PK	15.94848G	57.42	74.00	-16.58	42.30	3	Vertical	296	2.50	-	37.50	13.37	35.75
AV	15.97206G	43.46	54.00	-10.54	28.38	3	Vertical	296	2.50	-	37.46	13.39	35.77

802.11ax HEW20_Nss1,(MCS0)_1TX

5320MHz_TnomVnom




EUT_X_1TX
Setting 18
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.64372G	52.67	74.00	-21.33	39.13	3	Horizontal	61	1.11	-	38.29	10.60	35.35
AV	10.65032G	39.34	54.00	-14.66	25.78	3	Horizontal	61	1.11	-	38.30	10.60	35.34
PK	15.95508G	56.88	74.00	-17.12	41.76	3	Horizontal	200	2.54	-	37.49	13.38	35.75
AV	15.9669G	43.46	54.00	-10.54	28.37	3	Horizontal	200	2.54	-	37.47	13.38	35.76

802.11ax HEW20_Nss1,(MCS0)_1TX

5500MHz_TnomVnom




EUT_Z_1TX
Setting 17.75
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4196G	58.23	74.00	-15.77	51.80	3	Vertical	39	2.02	-	34.56	7.22	35.35
PK	5.4692G	65.35	68.20	-2.85	58.89	3	Vertical	39	2.02	-	34.54	7.27	35.35
AV	5.4568G	45.26	54.00	-8.74	38.84	3	Vertical	39	2.02	-	34.51	7.26	35.35
PK	5.4996G	112.97	Inf	-Inf	106.42	3	Vertical	39	2.02	-	34.60	7.30	35.35
AV	5.5008G	100.07	Inf	-Inf	93.52	3	Vertical	39	2.02	-	34.60	7.30	35.35

802.11ax HEW20_Nss1,(MCS0)_1TX

5500MHz_TnomVnom




EUT_Z_1TX
Setting 17.75
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4148G	58.21	74.00	-15.79	51.78	3	Horizontal	57	1.94	-	34.57	7.21	35.35
PK	5.4688G	63.92	68.20	-4.28	57.46	3	Horizontal	57	1.94	-	34.54	7.27	35.35
AV	5.458G	45.26	54.00	-8.74	38.83	3	Horizontal	57	1.94	-	34.52	7.26	35.35
PK	5.4996G	111.60	Inf	-Inf	105.05	3	Horizontal	57	1.94	-	34.60	7.30	35.35
AV	5.5008G	98.73	Inf	-Inf	92.18	3	Horizontal	57	1.94	-	34.60	7.30	35.35

802.11ax HEW20_Nss1,(MCS0)_1TX

5500MHz_TnomVnom




EUT X_1TX
Setting 17.75
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00276G	55.46	74.00	-18.54	41.45	3	Vertical	211	2.60	-	38.40	10.65	35.04
AV	10.99964G	42.16	54.00	-11.84	28.15	3	Vertical	211	2.60	-	38.40	10.65	35.04

802.11ax HEW20_Nss1,(MCS0)_1TX

5500MHz_TnomVnom




EUT X_1TX
Setting 17.75
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99988G	55.73	74.00	-18.27	41.72	3	Horizontal	15	1.35	-	38.40	10.65	35.04
AV	10.9976G	42.23	54.00	-11.77	28.22	3	Horizontal	15	1.35	-	38.40	10.65	35.04

802.11ax HEW20_Nss1,(MCS0)_1TX

5580MHz_TnomVnom




EUT_Z_1TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4296G	58.37	74.00	-15.63	51.95	3	Vertical	40	2.06	-	34.54	7.23	35.35
AV	5.42G	45.45	54.00	-8.55	39.02	3	Vertical	40	2.06	-	34.56	7.22	35.35
PK	5.468G	57.63	68.20	-10.57	51.17	3	Vertical	40	2.06	-	34.54	7.27	35.35
PK	5.5816G	115.39	Inf	-Inf	108.80	3	Vertical	40	2.06	-	34.60	7.38	35.39
AV	5.5792G	103.65	Inf	-Inf	97.06	3	Vertical	40	2.06	-	34.60	7.38	35.39
PK	5.7288G	57.42	68.20	-10.78	51.24	3	Vertical	40	2.06	-	34.24	7.40	35.46

802.11ax HEW20_Nss1,(MCS0)_1TX

5580MHz_TnomVnom




EUT_Z_1TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3808G	58.26	74.00	-15.74	51.85	3	Horizontal	56	1.88	-	34.56	7.20	35.35
PK	5.4608G	57.11	68.20	-11.09	50.68	3	Horizontal	56	1.88	-	34.52	7.26	35.35
AV	5.4224G	45.43	54.00	-8.57	39.00	3	Horizontal	56	1.88	-	34.56	7.22	35.35
PK	5.5816G	113.23	Inf	-Inf	106.64	3	Horizontal	56	1.88	-	34.60	7.38	35.39
AV	5.5792G	101.46	Inf	-Inf	94.87	3	Horizontal	56	1.88	-	34.60	7.38	35.39
PK	5.7712G	58.40	68.20	-9.80	52.29	3	Horizontal	56	1.88	-	34.20	7.40	35.49

802.11ax HEW20_Nss1,(MCS0)_1TX

5580MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1618G	58.28	74.00	-15.72	44.27	3	Vertical	149	2.96	-	38.56	10.67	35.22
AV	11.1573G	44.64	54.00	-9.36	30.63	3	Vertical	149	2.96	-	38.56	10.67	35.22

802.11ax HEW20_Nss1,(MCS0)_1TX

5580MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16192G	58.50	74.00	-15.50	44.49	3	Horizontal	142	1.80	-	38.56	10.67	35.22
AV	11.15742G	44.96	54.00	-9.04	30.95	3	Horizontal	142	1.80	-	38.56	10.67	35.22

802.11ax HEW20_Nss1,(MCS0)_1TX

5700MHz_TnomVnom




EUT_Z_1TX
Setting 14
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6994G	109.54	Inf	-Inf	103.29	3	Vertical	37	1.90	-	34.30	7.40	35.45
AV	5.7006G	96.68	Inf	-Inf	90.43	3	Vertical	37	1.90	-	34.30	7.40	35.45
PK	5.725G	67.37	68.20	-0.83	61.18	3	Vertical	37	1.90	-	34.25	7.40	35.46

802.11ax HEW20_Nss1,(MCS0)_1TX

5700MHz_TnomVnom




EUT_Z_1TX
Setting 14
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6994G	107.92	Inf	-Inf	101.67	3	Horizontal	53	1.94	-	34.30	7.40	35.45
AV	5.7006G	95.10	Inf	-Inf	88.85	3	Horizontal	53	1.94	-	34.30	7.40	35.45
PK	5.725G	65.72	68.20	-2.48	59.53	3	Horizontal	53	1.94	-	34.25	7.40	35.46

802.11ax HEW20_Nss1,(MCS0)_1TX

5700MHz_TnomVnom




EUT X_1TX
Setting 14
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39028G	54.37	74.00	-19.63	40.35	3	Vertical	10	2.79	-	38.79	10.71	35.48
AV	11.415G	40.89	54.00	-13.11	26.85	3	Vertical	10	2.79	-	38.83	10.71	35.50

802.11ax HEW20_Nss1,(MCS0)_1TX

5700MHz_TnomVnom




EUT X_1TX
Setting 14
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.3973G	55.00	74.00	-19.00	40.97	3	Horizontal	345	1.81	-	38.80	10.71	35.48	
AV	11.41368G	40.90	54.00	-13.10	26.86	3	Horizontal	345	1.81	-	38.83	10.71	35.50	

802.11ax HEW20_Nss1,(MCS0)_1TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_1TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4526G	58.43	74.00	-15.57	52.02	3	Vertical	37	1.98	-	34.51	7.25	35.35
AV	5.3728G	45.30	54.00	-8.70	38.89	3	Vertical	37	1.98	-	34.55	7.20	35.34
PK	5.4652G	56.63	68.20	-11.57	50.18	3	Vertical	37	1.98	-	34.53	7.27	35.35
PK	5.72G	115.31	Inf	-Inf	109.11	3	Vertical	37	1.98	-	34.26	7.40	35.46
AV	5.7214G	103.49	Inf	-Inf	97.29	3	Vertical	37	1.98	-	34.26	7.40	35.46
PK	5.8754G	58.11	68.20	-10.09	51.72	3	Vertical	37	1.98	-	34.45	7.48	35.54

802.11ax HEW20_Nss1,(MCS0)_1TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_1TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.384G	57.82	74.00	-16.18	51.40	3	Horizontal	52	1.92	-	34.57	7.20	35.35
AV	5.384G	45.14	54.00	-8.86	38.72	3	Horizontal	52	1.92	-	34.57	7.20	35.35
PK	5.4652G	57.27	68.20	-10.93	50.82	3	Horizontal	52	1.92	-	34.53	7.27	35.35
PK	5.7214G	113.57	Inf	-Inf	107.37	3	Horizontal	52	1.92	-	34.26	7.40	35.46
AV	5.72G	102.03	Inf	-Inf	95.83	3	Horizontal	52	1.92	-	34.26	7.40	35.46
PK	5.9342G	58.19	68.20	-10.01	51.49	3	Horizontal	52	1.92	-	34.74	7.53	35.57

802.11ax HEW20_Nss1,(MCS0)_1TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_1TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43874G	59.69	74.00	-14.31	45.62	3	Vertical	171	2.77	-	38.88	10.72	35.53
AV	11.43742G	45.93	54.00	-8.07	31.87	3	Vertical	171	2.77	-	38.87	10.72	35.53

802.11ax HEW20_Nss1,(MCS0)_1TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_1TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4472G	57.66	74.00	-16.34	43.59	3	Horizontal	120	1.70	-	38.89	10.72	35.54
AV	11.43766G	44.36	54.00	-9.64	30.29	3	Horizontal	120	1.70	-	38.88	10.72	35.53

802.11ax HEW20_Nss1,(MCS0)_1TX

5745MHz_TnomVnom




EUT_Z_1TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.498G	58.61	68.20	-9.59	52.06	3	Vertical	40	2.04	-	34.60	7.30	35.35
PK	5.745G	113.91	Inf	-Inf	107.77	3	Vertical	40	2.04	-	34.21	7.40	35.47
AV	5.746G	102.27	Inf	-Inf	96.13	3	Vertical	40	2.04	-	34.21	7.40	35.47
PK	5.937G	58.62	68.20	-9.58	51.90	3	Vertical	40	2.04	-	34.75	7.54	35.57

802.11ax HEW20_Nss1,(MCS0)_1TX

5745MHz_TnomVnom




EUT_Z_1TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.576G	58.57	68.20	-9.63	51.98	3	Horizontal	51	1.80	-	34.60	7.38	35.39
PK	5.744G	112.99	Inf	-Inf	106.85	3	Horizontal	51	1.80	-	34.21	7.40	35.47
AV	5.746G	101.58	Inf	-Inf	95.44	3	Horizontal	51	1.80	-	34.21	7.40	35.47
PK	5.99G	58.57	68.20	-9.63	51.77	3	Horizontal	51	1.80	-	34.80	7.59	35.59

802.11ax HEW20_Nss1,(MCS0)_1TX

5745MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49342G	59.10	74.00	-14.90	44.98	3	Vertical	237	2.71	-	38.99	10.72	35.59
AV	11.48862G	45.37	54.00	-8.63	31.26	3	Vertical	237	2.71	-	38.98	10.72	35.59

802.11ax HEW20_Nss1,(MCS0)_1TX

5745MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48778G	59.76	74.00	-14.24	45.65	3	Horizontal	137	2.07	-	38.98	10.72	35.59
AV	11.48736G	46.34	54.00	-7.66	32.24	3	Horizontal	137	2.07	-	38.97	10.72	35.59

802.11ax HEW20_Nss1,(MCS0)_1TX

5785MHz_TnomVnom




EUT_Z_1TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.537G	58.68	68.20	-9.52	52.11	3	Vertical	191	1.80	-	34.60	7.34	35.37
PK	5.786G	112.88	Inf	-Inf	106.77	3	Vertical	191	1.80	-	34.20	7.40	35.49
AV	5.784G	101.30	Inf	-Inf	95.19	3	Vertical	191	1.80	-	34.20	7.40	35.49
PK	5.943G	58.56	68.20	-9.64	51.82	3	Vertical	191	1.80	-	34.77	7.54	35.57

802.11ax HEW20_Nss1,(MCS0)_1TX

5785MHz_TnomVnom




EUT_Z_1TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.552G	57.74	68.20	-10.46	51.17	3	Horizontal	51	1.99	-	34.60	7.35	35.38
PK	5.784G	113.71	Inf	-Inf	107.60	3	Horizontal	51	1.99	-	34.20	7.40	35.49
AV	5.784G	102.16	Inf	-Inf	96.05	3	Horizontal	51	1.99	-	34.20	7.40	35.49
PK	6.024G	59.49	68.20	-8.71	52.62	3	Horizontal	51	1.99	-	34.85	7.61	35.59

802.11ax HEW20_Nss1,(MCS0)_1TX

5785MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.57186G	58.20	74.00	-15.80	43.75	3	Vertical	212	2.79	-	39.29	10.74	35.58	
AV	11.56742G	44.80	54.00	-9.20	30.38	3	Vertical	212	2.79	-	39.27	10.74	35.59	

802.11ax HEW20_Nss1,(MCS0)_1TX

5785MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57372G	61.25	74.00	-12.75	46.80	3	Horizontal	72	2.63	-	39.29	10.74	35.58
AV	11.56754G	47.86	54.00	-6.14	33.44	3	Horizontal	72	2.63	-	39.27	10.74	35.59

802.11ax HEW20_Nss1,(MCS0)_1TX

5825MHz_TnomVnom




EUT Z_1TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.581G	57.89	68.20	-10.31	51.30	3	Vertical	189	1.80	-	34.60	7.38	35.39
PK	5.824G	112.60	Inf	-Inf	106.44	3	Vertical	189	1.80	-	34.25	7.42	35.51
AV	5.826G	100.03	Inf	-Inf	93.86	3	Vertical	189	1.80	-	34.25	7.43	35.51
PK	6.029G	59.16	68.20	-9.04	52.28	3	Vertical	189	1.80	-	34.86	7.61	35.59

802.11ax HEW20_Nss1,(MCS0)_1TX

5825MHz_TnomVnom




EUT Z_1TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.616G	58.19	68.20	-10.01	51.63	3	Horizontal	51	1.83	-	34.57	7.40	35.41
PK	5.825G	113.24	Inf	-Inf	107.07	3	Horizontal	51	1.83	-	34.25	7.43	35.51
AV	5.826G	100.78	Inf	-Inf	94.61	3	Horizontal	51	1.83	-	34.25	7.43	35.51
PK	5.988G	58.36	68.20	-9.84	51.56	3	Horizontal	51	1.83	-	34.80	7.59	35.59

802.11ax HEW20_Nss1,(MCS0)_1TX

5825MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6515G	59.26	74.00	-14.74	44.68	3	Vertical	133	1.04	-	39.40	10.75	35.57
AV	11.65216G	45.54	54.00	-8.46	30.96	3	Vertical	133	1.04	-	39.40	10.75	35.57

802.11ax HEW20_Nss1,(MCS0)_1TX

5825MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65366G	60.79	74.00	-13.21	46.21	3	Horizontal	195	1.95	-	39.40	10.75	35.57
AV	11.64748G	46.94	54.00	-7.06	32.36	3	Horizontal	195	1.95	-	39.40	10.75	35.57

802.11ax HEW40_Nss1,(MCS0)_1TX

5190MHz_TnomVnom




EUT_Z_1TX
Setting 17.75
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1472G	72.19	74.00	-1.81	66.37	3	Vertical	138	1.97	-	33.99	7.17	35.34
AV	5.1492G	52.83	54.00	-1.17	47.00	3	Vertical	138	1.97	-	34.00	7.17	35.34
PK	5.1928G	107.04	Inf	-Inf	101.01	3	Vertical	138	1.97	-	34.17	7.20	35.34
AV	5.1924G	94.16	Inf	-Inf	88.13	3	Vertical	138	1.97	-	34.17	7.20	35.34

802.11ax HEW40_Nss1,(MCS0)_1TX

5190MHz_TnomVnom




EUT_Z_1TX
Setting 17.75
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1476G	73.51	74.00	-0.49	67.68	3	Horizontal	111	2.11	-	34.00	7.17	35.34
AV	5.1492G	53.63	54.00	-0.37	47.80	3	Horizontal	111	2.11	-	34.00	7.17	35.34
PK	5.1928G	108.38	Inf	-Inf	102.35	3	Horizontal	111	2.11	-	34.17	7.20	35.34
AV	5.192G	95.48	Inf	-Inf	89.45	3	Horizontal	111	2.11	-	34.17	7.20	35.34

802.11ax HEW40_Nss1,(MCS0)_1TX

5190MHz_TnomVnom




EUT X_1TX
Setting 17.75
03-B-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.5803G	57.12	74.00	-16.88	41.23	3	Vertical	145	2.13	-	38.14	13.19	35.44
AV	15.5881G	43.96	54.00	-10.04	28.13	3	Vertical	145	2.13	-	38.08	13.19	35.44

802.11ax HEW40_Nss1,(MCS0)_1TX

5190MHz_TnomVnom




EUT X_1TX
Setting 17.75
03-B-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.5798G	57.77	74.00	-16.23	41.88	3	Horizontal	282	1.85	-	38.14	13.19	35.44
AV	15.5782G	44.25	54.00	-9.75	28.35	3	Horizontal	282	1.85	-	38.15	13.19	35.44

802.11ax HEW40_Nss1,(MCS0)_1TX

5230MHz_TnomVnom




EUT_Z_1TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1382G	58.35	74.00	-15.65	52.54	3	Vertical	138	2.05	-	33.98	7.17	35.34
AV	5.1478G	46.08	54.00	-7.92	40.25	3	Vertical	138	2.05	-	34.00	7.17	35.34
PK	5.233G	109.74	Inf	-Inf	103.55	3	Vertical	138	2.05	-	34.33	7.20	35.34
AV	5.2324G	97.82	Inf	-Inf	91.63	3	Vertical	138	2.05	-	34.33	7.20	35.34
PK	5.3566G	62.85	74.00	-11.15	56.48	3	Vertical	138	2.05	-	34.51	7.20	35.34
AV	5.3506G	46.08	54.00	-7.92	39.72	3	Vertical	138	2.05	-	34.50	7.20	35.34

802.11ax HEW40_Nss1,(MCS0)_1TX

5230MHz_TnomVnom




EUT_Z_1TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.146G	59.43	74.00	-14.57	53.61	3	Horizontal	111	2.07	-	33.99	7.17	35.34
AV	5.1496G	46.48	54.00	-7.52	40.65	3	Horizontal	111	2.07	-	34.00	7.17	35.34
PK	5.2324G	111.14	Inf	-Inf	104.95	3	Horizontal	111	2.07	-	34.33	7.20	35.34
AV	5.2324G	98.97	Inf	-Inf	92.78	3	Horizontal	111	2.07	-	34.33	7.20	35.34
PK	5.356G	63.28	74.00	-10.72	56.91	3	Horizontal	111	2.07	-	34.51	7.20	35.34
AV	5.3506G	46.02	54.00	-7.98	39.66	3	Horizontal	111	2.07	-	34.50	7.20	35.34

802.11ax HEW40_Nss1,(MCS0)_1TX

5230MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-B-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.6969G	59.12	74.00	-14.88	43.89	3	Vertical	122	1.20	-	37.52	13.25	35.54
AV	15.6906G	45.02	54.00	-8.98	29.75	3	Vertical	122	1.20	-	37.55	13.25	35.53

802.11ax HEW40_Nss1,(MCS0)_1TX

5230MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-B-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.6831G	57.31	74.00	-16.69	42.01	3	Horizontal	197	2.56	-	37.58	13.24	35.52
AV	15.6904G	44.35	54.00	-9.65	29.08	3	Horizontal	197	2.56	-	37.55	13.25	35.53

802.11ax HEW40_Nss1,(MCS0)_1TX

5270MHz_TnomVnom




EUT_Z_1TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.126G	57.60	74.00	-16.40	51.83	3	Vertical	139	1.92	-	33.95	7.16	35.34
AV	5.1494G	44.85	54.00	-9.15	39.02	3	Vertical	139	1.92	-	34.00	7.17	35.34
PK	5.273G	109.60	Inf	-Inf	103.29	3	Vertical	139	1.92	-	34.45	7.20	35.34
AV	5.2724G	97.47	Inf	-Inf	91.17	3	Vertical	139	1.92	-	34.44	7.20	35.34
PK	5.3558G	68.33	74.00	-5.67	61.96	3	Vertical	139	1.92	-	34.51	7.20	35.34
AV	5.35G	49.67	54.00	-4.33	43.31	3	Vertical	139	1.92	-	34.50	7.20	35.34

802.11ax HEW40_Nss1,(MCS0)_1TX

5270MHz_TnomVnom




EUT_Z_1TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.144G	58.05	74.00	-15.95	52.23	3	Horizontal	111	2.07	-	33.99	7.17	35.34
AV	5.1476G	45.01	54.00	-8.99	39.18	3	Horizontal	111	2.07	-	34.00	7.17	35.34
PK	5.2724G	110.58	Inf	-Inf	104.28	3	Horizontal	111	2.07	-	34.44	7.20	35.34
AV	5.2724G	97.96	Inf	-Inf	91.66	3	Horizontal	111	2.07	-	34.44	7.20	35.34
PK	5.3564G	69.08	74.00	-4.92	62.71	3	Horizontal	111	2.07	-	34.51	7.20	35.34
AV	5.35G	50.25	54.00	-3.75	43.89	3	Horizontal	111	2.07	-	34.50	7.20	35.34

802.11ax HEW40_Nss1,(MCS0)_1TX

5270MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.7978G	58.36	74.00	-15.64	42.79	3	Vertical	10	2.07	-	37.89	13.30	35.62
AV	15.8126G	44.99	54.00	-9.01	29.45	3	Vertical	10	2.07	-	37.86	13.31	35.63

802.11ax HEW40_Nss1,(MCS0)_1TX

5270MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.8112G	57.84	74.00	-16.16	42.29	3	Horizontal	28	2.97	-	37.87	13.31	35.63
AV	15.811G	44.79	54.00	-9.21	29.24	3	Horizontal	28	2.97	-	37.87	13.31	35.63

802.11ax HEW40_Nss1,(MCS0)_1TX

5310MHz_TnomVnom




EUT_Z_1TX
Setting 15
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3124G	106.86	Inf	-Inf	100.50	3	Vertical	138	1.91	-	34.50	7.20	35.34
AV	5.3072G	94.18	Inf	-Inf	87.82	3	Vertical	138	1.91	-	34.50	7.20	35.34
PK	5.3564G	72.45	74.00	-1.55	66.08	3	Vertical	138	1.91	-	34.51	7.20	35.34
AV	5.3504G	50.25	54.00	-3.75	43.89	3	Vertical	138	1.91	-	34.50	7.20	35.34

802.11ax HEW40_Nss1,(MCS0)_1TX

5310MHz_TnomVnom




EUT_Z_1TX
Setting 15
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3124G	107.45	Inf	-Inf	101.09	3	Horizontal	110	1.96	-	34.50	7.20	35.34
AV	5.3076G	95.09	Inf	-Inf	88.73	3	Horizontal	110	1.96	-	34.50	7.20	35.34
PK	5.356G	73.20	74.00	-0.80	66.83	3	Horizontal	110	1.96	-	34.51	7.20	35.34
AV	5.35G	50.22	54.00	-3.78	43.86	3	Horizontal	110	1.96	-	34.50	7.20	35.34

802.11ax HEW40_Nss1,(MCS0)_1TX

5310MHz_TnomVnom




EUT_X_1TX
Setting 15
03-B-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	10.6446G	53.01	74.00	-20.99	39.47	3	Vertical	28	2.95	-	38.29	10.60	35.35	
AV	10.643G	39.45	54.00	-14.55	25.91	3	Vertical	28	2.95	-	38.29	10.60	35.35	
PK	15.9245G	57.61	74.00	-16.39	42.43	3	Vertical	303	2.38	-	37.55	13.36	35.73	
AV	15.9247G	43.82	54.00	-10.18	28.64	3	Vertical	303	2.38	-	37.55	13.36	35.73	

802.11ax HEW40_Nss1,(MCS0)_1TX

5310MHz_TnomVnom




EUT_X_1TX
Setting 15
03-B-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.638G	52.46	74.00	-21.54	38.93	3	Horizontal	316	1.69	-	38.28	10.60	35.35
AV	10.635G	39.40	54.00	-14.60	25.88	3	Horizontal	316	1.69	-	38.27	10.60	35.35
PK	15.918G	57.39	74.00	-16.61	42.19	3	Horizontal	246	1.44	-	37.56	13.36	35.72
AV	15.906G	43.88	54.00	-10.12	28.65	3	Horizontal	246	1.44	-	37.59	13.35	35.71

802.11ax HEW40_Nss1,(MCS0)_1TX

5510MHz_TnomVnom




EUT_Z_1TX
Setting 16.25
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.456G	63.74	74.00	-10.26	57.32	3	Vertical	37	1.97	-	34.51	7.26	35.35
AV	5.46G	46.93	54.00	-7.07	40.50	3	Vertical	37	1.97	-	34.52	7.26	35.35
PK	5.4644G	67.92	68.20	-0.28	61.48	3	Vertical	37	1.97	-	34.53	7.26	35.35
PK	5.5128G	108.15	Inf	-Inf	101.60	3	Vertical	37	1.97	-	34.60	7.31	35.36
AV	5.5072G	95.59	Inf	-Inf	89.03	3	Vertical	37	1.97	-	34.60	7.31	35.35

802.11ax HEW40_Nss1,(MCS0)_1TX

5510MHz_TnomVnom




EUT Z_1TX
Setting 16.25
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4564G	62.06	74.00	-11.94	55.64	3	Horizontal	57	1.85	-	34.51	7.26	35.35
AV	5.46G	46.41	54.00	-7.59	39.98	3	Horizontal	57	1.85	-	34.52	7.26	35.35
PK	5.4636G	65.36	68.20	-2.84	58.92	3	Horizontal	57	1.85	-	34.53	7.26	35.35
PK	5.5128G	107.31	Inf	-Inf	100.76	3	Horizontal	57	1.85	-	34.60	7.31	35.36
AV	5.5076G	94.07	Inf	-Inf	87.51	3	Horizontal	57	1.85	-	34.60	7.31	35.35

802.11ax HEW40_Nss1,(MCS0)_1TX

5510MHz_TnomVnom




EUT X_1TX
Setting 16.25
03-B-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.024G	54.10	74.00	-19.90	40.10	3	Vertical	163	2.84	-	38.42	10.65	35.07
AV	11.0066G	40.57	54.00	-13.43	26.56	3	Vertical	163	2.84	-	38.41	10.65	35.05

802.11ax HEW40_Nss1,(MCS0)_1TX

5510MHz_TnomVnom




EUT X_1TX
Setting 16.25
03-B-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0157G	54.71	74.00	-19.29	40.70	3	Horizontal	252	1.36	-	38.42	10.65	35.06
AV	11.0201G	41.30	54.00	-12.70	27.29	3	Horizontal	252	1.36	-	38.42	10.65	35.06

802.11ax HEW40_Nss1,(MCS0)_1TX

5550MHz_TnomVnom




EUT_Z_1TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2596G	57.98	68.20	-10.22	51.70	3	Vertical	39	2.09	-	34.42	7.20	35.34
PK	5.4396G	59.22	74.00	-14.78	52.81	3	Vertical	39	2.09	-	34.52	7.24	35.35
PK	5.4684G	60.25	68.20	-7.95	53.79	3	Vertical	39	2.09	-	34.54	7.27	35.35
AV	5.4588G	45.59	54.00	-8.41	39.16	3	Vertical	39	2.09	-	34.52	7.26	35.35
PK	5.5536G	111.51	Inf	-Inf	104.94	3	Vertical	39	2.09	-	34.60	7.35	35.38
AV	5.5476G	99.07	Inf	-Inf	92.49	3	Vertical	39	2.09	-	34.60	7.35	35.37
PK	5.7624G	59.97	68.20	-8.23	53.85	3	Vertical	39	2.09	-	34.20	7.40	35.48

802.11ax HEW40_Nss1,(MCS0)_1TX

5550MHz_TnomVnom




EUT_Z_1TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3256G	58.48	68.20	-9.72	52.12	3	Horizontal	56	1.90	-	34.50	7.20	35.34
PK	5.3784G	57.98	74.00	-16.02	51.57	3	Horizontal	56	1.90	-	34.56	7.20	35.35
PK	5.466G	59.32	68.20	-8.88	52.87	3	Horizontal	56	1.90	-	34.53	7.27	35.35
AV	5.4588G	45.40	54.00	-8.60	38.97	3	Horizontal	56	1.90	-	34.52	7.26	35.35
PK	5.5488G	109.60	Inf	-Inf	103.02	3	Horizontal	56	1.90	-	34.60	7.35	35.37
AV	5.5476G	97.26	Inf	-Inf	90.68	3	Horizontal	56	1.90	-	34.60	7.35	35.37
PK	5.7708G	57.43	68.20	-10.77	51.32	3	Horizontal	56	1.90	-	34.20	7.40	35.49

802.11ax HEW40_Nss1,(MCS0)_1TX

5550MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-B-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.0901G	56.67	74.00	-17.33	42.66	3	Vertical	149	3.00	-	38.49	10.66	35.14	
AV	11.0958G	42.83	54.00	-11.17	28.82	3	Vertical	149	3.00	-	38.50	10.66	35.15	

802.11ax HEW40_Nss1,(MCS0)_1TX

5550MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-B-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1007G	58.45	74.00	-15.55	44.43	3	Horizontal	135	2.14	-	38.50	10.67	35.15
AV	11.0959G	44.31	54.00	-9.69	30.30	3	Horizontal	135	2.14	-	38.50	10.66	35.15

802.11ax HEW40_Nss1,(MCS0)_1TX

5670MHz_TnomVnom




EUT_Z_1TX
Setting 15.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6684G	108.95	Inf	-Inf	102.55	3	Vertical	38	1.92	-	34.43	7.40	35.43
AV	5.6672G	96.10	Inf	-Inf	89.70	3	Vertical	38	1.92	-	34.43	7.40	35.43
PK	5.7264G	67.82	68.20	-0.38	61.63	3	Vertical	38	1.92	-	34.25	7.40	35.46

802.11ax HEW40_Nss1,(MCS0)_1TX

5670MHz_TnomVnom




EUT_Z_1TX
Setting 15.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6684G	107.24	Inf	-Inf	100.84	3	Horizontal	53	1.94	-	34.43	7.40	35.43
AV	5.6684G	94.40	Inf	-Inf	88.00	3	Horizontal	53	1.94	-	34.43	7.40	35.43
PK	5.7268G	65.04	68.20	-3.16	58.85	3	Horizontal	53	1.94	-	34.25	7.40	35.46

802.11ax HEW40_Nss1,(MCS0)_1TX

5670MHz_TnomVnom




EUT_X_1TX
Setting 15.5
03-B-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.3447G	54.22	74.00	-19.78	40.21	3	Vertical	342	3.00	-	38.74	10.70	35.43	
AV	11.348G	40.66	54.00	-13.34	26.64	3	Vertical	342	3.00	-	38.75	10.70	35.43	

802.11ax HEW40_Nss1,(MCS0)_1TX

5670MHz_TnomVnom




EUT X_1TX
Setting 15.5
03-B-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3276G	56.59	74.00	-17.41	42.57	3	Horizontal	137	2.08	-	38.73	10.70	35.41
AV	11.3358G	42.68	54.00	-11.32	28.66	3	Horizontal	137	2.08	-	38.74	10.70	35.42

802.11ax HEW40_Nss1,(MCS0)_1TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_1TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.41G	57.83	74.00	-16.17	51.39	3	Vertical	38	1.86	-	34.58	7.21	35.35
AV	5.41G	45.01	54.00	-8.99	38.57	3	Vertical	38	1.86	-	34.58	7.21	35.35
PK	5.47G	56.84	68.20	-11.36	50.38	3	Vertical	38	1.86	-	34.54	7.27	35.35
PK	5.7088G	111.32	Inf	-Inf	105.09	3	Vertical	38	1.86	-	34.28	7.40	35.45
AV	5.7076G	99.17	Inf	-Inf	92.94	3	Vertical	38	1.86	-	34.28	7.40	35.45
PK	5.902G	58.53	68.20	-9.67	51.97	3	Vertical	38	1.86	-	34.61	7.50	35.55

802.11ax HEW40_Nss1,(MCS0)_1TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_1TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4388G	57.27	74.00	-16.73	50.86	3	Horizontal	53	1.88	-	34.52	7.24	35.35
AV	5.4172G	44.95	54.00	-9.05	38.51	3	Horizontal	53	1.88	-	34.57	7.22	35.35
PK	5.4628G	57.13	68.20	-11.07	50.69	3	Horizontal	53	1.88	-	34.53	7.26	35.35
PK	5.7088G	110.31	Inf	-Inf	104.08	3	Horizontal	53	1.88	-	34.28	7.40	35.45
AV	5.7076G	98.11	Inf	-Inf	91.88	3	Horizontal	53	1.88	-	34.28	7.40	35.45
PK	5.98G	58.06	68.20	-10.14	51.27	3	Horizontal	53	1.88	-	34.80	7.58	35.59

802.11ax HEW40_Nss1,(MCS0)_1TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_1TX
Setting 21.5
03-B-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4204G	58.84	74.00	-15.16	44.80	3	Vertical	179	2.79	-	38.84	10.71	35.51
AV	11.4159G	45.70	54.00	-8.30	31.67	3	Vertical	179	2.79	-	38.83	10.71	35.51

802.11ax HEW40_Nss1,(MCS0)_1TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_1TX
Setting 21.5
03-B-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.425G	58.24	74.00	-15.76	44.20	3	Horizontal	137	2.07	-	38.85	10.71	35.52
AV	11.4159G	44.84	54.00	-9.16	30.81	3	Horizontal	137	2.07	-	38.83	10.71	35.51

802.11ax HEW40_Nss1,(MCS0)_1TX

5755MHz_TnomVnom




EUT_Z_1TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.641G	60.79	68.20	-7.41	54.29	3	Vertical	38	1.91	-	34.52	7.40	35.42
PK	5.758G	111.25	Inf	-Inf	105.13	3	Vertical	38	1.91	-	34.20	7.40	35.48
AV	5.752G	99.47	Inf	-Inf	93.35	3	Vertical	38	1.91	-	34.20	7.40	35.48
PK	5.974G	58.54	68.20	-9.66	51.76	3	Vertical	38	1.91	-	34.80	7.57	35.59

802.11ax HEW40_Nss1,(MCS0)_1TX

5755MHz_TnomVnom




EUT_Z_1TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.641G	60.43	68.20	-7.77	53.93	3	Horizontal	52	1.90	-	34.52	7.40	35.42
PK	5.758G	110.63	Inf	-Inf	104.51	3	Horizontal	52	1.90	-	34.20	7.40	35.48
AV	5.752G	98.78	Inf	-Inf	92.66	3	Horizontal	52	1.90	-	34.20	7.40	35.48
PK	5.948G	58.21	68.20	-9.99	51.44	3	Horizontal	52	1.90	-	34.79	7.55	35.57

802.11ax HEW40_Nss1,(MCS0)_1TX

5755MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-B-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5086G	58.92	74.00	-15.08	44.76	3	Vertical	179	2.80	-	39.03	10.73	35.60
AV	11.5058G	44.95	54.00	-9.05	30.80	3	Vertical	179	2.80	-	39.02	10.73	35.60

802.11ax HEW40_Nss1,(MCS0)_1TX

5755MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-B-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5104G	58.27	74.00	-15.73	44.10	3	Horizontal	137	2.05	-	39.04	10.73	35.60
AV	11.5059G	44.32	54.00	-9.68	30.17	3	Horizontal	137	2.05	-	39.02	10.73	35.60

802.11ax HEW40_Nss1,(MCS0)_1TX

5795MHz_TnomVnom




EUT_Z_1TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.55G	58.79	68.20	-9.41	52.21	3	Vertical	40	1.80	-	34.60	7.35	35.37
PK	5.797G	110.06	Inf	-Inf	103.96	3	Vertical	40	1.80	-	34.20	7.40	35.50
AV	5.792G	97.95	Inf	-Inf	91.85	3	Vertical	40	1.80	-	34.20	7.40	35.50
PK	5.929G	59.92	68.20	-8.28	53.23	3	Vertical	40	1.80	-	34.72	7.53	35.56

802.11ax HEW40_Nss1,(MCS0)_1TX

5795MHz_TnomVnom




EUT_Z_1TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.63G	58.16	68.20	-10.04	51.63	3	Horizontal	51	1.85	-	34.54	7.40	35.41
PK	5.797G	110.32	Inf	-Inf	104.22	3	Horizontal	51	1.85	-	34.20	7.40	35.50
AV	5.797G	98.04	Inf	-Inf	91.94	3	Horizontal	51	1.85	-	34.20	7.40	35.50
PK	5.929G	60.50	68.20	-7.70	53.81	3	Horizontal	51	1.85	-	34.72	7.53	35.56

802.11ax HEW40_Nss1,(MCS0)_1TX

5795MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-B-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.6082G	58.91	74.00	-15.09	44.35	3	Vertical	169	2.96	-	39.40	10.74	35.58	
AV	11.5951G	45.73	54.00	-8.27	31.19	3	Vertical	169	2.96	-	39.38	10.74	35.58	

802.11ax HEW40_Nss1,(MCS0)_1TX

5795MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-B-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.598G	58.10	74.00	-15.90	43.55	3	Horizontal	198	1.80	-	39.39	10.74	35.58
AV	11.5949G	44.19	54.00	-9.81	29.65	3	Horizontal	198	1.80	-	39.38	10.74	35.58

802.11ax HEW80_Nss1,(MCS0)_1TX

5210MHz_TnomVnom




EUT_Z_1TX
Setting 15.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.146G	68.12	74.00	-5.88	62.30	3	Vertical	138	1.86	-	33.99	7.17	35.34
AV	5.146G	53.18	54.00	-0.82	47.36	3	Vertical	138	1.86	-	33.99	7.17	35.34
PK	5.213G	101.77	Inf	-Inf	95.66	3	Vertical	138	1.86	-	34.25	7.20	35.34
AV	5.213G	91.41	Inf	-Inf	85.30	3	Vertical	138	1.86	-	34.25	7.20	35.34
PK	5.351G	62.12	74.00	-11.88	55.76	3	Vertical	138	1.86	-	34.50	7.20	35.34
AV	5.351G	48.67	54.00	-5.33	42.31	3	Vertical	138	1.86	-	34.50	7.20	35.34

802.11ax HEW80_Nss1,(MCS0)_1TX

5210MHz_TnomVnom




EUT_Z_1TX
Setting 15.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	68.58	74.00	-5.42	62.75	3	Horizontal	112	1.92	-	34.00	7.17	35.34
AV	5.142G	53.87	54.00	-0.13	48.06	3	Horizontal	112	1.92	-	33.98	7.17	35.34
PK	5.214G	102.64	Inf	-Inf	96.52	3	Horizontal	112	1.92	-	34.26	7.20	35.34
AV	5.213G	92.26	Inf	-Inf	86.15	3	Horizontal	112	1.92	-	34.25	7.20	35.34
PK	5.361G	62.05	74.00	-11.95	55.67	3	Horizontal	112	1.92	-	34.52	7.20	35.34
AV	5.364G	48.72	54.00	-5.28	42.33	3	Horizontal	112	1.92	-	34.53	7.20	35.34

802.11ax HEW80_Nss1,(MCS0)_1TX

5210MHz_TnomVnom




EUT X_1TX
Setting 15.5
03-B-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	15.6287G	57.35	74.00	-16.65	41.76	3	Vertical	67	1.29	-	37.86	13.21	35.48	
AV	15.6052G	46.60	54.00	-7.40	30.89	3	Vertical	67	1.29	-	37.97	13.20	35.46	

802.11ax HEW80_Nss1,(MCS0)_1TX

5210MHz_TnomVnom




EUT X_1TX
Setting 15.5
03-B-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.6153G	56.90	74.00	-17.10	41.24	3	Horizontal	348	2.37	-	37.92	13.21	35.47
AV	15.6065G	46.74	54.00	-7.26	31.03	3	Horizontal	348	2.37	-	37.97	13.20	35.46

802.11ax HEW80_Nss1,(MCS0)_1TX

5290MHz_TnomVnom




EUT_Z_1TX
Setting 13.75
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.143G	57.86	74.00	-16.14	52.04	3	Vertical	136	1.80	-	33.99	7.17	35.34
AV	5.088G	47.49	54.00	-6.51	41.80	3	Vertical	136	1.80	-	33.88	7.14	35.33
PK	5.294G	101.02	Inf	-Inf	94.67	3	Vertical	136	1.80	-	34.49	7.20	35.34
AV	5.293G	90.35	Inf	-Inf	84.00	3	Vertical	136	1.80	-	34.49	7.20	35.34
PK	5.353G	65.25	74.00	-8.75	58.88	3	Vertical	136	1.80	-	34.51	7.20	35.34
AV	5.355G	52.83	54.00	-1.17	46.46	3	Vertical	136	1.80	-	34.51	7.20	35.34
PK	5.502G	57.79	68.20	-10.41	51.24	3	Vertical	136	1.80	-	34.60	7.30	35.35

802.11ax HEW80_Nss1,(MCS0)_1TX

5290MHz_TnomVnom




EUT_Z_1TX
Setting 13.75
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.063G	57.89	74.00	-16.11	52.26	3	Horizontal	110	2.00	-	33.83	7.13	35.33
AV	5.111G	47.44	54.00	-6.56	41.69	3	Horizontal	110	2.00	-	33.92	7.16	35.33
PK	5.294G	103.02	Inf	-Inf	96.67	3	Horizontal	110	2.00	-	34.49	7.20	35.34
AV	5.293G	92.48	Inf	-Inf	86.13	3	Horizontal	110	2.00	-	34.49	7.20	35.34
PK	5.372G	66.66	74.00	-7.34	60.26	3	Horizontal	110	2.00	-	34.54	7.20	35.34
AV	5.355G	53.44	54.00	-0.56	47.07	3	Horizontal	110	2.00	-	34.51	7.20	35.34
PK	5.471G	58.13	68.20	-10.07	51.67	3	Horizontal	110	2.00	-	34.54	7.27	35.35

802.11ax HEW80_Nss1,(MCS0)_1TX

5290MHz_TnomVnom




EUT X_1TX
Setting 13.75
03-B-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.855G	57.64	74.00	-16.36	42.25	3	Vertical	230	2.36	-	37.73	13.33	35.67
AV	15.854G	46.86	54.00	-7.14	31.46	3	Vertical	230	2.36	-	37.74	13.33	35.67

802.11ax HEW80_Nss1,(MCS0)_1TX

5290MHz_TnomVnom




EUT X_1TX
Setting 13.75
03-B-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.8561G	57.98	74.00	-16.02	42.59	3	Horizontal	37	2.29	-	37.73	13.33	35.67
AV	15.8568G	46.62	54.00	-7.38	31.23	3	Horizontal	37	2.29	-	37.73	13.33	35.67

802.11ax HEW80_Nss1,(MCS0)_1TX

5530MHz_TnomVnom




EUT_Z_1TX
Setting 15.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.286G	57.77	68.20	-10.43	51.44	3	Vertical	38	2.18	-	34.47	7.20	35.34
PK	5.456G	66.01	74.00	-7.99	59.59	3	Vertical	38	2.18	-	34.51	7.26	35.35
AV	5.452G	53.30	54.00	-0.70	46.90	3	Vertical	38	2.18	-	34.50	7.25	35.35
PK	5.467G	67.70	68.20	-0.50	61.25	3	Vertical	38	2.18	-	34.53	7.27	35.35
PK	5.534G	104.77	Inf	-Inf	98.21	3	Vertical	38	2.18	-	34.60	7.33	35.37
AV	5.533G	94.28	Inf	-Inf	87.72	3	Vertical	38	2.18	-	34.60	7.33	35.37
PK	5.762G	58.78	68.20	-9.42	52.66	3	Vertical	38	2.18	-	34.20	7.40	35.48

802.11ax HEW80_Nss1,(MCS0)_1TX

5530MHz_TnomVnom




EUT_Z_1TX
Setting 15.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.335G	58.02	68.20	-10.18	51.66	3	Horizontal	57	1.80	-	34.50	7.20	35.34
PK	5.45G	64.70	74.00	-9.30	58.30	3	Horizontal	57	1.80	-	34.50	7.25	35.35
AV	5.452G	52.80	54.00	-1.20	46.40	3	Horizontal	57	1.80	-	34.50	7.25	35.35
PK	5.467G	67.19	68.20	-1.01	60.74	3	Horizontal	57	1.80	-	34.53	7.27	35.35
PK	5.534G	103.13	Inf	-Inf	96.57	3	Horizontal	57	1.80	-	34.60	7.33	35.37
AV	5.532G	92.57	Inf	-Inf	86.01	3	Horizontal	57	1.80	-	34.60	7.33	35.37
PK	5.755G	57.60	68.20	-10.60	51.48	3	Horizontal	57	1.80	-	34.20	7.40	35.48

802.11ax HEW80_Nss1,(MCS0)_1TX

5530MHz_TnomVnom




EUT X_1TX
Setting 15.5
03-B-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0693G	54.37	74.00	-19.63	40.36	3	Vertical	106	2.82	-	38.47	10.66	35.12
AV	11.0599G	43.39	54.00	-10.61	29.38	3	Vertical	106	2.82	-	38.46	10.66	35.11

802.11ax HEW80_Nss1,(MCS0)_1TX

5530MHz_TnomVnom




EUT X_1TX
Setting 15.5
03-B-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0658G	54.10	74.00	-19.90	40.08	3	Horizontal	337	2.65	-	38.47	10.66	35.11
AV	11.0612G	43.25	54.00	-10.75	29.24	3	Horizontal	337	2.65	-	38.46	10.66	35.11

802.11ax HEW80_Nss1,(MCS0)_1TX

5610MHz_TnomVnom




EUT_Z_1TX
Setting 15
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.44G	58.40	74.00	-15.60	51.99	3	Vertical	42	2.13	-	34.52	7.24	35.35
AV	5.44G	47.93	54.00	-6.07	41.52	3	Vertical	42	2.13	-	34.52	7.24	35.35
PK	5.47G	58.00	68.20	-10.20	51.54	3	Vertical	42	2.13	-	34.54	7.27	35.35
PK	5.614G	104.71	Inf	-Inf	98.15	3	Vertical	42	2.13	-	34.57	7.40	35.41
AV	5.613G	94.93	Inf	-Inf	88.37	3	Vertical	42	2.13	-	34.57	7.40	35.41
PK	5.732G	67.33	68.20	-0.87	61.16	3	Vertical	42	2.13	-	34.24	7.40	35.47

802.11ax HEW80_Nss1,(MCS0)_1TX

5610MHz_TnomVnom




EUT_Z_1TX
Setting 15
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.455G	58.53	74.00	-15.47	52.12	3	Horizontal	52	1.92	-	34.51	7.25	35.35
AV	5.44G	47.57	54.00	-6.43	41.16	3	Horizontal	52	1.92	-	34.52	7.24	35.35
PK	5.461G	57.96	68.20	-10.24	51.53	3	Horizontal	52	1.92	-	34.52	7.26	35.35
PK	5.614G	103.90	Inf	-Inf	97.34	3	Horizontal	52	1.92	-	34.57	7.40	35.41
AV	5.613G	93.36	Inf	-Inf	86.80	3	Horizontal	52	1.92	-	34.57	7.40	35.41
PK	5.731G	67.22	68.20	-0.98	61.05	3	Horizontal	52	1.92	-	34.24	7.40	35.47

802.11ax HEW80_Nss1,(MCS0)_1TX

5610MHz_TnomVnom




EUT X_1TX
Setting 15
03-B-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.1953G	53.92	74.00	-20.08	39.90	3	Vertical	298	2.36	-	38.60	10.68	35.26	
AV	11.1952G	43.34	54.00	-10.66	29.32	3	Vertical	298	2.36	-	38.60	10.68	35.26	

802.11ax HEW80_Nss1,(MCS0)_1TX

5610MHz_TnomVnom




EUT X_1TX
Setting 15
03-B-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.2039G	54.97	74.00	-19.03	40.96	3	Horizontal	178	2.99	-	38.60	10.68	35.27	
AV	11.2036G	44.27	54.00	-9.73	30.26	3	Horizontal	178	2.99	-	38.60	10.68	35.27	

802.11ax HEW80_Nss1,(MCS0)_1TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_1TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4536G	62.19	74.00	-11.81	55.78	3	Vertical	37	1.90	-	34.51	7.25	35.35
AV	5.4536G	49.93	54.00	-4.07	43.52	3	Vertical	37	1.90	-	34.51	7.25	35.35
PK	5.4608G	62.23	68.20	-5.97	55.80	3	Vertical	37	1.90	-	34.52	7.26	35.35
PK	5.6936G	110.38	Inf	-Inf	104.10	3	Vertical	37	1.90	-	34.33	7.40	35.45
AV	5.6888G	99.42	Inf	-Inf	93.12	3	Vertical	37	1.90	-	34.34	7.40	35.44
PK	5.85G	67.00	68.20	-1.20	60.78	3	Vertical	37	1.90	-	34.30	7.45	35.53

802.11ax HEW80_Nss1,(MCS0)_1TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_1TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4404G	60.36	74.00	-13.64	53.95	3	Horizontal	53	1.92	-	34.52	7.24	35.35
PK	5.468G	60.70	68.20	-7.50	54.24	3	Horizontal	53	1.92	-	34.54	7.27	35.35
AV	5.4572G	49.44	54.00	-4.56	43.02	3	Horizontal	53	1.92	-	34.51	7.26	35.35
PK	5.6936G	108.72	Inf	-Inf	102.44	3	Horizontal	53	1.92	-	34.33	7.40	35.45
AV	5.6888G	98.50	Inf	-Inf	92.20	3	Horizontal	53	1.92	-	34.34	7.40	35.44
PK	5.85G	67.78	68.20	-0.42	61.56	3	Horizontal	53	1.92	-	34.30	7.45	35.53

802.11ax HEW80_Nss1,(MCS0)_1TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_1TX
Setting 21.5
03-B-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3964G	55.38	74.00	-18.62	41.35	3	Vertical	147	2.85	-	38.80	10.71	35.48
AV	11.3694G	44.79	54.00	-9.21	30.76	3	Vertical	147	2.85	-	38.77	10.71	35.45

802.11ax HEW80_Nss1,(MCS0)_1TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_1TX
Setting 21.5
03-B-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.375G	55.82	74.00	-18.18	41.79	3	Horizontal	251	1.77	-	38.78	10.71	35.46
AV	11.3828G	46.07	54.00	-7.93	32.05	3	Horizontal	251	1.77	-	38.78	10.71	35.47

802.11ax HEW80_Nss1,(MCS0)_1TX

5775MHz_TnomVnom




EUT_Z_1TX
Setting 18.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65G	65.46	68.20	-2.74	58.99	3	Vertical	189	1.86	-	34.50	7.40	35.43
PK	5.779G	105.22	Inf	-Inf	99.11	3	Vertical	189	1.86	-	34.20	7.40	35.49
AV	5.777G	94.74	Inf	-Inf	88.63	3	Vertical	189	1.86	-	34.20	7.40	35.49
PK	5.925G	66.90	68.20	-1.30	60.23	3	Vertical	189	1.86	-	34.70	7.53	35.56

802.11ax HEW80_Nss1,(MCS0)_1TX

5775MHz_TnomVnom




EUT_Z_1TX
Setting 18.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65G	66.30	68.20	-1.90	59.83	3	Horizontal	51	1.87	-	34.50	7.40	35.43
PK	5.778G	105.63	Inf	-Inf	99.52	3	Horizontal	51	1.87	-	34.20	7.40	35.49
AV	5.774G	95.01	Inf	-Inf	88.90	3	Horizontal	51	1.87	-	34.20	7.40	35.49
PK	5.924G	68.79	68.94	-0.15	62.13	3	Horizontal	51	1.87	-	34.70	7.52	35.56

802.11ax HEW80_Nss1,(MCS0)_1TX

5775MHz_TnomVnom




EUT X_1TX
Setting 18.5
03-B-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.562G	57.59	74.00	-16.41	43.20	3	Vertical	172	2.97	-	39.25	10.73	35.59	
AV	11.5675G	46.75	54.00	-7.25	32.33	3	Vertical	172	2.97	-	39.27	10.74	35.59	

802.11ax HEW80_Nss1,(MCS0)_1TX

5775MHz_TnomVnom




EUT X_1TX
Setting 18.5
03-B-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5712G	56.14	74.00	-17.86	41.70	3	Horizontal	192	2.08	-	39.28	10.74	35.58
AV	11.5712G	45.94	54.00	-8.06	31.50	3	Horizontal	192	2.08	-	39.28	10.74	35.58

802.11ax HEW160_Nss1,(MCS0)_1TX

5250MHz Straddle 5.25-5.35GHz_TnomVnom




EUT_Z_1TX
Setting 12
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.125G	62.56	74.00	-11.44	56.79	3	Vertical	138	1.80	-	33.95	7.16	35.34
AV	5.126G	51.02	54.00	-2.98	45.25	3	Vertical	138	1.80	-	33.95	7.16	35.34
PK	5.263G	95.46	Inf	-Inf	89.17	3	Vertical	138	1.80	-	34.43	7.20	35.34
AV	5.255G	85.50	Inf	-Inf	79.23	3	Vertical	138	1.80	-	34.41	7.20	35.34
PK	5.393G	66.14	74.00	-7.86	59.70	3	Vertical	138	1.80	-	34.59	7.20	35.35
AV	5.402G	52.76	54.00	-1.24	46.31	3	Vertical	138	1.80	-	34.60	7.20	35.35
PK	5.473G	58.29	68.20	-9.91	51.82	3	Vertical	138	1.80	-	34.55	7.27	35.35

802.11ax HEW160_Nss1,(MCS0)_1TX

5250MHz Straddle 5.25-5.35GHz_TnomVnom




EUT_Z_1TX
Setting 12
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.128G	64.75	74.00	-9.25	58.97	3	Horizontal	111	1.98	-	33.96	7.16	35.34
AV	5.126G	51.94	54.00	-2.06	46.17	3	Horizontal	111	1.98	-	33.95	7.16	35.34
PK	5.247G	96.78	Inf	-Inf	90.53	3	Horizontal	111	1.98	-	34.39	7.20	35.34
AV	5.255G	86.46	Inf	-Inf	80.19	3	Horizontal	111	1.98	-	34.41	7.20	35.34
PK	5.393G	66.26	74.00	-7.74	59.82	3	Horizontal	111	1.98	-	34.59	7.20	35.35
AV	5.402G	53.90	54.00	-0.10	47.45	3	Horizontal	111	1.98	-	34.60	7.20	35.35
PK	5.497G	57.65	68.20	-10.55	51.11	3	Horizontal	111	1.98	-	34.59	7.30	35.35

802.11ax HEW160_Nss1,(MCS0)_1TX

5250MHz Straddle 5.25-5.35GHz_TnomVnom




EUT X_1TX
Setting 12
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.7377G	57.37	74.00	-16.63	42.02	3	Vertical	356	2.93	-	37.65	13.27	35.57
AV	15.76074G	46.77	54.00	-7.23	31.34	3	Vertical	356	2.93	-	37.74	13.28	35.59

802.11ax HEW160_Nss1,(MCS0)_1TX

5250MHz Straddle 5.25-5.35GHz_TnomVnom




EUT X_1TX
Setting 12
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.76164G	56.71	74.00	-17.29	41.27	3	Horizontal	343	2.32	-	37.75	13.28	35.59
AV	15.76266G	46.85	54.00	-7.15	31.41	3	Horizontal	343	2.32	-	37.75	13.28	35.59

802.11ax HEW160_Nss1,(MCS0)_1TX

5570MHz_TnomVnom




EUT_Z_1TX
Setting 11.25
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.347G	57.58	68.20	-10.62	51.22	3	Vertical	38	2.09	-	34.50	7.20	35.34
PK	5.445G	65.84	74.00	-8.16	59.43	3	Vertical	38	2.09	-	34.51	7.25	35.35
AV	5.453G	52.54	54.00	-1.46	46.13	3	Vertical	38	2.09	-	34.51	7.25	35.35
PK	5.462G	63.57	68.20	-4.63	57.14	3	Vertical	38	2.09	-	34.52	7.26	35.35
PK	5.567G	98.00	Inf	-Inf	91.41	3	Vertical	38	2.09	-	34.60	7.37	35.38
AV	5.575G	87.84	Inf	-Inf	81.26	3	Vertical	38	2.09	-	34.60	7.37	35.39
PK	5.726G	68.02	68.20	-0.18	61.83	3	Vertical	38	2.09	-	34.25	7.40	35.46

802.11ax HEW160_Nss1,(MCS0)_1TX

5570MHz_TnomVnom




EUT_Z_1TX
Setting 11.25
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.336G	57.87	68.20	-10.33	51.51	3	Horizontal	54	1.86	-	34.50	7.20	35.34
PK	5.445G	65.70	74.00	-8.30	59.29	3	Horizontal	54	1.86	-	34.51	7.25	35.35
AV	5.434G	52.67	54.00	-1.33	46.26	3	Horizontal	54	1.86	-	34.53	7.23	35.35
PK	5.462G	64.07	68.20	-4.13	57.64	3	Horizontal	54	1.86	-	34.52	7.26	35.35
PK	5.567G	96.35	Inf	-Inf	89.76	3	Horizontal	54	1.86	-	34.60	7.37	35.38
AV	5.575G	86.53	Inf	-Inf	79.95	3	Horizontal	54	1.86	-	34.60	7.37	35.39
PK	5.726G	66.45	68.20	-1.75	60.26	3	Horizontal	54	1.86	-	34.25	7.40	35.46

802.11ax HEW160_Nss1,(MCS0)_1TX

5570MHz_TnomVnom




EUT X_1TX
Setting 11.25
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.12848G	54.21	74.00	-19.79	40.19	3	Vertical	213	1.32	-	38.53	10.67	35.18
AV	11.15254G	43.87	54.00	-10.13	29.86	3	Vertical	213	1.32	-	38.55	10.67	35.21

802.11ax HEW160_Nss1,(MCS0)_1TX

5570MHz_TnomVnom



EUT X_1TX
Setting 11.25
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1292G	54.65	74.00	-19.35	40.63	3	Horizontal	316	2.18	-	38.53	10.67	35.18
AV	11.1502G	43.57	54.00	-10.43	29.56	3	Horizontal	316	2.18	-	38.55	10.67	35.21



RSE TX above 1GHz
<Full RU> UNII1~UNII3_Non-Beamforming Mode_Ant.3 (1TX)


Appendix E.4

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40_Nss1,(MCS0)_1TX	Pass	AV	5.35G	53.99	54.00	-0.01	3	Vertical	75	1.31	-

802.11a_Nss1,(6Mbps)_1TX

5180MHz_TnomVnom




EUT X_1TX
 Setting 19
 03-C-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	73.82	74.00	-0.18	67.99	3	Vertical	78	1.52	-	34.00	7.17	35.34
AV	5.15G	51.68	54.00	-2.32	45.85	3	Vertical	78	1.52	-	34.00	7.17	35.34
PK	5.1812G	116.26	Inf	-Inf	110.29	3	Vertical	78	1.52	-	34.12	7.19	35.34
AV	5.181G	106.17	Inf	-Inf	100.20	3	Vertical	78	1.52	-	34.12	7.19	35.34

802.11a_Nss1,(6Mbps)_1TX

5180MHz_TnomVnom




EUT_X_1TX
 Setting 19
 03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.36064G	58.73	68.20	-9.47	45.60	3	Vertical	193	1.06	-	38.16	10.55	35.58
PK	15.5358G	63.15	74.00	-10.85	46.93	3	Vertical	160	2.03	-	38.45	13.17	35.40
AV	15.53838G	49.03	54.00	-4.97	32.83	3	Vertical	160	2.03	-	38.43	13.17	35.40

802.11a_Nss1,(6Mbps)_1TX

5180MHz_TnomVnom




EUT_X_1TX
 Setting 19
 03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.35832G	56.75	68.20	-11.45	43.62	3	Horizontal	165	2.24	-	38.16	10.55	35.58
PK	15.5376G	63.98	74.00	-10.02	47.77	3	Horizontal	318	1.84	-	38.44	13.17	35.40
AV	15.53844G	49.35	54.00	-4.65	33.15	3	Horizontal	318	1.84	-	38.43	13.17	35.40

802.11a_Nss1,(6Mbps)_1TX

5200MHz_TnomVnom




EUT X_1TX
 Setting 21.5
 03-C-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1488G	64.76	74.00	-9.24	58.93	3	Vertical	77	1.53	-	34.00	7.17	35.34
AV	5.1488G	47.93	54.00	-6.07	42.10	3	Vertical	77	1.53	-	34.00	7.17	35.34
PK	5.2008G	118.47	Inf	-Inf	112.41	3	Vertical	77	1.53	-	34.20	7.20	35.34
AV	5.2004G	108.46	Inf	-Inf	102.40	3	Vertical	77	1.53	-	34.20	7.20	35.34

802.11a_Nss1,(6Mbps)_1TX

5200MHz_TnomVnom




EUT_X_1TX
 Setting 21.5
 03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.40102G	58.62	68.20	-9.58	45.41	3	Vertical	179	1.02	-	38.20	10.56	35.55
PK	15.59394G	62.09	74.00	-11.91	46.30	3	Vertical	270	2.08	-	38.04	13.20	35.45
AV	15.5988G	47.76	54.00	-6.24	32.00	3	Vertical	270	2.08	-	38.01	13.20	35.45

802.11a_Nss1,(6Mbps)_1TX

5200MHz_TnomVnom




EUT_X_1TX
Setting 21.5
03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.39922G	56.47	68.20	-11.73	43.26	3	Horizontal	138	2.69	-	38.20	10.56	35.55
PK	15.60558G	61.33	74.00	-12.67	45.62	3	Horizontal	26	1.75	-	37.97	13.20	35.46
AV	15.59706G	47.81	54.00	-6.19	32.04	3	Horizontal	26	1.75	-	38.02	13.20	35.45

802.11a_Nss1,(6Mbps)_1TX

5240MHz_TnomVnom




EUT X_1TX
 Setting 21.5
 03-C-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1254G	58.82	74.00	-15.18	53.05	3	Vertical	250	1.80	-	33.95	7.16	35.34
AV	5.0972G	45.96	54.00	-8.04	40.25	3	Vertical	250	1.80	-	33.89	7.15	35.33
PK	5.2412G	115.46	Inf	-Inf	109.24	3	Vertical	250	1.80	-	34.36	7.20	35.34
AV	5.2406G	105.62	Inf	-Inf	99.40	3	Vertical	250	1.80	-	34.36	7.20	35.34
PK	5.3744G	59.88	74.00	-14.12	53.47	3	Vertical	250	1.80	-	34.55	7.20	35.34
AV	5.3744G	47.01	54.00	-6.99	40.60	3	Vertical	250	1.80	-	34.55	7.20	35.34

802.11a_Nss1,(6Mbps)_1TX

5240MHz_TnomVnom




EUT_X_1TX
 Setting 21.5
 03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4779G	56.50	68.20	-11.70	43.22	3	Vertical	350	1.80	-	38.20	10.57	35.49
PK	15.71964G	59.13	74.00	-14.87	43.84	3	Vertical	106	2.23	-	37.58	13.26	35.55
AV	15.73242G	46.20	54.00	-7.80	30.87	3	Vertical	106	2.23	-	37.63	13.27	35.57

802.11a_Nss1,(6Mbps)_1TX

5240MHz_TnomVnom




EUT_X_1TX
 Setting 21.5
 03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4761G	56.23	68.20	-11.97	42.95	3	Horizontal	139	2.69	-	38.20	10.57	35.49
PK	15.7236G	59.85	74.00	-14.15	44.56	3	Horizontal	62	1.19	-	37.59	13.26	35.56
AV	15.71988G	46.33	54.00	-7.67	31.04	3	Horizontal	62	1.19	-	37.58	13.26	35.55

802.11a_Nss1,(6Mbps)_1TX

5260MHz_TnomVnom




EUT X_1TX
 Setting 21.5
 03-C-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1376G	58.75	74.00	-15.25	52.94	3	Vertical	78	1.56	-	33.98	7.17	35.34
AV	5.1118G	45.90	54.00	-8.10	40.15	3	Vertical	78	1.56	-	33.92	7.16	35.33
PK	5.2612G	117.45	Inf	-Inf	111.17	3	Vertical	78	1.56	-	34.42	7.20	35.34
AV	5.2606G	107.57	Inf	-Inf	101.29	3	Vertical	78	1.56	-	34.42	7.20	35.34
PK	5.389G	60.50	74.00	-13.50	54.07	3	Vertical	78	1.56	-	34.58	7.20	35.35
AV	5.3776G	47.14	54.00	-6.86	40.73	3	Vertical	78	1.56	-	34.56	7.20	35.35

802.11a_Nss1,(6Mbps)_1TX

5260MHz_TnomVnom




EUT_X_1TX
Setting 21.5
03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.52138G	55.78	68.20	-12.42	42.45	3	Vertical	353	1.80	-	38.20	10.58	35.45
PK	15.79032G	59.49	74.00	-14.51	43.94	3	Vertical	245	1.24	-	37.86	13.30	35.61
AV	15.79404G	45.95	54.00	-8.05	30.39	3	Vertical	245	1.24	-	37.88	13.30	35.62

802.11a_Nss1,(6Mbps)_1TX

5260MHz_TnomVnom




EUT_X_1TX
 Setting 21.5
 03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.52852G	56.21	68.20	-11.99	42.88	3	Horizontal	310	1.00	-	38.20	10.58	35.45
PK	15.77052G	59.89	74.00	-14.11	44.42	3	Horizontal	265	2.58	-	37.78	13.29	35.60
AV	15.7812G	45.98	54.00	-8.02	30.48	3	Horizontal	265	2.58	-	37.82	13.29	35.61

802.11a_Nss1,(6Mbps)_1TX

5300MHz_TnomVnom




EUT X_1TX
 Setting 21.5
 03-C-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3012G	117.56	Inf	-Inf	111.20	3	Vertical	79	1.58	-	34.50	7.20	35.34
AV	5.3008G	107.78	Inf	-Inf	101.42	3	Vertical	79	1.58	-	34.50	7.20	35.34
PK	5.3516G	70.32	74.00	-3.68	63.96	3	Vertical	79	1.58	-	34.50	7.20	35.34
AV	5.35G	51.17	54.00	-2.83	44.81	3	Vertical	79	1.58	-	34.50	7.20	35.34

802.11a_Nss1,(6Mbps)_1TX

5300MHz_TnomVnom




EUT_X_1TX
 Setting 21.5
 03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.61422G	56.50	74.00	-17.50	43.05	3	Vertical	343	1.80	-	38.23	10.59	35.37
AV	10.6009G	43.08	54.00	-10.92	29.67	3	Vertical	343	1.80	-	38.20	10.59	35.38
PK	15.90816G	60.58	74.00	-13.42	45.36	3	Vertical	169	1.26	-	37.58	13.35	35.71
AV	15.9042G	46.74	54.00	-7.26	31.51	3	Vertical	169	1.26	-	37.59	13.35	35.71

802.11a_Nss1,(6Mbps)_1TX

5300MHz_TnomVnom




EUT X_1TX
 Setting 21.5
 03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60234G	56.38	74.00	-17.62	42.97	3	Horizontal	309	1.08	-	38.20	10.59	35.38
AV	10.6012G	42.35	54.00	-11.65	28.94	3	Horizontal	309	1.08	-	38.20	10.59	35.38
PK	15.90054G	60.44	74.00	-13.56	45.20	3	Horizontal	232	2.10	-	37.60	13.35	35.71
AV	15.89838G	46.71	54.00	-7.29	31.46	3	Horizontal	232	2.10	-	37.60	13.35	35.70

802.11a_Nss1,(6Mbps)_1TX

5320MHz_TnomVnom




EUT X_1TX
 Setting 17
 03-C-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3186G	111.89	Inf	-Inf	105.53	3	Vertical	247	1.80	-	34.50	7.20	35.34
AV	5.3188G	102.03	Inf	-Inf	95.67	3	Vertical	247	1.80	-	34.50	7.20	35.34
PK	5.3504G	73.03	74.00	-0.97	66.67	3	Vertical	247	1.80	-	34.50	7.20	35.34
AV	5.35G	51.89	54.00	-2.11	45.53	3	Vertical	247	1.80	-	34.50	7.20	35.34

802.11a_Nss1,(6Mbps)_1TX

5320MHz_TnomVnom




EUT X_1TX
Setting 17
03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.64378G	54.93	74.00	-19.07	41.39	3	Vertical	29	2.23	-	38.29	10.60	35.35
AV	10.65386G	41.14	54.00	-12.86	27.57	3	Vertical	29	2.23	-	38.31	10.60	35.34
PK	15.95568G	60.55	74.00	-13.45	45.43	3	Vertical	108	2.16	-	37.49	13.38	35.75
AV	15.97224G	46.38	54.00	-7.62	31.30	3	Vertical	108	2.16	-	37.46	13.39	35.77

802.11a_Nss1,(6Mbps)_1TX

5320MHz_TnomVnom




EUT_X_1TX
 Setting 17
 03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.63064G	55.51	74.00	-18.49	42.02	3	Horizontal	293	1.96	-	38.26	10.59	35.36
AV	10.6517G	41.10	54.00	-12.90	27.54	3	Horizontal	293	1.96	-	38.30	10.60	35.34
PK	15.9567G	60.26	74.00	-13.74	45.14	3	Horizontal	178	1.37	-	37.49	13.38	35.75
AV	15.94626G	46.37	54.00	-7.63	31.23	3	Horizontal	178	1.37	-	37.51	13.37	35.74

802.11a_Nss1,(6Mbps)_1TX

5500MHz_TnomVnom




EUT X_1TX
 Setting 17.75
 03-C-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.46G	63.31	74.00	-10.69	56.88	3	Vertical	254	1.69	-	34.52	7.26	35.35	
AV	5.4596G	47.61	54.00	-6.39	41.18	3	Vertical	254	1.69	-	34.52	7.26	35.35	
PK	5.47G	66.17	68.20	-2.03	59.71	3	Vertical	254	1.69	-	34.54	7.27	35.35	
PK	5.5008G	113.67	Inf	-Inf	107.12	3	Vertical	254	1.69	-	34.60	7.30	35.35	
AV	5.5012G	104.00	Inf	-Inf	97.45	3	Vertical	254	1.69	-	34.60	7.30	35.35	

802.11a_Nss1,(6Mbps)_1TX

5500MHz_TnomVnom




EUT_X_1TX
 Setting 17.75
 03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01026G	55.96	74.00	-18.04	41.95	3	Vertical	26	1.05	-	38.41	10.65	35.05
AV	11.00576G	41.74	54.00	-12.26	27.73	3	Vertical	26	1.05	-	38.41	10.65	35.05
PK	16.50312G	62.24	68.20	-5.96	45.43	3	Vertical	262	2.38	-	38.42	13.75	35.36

802.11a_Nss1,(6Mbps)_1TX

5500MHz_TnomVnom




EUT_X_1TX
 Setting 17.75
 03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00618G	55.16	74.00	-18.84	41.15	3	Horizontal	139	1.89	-	38.41	10.65	35.05
AV	11.00642G	41.81	54.00	-12.19	27.80	3	Horizontal	139	1.89	-	38.41	10.65	35.05
PK	16.50144G	62.16	68.20	-6.04	45.36	3	Horizontal	357	2.06	-	38.41	13.75	35.36

802.11a_Nss1,(6Mbps)_1TX

5580MHz_TnomVnom




EUT X_1TX
 Setting 21.5
 03-C-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4224G	60.53	74.00	-13.47	54.10	3	Vertical	79	1.37	-	34.56	7.22	35.35
AV	5.4208G	48.51	54.00	-5.49	42.08	3	Vertical	79	1.37	-	34.56	7.22	35.35
PK	5.4656G	58.90	68.20	-9.30	52.45	3	Vertical	79	1.37	-	34.53	7.27	35.35
PK	5.5784G	119.74	Inf	-Inf	113.15	3	Vertical	79	1.37	-	34.60	7.38	35.39
AV	5.5792G	110.03	Inf	-Inf	103.44	3	Vertical	79	1.37	-	34.60	7.38	35.39
PK	5.7432G	60.24	68.20	-7.96	54.10	3	Vertical	79	1.37	-	34.21	7.40	35.47

802.11a_Nss1,(6Mbps)_1TX

5580MHz_TnomVnom




EUT_X_1TX
 Setting 21.5
 03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16222G	60.82	74.00	-13.18	46.81	3	Vertical	157	2.77	-	38.56	10.67	35.22
AV	11.15976G	47.05	54.00	-6.95	33.04	3	Vertical	157	2.77	-	38.56	10.67	35.22
PK	16.75458G	61.59	68.20	-6.61	43.69	3	Vertical	312	2.27	-	39.08	13.93	35.11

802.11a_Nss1,(6Mbps)_1TX

5580MHz_TnomVnom




EUT_X_1TX
 Setting 21.5
 03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15784G	61.56	74.00	-12.44	47.55	3	Horizontal	133	2.07	-	38.56	10.67	35.22
AV	11.15784G	47.92	54.00	-6.08	33.91	3	Horizontal	133	2.07	-	38.56	10.67	35.22
PK	16.75356G	61.50	68.20	-6.70	43.61	3	Horizontal	218	2.06	-	39.07	13.93	35.11

802.11a_Nss1,(6Mbps)_1TX

5700MHz_TnomVnom




EUT X_1TX
 Setting 14.25
 03-C-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7006G	112.69	Inf	-Inf	106.44	3	Vertical	78	1.29	-	34.30	7.40	35.45
AV	5.7008G	103.06	Inf	-Inf	96.81	3	Vertical	78	1.29	-	34.30	7.40	35.45
PK	5.725G	66.95	68.20	-1.25	60.76	3	Vertical	78	1.29	-	34.25	7.40	35.46

802.11a_Nss1,(6Mbps)_1TX

5700MHz_TnomVnom




EUT_X_1TX
 Setting 14.25
 03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40588G	55.42	74.00	-18.58	41.39	3	Vertical	116	2.08	-	38.81	10.71	35.49
AV	11.39028G	42.04	54.00	-11.96	28.02	3	Vertical	116	2.08	-	38.79	10.71	35.48
PK	17.10576G	64.39	68.20	-3.81	44.87	3	Vertical	210	1.33	-	40.22	14.17	34.87

802.11a_Nss1,(6Mbps)_1TX

5700MHz_TnomVnom




EUT_X_1TX
 Setting 14.25
 03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41416G	55.95	74.00	-18.05	41.91	3	Horizontal	10	2.52	-	38.83	10.71	35.50
AV	11.3934G	42.25	54.00	-11.75	28.23	3	Horizontal	10	2.52	-	38.79	10.71	35.48
PK	17.10918G	64.27	68.20	-3.93	44.72	3	Horizontal	17	1.55	-	40.24	14.18	34.87

802.11a_Nss1,(6Mbps)_1TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_X_1TX
 Setting 21.5
 03-C-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7192G	119.41	Inf	-Inf	113.21	3	Vertical	78	1.35	-	34.26	7.40	35.46
AV	5.7208G	109.70	Inf	-Inf	103.50	3	Vertical	78	1.35	-	34.26	7.40	35.46
PK	5.876G	60.20	68.20	-8.00	53.80	3	Vertical	78	1.35	-	34.46	7.48	35.54

802.11a_Nss1,(6Mbps)_1TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_1TX
 Setting 21.5
 03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44168G	62.86	74.00	-11.14	48.79	3	Vertical	171	2.45	-	38.88	10.72	35.53
AV	11.44114G	49.09	54.00	-4.91	35.02	3	Vertical	171	2.45	-	38.88	10.72	35.53
PK	17.1507G	64.38	68.20	-3.82	44.65	3	Vertical	178	2.67	-	40.40	14.21	34.88

802.11a_Nss1,(6Mbps)_1TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_1TX
 Setting 21.5
 03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43898G	62.08	74.00	-11.92	48.01	3	Horizontal	132	2.09	-	38.88	10.72	35.53
AV	11.44102G	48.71	54.00	-5.29	34.64	3	Horizontal	132	2.09	-	38.88	10.72	35.53
PK	17.16036G	64.27	68.20	-3.93	44.50	3	Horizontal	91	2.83	-	40.44	14.21	34.88

802.11a_Nss1,(6Mbps)_1TX

5745MHz_TnomVnom




EUT X_1TX
 Setting 21.5
 03-C-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.584G	60.32	68.20	-7.88	53.73	3	Vertical	78	1.35	-	34.60	7.38	35.39	
PK	5.744G	119.97	Inf	-Inf	113.83	3	Vertical	78	1.35	-	34.21	7.40	35.47	
AV	5.746G	109.87	Inf	-Inf	103.73	3	Vertical	78	1.35	-	34.21	7.40	35.47	
PK	5.941G	60.30	68.20	-7.90	53.57	3	Vertical	78	1.35	-	34.76	7.54	35.57	

802.11a_Nss1,(6Mbps)_1TX

5745MHz_TnomVnom




EUT_X_1TX
 Setting 21.5
 03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49156G	64.37	74.00	-9.63	50.26	3	Vertical	177	2.75	-	38.98	10.72	35.59
AV	11.49144G	50.39	54.00	-3.61	36.28	3	Vertical	177	2.75	-	38.98	10.72	35.59
PK	17.2434G	64.43	68.20	-3.77	44.18	3	Vertical	307	1.07	-	40.86	14.27	34.88

802.11a_Nss1,(6Mbps)_1TX

5745MHz_TnomVnom




EUT_X_1TX
 Setting 21.5
 03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49288G	62.56	74.00	-11.44	48.44	3	Horizontal	135	2.06	-	38.99	10.72	35.59
AV	11.4915G	49.05	54.00	-4.95	34.94	3	Horizontal	135	2.06	-	38.98	10.72	35.59
PK	17.24004G	64.50	68.20	-3.70	44.27	3	Horizontal	40	1.85	-	40.84	14.27	34.88

802.11a_Nss1,(6Mbps)_1TX

5785MHz_TnomVnom




EUT X_1TX
 Setting 21.5
 03-C-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.576G	60.18	68.20	-8.02	53.59	3	Vertical	79	1.39	-	34.60	7.38	35.39
PK	5.786G	119.80	Inf	-Inf	113.69	3	Vertical	79	1.39	-	34.20	7.40	35.49
AV	5.784G	110.00	Inf	-Inf	103.89	3	Vertical	79	1.39	-	34.20	7.40	35.49
PK	5.942G	61.00	68.20	-7.20	54.26	3	Vertical	79	1.39	-	34.77	7.54	35.57

802.11a_Nss1,(6Mbps)_1TX

5785MHz_TnomVnom




EUT_X_1TX
 Setting 21.5
 03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5733G	63.33	74.00	-10.67	48.88	3	Vertical	155	2.70	-	39.29	10.74	35.58
AV	11.57138G	49.77	54.00	-4.23	35.32	3	Vertical	155	2.70	-	39.29	10.74	35.58
PK	17.34708G	64.49	68.20	-3.71	43.65	3	Vertical	13	1.09	-	41.39	14.34	34.89

802.11a_Nss1,(6Mbps)_1TX

5785MHz_TnomVnom




EUT_X_1TX
 Setting 21.5
 03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.57168G	63.68	74.00	-10.32	49.23	3	Horizontal	96	2.69	-	39.29	10.74	35.58	
AV	11.57138G	50.19	54.00	-3.81	35.74	3	Horizontal	96	2.69	-	39.29	10.74	35.58	
PK	17.35614G	64.95	68.20	-3.25	44.08	3	Horizontal	327	1.26	-	41.42	14.35	34.90	

802.11a_Nss1,(6Mbps)_1TX

5825MHz_TnomVnom




EUT X_1TX
 Setting 21.5
 03-C-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.583G	59.41	68.20	-8.79	52.82	3	Vertical	77	1.30	-	34.60	7.38	35.39
PK	5.824G	119.47	Inf	-Inf	113.31	3	Vertical	77	1.30	-	34.25	7.42	35.51
AV	5.826G	109.62	Inf	-Inf	103.45	3	Vertical	77	1.30	-	34.25	7.43	35.51
PK	5.931G	61.95	68.20	-6.25	55.27	3	Vertical	77	1.30	-	34.72	7.53	35.57

802.11a_Nss1,(6Mbps)_1TX

5825MHz_TnomVnom




EUT_X_1TX
 Setting 21.5
 03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65216G	63.11	74.00	-10.89	48.53	3	Vertical	168	3.00	-	39.40	10.75	35.57
AV	11.65132G	49.40	54.00	-4.60	34.82	3	Vertical	168	3.00	-	39.40	10.75	35.57
PK	17.48826G	66.12	68.20	-2.08	44.20	3	Vertical	167	1.98	-	42.39	14.44	34.91

802.11a_Nss1,(6Mbps)_1TX

5825MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65216G	63.02	74.00	-10.98	48.44	3	Horizontal	143	2.03	-	39.40	10.75	35.57
AV	11.65144G	48.98	54.00	-5.02	34.40	3	Horizontal	143	2.03	-	39.40	10.75	35.57
PK	17.4789G	66.00	68.20	-2.20	44.16	3	Horizontal	39	2.68	-	42.31	14.44	34.91

802.11ax HEW20_Nss1,(MCS0)_1TX

5180MHz_TnomVnom




EUT X_1TX
 Setting 17.25
 03-C-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.1496G	73.37	74.00	-0.63	67.54	3	Vertical	78	1.51	-	34.00	7.17	35.34	
AV	5.15G	51.50	54.00	-2.50	45.67	3	Vertical	78	1.51	-	34.00	7.17	35.34	
PK	5.1794G	117.16	Inf	-Inf	111.19	3	Vertical	78	1.51	-	34.12	7.19	35.34	
AV	5.1808G	104.30	Inf	-Inf	98.33	3	Vertical	78	1.51	-	34.12	7.19	35.34	

802.11ax HEW20_Nss1,(MCS0)_1TX

5180MHz_TnomVnom




EUT X_1TX
Setting 17.25
03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.36548G	55.37	68.20	-12.83	42.23	3	Vertical	217	1.73	-	38.17	10.55	35.58
PK	15.53756G	60.95	74.00	-13.05	44.74	3	Vertical	175	1.23	-	38.44	13.17	35.40
AV	15.53184G	47.38	54.00	-6.62	31.13	3	Vertical	175	1.23	-	38.48	13.17	35.40

802.11ax HEW20_Nss1,(MCS0)_1TX

5180MHz_TnomVnom




EUT X_1TX
Setting 17.25
03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.3512G	55.08	68.20	-13.12	41.97	3	Horizontal	214	1.58	-	38.15	10.55	35.59
PK	15.53568G	60.66	74.00	-13.34	44.44	3	Horizontal	88	1.66	-	38.45	13.17	35.40
AV	15.53056G	47.32	54.00	-6.68	31.06	3	Horizontal	88	1.66	-	38.49	13.17	35.40

802.11ax HEW20_Nss1,(MCS0)_1TX

5200MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-C-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1488G	61.68	74.00	-12.32	55.85	3	Vertical	78	1.56	-	34.00	7.17	35.34
AV	5.15G	47.79	54.00	-6.21	41.96	3	Vertical	78	1.56	-	34.00	7.17	35.34
PK	5.1996G	119.75	Inf	-Inf	113.69	3	Vertical	78	1.56	-	34.20	7.20	35.34
AV	5.2004G	107.90	Inf	-Inf	101.84	3	Vertical	78	1.56	-	34.20	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_1TX

5200MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.3994G	55.34	68.20	-12.86	42.13	3	Vertical	326	1.82	-	38.20	10.56	35.55
PK	15.59952G	60.82	74.00	-13.18	45.07	3	Vertical	177	2.93	-	38.00	13.20	35.45
AV	15.59736G	47.06	54.00	-6.94	31.29	3	Vertical	177	2.93	-	38.02	13.20	35.45

802.11ax HEW20_Nss1,(MCS0)_1TX

5200MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.3942G	54.69	68.20	-13.51	41.49	3	Horizontal	285	1.72	-	38.19	10.56	35.55
PK	15.603G	61.06	74.00	-12.94	45.34	3	Horizontal	116	1.97	-	37.98	13.20	35.46
AV	15.59296G	47.05	54.00	-6.95	31.25	3	Horizontal	116	1.97	-	38.05	13.20	35.45

802.11ax HEW20_Nss1,(MCS0)_1TX

5240MHz_TnomVnom




EUT X_1TX
 Setting 21.5
 03-C-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1242G	59.13	74.00	-14.87	53.35	3	Vertical	250	1.78	-	33.95	7.16	35.33
AV	5.1032G	46.00	54.00	-8.00	40.27	3	Vertical	250	1.78	-	33.91	7.15	35.33
PK	5.2412G	116.47	Inf	-Inf	110.25	3	Vertical	250	1.78	-	34.36	7.20	35.34
AV	5.2406G	104.96	Inf	-Inf	98.74	3	Vertical	250	1.78	-	34.36	7.20	35.34
PK	5.3546G	59.55	74.00	-14.45	53.18	3	Vertical	250	1.78	-	34.51	7.20	35.34
AV	5.3822G	47.04	54.00	-6.96	40.63	3	Vertical	250	1.78	-	34.56	7.20	35.35

802.11ax HEW20_Nss1,(MCS0)_1TX

5240MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.48384G	54.63	68.20	-13.57	41.34	3	Vertical	115	1.63	-	38.20	10.57	35.48
PK	15.7272G	59.80	74.00	-14.20	44.49	3	Vertical	328	1.83	-	37.61	13.26	35.56
AV	15.72944G	46.12	54.00	-7.88	30.80	3	Vertical	328	1.83	-	37.62	13.26	35.56

802.11ax HEW20_Nss1,(MCS0)_1TX

5240MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.48496G	54.88	68.20	-13.32	41.59	3	Horizontal	226	2.38	-	38.20	10.57	35.48
PK	15.72008G	59.58	74.00	-14.42	44.29	3	Horizontal	185	2.61	-	37.58	13.26	35.55
AV	15.71972G	46.18	54.00	-7.82	30.89	3	Horizontal	185	2.61	-	37.58	13.26	35.55

802.11ax HEW20_Nss1,(MCS0)_1TX

5260MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-C-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1196G	58.64	74.00	-15.36	52.87	3	Vertical	250	1.91	-	33.94	7.16	35.33
AV	5.1196G	45.92	54.00	-8.08	40.15	3	Vertical	250	1.91	-	33.94	7.16	35.33
PK	5.2594G	116.95	Inf	-Inf	110.67	3	Vertical	250	1.91	-	34.42	7.20	35.34
AV	5.2606G	104.84	Inf	-Inf	98.56	3	Vertical	250	1.91	-	34.42	7.20	35.34
PK	5.3662G	60.38	74.00	-13.62	53.99	3	Vertical	250	1.91	-	34.53	7.20	35.34
AV	5.374G	47.12	54.00	-6.88	40.71	3	Vertical	250	1.91	-	34.55	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_1TX

5260MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5186G	54.93	68.20	-13.27	41.60	3	Vertical	144	2.94	-	38.20	10.58	35.45
PK	15.77744G	59.78	74.00	-14.22	44.28	3	Vertical	87	2.14	-	37.81	13.29	35.60
AV	15.78776G	45.92	54.00	-8.08	30.39	3	Vertical	87	2.14	-	37.85	13.29	35.61

802.11ax HEW20_Nss1,(MCS0)_1TX

5260MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.52116G	54.62	68.20	-13.58	41.29	3	Horizontal	38	2.55	-	38.20	10.58	35.45
PK	15.78712G	59.65	74.00	-14.35	44.12	3	Horizontal	290	2.05	-	37.85	13.29	35.61
AV	15.78444G	45.83	54.00	-8.17	30.31	3	Horizontal	290	2.05	-	37.84	13.29	35.61

802.11ax HEW20_Nss1,(MCS0)_1TX

5300MHz_TnomVnom




EUT X_1TX
 Setting 21.5
 03-C-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2996G	119.19	Inf	-Inf	112.83	3	Vertical	79	1.56	-	34.50	7.20	35.34
AV	5.3008G	107.21	Inf	-Inf	100.85	3	Vertical	79	1.56	-	34.50	7.20	35.34
PK	5.352G	69.55	74.00	-4.45	63.19	3	Vertical	79	1.56	-	34.50	7.20	35.34
AV	5.35G	51.45	54.00	-2.55	45.09	3	Vertical	79	1.56	-	34.50	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_1TX

5300MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5964G	54.92	68.20	-13.28	41.52	3	Vertical	119	1.17	-	38.20	10.59	35.39
PK	15.89132G	60.44	74.00	-13.56	45.16	3	Vertical	98	2.33	-	37.63	13.35	35.70
AV	15.90928G	46.12	54.00	-7.88	30.90	3	Vertical	98	2.33	-	37.58	13.35	35.71

802.11ax HEW20_Nss1,(MCS0)_1TX

5300MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.59068G	55.43	68.20	-12.77	42.03	3	Horizontal	195	1.85	-	38.20	10.59	35.39
PK	15.90028G	59.77	74.00	-14.23	44.53	3	Horizontal	18	1.70	-	37.60	13.35	35.71
AV	15.9096G	46.16	54.00	-7.84	30.94	3	Horizontal	18	1.70	-	37.58	13.35	35.71

802.11ax HEW20_Nss1,(MCS0)_1TX

5320MHz_TnomVnom




EUT X_1TX
Setting 16.75
03-C-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3194G	114.09	Inf	-Inf	107.73	3	Vertical	251	1.85	-	34.50	7.20	35.34
AV	5.3188G	101.00	Inf	-Inf	94.64	3	Vertical	251	1.85	-	34.50	7.20	35.34
PK	5.3504G	72.48	74.00	-1.52	66.12	3	Vertical	251	1.85	-	34.50	7.20	35.34
AV	5.35G	50.78	54.00	-3.22	44.42	3	Vertical	251	1.85	-	34.50	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_1TX

5320MHz_TnomVnom




EUT_X_1TX
Setting 16.75
03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.63924G	54.63	74.00	-19.37	41.10	3	Vertical	209	1.92	-	38.28	10.60	35.35
AV	10.6466G	40.96	54.00	-13.04	27.41	3	Vertical	209	1.92	-	38.29	10.60	35.34
PK	15.96372G	60.65	74.00	-13.35	45.56	3	Vertical	351	2.43	-	37.47	13.38	35.76
AV	15.95456G	46.23	54.00	-7.77	31.11	3	Vertical	351	2.43	-	37.49	13.38	35.75

802.11ax HEW20_Nss1,(MCS0)_1TX

5320MHz_TnomVnom




EUT_X_1TX
 Setting 16.75
 03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	10.63048G	54.82	74.00	-19.18	41.33	3	Horizontal	38	2.12	-	38.26	10.59	35.36	
AV	10.6482G	40.99	54.00	-13.01	27.43	3	Horizontal	38	2.12	-	38.30	10.60	35.34	
PK	15.96292G	59.99	74.00	-14.01	44.90	3	Horizontal	163	2.89	-	37.47	13.38	35.76	
AV	15.95272G	46.25	54.00	-7.75	31.13	3	Horizontal	163	2.89	-	37.49	13.38	35.75	

802.11ax HEW20_Nss1,(MCS0)_1TX

5500MHz_TnomVnom




EUT X_1TX
Setting 17.25
03-C-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4572G	61.00	74.00	-13.00	54.58	3	Vertical	253	1.68	-	34.51	7.26	35.35
AV	5.4584G	47.48	54.00	-6.52	41.05	3	Vertical	253	1.68	-	34.52	7.26	35.35
PK	5.4692G	67.82	68.20	-0.38	61.36	3	Vertical	253	1.68	-	34.54	7.27	35.35
PK	5.4992G	115.99	Inf	-Inf	109.44	3	Vertical	253	1.68	-	34.60	7.30	35.35
AV	5.5012G	103.03	Inf	-Inf	96.48	3	Vertical	253	1.68	-	34.60	7.30	35.35

802.11ax HEW20_Nss1,(MCS0)_1TX

5500MHz_TnomVnom




EUT X_1TX
Setting 17.25
03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00876G	56.02	74.00	-17.98	42.01	3	Vertical	20	2.23	-	38.41	10.65	35.05
AV	11.0098G	41.74	54.00	-12.26	27.73	3	Vertical	20	2.23	-	38.41	10.65	35.05
PK	16.49136G	62.91	68.20	-5.29	46.20	3	Vertical	88	1.55	-	38.34	13.74	35.37

802.11ax HEW20_Nss1,(MCS0)_1TX

5500MHz_TnomVnom




EUT X_1TX
Setting 17.25
03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00804G	55.10	74.00	-18.90	41.09	3	Horizontal	9	1.03	-	38.41	10.65	35.05
AV	11.00692G	41.75	54.00	-12.25	27.74	3	Horizontal	9	1.03	-	38.41	10.65	35.05
PK	16.50072G	62.26	68.20	-5.94	45.47	3	Horizontal	344	2.42	-	38.40	13.75	35.36

802.11ax HEW20_Nss1,(MCS0)_1TX

5580MHz_TnomVnom




EUT X_1TX
 Setting 21.5
 03-C-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.408G	60.73	74.00	-13.27	54.29	3	Vertical	79	1.36	-	34.58	7.21	35.35
AV	5.4208G	48.37	54.00	-5.63	41.94	3	Vertical	79	1.36	-	34.56	7.22	35.35
PK	5.4688G	59.42	68.20	-8.78	52.96	3	Vertical	79	1.36	-	34.54	7.27	35.35
PK	5.5792G	121.05	Inf	-Inf	114.46	3	Vertical	79	1.36	-	34.60	7.38	35.39
AV	5.5792G	109.55	Inf	-Inf	102.96	3	Vertical	79	1.36	-	34.60	7.38	35.39
PK	5.7608G	60.58	68.20	-7.62	54.46	3	Vertical	79	1.36	-	34.20	7.40	35.48

802.11ax HEW20_Nss1,(MCS0)_1TX

5580MHz_TnomVnom




EUT X_1TX
 Setting 21.5
 03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15488G	54.66	74.00	-19.34	40.65	3	Vertical	101	1.64	-	38.55	10.67	35.21
AV	11.15068G	41.21	54.00	-12.79	27.20	3	Vertical	101	1.64	-	38.55	10.67	35.21
PK	16.73652G	62.07	68.20	-6.13	44.31	3	Vertical	211	2.07	-	38.96	13.92	35.12

802.11ax HEW20_Nss1,(MCS0)_1TX

5580MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.157G	54.66	74.00	-19.34	40.65	3	Horizontal	193	1.54	-	38.56	10.67	35.22
AV	11.15092G	41.21	54.00	-12.79	27.20	3	Horizontal	193	1.54	-	38.55	10.67	35.21
PK	16.74236G	62.04	68.20	-6.16	44.24	3	Horizontal	244	1.31	-	39.00	13.92	35.12

802.11ax HEW20_Nss1,(MCS0)_1TX

5700MHz_TnomVnom




EUT X_1TX
 Setting 14
 03-C-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6994G	114.97	Inf	-Inf	108.72	3	Vertical	78	1.26	-	34.30	7.40	35.45
AV	5.7006G	102.20	Inf	-Inf	95.95	3	Vertical	78	1.26	-	34.30	7.40	35.45
PK	5.725G	67.63	68.20	-0.57	61.44	3	Vertical	78	1.26	-	34.25	7.40	35.46

802.11ax HEW20_Nss1,(MCS0)_1TX

5700MHz_TnomVnom




EUT_X_1TX
 Setting 14
 03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39596G	55.40	74.00	-18.60	41.37	3	Vertical	47	2.33	-	38.80	10.71	35.48
AV	11.3994G	42.02	54.00	-11.98	28.00	3	Vertical	47	2.33	-	38.80	10.71	35.49
PK	17.09088G	65.71	68.20	-2.49	46.25	3	Vertical	6	1.35	-	40.17	14.16	34.87

802.11ax HEW20_Nss1,(MCS0)_1TX

5700MHz_TnomVnom




EUT X_1TX
Setting 14
03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40424G	55.67	74.00	-18.33	41.64	3	Horizontal	101	2.06	-	38.81	10.71	35.49
AV	11.39948G	42.00	54.00	-12.00	27.98	3	Horizontal	101	2.06	-	38.80	10.71	35.49
PK	17.0932G	65.10	68.20	-3.10	45.62	3	Horizontal	143	2.11	-	40.18	14.17	34.87

802.11ax HEW20_Nss1,(MCS0)_1TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_X_1TX
Setting 21.5
03-C-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7192G	120.82	Inf	-Inf	114.62	3	Vertical	78	1.41	-	34.26	7.40	35.46
AV	5.7208G	109.32	Inf	-Inf	103.12	3	Vertical	78	1.41	-	34.26	7.40	35.46
PK	5.8808G	61.35	68.20	-6.85	54.93	3	Vertical	78	1.41	-	34.48	7.48	35.54

802.11ax HEW20_Nss1,(MCS0)_1TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_1TX
Setting 21.5
03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4396G	61.20	74.00	-12.80	47.13	3	Vertical	172	2.46	-	38.88	10.72	35.53
AV	11.43744G	46.62	54.00	-7.38	32.56	3	Vertical	172	2.46	-	38.87	10.72	35.53
PK	17.15636G	64.72	68.20	-3.48	44.96	3	Vertical	188	2.75	-	40.43	14.21	34.88

802.11ax HEW20_Nss1,(MCS0)_1TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_1TX
 Setting 21.5
 03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44596G	59.53	74.00	-14.47	45.46	3	Horizontal	132	2.04	-	38.89	10.72	35.54
AV	11.43744G	45.79	54.00	-8.21	31.73	3	Horizontal	132	2.04	-	38.87	10.72	35.53
PK	17.15888G	64.98	68.20	-3.22	45.21	3	Horizontal	140	2.52	-	40.44	14.21	34.88

802.11ax HEW20_Nss1,(MCS0)_1TX

5745MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-C-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.627G	61.23	68.20	-6.97	54.69	3	Vertical	78	1.34	-	34.55	7.40	35.41
PK	5.747G	120.96	Inf	-Inf	114.82	3	Vertical	78	1.34	-	34.21	7.40	35.47
AV	5.746G	109.35	Inf	-Inf	103.21	3	Vertical	78	1.34	-	34.21	7.40	35.47
PK	5.968G	60.62	68.20	-7.58	53.83	3	Vertical	78	1.34	-	34.80	7.57	35.58

802.11ax HEW20_Nss1,(MCS0)_1TX

5745MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49236G	61.25	74.00	-12.75	47.14	3	Vertical	172	2.49	-	38.98	10.72	35.59
AV	11.48728G	47.31	54.00	-6.69	33.21	3	Vertical	172	2.49	-	38.97	10.72	35.59
PK	17.23536G	64.61	68.20	-3.59	44.42	3	Vertical	1	1.84	-	40.81	14.26	34.88

802.11ax HEW20_Nss1,(MCS0)_1TX

5745MHz_TnomVnom




EUT X_1TX
 Setting 21.5
 03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4916G	60.31	74.00	-13.69	46.20	3	Horizontal	187	2.11	-	38.98	10.72	35.59
AV	11.48748G	46.22	54.00	-7.78	32.12	3	Horizontal	187	2.11	-	38.97	10.72	35.59
PK	17.22992G	65.17	68.20	-3.03	45.01	3	Horizontal	82	1.17	-	40.78	14.26	34.88

802.11ax HEW20_Nss1,(MCS0)_1TX

5785MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-C-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.626G	60.94	68.20	-7.26	54.40	3	Vertical	78	1.30	-	34.55	7.40	35.41
PK	5.787G	120.84	Inf	-Inf	114.73	3	Vertical	78	1.30	-	34.20	7.40	35.49
AV	5.784G	109.43	Inf	-Inf	103.32	3	Vertical	78	1.30	-	34.20	7.40	35.49
PK	6.016G	61.26	68.20	-6.94	54.41	3	Vertical	78	1.30	-	34.83	7.61	35.59

802.11ax HEW20_Nss1,(MCS0)_1TX

5785MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.58G	56.45	74.00	-17.55	41.97	3	Vertical	297	2.07	-	39.32	10.74	35.58
AV	11.5774G	42.27	54.00	-11.73	27.80	3	Vertical	297	2.07	-	39.31	10.74	35.58
PK	17.3596G	64.82	68.20	-3.38	43.93	3	Vertical	57	2.38	-	41.44	14.35	34.90

802.11ax HEW20_Nss1,(MCS0)_1TX

5785MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57672G	56.03	74.00	-17.97	41.56	3	Horizontal	146	1.92	-	39.31	10.74	35.58
AV	11.57452G	42.09	54.00	-11.91	27.63	3	Horizontal	146	1.92	-	39.30	10.74	35.58
PK	17.34556G	64.85	68.20	-3.35	44.02	3	Horizontal	287	2.79	-	41.38	14.34	34.89

802.11ax HEW20_Nss1,(MCS0)_1TX

5825MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-C-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.622G	59.87	68.20	-8.33	53.32	3	Vertical	79	1.26	-	34.56	7.40	35.41
PK	5.824G	120.97	Inf	-Inf	114.81	3	Vertical	79	1.26	-	34.25	7.42	35.51
AV	5.826G	109.01	Inf	-Inf	102.84	3	Vertical	79	1.26	-	34.25	7.43	35.51
PK	5.926G	61.37	68.20	-6.83	54.70	3	Vertical	79	1.26	-	34.70	7.53	35.56

802.11ax HEW20_Nss1,(MCS0)_1TX

5825MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65312G	61.53	74.00	-12.47	46.95	3	Vertical	165	3.00	-	39.40	10.75	35.57
AV	11.65008G	47.67	54.00	-6.33	33.09	3	Vertical	165	3.00	-	39.40	10.75	35.57
PK	17.47108G	65.46	68.20	-2.74	43.70	3	Vertical	352	2.60	-	42.24	14.43	34.91

802.11ax HEW20_Nss1,(MCS0)_1TX

5825MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65356G	61.30	74.00	-12.70	46.72	3	Horizontal	137	2.06	-	39.40	10.75	35.57
AV	11.64732G	47.25	54.00	-6.75	32.67	3	Horizontal	137	2.06	-	39.40	10.75	35.57
PK	17.46848G	65.97	68.20	-2.23	44.23	3	Horizontal	153	1.09	-	42.22	14.43	34.91

802.11ax HEW40_Nss1,(MCS0)_1TX

5190MHz_TnomVnom




EUT_X_1TX
 Setting 15.5
 03-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.144G	70.31	74.00	-3.69	64.49	3	Vertical	73	1.43	-	33.99	7.17	35.34
AV	5.1492G	53.80	54.00	-0.20	47.97	3	Vertical	73	1.43	-	34.00	7.17	35.34
PK	5.1928G	109.52	Inf	-Inf	103.49	3	Vertical	73	1.43	-	34.17	7.20	35.34
AV	5.1936G	96.70	Inf	-Inf	90.67	3	Vertical	73	1.43	-	34.17	7.20	35.34

802.11ax HEW40_Nss1,(MCS0)_1TX

5190MHz_TnomVnom




EUT X_1TX
Setting 15.5
03-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.57492G	60.88	74.00	-13.12	44.94	3	Vertical	203	1.30	-	38.18	13.19	35.43
AV	15.58434G	47.36	54.00	-6.64	31.50	3	Vertical	203	1.30	-	38.11	13.19	35.44

802.11ax HEW40_Nss1,(MCS0)_1TX

5190MHz_TnomVnom




EUT X_1TX
Setting 15.5
03-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.57654G	60.34	74.00	-13.66	44.42	3	Horizontal	351	1.94	-	38.16	13.19	35.43
AV	15.5784G	47.00	54.00	-7.00	31.10	3	Horizontal	351	1.94	-	38.15	13.19	35.44

802.11ax HEW40_Nss1,(MCS0)_1TX

5230MHz_TnomVnom




EUT X_1TX
Setting 21.75
03-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1436G	70.37	74.00	-3.63	64.55	3	Vertical	75	1.31	-	33.99	7.17	35.34
AV	5.15G	53.52	54.00	-0.48	47.69	3	Vertical	75	1.31	-	34.00	7.17	35.34
PK	5.2246G	113.32	Inf	-Inf	107.16	3	Vertical	75	1.31	-	34.30	7.20	35.34
AV	5.2162G	101.55	Inf	-Inf	95.43	3	Vertical	75	1.31	-	34.26	7.20	35.34
PK	5.3686G	70.50	74.00	-3.50	64.10	3	Vertical	75	1.31	-	34.54	7.20	35.34
AV	5.35G	53.99	54.00	-0.01	47.63	3	Vertical	75	1.31	-	34.50	7.20	35.34

802.11ax HEW40_Nss1,(MCS0)_1TX

5230MHz_TnomVnom




EUT X_1TX
Setting 21.75
03-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.45094G	54.51	68.20	-13.69	41.25	3	Vertical	139	2.12	-	38.20	10.57	35.51
PK	15.68124G	62.28	74.00	-11.72	46.97	3	Vertical	168	1.96	-	37.59	13.24	35.52
AV	15.67962G	47.84	54.00	-6.16	32.52	3	Vertical	168	1.96	-	37.60	13.24	35.52

802.11ax HEW40_Nss1,(MCS0)_1TX

5230MHz_TnomVnom




EUT X_1TX
Setting 21.75
03-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4636G	54.08	68.20	-14.12	40.81	3	Horizontal	265	2.07	-	38.20	10.57	35.50
PK	15.6867G	61.44	74.00	-12.56	46.16	3	Horizontal	247	1.78	-	37.57	13.24	35.53
AV	15.6774G	47.06	54.00	-6.94	31.73	3	Horizontal	247	1.78	-	37.61	13.24	35.52

802.11ax HEW40_Nss1,(MCS0)_1TX

5270MHz_TnomVnom




EUT_X_1TX
 Setting 18.5
 03-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2728G	111.91	Inf	-Inf	105.60	3	Vertical	74	1.73	-	34.45	7.20	35.34
AV	5.2636G	99.04	Inf	-Inf	92.75	3	Vertical	74	1.73	-	34.43	7.20	35.34
PK	5.3564G	71.17	74.00	-2.83	64.80	3	Vertical	74	1.73	-	34.51	7.20	35.34
AV	5.35G	53.64	54.00	-0.36	47.28	3	Vertical	74	1.73	-	34.50	7.20	35.34

802.11ax HEW40_Nss1,(MCS0)_1TX

5270MHz_TnomVnom




EUT X_1TX
Setting 18.5
03-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	15.81066G	59.20	74.00	-14.80	43.65	3	Vertical	212	2.89	-	37.87	13.31	35.63	
AV	15.80142G	45.64	54.00	-8.36	30.06	3	Vertical	212	2.89	-	37.90	13.30	35.62	

802.11ax HEW40_Nss1,(MCS0)_1TX

5270MHz_TnomVnom




EUT X_1TX
Setting 18.5
03-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.8022G	59.31	74.00	-14.69	43.74	3	Horizontal	296	1.35	-	37.89	13.30	35.62
AV	15.80532G	45.66	54.00	-8.34	30.11	3	Horizontal	296	1.35	-	37.88	13.30	35.63

802.11ax HEW40_Nss1,(MCS0)_1TX

5310MHz_TnomVnom




EUT X_1TX
Setting 15.25
03-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3056G	108.34	Inf	-Inf	101.98	3	Vertical	73	1.72	-	34.50	7.20	35.34
AV	5.3072G	96.09	Inf	-Inf	89.73	3	Vertical	73	1.72	-	34.50	7.20	35.34
PK	5.356G	73.42	74.00	-0.58	67.05	3	Vertical	73	1.72	-	34.51	7.20	35.34
AV	5.35G	50.85	54.00	-3.15	44.49	3	Vertical	73	1.72	-	34.50	7.20	35.34

802.11ax HEW40_Nss1,(MCS0)_1TX

5310MHz_TnomVnom




EUT X_1TX
Setting 15.25
03-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	15.91728G	59.03	74.00	-14.97	43.82	3	Vertical	67	2.47	-	37.57	13.36	35.72
AV	15.915G	45.02	54.00	-8.98	29.81	3	Vertical	67	2.47	-	37.57	13.36	35.72

802.11ax HEW40_Nss1,(MCS0)_1TX

5310MHz_TnomVnom




EUT X_1TX
 Setting 15.25
 03-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	15.92256G	58.87	74.00	-15.13	43.68	3	Horizontal	57	1.55	-	37.55	13.36	35.72
AV	15.92076G	44.97	54.00	-9.03	29.77	3	Horizontal	57	1.55	-	37.56	13.36	35.72

802.11ax HEW40_Nss1,(MCS0)_1TX

5510MHz_TnomVnom




EUT X_1TX
Setting 15.75
03-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.456G	65.61	74.00	-8.39	59.19	3	Vertical	74	1.68	-	34.51	7.26	35.35
AV	5.46G	48.50	54.00	-5.50	42.07	3	Vertical	74	1.68	-	34.52	7.26	35.35
PK	5.4644G	67.48	68.20	-0.72	61.04	3	Vertical	74	1.68	-	34.53	7.26	35.35
PK	5.513G	109.02	Inf	-Inf	102.47	3	Vertical	74	1.68	-	34.60	7.31	35.36
AV	5.5148G	96.44	Inf	-Inf	89.89	3	Vertical	74	1.68	-	34.60	7.31	35.36

802.11ax HEW40_Nss1,(MCS0)_1TX

5510MHz_TnomVnom




EUT X_1TX
Setting 15.75
03-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0203G	58.94	74.00	-15.06	44.93	3	Vertical	110	1.58	-	38.42	10.65	35.06
AV	11.01802G	44.17	54.00	-9.83	30.16	3	Vertical	110	1.58	-	38.42	10.65	35.06

802.11ax HEW40_Nss1,(MCS0)_1TX

5510MHz_TnomVnom




EUT X_1TX
Setting 15.75
03-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0203G	58.72	74.00	-15.28	44.71	3	Horizontal	149	2.46	-	38.42	10.65	35.06
AV	11.01832G	44.28	54.00	-9.72	30.27	3	Horizontal	149	2.46	-	38.42	10.65	35.06

802.11ax HEW40_Nss1,(MCS0)_1TX

5550MHz_TnomVnom




EUT X_1TX
 Setting 17.75
 03-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4588G	65.34	74.00	-8.66	58.91	3	Vertical	76	1.66	-	34.52	7.26	35.35
AV	5.4596G	48.31	54.00	-5.69	41.88	3	Vertical	76	1.66	-	34.52	7.26	35.35
PK	5.4636G	67.97	68.20	-0.23	61.53	3	Vertical	76	1.66	-	34.53	7.26	35.35
PK	5.546G	111.54	Inf	-Inf	104.96	3	Vertical	76	1.66	-	34.60	7.35	35.37
AV	5.5452G	99.03	Inf	-Inf	92.45	3	Vertical	76	1.66	-	34.60	7.35	35.37
PK	5.7252G	59.79	68.20	-8.41	53.60	3	Vertical	76	1.66	-	34.25	7.40	35.46

802.11ax HEW40_Nss1,(MCS0)_1TX

5550MHz_TnomVnom




EUT X_1TX
Setting 17.75
03-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.10036G	62.59	74.00	-11.41	48.57	3	Vertical	51	2.52	-	38.50	10.67	35.15
AV	11.09874G	46.75	54.00	-7.25	32.74	3	Vertical	51	2.52	-	38.50	10.66	35.15

802.11ax HEW40_Nss1,(MCS0)_1TX

5550MHz_TnomVnom




EUT X_1TX
Setting 17.75
03-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.10054G	61.53	74.00	-12.47	47.51	3	Horizontal	115	2.44	-	38.50	10.67	35.15
AV	11.0988G	46.67	54.00	-7.33	32.66	3	Horizontal	115	2.44	-	38.50	10.66	35.15

802.11ax HEW40_Nss1,(MCS0)_1TX

5670MHz_TnomVnom




EUT X_1TX
 Setting 15
 03-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6728G	109.16	Inf	-Inf	102.79	3	Vertical	76	1.61	-	34.41	7.40	35.44
AV	5.658G	96.35	Inf	-Inf	89.91	3	Vertical	76	1.61	-	34.47	7.40	35.43
PK	5.728G	68.16	68.20	-0.04	61.98	3	Vertical	76	1.61	-	34.24	7.40	35.46

802.11ax HEW40_Nss1,(MCS0)_1TX

5670MHz_TnomVnom




EUT X_1TX
Setting 15
03-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	11.34048G	60.79	74.00	-13.21	46.77	3	Vertical	49	1.88	-	38.74	10.70	35.42
AV	11.3388G	45.18	54.00	-8.82	31.16	3	Vertical	49	1.88	-	38.74	10.70	35.42

802.11ax HEW40_Nss1,(MCS0)_1TX

5670MHz_TnomVnom




EUT X_1TX
Setting 15
03-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.34054G	60.39	74.00	-13.61	46.37	3	Horizontal	283	1.67	-	38.74	10.70	35.42
AV	11.33874G	45.14	54.00	-8.86	31.12	3	Horizontal	283	1.67	-	38.74	10.70	35.42

802.11ax HEW40_Nss1,(MCS0)_1TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_1TX
 Setting 20
 03-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4482G	61.80	74.00	-12.20	55.40	3	Vertical	76	1.57	-	34.50	7.25	35.35
AV	5.3782G	46.34	54.00	-7.66	39.93	3	Vertical	76	1.57	-	34.56	7.20	35.35
PK	5.47G	61.96	68.20	-6.24	55.50	3	Vertical	76	1.57	-	34.54	7.27	35.35
PK	5.7058G	113.78	Inf	-Inf	107.54	3	Vertical	76	1.57	-	34.29	7.40	35.45
AV	5.7226G	101.69	Inf	-Inf	95.50	3	Vertical	76	1.57	-	34.25	7.40	35.46
PK	5.8514G	67.82	68.20	-0.38	61.59	3	Vertical	76	1.57	-	34.31	7.45	35.53

802.11ax HEW40_Nss1,(MCS0)_1TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_1TX
Setting 20
03-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4158G	60.96	74.00	-13.04	46.93	3	Vertical	179	2.58	-	38.83	10.71	35.51
AV	11.41592G	47.44	54.00	-6.56	33.41	3	Vertical	179	2.58	-	38.83	10.71	35.51

802.11ax HEW40_Nss1,(MCS0)_1TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_1TX
Setting 20
03-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42948G	58.60	74.00	-15.40	44.55	3	Horizontal	195	2.10	-	38.86	10.71	35.52
AV	11.41574G	44.18	54.00	-9.82	30.15	3	Horizontal	195	2.10	-	38.83	10.71	35.51

802.11ax HEW40_Nss1,(MCS0)_1TX

5755MHz_TnomVnom




EUT_X_1TX
 Setting 18.75
 03-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.649G	63.82	68.20	-4.38	57.34	3	Vertical	77	1.60	-	34.50	7.40	35.42
PK	5.758G	113.33	Inf	-Inf	107.21	3	Vertical	77	1.60	-	34.20	7.40	35.48
AV	5.753G	101.12	Inf	-Inf	95.00	3	Vertical	77	1.60	-	34.20	7.40	35.48
PK	5.937G	60.65	68.20	-7.55	53.93	3	Vertical	77	1.60	-	34.75	7.54	35.57

802.11ax HEW40_Nss1,(MCS0)_1TX

5755MHz_TnomVnom




EUT X_1TX
Setting 18.75
03-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.51024G	55.18	74.00	-18.82	41.01	3	Vertical	77	1.60	-	39.04	10.73	35.60
AV	11.51666G	41.38	54.00	-12.62	27.18	3	Vertical	77	1.60	-	39.07	10.73	35.60

802.11ax HEW40_Nss1,(MCS0)_1TX

5755MHz_TnomVnom




EUT X_1TX
Setting 18.75
03-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.50706G	54.53	74.00	-19.47	40.37	3	Horizontal	2	1.18	-	39.03	10.73	35.60
AV	11.50382G	41.36	54.00	-12.64	27.21	3	Horizontal	2	1.18	-	39.02	10.73	35.60

802.11ax HEW40_Nss1,(MCS0)_1TX

5795MHz_TnomVnom




EUT X_1TX
 Setting 21
 03-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65G	64.12	68.20	-4.08	57.65	3	Vertical	88	1.68	-	34.50	7.40	35.43
PK	5.794G	117.04	Inf	-Inf	110.94	3	Vertical	88	1.68	-	34.20	7.40	35.50
AV	5.793G	105.01	Inf	-Inf	98.91	3	Vertical	88	1.68	-	34.20	7.40	35.50
PK	5.938G	67.57	68.20	-0.63	60.85	3	Vertical	88	1.68	-	34.75	7.54	35.57

802.11ax HEW40_Nss1,(MCS0)_1TX

5795MHz_TnomVnom




EUT X_1TX
Setting 21
03-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.57902G	56.72	74.00	-17.28	42.24	3	Vertical	339	1.80	-	39.32	10.74	35.58	
AV	11.59132G	42.90	54.00	-11.10	28.37	3	Vertical	339	1.80	-	39.37	10.74	35.58	

802.11ax HEW40_Nss1,(MCS0)_1TX

5795MHz_TnomVnom




EUT X_1TX
Setting 21
03-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.59066G	58.25	74.00	-15.75	43.73	3	Horizontal	208	1.94	-	39.36	10.74	35.58	
AV	11.59138G	44.51	54.00	-9.49	29.98	3	Horizontal	208	1.94	-	39.37	10.74	35.58	

802.11ax HEW80_Nss1,(MCS0)_1TX

5210MHz_TnomVnom



EUT X_1TX
 Setting 14.25
 03-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.147G	68.31	74.00	-5.69	62.49	3	Vertical	68	1.80	-	33.99	7.17	35.34
AV	5.139G	53.31	54.00	-0.69	47.50	3	Vertical	68	1.80	-	33.98	7.17	35.34
PK	5.214G	107.04	Inf	-Inf	100.92	3	Vertical	68	1.80	-	34.26	7.20	35.34
AV	5.212G	96.43	Inf	-Inf	90.32	3	Vertical	68	1.80	-	34.25	7.20	35.34
PK	5.381G	61.13	74.00	-12.87	54.72	3	Vertical	68	1.80	-	34.56	7.20	35.35
AV	5.36G	50.47	54.00	-3.53	44.09	3	Vertical	68	1.80	-	34.52	7.20	35.34