


802.11ax HEW80_Nss1,(MCS0)_1TX

5210MHz_TnomVnom




EUT X_1TX
Setting 14.25
03-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.62934G	60.06	74.00	-13.94	44.48	3	Vertical	0	1.92	-	37.85	13.21	35.48
AV	15.62052G	49.46	54.00	-4.54	33.82	3	Vertical	0	1.92	-	37.90	13.21	35.47

802.11ax HEW80_Nss1,(MCS0)_1TX

5210MHz_TnomVnom




EUT X_1TX
Setting 14.25
03-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.6168G	59.80	74.00	-14.20	44.14	3	Horizontal	130	2.63	-	37.92	13.21	35.47
AV	15.61614G	49.31	54.00	-4.69	33.65	3	Horizontal	130	2.63	-	37.92	13.21	35.47

802.11ax HEW80_Nss1,(MCS0)_1TX

5290MHz_TnomVnom




EUT X_1TX
 Setting 12.75
 03-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.132G	59.22	74.00	-14.78	53.43	3	Vertical	69	1.80	-	33.96	7.17	35.34
AV	5.101G	48.62	54.00	-5.38	42.90	3	Vertical	69	1.80	-	33.90	7.15	35.33
PK	5.293G	105.61	Inf	-Inf	99.26	3	Vertical	69	1.80	-	34.49	7.20	35.34
AV	5.297G	95.22	Inf	-Inf	88.87	3	Vertical	69	1.80	-	34.49	7.20	35.34
PK	5.371G	65.45	74.00	-8.55	59.05	3	Vertical	69	1.80	-	34.54	7.20	35.34
AV	5.35G	53.98	54.00	-0.02	47.62	3	Vertical	69	1.80	-	34.50	7.20	35.34
PK	5.503G	59.60	68.20	-8.60	53.05	3	Vertical	69	1.80	-	34.60	7.30	35.35

802.11ax HEW80_Nss1,(MCS0)_1TX

5290MHz_TnomVnom




EUT X_1TX
Setting 12.75
03-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	15.8832G	59.12	74.00	-14.88	43.82	3	Vertical	119	1.07	-	37.65	13.34	35.69
AV	15.8772G	49.38	54.00	-4.62	34.06	3	Vertical	119	1.07	-	37.67	13.34	35.69

802.11ax HEW80_Nss1,(MCS0)_1TX

5290MHz_TnomVnom




EUT X_1TX
Setting 12.75
03-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.86508G	59.29	74.00	-14.71	43.94	3	Horizontal	82	2.65	-	37.70	13.33	35.68
AV	15.86154G	48.65	54.00	-5.35	33.27	3	Horizontal	82	2.65	-	37.72	13.33	35.67

802.11ax HEW80_Nss1,(MCS0)_1TX

5530MHz_TnomVnom




EUT X_1TX
 Setting 14.75
 03-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.31G	59.38	68.20	-8.82	53.02	3	Vertical	69	1.64	-	34.50	7.20	35.34
PK	5.449G	67.15	74.00	-6.85	60.75	3	Vertical	69	1.64	-	34.50	7.25	35.35
AV	5.451G	53.63	54.00	-0.37	47.23	3	Vertical	69	1.64	-	34.50	7.25	35.35
PK	5.461G	67.80	68.20	-0.40	61.37	3	Vertical	69	1.64	-	34.52	7.26	35.35
PK	5.534G	109.04	Inf	-Inf	102.48	3	Vertical	69	1.64	-	34.60	7.33	35.37
AV	5.532G	98.25	Inf	-Inf	91.69	3	Vertical	69	1.64	-	34.60	7.33	35.37
PK	5.78G	59.27	68.20	-8.93	53.16	3	Vertical	69	1.64	-	34.20	7.40	35.49

802.11ax HEW80_Nss1,(MCS0)_1TX

5530MHz_TnomVnom




EUT X_1TX
Setting 14.75
03-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0486G	55.18	74.00	-18.82	41.16	3	Vertical	13	1.11	-	38.45	10.66	35.09
AV	11.0639G	44.88	54.00	-9.12	30.87	3	Vertical	13	1.11	-	38.46	10.66	35.11

802.11ax HEW80_Nss1,(MCS0)_1TX

5530MHz_TnomVnom




EUT X_1TX
Setting 14.75
03-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	11.05634G	55.49	74.00	-18.51	41.47	3	Horizontal	107	1.85	-	38.46	10.66	35.10
AV	11.06294G	44.72	54.00	-9.28	30.71	3	Horizontal	107	1.85	-	38.46	10.66	35.11

802.11ax HEW80_Nss1,(MCS0)_1TX

5610MHz_TnomVnom




EUT X_1TX
 Setting 15.5
 03-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	61.93	74.00	-12.07	55.50	3	Vertical	68	1.63	-	34.52	7.26	35.35
AV	5.445G	50.36	54.00	-3.64	43.95	3	Vertical	68	1.63	-	34.51	7.25	35.35
PK	5.465G	61.86	68.20	-6.34	55.42	3	Vertical	68	1.63	-	34.53	7.26	35.35
PK	5.606G	109.87	Inf	-Inf	103.28	3	Vertical	68	1.63	-	34.59	7.40	35.40
AV	5.606G	99.40	Inf	-Inf	92.81	3	Vertical	68	1.63	-	34.59	7.40	35.40
PK	5.731G	67.37	68.20	-0.83	61.20	3	Vertical	68	1.63	-	34.24	7.40	35.47

802.11ax HEW80_Nss1,(MCS0)_1TX

5610MHz_TnomVnom




EUT X_1TX
Setting 15.5
03-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.22498G	55.41	74.00	-18.59	41.40	3	Vertical	178	1.66	-	38.62	10.68	35.29
AV	11.22642G	44.24	54.00	-9.76	30.22	3	Vertical	178	1.66	-	38.63	10.68	35.29

802.11ax HEW80_Nss1,(MCS0)_1TX

5610MHz_TnomVnom




EUT X_1TX
Setting 15.5
03-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.21742G	55.11	74.00	-18.89	41.09	3	Horizontal	230	1.07	-	38.62	10.68	35.28
AV	11.22696G	44.47	54.00	-9.53	30.45	3	Horizontal	230	1.07	-	38.63	10.68	35.29

802.11ax HEW80_Nss1,(MCS0)_1TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_1TX
 Setting 17.75
 03-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4344G	59.94	74.00	-14.06	53.53	3	Vertical	68	1.64	-	34.53	7.23	35.35
AV	5.408G	49.54	54.00	-4.46	43.10	3	Vertical	68	1.64	-	34.58	7.21	35.35
PK	5.4644G	59.65	68.20	-8.55	53.21	3	Vertical	68	1.64	-	34.53	7.26	35.35
PK	5.6936G	110.77	Inf	-Inf	104.49	3	Vertical	68	1.64	-	34.33	7.40	35.45
AV	5.6912G	100.80	Inf	-Inf	94.51	3	Vertical	68	1.64	-	34.34	7.40	35.45
PK	5.85G	66.41	68.20	-1.79	60.19	3	Vertical	68	1.64	-	34.30	7.45	35.53

802.11ax HEW80_Nss1,(MCS0)_1TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_1TX
 Setting 17.75
 03-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.37076G	58.30	74.00	-15.70	44.28	3	Vertical	170	2.62	-	38.77	10.71	35.46
AV	11.38876G	48.09	54.00	-5.91	34.07	3	Vertical	170	2.62	-	38.79	10.71	35.48

802.11ax HEW80_Nss1,(MCS0)_1TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_1TX
 Setting 17.75
 03-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	11.37658G	56.28	74.00	-17.72	42.25	3	Horizontal	154	2.04	-	38.78	10.71	35.46
AV	11.3935G	46.06	54.00	-7.94	32.04	3	Horizontal	154	2.04	-	38.79	10.71	35.48

802.11ax HEW80_Nss1,(MCS0)_1TX

5775MHz_TnomVnom




EUT X_1TX
Setting 16.25
03-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.636G	65.04	68.20	-3.16	58.53	3	Vertical	68	1.53	-	34.53	7.40	35.42
PK	5.778G	110.28	Inf	-Inf	104.17	3	Vertical	68	1.53	-	34.20	7.40	35.49
AV	5.782G	99.43	Inf	-Inf	93.32	3	Vertical	68	1.53	-	34.20	7.40	35.49
PK	5.925G	67.94	68.20	-0.26	61.27	3	Vertical	68	1.53	-	34.70	7.53	35.56

802.11ax HEW80_Nss1,(MCS0)_1TX

5775MHz_TnomVnom




EUT X_1TX
Setting 16.25
03-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.56122G	55.31	74.00	-18.69	40.93	3	Vertical	128	1.01	-	39.24	10.73	35.59	
AV	11.53974G	44.97	54.00	-9.03	30.67	3	Vertical	128	1.01	-	39.16	10.73	35.59	

802.11ax HEW80_Nss1,(MCS0)_1TX

5775MHz_TnomVnom




EUT X_1TX
Setting 16.25
03-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.55888G	56.01	74.00	-17.99	41.63	3	Horizontal	282	2.70	-	39.24	10.73	35.59
AV	11.56374G	45.10	54.00	-8.90	30.71	3	Horizontal	282	2.70	-	39.25	10.73	35.59

802.11ax HEW160_Nss1,(MCS0)_1TX

5250MHz Straddle 5.25-5.35GHz_TnomVnom




EUT_X_1TX
 Setting 9
 03-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1276G	62.90	74.00	-11.10	57.12	3	Vertical	69	1.80	-	33.96	7.16	35.34
AV	5.1144G	50.90	54.00	-3.10	45.14	3	Vertical	69	1.80	-	33.93	7.16	35.33
PK	5.2632G	98.79	Inf	-Inf	92.50	3	Vertical	69	1.80	-	34.43	7.20	35.34
AV	5.2548G	88.92	Inf	-Inf	82.65	3	Vertical	69	1.80	-	34.41	7.20	35.34
PK	5.3928G	66.31	74.00	-7.69	59.87	3	Vertical	69	1.80	-	34.59	7.20	35.35
AV	5.3928G	53.76	54.00	-0.24	47.32	3	Vertical	69	1.80	-	34.59	7.20	35.35
PK	5.4696G	60.11	68.20	-8.09	53.65	3	Vertical	69	1.80	-	34.54	7.27	35.35

802.11ax HEW160_Nss1,(MCS0)_1TX

5250MHz Straddle 5.25-5.35GHz_TnomVnom




EUT X_1TX
 Setting 9
 03-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.74034G	59.23	74.00	-14.77	43.87	3	Vertical	335	2.19	-	37.66	13.27	35.57
AV	15.74226G	48.69	54.00	-5.31	33.32	3	Vertical	335	2.19	-	37.67	13.27	35.57

802.11ax HEW160_Nss1,(MCS0)_1TX

5250MHz Straddle 5.25-5.35GHz_TnomVnom




EUT X_1TX
 Setting 9
 03-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.76164G	59.92	74.00	-14.08	44.48	3	Horizontal	206	2.79	-	37.75	13.28	35.59
AV	15.74016G	49.39	54.00	-4.61	34.03	3	Horizontal	206	2.79	-	37.66	13.27	35.57

802.11ax HEW160_Nss1,(MCS0)_1TX

5570MHz_TnomVnom




EUT X_1TX
Setting 10.25
03-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.334G	59.43	68.20	-8.77	53.07	3	Vertical	70	1.72	-	34.50	7.20	35.34
PK	5.445G	66.63	74.00	-7.37	60.22	3	Vertical	70	1.72	-	34.51	7.25	35.35
AV	5.446G	53.58	54.00	-0.42	47.17	3	Vertical	70	1.72	-	34.51	7.25	35.35
PK	5.462G	65.70	68.20	-2.50	59.27	3	Vertical	70	1.72	-	34.52	7.26	35.35
PK	5.566G	101.36	Inf	-Inf	94.77	3	Vertical	70	1.72	-	34.60	7.37	35.38
AV	5.575G	91.65	Inf	-Inf	85.07	3	Vertical	70	1.72	-	34.60	7.37	35.39
PK	5.726G	66.89	68.20	-1.31	60.70	3	Vertical	70	1.72	-	34.25	7.40	35.46

802.11ax HEW160_Nss1,(MCS0)_1TX

5570MHz_TnomVnom




EUT X_1TX
Setting 10.25
03-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.13766G	56.11	74.00	-17.89	42.09	3	Vertical	199	2.76	-	38.54	10.67	35.19
AV	11.14312G	44.79	54.00	-9.21	30.78	3	Vertical	199	2.76	-	38.54	10.67	35.20

802.11ax HEW160_Nss1,(MCS0)_1TX

5570MHz_TnomVnom



EUT X_1TX
Setting 10.25
03-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.12572G	55.39	74.00	-18.61	41.37	3	Horizontal	125	1.80	-	38.53	10.67	35.18
AV	11.14258G	44.68	54.00	-9.32	30.67	3	Horizontal	125	1.80	-	38.54	10.67	35.20



RSE TX above 1GHz

<Full RU> UNII1~UNII3_Non-Beamforming Mode_Ant.1 (2TX)


Appendix E.5

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	PK	5.924G	68.83	68.94	-0.11	3	Vertical	325	1.97	-

802.11a_Nss1,(6Mbps)_2TX

5180MHz_TnomVnom




EUT_X_2TX
Setting 18.5
03-D-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	73.79	74.00	-0.21	67.96	3	Vertical	61	1.80	-	34.00	7.17	35.34
AV	5.15G	50.67	54.00	-3.33	44.84	3	Vertical	61	1.80	-	34.00	7.17	35.34
PK	5.1812G	117.13	Inf	-Inf	111.16	3	Vertical	61	1.80	-	34.12	7.19	35.34
AV	5.179G	106.88	Inf	-Inf	100.91	3	Vertical	61	1.80	-	34.12	7.19	35.34

802.11a_Nss1,(6Mbps)_2TX

5180MHz_TnomVnom




EUT X_2TX
Setting 18.5
03-D-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.15G	72.96	74.00	-1.04	67.13	3	Horizontal	202	1.01	-	34.00	7.17	35.34	
AV	5.15G	49.95	54.00	-4.05	44.12	3	Horizontal	202	1.01	-	34.00	7.17	35.34	
PK	5.181G	115.99	Inf	-Inf	110.02	3	Horizontal	202	1.01	-	34.12	7.19	35.34	
AV	5.181G	105.68	Inf	-Inf	99.71	3	Horizontal	202	1.01	-	34.12	7.19	35.34	

802.11a_Nss1,(6Mbps)_2TX

5180MHz_TnomVnom




EUT_X_2TX
Setting 18.5
03-D-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.363G	57.89	68.20	-10.31	44.76	3	Vertical	225	1.80	-	38.16	10.55	35.58
PK	15.53977G	62.72	74.00	-11.28	46.53	3	Vertical	127	1.74	-	38.42	13.17	35.40
AV	15.53899G	49.29	54.00	-4.71	33.09	3	Vertical	127	1.74	-	38.43	13.17	35.40

802.11a_Nss1,(6Mbps)_2TX

5180MHz_TnomVnom




EUT_X_2TX
Setting 18.5
03-D-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.35682G	57.66	68.20	-10.54	44.53	3	Horizontal	220	1.78	-	38.16	10.55	35.58
PK	15.5414G	62.77	74.00	-11.23	46.59	3	Horizontal	313	2.69	-	38.41	13.17	35.40
AV	15.53931G	48.86	54.00	-5.14	32.67	3	Horizontal	313	2.69	-	38.42	13.17	35.40

802.11a_Nss1,(6Mbps)_2TX

5200MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-D-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	61.56	74.00	-12.44	55.73	3	Vertical	58	1.80	-	34.00	7.17	35.34
AV	5.15G	48.09	54.00	-5.91	42.26	3	Vertical	58	1.80	-	34.00	7.17	35.34
PK	5.1988G	118.19	Inf	-Inf	112.13	3	Vertical	58	1.80	-	34.20	7.20	35.34
AV	5.2016G	107.98	Inf	-Inf	101.91	3	Vertical	58	1.80	-	34.21	7.20	35.34

802.11a_Nss1,(6Mbps)_2TX

5200MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-D-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.1492G	61.58	74.00	-12.42	55.75	3	Horizontal	198	2.21	-	34.00	7.17	35.34	
AV	5.15G	48.05	54.00	-5.95	42.22	3	Horizontal	198	2.21	-	34.00	7.17	35.34	
PK	5.2012G	118.00	Inf	-Inf	111.94	3	Horizontal	198	2.21	-	34.20	7.20	35.34	
AV	5.2012G	107.66	Inf	-Inf	101.60	3	Horizontal	198	2.21	-	34.20	7.20	35.34	

802.11a_Nss1,(6Mbps)_2TX

5200MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-D-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.40336G	59.13	68.20	-9.07	45.92	3	Vertical	225	1.79	-	38.20	10.56	35.55
PK	15.59996G	62.47	74.00	-11.53	46.72	3	Vertical	39	1.52	-	38.00	13.20	35.45
AV	15.60006G	48.74	54.00	-5.26	32.99	3	Vertical	39	1.52	-	38.00	13.20	35.45

802.11a_Nss1,(6Mbps)_2TX

5200MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-D-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.40786G	59.71	68.20	-8.49	46.49	3	Horizontal	198	1.80	-	38.20	10.56	35.54
PK	15.6014G	62.37	74.00	-11.63	46.64	3	Horizontal	339	1.41	-	37.99	13.20	35.46
AV	15.60034G	48.69	54.00	-5.31	32.94	3	Horizontal	339	1.41	-	38.00	13.20	35.45

802.11a_Nss1,(6Mbps)_2TX

5240MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-D-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1434G	60.94	74.00	-13.06	55.12	3	Vertical	223	2.04	-	33.99	7.17	35.34
AV	5.1488G	47.70	54.00	-6.30	41.87	3	Vertical	223	2.04	-	34.00	7.17	35.34
PK	5.2412G	119.37	Inf	-Inf	113.15	3	Vertical	223	2.04	-	34.36	7.20	35.34
AV	5.2388G	108.60	Inf	-Inf	102.38	3	Vertical	223	2.04	-	34.36	7.20	35.34
PK	5.3684G	60.91	74.00	-13.09	54.51	3	Vertical	223	2.04	-	34.54	7.20	35.34
AV	5.387G	48.24	54.00	-5.76	41.82	3	Vertical	223	2.04	-	34.57	7.20	35.35

802.11a_Nss1,(6Mbps)_2TX

5240MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-D-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1368G	61.16	74.00	-12.84	55.36	3	Horizontal	198	2.20	-	33.97	7.17	35.34
AV	5.15G	47.64	54.00	-6.36	41.81	3	Horizontal	198	2.20	-	34.00	7.17	35.34
PK	5.2412G	118.30	Inf	-Inf	112.08	3	Horizontal	198	2.20	-	34.36	7.20	35.34
AV	5.2412G	108.04	Inf	-Inf	101.82	3	Horizontal	198	2.20	-	34.36	7.20	35.34
PK	5.354G	61.15	74.00	-12.85	54.78	3	Horizontal	198	2.20	-	34.51	7.20	35.34
AV	5.3876G	48.23	54.00	-5.77	41.80	3	Horizontal	198	2.20	-	34.58	7.20	35.35

802.11a_Nss1,(6Mbps)_2TX

5240MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-D-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4836G	60.06	68.20	-8.14	46.77	3	Vertical	226	1.78	-	38.20	10.57	35.48
PK	15.71902G	62.08	74.00	-11.92	46.79	3	Vertical	136	2.49	-	37.58	13.26	35.55
AV	15.72119G	48.51	54.00	-5.49	33.23	3	Vertical	136	2.49	-	37.58	13.26	35.56

802.11a_Nss1,(6Mbps)_2TX

5240MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-D-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.48252G	60.16	68.20	-8.04	46.87	3	Horizontal	198	1.79	-	38.20	10.57	35.48
PK	15.71866G	61.84	74.00	-12.16	46.56	3	Horizontal	285	2.16	-	37.57	13.26	35.55
AV	15.72011G	48.57	54.00	-5.43	33.28	3	Horizontal	285	2.16	-	37.58	13.26	35.55

802.11a_Nss1,(6Mbps)_2TX

5260MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-D-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.122G	61.13	74.00	-12.87	55.36	3	Vertical	216	2.05	-	33.94	7.16	35.33
AV	5.1496G	47.60	54.00	-6.40	41.77	3	Vertical	216	2.05	-	34.00	7.17	35.34
PK	5.2612G	118.06	Inf	-Inf	111.78	3	Vertical	216	2.05	-	34.42	7.20	35.34
AV	5.2606G	107.54	Inf	-Inf	101.26	3	Vertical	216	2.05	-	34.42	7.20	35.34
PK	5.3548G	61.86	74.00	-12.14	55.49	3	Vertical	216	2.05	-	34.51	7.20	35.34
AV	5.3986G	48.44	54.00	-5.56	41.99	3	Vertical	216	2.05	-	34.60	7.20	35.35

802.11a_Nss1,(6Mbps)_2TX

5260MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-D-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.149G	60.37	74.00	-13.63	54.54	3	Horizontal	197	2.21	-	34.00	7.17	35.34
AV	5.1484G	47.55	54.00	-6.45	41.72	3	Horizontal	197	2.21	-	34.00	7.17	35.34
PK	5.2612G	117.10	Inf	-Inf	110.82	3	Horizontal	197	2.21	-	34.42	7.20	35.34
AV	5.2612G	106.80	Inf	-Inf	100.52	3	Horizontal	197	2.21	-	34.42	7.20	35.34
PK	5.3704G	61.15	74.00	-12.85	54.75	3	Horizontal	197	2.21	-	34.54	7.20	35.34
AV	5.4034G	48.36	54.00	-5.64	41.92	3	Horizontal	197	2.21	-	34.59	7.20	35.35

802.11a_Nss1,(6Mbps)_2TX

5260MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-D-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.523G	61.28	68.20	-6.92	47.95	3	Vertical	226	1.80	-	38.20	10.58	35.45
PK	15.78131G	62.90	74.00	-11.10	47.39	3	Vertical	99	2.71	-	37.83	13.29	35.61
AV	15.77897G	48.56	54.00	-5.44	33.05	3	Vertical	99	2.71	-	37.82	13.29	35.60

802.11a_Nss1,(6Mbps)_2TX

5260MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-D-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.51742G	60.93	68.20	-7.27	47.61	3	Horizontal	199	1.80	-	38.20	10.58	35.46
PK	15.78118G	62.55	74.00	-11.45	47.05	3	Horizontal	44	2.94	-	37.82	13.29	35.61
AV	15.78127G	48.61	54.00	-5.39	33.10	3	Horizontal	44	2.94	-	37.83	13.29	35.61

802.11a_Nss1,(6Mbps)_2TX

5300MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-D-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.3012G	118.71	Inf	-Inf	112.35	3	Vertical	222	2.01	-	34.50	7.20	35.34	
AV	5.2988G	108.14	Inf	-Inf	101.78	3	Vertical	222	2.01	-	34.50	7.20	35.34	
PK	5.35G	66.32	74.00	-7.68	59.96	3	Vertical	222	2.01	-	34.50	7.20	35.34	
AV	5.3796G	48.83	54.00	-5.17	42.42	3	Vertical	222	2.01	-	34.56	7.20	35.35	

802.11a_Nss1,(6Mbps)_2TX

5300MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-D-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.3012G	117.64	Inf	-Inf	111.28	3	Horizontal	198	1.98	-	34.50	7.20	35.34	
AV	5.3008G	107.24	Inf	-Inf	100.88	3	Horizontal	198	1.98	-	34.50	7.20	35.34	
PK	5.3508G	64.46	74.00	-9.54	58.10	3	Horizontal	198	1.98	-	34.50	7.20	35.34	
AV	5.3788G	48.80	54.00	-5.20	42.39	3	Horizontal	198	1.98	-	34.56	7.20	35.35	

802.11a_Nss1,(6Mbps)_2TX

5300MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-D-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60004G	60.94	74.00	-13.06	47.53	3	Vertical	357	1.80	-	38.20	10.59	35.38
AV	10.60234G	46.72	54.00	-7.28	33.31	3	Vertical	357	1.80	-	38.20	10.59	35.38
PK	15.9011G	61.99	74.00	-12.01	46.75	3	Vertical	153	1.61	-	37.60	13.35	35.71
AV	15.9G	48.17	54.00	-5.83	32.93	3	Vertical	153	1.61	-	37.60	13.35	35.71

802.11a_Nss1,(6Mbps)_2TX

5300MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-D-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60318G	61.02	74.00	-12.98	47.60	3	Horizontal	222	2.04	-	38.21	10.59	35.38
AV	10.60258G	47.18	54.00	-6.82	33.76	3	Horizontal	222	2.04	-	38.21	10.59	35.38
PK	15.90032G	62.00	74.00	-12.00	46.76	3	Horizontal	120	1.80	-	37.60	13.35	35.71
AV	15.90027G	48.17	54.00	-5.83	32.93	3	Horizontal	120	1.80	-	37.60	13.35	35.71

802.11a_Nss1,(6Mbps)_2TX

5320MHz_TnomVnom




EUT_X_2TX
Setting 17.25
03-D-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3186G	116.22	Inf	-Inf	109.86	3	Vertical	215	1.92	-	34.50	7.20	35.34
AV	5.321G	105.85	Inf	-Inf	99.49	3	Vertical	215	1.92	-	34.50	7.20	35.34
PK	5.3504G	73.75	74.00	-0.25	67.39	3	Vertical	215	1.92	-	34.50	7.20	35.34
AV	5.3504G	51.02	54.00	-2.98	44.66	3	Vertical	215	1.92	-	34.50	7.20	35.34

802.11a_Nss1,(6Mbps)_2TX

5320MHz_TnomVnom




EUT_X_2TX
Setting 17.25
03-D-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.3182G	115.02	Inf	-Inf	108.66	3	Horizontal	195	2.15	-	34.50	7.20	35.34	
AV	5.3182G	104.70	Inf	-Inf	98.34	3	Horizontal	195	2.15	-	34.50	7.20	35.34	
PK	5.3504G	73.55	74.00	-0.45	67.19	3	Horizontal	195	2.15	-	34.50	7.20	35.34	
AV	5.3502G	51.18	54.00	-2.82	44.82	3	Horizontal	195	2.15	-	34.50	7.20	35.34	

802.11a_Nss1,(6Mbps)_2TX

5320MHz_TnomVnom




EUT X_2TX
Setting 17.25
03-D-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.63742G	58.48	74.00	-15.52	44.96	3	Vertical	357	1.74	-	38.27	10.60	35.35
AV	10.63724G	45.09	54.00	-8.91	31.57	3	Vertical	357	1.74	-	38.27	10.60	35.35
PK	15.95956G	62.15	74.00	-11.85	47.05	3	Vertical	225	2.40	-	37.48	13.38	35.76
AV	15.9586G	47.90	54.00	-6.10	32.80	3	Vertical	225	2.40	-	37.48	13.38	35.76

802.11a_Nss1,(6Mbps)_2TX

5320MHz_TnomVnom




EUT X_2TX
Setting 17.25
03-D-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.63694G	59.64	74.00	-14.36	46.12	3	Horizontal	223	1.80	-	38.27	10.60	35.35
AV	10.64258G	45.77	54.00	-8.23	32.23	3	Horizontal	223	1.80	-	38.29	10.60	35.35
PK	15.95938G	61.72	74.00	-12.28	46.62	3	Horizontal	178	2.34	-	37.48	13.38	35.76
AV	15.96097G	48.05	54.00	-5.95	32.95	3	Horizontal	178	2.34	-	37.48	13.38	35.76

802.11a_Nss1,(6Mbps)_2TX

5500MHz_TnomVnom




EUT_X_2TX
Setting 16.5
03-D-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.4598G	66.23	74.00	-7.77	59.80	3	Vertical	215	1.99	-	34.52	7.26	35.35	
AV	5.4588G	48.30	54.00	-5.70	41.87	3	Vertical	215	1.99	-	34.52	7.26	35.35	
PK	5.4688G	67.76	68.20	-0.44	61.30	3	Vertical	215	1.99	-	34.54	7.27	35.35	
PK	5.5012G	115.88	Inf	-Inf	109.33	3	Vertical	215	1.99	-	34.60	7.30	35.35	
AV	5.501G	105.61	Inf	-Inf	99.06	3	Vertical	215	1.99	-	34.60	7.30	35.35	

802.11a_Nss1,(6Mbps)_2TX

5500MHz_TnomVnom




EUT_X_2TX
Setting 16.5
03-D-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.459G	63.37	74.00	-10.63	56.94	3	Horizontal	176	1.96	-	34.52	7.26	35.35	
AV	5.457G	48.23	54.00	-5.77	41.81	3	Horizontal	176	1.96	-	34.51	7.26	35.35	
PK	5.461G	65.45	68.20	-2.75	59.02	3	Horizontal	176	1.96	-	34.52	7.26	35.35	
PK	5.501G	114.33	Inf	-Inf	107.78	3	Horizontal	176	1.96	-	34.60	7.30	35.35	
AV	5.501G	104.05	Inf	-Inf	97.50	3	Horizontal	176	1.96	-	34.60	7.30	35.35	

802.11a_Nss1,(6Mbps)_2TX

5500MHz_TnomVnom




EUT_X_2TX
Setting 16.5
03-D-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00084G	57.67	74.00	-16.33	43.66	3	Vertical	168	2.22	-	38.40	10.65	35.04
AV	11.00118G	43.58	54.00	-10.42	29.57	3	Vertical	168	2.22	-	38.40	10.65	35.04

802.11a_Nss1,(6Mbps)_2TX

5500MHz_TnomVnom




EUT_X_2TX
Setting 16.5
03-D-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99859G	57.69	74.00	-16.31	43.68	3	Horizontal	227	1.47	-	38.40	10.65	35.04
AV	11.00091G	43.60	54.00	-10.40	29.59	3	Horizontal	227	1.47	-	38.40	10.65	35.04

802.11a_Nss1,(6Mbps)_2TX

5580MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-D-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4248G	61.60	74.00	-12.40	55.18	3	Vertical	212	2.06	-	34.55	7.22	35.35
AV	5.4208G	49.28	54.00	-4.72	42.85	3	Vertical	212	2.06	-	34.56	7.22	35.35
PK	5.464G	60.47	68.20	-7.73	54.03	3	Vertical	212	2.06	-	34.53	7.26	35.35
PK	5.5808G	119.72	Inf	-Inf	113.13	3	Vertical	212	2.06	-	34.60	7.38	35.39
AV	5.5816G	109.00	Inf	-Inf	102.41	3	Vertical	212	2.06	-	34.60	7.38	35.39
PK	5.7368G	61.77	68.20	-6.43	55.61	3	Vertical	212	2.06	-	34.23	7.40	35.47

802.11a_Nss1,(6Mbps)_2TX

5580MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-D-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3992G	61.63	74.00	-12.37	55.18	3	Horizontal	360	2.01	-	34.60	7.20	35.35
AV	5.4216G	48.95	54.00	-5.05	42.52	3	Horizontal	360	2.01	-	34.56	7.22	35.35
PK	5.4624G	60.83	68.20	-7.37	54.40	3	Horizontal	360	2.01	-	34.52	7.26	35.35
PK	5.5792G	118.88	Inf	-Inf	112.29	3	Horizontal	360	2.01	-	34.60	7.38	35.39
AV	5.5816G	108.28	Inf	-Inf	101.69	3	Horizontal	360	2.01	-	34.60	7.38	35.39
PK	5.7424G	61.50	68.20	-6.70	55.35	3	Horizontal	360	2.01	-	34.22	7.40	35.47

802.11a_Nss1,(6Mbps)_2TX

5580MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-D-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16384G	64.32	74.00	-9.68	50.31	3	Vertical	165	2.42	-	38.56	10.67	35.22
AV	11.15898G	50.82	54.00	-3.18	36.81	3	Vertical	165	2.42	-	38.56	10.67	35.22

802.11a_Nss1,(6Mbps)_2TX

5580MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-D-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	11.1603G	63.50	74.00	-10.50	49.49	3	Horizontal	131	1.78	-	38.56	10.67	35.22
AV	11.16042G	50.85	54.00	-3.15	36.84	3	Horizontal	131	1.78	-	38.56	10.67	35.22

802.11a_Nss1,(6Mbps)_2TX

5700MHz_TnomVnom




EUT_X_2TX
Setting 14.5
03-D-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6988G	114.23	Inf	-Inf	107.98	3	Vertical	318	1.80	-	34.30	7.40	35.45
AV	5.6992G	103.92	Inf	-Inf	97.67	3	Vertical	318	1.80	-	34.30	7.40	35.45
PK	5.7252G	67.45	68.20	-0.75	61.26	3	Vertical	318	1.80	-	34.25	7.40	35.46

802.11a_Nss1,(6Mbps)_2TX

5700MHz_TnomVnom




EUT_X_2TX
Setting 14.5
03-D-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6984G	114.99	Inf	-Inf	108.73	3	Horizontal	360	1.96	-	34.31	7.40	35.45
AV	5.6992G	104.25	Inf	-Inf	98.00	3	Horizontal	360	1.96	-	34.30	7.40	35.45
PK	5.7252G	65.68	68.20	-2.52	59.49	3	Horizontal	360	1.96	-	34.25	7.40	35.46

802.11a_Nss1,(6Mbps)_2TX

5700MHz_TnomVnom




EUT_X_2TX
Setting 14.5
03-D-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39949G	57.74	74.00	-16.26	43.72	3	Vertical	335	2.35	-	38.80	10.71	35.49
AV	11.40063G	43.55	54.00	-10.45	29.53	3	Vertical	335	2.35	-	38.80	10.71	35.49

802.11a_Nss1,(6Mbps)_2TX

5700MHz_TnomVnom




EUT_X_2TX
Setting 14.5
03-D-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	11.39944G	57.42	74.00	-16.58	43.40	3	Horizontal	14	2.45	-	38.80	10.71	35.49
AV	11.40034G	43.58	54.00	-10.42	29.56	3	Horizontal	14	2.45	-	38.80	10.71	35.49

802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-D-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4416G	60.90	74.00	-13.10	54.49	3	Vertical	319	1.99	-	34.52	7.24	35.35
AV	5.4248G	48.16	54.00	-5.84	41.74	3	Vertical	319	1.99	-	34.55	7.22	35.35
PK	5.4608G	60.23	68.20	-7.97	53.80	3	Vertical	319	1.99	-	34.52	7.26	35.35
PK	5.7188G	120.38	Inf	-Inf	114.18	3	Vertical	319	1.99	-	34.26	7.40	35.46
AV	5.7188G	110.13	Inf	-Inf	103.93	3	Vertical	319	1.99	-	34.26	7.40	35.46
PK	5.9048G	62.43	68.20	-5.77	55.86	3	Vertical	319	1.99	-	34.62	7.50	35.55

802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-D-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.444G	61.32	74.00	-12.68	54.92	3	Horizontal	0	2.02	-	34.51	7.24	35.35
AV	5.4284G	48.10	54.00	-5.90	41.68	3	Horizontal	0	2.02	-	34.54	7.23	35.35
PK	5.462G	61.37	68.20	-6.83	54.94	3	Horizontal	0	2.02	-	34.52	7.26	35.35
PK	5.7188G	119.55	Inf	-Inf	113.35	3	Horizontal	0	2.02	-	34.26	7.40	35.46
AV	5.7188G	109.18	Inf	-Inf	102.98	3	Horizontal	0	2.02	-	34.26	7.40	35.46
PK	5.9348G	61.68	68.20	-6.52	54.98	3	Horizontal	0	2.02	-	34.74	7.53	35.57

802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_2TX
Setting 21.5
03-D-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43922G	64.16	74.00	-9.84	50.09	3	Vertical	175	2.96	-	38.88	10.72	35.53
AV	11.4397G	51.21	54.00	-2.79	37.14	3	Vertical	175	2.96	-	38.88	10.72	35.53

802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_2TX
Setting 21.5
03-D-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43544G	62.05	74.00	-11.95	47.99	3	Horizontal	135	1.80	-	38.87	10.72	35.53
AV	11.44066G	49.05	54.00	-4.95	34.98	3	Horizontal	135	1.80	-	38.88	10.72	35.53

802.11a_Nss1,(6Mbps)_2TX

5745MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-D-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.609G	61.63	68.20	-6.57	55.05	3	Vertical	321	1.87	-	34.58	7.40	35.40
PK	5.744G	119.97	Inf	-Inf	113.83	3	Vertical	321	1.87	-	34.21	7.40	35.47
AV	5.744G	109.57	Inf	-Inf	103.43	3	Vertical	321	1.87	-	34.21	7.40	35.47
PK	5.985G	61.96	68.20	-6.24	55.17	3	Vertical	321	1.87	-	34.80	7.58	35.59

802.11a_Nss1,(6Mbps)_2TX

5745MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-D-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.633G	61.46	68.20	-6.74	54.95	3	Horizontal	360	1.93	-	34.53	7.40	35.42
PK	5.744G	119.60	Inf	-Inf	113.46	3	Horizontal	360	1.93	-	34.21	7.40	35.47
AV	5.744G	109.13	Inf	-Inf	102.99	3	Horizontal	360	1.93	-	34.21	7.40	35.47
PK	5.953G	61.22	68.20	-6.98	54.45	3	Horizontal	360	1.93	-	34.80	7.55	35.58

802.11a_Nss1,(6Mbps)_2TX

5745MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-D-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	11.4897G	64.97	74.00	-9.03	50.86	3	Vertical	175	3.00	-	38.98	10.72	35.59
AV	11.48964G	51.40	54.00	-2.60	37.29	3	Vertical	175	3.00	-	38.98	10.72	35.59

802.11a_Nss1,(6Mbps)_2TX

5745MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-D-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	11.49108G	62.92	74.00	-11.08	48.81	3	Horizontal	190	1.80	-	38.98	10.72	35.59	
AV	11.49126G	49.96	54.00	-4.04	35.85	3	Horizontal	190	1.80	-	38.98	10.72	35.59	

802.11a_Nss1,(6Mbps)_2TX

5785MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-D-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.58G	61.33	68.20	-6.87	54.74	3	Vertical	321	2.02	-	34.60	7.38	35.39
PK	5.786G	119.55	Inf	-Inf	113.44	3	Vertical	321	2.02	-	34.20	7.40	35.49
AV	5.787G	109.41	Inf	-Inf	103.30	3	Vertical	321	2.02	-	34.20	7.40	35.49
PK	6.013G	61.99	68.20	-6.21	55.14	3	Vertical	321	2.02	-	34.83	7.61	35.59

802.11a_Nss1,(6Mbps)_2TX

5785MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-D-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.555G	62.01	68.20	-6.19	55.43	3	Horizontal	0	2.09	-	34.60	7.36	35.38	
PK	5.784G	118.77	Inf	-Inf	112.66	3	Horizontal	0	2.09	-	34.20	7.40	35.49	
AV	5.787G	108.18	Inf	-Inf	102.07	3	Horizontal	0	2.09	-	34.20	7.40	35.49	
PK	5.947G	61.19	68.20	-7.01	54.42	3	Horizontal	0	2.09	-	34.79	7.55	35.57	

802.11a_Nss1,(6Mbps)_2TX

5785MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-D-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56946G	65.64	74.00	-8.36	51.20	3	Vertical	175	2.97	-	39.28	10.74	35.58
AV	11.56988G	52.14	54.00	-1.86	37.70	3	Vertical	175	2.97	-	39.28	10.74	35.58

802.11a_Nss1,(6Mbps)_2TX

5785MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-D-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57138G	63.29	74.00	-10.71	48.84	3	Horizontal	136	1.75	-	39.29	10.74	35.58
AV	11.57126G	50.35	54.00	-3.65	35.90	3	Horizontal	136	1.75	-	39.29	10.74	35.58

802.11a_Nss1,(6Mbps)_2TX

5825MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-D-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.633G	61.88	68.20	-6.32	55.37	3	Vertical	323	1.84	-	34.53	7.40	35.42	
PK	5.826G	119.34	Inf	-Inf	113.17	3	Vertical	323	1.84	-	34.25	7.43	35.51	
AV	5.826G	108.70	Inf	-Inf	102.53	3	Vertical	323	1.84	-	34.25	7.43	35.51	
PK	6.041G	61.51	68.20	-6.69	54.59	3	Vertical	323	1.84	-	34.88	7.62	35.58	

802.11a_Nss1,(6Mbps)_2TX

5825MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-D-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.58G	61.31	68.20	-6.89	54.72	3	Horizontal	197	2.09	-	34.60	7.38	35.39
PK	5.824G	117.78	Inf	-Inf	111.62	3	Horizontal	197	2.09	-	34.25	7.42	35.51
AV	5.827G	107.35	Inf	-Inf	101.18	3	Horizontal	197	2.09	-	34.25	7.43	35.51
PK	6.027G	62.14	68.20	-6.06	55.27	3	Horizontal	197	2.09	-	34.85	7.61	35.59

802.11a_Nss1,(6Mbps)_2TX

5825MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-D-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6498G	62.53	74.00	-11.47	47.95	3	Vertical	214	2.65	-	39.40	10.75	35.57
AV	11.651G	49.65	54.00	-4.35	35.07	3	Vertical	214	2.65	-	39.40	10.75	35.57

802.11a_Nss1,(6Mbps)_2TX

5825MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-D-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64976G	63.53	74.00	-10.47	48.95	3	Horizontal	146	2.02	-	39.40	10.75	35.57
AV	11.65084G	50.23	54.00	-3.77	35.65	3	Horizontal	146	2.02	-	39.40	10.75	35.57

802.11ax HEW20_Nss1,(MCS0)_2TX

5180MHz_TnomVnom




EUT X_2TX
Setting 20.5
03-D-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.1496G	70.65	74.00	-3.35	64.82	3	Vertical	58	2.02	-	34.00	7.17	35.34	
AV	5.1498G	53.76	54.00	-0.24	47.93	3	Vertical	58	2.02	-	34.00	7.17	35.34	
PK	5.1796G	119.05	Inf	-Inf	113.08	3	Vertical	58	2.02	-	34.12	7.19	35.34	
AV	5.181G	106.24	Inf	-Inf	100.27	3	Vertical	58	2.02	-	34.12	7.19	35.34	

802.11ax HEW20_Nss1,(MCS0)_2TX

5180MHz_TnomVnom




EUT X_2TX
Setting 20.5
03-D-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1492G	68.83	74.00	-5.17	63.00	3	Horizontal	198	2.05	-	34.00	7.17	35.34
AV	5.15G	53.01	54.00	-0.99	47.18	3	Horizontal	198	2.05	-	34.00	7.17	35.34
PK	5.1814G	117.16	Inf	-Inf	111.18	3	Horizontal	198	2.05	-	34.13	7.19	35.34
AV	5.1792G	105.44	Inf	-Inf	99.47	3	Horizontal	198	2.05	-	34.12	7.19	35.34

802.11ax HEW20_Nss1,(MCS0)_2TX

5180MHz_TnomVnom




EUT X_2TX
Setting 20.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.54414G	62.33	74.00	-11.67	46.18	3	Vertical	312	1.40	-	38.39	13.17	35.41
AV	15.52566G	48.61	54.00	-5.39	32.32	3	Vertical	312	1.40	-	38.52	13.16	35.39

802.11ax HEW20_Nss1,(MCS0)_2TX

5180MHz_TnomVnom




EUT X_2TX
Setting 20.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.53934G	62.32	74.00	-11.68	46.13	3	Horizontal	314	1.15	-	38.42	13.17	35.40
AV	15.5262G	48.58	54.00	-5.42	32.29	3	Horizontal	314	1.15	-	38.52	13.16	35.39

802.11ax HEW20_Nss1,(MCS0)_2TX

5200MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-D-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.146G	60.07	74.00	-13.93	54.25	3	Vertical	60	1.98	-	33.99	7.17	35.34
AV	5.1496G	48.01	54.00	-5.99	42.18	3	Vertical	60	1.98	-	34.00	7.17	35.34
PK	5.1992G	118.77	Inf	-Inf	112.71	3	Vertical	60	1.98	-	34.20	7.20	35.34
AV	5.2008G	106.78	Inf	-Inf	100.72	3	Vertical	60	1.98	-	34.20	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_2TX

5200MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-D-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.128G	60.62	74.00	-13.38	54.84	3	Horizontal	198	2.24	-	33.96	7.16	35.34	
AV	5.15G	48.06	54.00	-5.94	42.23	3	Horizontal	198	2.24	-	34.00	7.17	35.34	
PK	5.2016G	118.30	Inf	-Inf	112.23	3	Horizontal	198	2.24	-	34.21	7.20	35.34	
AV	5.1992G	106.08	Inf	-Inf	100.02	3	Horizontal	198	2.24	-	34.20	7.20	35.34	

802.11ax HEW20_Nss1,(MCS0)_2TX

5200MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.60246G	62.00	74.00	-12.00	46.27	3	Vertical	248	1.87	-	37.99	13.20	35.46
AV	15.58506G	48.46	54.00	-5.54	32.61	3	Vertical	248	1.87	-	38.10	13.19	35.44

802.11ax HEW20_Nss1,(MCS0)_2TX

5200MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.60354G	61.96	74.00	-12.04	46.24	3	Horizontal	164	1.22	-	37.98	13.20	35.46
AV	15.58554G	48.51	54.00	-5.49	32.66	3	Horizontal	164	1.22	-	38.10	13.19	35.44

802.11ax HEW20_Nss1,(MCS0)_2TX

5240MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-D-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1374G	61.02	74.00	-12.98	55.22	3	Vertical	211	2.16	-	33.97	7.17	35.34
AV	5.1398G	47.51	54.00	-6.49	41.70	3	Vertical	211	2.16	-	33.98	7.17	35.34
PK	5.2418G	118.30	Inf	-Inf	112.07	3	Vertical	211	2.16	-	34.37	7.20	35.34
AV	5.2412G	106.99	Inf	-Inf	100.77	3	Vertical	211	2.16	-	34.36	7.20	35.34
PK	5.35G	61.01	74.00	-12.99	54.65	3	Vertical	211	2.16	-	34.50	7.20	35.34
AV	5.3834G	48.09	54.00	-5.91	41.67	3	Vertical	211	2.16	-	34.57	7.20	35.35

802.11ax HEW20_Nss1,(MCS0)_2TX

5240MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-D-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.0936G	60.26	74.00	-13.74	54.55	3	Horizontal	198	2.20	-	33.89	7.15	35.33
AV	5.1494G	47.55	54.00	-6.45	41.72	3	Horizontal	198	2.20	-	34.00	7.17	35.34
PK	5.2418G	118.86	Inf	-Inf	112.63	3	Horizontal	198	2.20	-	34.37	7.20	35.34
AV	5.2406G	106.36	Inf	-Inf	100.14	3	Horizontal	198	2.20	-	34.36	7.20	35.34
PK	5.381G	60.95	74.00	-13.05	54.54	3	Horizontal	198	2.20	-	34.56	7.20	35.35
AV	5.3816G	48.14	54.00	-5.86	41.73	3	Horizontal	198	2.20	-	34.56	7.20	35.35

802.11ax HEW20_Nss1,(MCS0)_2TX

5240MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.71964G	62.21	74.00	-11.79	46.92	3	Vertical	171	2.55	-	37.58	13.26	35.55
AV	15.71322G	48.47	54.00	-5.53	33.21	3	Vertical	171	2.55	-	37.55	13.26	35.55

802.11ax HEW20_Nss1,(MCS0)_2TX

5240MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.71352G	62.13	74.00	-11.87	46.87	3	Horizontal	264	2.41	-	37.55	13.26	35.55
AV	15.7248G	48.49	54.00	-5.51	33.19	3	Horizontal	264	2.41	-	37.60	13.26	35.56

802.11ax HEW20_Nss1,(MCS0)_2TX

5260MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-D-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1232G	60.07	74.00	-13.93	54.29	3	Vertical	223	2.04	-	33.95	7.16	35.33
AV	5.149G	47.49	54.00	-6.51	41.66	3	Vertical	223	2.04	-	34.00	7.17	35.34
PK	5.2618G	118.01	Inf	-Inf	111.73	3	Vertical	223	2.04	-	34.42	7.20	35.34
AV	5.2606G	106.31	Inf	-Inf	100.03	3	Vertical	223	2.04	-	34.42	7.20	35.34
PK	5.38G	60.74	74.00	-13.26	54.33	3	Vertical	223	2.04	-	34.56	7.20	35.35
AV	5.398G	48.24	54.00	-5.76	41.79	3	Vertical	223	2.04	-	34.60	7.20	35.35

802.11ax HEW20_Nss1,(MCS0)_2TX

5260MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-D-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1358G	60.17	74.00	-13.83	54.37	3	Horizontal	198	2.11	-	33.97	7.17	35.34
AV	5.149G	47.52	54.00	-6.48	41.69	3	Horizontal	198	2.11	-	34.00	7.17	35.34
PK	5.2618G	117.92	Inf	-Inf	111.64	3	Horizontal	198	2.11	-	34.42	7.20	35.34
AV	5.2588G	105.42	Inf	-Inf	99.14	3	Horizontal	198	2.11	-	34.42	7.20	35.34
PK	5.4064G	61.09	74.00	-12.91	54.64	3	Horizontal	198	2.11	-	34.59	7.21	35.35
AV	5.398G	48.26	54.00	-5.74	41.81	3	Horizontal	198	2.11	-	34.60	7.20	35.35

802.11ax HEW20_Nss1,(MCS0)_2TX

5260MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.78906G	62.49	74.00	-11.51	46.95	3	Vertical	338	2.22	-	37.86	13.29	35.61
AV	15.77784G	48.84	54.00	-5.16	33.34	3	Vertical	338	2.22	-	37.81	13.29	35.60

802.11ax HEW20_Nss1,(MCS0)_2TX

5260MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.78036G	62.92	74.00	-11.08	47.42	3	Horizontal	213	1.93	-	37.82	13.29	35.61
AV	15.79098G	48.86	54.00	-5.14	33.31	3	Horizontal	213	1.93	-	37.86	13.30	35.61

802.11ax HEW20_Nss1,(MCS0)_2TX

5300MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-D-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3016G	119.03	Inf	-Inf	112.67	3	Vertical	212	2.02	-	34.50	7.20	35.34
AV	5.2988G	106.77	Inf	-Inf	100.41	3	Vertical	212	2.02	-	34.50	7.20	35.34
PK	5.35G	65.13	74.00	-8.87	58.77	3	Vertical	212	2.02	-	34.50	7.20	35.34
AV	5.3504G	48.96	54.00	-5.04	42.60	3	Vertical	212	2.02	-	34.50	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_2TX

5300MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-D-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.2992G	117.47	Inf	-Inf	111.11	3	Horizontal	197	1.97	-	34.50	7.20	35.34	
AV	5.3008G	105.97	Inf	-Inf	99.61	3	Horizontal	197	1.97	-	34.50	7.20	35.34	
PK	5.35G	63.81	74.00	-10.19	57.45	3	Horizontal	197	1.97	-	34.50	7.20	35.34	
AV	5.3504G	48.72	54.00	-5.28	42.36	3	Horizontal	197	1.97	-	34.50	7.20	35.34	

802.11ax HEW20_Nss1,(MCS0)_2TX

5300MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60366G	59.71	74.00	-14.29	46.29	3	Vertical	219	1.90	-	38.21	10.59	35.38
AV	10.60102G	45.87	54.00	-8.13	32.46	3	Vertical	219	1.90	-	38.20	10.59	35.38
PK	15.88968G	62.18	74.00	-11.82	46.91	3	Vertical	83	2.92	-	37.63	13.34	35.70
AV	15.89844G	48.62	54.00	-5.38	33.37	3	Vertical	83	2.92	-	37.60	13.35	35.70

802.11ax HEW20_Nss1,(MCS0)_2TX

5300MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60126G	57.86	74.00	-16.14	44.45	3	Horizontal	319	2.78	-	38.20	10.59	35.38
AV	10.60126G	44.53	54.00	-9.47	31.12	3	Horizontal	319	2.78	-	38.20	10.59	35.38
PK	15.91086G	61.80	74.00	-12.20	46.58	3	Horizontal	118	2.35	-	37.58	13.36	35.72
AV	15.89724G	48.47	54.00	-5.53	33.21	3	Horizontal	118	2.35	-	37.61	13.35	35.70

802.11ax HEW20_Nss1,(MCS0)_2TX

5320MHz_TnomVnom




EUT_X_2TX
Setting 17.5
03-D-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3198G	117.45	Inf	-Inf	111.09	3	Vertical	328	1.90	-	34.50	7.20	35.34
AV	5.3176G	104.14	Inf	-Inf	97.78	3	Vertical	328	1.90	-	34.50	7.20	35.34
PK	5.3502G	73.49	74.00	-0.51	67.13	3	Vertical	328	1.90	-	34.50	7.20	35.34
AV	5.35G	52.04	54.00	-1.96	45.68	3	Vertical	328	1.90	-	34.50	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_2TX

5320MHz_TnomVnom




EUT X_2TX
Setting 17.5
03-D-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3192G	115.85	Inf	-Inf	109.49	3	Horizontal	197	2.08	-	34.50	7.20	35.34
AV	5.3192G	103.62	Inf	-Inf	97.26	3	Horizontal	197	2.08	-	34.50	7.20	35.34
PK	5.3502G	73.86	74.00	-0.14	67.50	3	Horizontal	197	2.08	-	34.50	7.20	35.34
AV	5.35G	51.59	54.00	-2.41	45.23	3	Horizontal	197	2.08	-	34.50	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_2TX

5320MHz_TnomVnom




EUT X_2TX
Setting 17.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.64282G	56.74	74.00	-17.26	43.20	3	Vertical	261	1.55	-	38.29	10.60	35.35
AV	10.6355G	43.18	54.00	-10.82	29.66	3	Vertical	261	1.55	-	38.27	10.60	35.35
PK	15.96654G	62.51	74.00	-11.49	47.42	3	Vertical	123	2.13	-	37.47	13.38	35.76
AV	15.95664G	48.05	54.00	-5.95	32.93	3	Vertical	123	2.13	-	37.49	13.38	35.75

802.11ax HEW20_Nss1,(MCS0)_2TX

5320MHz_TnomVnom




EUT_X_2TX
Setting 17.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.62764G	57.22	74.00	-16.78	43.73	3	Horizontal	204	2.06	-	38.26	10.59	35.36
AV	10.64702G	43.15	54.00	-10.85	29.60	3	Horizontal	204	2.06	-	38.29	10.60	35.34
PK	15.96438G	61.39	74.00	-12.61	46.30	3	Horizontal	265	2.05	-	37.47	13.38	35.76
AV	15.95706G	48.07	54.00	-5.93	32.95	3	Horizontal	265	2.05	-	37.49	13.38	35.75

802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TnomVnom




EUT X_2TX
Setting 16.75
03-D-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4586G	60.89	74.00	-13.11	54.46	3	Vertical	214	1.89	-	34.52	7.26	35.35
AV	5.4588G	48.26	54.00	-5.74	41.83	3	Vertical	214	1.89	-	34.52	7.26	35.35
PK	5.4692G	67.94	68.20	-0.26	61.48	3	Vertical	214	1.89	-	34.54	7.27	35.35
PK	5.4994G	117.12	Inf	-Inf	110.57	3	Vertical	214	1.89	-	34.60	7.30	35.35
AV	5.5006G	104.10	Inf	-Inf	97.55	3	Vertical	214	1.89	-	34.60	7.30	35.35

802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TnomVnom




EUT_X_2TX
Setting 16.75
03-D-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.4582G	61.17	74.00	-12.83	54.74	3	Horizontal	177	1.88	-	34.52	7.26	35.35	
AV	5.4574G	48.18	54.00	-5.82	41.76	3	Horizontal	177	1.88	-	34.51	7.26	35.35	
PK	5.4692G	66.88	68.20	-1.32	60.42	3	Horizontal	177	1.88	-	34.54	7.27	35.35	
PK	5.5008G	113.41	Inf	-Inf	106.86	3	Horizontal	177	1.88	-	34.60	7.30	35.35	
AV	5.5006G	102.46	Inf	-Inf	95.91	3	Horizontal	177	1.88	-	34.60	7.30	35.35	

802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TnomVnom




EUT X_2TX
Setting 16.75
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	10.99958G	57.62	74.00	-16.38	43.61	3	Vertical	319	1.32	-	38.40	10.65	35.04	
AV	10.99622G	43.90	54.00	-10.10	29.89	3	Vertical	319	1.32	-	38.40	10.65	35.04	

802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TnomVnom




EUT X_2TX
Setting 16.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0015G	57.77	74.00	-16.23	43.76	3	Horizontal	136	1.72	-	38.40	10.65	35.04
AV	10.9922G	43.89	54.00	-10.11	29.90	3	Horizontal	136	1.72	-	38.39	10.65	35.05

802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-D-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3928G	60.88	74.00	-13.12	54.44	3	Vertical	211	1.96	-	34.59	7.20	35.35
AV	5.42G	48.84	54.00	-5.16	42.41	3	Vertical	211	1.96	-	34.56	7.22	35.35
PK	5.468G	60.39	68.20	-7.81	53.93	3	Vertical	211	1.96	-	34.54	7.27	35.35
PK	5.5816G	119.51	Inf	-Inf	112.92	3	Vertical	211	1.96	-	34.60	7.38	35.39
AV	5.5808G	107.38	Inf	-Inf	100.79	3	Vertical	211	1.96	-	34.60	7.38	35.39
PK	5.7336G	61.32	68.20	-6.88	55.16	3	Vertical	211	1.96	-	34.23	7.40	35.47

802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-D-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4G	60.90	74.00	-13.10	54.45	3	Horizontal	360	2.00	-	34.60	7.20	35.35
AV	5.4208G	48.66	54.00	-5.34	42.23	3	Horizontal	360	2.00	-	34.56	7.22	35.35
PK	5.4664G	60.19	68.20	-8.01	53.74	3	Horizontal	360	2.00	-	34.53	7.27	35.35
PK	5.5792G	119.32	Inf	-Inf	112.73	3	Horizontal	360	2.00	-	34.60	7.38	35.39
AV	5.5808G	106.58	Inf	-Inf	99.99	3	Horizontal	360	2.00	-	34.60	7.38	35.39
PK	5.7712G	60.82	68.20	-7.38	54.71	3	Horizontal	360	2.00	-	34.20	7.40	35.49

802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1618G	61.15	74.00	-12.85	47.14	3	Vertical	224	1.83	-	38.56	10.67	35.22
AV	11.15922G	47.74	54.00	-6.26	33.73	3	Vertical	224	1.83	-	38.56	10.67	35.22

802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	11.15904G	63.87	74.00	-10.13	49.86	3	Horizontal	229	2.10	-	38.56	10.67	35.22
AV	11.1591G	50.06	54.00	-3.94	36.05	3	Horizontal	229	2.10	-	38.56	10.67	35.22

802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TnomVnom




EUT X_2TX
Setting 13
03-D-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6992G	115.84	Inf	-Inf	109.59	3	Vertical	317	1.80	-	34.30	7.40	35.45
AV	5.7008G	100.97	Inf	-Inf	94.72	3	Vertical	317	1.80	-	34.30	7.40	35.45
PK	5.7256G	67.59	68.20	-0.61	61.40	3	Vertical	317	1.80	-	34.25	7.40	35.46

802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TnomVnom




EUT X_2TX
Setting 13
03-D-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7016G	113.60	Inf	-Inf	107.35	3	Horizontal	3	2.06	-	34.30	7.40	35.45
AV	5.6992G	100.65	Inf	-Inf	94.40	3	Horizontal	3	2.06	-	34.30	7.40	35.45
PK	5.7252G	67.31	68.20	-0.89	61.12	3	Horizontal	3	2.06	-	34.25	7.40	35.46

802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TnomVnom




EUT X_2TX
Setting 13
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40534G	57.82	74.00	-16.18	43.79	3	Vertical	27	1.05	-	38.81	10.71	35.49
AV	11.38566G	43.99	54.00	-10.01	29.96	3	Vertical	27	1.05	-	38.79	10.71	35.47

802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TnomVnom




EUT_X_2TX
Setting 13
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39556G	57.68	74.00	-16.32	43.65	3	Horizontal	285	2.23	-	38.80	10.71	35.48
AV	11.3865G	44.03	54.00	-9.97	30.00	3	Horizontal	285	2.23	-	38.79	10.71	35.47

802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-D-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.426G	60.83	74.00	-13.17	54.40	3	Vertical	318	1.80	-	34.55	7.23	35.35
AV	5.4212G	48.23	54.00	-5.77	41.80	3	Vertical	318	1.80	-	34.56	7.22	35.35
PK	5.4608G	60.95	68.20	-7.25	54.52	3	Vertical	318	1.80	-	34.52	7.26	35.35
PK	5.72G	120.86	Inf	-Inf	114.66	3	Vertical	318	1.80	-	34.26	7.40	35.46
AV	5.72G	107.97	Inf	-Inf	101.77	3	Vertical	318	1.80	-	34.26	7.40	35.46
PK	5.9312G	61.91	68.20	-6.29	55.23	3	Vertical	318	1.80	-	34.72	7.53	35.57

802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-D-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4296G	60.95	74.00	-13.05	54.53	3	Horizontal	0	2.03	-	34.54	7.23	35.35
AV	5.4284G	48.11	54.00	-5.89	41.69	3	Horizontal	0	2.03	-	34.54	7.23	35.35
PK	5.462G	59.79	68.20	-8.41	53.36	3	Horizontal	0	2.03	-	34.52	7.26	35.35
PK	5.7224G	119.07	Inf	-Inf	112.87	3	Horizontal	0	2.03	-	34.26	7.40	35.46
AV	5.7188G	107.35	Inf	-Inf	101.15	3	Horizontal	0	2.03	-	34.26	7.40	35.46
PK	5.9396G	61.99	68.20	-6.21	55.26	3	Horizontal	0	2.03	-	34.76	7.54	35.57

802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_2TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43958G	64.61	74.00	-9.39	50.54	3	Vertical	186	2.49	-	38.88	10.72	35.53
AV	11.43748G	50.90	54.00	-3.10	36.84	3	Vertical	186	2.49	-	38.87	10.72	35.53

802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_2TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4361G	63.69	74.00	-10.31	49.63	3	Horizontal	190	2.09	-	38.87	10.72	35.53
AV	11.44054G	49.97	54.00	-4.03	35.90	3	Horizontal	190	2.09	-	38.88	10.72	35.53

802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-D-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.531G	61.10	68.20	-7.10	54.54	3	Vertical	319	1.97	-	34.60	7.33	35.37
PK	5.743G	118.62	Inf	-Inf	112.48	3	Vertical	319	1.97	-	34.21	7.40	35.47
AV	5.745G	107.84	Inf	-Inf	101.70	3	Vertical	319	1.97	-	34.21	7.40	35.47
PK	5.929G	61.83	68.20	-6.37	55.14	3	Vertical	319	1.97	-	34.72	7.53	35.56

802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-D-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.578G	61.57	68.20	-6.63	54.98	3	Horizontal	0	2.01	-	34.60	7.38	35.39
PK	5.745G	120.15	Inf	-Inf	114.01	3	Horizontal	0	2.01	-	34.21	7.40	35.47
AV	5.745G	107.51	Inf	-Inf	101.37	3	Horizontal	0	2.01	-	34.21	7.40	35.47
PK	5.991G	61.34	68.20	-6.86	54.55	3	Horizontal	0	2.01	-	34.80	7.59	35.60

802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48988G	65.35	74.00	-8.65	51.24	3	Vertical	187	2.42	-	38.98	10.72	35.59
AV	11.48754G	51.90	54.00	-2.10	37.79	3	Vertical	187	2.42	-	38.98	10.72	35.59

802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49084G	63.82	74.00	-10.18	49.71	3	Horizontal	192	2.06	-	38.98	10.72	35.59
AV	11.49066G	50.50	54.00	-3.50	36.39	3	Horizontal	192	2.06	-	38.98	10.72	35.59

802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-D-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.622G	62.21	68.20	-5.99	55.66	3	Vertical	318	2.04	-	34.56	7.40	35.41	
PK	5.785G	120.43	Inf	-Inf	114.32	3	Vertical	318	2.04	-	34.20	7.40	35.49	
AV	5.784G	108.08	Inf	-Inf	101.97	3	Vertical	318	2.04	-	34.20	7.40	35.49	
PK	5.934G	61.42	68.20	-6.78	54.72	3	Vertical	318	2.04	-	34.74	7.53	35.57	

802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-D-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.622G	61.37	68.20	-6.83	54.82	3	Horizontal	6	1.98	-	34.56	7.40	35.41	
PK	5.787G	119.51	Inf	-Inf	113.40	3	Horizontal	6	1.98	-	34.20	7.40	35.49	
AV	5.784G	107.67	Inf	-Inf	101.56	3	Horizontal	6	1.98	-	34.20	7.40	35.49	
PK	5.941G	61.75	68.20	-6.45	55.02	3	Horizontal	6	1.98	-	34.76	7.54	35.57	

802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5703G	65.50	74.00	-8.50	51.06	3	Vertical	185	2.98	-	39.28	10.74	35.58
AV	11.56976G	52.33	54.00	-1.67	37.89	3	Vertical	185	2.98	-	39.28	10.74	35.58

802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	11.57012G	62.26	74.00	-11.74	47.82	3	Horizontal	134	1.80	-	39.28	10.74	35.58	
AV	11.57048G	48.82	54.00	-5.18	34.38	3	Horizontal	134	1.80	-	39.28	10.74	35.58	

802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-D-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.636G	60.69	68.20	-7.51	54.18	3	Vertical	321	2.02	-	34.53	7.40	35.42
PK	5.825G	120.94	Inf	-Inf	114.77	3	Vertical	321	2.02	-	34.25	7.43	35.51
AV	5.826G	107.91	Inf	-Inf	101.74	3	Vertical	321	2.02	-	34.25	7.43	35.51
PK	6.006G	61.26	68.20	-6.94	54.45	3	Vertical	321	2.02	-	34.81	7.60	35.60

802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-D-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.636G	61.04	68.20	-7.16	54.53	3	Horizontal	191	1.99	-	34.53	7.40	35.42
PK	5.827G	118.56	Inf	-Inf	112.39	3	Horizontal	191	1.99	-	34.25	7.43	35.51
AV	5.824G	106.78	Inf	-Inf	100.62	3	Horizontal	191	1.99	-	34.25	7.42	35.51
PK	5.956G	61.17	68.20	-7.03	54.39	3	Horizontal	191	1.99	-	34.80	7.56	35.58

802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64934G	60.86	74.00	-13.14	46.28	3	Vertical	143	1.80	-	39.40	10.75	35.57
AV	11.65156G	46.68	54.00	-7.32	32.10	3	Vertical	143	1.80	-	39.40	10.75	35.57

802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64598G	63.11	74.00	-10.89	48.53	3	Horizontal	193	2.05	-	39.40	10.75	35.57
AV	11.65042G	49.66	54.00	-4.34	35.08	3	Horizontal	193	2.05	-	39.40	10.75	35.57

802.11ax HEW40_Nss1,(MCS0)_2TX

5190MHz_TnomVnom




EUT_X_2TX
Setting 15.25
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.15G	68.35	74.00	-5.65	62.52	3	Vertical	255	2.20	-	34.00	7.17	35.34	
AV	5.1492G	53.71	54.00	-0.29	47.88	3	Vertical	255	2.20	-	34.00	7.17	35.34	
PK	5.1904G	111.90	Inf	-Inf	105.88	3	Vertical	255	2.20	-	34.16	7.20	35.34	
AV	5.1892G	99.78	Inf	-Inf	93.77	3	Vertical	255	2.20	-	34.16	7.19	35.34	

802.11ax HEW40_Nss1,(MCS0)_2TX

5190MHz_TnomVnom




EUT_X_2TX
Setting 15.25
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1492G	68.38	74.00	-5.62	62.55	3	Horizontal	163	1.86	-	34.00	7.17	35.34
AV	5.15G	52.84	54.00	-1.16	47.01	3	Horizontal	163	1.86	-	34.00	7.17	35.34
PK	5.1928G	110.28	Inf	-Inf	104.25	3	Horizontal	163	1.86	-	34.17	7.20	35.34
AV	5.192G	97.06	Inf	-Inf	91.03	3	Horizontal	163	1.86	-	34.17	7.20	35.34

802.11ax HEW40_Nss1,(MCS0)_2TX

5190MHz_TnomVnom




EUT X_2TX
Setting 15.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.57276G	62.51	74.00	-11.49	46.56	3	Vertical	120	1.37	-	38.19	13.19	35.43
AV	15.5715G	48.73	54.00	-5.27	32.77	3	Vertical	120	1.37	-	38.20	13.19	35.43

802.11ax HEW40_Nss1,(MCS0)_2TX

5190MHz_TnomVnom




EUT X_2TX
Setting 15.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.58434G	63.10	74.00	-10.90	47.24	3	Horizontal	28	1.68	-	38.11	13.19	35.44
AV	15.57078G	48.71	54.00	-5.29	32.75	3	Horizontal	28	1.68	-	38.20	13.19	35.43

802.11ax HEW40_Nss1,(MCS0)_2TX

5230MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.1476G	67.03	74.00	-6.97	61.20	3	Vertical	256	1.98	-	34.00	7.17	35.34	
AV	5.15G	49.58	54.00	-4.42	43.75	3	Vertical	256	1.98	-	34.00	7.17	35.34	
PK	5.2304G	116.17	Inf	-Inf	109.99	3	Vertical	256	1.98	-	34.32	7.20	35.34	
AV	5.232G	103.91	Inf	-Inf	97.72	3	Vertical	256	1.98	-	34.33	7.20	35.34	

802.11ax HEW40_Nss1,(MCS0)_2TX

5230MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.1476G	65.84	74.00	-8.16	60.01	3	Horizontal	204	2.19	-	34.00	7.17	35.34	
AV	5.1476G	48.84	54.00	-5.16	43.01	3	Horizontal	204	2.19	-	34.00	7.17	35.34	
PK	5.2324G	114.36	Inf	-Inf	108.17	3	Horizontal	204	2.19	-	34.33	7.20	35.34	
AV	5.2332G	101.55	Inf	-Inf	95.36	3	Horizontal	204	2.19	-	34.33	7.20	35.34	

802.11ax HEW40_Nss1,(MCS0)_2TX

5230MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.70278G	62.05	74.00	-11.95	46.83	3	Vertical	70	1.28	-	37.51	13.25	35.54
AV	15.705G	48.37	54.00	-5.63	33.14	3	Vertical	70	1.28	-	37.52	13.25	35.54

802.11ax HEW40_Nss1,(MCS0)_2TX

5230MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.69282G	62.25	74.00	-11.75	46.99	3	Horizontal	23	1.13	-	37.54	13.25	35.53
AV	15.70398G	48.36	54.00	-5.64	33.13	3	Horizontal	23	1.13	-	37.52	13.25	35.54

802.11ax HEW40_Nss1,(MCS0)_2TX

5270MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2732G	115.86	Inf	-Inf	109.55	3	Vertical	250	1.92	-	34.45	7.20	35.34
AV	5.2688G	102.05	Inf	-Inf	95.75	3	Vertical	250	1.92	-	34.44	7.20	35.34
PK	5.356G	71.02	74.00	-2.98	64.65	3	Vertical	250	1.92	-	34.51	7.20	35.34
AV	5.35G	51.58	54.00	-2.42	45.22	3	Vertical	250	1.92	-	34.50	7.20	35.34

802.11ax HEW40_Nss1,(MCS0)_2TX

5270MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.2684G	113.78	Inf	-Inf	107.48	3	Horizontal	202	1.96	-	34.44	7.20	35.34	
AV	5.268G	100.54	Inf	-Inf	94.24	3	Horizontal	202	1.96	-	34.44	7.20	35.34	
PK	5.3564G	71.15	74.00	-2.85	64.78	3	Horizontal	202	1.96	-	34.51	7.20	35.34	
AV	5.35G	51.79	54.00	-2.21	45.43	3	Horizontal	202	1.96	-	34.50	7.20	35.34	

802.11ax HEW40_Nss1,(MCS0)_2TX

5270MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.80406G	62.75	74.00	-11.25	47.19	3	Vertical	6	1.80	-	37.89	13.30	35.63
AV	15.79608G	48.81	54.00	-5.19	33.25	3	Vertical	6	1.80	-	37.88	13.30	35.62

802.11ax HEW40_Nss1,(MCS0)_2TX

5270MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.80412G	63.93	74.00	-10.07	48.37	3	Horizontal	86	1.45	-	37.89	13.30	35.63
AV	15.80226G	48.72	54.00	-5.28	33.15	3	Horizontal	86	1.45	-	37.89	13.30	35.62

802.11ax HEW40_Nss1,(MCS0)_2TX

5310MHz_TnomVnom




EUT_X_2TX
Setting 14.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3092G	111.31	Inf	-Inf	104.95	3	Vertical	249	1.99	-	34.50	7.20	35.34
AV	5.3092G	99.22	Inf	-Inf	92.86	3	Vertical	249	1.99	-	34.50	7.20	35.34
PK	5.3504G	73.34	74.00	-0.66	66.98	3	Vertical	249	1.99	-	34.50	7.20	35.34
AV	5.35G	51.16	54.00	-2.84	44.80	3	Vertical	249	1.99	-	34.50	7.20	35.34

802.11ax HEW40_Nss1,(MCS0)_2TX

5310MHz_TnomVnom




EUT_X_2TX
Setting 14.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3104G	110.54	Inf	-Inf	104.18	3	Horizontal	160	1.98	-	34.50	7.20	35.34
AV	5.3088G	97.12	Inf	-Inf	90.76	3	Horizontal	160	1.98	-	34.50	7.20	35.34
PK	5.352G	71.80	74.00	-2.20	65.44	3	Horizontal	160	1.98	-	34.50	7.20	35.34
AV	5.3584G	52.62	54.00	-1.38	46.24	3	Horizontal	160	1.98	-	34.52	7.20	35.34

802.11ax HEW40_Nss1,(MCS0)_2TX

5310MHz_TnomVnom




EUT_X_2TX
Setting 14.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.61394G	56.55	74.00	-17.45	43.10	3	Vertical	165	1.19	-	38.23	10.59	35.37
AV	10.61076G	43.14	54.00	-10.86	29.70	3	Vertical	165	1.19	-	38.22	10.59	35.37
PK	15.92856G	61.85	74.00	-12.15	46.68	3	Vertical	65	1.55	-	37.54	13.36	35.73
AV	15.9156G	48.20	54.00	-5.80	32.99	3	Vertical	65	1.55	-	37.57	13.36	35.72

802.11ax HEW40_Nss1,(MCS0)_2TX

5310MHz_TnomVnom




EUT_X_2TX
Setting 14.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60902G	56.86	74.00	-17.14	43.43	3	Horizontal	154	1.09	-	38.22	10.59	35.38
AV	10.61886G	43.14	54.00	-10.86	29.68	3	Horizontal	154	1.09	-	38.24	10.59	35.37
PK	15.93936G	61.94	74.00	-12.06	46.79	3	Horizontal	343	2.94	-	37.52	13.37	35.74
AV	15.91848G	48.21	54.00	-5.79	33.01	3	Horizontal	343	2.94	-	37.56	13.36	35.72

802.11ax HEW40_Nss1,(MCS0)_2TX

5510MHz_TnomVnom




EUT_X_2TX
Setting 14.75
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.4588G	67.81	74.00	-6.19	61.38	3	Vertical	241	1.98	-	34.52	7.26	35.35	
AV	5.4592G	49.12	54.00	-4.88	42.69	3	Vertical	241	1.98	-	34.52	7.26	35.35	
PK	5.462G	67.48	68.20	-0.72	61.05	3	Vertical	241	1.98	-	34.52	7.26	35.35	
PK	5.5128G	112.96	Inf	-Inf	106.41	3	Vertical	241	1.98	-	34.60	7.31	35.36	
AV	5.5144G	98.94	Inf	-Inf	92.39	3	Vertical	241	1.98	-	34.60	7.31	35.36	

802.11ax HEW40_Nss1,(MCS0)_2TX

5510MHz_TnomVnom




EUT X_2TX
Setting 14.75
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.4588G	66.43	74.00	-7.57	60.00	3	Horizontal	160	1.96	-	34.52	7.26	35.35	
AV	5.4564G	49.36	54.00	-4.64	42.94	3	Horizontal	160	1.96	-	34.51	7.26	35.35	
PK	5.4644G	67.08	68.20	-1.12	60.64	3	Horizontal	160	1.96	-	34.53	7.26	35.35	
PK	5.508G	109.99	Inf	-Inf	103.43	3	Horizontal	160	1.96	-	34.60	7.31	35.35	
AV	5.5144G	96.67	Inf	-Inf	90.12	3	Horizontal	160	1.96	-	34.60	7.31	35.36	

802.11ax HEW40_Nss1,(MCS0)_2TX

5510MHz_TnomVnom




EUT X_2TX
Setting 14.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0293G	58.02	74.00	-15.98	44.01	3	Vertical	320	1.96	-	38.43	10.65	35.07
AV	11.0311G	43.90	54.00	-10.10	29.89	3	Vertical	320	1.96	-	38.43	10.65	35.07

802.11ax HEW40_Nss1,(MCS0)_2TX

5510MHz_TnomVnom




EUT X_2TX
Setting 14.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0164G	58.08	74.00	-15.92	44.07	3	Horizontal	91	1.87	-	38.42	10.65	35.06
AV	11.03176G	43.90	54.00	-10.10	29.90	3	Horizontal	91	1.87	-	38.43	10.65	35.08

802.11ax HEW40_Nss1,(MCS0)_2TX

5550MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4588G	66.06	74.00	-7.94	59.63	3	Vertical	240	2.05	-	34.52	7.26	35.35
AV	5.458G	48.82	54.00	-5.18	42.39	3	Vertical	240	2.05	-	34.52	7.26	35.35
PK	5.4644G	67.31	68.20	-0.89	60.87	3	Vertical	240	2.05	-	34.53	7.26	35.35
PK	5.5532G	115.96	Inf	-Inf	109.39	3	Vertical	240	2.05	-	34.60	7.35	35.38
AV	5.5492G	103.18	Inf	-Inf	96.60	3	Vertical	240	2.05	-	34.60	7.35	35.37
PK	5.7484G	61.03	68.20	-7.17	54.90	3	Vertical	240	2.05	-	34.20	7.40	35.47

802.11ax HEW40_Nss1,(MCS0)_2TX

5550MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4476G	64.03	74.00	-9.97	57.63	3	Horizontal	334	1.92	-	34.50	7.25	35.35
PK	5.4684G	66.48	68.20	-1.72	60.02	3	Horizontal	334	1.92	-	34.54	7.27	35.35
AV	5.4588G	48.41	54.00	-5.59	41.98	3	Horizontal	334	1.92	-	34.52	7.26	35.35
PK	5.5524G	112.85	Inf	-Inf	106.28	3	Horizontal	334	1.92	-	34.60	7.35	35.38
AV	5.5524G	100.04	Inf	-Inf	93.47	3	Horizontal	334	1.92	-	34.60	7.35	35.38
PK	5.7412G	61.17	68.20	-7.03	55.02	3	Horizontal	334	1.92	-	34.22	7.40	35.47

802.11ax HEW40_Nss1,(MCS0)_2TX

5550MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	11.1069G	60.53	74.00	-13.47	46.51	3	Vertical	224	1.84	-	38.51	10.67	35.16
AV	11.1042G	45.97	54.00	-8.03	31.96	3	Vertical	224	1.84	-	38.50	10.67	35.16

802.11ax HEW40_Nss1,(MCS0)_2TX

5550MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.097G	61.11	74.00	-12.89	47.10	3	Horizontal	219	2.08	-	38.50	10.66	35.15
AV	11.10396G	47.19	54.00	-6.81	33.18	3	Horizontal	219	2.08	-	38.50	10.67	35.16

802.11ax HEW40_Nss1,(MCS0)_2TX

5670MHz_TnomVnom




EUT_X_2TX
Setting 14.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6728G	111.36	Inf	-Inf	104.99	3	Vertical	326	1.79	-	34.41	7.40	35.44
AV	5.6688G	98.42	Inf	-Inf	92.03	3	Vertical	326	1.79	-	34.42	7.40	35.43
PK	5.7256G	68.01	68.20	-0.19	61.82	3	Vertical	326	1.79	-	34.25	7.40	35.46

802.11ax HEW40_Nss1,(MCS0)_2TX

5670MHz_TnomVnom




EUT_X_2TX
Setting 14.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.6728G	110.47	Inf	-Inf	104.10	3	Horizontal	159	1.80	-	34.41	7.40	35.44	
AV	5.6672G	97.12	Inf	-Inf	90.72	3	Horizontal	159	1.80	-	34.43	7.40	35.43	
PK	5.7252G	67.82	68.20	-0.38	61.63	3	Horizontal	159	1.80	-	34.25	7.40	35.46	

802.11ax HEW40_Nss1,(MCS0)_2TX

5670MHz_TnomVnom




EUT X_2TX
Setting 14.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.34414G	57.52	74.00	-16.48	43.51	3	Vertical	222	1.47	-	38.74	10.70	35.43
AV	11.3529G	43.79	54.00	-10.21	29.78	3	Vertical	222	1.47	-	38.75	10.70	35.44

802.11ax HEW40_Nss1,(MCS0)_2TX

5670MHz_TnomVnom




EUT X_2TX
Setting 14.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.34126G	57.54	74.00	-16.46	43.52	3	Horizontal	319	2.66	-	38.74	10.70	35.42
AV	11.35308G	43.76	54.00	-10.24	29.75	3	Horizontal	319	2.66	-	38.75	10.70	35.44

802.11ax HEW40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_2TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4076G	60.60	74.00	-13.40	54.16	3	Vertical	324	1.80	-	34.58	7.21	35.35
AV	5.3992G	48.00	54.00	-6.00	41.55	3	Vertical	324	1.80	-	34.60	7.20	35.35
PK	5.4636G	60.49	68.20	-7.71	54.05	3	Vertical	324	1.80	-	34.53	7.26	35.35
PK	5.7128G	114.38	Inf	-Inf	108.17	3	Vertical	324	1.80	-	34.27	7.40	35.46
AV	5.7086G	101.56	Inf	-Inf	95.33	3	Vertical	324	1.80	-	34.28	7.40	35.45
PK	5.8724G	62.17	68.20	-6.03	55.81	3	Vertical	324	1.80	-	34.43	7.47	35.54

802.11ax HEW40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_2TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3964G	60.38	74.00	-13.62	53.94	3	Horizontal	188	1.87	-	34.59	7.20	35.35
AV	5.3978G	47.97	54.00	-6.03	41.52	3	Horizontal	188	1.87	-	34.60	7.20	35.35
PK	5.4692G	60.02	68.20	-8.18	53.56	3	Horizontal	188	1.87	-	34.54	7.27	35.35
PK	5.7128G	113.49	Inf	-Inf	107.28	3	Horizontal	188	1.87	-	34.27	7.40	35.46
AV	5.7128G	100.75	Inf	-Inf	94.54	3	Horizontal	188	1.87	-	34.27	7.40	35.46
PK	5.8584G	61.34	68.20	-6.86	55.06	3	Horizontal	188	1.87	-	34.35	7.46	35.53

802.11ax HEW40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_2TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42G	61.94	74.00	-12.06	47.90	3	Vertical	186	2.44	-	38.84	10.71	35.51
AV	11.41994G	48.55	54.00	-5.45	34.51	3	Vertical	186	2.44	-	38.84	10.71	35.51

802.11ax HEW40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_2TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42G	61.17	74.00	-12.83	47.13	3	Horizontal	188	2.11	-	38.84	10.71	35.51
AV	11.41586G	47.36	54.00	-6.64	33.33	3	Horizontal	188	2.11	-	38.83	10.71	35.51

802.11ax HEW40_Nss1,(MCS0)_2TX

5755MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65G	66.57	68.20	-1.63	60.10	3	Vertical	235	1.99	-	34.50	7.40	35.43
PK	5.758G	114.97	Inf	-Inf	108.85	3	Vertical	235	1.99	-	34.20	7.40	35.48
AV	5.754G	102.33	Inf	-Inf	96.21	3	Vertical	235	1.99	-	34.20	7.40	35.48
PK	6.002G	61.67	68.20	-6.53	54.87	3	Vertical	235	1.99	-	34.80	7.60	35.60

802.11ax HEW40_Nss1,(MCS0)_2TX

5755MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65G	62.75	68.20	-5.45	56.28	3	Horizontal	183	1.84	-	34.50	7.40	35.43
PK	5.753G	114.03	Inf	-Inf	107.91	3	Horizontal	183	1.84	-	34.20	7.40	35.48
AV	5.754G	101.66	Inf	-Inf	95.54	3	Horizontal	183	1.84	-	34.20	7.40	35.48
PK	5.985G	60.98	68.20	-7.22	54.19	3	Horizontal	183	1.84	-	34.80	7.58	35.59

802.11ax HEW40_Nss1,(MCS0)_2TX

5755MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.50886G	62.47	74.00	-11.53	48.30	3	Vertical	186	2.44	-	39.04	10.73	35.60
AV	11.50988G	48.97	54.00	-5.03	34.80	3	Vertical	186	2.44	-	39.04	10.73	35.60

802.11ax HEW40_Nss1,(MCS0)_2TX

5755MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.51072G	62.18	74.00	-11.82	48.01	3	Horizontal	193	2.09	-	39.04	10.73	35.60
AV	11.50592G	48.30	54.00	-5.70	34.15	3	Horizontal	193	2.09	-	39.02	10.73	35.60

802.11ax HEW40_Nss1,(MCS0)_2TX

5795MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-D-E-2-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	5.553G	61.06	68.20	-7.14	54.49	3	Vertical	235	1.94	-	34.60	7.35	35.38
PK	5.798G	114.42	Inf	-Inf	108.32	3	Vertical	235	1.94	-	34.20	7.40	35.50
AV	5.794G	102.39	Inf	-Inf	96.29	3	Vertical	235	1.94	-	34.20	7.40	35.50
PK	5.96G	61.36	68.20	-6.84	54.58	3	Vertical	235	1.94	-	34.80	7.56	35.58

802.11ax HEW40_Nss1,(MCS0)_2TX

5795MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.628G	61.75	68.20	-6.45	55.22	3	Horizontal	187	1.80	-	34.54	7.40	35.41
PK	5.794G	113.31	Inf	-Inf	107.21	3	Horizontal	187	1.80	-	34.20	7.40	35.50
AV	5.794G	101.15	Inf	-Inf	95.05	3	Horizontal	187	1.80	-	34.20	7.40	35.50
PK	5.922G	64.83	70.42	-5.59	58.18	3	Horizontal	187	1.80	-	34.69	7.52	35.56

802.11ax HEW40_Nss1,(MCS0)_2TX

5795MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.59522G	62.38	74.00	-11.62	47.84	3	Vertical	207	3.00	-	39.38	10.74	35.58
AV	11.5951G	48.80	54.00	-5.20	34.26	3	Vertical	207	3.00	-	39.38	10.74	35.58

802.11ax HEW40_Nss1,(MCS0)_2TX

5795MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.59552G	62.04	74.00	-11.96	47.50	3	Horizontal	134	1.95	-	39.38	10.74	35.58
AV	11.59042G	47.44	54.00	-6.56	32.92	3	Horizontal	134	1.95	-	39.36	10.74	35.58

802.11ax HEW80_Nss1,(MCS0)_2TX

5210MHz_TnomVnom




EUT_X_2TX
Setting 13.25
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.146G	69.47	74.00	-4.53	63.65	3	Vertical	67	1.80	-	33.99	7.17	35.34
AV	5.139G	53.81	54.00	-0.19	48.00	3	Vertical	67	1.80	-	33.98	7.17	35.34
PK	5.214G	105.51	Inf	-Inf	99.39	3	Vertical	67	1.80	-	34.26	7.20	35.34
AV	5.213G	94.95	Inf	-Inf	88.84	3	Vertical	67	1.80	-	34.25	7.20	35.34
PK	5.356G	61.99	74.00	-12.01	55.62	3	Vertical	67	1.80	-	34.51	7.20	35.34
AV	5.358G	50.24	54.00	-3.76	43.86	3	Vertical	67	1.80	-	34.52	7.20	35.34

802.11ax HEW80_Nss1,(MCS0)_2TX

5210MHz_TnomVnom




EUT_X_2TX
Setting 13.25
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.147G	68.28	74.00	-5.72	62.46	3	Horizontal	164	2.00	-	33.99	7.17	35.34
AV	5.136G	52.65	54.00	-1.35	46.85	3	Horizontal	164	2.00	-	33.97	7.17	35.34
PK	5.214G	102.99	Inf	-Inf	96.87	3	Horizontal	164	2.00	-	34.26	7.20	35.34
AV	5.212G	92.91	Inf	-Inf	86.80	3	Horizontal	164	2.00	-	34.25	7.20	35.34
PK	5.438G	61.66	74.00	-12.34	55.25	3	Horizontal	164	2.00	-	34.52	7.24	35.35
AV	5.402G	50.29	54.00	-3.71	43.84	3	Horizontal	164	2.00	-	34.60	7.20	35.35

802.11ax HEW80_Nss1,(MCS0)_2TX

5210MHz_TnomVnom




EUT X_2TX
Setting 13.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.62682G	62.08	74.00	-11.92	46.48	3	Vertical	354	2.56	-	37.87	13.21	35.48
AV	15.63762G	50.71	54.00	-3.29	35.17	3	Vertical	354	2.56	-	37.81	13.22	35.49

802.11ax HEW80_Nss1,(MCS0)_2TX

5210MHz_TnomVnom




EUT X_2TX
Setting 13.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.62532G	61.69	74.00	-12.31	46.09	3	Horizontal	109	1.37	-	37.87	13.21	35.48
AV	15.63336G	50.69	54.00	-3.31	35.12	3	Horizontal	109	1.37	-	37.83	13.22	35.48

802.11ax HEW80_Nss1,(MCS0)_2TX

5290MHz_TnomVnom




EUT X_2TX
Setting 12.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	60.67	74.00	-13.33	54.84	3	Vertical	68	1.85	-	34.00	7.17	35.34
AV	5.063G	49.85	54.00	-4.15	44.22	3	Vertical	68	1.85	-	33.83	7.13	35.33
PK	5.293G	105.15	Inf	-Inf	98.80	3	Vertical	68	1.85	-	34.49	7.20	35.34
AV	5.292G	94.19	Inf	-Inf	87.85	3	Vertical	68	1.85	-	34.48	7.20	35.34
PK	5.353G	66.55	74.00	-7.45	60.18	3	Vertical	68	1.85	-	34.51	7.20	35.34
AV	5.355G	53.63	54.00	-0.37	47.26	3	Vertical	68	1.85	-	34.51	7.20	35.34
PK	5.534G	60.86	68.20	-7.34	54.30	3	Vertical	68	1.85	-	34.60	7.33	35.37

802.11ax HEW80_Nss1,(MCS0)_2TX

5290MHz_TnomVnom




EUT_X_2TX
Setting 12.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.106G	60.61	74.00	-13.39	54.88	3	Horizontal	162	1.89	-	33.91	7.15	35.33
AV	5.095G	49.46	54.00	-4.54	43.75	3	Horizontal	162	1.89	-	33.89	7.15	35.33
PK	5.294G	103.22	Inf	-Inf	96.87	3	Horizontal	162	1.89	-	34.49	7.20	35.34
AV	5.289G	92.89	Inf	-Inf	86.55	3	Horizontal	162	1.89	-	34.48	7.20	35.34
PK	5.354G	64.05	74.00	-9.95	57.68	3	Horizontal	162	1.89	-	34.51	7.20	35.34
AV	5.36G	52.41	54.00	-1.59	46.03	3	Horizontal	162	1.89	-	34.52	7.20	35.34
PK	5.493G	61.76	68.20	-6.44	55.23	3	Horizontal	162	1.89	-	34.59	7.29	35.35

802.11ax HEW80_Nss1,(MCS0)_2TX

5290MHz_TnomVnom




EUT X_2TX
Setting 12.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.88182G	62.91	74.00	-11.09	47.61	3	Vertical	50	2.94	-	37.65	13.34	35.69
AV	15.86652G	50.97	54.00	-3.03	35.62	3	Vertical	50	2.94	-	37.70	13.33	35.68

802.11ax HEW80_Nss1,(MCS0)_2TX

5290MHz_TnomVnom




EUT X_2TX
Setting 12.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.85656G	62.47	74.00	-11.53	47.08	3	Horizontal	22	2.94	-	37.73	13.33	35.67
AV	15.86118G	50.95	54.00	-3.05	35.57	3	Horizontal	22	2.94	-	37.72	13.33	35.67

802.11ax HEW80_Nss1,(MCS0)_2TX

5530MHz_TnomVnom




EUT X_2TX
Setting 13.75
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.329G	61.73	68.20	-6.47	55.37	3	Vertical	241	1.98	-	34.50	7.20	35.34
PK	5.451G	65.11	74.00	-8.89	58.71	3	Vertical	241	1.98	-	34.50	7.25	35.35
AV	5.452G	52.72	54.00	-1.28	46.32	3	Vertical	241	1.98	-	34.50	7.25	35.35
PK	5.469G	67.54	68.20	-0.66	61.08	3	Vertical	241	1.98	-	34.54	7.27	35.35
PK	5.534G	106.23	Inf	-Inf	99.67	3	Vertical	241	1.98	-	34.60	7.33	35.37
AV	5.535G	96.33	Inf	-Inf	89.76	3	Vertical	241	1.98	-	34.60	7.34	35.37
PK	5.756G	60.56	68.20	-7.64	54.44	3	Vertical	241	1.98	-	34.20	7.40	35.48

802.11ax HEW80_Nss1,(MCS0)_2TX

5530MHz_TnomVnom




EUT_X_2TX
Setting 13.75
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.286G	61.12	68.20	-7.08	54.79	3	Horizontal	186	1.76	-	34.47	7.20	35.34
PK	5.448G	63.74	74.00	-10.26	57.34	3	Horizontal	186	1.76	-	34.50	7.25	35.35
AV	5.452G	51.45	54.00	-2.55	45.05	3	Horizontal	186	1.76	-	34.50	7.25	35.35
PK	5.466G	65.47	68.20	-2.73	59.02	3	Horizontal	186	1.76	-	34.53	7.27	35.35
PK	5.533G	105.16	Inf	-Inf	98.60	3	Horizontal	186	1.76	-	34.60	7.33	35.37
AV	5.529G	93.92	Inf	-Inf	87.35	3	Horizontal	186	1.76	-	34.60	7.33	35.36
PK	5.774G	62.38	68.20	-5.82	56.27	3	Horizontal	186	1.76	-	34.20	7.40	35.49

802.11ax HEW80_Nss1,(MCS0)_2TX

5530MHz_TnomVnom




EUT X_2TX
Setting 13.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.06948G	57.65	74.00	-16.35	43.64	3	Vertical	292	1.27	-	38.47	10.66	35.12
AV	11.05418G	46.39	54.00	-7.61	32.38	3	Vertical	292	1.27	-	38.45	10.66	35.10

802.11ax HEW80_Nss1,(MCS0)_2TX

5530MHz_TnomVnom




EUT X_2TX
Setting 13.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0456G	57.40	74.00	-16.60	43.38	3	Horizontal	209	2.54	-	38.45	10.66	35.09
AV	11.04818G	46.60	54.00	-7.40	32.58	3	Horizontal	209	2.54	-	38.45	10.66	35.09

802.11ax HEW80_Nss1,(MCS0)_2TX

5610MHz_TnomVnom




EUT_X_2TX
Setting 14.25
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.383G	62.43	74.00	-11.57	56.01	3	Vertical	239	1.91	-	34.57	7.20	35.35
PK	5.468G	61.26	68.20	-6.94	54.80	3	Vertical	239	1.91	-	34.54	7.27	35.35
AV	5.448G	51.00	54.00	-3.00	44.60	3	Vertical	239	1.91	-	34.50	7.25	35.35
PK	5.598G	108.42	Inf	-Inf	101.82	3	Vertical	239	1.91	-	34.60	7.40	35.40
AV	5.609G	98.35	Inf	-Inf	91.77	3	Vertical	239	1.91	-	34.58	7.40	35.40
PK	5.727G	68.06	68.20	-0.14	61.87	3	Vertical	239	1.91	-	34.25	7.40	35.46

802.11ax HEW80_Nss1,(MCS0)_2TX

5610MHz_TnomVnom




EUT_X_2TX
Setting 14.25
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.435G	61.69	74.00	-12.31	55.27	3	Horizontal	193	2.10	-	34.53	7.24	35.35
AV	5.432G	50.74	54.00	-3.26	44.32	3	Horizontal	193	2.10	-	34.54	7.23	35.35
PK	5.465G	60.96	68.20	-7.24	54.52	3	Horizontal	193	2.10	-	34.53	7.26	35.35
PK	5.613G	108.04	Inf	-Inf	101.48	3	Horizontal	193	2.10	-	34.57	7.40	35.41
AV	5.609G	97.60	Inf	-Inf	91.02	3	Horizontal	193	2.10	-	34.58	7.40	35.40
PK	5.727G	67.26	68.20	-0.94	61.07	3	Horizontal	193	2.10	-	34.25	7.40	35.46

802.11ax HEW80_Nss1,(MCS0)_2TX

5610MHz_TnomVnom




EUT X_2TX
Setting 14.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.23362G	57.99	74.00	-16.01	43.97	3	Vertical	360	1.09	-	38.63	10.69	35.30
AV	11.22408G	45.67	54.00	-8.33	31.66	3	Vertical	360	1.09	-	38.62	10.68	35.29

802.11ax HEW80_Nss1,(MCS0)_2TX

5610MHz_TnomVnom




EUT X_2TX
Setting 14.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.2113G	58.04	74.00	-15.96	44.03	3	Horizontal	353	1.94	-	38.61	10.68	35.28
AV	11.23068G	45.71	54.00	-8.29	31.70	3	Horizontal	353	1.94	-	38.63	10.68	35.30

802.11ax HEW80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_X_2TX
Setting 16.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4176G	61.39	74.00	-12.61	54.96	3	Vertical	325	1.80	-	34.56	7.22	35.35
AV	5.4332G	50.95	54.00	-3.05	44.54	3	Vertical	325	1.80	-	34.53	7.23	35.35
PK	5.4668G	61.66	68.20	-6.54	55.21	3	Vertical	325	1.80	-	34.53	7.27	35.35
PK	5.6936G	110.06	Inf	-Inf	103.78	3	Vertical	325	1.80	-	34.33	7.40	35.45
AV	5.6888G	100.03	Inf	-Inf	93.73	3	Vertical	325	1.80	-	34.34	7.40	35.44
PK	5.852G	66.42	68.20	-1.78	60.19	3	Vertical	325	1.80	-	34.31	7.45	35.53

802.11ax HEW80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_X_2TX
Setting 16.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4128G	61.36	74.00	-12.64	54.93	3	Horizontal	184	1.95	-	34.57	7.21	35.35
AV	5.4032G	50.62	54.00	-3.38	44.18	3	Horizontal	184	1.95	-	34.59	7.20	35.35
PK	5.4644G	61.37	68.20	-6.83	54.93	3	Horizontal	184	1.95	-	34.53	7.26	35.35
PK	5.6936G	110.28	Inf	-Inf	104.00	3	Horizontal	184	1.95	-	34.33	7.40	35.45
AV	5.6924G	99.74	Inf	-Inf	93.46	3	Horizontal	184	1.95	-	34.33	7.40	35.45
PK	5.852G	67.98	68.20	-0.22	61.75	3	Horizontal	184	1.95	-	34.31	7.45	35.53

802.11ax HEW80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_2TX
Setting 16.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.38504G	60.69	74.00	-13.31	46.66	3	Vertical	186	2.46	-	38.79	10.71	35.47
AV	11.38924G	49.01	54.00	-4.99	34.99	3	Vertical	186	2.46	-	38.79	10.71	35.48

802.11ax HEW80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_X_2TX
Setting 16.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.38024G	59.33	74.00	-14.67	45.31	3	Horizontal	190	2.12	-	38.78	10.71	35.47
AV	11.3755G	48.35	54.00	-5.65	34.32	3	Horizontal	190	2.12	-	38.78	10.71	35.46

802.11ax HEW80_Nss1,(MCS0)_2TX

5775MHz_TnomVnom




EUT_X_2TX
Setting 16
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.649G	68.03	68.20	-0.17	61.55	3	Vertical	325	1.97	-	34.50	7.40	35.42	
PK	5.779G	109.68	Inf	-Inf	103.57	3	Vertical	325	1.97	-	34.20	7.40	35.49	
AV	5.774G	99.99	Inf	-Inf	93.88	3	Vertical	325	1.97	-	34.20	7.40	35.49	
PK	5.924G	68.83	68.94	-0.11	62.17	3	Vertical	325	1.97	-	34.70	7.52	35.56	

802.11ax HEW80_Nss1,(MCS0)_2TX

5775MHz_TnomVnom




EUT X_2TX
Setting 16
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.644G	66.67	68.20	-1.53	60.18	3	Horizontal	337	2.01	-	34.51	7.40	35.42
PK	5.779G	109.92	Inf	-Inf	103.81	3	Horizontal	337	2.01	-	34.20	7.40	35.49
AV	5.777G	99.59	Inf	-Inf	93.48	3	Horizontal	337	2.01	-	34.20	7.40	35.49
PK	5.924G	68.70	68.94	-0.24	62.04	3	Horizontal	337	2.01	-	34.70	7.52	35.56

802.11ax HEW80_Nss1,(MCS0)_2TX

5775MHz_TnomVnom




EUT X_2TX
Setting 16
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.53554G	58.33	74.00	-15.67	44.05	3	Vertical	96	1.49	-	39.14	10.73	35.59
AV	11.56338G	46.63	54.00	-7.37	32.24	3	Vertical	96	1.49	-	39.25	10.73	35.59

802.11ax HEW80_Nss1,(MCS0)_2TX

5775MHz_TnomVnom




EUT X_2TX
Setting 16
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.54676G	58.53	74.00	-15.47	44.20	3	Horizontal	56	2.06	-	39.19	10.73	35.59
AV	11.53656G	46.70	54.00	-7.30	32.41	3	Horizontal	56	2.06	-	39.15	10.73	35.59

802.11ax HEW160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TnomVnom




EUT_X_2TX
Setting 9.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1276G	65.84	74.00	-8.16	60.06	3	Vertical	70	1.94	-	33.96	7.16	35.34
AV	5.1264G	52.95	54.00	-1.05	47.18	3	Vertical	70	1.94	-	33.95	7.16	35.34
PK	5.2464G	100.94	Inf	-Inf	94.69	3	Vertical	70	1.94	-	34.39	7.20	35.34
AV	5.2452G	90.13	Inf	-Inf	83.89	3	Vertical	70	1.94	-	34.38	7.20	35.34
PK	5.3928G	66.37	74.00	-7.63	59.93	3	Vertical	70	1.94	-	34.59	7.20	35.35
AV	5.3952G	53.44	54.00	-0.56	47.00	3	Vertical	70	1.94	-	34.59	7.20	35.35
PK	5.5452G	60.50	68.20	-7.70	53.92	3	Vertical	70	1.94	-	34.60	7.35	35.37

802.11ax HEW160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TnomVnom




EUT_X_2TX
Setting 9.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1156G	63.12	74.00	-10.88	57.36	3	Horizontal	163	2.11	-	33.93	7.16	35.33
AV	5.142G	51.73	54.00	-2.27	45.92	3	Horizontal	163	2.11	-	33.98	7.17	35.34
PK	5.2464G	98.50	Inf	-Inf	92.25	3	Horizontal	163	2.11	-	34.39	7.20	35.34
AV	5.2476G	87.82	Inf	-Inf	81.57	3	Horizontal	163	2.11	-	34.39	7.20	35.34
PK	5.3916G	65.37	74.00	-8.63	58.94	3	Horizontal	163	2.11	-	34.58	7.20	35.35
AV	5.3952G	53.39	54.00	-0.61	46.95	3	Horizontal	163	2.11	-	34.59	7.20	35.35
PK	5.5476G	60.64	68.20	-7.56	54.06	3	Horizontal	163	2.11	-	34.60	7.35	35.37

802.11ax HEW160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TnomVnom




EUT X_2TX
Setting 9.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.74448G	61.69	74.00	-12.31	46.32	3	Vertical	159	2.52	-	37.68	13.27	35.58
AV	15.74496G	50.82	54.00	-3.18	35.45	3	Vertical	159	2.52	-	37.68	13.27	35.58

802.11ax HEW160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TnomVnom




EUT_X_2TX
Setting 9.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.75048G	62.92	74.00	-11.08	47.52	3	Horizontal	332	1.23	-	37.70	13.28	35.58
AV	15.74844G	50.53	54.00	-3.47	35.15	3	Horizontal	332	1.23	-	37.69	13.27	35.58

802.11ax HEW160_Nss1,(MCS0)_2TX

5570MHz_TnomVnom




EUT_X_2TX
Setting 9.75
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3288G	60.93	68.20	-7.27	54.57	3	Vertical	326	1.90	-	34.50	7.20	35.34
PK	5.4452G	67.09	74.00	-6.91	60.68	3	Vertical	326	1.90	-	34.51	7.25	35.35
AV	5.4452G	53.29	54.00	-0.71	46.88	3	Vertical	326	1.90	-	34.51	7.25	35.35
PK	5.4632G	64.00	68.20	-4.20	57.56	3	Vertical	326	1.90	-	34.53	7.26	35.35
PK	5.5664G	101.50	Inf	-Inf	94.91	3	Vertical	326	1.90	-	34.60	7.37	35.38
AV	5.5748G	90.70	Inf	-Inf	84.12	3	Vertical	326	1.90	-	34.60	7.37	35.39
PK	5.726G	67.84	68.20	-0.36	61.65	3	Vertical	326	1.90	-	34.25	7.40	35.46

802.11ax HEW160_Nss1,(MCS0)_2TX

5570MHz_TnomVnom




EUT_X_2TX
Setting 9.75
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3144G	61.44	68.20	-6.76	55.08	3	Horizontal	192	2.13	-	34.50	7.20	35.34
PK	5.4524G	64.64	74.00	-9.36	58.24	3	Horizontal	192	2.13	-	34.50	7.25	35.35
AV	5.4464G	53.11	54.00	-0.89	46.70	3	Horizontal	192	2.13	-	34.51	7.25	35.35
PK	5.462G	64.12	68.20	-4.08	57.69	3	Horizontal	192	2.13	-	34.52	7.26	35.35
PK	5.5664G	100.38	Inf	-Inf	93.79	3	Horizontal	192	2.13	-	34.60	7.37	35.38
AV	5.5748G	89.93	Inf	-Inf	83.35	3	Horizontal	192	2.13	-	34.60	7.37	35.39
PK	5.726G	66.72	68.20	-1.48	60.53	3	Horizontal	192	2.13	-	34.25	7.40	35.46

802.11ax HEW160_Nss1,(MCS0)_2TX

5570MHz_TnomVnom




EUT X_2TX
Setting 9.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15398G	56.79	74.00	-17.21	42.78	3	Vertical	280	1.05	-	38.55	10.67	35.21
AV	11.13028G	45.62	54.00	-8.38	31.61	3	Vertical	280	1.05	-	38.53	10.67	35.19

802.11ax HEW160_Nss1,(MCS0)_2TX

5570MHz_TnomVnom



EUT X_2TX
Setting 9.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.13046G	57.16	74.00	-16.84	43.15	3	Horizontal	177	2.18	-	38.53	10.67	35.19
AV	11.15128G	45.57	54.00	-8.43	31.56	3	Horizontal	177	2.18	-	38.55	10.67	35.21



RSE TX above 1GHz

<Full RU> UNII1~UNII3_Non-Beamforming Mode_Ant.2 (2TX)


Appendix E.6

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	PK	5.464G	68.18	68.20	-0.02	3	Vertical	177	1.77	-

802.11a_Nss1,(6Mbps)_2TX

5180MHz_TnomVnom




EUT X_2TX
Setting 20.25
03-B-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	73.97	74.00	-0.03	68.14	3	Vertical	178	2.14	-	34.00	7.17	35.34
AV	5.15G	49.58	54.00	-4.42	43.75	3	Vertical	178	2.14	-	34.00	7.17	35.34
PK	5.1814G	116.44	Inf	-Inf	110.46	3	Vertical	178	2.14	-	34.13	7.19	35.34
AV	5.181G	106.14	Inf	-Inf	100.17	3	Vertical	178	2.14	-	34.12	7.19	35.34

802.11a_Nss1,(6Mbps)_2TX

5180MHz_TnomVnom




EUT_X_2TX
Setting 20.25
03-B-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	73.55	74.00	-0.45	67.72	3	Horizontal	186	2.18	-	34.00	7.17	35.34
AV	5.15G	48.64	54.00	-5.36	42.81	3	Horizontal	186	2.18	-	34.00	7.17	35.34
PK	5.181G	113.97	Inf	-Inf	108.00	3	Horizontal	186	2.18	-	34.12	7.19	35.34
AV	5.181G	104.08	Inf	-Inf	98.11	3	Horizontal	186	2.18	-	34.12	7.19	35.34

802.11a_Nss1,(6Mbps)_2TX

5180MHz_TnomVnom




EUT X_2TX
Setting 20.25
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.53616G	60.31	74.00	-13.69	44.09	3	Vertical	104	2.19	-	38.45	13.17	35.40
AV	15.53718G	45.93	54.00	-8.07	29.72	3	Vertical	104	2.19	-	38.44	13.17	35.40

802.11a_Nss1,(6Mbps)_2TX

5180MHz_TnomVnom




EUT X_2TX
Setting 20.25
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	15.5472G	58.76	74.00	-15.24	42.63	3	Horizontal	280	1.04	-	38.37	13.17	35.41	
AV	15.5415G	45.15	54.00	-8.85	28.97	3	Horizontal	280	1.04	-	38.41	13.17	35.40	

802.11a_Nss1,(6Mbps)_2TX

5200MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1488G	59.50	74.00	-14.50	53.67	3	Vertical	182	2.06	-	34.00	7.17	35.34
AV	5.15G	45.28	54.00	-8.72	39.45	3	Vertical	182	2.06	-	34.00	7.17	35.34
PK	5.2008G	116.73	Inf	-Inf	110.67	3	Vertical	182	2.06	-	34.20	7.20	35.34
AV	5.1984G	106.10	Inf	-Inf	100.05	3	Vertical	182	2.06	-	34.19	7.20	35.34

802.11a_Nss1,(6Mbps)_2TX

5200MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1388G	60.57	74.00	-13.43	54.76	3	Horizontal	188	2.16	-	33.98	7.17	35.34
AV	5.1192G	45.11	54.00	-8.89	39.34	3	Horizontal	188	2.16	-	33.94	7.16	35.33
PK	5.2008G	114.62	Inf	-Inf	108.56	3	Horizontal	188	2.16	-	34.20	7.20	35.34
AV	5.2008G	104.62	Inf	-Inf	98.56	3	Horizontal	188	2.16	-	34.20	7.20	35.34

802.11a_Nss1,(6Mbps)_2TX

5200MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.59832G	59.83	74.00	-14.17	44.07	3	Vertical	155	2.24	-	38.01	13.20	35.45
AV	15.5976G	46.12	54.00	-7.88	30.35	3	Vertical	155	2.24	-	38.02	13.20	35.45

802.11a_Nss1,(6Mbps)_2TX

5200MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.59634G	59.43	74.00	-14.57	43.65	3	Horizontal	184	1.79	-	38.03	13.20	35.45
AV	15.59688G	45.64	54.00	-8.36	29.87	3	Horizontal	184	1.79	-	38.02	13.20	35.45

802.11a_Nss1,(6Mbps)_2TX

5240MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1092G	57.89	74.00	-16.11	52.15	3	Vertical	175	1.99	-	33.92	7.15	35.33
AV	5.1176G	44.71	54.00	-9.29	38.94	3	Vertical	175	1.99	-	33.94	7.16	35.33
PK	5.2412G	117.41	Inf	-Inf	111.19	3	Vertical	175	1.99	-	34.36	7.20	35.34
AV	5.2418G	107.00	Inf	-Inf	100.77	3	Vertical	175	1.99	-	34.37	7.20	35.34
PK	5.384G	59.25	74.00	-14.75	52.83	3	Vertical	175	1.99	-	34.57	7.20	35.35
AV	5.3726G	45.13	54.00	-8.87	38.72	3	Vertical	175	1.99	-	34.55	7.20	35.34

802.11a_Nss1,(6Mbps)_2TX

5240MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	58.01	74.00	-15.99	52.18	3	Horizontal	188	2.15	-	34.00	7.17	35.34
AV	5.1032G	44.67	54.00	-9.33	38.94	3	Horizontal	188	2.15	-	33.91	7.15	35.33
PK	5.2412G	113.69	Inf	-Inf	107.47	3	Horizontal	188	2.15	-	34.36	7.20	35.34
AV	5.2406G	103.48	Inf	-Inf	97.26	3	Horizontal	188	2.15	-	34.36	7.20	35.34
PK	5.3894G	58.79	74.00	-15.21	52.36	3	Horizontal	188	2.15	-	34.58	7.20	35.35
AV	5.3768G	45.03	54.00	-8.97	38.63	3	Horizontal	188	2.15	-	34.55	7.20	35.35

802.11a_Nss1,(6Mbps)_2TX

5240MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.71778G	58.97	74.00	-15.03	43.69	3	Vertical	137	1.58	-	37.57	13.26	35.55
AV	15.72282G	45.77	54.00	-8.23	30.48	3	Vertical	137	1.58	-	37.59	13.26	35.56

802.11a_Nss1,(6Mbps)_2TX

5240MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.71952G	58.84	74.00	-15.16	43.55	3	Horizontal	270	1.80	-	37.58	13.26	35.55
AV	15.72126G	45.10	54.00	-8.90	29.81	3	Horizontal	270	1.80	-	37.59	13.26	35.56

802.11a_Nss1,(6Mbps)_2TX

5260MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1238G	57.81	74.00	-16.19	52.03	3	Vertical	176	2.02	-	33.95	7.16	35.33
AV	5.11G	44.67	54.00	-9.33	38.92	3	Vertical	176	2.02	-	33.92	7.16	35.33
PK	5.2612G	116.51	Inf	-Inf	110.23	3	Vertical	176	2.02	-	34.42	7.20	35.34
AV	5.2594G	106.21	Inf	-Inf	99.93	3	Vertical	176	2.02	-	34.42	7.20	35.34
PK	5.3542G	59.10	74.00	-14.90	52.73	3	Vertical	176	2.02	-	34.51	7.20	35.34
AV	5.3656G	45.15	54.00	-8.85	38.76	3	Vertical	176	2.02	-	34.53	7.20	35.34

802.11a_Nss1,(6Mbps)_2TX

5260MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1196G	58.01	74.00	-15.99	52.24	3	Horizontal	195	1.92	-	33.94	7.16	35.33
AV	5.1346G	44.66	54.00	-9.34	38.86	3	Horizontal	195	1.92	-	33.97	7.17	35.34
PK	5.2594G	112.76	Inf	-Inf	106.48	3	Horizontal	195	1.92	-	34.42	7.20	35.34
AV	5.2594G	102.62	Inf	-Inf	96.34	3	Horizontal	195	1.92	-	34.42	7.20	35.34
PK	5.3878G	58.82	74.00	-15.18	52.39	3	Horizontal	195	1.92	-	34.58	7.20	35.35
AV	5.3836G	45.10	54.00	-8.90	38.68	3	Horizontal	195	1.92	-	34.57	7.20	35.35

802.11a_Nss1,(6Mbps)_2TX

5260MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.78156G	59.15	74.00	-14.85	43.64	3	Vertical	175	2.03	-	37.83	13.29	35.61
AV	15.77754G	45.75	54.00	-8.25	30.25	3	Vertical	175	2.03	-	37.81	13.29	35.60

802.11a_Nss1,(6Mbps)_2TX

5260MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.79266G	58.67	74.00	-15.33	43.12	3	Horizontal	317	2.81	-	37.87	13.30	35.62
AV	15.7821G	45.43	54.00	-8.57	29.92	3	Horizontal	317	2.81	-	37.83	13.29	35.61

802.11a_Nss1,(6Mbps)_2TX

5300MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3012G	116.25	Inf	-Inf	109.89	3	Vertical	179	1.80	-	34.50	7.20	35.34
AV	5.3012G	105.68	Inf	-Inf	99.32	3	Vertical	179	1.80	-	34.50	7.20	35.34
PK	5.35G	65.30	74.00	-8.70	58.94	3	Vertical	179	1.80	-	34.50	7.20	35.34
AV	5.3524G	46.40	54.00	-7.60	40.04	3	Vertical	179	1.80	-	34.50	7.20	35.34

802.11a_Nss1,(6Mbps)_2TX

5300MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3012G	112.70	Inf	-Inf	106.34	3	Horizontal	201	2.02	-	34.50	7.20	35.34
AV	5.2992G	102.71	Inf	-Inf	96.35	3	Horizontal	201	2.02	-	34.50	7.20	35.34
PK	5.35G	62.33	74.00	-11.67	55.97	3	Horizontal	201	2.02	-	34.50	7.20	35.34
AV	5.35G	45.85	54.00	-8.15	39.49	3	Horizontal	201	2.02	-	34.50	7.20	35.34

802.11a_Nss1,(6Mbps)_2TX

5300MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	10.60309G	56.51	74.00	-17.49	43.09	3	Vertical	204	1.80	-	38.21	10.59	35.38	
AV	10.60285G	42.20	54.00	-11.80	28.78	3	Vertical	204	1.80	-	38.21	10.59	35.38	
PK	15.89838G	60.03	74.00	-13.97	44.78	3	Vertical	195	2.44	-	37.60	13.35	35.70	
AV	15.89742G	45.86	54.00	-8.14	30.60	3	Vertical	195	2.44	-	37.61	13.35	35.70	

802.11a_Nss1,(6Mbps)_2TX

5300MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.59862G	55.25	68.20	-12.95	41.85	3	Horizontal	146	2.11	-	38.20	10.59	35.39
AV	10.60396G	41.90	54.00	-12.10	28.48	3	Horizontal	146	2.11	-	38.21	10.59	35.38
PK	15.90564G	58.96	74.00	-15.04	43.73	3	Horizontal	279	1.00	-	37.59	13.35	35.71
AV	15.8973G	45.16	54.00	-8.84	29.90	3	Horizontal	279	1.00	-	37.61	13.35	35.70

802.11a_Nss1,(6Mbps)_2TX

5320MHz_TnomVnom




EUT_X_2TX
Setting 16.75
03-B-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3194G	115.04	Inf	-Inf	108.68	3	Vertical	175	2.10	-	34.50	7.20	35.34
AV	5.3194G	105.01	Inf	-Inf	98.65	3	Vertical	175	2.10	-	34.50	7.20	35.34
PK	5.3502G	72.02	74.00	-1.98	65.66	3	Vertical	175	2.10	-	34.50	7.20	35.34
AV	5.35G	50.54	54.00	-3.46	44.18	3	Vertical	175	2.10	-	34.50	7.20	35.34

802.11a_Nss1,(6Mbps)_2TX

5320MHz_TnomVnom




EUT_X_2TX
Setting 16.75
03-B-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.3214G	111.88	Inf	-Inf	105.52	3	Horizontal	202	1.94	-	34.50	7.20	35.34	
AV	5.319G	101.57	Inf	-Inf	95.21	3	Horizontal	202	1.94	-	34.50	7.20	35.34	
PK	5.3502G	71.21	74.00	-2.79	64.85	3	Horizontal	202	1.94	-	34.50	7.20	35.34	
AV	5.35G	49.47	54.00	-4.53	43.11	3	Horizontal	202	1.94	-	34.50	7.20	35.34	

802.11a_Nss1,(6Mbps)_2TX

5320MHz_TnomVnom




EUT_X_2TX
Setting 16.75
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.63802G	53.84	74.00	-20.16	40.31	3	Vertical	130	1.80	-	38.28	10.60	35.35
AV	10.64036G	39.69	54.00	-14.31	26.16	3	Vertical	130	1.80	-	38.28	10.60	35.35
PK	15.96654G	57.76	74.00	-16.24	42.67	3	Vertical	169	2.65	-	37.47	13.38	35.76
AV	15.96036G	44.14	54.00	-9.86	29.04	3	Vertical	169	2.65	-	37.48	13.38	35.76

802.11a_Nss1,(6Mbps)_2TX

5320MHz_TnomVnom




EUT_X_2TX
Setting 16.75
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.63772G	53.92	74.00	-20.08	40.39	3	Horizontal	139	2.10	-	38.28	10.60	35.35
AV	10.64546G	39.70	54.00	-14.30	26.15	3	Horizontal	139	2.10	-	38.29	10.60	35.34
PK	15.9516G	58.05	74.00	-15.95	42.92	3	Horizontal	193	1.25	-	37.50	13.38	35.75
AV	15.97248G	44.16	54.00	-9.84	29.08	3	Horizontal	193	1.25	-	37.46	13.39	35.77

802.11a_Nss1,(6Mbps)_2TX

5500MHz_TnomVnom




EUT_X_2TX
Setting 17.5
03-B-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.4598G	61.93	74.00	-12.07	55.50	3	Vertical	178	1.76	-	34.52	7.26	35.35	
AV	5.459G	45.52	54.00	-8.48	39.09	3	Vertical	178	1.76	-	34.52	7.26	35.35	
PK	5.4696G	68.04	68.20	-0.16	61.58	3	Vertical	178	1.76	-	34.54	7.27	35.35	
PK	5.5014G	114.98	Inf	-Inf	108.43	3	Vertical	178	1.76	-	34.60	7.30	35.35	
AV	5.499G	104.44	Inf	-Inf	97.89	3	Vertical	178	1.76	-	34.60	7.30	35.35	

802.11a_Nss1,(6Mbps)_2TX

5500MHz_TnomVnom




EUT_X_2TX
Setting 17.5
03-B-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.4598G	60.17	74.00	-13.83	53.74	3	Horizontal	190	3.00	-	34.52	7.26	35.35	
AV	5.4592G	45.38	54.00	-8.62	38.95	3	Horizontal	190	3.00	-	34.52	7.26	35.35	
PK	5.47G	67.20	68.20	-1.00	60.74	3	Horizontal	190	3.00	-	34.54	7.27	35.35	
PK	5.4996G	111.79	Inf	-Inf	105.24	3	Horizontal	190	3.00	-	34.60	7.30	35.35	
AV	5.4996G	101.98	Inf	-Inf	95.43	3	Horizontal	190	3.00	-	34.60	7.30	35.35	

802.11a_Nss1,(6Mbps)_2TX

5500MHz_TnomVnom




EUT_X_2TX
Setting 17.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00372G	62.07	74.00	-11.93	48.06	3	Vertical	225	1.45	-	38.40	10.65	35.04
AV	11.00384G	47.68	54.00	-6.32	33.67	3	Vertical	225	1.45	-	38.40	10.65	35.04

802.11a_Nss1,(6Mbps)_2TX

5500MHz_TnomVnom




EUT_X_2TX
Setting 17.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	10.99958G	61.72	74.00	-12.28	47.71	3	Horizontal	136	2.11	-	38.40	10.65	35.04	
AV	10.99994G	47.14	54.00	-6.86	33.13	3	Horizontal	136	2.11	-	38.40	10.65	35.04	

802.11a_Nss1,(6Mbps)_2TX

5580MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4208G	59.51	74.00	-14.49	53.08	3	Vertical	178	1.80	-	34.56	7.22	35.35
AV	5.4192G	46.73	54.00	-7.27	40.30	3	Vertical	178	1.80	-	34.56	7.22	35.35
PK	5.4664G	57.80	68.20	-10.40	51.35	3	Vertical	178	1.80	-	34.53	7.27	35.35
PK	5.5792G	116.70	Inf	-Inf	110.11	3	Vertical	178	1.80	-	34.60	7.38	35.39
AV	5.5816G	105.96	Inf	-Inf	99.37	3	Vertical	178	1.80	-	34.60	7.38	35.39
PK	5.7384G	58.35	68.20	-9.85	52.20	3	Vertical	178	1.80	-	34.22	7.40	35.47

802.11a_Nss1,(6Mbps)_2TX

5580MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4232G	59.03	74.00	-14.97	52.61	3	Horizontal	191	2.98	-	34.55	7.22	35.35
AV	5.4192G	45.75	54.00	-8.25	39.32	3	Horizontal	191	2.98	-	34.56	7.22	35.35
PK	5.4696G	58.75	68.20	-9.45	52.29	3	Horizontal	191	2.98	-	34.54	7.27	35.35
PK	5.58G	114.64	Inf	-Inf	108.05	3	Horizontal	191	2.98	-	34.60	7.38	35.39
AV	5.58G	104.43	Inf	-Inf	97.84	3	Horizontal	191	2.98	-	34.60	7.38	35.39
PK	5.7712G	59.79	68.20	-8.41	53.68	3	Horizontal	191	2.98	-	34.20	7.40	35.49

802.11a_Nss1,(6Mbps)_2TX

5580MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15982G	63.68	74.00	-10.32	49.67	3	Vertical	200	1.00	-	38.56	10.67	35.22
AV	11.1594G	49.66	54.00	-4.34	35.65	3	Vertical	200	1.00	-	38.56	10.67	35.22

802.11a_Nss1,(6Mbps)_2TX

5580MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.15982G	63.96	74.00	-10.04	49.95	3	Horizontal	138	2.11	-	38.56	10.67	35.22	
AV	11.16036G	50.77	54.00	-3.23	36.76	3	Horizontal	138	2.11	-	38.56	10.67	35.22	

802.11a_Nss1,(6Mbps)_2TX

5700MHz_TnomVnom




EUT_X_2TX
Setting 15.5
03-B-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6994G	114.13	Inf	-Inf	107.88	3	Vertical	175	1.74	-	34.30	7.40	35.45
AV	5.6996G	103.98	Inf	-Inf	97.73	3	Vertical	175	1.74	-	34.30	7.40	35.45
PK	5.725G	68.13	68.20	-0.07	61.94	3	Vertical	175	1.74	-	34.25	7.40	35.46

802.11a_Nss1,(6Mbps)_2TX

5700MHz_TnomVnom




EUT_X_2TX
Setting 15.5
03-B-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7008G	111.37	Inf	-Inf	105.12	3	Horizontal	184	3.00	-	34.30	7.40	35.45
AV	5.6984G	101.18	Inf	-Inf	94.92	3	Horizontal	184	3.00	-	34.31	7.40	35.45
PK	5.7254G	64.82	68.20	-3.38	58.63	3	Horizontal	184	3.00	-	34.25	7.40	35.46

802.11a_Nss1,(6Mbps)_2TX

5700MHz_TnomVnom




EUT X_2TX
Setting 15.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39988G	59.10	74.00	-14.90	45.08	3	Vertical	201	1.05	-	38.80	10.71	35.49
AV	11.39904G	45.30	54.00	-8.70	31.28	3	Vertical	201	1.05	-	38.80	10.71	35.49

802.11a_Nss1,(6Mbps)_2TX

5700MHz_TnomVnom




EUT_X_2TX
Setting 15.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40126G	58.84	74.00	-15.16	44.82	3	Horizontal	253	1.39	-	38.80	10.71	35.49
AV	11.4009G	45.56	54.00	-8.44	31.54	3	Horizontal	253	1.39	-	38.80	10.71	35.49

802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7194G	118.42	Inf	-Inf	112.22	3	Vertical	176	1.64	-	34.26	7.40	35.46
AV	5.7194G	107.84	Inf	-Inf	101.64	3	Vertical	176	1.64	-	34.26	7.40	35.46
PK	5.8652G	57.97	68.20	-10.23	51.64	3	Vertical	176	1.64	-	34.39	7.47	35.53

802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7212G	114.70	Inf	-Inf	108.50	3	Horizontal	186	3.00	-	34.26	7.40	35.46
AV	5.7182G	104.23	Inf	-Inf	98.03	3	Horizontal	186	3.00	-	34.26	7.40	35.46
PK	5.85G	58.29	68.20	-9.91	52.07	3	Horizontal	186	3.00	-	34.30	7.45	35.53

802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43976G	61.01	74.00	-12.99	46.94	3	Vertical	201	2.43	-	38.88	10.72	35.53
AV	11.43988G	46.89	54.00	-7.11	32.82	3	Vertical	201	2.43	-	38.88	10.72	35.53

802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44126G	62.24	74.00	-11.76	48.17	3	Horizontal	141	2.08	-	38.88	10.72	35.53
AV	11.44114G	49.19	54.00	-4.81	35.12	3	Horizontal	141	2.08	-	38.88	10.72	35.53

802.11a_Nss1,(6Mbps)_2TX

5745MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.617G	58.83	68.20	-9.37	52.27	3	Vertical	176	1.74	-	34.57	7.40	35.41
PK	5.745G	118.98	Inf	-Inf	112.84	3	Vertical	176	1.74	-	34.21	7.40	35.47
AV	5.744G	108.28	Inf	-Inf	102.14	3	Vertical	176	1.74	-	34.21	7.40	35.47
PK	5.956G	58.81	68.20	-9.39	52.03	3	Vertical	176	1.74	-	34.80	7.56	35.58

802.11a_Nss1,(6Mbps)_2TX

5745MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.584G	58.75	68.20	-9.45	52.16	3	Horizontal	184	2.97	-	34.60	7.38	35.39	
PK	5.743G	115.49	Inf	-Inf	109.35	3	Horizontal	184	2.97	-	34.21	7.40	35.47	
AV	5.743G	104.82	Inf	-Inf	98.68	3	Horizontal	184	2.97	-	34.21	7.40	35.47	
PK	5.973G	58.30	68.20	-9.90	51.52	3	Horizontal	184	2.97	-	34.80	7.57	35.59	

802.11a_Nss1,(6Mbps)_2TX

5745MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48988G	61.35	74.00	-12.65	47.24	3	Vertical	204	3.00	-	38.98	10.72	35.59
AV	11.49018G	47.43	54.00	-6.57	33.32	3	Vertical	204	3.00	-	38.98	10.72	35.59

802.11a_Nss1,(6Mbps)_2TX

5745MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49114G	63.25	74.00	-10.75	49.14	3	Horizontal	139	2.06	-	38.98	10.72	35.59
AV	11.49072G	49.24	54.00	-4.76	35.13	3	Horizontal	139	2.06	-	38.98	10.72	35.59

802.11a_Nss1,(6Mbps)_2TX

5785MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.636G	58.95	68.20	-9.25	52.44	3	Vertical	175	1.69	-	34.53	7.40	35.42
PK	5.785G	118.50	Inf	-Inf	112.39	3	Vertical	175	1.69	-	34.20	7.40	35.49
AV	5.785G	107.59	Inf	-Inf	101.48	3	Vertical	175	1.69	-	34.20	7.40	35.49
PK	5.947G	59.30	68.20	-8.90	52.53	3	Vertical	175	1.69	-	34.79	7.55	35.57

802.11a_Nss1,(6Mbps)_2TX

5785MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.607G	58.82	68.20	-9.38	52.23	3	Horizontal	184	2.92	-	34.59	7.40	35.40
PK	5.783G	114.56	Inf	-Inf	108.45	3	Horizontal	184	2.92	-	34.20	7.40	35.49
AV	5.783G	104.20	Inf	-Inf	98.09	3	Horizontal	184	2.92	-	34.20	7.40	35.49
PK	5.974G	58.79	68.20	-9.41	52.01	3	Horizontal	184	2.92	-	34.80	7.57	35.59

802.11a_Nss1,(6Mbps)_2TX

5785MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57036G	61.38	74.00	-12.62	46.94	3	Vertical	201	2.97	-	39.28	10.74	35.58
AV	11.57012G	47.02	54.00	-6.98	32.58	3	Vertical	201	2.97	-	39.28	10.74	35.58

802.11a_Nss1,(6Mbps)_2TX

5785MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56982G	63.44	74.00	-10.56	49.00	3	Horizontal	200	2.08	-	39.28	10.74	35.58
AV	11.57078G	49.82	54.00	-4.18	35.38	3	Horizontal	200	2.08	-	39.28	10.74	35.58

802.11a_Nss1,(6Mbps)_2TX

5825MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.609G	58.27	68.20	-9.93	51.69	3	Vertical	177	1.80	-	34.58	7.40	35.40	
PK	5.827G	115.59	Inf	-Inf	109.42	3	Vertical	177	1.80	-	34.25	7.43	35.51	
AV	5.827G	105.59	Inf	-Inf	99.42	3	Vertical	177	1.80	-	34.25	7.43	35.51	
PK	5.988G	59.71	68.20	-8.49	52.91	3	Vertical	177	1.80	-	34.80	7.59	35.59	

802.11a_Nss1,(6Mbps)_2TX

5825MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.606G	58.27	68.20	-9.93	51.68	3	Horizontal	186	3.00	-	34.59	7.40	35.40
PK	5.826G	112.93	Inf	-Inf	106.76	3	Horizontal	186	3.00	-	34.25	7.43	35.51
AV	5.826G	103.64	Inf	-Inf	97.47	3	Horizontal	186	3.00	-	34.25	7.43	35.51
PK	5.987G	58.93	68.20	-9.27	52.13	3	Horizontal	186	3.00	-	34.80	7.59	35.59

802.11a_Nss1,(6Mbps)_2TX

5825MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64994G	64.24	74.00	-9.76	49.66	3	Vertical	178	2.88	-	39.40	10.75	35.57
AV	11.64934G	49.48	54.00	-4.52	34.90	3	Vertical	178	2.88	-	39.40	10.75	35.57

802.11a_Nss1,(6Mbps)_2TX

5825MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64976G	63.85	74.00	-10.15	49.27	3	Horizontal	200	2.10	-	39.40	10.75	35.57
AV	11.6503G	49.60	54.00	-4.40	35.02	3	Horizontal	200	2.10	-	39.40	10.75	35.57

802.11ax HEW20_Nss1,(MCS0)_2TX

5180MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1472G	69.57	74.00	-4.43	63.75	3	Vertical	177	2.13	-	33.99	7.17	35.34
AV	5.15G	52.33	54.00	-1.67	46.50	3	Vertical	177	2.13	-	34.00	7.17	35.34
PK	5.1796G	118.05	Inf	-Inf	112.08	3	Vertical	177	2.13	-	34.12	7.19	35.34
AV	5.1808G	105.99	Inf	-Inf	100.02	3	Vertical	177	2.13	-	34.12	7.19	35.34

802.11ax HEW20_Nss1,(MCS0)_2TX

5180MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	5.15G	68.59	74.00	-5.41	62.76	3	Horizontal	191	1.80	-	34.00	7.17	35.34	
AV	5.15G	51.66	54.00	-2.34	45.83	3	Horizontal	191	1.80	-	34.00	7.17	35.34	
PK	5.18G	115.26	Inf	-Inf	109.29	3	Horizontal	191	1.80	-	34.12	7.19	35.34	
AV	5.1796G	102.23	Inf	-Inf	96.26	3	Horizontal	191	1.80	-	34.12	7.19	35.34	

802.11ax HEW20_Nss1,(MCS0)_2TX

5180MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.53304G	59.38	74.00	-14.62	43.14	3	Vertical	153	2.44	-	38.47	13.17	35.40
AV	15.54G	45.89	54.00	-8.11	29.70	3	Vertical	153	2.44	-	38.42	13.17	35.40

802.11ax HEW20_Nss1,(MCS0)_2TX

5180MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.54312G	58.81	74.00	-15.19	42.65	3	Horizontal	137	2.50	-	38.40	13.17	35.41
AV	15.53556G	45.22	54.00	-8.78	29.00	3	Horizontal	137	2.50	-	38.45	13.17	35.40

802.11ax HEW20_Nss1,(MCS0)_2TX

5200MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1484G	58.99	74.00	-15.01	53.16	3	Vertical	175	1.95	-	34.00	7.17	35.34
AV	5.1484G	45.82	54.00	-8.18	39.99	3	Vertical	175	1.95	-	34.00	7.17	35.34
PK	5.2012G	116.97	Inf	-Inf	110.91	3	Vertical	175	1.95	-	34.20	7.20	35.34
AV	5.2008G	106.24	Inf	-Inf	100.18	3	Vertical	175	1.95	-	34.20	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_2TX

5200MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1432G	58.54	74.00	-15.46	52.72	3	Horizontal	184	2.19	-	33.99	7.17	35.34
AV	5.148G	45.40	54.00	-8.60	39.57	3	Horizontal	184	2.19	-	34.00	7.17	35.34
PK	5.202G	114.46	Inf	-Inf	108.39	3	Horizontal	184	2.19	-	34.21	7.20	35.34
AV	5.2008G	103.82	Inf	-Inf	97.76	3	Horizontal	184	2.19	-	34.20	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_2TX

5200MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.59628G	59.29	74.00	-14.71	43.51	3	Vertical	149	2.32	-	38.03	13.20	35.45
AV	15.59628G	45.82	54.00	-8.18	30.04	3	Vertical	149	2.32	-	38.03	13.20	35.45

802.11ax HEW20_Nss1,(MCS0)_2TX

5200MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.60624G	59.50	74.00	-14.50	43.79	3	Horizontal	282	1.80	-	37.97	13.20	35.46
AV	15.59598G	45.47	54.00	-8.53	29.69	3	Horizontal	282	1.80	-	38.03	13.20	35.45

802.11ax HEW20_Nss1,(MCS0)_2TX

5240MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1206G	58.50	74.00	-15.50	52.73	3	Vertical	176	2.01	-	33.94	7.16	35.33
AV	5.1206G	45.06	54.00	-8.94	39.33	3	Vertical	176	2.01	-	33.91	7.15	35.33
PK	5.24G	118.13	Inf	-Inf	111.91	3	Vertical	176	2.01	-	34.36	7.20	35.34
AV	5.2406G	106.60	Inf	-Inf	100.38	3	Vertical	176	2.01	-	34.36	7.20	35.34
PK	5.3564G	58.52	74.00	-15.48	52.15	3	Vertical	176	2.01	-	34.51	7.20	35.34
AV	5.3744G	45.45	54.00	-8.55	39.04	3	Vertical	176	2.01	-	34.55	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_2TX

5240MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1428G	57.97	74.00	-16.03	52.15	3	Horizontal	201	2.01	-	33.99	7.17	35.34
AV	5.1464G	45.04	54.00	-8.96	39.22	3	Horizontal	201	2.01	-	33.99	7.17	35.34
PK	5.2394G	115.32	Inf	-Inf	109.10	3	Horizontal	201	2.01	-	34.36	7.20	35.34
AV	5.2394G	102.96	Inf	-Inf	96.74	3	Horizontal	201	2.01	-	34.36	7.20	35.34
PK	5.3516G	58.19	74.00	-15.81	51.83	3	Horizontal	201	2.01	-	34.50	7.20	35.34
AV	5.3564G	45.36	54.00	-8.64	38.99	3	Horizontal	201	2.01	-	34.51	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_2TX

5240MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.72138G	58.63	74.00	-15.37	43.34	3	Vertical	152	2.42	-	37.59	13.26	35.56
AV	15.72006G	45.00	54.00	-9.00	29.71	3	Vertical	152	2.42	-	37.58	13.26	35.55

802.11ax HEW20_Nss1,(MCS0)_2TX

5240MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.72528G	58.00	74.00	-16.00	42.70	3	Horizontal	269	1.80	-	37.60	13.26	35.56
AV	15.72186G	44.77	54.00	-9.23	29.48	3	Horizontal	269	1.80	-	37.59	13.26	35.56

802.11ax HEW20_Nss1,(MCS0)_2TX

5260MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1124G	57.30	74.00	-16.70	51.55	3	Vertical	175	1.89	-	33.92	7.16	35.33
AV	5.1478G	44.98	54.00	-9.02	39.15	3	Vertical	175	1.89	-	34.00	7.17	35.34
PK	5.26G	118.52	Inf	-Inf	112.24	3	Vertical	175	1.89	-	34.42	7.20	35.34
AV	5.2612G	105.56	Inf	-Inf	99.28	3	Vertical	175	1.89	-	34.42	7.20	35.34
PK	5.3896G	58.38	74.00	-15.62	51.95	3	Vertical	175	1.89	-	34.58	7.20	35.35
AV	5.35G	45.55	54.00	-8.45	39.19	3	Vertical	175	1.89	-	34.50	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_2TX

5260MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.128G	57.59	74.00	-16.41	51.81	3	Horizontal	200	2.05	-	33.96	7.16	35.34
AV	5.11G	44.99	54.00	-9.01	39.24	3	Horizontal	200	2.05	-	33.92	7.16	35.33
PK	5.2618G	113.67	Inf	-Inf	107.39	3	Horizontal	200	2.05	-	34.42	7.20	35.34
AV	5.2606G	102.04	Inf	-Inf	95.76	3	Horizontal	200	2.05	-	34.42	7.20	35.34
PK	5.377G	58.45	74.00	-15.55	52.05	3	Horizontal	200	2.05	-	34.55	7.20	35.35
AV	5.377G	45.42	54.00	-8.58	39.02	3	Horizontal	200	2.05	-	34.55	7.20	35.35

802.11ax HEW20_Nss1,(MCS0)_2TX

5260MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.77964G	60.08	74.00	-13.92	44.57	3	Vertical	198	2.98	-	37.82	13.29	35.60
AV	15.77748G	45.85	54.00	-8.15	30.35	3	Vertical	198	2.98	-	37.81	13.29	35.60

802.11ax HEW20_Nss1,(MCS0)_2TX

5260MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	15.78078G	58.65	74.00	-15.35	43.15	3	Horizontal	283	1.80	-	37.82	13.29	35.61
AV	15.7821G	44.98	54.00	-9.02	29.47	3	Horizontal	283	1.80	-	37.83	13.29	35.61

802.11ax HEW20_Nss1,(MCS0)_2TX

5300MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2996G	119.06	Inf	-Inf	112.70	3	Vertical	179	2.07	-	34.50	7.20	35.34
AV	5.2996G	105.38	Inf	-Inf	99.02	3	Vertical	179	2.07	-	34.50	7.20	35.34
PK	5.35G	66.95	74.00	-7.05	60.59	3	Vertical	179	2.07	-	34.50	7.20	35.34
AV	5.3508G	47.21	54.00	-6.79	40.85	3	Vertical	179	2.07	-	34.50	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_2TX

5300MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.302G	114.00	Inf	-Inf	107.64	3	Horizontal	200	2.12	-	34.50	7.20	35.34	
AV	5.3008G	102.21	Inf	-Inf	95.85	3	Horizontal	200	2.12	-	34.50	7.20	35.34	
PK	5.3528G	62.46	74.00	-11.54	56.09	3	Horizontal	200	2.12	-	34.51	7.20	35.34	
AV	5.35G	46.30	54.00	-7.70	39.94	3	Horizontal	200	2.12	-	34.50	7.20	35.34	

802.11ax HEW20_Nss1,(MCS0)_2TX

5300MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60396G	55.44	74.00	-18.56	42.02	3	Vertical	205	1.80	-	38.21	10.59	35.38
AV	10.60153G	41.63	54.00	-12.37	28.22	3	Vertical	205	1.80	-	38.20	10.59	35.38
PK	15.9063G	59.65	74.00	-14.35	44.42	3	Vertical	199	2.97	-	37.59	13.35	35.71
AV	15.8985G	45.56	54.00	-8.44	30.31	3	Vertical	199	2.97	-	37.60	13.35	35.70

802.11ax HEW20_Nss1,(MCS0)_2TX

5300MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	10.60256G	55.07	74.00	-18.93	41.65	3	Horizontal	79	2.78	-	38.21	10.59	35.38	
AV	10.60225G	41.20	54.00	-12.80	27.79	3	Horizontal	79	2.78	-	38.20	10.59	35.38	
PK	15.89754G	58.51	74.00	-15.49	43.25	3	Horizontal	260	1.80	-	37.61	13.35	35.70	
AV	15.9006G	44.83	54.00	-9.17	29.59	3	Horizontal	260	1.80	-	37.60	13.35	35.71	

802.11ax HEW20_Nss1,(MCS0)_2TX

5320MHz_TnomVnom




EUT_X_2TX
Setting 17.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3196G	118.34	Inf	-Inf	111.98	3	Vertical	178	1.95	-	34.50	7.20	35.34
AV	5.3194G	104.83	Inf	-Inf	98.47	3	Vertical	178	1.95	-	34.50	7.20	35.34
PK	5.3516G	72.49	74.00	-1.51	66.13	3	Vertical	178	1.95	-	34.50	7.20	35.34
AV	5.35G	53.80	54.00	-0.20	47.44	3	Vertical	178	1.95	-	34.50	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_2TX

5320MHz_TnomVnom




EUT_X_2TX
Setting 17.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3194G	114.25	Inf	-Inf	107.89	3	Horizontal	201	1.97	-	34.50	7.20	35.34
AV	5.321G	100.89	Inf	-Inf	94.53	3	Horizontal	201	1.97	-	34.50	7.20	35.34
PK	5.3504G	69.05	74.00	-4.95	62.69	3	Horizontal	201	1.97	-	34.50	7.20	35.34
AV	5.35G	50.31	54.00	-3.69	43.95	3	Horizontal	201	1.97	-	34.50	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_2TX

5320MHz_TnomVnom




EUT_X_2TX
Setting 17.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	10.64804G	53.85	74.00	-20.15	40.29	3	Vertical	360	2.39	-	38.30	10.60	35.34	
AV	10.64132G	40.03	54.00	-13.97	26.50	3	Vertical	360	2.39	-	38.28	10.60	35.35	
PK	15.95166G	57.63	74.00	-16.37	42.50	3	Vertical	184	2.33	-	37.50	13.38	35.75	
AV	15.97404G	44.31	54.00	-9.69	29.24	3	Vertical	184	2.33	-	37.45	13.39	35.77	

802.11ax HEW20_Nss1,(MCS0)_2TX

5320MHz_TnomVnom




EUT_X_2TX
Setting 17.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.63688G	53.46	74.00	-20.54	39.94	3	Horizontal	121	1.31	-	38.27	10.60	35.35
AV	10.64168G	40.01	54.00	-13.99	26.48	3	Horizontal	121	1.31	-	38.28	10.60	35.35
PK	15.96558G	58.15	74.00	-15.85	43.06	3	Horizontal	19	1.34	-	37.47	13.38	35.76
AV	15.9699G	44.16	54.00	-9.84	29.08	3	Horizontal	19	1.34	-	37.46	13.38	35.76

802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TnomVnom




EUT_X_2TX
Setting 17
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.4072G	58.84	74.00	-15.16	52.39	3	Vertical	178	1.76	-	34.59	7.21	35.35	
PK	5.4696G	68.03	68.20	-0.17	61.57	3	Vertical	178	1.76	-	34.54	7.27	35.35	
AV	5.46G	45.75	54.00	-8.25	39.32	3	Vertical	178	1.76	-	34.52	7.26	35.35	
PK	5.5016G	115.36	Inf	-Inf	108.81	3	Vertical	178	1.76	-	34.60	7.30	35.35	
AV	5.4996G	103.46	Inf	-Inf	96.91	3	Vertical	178	1.76	-	34.60	7.30	35.35	

802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TnomVnom




EUT_X_2TX
Setting 17
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.4044G	58.86	74.00	-15.14	52.42	3	Horizontal	191	3.00	-	34.59	7.20	35.35	
PK	5.4688G	65.38	68.20	-2.82	58.92	3	Horizontal	191	3.00	-	34.54	7.27	35.35	
AV	5.46G	45.56	54.00	-8.44	39.13	3	Horizontal	191	3.00	-	34.52	7.26	35.35	
PK	5.5016G	112.11	Inf	-Inf	105.56	3	Horizontal	191	3.00	-	34.60	7.30	35.35	
AV	5.5012G	100.76	Inf	-Inf	94.21	3	Horizontal	191	3.00	-	34.60	7.30	35.35	

802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TnomVnom




EUT X_2TX
Setting 17
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99916G	56.60	74.00	-17.40	42.59	3	Vertical	225	1.80	-	38.40	10.65	35.04
AV	11.00186G	42.65	54.00	-11.35	28.64	3	Vertical	225	1.80	-	38.40	10.65	35.04

802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TnomVnom




EUT X_2TX
Setting 17
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.9997G	58.87	74.00	-15.13	44.86	3	Horizontal	42	1.18	-	38.40	10.65	35.04
AV	10.99982G	45.43	54.00	-8.57	31.42	3	Horizontal	42	1.18	-	38.40	10.65	35.04

802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4176G	58.78	74.00	-15.22	52.35	3	Vertical	176	1.74	-	34.56	7.22	35.35
AV	5.4192G	46.63	54.00	-7.37	40.20	3	Vertical	176	1.74	-	34.56	7.22	35.35
PK	5.4616G	58.02	68.20	-10.18	51.59	3	Vertical	176	1.74	-	34.52	7.26	35.35
PK	5.58G	118.42	Inf	-Inf	111.83	3	Vertical	176	1.74	-	34.60	7.38	35.39
AV	5.5792G	106.44	Inf	-Inf	99.85	3	Vertical	176	1.74	-	34.60	7.38	35.39
PK	5.7376G	58.65	68.20	-9.55	52.50	3	Vertical	176	1.74	-	34.22	7.40	35.47

802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4176G	58.20	74.00	-15.80	51.77	3	Horizontal	189	2.95	-	34.56	7.22	35.35
AV	5.4208G	45.78	54.00	-8.22	39.35	3	Horizontal	189	2.95	-	34.56	7.22	35.35
PK	5.4632G	58.02	68.20	-10.18	51.58	3	Horizontal	189	2.95	-	34.53	7.26	35.35
PK	5.5824G	116.06	Inf	-Inf	109.47	3	Horizontal	189	2.95	-	34.60	7.38	35.39
AV	5.5792G	104.41	Inf	-Inf	97.82	3	Horizontal	189	2.95	-	34.60	7.38	35.39
PK	5.7392G	58.11	68.20	-10.09	51.96	3	Horizontal	189	2.95	-	34.22	7.40	35.47

802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1621G	62.39	74.00	-11.61	48.38	3	Vertical	199	1.00	-	38.56	10.67	35.22
AV	11.15958G	48.98	54.00	-5.02	34.97	3	Vertical	199	1.00	-	38.56	10.67	35.22

802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1627G	63.46	74.00	-10.54	49.45	3	Horizontal	138	2.12	-	38.56	10.67	35.22
AV	11.15778G	49.89	54.00	-4.11	35.88	3	Horizontal	138	2.12	-	38.56	10.67	35.22

802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TnomVnom




EUT_X_2TX
Setting 14
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6998G	114.64	Inf	-Inf	108.39	3	Vertical	177	1.80	-	34.30	7.40	35.45
AV	5.7008G	101.61	Inf	-Inf	95.36	3	Vertical	177	1.80	-	34.30	7.40	35.45
PK	5.725G	68.05	68.20	-0.15	61.86	3	Vertical	177	1.80	-	34.25	7.40	35.46

802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TnomVnom




EUT_X_2TX
Setting 14
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6998G	112.14	Inf	-Inf	105.89	3	Horizontal	190	3.00	-	34.30	7.40	35.45
AV	5.7024G	98.21	Inf	-Inf	91.96	3	Horizontal	190	3.00	-	34.30	7.40	35.45
PK	5.725G	65.93	68.20	-2.27	59.74	3	Horizontal	190	3.00	-	34.25	7.40	35.46

802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TnomVnom




EUT X_2TX
Setting 14
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40936G	56.38	74.00	-17.62	42.35	3	Vertical	144	2.97	-	38.82	10.71	35.50
AV	11.40234G	41.77	54.00	-12.23	27.75	3	Vertical	144	2.97	-	38.80	10.71	35.49

802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TnomVnom




EUT X_2TX
Setting 14
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4057G	56.40	74.00	-17.60	42.37	3	Horizontal	169	1.27	-	38.81	10.71	35.49
AV	11.40042G	43.16	54.00	-10.84	29.14	3	Horizontal	169	1.27	-	38.80	10.71	35.49

802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4344G	58.25	74.00	-15.75	51.84	3	Vertical	177	1.73	-	34.53	7.23	35.35
AV	5.3798G	45.46	54.00	-8.54	39.05	3	Vertical	177	1.73	-	34.56	7.20	35.35
PK	5.468G	57.94	68.20	-10.26	51.48	3	Vertical	177	1.73	-	34.54	7.27	35.35
PK	5.7228G	118.55	Inf	-Inf	112.36	3	Vertical	177	1.73	-	34.25	7.40	35.46
AV	5.7214G	106.97	Inf	-Inf	100.77	3	Vertical	177	1.73	-	34.26	7.40	35.46
PK	5.8572G	58.35	68.20	-9.85	52.08	3	Vertical	177	1.73	-	34.34	7.46	35.53

802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.377G	57.97	74.00	-16.03	51.57	3	Horizontal	187	3.00	-	34.55	7.20	35.35
AV	5.3854G	45.38	54.00	-8.62	38.96	3	Horizontal	187	3.00	-	34.57	7.20	35.35
PK	5.461G	57.25	68.20	-10.95	50.82	3	Horizontal	187	3.00	-	34.52	7.26	35.35
PK	5.7214G	116.91	Inf	-Inf	110.71	3	Horizontal	187	3.00	-	34.26	7.40	35.46
AV	5.7186G	103.86	Inf	-Inf	97.66	3	Horizontal	187	3.00	-	34.26	7.40	35.46
PK	5.9314G	58.71	68.20	-9.49	52.02	3	Horizontal	187	3.00	-	34.73	7.53	35.57

802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43982G	62.90	74.00	-11.10	48.83	3	Vertical	201	1.00	-	38.88	10.72	35.53
AV	11.4397G	48.64	54.00	-5.36	34.57	3	Vertical	201	1.00	-	38.88	10.72	35.53

802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom



EUT X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44144G	60.75	74.00	-13.25	46.68	3	Horizontal	140	2.07	-	38.88	10.72	35.53
AV	11.4379G	47.67	54.00	-6.33	33.60	3	Horizontal	140	2.07	-	38.88	10.72	35.53