


802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.55G	58.86	68.20	-9.34	52.28	3	Vertical	176	1.73	-	34.60	7.35	35.37	
PK	5.748G	118.41	Inf	-Inf	112.28	3	Vertical	176	1.73	-	34.20	7.40	35.47	
AV	5.746G	106.21	Inf	-Inf	100.07	3	Vertical	176	1.73	-	34.21	7.40	35.47	
PK	5.944G	58.26	68.20	-9.94	51.51	3	Vertical	176	1.73	-	34.78	7.54	35.57	

802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.535G	59.53	68.20	-8.67	52.96	3	Horizontal	187	2.98	-	34.60	7.34	35.37	
PK	5.747G	116.38	Inf	-Inf	110.24	3	Horizontal	187	2.98	-	34.21	7.40	35.47	
AV	5.744G	103.19	Inf	-Inf	97.05	3	Horizontal	187	2.98	-	34.21	7.40	35.47	
PK	5.995G	58.29	68.20	-9.91	51.50	3	Horizontal	187	2.98	-	34.80	7.59	35.60	

802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48478G	59.11	74.00	-14.89	45.00	3	Vertical	204	2.95	-	38.97	10.72	35.58
AV	11.48754G	45.98	54.00	-8.02	31.87	3	Vertical	204	2.95	-	38.98	10.72	35.59

802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49012G	61.56	74.00	-12.44	47.45	3	Horizontal	137	2.05	-	38.98	10.72	35.59
AV	11.48772G	48.04	54.00	-5.96	33.93	3	Horizontal	137	2.05	-	38.98	10.72	35.59

802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.629G	58.79	68.20	-9.41	52.26	3	Vertical	177	1.80	-	34.54	7.40	35.41
PK	5.785G	118.32	Inf	-Inf	112.21	3	Vertical	177	1.80	-	34.20	7.40	35.49
AV	5.784G	106.41	Inf	-Inf	100.30	3	Vertical	177	1.80	-	34.20	7.40	35.49
PK	5.947G	58.71	68.20	-9.49	51.94	3	Vertical	177	1.80	-	34.79	7.55	35.57

802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.633G	58.83	68.20	-9.37	52.32	3	Horizontal	186	3.00	-	34.53	7.40	35.42
PK	5.787G	115.67	Inf	-Inf	109.56	3	Horizontal	186	3.00	-	34.20	7.40	35.49
AV	5.783G	102.53	Inf	-Inf	96.42	3	Horizontal	186	3.00	-	34.20	7.40	35.49
PK	6.035G	59.00	68.20	-9.20	52.10	3	Horizontal	186	3.00	-	34.87	7.62	35.59

802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56766G	60.01	74.00	-13.99	45.59	3	Vertical	212	2.98	-	39.27	10.74	35.59
AV	11.5676G	46.35	54.00	-7.65	31.93	3	Vertical	212	2.98	-	39.27	10.74	35.59

802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.5727G	62.43	74.00	-11.57	47.98	3	Horizontal	136	2.06	-	39.29	10.74	35.58	
AV	11.56778G	49.18	54.00	-4.82	34.76	3	Horizontal	136	2.06	-	39.27	10.74	35.59	

802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.611G	58.95	68.20	-9.25	52.38	3	Vertical	177	1.87	-	34.58	7.40	35.41
PK	5.826G	117.27	Inf	-Inf	111.10	3	Vertical	177	1.87	-	34.25	7.43	35.51
AV	5.824G	105.65	Inf	-Inf	99.49	3	Vertical	177	1.87	-	34.25	7.42	35.51
PK	5.989G	59.41	68.20	-8.79	52.61	3	Vertical	177	1.87	-	34.80	7.59	35.59

802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.621G	58.32	68.20	-9.88	51.77	3	Horizontal	189	3.00	-	34.56	7.40	35.41	
PK	5.825G	114.62	Inf	-Inf	108.45	3	Horizontal	189	3.00	-	34.25	7.43	35.51	
AV	5.826G	101.82	Inf	-Inf	95.65	3	Horizontal	189	3.00	-	34.25	7.43	35.51	
PK	5.993G	58.67	68.20	-9.53	51.88	3	Horizontal	189	3.00	-	34.80	7.59	35.60	

802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.65192G	62.14	74.00	-11.86	47.56	3	Vertical	178	2.74	-	39.40	10.75	35.57	
AV	11.65228G	48.27	54.00	-5.73	33.69	3	Vertical	178	2.74	-	39.40	10.75	35.57	

802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6521G	61.78	74.00	-12.22	47.20	3	Horizontal	199	2.09	-	39.40	10.75	35.57
AV	11.65024G	48.43	54.00	-5.57	33.85	3	Horizontal	199	2.09	-	39.40	10.75	35.57

802.11ax HEW40_Nss1,(MCS0)_2TX

5190MHz_TnomVnom




EUT_X_2TX
Setting 16.75
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1476G	72.73	74.00	-1.27	66.90	3	Vertical	176	2.16	-	34.00	7.17	35.34
AV	5.1496G	53.42	54.00	-0.58	47.59	3	Vertical	176	2.16	-	34.00	7.17	35.34
PK	5.1924G	112.06	Inf	-Inf	106.03	3	Vertical	176	2.16	-	34.17	7.20	35.34
AV	5.192G	98.87	Inf	-Inf	92.84	3	Vertical	176	2.16	-	34.17	7.20	35.34

802.11ax HEW40_Nss1,(MCS0)_2TX

5190MHz_TnomVnom




EUT X_2TX
Setting 16.75
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.1476G	72.09	74.00	-1.91	66.26	3	Horizontal	186	2.14	-	34.00	7.17	35.34	
AV	5.1492G	52.32	54.00	-1.68	46.49	3	Horizontal	186	2.14	-	34.00	7.17	35.34	
PK	5.1928G	110.46	Inf	-Inf	104.43	3	Horizontal	186	2.14	-	34.17	7.20	35.34	
AV	5.1944G	96.61	Inf	-Inf	90.57	3	Horizontal	186	2.14	-	34.18	7.20	35.34	

802.11ax HEW40_Nss1,(MCS0)_2TX

5190MHz_TnomVnom




EUT X_2TX
Setting 16.75
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.57168G	57.74	74.00	-16.26	41.78	3	Vertical	319	2.86	-	38.20	13.19	35.43
AV	15.58014G	44.05	54.00	-9.95	28.16	3	Vertical	319	2.86	-	38.14	13.19	35.44

802.11ax HEW40_Nss1,(MCS0)_2TX

5190MHz_TnomVnom




EUT X_2TX
Setting 16.75
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	15.55686G	58.31	74.00	-15.69	42.25	3	Horizontal	72	1.69	-	38.30	13.18	35.42	
AV	15.5838G	44.10	54.00	-9.90	28.24	3	Horizontal	72	1.69	-	38.11	13.19	35.44	

802.11ax HEW40_Nss1,(MCS0)_2TX

5230MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1484G	65.10	74.00	-8.90	59.27	3	Vertical	173	2.04	-	34.00	7.17	35.34
AV	5.1478G	48.03	54.00	-5.97	42.20	3	Vertical	173	2.04	-	34.00	7.17	35.34
PK	5.2324G	114.80	Inf	-Inf	108.61	3	Vertical	173	2.04	-	34.33	7.20	35.34
AV	5.2288G	101.72	Inf	-Inf	95.54	3	Vertical	173	2.04	-	34.32	7.20	35.34
PK	5.3566G	64.05	74.00	-9.95	57.68	3	Vertical	173	2.04	-	34.51	7.20	35.34
AV	5.3524G	46.22	54.00	-7.78	39.86	3	Vertical	173	2.04	-	34.50	7.20	35.34

802.11ax HEW40_Nss1,(MCS0)_2TX

5230MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1472G	64.06	74.00	-9.94	58.24	3	Horizontal	186	1.96	-	33.99	7.17	35.34
AV	5.1478G	47.33	54.00	-6.67	41.50	3	Horizontal	186	1.96	-	34.00	7.17	35.34
PK	5.233G	112.97	Inf	-Inf	106.78	3	Horizontal	186	1.96	-	34.33	7.20	35.34
AV	5.2354G	99.11	Inf	-Inf	92.91	3	Horizontal	186	1.96	-	34.34	7.20	35.34
PK	5.353G	59.37	74.00	-14.63	53.00	3	Horizontal	186	1.96	-	34.51	7.20	35.34
AV	5.3614G	45.62	54.00	-8.38	39.24	3	Horizontal	186	1.96	-	34.52	7.20	35.34

802.11ax HEW40_Nss1,(MCS0)_2TX

5230MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.68376G	59.55	74.00	-14.45	44.25	3	Vertical	195	3.00	-	37.58	13.24	35.52
AV	15.68382G	44.97	54.00	-9.03	29.67	3	Vertical	195	3.00	-	37.58	13.24	35.52

802.11ax HEW40_Nss1,(MCS0)_2TX

5230MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.69066G	57.74	74.00	-16.26	42.47	3	Horizontal	201	1.41	-	37.55	13.25	35.53
AV	15.6876G	44.30	54.00	-9.70	29.03	3	Horizontal	201	1.41	-	37.56	13.24	35.53

802.11ax HEW40_Nss1,(MCS0)_2TX

5270MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1476G	58.68	74.00	-15.32	52.85	3	Vertical	174	2.01	-	34.00	7.17	35.34
AV	5.1476G	45.29	54.00	-8.71	39.46	3	Vertical	174	2.01	-	34.00	7.17	35.34
PK	5.2724G	115.31	Inf	-Inf	109.01	3	Vertical	174	2.01	-	34.44	7.20	35.34
AV	5.2736G	101.39	Inf	-Inf	95.08	3	Vertical	174	2.01	-	34.45	7.20	35.34
PK	5.3564G	71.93	74.00	-2.07	65.56	3	Vertical	174	2.01	-	34.51	7.20	35.34
AV	5.35G	50.31	54.00	-3.69	43.95	3	Vertical	174	2.01	-	34.50	7.20	35.34

802.11ax HEW40_Nss1,(MCS0)_2TX

5270MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1476G	59.08	74.00	-14.92	53.25	3	Horizontal	189	2.03	-	34.00	7.17	35.34
AV	5.1452G	45.19	54.00	-8.81	39.37	3	Horizontal	189	2.03	-	33.99	7.17	35.34
PK	5.273G	112.03	Inf	-Inf	105.72	3	Horizontal	189	2.03	-	34.45	7.20	35.34
AV	5.2676G	97.84	Inf	-Inf	91.54	3	Horizontal	189	2.03	-	34.44	7.20	35.34
PK	5.3564G	67.69	74.00	-6.31	61.32	3	Horizontal	189	2.03	-	34.51	7.20	35.34
AV	5.35G	47.87	54.00	-6.13	41.51	3	Horizontal	189	2.03	-	34.50	7.20	35.34

802.11ax HEW40_Nss1,(MCS0)_2TX

5270MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.81168G	59.18	74.00	-14.82	43.64	3	Vertical	224	2.50	-	37.86	13.31	35.63
AV	15.80706G	45.55	54.00	-8.45	30.00	3	Vertical	224	2.50	-	37.88	13.30	35.63

802.11ax HEW40_Nss1,(MCS0)_2TX

5270MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.7992G	58.87	74.00	-15.13	43.29	3	Horizontal	280	1.87	-	37.90	13.30	35.62
AV	15.80802G	44.72	54.00	-9.28	29.17	3	Horizontal	280	1.87	-	37.88	13.30	35.63

802.11ax HEW40_Nss1,(MCS0)_2TX

5310MHz_TnomVnom




EUT X_2TX
Setting 14.75
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3124G	112.47	Inf	-Inf	106.11	3	Vertical	175	1.96	-	34.50	7.20	35.34
AV	5.3148G	99.16	Inf	-Inf	92.80	3	Vertical	175	1.96	-	34.50	7.20	35.34
PK	5.3568G	73.85	74.00	-0.15	67.48	3	Vertical	175	1.96	-	34.51	7.20	35.34
AV	5.35G	51.53	54.00	-2.47	45.17	3	Vertical	175	1.96	-	34.50	7.20	35.34

802.11ax HEW40_Nss1,(MCS0)_2TX

5310MHz_TnomVnom




EUT_X_2TX
Setting 14.75
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3124G	109.13	Inf	-Inf	102.77	3	Horizontal	189	2.96	-	34.50	7.20	35.34
AV	5.3084G	95.73	Inf	-Inf	89.37	3	Horizontal	189	2.96	-	34.50	7.20	35.34
PK	5.3564G	70.36	74.00	-3.64	63.99	3	Horizontal	189	2.96	-	34.51	7.20	35.34
AV	5.3508G	49.78	54.00	-4.22	43.42	3	Horizontal	189	2.96	-	34.50	7.20	35.34

802.11ax HEW40_Nss1,(MCS0)_2TX

5310MHz_TnomVnom




EUT_X_2TX
Setting 14.75
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.62252G	53.47	74.00	-20.53	39.99	3	Vertical	304	2.17	-	38.25	10.59	35.36
AV	10.63482G	39.61	54.00	-14.39	26.09	3	Vertical	304	2.17	-	38.27	10.60	35.35
PK	15.93318G	57.74	74.00	-16.26	42.57	3	Vertical	169	2.31	-	37.53	13.37	35.73
AV	15.915G	44.32	54.00	-9.68	29.11	3	Vertical	169	2.31	-	37.57	13.36	35.72

802.11ax HEW40_Nss1,(MCS0)_2TX

5310MHz_TnomVnom




EUT_X_2TX
Setting 14.75
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.61172G	54.46	74.00	-19.54	41.02	3	Horizontal	242	1.18	-	38.22	10.59	35.37
AV	10.62654G	39.57	54.00	-14.43	26.09	3	Horizontal	242	1.18	-	38.25	10.59	35.36
PK	15.91668G	58.50	74.00	-15.50	43.29	3	Horizontal	241	2.17	-	37.57	13.36	35.72
AV	15.91506G	44.39	54.00	-9.61	29.18	3	Horizontal	241	2.17	-	37.57	13.36	35.72

802.11ax HEW40_Nss1,(MCS0)_2TX

5510MHz_TnomVnom




EUT X_2TX
Setting 15.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.4592G	63.32	74.00	-10.68	56.89	3	Vertical	177	1.77	-	34.52	7.26	35.35	
AV	5.4596G	47.39	54.00	-6.61	40.96	3	Vertical	177	1.77	-	34.52	7.26	35.35	
PK	5.464G	68.18	68.20	-0.02	61.74	3	Vertical	177	1.77	-	34.53	7.26	35.35	
PK	5.5124G	111.47	Inf	-Inf	104.92	3	Vertical	177	1.77	-	34.60	7.31	35.36	
AV	5.5144G	98.49	Inf	-Inf	91.94	3	Vertical	177	1.77	-	34.60	7.31	35.36	

802.11ax HEW40_Nss1,(MCS0)_2TX

5510MHz_TnomVnom




EUT_X_2TX
Setting 15.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4584G	62.03	74.00	-11.97	55.60	3	Horizontal	185	3.00	-	34.52	7.26	35.35
AV	5.4592G	46.48	54.00	-7.52	40.05	3	Horizontal	185	3.00	-	34.52	7.26	35.35
PK	5.4676G	64.92	68.20	-3.28	58.46	3	Horizontal	185	3.00	-	34.54	7.27	35.35
PK	5.5092G	107.88	Inf	-Inf	101.32	3	Horizontal	185	3.00	-	34.60	7.31	35.35
AV	5.5136G	96.07	Inf	-Inf	89.52	3	Horizontal	185	3.00	-	34.60	7.31	35.36

802.11ax HEW40_Nss1,(MCS0)_2TX

5510MHz_TnomVnom




EUT_X_2TX
Setting 15.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.03062G	54.53	74.00	-19.47	40.52	3	Vertical	342	2.12	-	38.43	10.65	35.07
AV	11.00758G	40.84	54.00	-13.16	26.83	3	Vertical	342	2.12	-	38.41	10.65	35.05

802.11ax HEW40_Nss1,(MCS0)_2TX

5510MHz_TnomVnom




EUT X_2TX
Setting 15.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01586G	54.74	74.00	-19.26	40.73	3	Horizontal	260	1.77	-	38.42	10.65	35.06
AV	11.0056G	40.85	54.00	-13.15	26.84	3	Horizontal	260	1.77	-	38.41	10.65	35.05

802.11ax HEW40_Nss1,(MCS0)_2TX

5550MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4564G	65.46	74.00	-8.54	59.04	3	Vertical	174	1.80	-	34.51	7.26	35.35
AV	5.4588G	47.41	54.00	-6.59	40.98	3	Vertical	174	1.80	-	34.52	7.26	35.35
PK	5.4678G	67.86	68.20	-0.34	61.40	3	Vertical	174	1.80	-	34.54	7.27	35.35
PK	5.5524G	114.11	Inf	-Inf	107.54	3	Vertical	174	1.80	-	34.60	7.35	35.38
AV	5.547G	101.68	Inf	-Inf	95.10	3	Vertical	174	1.80	-	34.60	7.35	35.37

802.11ax HEW40_Nss1,(MCS0)_2TX

5550MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4558G	62.56	74.00	-11.44	56.14	3	Horizontal	191	3.00	-	34.51	7.26	35.35
AV	5.46G	46.48	54.00	-7.52	40.05	3	Horizontal	191	3.00	-	34.52	7.26	35.35
PK	5.4654G	63.94	68.20	-4.26	57.49	3	Horizontal	191	3.00	-	34.53	7.27	35.35
PK	5.5458G	111.80	Inf	-Inf	105.22	3	Horizontal	191	3.00	-	34.60	7.35	35.37
AV	5.5488G	99.69	Inf	-Inf	93.11	3	Horizontal	191	3.00	-	34.60	7.35	35.37

802.11ax HEW40_Nss1,(MCS0)_2TX

5550MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.09874G	59.80	74.00	-14.20	45.79	3	Vertical	198	1.03	-	38.50	10.66	35.15
AV	11.0994G	45.18	54.00	-8.82	31.17	3	Vertical	198	1.03	-	38.50	10.66	35.15

802.11ax HEW40_Nss1,(MCS0)_2TX

5550MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.10516G	59.58	74.00	-14.42	45.56	3	Horizontal	349	2.78	-	38.51	10.67	35.16
AV	11.09502G	46.23	54.00	-7.77	32.22	3	Horizontal	349	2.78	-	38.50	10.66	35.15

802.11ax HEW40_Nss1,(MCS0)_2TX

5670MHz_TnomVnom




EUT_X_2TX
Setting 15.75
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6724G	113.63	Inf	-Inf	107.26	3	Vertical	176	1.76	-	34.41	7.40	35.44
AV	5.6724G	100.40	Inf	-Inf	94.03	3	Vertical	176	1.76	-	34.41	7.40	35.44
PK	5.7256G	67.76	68.20	-0.44	61.57	3	Vertical	176	1.76	-	34.25	7.40	35.46

802.11ax HEW40_Nss1,(MCS0)_2TX

5670MHz_TnomVnom




EUT X_2TX
Setting 15.75
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6728G	111.42	Inf	-Inf	105.05	3	Horizontal	186	3.00	-	34.41	7.40	35.44
AV	5.6716G	98.51	Inf	-Inf	92.14	3	Horizontal	186	3.00	-	34.41	7.40	35.44
PK	5.7252G	65.47	68.20	-2.73	59.28	3	Horizontal	186	3.00	-	34.25	7.40	35.46

802.11ax HEW40_Nss1,(MCS0)_2TX

5670MHz_TnomVnom




EUT X_2TX
Setting 15.75
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.34456G	54.51	74.00	-19.49	40.50	3	Vertical	163	1.48	-	38.74	10.70	35.43
AV	11.3538G	40.67	54.00	-13.33	26.66	3	Vertical	163	1.48	-	38.75	10.70	35.44

802.11ax HEW40_Nss1,(MCS0)_2TX

5670MHz_TnomVnom




EUT_X_2TX
Setting 15.75
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.3331G	54.58	74.00	-19.42	40.56	3	Horizontal	179	1.36	-	38.73	10.70	35.41	
AV	11.35326G	40.67	54.00	-13.33	26.66	3	Horizontal	179	1.36	-	38.75	10.70	35.44	

802.11ax HEW40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4532G	58.01	74.00	-15.99	51.60	3	Vertical	177	1.66	-	34.51	7.25	35.35
AV	5.41G	45.35	54.00	-8.65	38.91	3	Vertical	177	1.66	-	34.58	7.21	35.35
PK	5.4664G	57.58	68.20	-10.62	51.13	3	Vertical	177	1.66	-	34.53	7.27	35.35
PK	5.7124G	115.91	Inf	-Inf	109.69	3	Vertical	177	1.66	-	34.28	7.40	35.46
AV	5.7076G	102.95	Inf	-Inf	96.72	3	Vertical	177	1.66	-	34.28	7.40	35.45
PK	5.8564G	60.14	68.20	-8.06	53.87	3	Vertical	177	1.66	-	34.34	7.46	35.53

802.11ax HEW40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4124G	58.10	74.00	-15.90	51.66	3	Horizontal	184	3.00	-	34.58	7.21	35.35
PK	5.4676G	57.74	68.20	-10.46	51.28	3	Horizontal	184	3.00	-	34.54	7.27	35.35
AV	5.4424G	45.33	54.00	-8.67	38.92	3	Horizontal	184	3.00	-	34.52	7.24	35.35
PK	5.7088G	112.69	Inf	-Inf	106.46	3	Horizontal	184	3.00	-	34.28	7.40	35.45
AV	5.7088G	100.27	Inf	-Inf	94.04	3	Horizontal	184	3.00	-	34.28	7.40	35.45
PK	5.884G	58.77	68.20	-9.43	52.33	3	Horizontal	184	3.00	-	34.50	7.48	35.54

802.11ax HEW40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42258G	56.71	74.00	-17.29	42.66	3	Vertical	208	1.38	-	38.85	10.71	35.51
AV	11.42474G	43.79	54.00	-10.21	29.75	3	Vertical	208	1.38	-	38.85	10.71	35.52

802.11ax HEW40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41502G	59.30	74.00	-14.70	45.26	3	Horizontal	138	2.07	-	38.83	10.71	35.50
AV	11.41532G	45.27	54.00	-8.73	31.24	3	Horizontal	138	2.07	-	38.83	10.71	35.51

802.11ax HEW40_Nss1,(MCS0)_2TX

5755MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.652G	64.82	69.68	-4.86	58.36	3	Vertical	175	1.63	-	34.49	7.40	35.43
PK	5.758G	115.95	Inf	-Inf	109.83	3	Vertical	175	1.63	-	34.20	7.40	35.48
AV	5.758G	103.09	Inf	-Inf	96.97	3	Vertical	175	1.63	-	34.20	7.40	35.48
PK	5.929G	59.17	68.20	-9.03	52.48	3	Vertical	175	1.63	-	34.72	7.53	35.56

802.11ax HEW40_Nss1,(MCS0)_2TX

5755MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.63G	61.11	68.20	-7.09	54.58	3	Horizontal	184	2.93	-	34.54	7.40	35.41
PK	5.75G	112.93	Inf	-Inf	106.81	3	Horizontal	184	2.93	-	34.20	7.40	35.48
AV	5.754G	100.13	Inf	-Inf	94.01	3	Horizontal	184	2.93	-	34.20	7.40	35.48
PK	5.989G	58.49	68.20	-9.71	51.69	3	Horizontal	184	2.93	-	34.80	7.59	35.59

802.11ax HEW40_Nss1,(MCS0)_2TX

5755MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.50892G	57.86	74.00	-16.14	43.69	3	Vertical	203	3.00	-	39.04	10.73	35.60
AV	11.50742G	44.38	54.00	-9.62	30.22	3	Vertical	203	3.00	-	39.03	10.73	35.60

802.11ax HEW40_Nss1,(MCS0)_2TX

5755MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.5175G	59.26	74.00	-14.74	45.06	3	Horizontal	8	1.37	-	39.07	10.73	35.60	
AV	11.50766G	45.41	54.00	-8.59	31.25	3	Horizontal	8	1.37	-	39.03	10.73	35.60	

802.11ax HEW40_Nss1,(MCS0)_2TX

5795MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.599G	60.34	68.20	-7.86	53.74	3	Vertical	174	1.79	-	34.60	7.40	35.40
PK	5.794G	114.49	Inf	-Inf	108.39	3	Vertical	174	1.79	-	34.20	7.40	35.50
AV	5.794G	102.53	Inf	-Inf	96.43	3	Vertical	174	1.79	-	34.20	7.40	35.50
PK	5.921G	63.69	71.16	-7.47	57.05	3	Vertical	174	1.79	-	34.68	7.52	35.56

802.11ax HEW40_Nss1,(MCS0)_2TX

5795MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.636G	58.56	68.20	-9.64	52.05	3	Horizontal	190	2.93	-	34.53	7.40	35.42
PK	5.798G	111.80	Inf	-Inf	105.70	3	Horizontal	190	2.93	-	34.20	7.40	35.50
AV	5.798G	99.20	Inf	-Inf	93.10	3	Horizontal	190	2.93	-	34.20	7.40	35.50
PK	5.93G	59.79	68.20	-8.41	53.10	3	Horizontal	190	2.93	-	34.72	7.53	35.56

802.11ax HEW40_Nss1,(MCS0)_2TX

5795MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.595G	57.08	74.00	-16.92	42.54	3	Vertical	219	2.60	-	39.38	10.74	35.58
AV	11.595G	44.20	54.00	-9.80	29.66	3	Vertical	219	2.60	-	39.38	10.74	35.58

802.11ax HEW40_Nss1,(MCS0)_2TX

5795MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.59114G	60.62	74.00	-13.38	46.10	3	Horizontal	199	2.11	-	39.36	10.74	35.58	
AV	11.59048G	46.53	54.00	-7.47	32.01	3	Horizontal	199	2.11	-	39.36	10.74	35.58	

802.11ax HEW80_Nss1,(MCS0)_2TX

5210MHz_TnomVnom




EUT_X_2TX
Setting 14.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.147G	67.27	74.00	-6.73	61.45	3	Vertical	176	2.14	-	33.99	7.17	35.34
AV	5.146G	53.58	54.00	-0.42	47.76	3	Vertical	176	2.14	-	33.99	7.17	35.34
PK	5.213G	107.54	Inf	-Inf	101.43	3	Vertical	176	2.14	-	34.25	7.20	35.34
AV	5.212G	96.88	Inf	-Inf	90.77	3	Vertical	176	2.14	-	34.25	7.20	35.34
PK	5.372G	59.15	74.00	-14.85	52.75	3	Vertical	176	2.14	-	34.54	7.20	35.34
AV	5.373G	48.71	54.00	-5.29	42.30	3	Vertical	176	2.14	-	34.55	7.20	35.34

802.11ax HEW80_Nss1,(MCS0)_2TX

5210MHz_TnomVnom




EUT_X_2TX
Setting 14.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.146G	66.78	74.00	-7.22	60.96	3	Horizontal	184	2.21	-	33.99	7.17	35.34
AV	5.145G	51.88	54.00	-2.12	46.06	3	Horizontal	184	2.21	-	33.99	7.17	35.34
PK	5.212G	103.12	Inf	-Inf	97.01	3	Horizontal	184	2.21	-	34.25	7.20	35.34
AV	5.212G	94.12	Inf	-Inf	88.01	3	Horizontal	184	2.21	-	34.25	7.20	35.34
PK	5.46G	58.86	74.00	-15.14	52.43	3	Horizontal	184	2.21	-	34.52	7.26	35.35
AV	5.358G	48.09	54.00	-5.91	41.71	3	Horizontal	184	2.21	-	34.52	7.20	35.34

802.11ax HEW80_Nss1,(MCS0)_2TX

5210MHz_TnomVnom




EUT X_2TX
Setting 14.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.61626G	57.26	74.00	-16.74	41.60	3	Vertical	13	1.60	-	37.92	13.21	35.47
AV	15.62118G	47.12	54.00	-6.88	31.49	3	Vertical	13	1.60	-	37.89	13.21	35.47

802.11ax HEW80_Nss1,(MCS0)_2TX

5210MHz_TnomVnom




EUT X_2TX
Setting 14.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.63612G	57.81	74.00	-16.19	42.25	3	Horizontal	351	2.79	-	37.82	13.22	35.48
AV	15.62112G	46.59	54.00	-7.41	30.96	3	Horizontal	351	2.79	-	37.89	13.21	35.47

802.11ax HEW80_Nss1,(MCS0)_2TX

5290MHz_TnomVnom




EUT_X_2TX
Setting 12
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.098G	58.10	74.00	-15.90	52.38	3	Vertical	180	2.05	-	33.90	7.15	35.33
AV	5.103G	47.97	54.00	-6.03	42.24	3	Vertical	180	2.05	-	33.91	7.15	35.33
PK	5.293G	104.66	Inf	-Inf	98.31	3	Vertical	180	2.05	-	34.49	7.20	35.34
AV	5.292G	95.58	Inf	-Inf	89.24	3	Vertical	180	2.05	-	34.48	7.20	35.34
PK	5.357G	67.01	74.00	-6.99	60.64	3	Vertical	180	2.05	-	34.51	7.20	35.34
AV	5.364G	53.94	54.00	-0.06	47.55	3	Vertical	180	2.05	-	34.53	7.20	35.34
PK	5.509G	58.62	68.20	-9.58	52.06	3	Vertical	180	2.05	-	34.60	7.31	35.35

802.11ax HEW80_Nss1,(MCS0)_2TX

5290MHz_TnomVnom




EUT_X_2TX
Setting 12
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.102G	58.13	74.00	-15.87	52.41	3	Horizontal	201	1.92	-	33.90	7.15	35.33
AV	5.098G	47.78	54.00	-6.22	42.06	3	Horizontal	201	1.92	-	33.90	7.15	35.33
PK	5.293G	102.01	Inf	-Inf	95.66	3	Horizontal	201	1.92	-	34.49	7.20	35.34
AV	5.285G	91.51	Inf	-Inf	85.18	3	Horizontal	201	1.92	-	34.47	7.20	35.34
PK	5.376G	61.46	74.00	-12.54	55.06	3	Horizontal	201	1.92	-	34.55	7.20	35.35
AV	5.353G	51.18	54.00	-2.82	44.81	3	Horizontal	201	1.92	-	34.51	7.20	35.34
PK	5.497G	58.84	68.20	-9.36	52.30	3	Horizontal	201	1.92	-	34.59	7.30	35.35

802.11ax HEW80_Nss1,(MCS0)_2TX

5290MHz_TnomVnom




EUT X_2TX
Setting 12
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.86904G	58.85	74.00	-15.15	43.51	3	Vertical	101	1.18	-	37.69	13.33	35.68
AV	15.88092G	47.46	54.00	-6.54	32.15	3	Vertical	101	1.18	-	37.66	13.34	35.69

802.11ax HEW80_Nss1,(MCS0)_2TX

5290MHz_TnomVnom




EUT_X_2TX
Setting 12
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.85896G	58.38	74.00	-15.62	43.00	3	Horizontal	210	1.27	-	37.72	13.33	35.67
AV	15.8787G	47.12	54.00	-6.88	31.81	3	Horizontal	210	1.27	-	37.66	13.34	35.69

802.11ax HEW80_Nss1,(MCS0)_2TX

5530MHz_TnomVnom




EUT X_2TX
Setting 14.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.348G	58.31	68.20	-9.89	51.95	3	Vertical	177	1.74	-	34.50	7.20	35.34
PK	5.459G	63.95	74.00	-10.05	57.52	3	Vertical	177	1.74	-	34.52	7.26	35.35
AV	5.452G	53.31	54.00	-0.69	46.91	3	Vertical	177	1.74	-	34.50	7.25	35.35
PK	5.467G	67.12	68.20	-1.08	60.67	3	Vertical	177	1.74	-	34.53	7.27	35.35
PK	5.534G	106.43	Inf	-Inf	99.87	3	Vertical	177	1.74	-	34.60	7.33	35.37
AV	5.532G	97.74	Inf	-Inf	91.18	3	Vertical	177	1.74	-	34.60	7.33	35.37
PK	5.73G	58.19	68.20	-10.01	52.02	3	Vertical	177	1.74	-	34.24	7.40	35.47

802.11ax HEW80_Nss1,(MCS0)_2TX

5530MHz_TnomVnom




EUT_X_2TX
Setting 14.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.283G	58.98	68.20	-9.22	52.65	3	Horizontal	185	3.00	-	34.47	7.20	35.34
PK	5.459G	63.59	74.00	-10.41	57.16	3	Horizontal	185	3.00	-	34.52	7.26	35.35
AV	5.452G	51.53	54.00	-2.47	45.13	3	Horizontal	185	3.00	-	34.50	7.25	35.35
PK	5.466G	65.49	68.20	-2.71	59.04	3	Horizontal	185	3.00	-	34.53	7.27	35.35
PK	5.534G	106.20	Inf	-Inf	99.64	3	Horizontal	185	3.00	-	34.60	7.33	35.37
AV	5.529G	95.46	Inf	-Inf	88.89	3	Horizontal	185	3.00	-	34.60	7.33	35.36
PK	5.758G	58.16	68.20	-10.04	52.04	3	Horizontal	185	3.00	-	34.20	7.40	35.48

802.11ax HEW80_Nss1,(MCS0)_2TX

5530MHz_TnomVnom




EUT X_2TX
Setting 14.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.06144G	54.62	74.00	-19.38	40.61	3	Vertical	226	2.94	-	38.46	10.66	35.11	
AV	11.07296G	43.98	54.00	-10.02	29.97	3	Vertical	226	2.94	-	38.47	10.66	35.12	

802.11ax HEW80_Nss1,(MCS0)_2TX

5530MHz_TnomVnom




EUT_X_2TX
Setting 14.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.07158G	54.64	74.00	-19.36	40.63	3	Horizontal	146	1.67	-	38.47	10.66	35.12	
AV	11.06486G	43.95	54.00	-10.05	29.94	3	Horizontal	146	1.67	-	38.46	10.66	35.11	

802.11ax HEW80_Nss1,(MCS0)_2TX

5610MHz_TnomVnom




EUT_X_2TX
Setting 14.75
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.375G	58.63	74.00	-15.37	52.22	3	Vertical	175	1.80	-	34.55	7.20	35.34
PK	5.465G	58.86	68.20	-9.34	52.42	3	Vertical	175	1.80	-	34.53	7.26	35.35
AV	5.444G	48.58	54.00	-5.42	42.18	3	Vertical	175	1.80	-	34.51	7.24	35.35
PK	5.605G	108.15	Inf	-Inf	101.56	3	Vertical	175	1.80	-	34.59	7.40	35.40
AV	5.607G	98.45	Inf	-Inf	91.86	3	Vertical	175	1.80	-	34.59	7.40	35.40
PK	5.727G	67.15	68.20	-1.05	60.96	3	Vertical	175	1.80	-	34.25	7.40	35.46

802.11ax HEW80_Nss1,(MCS0)_2TX

5610MHz_TnomVnom




EUT_X_2TX
Setting 14.75
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.426G	58.46	74.00	-15.54	52.03	3	Horizontal	189	2.94	-	34.55	7.23	35.35
AV	5.389G	48.35	54.00	-5.65	41.92	3	Horizontal	189	2.94	-	34.58	7.20	35.35
PK	5.465G	58.08	68.20	-10.12	51.64	3	Horizontal	189	2.94	-	34.53	7.26	35.35
PK	5.614G	107.99	Inf	-Inf	101.43	3	Horizontal	189	2.94	-	34.57	7.40	35.41
AV	5.609G	97.33	Inf	-Inf	90.75	3	Horizontal	189	2.94	-	34.58	7.40	35.40
PK	5.726G	65.56	68.20	-2.64	59.37	3	Horizontal	189	2.94	-	34.25	7.40	35.46

802.11ax HEW80_Nss1,(MCS0)_2TX

5610MHz_TnomVnom




EUT_X_2TX
Setting 14.75
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.20806G	54.87	74.00	-19.13	40.85	3	Vertical	24	2.90	-	38.61	10.68	35.27
AV	11.21994G	43.44	54.00	-10.56	29.43	3	Vertical	24	2.90	-	38.62	10.68	35.29

802.11ax HEW80_Nss1,(MCS0)_2TX

5610MHz_TnomVnom




EUT X_2TX
Setting 14.75
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.20746G	54.28	74.00	-19.72	40.26	3	Horizontal	67	1.30	-	38.61	10.68	35.27
AV	11.22816G	43.59	54.00	-10.41	29.58	3	Horizontal	67	1.30	-	38.63	10.68	35.30

802.11ax HEW80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_X_2TX
Setting 20
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4404G	60.10	74.00	-13.90	53.69	3	Vertical	177	1.76	-	34.52	7.24	35.35
AV	5.4296G	48.61	54.00	-5.39	42.19	3	Vertical	177	1.76	-	34.54	7.23	35.35
PK	5.468G	58.69	68.20	-9.51	52.23	3	Vertical	177	1.76	-	34.54	7.27	35.35
PK	5.6924G	112.26	Inf	-Inf	105.98	3	Vertical	177	1.76	-	34.33	7.40	35.45
AV	5.6924G	103.34	Inf	-Inf	97.06	3	Vertical	177	1.76	-	34.33	7.40	35.45
PK	5.85G	68.03	68.20	-0.17	61.81	3	Vertical	177	1.76	-	34.30	7.45	35.53

802.11ax HEW80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_X_2TX
Setting 20
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4536G	58.91	74.00	-15.09	52.50	3	Horizontal	185	3.00	-	34.51	7.25	35.35
AV	5.4584G	48.25	54.00	-5.75	41.82	3	Horizontal	185	3.00	-	34.52	7.26	35.35
PK	5.4644G	57.18	68.20	-11.02	50.74	3	Horizontal	185	3.00	-	34.53	7.26	35.35
PK	5.6936G	111.09	Inf	-Inf	104.81	3	Horizontal	185	3.00	-	34.33	7.40	35.45
AV	5.6888G	101.51	Inf	-Inf	95.21	3	Horizontal	185	3.00	-	34.34	7.40	35.44
PK	5.8508G	65.12	68.20	-3.08	58.90	3	Horizontal	185	3.00	-	34.30	7.45	35.53

802.11ax HEW80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_X_2TX
Setting 20
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.37982G	55.99	74.00	-18.01	41.97	3	Vertical	213	3.00	-	38.78	10.71	35.47
AV	11.38306G	44.93	54.00	-9.07	30.91	3	Vertical	213	3.00	-	38.78	10.71	35.47

802.11ax HEW80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_X_2TX
Setting 20
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39026G	55.85	74.00	-18.15	41.83	3	Horizontal	312	2.41	-	38.79	10.71	35.48
AV	11.38528G	45.16	54.00	-8.84	31.13	3	Horizontal	312	2.41	-	38.79	10.71	35.47

802.11ax HEW80_Nss1,(MCS0)_2TX

5775MHz_TnomVnom




EUT X_2TX
Setting 17.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.652G	67.99	69.68	-1.69	61.53	3	Vertical	176	1.80	-	34.49	7.40	35.43
PK	5.778G	110.63	Inf	-Inf	104.52	3	Vertical	176	1.80	-	34.20	7.40	35.49
AV	5.774G	99.46	Inf	-Inf	93.35	3	Vertical	176	1.80	-	34.20	7.40	35.49
PK	5.934G	67.70	68.20	-0.50	61.00	3	Vertical	176	1.80	-	34.74	7.53	35.57

802.11ax HEW80_Nss1,(MCS0)_2TX

5775MHz_TnomVnom




EUT_X_2TX
Setting 17.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65G	67.07	68.20	-1.13	60.60	3	Horizontal	186	2.83	-	34.50	7.40	35.43
PK	5.777G	107.01	Inf	-Inf	100.90	3	Horizontal	186	2.83	-	34.20	7.40	35.49
AV	5.774G	97.51	Inf	-Inf	91.40	3	Horizontal	186	2.83	-	34.20	7.40	35.49
PK	5.925G	65.78	68.20	-2.42	59.11	3	Horizontal	186	2.83	-	34.70	7.53	35.56

802.11ax HEW80_Nss1,(MCS0)_2TX

5775MHz_TnomVnom




EUT X_2TX
Setting 17.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.55174G	55.33	74.00	-18.67	40.98	3	Vertical	120	1.78	-	39.21	10.73	35.59
AV	11.54688G	44.64	54.00	-9.36	30.31	3	Vertical	120	1.78	-	39.19	10.73	35.59

802.11ax HEW80_Nss1,(MCS0)_2TX

5775MHz_TnomVnom




EUT X_2TX
Setting 17.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.5431G	55.33	74.00	-18.67	41.02	3	Horizontal	43	1.49	-	39.17	10.73	35.59	
AV	11.56008G	44.42	54.00	-9.58	30.04	3	Horizontal	43	1.49	-	39.24	10.73	35.59	

802.11ax HEW160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TnomVnom




EUT_X_2TX
Setting 10
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.126G	64.35	74.00	-9.65	58.58	3	Vertical	173	2.10	-	33.95	7.16	35.34
AV	5.115G	52.70	54.00	-1.30	46.94	3	Vertical	173	2.10	-	33.93	7.16	35.33
PK	5.252G	99.62	Inf	-Inf	93.36	3	Vertical	173	2.10	-	34.40	7.20	35.34
AV	5.255G	90.16	Inf	-Inf	83.89	3	Vertical	173	2.10	-	34.41	7.20	35.34
PK	5.393G	64.08	74.00	-9.92	57.64	3	Vertical	173	2.10	-	34.59	7.20	35.35
AV	5.394G	53.76	54.00	-0.24	47.32	3	Vertical	173	2.10	-	34.59	7.20	35.35
PK	5.488G	58.37	68.20	-9.83	51.85	3	Vertical	173	2.10	-	34.58	7.29	35.35

802.11ax HEW160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TnomVnom




EUT_X_2TX
Setting 10
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.125G	62.78	74.00	-11.22	57.01	3	Horizontal	185	2.23	-	33.95	7.16	35.34
AV	5.143G	51.80	54.00	-2.20	45.98	3	Horizontal	185	2.23	-	33.99	7.17	35.34
PK	5.252G	97.80	Inf	-Inf	91.54	3	Horizontal	185	2.23	-	34.40	7.20	35.34
AV	5.244G	87.40	Inf	-Inf	81.16	3	Horizontal	185	2.23	-	34.38	7.20	35.34
PK	5.392G	62.89	74.00	-11.11	56.46	3	Horizontal	185	2.23	-	34.58	7.20	35.35
AV	5.394G	51.87	54.00	-2.13	45.43	3	Horizontal	185	2.23	-	34.59	7.20	35.35
PK	5.5G	59.10	68.20	-9.10	52.55	3	Horizontal	185	2.23	-	34.60	7.30	35.35

802.11ax HEW160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TnomVnom




EUT X_2TX
Setting 10
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.74004G	58.10	74.00	-15.90	42.74	3	Vertical	308	2.21	-	37.66	13.27	35.57
AV	15.75708G	46.99	54.00	-7.01	31.57	3	Vertical	308	2.21	-	37.73	13.28	35.59

802.11ax HEW160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TnomVnom




EUT X_2TX
Setting 10
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.75954G	59.34	74.00	-14.66	43.91	3	Horizontal	54	1.83	-	37.74	13.28	35.59
AV	15.76302G	47.09	54.00	-6.91	31.65	3	Horizontal	54	1.83	-	37.75	13.28	35.59

802.11ax HEW160_Nss1,(MCS0)_2TX

5570MHz_TnomVnom




EUT_X_2TX
Setting 10
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.34G	57.98	68.20	-10.22	51.62	3	Vertical	171	1.80	-	34.50	7.20	35.34
PK	5.445G	65.95	74.00	-8.05	59.54	3	Vertical	171	1.80	-	34.51	7.25	35.35
AV	5.435G	52.88	54.00	-1.12	46.46	3	Vertical	171	1.80	-	34.53	7.24	35.35
PK	5.462G	62.76	68.20	-5.44	56.33	3	Vertical	171	1.80	-	34.52	7.26	35.35
PK	5.567G	100.32	Inf	-Inf	93.73	3	Vertical	171	1.80	-	34.60	7.37	35.38
AV	5.575G	91.13	Inf	-Inf	84.55	3	Vertical	171	1.80	-	34.60	7.37	35.39
PK	5.726G	68.18	68.20	-0.02	61.99	3	Vertical	171	1.80	-	34.25	7.40	35.46

802.11ax HEW160_Nss1,(MCS0)_2TX

5570MHz_TnomVnom




EUT_X_2TX
Setting 10
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.33G	58.65	68.20	-9.55	52.29	3	Horizontal	187	2.98	-	34.50	7.20	35.34
PK	5.452G	64.72	74.00	-9.28	58.32	3	Horizontal	187	2.98	-	34.50	7.25	35.35
AV	5.446G	51.89	54.00	-2.11	45.48	3	Horizontal	187	2.98	-	34.51	7.25	35.35
PK	5.462G	63.77	68.20	-4.43	57.34	3	Horizontal	187	2.98	-	34.52	7.26	35.35
PK	5.566G	99.37	Inf	-Inf	92.78	3	Horizontal	187	2.98	-	34.60	7.37	35.38
AV	5.575G	89.05	Inf	-Inf	82.47	3	Horizontal	187	2.98	-	34.60	7.37	35.39
PK	5.728G	65.59	68.20	-2.61	59.41	3	Horizontal	187	2.98	-	34.24	7.40	35.46

802.11ax HEW160_Nss1,(MCS0)_2TX

5570MHz_TnomVnom




EUT X_2TX
Setting 10
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.14342G	54.74	74.00	-19.26	40.73	3	Vertical	287	1.89	-	38.54	10.67	35.20
AV	11.14576G	43.63	54.00	-10.37	29.61	3	Vertical	287	1.89	-	38.55	10.67	35.20

802.11ax HEW160_Nss1,(MCS0)_2TX

5570MHz_TnomVnom



EUT X_2TX
Setting 10
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1445G	54.19	74.00	-19.81	40.18	3	Horizontal	126	1.12	-	38.54	10.67	35.20
AV	11.14588G	43.85	54.00	-10.15	29.83	3	Horizontal	126	1.12	-	38.55	10.67	35.20



RSE TX above 1GHz
<Full RU> UNII1~UNII3_Non-Beamforming Mode_Ant.3 (2TX)


Appendix E.7

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1.(6Mbps)_2TX	Pass	PK	5.1496G	73.92	74.00	-0.08	3	Vertical	52	1.98	-

802.11a_Nss1,(6Mbps)_2TX

5180MHz_TnomVnom




EUT V_2TX
 Setting 19
 03-C-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	73.92	74.00	-0.08	68.09	3	Vertical	52	1.98	-	34.00	7.17	35.34
AV	5.15G	50.54	54.00	-3.46	44.71	3	Vertical	52	1.98	-	34.00	7.17	35.34
PK	5.1814G	118.91	Inf	-Inf	112.93	3	Vertical	52	1.98	-	34.13	7.19	35.34
AV	5.1816G	108.59	Inf	-Inf	102.61	3	Vertical	52	1.98	-	34.13	7.19	35.34

802.11a_Nss1,(6Mbps)_2TX

5180MHz_TnomVnom




EUT V_2TX
 Setting 19.5
 03-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1498G	61.69	74.00	-12.31	55.86	3	Horizontal	162	1.72	-	34.00	7.17	35.34
AV	5.15G	46.24	54.00	-7.76	40.41	3	Horizontal	162	1.72	-	34.00	7.17	35.34
PK	5.179G	103.59	Inf	-Inf	97.62	3	Horizontal	162	1.72	-	34.12	7.19	35.34
AV	5.179G	93.79	Inf	-Inf	87.82	3	Horizontal	162	1.72	-	34.12	7.19	35.34

802.11a_Nss1,(6Mbps)_2TX

5180MHz_TnomVnom




EUT V_2TX
Setting 19
03-C-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.35988G	56.42	68.20	-11.78	43.29	3	Vertical	205	1.80	-	38.16	10.55	35.58
PK	15.53552G	61.85	74.00	-12.15	45.63	3	Vertical	238	1.91	-	38.45	13.17	35.40
AV	15.53916G	48.89	54.00	-5.11	32.69	3	Vertical	238	1.91	-	38.43	13.17	35.40

802.11a_Nss1,(6Mbps)_2TX

5180MHz_TnomVnom




EUT_V_2TX
 Setting 19
 03-C-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.36252G	55.18	68.20	-13.02	42.05	3	Horizontal	88	2.64	-	38.16	10.55	35.58
PK	15.54756G	61.26	74.00	-12.74	45.13	3	Horizontal	141	1.80	-	38.37	13.17	35.41
AV	15.53864G	47.75	54.00	-6.25	31.55	3	Horizontal	141	1.80	-	38.43	13.17	35.40

802.11a_Nss1,(6Mbps)_2TX

5200MHz_TnomVnom




EUT V_2TX
 Setting 21.5
 03-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	62.12	74.00	-11.88	56.29	3	Vertical	357	1.80	-	34.00	7.17	35.34
AV	5.1496G	46.88	54.00	-7.12	41.05	3	Vertical	357	1.80	-	34.00	7.17	35.34
PK	5.1988G	119.66	Inf	-Inf	113.60	3	Vertical	357	1.80	-	34.20	7.20	35.34
AV	5.1988G	109.58	Inf	-Inf	103.52	3	Vertical	357	1.80	-	34.20	7.20	35.34

802.11a_Nss1,(6Mbps)_2TX

5200MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	10.39524G	54.27	68.20	-13.93	41.06	3	Vertical	166	2.11	-	38.20	10.56	35.55	

802.11a_Nss1,(6Mbps)_2TX

5200MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	10.3952G	54.46	68.20	-13.74	41.25	3	Horizontal	146	1.89	-	38.20	10.56	35.55	

802.11a_Nss1,(6Mbps)_2TX

5240MHz_TnomVnom




EUT_V_2TX
 Setting 21.5
 03-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14G	57.97	74.00	-16.03	52.16	3	Vertical	357	1.80	-	33.98	7.17	35.34
AV	5.1432G	45.62	54.00	-8.38	39.80	3	Vertical	357	1.80	-	33.99	7.17	35.34
PK	5.2388G	119.13	Inf	-Inf	112.91	3	Vertical	357	1.80	-	34.36	7.20	35.34
AV	5.2408G	109.12	Inf	-Inf	102.90	3	Vertical	357	1.80	-	34.36	7.20	35.34

802.11a_Nss1,(6Mbps)_2TX

5240MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.47696G	57.82	68.20	-10.38	44.54	3	Vertical	248	1.57	-	38.20	10.57	35.49
PK	15.71792G	61.02	74.00	-12.98	45.74	3	Vertical	176	1.80	-	37.57	13.26	35.55
AV	15.71992G	46.98	54.00	-7.02	31.69	3	Vertical	176	1.80	-	37.58	13.26	35.55

802.11a_Nss1,(6Mbps)_2TX

5240MHz_TnomVnom




EUT_V_2TX
Setting 21.5
03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.47952G	54.93	68.20	-13.27	41.65	3	Horizontal	349	1.38	-	38.20	10.57	35.49
PK	15.71344G	60.89	74.00	-13.11	45.63	3	Horizontal	144	1.80	-	37.55	13.26	35.55
AV	15.71956G	46.65	54.00	-7.35	31.36	3	Horizontal	144	1.80	-	37.58	13.26	35.55

802.11a_Nss1,(6Mbps)_2TX

5260MHz_TnomVnom




EUT_V_2TX
 Setting 21.5
 03-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2616G	119.04	Inf	-Inf	112.76	3	Vertical	357	1.80	-	34.42	7.20	35.34
AV	5.2604G	108.01	Inf	-Inf	101.73	3	Vertical	357	1.80	-	34.42	7.20	35.34
PK	5.36G	60.12	74.00	-13.88	53.74	3	Vertical	357	1.80	-	34.52	7.20	35.34
AV	5.3584G	46.49	54.00	-7.51	40.11	3	Vertical	357	1.80	-	34.52	7.20	35.34

802.11a_Nss1,(6Mbps)_2TX

5260MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	10.5134G	55.18	68.20	-13.02	41.86	3	Vertical	264	1.24	-	38.20	10.58	35.46	

802.11a_Nss1,(6Mbps)_2TX

5260MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	10.524G	55.01	68.20	-13.19	41.68	3	Horizontal	313	1.92	-	38.20	10.58	35.45	

802.11a_Nss1,(6Mbps)_2TX

5300MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3012G	119.12	Inf	-Inf	112.76	3	Vertical	356	1.80	-	34.50	7.20	35.34
AV	5.2988G	109.07	Inf	-Inf	102.71	3	Vertical	356	1.80	-	34.50	7.20	35.34
PK	5.3532G	64.82	74.00	-9.18	58.45	3	Vertical	356	1.80	-	34.51	7.20	35.34
AV	5.35G	47.76	54.00	-6.24	41.40	3	Vertical	356	1.80	-	34.50	7.20	35.34

802.11a_Nss1,(6Mbps)_2TX

5300MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	10.59816G	56.41	68.20	-11.79	43.01	3	Horizontal	137	1.80	-	38.20	10.59	35.39	

802.11a_Nss1,(6Mbps)_2TX

5320MHz_TnomVnom




EUT_V_2TX
 Setting 17.5
 03-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3188G	116.46	Inf	-Inf	110.10	3	Vertical	348	1.80	-	34.50	7.20	35.34
AV	5.3188G	106.79	Inf	-Inf	100.43	3	Vertical	348	1.80	-	34.50	7.20	35.34
PK	5.3504G	73.59	74.00	-0.41	67.23	3	Vertical	348	1.80	-	34.50	7.20	35.34
AV	5.35G	51.10	54.00	-2.90	44.74	3	Vertical	348	1.80	-	34.50	7.20	35.34

802.11a_Nss1,(6Mbps)_2TX

5320MHz_TnomVnom




EUT_V_2TX
Setting 17.5
03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.63968G	54.53	74.00	-19.47	41.00	3	Vertical	185	1.36	-	38.28	10.60	35.35
AV	10.64456G	40.54	54.00	-13.46	27.00	3	Vertical	185	1.36	-	38.29	10.60	35.35

802.11a_Nss1,(6Mbps)_2TX

5320MHz_TnomVnom




EUT V_2TX
Setting 17.5
03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.64624G	53.94	74.00	-20.06	40.39	3	Horizontal	113	2.32	-	38.29	10.60	35.34
AV	10.64984G	40.54	54.00	-13.46	26.98	3	Horizontal	113	2.32	-	38.30	10.60	35.34

802.11a_Nss1,(6Mbps)_2TX

5500MHz_TnomVnom




EUT V_2TX
 Setting 16.5
 03-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.4592G	64.96	74.00	-9.04	58.53	3	Vertical	358	1.89	-	34.52	7.26	35.35	
AV	5.458G	47.18	54.00	-6.82	40.75	3	Vertical	358	1.89	-	34.52	7.26	35.35	
PK	5.4688G	67.99	68.20	-0.21	61.53	3	Vertical	358	1.89	-	34.54	7.27	35.35	
PK	5.5012G	117.34	Inf	-Inf	110.79	3	Vertical	358	1.89	-	34.60	7.30	35.35	
AV	5.5008G	107.37	Inf	-Inf	100.82	3	Vertical	358	1.89	-	34.60	7.30	35.35	

802.11a_Nss1,(6Mbps)_2TX

5500MHz_TnomVnom




EUT_V_2TX
 Setting 16.5
 03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99988G	56.36	74.00	-17.64	42.35	3	Vertical	119	1.50	-	38.40	10.65	35.04
AV	11.00316G	41.67	54.00	-12.33	27.66	3	Vertical	119	1.50	-	38.40	10.65	35.04

802.11a_Nss1,(6Mbps)_2TX

5500MHz_TnomVnom




EUT_V_2TX
 Setting 16.5
 03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99678G	55.57	74.00	-18.43	41.56	3	Horizontal	278	2.26	-	38.40	10.65	35.04
AV	11.0024G	41.64	54.00	-12.36	27.63	3	Horizontal	278	2.26	-	38.40	10.65	35.04

802.11a_Nss1,(6Mbps)_2TX

5580MHz_TnomVnom




EUT_V_2TX
 Setting 21.5
 03-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4438G	58.94	74.00	-15.06	52.54	3	Vertical	-0	1.80	-	34.51	7.24	35.35
AV	5.4462G	46.62	54.00	-7.38	40.21	3	Vertical	-0	1.80	-	34.51	7.25	35.35
PK	5.4684G	59.86	68.20	-8.34	53.40	3	Vertical	-0	1.80	-	34.54	7.27	35.35
PK	5.5812G	120.39	Inf	-Inf	113.80	3	Vertical	-0	1.80	-	34.60	7.38	35.39
AV	5.5812G	110.43	Inf	-Inf	103.84	3	Vertical	-0	1.80	-	34.60	7.38	35.39
PK	5.7252G	58.12	68.20	-10.08	51.93	3	Vertical	-0	1.80	-	34.25	7.40	35.46

802.11a_Nss1,(6Mbps)_2TX

5580MHz_TnomVnom




EUT_V_2TX
 Setting 21.5
 03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1618G	60.78	74.00	-13.22	46.77	3	Vertical	189	2.05	-	38.56	10.67	35.22
AV	11.1616G	47.10	54.00	-6.90	33.09	3	Vertical	189	2.05	-	38.56	10.67	35.22

802.11a_Nss1,(6Mbps)_2TX

5580MHz_TnomVnom




EUT V_2TX
 Setting 21.5
 03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1598G	63.61	74.00	-10.39	49.60	3	Horizontal	138	1.80	-	38.56	10.67	35.22
AV	11.15948G	50.07	54.00	-3.93	36.06	3	Horizontal	138	1.80	-	38.56	10.67	35.22

802.11a_Nss1,(6Mbps)_2TX

5700MHz_TnomVnom




EUT V_2TX
 Setting 14.5
 03-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7008G	115.45	Inf	-Inf	109.20	3	Vertical	358	1.80	-	34.30	7.40	35.45
AV	5.7006G	105.53	Inf	-Inf	99.28	3	Vertical	358	1.80	-	34.30	7.40	35.45
PK	5.726G	67.96	68.20	-0.24	61.77	3	Vertical	358	1.80	-	34.25	7.40	35.46

802.11a_Nss1,(6Mbps)_2TX

5700MHz_TnomVnom




EUT V_2TX
Setting 14.5
03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39536G	55.98	74.00	-18.02	41.95	3	Vertical	69	2.94	-	38.80	10.71	35.48
AV	11.39588G	42.20	54.00	-11.80	28.17	3	Vertical	69	2.94	-	38.80	10.71	35.48

802.11a_Nss1,(6Mbps)_2TX

5700MHz_TnomVnom




EUT V_2TX
 Setting 14.5
 03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39564G	56.17	74.00	-17.83	42.14	3	Horizontal	120	2.96	-	38.80	10.71	35.48
AV	11.39508G	42.23	54.00	-11.77	28.20	3	Horizontal	120	2.96	-	38.80	10.71	35.48

802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT V_2TX
 Setting 21.5
 03-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7208G	120.78	Inf	-Inf	114.58	3	Vertical	360	1.80	-	34.26	7.40	35.46
AV	5.7208G	110.35	Inf	-Inf	104.15	3	Vertical	360	1.80	-	34.26	7.40	35.46
PK	5.8856G	61.36	68.20	-6.84	54.90	3	Vertical	358	1.80	-	34.51	7.49	35.54

802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_V_2TX
 Setting 21.5
 03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.437G	58.07	74.00	-15.93	44.01	3	Vertical	246	2.95	-	38.87	10.72	35.53
AV	11.44148G	45.32	54.00	-8.68	31.25	3	Vertical	246	2.95	-	38.88	10.72	35.53

802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_V_2TX
 Setting 21.5
 03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4398G	65.04	74.00	-8.96	50.97	3	Horizontal	140	1.80	-	38.88	10.72	35.53
AV	11.43988G	50.77	54.00	-3.23	36.70	3	Horizontal	140	1.80	-	38.88	10.72	35.53

802.11a_Nss1,(6Mbps)_2TX

5745MHz_TnomVnom




EUT_V_2TX
 Setting 21.5
 03-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.584G	59.90	68.20	-8.30	53.31	3	Vertical	358	1.80	-	34.60	7.38	35.39
PK	5.746G	119.55	Inf	-Inf	113.41	3	Vertical	358	1.80	-	34.21	7.40	35.47
AV	5.746G	110.40	Inf	-Inf	104.26	3	Vertical	358	1.80	-	34.21	7.40	35.47
PK	5.961G	60.30	68.20	-7.90	53.52	3	Vertical	358	1.80	-	34.80	7.56	35.58

802.11a_Nss1,(6Mbps)_2TX

5745MHz_TnomVnom




EUT_V_2TX
 Setting 21.5
 03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.487G	59.65	74.00	-14.35	45.55	3	Vertical	196	1.80	-	38.97	10.72	35.59
AV	11.49164G	46.52	54.00	-7.48	32.41	3	Vertical	196	1.80	-	38.98	10.72	35.59

802.11a_Nss1,(6Mbps)_2TX

5745MHz_TnomVnom




EUT_V_2TX
 Setting 21.5
 03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48972G	66.07	74.00	-7.93	51.96	3	Horizontal	134	1.79	-	38.98	10.72	35.59
AV	11.48992G	52.70	54.00	-1.30	38.59	3	Horizontal	134	1.79	-	38.98	10.72	35.59

802.11a_Nss1,(6Mbps)_2TX

5785MHz_TnomVnom




EUT V_2TX
 Setting 21.5
 03-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.621G	59.93	68.20	-8.27	53.38	3	Vertical	360	1.80	-	34.56	7.40	35.41
PK	5.783G	120.64	Inf	-Inf	114.53	3	Vertical	360	1.80	-	34.20	7.40	35.49
AV	5.786G	110.93	Inf	-Inf	104.82	3	Vertical	360	1.80	-	34.20	7.40	35.49
PK	5.944G	61.58	68.20	-6.62	54.83	3	Vertical	360	1.80	-	34.78	7.54	35.57

802.11a_Nss1,(6Mbps)_2TX

5785MHz_TnomVnom




EUT V_2TX
 Setting 21.5
 03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57108G	62.70	74.00	-11.30	48.26	3	Vertical	175	2.48	-	39.28	10.74	35.58
AV	11.57124G	49.49	54.00	-4.51	35.05	3	Vertical	175	2.48	-	39.28	10.74	35.58

802.11a_Nss1,(6Mbps)_2TX

5785MHz_TnomVnom




EUT_V_2TX
 Setting 21.5
 03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5698G	66.99	74.00	-7.01	52.55	3	Horizontal	136	1.78	-	39.28	10.74	35.58
AV	11.57016G	53.43	54.00	-0.57	38.99	3	Horizontal	136	1.78	-	39.28	10.74	35.58

802.11a_Nss1,(6Mbps)_2TX

5825MHz_TnomVnom




EUT V_2TX
 Setting 21.5
 03-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.579G	61.01	68.20	-7.19	54.42	3	Vertical	360	1.80	-	34.60	7.38	35.39
PK	5.826G	120.27	Inf	-Inf	114.10	3	Vertical	360	1.80	-	34.25	7.43	35.51
AV	5.826G	111.21	Inf	-Inf	105.04	3	Vertical	360	1.80	-	34.25	7.43	35.51
PK	5.985G	60.85	68.20	-7.35	54.06	3	Vertical	360	1.80	-	34.80	7.58	35.59

802.11a_Nss1,(6Mbps)_2TX

5825MHz_TnomVnom




EUT_V_2TX
 Setting 21.5
 03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65104G	62.33	74.00	-11.67	47.75	3	Vertical	176	2.48	-	39.40	10.75	35.57
AV	11.65128G	48.55	54.00	-5.45	33.97	3	Vertical	176	2.48	-	39.40	10.75	35.57

802.11a_Nss1,(6Mbps)_2TX

5825MHz_TnomVnom




EUT_V_2TX
 Setting 21.5
 03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64984G	67.09	74.00	-6.91	52.51	3	Horizontal	138	1.77	-	39.40	10.75	35.57
AV	11.65004G	52.89	54.00	-1.11	38.31	3	Horizontal	138	1.77	-	39.40	10.75	35.57

802.11ax HEW20_Nss1,(MCS0)_2TX

5180MHz_TnomVnom




EUT V_2TX
 Setting 20.5
 03-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1492G	70.56	74.00	-3.44	64.73	3	Vertical	352	1.80	-	34.00	7.17	35.34
AV	5.1492G	53.84	54.00	-0.16	48.01	3	Vertical	352	1.80	-	34.00	7.17	35.34
PK	5.1796G	119.85	Inf	-Inf	113.88	3	Vertical	352	1.80	-	34.12	7.19	35.34
AV	5.1792G	107.38	Inf	-Inf	101.41	3	Vertical	352	1.80	-	34.12	7.19	35.34

802.11ax HEW20_Nss1,(MCS0)_2TX

5180MHz_TnomVnom




EUT V_2TX
Setting 20.5
03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	10.36136G	54.43	68.20	-13.77	41.30	3	Vertical	257	1.64	-	38.16	10.55	35.58	

802.11ax HEW20_Nss1,(MCS0)_2TX

5180MHz_TnomVnom




EUT V_2TX
Setting 20.5
03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	10.3575G	55.03	68.20	-13.17	41.90	3	Horizontal	61	1.26	-	38.16	10.55	35.58	

802.11ax HEW20_Nss1,(MCS0)_2TX

5200MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	59.48	74.00	-14.52	53.65	3	Vertical	357	1.80	-	34.00	7.17	35.34
AV	5.15G	46.52	54.00	-7.48	40.69	3	Vertical	357	1.80	-	34.00	7.17	35.34
PK	5.1996G	120.35	Inf	-Inf	114.29	3	Vertical	357	1.80	-	34.20	7.20	35.34
AV	5.2008G	108.39	Inf	-Inf	102.33	3	Vertical	357	1.80	-	34.20	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_2TX

5200MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	10.39874G	54.72	68.20	-13.48	41.51	3	Vertical	218	2.04	-	38.20	10.56	35.55	

802.11ax HEW20_Nss1,(MCS0)_2TX

5200MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	10.39826G	54.58	68.20	-13.62	41.37	3	Horizontal	281	1.09	-	38.20	10.56	35.55	

802.11ax HEW20_Nss1,(MCS0)_2TX

5240MHz_TnomVnom




EUT_V_2TX
Setting 21.5
03-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1038G	58.27	74.00	-15.73	52.54	3	Vertical	357	1.80	-	33.91	7.15	35.33
AV	5.108G	45.69	54.00	-8.31	39.95	3	Vertical	357	1.80	-	33.92	7.15	35.33
PK	5.2406G	118.14	Inf	-Inf	111.92	3	Vertical	357	1.80	-	34.36	7.20	35.34
AV	5.2406G	107.27	Inf	-Inf	101.05	3	Vertical	357	1.80	-	34.36	7.20	35.34
PK	5.3744G	59.31	74.00	-14.69	52.90	3	Vertical	357	1.80	-	34.55	7.20	35.34
AV	5.381G	46.65	54.00	-7.35	40.24	3	Vertical	357	1.80	-	34.56	7.20	35.35

802.11ax HEW20_Nss1,(MCS0)_2TX

5240MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	10.48008G	56.33	68.20	-11.87	43.05	3	Vertical	252	1.77	-	38.20	10.57	35.49	

802.11ax HEW20_Nss1,(MCS0)_2TX

5240MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	10.47988G	56.05	68.20	-12.15	42.77	3	Horizontal	118	2.06	-	38.20	10.57	35.49	

802.11ax HEW20_Nss1,(MCS0)_2TX

5260MHz_TnomVnom




EUT_V_2TX
Setting 21.5
03-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1136G	58.60	74.00	-15.40	52.84	3	Vertical	358	1.87	-	33.93	7.16	35.33
AV	5.1178G	45.64	54.00	-8.36	39.87	3	Vertical	358	1.87	-	33.94	7.16	35.33
PK	5.26G	119.33	Inf	-Inf	113.05	3	Vertical	358	1.87	-	34.42	7.20	35.34
AV	5.2594G	107.39	Inf	-Inf	101.11	3	Vertical	358	1.87	-	34.42	7.20	35.34
PK	5.3806G	59.77	74.00	-14.23	53.36	3	Vertical	358	1.87	-	34.56	7.20	35.35
AV	5.3896G	46.64	54.00	-7.36	40.21	3	Vertical	358	1.87	-	34.58	7.20	35.35

802.11ax HEW20_Nss1,(MCS0)_2TX

5260MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	10.52368G	57.41	68.20	-10.79	44.08	3	Vertical	248	1.43	-	38.20	10.58	35.45	

802.11ax HEW20_Nss1,(MCS0)_2TX

5260MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	10.51388G	55.50	68.20	-12.70	42.18	3	Horizontal	123	1.80	-	38.20	10.58	35.46	

802.11ax HEW20_Nss1,(MCS0)_2TX

5300MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3018G	120.11	Inf	-Inf	113.75	3	Vertical	355	1.80	-	34.50	7.20	35.34
AV	5.2994G	107.66	Inf	-Inf	101.30	3	Vertical	355	1.80	-	34.50	7.20	35.34
PK	5.3516G	66.41	74.00	-7.59	60.05	3	Vertical	355	1.80	-	34.50	7.20	35.34
AV	5.35G	48.20	54.00	-5.80	41.84	3	Vertical	355	1.80	-	34.50	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_2TX

5300MHz_TnomVnom




EUT_V_2TX
Setting 21.5
03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6036G	58.53	74.00	-15.47	45.11	3	Vertical	250	1.48	-	38.21	10.59	35.38
AV	10.6012G	44.03	54.00	-9.97	30.62	3	Vertical	250	1.48	-	38.20	10.59	35.38

802.11ax HEW20_Nss1,(MCS0)_2TX

5300MHz_TnomVnom




EUT_V_2TX
Setting 21.5
03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60808G	55.72	74.00	-18.28	42.29	3	Horizontal	295	1.18	-	38.22	10.59	35.38
AV	10.60428G	41.78	54.00	-12.22	28.36	3	Horizontal	295	1.18	-	38.21	10.59	35.38

802.11ax HEW20_Nss1,(MCS0)_2TX

5320MHz_TnomVnom




EUT_V_2TX
 Setting 17
 03-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3194G	118.68	Inf	-Inf	112.32	3	Vertical	360	1.90	-	34.50	7.20	35.34
AV	5.3204G	104.99	Inf	-Inf	98.63	3	Vertical	360	1.90	-	34.50	7.20	35.34
PK	5.3502G	73.82	74.00	-0.18	67.46	3	Vertical	360	1.90	-	34.50	7.20	35.34
AV	5.3502G	50.84	54.00	-3.16	44.48	3	Vertical	360	1.90	-	34.50	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_2TX

5320MHz_TnomVnom




EUT V_2TX
Setting 17
03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.63742G	54.03	74.00	-19.97	40.51	3	Vertical	207	2.69	-	38.27	10.60	35.35
AV	10.64274G	40.43	54.00	-13.57	26.89	3	Vertical	207	2.69	-	38.29	10.60	35.35

802.11ax HEW20_Nss1,(MCS0)_2TX

5320MHz_TnomVnom




EUT V_2TX
Setting 17
03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6437G	54.40	74.00	-19.60	40.86	3	Horizontal	360	1.66	-	38.29	10.60	35.35
AV	10.64266G	40.44	54.00	-13.56	26.90	3	Horizontal	360	1.66	-	38.29	10.60	35.35

802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TnomVnom




EUT_V_2TX
Setting 16
03-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.4582G	60.54	74.00	-13.46	54.11	3	Vertical	4	1.88	-	34.52	7.26	35.35	
AV	5.458G	46.94	54.00	-7.06	40.51	3	Vertical	4	1.88	-	34.52	7.26	35.35	
PK	5.4694G	67.97	68.20	-0.23	61.51	3	Vertical	4	1.88	-	34.54	7.27	35.35	
PK	5.4994G	118.57	Inf	-Inf	112.02	3	Vertical	4	1.88	-	34.60	7.30	35.35	
AV	5.5008G	105.21	Inf	-Inf	98.66	3	Vertical	4	1.88	-	34.60	7.30	35.35	

802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TnomVnom




EUT_V_2TX
Setting 16
03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0035G	55.67	74.00	-18.33	41.66	3	Vertical	63	1.90	-	38.40	10.65	35.04
AV	11.00252G	41.63	54.00	-12.37	27.62	3	Vertical	63	1.90	-	38.40	10.65	35.04

802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TnomVnom




EUT_V_2TX
Setting 16
03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.005G	55.79	74.00	-18.21	41.78	3	Horizontal	205	1.39	-	38.41	10.65	35.05
AV	11.0025G	41.68	54.00	-12.32	27.67	3	Horizontal	205	1.39	-	38.40	10.65	35.04

802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4534G	59.76	74.00	-14.24	53.35	3	Vertical	1	1.80	-	34.51	7.25	35.35
AV	5.4348G	46.54	54.00	-7.46	40.13	3	Vertical	1	1.80	-	34.53	7.23	35.35
PK	5.4606G	59.07	68.20	-9.13	52.64	3	Vertical	1	1.80	-	34.52	7.26	35.35
PK	5.5794G	120.63	Inf	-Inf	114.04	3	Vertical	1	1.80	-	34.60	7.38	35.39
AV	5.5806G	109.81	Inf	-Inf	103.22	3	Vertical	1	1.80	-	34.60	7.38	35.39
PK	5.73G	58.20	68.20	-10.00	52.03	3	Vertical	1	1.80	-	34.24	7.40	35.47

802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TnomVnom




EUT_V_2TX
Setting 21.5
03-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	11.16324G	60.24	74.00	-13.76	46.23	3	Vertical	176	1.91	-	38.56	10.67	35.22
AV	11.15804G	46.45	54.00	-7.55	32.44	3	Vertical	176	1.91	-	38.56	10.67	35.22

802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15976G	62.89	74.00	-11.11	48.88	3	Horizontal	64	1.07	-	38.56	10.67	35.22
AV	11.15744G	49.47	54.00	-4.53	35.46	3	Horizontal	64	1.07	-	38.56	10.67	35.22

802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TnomVnom




EUT_V_2TX
Setting 14.5
03-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6994G	117.18	Inf	-Inf	110.93	3	Vertical	3	1.80	-	34.30	7.40	35.45
AV	5.7006G	104.16	Inf	-Inf	97.91	3	Vertical	3	1.80	-	34.30	7.40	35.45
PK	5.7252G	67.97	68.20	-0.23	61.78	3	Vertical	3	1.80	-	34.25	7.40	35.46

802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TnomVnom




EUT V_2TX
Setting 14.5
03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40352G	56.30	74.00	-17.70	42.27	3	Vertical	298	1.45	-	38.81	10.71	35.49
AV	11.39596G	42.24	54.00	-11.76	28.21	3	Vertical	298	1.45	-	38.80	10.71	35.48

802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TnomVnom




EUT V_2TX
Setting 14.5
03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4028G	56.00	74.00	-18.00	41.97	3	Horizontal	48	1.51	-	38.81	10.71	35.49
AV	11.39838G	42.22	54.00	-11.78	28.20	3	Horizontal	48	1.51	-	38.80	10.71	35.49

802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT V_2TX
 Setting 21.5
 03-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7208G	119.92	Inf	-Inf	113.72	3	Vertical	0	1.80	-	34.26	7.40	35.46
AV	5.7208G	108.97	Inf	-Inf	102.77	3	Vertical	0	1.80	-	34.26	7.40	35.46
PK	5.8816G	60.51	68.20	-7.69	54.08	3	Vertical	0	1.80	-	34.49	7.48	35.54

802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT V_2TX
Setting 21.5
03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.443G	59.28	74.00	-14.72	45.21	3	Vertical	170	1.80	-	38.89	10.72	35.54
AV	11.4404G	45.25	54.00	-8.75	31.18	3	Vertical	170	1.80	-	38.88	10.72	35.53

802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT V_2TX
Setting 21.5
03-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	11.4426G	64.28	74.00	-9.72	50.21	3	Horizontal	143	1.76	-	38.89	10.72	35.54
AV	11.43756G	51.28	54.00	-2.72	37.21	3	Horizontal	143	1.76	-	38.88	10.72	35.53

802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.584G	61.02	68.20	-7.18	54.43	3	Vertical	2	1.80	-	34.60	7.38	35.39
PK	5.747G	121.26	Inf	-Inf	115.12	3	Vertical	2	1.80	-	34.21	7.40	35.47
AV	5.744G	109.84	Inf	-Inf	103.70	3	Vertical	2	1.80	-	34.21	7.40	35.47
PK	5.993G	60.05	68.20	-8.15	53.26	3	Vertical	2	1.80	-	34.80	7.59	35.60

802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.4906G	61.30	74.00	-12.70	47.19	3	Vertical	184	2.44	-	38.98	10.72	35.59	
AV	11.4906G	47.91	54.00	-6.09	33.80	3	Vertical	184	2.44	-	38.98	10.72	35.59	

802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49024G	64.92	74.00	-9.08	50.81	3	Horizontal	137	1.80	-	38.98	10.72	35.59
AV	11.48768G	52.07	54.00	-1.93	37.96	3	Horizontal	137	1.80	-	38.98	10.72	35.59

802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.552G	60.29	68.20	-7.91	53.72	3	Vertical	0	1.80	-	34.60	7.35	35.38
PK	5.787G	121.59	Inf	-Inf	115.48	3	Vertical	0	1.80	-	34.20	7.40	35.49
AV	5.784G	110.19	Inf	-Inf	104.08	3	Vertical	0	1.80	-	34.20	7.40	35.49
PK	5.939G	61.26	68.20	-6.94	54.53	3	Vertical	0	1.80	-	34.76	7.54	35.57

802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57272G	60.44	74.00	-13.56	45.99	3	Vertical	183	1.00	-	39.29	10.74	35.58
AV	11.57068G	47.74	54.00	-6.26	33.30	3	Vertical	183	1.00	-	39.28	10.74	35.58

802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57024G	65.86	74.00	-8.14	51.42	3	Horizontal	137	1.80	-	39.28	10.74	35.58
AV	11.56776G	52.82	54.00	-1.18	38.40	3	Horizontal	137	1.80	-	39.27	10.74	35.59

802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.641G	59.75	68.20	-8.45	53.25	3	Vertical	3	1.80	-	34.52	7.40	35.42
PK	5.827G	121.02	Inf	-Inf	114.85	3	Vertical	3	1.80	-	34.25	7.43	35.51
AV	5.826G	110.01	Inf	-Inf	103.84	3	Vertical	3	1.80	-	34.25	7.43	35.51
PK	5.944G	60.71	68.20	-7.49	53.96	3	Vertical	3	1.80	-	34.78	7.54	35.57

802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz_TnomVnom




EUT V_2TX
 Setting 21.5
 03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65008G	65.09	74.00	-8.91	50.51	3	Vertical	137	1.78	-	39.40	10.75	35.57
AV	11.6476G	52.38	54.00	-1.62	37.80	3	Vertical	137	1.78	-	39.40	10.75	35.57

802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65004G	65.33	74.00	-8.67	50.75	3	Horizontal	137	1.78	-	39.40	10.75	35.57
AV	11.6476G	52.34	54.00	-1.66	37.76	3	Horizontal	137	1.78	-	39.40	10.75	35.57

802.11ax HEW40_Nss1,(MCS0)_2TX

5190MHz_TnomVnom




EUT V_2TX
Setting 15.75
03-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1474G	72.48	74.00	-1.52	66.66	3	Vertical	354	1.75	-	33.99	7.17	35.34
AV	5.1498G	53.87	54.00	-0.13	48.04	3	Vertical	354	1.75	-	34.00	7.17	35.34
PK	5.193G	113.44	Inf	-Inf	107.41	3	Vertical	354	1.75	-	34.17	7.20	35.34
AV	5.1942G	99.86	Inf	-Inf	93.82	3	Vertical	354	1.75	-	34.18	7.20	35.34

802.11ax HEW40_Nss1,(MCS0)_2TX

5190MHz_TnomVnom




EUT V_2TX
Setting 15.75
03-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	10.38202G	54.37	68.20	-13.83	41.19	3	Vertical	132	1.67	-	38.18	10.56	35.56	

802.11ax HEW40_Nss1,(MCS0)_2TX

5190MHz_TnomVnom




EUT V_2TX
Setting 15.75
03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	10.37624G	54.68	68.20	-13.52	41.51	3	Horizontal	149	1.02	-	38.18	10.56	35.57	

802.11ax HEW40_Nss1,(MCS0)_2TX

5230MHz_TnomVnom




EUT V_2TX
 Setting 21.5
 03-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1472G	66.09	74.00	-7.91	60.27	3	Vertical	356	1.79	-	33.99	7.17	35.34
AV	5.1466G	49.17	54.00	-4.83	43.35	3	Vertical	356	1.79	-	33.99	7.17	35.34
PK	5.2294G	116.46	Inf	-Inf	110.28	3	Vertical	356	1.79	-	34.32	7.20	35.34
AV	5.227G	103.91	Inf	-Inf	97.74	3	Vertical	356	1.79	-	34.31	7.20	35.34
PK	5.365G	64.87	74.00	-9.13	58.48	3	Vertical	356	1.79	-	34.53	7.20	35.34
AV	5.3794G	47.37	54.00	-6.63	40.96	3	Vertical	356	1.79	-	34.56	7.20	35.35

802.11ax HEW40_Nss1,(MCS0)_2TX

5230MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	10.45744G	54.59	68.20	-13.61	41.32	3	Vertical	3	2.90	-	38.20	10.57	35.50	

802.11ax HEW40_Nss1,(MCS0)_2TX

5230MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	10.45566G	54.41	68.20	-13.79	41.15	3	Horizontal	146	1.44	-	38.20	10.57	35.51	

802.11ax HEW40_Nss1,(MCS0)_2TX

5270MHz_TnomVnom




EUT_V_2TX
 Setting 20.25
 03-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1482G	60.47	74.00	-13.53	54.64	3	Vertical	0	1.94	-	34.00	7.17	35.34
AV	5.1206G	45.93	54.00	-8.07	40.16	3	Vertical	0	1.94	-	33.94	7.16	35.33
PK	5.2682G	116.93	Inf	-Inf	110.63	3	Vertical	0	1.94	-	34.44	7.20	35.34
AV	5.2682G	103.62	Inf	-Inf	97.32	3	Vertical	0	1.94	-	34.44	7.20	35.34
PK	5.3564G	73.38	74.00	-0.62	67.01	3	Vertical	0	1.94	-	34.51	7.20	35.34
AV	5.351G	51.22	54.00	-2.78	44.86	3	Vertical	0	1.94	-	34.50	7.20	35.34

802.11ax HEW40_Nss1,(MCS0)_2TX

5270MHz_TnomVnom




EUT V_2TX
Setting 20.25
03-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	10.54008G	55.08	68.20	-13.12	41.74	3	Vertical	99	2.04	-	38.20	10.58	35.44	

802.11ax HEW40_Nss1,(MCS0)_2TX

5270MHz_TnomVnom




EUT V_2TX
Setting 20.25
03-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	10.54056G	54.73	68.20	-13.47	41.39	3	Horizontal	77	1.87	-	38.20	10.58	35.44	

802.11ax HEW40_Nss1,(MCS0)_2TX

5310MHz_TnomVnom




EUT V_2TX
Setting 14.75
03-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3082G	113.72	Inf	-Inf	107.36	3	Vertical	0	1.90	-	34.50	7.20	35.34
AV	5.307G	100.20	Inf	-Inf	93.84	3	Vertical	0	1.90	-	34.50	7.20	35.34
PK	5.3562G	73.84	74.00	-0.16	67.47	3	Vertical	0	1.90	-	34.51	7.20	35.34
AV	5.35G	51.83	54.00	-2.17	45.47	3	Vertical	0	1.90	-	34.50	7.20	35.34

802.11ax HEW40_Nss1,(MCS0)_2TX

5310MHz_TnomVnom




EUT V_2TX
Setting 14.75
03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	10.62152G	54.71	74.00	-19.29	41.25	3	Vertical	27	2.98	-	38.24	10.59	35.37	
AV	10.61718G	40.43	54.00	-13.57	26.98	3	Vertical	27	2.98	-	38.23	10.59	35.37	

802.11ax HEW40_Nss1,(MCS0)_2TX

5310MHz_TnomVnom




EUT V_2TX
Setting 14.75
03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.61856G	54.81	74.00	-19.19	41.35	3	Horizontal	35	2.41	-	38.24	10.59	35.37
AV	10.6173G	40.40	54.00	-13.60	26.95	3	Horizontal	35	2.41	-	38.23	10.59	35.37

802.11ax HEW40_Nss1,(MCS0)_2TX

5510MHz_TnomVnom




EUT V_2TX
Setting 14.75
03-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4596G	63.68	74.00	-10.32	57.25	3	Vertical	2	1.89	-	34.52	7.26	35.35
AV	5.4596G	48.47	54.00	-5.53	42.04	3	Vertical	2	1.89	-	34.52	7.26	35.35
PK	5.465G	67.60	68.20	-0.60	61.16	3	Vertical	2	1.89	-	34.53	7.26	35.35
PK	5.5094G	112.94	Inf	-Inf	106.38	3	Vertical	2	1.89	-	34.60	7.31	35.35
AV	5.5118G	100.68	Inf	-Inf	94.13	3	Vertical	2	1.89	-	34.60	7.31	35.36

802.11ax HEW40_Nss1,(MCS0)_2TX

5510MHz_TnomVnom




EUT V_2TX
Setting 14.75
03-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	11.02356G	56.42	74.00	-17.58	42.42	3	Vertical	162	2.94	-	38.42	10.65	35.07	
AV	11.02114G	41.69	54.00	-12.31	27.68	3	Vertical	162	2.94	-	38.42	10.65	35.06	

802.11ax HEW40_Nss1,(MCS0)_2TX

5510MHz_TnomVnom




EUT V_2TX
Setting 14.75
03-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	11.01514G	55.66	74.00	-18.34	41.65	3	Horizontal	250	2.06	-	38.42	10.65	35.06
AV	11.02186G	41.72	54.00	-12.28	27.71	3	Horizontal	250	2.06	-	38.42	10.65	35.06

802.11ax HEW40_Nss1,(MCS0)_2TX

5550MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4558G	66.92	74.00	-7.08	60.50	3	Vertical	0	1.88	-	34.51	7.26	35.35
AV	5.4582G	48.55	54.00	-5.45	42.12	3	Vertical	0	1.88	-	34.52	7.26	35.35
PK	5.4642G	67.37	68.20	-0.83	60.93	3	Vertical	0	1.88	-	34.53	7.26	35.35
PK	5.5482G	117.40	Inf	-Inf	110.82	3	Vertical	0	1.88	-	34.60	7.35	35.37
AV	5.547G	104.54	Inf	-Inf	97.96	3	Vertical	0	1.88	-	34.60	7.35	35.37

802.11ax HEW40_Nss1,(MCS0)_2TX

5550MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.09848G	55.21	74.00	-18.79	41.20	3	Vertical	91	1.96	-	38.50	10.66	35.15
AV	11.09536G	41.39	54.00	-12.61	27.38	3	Vertical	91	1.96	-	38.50	10.66	35.15

802.11ax HEW40_Nss1,(MCS0)_2TX

5550MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.09512G	55.49	74.00	-18.51	41.48	3	Horizontal	314	2.13	-	38.50	10.66	35.15
AV	11.0951G	41.34	54.00	-12.66	27.33	3	Horizontal	314	2.13	-	38.50	10.66	35.15

802.11ax HEW40_Nss1,(MCS0)_2TX

5670MHz_TnomVnom




EUT_V_2TX
Setting 14.75
03-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.6706G	114.03	Inf	-Inf	107.65	3	Vertical	0	1.88	-	34.42	7.40	35.44	
AV	5.6688G	100.46	Inf	-Inf	94.07	3	Vertical	0	1.88	-	34.42	7.40	35.43	
PK	5.7258G	67.94	68.20	-0.26	61.75	3	Vertical	0	1.88	-	34.25	7.40	35.46	

802.11ax HEW40_Nss1,(MCS0)_2TX

5670MHz_TnomVnom




EUT_V_2TX
Setting 14.75
03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.335G	55.78	74.00	-18.22	41.77	3	Vertical	110	1.61	-	38.73	10.70	35.42	
AV	11.33708G	41.86	54.00	-12.14	27.84	3	Vertical	110	1.61	-	38.74	10.70	35.42	

802.11ax HEW40_Nss1,(MCS0)_2TX

5670MHz_TnomVnom




EUT V_2TX
Setting 14.75
03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.33532G	55.92	74.00	-18.08	41.90	3	Horizontal	36	1.85	-	38.74	10.70	35.42
AV	11.33516G	41.89	54.00	-12.11	27.87	3	Horizontal	36	1.85	-	38.74	10.70	35.42

802.11ax HEW40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_V_2TX
 Setting 21.5
 03-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7132G	117.55	Inf	-Inf	111.34	3	Vertical	0	1.86	-	34.27	7.40	35.46
AV	5.7116G	105.90	Inf	-Inf	99.68	3	Vertical	0	1.86	-	34.28	7.40	35.46
PK	5.8532G	62.42	68.20	-5.78	56.18	3	Vertical	0	1.86	-	34.32	7.45	35.53

802.11ax HEW40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_V_2TX
 Setting 21.5
 03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42304G	56.21	74.00	-17.79	42.16	3	Vertical	13	2.77	-	38.85	10.71	35.51
AV	11.41524G	42.80	54.00	-11.20	28.77	3	Vertical	13	2.77	-	38.83	10.71	35.51

802.11ax HEW40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT V_2TX
Setting 21.5
03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.41526G	56.31	74.00	-17.69	42.28	3	Horizontal	146	2.75	-	38.83	10.71	35.51	
AV	11.42148G	42.79	54.00	-11.21	28.75	3	Horizontal	146	2.75	-	38.84	10.71	35.51	

802.11ax HEW40_Nss1,(MCS0)_2TX

5755MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65G	67.39	68.20	-0.81	60.92	3	Vertical	0	1.86	-	34.50	7.40	35.43
PK	5.758G	118.29	Inf	-Inf	112.17	3	Vertical	0	1.86	-	34.20	7.40	35.48
AV	5.753G	105.65	Inf	-Inf	99.53	3	Vertical	0	1.86	-	34.20	7.40	35.48
PK	5.927G	61.43	68.20	-6.77	54.75	3	Vertical	0	1.86	-	34.71	7.53	35.56

802.11ax HEW40_Nss1,(MCS0)_2TX

5755MHz_TnomVnom




EUT_V_2TX
Setting 21.5
03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.511G	56.38	74.00	-17.62	42.21	3	Vertical	193	1.80	-	39.04	10.73	35.60
AV	11.50694G	41.92	54.00	-12.08	27.76	3	Vertical	193	1.80	-	39.03	10.73	35.60

802.11ax HEW40_Nss1,(MCS0)_2TX

5755MHz_TnomVnom




EUT_V_2TX
Setting 21.5
03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.51202G	55.81	74.00	-18.19	41.63	3	Horizontal	343	2.48	-	39.05	10.73	35.60
AV	11.5126G	41.86	54.00	-12.14	27.68	3	Horizontal	343	2.48	-	39.05	10.73	35.60

802.11ax HEW40_Nss1,(MCS0)_2TX

5795MHz_TnomVnom




EUT V_2TX
 Setting 21.5
 03-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.565G	60.27	68.20	-7.93	53.68	3	Vertical	1	1.80	-	34.60	7.37	35.38
PK	5.798G	117.83	Inf	-Inf	111.73	3	Vertical	1	1.80	-	34.20	7.40	35.50
AV	5.794G	106.96	Inf	-Inf	100.86	3	Vertical	1	1.80	-	34.20	7.40	35.50
PK	5.93G	62.56	68.20	-5.64	55.87	3	Vertical	1	1.80	-	34.72	7.53	35.56

802.11ax HEW40_Nss1,(MCS0)_2TX

5795MHz_TnomVnom




EUT_V_2TX
Setting 21.5
03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.58518G	56.65	74.00	-17.35	42.15	3	Vertical	254	1.49	-	39.34	10.74	35.58	
AV	11.58522G	42.89	54.00	-11.11	28.39	3	Vertical	254	1.49	-	39.34	10.74	35.58	

802.11ax HEW40_Nss1,(MCS0)_2TX

5795MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.589G	56.05	74.00	-17.95	41.53	3	Horizontal	317	2.10	-	39.36	10.74	35.58
AV	11.59072G	42.92	54.00	-11.08	28.40	3	Horizontal	317	2.10	-	39.36	10.74	35.58

802.11ax HEW80_Nss1,(MCS0)_2TX

5210MHz_TnomVnom




EUT_V_2TX
 Setting 13.25
 03-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.147G	67.15	74.00	-6.85	61.33	3	Vertical	357	1.80	-	33.99	7.17	35.34
AV	5.131G	53.87	54.00	-0.13	48.08	3	Vertical	357	1.80	-	33.96	7.17	35.34
PK	5.214G	107.20	Inf	-Inf	101.08	3	Vertical	357	1.80	-	34.26	7.20	35.34
AV	5.213G	97.31	Inf	-Inf	91.20	3	Vertical	357	1.80	-	34.25	7.20	35.34
PK	5.366G	60.86	74.00	-13.14	54.47	3	Vertical	357	1.80	-	34.53	7.20	35.34
AV	5.368G	49.47	54.00	-4.53	43.07	3	Vertical	357	1.80	-	34.54	7.20	35.34

802.11ax HEW80_Nss1,(MCS0)_2TX

5210MHz_TnomVnom




EUT V_2TX
Setting 13.25
03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	10.41718G	54.10	68.20	-14.10	40.88	3	Vertical	97	2.24	-	38.20	10.56	35.54	

802.11ax HEW80_Nss1,(MCS0)_2TX

5210MHz_TnomVnom




EUT V_2TX
Setting 13.25
03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	10.4232G	54.37	68.20	-13.83	41.14	3	Horizontal	238	2.24	-	38.20	10.56	35.53	

802.11ax HEW80_Nss1,(MCS0)_2TX

5290MHz_TnomVnom




EUT_V_2TX
Setting 11
03-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.124G	59.07	74.00	-14.93	53.29	3	Vertical	357	1.80	-	33.95	7.16	35.33
AV	5.054G	48.50	54.00	-5.50	42.89	3	Vertical	357	1.80	-	33.81	7.13	35.33
PK	5.306G	105.58	Inf	-Inf	99.22	3	Vertical	357	1.80	-	34.50	7.20	35.34
AV	5.292G	95.68	Inf	-Inf	89.34	3	Vertical	357	1.80	-	34.48	7.20	35.34
PK	5.35G	63.75	74.00	-10.25	57.39	3	Vertical	357	1.80	-	34.50	7.20	35.34
AV	5.355G	53.85	54.00	-0.15	47.48	3	Vertical	357	1.80	-	34.51	7.20	35.34
PK	5.485G	60.64	68.20	-7.56	54.13	3	Vertical	357	1.80	-	34.57	7.29	35.35

802.11ax HEW80_Nss1,(MCS0)_2TX

5290MHz_TnomVnom




EUT V_2TX
Setting 11
03-C-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	10.5803G	54.97	68.20	-13.23	41.58	3	Vertical	224	1.90	-	38.20	10.59	35.40	

802.11ax HEW80_Nss1,(MCS0)_2TX

5290MHz_TnomVnom




EUT V_2TX
Setting 11
03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	10.5785G	54.85	68.20	-13.35	41.46	3	Horizontal	212	2.68	-	38.20	10.59	35.40	

802.11ax HEW80_Nss1,(MCS0)_2TX

5530MHz_TnomVnom




EUT V_2TX
Setting 13.75
03-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.288G	59.54	68.20	-8.66	53.20	3	Vertical	1	1.87	-	34.48	7.20	35.34
PK	5.456G	65.41	74.00	-8.59	58.99	3	Vertical	1	1.87	-	34.51	7.26	35.35
AV	5.451G	53.85	54.00	-0.15	47.45	3	Vertical	1	1.87	-	34.50	7.25	35.35
PK	5.47G	66.79	68.20	-1.41	60.33	3	Vertical	1	1.87	-	34.54	7.27	35.35
PK	5.533G	109.33	Inf	-Inf	102.77	3	Vertical	1	1.87	-	34.60	7.33	35.37
AV	5.532G	99.62	Inf	-Inf	93.06	3	Vertical	1	1.87	-	34.60	7.33	35.37
PK	5.762G	59.62	68.20	-8.58	53.50	3	Vertical	1	1.87	-	34.20	7.40	35.48

802.11ax HEW80_Nss1,(MCS0)_2TX

5530MHz_TnomVnom




EUT V_2TX
Setting 13.75
03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.05784G	55.92	74.00	-18.08	41.90	3	Vertical	228	2.89	-	38.46	10.66	35.10
AV	11.05692G	44.84	54.00	-9.16	30.82	3	Vertical	228	2.89	-	38.46	10.66	35.10

802.11ax HEW80_Nss1,(MCS0)_2TX

5530MHz_TnomVnom




EUT_V_2TX
 Setting 13.75
 03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.05968G	55.57	74.00	-18.43	41.56	3	Horizontal	285	2.19	-	38.46	10.66	35.11
AV	11.06476G	44.51	54.00	-9.49	30.50	3	Horizontal	285	2.19	-	38.46	10.66	35.11

802.11ax HEW80_Nss1,(MCS0)_2TX

5610MHz_TnomVnom




EUT_V_2TX
 Setting 15
 03-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.451G	60.00	74.00	-14.00	53.60	3	Vertical	5	1.80	-	34.50	7.25	35.35
PK	5.462G	60.17	68.20	-8.03	53.74	3	Vertical	5	1.80	-	34.52	7.26	35.35
AV	5.458G	49.48	54.00	-4.52	43.05	3	Vertical	5	1.80	-	34.52	7.26	35.35
PK	5.612G	109.78	Inf	-Inf	103.21	3	Vertical	5	1.80	-	34.58	7.40	35.41
AV	5.612G	100.46	Inf	-Inf	93.89	3	Vertical	5	1.80	-	34.58	7.40	35.41
PK	5.732G	67.92	68.20	-0.28	61.75	3	Vertical	5	1.80	-	34.24	7.40	35.47

802.11ax HEW80_Nss1,(MCS0)_2TX

5610MHz_TnomVnom




EUT_V_2TX
Setting 15
03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.2179G	55.04	74.00	-18.96	41.02	3	Vertical	67	2.50	-	38.62	10.68	35.28
AV	11.21578G	44.62	54.00	-9.38	30.60	3	Vertical	67	2.50	-	38.62	10.68	35.28

802.11ax HEW80_Nss1,(MCS0)_2TX

5610MHz_TnomVnom




EUT_V_2TX
Setting 15
03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.21568G	55.07	74.00	-18.93	41.05	3	Horizontal	99	1.10	-	38.62	10.68	35.28
AV	11.22306G	44.75	54.00	-9.25	30.74	3	Horizontal	99	1.10	-	38.62	10.68	35.29

802.11ax HEW80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_V_2TX
 Setting 17
 03-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.444G	60.82	74.00	-13.18	54.42	3	Vertical	360	1.92	-	34.51	7.24	35.35
PK	5.469G	59.11	68.20	-9.09	52.65	3	Vertical	360	1.92	-	34.54	7.27	35.35
AV	5.46G	49.15	54.00	-4.85	42.72	3	Vertical	360	1.92	-	34.52	7.26	35.35
PK	5.692G	112.85	Inf	-Inf	106.57	3	Vertical	360	1.92	-	34.33	7.40	35.45
AV	5.692G	102.66	Inf	-Inf	96.38	3	Vertical	360	1.92	-	34.33	7.40	35.45
PK	5.853G	67.98	68.20	-0.22	61.74	3	Vertical	360	1.92	-	34.32	7.45	35.53

802.11ax HEW80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_V_2TX
Setting 17
03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.38034G	56.59	74.00	-17.41	42.57	3	Vertical	117	1.53	-	38.78	10.71	35.47
AV	11.38112G	45.50	54.00	-8.50	31.48	3	Vertical	117	1.53	-	38.78	10.71	35.47

802.11ax HEW80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_V_2TX
 Setting 17
 03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.37928G	56.17	74.00	-17.83	42.14	3	Horizontal	325	1.80	-	38.78	10.71	35.46
AV	11.38036G	45.55	54.00	-8.45	31.53	3	Horizontal	325	1.80	-	38.78	10.71	35.47

802.11ax HEW80_Nss1,(MCS0)_2TX

5775MHz_TnomVnom




EUT V_2TX
Setting 15.75
03-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.643G	64.18	68.20	-4.02	57.69	3	Vertical	0	1.80	-	34.51	7.40	35.42
PK	5.76G	111.17	Inf	-Inf	105.05	3	Vertical	0	1.80	-	34.20	7.40	35.48
AV	5.778G	101.48	Inf	-Inf	95.37	3	Vertical	0	1.80	-	34.20	7.40	35.49
PK	5.927G	67.99	68.20	-0.21	61.31	3	Vertical	0	1.80	-	34.71	7.53	35.56

802.11ax HEW80_Nss1,(MCS0)_2TX

5775MHz_TnomVnom




EUT V_2TX
Setting 15.75
03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.54606G	55.91	74.00	-18.09	41.59	3	Vertical	125	1.12	-	39.18	10.73	35.59
AV	11.54784G	45.33	54.00	-8.67	31.00	3	Vertical	125	1.12	-	39.19	10.73	35.59

802.11ax HEW80_Nss1,(MCS0)_2TX

5775MHz_TnomVnom




EUT V_2TX
Setting 15.75
03-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.55288G	56.07	74.00	-17.93	41.72	3	Horizontal	24	2.80	-	39.21	10.73	35.59
AV	11.54578G	44.96	54.00	-9.04	30.64	3	Horizontal	24	2.80	-	39.18	10.73	35.59

802.11ax HEW160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TnomVnom




EUT_V_2TX
 Setting 8.75
 02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1252G	64.55	74.00	-9.45	57.97	3	Vertical	78	1.80	-	33.50	5.23	32.15
AV	5.1444G	51.60	54.00	-2.40	45.01	3	Vertical	78	1.80	-	33.50	5.24	32.15
PK	5.2468G	100.55	Inf	-Inf	93.79	3	Vertical	78	1.80	-	33.59	5.32	32.15
AV	5.2548G	90.60	Inf	-Inf	83.80	3	Vertical	78	1.80	-	33.61	5.33	32.14
PK	5.3924G	66.55	74.00	-7.45	59.51	3	Vertical	78	1.80	-	33.78	5.40	32.14
AV	5.3924G	53.51	54.00	-0.49	46.47	3	Vertical	78	1.80	-	33.78	5.40	32.14
PK	5.6132G	57.51	68.20	-10.69	50.18	3	Vertical	78	1.80	-	33.87	5.60	32.14

802.11ax HEW160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TnomVnom




EUT V_2TX
Setting 8.75
02-B-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5104G	50.89	68.20	-17.31	38.03	3	Vertical	30	1.34	-	38.41	7.50	33.05
PK	15.73336G	53.66	74.00	-20.34	39.81	3	Vertical	303	2.93	-	37.40	9.88	33.43
AV	15.73032G	42.75	54.00	-11.25	28.89	3	Vertical	303	2.93	-	37.40	9.88	33.42

802.11ax HEW160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TnomVnom




EUT V_2TX
Setting 8.75
02-B-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.48424G	51.92	68.20	-16.28	39.07	3	Horizontal	152	2.58	-	38.40	7.49	33.04
PK	15.74776G	53.89	74.00	-20.11	40.04	3	Horizontal	219	2.31	-	37.40	9.89	33.44
AV	15.75848G	42.64	54.00	-11.36	28.81	3	Horizontal	219	2.31	-	37.40	9.89	33.46

802.11ax HEW160_Nss1,(MCS0)_2TX

5570MHz_TnomVnom




EUT V_2TX
Setting 9.5
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2228G	56.97	68.20	-11.23	50.26	3	Vertical	82	1.73	-	33.55	5.31	32.15
PK	5.4452G	67.03	74.00	-6.97	59.82	3	Vertical	82	1.73	-	33.89	5.45	32.13
AV	5.4436G	53.82	54.00	-0.18	46.62	3	Vertical	82	1.73	-	33.89	5.44	32.13
PK	5.4612G	65.74	68.20	-2.46	58.51	3	Vertical	82	1.73	-	33.90	5.46	32.13
PK	5.5716G	103.22	Inf	-Inf	95.88	3	Vertical	82	1.73	-	33.90	5.57	32.13
AV	5.5716G	93.22	Inf	-Inf	85.88	3	Vertical	82	1.73	-	33.90	5.57	32.13
PK	5.7268G	66.09	68.20	-2.11	58.88	3	Vertical	82	1.73	-	33.75	5.60	32.14

802.11ax HEW160_Nss1,(MCS0)_2TX

5570MHz_TnomVnom




EUT V_2TX
 Setting 9.5
 02-B-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.13256G	52.37	74.00	-21.63	39.25	3	Vertical	315	2.53	-	38.63	7.75	33.26
AV	11.12152G	40.95	54.00	-13.05	27.84	3	Vertical	315	2.53	-	38.62	7.75	33.26
PK	16.69336G	57.19	68.20	-11.01	40.40	3	Vertical	36	1.14	-	39.69	10.35	33.25

802.11ax HEW160_Nss1,(MCS0)_2TX

5570MHz_TnomVnom



EUT_V_2TX
Setting 9.5
02-B-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.12408G	52.80	74.00	-21.20	39.69	3	Horizontal	153	2.04	-	38.62	7.75	33.26
AV	11.1588G	42.10	54.00	-11.90	28.93	3	Horizontal	153	2.04	-	38.66	7.76	33.25
PK	16.71136G	57.30	68.20	-10.90	40.44	3	Horizontal	64	1.35	-	39.77	10.36	33.27



RSE TX above 1GHz
<Partial RU> UNII1~UNII3_RU 26_Ant. 1 (1TX)


Appendix E.8

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	PK	5.7274G	68.03	68.20	-0.17	3	Vertical	320	1.90	-

802.11ax HEW20_Nss1,(MCS0)_1TX

5180MHz_TnomVnom




EUT_X_1TX
Setting 20.25
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1382G	73.37	74.00	-0.63	67.56	3	Vertical	65	1.88	-	33.98	7.17	35.34
AV	5.138G	52.76	54.00	-1.24	46.95	3	Vertical	65	1.88	-	33.98	7.17	35.34
PK	5.1718G	120.19	Inf	-Inf	114.25	3	Vertical	65	1.88	-	34.09	7.19	35.34
AV	5.1716G	108.71	Inf	-Inf	102.77	3	Vertical	65	1.88	-	34.09	7.19	35.34

802.11ax HEW20_Nss1,(MCS0)_1TX

5180MHz_TnomVnom




EUT_X_1TX
Setting 20.25
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.1384G	70.40	74.00	-3.60	64.59	3	Horizontal	162	1.94	-	33.98	7.17	35.34	
AV	5.138G	50.81	54.00	-3.19	45.00	3	Horizontal	162	1.94	-	33.98	7.17	35.34	
PK	5.1718G	117.56	Inf	-Inf	111.62	3	Horizontal	162	1.94	-	34.09	7.19	35.34	
AV	5.1716G	106.00	Inf	-Inf	100.06	3	Horizontal	162	1.94	-	34.09	7.19	35.34	

802.11ax HEW20_Nss1,(MCS0)_1TX

5180MHz_TnomVnom




EUT X_1TX
Setting 20.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.515G	65.26	74.00	-8.74	48.89	3	Vertical	287	1.80	-	38.59	13.16	35.38
AV	15.5142G	50.70	54.00	-3.30	34.32	3	Vertical	287	1.80	-	38.60	13.16	35.38

802.11ax HEW20_Nss1,(MCS0)_1TX

5180MHz_TnomVnom




EUT X_1TX
Setting 20.25
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	15.5138G	65.80	74.00	-8.20	49.42	3	Horizontal	305	2.76	-	38.60	13.16	35.38
AV	15.5148G	51.34	54.00	-2.66	34.96	3	Horizontal	305	2.76	-	38.60	13.16	35.38

802.11ax HEW20_Nss1,(MCS0)_1TX

5200MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1356G	59.38	74.00	-14.62	53.58	3	Vertical	66	1.85	-	33.97	7.17	35.34
AV	5.15G	46.15	54.00	-7.85	40.32	3	Vertical	66	1.85	-	34.00	7.17	35.34
PK	5.1916G	121.71	Inf	-Inf	115.68	3	Vertical	66	1.85	-	34.17	7.20	35.34
AV	5.1916G	110.89	Inf	-Inf	104.86	3	Vertical	66	1.85	-	34.17	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_1TX

5200MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1476G	59.94	74.00	-14.06	54.11	3	Horizontal	162	1.92	-	34.00	7.17	35.34
AV	5.15G	45.74	54.00	-8.26	39.91	3	Horizontal	162	1.92	-	34.00	7.17	35.34
PK	5.192G	117.80	Inf	-Inf	111.77	3	Horizontal	162	1.92	-	34.17	7.20	35.34
AV	5.1916G	107.11	Inf	-Inf	101.08	3	Horizontal	162	1.92	-	34.17	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_1TX

5200MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.5748G	63.66	74.00	-10.34	47.72	3	Vertical	223	2.97	-	38.18	13.19	35.43
AV	15.5746G	49.52	54.00	-4.48	33.58	3	Vertical	223	2.97	-	38.18	13.19	35.43

802.11ax HEW20_Nss1,(MCS0)_1TX

5200MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.574G	65.18	74.00	-8.82	49.24	3	Horizontal	229	1.79	-	38.18	13.19	35.43
AV	15.5746G	52.10	54.00	-1.90	36.16	3	Horizontal	229	1.79	-	38.18	13.19	35.43

802.11ax HEW20_Nss1,(MCS0)_1TX

5240MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1296G	59.49	74.00	-14.51	53.71	3	Vertical	67	1.79	-	33.96	7.16	35.34
AV	5.15G	45.86	54.00	-8.14	40.03	3	Vertical	67	1.79	-	34.00	7.17	35.34
PK	5.2322G	120.23	Inf	-Inf	114.04	3	Vertical	67	1.79	-	34.33	7.20	35.34
AV	5.2316G	110.08	Inf	-Inf	103.89	3	Vertical	67	1.79	-	34.33	7.20	35.34
PK	5.3816G	59.12	74.00	-14.88	52.71	3	Vertical	67	1.79	-	34.56	7.20	35.35
AV	5.3834G	46.12	54.00	-7.88	39.70	3	Vertical	67	1.79	-	34.57	7.20	35.35

802.11ax HEW20_Nss1,(MCS0)_1TX

5240MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.126G	59.55	74.00	-14.45	53.78	3	Horizontal	161	1.92	-	33.95	7.16	35.34
AV	5.1422G	45.49	54.00	-8.51	39.68	3	Horizontal	161	1.92	-	33.98	7.17	35.34
PK	5.2316G	118.67	Inf	-Inf	112.48	3	Horizontal	161	1.92	-	34.33	7.20	35.34
AV	5.2316G	107.79	Inf	-Inf	101.60	3	Horizontal	161	1.92	-	34.33	7.20	35.34
PK	5.3888G	59.83	74.00	-14.17	53.40	3	Horizontal	161	1.92	-	34.58	7.20	35.35
AV	5.3882G	46.15	54.00	-7.85	39.72	3	Horizontal	161	1.92	-	34.58	7.20	35.35

802.11ax HEW20_Nss1,(MCS0)_1TX

5240MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.695G	62.92	74.00	-11.08	47.67	3	Vertical	140	1.80	-	37.53	13.25	35.53
AV	15.6948G	49.82	54.00	-4.18	34.57	3	Vertical	140	1.80	-	37.53	13.25	35.53

802.11ax HEW20_Nss1,(MCS0)_1TX

5240MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.6946G	60.55	74.00	-13.45	45.30	3	Horizontal	235	2.31	-	37.53	13.25	35.53
AV	15.6946G	47.59	54.00	-6.41	32.34	3	Horizontal	235	2.31	-	37.53	13.25	35.53

802.11ax HEW20_Nss1,(MCS0)_1TX

5260MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1286G	58.48	74.00	-15.52	52.70	3	Vertical	68	1.74	-	33.96	7.16	35.34
AV	5.1376G	45.46	54.00	-8.54	39.65	3	Vertical	68	1.74	-	33.98	7.17	35.34
PK	5.2684G	119.74	Inf	-Inf	113.44	3	Vertical	68	1.74	-	34.44	7.20	35.34
AV	5.2678G	108.45	Inf	-Inf	102.15	3	Vertical	68	1.74	-	34.44	7.20	35.34
PK	5.3872G	60.95	74.00	-13.05	54.53	3	Vertical	68	1.74	-	34.57	7.20	35.35
AV	5.398G	46.17	54.00	-7.83	39.72	3	Vertical	68	1.74	-	34.60	7.20	35.35

802.11ax HEW20_Nss1,(MCS0)_1TX

5260MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1364G	58.84	74.00	-15.16	53.04	3	Horizontal	160	1.90	-	33.97	7.17	35.34
AV	5.1436G	45.45	54.00	-8.55	39.63	3	Horizontal	160	1.90	-	33.99	7.17	35.34
PK	5.2684G	116.87	Inf	-Inf	110.57	3	Horizontal	160	1.90	-	34.44	7.20	35.34
AV	5.2678G	105.71	Inf	-Inf	99.41	3	Horizontal	160	1.90	-	34.44	7.20	35.34
PK	5.392G	59.81	74.00	-14.19	53.38	3	Horizontal	160	1.90	-	34.58	7.20	35.35
AV	5.4022G	46.18	54.00	-7.82	39.73	3	Horizontal	160	1.90	-	34.60	7.20	35.35

802.11ax HEW20_Nss1,(MCS0)_1TX

5260MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.8034G	62.78	74.00	-11.22	47.21	3	Vertical	137	1.80	-	37.89	13.30	35.62
AV	15.8048G	49.29	54.00	-4.71	33.73	3	Vertical	137	1.80	-	37.89	13.30	35.63

802.11ax HEW20_Nss1,(MCS0)_1TX

5260MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.8056G	62.10	74.00	-11.90	46.55	3	Horizontal	152	1.80	-	37.88	13.30	35.63
AV	15.805G	48.30	54.00	-5.70	32.75	3	Horizontal	152	1.80	-	37.88	13.30	35.63

802.11ax HEW20_Nss1,(MCS0)_1TX

5300MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3088G	120.48	Inf	-Inf	114.12	3	Vertical	66	1.83	-	34.50	7.20	35.34
AV	5.308G	109.54	Inf	-Inf	103.18	3	Vertical	66	1.83	-	34.50	7.20	35.34
PK	5.358G	60.05	74.00	-13.95	53.67	3	Vertical	66	1.83	-	34.52	7.20	35.34
AV	5.3892G	46.20	54.00	-7.80	39.77	3	Vertical	66	1.83	-	34.58	7.20	35.35

802.11ax HEW20_Nss1,(MCS0)_1TX

5300MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	5.3084G	117.85	Inf	-Inf	111.49	3	Horizontal	161	1.89	-	34.50	7.20	35.34	
AV	5.308G	107.09	Inf	-Inf	100.73	3	Horizontal	161	1.89	-	34.50	7.20	35.34	
PK	5.3532G	59.97	74.00	-14.03	53.60	3	Horizontal	161	1.89	-	34.51	7.20	35.34	
AV	5.3976G	46.15	54.00	-7.85	39.70	3	Horizontal	161	1.89	-	34.60	7.20	35.35	

802.11ax HEW20_Nss1,(MCS0)_1TX

5300MHz_TnomVnom




EUT_X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	10.616G	58.96	74.00	-15.04	45.51	3	Vertical	223	1.80	-	38.23	10.59	35.37	
AV	10.6168G	46.27	54.00	-7.73	32.82	3	Vertical	223	1.80	-	38.23	10.59	35.37	
PK	15.9418G	60.23	74.00	-13.77	45.08	3	Vertical	190	2.41	-	37.52	13.37	35.74	
AV	15.9256G	46.85	54.00	-7.15	31.67	3	Vertical	190	2.41	-	37.55	13.36	35.73	

802.11ax HEW20_Nss1,(MCS0)_1TX

5300MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6174G	58.77	74.00	-15.23	45.32	3	Horizontal	209	1.78	-	38.23	10.59	35.37
AV	10.6166G	45.02	54.00	-8.98	31.57	3	Horizontal	209	1.78	-	38.23	10.59	35.37
PK	15.8764G	59.36	74.00	-14.64	44.04	3	Horizontal	302	1.66	-	37.67	13.34	35.69
AV	15.8522G	46.50	54.00	-7.50	31.10	3	Horizontal	302	1.66	-	37.74	13.33	35.67

802.11ax HEW20_Nss1,(MCS0)_1TX

5320MHz_TnomVnom




EUT X_1TX
Setting 19.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3284G	118.57	Inf	-Inf	112.21	3	Vertical	259	1.77	-	34.50	7.20	35.34
AV	5.328G	107.11	Inf	-Inf	100.75	3	Vertical	259	1.77	-	34.50	7.20	35.34
PK	5.3608G	73.46	74.00	-0.54	67.08	3	Vertical	259	1.77	-	34.52	7.20	35.34
AV	5.3622G	49.29	54.00	-4.71	42.91	3	Vertical	259	1.77	-	34.52	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_1TX

5320MHz_TnomVnom




EUT X_1TX
Setting 19.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3284G	116.80	Inf	-Inf	110.44	3	Horizontal	187	1.86	-	34.50	7.20	35.34
AV	5.328G	105.19	Inf	-Inf	98.83	3	Horizontal	187	1.86	-	34.50	7.20	35.34
PK	5.3612G	71.93	74.00	-2.07	65.55	3	Horizontal	187	1.86	-	34.52	7.20	35.34
AV	5.3618G	48.47	54.00	-5.53	42.09	3	Horizontal	187	1.86	-	34.52	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_1TX

5320MHz_TnomVnom




EUT_X_1TX
Setting 19.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6218G	55.00	74.00	-19.00	41.54	3	Vertical	309	1.92	-	38.24	10.59	35.37
AV	10.6568G	43.08	54.00	-10.92	29.51	3	Vertical	309	1.92	-	38.31	10.60	35.34
PK	15.9516G	59.42	74.00	-14.58	44.29	3	Vertical	236	2.12	-	37.50	13.38	35.75
AV	15.9854G	46.56	54.00	-7.44	31.52	3	Vertical	236	2.12	-	37.43	13.39	35.78

802.11ax HEW20_Nss1,(MCS0)_1TX

5320MHz_TnomVnom




EUT_X_1TX
Setting 19.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	10.6664G	55.38	74.00	-18.62	41.78	3	Horizontal	25	1.38	-	38.33	10.60	35.33	
AV	10.657G	42.02	54.00	-11.98	28.44	3	Horizontal	25	1.38	-	38.31	10.60	35.33	
PK	15.9696G	59.56	74.00	-14.44	44.48	3	Horizontal	145	2.26	-	37.46	13.38	35.76	
AV	15.9108G	46.36	54.00	-7.64	31.14	3	Horizontal	145	2.26	-	37.58	13.36	35.72	

802.11ax HEW20_Nss1,(MCS0)_1TX

5500MHz_TnomVnom




EUT X_1TX
Setting 19.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.458G	71.00	74.00	-3.00	64.57	3	Vertical	254	1.88	-	34.52	7.26	35.35
AV	5.458G	47.74	54.00	-6.26	41.31	3	Vertical	254	1.88	-	34.52	7.26	35.35
PK	5.47G	67.53	68.20	-0.67	61.07	3	Vertical	254	1.88	-	34.54	7.27	35.35
PK	5.4916G	118.68	Inf	-Inf	112.16	3	Vertical	254	1.88	-	34.58	7.29	35.35
AV	5.4916G	106.36	Inf	-Inf	99.84	3	Vertical	254	1.88	-	34.58	7.29	35.35

802.11ax HEW20_Nss1,(MCS0)_1TX

5500MHz_TnomVnom




EUT X_1TX
Setting 19.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.458G	70.85	74.00	-3.15	64.42	3	Horizontal	184	2.06	-	34.52	7.26	35.35
AV	5.4584G	47.38	54.00	-6.62	40.95	3	Horizontal	184	2.06	-	34.52	7.26	35.35
PK	5.4696G	67.38	68.20	-0.82	60.92	3	Horizontal	184	2.06	-	34.54	7.27	35.35
PK	5.4916G	117.69	Inf	-Inf	111.17	3	Horizontal	184	2.06	-	34.58	7.29	35.35
AV	5.4916G	105.41	Inf	-Inf	98.89	3	Horizontal	184	2.06	-	34.58	7.29	35.35

802.11ax HEW20_Nss1,(MCS0)_1TX

5500MHz_TnomVnom




EUT X_1TX
Setting 19.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.9824G	58.07	74.00	-15.93	44.10	3	Vertical	190	1.65	-	38.38	10.65	35.06
AV	10.983G	46.09	54.00	-7.91	32.11	3	Vertical	190	1.65	-	38.38	10.65	35.05

802.11ax HEW20_Nss1,(MCS0)_1TX

5500MHz_TnomVnom




EUT X_1TX
Setting 19.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.9834G	60.85	74.00	-13.15	46.87	3	Horizontal	153	2.60	-	38.38	10.65	35.05
AV	10.9828G	46.26	54.00	-7.74	32.28	3	Horizontal	153	2.60	-	38.38	10.65	35.05

802.11ax HEW20_Nss1,(MCS0)_1TX

5580MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4112G	60.07	74.00	-13.93	53.63	3	Vertical	318	1.97	-	34.58	7.21	35.35
AV	5.412G	47.04	54.00	-6.96	40.60	3	Vertical	318	1.97	-	34.58	7.21	35.35
PK	5.4672G	59.08	68.20	-9.12	52.63	3	Vertical	318	1.97	-	34.53	7.27	35.35
PK	5.572G	120.35	Inf	-Inf	113.77	3	Vertical	318	1.97	-	34.60	7.37	35.39
AV	5.572G	109.76	Inf	-Inf	103.18	3	Vertical	318	1.97	-	34.60	7.37	35.39
PK	5.732G	60.57	68.20	-7.63	54.40	3	Vertical	318	1.97	-	34.24	7.40	35.47

802.11ax HEW20_Nss1,(MCS0)_1TX

5580MHz_TnomVnom




EUT_X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4112G	59.58	74.00	-14.42	53.14	3	Horizontal	185	2.10	-	34.58	7.21	35.35
AV	5.4112G	47.00	54.00	-7.00	40.56	3	Horizontal	185	2.10	-	34.58	7.21	35.35
PK	5.4648G	60.38	68.20	-7.82	53.94	3	Horizontal	185	2.10	-	34.53	7.26	35.35
PK	5.572G	119.09	Inf	-Inf	112.51	3	Horizontal	185	2.10	-	34.60	7.37	35.39
AV	5.572G	108.54	Inf	-Inf	101.96	3	Horizontal	185	2.10	-	34.60	7.37	35.39
PK	5.7328G	59.93	68.20	-8.27	53.77	3	Horizontal	185	2.10	-	34.23	7.40	35.47

802.11ax HEW20_Nss1,(MCS0)_1TX

5580MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.1428G	63.34	74.00	-10.66	49.33	3	Vertical	174	2.38	-	38.54	10.67	35.20	
AV	11.143G	52.36	54.00	-1.64	38.35	3	Vertical	174	2.38	-	38.54	10.67	35.20	

802.11ax HEW20_Nss1,(MCS0)_1TX

5580MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1444G	63.89	74.00	-10.11	49.88	3	Horizontal	223	2.07	-	38.54	10.67	35.20
AV	11.143G	53.28	54.00	-0.72	39.27	3	Horizontal	223	2.07	-	38.54	10.67	35.20

802.11ax HEW20_Nss1,(MCS0)_1TX

5700MHz_TnomVnom




EUT X_1TX
Setting 17
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7078G	117.12	Inf	-Inf	110.89	3	Vertical	320	1.90	-	34.28	7.40	35.45
AV	5.708G	105.16	Inf	-Inf	98.93	3	Vertical	320	1.90	-	34.28	7.40	35.45
PK	5.7274G	68.03	68.20	-0.17	61.84	3	Vertical	320	1.90	-	34.25	7.40	35.46

802.11ax HEW20_Nss1,(MCS0)_1TX

5700MHz_TnomVnom




EUT X_1TX
Setting 17
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.708G	115.96	Inf	-Inf	109.73	3	Horizontal	181	2.04	-	34.28	7.40	35.45
AV	5.708G	103.89	Inf	-Inf	97.66	3	Horizontal	181	2.04	-	34.28	7.40	35.45
PK	5.727G	67.24	68.20	-0.96	61.05	3	Horizontal	181	2.04	-	34.25	7.40	35.46

802.11ax HEW20_Nss1,(MCS0)_1TX

5700MHz_TnomVnom




EUT X_1TX
Setting 17
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.4158G	66.72	74.00	-7.28	52.69	3	Vertical	268	2.33	-	38.83	10.71	35.51	
AV	11.4168G	51.43	54.00	-2.57	37.40	3	Vertical	268	2.33	-	38.83	10.71	35.51	

802.11ax HEW20_Nss1,(MCS0)_1TX

5700MHz_TnomVnom




EUT X_1TX
Setting 17
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4156G	62.42	74.00	-11.58	48.39	3	Horizontal	154	1.23	-	38.83	10.71	35.51
AV	11.4166G	48.40	54.00	-5.60	34.37	3	Horizontal	154	1.23	-	38.83	10.71	35.51

802.11ax HEW20_Nss1,(MCS0)_1TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_1TX
Setting 18.25
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4316G	59.49	74.00	-14.51	53.07	3	Vertical	320	1.99	-	34.54	7.23	35.35
AV	5.3854G	46.03	54.00	-7.97	39.61	3	Vertical	320	1.99	-	34.57	7.20	35.35
PK	5.4624G	59.05	68.20	-9.15	52.62	3	Vertical	320	1.99	-	34.52	7.26	35.35
PK	5.7284G	117.70	Inf	-Inf	111.52	3	Vertical	320	1.99	-	34.24	7.40	35.46
AV	5.7284G	106.01	Inf	-Inf	99.83	3	Vertical	320	1.99	-	34.24	7.40	35.46
PK	5.9804G	60.03	68.20	-8.17	53.24	3	Vertical	320	1.99	-	34.80	7.58	35.59

802.11ax HEW20_Nss1,(MCS0)_1TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_1TX
Setting 18.25
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4148G	59.74	74.00	-14.26	53.31	3	Horizontal	342	2.09	-	34.57	7.21	35.35
AV	5.391G	46.03	54.00	-7.97	39.60	3	Horizontal	342	2.09	-	34.58	7.20	35.35
PK	5.4652G	58.96	68.20	-9.24	52.51	3	Horizontal	342	2.09	-	34.53	7.27	35.35
PK	5.7284G	116.77	Inf	-Inf	110.59	3	Horizontal	342	2.09	-	34.24	7.40	35.46
AV	5.7284G	104.98	Inf	-Inf	98.80	3	Horizontal	342	2.09	-	34.24	7.40	35.46
PK	5.9524G	59.38	68.20	-8.82	52.61	3	Horizontal	342	2.09	-	34.80	7.55	35.58

802.11ax HEW20_Nss1,(MCS0)_1TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_1TX
Setting 18.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4566G	67.35	74.00	-6.65	53.27	3	Vertical	188	2.47	-	38.91	10.72	35.55
AV	11.4568G	53.67	54.00	-0.33	39.59	3	Vertical	188	2.47	-	38.91	10.72	35.55

802.11ax HEW20_Nss1,(MCS0)_1TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_1TX
Setting 18.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4558G	63.19	74.00	-10.81	49.11	3	Horizontal	181	2.07	-	38.91	10.72	35.55
AV	11.4568G	49.79	54.00	-4.21	35.71	3	Horizontal	181	2.07	-	38.91	10.72	35.55

802.11ax HEW20_Nss1,(MCS0)_1TX

5745MHz_TnomVnom




EUT X_1TX
Setting 19.5
03-D-E-2-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	5.496G	59.74	68.20	-8.46	53.20	3	Vertical	322	1.90	-	34.59	7.30	35.35
PK	5.737G	118.00	Inf	-Inf	111.84	3	Vertical	322	1.90	-	34.23	7.40	35.47
AV	5.737G	106.39	Inf	-Inf	100.23	3	Vertical	322	1.90	-	34.23	7.40	35.47
PK	5.95G	59.62	68.20	-8.58	52.85	3	Vertical	322	1.90	-	34.80	7.55	35.58

802.11ax HEW20_Nss1,(MCS0)_1TX

5745MHz_TnomVnom




EUT X_1TX
Setting 19.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.576G	59.85	68.20	-8.35	53.26	3	Horizontal	184	2.04	-	34.60	7.38	35.39
PK	5.737G	117.64	Inf	-Inf	111.48	3	Horizontal	184	2.04	-	34.23	7.40	35.47
AV	5.737G	105.95	Inf	-Inf	99.79	3	Horizontal	184	2.04	-	34.23	7.40	35.47
PK	5.928G	59.79	68.20	-8.41	53.11	3	Horizontal	184	2.04	-	34.71	7.53	35.56

802.11ax HEW20_Nss1,(MCS0)_1TX

5745MHz_TnomVnom




EUT X_1TX
Setting 19.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.474G	66.35	74.00	-7.65	52.25	3	Vertical	184	2.58	-	38.95	10.72	35.57	
AV	11.473G	53.77	54.00	-0.23	39.67	3	Vertical	184	2.58	-	38.95	10.72	35.57	

802.11ax HEW20_Nss1,(MCS0)_1TX

5745MHz_TnomVnom




EUT X_1TX
Setting 19.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.472G	65.40	74.00	-8.60	51.31	3	Horizontal	188	2.15	-	38.94	10.72	35.57
AV	11.473G	52.45	54.00	-1.55	38.35	3	Horizontal	188	2.15	-	38.95	10.72	35.57

802.11ax HEW20_Nss1,(MCS0)_1TX

5785MHz_TnomVnom




EUT X_1TX
Setting 18.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.637G	60.29	68.20	-7.91	53.78	3	Vertical	323	1.88	-	34.53	7.40	35.42
PK	5.777G	117.00	Inf	-Inf	110.89	3	Vertical	323	1.88	-	34.20	7.40	35.49
AV	5.777G	105.09	Inf	-Inf	98.98	3	Vertical	323	1.88	-	34.20	7.40	35.49
PK	5.947G	59.97	68.20	-8.23	53.20	3	Vertical	323	1.88	-	34.79	7.55	35.57

802.11ax HEW20_Nss1,(MCS0)_1TX

5785MHz_TnomVnom




EUT X_1TX
Setting 18.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.626G	59.82	68.20	-8.38	53.28	3	Horizontal	201	2.09	-	34.55	7.40	35.41
PK	5.777G	116.70	Inf	-Inf	110.59	3	Horizontal	201	2.09	-	34.20	7.40	35.49
AV	5.777G	104.83	Inf	-Inf	98.72	3	Horizontal	201	2.09	-	34.20	7.40	35.49
PK	5.936G	59.71	68.20	-8.49	53.00	3	Horizontal	201	2.09	-	34.74	7.54	35.57

802.11ax HEW20_Nss1,(MCS0)_1TX

5785MHz_TnomVnom




EUT X_1TX
Setting 18.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5536G	67.98	74.00	-6.02	53.63	3	Vertical	183	3.00	-	39.21	10.73	35.59
AV	11.553G	53.56	54.00	-0.44	39.21	3	Vertical	183	3.00	-	39.21	10.73	35.59

802.11ax HEW20_Nss1,(MCS0)_1TX

5785MHz_TnomVnom




EUT X_1TX
Setting 18.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.5536G	65.29	74.00	-8.71	50.94	3	Horizontal	190	2.14	-	39.21	10.73	35.59	
AV	11.553G	50.98	54.00	-3.02	36.63	3	Horizontal	190	2.14	-	39.21	10.73	35.59	

802.11ax HEW20_Nss1,(MCS0)_1TX

5825MHz_TnomVnom




EUT X_1TX
Setting 18.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.578G	59.63	68.20	-8.57	53.04	3	Vertical	322	1.93	-	34.60	7.38	35.39
PK	5.833G	116.54	Inf	-Inf	110.36	3	Vertical	322	1.93	-	34.27	7.43	35.52
AV	5.833G	104.91	Inf	-Inf	98.73	3	Vertical	322	1.93	-	34.27	7.43	35.52
PK	6.033G	59.95	68.20	-8.25	53.05	3	Vertical	322	1.93	-	34.87	7.62	35.59

802.11ax HEW20_Nss1,(MCS0)_1TX

5825MHz_TnomVnom




EUT X_1TX
Setting 18.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.593G	60.00	68.20	-8.20	53.41	3	Horizontal	184	1.80	-	34.60	7.39	35.40
PK	5.834G	115.21	Inf	-Inf	109.03	3	Horizontal	184	1.80	-	34.27	7.43	35.52
AV	5.833G	103.59	Inf	-Inf	97.41	3	Horizontal	184	1.80	-	34.27	7.43	35.52
PK	6.026G	59.70	68.20	-8.50	52.83	3	Horizontal	184	1.80	-	34.85	7.61	35.59

802.11ax HEW20_Nss1,(MCS0)_1TX

5825MHz_TnomVnom




EUT X_1TX
Setting 18.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6668G	67.79	74.00	-6.21	53.20	3	Vertical	176	3.00	-	39.40	10.75	35.56
AV	11.6668G	53.52	54.00	-0.48	38.93	3	Vertical	176	3.00	-	39.40	10.75	35.56

802.11ax HEW20_Nss1,(MCS0)_1TX

5825MHz_TnomVnom



EUT X_1TX
Setting 18.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6676G	66.40	74.00	-7.60	51.81	3	Horizontal	192	2.07	-	39.40	10.75	35.56
AV	11.667G	51.33	54.00	-2.67	36.74	3	Horizontal	192	2.07	-	39.40	10.75	35.56



RSE TX above 1GHz
<Partial RU> UNII1~UNII3_RU 52_Ant. 1 (1TX)


Appendix E.9

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1.(MCS0)_1TX	Pass	PK	5.7252G	68.15	68.20	-0.05	3	Vertical	321	2.00	-

802.11ax HEW20_Nss1,(MCS0)_1TX

5180MHz_TnomVnom




EUT X_1TX
Setting 20
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.1424G	73.89	74.00	-0.11	68.08	3	Vertical	280	1.80	-	33.98	7.17	35.34	
AV	5.1438G	51.98	54.00	-2.02	46.16	3	Vertical	280	1.80	-	33.99	7.17	35.34	
PK	5.1742G	117.36	Inf	-Inf	111.41	3	Vertical	280	1.80	-	34.10	7.19	35.34	
AV	5.1736G	103.87	Inf	-Inf	97.93	3	Vertical	280	1.80	-	34.09	7.19	35.34	

802.11ax HEW20_Nss1,(MCS0)_1TX

5180MHz_TnomVnom




EUT X_1TX
Setting 20
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1424G	71.95	74.00	-2.05	66.14	3	Horizontal	195	1.92	-	33.98	7.17	35.34
AV	5.1432G	50.28	54.00	-3.72	44.46	3	Horizontal	195	1.92	-	33.99	7.17	35.34
PK	5.1742G	115.10	Inf	-Inf	109.15	3	Horizontal	195	1.92	-	34.10	7.19	35.34
AV	5.1736G	101.55	Inf	-Inf	95.61	3	Horizontal	195	1.92	-	34.09	7.19	35.34

802.11ax HEW20_Nss1,(MCS0)_1TX

5180MHz_TnomVnom




EUT X_1TX
Setting 20
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.5026G	60.37	74.00	-13.63	43.91	3	Vertical	244	1.12	-	38.68	13.15	35.37
AV	15.5028G	46.74	54.00	-7.26	30.28	3	Vertical	244	1.12	-	38.68	13.15	35.37

802.11ax HEW20_Nss1,(MCS0)_1TX

5180MHz_TnomVnom




EUT X_1TX
Setting 20
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.5526G	60.55	74.00	-13.45	44.45	3	Horizontal	184	2.16	-	38.33	13.18	35.41
AV	15.495G	46.74	54.00	-7.26	30.25	3	Horizontal	184	2.16	-	38.71	13.15	35.37

802.11ax HEW20_Nss1,(MCS0)_1TX

5200MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1332G	59.44	74.00	-14.56	53.64	3	Vertical	277	1.80	-	33.97	7.17	35.34
AV	5.15G	45.97	54.00	-8.03	40.14	3	Vertical	277	1.80	-	34.00	7.17	35.34
PK	5.194G	118.73	Inf	-Inf	112.69	3	Vertical	277	1.80	-	34.18	7.20	35.34
AV	5.1936G	105.54	Inf	-Inf	99.51	3	Vertical	277	1.80	-	34.17	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_1TX

5200MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1204G	58.73	74.00	-15.27	52.96	3	Horizontal	198	2.13	-	33.94	7.16	35.33
AV	5.15G	45.67	54.00	-8.33	39.84	3	Horizontal	198	2.13	-	34.00	7.17	35.34
PK	5.194G	116.17	Inf	-Inf	110.13	3	Horizontal	198	2.13	-	34.18	7.20	35.34
AV	5.1936G	103.04	Inf	-Inf	97.01	3	Horizontal	198	2.13	-	34.17	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_1TX

5200MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.5562G	59.79	74.00	-14.21	43.72	3	Vertical	317	1.12	-	38.31	13.18	35.42
AV	15.5638G	46.53	54.00	-7.47	30.52	3	Vertical	317	1.12	-	38.25	13.18	35.42

802.11ax HEW20_Nss1,(MCS0)_1TX

5200MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	15.5734G	59.57	74.00	-14.43	43.62	3	Horizontal	212	2.82	-	38.19	13.19	35.43	
AV	15.571G	46.52	54.00	-7.48	30.56	3	Horizontal	212	2.82	-	38.20	13.19	35.43	

802.11ax HEW20_Nss1,(MCS0)_1TX

5240MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1032G	58.25	74.00	-15.75	52.52	3	Vertical	273	1.98	-	33.91	7.15	35.33
AV	5.15G	45.50	54.00	-8.50	39.67	3	Vertical	273	1.98	-	34.00	7.17	35.34
PK	5.234G	119.28	Inf	-Inf	113.08	3	Vertical	273	1.98	-	34.34	7.20	35.34
AV	5.2334G	106.10	Inf	-Inf	99.91	3	Vertical	273	1.98	-	34.33	7.20	35.34
PK	5.36G	58.67	74.00	-15.33	52.29	3	Vertical	273	1.98	-	34.52	7.20	35.34
AV	5.3882G	46.12	54.00	-7.88	39.69	3	Vertical	273	1.98	-	34.58	7.20	35.35

802.11ax HEW20_Nss1,(MCS0)_1TX

5240MHz_TnomVnom




EUT_X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.09G	58.05	74.00	-15.95	52.36	3	Horizontal	338	2.23	-	33.88	7.14	35.33
AV	5.15G	45.41	54.00	-8.59	39.58	3	Horizontal	338	2.23	-	34.00	7.17	35.34
PK	5.234G	117.32	Inf	-Inf	111.12	3	Horizontal	338	2.23	-	34.34	7.20	35.34
AV	5.2334G	104.26	Inf	-Inf	98.07	3	Horizontal	338	2.23	-	34.33	7.20	35.34
PK	5.375G	59.11	74.00	-14.89	52.70	3	Horizontal	338	2.23	-	34.55	7.20	35.34
AV	5.384G	46.02	54.00	-7.98	39.60	3	Horizontal	338	2.23	-	34.57	7.20	35.35

802.11ax HEW20_Nss1,(MCS0)_1TX

5240MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	15.6982G	59.33	74.00	-14.67	44.11	3	Vertical	264	2.60	-	37.51	13.25	35.54	
AV	15.7156G	46.38	54.00	-7.62	31.11	3	Vertical	264	2.60	-	37.56	13.26	35.55	

802.11ax HEW20_Nss1,(MCS0)_1TX

5240MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	15.7214G	59.98	74.00	-14.02	44.69	3	Horizontal	55	2.11	-	37.59	13.26	35.56
AV	15.7184G	46.26	54.00	-7.74	30.98	3	Horizontal	55	2.11	-	37.57	13.26	35.55

802.11ax HEW20_Nss1,(MCS0)_1TX

5260MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14G	57.86	74.00	-16.14	52.05	3	Vertical	287	1.08	-	33.98	7.17	35.34
AV	5.1484G	45.39	54.00	-8.61	39.56	3	Vertical	287	1.08	-	34.00	7.17	35.34
PK	5.2666G	115.86	Inf	-Inf	109.57	3	Vertical	287	1.08	-	34.43	7.20	35.34
AV	5.266G	104.02	Inf	-Inf	97.73	3	Vertical	287	1.08	-	34.43	7.20	35.34
PK	5.3794G	58.89	74.00	-15.11	52.48	3	Vertical	287	1.08	-	34.56	7.20	35.35
AV	5.3854G	46.16	54.00	-7.84	39.74	3	Vertical	287	1.08	-	34.57	7.20	35.35

802.11ax HEW20_Nss1,(MCS0)_1TX

5260MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1424G	57.63	74.00	-16.37	51.82	3	Horizontal	337	2.21	-	33.98	7.17	35.34
AV	5.1382G	45.36	54.00	-8.64	39.55	3	Horizontal	337	2.21	-	33.98	7.17	35.34
PK	5.266G	115.15	Inf	-Inf	108.86	3	Horizontal	337	2.21	-	34.43	7.20	35.34
AV	5.266G	103.15	Inf	-Inf	96.86	3	Horizontal	337	2.21	-	34.43	7.20	35.34
PK	5.4022G	59.50	74.00	-14.50	53.05	3	Horizontal	337	2.21	-	34.60	7.20	35.35
AV	5.3968G	46.09	54.00	-7.91	39.65	3	Horizontal	337	2.21	-	34.59	7.20	35.35

802.11ax HEW20_Nss1,(MCS0)_1TX

5260MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.7158G	59.66	74.00	-14.34	44.39	3	Vertical	288	1.42	-	37.56	13.26	35.55
AV	15.7004G	46.45	54.00	-7.55	31.24	3	Vertical	288	1.42	-	37.50	13.25	35.54

802.11ax HEW20_Nss1,(MCS0)_1TX

5260MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	15.7744G	60.14	74.00	-13.86	44.65	3	Horizontal	176	1.80	-	37.80	13.29	35.60	
AV	15.791G	46.46	54.00	-7.54	30.91	3	Horizontal	176	1.80	-	37.86	13.30	35.61	

802.11ax HEW20_Nss1,(MCS0)_1TX

5300MHz_TnomVnom




EUT_X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3064G	116.84	Inf	-Inf	110.48	3	Vertical	275	1.00	-	34.50	7.20	35.34
AV	5.306G	104.96	Inf	-Inf	98.60	3	Vertical	275	1.00	-	34.50	7.20	35.34
PK	5.364G	62.38	74.00	-11.62	55.99	3	Vertical	275	1.00	-	34.53	7.20	35.34
AV	5.35G	46.52	54.00	-7.48	40.16	3	Vertical	275	1.00	-	34.50	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_1TX

5300MHz_TnomVnom




EUT_X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3064G	115.72	Inf	-Inf	109.36	3	Horizontal	343	1.97	-	34.50	7.20	35.34
AV	5.306G	103.88	Inf	-Inf	97.52	3	Horizontal	343	1.97	-	34.50	7.20	35.34
PK	5.35G	60.03	74.00	-13.97	53.67	3	Horizontal	343	1.97	-	34.50	7.20	35.34
AV	5.35G	46.43	54.00	-7.57	40.07	3	Horizontal	343	1.97	-	34.50	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_1TX

5300MHz_TnomVnom




EUT_X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	10.6126G	58.31	74.00	-15.69	44.86	3	Vertical	287	1.80	-	38.23	10.59	35.37	
AV	10.6138G	45.00	54.00	-9.00	31.55	3	Vertical	287	1.80	-	38.23	10.59	35.37	
PK	15.8394G	59.87	74.00	-14.13	44.43	3	Vertical	168	1.80	-	37.78	13.32	35.66	
AV	15.821G	47.25	54.00	-6.75	31.74	3	Vertical	168	1.80	-	37.84	13.31	35.64	

802.11ax HEW20_Nss1,(MCS0)_1TX

5300MHz_TnomVnom




EUT_X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	10.6138G	56.46	74.00	-17.54	43.01	3	Horizontal	235	1.80	-	38.23	10.59	35.37	
AV	10.6138G	43.57	54.00	-10.43	30.12	3	Horizontal	235	1.80	-	38.23	10.59	35.37	
PK	15.921G	60.86	74.00	-13.14	45.66	3	Horizontal	176	1.80	-	37.56	13.36	35.72	
AV	15.9213G	48.36	54.00	-5.64	33.16	3	Horizontal	176	1.80	-	37.56	13.36	35.72	

802.11ax HEW20_Nss1,(MCS0)_1TX

5320MHz_TnomVnom




EUT X_1TX
Setting 20
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3264G	115.52	Inf	-Inf	109.16	3	Vertical	276	1.94	-	34.50	7.20	35.34
AV	5.326G	103.52	Inf	-Inf	97.16	3	Vertical	276	1.94	-	34.50	7.20	35.34
PK	5.356G	72.47	74.00	-1.53	66.10	3	Vertical	276	1.94	-	34.51	7.20	35.34
AV	5.356G	51.03	54.00	-2.97	44.66	3	Vertical	276	1.94	-	34.51	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_1TX

5320MHz_TnomVnom




EUT X_1TX
Setting 20
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.326G	114.19	Inf	-Inf	107.83	3	Horizontal	352	1.94	-	34.50	7.20	35.34
AV	5.326G	102.19	Inf	-Inf	95.83	3	Horizontal	352	1.94	-	34.50	7.20	35.34
PK	5.356G	71.38	74.00	-2.62	65.01	3	Horizontal	352	1.94	-	34.51	7.20	35.34
AV	5.356G	49.98	54.00	-4.02	43.61	3	Horizontal	352	1.94	-	34.51	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_1TX

5320MHz_TnomVnom




EUT X_1TX
Setting 20
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6514G	55.29	74.00	-18.71	41.73	3	Vertical	343	1.14	-	38.30	10.60	35.34
AV	10.6541G	42.44	54.00	-11.56	28.87	3	Vertical	343	1.14	-	38.31	10.60	35.34
PK	15.9555G	59.14	74.00	-14.86	44.02	3	Vertical	87	1.30	-	37.49	13.38	35.75
AV	15.8874G	46.31	54.00	-7.69	31.03	3	Vertical	87	1.30	-	37.64	13.34	35.70

802.11ax HEW20_Nss1,(MCS0)_1TX

5320MHz_TnomVnom




EUT X_1TX
Setting 20
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5674G	54.27	68.20	-13.93	40.89	3	Horizontal	225	2.39	-	38.20	10.59	35.41
AV	10.5538G	41.58	Inf	-Inf	28.22	3	Horizontal	225	2.39	-	38.20	10.58	35.42
PK	15.9033G	59.31	74.00	-14.69	44.08	3	Horizontal	99	2.88	-	37.59	13.35	35.71
AV	15.8916G	46.35	54.00	-7.65	31.07	3	Horizontal	99	2.88	-	37.63	13.35	35.70

802.11ax HEW20_Nss1,(MCS0)_1TX

5500MHz_TnomVnom




EUT X_1TX
Setting 20
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.46G	65.30	74.00	-8.70	58.87	3	Vertical	280	1.96	-	34.52	7.26	35.35	
AV	5.46G	46.93	54.00	-7.07	40.50	3	Vertical	280	1.96	-	34.52	7.26	35.35	
PK	5.4612G	65.93	68.20	-2.27	59.50	3	Vertical	280	1.96	-	34.52	7.26	35.35	
PK	5.494G	116.88	Inf	-Inf	110.35	3	Vertical	280	1.96	-	34.59	7.29	35.35	
AV	5.4936G	103.27	Inf	-Inf	96.74	3	Vertical	280	1.96	-	34.59	7.29	35.35	

802.11ax HEW20_Nss1,(MCS0)_1TX

5500MHz_TnomVnom




EUT X_1TX
Setting 20
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	65.57	74.00	-8.43	59.14	3	Horizontal	360	2.08	-	34.52	7.26	35.35
AV	5.46G	46.90	54.00	-7.10	40.47	3	Horizontal	360	2.08	-	34.52	7.26	35.35
PK	5.462G	66.20	68.20	-2.00	59.77	3	Horizontal	360	2.08	-	34.52	7.26	35.35
PK	5.494G	116.48	Inf	-Inf	109.95	3	Horizontal	360	2.08	-	34.59	7.29	35.35
AV	5.4936G	102.61	Inf	-Inf	96.08	3	Horizontal	360	2.08	-	34.59	7.29	35.35

802.11ax HEW20_Nss1,(MCS0)_1TX

5500MHz_TnomVnom




EUT X_1TX
Setting 20
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.9865G	57.39	74.00	-16.61	43.40	3	Vertical	176	1.12	-	38.39	10.65	35.05
AV	10.9862G	45.72	54.00	-8.28	31.73	3	Vertical	176	1.12	-	38.39	10.65	35.05

802.11ax HEW20_Nss1,(MCS0)_1TX

5500MHz_TnomVnom




EUT X_1TX
Setting 20
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.9862G	57.89	74.00	-16.11	43.90	3	Horizontal	155	1.01	-	38.39	10.65	35.05
AV	10.9862G	45.30	54.00	-8.70	31.31	3	Horizontal	155	1.01	-	38.39	10.65	35.05

802.11ax HEW20_Nss1,(MCS0)_1TX

5580MHz_TnomVnom



EUT_X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.396G	59.88	74.00	-14.12	53.44	3	Vertical	270	1.00	-	34.59	7.20	35.35
AV	5.4136G	46.66	54.00	-7.34	40.23	3	Vertical	270	1.00	-	34.57	7.21	35.35
PK	5.4672G	58.46	68.20	-9.74	52.01	3	Vertical	270	1.00	-	34.53	7.27	35.35
PK	5.5744G	118.49	Inf	-Inf	111.91	3	Vertical	270	1.00	-	34.60	7.37	35.39
AV	5.5736G	105.42	Inf	-Inf	98.84	3	Vertical	270	1.00	-	34.60	7.37	35.39
PK	5.7272G	58.67	68.20	-9.53	52.48	3	Vertical	270	1.00	-	34.25	7.40	35.46