


802.11ax HEW20_Nss1,(MCS0)_1TX

5580MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4256G	58.52	74.00	-15.48	52.09	3	Horizontal	341	1.83	-	34.55	7.23	35.35
AV	5.4128G	46.57	54.00	-7.43	40.14	3	Horizontal	341	1.83	-	34.57	7.21	35.35
PK	5.4648G	58.33	68.20	-9.87	51.89	3	Horizontal	341	1.83	-	34.53	7.26	35.35
PK	5.5744G	118.19	Inf	-Inf	111.61	3	Horizontal	341	1.83	-	34.60	7.37	35.39
AV	5.5736G	105.01	Inf	-Inf	98.43	3	Horizontal	341	1.83	-	34.60	7.37	35.39
PK	5.7704G	59.25	68.20	-8.95	53.14	3	Horizontal	341	1.83	-	34.20	7.40	35.49

802.11ax HEW20_Nss1,(MCS0)_1TX

5580MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1459G	59.60	74.00	-14.40	45.58	3	Vertical	278	1.78	-	38.55	10.67	35.20
AV	11.1462G	46.22	54.00	-7.78	32.20	3	Vertical	278	1.78	-	38.55	10.67	35.20

802.11ax HEW20_Nss1,(MCS0)_1TX

5580MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1462G	60.89	74.00	-13.11	46.87	3	Horizontal	254	1.80	-	38.55	10.67	35.20
AV	11.1462G	48.28	54.00	-5.72	34.26	3	Horizontal	254	1.80	-	38.55	10.67	35.20

802.11ax HEW20_Nss1,(MCS0)_1TX

5700MHz_TnomVnom




EUT X_1TX
Setting 17.75
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7062G	113.71	Inf	-Inf	107.47	3	Vertical	321	2.00	-	34.29	7.40	35.45
AV	5.706G	101.55	Inf	-Inf	95.31	3	Vertical	321	2.00	-	34.29	7.40	35.45
PK	5.7252G	68.15	68.20	-0.05	61.96	3	Vertical	321	2.00	-	34.25	7.40	35.46

802.11ax HEW20_Nss1,(MCS0)_1TX

5700MHz_TnomVnom




EUT X_1TX
Setting 17.75
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7062G	114.53	Inf	-Inf	108.29	3	Horizontal	2	1.96	-	34.29	7.40	35.45
AV	5.7058G	102.59	Inf	-Inf	96.35	3	Horizontal	2	1.96	-	34.29	7.40	35.45
PK	5.725G	67.44	68.20	-0.76	61.25	3	Horizontal	2	1.96	-	34.25	7.40	35.46

802.11ax HEW20_Nss1,(MCS0)_1TX

5700MHz_TnomVnom




EUT X_1TX
Setting 17.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4135G	62.08	74.00	-11.92	48.04	3	Vertical	212	1.91	-	38.83	10.71	35.50
AV	11.4144G	49.41	54.00	-4.59	35.37	3	Vertical	212	1.91	-	38.83	10.71	35.50

802.11ax HEW20_Nss1,(MCS0)_1TX

5700MHz_TnomVnom




EUT X_1TX
Setting 17.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4135G	60.48	74.00	-13.52	46.44	3	Horizontal	81	1.51	-	38.83	10.71	35.50
AV	11.4141G	47.86	54.00	-6.14	33.82	3	Horizontal	81	1.51	-	38.83	10.71	35.50

802.11ax HEW20_Nss1,(MCS0)_1TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.419G	58.86	74.00	-15.14	52.43	3	Vertical	321	1.99	-	34.56	7.22	35.35
AV	5.3994G	46.13	54.00	-7.87	39.68	3	Vertical	321	1.99	-	34.60	7.20	35.35
PK	5.4694G	58.29	68.20	-9.91	51.83	3	Vertical	321	1.99	-	34.54	7.27	35.35
PK	5.727G	117.39	Inf	-Inf	111.20	3	Vertical	321	1.99	-	34.25	7.40	35.46
AV	5.7256G	105.61	Inf	-Inf	99.42	3	Vertical	321	1.99	-	34.25	7.40	35.46
PK	5.972G	58.58	68.20	-9.62	51.80	3	Vertical	321	1.99	-	34.80	7.57	35.59

802.11ax HEW20_Nss1,(MCS0)_1TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3896G	58.77	74.00	-15.23	52.34	3	Horizontal	2	2.02	-	34.58	7.20	35.35
AV	5.3924G	46.05	54.00	-7.95	39.62	3	Horizontal	2	2.02	-	34.58	7.20	35.35
PK	5.4666G	57.41	68.20	-10.79	50.96	3	Horizontal	2	2.02	-	34.53	7.27	35.35
PK	5.727G	117.95	Inf	-Inf	111.76	3	Horizontal	2	2.02	-	34.25	7.40	35.46
AV	5.7256G	106.23	Inf	-Inf	100.04	3	Horizontal	2	2.02	-	34.25	7.40	35.46
PK	5.909G	59.71	68.20	-8.49	53.11	3	Horizontal	2	2.02	-	34.64	7.51	35.55

802.11ax HEW20_Nss1,(MCS0)_1TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4538G	61.99	74.00	-12.01	47.91	3	Vertical	158	2.80	-	38.91	10.72	35.55
AV	11.4541G	49.99	54.00	-4.01	35.91	3	Vertical	158	2.80	-	38.91	10.72	35.55

802.11ax HEW20_Nss1,(MCS0)_1TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4538G	62.12	74.00	-11.88	48.04	3	Horizontal	129	2.10	-	38.91	10.72	35.55
AV	11.4541G	49.69	54.00	-4.31	35.61	3	Horizontal	129	2.10	-	38.91	10.72	35.55

802.11ax HEW20_Nss1,(MCS0)_1TX

5745MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.609G	58.98	68.20	-9.22	52.40	3	Vertical	270	2.01	-	34.58	7.40	35.40
PK	5.739G	117.82	Inf	-Inf	111.67	3	Vertical	270	2.01	-	34.22	7.40	35.47
AV	5.739G	104.51	Inf	-Inf	98.36	3	Vertical	270	2.01	-	34.22	7.40	35.47
PK	5.995G	58.76	68.20	-9.44	51.97	3	Vertical	270	2.01	-	34.80	7.59	35.60

802.11ax HEW20_Nss1,(MCS0)_1TX

5745MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.601G	59.47	68.20	-8.73	52.87	3	Horizontal	4	2.03	-	34.60	7.40	35.40	
PK	5.739G	118.80	Inf	-Inf	112.65	3	Horizontal	4	2.03	-	34.22	7.40	35.47	
AV	5.739G	105.50	Inf	-Inf	99.35	3	Horizontal	4	2.03	-	34.22	7.40	35.47	
PK	5.994G	59.43	68.20	-8.77	52.64	3	Horizontal	4	2.03	-	34.80	7.59	35.60	

802.11ax HEW20_Nss1,(MCS0)_1TX

5745MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4756G	62.57	74.00	-11.43	48.47	3	Vertical	157	2.79	-	38.95	10.72	35.57
AV	11.4762G	50.13	54.00	-3.87	36.03	3	Vertical	157	2.79	-	38.95	10.72	35.57

802.11ax HEW20_Nss1,(MCS0)_1TX

5745MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4762G	62.52	74.00	-11.48	48.42	3	Horizontal	129	2.09	-	38.95	10.72	35.57
AV	11.4762G	50.22	54.00	-3.78	36.12	3	Horizontal	129	2.09	-	38.95	10.72	35.57

802.11ax HEW20_Nss1,(MCS0)_1TX

5785MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.614G	58.70	68.20	-9.50	52.14	3	Vertical	322	2.05	-	34.57	7.40	35.41
PK	5.779G	118.39	Inf	-Inf	112.28	3	Vertical	322	2.05	-	34.20	7.40	35.49
AV	5.779G	105.21	Inf	-Inf	99.10	3	Vertical	322	2.05	-	34.20	7.40	35.49
PK	5.972G	60.33	68.20	-7.87	53.55	3	Vertical	322	2.05	-	34.80	7.57	35.59

802.11ax HEW20_Nss1,(MCS0)_1TX

5785MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.622G	59.02	68.20	-9.18	52.47	3	Horizontal	3	2.00	-	34.56	7.40	35.41
PK	5.779G	118.80	Inf	-Inf	112.69	3	Horizontal	3	2.00	-	34.20	7.40	35.49
AV	5.779G	105.59	Inf	-Inf	99.48	3	Horizontal	3	2.00	-	34.20	7.40	35.49
PK	6.017G	59.58	68.20	-8.62	52.73	3	Horizontal	3	2.00	-	34.83	7.61	35.59

802.11ax HEW20_Nss1,(MCS0)_1TX

5785MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.5562G	61.60	74.00	-12.40	47.24	3	Vertical	154	1.80	-	39.22	10.73	35.59	
AV	11.5562G	48.47	54.00	-5.53	34.11	3	Vertical	154	1.80	-	39.22	10.73	35.59	

802.11ax HEW20_Nss1,(MCS0)_1TX

5785MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5562G	63.27	74.00	-10.73	48.91	3	Horizontal	184	2.02	-	39.22	10.73	35.59
AV	11.5562G	50.28	54.00	-3.72	35.92	3	Horizontal	184	2.02	-	39.22	10.73	35.59

802.11ax HEW20_Nss1,(MCS0)_1TX

5825MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.645G	60.11	68.20	-8.09	53.62	3	Vertical	261	1.91	-	34.51	7.40	35.42
PK	5.831G	115.81	Inf	-Inf	109.64	3	Vertical	261	1.91	-	34.26	7.43	35.52
AV	5.831G	104.13	Inf	-Inf	97.96	3	Vertical	261	1.91	-	34.26	7.43	35.52
PK	5.969G	60.04	68.20	-8.16	53.25	3	Vertical	261	1.91	-	34.80	7.57	35.58

802.11ax HEW20_Nss1,(MCS0)_1TX

5825MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.622G	58.95	68.20	-9.25	52.40	3	Horizontal	8	1.99	-	34.56	7.40	35.41
PK	5.831G	116.41	Inf	-Inf	110.24	3	Horizontal	8	1.99	-	34.26	7.43	35.52
AV	5.831G	104.54	Inf	-Inf	98.37	3	Horizontal	8	1.99	-	34.26	7.43	35.52
PK	5.944G	59.78	68.20	-8.42	53.03	3	Horizontal	8	1.99	-	34.78	7.54	35.57

802.11ax HEW20_Nss1,(MCS0)_1TX

5825MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6653G	65.12	74.00	-8.88	50.53	3	Vertical	168	3.00	-	39.40	10.75	35.56
AV	11.6641G	52.88	54.00	-1.12	38.29	3	Vertical	168	3.00	-	39.40	10.75	35.56

802.11ax HEW20_Nss1,(MCS0)_1TX

5825MHz_TnomVnom



EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6653G	62.06	74.00	-11.94	47.47	3	Horizontal	192	1.98	-	39.40	10.75	35.56
AV	11.6641G	50.09	54.00	-3.91	35.50	3	Horizontal	192	1.98	-	39.40	10.75	35.56



RSE TX above 1GHz
<Partial RU> UNII1~UNII3 RU 106 Ant. 1 (1TX)


Appendix E.10

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1.(MCS0)_1TX	Pass	PK	5.725G	67.77	68.20	-0.43	3	Vertical	214	1.80	-

802.11ax HEW20_Nss1,(MCS0)_1TX

5180MHz_TnomVnom




EUT X_1TX
Setting 19.25
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	72.62	74.00	-1.38	66.79	3	Vertical	215	1.80	-	34.00	7.17	35.34
AV	5.15G	50.23	54.00	-3.77	44.40	3	Vertical	215	1.80	-	34.00	7.17	35.34
PK	5.1776G	116.44	Inf	-Inf	110.48	3	Vertical	215	1.80	-	34.11	7.19	35.34
AV	5.1776G	104.44	Inf	-Inf	98.48	3	Vertical	215	1.80	-	34.11	7.19	35.34

802.11ax HEW20_Nss1,(MCS0)_1TX

5180MHz_TnomVnom




EUT X_1TX
Setting 19.25
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1492G	71.12	74.00	-2.88	65.29	3	Horizontal	221	2.78	-	34.00	7.17	35.34
AV	5.15G	48.40	54.00	-5.60	42.57	3	Horizontal	221	2.78	-	34.00	7.17	35.34
PK	5.1768G	113.49	Inf	-Inf	107.53	3	Horizontal	221	2.78	-	34.11	7.19	35.34
AV	5.1776G	101.53	Inf	-Inf	95.57	3	Horizontal	221	2.78	-	34.11	7.19	35.34

802.11ax HEW20_Nss1,(MCS0)_1TX

5180MHz_TnomVnom




EUT X_1TX
Setting 19.25
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.53676G	58.22	74.00	-15.78	42.01	3	Vertical	35	1.85	-	38.44	13.17	35.40
AV	15.52704G	44.73	54.00	-9.27	28.45	3	Vertical	35	1.85	-	38.51	13.16	35.39

802.11ax HEW20_Nss1,(MCS0)_1TX

5180MHz_TnomVnom




EUT X_1TX
Setting 19.25
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.52728G	58.61	74.00	-15.39	42.33	3	Horizontal	75	1.17	-	38.51	13.16	35.39
AV	15.525G	44.70	54.00	-9.30	28.40	3	Horizontal	75	1.17	-	38.53	13.16	35.39

802.11ax HEW20_Nss1,(MCS0)_1TX

5200MHz_TnomVnom




EUT_X_1TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	61.68	74.00	-12.32	55.85	3	Vertical	217	1.72	-	34.00	7.17	35.34
AV	5.1496G	45.82	54.00	-8.18	39.99	3	Vertical	217	1.72	-	34.00	7.17	35.34
PK	5.1984G	118.38	Inf	-Inf	112.33	3	Vertical	217	1.72	-	34.19	7.20	35.34
AV	5.1976G	106.71	Inf	-Inf	100.66	3	Vertical	217	1.72	-	34.19	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_1TX

5200MHz_TnomVnom




EUT_X_1TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.148G	59.21	74.00	-14.79	53.38	3	Horizontal	223	2.52	-	34.00	7.17	35.34
AV	5.15G	45.20	54.00	-8.80	39.37	3	Horizontal	223	2.52	-	34.00	7.17	35.34
PK	5.1984G	115.65	Inf	-Inf	109.60	3	Horizontal	223	2.52	-	34.19	7.20	35.34
AV	5.1976G	104.02	Inf	-Inf	97.97	3	Horizontal	223	2.52	-	34.19	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_1TX

5200MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.58542G	62.20	74.00	-11.80	46.35	3	Vertical	159	2.42	-	38.10	13.19	35.44
AV	15.58752G	48.63	54.00	-5.37	32.79	3	Vertical	159	2.42	-	38.09	13.19	35.44

802.11ax HEW20_Nss1,(MCS0)_1TX

5200MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.59004G	60.96	74.00	-13.04	45.14	3	Horizontal	186	1.86	-	38.07	13.20	35.45
AV	15.58746G	47.17	54.00	-6.83	31.33	3	Horizontal	186	1.86	-	38.09	13.19	35.44

802.11ax HEW20_Nss1,(MCS0)_1TX

5240MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.0924G	57.91	74.00	-16.09	52.21	3	Vertical	217	1.97	-	33.88	7.15	35.33
AV	5.15G	44.96	54.00	-9.04	39.13	3	Vertical	217	1.97	-	34.00	7.17	35.34
PK	5.2382G	118.28	Inf	-Inf	112.07	3	Vertical	217	1.97	-	34.35	7.20	35.34
AV	5.2376G	106.72	Inf	-Inf	100.51	3	Vertical	217	1.97	-	34.35	7.20	35.34
PK	5.3606G	58.36	74.00	-15.64	51.98	3	Vertical	217	1.97	-	34.52	7.20	35.34
AV	5.3792G	45.41	54.00	-8.59	39.00	3	Vertical	217	1.97	-	34.56	7.20	35.35

802.11ax HEW20_Nss1,(MCS0)_1TX

5240MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1248G	57.94	74.00	-16.06	52.16	3	Horizontal	224	2.60	-	33.95	7.16	35.33
AV	5.0966G	44.94	54.00	-9.06	39.23	3	Horizontal	224	2.60	-	33.89	7.15	35.33
PK	5.2382G	115.76	Inf	-Inf	109.55	3	Horizontal	224	2.60	-	34.35	7.20	35.34
AV	5.2376G	104.41	Inf	-Inf	98.20	3	Horizontal	224	2.60	-	34.35	7.20	35.34
PK	5.384G	59.49	74.00	-14.51	53.07	3	Horizontal	224	2.60	-	34.57	7.20	35.35
AV	5.3708G	45.39	54.00	-8.61	38.99	3	Horizontal	224	2.60	-	34.54	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_1TX

5240MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.72006G	60.69	74.00	-13.31	45.40	3	Vertical	167	2.02	-	37.58	13.26	35.55
AV	15.70764G	47.07	54.00	-6.93	31.83	3	Vertical	167	2.02	-	37.53	13.25	35.54

802.11ax HEW20_Nss1,(MCS0)_1TX

5240MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.7086G	59.89	74.00	-14.11	44.66	3	Horizontal	290	1.80	-	37.53	13.25	35.55
AV	15.7074G	46.15	54.00	-7.85	30.91	3	Horizontal	290	1.80	-	37.53	13.25	35.54

802.11ax HEW20_Nss1,(MCS0)_1TX

5260MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1448G	57.79	74.00	-16.21	51.97	3	Vertical	215	1.85	-	33.99	7.17	35.34
AV	5.11G	44.89	54.00	-9.11	39.14	3	Vertical	215	1.85	-	33.92	7.16	35.33
PK	5.2624G	117.90	Inf	-Inf	111.62	3	Vertical	215	1.85	-	34.42	7.20	35.34
AV	5.2618G	105.72	Inf	-Inf	99.44	3	Vertical	215	1.85	-	34.42	7.20	35.34
PK	5.3764G	58.04	74.00	-15.96	51.64	3	Vertical	215	1.85	-	34.55	7.20	35.35
AV	5.3692G	45.49	54.00	-8.51	39.09	3	Vertical	215	1.85	-	34.54	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_1TX

5260MHz_TnomVnom




EUT_X_1TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1394G	57.99	74.00	-16.01	52.18	3	Horizontal	219	2.84	-	33.98	7.17	35.34
AV	5.11G	44.87	54.00	-9.13	39.12	3	Horizontal	219	2.84	-	33.92	7.16	35.33
PK	5.2624G	115.60	Inf	-Inf	109.32	3	Horizontal	219	2.84	-	34.42	7.20	35.34
AV	5.2624G	103.49	Inf	-Inf	97.21	3	Horizontal	219	2.84	-	34.42	7.20	35.34
PK	5.4004G	58.71	74.00	-15.29	52.26	3	Horizontal	219	2.84	-	34.60	7.20	35.35
AV	5.3668G	45.40	54.00	-8.60	39.01	3	Horizontal	219	2.84	-	34.53	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_1TX

5260MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.79032G	61.15	74.00	-12.85	45.60	3	Vertical	170	2.07	-	37.86	13.30	35.61
AV	15.7935G	47.01	54.00	-6.99	31.46	3	Vertical	170	2.07	-	37.87	13.30	35.62

802.11ax HEW20_Nss1,(MCS0)_1TX

5260MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	15.79134G	60.85	74.00	-13.15	45.29	3	Horizontal	291	1.79	-	37.87	13.30	35.61	
AV	15.7932G	46.17	54.00	-7.83	30.62	3	Horizontal	291	1.79	-	37.87	13.30	35.62	

802.11ax HEW20_Nss1,(MCS0)_1TX

5300MHz_TnomVnom




EUT_X_1TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3028G	118.20	Inf	-Inf	111.84	3	Vertical	214	1.80	-	34.50	7.20	35.34
AV	5.302G	106.07	Inf	-Inf	99.71	3	Vertical	214	1.80	-	34.50	7.20	35.34
PK	5.35G	62.43	74.00	-11.57	56.07	3	Vertical	214	1.80	-	34.50	7.20	35.34
AV	5.35G	46.72	54.00	-7.28	40.36	3	Vertical	214	1.80	-	34.50	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_1TX

5300MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3028G	116.23	Inf	-Inf	109.87	3	Horizontal	221	2.01	-	34.50	7.20	35.34
AV	5.302G	104.02	Inf	-Inf	97.66	3	Horizontal	221	2.01	-	34.50	7.20	35.34
PK	5.3556G	61.12	74.00	-12.88	54.75	3	Horizontal	221	2.01	-	34.51	7.20	35.34
AV	5.3504G	46.17	54.00	-7.83	39.81	3	Horizontal	221	2.01	-	34.50	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_1TX

5300MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60654G	56.01	74.00	-17.99	42.59	3	Vertical	60	1.80	-	38.21	10.59	35.38
AV	10.60612G	42.17	54.00	-11.83	28.75	3	Vertical	60	1.80	-	38.21	10.59	35.38
PK	15.90954G	60.67	74.00	-13.33	45.45	3	Vertical	167	2.00	-	37.58	13.35	35.71
AV	15.91338G	46.92	54.00	-7.08	31.71	3	Vertical	167	2.00	-	37.57	13.36	35.72

802.11ax HEW20_Nss1,(MCS0)_1TX

5300MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60864G	55.61	74.00	-18.39	42.18	3	Horizontal	57	2.14	-	38.22	10.59	35.38
AV	10.60858G	41.84	54.00	-12.16	28.41	3	Horizontal	57	2.14	-	38.22	10.59	35.38
PK	15.9105G	62.03	74.00	-11.97	46.80	3	Horizontal	253	1.88	-	37.58	13.36	35.71
AV	15.91338G	47.66	54.00	-6.34	32.45	3	Horizontal	253	1.88	-	37.57	13.36	35.72

802.11ax HEW20_Nss1,(MCS0)_1TX

5320MHz_TnomVnom




EUT X_1TX
Setting 19.25
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3226G	116.42	Inf	-Inf	110.06	3	Vertical	218	1.80	-	34.50	7.20	35.34
AV	5.3222G	104.21	Inf	-Inf	97.85	3	Vertical	218	1.80	-	34.50	7.20	35.34
PK	5.35G	73.51	74.00	-0.49	67.15	3	Vertical	218	1.80	-	34.50	7.20	35.34
AV	5.35G	51.72	54.00	-2.28	45.36	3	Vertical	218	1.80	-	34.50	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_1TX

5320MHz_TnomVnom




EUT X_1TX
Setting 19.25
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3226G	114.38	Inf	-Inf	108.02	3	Horizontal	217	2.76	-	34.50	7.20	35.34
AV	5.3236G	102.27	Inf	-Inf	95.91	3	Horizontal	217	2.76	-	34.50	7.20	35.34
PK	5.3502G	72.58	74.00	-1.42	66.22	3	Horizontal	217	2.76	-	34.50	7.20	35.34
AV	5.35G	51.05	54.00	-2.95	44.69	3	Horizontal	217	2.76	-	34.50	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_1TX

5320MHz_TnomVnom




EUT X_1TX
Setting 19.25
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	10.64792G	55.08	74.00	-18.92	41.52	3	Vertical	60	1.64	-	38.30	10.60	35.34	
AV	10.6463G	41.21	54.00	-12.79	27.66	3	Vertical	60	1.64	-	38.29	10.60	35.34	
PK	15.969G	57.74	74.00	-16.26	42.66	3	Vertical	86	2.64	-	37.46	13.38	35.76	
AV	15.97278G	44.29	54.00	-9.71	29.22	3	Vertical	86	2.64	-	37.45	13.39	35.77	

802.11ax HEW20_Nss1,(MCS0)_1TX

5320MHz_TnomVnom




EUT X_1TX
Setting 19.25
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.64516G	54.74	74.00	-19.26	41.20	3	Horizontal	217	1.76	-	38.29	10.60	35.35
AV	10.6463G	41.07	54.00	-12.93	27.52	3	Horizontal	217	1.76	-	38.29	10.60	35.34
PK	15.97104G	58.70	74.00	-15.30	43.62	3	Horizontal	91	2.73	-	37.46	13.39	35.77
AV	15.96312G	44.30	54.00	-9.70	29.21	3	Horizontal	91	2.73	-	37.47	13.38	35.76

802.11ax HEW20_Nss1,(MCS0)_1TX

5500MHz_TnomVnom




EUT X_1TX
Setting 18
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.458G	58.94	74.00	-15.06	52.51	3	Vertical	215	1.79	-	34.52	7.26	35.35
AV	5.4572G	46.09	54.00	-7.91	39.67	3	Vertical	215	1.79	-	34.51	7.26	35.35
PK	5.47G	63.46	68.20	-4.74	57.00	3	Vertical	215	1.79	-	34.54	7.27	35.35
PK	5.4972G	115.54	Inf	-Inf	109.00	3	Vertical	215	1.79	-	34.59	7.30	35.35
AV	5.4976G	103.24	Inf	-Inf	96.69	3	Vertical	215	1.79	-	34.60	7.30	35.35

802.11ax HEW20_Nss1,(MCS0)_1TX

5500MHz_TnomVnom




EUT X_1TX
Setting 18
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4584G	59.82	74.00	-14.18	53.39	3	Horizontal	219	1.94	-	34.52	7.26	35.35
AV	5.4576G	45.70	54.00	-8.30	39.27	3	Horizontal	219	1.94	-	34.52	7.26	35.35
PK	5.4692G	66.16	68.20	-2.04	59.70	3	Horizontal	219	1.94	-	34.54	7.27	35.35
PK	5.4972G	113.99	Inf	-Inf	107.45	3	Horizontal	219	1.94	-	34.59	7.30	35.35
AV	5.4976G	101.53	Inf	-Inf	94.98	3	Horizontal	219	1.94	-	34.60	7.30	35.35

802.11ax HEW20_Nss1,(MCS0)_1TX

5500MHz_TnomVnom




EUT X_1TX
Setting 18
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.9904G	56.98	74.00	-17.02	42.99	3	Vertical	234	1.77	-	38.39	10.65	35.05
AV	10.9913G	42.70	54.00	-11.30	28.71	3	Vertical	234	1.77	-	38.39	10.65	35.05

802.11ax HEW20_Nss1,(MCS0)_1TX

5500MHz_TnomVnom




EUT X_1TX
Setting 18
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.991G	57.28	74.00	-16.72	43.29	3	Horizontal	237	2.93	-	38.39	10.65	35.05
AV	10.99136G	44.81	54.00	-9.19	30.82	3	Horizontal	237	2.93	-	38.39	10.65	35.05

802.11ax HEW20_Nss1,(MCS0)_1TX

5580MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4184G	58.40	74.00	-15.60	51.97	3	Vertical	217	1.22	-	34.56	7.22	35.35
AV	5.4168G	46.49	54.00	-7.51	40.05	3	Vertical	217	1.22	-	34.57	7.22	35.35
PK	5.464G	58.28	68.20	-9.92	51.84	3	Vertical	217	1.22	-	34.53	7.26	35.35
PK	5.5784G	118.65	Inf	-Inf	112.06	3	Vertical	217	1.22	-	34.60	7.38	35.39
AV	5.5776G	107.23	Inf	-Inf	100.64	3	Vertical	217	1.22	-	34.60	7.38	35.39
PK	5.768G	60.25	68.20	-7.95	54.13	3	Vertical	217	1.22	-	34.20	7.40	35.48

802.11ax HEW20_Nss1,(MCS0)_1TX

5580MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4392G	57.92	74.00	-16.08	51.51	3	Horizontal	218	1.87	-	34.52	7.24	35.35
AV	5.4168G	46.04	54.00	-7.96	39.60	3	Horizontal	218	1.87	-	34.57	7.22	35.35
PK	5.4688G	58.55	68.20	-9.65	52.09	3	Horizontal	218	1.87	-	34.54	7.27	35.35
PK	5.5784G	116.49	Inf	-Inf	109.90	3	Horizontal	218	1.87	-	34.60	7.38	35.39
AV	5.5776G	105.05	Inf	-Inf	98.46	3	Horizontal	218	1.87	-	34.60	7.38	35.39
PK	5.7336G	58.20	68.20	-10.00	52.04	3	Horizontal	218	1.87	-	34.23	7.40	35.47

802.11ax HEW20_Nss1,(MCS0)_1TX

5580MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15106G	62.69	74.00	-11.31	48.68	3	Vertical	189	2.62	-	38.55	10.67	35.21
AV	11.15136G	50.01	54.00	-3.99	36.00	3	Vertical	189	2.62	-	38.55	10.67	35.21

802.11ax HEW20_Nss1,(MCS0)_1TX

5580MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.1495G	61.08	74.00	-12.92	47.07	3	Horizontal	241	2.08	-	38.55	10.67	35.21	
AV	11.15118G	48.35	54.00	-5.65	34.34	3	Horizontal	241	2.08	-	38.55	10.67	35.21	

802.11ax HEW20_Nss1,(MCS0)_1TX

5700MHz_TnomVnom




EUT X_1TX
Setting 17.25
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7028G	114.74	Inf	-Inf	108.50	3	Vertical	214	1.80	-	34.29	7.40	35.45
AV	5.702G	102.82	Inf	-Inf	96.57	3	Vertical	214	1.80	-	34.30	7.40	35.45
PK	5.725G	67.77	68.20	-0.43	61.58	3	Vertical	214	1.80	-	34.25	7.40	35.46

802.11ax HEW20_Nss1,(MCS0)_1TX

5700MHz_TnomVnom




EUT X_1TX
Setting 17.25
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7028G	113.35	Inf	-Inf	107.11	3	Horizontal	218	1.87	-	34.29	7.40	35.45
AV	5.7022G	101.32	Inf	-Inf	95.07	3	Horizontal	218	1.87	-	34.30	7.40	35.45
PK	5.7264G	66.16	68.20	-2.04	59.97	3	Horizontal	218	1.87	-	34.25	7.40	35.46

802.11ax HEW20_Nss1,(MCS0)_1TX

5700MHz_TnomVnom




EUT X_1TX
Setting 17.25
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4087G	62.77	74.00	-11.23	48.74	3	Vertical	191	2.83	-	38.82	10.71	35.50
AV	11.40624G	47.99	54.00	-6.01	33.96	3	Vertical	191	2.83	-	38.81	10.71	35.49

802.11ax HEW20_Nss1,(MCS0)_1TX

5700MHz_TnomVnom




EUT X_1TX
Setting 17.25
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40804G	58.18	74.00	-15.82	44.15	3	Horizontal	39	2.71	-	38.82	10.71	35.50
AV	11.40888G	44.43	54.00	-9.57	30.40	3	Horizontal	39	2.71	-	38.82	10.71	35.50

802.11ax HEW20_Nss1,(MCS0)_1TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_X_1TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.391G	58.64	74.00	-15.36	52.21	3	Vertical	213	1.58	-	34.58	7.20	35.35
AV	5.377G	45.34	54.00	-8.66	38.94	3	Vertical	213	1.58	-	34.55	7.20	35.35
PK	5.461G	57.36	68.20	-10.84	50.93	3	Vertical	213	1.58	-	34.52	7.26	35.35
PK	5.7228G	118.56	Inf	-Inf	112.37	3	Vertical	213	1.58	-	34.25	7.40	35.46
AV	5.7214G	106.57	Inf	-Inf	100.37	3	Vertical	213	1.58	-	34.26	7.40	35.46
PK	5.8824G	58.22	68.20	-9.98	51.79	3	Vertical	213	1.58	-	34.49	7.48	35.54

802.11ax HEW20_Nss1,(MCS0)_1TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_X_1TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3854G	58.60	74.00	-15.40	52.18	3	Horizontal	216	2.60	-	34.57	7.20	35.35
AV	5.3826G	45.29	54.00	-8.71	38.87	3	Horizontal	216	2.60	-	34.57	7.20	35.35
PK	5.4694G	56.76	68.20	-11.44	50.30	3	Horizontal	216	2.60	-	34.54	7.27	35.35
PK	5.7228G	116.72	Inf	-Inf	110.53	3	Horizontal	216	2.60	-	34.25	7.40	35.46
AV	5.7214G	104.67	Inf	-Inf	98.47	3	Horizontal	216	2.60	-	34.26	7.40	35.46
PK	5.9552G	58.34	68.20	-9.86	51.56	3	Horizontal	216	2.60	-	34.80	7.56	35.58

802.11ax HEW20_Nss1,(MCS0)_1TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_1TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4511G	65.34	74.00	-8.66	51.27	3	Vertical	192	2.82	-	38.90	10.72	35.55
AV	11.44858G	51.46	54.00	-2.54	37.38	3	Vertical	192	2.82	-	38.90	10.72	35.54

802.11ax HEW20_Nss1,(MCS0)_1TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_1TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44432G	59.67	74.00	-14.33	45.60	3	Horizontal	132	2.10	-	38.89	10.72	35.54
AV	11.44852G	46.05	54.00	-7.95	31.97	3	Horizontal	132	2.10	-	38.90	10.72	35.54

802.11ax HEW20_Nss1,(MCS0)_1TX

5745MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.615G	59.24	68.20	-8.96	52.68	3	Vertical	213	1.66	-	34.57	7.40	35.41
PK	5.743G	117.64	Inf	-Inf	111.50	3	Vertical	213	1.66	-	34.21	7.40	35.47
AV	5.743G	106.07	Inf	-Inf	99.93	3	Vertical	213	1.66	-	34.21	7.40	35.47
PK	5.986G	59.01	68.20	-9.19	52.21	3	Vertical	213	1.66	-	34.80	7.59	35.59

802.11ax HEW20_Nss1,(MCS0)_1TX

5745MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.583G	59.50	68.20	-8.70	52.91	3	Horizontal	213	1.89	-	34.60	7.38	35.39
PK	5.743G	115.66	Inf	-Inf	109.52	3	Horizontal	213	1.89	-	34.21	7.40	35.47
AV	5.743G	104.05	Inf	-Inf	97.91	3	Horizontal	213	1.89	-	34.21	7.40	35.47
PK	5.968G	58.45	68.20	-9.75	51.66	3	Horizontal	213	1.89	-	34.80	7.57	35.58

802.11ax HEW20_Nss1,(MCS0)_1TX

5745MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.47932G	64.37	74.00	-9.63	50.27	3	Vertical	189	2.79	-	38.96	10.72	35.58
AV	11.4813G	52.04	54.00	-1.96	37.94	3	Vertical	189	2.79	-	38.96	10.72	35.58

802.11ax HEW20_Nss1,(MCS0)_1TX

5745MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.47932G	60.13	74.00	-13.87	46.03	3	Horizontal	153	2.07	-	38.96	10.72	35.58
AV	11.48124G	46.66	54.00	-7.34	32.56	3	Horizontal	153	2.07	-	38.96	10.72	35.58

802.11ax HEW20_Nss1,(MCS0)_1TX

5785MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.566G	59.42	68.20	-8.78	52.83	3	Vertical	213	1.75	-	34.60	7.37	35.38
PK	5.783G	117.54	Inf	-Inf	111.43	3	Vertical	213	1.75	-	34.20	7.40	35.49
AV	5.783G	106.04	Inf	-Inf	99.93	3	Vertical	213	1.75	-	34.20	7.40	35.49
PK	6.034G	59.67	68.20	-8.53	52.77	3	Vertical	213	1.75	-	34.87	7.62	35.59

802.11ax HEW20_Nss1,(MCS0)_1TX

5785MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.551G	59.35	68.20	-8.85	52.78	3	Horizontal	219	1.80	-	34.60	7.35	35.38	
PK	5.783G	115.03	Inf	-Inf	108.92	3	Horizontal	219	1.80	-	34.20	7.40	35.49	
AV	5.783G	103.51	Inf	-Inf	97.40	3	Horizontal	219	1.80	-	34.20	7.40	35.49	
PK	5.948G	59.10	68.20	-9.10	52.33	3	Horizontal	219	1.80	-	34.79	7.55	35.57	

802.11ax HEW20_Nss1,(MCS0)_1TX

5785MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56886G	65.39	74.00	-8.61	50.95	3	Vertical	187	2.83	-	39.28	10.74	35.58
AV	11.5613G	52.56	54.00	-1.44	38.17	3	Vertical	187	2.83	-	39.25	10.73	35.59

802.11ax HEW20_Nss1,(MCS0)_1TX

5785MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56112G	60.84	74.00	-13.16	46.46	3	Horizontal	149	2.00	-	39.24	10.73	35.59
AV	11.56124G	48.03	54.00	-5.97	33.65	3	Horizontal	149	2.00	-	39.24	10.73	35.59

802.11ax HEW20_Nss1,(MCS0)_1TX

5825MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.64G	58.66	68.20	-9.54	52.16	3	Vertical	213	1.72	-	34.52	7.40	35.42
PK	5.828G	117.80	Inf	-Inf	111.62	3	Vertical	213	1.72	-	34.26	7.43	35.51
AV	5.827G	105.72	Inf	-Inf	99.55	3	Vertical	213	1.72	-	34.25	7.43	35.51
PK	6.051G	58.89	68.20	-9.31	51.94	3	Vertical	213	1.72	-	34.90	7.63	35.58

802.11ax HEW20_Nss1,(MCS0)_1TX

5825MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.634G	59.79	68.20	-8.41	53.28	3	Horizontal	222	1.85	-	34.53	7.40	35.42
PK	5.828G	115.56	Inf	-Inf	109.38	3	Horizontal	222	1.85	-	34.26	7.43	35.51
AV	5.827G	103.40	Inf	-Inf	97.23	3	Horizontal	222	1.85	-	34.25	7.43	35.51
PK	5.958G	59.32	68.20	-8.88	52.54	3	Horizontal	222	1.85	-	34.80	7.56	35.58

802.11ax HEW20_Nss1,(MCS0)_1TX

5825MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6587G	59.33	74.00	-14.67	44.75	3	Vertical	324	2.12	-	39.40	10.75	35.57
AV	11.65552G	45.19	54.00	-8.81	30.61	3	Vertical	324	2.12	-	39.40	10.75	35.57

802.11ax HEW20_Nss1,(MCS0)_1TX

5825MHz_TnomVnom



EUT X_1TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.66104G	61.10	74.00	-12.90	46.51	3	Horizontal	157	2.07	-	39.40	10.75	35.56
AV	11.65852G	47.56	54.00	-6.44	32.98	3	Horizontal	157	2.07	-	39.40	10.75	35.57



RSE TX above 1GHz
<Partial RU> UNII1~UNII3 RU 26 Ant. 2 (1TX)


Appendix E.11

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	AV	11.4568G	53.79	54.00	-0.21	3	Vertical	180	2.43	-

802.11ax HEW20_Nss1,(MCS0)_1TX

5180MHz_TnomVnom




EUT_Z_1TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1382G	71.05	74.00	-2.95	65.24	3	Vertical	48	1.80	-	33.98	7.17	35.34
AV	5.138G	50.96	54.00	-3.04	45.15	3	Vertical	48	1.80	-	33.98	7.17	35.34
PK	5.1718G	117.88	Inf	-Inf	111.94	3	Vertical	48	1.80	-	34.09	7.19	35.34
AV	5.1718G	106.35	Inf	-Inf	100.41	3	Vertical	48	1.80	-	34.09	7.19	35.34

802.11ax HEW20_Nss1,(MCS0)_1TX

5180MHz_TnomVnom




EUT_Z_1TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1382G	72.04	74.00	-1.96	66.23	3	Horizontal	183	2.43	-	33.98	7.17	35.34
AV	5.138G	51.49	54.00	-2.51	45.68	3	Horizontal	183	2.43	-	33.98	7.17	35.34
PK	5.1718G	118.48	Inf	-Inf	112.54	3	Horizontal	183	2.43	-	34.09	7.19	35.34
AV	5.1718G	106.98	Inf	-Inf	101.04	3	Horizontal	183	2.43	-	34.09	7.19	35.34

802.11ax HEW20_Nss1,(MCS0)_1TX

5180MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	15.4934G	57.44	74.00	-16.56	40.94	3	Vertical	278	2.38	-	38.71	13.15	35.36	
AV	15.4992G	44.87	54.00	-9.13	28.39	3	Vertical	278	2.38	-	38.70	13.15	35.37	

802.11ax HEW20_Nss1,(MCS0)_1TX

5180MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.5298G	58.01	74.00	-15.99	41.76	3	Horizontal	306	2.61	-	38.49	13.16	35.40
AV	15.4992G	44.73	54.00	-9.27	28.25	3	Horizontal	306	2.61	-	38.70	13.15	35.37

802.11ax HEW20_Nss1,(MCS0)_1TX

5200MHz_TnomVnom




EUT Z_1TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1064G	58.61	74.00	-15.39	52.88	3	Vertical	216	1.80	-	33.91	7.15	35.33
AV	5.15G	45.01	54.00	-8.99	39.18	3	Vertical	216	1.80	-	34.00	7.17	35.34
PK	5.192G	118.30	Inf	-Inf	112.27	3	Vertical	216	1.80	-	34.17	7.20	35.34
AV	5.1916G	107.16	Inf	-Inf	101.13	3	Vertical	216	1.80	-	34.17	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_1TX

5200MHz_TnomVnom




EUT_Z_1TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1264G	58.63	74.00	-15.37	52.86	3	Horizontal	177	1.80	-	33.95	7.16	35.34
AV	5.15G	44.92	54.00	-9.08	39.09	3	Horizontal	177	1.80	-	34.00	7.17	35.34
PK	5.192G	116.68	Inf	-Inf	110.65	3	Horizontal	177	1.80	-	34.17	7.20	35.34
AV	5.1916G	105.61	Inf	-Inf	99.58	3	Horizontal	177	1.80	-	34.17	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_1TX

5200MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.5726G	57.23	74.00	-16.77	41.28	3	Vertical	254	2.91	-	38.19	13.19	35.43
AV	15.5912G	44.00	54.00	-10.00	28.19	3	Vertical	254	2.91	-	38.06	13.20	35.45

802.11ax HEW20_Nss1,(MCS0)_1TX

5200MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.6236G	57.48	74.00	-16.52	41.86	3	Horizontal	10	3.00	-	37.88	13.21	35.47
AV	15.5826G	43.98	54.00	-10.02	28.11	3	Horizontal	10	3.00	-	38.12	13.19	35.44

802.11ax HEW20_Nss1,(MCS0)_1TX

5240MHz_TnomVnom




EUT_Z_1TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.0972G	58.29	74.00	-15.71	52.58	3	Vertical	214	1.80	-	33.89	7.15	35.33
AV	5.099G	44.81	54.00	-9.19	39.09	3	Vertical	214	1.80	-	33.90	7.15	35.33
PK	5.2316G	117.96	Inf	-Inf	111.77	3	Vertical	214	1.80	-	34.33	7.20	35.34
AV	5.2316G	107.04	Inf	-Inf	100.85	3	Vertical	214	1.80	-	34.33	7.20	35.34
PK	5.366G	59.08	74.00	-14.92	52.69	3	Vertical	214	1.80	-	34.53	7.20	35.34
AV	5.3774G	45.29	54.00	-8.71	38.89	3	Vertical	214	1.80	-	34.55	7.20	35.35

802.11ax HEW20_Nss1,(MCS0)_1TX

5240MHz_TnomVnom




EUT_Z_1TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1404G	58.55	74.00	-15.45	52.74	3	Horizontal	183	2.50	-	33.98	7.17	35.34
AV	5.0924G	44.81	54.00	-9.19	39.11	3	Horizontal	183	2.50	-	33.88	7.15	35.33
PK	5.2316G	118.95	Inf	-Inf	112.76	3	Horizontal	183	2.50	-	34.33	7.20	35.34
AV	5.2316G	107.83	Inf	-Inf	101.64	3	Horizontal	183	2.50	-	34.33	7.20	35.34
PK	5.3858G	58.73	74.00	-15.27	52.31	3	Horizontal	183	2.50	-	34.57	7.20	35.35
AV	5.3756G	45.29	54.00	-8.71	38.89	3	Horizontal	183	2.50	-	34.55	7.20	35.35

802.11ax HEW20_Nss1,(MCS0)_1TX

5240MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.72G	58.09	74.00	-15.91	42.72	3	Vertical	253	1.57	-	37.64	13.24	35.51
AV	15.7678G	44.10	54.00	-9.90	28.64	3	Vertical	253	1.57	-	37.77	13.28	35.59

802.11ax HEW20_Nss1,(MCS0)_1TX

5240MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.761G	56.91	74.00	-17.09	41.48	3	Horizontal	311	1.59	-	37.74	13.28	35.59
AV	15.7618G	44.03	54.00	-9.97	28.59	3	Horizontal	311	1.59	-	37.75	13.28	35.59

802.11ax HEW20_Nss1,(MCS0)_1TX

5260MHz_TnomVnom




EUT_Z_1TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1154G	58.97	74.00	-15.03	53.21	3	Vertical	83	2.02	-	33.93	7.16	35.33
AV	5.11G	44.77	54.00	-9.23	39.02	3	Vertical	83	2.02	-	33.92	7.16	35.33
PK	5.2678G	117.54	Inf	-Inf	111.24	3	Vertical	83	2.02	-	34.44	7.20	35.34
AV	5.2678G	106.47	Inf	-Inf	100.17	3	Vertical	83	2.02	-	34.44	7.20	35.34
PK	5.3842G	58.80	74.00	-15.20	52.38	3	Vertical	83	2.02	-	34.57	7.20	35.35
AV	5.3878G	45.36	54.00	-8.64	38.93	3	Vertical	83	2.02	-	34.58	7.20	35.35

802.11ax HEW20_Nss1,(MCS0)_1TX

5260MHz_TnomVnom




EUT_Z_1TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1424G	57.92	74.00	-16.08	52.11	3	Horizontal	184	2.48	-	33.98	7.17	35.34
AV	5.1214G	44.79	54.00	-9.21	39.02	3	Horizontal	184	2.48	-	33.94	7.16	35.33
PK	5.2684G	117.99	Inf	-Inf	111.69	3	Horizontal	184	2.48	-	34.44	7.20	35.34
AV	5.2678G	106.68	Inf	-Inf	100.38	3	Horizontal	184	2.48	-	34.44	7.20	35.34
PK	5.3824G	59.07	74.00	-14.93	52.66	3	Horizontal	184	2.48	-	34.56	7.20	35.35
AV	5.368G	45.30	54.00	-8.70	38.90	3	Horizontal	184	2.48	-	34.54	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_1TX

5260MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.808G	57.99	74.00	-16.01	42.44	3	Vertical	320	1.19	-	37.88	13.30	35.63
AV	15.8008G	44.37	54.00	-9.63	28.79	3	Vertical	320	1.19	-	37.90	13.30	35.62

802.11ax HEW20_Nss1,(MCS0)_1TX

5260MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.8012G	57.81	74.00	-16.19	42.23	3	Horizontal	273	1.73	-	37.90	13.30	35.62
AV	15.824G	44.34	54.00	-9.66	28.84	3	Horizontal	273	1.73	-	37.83	13.31	35.64

802.11ax HEW20_Nss1,(MCS0)_1TX

5300MHz_TnomVnom




EUT_Z_1TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3088G	119.06	Inf	-Inf	112.70	3	Vertical	83	1.77	-	34.50	7.20	35.34
AV	5.308G	107.97	Inf	-Inf	101.61	3	Vertical	83	1.77	-	34.50	7.20	35.34
PK	5.3736G	61.36	74.00	-12.64	54.95	3	Vertical	83	1.77	-	34.55	7.20	35.34
AV	5.35G	45.67	54.00	-8.33	39.31	3	Vertical	83	1.77	-	34.50	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_1TX

5300MHz_TnomVnom




EUT Z_1TX
Setting 21.5
03-B-E-2-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	5.3088G	118.47	Inf	-Inf	112.11	3	Horizontal	189	2.46	-	34.50	7.20	35.34	
AV	5.308G	107.35	Inf	-Inf	100.99	3	Horizontal	189	2.46	-	34.50	7.20	35.34	
PK	5.35G	61.17	74.00	-12.83	54.81	3	Horizontal	189	2.46	-	34.50	7.20	35.34	
AV	5.35G	45.44	54.00	-8.56	39.08	3	Horizontal	189	2.46	-	34.50	7.20	35.34	

802.11ax HEW20_Nss1,(MCS0)_1TX

5300MHz_TnomVnom




EUT_X_1TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	10.6156G	56.58	74.00	-17.42	43.13	3	Vertical	208	1.69	-	38.23	10.59	35.37	
AV	10.6166G	43.57	54.00	-10.43	30.12	3	Vertical	208	1.69	-	38.23	10.59	35.37	
PK	15.925G	60.47	74.00	-13.53	45.29	3	Vertical	156	1.80	-	37.55	13.36	35.73	
AV	15.9252G	46.52	54.00	-7.48	31.34	3	Vertical	156	1.80	-	37.55	13.36	35.73	

802.11ax HEW20_Nss1,(MCS0)_1TX

5300MHz_TnomVnom




EUT_X_1TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.616G	56.15	74.00	-17.85	42.70	3	Horizontal	301	1.80	-	38.23	10.59	35.37
AV	10.6168G	42.91	54.00	-11.09	29.46	3	Horizontal	301	1.80	-	38.23	10.59	35.37
PK	15.9254G	60.44	74.00	-13.56	45.26	3	Horizontal	188	1.80	-	37.55	13.36	35.73
AV	15.9252G	46.59	54.00	-7.41	31.41	3	Horizontal	188	1.80	-	37.55	13.36	35.73

802.11ax HEW20_Nss1,(MCS0)_1TX

5320MHz_TnomVnom




EUT_Z_1TX
Setting 18.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.328G	118.24	Inf	-Inf	111.88	3	Vertical	165	1.76	-	34.50	7.20	35.34
AV	5.328G	106.46	Inf	-Inf	100.10	3	Vertical	165	1.76	-	34.50	7.20	35.34
PK	5.361G	73.27	74.00	-0.73	66.89	3	Vertical	165	1.76	-	34.52	7.20	35.34
AV	5.3618G	48.65	54.00	-5.35	42.27	3	Vertical	165	1.76	-	34.52	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_1TX

5320MHz_TnomVnom




EUT_Z_1TX
Setting 18.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3288G	115.33	Inf	-Inf	108.97	3	Horizontal	121	2.04	-	34.50	7.20	35.34
AV	5.328G	103.56	Inf	-Inf	97.20	3	Horizontal	121	2.04	-	34.50	7.20	35.34
PK	5.3608G	68.65	74.00	-5.35	62.27	3	Horizontal	121	2.04	-	34.52	7.20	35.34
AV	5.3618G	47.24	54.00	-6.76	40.86	3	Horizontal	121	2.04	-	34.52	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_1TX

5320MHz_TnomVnom




EUT_X_1TX
Setting 18.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	10.6132G	52.87	74.00	-21.13	39.42	3	Vertical	359	2.09	-	38.23	10.59	35.37	
AV	10.6568G	40.16	54.00	-13.84	26.59	3	Vertical	359	2.09	-	38.31	10.60	35.34	
PK	15.9668G	57.88	74.00	-16.12	42.79	3	Vertical	179	2.89	-	37.47	13.38	35.76	
AV	15.9206G	44.35	54.00	-9.65	29.15	3	Vertical	179	2.89	-	37.56	13.36	35.72	

802.11ax HEW20_Nss1,(MCS0)_1TX

5320MHz_TnomVnom




EUT_X_1TX
Setting 18.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6562G	53.05	74.00	-20.95	39.48	3	Horizontal	49	1.81	-	38.31	10.60	35.34
AV	10.657G	40.15	54.00	-13.85	26.57	3	Horizontal	49	1.81	-	38.31	10.60	35.33
PK	15.9286G	57.52	74.00	-16.48	42.35	3	Horizontal	199	2.46	-	37.54	13.36	35.73
AV	15.9102G	44.33	54.00	-9.67	29.10	3	Horizontal	199	2.46	-	37.58	13.36	35.71

802.11ax HEW20_Nss1,(MCS0)_1TX

5500MHz_TnomVnom




EUT Z_1TX
Setting 20.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.458G	71.02	74.00	-2.98	64.59	3	Vertical	82	1.80	-	34.52	7.26	35.35	
AV	5.458G	48.92	54.00	-5.08	42.49	3	Vertical	82	1.80	-	34.52	7.26	35.35	
PK	5.4604G	65.63	68.20	-2.57	59.20	3	Vertical	82	1.80	-	34.52	7.26	35.35	
PK	5.492G	120.07	Inf	-Inf	113.55	3	Vertical	82	1.80	-	34.58	7.29	35.35	
AV	5.4916G	107.78	Inf	-Inf	101.26	3	Vertical	82	1.80	-	34.58	7.29	35.35	

802.11ax HEW20_Nss1,(MCS0)_1TX

5500MHz_TnomVnom




EUT Z_1TX
Setting 20.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4584G	70.82	74.00	-3.18	64.39	3	Horizontal	179	2.41	-	34.52	7.26	35.35
AV	5.458G	48.48	54.00	-5.52	42.05	3	Horizontal	179	2.41	-	34.52	7.26	35.35
PK	5.4604G	65.51	68.20	-2.69	59.08	3	Horizontal	179	2.41	-	34.52	7.26	35.35
PK	5.492G	119.08	Inf	-Inf	112.56	3	Horizontal	179	2.41	-	34.58	7.29	35.35
AV	5.4916G	106.79	Inf	-Inf	100.27	3	Horizontal	179	2.41	-	34.58	7.29	35.35

802.11ax HEW20_Nss1,(MCS0)_1TX

5500MHz_TnomVnom




EUT X_1TX
Setting 20.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.9838G	58.93	74.00	-15.07	44.95	3	Vertical	212	2.15	-	38.38	10.65	35.05
AV	10.9832G	47.20	54.00	-6.80	33.22	3	Vertical	212	2.15	-	38.38	10.65	35.05

802.11ax HEW20_Nss1,(MCS0)_1TX

5500MHz_TnomVnom




EUT X_1TX
Setting 20.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.9838G	59.47	74.00	-14.53	45.49	3	Horizontal	354	1.69	-	38.38	10.65	35.05
AV	10.983G	47.40	54.00	-6.60	33.42	3	Horizontal	354	1.69	-	38.38	10.65	35.05

802.11ax HEW20_Nss1,(MCS0)_1TX

5580MHz_TnomVnom




EUT_Z_1TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.412G	59.77	74.00	-14.23	53.33	3	Vertical	83	1.76	-	34.58	7.21	35.35
AV	5.412G	47.34	54.00	-6.66	40.90	3	Vertical	83	1.76	-	34.58	7.21	35.35
PK	5.4664G	58.05	68.20	-10.15	51.60	3	Vertical	83	1.76	-	34.53	7.27	35.35
PK	5.572G	120.55	Inf	-Inf	113.97	3	Vertical	83	1.76	-	34.60	7.37	35.39
AV	5.572G	110.50	Inf	-Inf	103.92	3	Vertical	83	1.76	-	34.60	7.37	35.39
PK	5.732G	59.25	68.20	-8.95	53.08	3	Vertical	83	1.76	-	34.24	7.40	35.47

802.11ax HEW20_Nss1,(MCS0)_1TX

5580MHz_TnomVnom




EUT_Z_1TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4G	59.39	74.00	-14.61	52.94	3	Horizontal	178	2.30	-	34.60	7.20	35.35
AV	5.4112G	46.33	54.00	-7.67	39.89	3	Horizontal	178	2.30	-	34.58	7.21	35.35
PK	5.4616G	58.35	68.20	-9.85	51.92	3	Horizontal	178	2.30	-	34.52	7.26	35.35
PK	5.572G	119.72	Inf	-Inf	113.14	3	Horizontal	178	2.30	-	34.60	7.37	35.39
AV	5.572G	109.59	Inf	-Inf	103.01	3	Horizontal	178	2.30	-	34.60	7.37	35.39
PK	5.7544G	58.77	68.20	-9.43	52.65	3	Horizontal	178	2.30	-	34.20	7.40	35.48

802.11ax HEW20_Nss1,(MCS0)_1TX

5580MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1444G	63.34	74.00	-10.66	49.33	3	Vertical	166	3.00	-	38.54	10.67	35.20
AV	11.1432G	52.97	54.00	-1.03	38.96	3	Vertical	166	3.00	-	38.54	10.67	35.20

802.11ax HEW20_Nss1,(MCS0)_1TX

5580MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.144G	61.51	74.00	-12.49	47.50	3	Horizontal	146	1.79	-	38.54	10.67	35.20
AV	11.1432G	51.36	54.00	-2.64	37.35	3	Horizontal	146	1.79	-	38.54	10.67	35.20

802.11ax HEW20_Nss1,(MCS0)_1TX

5700MHz_TnomVnom




EUT_Z_1TX
Setting 16.25
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7078G	115.31	Inf	-Inf	109.08	3	Vertical	137	1.00	-	34.28	7.40	35.45
AV	5.7082G	102.98	Inf	-Inf	96.75	3	Vertical	137	1.00	-	34.28	7.40	35.45
PK	5.7274G	67.49	68.20	-0.71	61.30	3	Vertical	137	1.00	-	34.25	7.40	35.46

802.11ax HEW20_Nss1,(MCS0)_1TX

5700MHz_TnomVnom




EUT_Z_1TX
Setting 16.25
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7078G	111.59	Inf	-Inf	105.36	3	Horizontal	124	1.85	-	34.28	7.40	35.45
AV	5.708G	99.41	Inf	-Inf	93.18	3	Horizontal	124	1.85	-	34.28	7.40	35.45
PK	5.7274G	64.30	68.20	-3.90	58.11	3	Horizontal	124	1.85	-	34.25	7.40	35.46

802.11ax HEW20_Nss1,(MCS0)_1TX

5700MHz_TnomVnom




EUT X_1TX
Setting 16.25
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4158G	59.77	74.00	-14.23	45.74	3	Vertical	54	1.62	-	38.83	10.71	35.51
AV	11.417G	46.13	54.00	-7.87	32.10	3	Vertical	54	1.62	-	38.83	10.71	35.51

802.11ax HEW20_Nss1,(MCS0)_1TX

5700MHz_TnomVnom




EUT X_1TX
Setting 16.25
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.4178G	60.83	74.00	-13.17	46.79	3	Horizontal	29	1.47	-	38.84	10.71	35.51	
AV	11.417G	46.16	54.00	-7.84	32.13	3	Horizontal	29	1.47	-	38.83	10.71	35.51	

802.11ax HEW20_Nss1,(MCS0)_1TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_1TX
Setting 21.25
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4526G	58.84	74.00	-15.16	52.43	3	Vertical	132	1.80	-	34.51	7.25	35.35
AV	5.3896G	45.22	54.00	-8.78	38.79	3	Vertical	132	1.80	-	34.58	7.20	35.35
PK	5.468G	58.38	68.20	-9.82	51.92	3	Vertical	132	1.80	-	34.54	7.27	35.35
PK	5.7284G	118.51	Inf	-Inf	112.33	3	Vertical	132	1.80	-	34.24	7.40	35.46
AV	5.7284G	108.01	Inf	-Inf	101.83	3	Vertical	132	1.80	-	34.24	7.40	35.46
PK	5.9818G	59.24	68.20	-8.96	52.45	3	Vertical	132	1.80	-	34.80	7.58	35.59

802.11ax HEW20_Nss1,(MCS0)_1TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_1TX
Setting 21.25
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4386G	58.23	74.00	-15.77	51.82	3	Horizontal	124	1.80	-	34.52	7.24	35.35
AV	5.384G	45.36	54.00	-8.64	38.94	3	Horizontal	124	1.80	-	34.57	7.20	35.35
PK	5.468G	58.55	68.20	-9.65	52.09	3	Horizontal	124	1.80	-	34.54	7.27	35.35
PK	5.7284G	115.33	Inf	-Inf	109.15	3	Horizontal	124	1.80	-	34.24	7.40	35.46
AV	5.7284G	104.70	Inf	-Inf	98.52	3	Horizontal	124	1.80	-	34.24	7.40	35.46
PK	5.9146G	59.52	68.20	-8.68	52.91	3	Horizontal	124	1.80	-	34.66	7.51	35.56

802.11ax HEW20_Nss1,(MCS0)_1TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_1TX
Setting 21.25
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4574G	64.97	74.00	-9.03	50.89	3	Vertical	180	2.43	-	38.91	10.72	35.55
AV	11.4568G	53.79	54.00	-0.21	39.71	3	Vertical	180	2.43	-	38.91	10.72	35.55

802.11ax HEW20_Nss1,(MCS0)_1TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_1TX
Setting 21.25
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4568G	62.92	74.00	-11.08	48.84	3	Horizontal	139	2.05	-	38.91	10.72	35.55
AV	11.457G	51.39	54.00	-2.61	37.31	3	Horizontal	139	2.05	-	38.91	10.72	35.55

802.11ax HEW20_Nss1,(MCS0)_1TX

5745MHz_TnomVnom




EUT_Z_1TX
Setting 21
03-B-E-2-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	5.495G	59.09	68.20	-9.11	52.55	3	Vertical	133	1.86	-	34.59	7.30	35.35	
PK	5.737G	118.83	Inf	-Inf	112.67	3	Vertical	133	1.86	-	34.23	7.40	35.47	
AV	5.737G	107.19	Inf	-Inf	101.03	3	Vertical	133	1.86	-	34.23	7.40	35.47	
PK	5.959G	60.17	68.20	-8.03	53.39	3	Vertical	133	1.86	-	34.80	7.56	35.58	

802.11ax HEW20_Nss1,(MCS0)_1TX

5745MHz_TnomVnom




EUT_Z_1TX
Setting 21
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.602G	59.03	68.20	-9.17	52.43	3	Horizontal	123	1.76	-	34.60	7.40	35.40
PK	5.737G	113.79	Inf	-Inf	107.63	3	Horizontal	123	1.76	-	34.23	7.40	35.47
AV	5.737G	102.06	Inf	-Inf	95.90	3	Horizontal	123	1.76	-	34.23	7.40	35.47
PK	5.937G	59.27	68.20	-8.93	52.55	3	Horizontal	123	1.76	-	34.75	7.54	35.57

802.11ax HEW20_Nss1,(MCS0)_1TX

5745MHz_TnomVnom




EUT X_1TX
Setting 21
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4736G	66.12	74.00	-7.88	52.02	3	Vertical	181	2.49	-	38.95	10.72	35.57
AV	11.473G	53.56	54.00	-0.44	39.46	3	Vertical	181	2.49	-	38.95	10.72	35.57

802.11ax HEW20_Nss1,(MCS0)_1TX

5745MHz_TnomVnom




EUT X_1TX
Setting 21
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.474G	61.36	74.00	-12.64	47.26	3	Horizontal	148	1.80	-	38.95	10.72	35.57
AV	11.473G	49.61	54.00	-4.39	35.51	3	Horizontal	148	1.80	-	38.95	10.72	35.57

802.11ax HEW20_Nss1,(MCS0)_1TX

5785MHz_TnomVnom




EUT Z_1TX
Setting 19.25
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.613G	59.22	68.20	-8.98	52.66	3	Vertical	134	1.83	-	34.57	7.40	35.41
PK	5.777G	117.56	Inf	-Inf	111.45	3	Vertical	134	1.83	-	34.20	7.40	35.49
AV	5.777G	105.17	Inf	-Inf	99.06	3	Vertical	134	1.83	-	34.20	7.40	35.49
PK	5.951G	59.49	68.20	-8.71	52.72	3	Vertical	134	1.83	-	34.80	7.55	35.58

802.11ax HEW20_Nss1,(MCS0)_1TX

5785MHz_TnomVnom




EUT_Z_1TX
Setting 19.25
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.583G	59.04	68.20	-9.16	52.45	3	Horizontal	137	2.79	-	34.60	7.38	35.39
PK	5.777G	112.34	Inf	-Inf	106.23	3	Horizontal	137	2.79	-	34.20	7.40	35.49
AV	5.777G	99.95	Inf	-Inf	93.84	3	Horizontal	137	2.79	-	34.20	7.40	35.49
PK	5.958G	60.04	68.20	-8.16	53.26	3	Horizontal	137	2.79	-	34.80	7.56	35.58

802.11ax HEW20_Nss1,(MCS0)_1TX

5785MHz_TnomVnom




EUT X_1TX
Setting 19.25
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5538G	67.21	74.00	-6.79	52.85	3	Vertical	182	2.76	-	39.22	10.73	35.59
AV	11.5532G	53.50	54.00	-0.50	39.15	3	Vertical	182	2.76	-	39.21	10.73	35.59

802.11ax HEW20_Nss1,(MCS0)_1TX

5785MHz_TnomVnom




EUT X_1TX
Setting 19.25
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5532G	62.28	74.00	-11.72	47.93	3	Horizontal	132	2.10	-	39.21	10.73	35.59
AV	11.553G	51.82	54.00	-2.18	37.47	3	Horizontal	132	2.10	-	39.21	10.73	35.59

802.11ax HEW20_Nss1,(MCS0)_1TX

5825MHz_TnomVnom




EUT_Z_1TX
Setting 18.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.647G	59.64	68.20	-8.56	53.15	3	Vertical	133	1.96	-	34.51	7.40	35.42
PK	5.834G	116.79	Inf	-Inf	110.61	3	Vertical	133	1.96	-	34.27	7.43	35.52
AV	5.833G	105.24	Inf	-Inf	99.06	3	Vertical	133	1.96	-	34.27	7.43	35.52
PK	5.995G	59.58	68.20	-8.62	52.79	3	Vertical	133	1.96	-	34.80	7.59	35.60

802.11ax HEW20_Nss1,(MCS0)_1TX

5825MHz_TnomVnom




EUT_Z_1TX
Setting 18.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.617G	59.22	68.20	-8.98	52.66	3	Horizontal	120	1.80	-	34.57	7.40	35.41
PK	5.833G	109.80	Inf	-Inf	103.62	3	Horizontal	120	1.80	-	34.27	7.43	35.52
AV	5.833G	98.13	Inf	-Inf	91.95	3	Horizontal	120	1.80	-	34.27	7.43	35.52
PK	6.046G	59.20	68.20	-9.00	52.27	3	Horizontal	120	1.80	-	34.89	7.62	35.58

802.11ax HEW20_Nss1,(MCS0)_1TX

5825MHz_TnomVnom




EUT X_1TX
Setting 18.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.666G	68.04	74.00	-5.96	53.45	3	Vertical	180	2.50	-	39.40	10.75	35.56
AV	11.6668G	53.70	54.00	-0.30	39.11	3	Vertical	180	2.50	-	39.40	10.75	35.56

802.11ax HEW20_Nss1,(MCS0)_1TX

5825MHz_TnomVnom



EUT X_1TX
Setting 18.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6668G	66.32	74.00	-7.68	51.73	3	Horizontal	206	2.07	-	39.40	10.75	35.56
AV	11.667G	52.56	54.00	-1.44	37.97	3	Horizontal	206	2.07	-	39.40	10.75	35.56



RSE TX above 1GHz
<Partial RU> UNII1~UNII3_RU 52_Ant. 2 (1TX)


Appendix E.12

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	PK	5.356G	73.34	74.00	-0.66	3	Vertical	138	1.80	-

802.11ax HEW20_Nss1,(MCS0)_1TX

5180MHz_TnomVnom




EUT_Z_1TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1424G	72.47	74.00	-1.53	66.66	3	Vertical	138	1.79	-	33.98	7.17	35.34
AV	5.1438G	49.94	54.00	-4.06	44.12	3	Vertical	138	1.79	-	33.99	7.17	35.34
PK	5.1742G	116.31	Inf	-Inf	110.36	3	Vertical	138	1.79	-	34.10	7.19	35.34
AV	5.1736G	102.36	Inf	-Inf	96.42	3	Vertical	138	1.79	-	34.09	7.19	35.34

802.11ax HEW20_Nss1,(MCS0)_1TX

5180MHz_TnomVnom




EUT_Z_1TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.1424G	71.77	74.00	-2.23	65.96	3	Horizontal	180	1.99	-	33.98	7.17	35.34	
AV	5.1436G	49.12	54.00	-4.88	43.30	3	Horizontal	180	1.99	-	33.99	7.17	35.34	
PK	5.1742G	114.16	Inf	-Inf	108.21	3	Horizontal	180	1.99	-	34.10	7.19	35.34	
AV	5.1736G	100.30	Inf	-Inf	94.36	3	Horizontal	180	1.99	-	34.09	7.19	35.34	

802.11ax HEW20_Nss1,(MCS0)_1TX

5180MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	15.52956G	57.96	74.00	-16.04	41.70	3	Vertical	56	2.82	-	38.49	13.16	35.39	
AV	15.52536G	44.49	54.00	-9.51	28.20	3	Vertical	56	2.82	-	38.52	13.16	35.39	

802.11ax HEW20_Nss1,(MCS0)_1TX

5180MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	15.53748G	58.51	74.00	-15.49	42.30	3	Horizontal	280	2.40	-	38.44	13.17	35.40	
AV	15.5274G	44.40	54.00	-9.60	28.12	3	Horizontal	280	2.40	-	38.51	13.16	35.39	

802.11ax HEW20_Nss1,(MCS0)_1TX

5200MHz_TnomVnom




EUT_Z_1TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.134G	57.30	74.00	-16.70	51.50	3	Vertical	138	1.79	-	33.97	7.17	35.34
AV	5.1496G	44.90	54.00	-9.10	39.07	3	Vertical	138	1.79	-	34.00	7.17	35.34
PK	5.1944G	116.73	Inf	-Inf	110.69	3	Vertical	138	1.79	-	34.18	7.20	35.34
AV	5.1936G	102.92	Inf	-Inf	96.89	3	Vertical	138	1.79	-	34.17	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_1TX

5200MHz_TnomVnom




EUT_Z_1TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1012G	57.93	74.00	-16.07	52.21	3	Horizontal	122	1.78	-	33.90	7.15	35.33
AV	5.1424G	44.83	54.00	-9.17	39.02	3	Horizontal	122	1.78	-	33.98	7.17	35.34
PK	5.194G	114.14	Inf	-Inf	108.10	3	Horizontal	122	1.78	-	34.18	7.20	35.34
AV	5.1936G	100.31	Inf	-Inf	94.28	3	Horizontal	122	1.78	-	34.17	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_1TX

5200MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.59688G	58.15	74.00	-15.85	42.38	3	Vertical	231	1.06	-	38.02	13.20	35.45
AV	15.59064G	44.34	54.00	-9.66	28.52	3	Vertical	231	1.06	-	38.07	13.20	35.45

802.11ax HEW20_Nss1,(MCS0)_1TX

5200MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.60198G	57.82	74.00	-16.18	42.09	3	Horizontal	221	2.89	-	37.99	13.20	35.46
AV	15.59064G	44.27	54.00	-9.73	28.45	3	Horizontal	221	2.89	-	38.07	13.20	35.45

802.11ax HEW20_Nss1,(MCS0)_1TX

5240MHz_TnomVnom




EUT_Z_1TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.141G	57.65	74.00	-16.35	51.84	3	Vertical	139	1.75	-	33.98	7.17	35.34
AV	5.1416G	44.81	54.00	-9.19	39.00	3	Vertical	139	1.75	-	33.98	7.17	35.34
PK	5.234G	117.32	Inf	-Inf	111.12	3	Vertical	139	1.75	-	34.34	7.20	35.34
AV	5.2334G	103.54	Inf	-Inf	97.35	3	Vertical	139	1.75	-	34.33	7.20	35.34
PK	5.3774G	58.75	74.00	-15.25	52.35	3	Vertical	139	1.75	-	34.55	7.20	35.35
AV	5.3702G	45.29	54.00	-8.71	38.89	3	Vertical	139	1.75	-	34.54	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_1TX

5240MHz_TnomVnom




EUT_Z_1TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1434G	57.42	74.00	-16.58	51.60	3	Horizontal	121	1.79	-	33.99	7.17	35.34
AV	5.0948G	44.79	54.00	-9.21	39.08	3	Horizontal	121	1.79	-	33.89	7.15	35.33
PK	5.234G	114.75	Inf	-Inf	108.55	3	Horizontal	121	1.79	-	34.34	7.20	35.34
AV	5.2334G	101.01	Inf	-Inf	94.82	3	Horizontal	121	1.79	-	34.33	7.20	35.34
PK	5.3702G	59.50	74.00	-14.50	53.10	3	Horizontal	121	1.79	-	34.54	7.20	35.34
AV	5.3834G	45.25	54.00	-8.75	38.83	3	Horizontal	121	1.79	-	34.57	7.20	35.35

802.11ax HEW20_Nss1,(MCS0)_1TX

5240MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.71154G	58.50	74.00	-15.50	43.24	3	Vertical	180	1.82	-	37.55	13.26	35.55
AV	15.73062G	43.86	54.00	-10.14	28.53	3	Vertical	180	1.82	-	37.62	13.27	35.56

802.11ax HEW20_Nss1,(MCS0)_1TX

5240MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.73158G	58.35	74.00	-15.65	43.01	3	Horizontal	279	2.03	-	37.63	13.27	35.56
AV	15.73254G	43.85	54.00	-10.15	28.52	3	Horizontal	279	2.03	-	37.63	13.27	35.57

802.11ax HEW20_Nss1,(MCS0)_1TX

5260MHz_TnomVnom




EUT_Z_1TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1412G	57.81	74.00	-16.19	52.00	3	Vertical	138	1.94	-	33.98	7.17	35.34
AV	5.1436G	44.73	54.00	-9.27	38.91	3	Vertical	138	1.94	-	33.99	7.17	35.34
PK	5.2666G	115.72	Inf	-Inf	109.43	3	Vertical	138	1.94	-	34.43	7.20	35.34
AV	5.266G	103.47	Inf	-Inf	97.18	3	Vertical	138	1.94	-	34.43	7.20	35.34
PK	5.3914G	58.18	74.00	-15.82	51.75	3	Vertical	138	1.94	-	34.58	7.20	35.35
AV	5.3938G	45.29	54.00	-8.71	38.85	3	Vertical	138	1.94	-	34.59	7.20	35.35

802.11ax HEW20_Nss1,(MCS0)_1TX

5260MHz_TnomVnom




EUT_Z_1TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	57.68	74.00	-16.32	51.85	3	Horizontal	122	1.90	-	34.00	7.17	35.34
AV	5.1112G	44.72	54.00	-9.28	38.97	3	Horizontal	122	1.90	-	33.92	7.16	35.33
PK	5.2666G	112.51	Inf	-Inf	106.22	3	Horizontal	122	1.90	-	34.43	7.20	35.34
AV	5.266G	100.35	Inf	-Inf	94.06	3	Horizontal	122	1.90	-	34.43	7.20	35.34
PK	5.386G	58.28	74.00	-15.72	51.86	3	Horizontal	122	1.90	-	34.57	7.20	35.35
AV	5.3764G	45.27	54.00	-8.73	38.87	3	Horizontal	122	1.90	-	34.55	7.20	35.35

802.11ax HEW20_Nss1,(MCS0)_1TX

5260MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.76704G	58.01	74.00	-15.99	42.55	3	Vertical	14	2.24	-	37.77	13.28	35.59
AV	15.79122G	44.50	54.00	-9.50	28.95	3	Vertical	14	2.24	-	37.86	13.30	35.61

802.11ax HEW20_Nss1,(MCS0)_1TX

5260MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.76734G	58.20	74.00	-15.80	42.74	3	Horizontal	175	2.79	-	37.77	13.28	35.59
AV	15.79092G	44.51	54.00	-9.49	28.96	3	Horizontal	175	2.79	-	37.86	13.30	35.61

802.11ax HEW20_Nss1,(MCS0)_1TX

5300MHz_TnomVnom




EUT_Z_1TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3064G	115.89	Inf	-Inf	109.53	3	Vertical	139	1.80	-	34.50	7.20	35.34
AV	5.306G	103.68	Inf	-Inf	97.32	3	Vertical	139	1.80	-	34.50	7.20	35.34
PK	5.3644G	64.88	74.00	-9.12	58.49	3	Vertical	139	1.80	-	34.53	7.20	35.34
AV	5.3624G	45.98	54.00	-8.02	39.60	3	Vertical	139	1.80	-	34.52	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_1TX

5300MHz_TnomVnom




EUT_Z_1TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3064G	113.11	Inf	-Inf	106.75	3	Horizontal	129	1.80	-	34.50	7.20	35.34
AV	5.306G	100.92	Inf	-Inf	94.56	3	Horizontal	129	1.80	-	34.50	7.20	35.34
PK	5.3628G	61.85	74.00	-12.15	55.46	3	Horizontal	129	1.80	-	34.53	7.20	35.34
AV	5.3608G	45.59	54.00	-8.41	39.21	3	Horizontal	129	1.80	-	34.52	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_1TX

5300MHz_TnomVnom




EUT_X_1TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6138G	56.62	74.00	-17.38	43.17	3	Vertical	65	1.54	-	38.23	10.59	35.37
AV	10.6138G	42.80	54.00	-11.20	29.35	3	Vertical	65	1.54	-	38.23	10.59	35.37
PK	15.9212G	60.83	74.00	-13.17	45.63	3	Vertical	180	1.98	-	37.56	13.36	35.72
AV	15.9212G	47.22	54.00	-6.78	32.02	3	Vertical	180	1.98	-	37.56	13.36	35.72

802.11ax HEW20_Nss1,(MCS0)_1TX

5300MHz_TnomVnom




EUT_X_1TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	10.616G	54.31	74.00	-19.69	40.86	3	Horizontal	305	1.06	-	38.23	10.59	35.37	
AV	10.6142G	41.07	54.00	-12.93	27.62	3	Horizontal	305	1.06	-	38.23	10.59	35.37	
PK	15.9212G	60.22	74.00	-13.78	45.02	3	Horizontal	186	1.80	-	37.56	13.36	35.72	
AV	15.9212G	47.03	54.00	-6.97	31.83	3	Horizontal	186	1.80	-	37.56	13.36	35.72	

802.11ax HEW20_Nss1,(MCS0)_1TX

5320MHz_TnomVnom




EUT_Z_1TX
Setting 18
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3264G	113.96	Inf	-Inf	107.60	3	Vertical	138	1.80	-	34.50	7.20	35.34
AV	5.326G	101.43	Inf	-Inf	95.07	3	Vertical	138	1.80	-	34.50	7.20	35.34
PK	5.356G	73.34	74.00	-0.66	66.97	3	Vertical	138	1.80	-	34.51	7.20	35.34
AV	5.3558G	49.25	54.00	-4.75	42.88	3	Vertical	138	1.80	-	34.51	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_1TX

5320MHz_TnomVnom




EUT_Z_1TX
Setting 18
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3262G	110.60	Inf	-Inf	104.24	3	Horizontal	130	1.80	-	34.50	7.20	35.34
AV	5.3262G	98.35	Inf	-Inf	91.99	3	Horizontal	130	1.80	-	34.50	7.20	35.34
PK	5.355G	69.21	74.00	-4.79	62.84	3	Horizontal	130	1.80	-	34.51	7.20	35.34
AV	5.3548G	47.75	54.00	-6.25	41.38	3	Horizontal	130	1.80	-	34.51	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_1TX

5320MHz_TnomVnom




EUT_X_1TX
Setting 18
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	10.6034G	52.81	74.00	-21.19	39.39	3	Vertical	338	2.46	-	38.21	10.59	35.38	
AV	10.6358G	39.54	54.00	-14.46	26.02	3	Vertical	338	2.46	-	38.27	10.60	35.35	
PK	15.9462G	57.01	74.00	-16.99	41.87	3	Vertical	309	1.54	-	37.51	13.37	35.74	
AV	15.9112G	44.13	54.00	-9.87	28.91	3	Vertical	309	1.54	-	37.58	13.36	35.72	

802.11ax HEW20_Nss1,(MCS0)_1TX

5320MHz_TnomVnom




EUT_X_1TX
Setting 18
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	10.6006G	53.56	74.00	-20.44	40.15	3	Horizontal	331	1.13	-	38.20	10.59	35.38	
AV	10.6628G	39.55	54.00	-14.45	25.95	3	Horizontal	331	1.13	-	38.33	10.60	35.33	
PK	15.9186G	57.77	74.00	-16.23	42.57	3	Horizontal	223	1.31	-	37.56	13.36	35.72	
AV	15.915G	44.08	54.00	-9.92	28.87	3	Horizontal	223	1.31	-	37.57	13.36	35.72	

802.11ax HEW20_Nss1,(MCS0)_1TX

5500MHz_TnomVnom




EUT_Z_1TX
Setting 19
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	64.73	74.00	-9.27	58.30	3	Vertical	132	2.16	-	34.52	7.26	35.35
AV	5.46G	46.53	54.00	-7.47	40.10	3	Vertical	132	2.16	-	34.52	7.26	35.35
PK	5.4624G	67.02	68.20	-1.18	60.59	3	Vertical	132	2.16	-	34.52	7.26	35.35
PK	5.4944G	116.39	Inf	-Inf	109.86	3	Vertical	132	2.16	-	34.59	7.29	35.35
AV	5.4936G	101.93	Inf	-Inf	95.40	3	Vertical	132	2.16	-	34.59	7.29	35.35

802.11ax HEW20_Nss1,(MCS0)_1TX

5500MHz_TnomVnom




EUT_Z_1TX
Setting 19
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4588G	63.36	74.00	-10.64	56.93	3	Horizontal	130	1.92	-	34.52	7.26	35.35
AV	5.46G	45.90	54.00	-8.10	39.47	3	Horizontal	130	1.92	-	34.52	7.26	35.35
PK	5.4624G	65.64	68.20	-2.56	59.21	3	Horizontal	130	1.92	-	34.52	7.26	35.35
PK	5.4944G	113.22	Inf	-Inf	106.69	3	Horizontal	130	1.92	-	34.59	7.29	35.35
AV	5.4936G	98.74	Inf	-Inf	92.21	3	Horizontal	130	1.92	-	34.59	7.29	35.35

802.11ax HEW20_Nss1,(MCS0)_1TX

5500MHz_TnomVnom




EUT X_1TX
Setting 19
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0146G	54.64	74.00	-19.36	40.64	3	Vertical	269	2.15	-	38.41	10.65	35.06
AV	10.9996G	40.79	54.00	-13.21	26.78	3	Vertical	269	2.15	-	38.40	10.65	35.04

802.11ax HEW20_Nss1,(MCS0)_1TX

5500MHz_TnomVnom




EUT X_1TX
Setting 19
03-B-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	10.9984G	54.21	74.00	-19.79	40.20	3	Horizontal	203	1.17	-	38.40	10.65	35.04	
AV	10.9862G	40.75	54.00	-13.25	26.76	3	Horizontal	203	1.17	-	38.39	10.65	35.05	

802.11ax HEW20_Nss1,(MCS0)_1TX

5580MHz_TnomVnom




EUT_Z_1TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.392G	58.68	74.00	-15.32	52.25	3	Vertical	168	1.80	-	34.58	7.20	35.35
AV	5.4136G	45.94	54.00	-8.06	39.51	3	Vertical	168	1.80	-	34.57	7.21	35.35
PK	5.468G	57.30	68.20	-10.90	50.84	3	Vertical	168	1.80	-	34.54	7.27	35.35
PK	5.5744G	118.51	Inf	-Inf	111.93	3	Vertical	168	1.80	-	34.60	7.37	35.39
AV	5.5736G	104.91	Inf	-Inf	98.33	3	Vertical	168	1.80	-	34.60	7.37	35.39
PK	5.7784G	57.79	68.20	-10.41	51.68	3	Vertical	168	1.80	-	34.20	7.40	35.49

802.11ax HEW20_Nss1,(MCS0)_1TX

5580MHz_TnomVnom




EUT_Z_1TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4288G	58.57	74.00	-15.43	52.15	3	Horizontal	132	1.68	-	34.54	7.23	35.35
AV	5.4136G	45.56	54.00	-8.44	39.13	3	Horizontal	132	1.68	-	34.57	7.21	35.35
PK	5.4608G	57.27	68.20	-10.93	50.84	3	Horizontal	132	1.68	-	34.52	7.26	35.35
PK	5.5744G	115.12	Inf	-Inf	108.54	3	Horizontal	132	1.68	-	34.60	7.37	35.39
AV	5.5736G	101.69	Inf	-Inf	95.11	3	Horizontal	132	1.68	-	34.60	7.37	35.39
PK	5.7416G	57.65	68.20	-10.55	51.50	3	Horizontal	132	1.68	-	34.22	7.40	35.47

802.11ax HEW20_Nss1,(MCS0)_1TX

5580MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1462G	61.48	74.00	-12.52	47.46	3	Vertical	191	2.80	-	38.55	10.67	35.20
AV	11.1462G	49.09	54.00	-4.91	35.07	3	Vertical	191	2.80	-	38.55	10.67	35.20

802.11ax HEW20_Nss1,(MCS0)_1TX

5580MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1458G	62.08	74.00	-11.92	48.06	3	Horizontal	255	2.14	-	38.55	10.67	35.20
AV	11.1462G	49.16	54.00	-4.84	35.14	3	Horizontal	255	2.14	-	38.55	10.67	35.20

802.11ax HEW20_Nss1,(MCS0)_1TX

5700MHz_TnomVnom




EUT_Z_1TX
Setting 18.25
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7062G	113.69	Inf	-Inf	107.45	3	Vertical	133	1.92	-	34.29	7.40	35.45
AV	5.706G	101.34	Inf	-Inf	95.10	3	Vertical	133	1.92	-	34.29	7.40	35.45
PK	5.7258G	67.39	68.20	-0.81	61.20	3	Vertical	133	1.92	-	34.25	7.40	35.46

802.11ax HEW20_Nss1,(MCS0)_1TX

5700MHz_TnomVnom




EUT_Z_1TX
Setting 18.25
03-B-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7062G	109.84	Inf	-Inf	103.60	3	Horizontal	123	1.78	-	34.29	7.40	35.45
AV	5.706G	97.56	Inf	-Inf	91.32	3	Horizontal	123	1.78	-	34.29	7.40	35.45
PK	5.725G	64.13	68.20	-4.07	57.94	3	Horizontal	123	1.78	-	34.25	7.40	35.46

802.11ax HEW20_Nss1,(MCS0)_1TX

5700MHz_TnomVnom




EUT X_1TX
Setting 18.25
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4162G	54.20	74.00	-19.80	40.17	3	Vertical	274	1.59	-	38.83	10.71	35.51
AV	11.4354G	41.16	54.00	-12.84	27.10	3	Vertical	274	1.59	-	38.87	10.72	35.53

802.11ax HEW20_Nss1,(MCS0)_1TX

5700MHz_TnomVnom




EUT X_1TX
Setting 18.25
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3808G	54.03	74.00	-19.97	40.01	3	Horizontal	113	1.50	-	38.78	10.71	35.47
AV	11.4204G	41.13	54.00	-12.87	27.09	3	Horizontal	113	1.50	-	38.84	10.71	35.51

802.11ax HEW20_Nss1,(MCS0)_1TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_1TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7266G	116.50	Inf	-Inf	110.31	3	Vertical	134	1.86	-	34.25	7.40	35.46
AV	5.726G	104.30	Inf	-Inf	98.11	3	Vertical	134	1.86	-	34.25	7.40	35.46
PK	5.8544G	58.16	68.20	-10.04	51.91	3	Vertical	134	1.86	-	34.33	7.45	35.53

802.11ax HEW20_Nss1,(MCS0)_1TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_1TX
Setting 21.5
03-B-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7266G	111.96	Inf	-Inf	105.77	3	Horizontal	125	1.80	-	34.25	7.40	35.46
AV	5.726G	99.75	Inf	-Inf	93.56	3	Horizontal	125	1.80	-	34.25	7.40	35.46
PK	5.855G	58.11	68.20	-10.09	51.85	3	Horizontal	125	1.80	-	34.33	7.46	35.53

802.11ax HEW20_Nss1,(MCS0)_1TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_1TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4538G	60.53	74.00	-13.47	46.45	3	Vertical	157	2.83	-	38.91	10.72	35.55
AV	11.454G	46.11	54.00	-7.89	32.03	3	Vertical	157	2.83	-	38.91	10.72	35.55

802.11ax HEW20_Nss1,(MCS0)_1TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_1TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.453G	58.19	74.00	-15.81	44.11	3	Horizontal	248	2.90	-	38.91	10.72	35.55
AV	11.454G	45.48	54.00	-8.52	31.40	3	Horizontal	248	2.90	-	38.91	10.72	35.55

802.11ax HEW20_Nss1,(MCS0)_1TX

5745MHz_TnomVnom




EUT_Z_1TX
Setting 21.5
03-B-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.579G	59.04	68.20	-9.16	52.45	3	Vertical	133	1.80	-	34.60	7.38	35.39
PK	5.739G	117.63	Inf	-Inf	111.48	3	Vertical	133	1.80	-	34.22	7.40	35.47
AV	5.739G	103.80	Inf	-Inf	97.65	3	Vertical	133	1.80	-	34.22	7.40	35.47
PK	5.938G	59.07	68.20	-9.13	52.35	3	Vertical	133	1.80	-	34.75	7.54	35.57

802.11ax HEW20_Nss1,(MCS0)_1TX

5745MHz_TnomVnom




EUT_Z_1TX
Setting 21.5
03-B-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.624G	59.25	68.20	-8.95	52.71	3	Horizontal	123	1.77	-	34.55	7.40	35.41
PK	5.739G	113.19	Inf	-Inf	107.04	3	Horizontal	123	1.77	-	34.22	7.40	35.47
AV	5.739G	99.42	Inf	-Inf	93.27	3	Horizontal	123	1.77	-	34.22	7.40	35.47
PK	5.956G	58.17	68.20	-10.03	51.39	3	Horizontal	123	1.77	-	34.80	7.56	35.58

802.11ax HEW20_Nss1,(MCS0)_1TX

5745MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4758G	60.34	74.00	-13.66	46.24	3	Vertical	161	2.94	-	38.95	10.72	35.57
AV	11.4762G	47.25	54.00	-6.75	33.15	3	Vertical	161	2.94	-	38.95	10.72	35.57

802.11ax HEW20_Nss1,(MCS0)_1TX

5745MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.4748G	56.90	74.00	-17.10	42.80	3	Horizontal	244	1.80	-	38.95	10.72	35.57	
AV	11.476G	44.51	54.00	-9.49	30.41	3	Horizontal	244	1.80	-	38.95	10.72	35.57	

802.11ax HEW20_Nss1,(MCS0)_1TX

5785MHz_TnomVnom




EUT_Z_1TX
Setting 21.5
03-B-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.605G	59.53	68.20	-8.67	52.94	3	Vertical	135	1.80	-	34.59	7.40	35.40
PK	5.779G	117.51	Inf	-Inf	111.40	3	Vertical	135	1.80	-	34.20	7.40	35.49
AV	5.779G	103.70	Inf	-Inf	97.59	3	Vertical	135	1.80	-	34.20	7.40	35.49
PK	5.938G	59.07	68.20	-9.13	52.35	3	Vertical	135	1.80	-	34.75	7.54	35.57

802.11ax HEW20_Nss1,(MCS0)_1TX

5785MHz_TnomVnom




EUT_Z_1TX
Setting 21.5
03-B-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.619G	58.36	68.20	-9.84	51.81	3	Horizontal	122	1.64	-	34.56	7.40	35.41
PK	5.779G	112.95	Inf	-Inf	106.84	3	Horizontal	122	1.64	-	34.20	7.40	35.49
AV	5.779G	99.50	Inf	-Inf	93.39	3	Horizontal	122	1.64	-	34.20	7.40	35.49
PK	5.951G	58.93	68.20	-9.27	52.16	3	Horizontal	122	1.64	-	34.80	7.55	35.58

802.11ax HEW20_Nss1,(MCS0)_1TX

5785MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5558G	60.87	74.00	-13.13	46.51	3	Vertical	164	3.00	-	39.22	10.73	35.59
AV	11.5562G	48.52	54.00	-5.48	34.16	3	Vertical	164	3.00	-	39.22	10.73	35.59

802.11ax HEW20_Nss1,(MCS0)_1TX

5785MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.556G	61.47	74.00	-12.53	47.11	3	Horizontal	134	2.09	-	39.22	10.73	35.59	
AV	11.556G	48.19	54.00	-5.81	33.83	3	Horizontal	134	2.09	-	39.22	10.73	35.59	

802.11ax HEW20_Nss1,(MCS0)_1TX

5825MHz_TnomVnom




EUT Z_1TX
Setting 21.5
03-B-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.639G	57.78	68.20	-10.42	51.28	3	Vertical	132	1.80	-	34.52	7.40	35.42
PK	5.832G	115.00	Inf	-Inf	108.83	3	Vertical	132	1.80	-	34.26	7.43	35.52
AV	5.831G	102.77	Inf	-Inf	96.60	3	Vertical	132	1.80	-	34.26	7.43	35.52
PK	6.071G	58.72	68.20	-9.48	51.71	3	Vertical	132	1.80	-	34.94	7.64	35.57

802.11ax HEW20_Nss1,(MCS0)_1TX

5825MHz_TnomVnom




EUT Z_1TX
Setting 21.5
03-B-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.622G	58.24	68.20	-9.96	51.69	3	Horizontal	58	1.78	-	34.56	7.40	35.41
PK	5.831G	109.06	Inf	-Inf	102.89	3	Horizontal	58	1.78	-	34.26	7.43	35.52
AV	5.831G	96.95	Inf	-Inf	90.78	3	Horizontal	58	1.78	-	34.26	7.43	35.52
PK	6.057G	59.06	68.20	-9.14	52.10	3	Horizontal	58	1.78	-	34.91	7.63	35.58

802.11ax HEW20_Nss1,(MCS0)_1TX

5825MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6626G	62.01	74.00	-11.99	47.42	3	Vertical	164	2.89	-	39.40	10.75	35.56
AV	11.664G	48.75	54.00	-5.25	34.16	3	Vertical	164	2.89	-	39.40	10.75	35.56

802.11ax HEW20_Nss1,(MCS0)_1TX

5825MHz_TnomVnom



EUT X_1TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6654G	62.17	74.00	-11.83	47.58	3	Horizontal	204	2.05	-	39.40	10.75	35.56
AV	11.664G	48.90	54.00	-5.10	34.31	3	Horizontal	204	2.05	-	39.40	10.75	35.56



RSE TX above 1GHz
<Partial RU> UNII1~UNII3 RU 106 Ant. 2 (1TX)


Appendix E.13

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1.(MCS0)_1TX	Pass	PK	5.35G	73.92	74.00	-0.08	3	Vertical	138	1.90	-

802.11ax HEW20_Nss1,(MCS0)_1TX

5180MHz_TnomVnom




EUT_Z_1TX
Setting 21.5
03-B-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	73.15	74.00	-0.85	67.32	3	Vertical	138	1.80	-	34.00	7.17	35.34
AV	5.15G	49.14	54.00	-4.86	43.31	3	Vertical	138	1.80	-	34.00	7.17	35.34
PK	5.1782G	113.76	Inf	-Inf	107.80	3	Vertical	138	1.80	-	34.11	7.19	35.34
AV	5.1776G	102.25	Inf	-Inf	96.29	3	Vertical	138	1.80	-	34.11	7.19	35.34

802.11ax HEW20_Nss1,(MCS0)_1TX

5180MHz_TnomVnom




EUT_Z_1TX
Setting 21.5
03-B-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1498G	70.37	74.00	-3.63	64.54	3	Horizontal	179	1.80	-	34.00	7.17	35.34
AV	5.15G	47.90	54.00	-6.10	42.07	3	Horizontal	179	1.80	-	34.00	7.17	35.34
PK	5.1782G	111.15	Inf	-Inf	105.19	3	Horizontal	179	1.80	-	34.11	7.19	35.34
AV	5.1776G	99.66	Inf	-Inf	93.70	3	Horizontal	179	1.80	-	34.11	7.19	35.34

802.11ax HEW20_Nss1,(MCS0)_1TX

5180MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-B-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	15.5282G	60.36	74.00	-13.64	44.09	3	Vertical	150	2.30	-	38.50	13.16	35.39	
AV	15.5272G	46.90	54.00	-7.10	30.62	3	Vertical	150	2.30	-	38.51	13.16	35.39	

802.11ax HEW20_Nss1,(MCS0)_1TX

5180MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-B-K-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	15.5304G	59.69	74.00	-14.31	43.43	3	Horizontal	274	1.80	-	38.49	13.17	35.40	
AV	15.5274G	46.03	54.00	-7.97	29.75	3	Horizontal	274	1.80	-	38.51	13.16	35.39	

802.11ax HEW20_Nss1,(MCS0)_1TX

5200MHz_TnomVnom




EUT_Z_1TX
Setting 21.5
03-B-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.1492G	59.41	74.00	-14.59	53.58	3	Vertical	138	1.76	-	34.00	7.17	35.34	
AV	5.148G	45.06	54.00	-8.94	39.23	3	Vertical	138	1.76	-	34.00	7.17	35.34	
PK	5.1984G	114.04	Inf	-Inf	107.99	3	Vertical	138	1.76	-	34.19	7.20	35.34	
AV	5.1976G	102.47	Inf	-Inf	96.42	3	Vertical	138	1.76	-	34.19	7.20	35.34	

802.11ax HEW20_Nss1,(MCS0)_1TX

5200MHz_TnomVnom




EUT_Z_1TX
Setting 21.5
03-B-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1156G	58.67	74.00	-15.33	52.91	3	Horizontal	120	1.78	-	33.93	7.16	35.33
AV	5.1484G	44.95	54.00	-9.05	39.12	3	Horizontal	120	1.78	-	34.00	7.17	35.34
PK	5.1984G	111.78	Inf	-Inf	105.73	3	Horizontal	120	1.78	-	34.19	7.20	35.34
AV	5.1976G	100.35	Inf	-Inf	94.30	3	Horizontal	120	1.78	-	34.19	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_1TX

5200MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-B-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.5888G	59.70	74.00	-14.30	43.87	3	Vertical	148	2.50	-	38.08	13.19	35.44
AV	15.5876G	46.74	54.00	-7.26	30.90	3	Vertical	148	2.50	-	38.09	13.19	35.44

802.11ax HEW20_Nss1,(MCS0)_1TX

5200MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-B-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.5882G	59.26	74.00	-14.74	43.43	3	Horizontal	274	1.80	-	38.08	13.19	35.44
AV	15.5874G	46.22	54.00	-7.78	30.38	3	Horizontal	274	1.80	-	38.09	13.19	35.44

802.11ax HEW20_Nss1,(MCS0)_1TX

5240MHz_TnomVnom




EUT_Z_1TX
Setting 21.5
03-B-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1098G	57.73	74.00	-16.27	51.99	3	Vertical	137	1.96	-	33.92	7.15	35.33
AV	5.0966G	44.81	54.00	-9.19	39.10	3	Vertical	137	1.96	-	33.89	7.15	35.33
PK	5.2382G	114.72	Inf	-Inf	108.51	3	Vertical	137	1.96	-	34.35	7.20	35.34
AV	5.2376G	103.14	Inf	-Inf	96.93	3	Vertical	137	1.96	-	34.35	7.20	35.34
PK	5.3768G	57.95	74.00	-16.05	51.55	3	Vertical	137	1.96	-	34.55	7.20	35.35
AV	5.3522G	45.26	54.00	-8.74	38.90	3	Vertical	137	1.96	-	34.50	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_1TX

5240MHz_TnomVnom




EUT_Z_1TX
Setting 21.5
03-B-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.12G	57.82	74.00	-16.18	52.05	3	Horizontal	127	1.80	-	33.94	7.16	35.33
AV	5.0942G	44.77	54.00	-9.23	39.06	3	Horizontal	127	1.80	-	33.89	7.15	35.33
PK	5.2382G	111.34	Inf	-Inf	105.13	3	Horizontal	127	1.80	-	34.35	7.20	35.34
AV	5.2376G	99.87	Inf	-Inf	93.66	3	Horizontal	127	1.80	-	34.35	7.20	35.34
PK	5.36G	57.83	74.00	-16.17	51.45	3	Horizontal	127	1.80	-	34.52	7.20	35.34
AV	5.39G	45.17	54.00	-8.83	38.74	3	Horizontal	127	1.80	-	34.58	7.20	35.35

802.11ax HEW20_Nss1,(MCS0)_1TX

5240MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-B-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	15.7084G	59.00	74.00	-15.00	43.77	3	Vertical	157	2.25	-	37.53	13.25	35.55	
AV	15.7074G	45.52	54.00	-8.48	30.28	3	Vertical	157	2.25	-	37.53	13.25	35.54	

802.11ax HEW20_Nss1,(MCS0)_1TX

5240MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-B-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.7018G	58.93	74.00	-15.07	43.71	3	Horizontal	271	1.80	-	37.51	13.25	35.54
AV	15.7076G	45.38	54.00	-8.62	30.14	3	Horizontal	271	1.80	-	37.53	13.25	35.54

802.11ax HEW20_Nss1,(MCS0)_1TX

5260MHz_TnomVnom




EUT_Z_1TX
Setting 21.5
03-B-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1304G	57.96	74.00	-16.04	52.17	3	Vertical	139	1.80	-	33.96	7.17	35.34
AV	5.146G	44.71	54.00	-9.29	38.89	3	Vertical	139	1.80	-	33.99	7.17	35.34
PK	5.2624G	114.59	Inf	-Inf	108.31	3	Vertical	139	1.80	-	34.42	7.20	35.34
AV	5.2618G	102.59	Inf	-Inf	96.31	3	Vertical	139	1.80	-	34.42	7.20	35.34
PK	5.3578G	58.25	74.00	-15.75	51.87	3	Vertical	139	1.80	-	34.52	7.20	35.34
AV	5.3776G	45.29	54.00	-8.71	38.88	3	Vertical	139	1.80	-	34.56	7.20	35.35

802.11ax HEW20_Nss1,(MCS0)_1TX

5260MHz_TnomVnom




EUT_Z_1TX
Setting 21.5
03-B-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1226G	57.70	74.00	-16.30	51.92	3	Horizontal	122	1.89	-	33.95	7.16	35.33
AV	5.1346G	44.73	54.00	-9.27	38.93	3	Horizontal	122	1.89	-	33.97	7.17	35.34
PK	5.263G	112.06	Inf	-Inf	105.77	3	Horizontal	122	1.89	-	34.43	7.20	35.34
AV	5.2618G	100.02	Inf	-Inf	93.74	3	Horizontal	122	1.89	-	34.42	7.20	35.34
PK	5.3884G	58.31	74.00	-15.69	51.88	3	Horizontal	122	1.89	-	34.58	7.20	35.35
AV	5.3854G	45.21	54.00	-8.79	38.79	3	Horizontal	122	1.89	-	34.57	7.20	35.35

802.11ax HEW20_Nss1,(MCS0)_1TX

5260MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-B-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	15.7896G	59.90	74.00	-14.10	44.36	3	Vertical	158	2.33	-	37.86	13.29	35.61	
AV	15.7906G	46.18	54.00	-7.82	30.63	3	Vertical	158	2.33	-	37.86	13.30	35.61	

802.11ax HEW20_Nss1,(MCS0)_1TX

5260MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-B-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.7892G	58.69	74.00	-15.31	43.15	3	Horizontal	273	1.78	-	37.86	13.29	35.61
AV	15.7894G	45.58	54.00	-8.42	30.04	3	Horizontal	273	1.78	-	37.86	13.29	35.61

802.11ax HEW20_Nss1,(MCS0)_1TX

5300MHz_TnomVnom




EUT_Z_1TX
Setting 21.5
03-B-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3028G	115.30	Inf	-Inf	108.94	3	Vertical	139	1.80	-	34.50	7.20	35.34
AV	5.302G	103.13	Inf	-Inf	96.77	3	Vertical	139	1.80	-	34.50	7.20	35.34
PK	5.3508G	63.78	74.00	-10.22	57.42	3	Vertical	139	1.80	-	34.50	7.20	35.34
AV	5.35G	46.25	54.00	-7.75	39.89	3	Vertical	139	1.80	-	34.50	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_1TX

5300MHz_TnomVnom




EUT_Z_1TX
Setting 21.5
03-B-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3028G	112.60	Inf	-Inf	106.24	3	Horizontal	128	1.80	-	34.50	7.20	35.34
AV	5.302G	100.55	Inf	-Inf	94.19	3	Horizontal	128	1.80	-	34.50	7.20	35.34
PK	5.3512G	60.28	74.00	-13.72	53.92	3	Horizontal	128	1.80	-	34.50	7.20	35.34
AV	5.3504G	45.82	54.00	-8.18	39.46	3	Horizontal	128	1.80	-	34.50	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_1TX

5300MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-B-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6082G	53.43	74.00	-20.57	40.00	3	Vertical	203	1.80	-	38.22	10.59	35.38
AV	10.6086G	40.43	54.00	-13.57	27.00	3	Vertical	203	1.80	-	38.22	10.59	35.38
PK	15.9114G	58.94	74.00	-15.06	43.72	3	Vertical	184	1.90	-	37.58	13.36	35.72
AV	15.911G	45.67	54.00	-8.33	30.45	3	Vertical	184	1.90	-	37.58	13.36	35.72

802.11ax HEW20_Nss1,(MCS0)_1TX

5300MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-B-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6042G	54.62	74.00	-19.38	41.20	3	Horizontal	100	1.80	-	38.21	10.59	35.38
AV	10.6088G	40.26	54.00	-13.74	26.83	3	Horizontal	100	1.80	-	38.22	10.59	35.38
PK	15.9046G	58.95	74.00	-15.05	43.72	3	Horizontal	273	1.80	-	37.59	13.35	35.71
AV	15.9134G	45.22	54.00	-8.78	30.01	3	Horizontal	273	1.80	-	37.57	13.36	35.72

802.11ax HEW20_Nss1,(MCS0)_1TX

5320MHz_TnomVnom




EUT_Z_1TX
Setting 19
03-B-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3228G	114.55	Inf	-Inf	108.19	3	Vertical	138	1.90	-	34.50	7.20	35.34
AV	5.322G	102.49	Inf	-Inf	96.13	3	Vertical	138	1.90	-	34.50	7.20	35.34
PK	5.35G	73.92	74.00	-0.08	67.56	3	Vertical	138	1.90	-	34.50	7.20	35.34
AV	5.35G	51.43	54.00	-2.57	45.07	3	Vertical	138	1.90	-	34.50	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_1TX

5320MHz_TnomVnom




EUT_Z_1TX
Setting 19
03-B-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3228G	110.96	Inf	-Inf	104.60	3	Horizontal	129	1.80	-	34.50	7.20	35.34
AV	5.322G	98.95	Inf	-Inf	92.59	3	Horizontal	129	1.80	-	34.50	7.20	35.34
PK	5.3504G	70.75	74.00	-3.25	64.39	3	Horizontal	129	1.80	-	34.50	7.20	35.34
AV	5.35G	49.41	54.00	-4.59	43.05	3	Horizontal	129	1.80	-	34.50	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_1TX

5320MHz_TnomVnom




EUT_X_1TX
Setting 19
03-B-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6263G	53.01	74.00	-20.99	39.53	3	Vertical	304	2.50	-	38.25	10.59	35.36
AV	10.6254G	39.35	54.00	-14.65	25.87	3	Vertical	304	2.50	-	38.25	10.59	35.36
PK	15.9616G	57.75	74.00	-16.25	42.65	3	Vertical	9	2.54	-	37.48	13.38	35.76
AV	15.9355G	44.15	54.00	-9.85	28.99	3	Vertical	9	2.54	-	37.53	13.37	35.74

802.11ax HEW20_Nss1,(MCS0)_1TX

5320MHz_TnomVnom




EUT_X_1TX
Setting 19
03-B-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	10.6186G	52.99	74.00	-21.01	39.53	3	Horizontal	202	1.22	-	38.24	10.59	35.37	
AV	10.6129G	39.36	54.00	-14.64	25.91	3	Horizontal	202	1.22	-	38.23	10.59	35.37	
PK	15.9704G	57.89	74.00	-16.11	42.81	3	Horizontal	67	2.47	-	37.46	13.39	35.77	
AV	15.9637G	44.04	54.00	-9.96	28.95	3	Horizontal	67	2.47	-	37.47	13.38	35.76	

802.11ax HEW20_Nss1,(MCS0)_1TX

5500MHz_TnomVnom




EUT_Z_1TX
Setting 18.75
03-B-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.4584G	58.77	74.00	-15.23	52.34	3	Vertical	132	1.95	-	34.52	7.26	35.35	
AV	5.4572G	45.69	54.00	-8.31	39.27	3	Vertical	132	1.95	-	34.51	7.26	35.35	
PK	5.4696G	67.83	68.20	-0.37	61.37	3	Vertical	132	1.95	-	34.54	7.27	35.35	
PK	5.497G	113.31	Inf	-Inf	106.77	3	Vertical	132	1.95	-	34.59	7.30	35.35	
AV	5.4976G	101.38	Inf	-Inf	94.83	3	Vertical	132	1.95	-	34.60	7.30	35.35	

802.11ax HEW20_Nss1,(MCS0)_1TX

5500MHz_TnomVnom




EUT_Z_1TX
Setting 18.75
03-B-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4582G	58.39	74.00	-15.61	51.96	3	Horizontal	129	1.87	-	34.52	7.26	35.35
AV	5.4578G	45.42	54.00	-8.58	38.99	3	Horizontal	129	1.87	-	34.52	7.26	35.35
PK	5.47G	64.70	68.20	-3.50	58.24	3	Horizontal	129	1.87	-	34.54	7.27	35.35
PK	5.4968G	110.30	Inf	-Inf	103.76	3	Horizontal	129	1.87	-	34.59	7.30	35.35
AV	5.4976G	98.36	Inf	-Inf	91.81	3	Horizontal	129	1.87	-	34.60	7.30	35.35

802.11ax HEW20_Nss1,(MCS0)_1TX

5500MHz_TnomVnom




EUT X_1TX
Setting 18.75
03-B-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11G	53.93	74.00	-20.07	39.92	3	Vertical	339	1.51	-	38.40	10.65	35.04
AV	10.9948G	40.63	54.00	-13.37	26.63	3	Vertical	339	1.51	-	38.39	10.65	35.04

802.11ax HEW20_Nss1,(MCS0)_1TX

5500MHz_TnomVnom




EUT X_1TX
Setting 18.75
03-B-K-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	11.0005G	54.06	74.00	-19.94	40.05	3	Horizontal	282	2.46	-	38.40	10.65	35.04
AV	10.9889G	40.64	54.00	-13.36	26.65	3	Horizontal	282	2.46	-	38.39	10.65	35.05

802.11ax HEW20_Nss1,(MCS0)_1TX

5580MHz_TnomVnom




EUT_Z_1TX
Setting 21.5
03-B-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4144G	58.71	74.00	-15.29	52.28	3	Vertical	169	2.01	-	34.57	7.21	35.35
AV	5.4176G	45.68	54.00	-8.32	39.25	3	Vertical	169	2.01	-	34.56	7.22	35.35
PK	5.4672G	57.25	68.20	-10.95	50.80	3	Vertical	169	2.01	-	34.53	7.27	35.35
PK	5.5784G	116.03	Inf	-Inf	109.44	3	Vertical	169	2.01	-	34.60	7.38	35.39
AV	5.5776G	104.49	Inf	-Inf	97.90	3	Vertical	169	2.01	-	34.60	7.38	35.39
PK	5.7512G	57.70	68.20	-10.50	51.58	3	Vertical	169	2.01	-	34.20	7.40	35.48

802.11ax HEW20_Nss1,(MCS0)_1TX

5580MHz_TnomVnom




EUT_Z_1TX
Setting 21.5
03-B-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4112G	58.52	74.00	-15.48	52.08	3	Horizontal	130	1.68	-	34.58	7.21	35.35
AV	5.416G	45.53	54.00	-8.47	39.09	3	Horizontal	130	1.68	-	34.57	7.22	35.35
PK	5.4632G	57.36	68.20	-10.84	50.92	3	Horizontal	130	1.68	-	34.53	7.26	35.35
PK	5.5784G	112.38	Inf	-Inf	105.79	3	Horizontal	130	1.68	-	34.60	7.38	35.39
AV	5.5776G	101.01	Inf	-Inf	94.42	3	Horizontal	130	1.68	-	34.60	7.38	35.39
PK	5.7352G	57.68	68.20	-10.52	51.52	3	Horizontal	130	1.68	-	34.23	7.40	35.47

802.11ax HEW20_Nss1,(MCS0)_1TX

5580MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-B-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.149G	59.68	74.00	-14.32	45.67	3	Vertical	171	2.91	-	38.55	10.67	35.21	
AV	11.1512G	47.55	54.00	-6.45	33.54	3	Vertical	171	2.91	-	38.55	10.67	35.21	

802.11ax HEW20_Nss1,(MCS0)_1TX

5580MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-B-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.151G	59.13	74.00	-14.87	45.12	3	Horizontal	131	1.80	-	38.55	10.67	35.21	
AV	11.1512G	47.10	54.00	-6.90	33.09	3	Horizontal	131	1.80	-	38.55	10.67	35.21	

802.11ax HEW20_Nss1,(MCS0)_1TX

5700MHz_TnomVnom




EUT_Z_1TX
Setting 17.5
03-B-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7028G	112.73	Inf	-Inf	106.49	3	Vertical	130	1.77	-	34.29	7.40	35.45
AV	5.702G	100.70	Inf	-Inf	94.45	3	Vertical	130	1.77	-	34.30	7.40	35.45
PK	5.7266G	68.03	68.20	-0.17	61.84	3	Vertical	130	1.77	-	34.25	7.40	35.46

802.11ax HEW20_Nss1,(MCS0)_1TX

5700MHz_TnomVnom




EUT_Z_1TX
Setting 17.5
03-B-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7028G	108.76	Inf	-Inf	102.52	3	Horizontal	122	1.77	-	34.29	7.40	35.45
AV	5.702G	96.85	Inf	-Inf	90.60	3	Horizontal	122	1.77	-	34.30	7.40	35.45
PK	5.725G	63.71	68.20	-4.49	57.52	3	Horizontal	122	1.77	-	34.25	7.40	35.46

802.11ax HEW20_Nss1,(MCS0)_1TX

5700MHz_TnomVnom




EUT X_1TX
Setting 17.5
03-B-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4062G	54.44	74.00	-19.56	40.41	3	Vertical	326	1.58	-	38.81	10.71	35.49
AV	11.4234G	41.11	54.00	-12.89	27.06	3	Vertical	326	1.58	-	38.85	10.71	35.51

802.11ax HEW20_Nss1,(MCS0)_1TX

5700MHz_TnomVnom




EUT X_1TX
Setting 17.5
03-B-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4012G	54.19	74.00	-19.81	40.17	3	Horizontal	347	1.27	-	38.80	10.71	35.49
AV	11.4012G	41.21	54.00	-12.79	27.19	3	Horizontal	347	1.27	-	38.80	10.71	35.49

802.11ax HEW20_Nss1,(MCS0)_1TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_1TX
Setting 21.5
03-B-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.723G	115.34	Inf	-Inf	109.15	3	Vertical	134	1.80	-	34.25	7.40	35.46
AV	5.7218G	103.38	Inf	-Inf	97.18	3	Vertical	134	1.80	-	34.26	7.40	35.46
PK	5.852G	57.85	68.20	-10.35	51.62	3	Vertical	134	1.80	-	34.31	7.45	35.53

802.11ax HEW20_Nss1,(MCS0)_1TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_1TX
Setting 21.5
03-B-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7224G	111.84	Inf	-Inf	105.64	3	Horizontal	122	1.80	-	34.26	7.40	35.46
AV	5.7218G	99.86	Inf	-Inf	93.66	3	Horizontal	122	1.80	-	34.26	7.40	35.46
PK	5.8652G	58.14	68.20	-10.06	51.81	3	Horizontal	122	1.80	-	34.39	7.47	35.53

802.11ax HEW20_Nss1,(MCS0)_1TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_1TX
Setting 21.5
03-B-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4508G	60.59	74.00	-13.41	46.51	3	Vertical	159	3.00	-	38.90	10.72	35.54
AV	11.4462G	46.88	54.00	-7.12	32.81	3	Vertical	159	3.00	-	38.89	10.72	35.54

802.11ax HEW20_Nss1,(MCS0)_1TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_1TX
Setting 21.5
03-B-K-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	11.451G	59.22	74.00	-14.78	45.15	3	Horizontal	146	1.80	-	38.90	10.72	35.55
AV	11.4488G	45.25	54.00	-8.75	31.17	3	Horizontal	146	1.80	-	38.90	10.72	35.54

802.11ax HEW20_Nss1,(MCS0)_1TX

5745MHz_TnomVnom




EUT_Z_1TX
Setting 21.5
03-B-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.516G	58.40	68.20	-9.80	51.84	3	Vertical	132	1.83	-	34.60	7.32	35.36
PK	5.743G	115.35	Inf	-Inf	109.21	3	Vertical	132	1.83	-	34.21	7.40	35.47
AV	5.743G	103.83	Inf	-Inf	97.69	3	Vertical	132	1.83	-	34.21	7.40	35.47
PK	5.938G	59.14	68.20	-9.06	52.42	3	Vertical	132	1.83	-	34.75	7.54	35.57

802.11ax HEW20_Nss1,(MCS0)_1TX

5745MHz_TnomVnom




EUT_Z_1TX
Setting 21.5
03-B-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.586G	58.58	68.20	-9.62	51.98	3	Horizontal	125	1.64	-	34.60	7.39	35.39
PK	5.743G	109.97	Inf	-Inf	103.83	3	Horizontal	125	1.64	-	34.21	7.40	35.47
AV	5.743G	98.63	Inf	-Inf	92.49	3	Horizontal	125	1.64	-	34.21	7.40	35.47
PK	5.983G	59.80	68.20	-8.40	53.01	3	Horizontal	125	1.64	-	34.80	7.58	35.59

802.11ax HEW20_Nss1,(MCS0)_1TX

5745MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-B-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4794G	60.48	74.00	-13.52	46.38	3	Vertical	158	2.98	-	38.96	10.72	35.58
AV	11.4812G	47.47	54.00	-6.53	33.37	3	Vertical	158	2.98	-	38.96	10.72	35.58

802.11ax HEW20_Nss1,(MCS0)_1TX

5745MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-B-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4866G	58.71	74.00	-15.29	44.60	3	Horizontal	146	1.80	-	38.97	10.72	35.58
AV	11.4814G	46.30	54.00	-7.70	32.20	3	Horizontal	146	1.80	-	38.96	10.72	35.58

802.11ax HEW20_Nss1,(MCS0)_1TX

5785MHz_TnomVnom




EUT_Z_1TX
Setting 21.5
03-B-K-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	5.543G	58.37	68.20	-9.83	51.80	3	Vertical	134	1.80	-	34.60	7.34	35.37
PK	5.783G	114.81	Inf	-Inf	108.70	3	Vertical	134	1.80	-	34.20	7.40	35.49
AV	5.783G	103.31	Inf	-Inf	97.20	3	Vertical	134	1.80	-	34.20	7.40	35.49
PK	6.01G	58.82	68.20	-9.38	52.00	3	Vertical	134	1.80	-	34.82	7.60	35.60

802.11ax HEW20_Nss1,(MCS0)_1TX

5785MHz_TnomVnom




EUT Z_1TX
Setting 21.5
03-B-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.552G	58.37	68.20	-9.83	51.80	3	Horizontal	122	1.65	-	34.60	7.35	35.38
PK	5.783G	110.19	Inf	-Inf	104.08	3	Horizontal	122	1.65	-	34.20	7.40	35.49
AV	5.783G	98.77	Inf	-Inf	92.66	3	Horizontal	122	1.65	-	34.20	7.40	35.49
PK	6.016G	58.58	68.20	-9.62	51.73	3	Horizontal	122	1.65	-	34.83	7.61	35.59

802.11ax HEW20_Nss1,(MCS0)_1TX

5785MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-B-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5612G	61.24	74.00	-12.76	46.86	3	Vertical	158	3.00	-	39.24	10.73	35.59
AV	11.5614G	48.91	54.00	-5.09	34.52	3	Vertical	158	3.00	-	39.25	10.73	35.59

802.11ax HEW20_Nss1,(MCS0)_1TX

5785MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-B-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5612G	60.45	74.00	-13.55	46.07	3	Horizontal	147	1.80	-	39.24	10.73	35.59
AV	11.5612G	48.01	54.00	-5.99	33.63	3	Horizontal	147	1.80	-	39.24	10.73	35.59

802.11ax HEW20_Nss1,(MCS0)_1TX

5825MHz_TnomVnom




EUT Z_1TX
Setting 21.5
03-B-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.623G	58.92	68.20	-9.28	52.38	3	Vertical	133	1.80	-	34.55	7.40	35.41
PK	5.828G	114.62	Inf	-Inf	108.44	3	Vertical	133	1.80	-	34.26	7.43	35.51
AV	5.827G	102.58	Inf	-Inf	96.41	3	Vertical	133	1.80	-	34.25	7.43	35.51
PK	5.993G	59.49	68.20	-8.71	52.70	3	Vertical	133	1.80	-	34.80	7.59	35.60

802.11ax HEW20_Nss1,(MCS0)_1TX

5825MHz_TnomVnom




EUT Z_1TX
Setting 21.5
03-B-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.602G	58.69	68.20	-9.51	52.09	3	Horizontal	58	1.85	-	34.60	7.40	35.40
PK	5.828G	108.36	Inf	-Inf	102.18	3	Horizontal	58	1.85	-	34.26	7.43	35.51
AV	5.827G	96.59	Inf	-Inf	90.42	3	Horizontal	58	1.85	-	34.25	7.43	35.51
PK	6.018G	58.80	68.20	-9.40	51.94	3	Horizontal	58	1.85	-	34.84	7.61	35.59

802.11ax HEW20_Nss1,(MCS0)_1TX

5825MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-B-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6588G	62.29	74.00	-11.71	47.71	3	Vertical	143	3.00	-	39.40	10.75	35.57
AV	11.6562G	48.70	54.00	-5.30	34.12	3	Vertical	143	3.00	-	39.40	10.75	35.57

802.11ax HEW20_Nss1,(MCS0)_1TX

5825MHz_TnomVnom



EUT X_1TX
Setting 21.5
03-B-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.6612G	61.43	74.00	-12.57	46.84	3	Horizontal	149	1.79	-	39.40	10.75	35.56	
AV	11.6562G	47.65	54.00	-6.35	33.07	3	Horizontal	149	1.79	-	39.40	10.75	35.57	



RSE TX above 1GHz
<Partial RU> UNII1~UNII3 RU 26 Ant. 3 (1TX)


Appendix E.14

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	AV	11.5531G	53.97	54.00	-0.03	3	Vertical	173	3.00	-

802.11ax HEW20_Nss1,(MCS0)_1TX

5180MHz_TnomVnom




EUT_X_1TX
Setting 20.25
03-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1392G	73.35	74.00	-0.65	67.54	3	Vertical	69	1.80	-	33.98	7.17	35.34
AV	5.138G	53.26	54.00	-0.74	47.45	3	Vertical	69	1.80	-	33.98	7.17	35.34
PK	5.1718G	121.98	Inf	-Inf	116.04	3	Vertical	69	1.80	-	34.09	7.19	35.34
AV	5.1718G	110.38	Inf	-Inf	104.44	3	Vertical	69	1.80	-	34.09	7.19	35.34

802.11ax HEW20_Nss1,(MCS0)_1TX

5180MHz_TnomVnom




EUT X_1TX
Setting 20.25
03-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.344G	60.93	68.20	-7.27	47.83	3	Vertical	180	1.05	-	38.14	10.55	35.59
PK	15.53196G	60.52	74.00	-13.48	44.27	3	Vertical	103	2.63	-	38.48	13.17	35.40
AV	15.52752G	47.05	54.00	-6.95	30.77	3	Vertical	103	2.63	-	38.51	13.16	35.39

802.11ax HEW20_Nss1,(MCS0)_1TX

5180MHz_TnomVnom




EUT X_1TX
Setting 20.25
03-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.3436G	57.62	68.20	-10.58	44.53	3	Horizontal	149	1.95	-	38.14	10.55	35.60
PK	15.54234G	60.98	74.00	-13.02	44.82	3	Horizontal	85	2.72	-	38.40	13.17	35.41
AV	15.52632G	47.00	54.00	-7.00	30.71	3	Horizontal	85	2.72	-	38.52	13.16	35.39

802.11ax HEW20_Nss1,(MCS0)_1TX

5200MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.1476G	60.84	74.00	-13.16	55.01	3	Vertical	68	1.86	-	34.00	7.17	35.34	
AV	5.15G	46.32	54.00	-7.68	40.49	3	Vertical	68	1.86	-	34.00	7.17	35.34	
PK	5.192G	123.56	Inf	-Inf	117.53	3	Vertical	68	1.86	-	34.17	7.20	35.34	
AV	5.1916G	112.66	Inf	-Inf	106.63	3	Vertical	68	1.86	-	34.17	7.20	35.34	

802.11ax HEW20_Nss1,(MCS0)_1TX

5200MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.3818G	60.45	68.20	-7.75	47.27	3	Vertical	180	1.10	-	38.18	10.56	35.56
PK	15.59394G	60.36	74.00	-13.64	44.57	3	Vertical	176	2.50	-	38.04	13.20	35.45
AV	15.59238G	47.09	54.00	-6.91	31.29	3	Vertical	176	2.50	-	38.05	13.20	35.45

802.11ax HEW20_Nss1,(MCS0)_1TX

5200MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.383G	57.34	68.20	-10.86	44.16	3	Horizontal	152	2.52	-	38.18	10.56	35.56
PK	15.6048G	60.69	74.00	-13.31	44.94	3	Horizontal	202	2.39	-	38.00	13.20	35.45
AV	15.60348G	47.03	54.00	-6.97	31.31	3	Horizontal	202	2.39	-	37.98	13.20	35.46

802.11ax HEW20_Nss1,(MCS0)_1TX

5240MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1484G	59.48	74.00	-14.52	53.65	3	Vertical	68	1.85	-	34.00	7.17	35.34
AV	5.1076G	45.76	54.00	-8.24	40.02	3	Vertical	68	1.85	-	33.92	7.15	35.33
PK	5.2318G	123.15	Inf	-Inf	116.96	3	Vertical	68	1.85	-	34.33	7.20	35.34
AV	5.2318G	112.00	Inf	-Inf	105.81	3	Vertical	68	1.85	-	34.33	7.20	35.34
PK	5.377G	59.85	74.00	-14.15	53.45	3	Vertical	68	1.85	-	34.55	7.20	35.35
AV	5.3746G	46.71	54.00	-7.29	40.30	3	Vertical	68	1.85	-	34.55	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_1TX

5240MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4622G	56.53	68.20	-11.67	43.26	3	Vertical	328	1.80	-	38.20	10.57	35.50
PK	15.72162G	59.37	74.00	-14.63	44.08	3	Vertical	97	1.92	-	37.59	13.26	35.56
AV	15.73032G	46.13	54.00	-7.87	30.80	3	Vertical	97	1.92	-	37.62	13.27	35.56

802.11ax HEW20_Nss1,(MCS0)_1TX

5240MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.463G	55.60	68.20	-12.60	42.33	3	Horizontal	148	1.97	-	38.20	10.57	35.50
PK	15.7245G	59.39	74.00	-14.61	44.09	3	Horizontal	289	1.41	-	37.60	13.26	35.56
AV	15.72084G	46.09	54.00	-7.91	30.81	3	Horizontal	289	1.41	-	37.58	13.26	35.56

802.11ax HEW20_Nss1,(MCS0)_1TX

5260MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1304G	59.28	74.00	-14.72	53.49	3	Vertical	68	1.82	-	33.96	7.17	35.34
AV	5.1178G	45.66	54.00	-8.34	39.89	3	Vertical	68	1.82	-	33.94	7.16	35.33
PK	5.2684G	123.16	Inf	-Inf	116.86	3	Vertical	68	1.82	-	34.44	7.20	35.34
AV	5.2678G	112.25	Inf	-Inf	105.95	3	Vertical	68	1.82	-	34.44	7.20	35.34
PK	5.377G	60.47	74.00	-13.53	54.07	3	Vertical	68	1.82	-	34.55	7.20	35.35
AV	5.389G	46.82	54.00	-7.18	40.39	3	Vertical	68	1.82	-	34.58	7.20	35.35

802.11ax HEW20_Nss1,(MCS0)_1TX

5260MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5362G	56.70	68.20	-11.50	43.36	3	Vertical	330	1.80	-	38.20	10.58	35.44
PK	15.79314G	58.78	74.00	-15.22	43.23	3	Vertical	195	1.30	-	37.87	13.30	35.62
AV	15.79152G	45.85	54.00	-8.15	30.29	3	Vertical	195	1.30	-	37.87	13.30	35.61

802.11ax HEW20_Nss1,(MCS0)_1TX

5260MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5368G	56.21	68.20	-11.99	42.87	3	Horizontal	242	1.08	-	38.20	10.58	35.44
PK	15.7734G	59.09	74.00	-14.91	43.61	3	Horizontal	143	2.15	-	37.79	13.29	35.60
AV	15.78996G	45.81	54.00	-8.19	30.27	3	Horizontal	143	2.15	-	37.86	13.29	35.61

802.11ax HEW20_Nss1,(MCS0)_1TX

5300MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3084G	124.21	Inf	-Inf	117.85	3	Vertical	68	1.74	-	34.50	7.20	35.34
AV	5.308G	113.34	Inf	-Inf	106.98	3	Vertical	68	1.74	-	34.50	7.20	35.34
PK	5.3504G	64.66	74.00	-9.34	58.30	3	Vertical	68	1.74	-	34.50	7.20	35.34
AV	5.3764G	47.47	54.00	-6.53	41.07	3	Vertical	68	1.74	-	34.55	7.20	35.35

802.11ax HEW20_Nss1,(MCS0)_1TX

5300MHz_TnomVnom




EUT_X_1TX
Setting 21.5
03-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	10.6158G	59.27	74.00	-14.73	45.82	3	Vertical	178	2.65	-	38.23	10.59	35.37	
AV	10.617G	46.65	54.00	-7.35	33.20	3	Vertical	178	2.65	-	38.23	10.59	35.37	
PK	15.89484G	59.81	74.00	-14.19	44.54	3	Vertical	16	1.76	-	37.62	13.35	35.70	
AV	15.90972G	46.02	54.00	-7.98	30.80	3	Vertical	16	1.76	-	37.58	13.35	35.71	

802.11ax HEW20_Nss1,(MCS0)_1TX

5300MHz_TnomVnom




EUT_X_1TX
Setting 21.5
03-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.616G	56.03	74.00	-17.97	42.58	3	Horizontal	235	2.21	-	38.23	10.59	35.37
AV	10.6168G	43.79	54.00	-10.21	30.34	3	Horizontal	235	2.21	-	38.23	10.59	35.37
PK	15.90426G	59.65	74.00	-14.35	44.42	3	Horizontal	206	2.33	-	37.59	13.35	35.71
AV	15.90522G	46.02	54.00	-7.98	30.79	3	Horizontal	206	2.33	-	37.59	13.35	35.71

802.11ax HEW20_Nss1,(MCS0)_1TX

5320MHz_TnomVnom




EUT X_1TX
Setting 17.5
03-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3278G	120.93	Inf	-Inf	114.57	3	Vertical	69	1.78	-	34.50	7.20	35.34
AV	5.328G	108.65	Inf	-Inf	102.29	3	Vertical	69	1.78	-	34.50	7.20	35.34
PK	5.361G	73.82	74.00	-0.18	67.44	3	Vertical	69	1.78	-	34.52	7.20	35.34
AV	5.3618G	48.88	54.00	-5.12	42.50	3	Vertical	69	1.78	-	34.52	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_1TX

5320MHz_TnomVnom




EUT_X_1TX
Setting 17.5
03-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.656G	58.42	74.00	-15.58	44.85	3	Vertical	175	2.74	-	38.31	10.60	35.34
AV	10.6568G	43.38	54.00	-10.62	29.81	3	Vertical	175	2.74	-	38.31	10.60	35.34
PK	15.95004G	58.99	74.00	-15.01	43.86	3	Vertical	140	1.94	-	37.50	13.38	35.75
AV	15.94782G	45.72	54.00	-8.28	30.60	3	Vertical	140	1.94	-	37.50	13.37	35.75

802.11ax HEW20_Nss1,(MCS0)_1TX

5320MHz_TnomVnom




EUT_X_1TX
Setting 17.5
03-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6578G	56.67	74.00	-17.33	43.08	3	Horizontal	226	2.20	-	38.32	10.60	35.33
AV	10.6566G	42.98	54.00	-11.02	29.41	3	Horizontal	226	2.20	-	38.31	10.60	35.34
PK	15.9546G	59.60	74.00	-14.40	44.48	3	Horizontal	71	1.74	-	37.49	13.38	35.75
AV	15.94728G	45.72	54.00	-8.28	30.59	3	Horizontal	71	1.74	-	37.51	13.37	35.75

802.11ax HEW20_Nss1,(MCS0)_1TX

5500MHz_TnomVnom




EUT X_1TX
Setting 20
03-C-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.458G	69.97	74.00	-4.03	63.54	3	Vertical	76	1.98	-	34.52	7.26	35.35
AV	5.4576G	51.29	54.00	-2.71	44.86	3	Vertical	76	1.98	-	34.52	7.26	35.35
PK	5.4604G	68.13	68.20	-0.07	61.70	3	Vertical	76	1.98	-	34.52	7.26	35.35
PK	5.492G	123.22	Inf	-Inf	116.70	3	Vertical	76	1.98	-	34.58	7.29	35.35
AV	5.4916G	111.04	Inf	-Inf	104.52	3	Vertical	76	1.98	-	34.58	7.29	35.35

802.11ax HEW20_Nss1,(MCS0)_1TX

5500MHz_TnomVnom




EUT X_1TX
Setting 20
03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.9833G	59.47	74.00	-14.53	45.49	3	Vertical	204	1.11	-	38.38	10.65	35.05
AV	10.9831G	47.03	54.00	-6.97	33.05	3	Vertical	204	1.11	-	38.38	10.65	35.05
PK	16.5243G	62.14	68.20	-6.06	45.19	3	Vertical	258	2.56	-	38.52	13.77	35.34

802.11ax HEW20_Nss1,(MCS0)_1TX

5500MHz_TnomVnom




EUT X_1TX
Setting 20
03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.9838G	61.36	74.00	-12.64	47.38	3	Horizontal	234	2.13	-	38.38	10.65	35.05
AV	10.9831G	49.39	54.00	-4.61	35.41	3	Horizontal	234	2.13	-	38.38	10.65	35.05
PK	16.4943G	62.19	68.20	-6.01	45.44	3	Horizontal	22	2.69	-	38.36	13.75	35.36

802.11ax HEW20_Nss1,(MCS0)_1TX

5580MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-C-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4104G	61.24	74.00	-12.76	54.80	3	Vertical	75	1.90	-	34.58	7.21	35.35
AV	5.4112G	49.36	54.00	-4.64	42.92	3	Vertical	75	1.90	-	34.58	7.21	35.35
PK	5.4656G	59.85	68.20	-8.35	53.40	3	Vertical	75	1.90	-	34.53	7.27	35.35
PK	5.572G	124.09	Inf	-Inf	117.51	3	Vertical	75	1.90	-	34.60	7.37	35.39
AV	5.5712G	114.12	Inf	-Inf	107.54	3	Vertical	75	1.90	-	34.60	7.37	35.39
PK	5.732G	61.88	68.20	-6.32	55.71	3	Vertical	75	1.90	-	34.24	7.40	35.47

802.11ax HEW20_Nss1,(MCS0)_1TX

5580MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1439G	60.74	74.00	-13.26	46.73	3	Vertical	227	1.12	-	38.54	10.67	35.20
AV	11.1429G	49.39	54.00	-4.61	35.38	3	Vertical	227	1.12	-	38.54	10.67	35.20
PK	16.7493G	61.92	68.20	-6.28	44.06	3	Vertical	189	1.28	-	39.05	13.92	35.11

802.11ax HEW20_Nss1,(MCS0)_1TX

5580MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1436G	58.39	74.00	-15.61	44.38	3	Horizontal	94	1.87	-	38.54	10.67	35.20
AV	11.143G	47.75	54.00	-6.25	33.74	3	Horizontal	94	1.87	-	38.54	10.67	35.20
PK	16.7631G	61.74	68.20	-6.46	43.77	3	Horizontal	40	2.74	-	39.14	13.93	35.10

802.11ax HEW20_Nss1,(MCS0)_1TX

5700MHz_TnomVnom




EUT X_1TX
Setting 13.75
03-C-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.708G	117.62	Inf	-Inf	111.39	3	Vertical	76	1.93	-	34.28	7.40	35.45
AV	5.708G	105.46	Inf	-Inf	99.23	3	Vertical	76	1.93	-	34.28	7.40	35.45
PK	5.7274G	67.50	68.20	-0.70	61.31	3	Vertical	76	1.93	-	34.25	7.40	35.46

802.11ax HEW20_Nss1,(MCS0)_1TX

5700MHz_TnomVnom




EUT X_1TX
Setting 13.75
03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4158G	61.05	74.00	-12.95	47.02	3	Vertical	170	2.50	-	38.83	10.71	35.51
AV	11.4166G	45.55	54.00	-8.45	31.52	3	Vertical	170	2.50	-	38.83	10.71	35.51
PK	17.0781G	64.04	68.20	-4.16	44.63	3	Vertical	96	2.27	-	40.13	14.15	34.87

802.11ax HEW20_Nss1,(MCS0)_1TX

5700MHz_TnomVnom




EUT X_1TX
Setting 13.75
03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4174G	59.27	74.00	-14.73	45.24	3	Horizontal	136	2.09	-	38.83	10.71	35.51
AV	11.4167G	44.69	54.00	-9.31	30.66	3	Horizontal	136	2.09	-	38.83	10.71	35.51
PK	17.0888G	65.19	68.20	-3.01	45.73	3	Horizontal	344	2.56	-	40.17	14.16	34.87

802.11ax HEW20_Nss1,(MCS0)_1TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_1TX
Setting 20
03-C-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7288G	123.33	Inf	-Inf	117.15	3	Vertical	77	1.89	-	34.24	7.40	35.46
AV	5.728G	112.05	Inf	-Inf	105.87	3	Vertical	77	1.89	-	34.24	7.40	35.46
PK	5.8888G	61.60	68.20	-6.60	55.12	3	Vertical	77	1.89	-	34.53	7.49	35.54

802.11ax HEW20_Nss1,(MCS0)_1TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_1TX
Setting 20
03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4574G	66.59	74.00	-7.41	52.51	3	Vertical	158	2.79	-	38.91	10.72	35.55
AV	11.4568G	53.83	54.00	-0.17	39.75	3	Vertical	158	2.79	-	38.91	10.72	35.55
PK	17.1453G	63.37	68.20	-4.83	43.66	3	Vertical	323	1.38	-	40.38	14.20	34.87

802.11ax HEW20_Nss1,(MCS0)_1TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_1TX
Setting 20
03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4575G	63.57	74.00	-10.43	49.49	3	Horizontal	134	2.17	-	38.91	10.72	35.55
AV	11.4568G	50.63	54.00	-3.37	36.55	3	Horizontal	134	2.17	-	38.91	10.72	35.55
PK	17.1518G	63.70	68.20	-4.50	43.96	3	Horizontal	143	1.12	-	40.41	14.21	34.88

802.11ax HEW20_Nss1,(MCS0)_1TX

5745MHz_TnomVnom




EUT X_1TX
Setting 19
03-C-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.588G	60.46	68.20	-7.74	53.86	3	Vertical	74	1.89	-	34.60	7.39	35.39
PK	5.737G	120.72	Inf	-Inf	114.56	3	Vertical	74	1.89	-	34.23	7.40	35.47
AV	5.737G	108.91	Inf	-Inf	102.75	3	Vertical	74	1.89	-	34.23	7.40	35.47
PK	5.987G	60.50	68.20	-7.70	53.70	3	Vertical	74	1.89	-	34.80	7.59	35.59

802.11ax HEW20_Nss1,(MCS0)_1TX

5745MHz_TnomVnom




EUT_X_1TX
Setting 19
03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4736G	68.35	74.00	-5.65	54.25	3	Vertical	164	2.79	-	38.95	10.72	35.57
AV	11.473G	53.84	54.00	-0.16	39.74	3	Vertical	164	2.79	-	38.95	10.72	35.57
PK	17.2553G	64.35	68.20	-3.85	44.03	3	Vertical	338	1.97	-	40.93	14.28	34.89

802.11ax HEW20_Nss1,(MCS0)_1TX

5745MHz_TnomVnom




EUT_X_1TX
Setting 19
03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4735G	63.85	74.00	-10.15	49.75	3	Horizontal	135	2.14	-	38.95	10.72	35.57
AV	11.4732G	51.46	54.00	-2.54	37.36	3	Horizontal	135	2.14	-	38.95	10.72	35.57
PK	17.2397G	64.74	68.20	-3.46	44.51	3	Horizontal	304	2.75	-	40.84	14.27	34.88

802.11ax HEW20_Nss1,(MCS0)_1TX

5785MHz_TnomVnom




EUT X_1TX
Setting 18
03-C-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.593G	60.33	68.20	-7.87	53.74	3	Vertical	77	1.90	-	34.60	7.39	35.40
PK	5.777G	121.86	Inf	-Inf	115.75	3	Vertical	77	1.90	-	34.20	7.40	35.49
AV	5.777G	109.53	Inf	-Inf	103.42	3	Vertical	77	1.90	-	34.20	7.40	35.49
PK	5.938G	60.78	68.20	-7.42	54.06	3	Vertical	77	1.90	-	34.75	7.54	35.57

802.11ax HEW20_Nss1,(MCS0)_1TX

5785MHz_TnomVnom




EUT_X_1TX
Setting 18
03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5537G	67.77	74.00	-6.23	53.42	3	Vertical	173	3.00	-	39.21	10.73	35.59
AV	11.5531G	53.97	54.00	-0.03	39.62	3	Vertical	173	3.00	-	39.21	10.73	35.59
PK	17.3537G	64.66	68.20	-3.54	43.80	3	Vertical	42	2.29	-	41.41	14.35	34.90

802.11ax HEW20_Nss1,(MCS0)_1TX

5785MHz_TnomVnom




EUT X_1TX
Setting 18
03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5536G	66.53	74.00	-7.47	52.18	3	Horizontal	186	2.14	-	39.21	10.73	35.59
AV	11.5529G	51.67	54.00	-2.33	37.32	3	Horizontal	186	2.14	-	39.21	10.73	35.59
PK	17.3634G	64.98	68.20	-3.22	44.08	3	Horizontal	37	1.76	-	41.45	14.35	34.90

802.11ax HEW20_Nss1,(MCS0)_1TX

5825MHz_TnomVnom




EUT X_1TX
Setting 18
03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.628G	59.10	68.20	-9.10	52.57	3	Vertical	172	1.80	-	34.54	7.40	35.41
PK	5.834G	114.95	Inf	-Inf	108.77	3	Vertical	172	1.80	-	34.27	7.43	35.52
AV	5.833G	106.02	Inf	-Inf	99.84	3	Vertical	172	1.80	-	34.27	7.43	35.52
PK	5.995G	61.54	68.20	-6.66	54.75	3	Vertical	172	1.80	-	34.80	7.59	35.60

802.11ax HEW20_Nss1,(MCS0)_1TX

5825MHz_TnomVnom




EUT X_1TX
Setting 18
03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.6657G	68.80	74.00	-5.20	54.21	3	Vertical	176	2.70	-	39.40	10.75	35.56	
AV	11.6668G	53.92	54.00	-0.08	39.33	3	Vertical	176	2.70	-	39.40	10.75	35.56	
PK	17.48502G	66.57	68.20	-1.63	44.67	3	Vertical	282	1.80	-	42.37	14.44	34.91	

802.11ax HEW20_Nss1,(MCS0)_1TX

5825MHz_TnomVnom



EUT X_1TX
Setting 18
03-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6659G	65.38	74.00	-8.62	50.79	3	Horizontal	191	2.08	-	39.40	10.75	35.56
AV	11.6669G	51.82	54.00	-2.18	37.23	3	Horizontal	191	2.08	-	39.40	10.75	35.56
PK	17.4876G	66.77	68.20	-1.43	44.85	3	Horizontal	329	2.16	-	42.39	14.44	34.91



RSE TX above 1GHz
<Partial RU> UNII1~UNII3_RU 52_Ant. 3 (1TX)


Appendix E.15

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	AV	11.556G	53.99	54.00	-0.01	3	Vertical	171	2.60	-

802.11ax HEW20_Nss1,(MCS0)_1TX

5180MHz_TnomVnom




EUT X_1TX
Setting 20.25
03-C-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1432G	70.36	74.00	-3.64	64.54	3	Vertical	80	1.83	-	33.99	7.17	35.34
AV	5.1432G	51.98	54.00	-2.02	46.16	3	Vertical	80	1.83	-	33.99	7.17	35.34
PK	5.174G	119.80	Inf	-Inf	113.85	3	Vertical	80	1.83	-	34.10	7.19	35.34
AV	5.1736G	105.93	Inf	-Inf	99.99	3	Vertical	80	1.83	-	34.09	7.19	35.34

802.11ax HEW20_Nss1,(MCS0)_1TX

5180MHz_TnomVnom




EUT X_1TX
Setting 20.25
03-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.3454G	57.20	68.20	-11.00	44.09	3	Vertical	190	2.76	-	38.15	10.55	35.59
PK	15.5204G	61.17	74.00	-12.83	44.84	3	Vertical	18	1.53	-	38.56	13.16	35.39
AV	15.5186G	48.08	54.00	-5.92	31.74	3	Vertical	18	1.53	-	38.57	13.16	35.39

802.11ax HEW20_Nss1,(MCS0)_1TX

5180MHz_TnomVnom




EUT X_1TX
Setting 20.25
03-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.3464G	56.22	68.20	-11.98	43.11	3	Horizontal	165	1.20	-	38.15	10.55	35.59
PK	15.5192G	61.44	74.00	-12.56	45.10	3	Horizontal	21	2.03	-	38.57	13.16	35.39
AV	15.5176G	48.09	54.00	-5.91	31.73	3	Horizontal	21	2.03	-	38.58	13.16	35.38

802.11ax HEW20_Nss1,(MCS0)_1TX

5200MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-C-C-6-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	5.15G	59.51	74.00	-14.49	53.68	3	Vertical	79	1.82	-	34.00	7.17	35.34
AV	5.15G	46.24	54.00	-7.76	40.41	3	Vertical	79	1.82	-	34.00	7.17	35.34
PK	5.194G	121.29	Inf	-Inf	115.25	3	Vertical	79	1.82	-	34.18	7.20	35.34
AV	5.1936G	107.69	Inf	-Inf	101.66	3	Vertical	79	1.82	-	34.17	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_1TX

5200MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.386G	56.22	68.20	-11.98	43.03	3	Vertical	343	1.80	-	38.19	10.56	35.56
PK	15.5938G	61.00	74.00	-13.00	45.21	3	Vertical	162	1.09	-	38.04	13.20	35.45
AV	15.5792G	47.35	54.00	-6.65	31.45	3	Vertical	162	1.09	-	38.15	13.19	35.44

802.11ax HEW20_Nss1,(MCS0)_1TX

5200MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.386G	55.25	68.20	-12.95	42.06	3	Horizontal	332	2.96	-	38.19	10.56	35.56
PK	15.6042G	61.26	74.00	-12.74	45.54	3	Horizontal	317	1.27	-	37.98	13.20	35.46
AV	15.5894G	47.35	54.00	-6.65	31.54	3	Horizontal	317	1.27	-	38.07	13.19	35.45

802.11ax HEW20_Nss1,(MCS0)_1TX

5240MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-C-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1104G	58.31	74.00	-15.69	52.56	3	Vertical	78	1.80	-	33.92	7.16	35.33
AV	5.1038G	45.50	54.00	-8.50	39.77	3	Vertical	78	1.80	-	33.91	7.15	35.33
PK	5.234G	120.72	Inf	-Inf	114.52	3	Vertical	78	1.80	-	34.34	7.20	35.34
AV	5.2334G	107.02	Inf	-Inf	100.83	3	Vertical	78	1.80	-	34.33	7.20	35.34
PK	5.3648G	58.89	74.00	-15.11	52.50	3	Vertical	78	1.80	-	34.53	7.20	35.34
AV	5.381G	46.40	54.00	-7.60	39.99	3	Vertical	78	1.80	-	34.56	7.20	35.35

802.11ax HEW20_Nss1,(MCS0)_1TX

5240MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4662G	55.31	68.20	-12.89	42.04	3	Vertical	342	1.80	-	38.20	10.57	35.50
PK	15.681G	59.87	74.00	-14.13	44.56	3	Vertical	296	1.33	-	37.59	13.24	35.52
AV	15.6724G	46.67	54.00	-7.33	31.30	3	Vertical	296	1.33	-	37.64	13.24	35.51

802.11ax HEW20_Nss1,(MCS0)_1TX

5240MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4672G	54.24	68.20	-13.96	40.97	3	Horizontal	8	1.23	-	38.20	10.57	35.50
PK	15.7176G	60.46	74.00	-13.54	45.18	3	Horizontal	291	1.30	-	37.57	13.26	35.55
AV	15.674G	46.58	54.00	-7.42	31.23	3	Horizontal	291	1.30	-	37.63	13.24	35.52

802.11ax HEW20_Nss1,(MCS0)_1TX

5260MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-C-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1298G	58.15	74.00	-15.85	52.37	3	Vertical	83	1.96	-	33.96	7.16	35.34
AV	5.11G	45.40	54.00	-8.60	39.65	3	Vertical	83	1.96	-	33.92	7.16	35.33
PK	5.2666G	119.11	Inf	-Inf	112.82	3	Vertical	83	1.96	-	34.43	7.20	35.34
AV	5.266G	107.00	Inf	-Inf	100.71	3	Vertical	83	1.96	-	34.43	7.20	35.34
PK	5.398G	59.00	74.00	-15.00	52.55	3	Vertical	83	1.96	-	34.60	7.20	35.35
AV	5.377G	46.40	54.00	-7.60	40.00	3	Vertical	83	1.96	-	34.55	7.20	35.35

802.11ax HEW20_Nss1,(MCS0)_1TX

5260MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5342G	57.01	68.20	-11.19	43.67	3	Vertical	178	2.75	-	38.20	10.58	35.44
PK	15.8014G	60.15	74.00	-13.85	44.57	3	Vertical	134	1.33	-	37.90	13.30	35.62
AV	15.801G	47.25	54.00	-6.75	31.67	3	Vertical	134	1.33	-	37.90	13.30	35.62

802.11ax HEW20_Nss1,(MCS0)_1TX

5260MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5286G	55.37	68.20	-12.83	42.04	3	Horizontal	232	2.22	-	38.20	10.58	35.45
PK	15.8044G	60.07	74.00	-13.93	44.51	3	Horizontal	218	1.77	-	37.89	13.30	35.63
AV	15.8012G	47.13	54.00	-6.87	31.55	3	Horizontal	218	1.77	-	37.90	13.30	35.62

802.11ax HEW20_Nss1,(MCS0)_1TX

5300MHz_TnomVnom




EUT_X_1TX
Setting 21.5
03-C-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3064G	120.05	Inf	-Inf	113.69	3	Vertical	81	1.95	-	34.50	7.20	35.34
AV	5.306G	107.77	Inf	-Inf	101.41	3	Vertical	81	1.95	-	34.50	7.20	35.34
PK	5.3652G	64.31	74.00	-9.69	57.92	3	Vertical	81	1.95	-	34.53	7.20	35.34
AV	5.3624G	47.16	54.00	-6.84	40.78	3	Vertical	81	1.95	-	34.52	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_1TX

5300MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6136G	57.16	74.00	-16.84	43.71	3	Vertical	182	2.77	-	38.23	10.59	35.37
AV	10.614G	44.67	54.00	-9.33	31.22	3	Vertical	182	2.77	-	38.23	10.59	35.37
PK	15.92G	59.22	74.00	-14.78	44.02	3	Vertical	43	2.84	-	37.56	13.36	35.72
AV	15.921G	46.25	54.00	-7.75	31.05	3	Vertical	43	2.84	-	37.56	13.36	35.72

802.11ax HEW20_Nss1,(MCS0)_1TX

5300MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6154G	54.36	74.00	-19.64	40.91	3	Horizontal	232	1.80	-	38.23	10.59	35.37
AV	10.6144G	41.42	54.00	-12.58	27.97	3	Horizontal	232	1.80	-	38.23	10.59	35.37
PK	15.9206G	59.65	74.00	-14.35	44.45	3	Horizontal	57	2.73	-	37.56	13.36	35.72
AV	15.921G	46.80	54.00	-7.20	31.60	3	Horizontal	57	2.73	-	37.56	13.36	35.72

802.11ax HEW20_Nss1,(MCS0)_1TX

5320MHz_TnomVnom




EUT X_1TX
Setting 17.75
03-C-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.328G	117.03	Inf	-Inf	110.67	3	Vertical	81	1.96	-	34.50	7.20	35.34
AV	5.326G	104.57	Inf	-Inf	98.21	3	Vertical	81	1.96	-	34.50	7.20	35.34
PK	5.3548G	72.03	74.00	-1.97	65.66	3	Vertical	81	1.96	-	34.51	7.20	35.34
AV	5.356G	50.38	54.00	-3.62	44.01	3	Vertical	81	1.96	-	34.51	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_1TX

5320MHz_TnomVnom




EUT X_1TX
Setting 17.75
03-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	10.63688G	53.97	74.00	-20.03	40.45	3	Vertical	94	1.99	-	38.27	10.60	35.35	
AV	10.64588G	40.20	54.00	-13.80	26.65	3	Vertical	94	1.99	-	38.29	10.60	35.34	
PK	15.9452G	59.36	74.00	-14.64	44.22	3	Vertical	120	1.01	-	37.51	13.37	35.74	
AV	15.913G	45.72	54.00	-8.28	30.51	3	Vertical	120	1.01	-	37.57	13.36	35.72	

802.11ax HEW20_Nss1,(MCS0)_1TX

5320MHz_TnomVnom




EUT_X_1TX
Setting 17.75
03-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.606G	53.66	74.00	-20.34	40.24	3	Horizontal	176	1.94	-	38.21	10.59	35.38
AV	10.66G	40.38	54.00	-13.62	26.79	3	Horizontal	176	1.94	-	38.32	10.60	35.33
PK	15.95136G	58.84	74.00	-15.16	43.71	3	Horizontal	70	2.09	-	37.50	13.38	35.75
AV	15.95088G	45.37	54.00	-8.63	30.24	3	Horizontal	70	2.09	-	37.50	13.38	35.75

802.11ax HEW20_Nss1,(MCS0)_1TX

5500MHz_TnomVnom




EUT X_1TX
Setting 18.75
03-C-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	66.85	74.00	-7.15	60.42	3	Vertical	80	1.90	-	34.52	7.26	35.35
AV	5.46G	48.24	54.00	-5.76	41.81	3	Vertical	80	1.90	-	34.52	7.26	35.35
PK	5.462G	67.96	68.20	-0.24	61.53	3	Vertical	80	1.90	-	34.52	7.26	35.35
PK	5.494G	120.92	Inf	-Inf	114.39	3	Vertical	80	1.90	-	34.59	7.29	35.35
AV	5.4936G	106.52	Inf	-Inf	99.99	3	Vertical	80	1.90	-	34.59	7.29	35.35

802.11ax HEW20_Nss1,(MCS0)_1TX

5500MHz_TnomVnom




EUT X_1TX
Setting 18.75
03-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.986G	61.20	74.00	-12.80	47.21	3	Vertical	177	2.80	-	38.39	10.65	35.05
AV	10.986G	47.50	54.00	-6.50	33.51	3	Vertical	177	2.80	-	38.39	10.65	35.05
PK	16.5074G	55.46	68.20	-12.74	38.61	3	Vertical	177	2.80	-	38.44	13.76	35.35

802.11ax HEW20_Nss1,(MCS0)_1TX

5500MHz_TnomVnom



EUT X_1TX
Setting 18.75
03-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.9862G	60.32	74.00	-13.68	46.33	3	Horizontal	125	2.20	-	38.39	10.65	35.05
AV	10.986G	47.51	54.00	-6.49	33.52	3	Horizontal	125	2.20	-	38.39	10.65	35.05
PK	16.5108G	61.78	68.20	-6.42	44.92	3	Horizontal	343	1.90	-	38.45	13.76	35.35