


802.11ax HEW20_Nss1,(MCS0)_1TX

5580MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-C-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.412G	59.80	74.00	-14.20	53.36	3	Vertical	81	1.92	-	34.58	7.21	35.35
AV	5.4136G	48.31	54.00	-5.69	41.88	3	Vertical	81	1.92	-	34.57	7.21	35.35
PK	5.4672G	58.43	68.20	-9.77	51.98	3	Vertical	81	1.92	-	34.53	7.27	35.35
PK	5.5744G	123.44	Inf	-Inf	116.86	3	Vertical	81	1.92	-	34.60	7.37	35.39
AV	5.5736G	109.97	Inf	-Inf	103.39	3	Vertical	81	1.92	-	34.60	7.37	35.39
PK	5.7344G	60.25	68.20	-7.95	54.09	3	Vertical	81	1.92	-	34.23	7.40	35.47

802.11ax HEW20_Nss1,(MCS0)_1TX

5580MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1462G	64.90	74.00	-9.10	50.88	3	Vertical	174	3.00	-	38.55	10.67	35.20
AV	11.1462G	52.18	54.00	-1.82	38.16	3	Vertical	174	3.00	-	38.55	10.67	35.20
PK	16.7552G	57.51	68.20	-10.69	39.59	3	Vertical	235	2.11	-	39.09	13.93	35.10

802.11ax HEW20_Nss1,(MCS0)_1TX

5580MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1456G	64.58	74.00	-9.42	50.56	3	Horizontal	235	2.11	-	38.55	10.67	35.20
AV	11.1462G	52.01	54.00	-1.99	37.99	3	Horizontal	235	2.11	-	38.55	10.67	35.20
PK	16.7566G	62.14	68.20	-6.06	44.21	3	Horizontal	135	1.19	-	39.10	13.93	35.10

802.11ax HEW20_Nss1,(MCS0)_1TX

5700MHz_TnomVnom




EUT X_1TX
Setting 15.5
03-C-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7076G	116.12	Inf	-Inf	109.89	3	Vertical	81	1.87	-	34.28	7.40	35.45
AV	5.706G	103.38	Inf	-Inf	97.14	3	Vertical	81	1.87	-	34.29	7.40	35.45
PK	5.7256G	68.05	68.20	-0.15	61.86	3	Vertical	81	1.87	-	34.25	7.40	35.46

802.11ax HEW20_Nss1,(MCS0)_1TX

5700MHz_TnomVnom




EUT X_1TX
Setting 15.5
03-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4038G	55.64	74.00	-18.36	41.61	3	Vertical	233	2.19	-	38.81	10.71	35.49
AV	11.3938G	42.01	54.00	-11.99	27.99	3	Vertical	233	2.19	-	38.79	10.71	35.48

802.11ax HEW20_Nss1,(MCS0)_1TX

5700MHz_TnomVnom




EUT X_1TX
Setting 15.5
03-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4152G	55.83	74.00	-18.17	41.80	3	Horizontal	85	2.62	-	38.83	10.71	35.51
AV	11.384G	42.00	54.00	-12.00	27.98	3	Horizontal	85	2.62	-	38.78	10.71	35.47

802.11ax HEW20_Nss1,(MCS0)_1TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_X_1TX
Setting 21.5
03-C-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4162G	58.84	74.00	-15.16	52.40	3	Vertical	83	1.85	-	34.57	7.22	35.35
AV	5.3728G	46.39	54.00	-7.61	39.98	3	Vertical	83	1.85	-	34.55	7.20	35.34
PK	5.4666G	58.26	68.20	-9.94	51.81	3	Vertical	83	1.85	-	34.53	7.27	35.35
PK	5.727G	121.90	Inf	-Inf	115.71	3	Vertical	83	1.85	-	34.25	7.40	35.46
AV	5.7256G	110.00	Inf	-Inf	103.81	3	Vertical	83	1.85	-	34.25	7.40	35.46
PK	5.8866G	60.73	68.20	-7.47	54.26	3	Vertical	83	1.85	-	34.52	7.49	35.54

802.11ax HEW20_Nss1,(MCS0)_1TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_1TX
Setting 21.5
03-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4554G	65.82	74.00	-8.18	51.74	3	Vertical	181	2.67	-	38.91	10.72	35.55
AV	11.454G	53.38	54.00	-0.62	39.30	3	Vertical	181	2.67	-	38.91	10.72	35.55
PK	17.134G	63.41	68.20	-4.79	43.75	3	Vertical	360	1.80	-	40.34	14.19	34.87

802.11ax HEW20_Nss1,(MCS0)_1TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_1TX
Setting 21.5
03-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4536G	62.35	74.00	-11.65	48.27	3	Horizontal	233	2.09	-	38.91	10.72	35.55
AV	11.4542G	49.79	54.00	-4.21	35.71	3	Horizontal	233	2.09	-	38.91	10.72	35.55
PK	17.1804G	64.03	68.20	-4.17	44.16	3	Horizontal	222	1.80	-	40.52	14.23	34.88

802.11ax HEW20_Nss1,(MCS0)_1TX

5745MHz_TnomVnom




EUT X_1TX
Setting 20.5
03-C-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.5778G	59.64	68.20	-8.56	53.05	3	Vertical	83	1.86	-	34.60	7.38	35.39
PK	5.7394G	121.81	Inf	-Inf	115.66	3	Vertical	83	1.86	-	34.22	7.40	35.47
AV	5.7386G	107.86	Inf	-Inf	101.71	3	Vertical	83	1.86	-	34.22	7.40	35.47
PK	5.9274G	59.11	68.20	-9.09	52.43	3	Vertical	83	1.86	-	34.71	7.53	35.56

802.11ax HEW20_Nss1,(MCS0)_1TX

5745MHz_TnomVnom




EUT X_1TX
Setting 20.5
03-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4762G	67.26	74.00	-6.74	53.16	3	Vertical	178	2.82	-	38.95	10.72	35.57
AV	11.4762G	53.90	54.00	-0.10	39.80	3	Vertical	178	2.82	-	38.95	10.72	35.57
PK	17.2694G	63.43	68.20	-4.77	43.01	3	Vertical	103	1.80	-	41.02	14.29	34.89

802.11ax HEW20_Nss1,(MCS0)_1TX

5745MHz_TnomVnom




EUT X_1TX
Setting 20.5
03-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4758G	62.72	74.00	-11.28	48.62	3	Horizontal	182	2.20	-	38.95	10.72	35.57
AV	11.476G	49.47	54.00	-4.53	35.37	3	Horizontal	182	2.20	-	38.95	10.72	35.57
PK	17.2462G	63.72	68.20	-4.48	43.45	3	Horizontal	148	1.80	-	40.88	14.27	34.88

802.11ax HEW20_Nss1,(MCS0)_1TX

5785MHz_TnomVnom




EUT X_1TX
Setting 19
03-C-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.617G	59.52	68.20	-8.68	52.96	3	Vertical	81	1.85	-	34.57	7.40	35.41
PK	5.779G	120.52	Inf	-Inf	114.41	3	Vertical	81	1.85	-	34.20	7.40	35.49
AV	5.779G	106.47	Inf	-Inf	100.36	3	Vertical	81	1.85	-	34.20	7.40	35.49
PK	5.928G	59.65	68.20	-8.55	52.97	3	Vertical	81	1.85	-	34.71	7.53	35.56

802.11ax HEW20_Nss1,(MCS0)_1TX

5785MHz_TnomVnom




EUT_X_1TX
Setting 19
03-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.556G	67.83	74.00	-6.17	53.47	3	Vertical	171	2.60	-	39.22	10.73	35.59
AV	11.556G	53.99	54.00	-0.01	39.63	3	Vertical	171	2.60	-	39.22	10.73	35.59
PK	17.4008G	62.16	68.20	-6.04	41.07	3	Vertical	0	2.08	-	41.61	14.38	34.90

802.11ax HEW20_Nss1,(MCS0)_1TX

5785MHz_TnomVnom




EUT X_1TX
Setting 19
03-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5562G	63.72	74.00	-10.28	49.36	3	Horizontal	187	2.16	-	39.22	10.73	35.59
AV	11.5562G	50.20	54.00	-3.80	35.84	3	Horizontal	187	2.16	-	39.22	10.73	35.59
PK	17.3616G	61.50	68.20	-6.70	40.60	3	Horizontal	62	1.80	-	41.45	14.35	34.90

802.11ax HEW20_Nss1,(MCS0)_1TX

5825MHz_TnomVnom




EUT X_1TX
Setting 19.25
03-C-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.62884G	59.24	68.20	-8.96	52.71	3	Vertical	81	1.80	-	34.54	7.40	35.41
PK	5.83084G	119.73	Inf	-Inf	113.56	3	Vertical	81	1.80	-	34.26	7.43	35.52
AV	5.83084G	107.37	Inf	-Inf	101.20	3	Vertical	81	1.80	-	34.26	7.43	35.52
PK	5.99384G	59.91	68.20	-8.29	53.12	3	Vertical	81	1.80	-	34.80	7.59	35.60

802.11ax HEW20_Nss1,(MCS0)_1TX

5825MHz_TnomVnom




EUT X_1TX
Setting 19.25
03-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6642G	67.20	74.00	-6.80	52.61	3	Vertical	173	2.67	-	39.40	10.75	35.56
AV	11.664G	53.93	54.00	-0.07	39.34	3	Vertical	173	2.67	-	39.40	10.75	35.56
PK	17.5212G	66.31	68.20	-1.89	44.04	3	Vertical	0	2.64	-	42.71	14.46	34.90

802.11ax HEW20_Nss1,(MCS0)_1TX

5825MHz_TnomVnom



EUT X_1TX
Setting 19.25
03-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6638G	63.51	74.00	-10.49	48.92	3	Horizontal	191	2.08	-	39.40	10.75	35.56
AV	11.6638G	50.54	54.00	-3.46	35.95	3	Horizontal	191	2.08	-	39.40	10.75	35.56
PK	17.5084G	65.81	68.20	-2.39	43.68	3	Horizontal	136	1.80	-	42.58	14.46	34.91



RSE TX above 1GHz
<Partial RU> UNII1~UNII3 RU 106 Ant. 3 (1TX)


Appendix E.16

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1.(MCS0)_1TX	Pass	PK	5.35G	73.96	74.00	-0.04	3	Vertical	80	1.97	-

802.11ax HEW20_Nss1,(MCS0)_1TX

5180MHz_TnomVnom




EUT X_1TX
Setting 19.5
03-C-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	73.90	74.00	-0.10	68.07	3	Vertical	81	2.02	-	34.00	7.17	35.34
AV	5.15G	49.35	54.00	-4.65	43.52	3	Vertical	81	2.02	-	34.00	7.17	35.34
PK	5.1768G	115.25	Inf	-Inf	109.29	3	Vertical	81	2.02	-	34.11	7.19	35.34
AV	5.1776G	103.56	Inf	-Inf	97.60	3	Vertical	81	2.02	-	34.11	7.19	35.34

802.11ax HEW20_Nss1,(MCS0)_1TX

5180MHz_TnomVnom




EUT_X_1TX
Setting 19.5
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.35304G	59.03	68.20	-9.17	53.97	3	Vertical	182	1.02	-	39.41	8.22	42.57
PK	15.52812G	63.62	74.00	-10.38	57.06	3	Vertical	158	2.63	-	38.56	9.97	41.97
AV	15.5274G	49.35	54.00	-4.65	42.79	3	Vertical	158	2.63	-	38.56	9.97	41.97

802.11ax HEW20_Nss1,(MCS0)_1TX

5180MHz_TnomVnom




EUT_X_1TX
Setting 19.5
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.35892G	56.64	68.20	-11.56	51.57	3	Horizontal	128	2.16	-	39.42	8.22	42.57
PK	15.52848G	64.35	74.00	-9.65	57.79	3	Horizontal	156	1.95	-	38.56	9.97	41.97
AV	15.52746G	49.74	54.00	-4.26	43.18	3	Horizontal	156	1.95	-	38.56	9.97	41.97

802.11ax HEW20_Nss1,(MCS0)_1TX

5200MHz_TnomVnom




EUT X_1TX
Setting 17
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1004G	53.88	74.00	-20.12	59.48	3	Vertical	80	1.83	-	32.00	5.50	43.10
AV	5.15G	40.40	54.00	-13.60	46.25	3	Vertical	80	1.83	-	31.70	5.53	43.08
PK	5.1968G	111.66	Inf	-Inf	117.74	3	Vertical	80	1.83	-	31.42	5.56	43.06
AV	5.1976G	99.54	Inf	-Inf	105.63	3	Vertical	80	1.83	-	31.41	5.56	43.06

802.11ax HEW20_Nss1,(MCS0)_1TX

5200MHz_TnomVnom




EUT_X_1TX
Setting 17
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.3928G	65.04	68.20	-3.16	51.37	3	Vertical	172	1.30	-	39.49	8.24	34.06
PK	15.5872G	69.00	74.00	-5.00	55.02	3	Vertical	157	2.42	-	38.26	9.98	34.26
AV	15.58722G	53.67	54.00	-0.33	39.68	3	Vertical	157	2.42	-	38.26	9.98	34.25

802.11ax HEW20_Nss1,(MCS0)_1TX

5200MHz_TnomVnom




EUT X_1TX
Setting 17
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.39064G	62.69	68.20	-5.51	49.03	3	Horizontal	128	2.23	-	39.48	8.24	34.06
PK	15.58866G	69.02	74.00	-4.98	55.04	3	Horizontal	157	1.89	-	38.26	9.98	34.26
AV	15.58728G	53.56	54.00	-0.44	39.57	3	Horizontal	157	1.89	-	38.26	9.98	34.25

802.11ax HEW20_Nss1,(MCS0)_1TX

5240MHz_TnomVnom




EUT_X_1TX
Setting 21.5
03-C-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1484G	57.90	74.00	-16.10	52.07	3	Vertical	80	1.80	-	34.00	7.17	35.34
AV	5.1408G	45.27	54.00	-8.73	39.46	3	Vertical	80	1.80	-	33.98	7.17	35.34
PK	5.2368G	115.97	Inf	-Inf	109.76	3	Vertical	80	1.80	-	34.35	7.20	35.34
AV	5.2376G	104.59	Inf	-Inf	98.38	3	Vertical	80	1.80	-	34.35	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_1TX

5240MHz_TnomVnom




EUT_X_1TX
Setting 21.5
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.47118G	57.98	68.20	-10.22	52.72	3	Vertical	193	1.66	-	39.57	8.29	42.60
PK	15.708G	63.18	74.00	-10.82	57.29	3	Vertical	164	2.41	-	37.80	10.00	41.91
AV	15.70734G	49.70	54.00	-4.30	43.81	3	Vertical	164	2.41	-	37.80	10.00	41.91

802.11ax HEW20_Nss1,(MCS0)_1TX

5240MHz_TnomVnom




EUT X_1TX
Setting 21.5
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.47448G	55.30	68.20	-12.90	50.04	3	Horizontal	134	2.18	-	39.57	8.29	42.60
PK	15.70812G	62.03	74.00	-11.97	56.14	3	Horizontal	225	1.97	-	37.80	10.00	41.91
AV	15.70734G	48.41	54.00	-5.59	42.52	3	Horizontal	225	1.97	-	37.80	10.00	41.91

802.11ax HEW20_Nss1,(MCS0)_1TX

5260MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-C-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1024G	58.81	74.00	-15.19	53.09	3	Vertical	81	2.02	-	33.90	7.15	35.33
AV	5.1024G	46.18	54.00	-7.82	40.46	3	Vertical	81	2.02	-	33.90	7.15	35.33
PK	5.2632G	117.05	Inf	-Inf	110.76	3	Vertical	81	2.02	-	34.43	7.20	35.34
AV	5.2632G	105.07	Inf	-Inf	98.78	3	Vertical	81	2.02	-	34.43	7.20	35.34
PK	5.4224G	59.73	74.00	-14.27	53.30	3	Vertical	81	2.02	-	34.56	7.22	35.35
AV	5.4224G	47.59	54.00	-6.41	41.16	3	Vertical	81	2.02	-	34.56	7.22	35.35

802.11ax HEW20_Nss1,(MCS0)_1TX

5260MHz_TnomVnom




EUT X_1TX
Setting 21.5
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.51118G	58.40	68.20	-9.80	53.09	3	Vertical	191	1.34	-	39.61	8.31	42.61
PK	15.76872G	61.47	74.00	-12.53	55.54	3	Vertical	165	2.42	-	37.80	10.02	41.89
AV	15.7674G	47.35	54.00	-6.65	41.42	3	Vertical	165	2.42	-	37.80	10.02	41.89

802.11ax HEW20_Nss1,(MCS0)_1TX

5260MHz_TnomVnom




EUT_X_1TX
Setting 21.5
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.51166G	54.80	68.20	-13.40	49.49	3	Horizontal	282	1.16	-	39.61	8.31	42.61
PK	15.76902G	59.78	74.00	-14.22	53.85	3	Horizontal	222	1.88	-	37.80	10.02	41.89
AV	15.7674G	45.74	54.00	-8.26	39.81	3	Horizontal	222	1.88	-	37.80	10.02	41.89

802.11ax HEW20_Nss1,(MCS0)_1TX

5300MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-C-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3028G	117.94	Inf	-Inf	111.58	3	Vertical	81	1.99	-	34.50	7.20	35.34
AV	5.302G	105.96	Inf	-Inf	99.60	3	Vertical	81	1.99	-	34.50	7.20	35.34
PK	5.3516G	61.33	74.00	-12.67	54.97	3	Vertical	81	1.99	-	34.50	7.20	35.34
AV	5.3504G	47.07	54.00	-6.93	40.71	3	Vertical	81	1.99	-	34.50	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_1TX

5300MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6138G	54.33	74.00	-19.67	40.88	3	Vertical	2	2.25	-	38.23	10.59	35.37
AV	10.6485G	40.59	54.00	-13.41	27.03	3	Vertical	2	2.25	-	38.30	10.60	35.34
PK	15.86G	59.30	74.00	-14.70	43.92	3	Vertical	360	1.94	-	37.72	13.33	35.67
AV	15.8562G	45.86	54.00	-8.14	30.47	3	Vertical	360	1.94	-	37.73	13.33	35.67

802.11ax HEW20_Nss1,(MCS0)_1TX

5300MHz_TnomVnom




EUT_X_1TX
Setting 21.5
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	10.60961G	39.93	54.00	-14.07	34.49	3	Horizontal	290	1.80	-	39.69	8.37	42.62
PK	10.61036G	56.44	74.00	-17.56	51.00	3	Horizontal	290	1.80	-	39.69	8.37	42.62
PK	15.88842G	59.87	74.00	-14.13	54.07	3	Horizontal	157	1.87	-	37.62	10.04	41.86
AV	15.88728G	45.43	54.00	-8.57	39.62	3	Horizontal	157	1.87	-	37.63	10.04	41.86

802.11ax HEW20_Nss1,(MCS0)_1TX

5320MHz_TnomVnom




EUT X_1TX
Setting 19
03-C-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3228G	115.50	Inf	-Inf	109.14	3	Vertical	80	1.97	-	34.50	7.20	35.34
AV	5.322G	103.80	Inf	-Inf	97.44	3	Vertical	80	1.97	-	34.50	7.20	35.34
PK	5.35G	73.96	74.00	-0.04	67.60	3	Vertical	80	1.97	-	34.50	7.20	35.34
AV	5.35G	51.75	54.00	-2.25	45.39	3	Vertical	80	1.97	-	34.50	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_1TX

5320MHz_TnomVnom




EUT_X_1TX
Setting 19
03-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6582G	53.56	74.00	-20.44	39.97	3	Vertical	57	1.74	-	38.32	10.60	35.33
AV	10.6838G	40.66	54.00	-13.34	27.00	3	Vertical	57	1.74	-	38.37	10.60	35.31
PK	15.9392G	59.44	74.00	-14.56	44.29	3	Vertical	265	2.52	-	37.52	13.37	35.74
AV	15.9132G	45.27	54.00	-8.73	30.06	3	Vertical	265	2.52	-	37.57	13.36	35.72

802.11ax HEW20_Nss1,(MCS0)_1TX

5320MHz_TnomVnom




EUT X_1TX
Setting 19
03-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	10.6876G	53.79	74.00	-20.21	40.12	3	Horizontal	11	1.01	-	38.38	10.60	35.31	
AV	10.687G	40.62	54.00	-13.38	26.96	3	Horizontal	11	1.01	-	38.37	10.60	35.31	
PK	15.9344G	58.59	74.00	-15.41	43.42	3	Horizontal	274	1.68	-	37.53	13.37	35.73	
AV	15.9162G	45.31	54.00	-8.69	30.10	3	Horizontal	274	1.68	-	37.57	13.36	35.72	

802.11ax HEW20_Nss1,(MCS0)_1TX

5500MHz_TnomVnom




EUT X_1TX
Setting 17.75
03-C-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4152G	59.62	74.00	-14.38	53.18	3	Vertical	80	1.92	-	34.57	7.22	35.35
PK	5.4696G	65.32	68.20	-2.88	58.86	3	Vertical	80	1.92	-	34.54	7.27	35.35
AV	5.4576G	47.10	54.00	-6.90	40.67	3	Vertical	80	1.92	-	34.52	7.26	35.35
PK	5.4968G	116.32	Inf	-Inf	109.78	3	Vertical	80	1.92	-	34.59	7.30	35.35
AV	5.4976G	104.10	Inf	-Inf	97.55	3	Vertical	80	1.92	-	34.60	7.30	35.35

802.11ax HEW20_Nss1,(MCS0)_1TX

5500MHz_TnomVnom




EUT X_1TX
Setting 17.75
03-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.9878G	54.66	74.00	-19.34	40.67	3	Vertical	82	2.94	-	38.39	10.65	35.05
AV	11.0026G	41.54	54.00	-12.46	27.53	3	Vertical	82	2.94	-	38.40	10.65	35.04
PK	16.4752G	60.78	68.20	-7.42	44.20	3	Vertical	263	2.83	-	38.23	13.73	35.38

802.11ax HEW20_Nss1,(MCS0)_1TX

5500MHz_TnomVnom




EUT X_1TX
Setting 17.75
03-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0464G	56.02	74.00	-17.98	42.00	3	Horizontal	185	1.69	-	38.45	10.66	35.09
AV	11.0082G	41.56	54.00	-12.44	27.55	3	Horizontal	185	1.69	-	38.41	10.65	35.05
PK	16.4956G	61.34	68.20	-6.86	44.58	3	Horizontal	145	1.22	-	38.37	13.75	35.36

802.11ax HEW20_Nss1,(MCS0)_1TX

5580MHz_TnomVnom




EUT_X_1TX
Setting 21.5
03-C-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3928G	59.42	74.00	-14.58	52.98	3	Vertical	82	1.90	-	34.59	7.20	35.35
AV	5.4176G	47.64	54.00	-6.36	41.21	3	Vertical	82	1.90	-	34.56	7.22	35.35
PK	5.4648G	58.12	68.20	-10.08	51.68	3	Vertical	82	1.90	-	34.53	7.26	35.35
PK	5.5784G	119.70	Inf	-Inf	113.11	3	Vertical	82	1.90	-	34.60	7.38	35.39
AV	5.5776G	108.38	Inf	-Inf	101.79	3	Vertical	82	1.90	-	34.60	7.38	35.39
PK	5.7552G	59.52	68.20	-8.68	53.40	3	Vertical	82	1.90	-	34.20	7.40	35.48

802.11ax HEW20_Nss1,(MCS0)_1TX

5580MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.156G	55.50	74.00	-18.50	41.48	3	Vertical	286	2.12	-	38.56	10.67	35.21
AV	11.1182G	41.39	54.00	-12.61	27.37	3	Vertical	286	2.12	-	38.52	10.67	35.17
PK	16.74462G	61.40	68.20	-6.80	43.59	3	Vertical	236	1.80	-	39.01	13.92	35.12

802.11ax HEW20_Nss1,(MCS0)_1TX

5580MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15256G	56.43	74.00	-17.57	42.42	3	Horizontal	231	2.17	-	38.55	10.67	35.21
AV	11.15118G	42.65	54.00	-11.35	28.64	3	Horizontal	231	2.17	-	38.55	10.67	35.21
PK	16.7328G	61.73	68.20	-6.47	44.02	3	Horizontal	91	1.80	-	38.93	13.91	35.13

802.11ax HEW20_Nss1,(MCS0)_1TX

5700MHz_TnomVnom




EUT X_1TX
Setting 16
03-C-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7028G	115.85	Inf	-Inf	109.61	3	Vertical	80	1.86	-	34.29	7.40	35.45
AV	5.702G	103.55	Inf	-Inf	97.30	3	Vertical	80	1.86	-	34.30	7.40	35.45
PK	5.7264G	67.99	68.20	-0.21	61.80	3	Vertical	80	1.86	-	34.25	7.40	35.46

802.11ax HEW20_Nss1,(MCS0)_1TX

5700MHz_TnomVnom




EUT X_1TX
Setting 16
03-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41302G	55.87	74.00	-18.13	41.83	3	Vertical	135	2.86	-	38.83	10.71	35.50
AV	11.3997G	42.29	54.00	-11.71	28.27	3	Vertical	135	2.86	-	38.80	10.71	35.49

802.11ax HEW20_Nss1,(MCS0)_1TX

5700MHz_TnomVnom




EUT X_1TX
Setting 16
03-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3979G	55.98	74.00	-18.02	41.96	3	Horizontal	60	2.24	-	38.80	10.71	35.49
AV	11.39388G	42.30	54.00	-11.70	28.28	3	Horizontal	60	2.24	-	38.79	10.71	35.48

802.11ax HEW20_Nss1,(MCS0)_1TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_1TX
Setting 21.5
03-C-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3826G	59.20	74.00	-14.80	52.78	3	Vertical	64	1.87	-	34.57	7.20	35.35
AV	5.3952G	46.39	54.00	-7.61	39.95	3	Vertical	64	1.87	-	34.59	7.20	35.35
PK	5.4638G	58.19	68.20	-10.01	51.75	3	Vertical	64	1.87	-	34.53	7.26	35.35
PK	5.7228G	105.77	Inf	-Inf	99.58	3	Vertical	64	1.87	-	34.25	7.40	35.46
AV	5.7214G	94.72	Inf	-Inf	88.52	3	Vertical	64	1.87	-	34.26	7.40	35.46
PK	5.9496G	59.72	68.20	-8.48	52.94	3	Vertical	64	1.87	-	34.80	7.55	35.57

802.11ax HEW20_Nss1,(MCS0)_1TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_1TX
Setting 21.5
03-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.451G	65.41	74.00	-8.59	51.34	3	Vertical	173	2.79	-	38.90	10.72	35.55
AV	11.4484G	51.35	54.00	-2.65	37.27	3	Vertical	173	2.79	-	38.90	10.72	35.54
PK	17.16G	64.92	68.20	-3.28	45.15	3	Vertical	116	1.80	-	40.44	14.21	34.88

802.11ax HEW20_Nss1,(MCS0)_1TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_1TX
Setting 21.5
03-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4444G	61.66	74.00	-12.34	47.59	3	Horizontal	228	2.11	-	38.89	10.72	35.54
AV	11.4484G	48.51	54.00	-5.49	34.43	3	Horizontal	228	2.11	-	38.90	10.72	35.54
PK	17.1848G	64.32	68.20	-3.88	44.43	3	Horizontal	360	1.80	-	40.54	14.23	34.88

802.11ax HEW20_Nss1,(MCS0)_1TX

5745MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-C-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.5757G	60.08	68.20	-8.12	53.49	3	Vertical	63	1.86	-	34.60	7.38	35.39
PK	5.7421G	106.66	Inf	-Inf	100.51	3	Vertical	63	1.86	-	34.22	7.40	35.47
AV	5.7429G	94.73	Inf	-Inf	88.59	3	Vertical	63	1.86	-	34.21	7.40	35.47
PK	5.9389G	59.35	68.20	-8.85	52.62	3	Vertical	63	1.86	-	34.76	7.54	35.57

802.11ax HEW20_Nss1,(MCS0)_1TX

5745MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4792G	64.86	74.00	-9.14	50.76	3	Vertical	178	2.76	-	38.96	10.72	35.58
AV	11.4812G	52.59	54.00	-1.41	38.49	3	Vertical	178	2.76	-	38.96	10.72	35.58
PK	17.2448G	63.82	68.20	-4.38	43.56	3	Vertical	146	1.35	-	40.87	14.27	34.88

802.11ax HEW20_Nss1,(MCS0)_1TX

5745MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.481G	62.48	74.00	-11.52	48.38	3	Horizontal	186	2.11	-	38.96	10.72	35.58
AV	11.4814G	49.90	54.00	-4.10	35.80	3	Horizontal	186	2.11	-	38.96	10.72	35.58
PK	17.2754G	63.91	68.20	-4.29	43.46	3	Horizontal	150	1.80	-	41.05	14.29	34.89

802.11ax HEW20_Nss1,(MCS0)_1TX

5785MHz_TnomVnom




EUT X_1TX
Setting 19.75
03-C-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.555G	59.00	68.20	-9.20	52.42	3	Vertical	63	1.80	-	34.60	7.36	35.38
PK	5.782G	105.37	Inf	-Inf	99.26	3	Vertical	63	1.80	-	34.20	7.40	35.49
AV	5.783G	93.44	Inf	-Inf	87.33	3	Vertical	63	1.80	-	34.20	7.40	35.49
PK	6.014G	59.12	68.20	-9.08	52.27	3	Vertical	63	1.80	-	34.83	7.61	35.59

802.11ax HEW20_Nss1,(MCS0)_1TX

5785MHz_TnomVnom




EUT X_1TX
Setting 19.75
03-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5612G	65.87	74.00	-8.13	51.49	3	Vertical	173	3.00	-	39.24	10.73	35.59
AV	11.5612G	53.84	54.00	-0.16	39.46	3	Vertical	173	3.00	-	39.24	10.73	35.59
PK	17.3378G	59.32	68.20	-8.88	38.52	3	Vertical	81	2.98	-	41.35	14.34	34.89

802.11ax HEW20_Nss1,(MCS0)_1TX

5785MHz_TnomVnom




EUT X_1TX
Setting 19.75
03-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5622G	62.08	74.00	-11.92	47.69	3	Horizontal	186	2.16	-	39.25	10.73	35.59
AV	11.5612G	49.80	54.00	-4.20	35.42	3	Horizontal	186	2.16	-	39.24	10.73	35.59
PK	17.3824G	64.46	68.20	-3.74	43.46	3	Horizontal	360	1.69	-	41.53	14.37	34.90

802.11ax HEW20_Nss1,(MCS0)_1TX

5825MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-C-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.60028G	59.52	68.20	-8.68	52.92	3	Vertical	64	1.80	-	34.60	7.40	35.40
PK	5.82828G	104.40	Inf	-Inf	98.22	3	Vertical	64	1.80	-	34.26	7.43	35.51
AV	5.82728G	92.55	Inf	-Inf	86.38	3	Vertical	64	1.80	-	34.25	7.43	35.51
PK	6.06228G	61.06	68.20	-7.14	54.09	3	Vertical	64	1.80	-	34.92	7.63	35.58

802.11ax HEW20_Nss1,(MCS0)_1TX

5825MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6562G	66.73	74.00	-7.27	52.15	3	Vertical	171	2.70	-	39.40	10.75	35.57
AV	11.6562G	53.77	54.00	-0.23	39.19	3	Vertical	171	2.70	-	39.40	10.75	35.57
PK	17.4818G	66.23	68.20	-1.97	44.36	3	Vertical	0	2.15	-	42.34	14.44	34.91

802.11ax HEW20_Nss1,(MCS0)_1TX

5825MHz_TnomVnom



EUT X_1TX
Setting 21.5
03-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6564G	60.57	74.00	-13.43	45.99	3	Horizontal	155	2.06	-	39.40	10.75	35.57
AV	11.6562G	46.68	54.00	-7.32	32.10	3	Horizontal	155	2.06	-	39.40	10.75	35.57
PK	17.5062G	65.61	68.20	-2.59	43.51	3	Horizontal	64	1.80	-	42.56	14.45	34.91



RSE TX above 1GHz
<Partial RU> UNII1~UNII3 RU 26 Ant. 1 (2TX)


Appendix E.17

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1.(MCS0)_2TX	Pass	AV	11.5528G	53.95	54.00	-0.05	3	Vertical	177	2.94	-

802.11ax HEW20_Nss1,(MCS0)_2TX

5180MHz_TnomVnom




EUT_X_2TX
Setting 19.25
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1382G	72.89	74.00	-1.11	67.08	3	Vertical	210	1.80	-	33.98	7.17	35.34
AV	5.1378G	49.44	54.00	-4.56	43.63	3	Vertical	210	1.80	-	33.98	7.17	35.34
PK	5.1718G	121.09	Inf	-Inf	115.15	3	Vertical	210	1.80	-	34.09	7.19	35.34
AV	5.1716G	109.23	Inf	-Inf	103.29	3	Vertical	210	1.80	-	34.09	7.19	35.34

802.11ax HEW20_Nss1,(MCS0)_2TX

5180MHz_TnomVnom




EUT X_2TX
Setting 19.25
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1382G	71.58	74.00	-2.42	65.77	3	Horizontal	207	1.81	-	33.98	7.17	35.34
AV	5.1378G	48.76	54.00	-5.24	42.95	3	Horizontal	207	1.81	-	33.98	7.17	35.34
PK	5.1718G	119.88	Inf	-Inf	113.94	3	Horizontal	207	1.81	-	34.09	7.19	35.34
AV	5.1718G	107.89	Inf	-Inf	101.95	3	Horizontal	207	1.81	-	34.09	7.19	35.34

802.11ax HEW20_Nss1,(MCS0)_2TX

5180MHz_TnomVnom




EUT X_2TX
Setting 19.25
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.516G	63.17	74.00	-10.83	46.80	3	Vertical	155	2.06	-	38.59	13.16	35.38
AV	15.516G	48.31	54.00	-5.69	31.93	3	Vertical	155	2.06	-	38.60	13.16	35.38

802.11ax HEW20_Nss1,(MCS0)_2TX

5180MHz_TnomVnom




EUT X_2TX
Setting 19.25
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.5142G	60.76	74.00	-13.24	44.38	3	Horizontal	71	2.88	-	38.60	13.16	35.38
AV	15.5142G	46.32	54.00	-7.68	29.94	3	Horizontal	71	2.88	-	38.60	13.16	35.38

802.11ax HEW20_Nss1,(MCS0)_2TX

5200MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1436G	58.83	74.00	-15.17	53.01	3	Vertical	208	1.69	-	33.99	7.17	35.34
AV	5.15G	45.16	54.00	-8.84	39.33	3	Vertical	208	1.69	-	34.00	7.17	35.34
PK	5.192G	122.31	Inf	-Inf	116.28	3	Vertical	208	1.69	-	34.17	7.20	35.34
AV	5.1916G	110.81	Inf	-Inf	104.78	3	Vertical	208	1.69	-	34.17	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_2TX

5200MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.188G	59.26	74.00	-14.74	53.49	3	Horizontal	207	1.84	-	33.94	7.16	35.33
AV	5.15G	45.06	54.00	-8.94	39.23	3	Horizontal	207	1.84	-	34.00	7.17	35.34
PK	5.192G	121.58	Inf	-Inf	115.55	3	Horizontal	207	1.84	-	34.17	7.20	35.34
AV	5.192G	109.99	Inf	-Inf	103.96	3	Horizontal	207	1.84	-	34.17	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_2TX

5200MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	15.575G	64.25	74.00	-9.75	48.32	3	Vertical	170	2.76	-	38.17	13.19	35.43	
AV	15.575G	49.87	54.00	-4.13	33.94	3	Vertical	170	2.76	-	38.17	13.19	35.43	

802.11ax HEW20_Nss1,(MCS0)_2TX

5200MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.5754G	61.78	74.00	-12.22	45.85	3	Horizontal	225	1.92	-	38.17	13.19	35.43
AV	15.5754G	48.27	54.00	-5.73	32.34	3	Horizontal	225	1.92	-	38.17	13.19	35.43

802.11ax HEW20_Nss1,(MCS0)_2TX

5240MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.0966G	58.60	74.00	-15.40	52.89	3	Vertical	261	1.80	-	33.89	7.15	35.33
AV	5.1032G	44.80	54.00	-9.20	39.07	3	Vertical	261	1.80	-	33.91	7.15	35.33
PK	5.2322G	121.75	Inf	-Inf	115.56	3	Vertical	261	1.80	-	34.33	7.20	35.34
AV	5.2322G	110.70	Inf	-Inf	104.51	3	Vertical	261	1.80	-	34.33	7.20	35.34
PK	5.3576G	58.66	74.00	-15.34	52.28	3	Vertical	261	1.80	-	34.52	7.20	35.34
AV	5.3774G	45.27	54.00	-8.73	38.87	3	Vertical	261	1.80	-	34.55	7.20	35.35

802.11ax HEW20_Nss1,(MCS0)_2TX

5240MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1104G	58.30	74.00	-15.70	52.55	3	Horizontal	209	1.70	-	33.92	7.16	35.33
AV	5.0996G	44.80	54.00	-9.20	39.08	3	Horizontal	209	1.70	-	33.90	7.15	35.33
PK	5.2322G	120.57	Inf	-Inf	114.38	3	Horizontal	209	1.70	-	34.33	7.20	35.34
AV	5.2316G	109.86	Inf	-Inf	103.67	3	Horizontal	209	1.70	-	34.33	7.20	35.34
PK	5.3564G	58.79	74.00	-15.21	52.42	3	Horizontal	209	1.70	-	34.51	7.20	35.34
AV	5.3804G	45.21	54.00	-8.79	38.80	3	Horizontal	209	1.70	-	34.56	7.20	35.35

802.11ax HEW20_Nss1,(MCS0)_2TX

5240MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	15.6954G	61.99	74.00	-12.01	46.75	3	Vertical	152	2.09	-	37.52	13.25	35.53	
AV	15.695G	48.19	54.00	-5.81	32.94	3	Vertical	152	2.09	-	37.53	13.25	35.53	

802.11ax HEW20_Nss1,(MCS0)_2TX

5240MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	15.6954G	60.32	74.00	-13.68	45.08	3	Horizontal	280	1.80	-	37.52	13.25	35.53	
AV	15.6946G	46.55	54.00	-7.45	31.30	3	Horizontal	280	1.80	-	37.53	13.25	35.53	

802.11ax HEW20_Nss1,(MCS0)_2TX

5260MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1184G	58.62	74.00	-15.38	52.85	3	Vertical	315	1.92	-	33.94	7.16	35.33
AV	5.11G	44.87	54.00	-9.13	39.12	3	Vertical	315	1.92	-	33.92	7.16	35.33
PK	5.2684G	121.17	Inf	-Inf	114.87	3	Vertical	315	1.92	-	34.44	7.20	35.34
AV	5.2678G	110.24	Inf	-Inf	103.94	3	Vertical	315	1.92	-	34.44	7.20	35.34
PK	5.3884G	59.39	74.00	-14.61	52.96	3	Vertical	315	1.92	-	34.58	7.20	35.35
AV	5.3728G	45.35	54.00	-8.65	38.94	3	Vertical	315	1.92	-	34.55	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_2TX

5260MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1172G	58.15	74.00	-15.85	52.39	3	Horizontal	206	1.77	-	33.93	7.16	35.33
AV	5.11G	44.92	54.00	-9.08	39.17	3	Horizontal	206	1.77	-	33.92	7.16	35.33
PK	5.2684G	118.73	Inf	-Inf	112.43	3	Horizontal	206	1.77	-	34.44	7.20	35.34
AV	5.2684G	107.01	Inf	-Inf	100.71	3	Horizontal	206	1.77	-	34.44	7.20	35.34
PK	5.3668G	58.86	74.00	-15.14	52.47	3	Horizontal	206	1.77	-	34.53	7.20	35.34
AV	5.35G	45.37	54.00	-8.63	39.01	3	Horizontal	206	1.77	-	34.50	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_2TX

5260MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.8052G	62.71	74.00	-11.29	47.16	3	Vertical	188	2.02	-	37.88	13.30	35.63
AV	15.8052G	47.34	54.00	-6.66	31.79	3	Vertical	188	2.02	-	37.88	13.30	35.63

802.11ax HEW20_Nss1,(MCS0)_2TX

5260MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.807G	62.98	74.00	-11.02	47.43	3	Horizontal	250	1.86	-	37.88	13.30	35.63
AV	15.8056G	46.69	54.00	-7.31	31.14	3	Horizontal	250	1.86	-	37.88	13.30	35.63

802.11ax HEW20_Nss1,(MCS0)_2TX

5300MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.308G	122.03	Inf	-Inf	115.67	3	Vertical	312	2.01	-	34.50	7.20	35.34
AV	5.308G	111.17	Inf	-Inf	104.81	3	Vertical	312	2.01	-	34.50	7.20	35.34
PK	5.3744G	62.81	74.00	-11.19	56.40	3	Vertical	312	2.01	-	34.55	7.20	35.34
AV	5.3892G	47.62	54.00	-6.38	41.19	3	Vertical	312	2.01	-	34.58	7.20	35.35

802.11ax HEW20_Nss1,(MCS0)_2TX

5300MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.308G	119.49	Inf	-Inf	113.13	3	Horizontal	176	1.78	-	34.50	7.20	35.34
AV	5.3084G	108.18	Inf	-Inf	101.82	3	Horizontal	176	1.78	-	34.50	7.20	35.34
PK	5.3552G	59.98	74.00	-14.02	53.61	3	Horizontal	176	1.78	-	34.51	7.20	35.34
AV	5.35G	45.75	54.00	-8.25	39.39	3	Horizontal	176	1.78	-	34.50	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_2TX

5300MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6166G	57.84	74.00	-16.16	44.39	3	Vertical	223	1.64	-	38.23	10.59	35.37
AV	10.6168G	44.76	54.00	-9.24	31.31	3	Vertical	223	1.64	-	38.23	10.59	35.37
PK	15.9268G	60.76	74.00	-13.24	45.58	3	Vertical	208	2.96	-	37.55	13.36	35.73
AV	15.9248G	46.89	54.00	-7.11	31.71	3	Vertical	208	2.96	-	37.55	13.36	35.73

802.11ax HEW20_Nss1,(MCS0)_2TX

5300MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.617G	59.34	74.00	-14.66	45.89	3	Horizontal	204	1.80	-	38.23	10.59	35.37
AV	10.6168G	45.75	54.00	-8.25	32.30	3	Horizontal	204	1.80	-	38.23	10.59	35.37
PK	15.9252G	59.54	74.00	-14.46	44.36	3	Horizontal	151	1.80	-	37.55	13.36	35.73
AV	15.925G	46.29	54.00	-7.71	31.11	3	Horizontal	151	1.80	-	37.55	13.36	35.73

802.11ax HEW20_Nss1,(MCS0)_2TX

5320MHz_TnomVnom




EUT_X_2TX
Setting 18.25
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.328G	120.72	Inf	-Inf	114.36	3	Vertical	313	2.43	-	34.50	7.20	35.34
AV	5.328G	109.46	Inf	-Inf	103.10	3	Vertical	313	2.43	-	34.50	7.20	35.34
PK	5.3614G	72.49	74.00	-1.51	66.11	3	Vertical	313	2.43	-	34.52	7.20	35.34
AV	5.362G	47.83	54.00	-6.17	41.45	3	Vertical	313	2.43	-	34.52	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_2TX

5320MHz_TnomVnom




EUT_X_2TX
Setting 18.25
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.328G	118.54	Inf	-Inf	112.18	3	Horizontal	209	1.80	-	34.50	7.20	35.34
AV	5.328G	107.39	Inf	-Inf	101.03	3	Horizontal	209	1.80	-	34.50	7.20	35.34
PK	5.3612G	71.73	74.00	-2.27	65.35	3	Horizontal	209	1.80	-	34.52	7.20	35.34
AV	5.3618G	47.13	54.00	-6.87	40.75	3	Horizontal	209	1.80	-	34.52	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_2TX

5320MHz_TnomVnom




EUT X_2TX
Setting 18.25
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6562G	53.33	74.00	-20.67	39.76	3	Vertical	261	2.91	-	38.31	10.60	35.34
AV	10.6566G	40.05	54.00	-13.95	26.48	3	Vertical	261	2.91	-	38.31	10.60	35.34
PK	15.9908G	57.15	74.00	-16.85	42.11	3	Vertical	163	2.12	-	37.42	13.40	35.78
AV	15.9504G	44.28	54.00	-9.72	29.15	3	Vertical	163	2.12	-	37.50	13.38	35.75

802.11ax HEW20_Nss1,(MCS0)_2TX

5320MHz_TnomVnom




EUT_X_2TX
Setting 18.25
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6718G	53.13	74.00	-20.87	39.51	3	Horizontal	198	1.76	-	38.34	10.60	35.32
AV	10.6572G	40.48	54.00	-13.52	26.90	3	Horizontal	198	1.76	-	38.31	10.60	35.33
PK	15.9814G	56.99	74.00	-17.01	41.93	3	Horizontal	349	1.77	-	37.44	13.39	35.77
AV	15.9122G	44.33	54.00	-9.67	29.11	3	Horizontal	349	1.77	-	37.58	13.36	35.72

802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TnomVnom




EUT X_2TX
Setting 19.25
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4584G	73.45	74.00	-0.55	67.02	3	Vertical	227	1.80	-	34.52	7.26	35.35
AV	5.4584G	47.59	54.00	-6.41	41.16	3	Vertical	227	1.80	-	34.52	7.26	35.35
PK	5.4604G	67.78	68.20	-0.42	61.35	3	Vertical	227	1.80	-	34.52	7.26	35.35
PK	5.4924G	120.53	Inf	-Inf	114.01	3	Vertical	227	1.80	-	34.58	7.29	35.35
AV	5.492G	109.34	Inf	-Inf	102.82	3	Vertical	227	1.80	-	34.58	7.29	35.35

802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TnomVnom




EUT X_2TX
Setting 19.25
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4592G	71.20	74.00	-2.80	64.77	3	Horizontal	202	1.80	-	34.52	7.26	35.35
AV	5.4572G	46.79	54.00	-7.21	40.37	3	Horizontal	202	1.80	-	34.51	7.26	35.35
PK	5.4604G	66.74	68.20	-1.46	60.31	3	Horizontal	202	1.80	-	34.52	7.26	35.35
PK	5.4924G	120.30	Inf	-Inf	113.78	3	Horizontal	202	1.80	-	34.58	7.29	35.35
AV	5.492G	108.71	Inf	-Inf	102.19	3	Horizontal	202	1.80	-	34.58	7.29	35.35

802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TnomVnom




EUT X_2TX
Setting 19.25
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.9828G	56.88	74.00	-17.12	42.90	3	Vertical	146	1.38	-	38.38	10.65	35.05
AV	10.983G	43.14	54.00	-10.86	29.16	3	Vertical	146	1.38	-	38.38	10.65	35.05

802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TnomVnom




EUT X_2TX
Setting 19.25
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	10.9824G	57.02	74.00	-16.98	43.05	3	Horizontal	264	2.93	-	38.38	10.65	35.06	
AV	10.9826G	44.50	54.00	-9.50	30.52	3	Horizontal	264	2.93	-	38.38	10.65	35.05	

802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4112G	60.38	74.00	-13.62	53.94	3	Vertical	228	1.80	-	34.58	7.21	35.35
AV	5.4112G	48.19	54.00	-5.81	41.75	3	Vertical	228	1.80	-	34.58	7.21	35.35
PK	5.4664G	57.96	68.20	-10.24	51.51	3	Vertical	228	1.80	-	34.53	7.27	35.35
PK	5.5728G	122.60	Inf	-Inf	116.02	3	Vertical	228	1.80	-	34.60	7.37	35.39
AV	5.5712G	111.02	Inf	-Inf	104.44	3	Vertical	228	1.80	-	34.60	7.37	35.39
PK	5.7688G	65.90	68.20	-2.30	59.78	3	Vertical	228	1.80	-	34.20	7.40	35.48

802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.384G	59.71	74.00	-14.29	53.29	3	Horizontal	199	1.80	-	34.57	7.20	35.35
AV	5.4112G	47.35	54.00	-6.65	40.91	3	Horizontal	199	1.80	-	34.58	7.21	35.35
PK	5.4632G	59.26	68.20	-8.94	52.82	3	Horizontal	199	1.80	-	34.53	7.26	35.35
PK	5.5728G	121.54	Inf	-Inf	114.96	3	Horizontal	199	1.80	-	34.60	7.37	35.39
AV	5.572G	110.87	Inf	-Inf	104.29	3	Horizontal	199	1.80	-	34.60	7.37	35.39
PK	5.7704G	65.25	68.20	-2.95	59.14	3	Horizontal	199	1.80	-	34.20	7.40	35.49

802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	11.1438G	61.16	74.00	-12.84	47.15	3	Vertical	138	1.75	-	38.54	10.67	35.20	
AV	11.1434G	48.14	54.00	-5.86	34.13	3	Vertical	138	1.75	-	38.54	10.67	35.20	

802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1428G	64.24	74.00	-9.76	50.23	3	Horizontal	195	1.80	-	38.54	10.67	35.20
AV	11.1432G	52.69	54.00	-1.31	38.68	3	Horizontal	195	1.80	-	38.54	10.67	35.20

802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TnomVnom




EUT X_2TX
Setting 17
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7084G	120.25	Inf	-Inf	114.02	3	Vertical	230	1.79	-	34.28	7.40	35.45
AV	5.7082G	108.17	Inf	-Inf	101.94	3	Vertical	230	1.79	-	34.28	7.40	35.45
PK	5.7262G	67.56	68.20	-0.64	61.37	3	Vertical	230	1.79	-	34.25	7.40	35.46

802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TnomVnom




EUT X_2TX
Setting 17
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7086G	118.89	Inf	-Inf	112.66	3	Horizontal	187	1.80	-	34.28	7.40	35.45
AV	5.7084G	106.56	Inf	-Inf	100.33	3	Horizontal	187	1.80	-	34.28	7.40	35.45
PK	5.7262G	66.26	68.20	-1.94	60.07	3	Horizontal	187	1.80	-	34.25	7.40	35.46

802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TnomVnom




EUT X_2TX
Setting 17
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.4172G	55.72	74.00	-18.28	41.69	3	Vertical	4	2.70	-	38.83	10.71	35.51	
AV	11.4172G	42.60	54.00	-11.40	28.57	3	Vertical	4	2.70	-	38.83	10.71	35.51	

802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TnomVnom




EUT X_2TX
Setting 17
03-B-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	11.4174G	62.07	74.00	-11.93	48.04	3	Horizontal	140	2.03	-	38.83	10.71	35.51
AV	11.4174G	46.65	54.00	-7.35	32.62	3	Horizontal	140	2.03	-	38.83	10.71	35.51

802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3714G	58.82	74.00	-15.18	52.42	3	Vertical	230	1.77	-	34.54	7.20	35.34
AV	5.377G	45.23	54.00	-8.77	38.83	3	Vertical	230	1.77	-	34.55	7.20	35.35
PK	5.4624G	58.62	68.20	-9.58	52.19	3	Vertical	230	1.77	-	34.52	7.26	35.35
PK	5.7284G	122.29	Inf	-Inf	116.11	3	Vertical	230	1.77	-	34.24	7.40	35.46
AV	5.7284G	112.18	Inf	-Inf	106.00	3	Vertical	230	1.77	-	34.24	7.40	35.46
PK	5.888G	59.77	68.20	-8.43	53.29	3	Vertical	230	1.77	-	34.53	7.49	35.54

802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3826G	58.91	74.00	-15.09	52.49	3	Horizontal	201	1.80	-	34.57	7.20	35.35
AV	5.3854G	45.24	54.00	-8.76	38.82	3	Horizontal	201	1.80	-	34.57	7.20	35.35
PK	5.4652G	58.43	68.20	-9.77	51.98	3	Horizontal	201	1.80	-	34.53	7.27	35.35
PK	5.7284G	120.37	Inf	-Inf	114.19	3	Horizontal	201	1.80	-	34.24	7.40	35.46
AV	5.7284G	110.91	Inf	-Inf	104.73	3	Horizontal	201	1.80	-	34.24	7.40	35.46
PK	5.8656G	59.09	68.20	-9.11	52.76	3	Horizontal	201	1.80	-	34.39	7.47	35.53

802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4574G	59.97	74.00	-14.03	45.89	3	Vertical	327	1.80	-	38.91	10.72	35.55
AV	11.4572G	46.98	54.00	-7.02	32.90	3	Vertical	327	1.80	-	38.91	10.72	35.55

802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4578G	65.44	74.00	-8.56	51.35	3	Horizontal	195	1.99	-	38.92	10.72	35.55
AV	11.4576G	51.42	54.00	-2.58	37.33	3	Horizontal	195	1.99	-	38.92	10.72	35.55

802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TnomVnom




EUT X_2TX
Setting 19.5
03-B-E-2-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	5.641G	59.66	68.20	-8.54	53.16	3	Vertical	227	1.89	-	34.52	7.40	35.42	
PK	5.737G	120.72	Inf	-Inf	114.56	3	Vertical	227	1.89	-	34.23	7.40	35.47	
AV	5.737G	109.35	Inf	-Inf	103.19	3	Vertical	227	1.89	-	34.23	7.40	35.47	
PK	5.938G	59.09	68.20	-9.11	52.37	3	Vertical	227	1.89	-	34.75	7.54	35.57	

802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TnomVnom




EUT X_2TX
Setting 19.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.589G	59.09	68.20	-9.11	52.49	3	Horizontal	201	1.80	-	34.60	7.39	35.39
PK	5.737G	119.69	Inf	-Inf	113.53	3	Horizontal	201	1.80	-	34.23	7.40	35.47
AV	5.737G	108.29	Inf	-Inf	102.13	3	Horizontal	201	1.80	-	34.23	7.40	35.47
PK	5.977G	59.27	68.20	-8.93	52.48	3	Horizontal	201	1.80	-	34.80	7.58	35.59

802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TnomVnom




EUT X_2TX
Setting 19.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.4726G	67.12	74.00	-6.88	53.02	3	Vertical	179	2.79	-	38.95	10.72	35.57	
AV	11.4728G	53.36	54.00	-0.64	39.26	3	Vertical	179	2.79	-	38.95	10.72	35.57	

802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TnomVnom




EUT X_2TX
Setting 19.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4726G	63.03	74.00	-10.97	48.93	3	Horizontal	197	1.80	-	38.95	10.72	35.57
AV	11.4728G	50.22	54.00	-3.78	36.12	3	Horizontal	197	1.80	-	38.95	10.72	35.57

802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz_TnomVnom




EUT X_2TX
Setting 19.75
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.617G	59.51	68.20	-8.69	52.95	3	Vertical	228	1.76	-	34.57	7.40	35.41
PK	5.777G	121.42	Inf	-Inf	115.31	3	Vertical	228	1.76	-	34.20	7.40	35.49
AV	5.777G	110.08	Inf	-Inf	103.97	3	Vertical	228	1.76	-	34.20	7.40	35.49
PK	5.938G	60.93	68.20	-7.27	54.21	3	Vertical	228	1.76	-	34.75	7.54	35.57

802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz_TnomVnom




EUT X_2TX
Setting 19.75
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.568G	58.68	68.20	-9.52	52.09	3	Horizontal	187	1.89	-	34.60	7.37	35.38
PK	5.777G	120.16	Inf	-Inf	114.05	3	Horizontal	187	1.89	-	34.20	7.40	35.49
AV	5.777G	108.51	Inf	-Inf	102.40	3	Horizontal	187	1.89	-	34.20	7.40	35.49
PK	5.979G	59.09	68.20	-9.11	52.30	3	Horizontal	187	1.89	-	34.80	7.58	35.59

802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz_TnomVnom




EUT X_2TX
Setting 19.75
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5544G	66.76	74.00	-7.24	52.40	3	Vertical	177	2.94	-	39.22	10.73	35.59
AV	11.5528G	53.95	54.00	-0.05	39.60	3	Vertical	177	2.94	-	39.21	10.73	35.59

802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz_TnomVnom




EUT X_2TX
Setting 19.75
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.553G	64.57	74.00	-9.43	50.22	3	Horizontal	194	1.95	-	39.21	10.73	35.59
AV	11.553G	52.79	54.00	-1.21	38.44	3	Horizontal	194	1.95	-	39.21	10.73	35.59

802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz_TnomVnom




EUT X_2TX
Setting 18.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.627G	58.83	68.20	-9.37	52.29	3	Vertical	230	1.80	-	34.55	7.40	35.41
PK	5.833G	118.95	Inf	-Inf	112.77	3	Vertical	230	1.80	-	34.27	7.43	35.52
AV	5.833G	107.82	Inf	-Inf	101.64	3	Vertical	230	1.80	-	34.27	7.43	35.52
PK	5.986G	59.52	68.20	-8.68	52.72	3	Vertical	230	1.80	-	34.80	7.59	35.59

802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz_TnomVnom




EUT X_2TX
Setting 18.5
03-B-E-2-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	5.6G	59.13	68.20	-9.07	52.53	3	Horizontal	181	1.80	-	34.60	7.40	35.40	
PK	5.833G	118.06	Inf	-Inf	111.88	3	Horizontal	181	1.80	-	34.27	7.43	35.52	
AV	5.833G	106.85	Inf	-Inf	100.67	3	Horizontal	181	1.80	-	34.27	7.43	35.52	
PK	6.042G	59.84	68.20	-8.36	52.92	3	Horizontal	181	1.80	-	34.88	7.62	35.58	

802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz_TnomVnom




EUT X_2TX
Setting 18.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.6672G	67.05	74.00	-6.95	52.46	3	Vertical	177	2.75	-	39.40	10.75	35.56	
AV	11.667G	53.25	54.00	-0.75	38.66	3	Vertical	177	2.75	-	39.40	10.75	35.56	

802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz_TnomVnom



EUT X_2TX
Setting 18.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6674G	62.89	74.00	-11.11	48.30	3	Horizontal	199	1.80	-	39.40	10.75	35.56
AV	11.6674G	48.83	54.00	-5.17	34.24	3	Horizontal	199	1.80	-	39.40	10.75	35.56



RSE TX above 1GHz
<Partial RU> UNII1~UNII3 RU 52 Ant. 1 (2TX)


Appendix E.18

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1.(MCS0)_2TX	Pass	PK	5.7258G	68.14	68.20	-0.06	3	Vertical	230	1.80	-

802.11ax HEW20_Nss1,(MCS0)_2TX

5180MHz_TnomVnom




EUT_X_2TX
Setting 20
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.1424G	72.88	74.00	-1.12	67.07	3	Vertical	259	1.80	-	33.98	7.17	35.34	
AV	5.1448G	49.91	54.00	-4.09	44.09	3	Vertical	259	1.80	-	33.99	7.17	35.34	
PK	5.1744G	117.81	Inf	-Inf	111.86	3	Vertical	259	1.80	-	34.10	7.19	35.34	
AV	5.1728G	101.81	Inf	-Inf	95.87	3	Vertical	259	1.80	-	34.09	7.19	35.34	

802.11ax HEW20_Nss1,(MCS0)_2TX

5180MHz_TnomVnom




EUT X_2TX
Setting 20
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.143G	73.50	74.00	-0.50	67.68	3	Horizontal	208	1.80	-	33.99	7.17	35.34	
AV	5.1444G	49.30	54.00	-4.70	43.48	3	Horizontal	208	1.80	-	33.99	7.17	35.34	
PK	5.1742G	118.84	Inf	-Inf	112.89	3	Horizontal	208	1.80	-	34.10	7.19	35.34	
AV	5.1738G	103.07	Inf	-Inf	97.12	3	Horizontal	208	1.80	-	34.10	7.19	35.34	

802.11ax HEW20_Nss1,(MCS0)_2TX

5180MHz_TnomVnom




EUT_X_2TX
Setting 20
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.5002G	58.59	74.00	-15.41	42.11	3	Vertical	5	1.98	-	38.70	13.15	35.37
AV	15.5038G	44.91	54.00	-9.09	28.46	3	Vertical	5	1.98	-	38.67	13.15	35.37

802.11ax HEW20_Nss1,(MCS0)_2TX

5180MHz_TnomVnom




EUT X_2TX
Setting 20
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.5862G	57.95	74.00	-16.05	42.10	3	Horizontal	4	1.71	-	38.10	13.19	35.44
AV	15.5038G	44.90	54.00	-9.10	28.45	3	Horizontal	4	1.71	-	38.67	13.15	35.37

802.11ax HEW20_Nss1,(MCS0)_2TX

5200MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.134G	58.54	74.00	-15.46	52.74	3	Vertical	257	1.80	-	33.97	7.17	35.34
AV	5.15G	44.97	54.00	-9.03	39.14	3	Vertical	257	1.80	-	34.00	7.17	35.34
PK	5.1944G	119.44	Inf	-Inf	113.40	3	Vertical	257	1.80	-	34.18	7.20	35.34
AV	5.1936G	105.42	Inf	-Inf	99.39	3	Vertical	257	1.80	-	34.17	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_2TX

5200MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14G	58.07	74.00	-15.93	52.26	3	Horizontal	210	1.80	-	33.98	7.17	35.34
AV	5.1484G	44.91	54.00	-9.09	39.08	3	Horizontal	210	1.80	-	34.00	7.17	35.34
PK	5.194G	119.85	Inf	-Inf	113.81	3	Horizontal	210	1.80	-	34.18	7.20	35.34
AV	5.1936G	103.18	Inf	-Inf	97.15	3	Horizontal	210	1.80	-	34.17	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_2TX

5200MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.5862G	58.57	74.00	-15.43	42.72	3	Vertical	11	2.66	-	38.10	13.19	35.44
AV	15.5844G	44.16	54.00	-9.84	28.30	3	Vertical	11	2.66	-	38.11	13.19	35.44

802.11ax HEW20_Nss1,(MCS0)_2TX

5200MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.6162G	57.39	74.00	-16.61	41.73	3	Horizontal	357	2.28	-	37.92	13.21	35.47
AV	15.588G	44.13	54.00	-9.87	28.30	3	Horizontal	357	2.28	-	38.08	13.19	35.44

802.11ax HEW20_Nss1,(MCS0)_2TX

5240MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1404G	57.68	74.00	-16.32	51.87	3	Vertical	262	1.80	-	33.98	7.17	35.34
AV	5.102G	44.84	54.00	-9.16	39.12	3	Vertical	262	1.80	-	33.90	7.15	35.33
PK	5.234G	119.53	Inf	-Inf	113.33	3	Vertical	262	1.80	-	34.34	7.20	35.34
AV	5.2334G	105.11	Inf	-Inf	98.92	3	Vertical	262	1.80	-	34.33	7.20	35.34
PK	5.3858G	58.12	74.00	-15.88	51.70	3	Vertical	262	1.80	-	34.57	7.20	35.35
AV	5.3792G	45.18	54.00	-8.82	38.77	3	Vertical	262	1.80	-	34.56	7.20	35.35

802.11ax HEW20_Nss1,(MCS0)_2TX

5240MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1344G	57.73	74.00	-16.27	51.93	3	Horizontal	217	1.09	-	33.97	7.17	35.34
AV	5.1056G	44.81	54.00	-9.19	39.08	3	Horizontal	217	1.09	-	33.91	7.15	35.33
PK	5.234G	118.28	Inf	-Inf	112.08	3	Horizontal	217	1.09	-	34.34	7.20	35.34
AV	5.2334G	103.98	Inf	-Inf	97.79	3	Horizontal	217	1.09	-	34.33	7.20	35.34
PK	5.354G	57.80	74.00	-16.20	51.43	3	Horizontal	217	1.09	-	34.51	7.20	35.34
AV	5.3738G	45.20	54.00	-8.80	38.79	3	Horizontal	217	1.09	-	34.55	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_2TX

5240MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	15.7664G	57.55	74.00	-16.45	42.09	3	Vertical	123	2.40	-	37.77	13.28	35.59	
AV	15.7694G	44.15	54.00	-9.85	28.69	3	Vertical	123	2.40	-	37.78	13.28	35.60	

802.11ax HEW20_Nss1,(MCS0)_2TX

5240MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.745G	57.34	74.00	-16.66	41.97	3	Horizontal	243	2.90	-	37.68	13.27	35.58
AV	15.7688G	43.98	54.00	-10.02	28.52	3	Horizontal	243	2.90	-	37.78	13.28	35.60

802.11ax HEW20_Nss1,(MCS0)_2TX

5260MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1106G	58.19	74.00	-15.81	52.44	3	Vertical	302	1.80	-	33.92	7.16	35.33
AV	5.1142G	44.79	54.00	-9.21	39.03	3	Vertical	302	1.80	-	33.93	7.16	35.33
PK	5.2666G	117.45	Inf	-Inf	111.16	3	Vertical	302	1.80	-	34.43	7.20	35.34
AV	5.266G	104.81	Inf	-Inf	98.52	3	Vertical	302	1.80	-	34.43	7.20	35.34
PK	5.401G	58.13	74.00	-15.87	51.68	3	Vertical	302	1.80	-	34.60	7.20	35.35
AV	5.3548G	45.22	54.00	-8.78	38.85	3	Vertical	302	1.80	-	34.51	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_2TX

5260MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.146G	58.19	74.00	-15.81	52.37	3	Horizontal	201	1.80	-	33.99	7.17	35.34
AV	5.1142G	44.75	54.00	-9.25	38.99	3	Horizontal	201	1.80	-	33.93	7.16	35.33
PK	5.2666G	115.88	Inf	-Inf	109.59	3	Horizontal	201	1.80	-	34.43	7.20	35.34
AV	5.266G	101.59	Inf	-Inf	95.30	3	Horizontal	201	1.80	-	34.43	7.20	35.34
PK	5.362G	58.24	74.00	-15.76	51.86	3	Horizontal	201	1.80	-	34.52	7.20	35.34
AV	5.3764G	45.24	54.00	-8.76	38.84	3	Horizontal	201	1.80	-	34.55	7.20	35.35

802.11ax HEW20_Nss1,(MCS0)_2TX

5260MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.8046G	57.51	74.00	-16.49	41.95	3	Vertical	46	1.82	-	37.89	13.30	35.63
AV	15.8002G	44.35	54.00	-9.65	28.77	3	Vertical	46	1.82	-	37.90	13.30	35.62

802.11ax HEW20_Nss1,(MCS0)_2TX

5260MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	15.8066G	58.39	74.00	-15.61	42.84	3	Horizontal	243	2.91	-	37.88	13.30	35.63	
AV	15.8264G	44.34	54.00	-9.66	28.85	3	Horizontal	243	2.91	-	37.82	13.31	35.64	

802.11ax HEW20_Nss1,(MCS0)_2TX

5300MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3064G	118.06	Inf	-Inf	111.70	3	Vertical	300	1.88	-	34.50	7.20	35.34
AV	5.3064G	105.27	Inf	-Inf	98.91	3	Vertical	300	1.88	-	34.50	7.20	35.34
PK	5.364G	62.41	74.00	-11.59	56.02	3	Vertical	300	1.88	-	34.53	7.20	35.34
AV	5.3632G	45.54	54.00	-8.46	39.15	3	Vertical	300	1.88	-	34.53	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_2TX

5300MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3068G	116.44	Inf	-Inf	110.08	3	Horizontal	175	1.80	-	34.50	7.20	35.34
AV	5.3072G	102.18	Inf	-Inf	95.82	3	Horizontal	175	1.80	-	34.50	7.20	35.34
PK	5.3644G	61.88	74.00	-12.12	55.49	3	Horizontal	175	1.80	-	34.53	7.20	35.34
AV	5.35G	45.45	54.00	-8.55	39.09	3	Horizontal	175	1.80	-	34.50	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_2TX

5300MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6144G	57.01	74.00	-16.99	43.56	3	Vertical	224	1.72	-	38.23	10.59	35.37
AV	10.6142G	44.01	54.00	-9.99	30.56	3	Vertical	224	1.72	-	38.23	10.59	35.37
PK	15.8726G	58.02	74.00	-15.98	42.68	3	Vertical	251	2.87	-	37.68	13.34	35.68
AV	15.8746G	44.36	54.00	-9.64	29.02	3	Vertical	251	2.87	-	37.68	13.34	35.68

802.11ax HEW20_Nss1,(MCS0)_2TX

5300MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	10.614G	56.88	74.00	-17.12	43.43	3	Horizontal	205	1.80	-	38.23	10.59	35.37	
AV	10.6142G	44.01	54.00	-9.99	30.56	3	Horizontal	205	1.80	-	38.23	10.59	35.37	
PK	15.893G	57.61	74.00	-16.39	42.34	3	Horizontal	261	2.33	-	37.62	13.35	35.70	
AV	15.8932G	44.37	54.00	-9.63	29.10	3	Horizontal	261	2.33	-	37.62	13.35	35.70	

802.11ax HEW20_Nss1,(MCS0)_2TX

5320MHz_TnomVnom




EUT_X_2TX
Setting 18
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3258G	115.23	Inf	-Inf	108.87	3	Vertical	299	1.69	-	34.50	7.20	35.34
AV	5.326G	103.04	Inf	-Inf	96.68	3	Vertical	299	1.69	-	34.50	7.20	35.34
PK	5.3562G	70.28	74.00	-3.72	63.91	3	Vertical	299	1.69	-	34.51	7.20	35.34
AV	5.3562G	47.06	54.00	-6.94	40.69	3	Vertical	299	1.69	-	34.51	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_2TX

5320MHz_TnomVnom




EUT X_2TX
Setting 18
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3264G	115.26	Inf	-Inf	108.90	3	Horizontal	216	1.80	-	34.50	7.20	35.34
AV	5.3262G	101.43	Inf	-Inf	95.07	3	Horizontal	216	1.80	-	34.50	7.20	35.34
PK	5.356G	73.05	74.00	-0.95	66.68	3	Horizontal	216	1.80	-	34.51	7.20	35.34
AV	5.3566G	47.72	54.00	-6.28	41.35	3	Horizontal	216	1.80	-	34.51	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_2TX

5320MHz_TnomVnom




EUT X_2TX
Setting 18
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6544G	54.16	74.00	-19.84	40.59	3	Vertical	312	2.57	-	38.31	10.60	35.34
AV	10.6538G	41.34	54.00	-12.66	27.77	3	Vertical	312	2.57	-	38.31	10.60	35.34
PK	15.9228G	57.67	74.00	-16.33	42.49	3	Vertical	25	1.71	-	37.55	13.36	35.73
AV	15.91G	44.27	54.00	-9.73	29.05	3	Vertical	25	1.71	-	37.58	13.35	35.71

802.11ax HEW20_Nss1,(MCS0)_2TX

5320MHz_TnomVnom




EUT_X_2TX
Setting 18
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6538G	55.14	74.00	-18.86	41.57	3	Horizontal	205	1.78	-	38.31	10.60	35.34
AV	10.6538G	41.92	54.00	-12.08	28.35	3	Horizontal	205	1.78	-	38.31	10.60	35.34
PK	15.9606G	57.58	74.00	-16.42	42.48	3	Horizontal	287	2.01	-	37.48	13.38	35.76
AV	15.914G	44.26	54.00	-9.74	29.05	3	Horizontal	287	2.01	-	37.57	13.36	35.72

802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TnomVnom




EUT X_2TX
Setting 18.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4588G	64.55	74.00	-9.45	58.12	3	Vertical	222	2.01	-	34.52	7.26	35.35
AV	5.4588G	45.98	54.00	-8.02	39.55	3	Vertical	222	2.01	-	34.52	7.26	35.35
PK	5.4612G	67.35	68.20	-0.85	60.92	3	Vertical	222	2.01	-	34.52	7.26	35.35
PK	5.494G	118.67	Inf	-Inf	112.14	3	Vertical	222	2.01	-	34.59	7.29	35.35
AV	5.4936G	104.94	Inf	-Inf	98.41	3	Vertical	222	2.01	-	34.59	7.29	35.35

802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TnomVnom




EUT X_2TX
Setting 18.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	63.56	74.00	-10.44	57.13	3	Horizontal	200	1.80	-	34.52	7.26	35.35
AV	5.4596G	45.91	54.00	-8.09	39.48	3	Horizontal	200	1.80	-	34.52	7.26	35.35
PK	5.4612G	65.82	68.20	-2.38	59.39	3	Horizontal	200	1.80	-	34.52	7.26	35.35
PK	5.4944G	117.31	Inf	-Inf	110.78	3	Horizontal	200	1.80	-	34.59	7.29	35.35
AV	5.4932G	101.88	Inf	-Inf	95.35	3	Horizontal	200	1.80	-	34.59	7.29	35.35

802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TnomVnom




EUT X_2TX
Setting 18.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.999G	59.96	74.00	-14.04	45.95	3	Vertical	205	1.00	-	38.40	10.65	35.04
AV	10.9864G	46.61	54.00	-7.39	32.62	3	Vertical	205	1.00	-	38.39	10.65	35.05

802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TnomVnom




EUT X_2TX
Setting 18.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.986G	58.50	74.00	-15.50	44.51	3	Horizontal	58	1.56	-	38.39	10.65	35.05
AV	10.9864G	45.16	54.00	-8.84	31.17	3	Horizontal	58	1.56	-	38.39	10.65	35.05

802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4136G	58.48	74.00	-15.52	52.05	3	Vertical	220	1.80	-	34.57	7.21	35.35
AV	5.4136G	47.13	54.00	-6.87	40.70	3	Vertical	220	1.80	-	34.57	7.21	35.35
PK	5.4656G	57.32	68.20	-10.88	50.87	3	Vertical	220	1.80	-	34.53	7.27	35.35
PK	5.5744G	120.90	Inf	-Inf	114.32	3	Vertical	220	1.80	-	34.60	7.37	35.39
AV	5.5736G	107.54	Inf	-Inf	100.96	3	Vertical	220	1.80	-	34.60	7.37	35.39
PK	5.7688G	59.35	68.20	-8.85	53.23	3	Vertical	220	1.80	-	34.20	7.40	35.48

802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4128G	58.16	74.00	-15.84	51.73	3	Horizontal	197	1.80	-	34.57	7.21	35.35
AV	5.412G	46.29	54.00	-7.71	39.85	3	Horizontal	197	1.80	-	34.58	7.21	35.35
PK	5.4648G	57.73	68.20	-10.47	51.29	3	Horizontal	197	1.80	-	34.53	7.26	35.35
PK	5.5728G	118.42	Inf	-Inf	111.84	3	Horizontal	197	1.80	-	34.60	7.37	35.39
AV	5.5728G	103.67	Inf	-Inf	97.09	3	Horizontal	197	1.80	-	34.60	7.37	35.39
PK	5.7744G	57.79	68.20	-10.41	51.68	3	Horizontal	197	1.80	-	34.20	7.40	35.49

802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.159G	58.98	74.00	-15.02	44.97	3	Vertical	328	1.80	-	38.56	10.67	35.22	
AV	11.1746G	46.57	54.00	-7.43	32.56	3	Vertical	328	1.80	-	38.57	10.68	35.24	

802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.174G	62.18	74.00	-11.82	48.16	3	Horizontal	223	1.80	-	38.57	10.68	35.23
AV	11.174G	49.24	54.00	-4.76	35.22	3	Horizontal	223	1.80	-	38.57	10.68	35.23

802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TnomVnom




EUT X_2TX
Setting 17.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7058G	116.87	Inf	-Inf	110.63	3	Vertical	230	1.80	-	34.29	7.40	35.45
AV	5.707G	102.34	Inf	-Inf	96.10	3	Vertical	230	1.80	-	34.29	7.40	35.45
PK	5.7258G	68.14	68.20	-0.06	61.95	3	Vertical	230	1.80	-	34.25	7.40	35.46

802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TnomVnom




EUT X_2TX
Setting 17.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7058G	115.48	Inf	-Inf	109.24	3	Horizontal	202	1.80	-	34.29	7.40	35.45
AV	5.706G	103.23	Inf	-Inf	96.99	3	Horizontal	202	1.80	-	34.29	7.40	35.45
PK	5.7264G	66.64	68.20	-1.56	60.45	3	Horizontal	202	1.80	-	34.25	7.40	35.46

802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TnomVnom




EUT X_2TX
Setting 17.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4138G	59.31	74.00	-14.69	45.27	3	Vertical	153	2.79	-	38.83	10.71	35.50
AV	11.4142G	46.33	54.00	-7.67	32.29	3	Vertical	153	2.79	-	38.83	10.71	35.50

802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TnomVnom




EUT X_2TX
Setting 17.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4148G	58.99	74.00	-15.01	44.95	3	Horizontal	319	2.99	-	38.83	10.71	35.50
AV	11.4152G	45.67	54.00	-8.33	31.64	3	Horizontal	319	2.99	-	38.83	10.71	35.51

802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.377G	57.59	74.00	-16.41	51.19	3	Vertical	226	1.86	-	34.55	7.20	35.35
AV	5.3742G	45.25	54.00	-8.75	38.84	3	Vertical	226	1.86	-	34.55	7.20	35.34
PK	5.461G	57.42	68.20	-10.78	50.99	3	Vertical	226	1.86	-	34.52	7.26	35.35
PK	5.727G	119.34	Inf	-Inf	113.15	3	Vertical	226	1.86	-	34.25	7.40	35.46
AV	5.7256G	106.60	Inf	-Inf	100.41	3	Vertical	226	1.86	-	34.25	7.40	35.46
PK	5.8558G	58.64	68.20	-9.56	52.38	3	Vertical	226	1.86	-	34.33	7.46	35.53

802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4484G	58.45	74.00	-15.55	52.05	3	Horizontal	201	1.80	-	34.50	7.25	35.35
AV	5.3924G	45.25	54.00	-8.75	38.82	3	Horizontal	201	1.80	-	34.58	7.20	35.35
PK	5.4652G	57.32	68.20	-10.88	50.87	3	Horizontal	201	1.80	-	34.53	7.27	35.35
PK	5.727G	118.04	Inf	-Inf	111.85	3	Horizontal	201	1.80	-	34.25	7.40	35.46
AV	5.7256G	103.23	Inf	-Inf	97.04	3	Horizontal	201	1.80	-	34.25	7.40	35.46
PK	5.9846G	58.53	68.20	-9.67	51.74	3	Horizontal	201	1.80	-	34.80	7.58	35.59

802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4546G	64.40	74.00	-9.60	50.32	3	Vertical	173	2.78	-	38.91	10.72	35.55
AV	11.4546G	51.84	54.00	-2.16	37.76	3	Vertical	173	2.78	-	38.91	10.72	35.55

802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4556G	62.10	74.00	-11.90	48.02	3	Horizontal	196	1.80	-	38.91	10.72	35.55
AV	11.4554G	49.02	54.00	-4.98	34.94	3	Horizontal	196	1.80	-	38.91	10.72	35.55

802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	5.649G	58.88	68.20	-9.32	52.40	3	Vertical	219	1.67	-	34.50	7.40	35.42
PK	5.739G	119.72	Inf	-Inf	113.57	3	Vertical	219	1.67	-	34.22	7.40	35.47
AV	5.739G	104.88	Inf	-Inf	98.73	3	Vertical	219	1.67	-	34.22	7.40	35.47
PK	5.96G	58.59	68.20	-9.61	51.81	3	Vertical	219	1.67	-	34.80	7.56	35.58

802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.614G	58.21	68.20	-9.99	51.65	3	Horizontal	198	1.80	-	34.57	7.40	35.41
PK	5.739G	118.56	Inf	-Inf	112.41	3	Horizontal	198	1.80	-	34.22	7.40	35.47
AV	5.739G	104.07	Inf	-Inf	97.92	3	Horizontal	198	1.80	-	34.22	7.40	35.47
PK	5.986G	58.62	68.20	-9.58	51.82	3	Horizontal	198	1.80	-	34.80	7.59	35.59

802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4746G	64.91	74.00	-9.09	50.81	3	Vertical	173	2.76	-	38.95	10.72	35.57
AV	11.4748G	51.28	54.00	-2.72	37.18	3	Vertical	173	2.76	-	38.95	10.72	35.57

802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4756G	62.70	74.00	-11.30	48.60	3	Horizontal	196	1.80	-	38.95	10.72	35.57
AV	11.4756G	49.60	54.00	-4.40	35.50	3	Horizontal	196	1.80	-	38.95	10.72	35.57

802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.648G	58.62	68.20	-9.58	52.14	3	Vertical	225	1.80	-	34.50	7.40	35.42
PK	5.778G	118.34	Inf	-Inf	112.23	3	Vertical	225	1.80	-	34.20	7.40	35.49
AV	5.779G	103.99	Inf	-Inf	97.88	3	Vertical	225	1.80	-	34.20	7.40	35.49
PK	5.938G	58.58	68.20	-9.62	51.86	3	Vertical	225	1.80	-	34.75	7.54	35.57

802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.551G	58.95	68.20	-9.25	52.38	3	Horizontal	184	1.80	-	34.60	7.35	35.38
PK	5.779G	116.80	Inf	-Inf	110.69	3	Horizontal	184	1.80	-	34.20	7.40	35.49
AV	5.778G	102.29	Inf	-Inf	96.18	3	Horizontal	184	1.80	-	34.20	7.40	35.49
PK	5.939G	59.16	68.20	-9.04	52.43	3	Horizontal	184	1.80	-	34.76	7.54	35.57

802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5546G	65.27	74.00	-8.73	50.91	3	Vertical	176	2.80	-	39.22	10.73	35.59
AV	11.5564G	51.92	54.00	-2.08	37.55	3	Vertical	176	2.80	-	39.23	10.73	35.59

802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5556G	63.67	74.00	-10.33	49.31	3	Horizontal	197	1.80	-	39.22	10.73	35.59
AV	11.5556G	49.97	54.00	-4.03	35.61	3	Horizontal	197	1.80	-	39.22	10.73	35.59

802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.606G	58.84	68.20	-9.36	52.25	3	Vertical	228	1.80	-	34.59	7.40	35.40
PK	5.832G	117.32	Inf	-Inf	111.15	3	Vertical	228	1.80	-	34.26	7.43	35.52
AV	5.832G	102.95	Inf	-Inf	96.78	3	Vertical	228	1.80	-	34.26	7.43	35.52
PK	5.992G	59.57	68.20	-8.63	52.78	3	Vertical	228	1.80	-	34.80	7.59	35.60

802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.647G	59.08	68.20	-9.12	52.59	3	Horizontal	178	1.80	-	34.51	7.40	35.42
PK	5.831G	116.21	Inf	-Inf	110.04	3	Horizontal	178	1.80	-	34.26	7.43	35.52
AV	5.831G	103.16	Inf	-Inf	96.99	3	Horizontal	178	1.80	-	34.26	7.43	35.52
PK	5.991G	59.47	68.20	-8.73	52.68	3	Horizontal	178	1.80	-	34.80	7.59	35.60

802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6646G	65.65	74.00	-8.35	51.06	3	Vertical	176	2.76	-	39.40	10.75	35.56
AV	11.6646G	52.28	54.00	-1.72	37.69	3	Vertical	176	2.76	-	39.40	10.75	35.56

802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz_TnomVnom



EUT X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6654G	62.28	74.00	-11.72	47.69	3	Horizontal	199	1.80	-	39.40	10.75	35.56
AV	11.6652G	49.02	54.00	-4.98	34.43	3	Horizontal	199	1.80	-	39.40	10.75	35.56



RSE TX above 1GHz
<Partial RU> UNII1~UNII3 RU 106 Ant. 1 (2TX)


Appendix E.19

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1.(MCS0)_2TX	Pass	PK	5.3502G	73.50	74.00	-0.50	3	Vertical	215	1.80	-

802.11ax HEW20_Nss1,(MCS0)_2TX

5180MHz_TnomVnom




EUT_X_2TX
Setting 18.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.1492G	73.12	74.00	-0.88	67.29	3	Vertical	219	1.80	-	34.00	7.17	35.34	
AV	5.149G	48.64	54.00	-5.36	42.81	3	Vertical	219	1.80	-	34.00	7.17	35.34	
PK	5.1774G	117.54	Inf	-Inf	111.58	3	Vertical	219	1.80	-	34.11	7.19	35.34	
AV	5.1764G	104.98	Inf	-Inf	99.02	3	Vertical	219	1.80	-	34.11	7.19	35.34	

802.11ax HEW20_Nss1,(MCS0)_2TX

5180MHz_TnomVnom




EUT_X_2TX
Setting 18.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.149G	69.75	74.00	-4.25	63.92	3	Horizontal	223	1.80	-	34.00	7.17	35.34
AV	5.149G	47.06	54.00	-6.94	41.23	3	Horizontal	223	1.80	-	34.00	7.17	35.34
PK	5.1774G	114.91	Inf	-Inf	108.95	3	Horizontal	223	1.80	-	34.11	7.19	35.34
AV	5.1764G	101.70	Inf	-Inf	95.74	3	Horizontal	223	1.80	-	34.11	7.19	35.34

802.11ax HEW20_Nss1,(MCS0)_2TX

5180MHz_TnomVnom




EUT X_2TX
Setting 18.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.52824G	60.78	74.00	-13.22	44.51	3	Vertical	187	2.62	-	38.50	13.16	35.39
AV	15.52752G	46.03	54.00	-7.97	29.75	3	Vertical	187	2.62	-	38.51	13.16	35.39

802.11ax HEW20_Nss1,(MCS0)_2TX

5180MHz_TnomVnom




EUT X_2TX
Setting 18.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.52836G	59.36	74.00	-14.64	43.09	3	Horizontal	268	1.80	-	38.50	13.16	35.39
AV	15.52788G	45.19	54.00	-8.81	28.92	3	Horizontal	268	1.80	-	38.50	13.16	35.39

802.11ax HEW20_Nss1,(MCS0)_2TX

5200MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1492G	63.83	74.00	-10.17	58.00	3	Vertical	219	1.77	-	34.00	7.17	35.34
AV	5.1468G	45.57	54.00	-8.43	39.75	3	Vertical	219	1.77	-	33.99	7.17	35.34
PK	5.1976G	118.64	Inf	-Inf	112.59	3	Vertical	219	1.77	-	34.19	7.20	35.34
AV	5.1964G	106.31	Inf	-Inf	100.26	3	Vertical	219	1.77	-	34.19	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_2TX

5200MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.142G	61.64	74.00	-12.36	55.83	3	Horizontal	219	1.74	-	33.98	7.17	35.34
AV	5.1496G	45.27	54.00	-8.73	39.44	3	Horizontal	219	1.74	-	34.00	7.17	35.34
PK	5.1968G	116.44	Inf	-Inf	110.39	3	Horizontal	219	1.74	-	34.19	7.20	35.34
AV	5.1964G	102.89	Inf	-Inf	96.84	3	Horizontal	219	1.74	-	34.19	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_2TX

5200MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.58872G	61.66	74.00	-12.34	45.83	3	Vertical	155	2.07	-	38.08	13.19	35.44
AV	15.5877G	47.05	54.00	-6.95	31.21	3	Vertical	155	2.07	-	38.09	13.19	35.44

802.11ax HEW20_Nss1,(MCS0)_2TX

5200MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.58872G	60.51	74.00	-13.49	44.68	3	Horizontal	280	1.80	-	38.08	13.19	35.44
AV	15.58704G	45.73	54.00	-8.27	29.89	3	Horizontal	280	1.80	-	38.09	13.19	35.44

802.11ax HEW20_Nss1,(MCS0)_2TX

5240MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1314G	58.16	74.00	-15.84	52.37	3	Vertical	217	1.56	-	33.96	7.17	35.34
AV	5.0942G	44.95	54.00	-9.05	39.24	3	Vertical	217	1.56	-	33.89	7.15	35.33
PK	5.2376G	118.30	Inf	-Inf	112.09	3	Vertical	217	1.56	-	34.35	7.20	35.34
AV	5.2376G	105.37	Inf	-Inf	99.16	3	Vertical	217	1.56	-	34.35	7.20	35.34
PK	5.3876G	57.79	74.00	-16.21	51.36	3	Vertical	217	1.56	-	34.58	7.20	35.35
AV	5.3606G	45.39	54.00	-8.61	39.01	3	Vertical	217	1.56	-	34.52	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_2TX

5240MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1458G	58.26	74.00	-15.74	52.44	3	Horizontal	218	1.09	-	33.99	7.17	35.34
AV	5.1014G	44.91	54.00	-9.09	39.19	3	Horizontal	218	1.09	-	33.90	7.15	35.33
PK	5.2364G	116.41	Inf	-Inf	110.20	3	Horizontal	218	1.09	-	34.35	7.20	35.34
AV	5.2376G	103.91	Inf	-Inf	97.70	3	Horizontal	218	1.09	-	34.35	7.20	35.34
PK	5.3618G	58.15	74.00	-15.85	51.77	3	Horizontal	218	1.09	-	34.52	7.20	35.34
AV	5.375G	45.29	54.00	-8.71	38.88	3	Horizontal	218	1.09	-	34.55	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_2TX

5240MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.70884G	59.78	74.00	-14.22	44.54	3	Vertical	155	2.06	-	37.54	13.25	35.55
AV	15.7077G	46.01	54.00	-7.99	30.77	3	Vertical	155	2.06	-	37.53	13.25	35.54

802.11ax HEW20_Nss1,(MCS0)_2TX

5240MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.70824G	59.70	74.00	-14.30	44.46	3	Horizontal	228	1.80	-	37.53	13.25	35.54
AV	15.70944G	45.23	54.00	-8.77	29.99	3	Horizontal	228	1.80	-	37.54	13.25	35.55

802.11ax HEW20_Nss1,(MCS0)_2TX

5260MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1274G	58.37	74.00	-15.63	52.60	3	Vertical	217	1.74	-	33.95	7.16	35.34
AV	5.11G	44.88	54.00	-9.12	39.13	3	Vertical	217	1.74	-	33.92	7.16	35.33
PK	5.2624G	118.92	Inf	-Inf	112.64	3	Vertical	217	1.74	-	34.42	7.20	35.34
AV	5.2636G	105.88	Inf	-Inf	99.59	3	Vertical	217	1.74	-	34.43	7.20	35.34
PK	5.3818G	58.22	74.00	-15.78	51.81	3	Vertical	217	1.74	-	34.56	7.20	35.35
AV	5.3758G	45.33	54.00	-8.67	38.93	3	Vertical	217	1.74	-	34.55	7.20	35.35

802.11ax HEW20_Nss1,(MCS0)_2TX

5260MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1424G	57.47	74.00	-16.53	51.66	3	Horizontal	221	1.89	-	33.98	7.17	35.34
AV	5.11G	44.81	54.00	-9.19	39.06	3	Horizontal	221	1.89	-	33.92	7.16	35.33
PK	5.2624G	116.89	Inf	-Inf	110.61	3	Horizontal	221	1.89	-	34.42	7.20	35.34
AV	5.2636G	103.40	Inf	-Inf	97.11	3	Horizontal	221	1.89	-	34.43	7.20	35.34
PK	5.389G	58.17	74.00	-15.83	51.74	3	Horizontal	221	1.89	-	34.58	7.20	35.35
AV	5.3566G	45.25	54.00	-8.75	38.88	3	Horizontal	221	1.89	-	34.51	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_2TX

5260MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.79098G	62.32	74.00	-11.68	46.77	3	Vertical	201	2.47	-	37.86	13.30	35.61
AV	15.79248G	46.91	54.00	-7.09	31.36	3	Vertical	201	2.47	-	37.87	13.30	35.62

802.11ax HEW20_Nss1,(MCS0)_2TX

5260MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	15.7911G	60.12	74.00	-13.88	44.57	3	Horizontal	215	1.90	-	37.86	13.30	35.61
AV	15.79218G	45.65	54.00	-8.35	30.10	3	Horizontal	215	1.90	-	37.87	13.30	35.62

802.11ax HEW20_Nss1,(MCS0)_2TX

5300MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3028G	118.93	Inf	-Inf	112.57	3	Vertical	218	1.70	-	34.50	7.20	35.34
AV	5.3036G	106.54	Inf	-Inf	100.18	3	Vertical	218	1.70	-	34.50	7.20	35.34
PK	5.35G	65.00	74.00	-9.00	58.64	3	Vertical	218	1.70	-	34.50	7.20	35.34
AV	5.384G	46.79	54.00	-7.21	40.37	3	Vertical	218	1.70	-	34.57	7.20	35.35

802.11ax HEW20_Nss1,(MCS0)_2TX

5300MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3028G	117.07	Inf	-Inf	110.71	3	Horizontal	218	1.07	-	34.50	7.20	35.34
AV	5.302G	103.98	Inf	-Inf	97.62	3	Horizontal	218	1.07	-	34.50	7.20	35.34
PK	5.352G	62.30	74.00	-11.70	55.94	3	Horizontal	218	1.07	-	34.50	7.20	35.34
AV	5.382G	45.97	54.00	-8.03	39.56	3	Horizontal	218	1.07	-	34.56	7.20	35.35

802.11ax HEW20_Nss1,(MCS0)_2TX

5300MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60648G	57.13	74.00	-16.87	43.71	3	Vertical	208	1.80	-	38.21	10.59	35.38
AV	10.60636G	42.92	54.00	-11.08	29.50	3	Vertical	208	1.80	-	38.21	10.59	35.38
PK	15.91116G	60.30	74.00	-13.70	45.08	3	Vertical	199	2.52	-	37.58	13.36	35.72
AV	15.91272G	46.01	54.00	-7.99	30.80	3	Vertical	199	2.52	-	37.57	13.36	35.72

802.11ax HEW20_Nss1,(MCS0)_2TX

5300MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60876G	57.57	74.00	-16.43	44.14	3	Horizontal	204	1.76	-	38.22	10.59	35.38
AV	10.6093G	43.60	54.00	-10.40	30.17	3	Horizontal	204	1.76	-	38.22	10.59	35.38
PK	15.89382G	59.77	74.00	-14.23	44.50	3	Horizontal	250	1.80	-	37.62	13.35	35.70
AV	15.91218G	45.28	54.00	-8.72	30.06	3	Horizontal	250	1.80	-	37.58	13.36	35.72

802.11ax HEW20_Nss1,(MCS0)_2TX

5320MHz_TnomVnom




EUT_X_2TX
Setting 19.25
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3228G	118.29	Inf	-Inf	111.93	3	Vertical	215	1.80	-	34.50	7.20	35.34
AV	5.324G	105.34	Inf	-Inf	98.98	3	Vertical	215	1.80	-	34.50	7.20	35.34
PK	5.3502G	73.50	74.00	-0.50	67.14	3	Vertical	215	1.80	-	34.50	7.20	35.34
AV	5.3502G	50.76	54.00	-3.24	44.40	3	Vertical	215	1.80	-	34.50	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_2TX

5320MHz_TnomVnom




EUT_X_2TX
Setting 19.25
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3228G	116.53	Inf	-Inf	110.17	3	Horizontal	221	1.86	-	34.50	7.20	35.34
AV	5.3238G	103.86	Inf	-Inf	97.50	3	Horizontal	221	1.86	-	34.50	7.20	35.34
PK	5.35G	71.66	74.00	-2.34	65.30	3	Horizontal	221	1.86	-	34.50	7.20	35.34
AV	5.35G	49.33	54.00	-4.67	42.97	3	Horizontal	221	1.86	-	34.50	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_2TX

5320MHz_TnomVnom




EUT X_2TX
Setting 19.25
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	10.64888G	56.61	74.00	-17.39	43.05	3	Vertical	222	1.76	-	38.30	10.60	35.34	
AV	10.649G	42.74	54.00	-11.26	29.18	3	Vertical	222	1.76	-	38.30	10.60	35.34	
PK	15.96672G	57.45	74.00	-16.55	42.36	3	Vertical	68	2.45	-	37.47	13.38	35.76	
AV	15.9723G	43.90	54.00	-10.10	28.82	3	Vertical	68	2.45	-	37.46	13.39	35.77	

802.11ax HEW20_Nss1,(MCS0)_2TX

5320MHz_TnomVnom




EUT_X_2TX
Setting 19.25
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.64732G	57.51	74.00	-16.49	43.96	3	Horizontal	200	2.09	-	38.29	10.60	35.34
AV	10.64942G	43.77	54.00	-10.23	30.21	3	Horizontal	200	2.09	-	38.30	10.60	35.34
PK	15.96156G	57.47	74.00	-16.53	42.37	3	Horizontal	186	2.13	-	37.48	13.38	35.76
AV	15.9684G	44.01	54.00	-9.99	28.93	3	Horizontal	186	2.13	-	37.46	13.38	35.76

802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TnomVnom




EUT_X_2TX
Setting 18
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.4472G	58.75	74.00	-15.25	52.34	3	Vertical	214	1.71	-	34.51	7.25	35.35	
AV	5.4576G	45.73	54.00	-8.27	39.30	3	Vertical	214	1.71	-	34.52	7.26	35.35	
PK	5.4692G	67.33	68.20	-0.87	60.87	3	Vertical	214	1.71	-	34.54	7.27	35.35	
PK	5.4968G	117.25	Inf	-Inf	110.71	3	Vertical	214	1.71	-	34.59	7.30	35.35	
AV	5.4964G	103.64	Inf	-Inf	97.10	3	Vertical	214	1.71	-	34.59	7.30	35.35	

802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TnomVnom




EUT X_2TX
Setting 18
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4352G	58.64	74.00	-15.36	52.22	3	Horizontal	220	2.68	-	34.53	7.24	35.35
PK	5.4688G	67.82	68.20	-0.38	61.36	3	Horizontal	220	2.68	-	34.54	7.27	35.35
AV	5.4564G	45.56	54.00	-8.44	39.14	3	Horizontal	220	2.68	-	34.51	7.26	35.35
PK	5.4968G	114.53	Inf	-Inf	107.99	3	Horizontal	220	2.68	-	34.59	7.30	35.35
AV	5.4964G	102.98	Inf	-Inf	96.44	3	Horizontal	220	2.68	-	34.59	7.30	35.35

802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TnomVnom




EUT X_2TX
Setting 18
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99166G	58.78	74.00	-15.22	44.79	3	Vertical	228	1.66	-	38.39	10.65	35.05
AV	10.99142G	44.22	54.00	-9.78	30.23	3	Vertical	228	1.66	-	38.39	10.65	35.05

802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TnomVnom




EUT X_2TX
Setting 18
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.9916G	56.28	74.00	-17.72	42.29	3	Horizontal	215	1.80	-	38.39	10.65	35.05
AV	10.99142G	42.50	54.00	-11.50	28.51	3	Horizontal	215	1.80	-	38.39	10.65	35.05

802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.416G	58.39	74.00	-15.61	51.95	3	Vertical	218	1.76	-	34.57	7.22	35.35
AV	5.416G	46.51	54.00	-7.49	40.07	3	Vertical	218	1.76	-	34.57	7.22	35.35
PK	5.4632G	56.99	68.20	-11.21	50.55	3	Vertical	218	1.76	-	34.53	7.26	35.35
PK	5.5776G	118.01	Inf	-Inf	111.42	3	Vertical	218	1.76	-	34.60	7.38	35.39
AV	5.576G	106.92	Inf	-Inf	100.33	3	Vertical	218	1.76	-	34.60	7.38	35.39
PK	5.7368G	57.93	68.20	-10.27	51.77	3	Vertical	218	1.76	-	34.23	7.40	35.47

802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4032G	58.52	74.00	-15.48	52.08	3	Horizontal	200	1.80	-	34.59	7.20	35.35
AV	5.4176G	46.06	54.00	-7.94	39.63	3	Horizontal	200	1.80	-	34.56	7.22	35.35
PK	5.4672G	57.59	68.20	-10.61	51.14	3	Horizontal	200	1.80	-	34.53	7.27	35.35
PK	5.5784G	116.70	Inf	-Inf	110.11	3	Horizontal	200	1.80	-	34.60	7.38	35.39
AV	5.5776G	103.93	Inf	-Inf	97.34	3	Horizontal	200	1.80	-	34.60	7.38	35.39
PK	5.7416G	58.34	68.20	-9.86	52.19	3	Horizontal	200	1.80	-	34.22	7.40	35.47

802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15892G	59.62	74.00	-14.38	45.61	3	Vertical	325	1.78	-	38.56	10.67	35.22
AV	11.15424G	45.87	54.00	-8.13	31.86	3	Vertical	325	1.78	-	38.55	10.67	35.21

802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1513G	63.13	74.00	-10.87	49.12	3	Horizontal	219	2.10	-	38.55	10.67	35.21
AV	11.15148G	50.35	54.00	-3.65	36.34	3	Horizontal	219	2.10	-	38.55	10.67	35.21

802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TnomVnom




EUT X_2TX
Setting 16.75
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7028G	116.82	Inf	-Inf	110.58	3	Vertical	214	1.80	-	34.29	7.40	35.45
AV	5.7024G	102.92	Inf	-Inf	96.67	3	Vertical	214	1.80	-	34.30	7.40	35.45
PK	5.725G	67.98	68.20	-0.22	61.79	3	Vertical	214	1.80	-	34.25	7.40	35.46

802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TnomVnom




EUT X_2TX
Setting 16.75
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7026G	114.70	Inf	-Inf	108.46	3	Horizontal	205	1.97	-	34.29	7.40	35.45
AV	5.7024G	100.84	Inf	-Inf	94.59	3	Horizontal	205	1.97	-	34.30	7.40	35.45
PK	5.725G	67.53	68.20	-0.67	61.34	3	Horizontal	205	1.97	-	34.25	7.40	35.46

802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TnomVnom




EUT X_2TX
Setting 16.75
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40708G	57.94	74.00	-16.06	43.92	3	Vertical	152	2.81	-	38.81	10.71	35.50
AV	11.4096G	44.17	54.00	-9.83	30.14	3	Vertical	152	2.81	-	38.82	10.71	35.50

802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TnomVnom




EUT X_2TX
Setting 16.75
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40798G	57.48	74.00	-16.52	43.45	3	Horizontal	163	1.07	-	38.82	10.71	35.50
AV	11.40762G	43.64	54.00	-10.36	29.61	3	Horizontal	163	1.07	-	38.82	10.71	35.50

802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3826G	58.60	74.00	-15.40	52.18	3	Vertical	216	1.80	-	34.57	7.20	35.35
AV	5.3784G	45.31	54.00	-8.69	38.90	3	Vertical	216	1.80	-	34.56	7.20	35.35
PK	5.461G	57.20	68.20	-11.00	50.77	3	Vertical	216	1.80	-	34.52	7.26	35.35
PK	5.7228G	119.40	Inf	-Inf	113.21	3	Vertical	216	1.80	-	34.25	7.40	35.46
AV	5.7242G	106.46	Inf	-Inf	100.27	3	Vertical	216	1.80	-	34.25	7.40	35.46
PK	5.9594G	58.84	68.20	-9.36	52.06	3	Vertical	216	1.80	-	34.80	7.56	35.58

802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3882G	58.02	74.00	-15.98	51.59	3	Horizontal	205	1.94	-	34.58	7.20	35.35
AV	5.3812G	45.30	54.00	-8.70	38.89	3	Horizontal	205	1.94	-	34.56	7.20	35.35
PK	5.4666G	57.67	68.20	-10.53	51.22	3	Horizontal	205	1.94	-	34.53	7.27	35.35
PK	5.7242G	118.15	Inf	-Inf	111.96	3	Horizontal	205	1.94	-	34.25	7.40	35.46
AV	5.7214G	103.70	Inf	-Inf	97.50	3	Horizontal	205	1.94	-	34.26	7.40	35.46
PK	5.8824G	58.66	68.20	-9.54	52.23	3	Horizontal	205	1.94	-	34.49	7.48	35.54

802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43886G	59.98	74.00	-14.02	45.91	3	Vertical	73	2.29	-	38.88	10.72	35.53
AV	11.44936G	45.90	54.00	-8.10	31.82	3	Vertical	73	2.29	-	38.90	10.72	35.54

802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44774G	61.61	74.00	-12.39	47.53	3	Horizontal	196	1.80	-	38.90	10.72	35.54
AV	11.44552G	48.61	54.00	-5.39	34.54	3	Horizontal	196	1.80	-	38.89	10.72	35.54

802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.583G	59.16	68.20	-9.04	52.57	3	Vertical	214	1.77	-	34.60	7.38	35.39
PK	5.743G	118.64	Inf	-Inf	112.50	3	Vertical	214	1.77	-	34.21	7.40	35.47
AV	5.743G	105.57	Inf	-Inf	99.43	3	Vertical	214	1.77	-	34.21	7.40	35.47
PK	5.977G	59.15	68.20	-9.05	52.36	3	Vertical	214	1.77	-	34.80	7.58	35.59

802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.582G	59.22	68.20	-8.98	52.63	3	Horizontal	216	2.61	-	34.60	7.38	35.39	
PK	5.743G	118.17	Inf	-Inf	112.03	3	Horizontal	216	2.61	-	34.21	7.40	35.47	
AV	5.743G	104.51	Inf	-Inf	98.37	3	Horizontal	216	2.61	-	34.21	7.40	35.47	
PK	5.928G	57.98	68.20	-10.22	51.30	3	Horizontal	216	2.61	-	34.71	7.53	35.56	

802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.48904G	64.83	74.00	-9.17	50.72	3	Vertical	176	2.77	-	38.98	10.72	35.59	
AV	11.4816G	50.97	54.00	-3.03	36.87	3	Vertical	176	2.77	-	38.96	10.72	35.58	

802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4828G	61.84	74.00	-12.16	47.73	3	Horizontal	196	1.80	-	38.97	10.72	35.58
AV	11.48052G	48.17	54.00	-5.83	34.07	3	Horizontal	196	1.80	-	38.96	10.72	35.58

802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.616G	58.88	68.20	-9.32	52.32	3	Vertical	212	1.74	-	34.57	7.40	35.41
PK	5.783G	119.04	Inf	-Inf	112.93	3	Vertical	212	1.74	-	34.20	7.40	35.49
AV	5.783G	106.40	Inf	-Inf	100.29	3	Vertical	212	1.74	-	34.20	7.40	35.49
PK	5.941G	59.68	68.20	-8.52	52.95	3	Vertical	212	1.74	-	34.76	7.54	35.57

802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.568G	59.15	68.20	-9.05	52.56	3	Horizontal	214	2.59	-	34.60	7.37	35.38	
PK	5.783G	118.37	Inf	-Inf	112.26	3	Horizontal	214	2.59	-	34.20	7.40	35.49	
AV	5.783G	105.18	Inf	-Inf	99.07	3	Horizontal	214	2.59	-	34.20	7.40	35.49	
PK	5.944G	59.86	68.20	-8.34	53.11	3	Horizontal	214	2.59	-	34.78	7.54	35.57	

802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56904G	65.70	74.00	-8.30	51.26	3	Vertical	174	2.80	-	39.28	10.74	35.58
AV	11.5616G	51.38	54.00	-2.62	36.99	3	Vertical	174	2.80	-	39.25	10.73	35.59

802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56946G	61.31	74.00	-12.69	46.87	3	Horizontal	144	2.02	-	39.28	10.74	35.58
AV	11.56046G	47.28	54.00	-6.72	32.90	3	Horizontal	144	2.02	-	39.24	10.73	35.59

802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.602G	58.66	68.20	-9.54	52.06	3	Vertical	215	1.80	-	34.60	7.40	35.40	
PK	5.828G	118.97	Inf	-Inf	112.79	3	Vertical	215	1.80	-	34.26	7.43	35.51	
AV	5.827G	104.34	Inf	-Inf	98.17	3	Vertical	215	1.80	-	34.25	7.43	35.51	
PK	6.049G	59.94	68.20	-8.26	53.00	3	Vertical	215	1.80	-	34.90	7.62	35.58	

802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.609G	58.77	68.20	-9.43	52.19	3	Horizontal	206	1.80	-	34.58	7.40	35.40
PK	5.829G	116.24	Inf	-Inf	110.06	3	Horizontal	206	1.80	-	34.26	7.43	35.51
AV	5.829G	102.56	Inf	-Inf	96.38	3	Horizontal	206	1.80	-	34.26	7.43	35.51
PK	5.987G	59.85	68.20	-8.35	53.05	3	Horizontal	206	1.80	-	34.80	7.59	35.59

802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.65486G	59.10	74.00	-14.90	44.52	3	Vertical	312	1.85	-	39.40	10.75	35.57	
AV	11.65972G	45.03	54.00	-8.97	30.44	3	Vertical	312	1.85	-	39.40	10.75	35.56	

802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz_TnomVnom



EUT X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65804G	60.52	74.00	-13.48	45.94	3	Horizontal	197	1.67	-	39.40	10.75	35.57
AV	11.65546G	47.11	54.00	-6.89	32.53	3	Horizontal	197	1.67	-	39.40	10.75	35.57



RSE TX above 1GHz
<Partial RU> UNII1~UNII3 RU 26 Ant. 2 (2TX)


Appendix E.20

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1.(MCS0)_2TX	Pass	AV	11.4572G	53.98	54.00	-0.02	3	Vertical	199	1.00	-

802.11ax HEW20_Nss1,(MCS0)_2TX

5180MHz_TnomVnom




EUT X_2TX
Setting 20.25
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1382G	73.52	74.00	-0.48	67.71	3	Vertical	174	2.11	-	33.98	7.17	35.34
AV	5.1378G	49.21	54.00	-4.79	43.40	3	Vertical	174	2.11	-	33.98	7.17	35.34
PK	5.1718G	122.90	Inf	-Inf	116.96	3	Vertical	174	2.11	-	34.09	7.19	35.34
AV	5.172G	110.97	Inf	-Inf	105.03	3	Vertical	174	2.11	-	34.09	7.19	35.34

802.11ax HEW20_Nss1,(MCS0)_2TX

5180MHz_TnomVnom




EUT X_2TX
Setting 20.25
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.139G	71.37	74.00	-2.63	65.56	3	Horizontal	183	2.10	-	33.98	7.17	35.34
AV	5.1382G	48.58	54.00	-5.42	42.77	3	Horizontal	183	2.10	-	33.98	7.17	35.34
PK	5.1718G	121.23	Inf	-Inf	115.29	3	Horizontal	183	2.10	-	34.09	7.19	35.34
AV	5.1718G	109.13	Inf	-Inf	103.19	3	Horizontal	183	2.10	-	34.09	7.19	35.34

802.11ax HEW20_Nss1,(MCS0)_2TX

5180MHz_TnomVnom




EUT X_2TX
Setting 20.25
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.51G	58.15	74.00	-15.85	41.74	3	Vertical	144	2.30	-	38.63	13.16	35.38
AV	15.5016G	45.08	54.00	-8.92	28.61	3	Vertical	144	2.30	-	38.69	13.15	35.37

802.11ax HEW20_Nss1,(MCS0)_2TX

5180MHz_TnomVnom




EUT X_2TX
Setting 20.25
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	15.5046G	58.79	74.00	-15.21	42.34	3	Horizontal	113	1.97	-	38.67	13.15	35.37	
AV	15.5024G	45.02	54.00	-8.98	28.56	3	Horizontal	113	1.97	-	38.68	13.15	35.37	

802.11ax HEW20_Nss1,(MCS0)_2TX

5200MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1028G	58.80	74.00	-15.20	53.07	3	Vertical	178	2.24	-	33.91	7.15	35.33
AV	5.15G	45.32	54.00	-8.68	39.49	3	Vertical	178	2.24	-	34.00	7.17	35.34
PK	5.1916G	123.39	Inf	-Inf	117.36	3	Vertical	178	2.24	-	34.17	7.20	35.34
AV	5.192G	112.07	Inf	-Inf	106.04	3	Vertical	178	2.24	-	34.17	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_2TX

5200MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1256G	59.35	74.00	-14.65	53.58	3	Horizontal	185	2.14	-	33.95	7.16	35.34
AV	5.15G	45.22	54.00	-8.78	39.39	3	Horizontal	185	2.14	-	34.00	7.17	35.34
PK	5.192G	121.35	Inf	-Inf	115.32	3	Horizontal	185	2.14	-	34.17	7.20	35.34
AV	5.1916G	110.34	Inf	-Inf	104.31	3	Horizontal	185	2.14	-	34.17	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_2TX

5200MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	15.6054G	58.49	74.00	-15.51	42.78	3	Vertical	5	1.73	-	37.97	13.20	35.46	
AV	15.584G	44.17	54.00	-9.83	28.31	3	Vertical	5	1.73	-	38.11	13.19	35.44	

802.11ax HEW20_Nss1,(MCS0)_2TX

5200MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	15.6016G	57.53	74.00	-16.47	41.80	3	Horizontal	178	2.02	-	37.99	13.20	35.46	
AV	15.5982G	44.18	54.00	-9.82	28.42	3	Horizontal	178	2.02	-	38.01	13.20	35.45	

802.11ax HEW20_Nss1,(MCS0)_2TX

5240MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1074G	58.70	74.00	-15.30	52.97	3	Vertical	177	2.03	-	33.91	7.15	35.33
AV	5.1014G	45.13	54.00	-8.87	39.41	3	Vertical	177	2.03	-	33.90	7.15	35.33
PK	5.2316G	124.48	Inf	-Inf	118.29	3	Vertical	177	2.03	-	34.33	7.20	35.34
AV	5.2322G	113.04	Inf	-Inf	106.85	3	Vertical	177	2.03	-	34.33	7.20	35.34
PK	5.3888G	59.14	74.00	-14.86	52.71	3	Vertical	177	2.03	-	34.58	7.20	35.35
AV	5.39G	45.71	54.00	-8.29	39.28	3	Vertical	177	2.03	-	34.58	7.20	35.35

802.11ax HEW20_Nss1,(MCS0)_2TX

5240MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1026G	59.31	74.00	-14.69	53.58	3	Horizontal	186	2.14	-	33.91	7.15	35.33
AV	5.1008G	45.09	54.00	-8.91	39.37	3	Horizontal	186	2.14	-	33.90	7.15	35.33
PK	5.2316G	121.34	Inf	-Inf	115.15	3	Horizontal	186	2.14	-	34.33	7.20	35.34
AV	5.2316G	110.32	Inf	-Inf	104.13	3	Horizontal	186	2.14	-	34.33	7.20	35.34
PK	5.3534G	58.80	74.00	-15.20	52.43	3	Horizontal	186	2.14	-	34.51	7.20	35.34
AV	5.3774G	45.47	54.00	-8.53	39.07	3	Horizontal	186	2.14	-	34.55	7.20	35.35

802.11ax HEW20_Nss1,(MCS0)_2TX

5240MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.768G	57.93	74.00	-16.07	42.48	3	Vertical	22	2.29	-	37.77	13.28	35.60
AV	15.768G	44.20	54.00	-9.80	28.75	3	Vertical	22	2.29	-	37.77	13.28	35.60

802.11ax HEW20_Nss1,(MCS0)_2TX

5240MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.7402G	58.01	74.00	-15.99	42.65	3	Horizontal	158	2.31	-	37.66	13.27	35.57
AV	15.7626G	44.20	54.00	-9.80	28.76	3	Horizontal	158	2.31	-	37.75	13.28	35.59

802.11ax HEW20_Nss1,(MCS0)_2TX

5260MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1268G	58.90	74.00	-15.10	53.13	3	Vertical	180	1.98	-	33.95	7.16	35.34
AV	5.11G	45.23	54.00	-8.77	39.48	3	Vertical	180	1.98	-	33.92	7.16	35.33
PK	5.2678G	123.08	Inf	-Inf	116.78	3	Vertical	180	1.98	-	34.44	7.20	35.34
AV	5.2684G	111.91	Inf	-Inf	105.61	3	Vertical	180	1.98	-	34.44	7.20	35.34
PK	5.3668G	59.25	74.00	-14.75	52.86	3	Vertical	180	1.98	-	34.53	7.20	35.34
AV	5.3794G	45.60	54.00	-8.40	39.19	3	Vertical	180	1.98	-	34.56	7.20	35.35

802.11ax HEW20_Nss1,(MCS0)_2TX

5260MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1202G	58.43	74.00	-15.57	52.66	3	Horizontal	202	2.00	-	33.94	7.16	35.33
AV	5.11G	45.03	54.00	-8.97	39.28	3	Horizontal	202	2.00	-	33.92	7.16	35.33
PK	5.2684G	119.99	Inf	-Inf	113.69	3	Horizontal	202	2.00	-	34.44	7.20	35.34
AV	5.2678G	108.89	Inf	-Inf	102.59	3	Horizontal	202	2.00	-	34.44	7.20	35.34
PK	5.3986G	59.34	74.00	-14.66	52.89	3	Horizontal	202	2.00	-	34.60	7.20	35.35
AV	5.35G	45.63	54.00	-8.37	39.27	3	Horizontal	202	2.00	-	34.50	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_2TX

5260MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.8218G	58.21	74.00	-15.79	42.71	3	Vertical	17	1.95	-	37.83	13.31	35.64
AV	15.814G	44.48	54.00	-9.52	28.94	3	Vertical	17	1.95	-	37.86	13.31	35.63

802.11ax HEW20_Nss1,(MCS0)_2TX

5260MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.7706G	57.87	74.00	-16.13	42.40	3	Horizontal	285	2.84	-	37.78	13.29	35.60
AV	15.8126G	44.48	54.00	-9.52	28.94	3	Horizontal	285	2.84	-	37.86	13.31	35.63

802.11ax HEW20_Nss1,(MCS0)_2TX

5300MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.308G	123.41	Inf	-Inf	117.05	3	Vertical	181	1.97	-	34.50	7.20	35.34
AV	5.308G	112.56	Inf	-Inf	106.20	3	Vertical	181	1.97	-	34.50	7.20	35.34
PK	5.3732G	62.72	74.00	-11.28	56.31	3	Vertical	181	1.97	-	34.55	7.20	35.34
AV	5.3892G	46.56	54.00	-7.44	40.13	3	Vertical	181	1.97	-	34.58	7.20	35.35

802.11ax HEW20_Nss1,(MCS0)_2TX

5300MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3084G	120.48	Inf	-Inf	114.12	3	Horizontal	202	2.01	-	34.50	7.20	35.34
AV	5.308G	109.47	Inf	-Inf	103.11	3	Horizontal	202	2.01	-	34.50	7.20	35.34
PK	5.3732G	59.58	74.00	-14.42	53.17	3	Horizontal	202	2.01	-	34.55	7.20	35.34
AV	5.3884G	45.83	54.00	-8.17	39.40	3	Horizontal	202	2.01	-	34.58	7.20	35.35

802.11ax HEW20_Nss1,(MCS0)_2TX

5300MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6164G	58.08	74.00	-15.92	44.63	3	Vertical	204	1.79	-	38.23	10.59	35.37
AV	10.6166G	45.39	54.00	-8.61	31.94	3	Vertical	204	1.79	-	38.23	10.59	35.37
PK	15.9272G	61.30	74.00	-12.70	46.12	3	Vertical	199	3.00	-	37.55	13.36	35.73
AV	15.9248G	47.07	54.00	-6.93	31.89	3	Vertical	199	3.00	-	37.55	13.36	35.73

802.11ax HEW20_Nss1,(MCS0)_2TX

5300MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6174G	56.91	74.00	-17.09	43.46	3	Horizontal	144	1.80	-	38.23	10.59	35.37
AV	10.617G	44.17	54.00	-9.83	30.72	3	Horizontal	144	1.80	-	38.23	10.59	35.37
PK	15.8952G	58.66	74.00	-15.34	43.40	3	Horizontal	282	1.80	-	37.61	13.35	35.70
AV	15.9246G	45.38	54.00	-8.62	30.20	3	Horizontal	282	1.80	-	37.55	13.36	35.73

802.11ax HEW20_Nss1,(MCS0)_2TX

5320MHz_TnomVnom




EUT_X_2TX
Setting 17.75
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3282G	121.79	Inf	-Inf	115.43	3	Vertical	177	1.80	-	34.50	7.20	35.34
AV	5.3284G	110.36	Inf	-Inf	104.00	3	Vertical	177	1.80	-	34.50	7.20	35.34
PK	5.3608G	73.59	74.00	-0.41	67.21	3	Vertical	177	1.80	-	34.52	7.20	35.34
AV	5.362G	48.66	54.00	-5.34	42.28	3	Vertical	177	1.80	-	34.52	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_2TX

5320MHz_TnomVnom




EUT_X_2TX
Setting 17.75
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3284G	119.26	Inf	-Inf	112.90	3	Horizontal	201	1.99	-	34.50	7.20	35.34
AV	5.3282G	107.78	Inf	-Inf	101.42	3	Horizontal	201	1.99	-	34.50	7.20	35.34
PK	5.361G	72.82	74.00	-1.18	66.44	3	Horizontal	201	1.99	-	34.52	7.20	35.34
AV	5.362G	46.99	54.00	-7.01	40.61	3	Horizontal	201	1.99	-	34.52	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_2TX

5320MHz_TnomVnom




EUT_X_2TX
Setting 17.75
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6562G	57.41	74.00	-16.59	43.84	3	Vertical	56	2.11	-	38.31	10.60	35.34
AV	10.6566G	44.11	54.00	-9.89	30.54	3	Vertical	56	2.11	-	38.31	10.60	35.34
PK	15.9156G	58.16	74.00	-15.84	42.95	3	Vertical	6	1.93	-	37.57	13.36	35.72
AV	15.9116G	44.51	54.00	-9.49	29.29	3	Vertical	6	1.93	-	37.58	13.36	35.72

802.11ax HEW20_Nss1,(MCS0)_2TX

5320MHz_TnomVnom




EUT_X_2TX
Setting 17.75
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6572G	58.47	74.00	-15.53	44.89	3	Horizontal	142	2.09	-	38.31	10.60	35.33
AV	10.657G	44.90	54.00	-9.10	31.32	3	Horizontal	142	2.09	-	38.31	10.60	35.33
PK	15.9114G	58.56	74.00	-15.44	43.34	3	Horizontal	158	1.56	-	37.58	13.36	35.72
AV	15.9134G	44.47	54.00	-9.53	29.26	3	Horizontal	158	1.56	-	37.57	13.36	35.72

802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TnomVnom




EUT X_2TX
Setting 19.25
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4592G	72.32	74.00	-1.68	65.89	3	Vertical	178	1.88	-	34.52	7.26	35.35
AV	5.452G	47.93	54.00	-6.07	41.53	3	Vertical	178	1.88	-	34.50	7.25	35.35
PK	5.4604G	67.37	68.20	-0.83	60.94	3	Vertical	178	1.88	-	34.52	7.26	35.35
PK	5.492G	122.90	Inf	-Inf	116.38	3	Vertical	178	1.88	-	34.58	7.29	35.35
AV	5.492G	110.85	Inf	-Inf	104.33	3	Vertical	178	1.88	-	34.58	7.29	35.35

802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TnomVnom




EUT X_2TX
Setting 19.25
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4584G	72.23	74.00	-1.77	65.80	3	Horizontal	186	2.91	-	34.52	7.26	35.35
AV	5.4588G	46.87	54.00	-7.13	40.44	3	Horizontal	186	2.91	-	34.52	7.26	35.35
PK	5.4604G	67.92	68.20	-0.28	61.49	3	Horizontal	186	2.91	-	34.52	7.26	35.35
PK	5.4916G	119.53	Inf	-Inf	113.01	3	Horizontal	186	2.91	-	34.58	7.29	35.35
AV	5.4916G	107.86	Inf	-Inf	101.34	3	Horizontal	186	2.91	-	34.58	7.29	35.35

802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TnomVnom




EUT X_2TX
Setting 19.25
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	10.984G	64.51	74.00	-9.49	50.53	3	Vertical	175	3.00	-	38.38	10.65	35.05	
AV	10.984G	49.18	54.00	-4.82	35.20	3	Vertical	175	3.00	-	38.38	10.65	35.05	

802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TnomVnom




EUT X_2TX
Setting 19.25
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.9824G	62.73	74.00	-11.27	48.76	3	Horizontal	265	2.84	-	38.38	10.65	35.06
AV	10.9826G	49.03	54.00	-4.97	35.05	3	Horizontal	265	2.84	-	38.38	10.65	35.05

802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TnomVnom




EUT X_2TX
Setting 18.75
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.412G	60.24	74.00	-13.76	53.80	3	Vertical	175	1.80	-	34.58	7.21	35.35
AV	5.412G	48.02	54.00	-5.98	41.58	3	Vertical	175	1.80	-	34.58	7.21	35.35
PK	5.4616G	58.78	68.20	-9.42	52.35	3	Vertical	175	1.80	-	34.52	7.26	35.35
PK	5.5712G	121.52	Inf	-Inf	114.94	3	Vertical	175	1.80	-	34.60	7.37	35.39
AV	5.5712G	110.17	Inf	-Inf	103.59	3	Vertical	175	1.80	-	34.60	7.37	35.39
PK	5.7312G	59.80	68.20	-8.40	53.63	3	Vertical	175	1.80	-	34.24	7.40	35.47

802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TnomVnom




EUT X_2TX
Setting 18.75
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4488G	59.30	74.00	-14.70	52.90	3	Horizontal	193	2.97	-	34.50	7.25	35.35
AV	5.4104G	46.76	54.00	-7.24	40.32	3	Horizontal	193	2.97	-	34.58	7.21	35.35
PK	5.4648G	58.36	68.20	-9.84	51.92	3	Horizontal	193	2.97	-	34.53	7.26	35.35
PK	5.5728G	119.67	Inf	-Inf	113.09	3	Horizontal	193	2.97	-	34.60	7.37	35.39
AV	5.572G	108.53	Inf	-Inf	101.95	3	Horizontal	193	2.97	-	34.60	7.37	35.39
PK	5.7328G	59.29	68.20	-8.91	53.13	3	Horizontal	193	2.97	-	34.23	7.40	35.47

802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TnomVnom




EUT X_2TX
Setting 18.75
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.144G	65.08	74.00	-8.92	51.07	3	Vertical	167	2.84	-	38.54	10.67	35.20
AV	11.144G	51.27	54.00	-2.73	37.26	3	Vertical	167	2.84	-	38.54	10.67	35.20

802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TnomVnom




EUT X_2TX
Setting 18.75
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1422G	67.61	74.00	-6.39	53.60	3	Horizontal	135	2.08	-	38.54	10.67	35.20
AV	11.1428G	53.90	54.00	-0.10	39.89	3	Horizontal	135	2.08	-	38.54	10.67	35.20

802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TnomVnom




EUT X_2TX
Setting 16
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7084G	121.07	Inf	-Inf	114.84	3	Vertical	176	1.65	-	34.28	7.40	35.45
AV	5.7086G	107.46	Inf	-Inf	101.23	3	Vertical	176	1.65	-	34.28	7.40	35.45
PK	5.7274G	67.25	68.20	-0.95	61.06	3	Vertical	176	1.65	-	34.25	7.40	35.46

802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TnomVnom




EUT_X_2TX
Setting 16
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.708G	118.10	Inf	-Inf	111.87	3	Horizontal	183	3.00	-	34.28	7.40	35.45
AV	5.709G	104.66	Inf	-Inf	98.43	3	Horizontal	183	3.00	-	34.28	7.40	35.45
PK	5.725G	67.06	68.20	-1.14	60.87	3	Horizontal	183	3.00	-	34.25	7.40	35.46

802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TnomVnom




EUT X_2TX
Setting 16
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4178G	60.48	74.00	-13.52	46.44	3	Vertical	203	2.59	-	38.84	10.71	35.51
AV	11.4172G	45.62	54.00	-8.38	31.59	3	Vertical	203	2.59	-	38.83	10.71	35.51

802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TnomVnom




EUT X_2TX
Setting 16
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4178G	60.68	74.00	-13.32	46.64	3	Horizontal	54	1.71	-	38.84	10.71	35.51
AV	11.4174G	45.95	54.00	-8.05	31.92	3	Horizontal	54	1.71	-	38.83	10.71	35.51

802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_X_2TX
Setting 20.25
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4316G	58.73	74.00	-15.27	52.31	3	Vertical	176	1.73	-	34.54	7.23	35.35
AV	5.3798G	45.51	54.00	-8.49	39.10	3	Vertical	176	1.73	-	34.56	7.20	35.35
PK	5.468G	58.13	68.20	-10.07	51.67	3	Vertical	176	1.73	-	34.54	7.27	35.35
PK	5.7284G	123.79	Inf	-Inf	117.61	3	Vertical	176	1.73	-	34.24	7.40	35.46
AV	5.7284G	112.70	Inf	-Inf	106.52	3	Vertical	176	1.73	-	34.24	7.40	35.46
PK	5.8894G	60.63	68.20	-7.57	54.14	3	Vertical	176	1.73	-	34.54	7.49	35.54

802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_X_2TX
Setting 20.25
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4526G	59.57	74.00	-14.43	53.16	3	Horizontal	185	2.96	-	34.51	7.25	35.35
AV	5.3826G	45.42	54.00	-8.58	39.00	3	Horizontal	185	2.96	-	34.57	7.20	35.35
PK	5.4694G	58.59	68.20	-9.61	52.13	3	Horizontal	185	2.96	-	34.54	7.27	35.35
PK	5.7284G	121.41	Inf	-Inf	115.23	3	Horizontal	185	2.96	-	34.24	7.40	35.46
AV	5.7284G	110.04	Inf	-Inf	103.86	3	Horizontal	185	2.96	-	34.24	7.40	35.46
PK	5.902G	65.75	68.20	-2.45	59.19	3	Horizontal	185	2.96	-	34.61	7.50	35.55

802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_2TX
Setting 20.25
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4568G	65.81	74.00	-8.19	51.73	3	Vertical	199	1.00	-	38.91	10.72	35.55
AV	11.4572G	53.98	54.00	-0.02	39.90	3	Vertical	199	1.00	-	38.91	10.72	35.55

802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_2TX
Setting 20.25
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4576G	64.81	74.00	-9.19	50.72	3	Horizontal	138	2.01	-	38.92	10.72	35.55
AV	11.4574G	51.42	54.00	-2.58	37.34	3	Horizontal	138	2.01	-	38.91	10.72	35.55

802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TnomVnom




EUT_X_2TX
Setting 21
03-B-E-2-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	5.577G	59.68	68.20	-8.52	53.09	3	Vertical	175	1.73	-	34.60	7.38	35.39	
PK	5.737G	123.52	Inf	-Inf	117.36	3	Vertical	175	1.73	-	34.23	7.40	35.47	
AV	5.736G	112.28	Inf	-Inf	106.12	3	Vertical	175	1.73	-	34.23	7.40	35.47	
PK	5.967G	59.85	68.20	-8.35	53.06	3	Vertical	175	1.73	-	34.80	7.57	35.58	

802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TnomVnom




EUT_X_2TX
Setting 21
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.568G	59.40	68.20	-8.80	52.81	3	Horizontal	185	2.97	-	34.60	7.37	35.38
PK	5.737G	121.02	Inf	-Inf	114.86	3	Horizontal	185	2.97	-	34.23	7.40	35.47
AV	5.737G	110.37	Inf	-Inf	104.21	3	Horizontal	185	2.97	-	34.23	7.40	35.47
PK	5.956G	59.41	68.20	-8.79	52.63	3	Horizontal	185	2.97	-	34.80	7.56	35.58

802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TnomVnom




EUT X_2TX
Setting 21
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.472G	62.87	74.00	-11.13	48.78	3	Vertical	204	2.97	-	38.94	10.72	35.57
AV	11.473G	50.50	54.00	-3.50	36.40	3	Vertical	204	2.97	-	38.95	10.72	35.57

802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TnomVnom




EUT_X_2TX
Setting 21
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.473G	64.43	74.00	-9.57	50.33	3	Horizontal	139	2.09	-	38.95	10.72	35.57
AV	11.473G	53.79	54.00	-0.21	39.69	3	Horizontal	139	2.09	-	38.95	10.72	35.57

802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz_TnomVnom




EUT_X_2TX
Setting 19.75
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.617G	59.88	68.20	-8.32	53.32	3	Vertical	177	1.80	-	34.57	7.40	35.41
PK	5.777G	122.73	Inf	-Inf	116.62	3	Vertical	177	1.80	-	34.20	7.40	35.49
AV	5.776G	110.64	Inf	-Inf	104.53	3	Vertical	177	1.80	-	34.20	7.40	35.49
PK	5.937G	60.49	68.20	-7.71	53.77	3	Vertical	177	1.80	-	34.75	7.54	35.57

802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz_TnomVnom




EUT X_2TX
Setting 19.75
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.578G	59.19	68.20	-9.01	52.60	3	Horizontal	188	3.00	-	34.60	7.38	35.39
PK	5.777G	119.44	Inf	-Inf	113.33	3	Horizontal	188	3.00	-	34.20	7.40	35.49
AV	5.776G	108.41	Inf	-Inf	102.30	3	Horizontal	188	3.00	-	34.20	7.40	35.49
PK	5.938G	59.63	68.20	-8.57	52.91	3	Horizontal	188	3.00	-	34.75	7.54	35.57

802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz_TnomVnom




EUT X_2TX
Setting 19.75
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5524G	63.11	74.00	-10.89	48.76	3	Vertical	215	3.00	-	39.21	10.73	35.59
AV	11.5528G	51.33	54.00	-2.67	36.98	3	Vertical	215	3.00	-	39.21	10.73	35.59

802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz_TnomVnom




EUT X_2TX
Setting 19.75
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	11.5528G	53.95	54.00	-0.05	39.60	3	Horizontal	136	2.07	-	39.21	10.73	35.59
PK	11.5524G	66.84	74.00	-7.16	52.49	3	Horizontal	136	2.07	-	39.21	10.73	35.59

802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz_TnomVnom




EUT_X_2TX
Setting 18
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.613G	59.73	68.20	-8.47	53.17	3	Vertical	175	1.89	-	34.57	7.40	35.41
PK	5.834G	120.39	Inf	-Inf	114.21	3	Vertical	175	1.89	-	34.27	7.43	35.52
AV	5.834G	109.33	Inf	-Inf	103.15	3	Vertical	175	1.89	-	34.27	7.43	35.52
PK	5.994G	61.75	68.20	-6.45	54.96	3	Vertical	175	1.89	-	34.80	7.59	35.60

802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz_TnomVnom




EUT_X_2TX
Setting 18
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.58G	59.63	68.20	-8.57	53.04	3	Horizontal	187	3.00	-	34.60	7.38	35.39
PK	5.833G	118.69	Inf	-Inf	112.51	3	Horizontal	187	3.00	-	34.27	7.43	35.52
AV	5.833G	107.02	Inf	-Inf	100.84	3	Horizontal	187	3.00	-	34.27	7.43	35.52
PK	5.993G	59.80	68.20	-8.40	53.01	3	Horizontal	187	3.00	-	34.80	7.59	35.60

802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz_TnomVnom




EUT_X_2TX
Setting 18
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.6668G	67.63	74.00	-6.37	53.04	3	Vertical	178	2.88	-	39.40	10.75	35.56	
AV	11.667G	53.87	54.00	-0.13	39.28	3	Vertical	178	2.88	-	39.40	10.75	35.56	

802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz_TnomVnom



EUT_X_2TX
Setting 18
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.668G	66.64	74.00	-7.36	52.05	3	Horizontal	194	2.04	-	39.40	10.75	35.56
AV	11.6674G	51.79	54.00	-2.21	37.20	3	Horizontal	194	2.04	-	39.40	10.75	35.56



RSE TX above 1GHz
<Partial RU> UNII1~UNII3 RU 52 Ant. 2 (2TX)


Appendix E.21

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1.(MCS0)_2TX	Pass	PK	5.1424G	73.71	74.00	-0.29	3	Vertical	181	2.12	-

802.11ax HEW20_Nss1,(MCS0)_2TX

5180MHz_TnomVnom




EUT_X_2TX
Setting 20.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1424G	73.71	74.00	-0.29	67.90	3	Vertical	181	2.12	-	33.98	7.17	35.34
AV	5.1444G	49.71	54.00	-4.29	43.89	3	Vertical	181	2.12	-	33.99	7.17	35.34
PK	5.1742G	121.25	Inf	-Inf	115.30	3	Vertical	181	2.12	-	34.10	7.19	35.34
AV	5.174G	105.75	Inf	-Inf	99.80	3	Vertical	181	2.12	-	34.10	7.19	35.34

802.11ax HEW20_Nss1,(MCS0)_2TX

5180MHz_TnomVnom




EUT_X_2TX
Setting 20.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1424G	73.59	74.00	-0.41	67.78	3	Horizontal	189	2.12	-	33.98	7.17	35.34
AV	5.144G	49.33	54.00	-4.67	43.51	3	Horizontal	189	2.12	-	33.99	7.17	35.34
PK	5.1742G	118.92	Inf	-Inf	112.97	3	Horizontal	189	2.12	-	34.10	7.19	35.34
AV	5.174G	103.75	Inf	-Inf	97.80	3	Horizontal	189	2.12	-	34.10	7.19	35.34

802.11ax HEW20_Nss1,(MCS0)_2TX

5180MHz_TnomVnom




EUT X_2TX
Setting 20.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	15.495G	57.58	74.00	-16.42	41.09	3	Vertical	345	1.36	-	38.71	13.15	35.37	
AV	15.5016G	44.69	54.00	-9.31	28.22	3	Vertical	345	1.36	-	38.69	13.15	35.37	

802.11ax HEW20_Nss1,(MCS0)_2TX

5180MHz_TnomVnom




EUT X_2TX
Setting 20.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.4982G	57.55	74.00	-16.45	41.07	3	Horizontal	172	1.45	-	38.70	13.15	35.37
AV	15.503G	44.74	54.00	-9.26	28.28	3	Horizontal	172	1.45	-	38.68	13.15	35.37

802.11ax HEW20_Nss1,(MCS0)_2TX

5200MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1012G	57.88	74.00	-16.12	52.16	3	Vertical	186	1.91	-	33.90	7.15	35.33
AV	5.148G	45.13	54.00	-8.87	39.30	3	Vertical	186	1.91	-	34.00	7.17	35.34
PK	5.194G	120.24	Inf	-Inf	114.20	3	Vertical	186	1.91	-	34.18	7.20	35.34
AV	5.1936G	106.67	Inf	-Inf	100.64	3	Vertical	186	1.91	-	34.17	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_2TX

5200MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1208G	58.25	74.00	-15.75	52.48	3	Horizontal	189	2.09	-	33.94	7.16	35.33
AV	5.1496G	45.15	54.00	-8.85	39.32	3	Horizontal	189	2.09	-	34.00	7.17	35.34
PK	5.1944G	119.96	Inf	-Inf	113.92	3	Horizontal	189	2.09	-	34.18	7.20	35.34
AV	5.1936G	105.81	Inf	-Inf	99.78	3	Horizontal	189	2.09	-	34.17	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_2TX

5200MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	15.5866G	57.53	74.00	-16.47	41.69	3	Vertical	226	1.60	-	38.09	13.19	35.44	
AV	15.5938G	43.82	54.00	-10.18	28.03	3	Vertical	226	1.60	-	38.04	13.20	35.45	

802.11ax HEW20_Nss1,(MCS0)_2TX

5200MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.6152G	57.26	74.00	-16.74	41.60	3	Horizontal	185	1.03	-	37.92	13.21	35.47
AV	15.5834G	43.83	54.00	-10.17	27.96	3	Horizontal	185	1.03	-	38.12	13.19	35.44

802.11ax HEW20_Nss1,(MCS0)_2TX

5240MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.0978G	58.28	74.00	-15.72	52.56	3	Vertical	183	1.99	-	33.90	7.15	35.33
AV	5.1008G	45.03	54.00	-8.97	39.31	3	Vertical	183	1.99	-	33.90	7.15	35.33
PK	5.234G	122.35	Inf	-Inf	116.15	3	Vertical	183	1.99	-	34.34	7.20	35.34
AV	5.234G	107.22	Inf	-Inf	101.02	3	Vertical	183	1.99	-	34.34	7.20	35.34
PK	5.3864G	58.92	74.00	-15.08	52.50	3	Vertical	183	1.99	-	34.57	7.20	35.35
AV	5.3858G	45.50	54.00	-8.50	39.08	3	Vertical	183	1.99	-	34.57	7.20	35.35

802.11ax HEW20_Nss1,(MCS0)_2TX

5240MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1332G	58.12	74.00	-15.88	52.32	3	Horizontal	191	2.19	-	33.97	7.17	35.34
AV	5.0966G	45.03	54.00	-8.97	39.32	3	Horizontal	191	2.19	-	33.89	7.15	35.33
PK	5.234G	119.42	Inf	-Inf	113.22	3	Horizontal	191	2.19	-	34.34	7.20	35.34
AV	5.2334G	104.12	Inf	-Inf	97.93	3	Horizontal	191	2.19	-	34.33	7.20	35.34
PK	5.381G	58.30	74.00	-15.70	51.89	3	Horizontal	191	2.19	-	34.56	7.20	35.35
AV	5.3792G	45.40	54.00	-8.60	38.99	3	Horizontal	191	2.19	-	34.56	7.20	35.35

802.11ax HEW20_Nss1,(MCS0)_2TX

5240MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.6896G	56.83	74.00	-17.17	41.57	3	Vertical	328	2.79	-	37.55	13.24	35.53
AV	15.766G	43.93	54.00	-10.07	28.48	3	Vertical	328	2.79	-	37.76	13.28	35.59

802.11ax HEW20_Nss1,(MCS0)_2TX

5240MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.7486G	57.20	74.00	-16.80	41.82	3	Horizontal	145	2.54	-	37.69	13.27	35.58
AV	15.7638G	43.83	54.00	-10.17	28.38	3	Horizontal	145	2.54	-	37.76	13.28	35.59

802.11ax HEW20_Nss1,(MCS0)_2TX

5260MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1292G	57.92	74.00	-16.08	52.14	3	Vertical	176	2.11	-	33.96	7.16	35.34
AV	5.11G	45.16	54.00	-8.84	39.41	3	Vertical	176	2.11	-	33.92	7.16	35.33
PK	5.266G	119.31	Inf	-Inf	113.02	3	Vertical	176	2.11	-	34.43	7.20	35.34
AV	5.2672G	104.80	Inf	-Inf	98.51	3	Vertical	176	2.11	-	34.43	7.20	35.34
PK	5.356G	59.51	74.00	-14.49	53.14	3	Vertical	176	2.11	-	34.51	7.20	35.34
AV	5.3872G	45.59	54.00	-8.41	39.17	3	Vertical	176	2.11	-	34.57	7.20	35.35

802.11ax HEW20_Nss1,(MCS0)_2TX

5260MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.131G	57.96	74.00	-16.04	52.17	3	Horizontal	193	1.80	-	33.96	7.17	35.34
AV	5.11G	44.97	54.00	-9.03	39.22	3	Horizontal	193	1.80	-	33.92	7.16	35.33
PK	5.266G	115.83	Inf	-Inf	109.54	3	Horizontal	193	1.80	-	34.43	7.20	35.34
AV	5.266G	101.49	Inf	-Inf	95.20	3	Horizontal	193	1.80	-	34.43	7.20	35.34
PK	5.386G	58.86	74.00	-15.14	52.44	3	Horizontal	193	1.80	-	34.57	7.20	35.35
AV	5.3818G	45.56	54.00	-8.44	39.15	3	Horizontal	193	1.80	-	34.56	7.20	35.35

802.11ax HEW20_Nss1,(MCS0)_2TX

5260MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.8194G	57.91	74.00	-16.09	42.40	3	Vertical	62	1.37	-	37.84	13.31	35.64
AV	15.8006G	44.21	54.00	-9.79	28.63	3	Vertical	62	1.37	-	37.90	13.30	35.62

802.11ax HEW20_Nss1,(MCS0)_2TX

5260MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.7976G	57.42	74.00	-16.58	41.85	3	Horizontal	331	1.37	-	37.89	13.30	35.62
AV	15.8046G	44.16	54.00	-9.84	28.60	3	Horizontal	331	1.37	-	37.89	13.30	35.63

802.11ax HEW20_Nss1,(MCS0)_2TX

5300MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3068G	120.49	Inf	-Inf	114.13	3	Vertical	177	1.98	-	34.50	7.20	35.34
AV	5.3068G	105.82	Inf	-Inf	99.46	3	Vertical	177	1.98	-	34.50	7.20	35.34
PK	5.3656G	65.25	74.00	-8.75	58.86	3	Vertical	177	1.98	-	34.53	7.20	35.34
AV	5.3872G	47.60	54.00	-6.40	41.18	3	Vertical	177	1.98	-	34.57	7.20	35.35

802.11ax HEW20_Nss1,(MCS0)_2TX

5300MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3072G	116.97	Inf	-Inf	110.61	3	Horizontal	201	2.00	-	34.50	7.20	35.34
AV	5.306G	103.88	Inf	-Inf	97.52	3	Horizontal	201	2.00	-	34.50	7.20	35.34
PK	5.3644G	62.63	74.00	-11.37	56.24	3	Horizontal	201	2.00	-	34.53	7.20	35.34
AV	5.386G	46.52	54.00	-7.48	40.10	3	Horizontal	201	2.00	-	34.57	7.20	35.35

802.11ax HEW20_Nss1,(MCS0)_2TX

5300MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6136G	55.46	74.00	-18.54	42.01	3	Vertical	200	1.42	-	38.23	10.59	35.37
AV	10.614G	42.68	54.00	-11.32	29.23	3	Vertical	200	1.42	-	38.23	10.59	35.37
PK	15.92G	58.55	74.00	-15.45	43.35	3	Vertical	172	2.02	-	37.56	13.36	35.72
AV	15.9224G	45.24	54.00	-8.76	30.04	3	Vertical	172	2.02	-	37.56	13.36	35.72

802.11ax HEW20_Nss1,(MCS0)_2TX

5300MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6142G	54.42	74.00	-19.58	40.97	3	Horizontal	143	1.80	-	38.23	10.59	35.37
AV	10.6146G	41.66	54.00	-12.34	28.21	3	Horizontal	143	1.80	-	38.23	10.59	35.37
PK	15.9218G	58.97	74.00	-15.03	43.77	3	Horizontal	228	2.29	-	37.56	13.36	35.72
AV	15.9224G	45.31	54.00	-8.69	30.11	3	Horizontal	228	2.29	-	37.56	13.36	35.72

802.11ax HEW20_Nss1,(MCS0)_2TX

5320MHz_TnomVnom




EUT_X_2TX
Setting 18
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3268G	118.09	Inf	-Inf	111.73	3	Vertical	180	1.80	-	34.50	7.20	35.34
AV	5.3268G	104.53	Inf	-Inf	98.17	3	Vertical	180	1.80	-	34.50	7.20	35.34
PK	5.3572G	72.59	74.00	-1.41	66.22	3	Vertical	180	1.80	-	34.51	7.20	35.34
AV	5.3568G	49.27	54.00	-4.73	42.90	3	Vertical	180	1.80	-	34.51	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_2TX

5320MHz_TnomVnom




EUT_X_2TX
Setting 18
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3268G	115.13	Inf	-Inf	108.77	3	Horizontal	201	2.03	-	34.50	7.20	35.34
AV	5.3258G	102.21	Inf	-Inf	95.85	3	Horizontal	201	2.03	-	34.50	7.20	35.34
PK	5.356G	70.88	74.00	-3.12	64.51	3	Horizontal	201	2.03	-	34.51	7.20	35.34
AV	5.356G	47.80	54.00	-6.20	41.43	3	Horizontal	201	2.03	-	34.51	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_2TX

5320MHz_TnomVnom



EUT_X_2TX
Setting 18
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6368G	52.73	74.00	-21.27	39.21	3	Vertical	117	1.04	-	38.27	10.60	35.35
AV	10.6538G	39.64	54.00	-14.36	26.07	3	Vertical	117	1.04	-	38.31	10.60	35.34
PK	15.9912G	57.66	74.00	-16.34	42.62	3	Vertical	139	2.95	-	37.42	13.40	35.78
AV	15.9168G	44.06	54.00	-9.94	28.85	3	Vertical	139	2.95	-	37.57	13.36	35.72