


802.11g_Nss1,(6Mbps)_1TX

2437MHz_TX




EUT X_1TX
Setting 24
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3886G	68.33	74.00	-5.67	35.62	3	Vertical	130	1.00	-	28.32	4.39	-
AV	2.3898G	50.21	54.00	-3.79	17.50	3	Vertical	130	1.00	-	28.32	4.39	-
PK	2.4382G	118.74	Inf	-Inf	85.94	3	Vertical	130	1.00	-	28.38	4.42	-
AV	2.4382G	108.99	Inf	-Inf	76.19	3	Vertical	130	1.00	-	28.38	4.42	-
PK	2.4854G	71.41	74.00	-2.59	38.36	3	Vertical	130	1.00	-	28.61	4.44	-
AV	2.4835G	52.17	54.00	-1.83	19.13	3	Vertical	130	1.00	-	28.60	4.44	-

802.11g_Nss1,(6Mbps)_1TX

2437MHz_TX




EUT X_1TX
Setting 24
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3886G	65.30	74.00	-8.70	32.59	3	Horizontal	23	1.44	-	28.32	4.39	-
AV	2.3898G	48.41	54.00	-5.59	15.70	3	Horizontal	23	1.44	-	28.32	4.39	-
PK	2.4382G	115.21	Inf	-Inf	82.41	3	Horizontal	23	1.44	-	28.38	4.42	-
AV	2.4378G	105.43	Inf	-Inf	72.63	3	Horizontal	23	1.44	-	28.38	4.42	-
PK	2.4874G	68.07	74.00	-5.93	35.01	3	Horizontal	23	1.44	-	28.62	4.44	-
AV	2.4835G	49.79	54.00	-4.21	16.75	3	Horizontal	23	1.44	-	28.60	4.44	-

802.11g_Nss1,(6Mbps)_1TX

2437MHz_TX




EUT Y_1TX
Setting 24
03-D-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.8722G	48.73	74.00	-25.27	43.58	3	Vertical	92	1.80	-	33.49	7.06	35.40	
AV	4.87408G	34.48	54.00	-19.52	29.32	3	Vertical	92	1.80	-	33.50	7.06	35.40	

802.11g_Nss1,(6Mbps)_1TX

2437MHz_TX




EUT Y_1TX
Setting 24
03-D-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8774G	47.10	74.00	-26.90	41.92	3	Horizontal	247	1.85	-	33.51	7.06	35.39
AV	4.87408G	33.51	54.00	-20.49	28.35	3	Horizontal	247	1.85	-	33.50	7.06	35.40

802.11g_Nss1,(6Mbps)_1TX

2457MHz_TX




EUT X_1TX
Setting 21
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4556G	116.57	Inf	-Inf	83.71	3	Vertical	128	1.04	-	28.43	4.43	-
AV	2.456G	106.67	Inf	-Inf	73.80	3	Vertical	128	1.04	-	28.44	4.43	-
PK	2.4872G	71.10	74.00	-2.90	38.04	3	Vertical	128	1.04	-	28.62	4.44	-
AV	2.4835G	53.14	54.00	-0.86	20.10	3	Vertical	128	1.04	-	28.60	4.44	-

802.11g_Nss1,(6Mbps)_1TX

2457MHz_TX




EUT X_1TX
Setting 21
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4556G	113.43	Inf	-Inf	80.57	3	Horizontal	25	2.11	-	28.43	4.43	-
AV	2.4578G	103.67	Inf	-Inf	70.79	3	Horizontal	25	2.11	-	28.45	4.43	-
PK	2.4866G	66.79	74.00	-7.21	33.73	3	Horizontal	25	2.11	-	28.62	4.44	-
AV	2.4835G	50.03	54.00	-3.97	16.99	3	Horizontal	25	2.11	-	28.60	4.44	-

802.11g_Nss1,(6Mbps)_1TX

2462MHz_TX




EUT X_1TX
Setting 19
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4606G	114.42	Inf	-Inf	81.53	3	Vertical	124	1.28	-	28.46	4.43	-
AV	2.461G	104.67	Inf	-Inf	71.77	3	Vertical	124	1.28	-	28.47	4.43	-
PK	2.4835G	72.76	74.00	-1.24	39.72	3	Vertical	124	1.28	-	28.60	4.44	-
AV	2.4835G	53.26	54.00	-0.74	20.22	3	Vertical	124	1.28	-	28.60	4.44	-

802.11g_Nss1,(6Mbps)_1TX

2462MHz_TX




EUT X_1TX
Setting 19
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4606G	111.19	Inf	-Inf	78.30	3	Horizontal	45	2.38	-	28.46	4.43	-
AV	2.461G	101.51	Inf	-Inf	68.61	3	Horizontal	45	2.38	-	28.47	4.43	-
PK	2.4835G	67.73	74.00	-6.27	34.69	3	Horizontal	45	2.38	-	28.60	4.44	-
AV	2.4835G	49.68	54.00	-4.32	16.64	3	Horizontal	45	2.38	-	28.60	4.44	-

802.11g_Nss1,(6Mbps)_1TX

2462MHz_TX




EUT Y_1TX
Setting 19
03-D-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.91628G	47.22	74.00	-26.78	41.92	3	Vertical	211	2.56	-	33.63	7.04	35.37
AV	4.92388G	32.94	54.00	-21.06	27.62	3	Vertical	211	2.56	-	33.65	7.04	35.37

802.11g_Nss1,(6Mbps)_1TX

2462MHz_TX




EUT Y_1TX
Setting 19
03-D-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.92524G	46.29	74.00	-27.71	40.97	3	Horizontal	190	2.58	-	33.65	7.04	35.37	
AV	4.92596G	32.76	54.00	-21.24	27.44	3	Horizontal	190	2.58	-	33.65	7.04	35.37	

802.11g_Nss1,(6Mbps)_1TX

2467MHz_TX




EUT X_1TX
Setting 17.75
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4656G	112.02	Inf	-Inf	79.10	3	Vertical	128	1.48	-	28.49	4.43	-
AV	2.466G	102.36	Inf	-Inf	69.43	3	Vertical	128	1.48	-	28.50	4.43	-
PK	2.4846G	72.58	74.00	-1.42	39.53	3	Vertical	128	1.48	-	28.61	4.44	-
AV	2.4835G	52.09	54.00	-1.91	19.05	3	Vertical	128	1.48	-	28.60	4.44	-

802.11g_Nss1,(6Mbps)_1TX

2467MHz_TX




EUT X_1TX
Setting 17.75
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.4656G	110.05	Inf	-Inf	77.13	3	Horizontal	23	1.63	-	28.49	4.43	-	
AV	2.466G	100.39	Inf	-Inf	67.46	3	Horizontal	23	1.63	-	28.50	4.43	-	
PK	2.4866G	71.16	74.00	-2.84	38.10	3	Horizontal	23	1.63	-	28.62	4.44	-	
AV	2.4835G	50.76	54.00	-3.24	17.72	3	Horizontal	23	1.63	-	28.60	4.44	-	

802.11g_Nss1,(6Mbps)_1TX

2467MHz_TX




EUT Y_1TX
Setting 17.75
03-D-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.92968G	46.82	74.00	-27.18	41.49	3	Vertical	61	1.43	-	33.66	7.04	35.37
AV	4.93404G	33.05	54.00	-20.95	27.71	3	Vertical	61	1.43	-	33.67	7.03	35.36

802.11g_Nss1,(6Mbps)_1TX

2467MHz_TX




EUT Y_1TX
Setting 17.75
03-D-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.93652G	46.71	74.00	-27.29	41.37	3	Horizontal	204	1.58	-	33.67	7.03	35.36
AV	4.92688G	32.81	54.00	-21.19	27.49	3	Horizontal	204	1.58	-	33.65	7.04	35.37

802.11g_Nss1,(6Mbps)_1TX

2472MHz_TX




EUT X_1TX
Setting 17.25
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4728G	110.43	Inf	-Inf	77.45	3	Vertical	177	1.77	-	28.54	4.44	-
AV	2.471G	100.79	Inf	-Inf	67.82	3	Vertical	177	1.77	-	28.53	4.44	-
PK	2.4835G	73.20	74.00	-0.80	40.16	3	Vertical	177	1.77	-	28.60	4.44	-
AV	2.4835G	52.80	54.00	-1.20	19.76	3	Vertical	177	1.77	-	28.60	4.44	-

802.11g_Nss1,(6Mbps)_1TX

2472MHz_TX




EUT X_1TX
Setting 17.25
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4726G	109.82	Inf	-Inf	76.84	3	Horizontal	23	1.62	-	28.54	4.44	-
AV	2.471G	100.15	Inf	-Inf	67.18	3	Horizontal	23	1.62	-	28.53	4.44	-
PK	2.4835G	71.44	74.00	-2.56	38.40	3	Horizontal	23	1.62	-	28.60	4.44	-
AV	2.4835G	51.55	54.00	-2.45	18.51	3	Horizontal	23	1.62	-	28.60	4.44	-

802.11g_Nss1,(6Mbps)_1TX

2472MHz_TX




EUT Y_1TX
Setting 17.25
03-D-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.94812G	46.48	74.00	-27.52	41.11	3	Vertical	186	1.40	-	33.70	7.03	35.36	
AV	4.94376G	32.91	54.00	-21.09	27.55	3	Vertical	186	1.40	-	33.69	7.03	35.36	

802.11g_Nss1,(6Mbps)_1TX

2472MHz_TX




EUT Y_1TX
Setting 17.25
03-D-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.94544G	46.24	74.00	-27.76	40.88	3	Horizontal	302	2.35	-	33.69	7.03	35.36
AV	4.944G	32.89	54.00	-21.11	27.53	3	Horizontal	302	2.35	-	33.69	7.03	35.36

802.11ax HEW20_Nss1,(MCS0)_1TX

2412MHz_TX




EUT_X_1TX
Setting 19.5
03-D-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.39G	72.72	74.00	-1.28	40.01	3	Vertical	200	1.36	-	28.32	4.39	-	
AV	2.39G	53.03	54.00	-0.97	20.32	3	Vertical	200	1.36	-	28.32	4.39	-	
PK	2.4116G	114.89	Inf	-Inf	82.16	3	Vertical	200	1.36	-	28.32	4.41	-	
AV	2.4128G	102.01	Inf	-Inf	69.27	3	Vertical	200	1.36	-	28.33	4.41	-	

802.11ax HEW20_Nss1,(MCS0)_1TX

2412MHz_TX




EUT X_1TX
Setting 19.5
03-D-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.3896G	73.03	74.00	-0.97	40.32	3	Horizontal	70	1.83	-	28.32	4.39	-	
AV	2.39G	53.52	54.00	-0.48	20.81	3	Horizontal	70	1.83	-	28.32	4.39	-	
PK	2.4114G	115.86	Inf	-Inf	83.13	3	Horizontal	70	1.83	-	28.32	4.41	-	
AV	2.4128G	102.87	Inf	-Inf	70.13	3	Horizontal	70	1.83	-	28.33	4.41	-	

802.11ax HEW20_Nss1,(MCS0)_1TX

2412MHz_TX




EUT Y_1TX
Setting 19.5
03-D-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.81804G	47.56	74.00	-26.44	42.49	3	Vertical	101	1.78	-	33.40	7.09	35.42
AV	4.82392G	33.28	54.00	-20.72	28.21	3	Vertical	101	1.78	-	33.40	7.09	35.42

802.11ax HEW20_Nss1,(MCS0)_1TX

2412MHz_TX




EUT Y_1TX
Setting 19.5
03-D-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.81816G	46.83	74.00	-27.17	41.76	3	Horizontal	58	2.46	-	33.40	7.09	35.42
AV	4.82176G	32.88	54.00	-21.12	27.81	3	Horizontal	58	2.46	-	33.40	7.09	35.42

802.11ax HEW20_Nss1,(MCS0)_1TX

2417MHz_TX




EUT X_1TX
Setting 20
03-D-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.3894G	72.64	74.00	-1.36	39.93	3	Vertical	200	1.38	-	28.32	4.39	-	
AV	2.39G	52.26	54.00	-1.74	19.55	3	Vertical	200	1.38	-	28.32	4.39	-	
PK	2.4164G	115.74	Inf	-Inf	83.00	3	Vertical	200	1.38	-	28.33	4.41	-	
AV	2.4178G	102.66	Inf	-Inf	69.91	3	Vertical	200	1.38	-	28.34	4.41	-	

802.11ax HEW20_Nss1,(MCS0)_1TX

2417MHz_TX




EUT X_1TX
Setting 20
03-D-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.389G	73.87	74.00	-0.13	41.16	3	Horizontal	70	1.72	-	28.32	4.39	-
AV	2.39G	53.26	54.00	-0.74	20.55	3	Horizontal	70	1.72	-	28.32	4.39	-
PK	2.4164G	117.13	Inf	-Inf	84.39	3	Horizontal	70	1.72	-	28.33	4.41	-
AV	2.4176G	104.14	Inf	-Inf	71.39	3	Horizontal	70	1.72	-	28.34	4.41	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2437MHz_TX




EUT X_1TX
Setting 24
03-D-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3898G	64.79	74.00	-9.21	32.08	3	Vertical	200	1.32	-	28.32	4.39	-
AV	2.3894G	49.01	54.00	-4.99	16.30	3	Vertical	200	1.32	-	28.32	4.39	-
PK	2.4366G	117.91	Inf	-Inf	85.12	3	Vertical	200	1.32	-	28.37	4.42	-
AV	2.4362G	105.64	Inf	-Inf	72.85	3	Vertical	200	1.32	-	28.37	4.42	-
PK	2.4835G	68.39	74.00	-5.61	35.35	3	Vertical	200	1.32	-	28.60	4.44	-
AV	2.4835G	50.11	54.00	-3.89	17.07	3	Vertical	200	1.32	-	28.60	4.44	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2437MHz_TX




EUT X_1TX
Setting 24
03-D-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3898G	65.08	74.00	-8.92	32.37	3	Horizontal	68	1.63	-	28.32	4.39	-
AV	2.3898G	49.56	54.00	-4.44	16.85	3	Horizontal	68	1.63	-	28.32	4.39	-
PK	2.4366G	118.66	Inf	-Inf	85.87	3	Horizontal	68	1.63	-	28.37	4.42	-
AV	2.4362G	106.16	Inf	-Inf	73.37	3	Horizontal	68	1.63	-	28.37	4.42	-
PK	2.4835G	68.34	74.00	-5.66	35.30	3	Horizontal	68	1.63	-	28.60	4.44	-
AV	2.4835G	50.49	54.00	-3.51	17.45	3	Horizontal	68	1.63	-	28.60	4.44	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2437MHz_TX




EUT Y_1TX
Setting 24
03-D-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.8754G	49.88	74.00	-24.12	44.71	3	Vertical	199	1.93	-	33.50	7.06	35.39	
AV	4.87624G	35.38	54.00	-18.62	30.21	3	Vertical	199	1.93	-	33.50	7.06	35.39	

802.11ax HEW20_Nss1,(MCS0)_1TX

2437MHz_TX




EUT Y_1TX
Setting 24
03-D-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.875G	47.63	74.00	-26.37	42.46	3	Horizontal	93	1.46	-	33.50	7.06	35.39	
AV	4.87652G	34.08	54.00	-19.92	28.90	3	Horizontal	93	1.46	-	33.51	7.06	35.39	

802.11ax HEW20_Nss1,(MCS0)_1TX

2457MHz_TX




EUT X_1TX
Setting 21.25
03-D-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4564G	115.97	Inf	-Inf	83.10	3	Vertical	337	1.13	-	28.44	4.43	-
AV	2.4576G	103.10	Inf	-Inf	70.22	3	Vertical	337	1.13	-	28.45	4.43	-
PK	2.4838G	72.46	74.00	-1.54	39.42	3	Vertical	337	1.13	-	28.60	4.44	-
AV	2.4835G	53.56	54.00	-0.44	20.52	3	Vertical	337	1.13	-	28.60	4.44	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2457MHz_TX




EUT X_1TX
Setting 21.25
03-D-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4564G	117.37	Inf	-Inf	84.50	3	Horizontal	109	1.32	-	28.44	4.43	-
AV	2.456G	104.40	Inf	-Inf	71.53	3	Horizontal	109	1.32	-	28.44	4.43	-
PK	2.484G	72.44	74.00	-1.56	39.40	3	Horizontal	109	1.32	-	28.60	4.44	-
AV	2.4835G	53.66	54.00	-0.34	20.62	3	Horizontal	109	1.32	-	28.60	4.44	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2462MHz_TX




EUT X_1TX
Setting 17.75
03-D-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4614G	111.51	Inf	-Inf	78.61	3	Vertical	177	2.00	-	28.47	4.43	-
AV	2.4628G	98.68	Inf	-Inf	65.77	3	Vertical	177	2.00	-	28.48	4.43	-
PK	2.4835G	70.98	74.00	-3.02	37.94	3	Vertical	177	2.00	-	28.60	4.44	-
AV	2.4835G	47.80	54.00	-6.20	14.76	3	Vertical	177	2.00	-	28.60	4.44	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2462MHz_TX




EUT X_1TX
Setting 17.75
03-D-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.4614G	113.44	Inf	-Inf	80.54	3	Horizontal	108	1.76	-	28.47	4.43	-	
AV	2.4628G	100.59	Inf	-Inf	67.68	3	Horizontal	108	1.76	-	28.48	4.43	-	
PK	2.4835G	73.83	74.00	-0.17	40.79	3	Horizontal	108	1.76	-	28.60	4.44	-	
AV	2.4836G	49.36	54.00	-4.64	16.32	3	Horizontal	108	1.76	-	28.60	4.44	-	

802.11ax HEW20_Nss1,(MCS0)_1TX

2462MHz_TX




EUT Y_1TX
Setting 17.75
03-D-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8732G	48.74	74.00	-25.26	43.59	3	Vertical	154	1.71	-	33.49	7.06	35.40
AV	4.87536G	34.78	54.00	-19.22	29.61	3	Vertical	154	1.71	-	33.50	7.06	35.39

802.11ax HEW20_Nss1,(MCS0)_1TX

2462MHz_TX




EUT V_1TX
Setting 17.75
03-D-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.88052G	47.93	74.00	-26.07	42.74	3	Horizontal	176	2.08	-	33.52	7.06	35.39
AV	4.87656G	33.81	54.00	-20.19	28.63	3	Horizontal	176	2.08	-	33.51	7.06	35.39

802.11ax HEW20_Nss1,(MCS0)_1TX

2467MHz_TX




EUT X_1TX
Setting 17.25
03-D-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4664G	110.84	Inf	-Inf	77.91	3	Vertical	178	2.02	-	28.50	4.43	-
AV	2.466G	97.95	Inf	-Inf	65.02	3	Vertical	178	2.02	-	28.50	4.43	-
PK	2.4856G	69.02	74.00	-4.98	35.97	3	Vertical	178	2.02	-	28.61	4.44	-
AV	2.4835G	48.35	54.00	-5.65	15.31	3	Vertical	178	2.02	-	28.60	4.44	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2467MHz_TX




EUT X_1TX
Setting 17.25
03-D-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4664G	113.12	Inf	-Inf	80.19	3	Horizontal	106	1.69	-	28.50	4.43	-
AV	2.4678G	100.26	Inf	-Inf	67.32	3	Horizontal	106	1.69	-	28.51	4.43	-
PK	2.4854G	72.97	74.00	-1.03	39.92	3	Horizontal	106	1.69	-	28.61	4.44	-
AV	2.4835G	50.81	54.00	-3.19	17.77	3	Horizontal	106	1.69	-	28.60	4.44	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2467MHz_TX




EUT V_1TX
Setting 17.25
03-D-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.93408G	46.73	74.00	-27.27	41.39	3	Vertical	10	1.45	-	33.67	7.03	35.36
AV	4.93448G	32.73	54.00	-21.27	27.39	3	Vertical	10	1.45	-	33.67	7.03	35.36

802.11ax HEW20_Nss1,(MCS0)_1TX

2467MHz_TX




EUT V_1TX
Setting 17.25
03-D-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.93828G	47.03	74.00	-26.97	41.68	3	Horizontal	193	2.21	-	33.68	7.03	35.36
AV	4.92596G	32.76	54.00	-21.24	27.44	3	Horizontal	193	2.21	-	33.65	7.04	35.37

802.11ax HEW20_Nss1,(MCS0)_1TX

2472MHz_TX




EUT X_1TX
Setting 12.5
03-D-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4714G	105.86	Inf	-Inf	72.89	3	Vertical	178	1.80	-	28.53	4.44	-
AV	2.4728G	92.98	Inf	-Inf	60.00	3	Vertical	178	1.80	-	28.54	4.44	-
PK	2.4835G	68.98	74.00	-5.02	35.94	3	Vertical	178	1.80	-	28.60	4.44	-
AV	2.4835G	51.57	54.00	-2.43	18.53	3	Vertical	178	1.80	-	28.60	4.44	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2472MHz_TX




EUT_X_1TX
Setting 12.5
03-D-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4714G	108.49	Inf	-Inf	75.52	3	Horizontal	108	1.55	-	28.53	4.44	-
AV	2.4728G	95.65	Inf	-Inf	62.67	3	Horizontal	108	1.55	-	28.54	4.44	-
PK	2.4835G	71.85	74.00	-2.15	38.81	3	Horizontal	108	1.55	-	28.60	4.44	-
AV	2.4835G	53.93	54.00	-0.07	20.89	3	Horizontal	108	1.55	-	28.60	4.44	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2472MHz_TX




EUT Y_1TX
Setting 12.5
03-D-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.94932G	46.29	74.00	-27.71	40.92	3	Vertical	357	2.79	-	33.70	7.03	35.36	
AV	4.952G	32.77	54.00	-21.23	27.40	3	Vertical	357	2.79	-	33.70	7.02	35.35	

802.11ax HEW20_Nss1,(MCS0)_1TX

2472MHz_TX




EUT V_1TX
Setting 12.5
03-D-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.94888G	46.47	74.00	-27.53	41.10	3	Horizontal	183	1.92	-	33.70	7.03	35.36	
AV	4.944G	32.73	54.00	-21.27	27.37	3	Horizontal	183	1.92	-	33.69	7.03	35.36	

802.11ax HEW40_Nss1,(MCS0)_1TX

2422MHz_TX




EUT_X_1TX
Setting 18
03-D-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3888G	72.49	74.00	-1.51	39.78	3	Vertical	199	1.39	-	28.32	4.39	-
AV	2.39G	52.31	54.00	-1.69	19.60	3	Vertical	199	1.39	-	28.32	4.39	-
PK	2.4248G	110.23	Inf	-Inf	77.47	3	Vertical	199	1.39	-	28.35	4.41	-
AV	2.4192G	97.66	Inf	-Inf	64.91	3	Vertical	199	1.39	-	28.34	4.41	-
PK	2.4872G	62.19	74.00	-11.81	29.13	3	Vertical	199	1.39	-	28.62	4.44	-
AV	2.4835G	46.88	54.00	-7.12	13.84	3	Vertical	199	1.39	-	28.60	4.44	-

802.11ax HEW40_Nss1,(MCS0)_1TX

2422MHz_TX




EUT X_1TX
Setting 18
03-D-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3796G	73.78	74.00	-0.22	41.06	3	Horizontal	70	1.72	-	28.34	4.38	-
AV	2.39G	53.21	54.00	-0.79	20.50	3	Horizontal	70	1.72	-	28.32	4.39	-
PK	2.4248G	112.00	Inf	-Inf	79.24	3	Horizontal	70	1.72	-	28.35	4.41	-
AV	2.4196G	99.35	Inf	-Inf	66.60	3	Horizontal	70	1.72	-	28.34	4.41	-
PK	2.4876G	63.05	74.00	-10.95	29.98	3	Horizontal	70	1.72	-	28.63	4.44	-
AV	2.4844G	47.25	54.00	-6.75	14.20	3	Horizontal	70	1.72	-	28.61	4.44	-

802.11ax HEW40_Nss1,(MCS0)_1TX

2422MHz_TX




EUT Y_1TX
Setting 18
03-D-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8422G	46.79	74.00	-27.21	41.72	3	Vertical	83	2.95	-	33.40	7.08	35.41
AV	4.83756G	32.64	54.00	-21.36	27.57	3	Vertical	83	2.95	-	33.40	7.08	35.41

802.11ax HEW40_Nss1,(MCS0)_1TX

2422MHz_TX




EUT Y_1TX
Setting 18
03-D-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.84588G	45.89	74.00	-28.11	40.82	3	Horizontal	255	1.72	-	33.40	7.08	35.41
AV	4.83744G	32.61	54.00	-21.39	27.54	3	Horizontal	255	1.72	-	33.40	7.08	35.41

802.11ax HEW40_Nss1,(MCS0)_1TX

2437MHz_TX




EUT_X_1TX
Setting 18.5
03-D-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3898G	68.76	74.00	-5.24	36.05	3	Vertical	201	1.06	-	28.32	4.39	-
AV	2.3898G	51.63	54.00	-2.37	18.92	3	Vertical	201	1.06	-	28.32	4.39	-
PK	2.4398G	111.16	Inf	-Inf	78.36	3	Vertical	201	1.06	-	28.38	4.42	-
AV	2.4346G	98.68	Inf	-Inf	65.89	3	Vertical	201	1.06	-	28.37	4.42	-
PK	2.4835G	73.44	74.00	-0.56	40.40	3	Vertical	201	1.06	-	28.60	4.44	-
AV	2.4835G	52.59	54.00	-1.41	19.55	3	Vertical	201	1.06	-	28.60	4.44	-

802.11ax HEW40_Nss1,(MCS0)_1TX

2437MHz_TX




EUT_X_1TX
Setting 18.5
03-D-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3898G	69.15	74.00	-4.85	36.44	3	Horizontal	70	1.74	-	28.32	4.39	-
AV	2.3898G	52.66	54.00	-1.34	19.95	3	Horizontal	70	1.74	-	28.32	4.39	-
PK	2.4354G	111.43	Inf	-Inf	78.64	3	Horizontal	70	1.74	-	28.37	4.42	-
AV	2.4346G	99.13	Inf	-Inf	66.34	3	Horizontal	70	1.74	-	28.37	4.42	-
PK	2.4835G	73.94	74.00	-0.06	40.90	3	Horizontal	70	1.74	-	28.60	4.44	-
AV	2.4835G	52.63	54.00	-1.37	19.59	3	Horizontal	70	1.74	-	28.60	4.44	-

802.11ax HEW40_Nss1,(MCS0)_1TX

2437MHz_TX




EUT Y_1TX
Setting 18.5
03-D-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8798G	46.59	74.00	-27.41	41.40	3	Vertical	221	2.46	-	33.52	7.06	35.39
AV	4.88184G	33.03	54.00	-20.97	27.83	3	Vertical	221	2.46	-	33.53	7.06	35.39

802.11ax HEW40_Nss1,(MCS0)_1TX

2437MHz_TX




EUT Y_1TX
Setting 18.5
03-D-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87164G	46.84	74.00	-27.16	41.69	3	Horizontal	203	2.34	-	33.49	7.06	35.40
AV	4.8736G	33.01	54.00	-20.99	27.86	3	Horizontal	203	2.34	-	33.49	7.06	35.40

802.11ax HEW40_Nss1,(MCS0)_1TX

2452MHz_TX




EUT_X_1TX
Setting 17.75
03-D-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3828G	58.59	74.00	-15.41	25.88	3	Vertical	335	1.09	-	28.33	4.38	-
AV	2.3896G	46.08	54.00	-7.92	13.37	3	Vertical	335	1.09	-	28.32	4.39	-
PK	2.4548G	109.69	Inf	-Inf	76.83	3	Vertical	335	1.09	-	28.43	4.43	-
AV	2.4544G	96.96	Inf	-Inf	64.10	3	Vertical	335	1.09	-	28.43	4.43	-
PK	2.484G	72.08	74.00	-1.92	39.04	3	Vertical	335	1.09	-	28.60	4.44	-
AV	2.4856G	52.89	54.00	-1.11	19.84	3	Vertical	335	1.09	-	28.61	4.44	-

802.11ax HEW40_Nss1,(MCS0)_1TX

2452MHz_TX




EUT_X_1TX
Setting 17.75
03-D-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.39G	59.17	74.00	-14.83	26.46	3	Horizontal	109	1.62	-	28.32	4.39	-
AV	2.39G	46.58	54.00	-7.42	13.87	3	Horizontal	109	1.62	-	28.32	4.39	-
PK	2.4548G	111.00	Inf	-Inf	78.14	3	Horizontal	109	1.62	-	28.43	4.43	-
AV	2.4496G	98.54	Inf	-Inf	65.72	3	Horizontal	109	1.62	-	28.40	4.42	-
PK	2.4844G	73.13	74.00	-0.87	40.08	3	Horizontal	109	1.62	-	28.61	4.44	-
AV	2.4856G	53.95	54.00	-0.05	20.90	3	Horizontal	109	1.62	-	28.61	4.44	-

802.11ax HEW40_Nss1,(MCS0)_1TX

2452MHz_TX




EUT Y_1TX
Setting 17.75
03-D-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.89492G	46.42	74.00	-27.58	41.17	3	Vertical	114	2.56	-	33.58	7.05	35.38
AV	4.89864G	32.69	54.00	-21.31	27.43	3	Vertical	114	2.56	-	33.59	7.05	35.38

802.11ax HEW40_Nss1,(MCS0)_1TX

2452MHz_TX




EUT Y_1TX
Setting 17.75
03-D-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.90876G	46.89	74.00	-27.11	41.60	3	Horizontal	1	1.80	-	33.62	7.05	35.38	
AV	4.8998G	32.69	54.00	-21.31	27.42	3	Horizontal	1	1.80	-	33.60	7.05	35.38	

802.11ax HEW40_Nss1,(MCS0)_1TX

2457MHz_TX




EUT X_1TX
Setting 17.75
03-D-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3806G	58.76	74.00	-15.24	26.04	3	Vertical	333	1.04	-	28.34	4.38	-
AV	2.3894G	45.96	54.00	-8.04	13.25	3	Vertical	333	1.04	-	28.32	4.39	-
PK	2.4554G	109.27	Inf	-Inf	76.41	3	Vertical	333	1.04	-	28.43	4.43	-
AV	2.4546G	96.90	Inf	-Inf	64.04	3	Vertical	333	1.04	-	28.43	4.43	-
PK	2.4835G	73.79	74.00	-0.21	40.75	3	Vertical	333	1.04	-	28.60	4.44	-
AV	2.4858G	53.01	54.00	-0.99	19.96	3	Vertical	333	1.04	-	28.61	4.44	-

802.11ax HEW40_Nss1,(MCS0)_1TX

2457MHz_TX




EUT_X_1TX
Setting 17.75
03-D-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3854G	59.59	74.00	-14.41	26.87	3	Horizontal	108	1.32	-	28.33	4.39	-
AV	2.3898G	46.32	54.00	-7.68	13.61	3	Horizontal	108	1.32	-	28.32	4.39	-
PK	2.4598G	110.65	Inf	-Inf	77.76	3	Horizontal	108	1.32	-	28.46	4.43	-
AV	2.4546G	98.24	Inf	-Inf	65.38	3	Horizontal	108	1.32	-	28.43	4.43	-
PK	2.4835G	73.75	74.00	-0.25	40.71	3	Horizontal	108	1.32	-	28.60	4.44	-
AV	2.4854G	53.00	54.00	-1.00	19.95	3	Horizontal	108	1.32	-	28.61	4.44	-

802.11ax HEW40_Nss1,(MCS0)_1TX

2457MHz_TX




EUT Y_1TX
Setting 17.75
03-D-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.91944G	46.24	74.00	-27.76	40.93	3	Vertical	70	2.41	-	33.64	7.04	35.37	
AV	4.90824G	32.74	54.00	-21.26	27.45	3	Vertical	70	2.41	-	33.62	7.05	35.38	

802.11ax HEW40_Nss1,(MCS0)_1TX

2457MHz_TX




EUT V_1TX
Setting 17.75
03-D-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.91644G	46.13	74.00	-27.87	40.83	3	Horizontal	239	2.16	-	33.63	7.04	35.37	
AV	4.91764G	32.66	54.00	-21.34	27.35	3	Horizontal	239	2.16	-	33.64	7.04	35.37	

802.11ax HEW40_Nss1,(MCS0)_1TX

2462MHz_TX




EUT X_1TX
Setting 17.25
03-D-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.384G	57.75	74.00	-16.25	25.04	3	Vertical	179	2.01	-	28.33	4.38	-
AV	2.3888G	45.27	54.00	-8.73	12.56	3	Vertical	179	2.01	-	28.32	4.39	-
PK	2.4648G	107.85	Inf	-Inf	74.93	3	Vertical	179	2.01	-	28.49	4.43	-
AV	2.4644G	95.16	Inf	-Inf	62.24	3	Vertical	179	2.01	-	28.49	4.43	-
PK	2.484G	70.16	74.00	-3.84	37.12	3	Vertical	179	2.01	-	28.60	4.44	-
AV	2.4835G	51.27	54.00	-2.73	18.23	3	Vertical	179	2.01	-	28.60	4.44	-

802.11ax HEW40_Nss1,(MCS0)_1TX

2462MHz_TX




EUT_X_1TX
Setting 17.25
03-D-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.386G	57.67	74.00	-16.33	24.95	3	Horizontal	109	1.30	-	28.33	4.39	-
AV	2.39G	45.99	54.00	-8.01	13.28	3	Horizontal	109	1.30	-	28.32	4.39	-
PK	2.4604G	110.01	Inf	-Inf	77.12	3	Horizontal	109	1.30	-	28.46	4.43	-
AV	2.4596G	97.58	Inf	-Inf	64.69	3	Horizontal	109	1.30	-	28.46	4.43	-
PK	2.4835G	73.03	74.00	-0.97	39.99	3	Horizontal	109	1.30	-	28.60	4.44	-
AV	2.4835G	53.79	54.00	-0.21	20.75	3	Horizontal	109	1.30	-	28.60	4.44	-

802.11ax HEW40_Nss1,(MCS0)_1TX

2462MHz_TX




EUT Y_1TX
Setting 17.25
03-D-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.93312G	46.36	74.00	-27.64	41.02	3	Vertical	200	1.26	-	33.67	7.03	35.36
AV	4.92616G	32.74	54.00	-21.26	27.42	3	Vertical	200	1.26	-	33.65	7.04	35.37

802.11ax HEW40_Nss1,(MCS0)_1TX

2462MHz_TX



EUT V_1TX
Setting 17.25
03-D-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.92688G	45.68	74.00	-28.32	40.36	3	Horizontal	161	3.00	-	33.65	7.04	35.37
AV	4.93392G	32.69	54.00	-21.31	27.35	3	Horizontal	161	3.00	-	33.67	7.03	35.36



RSE TX above 1GHz
<Full RU> Non-Beamforming Mode_Ant.2 (1TX)


Appendix F.3

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40_Nss1,(MCS0)_1TX	Pass	AV	2.3898G	53.49	54.00	-0.51	3	Vertical	156	1.88	-

802.11b_Nss1,(1Mbps)_1TX

2412MHz_TX




EUT X_1TX
Setting 22.5
03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.3896G	63.03	74.00	-10.97	30.32	3	Vertical	157	1.91	-	28.32	4.39	-	
AV	2.3892G	53.41	54.00	-0.59	20.70	3	Vertical	157	1.91	-	28.32	4.39	-	
PK	2.4104G	113.91	Inf	-Inf	81.18	3	Vertical	157	1.91	-	28.32	4.41	-	
AV	2.4104G	110.23	Inf	-Inf	77.50	3	Vertical	157	1.91	-	28.32	4.41	-	
PK	2.4856G	57.89	74.00	-16.11	24.84	3	Vertical	157	1.91	-	28.61	4.44	-	
AV	2.4912G	45.73	54.00	-8.27	12.63	3	Vertical	157	1.91	-	28.65	4.45	-	

802.11b_Nss1,(1Mbps)_1TX

2412MHz_TX




EUT X_1TX
Setting 22.5
03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3896G	60.00	74.00	-14.00	27.29	3	Horizontal	154	1.65	-	28.32	4.39	-
AV	2.39G	50.60	54.00	-3.40	17.89	3	Horizontal	154	1.65	-	28.32	4.39	-
PK	2.4112G	109.87	Inf	-Inf	77.14	3	Horizontal	154	1.65	-	28.32	4.41	-
AV	2.4104G	106.26	Inf	-Inf	73.53	3	Horizontal	154	1.65	-	28.32	4.41	-
PK	2.4856G	57.88	74.00	-16.12	24.83	3	Horizontal	154	1.65	-	28.61	4.44	-
AV	2.496G	45.54	54.00	-8.46	12.41	3	Horizontal	154	1.65	-	28.68	4.45	-

802.11b_Nss1,(1Mbps)_1TX

2412MHz_TX




EUT X_1TX
Setting 22.5
03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.82411G	50.45	74.00	-23.55	45.38	3	Vertical	179	1.80	-	33.40	7.09	35.42	
AV	4.82397G	40.07	54.00	-13.93	35.00	3	Vertical	179	1.80	-	33.40	7.09	35.42	

802.11b_Nss1,(1Mbps)_1TX

2412MHz_TX




EUT X_1TX
Setting 22.5
03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.82402G	47.50	74.00	-26.50	42.43	3	Horizontal	72	2.12	-	33.40	7.09	35.42
AV	4.82394G	34.71	54.00	-19.29	29.64	3	Horizontal	72	2.12	-	33.40	7.09	35.42

802.11b_Nss1,(1Mbps)_1TX

2437MHz_TX




EUT_X_1TX
Setting 24
03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3898G	59.16	74.00	-14.84	26.45	3	Vertical	155	1.89	-	28.32	4.39	-
AV	2.3894G	47.49	54.00	-6.51	14.78	3	Vertical	155	1.89	-	28.32	4.39	-
PK	2.4354G	113.97	Inf	-Inf	81.18	3	Vertical	155	1.89	-	28.37	4.42	-
AV	2.4354G	110.39	Inf	-Inf	77.60	3	Vertical	155	1.89	-	28.37	4.42	-
PK	2.485G	58.27	74.00	-15.73	25.22	3	Vertical	155	1.89	-	28.61	4.44	-
AV	2.485G	47.08	54.00	-6.92	14.03	3	Vertical	155	1.89	-	28.61	4.44	-

802.11b_Nss1,(1Mbps)_1TX

2437MHz_TX




EUT_X_1TX
Setting 24
03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3414G	57.93	74.00	-16.07	25.24	3	Horizontal	154	1.72	-	28.35	4.34	-
AV	2.389G	46.14	54.00	-7.86	13.43	3	Horizontal	154	1.72	-	28.32	4.39	-
PK	2.4354G	111.43	Inf	-Inf	78.64	3	Horizontal	154	1.72	-	28.37	4.42	-
AV	2.4354G	107.87	Inf	-Inf	75.08	3	Horizontal	154	1.72	-	28.37	4.42	-
PK	2.4974G	58.09	74.00	-15.91	24.96	3	Horizontal	154	1.72	-	28.68	4.45	-
AV	2.485G	46.18	54.00	-7.82	13.13	3	Horizontal	154	1.72	-	28.61	4.44	-

802.11b_Nss1,(1Mbps)_1TX

2437MHz_TX




EUT_X_1TX
Setting 24
03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.87392G	54.44	74.00	-19.56	49.28	3	Vertical	182	1.89	-	33.50	7.06	35.40	
AV	4.874G	50.02	54.00	-3.98	44.86	3	Vertical	182	1.89	-	33.50	7.06	35.40	

802.11b_Nss1,(1Mbps)_1TX

2437MHz_TX




EUT X_1TX
Setting 24
03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87404G	52.65	74.00	-21.35	47.49	3	Horizontal	180	1.80	-	33.50	7.06	35.40
AV	4.874G	46.95	54.00	-7.05	41.79	3	Horizontal	180	1.80	-	33.50	7.06	35.40

802.11b_Nss1,(1Mbps)_1TX

2457MHz_TX




EUT_X_1TX
Setting 21.75
03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3866G	58.29	74.00	-15.71	25.57	3	Vertical	155	2.09	-	28.33	4.39	-
AV	2.3786G	46.56	54.00	-7.44	13.84	3	Vertical	155	2.09	-	28.34	4.38	-
PK	2.4562G	112.96	Inf	-Inf	80.09	3	Vertical	155	2.09	-	28.44	4.43	-
AV	2.4554G	109.42	Inf	-Inf	76.56	3	Vertical	155	2.09	-	28.43	4.43	-
PK	2.4835G	61.37	74.00	-12.63	28.33	3	Vertical	155	2.09	-	28.60	4.44	-
AV	2.4835G	53.16	54.00	-0.84	20.12	3	Vertical	155	2.09	-	28.60	4.44	-

802.11b_Nss1,(1Mbps)_1TX

2457MHz_TX




EUT_X_1TX
Setting 21.75
03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3778G	58.51	74.00	-15.49	25.79	3	Horizontal	153	1.63	-	28.34	4.38	-
AV	2.3834G	45.90	54.00	-8.10	13.19	3	Horizontal	153	1.63	-	28.33	4.38	-
PK	2.4562G	109.32	Inf	-Inf	76.45	3	Horizontal	153	1.63	-	28.44	4.43	-
AV	2.4554G	105.86	Inf	-Inf	73.00	3	Horizontal	153	1.63	-	28.43	4.43	-
PK	2.4835G	60.57	74.00	-13.43	27.53	3	Horizontal	153	1.63	-	28.60	4.44	-
AV	2.4835G	51.42	54.00	-2.58	18.38	3	Horizontal	153	1.63	-	28.60	4.44	-

802.11b_Nss1,(1Mbps)_1TX

2462MHz_TX




EUT_X_1TX
Setting 21.5
03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3776G	58.48	74.00	-15.52	25.76	3	Vertical	155	2.07	-	28.34	4.38	-
AV	2.3836G	46.24	54.00	-7.76	13.53	3	Vertical	155	2.07	-	28.33	4.38	-
PK	2.4612G	112.21	Inf	-Inf	79.31	3	Vertical	155	2.07	-	28.47	4.43	-
AV	2.4604G	108.57	Inf	-Inf	75.68	3	Vertical	155	2.07	-	28.46	4.43	-
PK	2.488G	62.02	74.00	-11.98	28.95	3	Vertical	155	2.07	-	28.63	4.44	-
AV	2.488G	52.15	54.00	-1.85	19.08	3	Vertical	155	2.07	-	28.63	4.44	-

802.11b_Nss1,(1Mbps)_1TX

2462MHz_TX




EUT X_1TX
Setting 21.5
03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3848G	57.91	74.00	-16.09	25.20	3	Horizontal	153	2.07	-	28.33	4.38	-
AV	2.3832G	45.54	54.00	-8.46	12.83	3	Horizontal	153	2.07	-	28.33	4.38	-
PK	2.4612G	109.13	Inf	-Inf	76.23	3	Horizontal	153	2.07	-	28.47	4.43	-
AV	2.4604G	105.41	Inf	-Inf	72.52	3	Horizontal	153	2.07	-	28.46	4.43	-
PK	2.4872G	60.60	74.00	-13.40	27.54	3	Horizontal	153	2.07	-	28.62	4.44	-
AV	2.488G	50.11	54.00	-3.89	17.04	3	Horizontal	153	2.07	-	28.63	4.44	-

802.11b_Nss1,(1Mbps)_1TX

2462MHz_TX




EUT X_1TX
Setting 21.5
03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.9239G	48.80	74.00	-25.20	43.48	3	Vertical	154	1.74	-	33.65	7.04	35.37	
AV	4.92398G	37.82	54.00	-16.18	32.50	3	Vertical	154	1.74	-	33.65	7.04	35.37	

802.11b_Nss1,(1Mbps)_1TX

2462MHz_TX




EUT X_1TX
Setting 21.5
03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.92409G	47.62	74.00	-26.38	42.30	3	Horizontal	82	1.26	-	33.65	7.04	35.37
AV	4.92485G	33.55	54.00	-20.45	28.23	3	Horizontal	82	1.26	-	33.65	7.04	35.37

802.11b_Nss1,(1Mbps)_1TX

2467MHz_TX




EUT_X_1TX
Setting 18
03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3686G	57.63	74.00	-16.37	24.90	3	Vertical	154	2.06	-	28.36	4.37	-
AV	2.3894G	45.62	54.00	-8.38	12.91	3	Vertical	154	2.06	-	28.32	4.39	-
PK	2.4662G	108.54	Inf	-Inf	75.61	3	Vertical	154	2.06	-	28.50	4.43	-
AV	2.4654G	104.81	Inf	-Inf	71.89	3	Vertical	154	2.06	-	28.49	4.43	-
PK	2.4846G	61.67	74.00	-12.33	28.62	3	Vertical	154	2.06	-	28.61	4.44	-
AV	2.4842G	53.39	54.00	-0.61	20.34	3	Vertical	154	2.06	-	28.61	4.44	-

802.11b_Nss1,(1Mbps)_1TX

2467MHz_TX




EUT X_1TX
Setting 18
03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.369G	57.89	74.00	-16.11	25.16	3	Horizontal	154	1.15	-	28.36	4.37	-
AV	2.3878G	45.10	54.00	-8.90	12.39	3	Horizontal	154	1.15	-	28.32	4.39	-
PK	2.4662G	105.55	Inf	-Inf	72.62	3	Horizontal	154	1.15	-	28.50	4.43	-
AV	2.4654G	101.82	Inf	-Inf	68.90	3	Horizontal	154	1.15	-	28.49	4.43	-
PK	2.485G	60.21	74.00	-13.79	27.16	3	Horizontal	154	1.15	-	28.61	4.44	-
AV	2.4842G	50.57	54.00	-3.43	17.52	3	Horizontal	154	1.15	-	28.61	4.44	-

802.11b_Nss1,(1Mbps)_1TX

2467MHz_TX




EUT X_1TX
Setting 18
03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.93394G	48.70	74.00	-25.30	43.36	3	Vertical	286	2.65	-	33.67	7.03	35.36	
AV	4.934G	35.44	54.00	-18.56	30.10	3	Vertical	286	2.65	-	33.67	7.03	35.36	

802.11b_Nss1,(1Mbps)_1TX

2467MHz_TX




EUT X_1TX
Setting 18
03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.9349G	47.65	74.00	-26.35	42.31	3	Horizontal	355	2.36	-	33.67	7.03	35.36	
AV	4.93434G	33.61	54.00	-20.39	28.27	3	Horizontal	355	2.36	-	33.67	7.03	35.36	

802.11b_Nss1,(1Mbps)_1TX

2472MHz_TX




EUT X_1TX
Setting 14
03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.3848G	57.92	74.00	-16.08	25.21	3	Vertical	155	2.07	-	28.33	4.38	-	
AV	2.39G	45.34	54.00	-8.66	12.63	3	Vertical	155	2.07	-	28.32	4.39	-	
PK	2.4712G	104.16	Inf	-Inf	71.19	3	Vertical	155	2.07	-	28.53	4.44	-	
AV	2.47G	100.36	Inf	-Inf	67.40	3	Vertical	155	2.07	-	28.52	4.44	-	
PK	2.4844G	62.50	74.00	-11.50	29.45	3	Vertical	155	2.07	-	28.61	4.44	-	
AV	2.4848G	53.16	54.00	-0.84	20.11	3	Vertical	155	2.07	-	28.61	4.44	-	

802.11b_Nss1,(1Mbps)_1TX

2472MHz_TX




EUT X_1TX
Setting 14
03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.388G	57.36	74.00	-16.64	24.65	3	Horizontal	153	1.85	-	28.32	4.39	-
AV	2.3764G	45.01	54.00	-8.99	12.28	3	Horizontal	153	1.85	-	28.35	4.38	-
PK	2.4732G	101.80	Inf	-Inf	68.82	3	Horizontal	153	1.85	-	28.54	4.44	-
AV	2.4704G	97.93	Inf	-Inf	64.97	3	Horizontal	153	1.85	-	28.52	4.44	-
PK	2.4856G	60.23	74.00	-13.77	27.18	3	Horizontal	153	1.85	-	28.61	4.44	-
AV	2.4848G	50.41	54.00	-3.59	17.36	3	Horizontal	153	1.85	-	28.61	4.44	-

802.11b_Nss1,(1Mbps)_1TX

2472MHz_TX




EUT X_1TX
Setting 14
03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.94434G	47.72	74.00	-26.28	42.36	3	Vertical	333	2.07	-	33.69	7.03	35.36	
AV	4.94314G	33.41	54.00	-20.59	28.05	3	Vertical	333	2.07	-	33.69	7.03	35.36	

802.11b_Nss1,(1Mbps)_1TX

2472MHz_TX




EUT X_1TX
Setting 14
03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.94342G	47.16	74.00	-26.84	41.80	3	Horizontal	183	1.35	-	33.69	7.03	35.36	
AV	4.94334G	33.37	54.00	-20.63	28.01	3	Horizontal	183	1.35	-	33.69	7.03	35.36	

802.11g_Nss1,(6Mbps)_1TX

2412MHz_TX




EUT X_1TX
Setting 18
03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3884G	73.22	74.00	-0.78	40.51	3	Vertical	158	1.92	-	28.32	4.39	-
AV	2.39G	52.13	54.00	-1.87	19.42	3	Vertical	158	1.92	-	28.32	4.39	-
PK	2.4072G	111.53	Inf	-Inf	78.82	3	Vertical	158	1.92	-	28.31	4.40	-
AV	2.4096G	101.58	Inf	-Inf	68.86	3	Vertical	158	1.92	-	28.32	4.40	-
PK	2.496G	57.70	74.00	-16.30	24.57	3	Vertical	158	1.92	-	28.68	4.45	-
AV	2.4972G	45.37	54.00	-8.63	12.24	3	Vertical	158	1.92	-	28.68	4.45	-

802.11g_Nss1,(6Mbps)_1TX

2412MHz_TX




EUT_X_1TX
Setting 18
03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3888G	68.32	74.00	-5.68	35.61	3	Horizontal	155	1.64	-	28.32	4.39	-
AV	2.39G	48.88	54.00	-5.12	16.17	3	Horizontal	155	1.64	-	28.32	4.39	-
PK	2.4072G	107.66	Inf	-Inf	74.95	3	Horizontal	155	1.64	-	28.31	4.40	-
AV	2.4096G	97.70	Inf	-Inf	64.98	3	Horizontal	155	1.64	-	28.32	4.40	-
PK	2.5G	57.60	74.00	-16.40	24.45	3	Horizontal	155	1.64	-	28.70	4.45	-
AV	2.5G	45.48	54.00	-8.52	12.33	3	Horizontal	155	1.64	-	28.70	4.45	-

802.11g_Nss1,(6Mbps)_1TX

2412MHz_TX




EUT_X_1TX
Setting 18
03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.82315G	47.77	74.00	-26.23	42.70	3	Vertical	265	2.04	-	33.40	7.09	35.42
AV	4.82373G	33.47	54.00	-20.53	28.40	3	Vertical	265	2.04	-	33.40	7.09	35.42

802.11g_Nss1,(6Mbps)_1TX

2412MHz_TX




EUT X_1TX
Setting 18
03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.82388G	47.17	74.00	-26.83	42.10	3	Horizontal	119	1.42	-	33.40	7.09	35.42
AV	4.82393G	33.53	54.00	-20.47	28.46	3	Horizontal	119	1.42	-	33.40	7.09	35.42

802.11g_Nss1,(6Mbps)_1TX

2417MHz_TX




EUT_X_1TX
Setting 19.75
03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3898G	71.94	74.00	-2.06	39.23	3	Vertical	157	1.90	-	28.32	4.39	-
AV	2.3898G	53.48	54.00	-0.52	20.77	3	Vertical	157	1.90	-	28.32	4.39	-
PK	2.4158G	113.79	Inf	-Inf	81.05	3	Vertical	157	1.90	-	28.33	4.41	-
AV	2.4162G	104.11	Inf	-Inf	71.37	3	Vertical	157	1.90	-	28.33	4.41	-
PK	2.4978G	57.71	74.00	-16.29	24.57	3	Vertical	157	1.90	-	28.69	4.45	-
AV	2.4958G	45.49	54.00	-8.51	12.37	3	Vertical	157	1.90	-	28.67	4.45	-

802.11g_Nss1,(6Mbps)_1TX

2417MHz_TX




EUT_X_1TX
Setting 19.75
03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.3898G	67.80	74.00	-6.20	35.09	3	Horizontal	155	1.68	-	28.32	4.39	-	
AV	2.3898G	50.44	54.00	-3.56	17.73	3	Horizontal	155	1.68	-	28.32	4.39	-	
PK	2.4158G	110.53	Inf	-Inf	77.79	3	Horizontal	155	1.68	-	28.33	4.41	-	
AV	2.4162G	100.84	Inf	-Inf	68.10	3	Horizontal	155	1.68	-	28.33	4.41	-	
PK	2.4846G	58.22	74.00	-15.78	25.17	3	Horizontal	155	1.68	-	28.61	4.44	-	
AV	2.4986G	45.50	54.00	-8.50	12.36	3	Horizontal	155	1.68	-	28.69	4.45	-	

802.11g_Nss1,(6Mbps)_1TX

2437MHz_TX




EUT X_1TX
Setting 24
03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3898G	67.76	74.00	-6.24	35.05	3	Vertical	157	1.88	-	28.32	4.39	-
AV	2.3898G	50.06	54.00	-3.94	17.35	3	Vertical	157	1.88	-	28.32	4.39	-
PK	2.4358G	117.10	Inf	-Inf	84.31	3	Vertical	157	1.88	-	28.37	4.42	-
AV	2.4362G	107.04	Inf	-Inf	74.25	3	Vertical	157	1.88	-	28.37	4.42	-
PK	2.4858G	69.95	74.00	-4.05	36.90	3	Vertical	157	1.88	-	28.61	4.44	-
AV	2.4835G	49.62	54.00	-4.38	16.58	3	Vertical	157	1.88	-	28.60	4.44	-

802.11g_Nss1,(6Mbps)_1TX

2437MHz_TX




EUT X_1TX
Setting 24
03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3878G	64.71	74.00	-9.29	32.00	3	Horizontal	154	1.69	-	28.32	4.39	-
AV	2.3898G	47.77	54.00	-6.23	15.06	3	Horizontal	154	1.69	-	28.32	4.39	-
PK	2.4358G	114.21	Inf	-Inf	81.42	3	Horizontal	154	1.69	-	28.37	4.42	-
AV	2.4362G	104.30	Inf	-Inf	71.51	3	Horizontal	154	1.69	-	28.37	4.42	-
PK	2.4858G	66.31	74.00	-7.69	33.26	3	Horizontal	154	1.69	-	28.61	4.44	-
AV	2.4835G	48.04	54.00	-5.96	15.00	3	Horizontal	154	1.69	-	28.60	4.44	-

802.11g_Nss1,(6Mbps)_1TX

2437MHz_TX




EUT X_1TX
Setting 24
03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.87548G	55.54	74.00	-18.46	50.37	3	Vertical	184	1.85	-	33.50	7.06	35.39	
AV	4.87794G	39.93	54.00	-14.07	34.75	3	Vertical	184	1.85	-	33.51	7.06	35.39	

802.11g_Nss1,(6Mbps)_1TX

2437MHz_TX




EUT X_1TX
Setting 24
03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87556G	50.90	74.00	-23.10	45.73	3	Horizontal	269	1.49	-	33.50	7.06	35.39
AV	4.87576G	36.82	54.00	-17.18	31.65	3	Horizontal	269	1.49	-	33.50	7.06	35.39

802.11g_Nss1,(6Mbps)_1TX

2457MHz_TX




EUT_X_1TX
Setting 20.5
03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3854G	58.27	74.00	-15.73	25.55	3	Vertical	155	2.08	-	28.33	4.39	-
AV	2.3762G	45.86	54.00	-8.14	13.13	3	Vertical	155	2.08	-	28.35	4.38	-
PK	2.4558G	114.71	Inf	-Inf	81.85	3	Vertical	155	2.08	-	28.43	4.43	-
AV	2.4562G	105.01	Inf	-Inf	72.14	3	Vertical	155	2.08	-	28.44	4.43	-
PK	2.4878G	70.53	74.00	-3.47	37.46	3	Vertical	155	2.08	-	28.63	4.44	-
AV	2.4835G	53.35	54.00	-0.65	20.31	3	Vertical	155	2.08	-	28.60	4.44	-

802.11g_Nss1,(6Mbps)_1TX

2457MHz_TX




EUT_X_1TX
Setting 20.5
03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.389G	57.95	74.00	-16.05	25.24	3	Horizontal	153	1.61	-	28.32	4.39	-
AV	2.3754G	45.31	54.00	-8.69	12.58	3	Horizontal	153	1.61	-	28.35	4.38	-
PK	2.4558G	110.99	Inf	-Inf	78.13	3	Horizontal	153	1.61	-	28.43	4.43	-
AV	2.4562G	101.31	Inf	-Inf	68.44	3	Horizontal	153	1.61	-	28.44	4.43	-
PK	2.4878G	69.03	74.00	-4.97	35.96	3	Horizontal	153	1.61	-	28.63	4.44	-
AV	2.4835G	52.00	54.00	-2.00	18.96	3	Horizontal	153	1.61	-	28.60	4.44	-

802.11g_Nss1,(6Mbps)_1TX

2462MHz_TX




EUT_X_1TX
Setting 19.25
03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3812G	57.85	74.00	-16.15	25.13	3	Vertical	156	2.07	-	28.34	4.38	-
AV	2.3824G	45.85	54.00	-8.15	13.13	3	Vertical	156	2.07	-	28.34	4.38	-
PK	2.4608G	112.82	Inf	-Inf	79.93	3	Vertical	156	2.07	-	28.46	4.43	-
AV	2.4608G	103.20	Inf	-Inf	70.31	3	Vertical	156	2.07	-	28.46	4.43	-
PK	2.4835G	72.31	74.00	-1.69	39.27	3	Vertical	156	2.07	-	28.60	4.44	-
AV	2.4835G	53.38	54.00	-0.62	20.34	3	Vertical	156	2.07	-	28.60	4.44	-

802.11g_Nss1,(6Mbps)_1TX

2462MHz_TX




EUT_X_1TX
Setting 19.25
03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3876G	58.00	74.00	-16.00	25.29	3	Horizontal	155	1.13	-	28.32	4.39	-
AV	2.3812G	45.19	54.00	-8.81	12.47	3	Horizontal	155	1.13	-	28.34	4.38	-
PK	2.4628G	109.77	Inf	-Inf	76.86	3	Horizontal	155	1.13	-	28.48	4.43	-
AV	2.4628G	100.10	Inf	-Inf	67.19	3	Horizontal	155	1.13	-	28.48	4.43	-
PK	2.4835G	70.78	74.00	-3.22	37.74	3	Horizontal	155	1.13	-	28.60	4.44	-
AV	2.4835G	51.34	54.00	-2.66	18.30	3	Horizontal	155	1.13	-	28.60	4.44	-

802.11g_Nss1,(6Mbps)_1TX

2462MHz_TX




EUT X_1TX
Setting 19.25
03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.92414G	47.24	74.00	-26.76	41.92	3	Vertical	236	2.44	-	33.65	7.04	35.37
AV	4.92482G	33.55	54.00	-20.45	28.23	3	Vertical	236	2.44	-	33.65	7.04	35.37

802.11g_Nss1,(6Mbps)_1TX

2462MHz_TX




EUT X_1TX
Setting 19.25
03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.92359G	47.11	74.00	-26.89	41.79	3	Horizontal	259	1.95	-	33.65	7.04	35.37
AV	4.92448G	33.57	54.00	-20.43	28.25	3	Horizontal	259	1.95	-	33.65	7.04	35.37

802.11g_Nss1,(6Mbps)_1TX

2467MHz_TX




EUT_X_1TX
Setting 18.5
03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.383G	58.65	74.00	-15.35	25.94	3	Vertical	157	1.72	-	28.33	4.38	-
AV	2.3842G	45.55	54.00	-8.45	12.84	3	Vertical	157	1.72	-	28.33	4.38	-
PK	2.4658G	111.36	Inf	-Inf	78.44	3	Vertical	157	1.72	-	28.49	4.43	-
AV	2.4662G	101.80	Inf	-Inf	68.87	3	Vertical	157	1.72	-	28.50	4.43	-
PK	2.4842G	73.48	74.00	-0.52	40.43	3	Vertical	157	1.72	-	28.61	4.44	-
AV	2.4835G	52.94	54.00	-1.06	19.90	3	Vertical	157	1.72	-	28.60	4.44	-

802.11g_Nss1,(6Mbps)_1TX

2467MHz_TX




EUT_X_1TX
Setting 18.5
03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3778G	57.74	74.00	-16.26	25.02	3	Horizontal	154	1.13	-	28.34	4.38	-
AV	2.3874G	45.14	54.00	-8.86	12.42	3	Horizontal	154	1.13	-	28.33	4.39	-
PK	2.4658G	108.97	Inf	-Inf	76.05	3	Horizontal	154	1.13	-	28.49	4.43	-
AV	2.4662G	99.36	Inf	-Inf	66.43	3	Horizontal	154	1.13	-	28.50	4.43	-
PK	2.4842G	71.86	74.00	-2.14	38.81	3	Horizontal	154	1.13	-	28.61	4.44	-
AV	2.4835G	51.56	54.00	-2.44	18.52	3	Horizontal	154	1.13	-	28.60	4.44	-

802.11g_Nss1,(6Mbps)_1TX

2467MHz_TX




EUT_X_1TX
Setting 18.5
03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.93303G	47.31	74.00	-26.69	41.97	3	Vertical	204	1.90	-	33.67	7.03	35.36
AV	4.93392G	33.58	54.00	-20.42	28.24	3	Vertical	204	1.90	-	33.67	7.03	35.36

802.11g_Nss1,(6Mbps)_1TX

2467MHz_TX




EUT_X_1TX
Setting 18.5
03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.93302G	47.47	74.00	-26.53	42.13	3	Horizontal	184	1.73	-	33.67	7.03	35.36	
AV	4.93315G	33.54	54.00	-20.46	28.20	3	Horizontal	184	1.73	-	33.67	7.03	35.36	

802.11g_Nss1,(6Mbps)_1TX

2472MHz_TX




EUT_X_1TX
Setting 16.75
03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3836G	57.85	74.00	-16.15	25.14	3	Vertical	156	2.08	-	28.33	4.38	-
AV	2.39G	45.84	54.00	-8.16	13.13	3	Vertical	156	2.08	-	28.32	4.39	-
PK	2.4728G	109.74	Inf	-Inf	76.76	3	Vertical	156	2.08	-	28.54	4.44	-
AV	2.4712G	100.19	Inf	-Inf	67.22	3	Vertical	156	2.08	-	28.53	4.44	-
PK	2.4835G	67.76	74.00	-6.24	34.72	3	Vertical	156	2.08	-	28.60	4.44	-
AV	2.4835G	53.25	54.00	-0.75	20.21	3	Vertical	156	2.08	-	28.60	4.44	-

802.11g_Nss1,(6Mbps)_1TX

2472MHz_TX




EUT_X_1TX
Setting 16.75
03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.386G	57.95	74.00	-16.05	25.23	3	Horizontal	154	1.86	-	28.33	4.39	-
AV	2.3884G	45.16	54.00	-8.84	12.45	3	Horizontal	154	1.86	-	28.32	4.39	-
PK	2.4728G	107.27	Inf	-Inf	74.29	3	Horizontal	154	1.86	-	28.54	4.44	-
AV	2.4728G	97.60	Inf	-Inf	64.62	3	Horizontal	154	1.86	-	28.54	4.44	-
PK	2.484G	64.69	74.00	-9.31	31.65	3	Horizontal	154	1.86	-	28.60	4.44	-
AV	2.4835G	51.05	54.00	-2.95	18.01	3	Horizontal	154	1.86	-	28.60	4.44	-

802.11g_Nss1,(6Mbps)_1TX

2472MHz_TX




EUT X_1TX
Setting 16.75
03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.94314G	47.51	74.00	-26.49	42.15	3	Vertical	96	1.93	-	33.69	7.03	35.36	
AV	4.94338G	33.51	54.00	-20.49	28.15	3	Vertical	96	1.93	-	33.69	7.03	35.36	

802.11g_Nss1,(6Mbps)_1TX

2472MHz_TX




EUT X_1TX
Setting 16.75
03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.94326G	47.43	74.00	-26.57	42.07	3	Horizontal	96	2.56	-	33.69	7.03	35.36	
AV	4.94461G	33.48	54.00	-20.52	28.12	3	Horizontal	96	2.56	-	33.69	7.03	35.36	

802.11ax HEW20_Nss1,(MCS0)_1TX

2412MHz_TX




EUT X_1TX
Setting 18
03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.39G	73.45	74.00	-0.55	40.74	3	Vertical	159	1.91	-	28.32	4.39	-
AV	2.39G	51.27	54.00	-2.73	18.56	3	Vertical	159	1.91	-	28.32	4.39	-
PK	2.4112G	115.54	Inf	-Inf	82.81	3	Vertical	159	1.91	-	28.32	4.41	-
AV	2.4108G	102.65	Inf	-Inf	69.92	3	Vertical	159	1.91	-	28.32	4.41	-
PK	2.4964G	58.44	74.00	-15.56	25.31	3	Vertical	159	1.91	-	28.68	4.45	-
AV	2.4908G	45.55	54.00	-8.45	12.46	3	Vertical	159	1.91	-	28.64	4.45	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2412MHz_TX




EUT X_1TX
Setting 18
03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.39G	68.69	74.00	-5.31	35.98	3	Horizontal	154	1.67	-	28.32	4.39	-	
AV	2.39G	48.18	54.00	-5.82	15.47	3	Horizontal	154	1.67	-	28.32	4.39	-	
PK	2.4112G	111.65	Inf	-Inf	78.92	3	Horizontal	154	1.67	-	28.32	4.41	-	
AV	2.4108G	98.67	Inf	-Inf	65.94	3	Horizontal	154	1.67	-	28.32	4.41	-	
PK	2.496G	58.28	74.00	-15.72	25.15	3	Horizontal	154	1.67	-	28.68	4.45	-	
AV	2.4964G	45.50	54.00	-8.50	12.37	3	Horizontal	154	1.67	-	28.68	4.45	-	

802.11ax HEW20_Nss1,(MCS0)_1TX

2412MHz_TX




EUT X_1TX
Setting 18
03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8246G	47.30	74.00	-26.70	42.23	3	Vertical	231	1.46	-	33.40	7.09	35.42
AV	4.82395G	33.50	54.00	-20.50	28.43	3	Vertical	231	1.46	-	33.40	7.09	35.42

802.11ax HEW20_Nss1,(MCS0)_1TX

2412MHz_TX




EUT X_1TX
Setting 18
03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.82422G	47.50	74.00	-26.50	42.43	3	Horizontal	76	2.19	-	33.40	7.09	35.42
AV	4.8242G	33.46	54.00	-20.54	28.39	3	Horizontal	76	2.19	-	33.40	7.09	35.42

802.11ax HEW20_Nss1,(MCS0)_1TX

2417MHz_TX




EUT_X_1TX
Setting 19.75
03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3894G	72.18	74.00	-1.82	39.47	3	Vertical	156	1.96	-	28.32	4.39	-
AV	2.3898G	53.46	54.00	-0.54	20.75	3	Vertical	156	1.96	-	28.32	4.39	-
PK	2.4166G	116.64	Inf	-Inf	83.90	3	Vertical	156	1.96	-	28.33	4.41	-
AV	2.4162G	103.70	Inf	-Inf	70.96	3	Vertical	156	1.96	-	28.33	4.41	-
PK	2.491G	57.82	74.00	-16.18	24.72	3	Vertical	156	1.96	-	28.65	4.45	-
AV	2.4946G	45.60	54.00	-8.40	12.48	3	Vertical	156	1.96	-	28.67	4.45	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2417MHz_TX




EUT X_1TX
Setting 19.75
03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3894G	68.96	74.00	-5.04	36.25	3	Horizontal	153	1.72	-	28.32	4.39	-
AV	2.3898G	50.21	54.00	-3.79	17.50	3	Horizontal	153	1.72	-	28.32	4.39	-
PK	2.4166G	113.28	Inf	-Inf	80.54	3	Horizontal	153	1.72	-	28.33	4.41	-
AV	2.4178G	100.20	Inf	-Inf	67.45	3	Horizontal	153	1.72	-	28.34	4.41	-
PK	2.4974G	58.10	74.00	-15.90	24.97	3	Horizontal	153	1.72	-	28.68	4.45	-
AV	2.4966G	45.43	54.00	-8.57	12.30	3	Horizontal	153	1.72	-	28.68	4.45	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2437MHz_TX




EUT X_1TX
Setting 24
03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3898G	68.33	74.00	-5.67	35.62	3	Vertical	156	1.91	-	28.32	4.39	-
AV	2.3898G	50.80	54.00	-3.20	18.09	3	Vertical	156	1.91	-	28.32	4.39	-
PK	2.4366G	118.93	Inf	-Inf	86.14	3	Vertical	156	1.91	-	28.37	4.42	-
AV	2.4358G	106.41	Inf	-Inf	73.62	3	Vertical	156	1.91	-	28.37	4.42	-
PK	2.4835G	71.04	74.00	-2.96	38.00	3	Vertical	156	1.91	-	28.60	4.44	-
AV	2.4835G	50.68	54.00	-3.32	17.64	3	Vertical	156	1.91	-	28.60	4.44	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2437MHz_TX




EUT X_1TX
Setting 24
03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3898G	64.81	74.00	-9.19	32.10	3	Horizontal	155	1.70	-	28.32	4.39	-
AV	2.3898G	48.36	54.00	-5.64	15.65	3	Horizontal	155	1.70	-	28.32	4.39	-
PK	2.4366G	116.10	Inf	-Inf	83.31	3	Horizontal	155	1.70	-	28.37	4.42	-
AV	2.4378G	103.62	Inf	-Inf	70.82	3	Horizontal	155	1.70	-	28.38	4.42	-
PK	2.4835G	67.54	74.00	-6.46	34.50	3	Horizontal	155	1.70	-	28.60	4.44	-
AV	2.4835G	48.66	54.00	-5.34	15.62	3	Horizontal	155	1.70	-	28.60	4.44	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2437MHz_TX




EUT X_1TX
Setting 24
03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.87792G	54.95	74.00	-19.05	49.77	3	Vertical	184	1.85	-	33.51	7.06	35.39	
AV	4.87528G	39.78	54.00	-14.22	34.61	3	Vertical	184	1.85	-	33.50	7.06	35.39	

802.11ax HEW20_Nss1,(MCS0)_1TX

2437MHz_TX




EUT X_1TX
Setting 24
03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87306G	52.51	74.00	-21.49	47.36	3	Horizontal	180	1.84	-	33.49	7.06	35.40
AV	4.87373G	37.42	54.00	-16.58	32.27	3	Horizontal	180	1.84	-	33.49	7.06	35.40

802.11ax HEW20_Nss1,(MCS0)_1TX

2457MHz_TX




EUT_X_1TX
Setting 20.5
03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.385G	59.19	74.00	-14.81	26.47	3	Vertical	156	2.09	-	28.33	4.39	-
AV	2.3754G	45.78	54.00	-8.22	13.05	3	Vertical	156	2.09	-	28.35	4.38	-
PK	2.4566G	117.02	Inf	-Inf	84.15	3	Vertical	156	2.09	-	28.44	4.43	-
AV	2.4562G	103.88	Inf	-Inf	71.01	3	Vertical	156	2.09	-	28.44	4.43	-
PK	2.4838G	72.37	74.00	-1.63	39.33	3	Vertical	156	2.09	-	28.60	4.44	-
AV	2.4835G	53.22	54.00	-0.78	20.18	3	Vertical	156	2.09	-	28.60	4.44	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2457MHz_TX




EUT_X_1TX
Setting 20.5
03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3794G	57.76	74.00	-16.24	25.04	3	Horizontal	155	1.63	-	28.34	4.38	-
AV	2.3754G	45.44	54.00	-8.56	12.71	3	Horizontal	155	1.63	-	28.35	4.38	-
PK	2.4566G	113.56	Inf	-Inf	80.69	3	Horizontal	155	1.63	-	28.44	4.43	-
AV	2.4558G	100.50	Inf	-Inf	67.64	3	Horizontal	155	1.63	-	28.43	4.43	-
PK	2.4842G	70.16	74.00	-3.84	37.11	3	Horizontal	155	1.63	-	28.61	4.44	-
AV	2.4835G	51.55	54.00	-2.45	18.51	3	Horizontal	155	1.63	-	28.60	4.44	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2462MHz_TX




EUT_X_1TX
Setting 17.75
03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3856G	57.80	74.00	-16.20	25.08	3	Vertical	155	2.11	-	28.33	4.39	-
AV	2.3844G	45.59	54.00	-8.41	12.88	3	Vertical	155	2.11	-	28.33	4.38	-
PK	2.4616G	114.01	Inf	-Inf	81.11	3	Vertical	155	2.11	-	28.47	4.43	-
AV	2.4612G	100.97	Inf	-Inf	68.07	3	Vertical	155	2.11	-	28.47	4.43	-
PK	2.4835G	73.32	74.00	-0.68	40.28	3	Vertical	155	2.11	-	28.60	4.44	-
AV	2.4835G	49.62	54.00	-4.38	16.58	3	Vertical	155	2.11	-	28.60	4.44	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2462MHz_TX




EUT X_1TX
Setting 17.75
03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3712G	58.01	74.00	-15.99	25.28	3	Horizontal	154	1.14	-	28.36	4.37	-
AV	2.366G	45.17	54.00	-8.83	12.43	3	Horizontal	154	1.14	-	28.37	4.37	-
PK	2.4616G	110.79	Inf	-Inf	77.89	3	Horizontal	154	1.14	-	28.47	4.43	-
AV	2.4628G	98.05	Inf	-Inf	65.14	3	Horizontal	154	1.14	-	28.48	4.43	-
PK	2.4835G	70.10	74.00	-3.90	37.06	3	Horizontal	154	1.14	-	28.60	4.44	-
AV	2.484G	48.15	54.00	-5.85	15.11	3	Horizontal	154	1.14	-	28.60	4.44	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2462MHz_TX




EUT X_1TX
Setting 17.75
03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.92426G	47.44	74.00	-26.56	42.12	3	Vertical	258	2.10	-	33.65	7.04	35.37
AV	4.92447G	33.76	54.00	-20.24	28.44	3	Vertical	258	2.10	-	33.65	7.04	35.37

802.11ax HEW20_Nss1,(MCS0)_1TX

2462MHz_TX




EUT X_1TX
Setting 17.75
03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.92377G	47.48	74.00	-26.52	42.16	3	Horizontal	55	1.01	-	33.65	7.04	35.37	
AV	4.92474G	33.76	54.00	-20.24	28.44	3	Horizontal	55	1.01	-	33.65	7.04	35.37	

802.11ax HEW20_Nss1,(MCS0)_1TX

2467MHz_TX




EUT_X_1TX
Setting 17.5
03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.389G	58.14	74.00	-15.86	25.43	3	Vertical	156	2.06	-	28.32	4.39	-
AV	2.3898G	45.67	54.00	-8.33	12.96	3	Vertical	156	2.06	-	28.32	4.39	-
PK	2.4666G	113.51	Inf	-Inf	80.58	3	Vertical	156	2.06	-	28.50	4.43	-
AV	2.4658G	100.50	Inf	-Inf	67.58	3	Vertical	156	2.06	-	28.49	4.43	-
PK	2.4882G	72.99	74.00	-1.01	39.92	3	Vertical	156	2.06	-	28.63	4.44	-
AV	2.4835G	51.54	54.00	-2.46	18.50	3	Vertical	156	2.06	-	28.60	4.44	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2467MHz_TX




EUT_X_1TX
Setting 17.5
03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3862G	57.90	74.00	-16.10	25.18	3	Horizontal	151	2.09	-	28.33	4.39	-
AV	2.381G	45.17	54.00	-8.83	12.45	3	Horizontal	151	2.09	-	28.34	4.38	-
PK	2.4666G	110.97	Inf	-Inf	78.04	3	Horizontal	151	2.09	-	28.50	4.43	-
AV	2.4658G	97.95	Inf	-Inf	65.03	3	Horizontal	151	2.09	-	28.49	4.43	-
PK	2.4882G	70.79	74.00	-3.21	37.72	3	Horizontal	151	2.09	-	28.63	4.44	-
AV	2.4835G	49.86	54.00	-4.14	16.82	3	Horizontal	151	2.09	-	28.60	4.44	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2467MHz_TX




EUT X_1TX
Setting 17.5
03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.93349G	47.23	74.00	-26.77	41.89	3	Vertical	193	1.95	-	33.67	7.03	35.36	
AV	4.93485G	33.85	54.00	-20.15	28.51	3	Vertical	193	1.95	-	33.67	7.03	35.36	

802.11ax HEW20_Nss1,(MCS0)_1TX

2467MHz_TX




EUT X_1TX
Setting 17.5
03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.93385G	47.38	74.00	-26.62	42.04	3	Horizontal	110	2.30	-	33.67	7.03	35.36	
AV	4.93394G	33.93	54.00	-20.07	28.59	3	Horizontal	110	2.30	-	33.67	7.03	35.36	

802.11ax HEW20_Nss1,(MCS0)_1TX

2472MHz_TX




EUT_X_1TX
Setting 11.75
03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3884G	58.05	74.00	-15.95	25.34	3	Vertical	154	2.30	-	28.32	4.39	-
AV	2.386G	45.19	54.00	-8.81	12.47	3	Vertical	154	2.30	-	28.33	4.39	-
PK	2.4712G	107.56	Inf	-Inf	74.59	3	Vertical	154	2.30	-	28.53	4.44	-
AV	2.4728G	94.70	Inf	-Inf	61.72	3	Vertical	154	2.30	-	28.54	4.44	-
PK	2.4835G	70.20	74.00	-3.80	37.16	3	Vertical	154	2.30	-	28.60	4.44	-
AV	2.4835G	53.20	54.00	-0.80	20.16	3	Vertical	154	2.30	-	28.60	4.44	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2472MHz_TX




EUT_X_1TX
Setting 11.75
03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3836G	57.52	74.00	-16.48	24.81	3	Horizontal	153	1.85	-	28.33	4.38	-
AV	2.3756G	45.09	54.00	-8.91	12.36	3	Horizontal	153	1.85	-	28.35	4.38	-
PK	2.4716G	104.86	Inf	-Inf	71.89	3	Horizontal	153	1.85	-	28.53	4.44	-
AV	2.4728G	91.99	Inf	-Inf	59.01	3	Horizontal	153	1.85	-	28.54	4.44	-
PK	2.4835G	66.71	74.00	-7.29	33.67	3	Horizontal	153	1.85	-	28.60	4.44	-
AV	2.4835G	50.51	54.00	-3.49	17.47	3	Horizontal	153	1.85	-	28.60	4.44	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2472MHz_TX




EUT X_1TX
Setting 11.75
03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.94402G	47.90	74.00	-26.10	42.54	3	Vertical	147	2.40	-	33.69	7.03	35.36
AV	4.94377G	33.83	54.00	-20.17	28.47	3	Vertical	147	2.40	-	33.69	7.03	35.36

802.11ax HEW20_Nss1,(MCS0)_1TX

2472MHz_TX




EUT X_1TX
Setting 11.75
03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.94488G	47.69	74.00	-26.31	42.33	3	Horizontal	12	1.39	-	33.69	7.03	35.36	
AV	4.9433G	33.85	54.00	-20.15	28.49	3	Horizontal	12	1.39	-	33.69	7.03	35.36	

802.11ax HEW40_Nss1,(MCS0)_1TX

2437MHz_TX




EUT_X_1TX
Setting 18.5
03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3898G	69.96	74.00	-4.04	37.25	3	Vertical	156	1.88	-	28.32	4.39	-
AV	2.3898G	53.49	54.00	-0.51	20.78	3	Vertical	156	1.88	-	28.32	4.39	-
PK	2.4398G	111.58	Inf	-Inf	78.78	3	Vertical	156	1.88	-	28.38	4.42	-
AV	2.4346G	98.97	Inf	-Inf	66.18	3	Vertical	156	1.88	-	28.37	4.42	-
PK	2.4835G	73.27	74.00	-0.73	40.23	3	Vertical	156	1.88	-	28.60	4.44	-
AV	2.4835G	52.65	54.00	-1.35	19.61	3	Vertical	156	1.88	-	28.60	4.44	-

802.11ax HEW40_Nss1,(MCS0)_1TX

2437MHz_TX




EUT X_1TX
Setting 18.5
03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3862G	66.41	74.00	-7.59	33.69	3	Horizontal	154	1.68	-	28.33	4.39	-
AV	2.3898G	50.42	54.00	-3.58	17.71	3	Horizontal	154	1.68	-	28.32	4.39	-
PK	2.4398G	109.14	Inf	-Inf	76.34	3	Horizontal	154	1.68	-	28.38	4.42	-
AV	2.4394G	96.17	Inf	-Inf	63.37	3	Horizontal	154	1.68	-	28.38	4.42	-
PK	2.4835G	69.92	74.00	-4.08	36.88	3	Horizontal	154	1.68	-	28.60	4.44	-
AV	2.4835G	50.06	54.00	-3.94	17.02	3	Horizontal	154	1.68	-	28.60	4.44	-

802.11ax HEW40_Nss1,(MCS0)_1TX

2437MHz_TX




EUT X_1TX
Setting 18.5
03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87432G	48.03	74.00	-25.97	42.87	3	Vertical	58	2.89	-	33.50	7.06	35.40
AV	4.87344G	33.99	54.00	-20.01	28.84	3	Vertical	58	2.89	-	33.49	7.06	35.40

802.11ax HEW40_Nss1,(MCS0)_1TX

2437MHz_TX




EUT X_1TX
Setting 18.5
03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8742G	48.09	74.00	-25.91	42.93	3	Horizontal	138	2.11	-	33.50	7.06	35.40
AV	4.87377G	33.99	54.00	-20.01	28.83	3	Horizontal	138	2.11	-	33.50	7.06	35.40

802.11ax HEW40_Nss1,(MCS0)_1TX

2452MHz_TX




EUT_X_1TX
Setting 17.5
03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3872G	60.20	74.00	-13.80	27.48	3	Vertical	159	1.80	-	28.33	4.39	-
AV	2.3896G	46.96	54.00	-7.04	14.25	3	Vertical	159	1.80	-	28.32	4.39	-
PK	2.4504G	110.72	Inf	-Inf	77.89	3	Vertical	159	1.80	-	28.40	4.43	-
AV	2.4504G	98.34	Inf	-Inf	65.51	3	Vertical	159	1.80	-	28.40	4.43	-
PK	2.4844G	70.01	74.00	-3.99	36.96	3	Vertical	159	1.80	-	28.61	4.44	-
AV	2.486G	53.22	54.00	-0.78	20.16	3	Vertical	159	1.80	-	28.62	4.44	-

802.11ax HEW40_Nss1,(MCS0)_1TX

2452MHz_TX




EUT X_1TX
Setting 17.5
03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.376G	58.34	74.00	-15.66	25.61	3	Horizontal	154	1.60	-	28.35	4.38	-
AV	2.3892G	45.85	54.00	-8.15	13.14	3	Horizontal	154	1.60	-	28.32	4.39	-
PK	2.4504G	107.86	Inf	-Inf	75.03	3	Horizontal	154	1.60	-	28.40	4.43	-
AV	2.4504G	95.50	Inf	-Inf	62.67	3	Horizontal	154	1.60	-	28.40	4.43	-
PK	2.4835G	69.62	74.00	-4.38	36.58	3	Horizontal	154	1.60	-	28.60	4.44	-
AV	2.486G	52.51	54.00	-1.49	19.45	3	Horizontal	154	1.60	-	28.62	4.44	-

802.11ax HEW40_Nss1,(MCS0)_1TX

2452MHz_TX




EUT X_1TX
Setting 17.5
03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.90491G	47.25	74.00	-26.75	41.97	3	Vertical	42	1.88	-	33.61	7.05	35.38
AV	4.90456G	33.80	54.00	-20.20	28.52	3	Vertical	42	1.88	-	33.61	7.05	35.38

802.11ax HEW40_Nss1,(MCS0)_1TX

2452MHz_TX




EUT X_1TX
Setting 17.5
03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.9036G	47.06	74.00	-26.94	41.78	3	Horizontal	156	2.31	-	33.61	7.05	35.38
AV	4.9033G	33.81	54.00	-20.19	28.53	3	Horizontal	156	2.31	-	33.61	7.05	35.38

802.11ax HEW40_Nss1,(MCS0)_1TX

2457MHz_TX




EUT_X_1TX
Setting 17.25
03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3822G	59.30	74.00	-14.70	26.58	3	Vertical	155	2.06	-	28.34	4.38	-
AV	2.3894G	46.47	54.00	-7.53	13.76	3	Vertical	155	2.06	-	28.32	4.39	-
PK	2.4554G	110.68	Inf	-Inf	77.82	3	Vertical	155	2.06	-	28.43	4.43	-
AV	2.4546G	98.15	Inf	-Inf	65.29	3	Vertical	155	2.06	-	28.43	4.43	-
PK	2.485G	73.19	74.00	-0.81	40.14	3	Vertical	155	2.06	-	28.61	4.44	-
AV	2.4858G	53.24	54.00	-0.76	20.19	3	Vertical	155	2.06	-	28.61	4.44	-

802.11ax HEW40_Nss1,(MCS0)_1TX

2457MHz_TX




EUT_X_1TX
Setting 17.25
03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3834G	57.99	74.00	-16.01	25.28	3	Horizontal	153	1.63	-	28.33	4.38	-
AV	2.3814G	45.40	54.00	-8.60	12.68	3	Horizontal	153	1.63	-	28.34	4.38	-
PK	2.4554G	107.31	Inf	-Inf	74.45	3	Horizontal	153	1.63	-	28.43	4.43	-
AV	2.4546G	94.79	Inf	-Inf	61.93	3	Horizontal	153	1.63	-	28.43	4.43	-
PK	2.485G	70.80	74.00	-3.20	37.75	3	Horizontal	153	1.63	-	28.61	4.44	-
AV	2.4858G	51.53	54.00	-2.47	18.48	3	Horizontal	153	1.63	-	28.61	4.44	-

802.11ax HEW40_Nss1,(MCS0)_1TX

2457MHz_TX




EUT X_1TX
Setting 17.25
03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.91432G	47.30	74.00	-26.70	42.00	3	Vertical	238	1.85	-	33.63	7.04	35.37
AV	4.91474G	33.71	54.00	-20.29	28.41	3	Vertical	238	1.85	-	33.63	7.04	35.37

802.11ax HEW40_Nss1,(MCS0)_1TX

2457MHz_TX




EUT X_1TX
Setting 17.25
03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.91309G	47.78	74.00	-26.22	42.49	3	Horizontal	293	2.11	-	33.63	7.04	35.38
AV	4.91388G	33.67	54.00	-20.33	28.37	3	Horizontal	293	2.11	-	33.63	7.04	35.37

802.11ax HEW40_Nss1,(MCS0)_1TX

2462MHz_TX




EUT X_1TX
Setting 17
03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3888G	58.76	74.00	-15.24	26.05	3	Vertical	155	2.09	-	28.32	4.39	-
AV	2.39G	46.42	54.00	-7.58	13.71	3	Vertical	155	2.09	-	28.32	4.39	-
PK	2.4648G	109.94	Inf	-Inf	77.02	3	Vertical	155	2.09	-	28.49	4.43	-
AV	2.4596G	97.44	Inf	-Inf	64.55	3	Vertical	155	2.09	-	28.46	4.43	-
PK	2.4848G	71.64	74.00	-2.36	38.59	3	Vertical	155	2.09	-	28.61	4.44	-
AV	2.4835G	53.33	54.00	-0.67	20.29	3	Vertical	155	2.09	-	28.60	4.44	-

802.11ax HEW40_Nss1,(MCS0)_1TX

2462MHz_TX




EUT X_1TX
Setting 17
03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3624G	58.29	74.00	-15.71	25.55	3	Horizontal	151	2.09	-	28.38	4.36	-
AV	2.382G	45.42	54.00	-8.58	12.70	3	Horizontal	151	2.09	-	28.34	4.38	-
PK	2.4648G	107.47	Inf	-Inf	74.55	3	Horizontal	151	2.09	-	28.49	4.43	-
AV	2.4644G	94.57	Inf	-Inf	61.65	3	Horizontal	151	2.09	-	28.49	4.43	-
PK	2.4835G	69.12	74.00	-4.88	36.08	3	Horizontal	151	2.09	-	28.60	4.44	-
AV	2.4835G	51.29	54.00	-2.71	18.25	3	Horizontal	151	2.09	-	28.60	4.44	-

802.11ax HEW40_Nss1,(MCS0)_1TX

2462MHz_TX




EUT X_1TX
Setting 17
03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.92306G	47.30	74.00	-26.70	41.98	3	Vertical	43	1.94	-	33.65	7.04	35.37
AV	4.92462G	33.84	54.00	-20.16	28.52	3	Vertical	43	1.94	-	33.65	7.04	35.37

802.11ax HEW40_Nss1,(MCS0)_1TX

2462MHz_TX



EUT X_1TX
Setting 17
03-C-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.92424G	47.55	74.00	-26.45	42.23	3	Horizontal	329	2.28	-	33.65	7.04	35.37
AV	4.92461G	33.85	54.00	-20.15	28.53	3	Horizontal	329	2.28	-	33.65	7.04	35.37



RSE TX above 1GHz
<Full RU> Non-Beamforming Mode_Ant.3 (1TX)


Appendix F.4

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-
802.11b_Nss1.(1Mbps)_1TX	Pass	AV	2.4878G	53.99	54.00	-0.01	3	Vertical	176	1.50	-

802.11b_Nss1,(1Mbps)_1TX

2412MHz_TX




EUT V_1TX
Setting 21.5
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3858G	62.07	74.00	-11.93	29.35	3	Vertical	174	1.83	-	28.33	4.39	-
AV	2.3862G	52.03	54.00	-1.97	19.31	3	Vertical	174	1.83	-	28.33	4.39	-
PK	2.413G	114.86	Inf	-Inf	82.12	3	Vertical	174	1.83	-	28.33	4.41	-
AV	2.4102G	110.97	Inf	-Inf	78.24	3	Vertical	174	1.83	-	28.32	4.41	-

802.11b_Nss1,(1Mbps)_1TX

2412MHz_TX




EUT X_1TX
Setting 21.5
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.824G	49.68	74.00	-24.32	44.61	3	Vertical	155	1.96	-	33.40	7.09	35.42	
AV	4.82398G	37.09	54.00	-16.91	32.02	3	Vertical	155	1.96	-	33.40	7.09	35.42	

802.11b_Nss1,(1Mbps)_1TX

2412MHz_TX




EUT X_1TX
Setting 21.5
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.82412G	48.44	74.00	-25.56	43.37	3	Horizontal	176	1.05	-	33.40	7.09	35.42	
AV	4.82401G	35.21	54.00	-18.79	30.14	3	Horizontal	176	1.05	-	33.40	7.09	35.42	

802.11b_Nss1,(1Mbps)_1TX

2437MHz_TX




EUT_Y_1TX
Setting 24
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3898G	59.41	74.00	-14.59	26.70	3	Vertical	138	1.76	-	28.32	4.39	-
AV	2.3894G	49.21	54.00	-4.79	16.50	3	Vertical	138	1.76	-	28.32	4.39	-
PK	2.4354G	116.15	Inf	-Inf	83.36	3	Vertical	138	1.76	-	28.37	4.42	-
AV	2.4354G	112.45	Inf	-Inf	79.66	3	Vertical	138	1.76	-	28.37	4.42	-
PK	2.4842G	60.61	74.00	-13.39	27.56	3	Vertical	138	1.76	-	28.61	4.44	-
AV	2.4846G	51.14	54.00	-2.86	18.09	3	Vertical	138	1.76	-	28.61	4.44	-

802.11b_Nss1,(1Mbps)_1TX

2437MHz_TX




EUT X_1TX
Setting 24
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87392G	52.73	74.00	-21.27	47.57	3	Vertical	174	1.80	-	33.50	7.06	35.40
AV	4.874G	46.76	54.00	-7.24	41.60	3	Vertical	174	1.80	-	33.50	7.06	35.40
PK	7.31248G	55.80	74.00	-18.20	45.83	3	Vertical	223	1.18	-	37.00	8.54	35.57
AV	7.30922G	47.38	54.00	-6.62	37.42	3	Vertical	223	1.18	-	37.00	8.53	35.57

802.11b_Nss1,(1Mbps)_1TX

2437MHz_TX




EUT X_1TX
Setting 24
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87372G	50.11	74.00	-23.89	44.96	3	Horizontal	139	3.00	-	33.49	7.06	35.40
AV	4.87402G	40.04	54.00	-13.96	34.88	3	Horizontal	139	3.00	-	33.50	7.06	35.40
PK	7.31256G	59.58	74.00	-14.42	49.61	3	Horizontal	232	2.10	-	37.00	8.54	35.57
AV	7.30926G	52.28	54.00	-1.72	42.32	3	Horizontal	232	2.10	-	37.00	8.53	35.57

802.11b_Nss1,(1Mbps)_1TX

2457MHz_TX




EUT_V_1TX
Setting 21.25
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.458G	114.08	Inf	-Inf	81.20	3	Vertical	37	1.50	-	28.45	4.43	-	
AV	2.4552G	110.29	Inf	-Inf	77.43	3	Vertical	37	1.50	-	28.43	4.43	-	
PK	2.4835G	61.76	74.00	-12.24	28.72	3	Vertical	37	1.50	-	28.60	4.44	-	
AV	2.4835G	52.39	54.00	-1.61	19.35	3	Vertical	37	1.50	-	28.60	4.44	-	

802.11b_Nss1,(1Mbps)_1TX

2462MHz_TX




EUT_V_1TX
Setting 21
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.463G	113.54	Inf	-Inf	80.63	3	Vertical	176	1.50	-	28.48	4.43	-	
AV	2.4638G	109.69	Inf	-Inf	76.78	3	Vertical	176	1.50	-	28.48	4.43	-	
PK	2.4876G	63.05	74.00	-10.95	29.98	3	Vertical	176	1.50	-	28.63	4.44	-	
AV	2.4878G	53.99	54.00	-0.01	20.92	3	Vertical	176	1.50	-	28.63	4.44	-	

802.11b_Nss1,(1Mbps)_1TX

2462MHz_TX




EUT X_1TX
Setting 21
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.92388G	47.60	74.00	-26.40	42.28	3	Vertical	15	1.73	-	33.65	7.04	35.37
AV	4.92406G	34.20	54.00	-19.80	28.88	3	Vertical	15	1.73	-	33.65	7.04	35.37
PK	7.38532G	55.71	74.00	-18.29	45.47	3	Vertical	179	1.29	-	37.07	8.76	35.59
AV	7.38526G	44.27	54.00	-9.73	34.03	3	Vertical	179	1.29	-	37.07	8.76	35.59

802.11b_Nss1,(1Mbps)_1TX

2462MHz_TX




EUT X_1TX
Setting 21
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.925G	48.69	74.00	-25.31	43.37	3	Horizontal	320	1.77	-	33.65	7.04	35.37
AV	4.92398G	34.24	54.00	-19.76	28.92	3	Horizontal	320	1.77	-	33.65	7.04	35.37
PK	7.38338G	54.69	74.00	-19.31	44.46	3	Horizontal	221	1.22	-	37.07	8.75	35.59
AV	7.38526G	41.54	54.00	-12.46	31.30	3	Horizontal	221	1.22	-	37.07	8.76	35.59

802.11b_Nss1,(1Mbps)_1TX

2467MHz_TX




EUT Y_1TX
Setting 16.25
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.466G	108.92	Inf	-Inf	75.99	3	Vertical	177	1.50	-	28.50	4.43	-	
AV	2.4652G	105.15	Inf	-Inf	72.23	3	Vertical	177	1.50	-	28.49	4.43	-	
PK	2.4835G	63.06	74.00	-10.94	30.02	3	Vertical	177	1.50	-	28.60	4.44	-	
AV	2.4835G	53.02	54.00	-0.98	19.98	3	Vertical	177	1.50	-	28.60	4.44	-	

802.11b_Nss1,(1Mbps)_1TX

2467MHz_TX




EUT_X_1TX
Setting 16.25
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.93654G	47.43	74.00	-26.57	42.09	3	Vertical	205	2.93	-	33.67	7.03	35.36	
AV	4.93518G	33.61	54.00	-20.39	28.27	3	Vertical	205	2.93	-	33.67	7.03	35.36	

802.11b_Nss1,(1Mbps)_1TX

2467MHz_TX




EUT_X_1TX
Setting 16.25
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.93508G	47.65	74.00	-26.35	42.31	3	Horizontal	52	1.01	-	33.67	7.03	35.36	
AV	4.93478G	33.64	54.00	-20.36	28.30	3	Horizontal	52	1.01	-	33.67	7.03	35.36	

802.11b_Nss1,(1Mbps)_1TX

2472MHz_TX




EUT_V_1TX
Setting 13.5
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.473G	105.65	Inf	-Inf	72.67	3	Vertical	40	1.76	-	28.54	4.44	-	
AV	2.4738G	101.79	Inf	-Inf	68.81	3	Vertical	40	1.76	-	28.54	4.44	-	
PK	2.4835G	62.55	74.00	-11.45	29.51	3	Vertical	40	1.76	-	28.60	4.44	-	
AV	2.4872G	53.90	54.00	-0.10	20.84	3	Vertical	40	1.76	-	28.62	4.44	-	

802.11b_Nss1,(1Mbps)_1TX

2472MHz_TX




EUT X_1TX
Setting 13.5
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.9449G	48.10	74.00	-25.90	42.74	3	Vertical	129	1.85	-	33.69	7.03	35.36	
AV	4.94298G	33.56	54.00	-20.44	28.20	3	Vertical	129	1.85	-	33.69	7.03	35.36	

802.11b_Nss1,(1Mbps)_1TX

2472MHz_TX




EUT_X_1TX
Setting 13.5
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.94478G	47.97	74.00	-26.03	42.61	3	Horizontal	101	1.10	-	33.69	7.03	35.36	
AV	4.94302G	33.55	54.00	-20.45	28.19	3	Horizontal	101	1.10	-	33.69	7.03	35.36	

802.11g_Nss1,(6Mbps)_1TX

2412MHz_TX




EUT Y_1TX
Setting 18
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.3858G	73.37	74.00	-0.63	40.65	3	Vertical	178	1.82	-	28.33	4.39	-	
AV	2.39G	53.94	54.00	-0.06	21.23	3	Vertical	178	1.82	-	28.32	4.39	-	
PK	2.4126G	115.22	Inf	-Inf	82.48	3	Vertical	178	1.82	-	28.33	4.41	-	
AV	2.4128G	105.31	Inf	-Inf	72.57	3	Vertical	178	1.82	-	28.33	4.41	-	

802.11g_Nss1,(6Mbps)_1TX

2412MHz_TX




EUT X_1TX
Setting 18
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.82142G	48.11	74.00	-25.89	43.04	3	Vertical	317	2.65	-	33.40	7.09	35.42
AV	4.82144G	33.45	54.00	-20.55	28.38	3	Vertical	317	2.65	-	33.40	7.09	35.42

802.11g_Nss1,(6Mbps)_1TX

2412MHz_TX




EUT X_1TX
Setting 18
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.82392G	47.88	74.00	-26.12	42.81	3	Horizontal	96	2.75	-	33.40	7.09	35.42
AV	4.82224G	33.48	54.00	-20.52	28.41	3	Horizontal	96	2.75	-	33.40	7.09	35.42

802.11g_Nss1,(6Mbps)_1TX

2417MHz_TX




EUT Y_1TX
Setting 18.25
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.3898G	73.03	74.00	-0.97	40.32	3	Vertical	140	1.70	-	28.32	4.39	-	
AV	2.39G	51.34	54.00	-2.66	18.63	3	Vertical	140	1.70	-	28.32	4.39	-	
PK	2.4176G	115.53	Inf	-Inf	82.78	3	Vertical	140	1.70	-	28.34	4.41	-	
AV	2.4162G	105.66	Inf	-Inf	72.92	3	Vertical	140	1.70	-	28.33	4.41	-	

802.11g_Nss1,(6Mbps)_1TX

2437MHz_TX




EUT_Y_1TX
Setting 24
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3882G	67.79	74.00	-6.21	35.08	3	Vertical	137	1.75	-	28.32	4.39	-
AV	2.3898G	49.44	54.00	-4.56	16.73	3	Vertical	137	1.75	-	28.32	4.39	-
PK	2.4354G	118.64	Inf	-Inf	85.85	3	Vertical	137	1.75	-	28.37	4.42	-
AV	2.4358G	108.78	Inf	-Inf	75.99	3	Vertical	137	1.75	-	28.37	4.42	-
PK	2.4854G	70.72	74.00	-3.28	37.67	3	Vertical	137	1.75	-	28.61	4.44	-
AV	2.4835G	51.52	54.00	-2.48	18.48	3	Vertical	137	1.75	-	28.60	4.44	-

802.11g_Nss1,(6Mbps)_1TX

2437MHz_TX




EUT X_1TX
Setting 24
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8738G	53.53	74.00	-20.47	48.37	3	Vertical	152	1.90	-	33.50	7.06	35.40
AV	4.87792G	38.72	54.00	-15.28	33.54	3	Vertical	152	1.90	-	33.51	7.06	35.39
PK	7.31208G	60.07	74.00	-13.93	50.10	3	Vertical	186	1.03	-	37.00	8.54	35.57
AV	7.31388G	45.79	54.00	-8.21	35.82	3	Vertical	186	1.03	-	37.00	8.54	35.57

802.11g_Nss1,(6Mbps)_1TX

2437MHz_TX




EUT X_1TX
Setting 24
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87088G	50.32	74.00	-23.68	45.18	3	Horizontal	169	1.72	-	33.48	7.06	35.40
AV	4.8752G	35.47	54.00	-18.53	30.30	3	Horizontal	169	1.72	-	33.50	7.06	35.39
PK	7.30892G	56.92	74.00	-17.08	46.96	3	Horizontal	224	1.08	-	37.00	8.53	35.57
AV	7.30952G	42.57	54.00	-11.43	32.61	3	Horizontal	224	1.08	-	37.00	8.53	35.57

802.11g_Nss1,(6Mbps)_1TX

2457MHz_TX




EUT_V_1TX
Setting 20.5
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.4558G	116.70	Inf	-Inf	83.84	3	Vertical	144	1.80	-	28.43	4.43	-	
AV	2.456G	106.96	Inf	-Inf	74.09	3	Vertical	144	1.80	-	28.44	4.43	-	
PK	2.4874G	71.04	74.00	-2.96	37.98	3	Vertical	144	1.80	-	28.62	4.44	-	
AV	2.4835G	53.44	54.00	-0.56	20.40	3	Vertical	144	1.80	-	28.60	4.44	-	

802.11g_Nss1,(6Mbps)_1TX

2462MHz_TX




EUT_V_1TX
Setting 18.25
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4606G	113.86	Inf	-Inf	80.97	3	Vertical	178	1.52	-	28.46	4.43	-
AV	2.461G	104.18	Inf	-Inf	71.28	3	Vertical	178	1.52	-	28.47	4.43	-
PK	2.4835G	73.18	74.00	-0.82	40.14	3	Vertical	178	1.52	-	28.60	4.44	-
AV	2.4835G	52.76	54.00	-1.24	19.72	3	Vertical	178	1.52	-	28.60	4.44	-

802.11g_Nss1,(6Mbps)_1TX

2462MHz_TX




EUT X_1TX
Setting 18.25
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.9239G	47.93	74.00	-26.07	42.61	3	Vertical	207	1.07	-	33.65	7.04	35.37
AV	4.92674G	33.50	54.00	-20.50	28.18	3	Vertical	207	1.07	-	33.65	7.04	35.37

802.11g_Nss1,(6Mbps)_1TX

2462MHz_TX




EUT X_1TX
Setting 18.25
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.923G	47.66	74.00	-26.34	42.34	3	Horizontal	326	2.05	-	33.65	7.04	35.37
AV	4.92682G	33.53	54.00	-20.47	28.21	3	Horizontal	326	2.05	-	33.65	7.04	35.37

802.11g_Nss1,(6Mbps)_1TX

2467MHz_TX




EUT_V_1TX
Setting 17.25
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.4656G	112.79	Inf	-Inf	79.87	3	Vertical	176	1.52	-	28.49	4.43	-	
AV	2.466G	103.06	Inf	-Inf	70.13	3	Vertical	176	1.52	-	28.50	4.43	-	
PK	2.4854G	72.84	74.00	-1.16	39.79	3	Vertical	176	1.52	-	28.61	4.44	-	
AV	2.4835G	53.05	54.00	-0.95	20.01	3	Vertical	176	1.52	-	28.60	4.44	-	

802.11g_Nss1,(6Mbps)_1TX

2467MHz_TX




EUT_X_1TX
Setting 17.25
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.93354G	48.09	74.00	-25.91	42.75	3	Vertical	122	1.64	-	33.67	7.03	35.36	
AV	4.93378G	33.50	54.00	-20.50	28.16	3	Vertical	122	1.64	-	33.67	7.03	35.36	

802.11g_Nss1,(6Mbps)_1TX

2467MHz_TX




EUT_X_1TX
Setting 17.25
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.93484G	47.93	74.00	-26.07	42.59	3	Horizontal	103	2.06	-	33.67	7.03	35.36
AV	4.93396G	33.49	54.00	-20.51	28.15	3	Horizontal	103	2.06	-	33.67	7.03	35.36

802.11g_Nss1,(6Mbps)_1TX

2472MHz_TX




EUT Y_1TX
Setting 16.75
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4706G	112.10	Inf	-Inf	79.14	3	Vertical	176	1.41	-	28.52	4.44	-
AV	2.471G	102.36	Inf	-Inf	69.39	3	Vertical	176	1.41	-	28.53	4.44	-
PK	2.4835G	73.56	74.00	-0.44	40.52	3	Vertical	176	1.41	-	28.60	4.44	-
AV	2.4835G	52.53	54.00	-1.47	19.49	3	Vertical	176	1.41	-	28.60	4.44	-

802.11g_Nss1,(6Mbps)_1TX

2472MHz_TX




EUT X_1TX
Setting 16.75
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.94424G	47.48	74.00	-26.52	42.12	3	Vertical	92	2.69	-	33.69	7.03	35.36
AV	4.94252G	33.40	54.00	-20.60	28.04	3	Vertical	92	2.69	-	33.69	7.03	35.36

802.11g_Nss1,(6Mbps)_1TX

2472MHz_TX




EUT X_1TX
Setting 16.75
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.9425G	47.88	74.00	-26.12	42.52	3	Horizontal	328	2.76	-	33.69	7.03	35.36	
AV	4.94324G	33.40	54.00	-20.60	28.04	3	Horizontal	328	2.76	-	33.69	7.03	35.36	

802.11ax HEW20_Nss1,(MCS0)_1TX

2412MHz_TX




EUT Y_1TX
Setting 18
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.3898G	73.56	74.00	-0.44	40.85	3	Vertical	0	1.52	-	28.32	4.39	-	
AV	2.39G	51.50	54.00	-2.50	18.79	3	Vertical	0	1.52	-	28.32	4.39	-	
PK	2.4114G	117.04	Inf	-Inf	84.31	3	Vertical	0	1.52	-	28.32	4.41	-	
AV	2.4128G	103.92	Inf	-Inf	71.18	3	Vertical	0	1.52	-	28.33	4.41	-	

802.11ax HEW20_Nss1,(MCS0)_1TX

2412MHz_TX




EUT X_1TX
Setting 18
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8275G	47.88	74.00	-26.12	42.81	3	Vertical	285	2.98	-	33.40	7.09	35.42
AV	4.82332G	33.45	54.00	-20.55	28.38	3	Vertical	285	2.98	-	33.40	7.09	35.42

802.11ax HEW20_Nss1,(MCS0)_1TX

2412MHz_TX




EUT X_1TX
Setting 18
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.82188G	47.46	74.00	-26.54	42.39	3	Horizontal	242	1.53	-	33.40	7.09	35.42
AV	4.82202G	33.45	54.00	-20.55	28.38	3	Horizontal	242	1.53	-	33.40	7.09	35.42

802.11ax HEW20_Nss1,(MCS0)_1TX

2417MHz_TX




EUT_V_1TX
Setting 19.25
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.3866G	70.93	74.00	-3.07	38.21	3	Vertical	174	1.84	-	28.33	4.39	-	
AV	2.39G	51.67	54.00	-2.33	18.96	3	Vertical	174	1.84	-	28.32	4.39	-	
PK	2.4164G	118.41	Inf	-Inf	85.67	3	Vertical	174	1.84	-	28.33	4.41	-	
AV	2.4176G	105.23	Inf	-Inf	72.48	3	Vertical	174	1.84	-	28.34	4.41	-	

802.11ax HEW20_Nss1,(MCS0)_1TX

2437MHz_TX




EUT_V_1TX
Setting 24
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3894G	66.98	74.00	-7.02	34.27	3	Vertical	134	1.73	-	28.32	4.39	-
AV	2.3898G	49.83	54.00	-4.17	17.12	3	Vertical	134	1.73	-	28.32	4.39	-
PK	2.4366G	120.51	Inf	-Inf	87.72	3	Vertical	134	1.73	-	28.37	4.42	-
AV	2.4358G	108.25	Inf	-Inf	75.46	3	Vertical	134	1.73	-	28.37	4.42	-
PK	2.4835G	71.08	74.00	-2.92	38.04	3	Vertical	134	1.73	-	28.60	4.44	-
AV	2.4835G	52.81	54.00	-1.19	19.77	3	Vertical	134	1.73	-	28.60	4.44	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2437MHz_TX




EUT X_1TX
Setting 24
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87682G	48.11	74.00	-25.89	42.93	3	Vertical	312	2.54	-	33.51	7.06	35.39
AV	4.87502G	33.98	54.00	-20.02	28.81	3	Vertical	312	2.54	-	33.50	7.06	35.39
PK	7.30662G	52.22	74.00	-21.78	42.27	3	Vertical	355	1.71	-	37.00	8.52	35.57
AV	7.31538G	38.06	54.00	-15.94	28.08	3	Vertical	355	1.71	-	37.00	8.55	35.57

802.11ax HEW20_Nss1,(MCS0)_1TX

2437MHz_TX




EUT X_1TX
Setting 24
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87452G	48.30	74.00	-25.70	43.14	3	Horizontal	28	1.94	-	33.50	7.06	35.40
AV	4.87258G	33.99	54.00	-20.01	28.84	3	Horizontal	28	1.94	-	33.49	7.06	35.40
PK	7.31078G	51.58	74.00	-22.42	41.62	3	Horizontal	80	1.46	-	37.00	8.53	35.57
AV	7.3158G	37.97	54.00	-16.03	27.99	3	Horizontal	80	1.46	-	37.00	8.55	35.57

802.11ax HEW20_Nss1,(MCS0)_1TX

2457MHz_TX




EUT_V_1TX
Setting 20.5
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.4564G	119.27	Inf	-Inf	86.40	3	Vertical	36	1.48	-	28.44	4.43	-	
AV	2.456G	106.31	Inf	-Inf	73.44	3	Vertical	36	1.48	-	28.44	4.43	-	
PK	2.4848G	73.61	74.00	-0.39	40.56	3	Vertical	36	1.48	-	28.61	4.44	-	
AV	2.4835G	53.08	54.00	-0.92	20.04	3	Vertical	36	1.48	-	28.60	4.44	-	

802.11ax HEW20_Nss1,(MCS0)_1TX

2462MHz_TX




EUT_V_1TX
Setting 17.5
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4614G	115.85	Inf	-Inf	82.95	3	Vertical	177	1.50	-	28.47	4.43	-
AV	2.4628G	102.75	Inf	-Inf	69.84	3	Vertical	177	1.50	-	28.48	4.43	-
PK	2.4835G	73.91	74.00	-0.09	40.87	3	Vertical	177	1.50	-	28.60	4.44	-
AV	2.4835G	50.35	54.00	-3.65	17.31	3	Vertical	177	1.50	-	28.60	4.44	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2462MHz_TX




EUT X_1TX
Setting 17.5
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.92696G	47.50	74.00	-26.50	42.18	3	Vertical	325	2.14	-	33.65	7.04	35.37
AV	4.9251G	33.49	54.00	-20.51	28.17	3	Vertical	325	2.14	-	33.65	7.04	35.37

802.11ax HEW20_Nss1,(MCS0)_1TX

2462MHz_TX




EUT X_1TX
Setting 17.5
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.9275G	47.85	74.00	-26.15	42.52	3	Horizontal	353	1.32	-	33.66	7.04	35.37
AV	4.92686G	33.52	54.00	-20.48	28.20	3	Horizontal	353	1.32	-	33.65	7.04	35.37

802.11ax HEW20_Nss1,(MCS0)_1TX

2467MHz_TX




EUT Y_1TX
Setting 17
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.4664G	115.33	Inf	-Inf	82.40	3	Vertical	177	1.53	-	28.50	4.43	-	
AV	2.466G	102.30	Inf	-Inf	69.37	3	Vertical	177	1.53	-	28.50	4.43	-	
PK	2.4852G	73.77	74.00	-0.23	40.72	3	Vertical	177	1.53	-	28.61	4.44	-	
AV	2.4835G	50.46	54.00	-3.54	17.42	3	Vertical	177	1.53	-	28.60	4.44	-	

802.11ax HEW20_Nss1,(MCS0)_1TX

2467MHz_TX




EUT X_1TX
Setting 17
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.92944G	47.97	74.00	-26.03	42.64	3	Vertical	152	1.37	-	33.66	7.04	35.37	
AV	4.93428G	33.51	54.00	-20.49	28.17	3	Vertical	152	1.37	-	33.67	7.03	35.36	

802.11ax HEW20_Nss1,(MCS0)_1TX

2467MHz_TX




EUT X_1TX
Setting 17
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.93854G	47.58	74.00	-26.42	42.23	3	Horizontal	231	1.12	-	33.68	7.03	35.36	
AV	4.93416G	33.52	54.00	-20.48	28.18	3	Horizontal	231	1.12	-	33.67	7.03	35.36	

802.11ax HEW20_Nss1,(MCS0)_1TX

2472MHz_TX




EUT_V_1TX
Setting 11.75
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.4714G	109.52	Inf	-Inf	76.55	3	Vertical	174	1.59	-	28.53	4.44	-	
AV	2.471G	96.50	Inf	-Inf	63.53	3	Vertical	174	1.59	-	28.53	4.44	-	
PK	2.4835G	71.77	74.00	-2.23	38.73	3	Vertical	174	1.59	-	28.60	4.44	-	
AV	2.4835G	53.99	54.00	-0.01	20.95	3	Vertical	174	1.59	-	28.60	4.44	-	

802.11ax HEW20_Nss1,(MCS0)_1TX

2472MHz_TX




EUT X_1TX
Setting 11.75
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.94314G	47.70	74.00	-26.30	42.34	3	Vertical	332	1.10	-	33.69	7.03	35.36	
AV	4.9429G	33.42	54.00	-20.58	28.06	3	Vertical	332	1.10	-	33.69	7.03	35.36	

802.11ax HEW20_Nss1,(MCS0)_1TX

2472MHz_TX




EUT X_1TX
Setting 11.75
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.94284G	48.27	74.00	-25.73	42.91	3	Horizontal	85	2.62	-	33.69	7.03	35.36	
AV	4.94156G	33.39	54.00	-20.61	28.04	3	Horizontal	85	2.62	-	33.68	7.03	35.36	

802.11ax HEW40_Nss1,(MCS0)_1TX

2422MHz_TX




EUT_V_1TX
Setting 17.5
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3796G	72.74	74.00	-1.26	40.02	3	Vertical	176	1.80	-	28.34	4.38	-
AV	2.3812G	52.02	54.00	-1.98	19.30	3	Vertical	176	1.80	-	28.34	4.38	-
PK	2.4248G	111.18	Inf	-Inf	78.42	3	Vertical	176	1.80	-	28.35	4.41	-
AV	2.4196G	98.85	Inf	-Inf	66.10	3	Vertical	176	1.80	-	28.34	4.41	-
PK	2.4864G	62.64	74.00	-11.36	29.58	3	Vertical	176	1.80	-	28.62	4.44	-
AV	2.4844G	49.05	54.00	-4.95	16.00	3	Vertical	176	1.80	-	28.61	4.44	-

802.11ax HEW40_Nss1,(MCS0)_1TX

2422MHz_TX




EUT X_1TX
Setting 17.5
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.84333G	47.54	74.00	-26.46	42.47	3	Vertical	118	1.18	-	33.40	7.08	35.41	
AV	4.84004G	33.33	54.00	-20.67	28.26	3	Vertical	118	1.18	-	33.40	7.08	35.41	

802.11ax HEW40_Nss1,(MCS0)_1TX

2422MHz_TX




EUT X_1TX
Setting 17.5
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.84786G	47.34	74.00	-26.66	42.27	3	Horizontal	313	2.29	-	33.40	7.08	35.41
AV	4.84798G	33.36	54.00	-20.64	28.29	3	Horizontal	313	2.29	-	33.40	7.08	35.41

802.11ax HEW40_Nss1,(MCS0)_1TX

2437MHz_TX




EUT_V_1TX
Setting 18.5
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.383G	70.97	74.00	-3.03	38.26	3	Vertical	134	1.75	-	28.33	4.38	-
AV	2.3898G	52.94	54.00	-1.06	20.23	3	Vertical	134	1.75	-	28.32	4.39	-
PK	2.4354G	113.70	Inf	-Inf	80.91	3	Vertical	134	1.75	-	28.37	4.42	-
AV	2.4342G	101.19	Inf	-Inf	68.40	3	Vertical	134	1.75	-	28.37	4.42	-
PK	2.4835G	73.77	74.00	-0.23	40.73	3	Vertical	134	1.75	-	28.60	4.44	-
AV	2.4835G	53.99	54.00	-0.01	20.95	3	Vertical	134	1.75	-	28.60	4.44	-

802.11ax HEW40_Nss1,(MCS0)_1TX

2437MHz_TX




EUT X_1TX
Setting 18.5
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87858G	47.90	74.00	-26.10	42.72	3	Vertical	289	2.18	-	33.51	7.06	35.39
AV	4.8729G	33.96	54.00	-20.04	28.81	3	Vertical	289	2.18	-	33.49	7.06	35.40
PK	7.31598G	51.48	74.00	-22.52	41.50	3	Vertical	109	1.39	-	37.00	8.55	35.57
AV	7.31564G	38.11	54.00	-15.89	28.13	3	Vertical	109	1.39	-	37.00	8.55	35.57

802.11ax HEW40_Nss1,(MCS0)_1TX

2437MHz_TX




EUT X_1TX
Setting 18.5
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87296G	48.45	74.00	-25.55	43.30	3	Horizontal	172	1.80	-	33.49	7.06	35.40
AV	4.87414G	34.07	54.00	-19.93	28.91	3	Horizontal	172	1.80	-	33.50	7.06	35.40
PK	7.31058G	52.30	74.00	-21.70	42.34	3	Horizontal	197	1.95	-	37.00	8.53	35.57
AV	7.3151G	38.01	54.00	-15.99	28.03	3	Horizontal	197	1.95	-	37.00	8.55	35.57

802.11ax HEW40_Nss1,(MCS0)_1TX

2452MHz_TX




EUT_V_1TX
Setting 17.25
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3876G	59.64	74.00	-14.36	26.93	3	Vertical	36	1.49	-	28.32	4.39	-
AV	2.3896G	46.74	54.00	-7.26	14.03	3	Vertical	36	1.49	-	28.32	4.39	-
PK	2.4504G	113.06	Inf	-Inf	80.23	3	Vertical	36	1.49	-	28.40	4.43	-
AV	2.4492G	100.54	Inf	-Inf	67.72	3	Vertical	36	1.49	-	28.40	4.42	-
PK	2.4844G	73.87	74.00	-0.13	40.82	3	Vertical	36	1.49	-	28.61	4.44	-
AV	2.4856G	53.84	54.00	-0.16	20.79	3	Vertical	36	1.49	-	28.61	4.44	-

802.11ax HEW40_Nss1,(MCS0)_1TX

2452MHz_TX




EUT X_1TX
Setting 17.25
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.90102G	47.74	74.00	-26.26	42.47	3	Vertical	74	1.41	-	33.60	7.05	35.38
AV	4.8998G	33.65	54.00	-20.35	28.38	3	Vertical	74	1.41	-	33.60	7.05	35.38

802.11ax HEW40_Nss1,(MCS0)_1TX

2452MHz_TX




EUT X_1TX
Setting 17.25
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.90028G	47.86	74.00	-26.14	42.59	3	Horizontal	38	2.52	-	33.60	7.05	35.38
AV	4.89924G	33.63	54.00	-20.37	28.36	3	Horizontal	38	2.52	-	33.60	7.05	35.38

802.11ax HEW40_Nss1,(MCS0)_1TX

2457MHz_TX




EUT_V_1TX
Setting 16.5
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3726G	58.42	74.00	-15.58	25.70	3	Vertical	36	1.49	-	28.35	4.37	-
AV	2.3822G	45.97	54.00	-8.03	13.25	3	Vertical	36	1.49	-	28.34	4.38	-
PK	2.4554G	111.88	Inf	-Inf	79.02	3	Vertical	36	1.49	-	28.43	4.43	-
AV	2.4546G	99.43	Inf	-Inf	66.57	3	Vertical	36	1.49	-	28.43	4.43	-
PK	2.485G	73.26	74.00	-0.74	40.21	3	Vertical	36	1.49	-	28.61	4.44	-
AV	2.4858G	52.52	54.00	-1.48	19.47	3	Vertical	36	1.49	-	28.61	4.44	-

802.11ax HEW40_Nss1,(MCS0)_1TX

2457MHz_TX




EUT X_1TX
Setting 16.5
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.91098G	47.65	74.00	-26.35	42.37	3	Vertical	83	1.29	-	33.62	7.04	35.38	
AV	4.91754G	33.60	54.00	-20.40	28.29	3	Vertical	83	1.29	-	33.64	7.04	35.37	

802.11ax HEW40_Nss1,(MCS0)_1TX

2457MHz_TX




EUT X_1TX
Setting 16.5
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.91772G	47.96	74.00	-26.04	42.65	3	Horizontal	238	1.34	-	33.64	7.04	35.37	
AV	4.9175G	33.66	54.00	-20.34	28.36	3	Horizontal	238	1.34	-	33.63	7.04	35.37	

802.11ax HEW40_Nss1,(MCS0)_1TX

2462MHz_TX




EUT_V_1TX
Setting 15.75
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3668G	58.85	74.00	-15.15	26.11	3	Vertical	176	1.49	-	28.37	4.37	-
AV	2.382G	45.83	54.00	-8.17	13.11	3	Vertical	176	1.49	-	28.34	4.38	-
PK	2.4648G	110.96	Inf	-Inf	78.04	3	Vertical	176	1.49	-	28.49	4.43	-
AV	2.4644G	98.15	Inf	-Inf	65.23	3	Vertical	176	1.49	-	28.49	4.43	-
PK	2.4844G	71.42	74.00	-2.58	38.37	3	Vertical	176	1.49	-	28.61	4.44	-
AV	2.4835G	53.42	54.00	-0.58	20.38	3	Vertical	176	1.49	-	28.60	4.44	-

802.11ax HEW40_Nss1,(MCS0)_1TX

2462MHz_TX




EUT X_1TX
Setting 15.75
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.92792G	48.48	74.00	-25.52	43.15	3	Vertical	170	1.69	-	33.66	7.04	35.37
AV	4.92678G	33.74	54.00	-20.26	28.42	3	Vertical	170	1.69	-	33.65	7.04	35.37

802.11ax HEW40_Nss1,(MCS0)_1TX

2462MHz_TX



EUT X_1TX
Setting 15.75
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.92628G	47.82	74.00	-26.18	42.50	3	Horizontal	65	2.75	-	33.65	7.04	35.37
AV	4.92734G	33.67	54.00	-20.33	28.35	3	Horizontal	65	2.75	-	33.65	7.04	35.37



RSE TX above 1GHz
<Full RU> Non-Beamforming Mode_Ant.1 (2TX)


Appendix F.5

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-
802.11g_Nss1.(6Mbps)_2TX	Pass	AV	2.4838G	53.48	54.00	-0.52	3	Horizontal	194	2.66	-

802.11b_Nss1,(1Mbps)_2TX

2412MHz_TX




EUT_Z_2TX
Setting 21
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3858G	60.03	74.00	-13.97	27.31	3	Vertical	167	1.79	-	28.33	4.39	-
AV	2.3862G	51.07	54.00	-2.93	18.35	3	Vertical	167	1.79	-	28.33	4.39	-
PK	2.4112G	109.11	Inf	-Inf	76.38	3	Vertical	167	1.79	-	28.32	4.41	-
AV	2.4102G	105.47	Inf	-Inf	72.74	3	Vertical	167	1.79	-	28.32	4.41	-

802.11b_Nss1,(1Mbps)_2TX

2412MHz_TX




EUT_Z_2TX
Setting 21
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.386G	62.70	74.00	-11.30	29.98	3	Horizontal	174	2.44	-	28.33	4.39	-
AV	2.3862G	53.21	54.00	-0.79	20.49	3	Horizontal	174	2.44	-	28.33	4.39	-
PK	2.4096G	113.04	Inf	-Inf	80.32	3	Horizontal	174	2.44	-	28.32	4.40	-
AV	2.4102G	109.36	Inf	-Inf	76.63	3	Horizontal	174	2.44	-	28.32	4.41	-

802.11b_Nss1,(1Mbps)_2TX

2412MHz_TX




EUT X_2TX
Setting 21
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.82414G	53.23	74.00	-20.77	48.16	3	Vertical	277	1.72	-	33.40	7.09	35.42
AV	4.82405G	49.11	54.00	-4.89	44.04	3	Vertical	277	1.72	-	33.40	7.09	35.42

802.11b_Nss1,(1Mbps)_2TX

2412MHz_TX




EUT_X_2TX
Setting 21
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.82412G	50.26	74.00	-23.74	45.19	3	Horizontal	332	1.90	-	33.40	7.09	35.42
AV	4.82404G	43.93	54.00	-10.07	38.86	3	Horizontal	332	1.90	-	33.40	7.09	35.42

802.11b_Nss1,(1Mbps)_2TX

2437MHz_TX




EUT_Z_2TX
Setting 22.25
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3898G	59.22	74.00	-14.78	26.51	3	Vertical	177	2.03	-	28.32	4.39	-
AV	2.3898G	48.91	54.00	-5.09	16.20	3	Vertical	177	2.03	-	28.32	4.39	-
PK	2.4362G	111.98	Inf	-Inf	79.19	3	Vertical	177	2.03	-	28.37	4.42	-
AV	2.4354G	108.25	Inf	-Inf	75.46	3	Vertical	177	2.03	-	28.37	4.42	-
PK	2.487G	58.45	74.00	-15.55	25.39	3	Vertical	177	2.03	-	28.62	4.44	-
AV	2.485G	47.60	54.00	-6.40	14.55	3	Vertical	177	2.03	-	28.61	4.44	-

802.11b_Nss1,(1Mbps)_2TX

2437MHz_TX




EUT_Z_2TX
Setting 22.25
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3894G	59.37	74.00	-14.63	26.66	3	Horizontal	182	3.00	-	28.32	4.39	-
AV	2.3898G	49.17	54.00	-4.83	16.46	3	Horizontal	182	3.00	-	28.32	4.39	-
PK	2.4362G	115.10	Inf	-Inf	82.31	3	Horizontal	182	3.00	-	28.37	4.42	-
AV	2.4354G	111.28	Inf	-Inf	78.49	3	Horizontal	182	3.00	-	28.37	4.42	-
PK	2.485G	61.99	74.00	-12.01	28.94	3	Horizontal	182	3.00	-	28.61	4.44	-
AV	2.485G	52.53	54.00	-1.47	19.48	3	Horizontal	182	3.00	-	28.61	4.44	-

802.11b_Nss1,(1Mbps)_2TX

2437MHz_TX




EUT X_2TX
Setting 22.25
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87403G	54.15	74.00	-19.85	48.99	3	Vertical	205	1.80	-	33.50	7.06	35.40
AV	4.874G	50.59	54.00	-3.41	45.43	3	Vertical	205	1.80	-	33.50	7.06	35.40
PK	7.30844G	54.81	74.00	-19.19	44.85	3	Vertical	136	1.81	-	37.00	8.53	35.57
AV	7.30928G	45.55	54.00	-8.45	35.59	3	Vertical	136	1.81	-	37.00	8.53	35.57

802.11b_Nss1,(1Mbps)_2TX

2437MHz_TX




EUT X_2TX
Setting 22.25
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87399G	52.44	74.00	-21.56	47.28	3	Horizontal	201	2.26	-	33.50	7.06	35.40
AV	4.87412G	47.45	54.00	-6.55	42.29	3	Horizontal	201	2.26	-	33.50	7.06	35.40
PK	7.31316G	55.58	74.00	-18.42	45.61	3	Horizontal	213	1.87	-	37.00	8.54	35.57
AV	7.30932G	47.06	54.00	-6.94	37.10	3	Horizontal	213	1.87	-	37.00	8.53	35.57

802.11b_Nss1,(1Mbps)_2TX

2462MHz_TX




EUT_Z_2TX
Setting 19.75
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.463G	107.15	Inf	-Inf	74.24	3	Vertical	175	1.98	-	28.48	4.43	-
AV	2.4638G	103.25	Inf	-Inf	70.34	3	Vertical	175	1.98	-	28.48	4.43	-
PK	2.4886G	58.96	74.00	-15.04	25.89	3	Vertical	175	1.98	-	28.63	4.44	-
AV	2.4878G	48.74	54.00	-5.26	15.67	3	Vertical	175	1.98	-	28.63	4.44	-

802.11b_Nss1,(1Mbps)_2TX

2462MHz_TX




EUT_Z_2TX
Setting 19.75
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.463G	111.17	Inf	-Inf	78.26	3	Horizontal	182	2.95	-	28.48	4.43	-
AV	2.4638G	107.40	Inf	-Inf	74.49	3	Horizontal	182	2.95	-	28.48	4.43	-
PK	2.4882G	62.37	74.00	-11.63	29.30	3	Horizontal	182	2.95	-	28.63	4.44	-
AV	2.4878G	53.43	54.00	-0.57	20.36	3	Horizontal	182	2.95	-	28.63	4.44	-

802.11b_Nss1,(1Mbps)_2TX

2462MHz_TX




EUT_X_2TX
Setting 19.75
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.92406G	50.47	74.00	-23.53	45.15	3	Vertical	292	1.67	-	33.65	7.04	35.37
AV	4.92404G	44.02	54.00	-9.98	38.70	3	Vertical	292	1.67	-	33.65	7.04	35.37
PK	7.38832G	54.74	74.00	-19.26	44.49	3	Vertical	298	1.79	-	37.08	8.76	35.59
AV	7.38528G	44.44	54.00	-9.56	34.20	3	Vertical	298	1.79	-	37.07	8.76	35.59

802.11b_Nss1,(1Mbps)_2TX

2462MHz_TX




EUT_X_2TX
Setting 19.75
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.92417G	48.84	74.00	-25.16	43.52	3	Horizontal	335	1.78	-	33.65	7.04	35.37
AV	4.92404G	39.74	54.00	-14.26	34.42	3	Horizontal	335	1.78	-	33.65	7.04	35.37
PK	7.38404G	54.58	74.00	-19.42	44.35	3	Horizontal	211	1.96	-	37.07	8.75	35.59
AV	7.38532G	43.60	54.00	-10.40	33.36	3	Horizontal	211	1.96	-	37.07	8.76	35.59

802.11b_Nss1,(1Mbps)_2TX

2467MHz_TX




EUT_Z_2TX
Setting 17.5
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.468G	104.65	Inf	-Inf	71.71	3	Vertical	174	1.90	-	28.51	4.43	-	
AV	2.4688G	100.82	Inf	-Inf	67.88	3	Vertical	174	1.90	-	28.51	4.43	-	
PK	2.4842G	61.09	74.00	-12.91	28.04	3	Vertical	174	1.90	-	28.61	4.44	-	
AV	2.4844G	51.65	54.00	-2.35	18.60	3	Vertical	174	1.90	-	28.61	4.44	-	

802.11b_Nss1,(1Mbps)_2TX

2467MHz_TX




EUT_Z_2TX
Setting 17.5
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.468G	105.48	Inf	-Inf	72.54	3	Horizontal	37	1.83	-	28.51	4.43	-
AV	2.4688G	101.63	Inf	-Inf	68.69	3	Horizontal	37	1.83	-	28.51	4.43	-
PK	2.4835G	62.57	74.00	-11.43	29.53	3	Horizontal	37	1.83	-	28.60	4.44	-
AV	2.4842G	53.39	54.00	-0.61	20.34	3	Horizontal	37	1.83	-	28.61	4.44	-

802.11b_Nss1,(1Mbps)_2TX

2467MHz_TX




EUT X_2TX
Setting 17.5
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.93392G	49.92	74.00	-24.08	44.58	3	Vertical	291	1.76	-	33.67	7.03	35.36
AV	4.93398G	42.37	54.00	-11.63	37.03	3	Vertical	291	1.76	-	33.67	7.03	35.36

802.11b_Nss1,(1Mbps)_2TX

2467MHz_TX




EUT_X_2TX
Setting 17.5
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.93406G	48.23	74.00	-25.77	42.89	3	Horizontal	333	1.80	-	33.67	7.03	35.36
AV	4.93404G	37.72	54.00	-16.28	32.38	3	Horizontal	333	1.80	-	33.67	7.03	35.36

802.11b_Nss1,(1Mbps)_2TX

2472MHz_TX




EUT_Z_2TX
Setting 16
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.471G	103.01	Inf	-Inf	70.04	3	Vertical	174	1.88	-	28.53	4.44	-
AV	2.4702G	99.16	Inf	-Inf	66.20	3	Vertical	174	1.88	-	28.52	4.44	-
PK	2.4872G	61.07	74.00	-12.93	28.01	3	Vertical	174	1.88	-	28.62	4.44	-
AV	2.4856G	50.88	54.00	-3.12	17.83	3	Vertical	174	1.88	-	28.61	4.44	-

802.11b_Nss1,(1Mbps)_2TX

2472MHz_TX




EUT_Z_2TX
Setting 16
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.473G	104.35	Inf	-Inf	71.37	3	Horizontal	38	1.83	-	28.54	4.44	-
AV	2.4738G	100.63	Inf	-Inf	67.65	3	Horizontal	38	1.83	-	28.54	4.44	-
PK	2.4856G	62.49	74.00	-11.51	29.44	3	Horizontal	38	1.83	-	28.61	4.44	-
AV	2.4858G	53.33	54.00	-0.67	20.28	3	Horizontal	38	1.83	-	28.61	4.44	-

802.11b_Nss1,(1Mbps)_2TX

2472MHz_TX




EUT X_2TX
Setting 16
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.94396G	49.92	74.00	-24.08	44.56	3	Vertical	290	1.77	-	33.69	7.03	35.36	
AV	4.94401G	41.59	54.00	-12.41	36.23	3	Vertical	290	1.77	-	33.69	7.03	35.36	

802.11b_Nss1,(1Mbps)_2TX

2472MHz_TX




EUT X_2TX
Setting 16
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.94407G	48.96	74.00	-25.04	43.60	3	Horizontal	339	1.84	-	33.69	7.03	35.36	
AV	4.94397G	37.07	54.00	-16.93	31.71	3	Horizontal	339	1.84	-	33.69	7.03	35.36	

802.11g_Nss1,(6Mbps)_2TX

2412MHz_TX




EUT_Z_2TX
 Setting 18.25
 03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.3888G	71.17	74.00	-2.83	38.46	3	Vertical	167	1.80	-	28.32	4.39	-	
AV	2.3888G	50.83	54.00	-3.17	18.12	3	Vertical	167	1.80	-	28.32	4.39	-	
PK	2.4134G	113.80	Inf	-Inf	81.06	3	Vertical	167	1.80	-	28.33	4.41	-	
AV	2.4114G	103.62	Inf	-Inf	70.89	3	Vertical	167	1.80	-	28.32	4.41	-	

802.11g_Nss1,(6Mbps)_2TX

2412MHz_TX




EUT_Z_2TX
Setting 18.25
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.3896G	73.02	74.00	-0.98	40.31	3	Horizontal	193	2.47	-	28.32	4.39	-	
AV	2.3896G	53.37	54.00	-0.63	20.66	3	Horizontal	193	2.47	-	28.32	4.39	-	
PK	2.4116G	116.35	Inf	-Inf	83.62	3	Horizontal	193	2.47	-	28.32	4.41	-	
AV	2.4114G	106.19	Inf	-Inf	73.46	3	Horizontal	193	2.47	-	28.32	4.41	-	

802.11g_Nss1,(6Mbps)_2TX

2412MHz_TX




EUT X_2TX
Setting 18.25
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.82064G	48.41	74.00	-25.59	43.34	3	Vertical	288	1.67	-	33.40	7.09	35.42
AV	4.82608G	34.40	54.00	-19.60	29.33	3	Vertical	288	1.67	-	33.40	7.09	35.42

802.11g_Nss1,(6Mbps)_2TX

2412MHz_TX




EUT_X_2TX
Setting 18.25
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.82796G	47.61	74.00	-26.39	42.54	3	Horizontal	334	1.80	-	33.40	7.09	35.42
AV	4.82256G	33.28	54.00	-20.72	28.21	3	Horizontal	334	1.80	-	33.40	7.09	35.42

802.11g_Nss1,(6Mbps)_2TX

2417MHz_TX




EUT_Z_2TX
Setting 19.75
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.39G	67.73	74.00	-6.27	35.02	3	Vertical	170	1.80	-	28.32	4.39	-
AV	2.3898G	49.91	54.00	-4.09	17.20	3	Vertical	170	1.80	-	28.32	4.39	-
PK	2.4184G	114.63	Inf	-Inf	81.88	3	Vertical	170	1.80	-	28.34	4.41	-
AV	2.4158G	104.42	Inf	-Inf	71.68	3	Vertical	170	1.80	-	28.33	4.41	-

802.11g_Nss1,(6Mbps)_2TX

2417MHz_TX




EUT_Z_2TX
Setting 19.75
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.39G	72.56	74.00	-1.44	39.85	3	Horizontal	191	2.49	-	28.32	4.39	-
AV	2.39G	53.09	54.00	-0.91	20.38	3	Horizontal	191	2.49	-	28.32	4.39	-
PK	2.4164G	117.03	Inf	-Inf	84.29	3	Horizontal	191	2.49	-	28.33	4.41	-
AV	2.4166G	107.60	Inf	-Inf	74.86	3	Horizontal	191	2.49	-	28.33	4.41	-

802.11g_Nss1,(6Mbps)_2TX

2437MHz_TX




EUT_Z_2TX
Setting 24
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.389G	67.30	74.00	-6.70	34.59	3	Vertical	174	2.04	-	28.32	4.39	-
AV	2.3886G	48.47	54.00	-5.53	15.76	3	Vertical	174	2.04	-	28.32	4.39	-
PK	2.4362G	118.06	Inf	-Inf	85.27	3	Vertical	174	2.04	-	28.37	4.42	-
AV	2.4354G	107.04	Inf	-Inf	74.25	3	Vertical	174	2.04	-	28.37	4.42	-
PK	2.4858G	68.13	74.00	-5.87	35.08	3	Vertical	174	2.04	-	28.61	4.44	-
AV	2.4835G	49.53	54.00	-4.47	16.49	3	Vertical	174	2.04	-	28.60	4.44	-

802.11g_Nss1,(6Mbps)_2TX

2437MHz_TX




EUT_Z_2TX
Setting 24
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3898G	71.12	74.00	-2.88	38.41	3	Horizontal	190	2.46	-	28.32	4.39	-
AV	2.3894G	51.17	54.00	-2.83	18.46	3	Horizontal	190	2.46	-	28.32	4.39	-
PK	2.4366G	121.18	Inf	-Inf	88.39	3	Horizontal	190	2.46	-	28.37	4.42	-
AV	2.4374G	110.51	Inf	-Inf	77.72	3	Horizontal	190	2.46	-	28.37	4.42	-
PK	2.4874G	71.05	74.00	-2.95	37.99	3	Horizontal	190	2.46	-	28.62	4.44	-
AV	2.4838G	50.97	54.00	-3.03	17.93	3	Horizontal	190	2.46	-	28.60	4.44	-

802.11g_Nss1,(6Mbps)_2TX

2437MHz_TX




EUT X_2TX
Setting 24
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87148G	55.77	74.00	-18.23	50.62	3	Vertical	288	1.58	-	33.49	7.06	35.40
AV	4.87628G	42.20	54.00	-11.80	37.02	3	Vertical	288	1.58	-	33.51	7.06	35.39
PK	7.31532G	56.81	74.00	-17.19	46.83	3	Vertical	291	3.00	-	37.00	8.55	35.57
AV	7.30992G	42.70	54.00	-11.30	32.74	3	Vertical	291	3.00	-	37.00	8.53	35.57

802.11g_Nss1,(6Mbps)_2TX

2437MHz_TX




EUT X_2TX
Setting 24
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87616G	50.88	74.00	-23.12	45.71	3	Horizontal	331	1.77	-	33.50	7.06	35.39
AV	4.87622G	37.34	54.00	-16.66	32.17	3	Horizontal	331	1.77	-	33.50	7.06	35.39
PK	7.32108G	58.06	74.00	-15.94	48.07	3	Horizontal	210	2.22	-	37.00	8.56	35.57
AV	7.31028G	44.33	54.00	-9.67	34.37	3	Horizontal	210	2.22	-	37.00	8.53	35.57

802.11g_Nss1,(6Mbps)_2TX

2457MHz_TX




EUT_Z_2TX
Setting 19.75
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.4584G	114.45	Inf	-Inf	81.57	3	Vertical	165	1.80	-	28.45	4.43	-	
AV	2.4562G	104.40	Inf	-Inf	71.53	3	Vertical	165	1.80	-	28.44	4.43	-	
PK	2.4852G	71.22	74.00	-2.78	38.17	3	Vertical	165	1.80	-	28.61	4.44	-	
AV	2.4836G	51.24	54.00	-2.76	18.20	3	Vertical	165	1.80	-	28.60	4.44	-	

802.11g_Nss1,(6Mbps)_2TX

2457MHz_TX




EUT_Z_2TX
Setting 19.75
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4566G	115.32	Inf	-Inf	82.45	3	Horizontal	44	2.11	-	28.44	4.43	-
AV	2.4566G	105.35	Inf	-Inf	72.48	3	Horizontal	44	2.11	-	28.44	4.43	-
PK	2.487G	71.67	74.00	-2.33	38.61	3	Horizontal	44	2.11	-	28.62	4.44	-
AV	2.4844G	51.62	54.00	-2.38	18.57	3	Horizontal	44	2.11	-	28.61	4.44	-

802.11g_Nss1,(6Mbps)_2TX

2462MHz_TX




EUT_Z_2TX
Setting 19
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4638G	114.37	Inf	-Inf	81.46	3	Vertical	164	1.80	-	28.48	4.43	-
AV	2.4636G	103.86	Inf	-Inf	70.95	3	Vertical	164	1.80	-	28.48	4.43	-
PK	2.4835G	72.42	74.00	-1.58	39.38	3	Vertical	164	1.80	-	28.60	4.44	-
AV	2.4836G	53.00	54.00	-1.00	19.96	3	Vertical	164	1.80	-	28.60	4.44	-

802.11g_Nss1,(6Mbps)_2TX

2462MHz_TX




EUT_Z_2TX
Setting 19
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4616G	114.59	Inf	-Inf	81.69	3	Horizontal	48	2.06	-	28.47	4.43	-
AV	2.4616G	104.17	Inf	-Inf	71.27	3	Horizontal	48	2.06	-	28.47	4.43	-
PK	2.4838G	72.22	74.00	-1.78	39.18	3	Horizontal	48	2.06	-	28.60	4.44	-
AV	2.4835G	53.16	54.00	-0.84	20.12	3	Horizontal	48	2.06	-	28.60	4.44	-

802.11g_Nss1,(6Mbps)_2TX

2462MHz_TX




EUT_X_2TX
Setting 19
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.92388G	46.90	74.00	-27.10	41.58	3	Vertical	49	2.95	-	33.65	7.04	35.37
AV	4.92516G	32.75	54.00	-21.25	27.43	3	Vertical	49	2.95	-	33.65	7.04	35.37

802.11g_Nss1,(6Mbps)_2TX

2462MHz_TX




EUT_X_2TX
Setting 19
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.92868G	46.67	74.00	-27.33	41.34	3	Horizontal	253	1.63	-	33.66	7.04	35.37
AV	4.92504G	32.79	54.00	-21.21	27.47	3	Horizontal	253	1.63	-	33.65	7.04	35.37

802.11g_Nss1,(6Mbps)_2TX

2467MHz_TX




EUT_Z_2TX
Setting 17.25
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.4666G	112.70	Inf	-Inf	79.77	3	Vertical	164	1.80	-	28.50	4.43	-	
AV	2.466G	100.75	Inf	-Inf	67.82	3	Vertical	164	1.80	-	28.50	4.43	-	
PK	2.4856G	69.37	74.00	-4.63	36.32	3	Vertical	164	1.80	-	28.61	4.44	-	
AV	2.484G	50.75	54.00	-3.25	17.71	3	Vertical	164	1.80	-	28.60	4.44	-	

802.11g_Nss1,(6Mbps)_2TX

2467MHz_TX




EUT_Z_2TX
Setting 17.25
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4688G	114.64	Inf	-Inf	81.70	3	Horizontal	194	2.66	-	28.51	4.43	-
AV	2.4662G	103.40	Inf	-Inf	70.47	3	Horizontal	194	2.66	-	28.50	4.43	-
PK	2.4838G	73.02	74.00	-0.98	39.98	3	Horizontal	194	2.66	-	28.60	4.44	-
AV	2.4838G	53.48	54.00	-0.52	20.44	3	Horizontal	194	2.66	-	28.60	4.44	-

802.11g_Nss1,(6Mbps)_2TX

2467MHz_TX




EUT_X_2TX
Setting 17.25
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.93398G	47.00	74.00	-27.00	41.66	3	Vertical	191	2.12	-	33.67	7.03	35.36
AV	4.93448G	32.65	54.00	-21.35	27.31	3	Vertical	191	2.12	-	33.67	7.03	35.36

802.11g_Nss1,(6Mbps)_2TX

2467MHz_TX




EUT_X_2TX
Setting 17.25
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.93806G	47.06	74.00	-26.94	41.71	3	Horizontal	188	1.62	-	33.68	7.03	35.36
AV	4.93356G	32.64	54.00	-21.36	27.30	3	Horizontal	188	1.62	-	33.67	7.03	35.36

802.11g_Nss1,(6Mbps)_2TX

2472MHz_TX




EUT_Z_2TX
Setting 12
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4714G	108.41	Inf	-Inf	75.44	3	Vertical	164	1.78	-	28.53	4.44	-
AV	2.4732G	96.24	Inf	-Inf	63.26	3	Vertical	164	1.78	-	28.54	4.44	-
PK	2.4835G	64.95	74.00	-9.05	31.91	3	Vertical	164	1.78	-	28.60	4.44	-
AV	2.4835G	49.92	54.00	-4.08	16.88	3	Vertical	164	1.78	-	28.60	4.44	-

802.11g_Nss1,(6Mbps)_2TX

2472MHz_TX




EUT_Z_2TX
Setting 12
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.4716G	110.43	Inf	-Inf	77.46	3	Horizontal	192	2.67	-	28.53	4.44	-	
AV	2.4712G	99.36	Inf	-Inf	66.39	3	Horizontal	192	2.67	-	28.53	4.44	-	
PK	2.484G	67.31	74.00	-6.69	34.27	3	Horizontal	192	2.67	-	28.60	4.44	-	
AV	2.4835G	53.36	54.00	-0.64	20.32	3	Horizontal	192	2.67	-	28.60	4.44	-	

802.11g_Nss1,(6Mbps)_2TX

2472MHz_TX




EUT_X_2TX
Setting 12
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.94304G	47.45	74.00	-26.55	42.09	3	Vertical	182	1.75	-	33.69	7.03	35.36	
AV	4.94378G	32.64	54.00	-21.36	27.28	3	Vertical	182	1.75	-	33.69	7.03	35.36	

802.11g_Nss1,(6Mbps)_2TX

2472MHz_TX




EUT_X_2TX
Setting 12
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.94324G	47.94	74.00	-26.06	42.58	3	Horizontal	40	1.00	-	33.69	7.03	35.36	
AV	4.9439G	32.62	54.00	-21.38	27.26	3	Horizontal	40	1.00	-	33.69	7.03	35.36	

802.11ax HEW20_Nss1,(MCS0)_2TX

2412MHz_TX




EUT_Z_2TX
Setting 18.75
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.39G	70.52	74.00	-3.48	37.81	3	Vertical	169	1.80	-	28.32	4.39	-
AV	2.3896G	49.46	54.00	-4.54	16.75	3	Vertical	169	1.80	-	28.32	4.39	-
PK	2.4116G	115.39	Inf	-Inf	82.66	3	Vertical	169	1.80	-	28.32	4.41	-
AV	2.413G	100.26	Inf	-Inf	67.52	3	Vertical	169	1.80	-	28.33	4.41	-

802.11ax HEW20_Nss1,(MCS0)_2TX

2412MHz_TX




EUT_Z_2TX
Setting 18.75
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.3896G	73.46	74.00	-0.54	40.75	3	Horizontal	44	2.16	-	28.32	4.39	-	
AV	2.39G	51.88	54.00	-2.12	19.17	3	Horizontal	44	2.16	-	28.32	4.39	-	
PK	2.4118G	117.55	Inf	-Inf	84.82	3	Horizontal	44	2.16	-	28.32	4.41	-	
AV	2.4126G	102.85	Inf	-Inf	70.11	3	Horizontal	44	2.16	-	28.33	4.41	-	

802.11ax HEW20_Nss1,(MCS0)_2TX

2412MHz_TX




EUT X_2TX
Setting 18.75
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.82204G	46.67	74.00	-27.33	41.60	3	Vertical	105	2.79	-	33.40	7.09	35.42
AV	4.82238G	32.65	54.00	-21.35	27.58	3	Vertical	105	2.79	-	33.40	7.09	35.42

802.11ax HEW20_Nss1,(MCS0)_2TX

2412MHz_TX




EUT X_2TX
Setting 18.75
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.82822G	47.52	74.00	-26.48	42.45	3	Horizontal	149	2.87	-	33.40	7.09	35.42
AV	4.82222G	32.68	54.00	-21.32	27.61	3	Horizontal	149	2.87	-	33.40	7.09	35.42

802.11ax HEW20_Nss1,(MCS0)_2TX

2417MHz_TX




EUT_Z_2TX
Setting 19.75
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3892G	70.94	74.00	-3.06	38.23	3	Vertical	167	1.80	-	28.32	4.39	-
AV	2.39G	49.83	54.00	-4.17	17.12	3	Vertical	167	1.80	-	28.32	4.39	-
PK	2.4166G	116.92	Inf	-Inf	84.18	3	Vertical	167	1.80	-	28.33	4.41	-
AV	2.4156G	101.69	Inf	-Inf	68.95	3	Vertical	167	1.80	-	28.33	4.41	-

802.11ax HEW20_Nss1,(MCS0)_2TX

2417MHz_TX




EUT_Z_2TX
Setting 19.75
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3894G	73.30	74.00	-0.70	40.59	3	Horizontal	45	2.15	-	28.32	4.39	-
AV	2.39G	51.91	54.00	-2.09	19.20	3	Horizontal	45	2.15	-	28.32	4.39	-
PK	2.4168G	118.27	Inf	-Inf	85.53	3	Horizontal	45	2.15	-	28.33	4.41	-
AV	2.4182G	103.49	Inf	-Inf	70.74	3	Horizontal	45	2.15	-	28.34	4.41	-

802.11ax HEW20_Nss1,(MCS0)_2TX

2437MHz_TX




EUT_Z_2TX
Setting 24
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3898G	65.65	74.00	-8.35	32.94	3	Vertical	167	1.74	-	28.32	4.39	-
AV	2.389G	48.20	54.00	-5.80	15.49	3	Vertical	167	1.74	-	28.32	4.39	-
PK	2.4366G	118.42	Inf	-Inf	85.63	3	Vertical	167	1.74	-	28.37	4.42	-
AV	2.4378G	105.63	Inf	-Inf	72.83	3	Vertical	167	1.74	-	28.38	4.42	-
PK	2.4835G	67.06	74.00	-6.94	34.02	3	Vertical	167	1.74	-	28.60	4.44	-
AV	2.4835G	50.33	54.00	-3.67	17.29	3	Vertical	167	1.74	-	28.60	4.44	-

802.11ax HEW20_Nss1,(MCS0)_2TX

2437MHz_TX




EUT_Z_2TX
Setting 24
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3898G	70.26	74.00	-3.74	37.55	3	Horizontal	192	2.74	-	28.32	4.39	-
AV	2.3898G	51.66	54.00	-2.34	18.95	3	Horizontal	192	2.74	-	28.32	4.39	-
PK	2.437G	122.22	Inf	-Inf	89.43	3	Horizontal	192	2.74	-	28.37	4.42	-
AV	2.4382G	110.25	Inf	-Inf	77.45	3	Horizontal	192	2.74	-	28.38	4.42	-
PK	2.4835G	70.78	74.00	-3.22	37.74	3	Horizontal	192	2.74	-	28.60	4.44	-
AV	2.4835G	53.13	54.00	-0.87	20.09	3	Horizontal	192	2.74	-	28.60	4.44	-

802.11ax HEW20_Nss1,(MCS0)_2TX

2437MHz_TX




EUT_X_2TX
Setting 24
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87766G	56.62	74.00	-17.38	51.44	3	Vertical	290	1.56	-	33.51	7.06	35.39
AV	4.87532G	40.81	54.00	-13.19	35.64	3	Vertical	290	1.56	-	33.50	7.06	35.39
PK	7.31334G	56.33	74.00	-17.67	46.36	3	Vertical	294	1.41	-	37.00	8.54	35.57
AV	7.31022G	41.99	54.00	-12.01	32.03	3	Vertical	294	1.41	-	37.00	8.53	35.57

802.11ax HEW20_Nss1,(MCS0)_2TX

2437MHz_TX




EUT X_2TX
Setting 24
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87508G	50.86	74.00	-23.14	45.69	3	Horizontal	335	1.76	-	33.50	7.06	35.39
AV	4.8752G	36.24	54.00	-17.76	31.07	3	Horizontal	335	1.76	-	33.50	7.06	35.39
PK	7.30824G	57.58	74.00	-16.42	47.63	3	Horizontal	211	1.97	-	37.00	8.52	35.57
AV	7.31064G	43.49	54.00	-10.51	33.53	3	Horizontal	211	1.97	-	37.00	8.53	35.57

802.11ax HEW20_Nss1,(MCS0)_2TX

2457MHz_TX




EUT_Z_2TX
Setting 19.5
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4568G	116.30	Inf	-Inf	83.43	3	Vertical	164	1.80	-	28.44	4.43	-
AV	2.456G	100.99	Inf	-Inf	68.12	3	Vertical	164	1.80	-	28.44	4.43	-
PK	2.4874G	71.65	74.00	-2.35	38.59	3	Vertical	164	1.80	-	28.62	4.44	-
AV	2.4838G	50.27	54.00	-3.73	17.23	3	Vertical	164	1.80	-	28.60	4.44	-

802.11ax HEW20_Nss1,(MCS0)_2TX

2457MHz_TX




EUT_Z_2TX
Setting 19.5
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.457G	117.42	Inf	-Inf	84.55	3	Horizontal	47	2.10	-	28.44	4.43	-
AV	2.458G	103.03	Inf	-Inf	70.15	3	Horizontal	47	2.10	-	28.45	4.43	-
PK	2.4876G	73.41	74.00	-0.59	40.34	3	Horizontal	47	2.10	-	28.63	4.44	-
AV	2.4835G	50.99	54.00	-3.01	17.95	3	Horizontal	47	2.10	-	28.60	4.44	-

802.11ax HEW20_Nss1,(MCS0)_2TX

2462MHz_TX




EUT_Z_2TX
Setting 17.5
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4618G	114.71	Inf	-Inf	81.81	3	Vertical	164	1.79	-	28.47	4.43	-
AV	2.4616G	101.07	Inf	-Inf	68.17	3	Vertical	164	1.79	-	28.47	4.43	-
PK	2.4835G	71.76	74.00	-2.24	38.72	3	Vertical	164	1.79	-	28.60	4.44	-
AV	2.4835G	49.36	54.00	-4.64	16.32	3	Vertical	164	1.79	-	28.60	4.44	-

802.11ax HEW20_Nss1,(MCS0)_2TX

2462MHz_TX




EUT_Z_2TX
Setting 17.5
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.462G	115.37	Inf	-Inf	82.47	3	Horizontal	49	2.09	-	28.47	4.43	-
AV	2.4634G	102.41	Inf	-Inf	69.50	3	Horizontal	49	2.09	-	28.48	4.43	-
PK	2.4835G	73.33	74.00	-0.67	40.29	3	Horizontal	49	2.09	-	28.60	4.44	-
AV	2.4835G	50.09	54.00	-3.91	17.05	3	Horizontal	49	2.09	-	28.60	4.44	-

802.11ax HEW20_Nss1,(MCS0)_2TX

2462MHz_TX




EUT X_2TX
Setting 17.5
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.92888G	47.41	74.00	-26.59	42.08	3	Vertical	222	1.98	-	33.66	7.04	35.37
AV	4.92628G	32.77	54.00	-21.23	27.45	3	Vertical	222	1.98	-	33.65	7.04	35.37

802.11ax HEW20_Nss1,(MCS0)_2TX

2462MHz_TX




EUT X_2TX
Setting 17.5
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.92648G	47.99	74.00	-26.01	42.67	3	Horizontal	189	1.01	-	33.65	7.04	35.37
AV	4.92558G	32.81	54.00	-21.19	27.49	3	Horizontal	189	1.01	-	33.65	7.04	35.37

802.11ax HEW20_Nss1,(MCS0)_2TX

2467MHz_TX




EUT_Z_2TX
Setting 17.25
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4668G	114.99	Inf	-Inf	82.06	3	Vertical	164	1.80	-	28.50	4.43	-
AV	2.466G	99.65	Inf	-Inf	66.72	3	Vertical	164	1.80	-	28.50	4.43	-
PK	2.4884G	71.07	74.00	-2.93	38.00	3	Vertical	164	1.80	-	28.63	4.44	-
AV	2.4835G	51.26	54.00	-2.74	18.22	3	Vertical	164	1.80	-	28.60	4.44	-

802.11ax HEW20_Nss1,(MCS0)_2TX

2467MHz_TX




EUT_Z_2TX
Setting 17.25
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4668G	115.45	Inf	-Inf	82.52	3	Horizontal	47	2.07	-	28.50	4.43	-
AV	2.4654G	100.71	Inf	-Inf	67.79	3	Horizontal	47	2.07	-	28.49	4.43	-
PK	2.4886G	73.38	74.00	-0.62	40.31	3	Horizontal	47	2.07	-	28.63	4.44	-
AV	2.4848G	52.29	54.00	-1.71	19.24	3	Horizontal	47	2.07	-	28.61	4.44	-

802.11ax HEW20_Nss1,(MCS0)_2TX

2467MHz_TX




EUT X_2TX
Setting 17.25
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.92926G	46.59	74.00	-27.41	41.26	3	Vertical	283	1.33	-	33.66	7.04	35.37	
AV	4.93432G	32.68	54.00	-21.32	27.34	3	Vertical	283	1.33	-	33.67	7.03	35.36	

802.11ax HEW20_Nss1,(MCS0)_2TX

2467MHz_TX




EUT X_2TX
Setting 17.25
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.93482G	46.87	74.00	-27.13	41.53	3	Horizontal	298	2.47	-	33.67	7.03	35.36
AV	4.93522G	32.66	54.00	-21.34	27.32	3	Horizontal	298	2.47	-	33.67	7.03	35.36

802.11ax HEW20_Nss1,(MCS0)_2TX

2472MHz_TX




EUT_Z_2TX
Setting 11.25
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.4718G	109.38	Inf	-Inf	76.41	3	Vertical	164	1.78	-	28.53	4.44	-	
AV	2.4708G	94.22	Inf	-Inf	61.26	3	Vertical	164	1.78	-	28.52	4.44	-	
PK	2.4835G	67.68	74.00	-6.32	34.64	3	Vertical	164	1.78	-	28.60	4.44	-	
AV	2.4835G	52.59	54.00	-1.41	19.55	3	Vertical	164	1.78	-	28.60	4.44	-	

802.11ax HEW20_Nss1,(MCS0)_2TX

2472MHz_TX




EUT_Z_2TX
Setting 11.25
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.472G	109.77	Inf	-Inf	76.80	3	Horizontal	47	1.83	-	28.53	4.44	-
AV	2.4728G	95.13	Inf	-Inf	62.15	3	Horizontal	47	1.83	-	28.54	4.44	-
PK	2.4835G	70.00	74.00	-4.00	36.96	3	Horizontal	47	1.83	-	28.60	4.44	-
AV	2.4835G	53.35	54.00	-0.65	20.31	3	Horizontal	47	1.83	-	28.60	4.44	-

802.11ax HEW20_Nss1,(MCS0)_2TX

2472MHz_TX




EUT X_2TX
Setting 11.25
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.94748G	47.24	74.00	-26.76	41.88	3	Vertical	196	2.23	-	33.69	7.03	35.36	
AV	4.94358G	32.65	54.00	-21.35	27.29	3	Vertical	196	2.23	-	33.69	7.03	35.36	

802.11ax HEW20_Nss1,(MCS0)_2TX

2472MHz_TX




EUT X_2TX
Setting 11.25
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.94178G	47.14	74.00	-26.86	41.79	3	Horizontal	273	2.53	-	33.68	7.03	35.36	
AV	4.9439G	32.62	54.00	-21.38	27.26	3	Horizontal	273	2.53	-	33.69	7.03	35.36	

802.11ax HEW40_Nss1,(MCS0)_2TX

2422MHz_TX




EUT_Z_2TX
Setting 17.25
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.388G	73.09	74.00	-0.91	40.38	3	Vertical	164	2.12	-	28.32	4.39	-
AV	2.3812G	52.46	54.00	-1.54	19.74	3	Vertical	164	2.12	-	28.34	4.38	-
PK	2.4204G	109.30	Inf	-Inf	76.55	3	Vertical	164	2.12	-	28.34	4.41	-
AV	2.4104G	96.45	Inf	-Inf	63.72	3	Vertical	164	2.12	-	28.32	4.41	-
PK	2.484G	63.41	74.00	-10.59	30.37	3	Vertical	164	2.12	-	28.60	4.44	-
AV	2.484G	48.75	54.00	-5.25	15.71	3	Vertical	164	2.12	-	28.60	4.44	-

802.11ax HEW40_Nss1,(MCS0)_2TX

2422MHz_TX




EUT_Z_2TX
Setting 17.25
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3796G	73.09	74.00	-0.91	40.37	3	Horizontal	42	1.87	-	28.34	4.38	-
AV	2.3828G	53.41	54.00	-0.59	20.70	3	Horizontal	42	1.87	-	28.33	4.38	-
PK	2.4244G	111.51	Inf	-Inf	78.75	3	Horizontal	42	1.87	-	28.35	4.41	-
AV	2.4268G	98.89	Inf	-Inf	66.13	3	Horizontal	42	1.87	-	28.35	4.41	-
PK	2.4844G	66.26	74.00	-7.74	33.21	3	Horizontal	42	1.87	-	28.61	4.44	-
AV	2.484G	49.75	54.00	-4.25	16.71	3	Horizontal	42	1.87	-	28.60	4.44	-

802.11ax HEW40_Nss1,(MCS0)_2TX

2422MHz_TX




EUT_X_2TX
Setting 17.25
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.84808G	46.80	74.00	-27.20	41.73	3	Vertical	40	2.45	-	33.40	7.08	35.41
AV	4.83998G	32.78	54.00	-21.22	27.71	3	Vertical	40	2.45	-	33.40	7.08	35.41
PK	7.26932G	51.46	74.00	-22.54	41.73	3	Vertical	219	2.69	-	36.88	8.41	35.56
AV	7.26304G	37.71	54.00	-16.29	28.03	3	Vertical	219	2.69	-	36.85	8.39	35.56

802.11ax HEW40_Nss1,(MCS0)_2TX

2422MHz_TX




EUT_X_2TX
Setting 17.25
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.84894G	46.25	74.00	-27.75	41.18	3	Horizontal	11	1.07	-	33.40	7.08	35.41
AV	4.83912G	32.78	54.00	-21.22	27.71	3	Horizontal	11	1.07	-	33.40	7.08	35.41
PK	7.27046G	51.64	74.00	-22.36	41.91	3	Horizontal	284	1.40	-	36.88	8.41	35.56
AV	7.26146G	37.77	54.00	-16.23	28.10	3	Horizontal	284	1.40	-	36.85	8.38	35.56

802.11ax HEW40_Nss1,(MCS0)_2TX

2437MHz_TX




EUT_Z_2TX
Setting 17.25
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.389G	67.20	74.00	-6.80	34.49	3	Vertical	164	1.98	-	28.32	4.39	-
AV	2.3898G	51.98	54.00	-2.02	19.27	3	Vertical	164	1.98	-	28.32	4.39	-
PK	2.4502G	109.44	Inf	-Inf	76.61	3	Vertical	164	1.98	-	28.40	4.43	-
AV	2.449G	96.19	Inf	-Inf	63.37	3	Vertical	164	1.98	-	28.40	4.42	-
PK	2.4835G	72.95	74.00	-1.05	39.91	3	Vertical	164	1.98	-	28.60	4.44	-
AV	2.4835G	53.04	54.00	-0.96	20.00	3	Vertical	164	1.98	-	28.60	4.44	-

802.11ax HEW40_Nss1,(MCS0)_2TX

2437MHz_TX




EUT_Z_2TX
Setting 17.25
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.383G	68.32	74.00	-5.68	35.61	3	Horizontal	46	2.08	-	28.33	4.38	-
AV	2.389G	52.57	54.00	-1.43	19.86	3	Horizontal	46	2.08	-	28.32	4.39	-
PK	2.4394G	110.31	Inf	-Inf	77.51	3	Horizontal	46	2.08	-	28.38	4.42	-
AV	2.4418G	97.82	Inf	-Inf	65.02	3	Horizontal	46	2.08	-	28.38	4.42	-
PK	2.4835G	72.01	74.00	-1.99	38.97	3	Horizontal	46	2.08	-	28.60	4.44	-
AV	2.4835G	53.33	54.00	-0.67	20.29	3	Horizontal	46	2.08	-	28.60	4.44	-

802.11ax HEW40_Nss1,(MCS0)_2TX

2437MHz_TX




EUT_X_2TX
Setting 17.25
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87578G	47.48	74.00	-26.52	42.31	3	Vertical	211	2.63	-	33.50	7.06	35.39
AV	4.8745G	33.08	54.00	-20.92	27.92	3	Vertical	211	2.63	-	33.50	7.06	35.40
PK	7.3146G	50.88	74.00	-23.12	40.91	3	Vertical	39	2.54	-	37.00	8.54	35.57
AV	7.31546G	37.57	54.00	-16.43	27.59	3	Vertical	39	2.54	-	37.00	8.55	35.57

802.11ax HEW40_Nss1,(MCS0)_2TX

2437MHz_TX




EUT_X_2TX
Setting 17.25
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87242G	47.56	74.00	-26.44	42.41	3	Horizontal	88	1.22	-	33.49	7.06	35.40
AV	4.87294G	33.13	54.00	-20.87	27.98	3	Horizontal	88	1.22	-	33.49	7.06	35.40
PK	7.31284G	51.55	74.00	-22.45	41.58	3	Horizontal	232	1.88	-	37.00	8.54	35.57
AV	7.31582G	37.56	54.00	-16.44	27.58	3	Horizontal	232	1.88	-	37.00	8.55	35.57

802.11ax HEW40_Nss1,(MCS0)_2TX

2452MHz_TX




EUT_Z_2TX
Setting 16.5
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3772G	58.74	74.00	-15.26	26.01	3	Vertical	165	1.91	-	28.35	4.38	-
AV	2.3892G	45.67	54.00	-8.33	12.96	3	Vertical	165	1.91	-	28.32	4.39	-
PK	2.4652G	106.65	Inf	-Inf	73.73	3	Vertical	165	1.91	-	28.49	4.43	-
AV	2.4576G	93.39	Inf	-Inf	60.51	3	Vertical	165	1.91	-	28.45	4.43	-
PK	2.4896G	66.97	74.00	-7.03	33.89	3	Vertical	165	1.91	-	28.64	4.44	-
AV	2.4868G	50.97	54.00	-3.03	17.91	3	Vertical	165	1.91	-	28.62	4.44	-

802.11ax HEW40_Nss1,(MCS0)_2TX

2452MHz_TX




EUT_Z_2TX
Setting 16.5
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3876G	59.68	74.00	-14.32	26.97	3	Horizontal	44	2.08	-	28.32	4.39	-
AV	2.3808G	45.88	54.00	-8.12	13.16	3	Horizontal	44	2.08	-	28.34	4.38	-
PK	2.4544G	111.63	Inf	-Inf	78.77	3	Horizontal	44	2.08	-	28.43	4.43	-
AV	2.4504G	97.87	Inf	-Inf	65.04	3	Horizontal	44	2.08	-	28.40	4.43	-
PK	2.4896G	69.82	74.00	-4.18	36.74	3	Horizontal	44	2.08	-	28.64	4.44	-
AV	2.4864G	53.39	54.00	-0.61	20.33	3	Horizontal	44	2.08	-	28.62	4.44	-

802.11ax HEW40_Nss1,(MCS0)_2TX

2452MHz_TX




EUT X_2TX
Setting 16.5
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.90886G	46.95	74.00	-27.05	41.66	3	Vertical	104	2.91	-	33.62	7.05	35.38
AV	4.8996G	32.86	54.00	-21.14	27.59	3	Vertical	104	2.91	-	33.60	7.05	35.38

802.11ax HEW40_Nss1,(MCS0)_2TX

2452MHz_TX



EUT X_2TX
Setting 16.5
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.89948G	46.78	74.00	-27.22	41.51	3	Horizontal	321	2.61	-	33.60	7.05	35.38	
AV	4.8994G	32.79	54.00	-21.21	27.52	3	Horizontal	321	2.61	-	33.60	7.05	35.38	