


802.11ax HEW40_Nss1,(MCS0)_2TX

2457MHz_TX




EUT_Z_2TX
Setting 16.5
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3838G	57.70	74.00	-16.30	24.99	3	Vertical	162	1.80	-	28.33	4.38	-
AV	2.3822G	45.38	54.00	-8.62	12.66	3	Vertical	162	1.80	-	28.34	4.38	-
PK	2.4594G	110.00	Inf	-Inf	77.11	3	Vertical	162	1.80	-	28.46	4.43	-
AV	2.4594G	96.35	Inf	-Inf	63.46	3	Vertical	162	1.80	-	28.46	4.43	-
PK	2.4835G	68.41	74.00	-5.59	35.37	3	Vertical	162	1.80	-	28.60	4.44	-
AV	2.4882G	52.29	54.00	-1.71	19.22	3	Vertical	162	1.80	-	28.63	4.44	-

802.11ax HEW40_Nss1,(MCS0)_2TX

2457MHz_TX




EUT_Z_2TX
Setting 16.5
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.371G	58.12	74.00	-15.88	25.39	3	Horizontal	46	2.08	-	28.36	4.37	-
AV	2.3806G	45.67	54.00	-8.33	12.95	3	Horizontal	46	2.08	-	28.34	4.38	-
PK	2.4594G	111.50	Inf	-Inf	78.61	3	Horizontal	46	2.08	-	28.46	4.43	-
AV	2.4554G	98.29	Inf	-Inf	65.43	3	Horizontal	46	2.08	-	28.43	4.43	-
PK	2.4842G	70.69	74.00	-3.31	37.64	3	Horizontal	46	2.08	-	28.61	4.44	-
AV	2.4854G	53.32	54.00	-0.68	20.27	3	Horizontal	46	2.08	-	28.61	4.44	-

802.11ax HEW40_Nss1,(MCS0)_2TX

2457MHz_TX




EUT X_2TX
Setting 16.5
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.91462G	46.72	74.00	-27.28	41.42	3	Vertical	255	2.36	-	33.63	7.04	35.37
AV	4.91632G	32.75	54.00	-21.25	27.45	3	Vertical	255	2.36	-	33.63	7.04	35.37

802.11ax HEW40_Nss1,(MCS0)_2TX

2457MHz_TX




EUT X_2TX
Setting 16.5
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.91472G	46.55	74.00	-27.45	41.25	3	Horizontal	170	2.00	-	33.63	7.04	35.37
AV	4.9166G	32.75	54.00	-21.25	27.45	3	Horizontal	170	2.00	-	33.63	7.04	35.37

802.11ax HEW40_Nss1,(MCS0)_2TX

2462MHz_TX




EUT_Z_2TX
Setting 16
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3748G	57.69	74.00	-16.31	24.97	3	Vertical	164	1.78	-	28.35	4.37	-
AV	2.3896G	45.33	54.00	-8.67	12.62	3	Vertical	164	1.78	-	28.32	4.39	-
PK	2.4644G	110.65	Inf	-Inf	77.73	3	Vertical	164	1.78	-	28.49	4.43	-
AV	2.4656G	96.83	Inf	-Inf	63.91	3	Vertical	164	1.78	-	28.49	4.43	-
PK	2.4844G	72.20	74.00	-1.80	39.15	3	Vertical	164	1.78	-	28.61	4.44	-
AV	2.4835G	52.74	54.00	-1.26	19.70	3	Vertical	164	1.78	-	28.60	4.44	-

802.11ax HEW40_Nss1,(MCS0)_2TX

2462MHz_TX




EUT_Z_2TX
Setting 16
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3708G	57.90	74.00	-16.10	25.17	3	Horizontal	49	2.07	-	28.36	4.37	-
AV	2.3824G	45.48	54.00	-8.52	12.76	3	Horizontal	49	2.07	-	28.34	4.38	-
PK	2.4648G	111.30	Inf	-Inf	78.38	3	Horizontal	49	2.07	-	28.49	4.43	-
AV	2.4636G	97.95	Inf	-Inf	65.04	3	Horizontal	49	2.07	-	28.48	4.43	-
PK	2.4844G	72.71	74.00	-1.29	39.66	3	Horizontal	49	2.07	-	28.61	4.44	-
AV	2.4835G	53.28	54.00	-0.72	20.24	3	Horizontal	49	2.07	-	28.60	4.44	-

802.11ax HEW40_Nss1,(MCS0)_2TX

2462MHz_TX




EUT X_2TX
Setting 16
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.9262G	46.99	74.00	-27.01	41.67	3	Vertical	158	2.90	-	33.65	7.04	35.37	
AV	4.92494G	32.80	54.00	-21.20	27.48	3	Vertical	158	2.90	-	33.65	7.04	35.37	

802.11ax HEW40_Nss1,(MCS0)_2TX

2462MHz_TX



EUT X_2TX
Setting 16
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.92068G	47.21	74.00	-26.79	41.90	3	Horizontal	120	1.67	-	33.64	7.04	35.37
AV	4.92414G	32.79	54.00	-21.21	27.47	3	Horizontal	120	1.67	-	33.65	7.04	35.37



RSE TX above 1GHz
<Full RU> Non-Beamforming Mode_Ant.2 (2TX)


Appendix F.6

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-
802.11g_Nss1.(6Mbps)_2TX	Pass	AV	2.39G	53.98	54.00	-0.02	3	Vertical	3	1.80	-

802.11b_Nss1,(1Mbps)_2TX

2412MHz_TX




EUT V_2TX
Setting 21.75
03-D-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3894G	61.82	74.00	-12.18	29.11	3	Vertical	177	1.99	-	28.32	4.39	-
AV	2.3894G	53.06	54.00	-0.94	20.35	3	Vertical	177	1.99	-	28.32	4.39	-
PK	2.4094G	114.19	Inf	-Inf	81.47	3	Vertical	177	1.99	-	28.32	4.40	-
AV	2.4104G	109.64	Inf	-Inf	76.91	3	Vertical	177	1.99	-	28.32	4.41	-

802.11b_Nss1,(1Mbps)_2TX

2412MHz_TX




EUT_V_2TX
Setting 21.75
03-D-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	2.3892G	52.63	54.00	-1.37	19.92	3	Horizontal	136	2.02	-	28.32	4.39	-
PK	2.3896G	61.57	74.00	-12.43	28.86	3	Horizontal	136	2.02	-	28.32	4.39	-
AV	2.4102G	108.63	Inf	-Inf	75.90	3	Horizontal	136	2.02	-	28.32	4.41	-
PK	2.4112G	112.27	Inf	-Inf	79.54	3	Horizontal	136	2.02	-	28.32	4.41	-

802.11b_Nss1,(1Mbps)_2TX

2412MHz_TX




EUT Y_2TX
Setting 21.75
03-D-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.82392G	51.80	74.00	-22.20	46.73	3	Vertical	2	1.62	-	33.40	7.09	35.42
AV	4.82404G	46.64	54.00	-7.36	41.57	3	Vertical	2	1.62	-	33.40	7.09	35.42

802.11b_Nss1,(1Mbps)_2TX

2412MHz_TX




EUT Y_2TX
Setting 21.75
03-D-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.82414G	50.84	74.00	-23.16	45.77	3	Horizontal	171	1.80	-	33.40	7.09	35.42
AV	4.82405G	44.11	54.00	-9.89	39.04	3	Horizontal	171	1.80	-	33.40	7.09	35.42

802.11b_Nss1,(1Mbps)_2TX

2437MHz_TX




EUT_V_2TX
Setting 22.75
03-D-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3894G	58.22	74.00	-15.78	25.51	3	Vertical	15	1.76	-	28.32	4.39	-
AV	2.389G	47.33	54.00	-6.67	14.62	3	Vertical	15	1.76	-	28.32	4.39	-
PK	2.4358G	113.98	Inf	-Inf	81.19	3	Vertical	15	1.76	-	28.37	4.42	-
AV	2.4358G	110.00	Inf	-Inf	77.21	3	Vertical	15	1.76	-	28.37	4.42	-
PK	2.4846G	59.02	74.00	-14.98	25.97	3	Vertical	15	1.76	-	28.61	4.44	-
AV	2.485G	48.45	54.00	-5.55	15.40	3	Vertical	15	1.76	-	28.61	4.44	-

802.11b_Nss1,(1Mbps)_2TX

2437MHz_TX




EUT_V_2TX
Setting 22.75
03-D-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3854G	57.34	74.00	-16.66	24.62	3	Horizontal	343	1.88	-	28.33	4.39	-
AV	2.3894G	46.43	54.00	-7.57	13.72	3	Horizontal	343	1.88	-	28.32	4.39	-
PK	2.4358G	112.62	Inf	-Inf	79.83	3	Horizontal	343	1.88	-	28.37	4.42	-
AV	2.4386G	108.72	Inf	-Inf	75.92	3	Horizontal	343	1.88	-	28.38	4.42	-
PK	2.4858G	58.97	74.00	-15.03	25.92	3	Horizontal	343	1.88	-	28.61	4.44	-
AV	2.485G	47.34	54.00	-6.66	14.29	3	Horizontal	343	1.88	-	28.61	4.44	-

802.11b_Nss1,(1Mbps)_2TX

2437MHz_TX




EUT Y_2TX
Setting 22.75
03-D-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87418G	56.57	74.00	-17.43	51.41	3	Vertical	172	1.65	-	33.50	7.06	35.40
AV	4.87406G	53.91	54.00	-0.09	48.75	3	Vertical	172	1.65	-	33.50	7.06	35.40
PK	7.31432G	54.43	74.00	-19.57	44.46	3	Vertical	182	1.18	-	37.00	8.54	35.57
AV	7.31396G	44.36	54.00	-9.64	34.39	3	Vertical	182	1.18	-	37.00	8.54	35.57

802.11b_Nss1,(1Mbps)_2TX

2437MHz_TX




EUT V_2TX
Setting 22.75
03-D-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87406G	56.63	74.00	-17.37	51.47	3	Horizontal	171	1.72	-	33.50	7.06	35.40
AV	4.8741G	53.68	54.00	-0.32	48.52	3	Horizontal	171	1.72	-	33.50	7.06	35.40
PK	7.30956G	52.54	74.00	-21.46	42.58	3	Horizontal	239	1.80	-	37.00	8.53	35.57
AV	7.3104G	41.03	54.00	-12.97	31.07	3	Horizontal	239	1.80	-	37.00	8.53	35.57

802.11b_Nss1,(1Mbps)_2TX

2462MHz_TX




EUT_V_2TX
Setting 20.5
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.463G	113.04	Inf	-Inf	80.13	3	Vertical	7	1.80	-	28.48	4.43	-
AV	2.4638G	109.15	Inf	-Inf	76.24	3	Vertical	7	1.80	-	28.48	4.43	-
PK	2.488G	61.88	74.00	-12.12	28.81	3	Vertical	7	1.80	-	28.63	4.44	-
AV	2.4882G	52.89	54.00	-1.11	19.82	3	Vertical	7	1.80	-	28.63	4.44	-

802.11b_Nss1,(1Mbps)_2TX

2462MHz_TX




EUT_V_2TX
Setting 20.5
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.463G	112.79	Inf	-Inf	79.88	3	Horizontal	201	2.07	-	28.48	4.43	-
AV	2.4638G	108.92	Inf	-Inf	76.01	3	Horizontal	201	2.07	-	28.48	4.43	-
PK	2.4882G	61.45	74.00	-12.55	28.38	3	Horizontal	201	2.07	-	28.63	4.44	-
AV	2.4882G	52.06	54.00	-1.94	18.99	3	Horizontal	201	2.07	-	28.63	4.44	-

802.11b_Nss1,(1Mbps)_2TX

2462MHz_TX




EUT Y_2TX
Setting 20.5
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.92393G	52.01	74.00	-21.99	46.69	3	Vertical	120	1.96	-	33.65	7.04	35.37
AV	4.92404G	45.98	54.00	-8.02	40.66	3	Vertical	120	1.96	-	33.65	7.04	35.37

802.11b_Nss1,(1Mbps)_2TX

2462MHz_TX




EUT Y_2TX
Setting 20.5
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.92409G	51.34	74.00	-22.66	46.02	3	Horizontal	175	2.00	-	33.65	7.04	35.37
AV	4.92398G	44.62	54.00	-9.38	39.30	3	Horizontal	175	2.00	-	33.65	7.04	35.37

802.11b_Nss1,(1Mbps)_2TX

2467MHz_TX




EUT Y_2TX
Setting 15.5
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.468G	108.91	Inf	-Inf	75.97	3	Vertical	12	1.86	-	28.51	4.43	-
AV	2.4688G	105.13	Inf	-Inf	72.19	3	Vertical	12	1.86	-	28.51	4.43	-
PK	2.4836G	62.11	74.00	-11.89	29.07	3	Vertical	12	1.86	-	28.60	4.44	-
AV	2.4842G	52.96	54.00	-1.04	19.91	3	Vertical	12	1.86	-	28.61	4.44	-

802.11b_Nss1,(1Mbps)_2TX

2467MHz_TX




EUT Y_2TX
Setting 15.5
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.468G	107.98	Inf	-Inf	75.04	3	Horizontal	200	2.08	-	28.51	4.43	-
AV	2.4662G	104.05	Inf	-Inf	71.12	3	Horizontal	200	2.08	-	28.50	4.43	-
PK	2.4838G	61.84	74.00	-12.16	28.80	3	Horizontal	200	2.08	-	28.60	4.44	-
AV	2.4842G	51.98	54.00	-2.02	18.93	3	Horizontal	200	2.08	-	28.61	4.44	-

802.11b_Nss1,(1Mbps)_2TX

2467MHz_TX




EUT Y_2TX
Setting 15.5
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.93422G	50.41	74.00	-23.59	45.07	3	Vertical	212	1.69	-	33.67	7.03	35.36	
AV	4.93404G	41.05	54.00	-12.95	35.71	3	Vertical	212	1.69	-	33.67	7.03	35.36	

802.11b_Nss1,(1Mbps)_2TX

2467MHz_TX




EUT Y_2TX
Setting 15.5
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.93398G	50.29	74.00	-23.71	44.95	3	Horizontal	171	1.83	-	33.67	7.03	35.36	
AV	4.93407G	41.18	54.00	-12.82	35.84	3	Horizontal	171	1.83	-	33.67	7.03	35.36	

802.11b_Nss1,(1Mbps)_2TX

2472MHz_TX




EUT Y_2TX
Setting 11.75
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.471G	105.47	Inf	-Inf	72.50	3	Vertical	11	1.89	-	28.53	4.44	-	
AV	2.4736G	101.40	Inf	-Inf	68.42	3	Vertical	11	1.89	-	28.54	4.44	-	
PK	2.4835G	62.50	74.00	-11.50	29.46	3	Vertical	11	1.89	-	28.60	4.44	-	
AV	2.4846G	53.19	54.00	-0.81	20.14	3	Vertical	11	1.89	-	28.61	4.44	-	

802.11b_Nss1,(1Mbps)_2TX

2472MHz_TX




EUT_V_2TX
Setting 11.75
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.473G	104.92	Inf	-Inf	71.94	3	Horizontal	199	2.06	-	28.54	4.44	-
AV	2.4738G	100.55	Inf	-Inf	67.57	3	Horizontal	199	2.06	-	28.54	4.44	-
PK	2.485G	61.86	74.00	-12.14	28.81	3	Horizontal	199	2.06	-	28.61	4.44	-
AV	2.4844G	52.38	54.00	-1.62	19.33	3	Horizontal	199	2.06	-	28.61	4.44	-

802.11b_Nss1,(1Mbps)_2TX

2472MHz_TX




EUT Y_2TX
Setting 11.75
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.94414G	48.84	74.00	-25.16	43.48	3	Vertical	155	1.03	-	33.69	7.03	35.36	
AV	4.94407G	36.81	54.00	-17.19	31.45	3	Vertical	155	1.03	-	33.69	7.03	35.36	

802.11b_Nss1,(1Mbps)_2TX

2472MHz_TX




EUT Y_2TX
Setting 11.75
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.94391G	49.57	74.00	-24.43	44.21	3	Horizontal	172	1.84	-	33.69	7.03	35.36
AV	4.944G	37.47	54.00	-16.53	32.11	3	Horizontal	172	1.84	-	33.69	7.03	35.36

802.11g_Nss1,(6Mbps)_2TX

2412MHz_TX




EUT_V_2TX
Setting 17.75
03-C-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3852G	73.89	74.00	-0.11	41.17	3	Vertical	2	1.80	-	28.33	4.39	-
AV	2.39G	50.77	54.00	-3.23	18.06	3	Vertical	2	1.80	-	28.32	4.39	-
PK	2.4134G	112.66	Inf	-Inf	79.92	3	Vertical	2	1.80	-	28.33	4.41	-
AV	2.4158G	102.43	Inf	-Inf	69.69	3	Vertical	2	1.80	-	28.33	4.41	-

802.11g_Nss1,(6Mbps)_2TX

2412MHz_TX




EUT_V_2TX
Setting 17.75
03-C-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3878G	71.91	74.00	-2.09	39.20	3	Horizontal	130	1.93	-	28.32	4.39	-
AV	2.39G	50.10	54.00	-3.90	17.39	3	Horizontal	130	1.93	-	28.32	4.39	-
PK	2.4098G	111.26	Inf	-Inf	78.54	3	Horizontal	130	1.93	-	28.32	4.40	-
AV	2.4152G	101.12	Inf	-Inf	68.38	3	Horizontal	130	1.93	-	28.33	4.41	-

802.11g_Nss1,(6Mbps)_2TX

2412MHz_TX




EUT Y_2TX
Setting 17.75
03-C-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.82524G	47.76	74.00	-26.24	42.69	3	Vertical	360	1.07	-	33.40	7.09	35.42
AV	4.82397G	33.61	54.00	-20.39	28.54	3	Vertical	360	1.07	-	33.40	7.09	35.42

802.11g_Nss1,(6Mbps)_2TX

2412MHz_TX




EUT Y_2TX
Setting 17.75
03-C-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.82345G	46.72	74.00	-27.28	41.65	3	Horizontal	325	1.49	-	33.40	7.09	35.42
AV	4.8233G	33.38	54.00	-20.62	28.31	3	Horizontal	325	1.49	-	33.40	7.09	35.42

802.11g_Nss1,(6Mbps)_2TX

2417MHz_TX




EUT_V_2TX
Setting 20
03-C-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.3878G	71.61	74.00	-2.39	38.90	3	Vertical	3	1.80	-	28.32	4.39	-	
AV	2.39G	53.98	54.00	-0.02	21.27	3	Vertical	3	1.80	-	28.32	4.39	-	
PK	2.4184G	115.98	Inf	-Inf	83.23	3	Vertical	3	1.80	-	28.34	4.41	-	
AV	2.4158G	105.62	Inf	-Inf	72.88	3	Vertical	3	1.80	-	28.33	4.41	-	

802.11g_Nss1,(6Mbps)_2TX

2417MHz_TX




EUT_V_2TX
Setting 20
03-C-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3874G	71.18	74.00	-2.82	38.46	3	Horizontal	132	1.93	-	28.33	4.39	-
AV	2.39G	52.52	54.00	-1.48	19.81	3	Horizontal	132	1.93	-	28.32	4.39	-
PK	2.4178G	115.04	Inf	-Inf	82.29	3	Horizontal	132	1.93	-	28.34	4.41	-
AV	2.4178G	104.65	Inf	-Inf	71.90	3	Horizontal	132	1.93	-	28.34	4.41	-

802.11g_Nss1,(6Mbps)_2TX

2437MHz_TX




EUT_Y_2TX
Setting 24
03-C-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3886G	67.87	74.00	-6.13	35.16	3	Vertical	245	2.00	-	28.32	4.39	-
AV	2.389G	49.82	54.00	-4.18	17.11	3	Vertical	245	2.00	-	28.32	4.39	-
PK	2.4354G	119.01	Inf	-Inf	86.22	3	Vertical	245	2.00	-	28.37	4.42	-
AV	2.4378G	108.38	Inf	-Inf	75.58	3	Vertical	245	2.00	-	28.38	4.42	-
PK	2.487G	70.86	74.00	-3.14	37.80	3	Vertical	245	2.00	-	28.62	4.44	-
AV	2.4842G	51.26	54.00	-2.74	18.21	3	Vertical	245	2.00	-	28.61	4.44	-

802.11g_Nss1,(6Mbps)_2TX

2437MHz_TX




EUT_V_2TX
Setting 24
03-C-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3894G	65.67	74.00	-8.33	32.96	3	Horizontal	124	1.70	-	28.32	4.39	-
AV	2.389G	48.25	54.00	-5.75	15.54	3	Horizontal	124	1.70	-	28.32	4.39	-
PK	2.4378G	118.12	Inf	-Inf	85.32	3	Horizontal	124	1.70	-	28.38	4.42	-
AV	2.4382G	107.54	Inf	-Inf	74.74	3	Horizontal	124	1.70	-	28.38	4.42	-
PK	2.4862G	67.77	74.00	-6.23	34.71	3	Horizontal	124	1.70	-	28.62	4.44	-
AV	2.4838G	49.00	54.00	-5.00	15.96	3	Horizontal	124	1.70	-	28.60	4.44	-

802.11g_Nss1,(6Mbps)_2TX

2437MHz_TX




EUT Y_2TX
Setting 24
03-C-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8716G	58.28	74.00	-15.72	53.13	3	Vertical	116	1.62	-	33.49	7.06	35.40
AV	4.8761G	43.77	54.00	-10.23	38.60	3	Vertical	116	1.62	-	33.50	7.06	35.39
PK	7.3088G	55.50	74.00	-18.50	45.54	3	Vertical	350	1.80	-	37.00	8.53	35.57
AV	7.3136G	40.90	54.00	-13.10	30.93	3	Vertical	350	1.80	-	37.00	8.54	35.57

802.11g_Nss1,(6Mbps)_2TX

2437MHz_TX




EUT V_2TX
Setting 24
03-C-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.871G	54.60	74.00	-19.40	49.46	3	Horizontal	168	2.67	-	33.48	7.06	35.40
AV	4.8757G	40.48	54.00	-13.52	35.31	3	Horizontal	168	2.67	-	33.50	7.06	35.39
PK	7.3161G	53.40	74.00	-20.60	43.42	3	Horizontal	345	1.64	-	37.00	8.55	35.57
AV	7.3122G	39.85	54.00	-14.15	29.88	3	Horizontal	345	1.64	-	37.00	8.54	35.57

802.11g_Nss1,(6Mbps)_2TX

2457MHz_TX




EUT_V_2TX
Setting 20.25
03-C-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4578G	115.34	Inf	-Inf	82.46	3	Vertical	235	1.80	-	28.45	4.43	-
AV	2.4574G	104.96	Inf	-Inf	72.09	3	Vertical	235	1.80	-	28.44	4.43	-
PK	2.4878G	70.33	74.00	-3.67	37.26	3	Vertical	235	1.80	-	28.63	4.44	-
AV	2.4835G	53.15	54.00	-0.85	20.11	3	Vertical	235	1.80	-	28.60	4.44	-

802.11g_Nss1,(6Mbps)_2TX

2457MHz_TX




EUT_V_2TX
Setting 20.25
03-C-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4584G	115.25	Inf	-Inf	82.37	3	Horizontal	121	1.62	-	28.45	4.43	-
AV	2.4582G	105.10	Inf	-Inf	72.22	3	Horizontal	121	1.62	-	28.45	4.43	-
PK	2.4872G	70.12	74.00	-3.88	37.06	3	Horizontal	121	1.62	-	28.62	4.44	-
AV	2.4835G	52.01	54.00	-1.99	18.97	3	Horizontal	121	1.62	-	28.60	4.44	-

802.11g_Nss1,(6Mbps)_2TX

2462MHz_TX




EUT V_2TX
Setting 17.75
03-C-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.4634G	113.55	Inf	-Inf	80.64	3	Vertical	234	1.92	-	28.48	4.43	-	
AV	2.463G	103.74	Inf	-Inf	70.83	3	Vertical	234	1.92	-	28.48	4.43	-	
PK	2.4836G	73.80	74.00	-0.20	40.76	3	Vertical	234	1.92	-	28.60	4.44	-	
AV	2.4836G	51.91	54.00	-2.09	18.87	3	Vertical	234	1.92	-	28.60	4.44	-	

802.11g_Nss1,(6Mbps)_2TX

2462MHz_TX




EUT_V_2TX
Setting 17.75
03-C-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4634G	112.82	Inf	-Inf	79.91	3	Horizontal	121	1.65	-	28.48	4.43	-
AV	2.463G	103.07	Inf	-Inf	70.16	3	Horizontal	121	1.65	-	28.48	4.43	-
PK	2.4835G	73.03	74.00	-0.97	39.99	3	Horizontal	121	1.65	-	28.60	4.44	-
AV	2.4835G	50.97	54.00	-3.03	17.93	3	Horizontal	121	1.65	-	28.60	4.44	-

802.11g_Nss1,(6Mbps)_2TX

2462MHz_TX




EUT Y_2TX
Setting 17.75
03-C-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.9216G	49.64	74.00	-24.36	44.33	3	Vertical	118	1.65	-	33.64	7.04	35.37
AV	4.9261G	35.90	54.00	-18.10	30.58	3	Vertical	118	1.65	-	33.65	7.04	35.37

802.11g_Nss1,(6Mbps)_2TX

2462MHz_TX




EUT Y_2TX
Setting 17.75
03-C-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.9196G	47.61	74.00	-26.39	42.30	3	Horizontal	202	1.85	-	33.64	7.04	35.37	
AV	4.9252G	34.51	54.00	-19.49	29.19	3	Horizontal	202	1.85	-	33.65	7.04	35.37	

802.11g_Nss1,(6Mbps)_2TX

2467MHz_TX




EUT_V_2TX
Setting 17.25
03-C-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4684G	113.20	Inf	-Inf	80.26	3	Vertical	233	1.98	-	28.51	4.43	-
AV	2.4658G	102.99	Inf	-Inf	70.07	3	Vertical	233	1.98	-	28.49	4.43	-
PK	2.4856G	71.24	74.00	-2.76	38.19	3	Vertical	233	1.98	-	28.61	4.44	-
AV	2.4835G	53.93	54.00	-0.07	20.89	3	Vertical	233	1.98	-	28.60	4.44	-

802.11g_Nss1,(6Mbps)_2TX

2467MHz_TX




EUT Y_2TX
Setting 17.25
03-C-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4684G	112.32	Inf	-Inf	79.38	3	Horizontal	120	1.65	-	28.51	4.43	-
AV	2.4652G	102.08	Inf	-Inf	69.16	3	Horizontal	120	1.65	-	28.49	4.43	-
PK	2.4856G	69.44	74.00	-4.56	36.39	3	Horizontal	120	1.65	-	28.61	4.44	-
AV	2.4835G	52.89	54.00	-1.11	19.85	3	Horizontal	120	1.65	-	28.60	4.44	-

802.11g_Nss1,(6Mbps)_2TX

2467MHz_TX




EUT Y_2TX
Setting 17.25
03-C-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.9372G	48.43	74.00	-25.57	43.09	3	Vertical	166	1.73	-	33.67	7.03	35.36	
AV	4.9333G	35.00	54.00	-19.00	29.66	3	Vertical	166	1.73	-	33.67	7.03	35.36	

802.11g_Nss1,(6Mbps)_2TX

2467MHz_TX




EUT Y_2TX
Setting 17.25
03-C-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.9352G	48.10	74.00	-25.90	42.76	3	Horizontal	170	1.80	-	33.67	7.03	35.36
AV	4.9342G	34.69	54.00	-19.31	29.35	3	Horizontal	170	1.80	-	33.67	7.03	35.36

802.11g_Nss1,(6Mbps)_2TX

2472MHz_TX




EUT V_2TX
Setting 11.25
03-C-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4732G	108.69	Inf	-Inf	75.71	3	Vertical	230	1.98	-	28.54	4.44	-
AV	2.4732G	97.45	Inf	-Inf	64.47	3	Vertical	230	1.98	-	28.54	4.44	-
PK	2.4838G	67.25	74.00	-6.75	34.21	3	Vertical	230	1.98	-	28.60	4.44	-
AV	2.4836G	53.84	54.00	-0.16	20.80	3	Vertical	230	1.98	-	28.60	4.44	-

802.11g_Nss1,(6Mbps)_2TX

2472MHz_TX




EUT_V_2TX
Setting 11.25
03-C-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4734G	105.68	Inf	-Inf	72.70	3	Horizontal	48	1.80	-	28.54	4.44	-
AV	2.473G	94.82	Inf	-Inf	61.84	3	Horizontal	48	1.80	-	28.54	4.44	-
PK	2.4835G	65.42	74.00	-8.58	32.38	3	Horizontal	48	1.80	-	28.60	4.44	-
AV	2.4835G	52.51	54.00	-1.49	19.47	3	Horizontal	48	1.80	-	28.60	4.44	-

802.11g_Nss1,(6Mbps)_2TX

2472MHz_TX




EUT Y_2TX
Setting 11.25
03-C-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.9683G	47.08	74.00	-26.92	41.67	3	Vertical	168	1.80	-	33.74	7.02	35.35	
AV	4.9437G	33.80	54.00	-20.20	28.44	3	Vertical	168	1.80	-	33.69	7.03	35.36	

802.11g_Nss1,(6Mbps)_2TX

2472MHz_TX




EUT Y_2TX
Setting 11.25
03-C-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.9594G	47.49	74.00	-26.51	42.10	3	Horizontal	166	1.79	-	33.72	7.02	35.35	
AV	4.944G	33.99	54.00	-20.01	28.63	3	Horizontal	166	1.79	-	33.69	7.03	35.36	

802.11ax HEW20_Nss1,(MCS0)_2TX

2412MHz_TX




EUT V_2TX
Setting 18.5
03-C-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3896G	73.96	74.00	-0.04	41.25	3	Vertical	0	1.80	-	28.32	4.39	-
AV	2.3898G	52.47	54.00	-1.53	19.76	3	Vertical	0	1.80	-	28.32	4.39	-
PK	2.4116G	116.40	Inf	-Inf	83.67	3	Vertical	0	1.80	-	28.32	4.41	-
AV	2.4126G	103.42	Inf	-Inf	70.68	3	Vertical	0	1.80	-	28.33	4.41	-

802.11ax HEW20_Nss1,(MCS0)_2TX

2412MHz_TX




EUT V_2TX
Setting 18.5
03-C-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3898G	72.31	74.00	-1.69	39.60	3	Horizontal	35	2.05	-	28.32	4.39	-
AV	2.39G	51.46	54.00	-2.54	18.75	3	Horizontal	35	2.05	-	28.32	4.39	-
PK	2.4114G	115.25	Inf	-Inf	82.52	3	Horizontal	35	2.05	-	28.32	4.41	-
AV	2.4126G	102.29	Inf	-Inf	69.55	3	Horizontal	35	2.05	-	28.33	4.41	-

802.11ax HEW20_Nss1,(MCS0)_2TX

2412MHz_TX




EUT Y_2TX
Setting 18.5
03-C-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8296G	47.63	74.00	-26.37	42.56	3	Vertical	121	1.80	-	33.40	7.09	35.42
AV	4.8252G	33.89	54.00	-20.11	28.82	3	Vertical	121	1.80	-	33.40	7.09	35.42

802.11ax HEW20_Nss1,(MCS0)_2TX

2412MHz_TX




EUT Y_2TX
Setting 18.5
03-C-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.8214G	47.08	74.00	-26.92	42.01	3	Horizontal	161	1.49	-	33.40	7.09	35.42	
AV	4.8239G	33.68	54.00	-20.32	28.61	3	Horizontal	161	1.49	-	33.40	7.09	35.42	

802.11ax HEW20_Nss1,(MCS0)_2TX

2417MHz_TX




EUT_V_2TX
Setting 19.5
03-C-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.3862G	73.95	74.00	-0.05	41.23	3	Vertical	1	1.82	-	28.33	4.39	-	
AV	2.3898G	53.58	54.00	-0.42	20.87	3	Vertical	1	1.82	-	28.32	4.39	-	
PK	2.4166G	117.83	Inf	-Inf	85.09	3	Vertical	1	1.82	-	28.33	4.41	-	
AV	2.416G	104.30	Inf	-Inf	71.56	3	Vertical	1	1.82	-	28.33	4.41	-	

802.11ax HEW20_Nss1,(MCS0)_2TX

2417MHz_TX




EUT_V_2TX
Setting 19.5
03-C-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3896G	73.18	74.00	-0.82	40.47	3	Horizontal	132	1.93	-	28.32	4.39	-
AV	2.39G	52.33	54.00	-1.67	19.62	3	Horizontal	132	1.93	-	28.32	4.39	-
PK	2.4186G	116.58	Inf	-Inf	83.83	3	Horizontal	132	1.93	-	28.34	4.41	-
AV	2.4156G	103.33	Inf	-Inf	70.59	3	Horizontal	132	1.93	-	28.33	4.41	-

802.11ax HEW20_Nss1,(MCS0)_2TX

2437MHz_TX




EUT_Y_2TX
Setting 24
03-C-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.389G	66.56	74.00	-7.44	33.85	3	Vertical	247	2.01	-	28.32	4.39	-
AV	2.3894G	49.35	54.00	-4.65	16.64	3	Vertical	247	2.01	-	28.32	4.39	-
PK	2.4386G	119.78	Inf	-Inf	86.98	3	Vertical	247	2.01	-	28.38	4.42	-
AV	2.4386G	106.96	Inf	-Inf	74.16	3	Vertical	247	2.01	-	28.38	4.42	-
PK	2.4835G	68.38	74.00	-5.62	35.34	3	Vertical	247	2.01	-	28.60	4.44	-
AV	2.4842G	50.29	54.00	-3.71	17.24	3	Vertical	247	2.01	-	28.61	4.44	-

802.11ax HEW20_Nss1,(MCS0)_2TX

2437MHz_TX




EUT_V_2TX
Setting 24
03-C-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.389G	65.23	74.00	-8.77	32.52	3	Horizontal	120	1.71	-	28.32	4.39	-
AV	2.3898G	48.54	54.00	-5.46	15.83	3	Horizontal	120	1.71	-	28.32	4.39	-
PK	2.4366G	118.74	Inf	-Inf	85.95	3	Horizontal	120	1.71	-	28.37	4.42	-
AV	2.4366G	106.01	Inf	-Inf	73.22	3	Horizontal	120	1.71	-	28.37	4.42	-
PK	2.4835G	68.84	74.00	-5.16	35.80	3	Horizontal	120	1.71	-	28.60	4.44	-
AV	2.4835G	49.91	54.00	-4.09	16.87	3	Horizontal	120	1.71	-	28.60	4.44	-

802.11ax HEW20_Nss1,(MCS0)_2TX

2437MHz_TX




EUT Y_2TX
Setting 24
03-C-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8778G	57.92	74.00	-16.08	52.74	3	Vertical	116	1.65	-	33.51	7.06	35.39
AV	4.8753G	42.64	54.00	-11.36	37.47	3	Vertical	116	1.65	-	33.50	7.06	35.39

802.11ax HEW20_Nss1,(MCS0)_2TX

2437MHz_TX




EUT Y_2TX
Setting 24
03-C-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8776G	54.34	74.00	-19.66	49.16	3	Horizontal	168	2.68	-	33.51	7.06	35.39
AV	4.8772G	39.47	54.00	-14.53	34.29	3	Horizontal	168	2.68	-	33.51	7.06	35.39

802.11ax HEW20_Nss1,(MCS0)_2TX

2457MHz_TX




EUT_V_2TX
Setting 20
03-C-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4566G	117.40	Inf	-Inf	84.53	3	Vertical	224	1.80	-	28.44	4.43	-
AV	2.4574G	104.01	Inf	-Inf	71.14	3	Vertical	224	1.80	-	28.44	4.43	-
PK	2.488G	73.83	74.00	-0.17	40.76	3	Vertical	224	1.80	-	28.63	4.44	-
AV	2.4838G	53.44	54.00	-0.56	20.40	3	Vertical	224	1.80	-	28.60	4.44	-

802.11ax HEW20_Nss1,(MCS0)_2TX

2457MHz_TX




EUT_V_2TX
Setting 20
03-C-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4588G	116.84	Inf	-Inf	83.96	3	Horizontal	122	1.62	-	28.45	4.43	-
AV	2.4562G	103.92	Inf	-Inf	71.05	3	Horizontal	122	1.62	-	28.44	4.43	-
PK	2.4876G	73.07	74.00	-0.93	40.00	3	Horizontal	122	1.62	-	28.63	4.44	-
AV	2.4838G	52.60	54.00	-1.40	19.56	3	Horizontal	122	1.62	-	28.60	4.44	-

802.11ax HEW20_Nss1,(MCS0)_2TX

2462MHz_TX




EUT_V_2TX
Setting 17.75
03-C-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4616G	115.38	Inf	-Inf	82.48	3	Vertical	223	1.74	-	28.47	4.43	-
AV	2.4614G	102.30	Inf	-Inf	69.40	3	Vertical	223	1.74	-	28.47	4.43	-
PK	2.4838G	73.81	74.00	-0.19	40.77	3	Vertical	223	1.74	-	28.60	4.44	-
AV	2.4835G	52.01	54.00	-1.99	18.97	3	Vertical	223	1.74	-	28.60	4.44	-

802.11ax HEW20_Nss1,(MCS0)_2TX

2462MHz_TX




EUT_V_2TX
Setting 17.75
03-C-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4616G	114.53	Inf	-Inf	81.63	3	Horizontal	121	1.65	-	28.47	4.43	-
AV	2.4626G	102.14	Inf	-Inf	69.23	3	Horizontal	121	1.65	-	28.48	4.43	-
PK	2.4835G	72.77	74.00	-1.23	39.73	3	Horizontal	121	1.65	-	28.60	4.44	-
AV	2.4835G	51.02	54.00	-2.98	17.98	3	Horizontal	121	1.65	-	28.60	4.44	-

802.11ax HEW20_Nss1,(MCS0)_2TX

2462MHz_TX




EUT Y_2TX
Setting 17.75
03-C-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.9228G	49.17	74.00	-24.83	43.85	3	Vertical	168	1.70	-	33.65	7.04	35.37
AV	4.9245G	34.99	54.00	-19.01	29.67	3	Vertical	168	1.70	-	33.65	7.04	35.37

802.11ax HEW20_Nss1,(MCS0)_2TX

2462MHz_TX




EUT Y_2TX
Setting 17.75
03-C-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.9274G	47.93	74.00	-26.07	42.61	3	Horizontal	168	1.80	-	33.65	7.04	35.37
AV	4.9242G	34.61	54.00	-19.39	29.29	3	Horizontal	168	1.80	-	33.65	7.04	35.37

802.11ax HEW20_Nss1,(MCS0)_2TX

2467MHz_TX




EUT_V_2TX
Setting 16.75
03-C-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4664G	114.55	Inf	-Inf	81.62	3	Vertical	226	1.72	-	28.50	4.43	-
AV	2.4678G	101.21	Inf	-Inf	68.27	3	Vertical	226	1.72	-	28.51	4.43	-
PK	2.4835G	69.38	74.00	-4.62	36.34	3	Vertical	226	1.72	-	28.60	4.44	-
AV	2.4835G	53.78	54.00	-0.22	20.74	3	Vertical	226	1.72	-	28.60	4.44	-

802.11ax HEW20_Nss1,(MCS0)_2TX

2467MHz_TX




EUT_V_2TX
Setting 16.75
03-C-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.4664G	113.91	Inf	-Inf	80.98	3	Horizontal	119	1.66	-	28.50	4.43	-	
AV	2.4662G	100.69	Inf	-Inf	67.76	3	Horizontal	119	1.66	-	28.50	4.43	-	
PK	2.484G	68.33	74.00	-5.67	35.29	3	Horizontal	119	1.66	-	28.60	4.44	-	
AV	2.4838G	53.31	54.00	-0.69	20.27	3	Horizontal	119	1.66	-	28.60	4.44	-	

802.11ax HEW20_Nss1,(MCS0)_2TX

2467MHz_TX




EUT Y_2TX
Setting 16.75
03-C-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.923G	49.23	74.00	-24.77	43.91	3	Vertical	120	1.62	-	33.65	7.04	35.37	
AV	4.9353G	34.97	54.00	-19.03	29.63	3	Vertical	120	1.62	-	33.67	7.03	35.36	

802.11ax HEW20_Nss1,(MCS0)_2TX

2467MHz_TX




EUT Y_2TX
Setting 16.75
03-C-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.9347G	48.33	74.00	-25.67	42.99	3	Horizontal	168	1.84	-	33.67	7.03	35.36	
AV	4.9343G	34.56	54.00	-19.44	29.22	3	Horizontal	168	1.84	-	33.67	7.03	35.36	

802.11ax HEW20_Nss1,(MCS0)_2TX

2472MHz_TX




EUT_V_2TX
Setting 11
03-C-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4714G	109.54	Inf	-Inf	76.57	3	Vertical	224	1.75	-	28.53	4.44	-
AV	2.4724G	95.79	Inf	-Inf	62.82	3	Vertical	224	1.75	-	28.53	4.44	-
PK	2.4835G	67.98	74.00	-6.02	34.94	3	Vertical	224	1.75	-	28.60	4.44	-
AV	2.4835G	53.86	54.00	-0.14	20.82	3	Vertical	224	1.75	-	28.60	4.44	-

802.11ax HEW20_Nss1,(MCS0)_2TX

2472MHz_TX




EUT_V_2TX
Setting 11
03-C-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4714G	108.87	Inf	-Inf	75.90	3	Horizontal	118	1.80	-	28.53	4.44	-
AV	2.4726G	94.33	Inf	-Inf	61.35	3	Horizontal	118	1.80	-	28.54	4.44	-
PK	2.4836G	67.99	74.00	-6.01	34.95	3	Horizontal	118	1.80	-	28.60	4.44	-
AV	2.4835G	53.37	54.00	-0.63	20.33	3	Horizontal	118	1.80	-	28.60	4.44	-

802.11ax HEW20_Nss1,(MCS0)_2TX

2472MHz_TX




EUT Y_2TX
Setting 11
03-C-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.94568G	46.59	74.00	-27.41	41.23	3	Vertical	321	1.89	-	33.69	7.03	35.36
AV	4.93374G	33.53	54.00	-20.47	28.19	3	Vertical	321	1.89	-	33.67	7.03	35.36

802.11ax HEW20_Nss1,(MCS0)_2TX

2472MHz_TX




EUT Y_2TX
Setting 11
03-C-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.93524G	47.16	74.00	-26.84	41.82	3	Horizontal	103	1.93	-	33.67	7.03	35.36
AV	4.959G	33.48	54.00	-20.52	28.09	3	Horizontal	103	1.93	-	33.72	7.02	35.35

802.11ax HEW40_Nss1,(MCS0)_2TX

2422MHz_TX




EUT_V_2TX
Setting 17.25
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3884G	73.24	74.00	-0.76	40.53	3	Vertical	170	1.83	-	28.32	4.39	-
AV	2.384G	53.00	54.00	-1.00	20.29	3	Vertical	170	1.83	-	28.33	4.38	-
PK	2.4112G	110.80	Inf	-Inf	78.07	3	Vertical	170	1.83	-	28.32	4.41	-
AV	2.4116G	98.54	Inf	-Inf	65.81	3	Vertical	170	1.83	-	28.32	4.41	-
PK	2.484G	63.05	74.00	-10.95	30.01	3	Vertical	170	1.83	-	28.60	4.44	-
AV	2.484G	48.06	54.00	-5.94	15.02	3	Vertical	170	1.83	-	28.60	4.44	-

802.11ax HEW40_Nss1,(MCS0)_2TX

2422MHz_TX




EUT_V_2TX
Setting 17.25
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3884G	70.88	74.00	-3.12	38.17	3	Horizontal	140	1.73	-	28.32	4.39	-
AV	2.384G	51.73	54.00	-2.27	19.02	3	Horizontal	140	1.73	-	28.33	4.38	-
PK	2.4204G	109.62	Inf	-Inf	76.87	3	Horizontal	140	1.73	-	28.34	4.41	-
AV	2.418G	96.67	Inf	-Inf	63.92	3	Horizontal	140	1.73	-	28.34	4.41	-
PK	2.484G	63.31	74.00	-10.69	30.27	3	Horizontal	140	1.73	-	28.60	4.44	-
AV	2.4856G	47.83	54.00	-6.17	14.78	3	Horizontal	140	1.73	-	28.61	4.44	-

802.11ax HEW40_Nss1,(MCS0)_2TX

2422MHz_TX




EUT Y_2TX
Setting 17.25
03-C-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8387G	46.38	74.00	-27.62	41.31	3	Vertical	99	2.17	-	33.40	7.08	35.41
AV	4.8677G	33.64	54.00	-20.36	28.50	3	Vertical	99	2.17	-	33.47	7.07	35.40

802.11ax HEW40_Nss1,(MCS0)_2TX

2422MHz_TX




EUT Y_2TX
Setting 17.25
03-C-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8486G	47.08	74.00	-26.92	42.01	3	Horizontal	315	2.86	-	33.40	7.08	35.41
AV	4.8662G	33.56	54.00	-20.44	28.43	3	Horizontal	315	2.86	-	33.46	7.07	35.40

802.11ax HEW40_Nss1,(MCS0)_2TX

2437MHz_TX




EUT_Y_2TX
Setting 17
03-C-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.383G	68.30	74.00	-5.70	35.59	3	Vertical	223	1.80	-	28.33	4.38	-
AV	2.3898G	51.46	54.00	-2.54	18.75	3	Vertical	223	1.80	-	28.32	4.39	-
PK	2.4502G	109.59	Inf	-Inf	76.76	3	Vertical	223	1.80	-	28.40	4.43	-
AV	2.4474G	95.98	Inf	-Inf	63.17	3	Vertical	223	1.80	-	28.39	4.42	-
PK	2.4835G	72.91	74.00	-1.09	39.87	3	Vertical	223	1.80	-	28.60	4.44	-
AV	2.4838G	53.84	54.00	-0.16	20.80	3	Vertical	223	1.80	-	28.60	4.44	-

802.11ax HEW40_Nss1,(MCS0)_2TX

2437MHz_TX




EUT_V_2TX
Setting 17
03-C-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.383G	67.15	74.00	-6.85	34.44	3	Horizontal	126	1.70	-	28.33	4.38	-
AV	2.3898G	51.07	54.00	-2.93	18.36	3	Horizontal	126	1.70	-	28.32	4.39	-
PK	2.4402G	109.07	Inf	-Inf	76.27	3	Horizontal	126	1.70	-	28.38	4.42	-
AV	2.4434G	95.68	Inf	-Inf	62.87	3	Horizontal	126	1.70	-	28.39	4.42	-
PK	2.4835G	71.04	74.00	-2.96	38.00	3	Horizontal	126	1.70	-	28.60	4.44	-
AV	2.4835G	53.03	54.00	-0.97	19.99	3	Horizontal	126	1.70	-	28.60	4.44	-

802.11ax HEW40_Nss1,(MCS0)_2TX

2437MHz_TX




EUT Y_2TX
Setting 17
03-C-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8733G	47.80	74.00	-26.20	42.65	3	Vertical	0	1.80	-	33.49	7.06	35.40
AV	4.8755G	34.15	54.00	-19.85	28.98	3	Vertical	0	1.80	-	33.50	7.06	35.39

802.11ax HEW40_Nss1,(MCS0)_2TX

2437MHz_TX




EUT Y_2TX
Setting 17
03-C-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8708G	47.49	74.00	-26.51	42.35	3	Horizontal	311	1.75	-	33.48	7.06	35.40
AV	4.8731G	33.83	54.00	-20.17	28.68	3	Horizontal	311	1.75	-	33.49	7.06	35.40

802.11ax HEW40_Nss1,(MCS0)_2TX

2452MHz_TX




EUT_V_2TX
Setting 16
03-C-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3868G	57.83	74.00	-16.17	25.11	3	Vertical	222	1.83	-	28.33	4.39	-
AV	2.3896G	45.66	54.00	-8.34	12.95	3	Vertical	222	1.83	-	28.32	4.39	-
PK	2.4504G	110.56	Inf	-Inf	77.73	3	Vertical	222	1.83	-	28.40	4.43	-
AV	2.45G	97.15	Inf	-Inf	64.32	3	Vertical	222	1.83	-	28.40	4.43	-
PK	2.4884G	70.78	74.00	-3.22	37.71	3	Vertical	222	1.83	-	28.63	4.44	-
AV	2.486G	53.87	54.00	-0.13	20.81	3	Vertical	222	1.83	-	28.62	4.44	-

802.11ax HEW40_Nss1,(MCS0)_2TX

2452MHz_TX




EUT_V_2TX
Setting 16
03-C-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.39G	58.72	74.00	-15.28	26.01	3	Horizontal	130	1.92	-	28.32	4.39	-
AV	2.3896G	45.70	54.00	-8.30	12.99	3	Horizontal	130	1.92	-	28.32	4.39	-
PK	2.4548G	110.25	Inf	-Inf	77.39	3	Horizontal	130	1.92	-	28.43	4.43	-
AV	2.456G	96.64	Inf	-Inf	63.77	3	Horizontal	130	1.92	-	28.44	4.43	-
PK	2.4896G	68.26	74.00	-5.74	35.18	3	Horizontal	130	1.92	-	28.64	4.44	-
AV	2.4872G	52.97	54.00	-1.03	19.91	3	Horizontal	130	1.92	-	28.62	4.44	-

802.11ax HEW40_Nss1,(MCS0)_2TX

2452MHz_TX




EUT Y_2TX
Setting 16
03-C-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8874G	47.31	74.00	-26.69	42.09	3	Vertical	153	1.24	-	33.55	7.06	35.39
AV	4.8806G	34.05	54.00	-19.95	28.86	3	Vertical	153	1.24	-	33.52	7.06	35.39

802.11ax HEW40_Nss1,(MCS0)_2TX

2452MHz_TX




EUT Y_2TX
Setting 16
03-C-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8905G	46.88	74.00	-27.12	41.66	3	Horizontal	223	2.38	-	33.56	7.05	35.39
AV	4.8823G	33.81	54.00	-20.19	28.61	3	Horizontal	223	2.38	-	33.53	7.06	35.39

802.11ax HEW40_Nss1,(MCS0)_2TX

2457MHz_TX




EUT_V_2TX
Setting 16.5
03-C-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.383G	58.08	74.00	-15.92	25.37	3	Vertical	240	2.22	-	28.33	4.38	-
AV	2.3894G	45.62	54.00	-8.38	12.91	3	Vertical	240	2.22	-	28.32	4.39	-
PK	2.4598G	111.90	Inf	-Inf	79.01	3	Vertical	240	2.22	-	28.46	4.43	-
AV	2.459G	98.22	Inf	-Inf	65.34	3	Vertical	240	2.22	-	28.45	4.43	-
PK	2.4934G	70.04	74.00	-3.96	36.93	3	Vertical	240	2.22	-	28.66	4.45	-
AV	2.4874G	53.86	54.00	-0.14	20.80	3	Vertical	240	2.22	-	28.62	4.44	-

802.11ax HEW40_Nss1,(MCS0)_2TX

2457MHz_TX




EUT_V_2TX
Setting 16.5
03-C-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3846G	58.07	74.00	-15.93	25.36	3	Horizontal	128	1.94	-	28.33	4.38	-
AV	2.3822G	45.61	54.00	-8.39	12.89	3	Horizontal	128	1.94	-	28.34	4.38	-
PK	2.4598G	110.21	Inf	-Inf	77.32	3	Horizontal	128	1.94	-	28.46	4.43	-
AV	2.4582G	97.30	Inf	-Inf	64.42	3	Horizontal	128	1.94	-	28.45	4.43	-
PK	2.4934G	68.57	74.00	-5.43	35.46	3	Horizontal	128	1.94	-	28.66	4.45	-
AV	2.4894G	52.50	54.00	-1.50	19.42	3	Horizontal	128	1.94	-	28.64	4.44	-

802.11ax HEW40_Nss1,(MCS0)_2TX

2457MHz_TX




EUT Y_2TX
Setting 16.5
03-C-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.908G	47.36	74.00	-26.64	42.07	3	Vertical	34	2.97	-	33.62	7.05	35.38
AV	4.90968G	33.63	54.00	-20.37	28.34	3	Vertical	34	2.97	-	33.62	7.05	35.38

802.11ax HEW40_Nss1,(MCS0)_2TX

2457MHz_TX




EUT Y_2TX
Setting 16.5
03-C-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.91136G	47.49	74.00	-26.51	42.21	3	Horizontal	5	2.96	-	33.62	7.04	35.38
AV	4.89984G	33.44	54.00	-20.56	28.17	3	Horizontal	5	2.96	-	33.60	7.05	35.38

802.11ax HEW40_Nss1,(MCS0)_2TX

2462MHz_TX




EUT_V_2TX
Setting 16
03-C-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3888G	58.09	74.00	-15.91	25.38	3	Vertical	223	1.78	-	28.32	4.39	-
AV	2.39G	45.56	54.00	-8.44	12.85	3	Vertical	223	1.78	-	28.32	4.39	-
PK	2.4624G	110.17	Inf	-Inf	77.27	3	Vertical	223	1.78	-	28.47	4.43	-
AV	2.464G	96.63	Inf	-Inf	63.72	3	Vertical	223	1.78	-	28.48	4.43	-
PK	2.4984G	68.93	74.00	-5.07	35.79	3	Vertical	223	1.78	-	28.69	4.45	-
AV	2.4936G	53.81	54.00	-0.19	20.70	3	Vertical	223	1.78	-	28.66	4.45	-

802.11ax HEW40_Nss1,(MCS0)_2TX

2462MHz_TX




EUT_V_2TX
Setting 16
03-C-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3656G	57.74	74.00	-16.26	25.00	3	Horizontal	191	2.07	-	28.37	4.37	-
AV	2.3808G	45.25	54.00	-8.75	12.53	3	Horizontal	191	2.07	-	28.34	4.38	-
PK	2.4648G	109.36	Inf	-Inf	76.44	3	Horizontal	191	2.07	-	28.49	4.43	-
AV	2.4668G	95.88	Inf	-Inf	62.95	3	Horizontal	191	2.07	-	28.50	4.43	-
PK	2.4996G	68.43	74.00	-5.57	35.28	3	Horizontal	191	2.07	-	28.70	4.45	-
AV	2.4972G	53.10	54.00	-0.90	19.97	3	Horizontal	191	2.07	-	28.68	4.45	-

802.11ax HEW40_Nss1,(MCS0)_2TX

2462MHz_TX




EUT Y_2TX
Setting 16
03-C-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.93516G	47.17	74.00	-26.83	41.83	3	Vertical	114	1.00	-	33.67	7.03	35.36	
AV	4.9243G	33.59	54.00	-20.41	28.27	3	Vertical	114	1.00	-	33.65	7.04	35.37	

802.11ax HEW40_Nss1,(MCS0)_2TX

2462MHz_TX



EUT Y_2TX
Setting 16
03-C-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.92496G	48.16	74.00	-25.84	42.84	3	Horizontal	119	1.38	-	33.65	7.04	35.37
AV	4.93474G	33.41	54.00	-20.59	28.07	3	Horizontal	119	1.38	-	33.67	7.03	35.36



RSE TX above 1GHz
<Full RU> Non-Beamforming Mode_Ant.3 (2TX)


Appendix F.7

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	AV	2.4835G	53.92	54.00	-0.08	3	Vertical	0	1.47	-

802.11b_Nss1,(1Mbps)_2TX

2412MHz_TX




EUT Y_2TX
Setting 20.75
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3894G	61.98	74.00	-12.02	29.27	3	Vertical	194	1.82	-	28.32	4.39	-
AV	2.3892G	52.52	54.00	-1.48	19.81	3	Vertical	194	1.82	-	28.32	4.39	-
PK	2.413G	117.55	Inf	-Inf	84.81	3	Vertical	194	1.82	-	28.33	4.41	-
AV	2.4102G	113.70	Inf	-Inf	80.97	3	Vertical	194	1.82	-	28.32	4.41	-

802.11b_Nss1,(1Mbps)_2TX

2412MHz_TX




EUT X_2TX
Setting 20.75
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.82402G	51.69	74.00	-22.31	46.62	3	Vertical	171	1.78	-	33.40	7.09	35.42
AV	4.82407G	45.93	54.00	-8.07	40.86	3	Vertical	171	1.78	-	33.40	7.09	35.42

802.11b_Nss1,(1Mbps)_2TX

2412MHz_TX




EUT X_2TX
Setting 20.75
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.82406G	48.47	74.00	-25.53	43.40	3	Horizontal	284	2.59	-	33.40	7.09	35.42
AV	4.82408G	39.54	54.00	-14.46	34.47	3	Horizontal	284	2.59	-	33.40	7.09	35.42

802.11b_Nss1,(1Mbps)_2TX

2437MHz_TX




EUT_V_2TX
Setting 22.25
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3838G	66.40	74.00	-7.60	33.69	3	Vertical	186	1.70	-	28.33	4.38	-
AV	2.389G	52.30	54.00	-1.70	19.59	3	Vertical	186	1.70	-	28.32	4.39	-
PK	2.437G	120.91	Inf	-Inf	88.12	3	Vertical	186	1.70	-	28.37	4.42	-
AV	2.435G	117.18	Inf	-Inf	84.39	3	Vertical	186	1.70	-	28.37	4.42	-
PK	2.4835G	66.84	74.00	-7.16	33.80	3	Vertical	186	1.70	-	28.60	4.44	-
AV	2.485G	49.30	54.00	-4.70	16.25	3	Vertical	186	1.70	-	28.61	4.44	-

802.11b_Nss1,(1Mbps)_2TX

2437MHz_TX




EUT X_2TX
Setting 22.25
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87402G	56.54	74.00	-17.46	51.38	3	Vertical	166	1.65	-	33.50	7.06	35.40
AV	4.87408G	53.28	54.00	-0.72	48.12	3	Vertical	166	1.65	-	33.50	7.06	35.40
PK	7.30968G	56.34	74.00	-17.66	46.38	3	Vertical	186	1.84	-	37.00	8.53	35.57
AV	7.3094G	48.24	54.00	-5.76	38.28	3	Vertical	186	1.84	-	37.00	8.53	35.57

802.11b_Nss1,(1Mbps)_2TX

2437MHz_TX




EUT_X_2TX
Setting 22.25
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87407G	49.02	74.00	-24.98	43.86	3	Horizontal	96	2.10	-	33.50	7.06	35.40
AV	4.87411G	39.00	54.00	-15.00	33.84	3	Horizontal	96	2.10	-	33.50	7.06	35.40
PK	7.3127G	56.25	74.00	-17.75	46.28	3	Horizontal	230	2.64	-	37.00	8.54	35.57
AV	7.30948G	47.60	54.00	-6.40	37.64	3	Horizontal	230	2.64	-	37.00	8.53	35.57

802.11b_Nss1,(1Mbps)_2TX

2457MHz_TX




EUT_V_2TX
Setting 19.25
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.458G	116.48	Inf	-Inf	83.60	3	Vertical	341	1.80	-	28.45	4.43	-	
AV	2.4588G	112.55	Inf	-Inf	79.67	3	Vertical	341	1.80	-	28.45	4.43	-	
PK	2.4835G	62.03	74.00	-11.97	28.99	3	Vertical	341	1.80	-	28.60	4.44	-	
AV	2.4835G	51.05	54.00	-2.95	18.01	3	Vertical	341	1.80	-	28.60	4.44	-	

802.11b_Nss1,(1Mbps)_2TX

2462MHz_TX




EUT_V_2TX
Setting 19.5
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.463G	117.17	Inf	-Inf	84.26	3	Vertical	340	1.80	-	28.48	4.43	-
AV	2.4638G	113.24	Inf	-Inf	80.33	3	Vertical	340	1.80	-	28.48	4.43	-
PK	2.488G	63.20	74.00	-10.80	30.13	3	Vertical	340	1.80	-	28.63	4.44	-
AV	2.4878G	53.11	54.00	-0.89	20.04	3	Vertical	340	1.80	-	28.63	4.44	-

802.11b_Nss1,(1Mbps)_2TX

2462MHz_TX




EUT X_2TX
Setting 19.5
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.92407G	49.50	74.00	-24.50	44.18	3	Vertical	168	1.70	-	33.65	7.04	35.37
AV	4.92405G	39.83	54.00	-14.17	34.51	3	Vertical	168	1.70	-	33.65	7.04	35.37
PK	7.38684G	54.71	74.00	-19.29	44.47	3	Vertical	189	1.80	-	37.07	8.76	35.59
AV	7.38684G	43.51	54.00	-10.49	33.27	3	Vertical	189	1.80	-	37.07	8.76	35.59

802.11b_Nss1,(1Mbps)_2TX

2462MHz_TX




EUT X_2TX
Setting 19.5
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.92424G	47.64	74.00	-26.36	42.32	3	Horizontal	242	2.23	-	33.65	7.04	35.37
AV	4.92404G	34.64	54.00	-19.36	29.32	3	Horizontal	242	2.23	-	33.65	7.04	35.37
PK	7.38978G	53.49	74.00	-20.51	43.23	3	Horizontal	232	2.69	-	37.08	8.77	35.59
AV	7.38536G	40.09	54.00	-13.91	29.85	3	Horizontal	232	2.69	-	37.07	8.76	35.59

802.11b_Nss1,(1Mbps)_2TX

2467MHz_TX




EUT Y_2TX
Setting 13.25
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.466G	111.22	Inf	-Inf	78.29	3	Vertical	339	1.80	-	28.50	4.43	-
AV	2.4652G	107.36	Inf	-Inf	74.44	3	Vertical	339	1.80	-	28.49	4.43	-
PK	2.4835G	62.49	74.00	-11.51	29.45	3	Vertical	339	1.80	-	28.60	4.44	-
AV	2.4835G	53.43	54.00	-0.57	20.39	3	Vertical	339	1.80	-	28.60	4.44	-

802.11b_Nss1,(1Mbps)_2TX

2467MHz_TX




EUT X_2TX
Setting 13.25
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.93409G	48.78	74.00	-25.22	43.44	3	Vertical	194	1.84	-	33.67	7.03	35.36	
AV	4.93405G	37.96	54.00	-16.04	32.62	3	Vertical	194	1.84	-	33.67	7.03	35.36	

802.11b_Nss1,(1Mbps)_2TX

2467MHz_TX




EUT X_2TX
Setting 13.25
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.93527G	47.38	74.00	-26.62	42.04	3	Horizontal	275	2.02	-	33.67	7.03	35.36	
AV	4.93419G	34.05	54.00	-19.95	28.71	3	Horizontal	275	2.02	-	33.67	7.03	35.36	

802.11b_Nss1,(1Mbps)_2TX

2472MHz_TX




EUT_V_2TX
Setting 8
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.473G	105.99	Inf	-Inf	73.01	3	Vertical	340	1.77	-	28.54	4.44	-	
AV	2.4702G	101.96	Inf	-Inf	69.00	3	Vertical	340	1.77	-	28.52	4.44	-	
PK	2.4844G	62.30	74.00	-11.70	29.25	3	Vertical	340	1.77	-	28.61	4.44	-	
AV	2.4842G	53.42	54.00	-0.58	20.37	3	Vertical	340	1.77	-	28.61	4.44	-	

802.11b_Nss1,(1Mbps)_2TX

2472MHz_TX




EUT_X_2TX
Setting 8
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.94016G	47.37	74.00	-26.63	42.02	3	Vertical	183	1.29	-	33.68	7.03	35.36	
AV	4.94406G	33.17	54.00	-20.83	27.81	3	Vertical	183	1.29	-	33.69	7.03	35.36	

802.11b_Nss1,(1Mbps)_2TX

2472MHz_TX




EUT X_2TX
Setting 8
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.93902G	47.31	74.00	-26.69	41.96	3	Horizontal	169	2.10	-	33.68	7.03	35.36	
AV	4.94458G	33.14	54.00	-20.86	27.78	3	Horizontal	169	2.10	-	33.69	7.03	35.36	

802.11g_Nss1,(6Mbps)_2TX

2412MHz_TX




EUT Y_2TX
Setting 17.5
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.3898G	73.82	74.00	-0.18	41.11	3	Vertical	360	1.52	-	28.32	4.39	-	
AV	2.39G	52.54	54.00	-1.46	19.83	3	Vertical	360	1.52	-	28.32	4.39	-	
PK	2.4182G	117.65	Inf	-Inf	84.90	3	Vertical	360	1.52	-	28.34	4.41	-	
AV	2.4174G	105.59	Inf	-Inf	72.85	3	Vertical	360	1.52	-	28.33	4.41	-	

802.11g_Nss1,(6Mbps)_2TX

2412MHz_TX




EUT_X_2TX
Setting 17.5
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.83348G	47.96	74.00	-26.04	42.90	3	Vertical	170	1.15	-	33.40	7.08	35.42	
AV	4.82328G	34.21	54.00	-19.79	29.14	3	Vertical	170	1.15	-	33.40	7.09	35.42	

802.11g_Nss1,(6Mbps)_2TX

2412MHz_TX




EUT_X_2TX
Setting 17.5
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.83136G	47.93	74.00	-26.07	42.87	3	Horizontal	55	1.91	-	33.40	7.08	35.42
AV	4.82308G	33.53	54.00	-20.47	28.46	3	Horizontal	55	1.91	-	33.40	7.09	35.42

802.11g_Nss1,(6Mbps)_2TX

2417MHz_TX




EUT_Y_2TX
Setting 18.5
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.39G	73.53	74.00	-0.47	40.82	3	Vertical	0	1.51	-	28.32	4.39	-
AV	2.39G	51.92	54.00	-2.08	19.21	3	Vertical	0	1.51	-	28.32	4.39	-
PK	2.4182G	120.25	Inf	-Inf	87.50	3	Vertical	0	1.51	-	28.34	4.41	-
AV	2.4178G	107.86	Inf	-Inf	75.11	3	Vertical	0	1.51	-	28.34	4.41	-

802.11g_Nss1,(6Mbps)_2TX

2437MHz_TX




EUT_V_2TX
Setting 23.25
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3898G	68.04	74.00	-5.96	35.33	3	Vertical	357	1.28	-	28.32	4.39	-
AV	2.3898G	51.32	54.00	-2.68	18.61	3	Vertical	357	1.28	-	28.32	4.39	-
PK	2.4378G	124.50	Inf	-Inf	91.70	3	Vertical	357	1.28	-	28.38	4.42	-
AV	2.4382G	114.06	Inf	-Inf	81.26	3	Vertical	357	1.28	-	28.38	4.42	-
PK	2.4862G	72.84	74.00	-1.16	39.78	3	Vertical	357	1.28	-	28.62	4.44	-
AV	2.4838G	53.82	54.00	-0.18	20.78	3	Vertical	357	1.28	-	28.60	4.44	-

802.11g_Nss1,(6Mbps)_2TX

2437MHz_TX




EUT X_2TX
Setting 23.25
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87152G	55.44	74.00	-18.56	50.29	3	Vertical	172	1.80	-	33.49	7.06	35.40
AV	4.87652G	40.34	54.00	-13.66	35.16	3	Vertical	172	1.80	-	33.51	7.06	35.39
PK	7.31216G	62.18	74.00	-11.82	52.21	3	Vertical	191	2.16	-	37.00	8.54	35.57
AV	7.31004G	47.55	54.00	-6.45	37.59	3	Vertical	191	2.16	-	37.00	8.53	35.57

802.11g_Nss1,(6Mbps)_2TX

2437MHz_TX




EUT X_2TX
Setting 23.25
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87748G	50.48	74.00	-23.52	45.30	3	Horizontal	259	2.29	-	33.51	7.06	35.39
AV	4.87724G	35.71	54.00	-18.29	30.53	3	Horizontal	259	2.29	-	33.51	7.06	35.39
PK	7.31232G	58.92	74.00	-15.08	48.95	3	Horizontal	249	2.21	-	37.00	8.54	35.57
AV	7.3122G	44.76	54.00	-9.24	34.79	3	Horizontal	249	2.21	-	37.00	8.54	35.57

802.11g_Nss1,(6Mbps)_2TX

2457MHz_TX




EUT Y_2TX
Setting 19
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4584G	120.48	Inf	-Inf	87.60	3	Vertical	360	1.51	-	28.45	4.43	-
AV	2.458G	109.01	Inf	-Inf	76.13	3	Vertical	360	1.51	-	28.45	4.43	-
PK	2.4835G	72.99	74.00	-1.01	39.95	3	Vertical	360	1.51	-	28.60	4.44	-
AV	2.4835G	53.79	54.00	-0.21	20.75	3	Vertical	360	1.51	-	28.60	4.44	-

802.11g_Nss1,(6Mbps)_2TX

2462MHz_TX




EUT_V_2TX
Setting 17
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.4634G	118.96	Inf	-Inf	86.05	3	Vertical	360	1.47	-	28.48	4.43	-	
AV	2.463G	108.80	Inf	-Inf	75.89	3	Vertical	360	1.47	-	28.48	4.43	-	
PK	2.4835G	73.43	74.00	-0.57	40.39	3	Vertical	360	1.47	-	28.60	4.44	-	
AV	2.4835G	53.18	54.00	-0.82	20.14	3	Vertical	360	1.47	-	28.60	4.44	-	

802.11g_Nss1,(6Mbps)_2TX

2462MHz_TX




EUT_X_2TX
Setting 17
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.92652G	48.22	74.00	-25.78	42.90	3	Vertical	76	1.65	-	33.65	7.04	35.37
AV	4.92772G	33.68	54.00	-20.32	28.35	3	Vertical	76	1.65	-	33.66	7.04	35.37

802.11g_Nss1,(6Mbps)_2TX

2462MHz_TX




EUT X_2TX
Setting 17
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.9261G	48.08	74.00	-25.92	42.76	3	Horizontal	138	2.04	-	33.65	7.04	35.37
AV	4.92676G	33.70	54.00	-20.30	28.38	3	Horizontal	138	2.04	-	33.65	7.04	35.37

802.11g_Nss1,(6Mbps)_2TX

2467MHz_TX




EUT Y_2TX
Setting 16.5
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4684G	118.13	Inf	-Inf	85.19	3	Vertical	1	1.43	-	28.51	4.43	-
AV	2.4674G	105.99	Inf	-Inf	73.06	3	Vertical	1	1.43	-	28.50	4.43	-
PK	2.4842G	73.43	74.00	-0.57	40.38	3	Vertical	1	1.43	-	28.61	4.44	-
AV	2.4835G	53.76	54.00	-0.24	20.72	3	Vertical	1	1.43	-	28.60	4.44	-

802.11g_Nss1,(6Mbps)_2TX

2467MHz_TX




EUT X_2TX
Setting 16.5
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.93112G	48.05	74.00	-25.95	42.73	3	Vertical	178	1.51	-	33.66	7.03	35.37	
AV	4.93384G	33.48	54.00	-20.52	28.14	3	Vertical	178	1.51	-	33.67	7.03	35.36	

802.11g_Nss1,(6Mbps)_2TX

2467MHz_TX




EUT X_2TX
Setting 16.5
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.93546G	48.24	74.00	-25.76	42.90	3	Horizontal	353	1.30	-	33.67	7.03	35.36
AV	4.93402G	33.50	54.00	-20.50	28.16	3	Horizontal	353	1.30	-	33.67	7.03	35.36

802.11g_Nss1,(6Mbps)_2TX

2472MHz_TX




EUT Y_2TX
Setting 11.25
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4732G	114.93	Inf	-Inf	81.95	3	Vertical	2	1.37	-	28.54	4.44	-
AV	2.4702G	102.94	Inf	-Inf	69.98	3	Vertical	2	1.37	-	28.52	4.44	-
PK	2.4836G	70.26	74.00	-3.74	37.22	3	Vertical	2	1.37	-	28.60	4.44	-
AV	2.4835G	53.35	54.00	-0.65	20.31	3	Vertical	2	1.37	-	28.60	4.44	-

802.11g_Nss1,(6Mbps)_2TX

2472MHz_TX




EUT_X_2TX
Setting 11.25
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.93906G	47.40	74.00	-26.60	42.05	3	Vertical	326	2.66	-	33.68	7.03	35.36
AV	4.94378G	33.47	54.00	-20.53	28.11	3	Vertical	326	2.66	-	33.69	7.03	35.36

802.11g_Nss1,(6Mbps)_2TX

2472MHz_TX




EUT_X_2TX
Setting 11.25
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.94744G	47.78	74.00	-26.22	42.42	3	Horizontal	70	1.72	-	33.69	7.03	35.36
AV	4.94366G	33.47	54.00	-20.53	28.11	3	Horizontal	70	1.72	-	33.69	7.03	35.36

802.11ax HEW20_Nss1,(MCS0)_2TX

2412MHz_TX




EUT_V_2TX
Setting 17.25
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.39G	72.85	74.00	-1.15	40.14	3	Vertical	169	1.73	-	28.32	4.39	-
AV	2.39G	50.66	54.00	-3.34	17.95	3	Vertical	169	1.73	-	28.32	4.39	-
PK	2.4116G	120.37	Inf	-Inf	87.64	3	Vertical	169	1.73	-	28.32	4.41	-
AV	2.4112G	105.14	Inf	-Inf	72.41	3	Vertical	169	1.73	-	28.32	4.41	-

802.11ax HEW20_Nss1,(MCS0)_2TX

2412MHz_TX




EUT X_2TX
Setting 17.25
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.82388G	47.00	74.00	-27.00	41.93	3	Vertical	316	2.33	-	33.40	7.09	35.42
AV	4.82358G	33.33	54.00	-20.67	28.26	3	Vertical	316	2.33	-	33.40	7.09	35.42

802.11ax HEW20_Nss1,(MCS0)_2TX

2412MHz_TX




EUT X_2TX
Setting 17.25
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.82048G	47.33	74.00	-26.67	42.26	3	Horizontal	205	1.12	-	33.40	7.09	35.42
AV	4.82336G	33.33	54.00	-20.67	28.26	3	Horizontal	205	1.12	-	33.40	7.09	35.42

802.11ax HEW20_Nss1,(MCS0)_2TX

2417MHz_TX




EUT Y_2TX
Setting 19
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.386G	72.17	74.00	-1.83	39.45	3	Vertical	2	1.55	-	28.33	4.39	-
AV	2.39G	53.76	54.00	-0.24	21.05	3	Vertical	2	1.55	-	28.32	4.39	-
PK	2.4166G	122.87	Inf	-Inf	90.13	3	Vertical	2	1.55	-	28.33	4.41	-
AV	2.416G	107.71	Inf	-Inf	74.97	3	Vertical	2	1.55	-	28.33	4.41	-

802.11ax HEW20_Nss1,(MCS0)_2TX

2437MHz_TX




EUT_V_2TX
Setting 22.75
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3886G	67.21	74.00	-6.79	34.50	3	Vertical	360	1.29	-	28.32	4.39	-
AV	2.3898G	51.00	54.00	-3.00	18.29	3	Vertical	360	1.29	-	28.32	4.39	-
PK	2.4366G	125.67	Inf	-Inf	92.88	3	Vertical	360	1.29	-	28.37	4.42	-
AV	2.4378G	112.86	Inf	-Inf	80.06	3	Vertical	360	1.29	-	28.38	4.42	-
PK	2.4838G	70.77	74.00	-3.23	37.73	3	Vertical	360	1.29	-	28.60	4.44	-
AV	2.4835G	53.80	54.00	-0.20	20.76	3	Vertical	360	1.29	-	28.60	4.44	-

802.11ax HEW20_Nss1,(MCS0)_2TX

2437MHz_TX




EUT_X_2TX
Setting 22.75
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87752G	53.19	74.00	-20.81	48.01	3	Vertical	175	1.58	-	33.51	7.06	35.39
AV	4.87732G	38.95	54.00	-15.05	33.77	3	Vertical	175	1.58	-	33.51	7.06	35.39
PK	7.30772G	58.79	74.00	-15.21	48.84	3	Vertical	192	2.23	-	37.00	8.52	35.57
AV	7.3104G	45.07	54.00	-8.93	35.11	3	Vertical	192	2.23	-	37.00	8.53	35.57

802.11ax HEW20_Nss1,(MCS0)_2TX

2437MHz_TX




EUT_X_2TX
Setting 22.75
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8696G	48.50	74.00	-25.50	43.35	3	Horizontal	264	1.80	-	33.48	7.07	35.40
AV	4.87536G	34.69	54.00	-19.31	29.52	3	Horizontal	264	1.80	-	33.50	7.06	35.39
PK	7.31004G	58.92	74.00	-15.08	48.96	3	Horizontal	238	2.66	-	37.00	8.53	35.57
AV	7.31136G	45.23	54.00	-8.77	35.27	3	Horizontal	238	2.66	-	37.00	8.53	35.57

802.11ax HEW20_Nss1,(MCS0)_2TX

2457MHz_TX




EUT Y_2TX
Setting 18.25
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.4564G	121.85	Inf	-Inf	88.98	3	Vertical	0	1.46	-	28.44	4.43	-	
AV	2.4558G	106.60	Inf	-Inf	73.74	3	Vertical	0	1.46	-	28.43	4.43	-	
PK	2.4838G	73.05	74.00	-0.95	40.01	3	Vertical	0	1.46	-	28.60	4.44	-	
AV	2.4835G	53.20	54.00	-0.80	20.16	3	Vertical	0	1.46	-	28.60	4.44	-	

802.11ax HEW20_Nss1,(MCS0)_2TX

2462MHz_TX




EUT_V_2TX
Setting 16.5
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4616G	120.41	Inf	-Inf	87.51	3	Vertical	1	1.47	-	28.47	4.43	-
AV	2.461G	105.24	Inf	-Inf	72.34	3	Vertical	1	1.47	-	28.47	4.43	-
PK	2.4835G	73.69	74.00	-0.31	40.65	3	Vertical	1	1.47	-	28.60	4.44	-
AV	2.4838G	51.19	54.00	-2.81	18.15	3	Vertical	1	1.47	-	28.60	4.44	-

802.11ax HEW20_Nss1,(MCS0)_2TX

2462MHz_TX




EUT X_2TX
Setting 16.5
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.92422G	47.21	74.00	-26.79	41.89	3	Vertical	230	2.39	-	33.65	7.04	35.37	
AV	4.92596G	33.34	54.00	-20.66	28.02	3	Vertical	230	2.39	-	33.65	7.04	35.37	

802.11ax HEW20_Nss1,(MCS0)_2TX

2462MHz_TX




EUT X_2TX
Setting 16.5
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.92704G	48.06	74.00	-25.94	42.74	3	Horizontal	23	2.81	-	33.65	7.04	35.37
AV	4.92652G	33.34	54.00	-20.66	28.02	3	Horizontal	23	2.81	-	33.65	7.04	35.37

802.11ax HEW20_Nss1,(MCS0)_2TX

2467MHz_TX




EUT Y_2TX
Setting 16.25
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4664G	120.00	Inf	-Inf	87.07	3	Vertical	3	1.34	-	28.50	4.43	-
AV	2.4658G	104.75	Inf	-Inf	71.83	3	Vertical	3	1.34	-	28.49	4.43	-
PK	2.4856G	72.47	74.00	-1.53	39.42	3	Vertical	3	1.34	-	28.61	4.44	-
AV	2.4835G	53.77	54.00	-0.23	20.73	3	Vertical	3	1.34	-	28.60	4.44	-

802.11ax HEW20_Nss1,(MCS0)_2TX

2467MHz_TX




EUT_X_2TX
Setting 16.25
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.93278G	47.96	74.00	-26.04	42.62	3	Vertical	102	1.34	-	33.67	7.03	35.36	
AV	4.93474G	33.35	54.00	-20.65	28.01	3	Vertical	102	1.34	-	33.67	7.03	35.36	

802.11ax HEW20_Nss1,(MCS0)_2TX

2467MHz_TX




EUT X_2TX
Setting 16.25
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.93424G	48.25	74.00	-25.75	42.91	3	Horizontal	285	2.55	-	33.67	7.03	35.36	
AV	4.9346G	33.36	54.00	-20.64	28.02	3	Horizontal	285	2.55	-	33.67	7.03	35.36	

802.11ax HEW20_Nss1,(MCS0)_2TX

2472MHz_TX




EUT_V_2TX
Setting 7.75
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4714G	112.14	Inf	-Inf	79.17	3	Vertical	2	1.34	-	28.53	4.44	-
AV	2.4708G	97.30	Inf	-Inf	64.34	3	Vertical	2	1.34	-	28.52	4.44	-
PK	2.4835G	70.71	74.00	-3.29	37.67	3	Vertical	2	1.34	-	28.60	4.44	-
AV	2.4835G	53.49	54.00	-0.51	20.45	3	Vertical	2	1.34	-	28.60	4.44	-

802.11ax HEW20_Nss1,(MCS0)_2TX

2472MHz_TX




EUT X_2TX
Setting 7.75
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.94264G	47.82	74.00	-26.18	42.46	3	Vertical	130	2.58	-	33.69	7.03	35.36	
AV	4.9437G	33.33	54.00	-20.67	27.97	3	Vertical	130	2.58	-	33.69	7.03	35.36	

802.11ax HEW20_Nss1,(MCS0)_2TX

2472MHz_TX




EUT X_2TX
Setting 7.75
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.94714G	47.76	74.00	-26.24	42.40	3	Horizontal	44	2.55	-	33.69	7.03	35.36
AV	4.94314G	33.35	54.00	-20.65	27.99	3	Horizontal	44	2.55	-	33.69	7.03	35.36

802.11ax HEW40_Nss1,(MCS0)_2TX

2422MHz_TX




EUT Y_2TX
Setting 16.5
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.388G	73.42	74.00	-0.58	40.71	3	Vertical	356	1.55	-	28.32	4.39	-
AV	2.3796G	53.42	54.00	-0.58	20.70	3	Vertical	356	1.55	-	28.34	4.38	-
PK	2.4252G	115.45	Inf	-Inf	82.69	3	Vertical	356	1.55	-	28.35	4.41	-
AV	2.4176G	102.33	Inf	-Inf	69.58	3	Vertical	356	1.55	-	28.34	4.41	-
PK	2.486G	66.99	74.00	-7.01	33.93	3	Vertical	356	1.55	-	28.62	4.44	-
AV	2.4835G	51.33	54.00	-2.67	18.29	3	Vertical	356	1.55	-	28.60	4.44	-

802.11ax HEW40_Nss1,(MCS0)_2TX

2422MHz_TX




EUT Y_2TX
Setting 16.5
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.84014G	46.92	74.00	-27.08	41.85	3	Vertical	179	1.26	-	33.40	7.08	35.41
AV	4.83948G	33.22	54.00	-20.78	28.15	3	Vertical	179	1.26	-	33.40	7.08	35.41

802.11ax HEW40_Nss1,(MCS0)_2TX

2422MHz_TX




EUT Y_2TX
Setting 16.5
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.84172G	47.67	74.00	-26.33	42.60	3	Horizontal	3	2.42	-	33.40	7.08	35.41	
AV	4.84016G	33.24	54.00	-20.76	28.17	3	Horizontal	3	2.42	-	33.40	7.08	35.41	

802.11ax HEW40_Nss1,(MCS0)_2TX

2437MHz_TX




EUT_Y_2TX
Setting 16.25
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3866G	65.37	74.00	-8.63	32.65	3	Vertical	354	1.54	-	28.33	4.39	-
AV	2.389G	51.72	54.00	-2.28	19.01	3	Vertical	354	1.54	-	28.32	4.39	-
PK	2.4398G	116.36	Inf	-Inf	83.56	3	Vertical	354	1.54	-	28.38	4.42	-
AV	2.4346G	103.36	Inf	-Inf	70.57	3	Vertical	354	1.54	-	28.37	4.42	-
PK	2.4835G	73.87	74.00	-0.13	40.83	3	Vertical	354	1.54	-	28.60	4.44	-
AV	2.4838G	53.78	54.00	-0.22	20.74	3	Vertical	354	1.54	-	28.60	4.44	-

802.11ax HEW40_Nss1,(MCS0)_2TX

2437MHz_TX




EUT X_2TX
Setting 16.25
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.8772G	48.11	74.00	-25.89	42.93	3	Vertical	347	2.45	-	33.51	7.06	35.39	
AV	4.87354G	33.80	54.00	-20.20	28.65	3	Vertical	347	2.45	-	33.49	7.06	35.40	

802.11ax HEW40_Nss1,(MCS0)_2TX

2437MHz_TX




EUT X_2TX
Setting 16.25
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.86994G	48.28	74.00	-25.72	43.13	3	Horizontal	2	1.88	-	33.48	7.07	35.40
AV	4.87282G	33.80	54.00	-20.20	28.65	3	Horizontal	2	1.88	-	33.49	7.06	35.40

802.11ax HEW40_Nss1,(MCS0)_2TX

2452MHz_TX




EUT Y_2TX
Setting 15.25
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3892G	59.23	74.00	-14.77	26.52	3	Vertical	6	1.24	-	28.32	4.39	-
AV	2.3876G	46.92	54.00	-7.08	14.21	3	Vertical	6	1.24	-	28.32	4.39	-
PK	2.4504G	113.75	Inf	-Inf	80.92	3	Vertical	6	1.24	-	28.40	4.43	-
AV	2.45G	100.49	Inf	-Inf	67.66	3	Vertical	6	1.24	-	28.40	4.43	-
PK	2.4896G	67.53	74.00	-6.47	34.45	3	Vertical	6	1.24	-	28.64	4.44	-
AV	2.4888G	53.49	54.00	-0.51	20.42	3	Vertical	6	1.24	-	28.63	4.44	-

802.11ax HEW40_Nss1,(MCS0)_2TX

2452MHz_TX




EUT Y_2TX
Setting 15.25
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.90296G	47.54	74.00	-26.46	42.26	3	Vertical	167	1.94	-	33.61	7.05	35.38
AV	4.89788G	34.17	54.00	-19.83	28.91	3	Vertical	167	1.94	-	33.59	7.05	35.38
PK	7.35356G	53.13	74.00	-20.87	43.04	3	Vertical	348	1.70	-	37.01	8.66	35.58
AV	7.34644G	38.56	54.00	-15.44	28.50	3	Vertical	348	1.70	-	37.00	8.64	35.58

802.11ax HEW40_Nss1,(MCS0)_2TX

2452MHz_TX




EUT Y_2TX
Setting 15.25
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.89788G	47.69	74.00	-26.31	42.43	3	Horizontal	296	2.96	-	33.59	7.05	35.38
AV	4.89444G	33.57	54.00	-20.43	28.32	3	Horizontal	296	2.96	-	33.58	7.05	35.38
PK	7.34872G	52.38	74.00	-21.62	42.31	3	Horizontal	334	1.80	-	37.00	8.65	35.58
AV	7.34616G	38.35	54.00	-15.65	28.29	3	Horizontal	334	1.80	-	37.00	8.64	35.58

802.11ax HEW40_Nss1,(MCS0)_2TX

2457MHz_TX




EUT_V_2TX
Setting 15
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3838G	59.93	74.00	-14.07	27.22	3	Vertical	0	1.47	-	28.33	4.38	-
AV	2.3838G	47.30	54.00	-6.70	14.59	3	Vertical	0	1.47	-	28.33	4.38	-
PK	2.4602G	115.44	Inf	-Inf	82.55	3	Vertical	0	1.47	-	28.46	4.43	-
AV	2.4546G	101.96	Inf	-Inf	69.10	3	Vertical	0	1.47	-	28.43	4.43	-
PK	2.485G	70.07	74.00	-3.93	37.02	3	Vertical	0	1.47	-	28.61	4.44	-
AV	2.4835G	53.92	54.00	-0.08	20.88	3	Vertical	0	1.47	-	28.60	4.44	-

802.11ax HEW40_Nss1,(MCS0)_2TX

2457MHz_TX




EUT X_2TX
Setting 15
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.91036G	47.68	74.00	-26.32	42.40	3	Vertical	148	2.85	-	33.62	7.04	35.38	
AV	4.91036G	33.56	54.00	-20.44	28.28	3	Vertical	148	2.85	-	33.62	7.04	35.38	

802.11ax HEW40_Nss1,(MCS0)_2TX

2457MHz_TX




EUT X_2TX
Setting 15
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.91748G	47.65	74.00	-26.35	42.35	3	Horizontal	355	1.21	-	33.63	7.04	35.37
AV	4.91052G	33.54	54.00	-20.46	28.26	3	Horizontal	355	1.21	-	33.62	7.04	35.38

802.11ax HEW40_Nss1,(MCS0)_2TX

2462MHz_TX




EUT_V_2TX
Setting 13.25
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3712G	59.65	74.00	-14.35	26.92	3	Vertical	360	1.47	-	28.36	4.37	-
AV	2.3816G	46.84	54.00	-7.16	14.12	3	Vertical	360	1.47	-	28.34	4.38	-
PK	2.4624G	113.84	Inf	-Inf	80.94	3	Vertical	360	1.47	-	28.47	4.43	-
AV	2.464G	100.45	Inf	-Inf	67.54	3	Vertical	360	1.47	-	28.48	4.43	-
PK	2.4835G	67.30	74.00	-6.70	34.26	3	Vertical	360	1.47	-	28.60	4.44	-
AV	2.4835G	53.88	54.00	-0.12	20.84	3	Vertical	360	1.47	-	28.60	4.44	-

802.11ax HEW40_Nss1,(MCS0)_2TX

2462MHz_TX




EUT X_2TX
Setting 13.25
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.92286G	47.27	74.00	-26.73	41.95	3	Vertical	337	1.09	-	33.65	7.04	35.37
AV	4.92696G	33.53	54.00	-20.47	28.21	3	Vertical	337	1.09	-	33.65	7.04	35.37

802.11ax HEW40_Nss1,(MCS0)_2TX

2462MHz_TX



EUT X_2TX
Setting 13.25
03-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.92192G	47.35	74.00	-26.65	42.04	3	Horizontal	93	1.28	-	33.64	7.04	35.37
AV	4.92818G	33.52	54.00	-20.48	28.19	3	Horizontal	93	1.28	-	33.66	7.04	35.37



RSE TX above 1GHz
<Partial RU> RU 26_Ant. 1 (1TX)


Appendix E.8

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	AV	2.4835G	53.93	54.00	-0.07	3	Horizontal	108	1.45	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2412MHz_TX




EUT X_1TX
Setting 23.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.388G	72.66	74.00	-1.34	40.02	3	Vertical	170	2.95	-	28.25	4.39	-
AV	2.3872G	47.46	54.00	-6.54	14.82	3	Vertical	170	2.95	-	28.25	4.39	-
PK	2.4038G	121.58	Inf	-Inf	88.88	3	Vertical	170	2.95	-	28.30	4.40	-
AV	2.4036G	109.39	Inf	-Inf	76.69	3	Vertical	170	2.95	-	28.30	4.40	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2412MHz_TX




EUT X_1TX
Setting 23.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.388G	73.33	74.00	-0.67	40.69	3	Horizontal	108	1.66	-	28.25	4.39	-
AV	2.3872G	47.86	54.00	-6.14	15.22	3	Horizontal	108	1.66	-	28.25	4.39	-
PK	2.4038G	122.33	Inf	-Inf	89.63	3	Horizontal	108	1.66	-	28.30	4.40	-
AV	2.4036G	110.16	Inf	-Inf	77.46	3	Horizontal	108	1.66	-	28.30	4.40	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2412MHz_TX




EUT Y_1TX
Setting 23.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.8072G	55.85	74.00	-18.15	50.94	3	Vertical	217	1.31	-	33.24	7.10	35.43	
AV	4.8074G	38.62	54.00	-15.38	33.71	3	Vertical	217	1.31	-	33.24	7.10	35.43	

802.11ax HEW20_Nss1,(MCS0)_1TX

2412MHz_TX




EUT V_1TX
Setting 23.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.8078G	55.53	74.00	-18.47	50.61	3	Horizontal	52	2.41	-	33.25	7.10	35.43	
AV	4.8072G	39.23	54.00	-14.77	34.32	3	Horizontal	52	2.41	-	33.24	7.10	35.43	

802.11ax HEW20_Nss1,(MCS0)_1TX

2437MHz_TX




EUT X_1TX
Setting 24
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3898G	58.53	74.00	-15.47	25.88	3	Vertical	166	2.51	-	28.26	4.39	-
AV	2.365G	46.62	54.00	-7.38	14.09	3	Vertical	166	2.51	-	28.16	4.37	-
PK	2.4454G	121.88	Inf	-Inf	89.16	3	Vertical	166	2.51	-	28.30	4.42	-
AV	2.445G	110.40	Inf	-Inf	77.68	3	Vertical	166	2.51	-	28.30	4.42	-
PK	2.4906G	61.44	74.00	-12.56	28.53	3	Vertical	166	2.51	-	28.46	4.45	-
AV	2.4858G	47.30	54.00	-6.70	14.42	3	Vertical	166	2.51	-	28.44	4.44	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2437MHz_TX




EUT X_1TX
Setting 24
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3898G	60.54	74.00	-13.46	27.89	3	Horizontal	109	1.42	-	28.26	4.39	-
AV	2.365G	46.73	54.00	-7.27	14.20	3	Horizontal	109	1.42	-	28.16	4.37	-
PK	2.4454G	122.70	Inf	-Inf	89.98	3	Horizontal	109	1.42	-	28.30	4.42	-
AV	2.445G	111.39	Inf	-Inf	78.67	3	Horizontal	109	1.42	-	28.30	4.42	-
PK	2.4858G	61.98	74.00	-12.02	29.10	3	Horizontal	109	1.42	-	28.44	4.44	-
AV	2.4858G	47.88	54.00	-6.12	15.00	3	Horizontal	109	1.42	-	28.44	4.44	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2437MHz_TX




EUT_V_1TX
Setting 24
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8908G	56.81	74.00	-17.19	51.44	3	Vertical	152	1.20	-	33.66	7.10	35.39
AV	4.8908G	40.43	54.00	-13.57	35.06	3	Vertical	152	1.20	-	33.66	7.10	35.39
PK	7.3348G	62.24	74.00	-11.76	52.38	3	Vertical	5	2.55	-	36.97	8.47	35.58
AV	7.3364G	42.10	54.00	-11.90	32.24	3	Vertical	5	2.55	-	36.97	8.47	35.58

802.11ax HEW20_Nss1,(MCS0)_1TX

2437MHz_TX




EUT_V_1TX
Setting 24
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8908G	55.54	74.00	-18.46	50.17	3	Horizontal	214	2.62	-	33.66	7.10	35.39
AV	4.891G	39.78	54.00	-14.22	34.41	3	Horizontal	214	2.62	-	33.66	7.10	35.39
PK	7.338G	61.00	74.00	-13.00	51.12	3	Horizontal	319	2.38	-	36.98	8.48	35.58
AV	7.3364G	41.36	54.00	-12.64	31.50	3	Horizontal	319	2.38	-	36.97	8.47	35.58

802.11ax HEW20_Nss1,(MCS0)_1TX

2462MHz_TX




EUT X_1TX
Setting 21.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4708G	121.19	Inf	-Inf	88.37	3	Vertical	174	2.80	-	28.38	4.44	-
AV	2.47G	109.77	Inf	-Inf	76.95	3	Vertical	174	2.80	-	28.38	4.44	-
PK	2.4835G	73.57	74.00	-0.43	40.70	3	Vertical	174	2.80	-	28.43	4.44	-
AV	2.4872G	49.53	54.00	-4.47	16.64	3	Vertical	174	2.80	-	28.45	4.44	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2462MHz_TX




EUT X_1TX
Setting 21.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4704G	121.45	Inf	-Inf	88.63	3	Horizontal	108	1.60	-	28.38	4.44	-
AV	2.4702G	110.00	Inf	-Inf	77.18	3	Horizontal	108	1.60	-	28.38	4.44	-
PK	2.4836G	73.64	74.00	-0.36	40.77	3	Horizontal	108	1.60	-	28.43	4.44	-
AV	2.4872G	50.13	54.00	-3.87	17.24	3	Horizontal	108	1.60	-	28.45	4.44	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2462MHz_TX




EUT Y_1TX
Setting 21.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.9404G	57.70	74.00	-16.30	52.18	3	Vertical	269	1.28	-	33.78	7.10	35.36	
AV	4.9406G	40.56	54.00	-13.44	35.04	3	Vertical	269	1.28	-	33.78	7.10	35.36	

802.11ax HEW20_Nss1,(MCS0)_1TX

2462MHz_TX




EUT V_1TX
Setting 21.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.9398G	55.14	74.00	-18.86	49.62	3	Horizontal	25	2.88	-	33.78	7.10	35.36
AV	4.9406G	39.72	54.00	-14.28	34.20	3	Horizontal	25	2.88	-	33.78	7.10	35.36

802.11ax HEW20_Nss1,(MCS0)_1TX

2467MHz_TX




EUT X_1TX
Setting 16.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4748G	117.36	Inf	-Inf	84.52	3	Vertical	165	2.81	-	28.40	4.44	-
AV	2.475G	105.21	Inf	-Inf	72.37	3	Vertical	165	2.81	-	28.40	4.44	-
PK	2.4835G	73.11	74.00	-0.89	40.24	3	Vertical	165	2.81	-	28.43	4.44	-
AV	2.4838G	47.67	54.00	-6.33	14.79	3	Vertical	165	2.81	-	28.44	4.44	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2467MHz_TX




EUT X_1TX
Setting 16.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.475G	117.55	Inf	-Inf	84.71	3	Horizontal	108	1.00	-	28.40	4.44	-
AV	2.475G	105.30	Inf	-Inf	72.46	3	Horizontal	108	1.00	-	28.40	4.44	-
PK	2.4835G	73.61	74.00	-0.39	40.74	3	Horizontal	108	1.00	-	28.43	4.44	-
AV	2.4838G	47.77	54.00	-6.23	14.89	3	Horizontal	108	1.00	-	28.44	4.44	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2467MHz_TX




EUT Y_1TX
Setting 16.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.951G	48.07	74.00	-25.93	42.53	3	Vertical	153	1.67	-	33.80	7.10	35.36	
AV	4.951G	34.95	54.00	-19.05	29.41	3	Vertical	153	1.67	-	33.80	7.10	35.36	

802.11ax HEW20_Nss1,(MCS0)_1TX

2467MHz_TX




EUT Y_1TX
Setting 16.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8946G	47.36	74.00	-26.64	41.96	3	Horizontal	18	1.61	-	33.68	7.10	35.38
AV	4.9008G	35.00	54.00	-19.00	29.58	3	Horizontal	18	1.61	-	33.70	7.10	35.38

802.11ax HEW20_Nss1,(MCS0)_1TX

2472MHz_TX




EUT_X_1TX
Setting 3.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.48G	104.19	Inf	-Inf	71.33	3	Vertical	164	2.48	-	28.42	4.44	-	
AV	2.48G	92.13	Inf	-Inf	59.27	3	Vertical	164	2.48	-	28.42	4.44	-	
PK	2.4835G	68.97	74.00	-5.03	36.10	3	Vertical	164	2.48	-	28.43	4.44	-	
AV	2.4835G	53.35	54.00	-0.65	20.48	3	Vertical	164	2.48	-	28.43	4.44	-	

802.11ax HEW20_Nss1,(MCS0)_1TX

2472MHz_TX




EUT X_1TX
Setting 3.75
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	2.48G	104.95	Inf	-Inf	72.09	3	Horizontal	108	1.45	-	28.42	4.44	-	
AV	2.48G	92.90	Inf	-Inf	60.04	3	Horizontal	108	1.45	-	28.42	4.44	-	
PK	2.4835G	69.86	74.00	-4.14	36.99	3	Horizontal	108	1.45	-	28.43	4.44	-	
AV	2.4835G	53.93	54.00	-0.07	21.06	3	Horizontal	108	1.45	-	28.43	4.44	-	

802.11ax HEW20_Nss1,(MCS0)_1TX

2472MHz_TX




EUT Y_1TX
Setting 3.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.9458G	47.07	74.00	-26.93	41.54	3	Vertical	317	2.80	-	33.79	7.10	35.36	
AV	4.93458G	33.41	54.00	-20.59	27.90	3	Vertical	317	2.80	-	33.77	7.10	35.36	

802.11ax HEW20_Nss1,(MCS0)_1TX

2472MHz_TX



EUT V_1TX
Setting 3.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.95288G	48.05	74.00	-25.95	42.51	3	Horizontal	36	1.20	-	33.79	7.10	35.35	
AV	4.95156G	33.39	54.00	-20.61	27.85	3	Horizontal	36	1.20	-	33.80	7.10	35.36	



RSE TX above 1GHz
<Partial RU> RU 52_Ant. 1 (1TX)


Appendix F.9

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	PK	2.4844G	73.98	74.00	-0.02	3	Horizontal	108	1.60	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2412MHz_TX




EUT X_1TX
Setting 23
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.388G	72.50	74.00	-1.50	39.86	3	Vertical	166	2.94	-	28.25	4.39	-	
AV	2.39G	49.45	54.00	-4.55	16.80	3	Vertical	166	2.94	-	28.26	4.39	-	
PK	2.4062G	119.89	Inf	-Inf	87.19	3	Vertical	166	2.94	-	28.30	4.40	-	
AV	2.4056G	105.98	Inf	-Inf	73.28	3	Vertical	166	2.94	-	28.30	4.40	-	

802.11ax HEW20_Nss1,(MCS0)_1TX

2412MHz_TX




EUT X_1TX
Setting 23
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3882G	73.36	74.00	-0.64	40.72	3	Horizontal	109	1.67	-	28.25	4.39	-
AV	2.3896G	49.87	54.00	-4.13	17.22	3	Horizontal	109	1.67	-	28.26	4.39	-
PK	2.4062G	120.40	Inf	-Inf	87.70	3	Horizontal	109	1.67	-	28.30	4.40	-
AV	2.4056G	106.55	Inf	-Inf	73.85	3	Horizontal	109	1.67	-	28.30	4.40	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2412MHz_TX




EUT Y_1TX
Setting 23
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8098G	57.39	74.00	-16.61	52.46	3	Vertical	82	1.48	-	33.26	7.10	35.43
AV	4.8092G	39.33	54.00	-14.67	34.40	3	Vertical	82	1.48	-	33.26	7.10	35.43

802.11ax HEW20_Nss1,(MCS0)_1TX

2412MHz_TX




EUT Y_1TX
Setting 23
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.8098G	53.39	74.00	-20.61	48.46	3	Horizontal	43	1.87	-	33.26	7.10	35.43	
AV	4.8336G	38.10	54.00	-15.90	33.02	3	Horizontal	43	1.87	-	33.40	7.10	35.42	

802.11ax HEW20_Nss1,(MCS0)_1TX

2437MHz_TX




EUT X_1TX
Setting 24
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3898G	59.79	74.00	-14.21	27.14	3	Vertical	168	2.52	-	28.26	4.39	-
AV	2.363G	46.27	54.00	-7.73	13.76	3	Vertical	168	2.52	-	28.15	4.36	-
PK	2.4434G	118.20	Inf	-Inf	85.48	3	Vertical	168	2.52	-	28.30	4.42	-
AV	2.443G	106.30	Inf	-Inf	73.58	3	Vertical	168	2.52	-	28.30	4.42	-
PK	2.485G	61.18	74.00	-12.82	28.30	3	Vertical	168	2.52	-	28.44	4.44	-
AV	2.4862G	46.57	54.00	-7.43	13.69	3	Vertical	168	2.52	-	28.44	4.44	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2437MHz_TX




EUT X_1TX
Setting 24
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.389G	59.37	74.00	-14.63	26.72	3	Horizontal	110	1.41	-	28.26	4.39	-
AV	2.363G	46.25	54.00	-7.75	13.74	3	Horizontal	110	1.41	-	28.15	4.36	-
PK	2.4434G	119.15	Inf	-Inf	86.43	3	Horizontal	110	1.41	-	28.30	4.42	-
AV	2.443G	107.24	Inf	-Inf	74.52	3	Horizontal	110	1.41	-	28.30	4.42	-
PK	2.4846G	61.52	74.00	-12.48	28.64	3	Horizontal	110	1.41	-	28.44	4.44	-
AV	2.4862G	46.86	54.00	-7.14	13.98	3	Horizontal	110	1.41	-	28.44	4.44	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2437MHz_TX




EUT V_1TX
Setting 24
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.887G	55.45	74.00	-18.55	50.09	3	Vertical	319	1.86	-	33.65	7.10	35.39
AV	4.8892G	39.94	54.00	-14.06	34.57	3	Vertical	319	1.86	-	33.66	7.10	35.39
PK	7.3322G	60.87	74.00	-13.13	51.03	3	Vertical	0	2.94	-	36.96	8.46	35.58
AV	7.3322G	46.35	54.00	-7.65	36.51	3	Vertical	0	2.94	-	36.96	8.46	35.58

802.11ax HEW20_Nss1,(MCS0)_1TX

2437MHz_TX




EUT V_1TX
Setting 24
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.887G	54.22	74.00	-19.78	48.86	3	Horizontal	234	1.97	-	33.65	7.10	35.39
AV	4.8896G	39.31	54.00	-14.69	33.94	3	Horizontal	234	1.97	-	33.66	7.10	35.39
PK	7.332G	60.91	74.00	-13.09	51.07	3	Horizontal	322	2.85	-	36.96	8.46	35.58
AV	7.3322G	46.79	54.00	-7.21	36.95	3	Horizontal	322	2.85	-	36.96	8.46	35.58

802.11ax HEW20_Nss1,(MCS0)_1TX

2462MHz_TX




EUT X_1TX
Setting 22.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4684G	118.28	Inf	-Inf	85.48	3	Vertical	175	2.79	-	28.37	4.43	-
AV	2.468G	106.40	Inf	-Inf	73.60	3	Vertical	175	2.79	-	28.37	4.43	-
PK	2.4844G	73.18	74.00	-0.82	40.30	3	Vertical	175	2.79	-	28.44	4.44	-
AV	2.4835G	51.35	54.00	-2.65	18.48	3	Vertical	175	2.79	-	28.43	4.44	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2462MHz_TX




EUT X_1TX
Setting 22.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4684G	118.78	Inf	-Inf	85.98	3	Horizontal	108	1.60	-	28.37	4.43	-
AV	2.468G	106.93	Inf	-Inf	74.13	3	Horizontal	108	1.60	-	28.37	4.43	-
PK	2.4844G	73.98	74.00	-0.02	41.10	3	Horizontal	108	1.60	-	28.44	4.44	-
AV	2.4835G	51.68	54.00	-2.32	18.81	3	Horizontal	108	1.60	-	28.43	4.44	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2462MHz_TX




EUT Y_1TX
Setting 22.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.9384G	52.59	74.00	-21.41	47.07	3	Vertical	157	1.10	-	33.78	7.10	35.36
AV	4.9382G	35.73	54.00	-18.27	30.21	3	Vertical	157	1.10	-	33.78	7.10	35.36

802.11ax HEW20_Nss1,(MCS0)_1TX

2462MHz_TX




EUT V_1TX
Setting 22.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.9378G	47.77	74.00	-26.23	42.25	3	Horizontal	140	1.44	-	33.78	7.10	35.36	
AV	4.9378G	34.12	54.00	-19.88	28.60	3	Horizontal	140	1.44	-	33.78	7.10	35.36	

802.11ax HEW20_Nss1,(MCS0)_1TX

2467MHz_TX




EUT X_1TX
Setting 17.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.4732G	114.55	Inf	-Inf	81.72	3	Vertical	164	2.80	-	28.39	4.44	-	
AV	2.473G	102.66	Inf	-Inf	69.83	3	Vertical	164	2.80	-	28.39	4.44	-	
PK	2.4835G	73.56	74.00	-0.44	40.69	3	Vertical	164	2.80	-	28.43	4.44	-	
AV	2.4835G	49.39	54.00	-4.61	16.52	3	Vertical	164	2.80	-	28.43	4.44	-	

802.11ax HEW20_Nss1,(MCS0)_1TX

2467MHz_TX




EUT X_1TX
Setting 17.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4732G	114.88	Inf	-Inf	82.05	3	Horizontal	107	1.61	-	28.39	4.44	-
AV	2.473G	102.97	Inf	-Inf	70.14	3	Horizontal	107	1.61	-	28.39	4.44	-
PK	2.4835G	73.66	74.00	-0.34	40.79	3	Horizontal	107	1.61	-	28.43	4.44	-
AV	2.4835G	49.42	54.00	-4.58	16.55	3	Horizontal	107	1.61	-	28.43	4.44	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2467MHz_TX




EUT Y_1TX
Setting 17.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.9462G	54.45	74.00	-19.55	48.92	3	Vertical	157	1.06	-	33.79	7.10	35.36	
AV	4.9496G	39.34	54.00	-14.66	33.80	3	Vertical	157	1.06	-	33.80	7.10	35.36	

802.11ax HEW20_Nss1,(MCS0)_1TX

2467MHz_TX




EUT Y_1TX
Setting 17.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8898G	47.00	74.00	-27.00	41.63	3	Horizontal	336	1.78	-	33.66	7.10	35.39
AV	4.9086G	33.35	54.00	-20.65	27.91	3	Horizontal	336	1.78	-	33.72	7.10	35.38

802.11ax HEW20_Nss1,(MCS0)_1TX

2472MHz_TX




EUT X_1TX
Setting 8.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.4798G	105.80	Inf	-Inf	72.94	3	Vertical	162	2.80	-	28.42	4.44	-	
AV	2.478G	93.90	Inf	-Inf	61.05	3	Vertical	162	2.80	-	28.41	4.44	-	
PK	2.4835G	72.88	74.00	-1.12	40.01	3	Vertical	162	2.80	-	28.43	4.44	-	
AV	2.4835G	53.90	54.00	-0.10	21.03	3	Vertical	162	2.80	-	28.43	4.44	-	

802.11ax HEW20_Nss1,(MCS0)_1TX

2472MHz_TX




EUT X_1TX
Setting 8.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4798G	105.83	Inf	-Inf	72.97	3	Horizontal	109	1.00	-	28.42	4.44	-
AV	2.4778G	93.87	Inf	-Inf	61.02	3	Horizontal	109	1.00	-	28.41	4.44	-
PK	2.4835G	72.93	74.00	-1.07	40.06	3	Horizontal	109	1.00	-	28.43	4.44	-
AV	2.4835G	53.75	54.00	-0.25	20.88	3	Horizontal	109	1.00	-	28.43	4.44	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2472MHz_TX




EUT Y_1TX
Setting 8.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.9526G	46.43	74.00	-27.57	40.89	3	Vertical	114	2.66	-	33.79	7.10	35.35
AV	4.9794G	33.35	54.00	-20.65	27.85	3	Vertical	114	2.66	-	33.74	7.10	35.34

802.11ax HEW20_Nss1,(MCS0)_1TX

2472MHz_TX



EUT Y_1TX
Setting 8.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.9398G	46.54	74.00	-27.46	41.02	3	Horizontal	330	1.85	-	33.78	7.10	35.36
AV	4.9602G	33.40	54.00	-20.60	27.87	3	Horizontal	330	1.85	-	33.78	7.10	35.35



RSE TX above 1GHz
<Partial RU> RU 106__Ant. 1 (1TX)


Appendix F.10

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	AV	2.4835G	53.83	54.00	-0.17	3	Vertical	166	2.80	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2412MHz_TX




EUT X_1TX
Setting 23
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.388G	72.77	74.00	-1.23	40.13	3	Vertical	166	2.96	-	28.25	4.39	-
AV	2.39G	50.11	54.00	-3.89	17.46	3	Vertical	166	2.96	-	28.26	4.39	-
PK	2.409G	117.45	Inf	-Inf	84.75	3	Vertical	166	2.96	-	28.30	4.40	-
AV	2.4096G	105.89	Inf	-Inf	73.19	3	Vertical	166	2.96	-	28.30	4.40	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2412MHz_TX




EUT X_1TX
Setting 23
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.388G	73.38	74.00	-0.62	40.74	3	Horizontal	110	1.67	-	28.25	4.39	-
AV	2.39G	50.63	54.00	-3.37	17.98	3	Horizontal	110	1.67	-	28.26	4.39	-
PK	2.409G	117.99	Inf	-Inf	85.29	3	Horizontal	110	1.67	-	28.30	4.40	-
AV	2.4096G	106.46	Inf	-Inf	73.76	3	Horizontal	110	1.67	-	28.30	4.40	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2412MHz_TX




EUT Y_1TX
Setting 23
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8152G	56.70	74.00	-17.30	51.74	3	Vertical	81	1.27	-	33.29	7.10	35.43
AV	4.8178G	40.31	54.00	-13.69	35.32	3	Vertical	81	1.27	-	33.31	7.10	35.42

802.11ax HEW20_Nss1,(MCS0)_1TX

2412MHz_TX




EUT Y_1TX
Setting 23
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.81644G	52.74	74.00	-21.26	47.77	3	Horizontal	220	2.31	-	33.30	7.10	35.43
AV	4.81764G	37.21	54.00	-16.79	32.22	3	Horizontal	220	2.31	-	33.31	7.10	35.42

802.11ax HEW20_Nss1,(MCS0)_1TX

2437MHz_TX




EUT X_1TX
Setting 24
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3886G	59.62	74.00	-14.38	26.98	3	Vertical	168	2.52	-	28.25	4.39	-
AV	2.3594G	46.07	54.00	-7.93	13.57	3	Vertical	168	2.52	-	28.14	4.36	-
PK	2.4398G	117.75	Inf	-Inf	85.03	3	Vertical	168	2.52	-	28.30	4.42	-
AV	2.439G	106.16	Inf	-Inf	73.44	3	Vertical	168	2.52	-	28.30	4.42	-
PK	2.485G	60.60	74.00	-13.40	27.72	3	Vertical	168	2.52	-	28.44	4.44	-
AV	2.4858G	46.25	54.00	-7.75	13.37	3	Vertical	168	2.52	-	28.44	4.44	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2437MHz_TX




EUT X_1TX
Setting 24
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3894G	59.67	74.00	-14.33	27.02	3	Horizontal	111	1.64	-	28.26	4.39	-
AV	2.3594G	46.32	54.00	-7.68	13.82	3	Horizontal	111	1.64	-	28.14	4.36	-
PK	2.4398G	118.53	Inf	-Inf	85.81	3	Horizontal	111	1.64	-	28.30	4.42	-
AV	2.439G	106.94	Inf	-Inf	74.22	3	Horizontal	111	1.64	-	28.30	4.42	-
PK	2.4842G	60.71	74.00	-13.29	27.83	3	Horizontal	111	1.64	-	28.44	4.44	-
AV	2.4835G	46.20	54.00	-7.80	13.33	3	Horizontal	111	1.64	-	28.43	4.44	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2437MHz_TX




EUT_V_1TX
Setting 24
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.883G	56.46	74.00	-17.54	51.12	3	Vertical	165	1.01	-	33.63	7.10	35.39
AV	4.8834G	40.82	54.00	-13.18	35.48	3	Vertical	165	1.01	-	33.63	7.10	35.39
PK	7.3216G	60.54	74.00	-13.46	50.73	3	Vertical	204	2.23	-	36.94	8.44	35.57
AV	7.3216G	46.14	54.00	-7.86	36.33	3	Vertical	204	2.23	-	36.94	8.44	35.57

802.11ax HEW20_Nss1,(MCS0)_1TX

2437MHz_TX




EUT V_1TX
Setting 24
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.88192G	54.09	74.00	-19.91	48.75	3	Horizontal	220	2.31	-	33.63	7.10	35.39
AV	4.88024G	39.29	54.00	-14.71	33.96	3	Horizontal	220	2.31	-	33.62	7.10	35.39
PK	7.31814G	57.24	74.00	-16.76	47.43	3	Horizontal	41	2.22	-	36.94	8.44	35.57
AV	7.3245G	43.27	54.00	-10.73	33.44	3	Horizontal	41	2.22	-	36.95	8.45	35.57

802.11ax HEW20_Nss1,(MCS0)_1TX

2462MHz_TX




EUT X_1TX
Setting 23.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3852G	57.74	74.00	-16.26	25.11	3	Vertical	172	2.79	-	28.24	4.39	-
AV	2.3856G	45.99	54.00	-8.01	13.36	3	Vertical	172	2.79	-	28.24	4.39	-
PK	2.4648G	118.36	Inf	-Inf	85.57	3	Vertical	172	2.79	-	28.36	4.43	-
AV	2.464G	106.74	Inf	-Inf	73.95	3	Vertical	172	2.79	-	28.36	4.43	-
PK	2.4835G	73.68	74.00	-0.32	40.81	3	Vertical	172	2.79	-	28.43	4.44	-
AV	2.4835G	53.53	54.00	-0.47	20.66	3	Vertical	172	2.79	-	28.43	4.44	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2462MHz_TX




EUT X_1TX
Setting 23.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.368G	57.48	74.00	-16.52	24.94	3	Horizontal	26	2.41	-	28.17	4.37	-
AV	2.3856G	45.94	54.00	-8.06	13.31	3	Horizontal	26	2.41	-	28.24	4.39	-
PK	2.4648G	118.32	Inf	-Inf	85.53	3	Horizontal	26	2.41	-	28.36	4.43	-
AV	2.464G	106.75	Inf	-Inf	73.96	3	Horizontal	26	2.41	-	28.36	4.43	-
PK	2.4835G	72.92	74.00	-1.08	40.05	3	Horizontal	26	2.41	-	28.43	4.44	-
AV	2.4835G	52.90	54.00	-1.10	20.03	3	Horizontal	26	2.41	-	28.43	4.44	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2462MHz_TX




EUT Y_1TX
Setting 23.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.9322G	57.19	74.00	-16.81	51.70	3	Vertical	157	1.08	-	33.76	7.10	35.37
AV	4.9336G	41.83	54.00	-12.17	36.32	3	Vertical	157	1.08	-	33.77	7.10	35.36

802.11ax HEW20_Nss1,(MCS0)_1TX

2462MHz_TX




EUT V_1TX
Setting 23.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.93198G	52.42	74.00	-21.58	46.93	3	Horizontal	203	1.11	-	33.76	7.10	35.37	
AV	4.9327G	37.25	54.00	-16.75	31.74	3	Horizontal	203	1.11	-	33.77	7.10	35.36	

802.11ax HEW20_Nss1,(MCS0)_1TX

2467MHz_TX




EUT X_1TX
Setting 18.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.4698G	114.91	Inf	-Inf	82.10	3	Vertical	175	2.80	-	28.38	4.43	-	
AV	2.469G	103.25	Inf	-Inf	70.44	3	Vertical	175	2.80	-	28.38	4.43	-	
PK	2.4842G	73.01	74.00	-0.99	40.13	3	Vertical	175	2.80	-	28.44	4.44	-	
AV	2.4835G	53.23	54.00	-0.77	20.36	3	Vertical	175	2.80	-	28.43	4.44	-	

802.11ax HEW20_Nss1,(MCS0)_1TX

2467MHz_TX




EUT X_1TX
Setting 18.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4698G	115.46	Inf	-Inf	82.65	3	Horizontal	110	1.60	-	28.38	4.43	-
AV	2.469G	103.80	Inf	-Inf	70.99	3	Horizontal	110	1.60	-	28.38	4.43	-
PK	2.4842G	73.62	74.00	-0.38	40.74	3	Horizontal	110	1.60	-	28.44	4.44	-
AV	2.4835G	53.63	54.00	-0.37	20.76	3	Horizontal	110	1.60	-	28.43	4.44	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2467MHz_TX




EUT Y_1TX
Setting 18.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.943G	54.78	74.00	-19.22	49.25	3	Vertical	164	1.10	-	33.79	7.10	35.36
AV	4.9426G	39.50	54.00	-14.50	33.97	3	Vertical	164	1.10	-	33.79	7.10	35.36

802.11ax HEW20_Nss1,(MCS0)_1TX

2467MHz_TX




EUT V_1TX
Setting 18.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.94288G	52.65	74.00	-21.35	47.12	3	Horizontal	82	2.77	-	33.79	7.10	35.36
AV	4.94246G	37.75	54.00	-16.25	32.23	3	Horizontal	82	2.77	-	33.78	7.10	35.36

802.11ax HEW20_Nss1,(MCS0)_1TX

2472MHz_TX




EUT X_1TX
Setting 10.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.4748G	107.97	Inf	-Inf	75.13	3	Vertical	166	2.80	-	28.40	4.44	-	
AV	2.474G	96.02	Inf	-Inf	63.18	3	Vertical	166	2.80	-	28.40	4.44	-	
PK	2.4835G	72.97	74.00	-1.03	40.10	3	Vertical	166	2.80	-	28.43	4.44	-	
AV	2.4835G	53.83	54.00	-0.17	20.96	3	Vertical	166	2.80	-	28.43	4.44	-	

802.11ax HEW20_Nss1,(MCS0)_1TX

2472MHz_TX




EUT X_1TX
Setting 10.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4748G	108.25	Inf	-Inf	75.41	3	Horizontal	109	1.60	-	28.40	4.44	-
AV	2.474G	96.29	Inf	-Inf	63.45	3	Horizontal	109	1.60	-	28.40	4.44	-
PK	2.4835G	73.54	74.00	-0.46	40.67	3	Horizontal	109	1.60	-	28.43	4.44	-
AV	2.4835G	53.75	54.00	-0.25	20.88	3	Horizontal	109	1.60	-	28.43	4.44	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2472MHz_TX




EUT Y_1TX
Setting 10.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.9206G	51.74	74.00	-22.26	46.27	3	Vertical	233	1.68	-	33.74	7.10	35.37
AV	4.9392G	38.33	54.00	-15.67	32.81	3	Vertical	233	1.68	-	33.78	7.10	35.36

802.11ax HEW20_Nss1,(MCS0)_1TX

2472MHz_TX



EUT Y_1TX
Setting 10.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.8964G	46.67	74.00	-27.33	41.26	3	Horizontal	302	2.66	-	33.69	7.10	35.38	
AV	4.887G	33.43	54.00	-20.57	28.07	3	Horizontal	302	2.66	-	33.65	7.10	35.39	



RSE TX above 1GHz
<Partial RU> RU 26_Ant. 2 (1TX)


Appendix F.11

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	AV	2.4835G	53.97	54.00	-0.03	3	Vertical	230	1.80	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2412MHz_TX




EUT X_1TX
Setting 22.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.388G	73.60	74.00	-0.40	40.96	3	Vertical	176	1.27	-	28.25	4.39	-
AV	2.3872G	47.24	54.00	-6.76	14.60	3	Vertical	176	1.27	-	28.25	4.39	-
PK	2.4038G	120.46	Inf	-Inf	87.76	3	Vertical	176	1.27	-	28.30	4.40	-
AV	2.4036G	108.82	Inf	-Inf	76.12	3	Vertical	176	1.27	-	28.30	4.40	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2412MHz_TX




EUT X_1TX
Setting 22.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3882G	71.40	74.00	-2.60	38.76	3	Horizontal	174	1.69	-	28.25	4.39	-
AV	2.3888G	46.49	54.00	-7.51	13.84	3	Horizontal	174	1.69	-	28.26	4.39	-
PK	2.4038G	118.37	Inf	-Inf	85.67	3	Horizontal	174	1.69	-	28.30	4.40	-
AV	2.4038G	106.63	Inf	-Inf	73.93	3	Horizontal	174	1.69	-	28.30	4.40	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2412MHz_TX




EUT X_1TX
Setting 22.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8076G	55.53	74.00	-18.47	50.61	3	Vertical	297	2.95	-	33.25	7.10	35.43
AV	4.807G	37.42	54.00	-16.58	32.51	3	Vertical	297	2.95	-	33.24	7.10	35.43

802.11ax HEW20_Nss1,(MCS0)_1TX

2412MHz_TX




EUT X_1TX
Setting 22.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8074G	54.82	74.00	-19.18	49.91	3	Horizontal	96	2.57	-	33.24	7.10	35.43
AV	4.8074G	36.83	54.00	-17.17	31.92	3	Horizontal	96	2.57	-	33.24	7.10	35.43

802.11ax HEW20_Nss1,(MCS0)_1TX

2437MHz_TX




EUT X_1TX
Setting 24
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3882G	61.36	74.00	-12.64	28.72	3	Vertical	180	1.44	-	28.25	4.39	-
AV	2.365G	47.97	54.00	-6.03	15.44	3	Vertical	180	1.44	-	28.16	4.37	-
PK	2.4458G	121.10	Inf	-Inf	88.38	3	Vertical	180	1.44	-	28.30	4.42	-
AV	2.445G	110.50	Inf	-Inf	77.78	3	Vertical	180	1.44	-	28.30	4.42	-
PK	2.4835G	59.77	74.00	-14.23	26.90	3	Vertical	180	1.44	-	28.43	4.44	-
AV	2.4858G	46.98	54.00	-7.02	14.10	3	Vertical	180	1.44	-	28.44	4.44	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2437MHz_TX




EUT X_1TX
Setting 24
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3822G	59.48	74.00	-14.52	26.87	3	Horizontal	172	1.65	-	28.23	4.38	-
AV	2.365G	46.79	54.00	-7.21	14.26	3	Horizontal	172	1.65	-	28.16	4.37	-
PK	2.4458G	119.93	Inf	-Inf	87.21	3	Horizontal	172	1.65	-	28.30	4.42	-
AV	2.445G	109.36	Inf	-Inf	76.64	3	Horizontal	172	1.65	-	28.30	4.42	-
PK	2.4835G	60.24	74.00	-13.76	27.37	3	Horizontal	172	1.65	-	28.43	4.44	-
AV	2.4858G	46.91	54.00	-7.09	14.03	3	Horizontal	172	1.65	-	28.44	4.44	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2437MHz_TX




EUT X_1TX
Setting 24
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8916G	57.33	74.00	-16.67	51.95	3	Vertical	51	1.98	-	33.67	7.10	35.39
AV	4.891G	39.17	54.00	-14.83	33.80	3	Vertical	51	1.98	-	33.66	7.10	35.39
PK	7.3368G	55.70	74.00	-18.30	45.84	3	Vertical	346	1.80	-	36.97	8.47	35.58
AV	7.336G	43.05	54.00	-10.95	33.19	3	Vertical	346	1.80	-	36.97	8.47	35.58

802.11ax HEW20_Nss1,(MCS0)_1TX

2437MHz_TX




EUT X_1TX
Setting 24
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.89G	57.38	74.00	-16.62	52.01	3	Horizontal	185	2.42	-	33.66	7.10	35.39
AV	4.8908G	38.92	54.00	-15.08	33.55	3	Horizontal	185	2.42	-	33.66	7.10	35.39
PK	7.3378G	55.99	74.00	-18.01	46.11	3	Horizontal	268	1.80	-	36.98	8.48	35.58
AV	7.3362G	43.49	54.00	-10.51	33.63	3	Horizontal	268	1.80	-	36.97	8.47	35.58

802.11ax HEW20_Nss1,(MCS0)_1TX

2462MHz_TX




EUT X_1TX
Setting 22.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4708G	119.60	Inf	-Inf	86.78	3	Vertical	228	1.84	-	28.38	4.44	-
AV	2.47G	108.12	Inf	-Inf	75.30	3	Vertical	228	1.84	-	28.38	4.44	-
PK	2.4838G	73.69	74.00	-0.31	40.81	3	Vertical	228	1.84	-	28.44	4.44	-
AV	2.4872G	48.48	54.00	-5.52	15.59	3	Vertical	228	1.84	-	28.45	4.44	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2462MHz_TX




EUT X_1TX
Setting 22.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4708G	119.04	Inf	-Inf	86.22	3	Horizontal	171	1.30	-	28.38	4.44	-
AV	2.47G	107.65	Inf	-Inf	74.83	3	Horizontal	171	1.30	-	28.38	4.44	-
PK	2.4835G	72.49	74.00	-1.51	39.62	3	Horizontal	171	1.30	-	28.43	4.44	-
AV	2.4872G	47.94	54.00	-6.06	15.05	3	Horizontal	171	1.30	-	28.45	4.44	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2462MHz_TX




EUT X_1TX
Setting 22.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.94G	50.14	74.00	-23.86	44.62	3	Vertical	86	1.15	-	33.78	7.10	35.36
AV	4.9408G	34.32	54.00	-19.68	28.80	3	Vertical	86	1.15	-	33.78	7.10	35.36

802.11ax HEW20_Nss1,(MCS0)_1TX

2462MHz_TX




EUT X_1TX
Setting 22.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.9406G	49.99	74.00	-24.01	44.47	3	Horizontal	274	2.26	-	33.78	7.10	35.36
AV	4.941G	34.57	54.00	-19.43	29.05	3	Horizontal	274	2.26	-	33.78	7.10	35.36

802.11ax HEW20_Nss1,(MCS0)_1TX

2467MHz_TX




EUT X_1TX
Setting 19.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.475G	116.09	Inf	-Inf	83.25	3	Vertical	231	1.80	-	28.40	4.44	-	
AV	2.475G	103.79	Inf	-Inf	70.95	3	Vertical	231	1.80	-	28.40	4.44	-	
PK	2.4852G	73.42	74.00	-0.58	40.54	3	Vertical	231	1.80	-	28.44	4.44	-	
AV	2.4842G	47.58	54.00	-6.42	14.70	3	Vertical	231	1.80	-	28.44	4.44	-	

802.11ax HEW20_Nss1,(MCS0)_1TX

2467MHz_TX




EUT X_1TX
Setting 19.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.475G	115.82	Inf	-Inf	82.98	3	Horizontal	170	1.28	-	28.40	4.44	-
AV	2.475G	103.57	Inf	-Inf	70.73	3	Horizontal	170	1.28	-	28.40	4.44	-
PK	2.4852G	73.06	74.00	-0.94	40.18	3	Horizontal	170	1.28	-	28.44	4.44	-
AV	2.484G	47.23	54.00	-6.77	14.35	3	Horizontal	170	1.28	-	28.44	4.44	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2467MHz_TX




EUT X_1TX
Setting 19.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.9628G	46.88	74.00	-27.12	41.36	3	Vertical	162	2.16	-	33.77	7.10	35.35	
AV	4.9514G	33.73	54.00	-20.27	28.19	3	Vertical	162	2.16	-	33.80	7.10	35.36	

802.11ax HEW20_Nss1,(MCS0)_1TX

2467MHz_TX




EUT X_1TX
Setting 19.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.951G	50.84	74.00	-23.16	45.30	3	Horizontal	332	1.71	-	33.80	7.10	35.36	
AV	4.9508G	34.73	54.00	-19.27	29.19	3	Horizontal	332	1.71	-	33.80	7.10	35.36	

802.11ax HEW20_Nss1,(MCS0)_1TX

2472MHz_TX




EUT_X_1TX
Setting 9
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.48G	104.61	Inf	-Inf	71.75	3	Vertical	230	1.80	-	28.42	4.44	-
AV	2.48G	92.77	Inf	-Inf	59.91	3	Vertical	230	1.80	-	28.42	4.44	-
PK	2.4835G	69.35	74.00	-4.65	36.48	3	Vertical	230	1.80	-	28.43	4.44	-
AV	2.4835G	53.97	54.00	-0.03	21.10	3	Vertical	230	1.80	-	28.43	4.44	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2472MHz_TX




EUT_X_1TX
Setting 9
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.48G	103.80	Inf	-Inf	70.94	3	Horizontal	170	1.68	-	28.42	4.44	-
AV	2.48G	91.91	Inf	-Inf	59.05	3	Horizontal	170	1.68	-	28.42	4.44	-
PK	2.4835G	68.87	74.00	-5.13	36.00	3	Horizontal	170	1.68	-	28.43	4.44	-
AV	2.4835G	53.28	54.00	-0.72	20.41	3	Horizontal	170	1.68	-	28.43	4.44	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2472MHz_TX




EUT X_1TX
Setting 9
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.9728G	46.93	74.00	-27.07	41.42	3	Vertical	355	1.38	-	33.75	7.10	35.34	
AV	4.9694G	33.69	54.00	-20.31	28.18	3	Vertical	355	1.38	-	33.76	7.10	35.35	

802.11ax HEW20_Nss1,(MCS0)_1TX

2472MHz_TX



EUT X_1TX
Setting 9
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.9518G	46.68	74.00	-27.32	41.14	3	Horizontal	353	1.68	-	33.80	7.10	35.36
AV	4.962G	33.70	54.00	-20.30	28.17	3	Horizontal	353	1.68	-	33.78	7.10	35.35



RSE TX above 1GHz
<Partial RU> RU 52_Ant. 2 (1TX)


Appendix F.12

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	PK	2.3888G	73.74	74.00	-0.26	3	Vertical	183	1.59	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2412MHz_TX




EUT X_1TX
Setting 23.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3888G	73.74	74.00	-0.26	41.09	3	Vertical	183	1.59	-	28.26	4.39	-
AV	2.39G	50.55	54.00	-3.45	17.90	3	Vertical	183	1.59	-	28.26	4.39	-
PK	2.4062G	119.54	Inf	-Inf	86.84	3	Vertical	183	1.59	-	28.30	4.40	-
AV	2.4056G	106.32	Inf	-Inf	73.62	3	Vertical	183	1.59	-	28.30	4.40	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2412MHz_TX




EUT X_1TX
Setting 23.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3888G	70.11	74.00	-3.89	37.46	3	Horizontal	172	1.36	-	28.26	4.39	-
AV	2.39G	48.85	54.00	-5.15	16.20	3	Horizontal	172	1.36	-	28.26	4.39	-
PK	2.4062G	117.63	Inf	-Inf	84.93	3	Horizontal	172	1.36	-	28.30	4.40	-
AV	2.4056G	104.50	Inf	-Inf	71.80	3	Horizontal	172	1.36	-	28.30	4.40	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2412MHz_TX




EUT X_1TX
Setting 23.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.8086G	55.26	74.00	-18.74	50.34	3	Vertical	303	1.17	-	33.25	7.10	35.43	
AV	4.8094G	38.85	54.00	-15.15	33.92	3	Vertical	303	1.17	-	33.26	7.10	35.43	

802.11ax HEW20_Nss1,(MCS0)_1TX

2412MHz_TX




EUT X_1TX
Setting 23.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8088G	53.53	74.00	-20.47	48.61	3	Horizontal	51	1.29	-	33.25	7.10	35.43
AV	4.8104G	37.85	54.00	-16.15	32.92	3	Horizontal	51	1.29	-	33.26	7.10	35.43

802.11ax HEW20_Nss1,(MCS0)_1TX

2437MHz_TX




EUT X_1TX
Setting 24
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.387G	61.45	74.00	-12.55	28.81	3	Vertical	181	1.43	-	28.25	4.39	-
AV	2.363G	47.03	54.00	-6.97	14.52	3	Vertical	181	1.43	-	28.15	4.36	-
PK	2.4434G	117.85	Inf	-Inf	85.13	3	Vertical	181	1.43	-	28.30	4.42	-
AV	2.443G	106.02	Inf	-Inf	73.30	3	Vertical	181	1.43	-	28.30	4.42	-
PK	2.4842G	59.40	74.00	-14.60	26.52	3	Vertical	181	1.43	-	28.44	4.44	-
AV	2.4854G	46.32	54.00	-7.68	13.44	3	Vertical	181	1.43	-	28.44	4.44	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2437MHz_TX




EUT X_1TX
Setting 24
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.387G	59.09	74.00	-14.91	26.45	3	Horizontal	171	1.36	-	28.25	4.39	-
AV	2.3626G	46.13	54.00	-7.87	13.62	3	Horizontal	171	1.36	-	28.15	4.36	-
PK	2.4434G	116.83	Inf	-Inf	84.11	3	Horizontal	171	1.36	-	28.30	4.42	-
AV	2.443G	105.06	Inf	-Inf	72.34	3	Horizontal	171	1.36	-	28.30	4.42	-
PK	2.4838G	59.75	74.00	-14.25	26.87	3	Horizontal	171	1.36	-	28.44	4.44	-
AV	2.485G	46.18	54.00	-7.82	13.30	3	Horizontal	171	1.36	-	28.44	4.44	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2437MHz_TX




EUT X_1TX
Setting 24
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8884G	56.31	74.00	-17.69	50.95	3	Vertical	142	1.00	-	33.65	7.10	35.39
AV	4.8878G	40.31	54.00	-13.69	34.95	3	Vertical	142	1.00	-	33.65	7.10	35.39
PK	7.3318G	54.46	74.00	-19.54	44.62	3	Vertical	346	1.79	-	36.96	8.46	35.58
AV	7.3322G	41.50	54.00	-12.50	31.66	3	Vertical	346	1.79	-	36.96	8.46	35.58

802.11ax HEW20_Nss1,(MCS0)_1TX

2437MHz_TX




EUT X_1TX
Setting 24
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8884G	52.24	74.00	-21.76	46.88	3	Horizontal	234	1.00	-	33.65	7.10	35.39
AV	4.8878G	37.76	54.00	-16.24	32.40	3	Horizontal	234	1.00	-	33.65	7.10	35.39
PK	7.3314G	55.15	74.00	-18.85	45.31	3	Horizontal	271	1.80	-	36.96	8.46	35.58
AV	7.3322G	41.76	54.00	-12.24	31.92	3	Horizontal	271	1.80	-	36.96	8.46	35.58

802.11ax HEW20_Nss1,(MCS0)_1TX

2462MHz_TX




EUT X_1TX
Setting 22.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.4684G	116.16	Inf	-Inf	83.36	3	Vertical	226	1.41	-	28.37	4.43	-	
AV	2.468G	104.30	Inf	-Inf	71.50	3	Vertical	226	1.41	-	28.37	4.43	-	
PK	2.4836G	73.72	74.00	-0.28	40.85	3	Vertical	226	1.41	-	28.43	4.44	-	
AV	2.4835G	51.27	54.00	-2.73	18.40	3	Vertical	226	1.41	-	28.43	4.44	-	

802.11ax HEW20_Nss1,(MCS0)_1TX

2462MHz_TX




EUT X_1TX
Setting 22.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.4684G	115.21	Inf	-Inf	82.41	3	Horizontal	171	1.29	-	28.37	4.43	-	
AV	2.468G	103.37	Inf	-Inf	70.57	3	Horizontal	171	1.29	-	28.37	4.43	-	
PK	2.4836G	72.16	74.00	-1.84	39.29	3	Horizontal	171	1.29	-	28.43	4.44	-	
AV	2.4835G	50.32	54.00	-3.68	17.45	3	Horizontal	171	1.29	-	28.43	4.44	-	

802.11ax HEW20_Nss1,(MCS0)_1TX

2462MHz_TX




EUT X_1TX
Setting 22.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.9386G	52.70	74.00	-21.30	47.18	3	Vertical	123	1.93	-	33.78	7.10	35.36
AV	4.9376G	35.07	54.00	-18.93	29.55	3	Vertical	123	1.93	-	33.78	7.10	35.36

802.11ax HEW20_Nss1,(MCS0)_1TX

2462MHz_TX




EUT X_1TX
Setting 22.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.9372G	48.29	74.00	-25.71	42.78	3	Horizontal	275	1.53	-	33.77	7.10	35.36
AV	4.9374G	34.17	54.00	-19.83	28.66	3	Horizontal	275	1.53	-	33.77	7.10	35.36

802.11ax HEW20_Nss1,(MCS0)_1TX

2467MHz_TX




EUT X_1TX
Setting 19.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4748G	113.25	Inf	-Inf	80.41	3	Vertical	229	1.84	-	28.40	4.44	-
AV	2.473G	101.30	Inf	-Inf	68.47	3	Vertical	229	1.84	-	28.39	4.44	-
PK	2.4836G	73.47	74.00	-0.53	40.60	3	Vertical	229	1.84	-	28.43	4.44	-
AV	2.4835G	50.06	54.00	-3.94	17.19	3	Vertical	229	1.84	-	28.43	4.44	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2467MHz_TX




EUT X_1TX
Setting 19.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4732G	112.46	Inf	-Inf	79.63	3	Horizontal	171	1.63	-	28.39	4.44	-
AV	2.473G	100.69	Inf	-Inf	67.86	3	Horizontal	171	1.63	-	28.39	4.44	-
PK	2.4836G	72.35	74.00	-1.65	39.48	3	Horizontal	171	1.63	-	28.43	4.44	-
AV	2.4835G	49.34	54.00	-4.66	16.47	3	Horizontal	171	1.63	-	28.43	4.44	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2467MHz_TX




EUT X_1TX
Setting 19.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.9484G	50.10	74.00	-23.90	44.56	3	Vertical	51	2.81	-	33.80	7.10	35.36
AV	4.9478G	34.42	54.00	-19.58	28.88	3	Vertical	51	2.81	-	33.80	7.10	35.36

802.11ax HEW20_Nss1,(MCS0)_1TX

2467MHz_TX




EUT X_1TX
Setting 19.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.8812G	46.78	74.00	-27.22	41.45	3	Horizontal	337	2.44	-	33.62	7.10	35.39	
AV	4.9084G	33.83	54.00	-20.17	28.39	3	Horizontal	337	2.44	-	33.72	7.10	35.38	

802.11ax HEW20_Nss1,(MCS0)_1TX

2472MHz_TX




EUT X_1TX
Setting 12.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4798G	104.83	Inf	-Inf	71.97	3	Vertical	230	1.80	-	28.42	4.44	-
AV	2.4778G	92.93	Inf	-Inf	60.08	3	Vertical	230	1.80	-	28.41	4.44	-
PK	2.4835G	71.83	74.00	-2.17	38.96	3	Vertical	230	1.80	-	28.43	4.44	-
AV	2.4835G	53.64	54.00	-0.36	20.77	3	Vertical	230	1.80	-	28.43	4.44	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2472MHz_TX




EUT X_1TX
Setting 12.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4798G	103.89	Inf	-Inf	71.03	3	Horizontal	171	1.64	-	28.42	4.44	-
AV	2.478G	92.09	Inf	-Inf	59.24	3	Horizontal	171	1.64	-	28.41	4.44	-
PK	2.4835G	70.37	74.00	-3.63	37.50	3	Horizontal	171	1.64	-	28.43	4.44	-
AV	2.4835G	52.83	54.00	-1.17	19.96	3	Horizontal	171	1.64	-	28.43	4.44	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2472MHz_TX




EUT X_1TX
Setting 12.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.897G	46.58	74.00	-27.42	41.17	3	Vertical	224	2.34	-	33.69	7.10	35.38
AV	4.9704G	33.62	54.00	-20.38	28.11	3	Vertical	224	2.34	-	33.76	7.10	35.35

802.11ax HEW20_Nss1,(MCS0)_1TX

2472MHz_TX



EUT X_1TX
Setting 12.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.939G	46.45	74.00	-27.55	40.93	3	Horizontal	251	2.50	-	33.78	7.10	35.36
AV	4.9888G	33.62	54.00	-20.38	28.14	3	Horizontal	251	2.50	-	33.72	7.10	35.34



RSE TX above 1GHz
<Partial RU> RU 106__Ant. 2 (1TX)


Appendix F.13

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	PK	2.4836G	73.88	74.00	-0.12	3	Vertical	225	1.43	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2412MHz_TX




EUT X_1TX
Setting 21.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.388G	73.74	74.00	-0.26	41.10	3	Vertical	180	1.00	-	28.25	4.39	-
AV	2.39G	50.58	54.00	-3.42	17.93	3	Vertical	180	1.00	-	28.26	4.39	-
PK	2.409G	116.43	Inf	-Inf	83.73	3	Vertical	180	1.00	-	28.30	4.40	-
AV	2.4096G	104.87	Inf	-Inf	72.17	3	Vertical	180	1.00	-	28.30	4.40	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2412MHz_TX




EUT X_1TX
Setting 21.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.3878G	71.05	74.00	-2.95	38.41	3	Horizontal	173	1.69	-	28.25	4.39	-	
AV	2.39G	48.86	54.00	-5.14	16.21	3	Horizontal	173	1.69	-	28.26	4.39	-	
PK	2.409G	113.68	Inf	-Inf	80.98	3	Horizontal	173	1.69	-	28.30	4.40	-	
AV	2.4096G	102.29	Inf	-Inf	69.59	3	Horizontal	173	1.69	-	28.30	4.40	-	

802.11ax HEW20_Nss1,(MCS0)_1TX

2412MHz_TX




EUT X_1TX
Setting 21.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.8154G	55.28	74.00	-18.72	50.32	3	Vertical	183	2.36	-	33.29	7.10	35.43	
AV	4.8178G	38.67	54.00	-15.33	33.68	3	Vertical	183	2.36	-	33.31	7.10	35.42	

802.11ax HEW20_Nss1,(MCS0)_1TX

2412MHz_TX




EUT X_1TX
Setting 21.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8168G	52.50	74.00	-21.50	47.53	3	Horizontal	182	1.00	-	33.30	7.10	35.43
AV	4.8162G	36.58	54.00	-17.42	31.61	3	Horizontal	182	1.00	-	33.30	7.10	35.43

802.11ax HEW20_Nss1,(MCS0)_1TX

2437MHz_TX




EUT X_1TX
Setting 24
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.387G	61.95	74.00	-12.05	29.31	3	Vertical	177	1.25	-	28.25	4.39	-
AV	2.3606G	46.86	54.00	-7.14	14.36	3	Vertical	177	1.25	-	28.14	4.36	-
PK	2.4398G	117.48	Inf	-Inf	84.76	3	Vertical	177	1.25	-	28.30	4.42	-
AV	2.439G	105.88	Inf	-Inf	73.16	3	Vertical	177	1.25	-	28.30	4.42	-
PK	2.4838G	60.75	74.00	-13.25	27.87	3	Vertical	177	1.25	-	28.44	4.44	-
AV	2.4846G	46.32	54.00	-7.68	13.44	3	Vertical	177	1.25	-	28.44	4.44	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2437MHz_TX




EUT X_1TX
Setting 24
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3874G	60.31	74.00	-13.69	27.67	3	Horizontal	173	2.08	-	28.25	4.39	-
AV	2.3606G	46.06	54.00	-7.94	13.56	3	Horizontal	173	2.08	-	28.14	4.36	-
PK	2.4398G	116.56	Inf	-Inf	83.84	3	Horizontal	173	2.08	-	28.30	4.42	-
AV	2.439G	105.00	Inf	-Inf	72.28	3	Horizontal	173	2.08	-	28.30	4.42	-
PK	2.4842G	61.08	74.00	-12.92	28.20	3	Horizontal	173	2.08	-	28.44	4.44	-
AV	2.4846G	46.32	54.00	-7.68	13.44	3	Horizontal	173	2.08	-	28.44	4.44	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2437MHz_TX




EUT X_1TX
Setting 24
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.882G	53.72	74.00	-20.28	48.38	3	Vertical	52	1.99	-	33.63	7.10	35.39
AV	4.8802G	39.48	54.00	-14.52	34.15	3	Vertical	52	1.99	-	33.62	7.10	35.39
PK	7.3226G	53.94	74.00	-20.06	44.11	3	Vertical	135	1.96	-	36.95	8.45	35.57
AV	7.3244G	40.85	54.00	-13.15	31.02	3	Vertical	135	1.96	-	36.95	8.45	35.57

802.11ax HEW20_Nss1,(MCS0)_1TX

2437MHz_TX




EUT X_1TX
Setting 24
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.882G	54.29	74.00	-19.71	48.95	3	Horizontal	189	2.36	-	33.63	7.10	35.39
AV	4.8802G	39.62	54.00	-14.38	34.29	3	Horizontal	189	2.36	-	33.62	7.10	35.39
PK	7.3206G	53.58	74.00	-20.42	43.77	3	Horizontal	267	1.85	-	36.94	8.44	35.57
AV	7.3246G	40.77	54.00	-13.23	30.94	3	Horizontal	267	1.85	-	36.95	8.45	35.57

802.11ax HEW20_Nss1,(MCS0)_1TX

2462MHz_TX




EUT X_1TX
Setting 22.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4648G	115.95	Inf	-Inf	83.16	3	Vertical	225	1.43	-	28.36	4.43	-
AV	2.464G	104.25	Inf	-Inf	71.46	3	Vertical	225	1.43	-	28.36	4.43	-
PK	2.4836G	73.88	74.00	-0.12	41.01	3	Vertical	225	1.43	-	28.43	4.44	-
AV	2.4835G	53.21	54.00	-0.79	20.34	3	Vertical	225	1.43	-	28.43	4.44	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2462MHz_TX




EUT X_1TX
Setting 22.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.4648G	115.04	Inf	-Inf	82.25	3	Horizontal	171	1.28	-	28.36	4.43	-	
AV	2.464G	103.48	Inf	-Inf	70.69	3	Horizontal	171	1.28	-	28.36	4.43	-	
PK	2.4836G	72.04	74.00	-1.96	39.17	3	Horizontal	171	1.28	-	28.43	4.44	-	
AV	2.4835G	51.87	54.00	-2.13	19.00	3	Horizontal	171	1.28	-	28.43	4.44	-	

802.11ax HEW20_Nss1,(MCS0)_1TX

2462MHz_TX




EUT X_1TX
Setting 22.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.9328G	52.26	74.00	-21.74	46.75	3	Vertical	169	1.26	-	33.77	7.10	35.36
AV	4.933G	36.46	54.00	-17.54	30.95	3	Vertical	169	1.26	-	33.77	7.10	35.36

802.11ax HEW20_Nss1,(MCS0)_1TX

2462MHz_TX




EUT X_1TX
Setting 22.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.9344G	50.15	74.00	-23.85	44.64	3	Horizontal	188	2.47	-	33.77	7.10	35.36
AV	4.9328G	35.17	54.00	-18.83	29.66	3	Horizontal	188	2.47	-	33.77	7.10	35.36

802.11ax HEW20_Nss1,(MCS0)_1TX

2467MHz_TX




EUT X_1TX
Setting 19.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4698G	113.37	Inf	-Inf	80.56	3	Vertical	226	1.41	-	28.38	4.43	-
AV	2.469G	101.75	Inf	-Inf	68.94	3	Vertical	226	1.41	-	28.38	4.43	-
PK	2.4838G	73.87	74.00	-0.13	40.99	3	Vertical	226	1.41	-	28.44	4.44	-
AV	2.4835G	53.76	54.00	-0.24	20.89	3	Vertical	226	1.41	-	28.43	4.44	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2467MHz_TX




EUT X_1TX
Setting 19.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4698G	112.47	Inf	-Inf	79.66	3	Horizontal	170	1.63	-	28.38	4.43	-
AV	2.4692G	100.89	Inf	-Inf	68.08	3	Horizontal	170	1.63	-	28.38	4.43	-
PK	2.4836G	72.02	74.00	-1.98	39.15	3	Horizontal	170	1.63	-	28.43	4.44	-
AV	2.4835G	52.44	54.00	-1.56	19.57	3	Horizontal	170	1.63	-	28.43	4.44	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2467MHz_TX




EUT X_1TX
Setting 19.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.9538G	47.45	74.00	-26.55	41.91	3	Vertical	93	1.80	-	33.79	7.10	35.35
AV	4.984G	33.43	54.00	-20.57	27.94	3	Vertical	93	1.80	-	33.73	7.10	35.34

802.11ax HEW20_Nss1,(MCS0)_1TX

2467MHz_TX




EUT X_1TX
Setting 19.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.9788G	47.11	74.00	-26.89	41.61	3	Horizontal	58	1.20	-	33.74	7.10	35.34
AV	4.9842G	33.45	54.00	-20.55	27.96	3	Horizontal	58	1.20	-	33.73	7.10	35.34

802.11ax HEW20_Nss1,(MCS0)_1TX

2472MHz_TX




EUT X_1TX
Setting 13
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4748G	106.31	Inf	-Inf	73.47	3	Vertical	229	1.80	-	28.40	4.44	-
AV	2.4742G	94.09	Inf	-Inf	61.25	3	Vertical	229	1.80	-	28.40	4.44	-
PK	2.4835G	72.05	74.00	-1.95	39.18	3	Vertical	229	1.80	-	28.43	4.44	-
AV	2.4835G	53.70	54.00	-0.30	20.83	3	Vertical	229	1.80	-	28.43	4.44	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2472MHz_TX




EUT X_1TX
Setting 13
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.4746G	105.52	Inf	-Inf	72.68	3	Horizontal	170	1.64	-	28.40	4.44	-	
AV	2.474G	93.54	Inf	-Inf	60.70	3	Horizontal	170	1.64	-	28.40	4.44	-	
PK	2.4835G	70.98	74.00	-3.02	38.11	3	Horizontal	170	1.64	-	28.43	4.44	-	
AV	2.4835G	52.86	54.00	-1.14	19.99	3	Horizontal	170	1.64	-	28.43	4.44	-	

802.11ax HEW20_Nss1,(MCS0)_1TX

2472MHz_TX




EUT X_1TX
Setting 13
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.9506G	46.74	74.00	-27.26	41.20	3	Vertical	336	1.07	-	33.80	7.10	35.36	
AV	4.9436G	33.28	54.00	-20.72	27.75	3	Vertical	336	1.07	-	33.79	7.10	35.36	

802.11ax HEW20_Nss1,(MCS0)_1TX

2472MHz_TX



EUT X_1TX
Setting 13
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.9796G	46.69	74.00	-27.31	41.19	3	Horizontal	47	1.30	-	33.74	7.10	35.34	
AV	4.994G	33.32	54.00	-20.68	27.84	3	Horizontal	47	1.30	-	33.71	7.10	35.33	



RSE TX above 1GHz
<Partial RU> RU 26_Ant. 3 (1TX)


Appendix F.14

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1.(MCS0)_1TX	Pass	PK	2.39G	73.84	74.00	-0.16	3	Vertical	53	1.80	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2412MHz_TX




EUT_V_1TX
Setting 20
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.39G	73.84	74.00	-0.16	41.19	3	Vertical	53	1.80	-	28.26	4.39	-
AV	2.3866G	49.57	54.00	-4.43	16.93	3	Vertical	53	1.80	-	28.25	4.39	-
PK	2.4038G	124.83	Inf	-Inf	92.13	3	Vertical	53	1.80	-	28.30	4.40	-
AV	2.4038G	112.36	Inf	-Inf	79.66	3	Vertical	53	1.80	-	28.30	4.40	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2412MHz_TX




EUT X_1TX
Setting 20
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8387G	51.10	74.00	-22.90	45.98	3	Vertical	121	2.91	-	33.43	7.10	35.41
AV	4.83048G	36.75	54.00	-17.25	31.69	3	Vertical	121	2.91	-	33.38	7.10	35.42

802.11ax HEW20_Nss1,(MCS0)_1TX

2412MHz_TX




EUT X_1TX
Setting 20
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.833G	51.78	74.00	-22.22	46.70	3	Horizontal	198	2.49	-	33.40	7.10	35.42	
AV	4.83096G	36.76	54.00	-17.24	31.69	3	Horizontal	198	2.49	-	33.39	7.10	35.42	

802.11ax HEW20_Nss1,(MCS0)_1TX

2437MHz_TX




EUT Y_1TX
Setting 24
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3878G	64.80	74.00	-9.20	32.16	3	Vertical	53	1.78	-	28.25	4.39	-
AV	2.365G	50.65	54.00	-3.35	18.12	3	Vertical	53	1.78	-	28.16	4.37	-
PK	2.4458G	128.46	Inf	-Inf	95.74	3	Vertical	53	1.78	-	28.30	4.42	-
AV	2.445G	118.16	Inf	-Inf	85.44	3	Vertical	53	1.78	-	28.30	4.42	-
PK	2.4838G	68.61	74.00	-5.39	35.73	3	Vertical	53	1.78	-	28.44	4.44	-
AV	2.4858G	51.90	54.00	-2.10	19.02	3	Vertical	53	1.78	-	28.44	4.44	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2437MHz_TX




EUT X_1TX
Setting 24
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.89G	58.73	74.00	-15.27	53.36	3	Vertical	66	1.00	-	33.66	7.10	35.39
AV	4.8908G	39.90	54.00	-14.10	34.53	3	Vertical	66	1.00	-	33.66	7.10	35.39

802.11ax HEW20_Nss1,(MCS0)_1TX

2437MHz_TX




EUT X_1TX
Setting 24
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8906G	52.79	74.00	-21.21	47.42	3	Horizontal	250	2.50	-	33.66	7.10	35.39
AV	4.8906G	36.23	54.00	-17.77	30.86	3	Horizontal	250	2.50	-	33.66	7.10	35.39

802.11ax HEW20_Nss1,(MCS0)_1TX

2462MHz_TX




EUT_V_1TX
Setting 16.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.47G	121.25	Inf	-Inf	88.43	3	Vertical	52	1.64	-	28.38	4.44	-
AV	2.47G	109.21	Inf	-Inf	76.39	3	Vertical	52	1.64	-	28.38	4.44	-
PK	2.4835G	73.68	74.00	-0.32	40.81	3	Vertical	52	1.64	-	28.43	4.44	-
AV	2.487G	48.94	54.00	-5.06	16.05	3	Vertical	52	1.64	-	28.45	4.44	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2462MHz_TX




EUT X_1TX
Setting 16.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.92664G	48.28	74.00	-25.72	42.80	3	Vertical	303	2.75	-	33.75	7.10	35.37
AV	4.93726G	35.02	54.00	-18.98	29.51	3	Vertical	303	2.75	-	33.77	7.10	35.36

802.11ax HEW20_Nss1,(MCS0)_1TX

2462MHz_TX




EUT X_1TX
Setting 16.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.92988G	48.21	74.00	-25.79	42.72	3	Horizontal	64	2.67	-	33.76	7.10	35.37	
AV	4.93456G	35.02	54.00	-18.98	29.51	3	Horizontal	64	2.67	-	33.77	7.10	35.36	

802.11ax HEW20_Nss1,(MCS0)_1TX

2467MHz_TX




EUT_V_1TX
Setting 12.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.475G	116.72	Inf	-Inf	83.88	3	Vertical	50	1.69	-	28.40	4.44	-	
AV	2.4752G	104.45	Inf	-Inf	71.61	3	Vertical	50	1.69	-	28.40	4.44	-	
PK	2.4835G	73.49	74.00	-0.51	40.62	3	Vertical	50	1.69	-	28.43	4.44	-	
AV	2.4835G	47.52	54.00	-6.48	14.65	3	Vertical	50	1.69	-	28.43	4.44	-	

802.11ax HEW20_Nss1,(MCS0)_1TX

2467MHz_TX




EUT X_1TX
Setting 12.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.9262G	46.73	74.00	-27.27	41.25	3	Vertical	228	2.17	-	33.75	7.10	35.37	
AV	4.94432G	32.84	54.00	-21.16	27.31	3	Vertical	228	2.17	-	33.79	7.10	35.36	

802.11ax HEW20_Nss1,(MCS0)_1TX

2467MHz_TX




EUT X_1TX
Setting 12.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.9196G	46.23	74.00	-27.77	40.76	3	Horizontal	147	1.49	-	33.74	7.10	35.37	
AV	4.9448G	32.87	54.00	-21.13	27.34	3	Horizontal	147	1.49	-	33.79	7.10	35.36	

802.11ax HEW20_Nss1,(MCS0)_1TX

2472MHz_TX




EUT_V_1TX
Setting 2
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.48G	104.31	Inf	-Inf	71.45	3	Vertical	54	1.79	-	28.42	4.44	-	
AV	2.48G	92.28	Inf	-Inf	59.42	3	Vertical	54	1.79	-	28.42	4.44	-	
PK	2.4835G	68.77	74.00	-5.23	35.90	3	Vertical	54	1.79	-	28.43	4.44	-	
AV	2.4835G	53.50	54.00	-0.50	20.63	3	Vertical	54	1.79	-	28.43	4.44	-	

802.11ax HEW20_Nss1,(MCS0)_1TX

2472MHz_TX




EUT X_1TX
Setting 2
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.94718G	47.20	74.00	-26.80	41.67	3	Vertical	109	1.42	-	33.79	7.10	35.36
AV	4.95108G	33.06	54.00	-20.94	27.52	3	Vertical	109	1.42	-	33.80	7.10	35.36

802.11ax HEW20_Nss1,(MCS0)_1TX

2472MHz_TX



EUT X_1TX
Setting 2
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.93116G	46.36	74.00	-27.64	40.87	3	Horizontal	236	1.07	-	33.76	7.10	35.37
AV	4.95438G	33.01	54.00	-20.99	27.47	3	Horizontal	236	1.07	-	33.79	7.10	35.35



RSE TX above 1GHz
<Partial RU> RU 52_Ant. 3 (1TX)

Appendix F.15

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	AV	2.4835G	53.97	54.00	-0.03	3	Vertical	54	1.79	-