


802.11ax HEW20_Nss1,(MCS0)_1TX

2412MHz_TX




EUT_V_1TX
Setting 20
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3894G	73.60	74.00	-0.40	40.95	3	Vertical	52	1.79	-	28.26	4.39	-
AV	2.3896G	50.85	54.00	-3.15	18.20	3	Vertical	52	1.79	-	28.26	4.39	-
PK	2.4062G	123.19	Inf	-Inf	90.49	3	Vertical	52	1.79	-	28.30	4.40	-
AV	2.4056G	108.85	Inf	-Inf	76.15	3	Vertical	52	1.79	-	28.30	4.40	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2412MHz_TX




EUT X_1TX
Setting 20
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8702G	49.77	74.00	-24.23	44.49	3	Vertical	144	1.72	-	33.58	7.10	35.40
AV	4.8726G	35.87	54.00	-18.13	30.58	3	Vertical	144	1.72	-	33.59	7.10	35.40

802.11ax HEW20_Nss1,(MCS0)_1TX

2412MHz_TX




EUT X_1TX
Setting 20
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.873G	50.07	74.00	-23.93	44.78	3	Horizontal	112	1.01	-	33.59	7.10	35.40
AV	4.8728G	35.76	54.00	-18.24	30.47	3	Horizontal	112	1.01	-	33.59	7.10	35.40

802.11ax HEW20_Nss1,(MCS0)_1TX

2437MHz_TX




EUT_V_1TX
Setting 24
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.387G	64.61	74.00	-9.39	31.97	3	Vertical	52	1.79	-	28.25	4.39	-
AV	2.363G	49.04	54.00	-4.96	16.53	3	Vertical	52	1.79	-	28.15	4.36	-
PK	2.4434G	125.69	Inf	-Inf	92.97	3	Vertical	52	1.79	-	28.30	4.42	-
AV	2.443G	113.70	Inf	-Inf	80.98	3	Vertical	52	1.79	-	28.30	4.42	-
PK	2.4838G	67.77	74.00	-6.23	34.89	3	Vertical	52	1.79	-	28.44	4.44	-
AV	2.4862G	50.41	54.00	-3.59	17.53	3	Vertical	52	1.79	-	28.44	4.44	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2437MHz_TX




EUT X_1TX
Setting 24
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8886G	53.26	74.00	-20.74	47.90	3	Vertical	289	1.80	-	33.65	7.10	35.39
AV	4.8878G	37.49	54.00	-16.51	32.13	3	Vertical	289	1.80	-	33.65	7.10	35.39

802.11ax HEW20_Nss1,(MCS0)_1TX

2437MHz_TX




EUT X_1TX
Setting 24
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8878G	50.74	74.00	-23.26	45.38	3	Horizontal	295	2.41	-	33.65	7.10	35.39
AV	4.888G	36.43	54.00	-17.57	31.07	3	Horizontal	295	2.41	-	33.65	7.10	35.39

802.11ax HEW20_Nss1,(MCS0)_1TX

2462MHz_TX




EUT_V_1TX
Setting 17.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4698G	118.58	Inf	-Inf	85.77	3	Vertical	48	1.74	-	28.38	4.43	-
AV	2.468G	106.51	Inf	-Inf	73.71	3	Vertical	48	1.74	-	28.37	4.43	-
PK	2.4835G	73.72	74.00	-0.28	40.85	3	Vertical	48	1.74	-	28.43	4.44	-
AV	2.4835G	50.68	54.00	-3.32	17.81	3	Vertical	48	1.74	-	28.43	4.44	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2462MHz_TX




EUT X_1TX
Setting 17.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.893G	47.10	74.00	-26.90	41.72	3	Vertical	239	1.85	-	33.67	7.10	35.39
AV	4.875G	33.40	54.00	-20.60	28.09	3	Vertical	239	1.85	-	33.60	7.10	35.39

802.11ax HEW20_Nss1,(MCS0)_1TX

2462MHz_TX




EUT X_1TX
Setting 17.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8742G	46.56	74.00	-27.44	41.26	3	Horizontal	268	2.91	-	33.60	7.10	35.40
AV	4.875G	33.43	54.00	-20.57	28.12	3	Horizontal	268	2.91	-	33.60	7.10	35.39

802.11ax HEW20_Nss1,(MCS0)_1TX

2467MHz_TX




EUT_V_1TX
Setting 13.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4748G	114.23	Inf	-Inf	81.39	3	Vertical	54	1.70	-	28.40	4.44	-
AV	2.473G	102.07	Inf	-Inf	69.24	3	Vertical	54	1.70	-	28.39	4.44	-
PK	2.4835G	73.88	74.00	-0.12	41.01	3	Vertical	54	1.70	-	28.43	4.44	-
AV	2.4835G	48.01	54.00	-5.99	15.14	3	Vertical	54	1.70	-	28.43	4.44	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2467MHz_TX




EUT X_1TX
Setting 13.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.94792G	46.70	74.00	-27.30	41.16	3	Vertical	103	2.81	-	33.80	7.10	35.36	
AV	4.94708G	33.02	54.00	-20.98	27.49	3	Vertical	103	2.81	-	33.79	7.10	35.36	

802.11ax HEW20_Nss1,(MCS0)_1TX

2467MHz_TX




EUT X_1TX
Setting 13.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.92662G	46.59	74.00	-27.41	41.11	3	Horizontal	172	1.29	-	33.75	7.10	35.37
AV	4.94504G	32.98	54.00	-21.02	27.45	3	Horizontal	172	1.29	-	33.79	7.10	35.36

802.11ax HEW20_Nss1,(MCS0)_1TX

2472MHz_TX




EUT_V_1TX
Setting 7
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.4798G	106.01	Inf	-Inf	73.15	3	Vertical	54	1.79	-	28.42	4.44	-	
AV	2.478G	93.89	Inf	-Inf	61.04	3	Vertical	54	1.79	-	28.41	4.44	-	
PK	2.4835G	73.19	74.00	-0.81	40.32	3	Vertical	54	1.79	-	28.43	4.44	-	
AV	2.4835G	53.97	54.00	-0.03	21.10	3	Vertical	54	1.79	-	28.43	4.44	-	

802.11ax HEW20_Nss1,(MCS0)_1TX

2472MHz_TX




EUT X_1TX
Setting 7
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.95606G	46.43	74.00	-27.57	40.89	3	Vertical	54	2.08	-	33.79	7.10	35.35
AV	4.94262G	33.04	54.00	-20.96	27.51	3	Vertical	54	2.08	-	33.79	7.10	35.36

802.11ax HEW20_Nss1,(MCS0)_1TX

2472MHz_TX



EUT X_1TX
Setting 7
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.9374G	46.32	74.00	-27.68	40.81	3	Horizontal	136	2.13	-	33.77	7.10	35.36	
AV	4.95336G	33.12	54.00	-20.88	27.58	3	Horizontal	136	2.13	-	33.79	7.10	35.35	



RSE TX above 1GHz
<Partial RU> RU 106__Ant. 3 (1TX)


Appendix F.16

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	PK	2.4835G	73.93	74.00	-0.07	3	Vertical	52	1.72	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2412MHz_TX




EUT_V_1TX
Setting 20
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3896G	73.60	74.00	-0.40	40.95	3	Vertical	52	1.73	-	28.26	4.39	-
AV	2.39G	52.24	54.00	-1.76	19.59	3	Vertical	52	1.73	-	28.26	4.39	-
PK	2.409G	121.04	Inf	-Inf	88.34	3	Vertical	52	1.73	-	28.30	4.40	-
AV	2.4096G	108.93	Inf	-Inf	76.23	3	Vertical	52	1.73	-	28.30	4.40	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2412MHz_TX




EUT X_1TX
Setting 20
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.81716G	51.45	74.00	-22.55	46.48	3	Vertical	135	2.57	-	33.30	7.10	35.43
AV	4.83066G	37.96	54.00	-16.04	32.90	3	Vertical	135	2.57	-	33.38	7.10	35.42

802.11ax HEW20_Nss1,(MCS0)_1TX

2412MHz_TX




EUT X_1TX
Setting 20
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.83312G	51.67	74.00	-22.33	46.59	3	Horizontal	32	1.34	-	33.40	7.10	35.42
AV	4.83864G	37.77	54.00	-16.23	32.65	3	Horizontal	32	1.34	-	33.43	7.10	35.41

802.11ax HEW20_Nss1,(MCS0)_1TX

2437MHz_TX




EUT_V_1TX
Setting 24
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3874G	64.07	74.00	-9.93	31.43	3	Vertical	50	1.88	-	28.25	4.39	-
AV	2.3606G	48.36	54.00	-5.64	15.86	3	Vertical	50	1.88	-	28.14	4.36	-
PK	2.4398G	125.12	Inf	-Inf	92.40	3	Vertical	50	1.88	-	28.30	4.42	-
AV	2.439G	113.38	Inf	-Inf	80.66	3	Vertical	50	1.88	-	28.30	4.42	-
PK	2.4838G	68.41	74.00	-5.59	35.53	3	Vertical	50	1.88	-	28.44	4.44	-
AV	2.4862G	49.55	54.00	-4.45	16.67	3	Vertical	50	1.88	-	28.44	4.44	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2437MHz_TX




EUT X_1TX
Setting 24
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8818G	53.95	74.00	-20.05	48.61	3	Vertical	255	1.70	-	33.63	7.10	35.39
AV	4.88024G	39.24	54.00	-14.76	33.91	3	Vertical	255	1.70	-	33.62	7.10	35.39

802.11ax HEW20_Nss1,(MCS0)_1TX

2437MHz_TX




EUT X_1TX
Setting 24
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8803G	50.41	74.00	-23.59	45.08	3	Horizontal	191	1.00	-	33.62	7.10	35.39
AV	4.88294G	35.99	54.00	-18.01	30.65	3	Horizontal	191	1.00	-	33.63	7.10	35.39

802.11ax HEW20_Nss1,(MCS0)_1TX

2462MHz_TX




EUT_V_1TX
Setting 18.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4648G	119.86	Inf	-Inf	87.07	3	Vertical	52	1.72	-	28.36	4.43	-
AV	2.464G	108.01	Inf	-Inf	75.22	3	Vertical	52	1.72	-	28.36	4.43	-
PK	2.4835G	73.93	74.00	-0.07	41.06	3	Vertical	52	1.72	-	28.43	4.44	-
AV	2.4835G	51.57	54.00	-2.43	18.70	3	Vertical	52	1.72	-	28.43	4.44	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2462MHz_TX




EUT X_1TX
Setting 18.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.93198G	47.92	74.00	-26.08	42.43	3	Vertical	164	1.57	-	33.76	7.10	35.37	
AV	4.93642G	34.93	54.00	-19.07	29.42	3	Vertical	164	1.57	-	33.77	7.10	35.36	

802.11ax HEW20_Nss1,(MCS0)_1TX

2462MHz_TX




EUT X_1TX
Setting 18.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.92658G	48.44	74.00	-25.56	42.96	3	Horizontal	204	1.26	-	33.75	7.10	35.37
AV	4.93522G	34.90	54.00	-19.10	29.39	3	Horizontal	204	1.26	-	33.77	7.10	35.36

802.11ax HEW20_Nss1,(MCS0)_1TX

2467MHz_TX




EUT V_1TX
Setting 15
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4698G	116.01	Inf	-Inf	83.20	3	Vertical	54	1.78	-	28.38	4.43	-
AV	2.469G	103.81	Inf	-Inf	71.00	3	Vertical	54	1.78	-	28.38	4.43	-
PK	2.4836G	73.60	74.00	-0.40	40.73	3	Vertical	54	1.78	-	28.43	4.44	-
AV	2.4835G	50.28	54.00	-3.72	17.41	3	Vertical	54	1.78	-	28.43	4.44	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2467MHz_TX




EUT X_1TX
Setting 15
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.93646G	46.38	74.00	-27.62	40.87	3	Vertical	46	2.70	-	33.77	7.10	35.36
AV	4.94612G	32.94	54.00	-21.06	27.41	3	Vertical	46	2.70	-	33.79	7.10	35.36

802.11ax HEW20_Nss1,(MCS0)_1TX

2467MHz_TX




EUT X_1TX
Setting 15
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.92002G	46.98	74.00	-27.02	41.51	3	Horizontal	55	2.22	-	33.74	7.10	35.37
AV	4.93502G	33.00	54.00	-21.00	27.49	3	Horizontal	55	2.22	-	33.77	7.10	35.36

802.11ax HEW20_Nss1,(MCS0)_1TX

2472MHz_TX




EUT_V_1TX
Setting 8
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.4748G	107.64	Inf	-Inf	74.80	3	Vertical	50	1.75	-	28.40	4.44	-	
AV	2.474G	95.55	Inf	-Inf	62.71	3	Vertical	50	1.75	-	28.40	4.44	-	
PK	2.4835G	73.44	74.00	-0.56	40.57	3	Vertical	50	1.75	-	28.43	4.44	-	
AV	2.4835G	53.70	54.00	-0.30	20.83	3	Vertical	50	1.75	-	28.43	4.44	-	

802.11ax HEW20_Nss1,(MCS0)_1TX

2472MHz_TX




EUT X_1TX
Setting 8
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.95348G	46.36	74.00	-27.64	40.82	3	Vertical	360	1.37	-	33.79	7.10	35.35	
AV	4.93482G	33.02	54.00	-20.98	27.51	3	Vertical	360	1.37	-	33.77	7.10	35.36	

802.11ax HEW20_Nss1,(MCS0)_1TX

2472MHz_TX



EUT X_1TX
Setting 8
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.93794G	46.75	74.00	-27.25	41.23	3	Horizontal	10	1.45	-	33.78	7.10	35.36	
AV	4.95342G	33.14	54.00	-20.86	27.60	3	Horizontal	10	1.45	-	33.79	7.10	35.35	



RSE TX above 1GHz
<Partial RU> RU 26_Ant. 1 (2TX)


Appendix F.17

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	PK	2.4835G	73.96	74.00	-0.04	3	Horizontal	116	1.00	-

802.11ax HEW20_Nss1,(MCS0)_2TX

2412MHz_TX




EUT_Z_2TX
Setting 19.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3878G	73.41	74.00	-0.59	40.77	3	Vertical	75	2.66	-	28.25	4.39	-
AV	2.387G	49.29	54.00	-4.71	16.65	3	Vertical	75	2.66	-	28.25	4.39	-
PK	2.4038G	124.79	Inf	-Inf	92.09	3	Vertical	75	2.66	-	28.30	4.40	-
AV	2.4038G	112.08	Inf	-Inf	79.38	3	Vertical	75	2.66	-	28.30	4.40	-

802.11ax HEW20_Nss1,(MCS0)_2TX

2412MHz_TX




EUT_Z_2TX
Setting 19.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3882G	70.64	74.00	-3.36	38.00	3	Horizontal	117	1.51	-	28.25	4.39	-
AV	2.3868G	48.16	54.00	-5.84	15.52	3	Horizontal	117	1.51	-	28.25	4.39	-
PK	2.4038G	122.35	Inf	-Inf	89.65	3	Horizontal	117	1.51	-	28.30	4.40	-
AV	2.4036G	110.14	Inf	-Inf	77.44	3	Horizontal	117	1.51	-	28.30	4.40	-

802.11ax HEW20_Nss1,(MCS0)_2TX

2412MHz_TX




EUT X_2TX
Setting 19.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8072G	56.02	74.00	-17.98	51.11	3	Vertical	165	2.75	-	33.24	7.10	35.43
AV	4.8064G	36.46	54.00	-17.54	31.55	3	Vertical	165	2.75	-	33.24	7.10	35.43

802.11ax HEW20_Nss1,(MCS0)_2TX

2412MHz_TX




EUT X_2TX
Setting 19.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8078G	49.21	74.00	-24.79	44.29	3	Horizontal	210	2.62	-	33.25	7.10	35.43
AV	4.8078G	34.24	54.00	-19.76	29.32	3	Horizontal	210	2.62	-	33.25	7.10	35.43

802.11ax HEW20_Nss1,(MCS0)_2TX

2437MHz_TX




EUT_Z_2TX
Setting 24
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3654G	62.68	74.00	-11.32	30.15	3	Vertical	114	2.56	-	28.16	4.37	-
AV	2.365G	51.47	54.00	-2.53	18.94	3	Vertical	114	2.56	-	28.16	4.37	-
PK	2.445G	126.15	Inf	-Inf	93.43	3	Vertical	114	2.56	-	28.30	4.42	-
AV	2.445G	116.59	Inf	-Inf	83.87	3	Vertical	114	2.56	-	28.30	4.42	-
PK	2.4838G	66.87	74.00	-7.13	33.99	3	Vertical	114	2.56	-	28.44	4.44	-
AV	2.4854G	49.93	54.00	-4.07	17.05	3	Vertical	114	2.56	-	28.44	4.44	-

802.11ax HEW20_Nss1,(MCS0)_2TX

2437MHz_TX




EUT_Z_2TX
Setting 24
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.365G	62.34	74.00	-11.66	29.81	3	Horizontal	116	1.44	-	28.16	4.37	-
AV	2.3646G	50.35	54.00	-3.65	17.83	3	Horizontal	116	1.44	-	28.16	4.36	-
PK	2.445G	126.14	Inf	-Inf	93.42	3	Horizontal	116	1.44	-	28.30	4.42	-
AV	2.445G	116.16	Inf	-Inf	83.44	3	Horizontal	116	1.44	-	28.30	4.42	-
PK	2.4838G	64.79	74.00	-9.21	31.91	3	Horizontal	116	1.44	-	28.44	4.44	-
AV	2.4862G	49.21	54.00	-4.79	16.33	3	Horizontal	116	1.44	-	28.44	4.44	-

802.11ax HEW20_Nss1,(MCS0)_2TX

2437MHz_TX




EUT X_2TX
Setting 24
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8904G	59.42	74.00	-14.58	54.05	3	Vertical	316	1.00	-	33.66	7.10	35.39
AV	4.8904G	44.35	54.00	-9.65	38.98	3	Vertical	316	1.00	-	33.66	7.10	35.39
PK	7.3378G	58.32	74.00	-15.68	48.44	3	Vertical	205	2.25	-	36.98	8.48	35.58
AV	7.336G	45.70	54.00	-8.30	35.84	3	Vertical	205	2.25	-	36.97	8.47	35.58

802.11ax HEW20_Nss1,(MCS0)_2TX

2437MHz_TX




EUT X_2TX
Setting 24
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.89G	57.40	74.00	-16.60	52.03	3	Horizontal	178	1.00	-	33.66	7.10	35.39
AV	4.8906G	40.49	54.00	-13.51	35.12	3	Horizontal	178	1.00	-	33.66	7.10	35.39
PK	7.3358G	59.68	74.00	-14.32	49.82	3	Horizontal	236	2.26	-	36.97	8.47	35.58
AV	7.336G	46.12	54.00	-7.88	36.26	3	Horizontal	236	2.26	-	36.97	8.47	35.58

802.11ax HEW20_Nss1,(MCS0)_2TX

2462MHz_TX




EUT_Z_2TX
Setting 19
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.47G	123.53	Inf	-Inf	90.71	3	Vertical	124	2.05	-	28.38	4.44	-
AV	2.4702G	111.82	Inf	-Inf	79.00	3	Vertical	124	2.05	-	28.38	4.44	-
PK	2.4835G	73.72	74.00	-0.28	40.85	3	Vertical	124	2.05	-	28.43	4.44	-
AV	2.4872G	50.00	54.00	-4.00	17.11	3	Vertical	124	2.05	-	28.45	4.44	-

802.11ax HEW20_Nss1,(MCS0)_2TX

2462MHz_TX




EUT_Z_2TX
Setting 19
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.47G	122.47	Inf	-Inf	89.65	3	Horizontal	116	1.00	-	28.38	4.44	-
AV	2.47G	110.69	Inf	-Inf	77.87	3	Horizontal	116	1.00	-	28.38	4.44	-
PK	2.4835G	73.96	74.00	-0.04	41.09	3	Horizontal	116	1.00	-	28.43	4.44	-
AV	2.4872G	49.50	54.00	-4.50	16.61	3	Horizontal	116	1.00	-	28.45	4.44	-

802.11ax HEW20_Nss1,(MCS0)_2TX

2462MHz_TX




EUT X_2TX
Setting 19
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.9406G	52.97	74.00	-21.03	47.45	3	Vertical	333	1.92	-	33.78	7.10	35.36
AV	4.9408G	37.54	54.00	-16.46	32.02	3	Vertical	333	1.92	-	33.78	7.10	35.36

802.11ax HEW20_Nss1,(MCS0)_2TX

2462MHz_TX




EUT X_2TX
Setting 19
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.942G	48.03	74.00	-25.97	42.51	3	Horizontal	215	1.20	-	33.78	7.10	35.36
AV	4.9412G	36.04	54.00	-17.96	30.52	3	Horizontal	215	1.20	-	33.78	7.10	35.36

802.11ax HEW20_Nss1,(MCS0)_2TX

2467MHz_TX




EUT_Z_2TX
Setting 14.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.475G	119.20	Inf	-Inf	86.36	3	Vertical	124	2.05	-	28.40	4.44	-
AV	2.475G	107.08	Inf	-Inf	74.24	3	Vertical	124	2.05	-	28.40	4.44	-
PK	2.4838G	73.33	74.00	-0.67	40.45	3	Vertical	124	2.05	-	28.44	4.44	-
AV	2.4918G	47.45	54.00	-6.55	14.53	3	Vertical	124	2.05	-	28.47	4.45	-

802.11ax HEW20_Nss1,(MCS0)_2TX

2467MHz_TX




EUT_Z_2TX
Setting 14.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.475G	118.64	Inf	-Inf	85.80	3	Horizontal	116	1.00	-	28.40	4.44	-
AV	2.475G	106.29	Inf	-Inf	73.45	3	Horizontal	116	1.00	-	28.40	4.44	-
PK	2.4835G	73.39	74.00	-0.61	40.52	3	Horizontal	116	1.00	-	28.43	4.44	-
AV	2.484G	47.21	54.00	-6.79	14.33	3	Horizontal	116	1.00	-	28.44	4.44	-

802.11ax HEW20_Nss1,(MCS0)_2TX

2467MHz_TX




EUT X_2TX
Setting 14.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.9484G	47.04	74.00	-26.96	41.50	3	Vertical	255	1.66	-	33.80	7.10	35.36
AV	4.9506G	34.63	54.00	-19.37	29.09	3	Vertical	255	1.66	-	33.80	7.10	35.36

802.11ax HEW20_Nss1,(MCS0)_2TX

2467MHz_TX




EUT X_2TX
Setting 14.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.9512G	46.73	74.00	-27.27	41.19	3	Horizontal	142	1.38	-	33.80	7.10	35.36	
AV	4.9508G	34.21	54.00	-19.79	28.67	3	Horizontal	142	1.38	-	33.80	7.10	35.36	

802.11ax HEW20_Nss1,(MCS0)_2TX

2472MHz_TX




EUT_Z_2TX
Setting 0.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.48G	104.88	Inf	-Inf	72.02	3	Vertical	118	2.56	-	28.42	4.44	-
AV	2.48G	92.93	Inf	-Inf	60.07	3	Vertical	118	2.56	-	28.42	4.44	-
PK	2.4835G	67.88	74.00	-6.12	35.01	3	Vertical	118	2.56	-	28.43	4.44	-
AV	2.4835G	53.89	54.00	-0.11	21.02	3	Vertical	118	2.56	-	28.43	4.44	-

802.11ax HEW20_Nss1,(MCS0)_2TX

2472MHz_TX




EUT_Z_2TX
Setting 0.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4798G	104.28	Inf	-Inf	71.42	3	Horizontal	118	1.01	-	28.42	4.44	-
AV	2.48G	92.19	Inf	-Inf	59.33	3	Horizontal	118	1.01	-	28.42	4.44	-
PK	2.4835G	68.97	74.00	-5.03	36.10	3	Horizontal	118	1.01	-	28.43	4.44	-
AV	2.4835G	53.33	54.00	-0.67	20.46	3	Horizontal	118	1.01	-	28.43	4.44	-

802.11ax HEW20_Nss1,(MCS0)_2TX

2472MHz_TX




EUT X_2TX
Setting 0.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.94058G	51.16	74.00	-22.84	45.64	3	Vertical	248	2.55	-	33.78	7.10	35.36	
AV	4.9533G	38.37	54.00	-15.63	32.83	3	Vertical	248	2.55	-	33.79	7.10	35.35	

802.11ax HEW20_Nss1,(MCS0)_2TX

2472MHz_TX



EUT X_2TX
Setting 0.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.93884G	47.11	74.00	-26.89	41.59	3	Horizontal	58	1.37	-	33.78	7.10	35.36
AV	4.93488G	33.47	54.00	-20.53	27.96	3	Horizontal	58	1.37	-	33.77	7.10	35.36



RSE TX above 1GHz
<Partial RU> RU 52_Ant. 1 (2TX)


Appendix F.18

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	PK	2.4835G	73.89	74.00	-0.11	3	Horizontal	115	1.00	-

802.11ax HEW20_Nss1,(MCS0)_2TX

2412MHz_TX




EUT_Z_2TX
Setting 19.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.388G	73.27	74.00	-0.73	40.63	3	Vertical	57	2.66	-	28.25	4.39	-
AV	2.39G	50.01	54.00	-3.99	17.36	3	Vertical	57	2.66	-	28.26	4.39	-
PK	2.4062G	122.46	Inf	-Inf	89.76	3	Vertical	57	2.66	-	28.30	4.40	-
AV	2.4056G	106.45	Inf	-Inf	73.75	3	Vertical	57	2.66	-	28.30	4.40	-

802.11ax HEW20_Nss1,(MCS0)_2TX

2412MHz_TX




EUT_Z_2TX
Setting 19.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3888G	73.14	74.00	-0.86	40.49	3	Horizontal	119	1.03	-	28.26	4.39	-
AV	2.39G	49.70	54.00	-4.30	17.05	3	Horizontal	119	1.03	-	28.26	4.39	-
PK	2.4062G	121.86	Inf	-Inf	89.16	3	Horizontal	119	1.03	-	28.30	4.40	-
AV	2.4054G	105.79	Inf	-Inf	73.09	3	Horizontal	119	1.03	-	28.30	4.40	-

802.11ax HEW20_Nss1,(MCS0)_2TX

2412MHz_TX




EUT X_2TX
Setting 19.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.8098G	51.20	74.00	-22.80	46.27	3	Vertical	180	1.22	-	33.26	7.10	35.43	
AV	4.8084G	34.81	54.00	-19.19	29.89	3	Vertical	180	1.22	-	33.25	7.10	35.43	

802.11ax HEW20_Nss1,(MCS0)_2TX

2412MHz_TX




EUT X_2TX
Setting 19.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.833G	46.52	74.00	-27.48	41.44	3	Horizontal	161	2.13	-	33.40	7.10	35.42
AV	4.8738G	33.66	54.00	-20.34	28.36	3	Horizontal	161	2.13	-	33.60	7.10	35.40

802.11ax HEW20_Nss1,(MCS0)_2TX

2437MHz_TX




EUT_Z_2TX
Setting 24
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3898G	60.78	74.00	-13.22	28.13	3	Vertical	112	2.07	-	28.26	4.39	-
AV	2.363G	47.08	54.00	-6.92	14.57	3	Vertical	112	2.07	-	28.15	4.36	-
PK	2.4438G	122.55	Inf	-Inf	89.83	3	Vertical	112	2.07	-	28.30	4.42	-
AV	2.443G	108.42	Inf	-Inf	75.70	3	Vertical	112	2.07	-	28.30	4.42	-
PK	2.4838G	65.95	74.00	-8.05	33.07	3	Vertical	112	2.07	-	28.44	4.44	-
AV	2.4858G	47.91	54.00	-6.09	15.03	3	Vertical	112	2.07	-	28.44	4.44	-

802.11ax HEW20_Nss1,(MCS0)_2TX

2437MHz_TX




EUT_Z_2TX
Setting 24
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3894G	62.90	74.00	-11.10	30.25	3	Horizontal	118	1.42	-	28.26	4.39	-
AV	2.363G	48.60	54.00	-5.40	16.09	3	Horizontal	118	1.42	-	28.15	4.36	-
PK	2.4434G	124.44	Inf	-Inf	91.72	3	Horizontal	118	1.42	-	28.30	4.42	-
AV	2.443G	110.61	Inf	-Inf	77.89	3	Horizontal	118	1.42	-	28.30	4.42	-
PK	2.4838G	66.18	74.00	-7.82	33.30	3	Horizontal	118	1.42	-	28.44	4.44	-
AV	2.4858G	48.26	54.00	-5.74	15.38	3	Horizontal	118	1.42	-	28.44	4.44	-

802.11ax HEW20_Nss1,(MCS0)_2TX

2437MHz_TX




EUT X_2TX
Setting 24
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8876G	56.90	74.00	-17.10	51.54	3	Vertical	317	1.00	-	33.65	7.10	35.39
AV	4.8878G	42.51	54.00	-11.49	37.15	3	Vertical	317	1.00	-	33.65	7.10	35.39
PK	7.3312G	56.88	74.00	-17.12	47.04	3	Vertical	204	2.14	-	36.96	8.46	35.58
AV	7.3322G	43.15	54.00	-10.85	33.31	3	Vertical	204	2.14	-	36.96	8.46	35.58

802.11ax HEW20_Nss1,(MCS0)_2TX

2437MHz_TX




EUT X_2TX
Setting 24
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8886G	53.65	74.00	-20.35	48.29	3	Horizontal	221	1.02	-	33.65	7.10	35.39
AV	4.8882G	39.16	54.00	-14.84	33.80	3	Horizontal	221	1.02	-	33.65	7.10	35.39
PK	7.3302G	56.51	74.00	-17.49	46.67	3	Horizontal	303	1.03	-	36.96	8.46	35.58
AV	7.3316G	42.44	54.00	-11.56	32.60	3	Horizontal	303	1.03	-	36.96	8.46	35.58

802.11ax HEW20_Nss1,(MCS0)_2TX

2462MHz_TX




EUT_Z_2TX
Setting 19
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4676G	118.25	Inf	-Inf	85.45	3	Vertical	111	2.30	-	28.37	4.43	-
AV	2.4678G	105.39	Inf	-Inf	72.59	3	Vertical	111	2.30	-	28.37	4.43	-
PK	2.4835G	72.97	74.00	-1.03	40.10	3	Vertical	111	2.30	-	28.43	4.44	-
AV	2.4835G	51.04	54.00	-2.96	18.17	3	Vertical	111	2.30	-	28.43	4.44	-

802.11ax HEW20_Nss1,(MCS0)_2TX

2462MHz_TX




EUT_Z_2TX
Setting 19
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.4684G	120.03	Inf	-Inf	87.23	3	Horizontal	118	1.01	-	28.37	4.43	-	
AV	2.4682G	105.65	Inf	-Inf	72.85	3	Horizontal	118	1.01	-	28.37	4.43	-	
PK	2.4835G	73.83	74.00	-0.17	40.96	3	Horizontal	118	1.01	-	28.43	4.44	-	
AV	2.4835G	51.15	54.00	-2.85	18.28	3	Horizontal	118	1.01	-	28.43	4.44	-	

802.11ax HEW20_Nss1,(MCS0)_2TX

2462MHz_TX




EUT X_2TX
Setting 19
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.9374G	51.29	74.00	-22.71	45.78	3	Vertical	324	1.42	-	33.77	7.10	35.36
AV	4.9378G	36.15	54.00	-17.85	30.63	3	Vertical	324	1.42	-	33.78	7.10	35.36

802.11ax HEW20_Nss1,(MCS0)_2TX

2462MHz_TX




EUT X_2TX
Setting 19
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.9118G	47.72	74.00	-26.28	42.28	3	Horizontal	100	2.40	-	33.72	7.10	35.38
AV	4.9378G	34.03	54.00	-19.97	28.51	3	Horizontal	100	2.40	-	33.78	7.10	35.36

802.11ax HEW20_Nss1,(MCS0)_2TX

2467MHz_TX




EUT_Z_2TX
Setting 15
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4748G	115.17	Inf	-Inf	82.33	3	Vertical	110	2.27	-	28.40	4.44	-
AV	2.4728G	101.86	Inf	-Inf	69.03	3	Vertical	110	2.27	-	28.39	4.44	-
PK	2.4835G	72.97	74.00	-1.03	40.10	3	Vertical	110	2.27	-	28.43	4.44	-
AV	2.4835G	48.64	54.00	-5.36	15.77	3	Vertical	110	2.27	-	28.43	4.44	-

802.11ax HEW20_Nss1,(MCS0)_2TX

2467MHz_TX




EUT_Z_2TX
Setting 15
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4732G	115.90	Inf	-Inf	83.07	3	Horizontal	115	1.00	-	28.39	4.44	-
AV	2.4732G	101.56	Inf	-Inf	68.73	3	Horizontal	115	1.00	-	28.39	4.44	-
PK	2.4835G	73.89	74.00	-0.11	41.02	3	Horizontal	115	1.00	-	28.43	4.44	-
AV	2.4846G	48.51	54.00	-5.49	15.63	3	Horizontal	115	1.00	-	28.44	4.44	-

802.11ax HEW20_Nss1,(MCS0)_2TX

2467MHz_TX




EUT X_2TX
Setting 15
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.9494G	47.51	74.00	-26.49	41.97	3	Vertical	301	1.96	-	33.80	7.10	35.36	
AV	4.9478G	34.35	54.00	-19.65	28.81	3	Vertical	301	1.96	-	33.80	7.10	35.36	

802.11ax HEW20_Nss1,(MCS0)_2TX

2467MHz_TX




EUT X_2TX
Setting 15
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8984G	47.07	74.00	-26.93	41.66	3	Horizontal	131	2.30	-	33.69	7.10	35.38
AV	4.8842G	33.81	54.00	-20.19	28.46	3	Horizontal	131	2.30	-	33.64	7.10	35.39

802.11ax HEW20_Nss1,(MCS0)_2TX

2472MHz_TX




EUT_Z_2TX
Setting 6.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4798G	106.23	Inf	-Inf	73.37	3	Vertical	109	2.28	-	28.42	4.44	-
AV	2.478G	93.20	Inf	-Inf	60.35	3	Vertical	109	2.28	-	28.41	4.44	-
PK	2.4835G	71.46	74.00	-2.54	38.59	3	Vertical	109	2.28	-	28.43	4.44	-
AV	2.4835G	53.71	54.00	-0.29	20.84	3	Vertical	109	2.28	-	28.43	4.44	-

802.11ax HEW20_Nss1,(MCS0)_2TX

2472MHz_TX




EUT_Z_2TX
Setting 6.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4784G	106.95	Inf	-Inf	74.10	3	Horizontal	120	1.00	-	28.41	4.44	-
AV	2.478G	93.73	Inf	-Inf	60.88	3	Horizontal	120	1.00	-	28.41	4.44	-
PK	2.4835G	72.93	74.00	-1.07	40.06	3	Horizontal	120	1.00	-	28.43	4.44	-
AV	2.4835G	53.77	54.00	-0.23	20.90	3	Horizontal	120	1.00	-	28.43	4.44	-

802.11ax HEW20_Nss1,(MCS0)_2TX

2472MHz_TX




EUT X_2TX
Setting 6.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.92996G	47.09	74.00	-26.91	41.60	3	Vertical	22	1.37	-	33.76	7.10	35.37
AV	4.95138G	33.57	54.00	-20.43	28.03	3	Vertical	22	1.37	-	33.80	7.10	35.36

802.11ax HEW20_Nss1,(MCS0)_2TX

2472MHz_TX



EUT X_2TX
Setting 6.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.9542G	47.50	74.00	-26.50	41.96	3	Horizontal	124	1.55	-	33.79	7.10	35.35	
AV	4.93716G	33.50	54.00	-20.50	27.99	3	Horizontal	124	1.55	-	33.77	7.10	35.36	



RSE TX above 1GHz
<Partial RU> RU 106_Ant. 1 (2TX)


Appendix F.19

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	PK	2.3878G	73.96	74.00	-0.04	3	Vertical	66	2.35	-

802.11ax HEW20_Nss1,(MCS0)_2TX

2412MHz_TX




EUT_Z_2TX
Setting 19.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3878G	73.96	74.00	-0.04	41.32	3	Vertical	66	2.35	-	28.25	4.39	-
AV	2.39G	51.23	54.00	-2.77	18.58	3	Vertical	66	2.35	-	28.26	4.39	-
PK	2.4088G	120.66	Inf	-Inf	87.96	3	Vertical	66	2.35	-	28.30	4.40	-
AV	2.4094G	107.31	Inf	-Inf	74.61	3	Vertical	66	2.35	-	28.30	4.40	-

802.11ax HEW20_Nss1,(MCS0)_2TX

2412MHz_TX




EUT_Z_2TX
Setting 19.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3894G	72.59	74.00	-1.41	39.94	3	Horizontal	118	1.02	-	28.26	4.39	-
AV	2.39G	50.52	54.00	-3.48	17.87	3	Horizontal	118	1.02	-	28.26	4.39	-
PK	2.4096G	119.58	Inf	-Inf	86.88	3	Horizontal	118	1.02	-	28.30	4.40	-
AV	2.4102G	105.94	Inf	-Inf	73.23	3	Horizontal	118	1.02	-	28.30	4.41	-

802.11ax HEW20_Nss1,(MCS0)_2TX

2412MHz_TX




EUT X_2TX
Setting 19.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.8172G	48.74	74.00	-25.26	43.77	3	Vertical	140	2.13	-	33.30	7.10	35.43	
AV	4.8154G	35.07	54.00	-18.93	30.11	3	Vertical	140	2.13	-	33.29	7.10	35.43	

802.11ax HEW20_Nss1,(MCS0)_2TX

2412MHz_TX




EUT X_2TX
Setting 19.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8104G	48.64	74.00	-25.36	43.71	3	Horizontal	123	1.95	-	33.26	7.10	35.43
AV	4.8154G	34.54	54.00	-19.46	29.58	3	Horizontal	123	1.95	-	33.29	7.10	35.43

802.11ax HEW20_Nss1,(MCS0)_2TX

2437MHz_TX




EUT_Z_2TX
Setting 24
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3874G	63.28	74.00	-10.72	30.64	3	Vertical	61	2.60	-	28.25	4.39	-
AV	2.3606G	48.44	54.00	-5.56	15.94	3	Vertical	61	2.60	-	28.14	4.36	-
PK	2.4398G	124.41	Inf	-Inf	91.69	3	Vertical	61	2.60	-	28.30	4.42	-
AV	2.4406G	111.10	Inf	-Inf	78.38	3	Vertical	61	2.60	-	28.30	4.42	-
PK	2.4838G	67.45	74.00	-6.55	34.57	3	Vertical	61	2.60	-	28.44	4.44	-
AV	2.4846G	48.42	54.00	-5.58	15.54	3	Vertical	61	2.60	-	28.44	4.44	-

802.11ax HEW20_Nss1,(MCS0)_2TX

2437MHz_TX




EUT_Z_2TX
Setting 24
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.387G	61.20	74.00	-12.80	28.56	3	Horizontal	115	1.41	-	28.25	4.39	-
AV	2.3606G	47.81	54.00	-6.19	15.31	3	Horizontal	115	1.41	-	28.14	4.36	-
PK	2.4398G	123.10	Inf	-Inf	90.38	3	Horizontal	115	1.41	-	28.30	4.42	-
AV	2.439G	109.11	Inf	-Inf	76.39	3	Horizontal	115	1.41	-	28.30	4.42	-
PK	2.4838G	65.30	74.00	-8.70	32.42	3	Horizontal	115	1.41	-	28.44	4.44	-
AV	2.4838G	47.54	54.00	-6.46	14.66	3	Horizontal	115	1.41	-	28.44	4.44	-

802.11ax HEW20_Nss1,(MCS0)_2TX

2437MHz_TX




EUT_X_2TX
Setting 24
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8828G	55.07	74.00	-18.93	49.73	3	Vertical	183	2.46	-	33.63	7.10	35.39
AV	4.8802G	41.82	54.00	-12.18	36.49	3	Vertical	183	2.46	-	33.62	7.10	35.39
PK	7.3216G	56.12	74.00	-17.88	46.31	3	Vertical	194	2.14	-	36.94	8.44	35.57
AV	7.3246G	41.51	54.00	-12.49	31.68	3	Vertical	194	2.14	-	36.95	8.45	35.57

802.11ax HEW20_Nss1,(MCS0)_2TX

2437MHz_TX




EUT_X_2TX
Setting 24
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8804G	53.91	74.00	-20.09	48.58	3	Horizontal	185	2.55	-	33.62	7.10	35.39
AV	4.8804G	39.64	54.00	-14.36	34.31	3	Horizontal	185	2.55	-	33.62	7.10	35.39
PK	7.3222G	56.35	74.00	-17.65	46.54	3	Horizontal	231	2.12	-	36.94	8.44	35.57
AV	7.3214G	41.66	54.00	-12.34	31.85	3	Horizontal	231	2.12	-	36.94	8.44	35.57

802.11ax HEW20_Nss1,(MCS0)_2TX

2462MHz_TX




EUT_Z_2TX
Setting 20.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4648G	120.52	Inf	-Inf	87.73	3	Vertical	112	2.60	-	28.36	4.43	-
AV	2.4638G	107.35	Inf	-Inf	74.56	3	Vertical	112	2.60	-	28.36	4.43	-
PK	2.4838G	72.98	74.00	-1.02	40.10	3	Vertical	112	2.60	-	28.44	4.44	-
AV	2.4836G	52.28	54.00	-1.72	19.41	3	Vertical	112	2.60	-	28.43	4.44	-

802.11ax HEW20_Nss1,(MCS0)_2TX

2462MHz_TX




EUT_Z_2TX
Setting 20.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4648G	120.31	Inf	-Inf	87.52	3	Horizontal	112	1.37	-	28.36	4.43	-
AV	2.464G	106.50	Inf	-Inf	73.71	3	Horizontal	112	1.37	-	28.36	4.43	-
PK	2.4836G	73.39	74.00	-0.61	40.52	3	Horizontal	112	1.37	-	28.43	4.44	-
AV	2.4835G	52.83	54.00	-1.17	19.96	3	Horizontal	112	1.37	-	28.43	4.44	-

802.11ax HEW20_Nss1,(MCS0)_2TX

2462MHz_TX




EUT X_2TX
Setting 20.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.9322G	48.75	74.00	-25.25	43.26	3	Vertical	22	1.03	-	33.76	7.10	35.37
AV	4.9326G	35.24	54.00	-18.76	29.74	3	Vertical	22	1.03	-	33.77	7.10	35.37

802.11ax HEW20_Nss1,(MCS0)_2TX

2462MHz_TX




EUT X_2TX
Setting 20.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.9334G	49.02	74.00	-24.98	43.51	3	Horizontal	247	2.70	-	33.77	7.10	35.36	
AV	4.9328G	35.15	54.00	-18.85	29.64	3	Horizontal	247	2.70	-	33.77	7.10	35.36	

802.11ax HEW20_Nss1,(MCS0)_2TX

2467MHz_TX




EUT_Z_2TX
Setting 17
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4698G	117.26	Inf	-Inf	84.45	3	Vertical	110	2.53	-	28.38	4.43	-
AV	2.469G	103.90	Inf	-Inf	71.09	3	Vertical	110	2.53	-	28.38	4.43	-
PK	2.4835G	72.76	74.00	-1.24	39.89	3	Vertical	110	2.53	-	28.43	4.44	-
AV	2.4835G	52.62	54.00	-1.38	19.75	3	Vertical	110	2.53	-	28.43	4.44	-

802.11ax HEW20_Nss1,(MCS0)_2TX

2467MHz_TX




EUT_Z_2TX
Setting 17
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4696G	117.35	Inf	-Inf	84.54	3	Horizontal	121	1.00	-	28.38	4.43	-
AV	2.4706G	104.08	Inf	-Inf	71.26	3	Horizontal	121	1.00	-	28.38	4.44	-
PK	2.4835G	73.71	74.00	-0.29	40.84	3	Horizontal	121	1.00	-	28.43	4.44	-
AV	2.4835G	52.57	54.00	-1.43	19.70	3	Horizontal	121	1.00	-	28.43	4.44	-

802.11ax HEW20_Nss1,(MCS0)_2TX

2467MHz_TX




EUT_X_2TX
Setting 17
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.9792G	47.80	74.00	-26.20	42.30	3	Vertical	100	2.83	-	33.74	7.10	35.34	
AV	4.9424G	34.27	54.00	-19.73	28.75	3	Vertical	100	2.83	-	33.78	7.10	35.36	

802.11ax HEW20_Nss1,(MCS0)_2TX

2467MHz_TX




EUT X_2TX
Setting 17
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.9518G	47.26	74.00	-26.74	41.72	3	Horizontal	275	1.72	-	33.80	7.10	35.36
AV	4.9436G	33.89	54.00	-20.11	28.36	3	Horizontal	275	1.72	-	33.79	7.10	35.36

802.11ax HEW20_Nss1,(MCS0)_2TX

2472MHz_TX




EUT_Z_2TX
Setting 6.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.475G	109.30	Inf	-Inf	76.46	3	Vertical	66	2.58	-	28.40	4.44	-
AV	2.4742G	95.70	Inf	-Inf	62.86	3	Vertical	66	2.58	-	28.40	4.44	-
PK	2.4835G	72.63	74.00	-1.37	39.76	3	Vertical	66	2.58	-	28.43	4.44	-
AV	2.4835G	53.77	54.00	-0.23	20.90	3	Vertical	66	2.58	-	28.43	4.44	-

802.11ax HEW20_Nss1,(MCS0)_2TX

2472MHz_TX




EUT_Z_2TX
Setting 6.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4746G	107.26	Inf	-Inf	74.42	3	Horizontal	117	1.01	-	28.40	4.44	-
AV	2.474G	93.65	Inf	-Inf	60.81	3	Horizontal	117	1.01	-	28.40	4.44	-
PK	2.4835G	70.34	74.00	-3.66	37.47	3	Horizontal	117	1.01	-	28.43	4.44	-
AV	2.4835G	51.74	54.00	-2.26	18.87	3	Horizontal	117	1.01	-	28.43	4.44	-

802.11ax HEW20_Nss1,(MCS0)_2TX

2472MHz_TX




EUT X_2TX
Setting 6.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.949G	47.44	74.00	-26.56	41.90	3	Vertical	193	1.65	-	33.80	7.10	35.36	
AV	4.9534G	33.70	54.00	-20.30	28.16	3	Vertical	193	1.65	-	33.79	7.10	35.35	

802.11ax HEW20_Nss1,(MCS0)_2TX

2472MHz_TX



EUT X_2TX
Setting 6.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.9178G	47.44	74.00	-26.56	41.97	3	Horizontal	182	1.32	-	33.74	7.10	35.37	
AV	4.961G	33.68	54.00	-20.32	28.15	3	Horizontal	182	1.32	-	33.78	7.10	35.35	



RSE TX above 1GHz
<Partial RU> RU 26_Ant. 2 (2TX)


Appendix F.20

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	AV	2.4835G	53.78	54.00	-0.22	3	Vertical	195	1.83	-

802.11ax HEW20_Nss1,(MCS0)_2TX

2412MHz_TX




EUT V_2TX
Setting 20.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3888G	73.65	74.00	-0.35	41.00	3	Vertical	203	1.79	-	28.26	4.39	-
AV	2.3868G	47.66	54.00	-6.34	15.02	3	Vertical	203	1.79	-	28.25	4.39	-
PK	2.4042G	121.51	Inf	-Inf	88.81	3	Vertical	203	1.79	-	28.30	4.40	-
AV	2.404G	109.30	Inf	-Inf	76.60	3	Vertical	203	1.79	-	28.30	4.40	-

802.11ax HEW20_Nss1,(MCS0)_2TX

2412MHz_TX




EUT V_2TX
Setting 20.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.388G	71.04	74.00	-2.96	38.40	3	Horizontal	166	1.61	-	28.25	4.39	-
AV	2.3872G	46.32	54.00	-7.68	13.68	3	Horizontal	166	1.61	-	28.25	4.39	-
PK	2.4038G	120.54	Inf	-Inf	87.84	3	Horizontal	166	1.61	-	28.30	4.40	-
AV	2.404G	107.65	Inf	-Inf	74.95	3	Horizontal	166	1.61	-	28.30	4.40	-

802.11ax HEW20_Nss1,(MCS0)_2TX

2412MHz_TX




EUT Y_2TX
Setting 20.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8074G	58.94	74.00	-15.06	54.03	3	Vertical	176	1.95	-	33.24	7.10	35.43
AV	4.8068G	37.82	54.00	-16.18	32.91	3	Vertical	176	1.95	-	33.24	7.10	35.43

802.11ax HEW20_Nss1,(MCS0)_2TX

2412MHz_TX




EUT Y_2TX
Setting 20.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8076G	51.42	74.00	-22.58	46.50	3	Horizontal	162	2.19	-	33.25	7.10	35.43
AV	4.807G	35.09	54.00	-18.91	30.18	3	Horizontal	162	2.19	-	33.24	7.10	35.43

802.11ax HEW20_Nss1,(MCS0)_2TX

2437MHz_TX




EUT_V_2TX
Setting 24
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3646G	62.25	74.00	-11.75	29.73	3	Vertical	190	1.83	-	28.16	4.36	-
AV	2.3646G	50.15	54.00	-3.85	17.63	3	Vertical	190	1.83	-	28.16	4.36	-
PK	2.445G	123.42	Inf	-Inf	90.70	3	Vertical	190	1.83	-	28.30	4.42	-
AV	2.4446G	112.46	Inf	-Inf	79.74	3	Vertical	190	1.83	-	28.30	4.42	-
PK	2.4846G	62.72	74.00	-11.28	29.84	3	Vertical	190	1.83	-	28.44	4.44	-
AV	2.4862G	48.74	54.00	-5.26	15.86	3	Vertical	190	1.83	-	28.44	4.44	-

802.11ax HEW20_Nss1,(MCS0)_2TX

2437MHz_TX




EUT_V_2TX
Setting 24
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.365G	59.12	74.00	-14.88	26.59	3	Horizontal	171	3.00	-	28.16	4.37	-
AV	2.365G	47.52	54.00	-6.48	14.99	3	Horizontal	171	3.00	-	28.16	4.37	-
PK	2.445G	122.18	Inf	-Inf	89.46	3	Horizontal	171	3.00	-	28.30	4.42	-
AV	2.445G	111.91	Inf	-Inf	79.19	3	Horizontal	171	3.00	-	28.30	4.42	-
PK	2.486G	59.98	74.00	-14.02	27.09	3	Horizontal	171	3.00	-	28.45	4.44	-
AV	2.4858G	46.76	54.00	-7.24	13.88	3	Horizontal	171	3.00	-	28.44	4.44	-

802.11ax HEW20_Nss1,(MCS0)_2TX

2437MHz_TX




EUT V_2TX
Setting 24
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.89G	61.31	74.00	-12.69	55.94	3	Vertical	140	2.82	-	33.66	7.10	35.39
AV	4.8906G	44.35	54.00	-9.65	38.98	3	Vertical	140	2.82	-	33.66	7.10	35.39
PK	7.3368G	55.30	74.00	-18.70	45.44	3	Vertical	76	1.86	-	36.97	8.47	35.58
AV	7.3366G	42.77	54.00	-11.23	32.91	3	Vertical	76	1.86	-	36.97	8.47	35.58

802.11ax HEW20_Nss1,(MCS0)_2TX

2437MHz_TX




EUT V_2TX
Setting 24
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8908G	59.08	74.00	-14.92	53.71	3	Horizontal	179	1.82	-	33.66	7.10	35.39
AV	4.8906G	41.75	54.00	-12.25	36.38	3	Horizontal	179	1.82	-	33.66	7.10	35.39
PK	7.3358G	54.46	74.00	-19.54	44.60	3	Horizontal	239	1.80	-	36.97	8.47	35.58
AV	7.3362G	41.83	54.00	-12.17	31.97	3	Horizontal	239	1.80	-	36.97	8.47	35.58

802.11ax HEW20_Nss1,(MCS0)_2TX

2462MHz_TX




EUT_V_2TX
Setting 19.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4708G	121.54	Inf	-Inf	88.72	3	Vertical	191	1.63	-	28.38	4.44	-
AV	2.4698G	108.97	Inf	-Inf	76.16	3	Vertical	191	1.63	-	28.38	4.43	-
PK	2.4835G	72.08	74.00	-1.92	39.21	3	Vertical	191	1.63	-	28.43	4.44	-
AV	2.4876G	47.91	54.00	-6.09	15.02	3	Vertical	191	1.63	-	28.45	4.44	-

802.11ax HEW20_Nss1,(MCS0)_2TX

2462MHz_TX




EUT_V_2TX
Setting 19.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.47G	121.24	Inf	-Inf	88.42	3	Horizontal	10	2.87	-	28.38	4.44	-
AV	2.47G	109.77	Inf	-Inf	76.95	3	Horizontal	10	2.87	-	28.38	4.44	-
PK	2.4838G	72.43	74.00	-1.57	39.55	3	Horizontal	10	2.87	-	28.44	4.44	-
AV	2.4872G	48.65	54.00	-5.35	15.76	3	Horizontal	10	2.87	-	28.45	4.44	-

802.11ax HEW20_Nss1,(MCS0)_2TX

2462MHz_TX




EUT Y_2TX
Setting 19.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.9404G	53.33	74.00	-20.67	47.81	3	Vertical	329	1.38	-	33.78	7.10	35.36
AV	4.9408G	37.41	54.00	-16.59	31.89	3	Vertical	329	1.38	-	33.78	7.10	35.36

802.11ax HEW20_Nss1,(MCS0)_2TX

2462MHz_TX




EUT Y_2TX
Setting 19.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.94G	48.71	74.00	-25.29	43.19	3	Horizontal	358	1.45	-	33.78	7.10	35.36
AV	4.941G	35.96	54.00	-18.04	30.44	3	Horizontal	358	1.45	-	33.78	7.10	35.36

802.11ax HEW20_Nss1,(MCS0)_2TX

2467MHz_TX




EUT_V_2TX
Setting 16.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.4748G	118.45	Inf	-Inf	85.61	3	Vertical	191	1.62	-	28.40	4.44	-	
AV	2.4748G	105.95	Inf	-Inf	73.11	3	Vertical	191	1.62	-	28.40	4.44	-	
PK	2.4835G	73.74	74.00	-0.26	40.87	3	Vertical	191	1.62	-	28.43	4.44	-	
AV	2.4926G	46.83	54.00	-7.17	13.91	3	Vertical	191	1.62	-	28.47	4.45	-	

802.11ax HEW20_Nss1,(MCS0)_2TX

2467MHz_TX




EUT_V_2TX
Setting 16.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4754G	119.01	Inf	-Inf	86.17	3	Horizontal	10	2.90	-	28.40	4.44	-
AV	2.4752G	107.31	Inf	-Inf	74.47	3	Horizontal	10	2.90	-	28.40	4.44	-
PK	2.4835G	73.25	74.00	-0.75	40.38	3	Horizontal	10	2.90	-	28.43	4.44	-
AV	2.492G	47.06	54.00	-6.94	14.14	3	Horizontal	10	2.90	-	28.47	4.45	-

802.11ax HEW20_Nss1,(MCS0)_2TX

2467MHz_TX




EUT Y_2TX
Setting 16.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.9506G	48.73	74.00	-25.27	43.19	3	Vertical	127	2.89	-	33.80	7.10	35.36
AV	4.9508G	35.94	54.00	-18.06	30.40	3	Vertical	127	2.89	-	33.80	7.10	35.36

802.11ax HEW20_Nss1,(MCS0)_2TX

2467MHz_TX




EUT Y_2TX
Setting 16.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.951G	47.63	74.00	-26.37	42.09	3	Horizontal	163	2.39	-	33.80	7.10	35.36
AV	4.951G	35.29	54.00	-18.71	29.75	3	Horizontal	163	2.39	-	33.80	7.10	35.36

802.11ax HEW20_Nss1,(MCS0)_2TX

2472MHz_TX




EUT_V_2TX
Setting 4.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4808G	105.63	Inf	-Inf	72.77	3	Vertical	195	1.83	-	28.42	4.44	-
AV	2.4806G	93.26	Inf	-Inf	60.40	3	Vertical	195	1.83	-	28.42	4.44	-
PK	2.4835G	69.73	74.00	-4.27	36.86	3	Vertical	195	1.83	-	28.43	4.44	-
AV	2.4835G	53.78	54.00	-0.22	20.91	3	Vertical	195	1.83	-	28.43	4.44	-

802.11ax HEW20_Nss1,(MCS0)_2TX

2472MHz_TX




EUT_V_2TX
Setting 4.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4804G	105.77	Inf	-Inf	72.91	3	Horizontal	346	2.10	-	28.42	4.44	-
AV	2.4806G	93.47	Inf	-Inf	60.61	3	Horizontal	346	2.10	-	28.42	4.44	-
PK	2.4835G	69.57	74.00	-4.43	36.70	3	Horizontal	346	2.10	-	28.43	4.44	-
AV	2.4835G	53.23	54.00	-0.77	20.36	3	Horizontal	346	2.10	-	28.43	4.44	-

802.11ax HEW20_Nss1,(MCS0)_2TX

2472MHz_TX




EUT Y_2TX
Setting 4.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.93476G	47.08	74.00	-26.92	41.57	3	Vertical	23	2.92	-	33.77	7.10	35.36	
AV	4.95048G	33.48	54.00	-20.52	27.94	3	Vertical	23	2.92	-	33.80	7.10	35.36	

802.11ax HEW20_Nss1,(MCS0)_2TX

2472MHz_TX



EUT Y_2TX
Setting 4.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.94034G	46.97	74.00	-27.03	41.45	3	Horizontal	224	1.44	-	33.78	7.10	35.36
AV	4.93638G	33.44	54.00	-20.56	27.93	3	Horizontal	224	1.44	-	33.77	7.10	35.36



RSE TX above 1GHz
<Partial RU> RU 52_Ant. 2 (2TX)


Appendix F.21

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	PK	2.4838G	73.90	74.00	-0.10	3	Vertical	202	1.90	-

802.11ax HEW20_Nss1,(MCS0)_2TX

2412MHz_TX




EUT Y_2TX
Setting 20.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3892G	73.33	74.00	-0.67	40.68	3	Vertical	200	1.80	-	28.26	4.39	-
AV	2.39G	49.06	54.00	-4.94	16.41	3	Vertical	200	1.80	-	28.26	4.39	-
PK	2.406G	119.20	Inf	-Inf	86.50	3	Vertical	200	1.80	-	28.30	4.40	-
AV	2.4058G	104.02	Inf	-Inf	71.32	3	Vertical	200	1.80	-	28.30	4.40	-

802.11ax HEW20_Nss1,(MCS0)_2TX

2412MHz_TX




EUT_V_2TX
Setting 20.25
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	2.389G	69.97	74.00	-4.03	37.32	3	Horizontal	351	1.81	-	28.26	4.39	-
AV	2.3898G	47.61	54.00	-6.39	14.96	3	Horizontal	351	1.81	-	28.26	4.39	-
PK	2.4062G	116.94	Inf	-Inf	84.24	3	Horizontal	351	1.81	-	28.30	4.40	-
AV	2.4054G	102.25	Inf	-Inf	69.55	3	Horizontal	351	1.81	-	28.30	4.40	-

802.11ax HEW20_Nss1,(MCS0)_2TX

2412MHz_TX




EUT Y_2TX
Setting 20.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8099G	54.39	74.00	-19.61	49.46	3	Vertical	257	2.33	-	33.26	7.10	35.43
AV	4.8094G	36.67	54.00	-17.33	31.74	3	Vertical	257	2.33	-	33.26	7.10	35.43

802.11ax HEW20_Nss1,(MCS0)_2TX

2412MHz_TX




EUT Y_2TX
Setting 20.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8353G	45.81	74.00	-28.19	40.72	3	Horizontal	162	1.28	-	33.41	7.10	35.42
AV	4.8405G	32.77	54.00	-21.23	27.64	3	Horizontal	162	1.28	-	33.44	7.10	35.41

802.11ax HEW20_Nss1,(MCS0)_2TX

2437MHz_TX




EUT_V_2TX
Setting 24
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.387G	62.91	74.00	-11.09	30.27	3	Vertical	199	1.80	-	28.25	4.39	-
AV	2.363G	48.53	54.00	-5.47	16.02	3	Vertical	199	1.80	-	28.15	4.36	-
PK	2.4434G	120.64	Inf	-Inf	87.92	3	Vertical	199	1.80	-	28.30	4.42	-
AV	2.4434G	106.98	Inf	-Inf	74.26	3	Vertical	199	1.80	-	28.30	4.42	-
PK	2.4846G	63.58	74.00	-10.42	30.70	3	Vertical	199	1.80	-	28.44	4.44	-
AV	2.4846G	46.88	54.00	-7.12	14.00	3	Vertical	199	1.80	-	28.44	4.44	-

802.11ax HEW20_Nss1,(MCS0)_2TX

2437MHz_TX




EUT_V_2TX
Setting 24
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3898G	60.93	74.00	-13.07	28.28	3	Horizontal	157	2.97	-	28.26	4.39	-
AV	2.363G	46.74	54.00	-7.26	14.23	3	Horizontal	157	2.97	-	28.15	4.36	-
PK	2.4438G	121.00	Inf	-Inf	88.28	3	Horizontal	157	2.97	-	28.30	4.42	-
AV	2.4426G	106.49	Inf	-Inf	73.77	3	Horizontal	157	2.97	-	28.30	4.42	-
PK	2.4838G	62.49	74.00	-11.51	29.61	3	Horizontal	157	2.97	-	28.44	4.44	-
AV	2.4862G	46.36	54.00	-7.64	13.48	3	Horizontal	157	2.97	-	28.44	4.44	-

802.11ax HEW20_Nss1,(MCS0)_2TX

2437MHz_TX




EUT V_2TX
Setting 24
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8876G	57.63	74.00	-16.37	52.27	3	Vertical	142	2.92	-	33.65	7.10	35.39
AV	4.8878G	43.14	54.00	-10.86	37.78	3	Vertical	142	2.92	-	33.65	7.10	35.39
PK	7.3321G	53.92	74.00	-20.08	44.08	3	Vertical	163	1.74	-	36.96	8.46	35.58
AV	7.3323G	40.35	54.00	-13.65	30.51	3	Vertical	163	1.74	-	36.96	8.46	35.58

802.11ax HEW20_Nss1,(MCS0)_2TX

2437MHz_TX




EUT V_2TX
Setting 24
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8876G	55.35	74.00	-18.65	49.99	3	Horizontal	180	1.92	-	33.65	7.10	35.39
AV	4.8879G	41.14	54.00	-12.86	35.78	3	Horizontal	180	1.92	-	33.65	7.10	35.39
PK	7.3302G	54.67	74.00	-19.33	44.83	3	Horizontal	239	2.37	-	36.96	8.46	35.58
AV	7.3322G	40.23	54.00	-13.77	30.39	3	Horizontal	239	2.37	-	36.96	8.46	35.58

802.11ax HEW20_Nss1,(MCS0)_2TX

2462MHz_TX




EUT_V_2TX
Setting 20.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4684G	117.82	Inf	-Inf	85.02	3	Vertical	202	1.90	-	28.37	4.43	-
AV	2.4678G	103.29	Inf	-Inf	70.49	3	Vertical	202	1.90	-	28.37	4.43	-
PK	2.4838G	73.90	74.00	-0.10	41.02	3	Vertical	202	1.90	-	28.44	4.44	-
AV	2.4835G	50.48	54.00	-3.52	17.61	3	Vertical	202	1.90	-	28.43	4.44	-

802.11ax HEW20_Nss1,(MCS0)_2TX

2462MHz_TX




EUT_V_2TX
Setting 20.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4678G	116.79	Inf	-Inf	83.99	3	Horizontal	168	2.95	-	28.37	4.43	-
AV	2.4682G	102.12	Inf	-Inf	69.32	3	Horizontal	168	2.95	-	28.37	4.43	-
PK	2.4838G	73.10	74.00	-0.90	40.22	3	Horizontal	168	2.95	-	28.44	4.44	-
AV	2.4836G	49.46	54.00	-4.54	16.59	3	Horizontal	168	2.95	-	28.43	4.44	-

802.11ax HEW20_Nss1,(MCS0)_2TX

2462MHz_TX




EUT V_2TX
Setting 20.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.9375G	51.21	74.00	-22.79	45.70	3	Vertical	181	1.39	-	33.77	7.10	35.36
AV	4.938G	36.01	54.00	-17.99	30.49	3	Vertical	181	1.39	-	33.78	7.10	35.36

802.11ax HEW20_Nss1,(MCS0)_2TX

2462MHz_TX




EUT Y_2TX
Setting 20.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.9386G	47.34	74.00	-26.66	41.82	3	Horizontal	358	2.92	-	33.78	7.10	35.36
AV	4.9392G	33.27	54.00	-20.73	27.75	3	Horizontal	358	2.92	-	33.78	7.10	35.36

802.11ax HEW20_Nss1,(MCS0)_2TX

2467MHz_TX




EUT_V_2TX
Setting 17.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4732G	116.14	Inf	-Inf	83.31	3	Vertical	192	1.60	-	28.39	4.44	-
AV	2.473G	101.99	Inf	-Inf	69.16	3	Vertical	192	1.60	-	28.39	4.44	-
PK	2.4835G	73.79	74.00	-0.21	40.92	3	Vertical	192	1.60	-	28.43	4.44	-
AV	2.4835G	49.72	54.00	-4.28	16.85	3	Vertical	192	1.60	-	28.43	4.44	-

802.11ax HEW20_Nss1,(MCS0)_2TX

2467MHz_TX




EUT_V_2TX
Setting 17.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4728G	115.05	Inf	-Inf	82.22	3	Horizontal	151	2.91	-	28.39	4.44	-
AV	2.473G	102.39	Inf	-Inf	69.56	3	Horizontal	151	2.91	-	28.39	4.44	-
PK	2.4838G	73.78	74.00	-0.22	40.90	3	Horizontal	151	2.91	-	28.44	4.44	-
AV	2.4835G	49.27	54.00	-4.73	16.40	3	Horizontal	151	2.91	-	28.43	4.44	-

802.11ax HEW20_Nss1,(MCS0)_2TX

2467MHz_TX




EUT Y_2TX
Setting 17.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.9475G	47.97	74.00	-26.03	42.44	3	Vertical	197	1.16	-	33.79	7.10	35.36	
AV	4.9482G	34.68	54.00	-19.32	29.14	3	Vertical	197	1.16	-	33.80	7.10	35.36	

802.11ax HEW20_Nss1,(MCS0)_2TX

2467MHz_TX




EUT Y_2TX
Setting 17.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.9498G	46.24	74.00	-27.76	40.70	3	Horizontal	82	2.96	-	33.80	7.10	35.36
AV	4.9491G	33.11	54.00	-20.89	27.57	3	Horizontal	82	2.96	-	33.80	7.10	35.36

802.11ax HEW20_Nss1,(MCS0)_2TX

2472MHz_TX




EUT_V_2TX
Setting 9.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.4784G	106.45	Inf	-Inf	73.60	3	Vertical	200	1.83	-	28.41	4.44	-	
AV	2.478G	92.41	Inf	-Inf	59.56	3	Vertical	200	1.83	-	28.41	4.44	-	
PK	2.4835G	72.05	74.00	-1.95	39.18	3	Vertical	200	1.83	-	28.43	4.44	-	
AV	2.4835G	53.50	54.00	-0.50	20.63	3	Vertical	200	1.83	-	28.43	4.44	-	

802.11ax HEW20_Nss1,(MCS0)_2TX

2472MHz_TX




EUT_V_2TX
Setting 9.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.4784G	107.38	Inf	-Inf	74.53	3	Horizontal	348	2.09	-	28.41	4.44	-	
AV	2.4778G	93.78	Inf	-Inf	60.93	3	Horizontal	348	2.09	-	28.41	4.44	-	
PK	2.4835G	72.67	74.00	-1.33	39.80	3	Horizontal	348	2.09	-	28.43	4.44	-	
AV	2.4835G	53.77	54.00	-0.23	20.90	3	Horizontal	348	2.09	-	28.43	4.44	-	

802.11ax HEW20_Nss1,(MCS0)_2TX

2472MHz_TX




EUT Y_2TX
Setting 9.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.9682G	46.44	74.00	-27.56	40.93	3	Vertical	107	1.59	-	33.76	7.10	35.35
AV	4.9473G	32.94	54.00	-21.06	27.41	3	Vertical	107	1.59	-	33.79	7.10	35.36

802.11ax HEW20_Nss1,(MCS0)_2TX

2472MHz_TX



EUT Y_2TX
Setting 9.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.9606G	46.17	74.00	-27.83	40.64	3	Horizontal	296	1.10	-	33.78	7.10	35.35	
AV	4.9452G	33.02	54.00	-20.98	27.49	3	Horizontal	296	1.10	-	33.79	7.10	35.36	



RSE TX above 1GHz
<Partial RU> RU 106__Ant. 2 (2TX)


Appendix F.22

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	PK	2.3892G	73.97	74.00	-0.03	3	Vertical	193	1.66	-

802.11ax HEW20_Nss1,(MCS0)_2TX

2412MHz_TX




EUT_V_2TX
Setting 21
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3892G	73.97	74.00	-0.03	41.32	3	Vertical	193	1.66	-	28.26	4.39	-
AV	2.39G	51.24	54.00	-2.76	18.59	3	Vertical	193	1.66	-	28.26	4.39	-
PK	2.4096G	117.87	Inf	-Inf	85.17	3	Vertical	193	1.66	-	28.30	4.40	-
AV	2.4104G	104.54	Inf	-Inf	71.83	3	Vertical	193	1.66	-	28.30	4.41	-

802.11ax HEW20_Nss1,(MCS0)_2TX

2412MHz_TX




EUT_V_2TX
Setting 21
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.388G	71.97	74.00	-2.03	39.33	3	Horizontal	162	1.63	-	28.25	4.39	-
AV	2.39G	49.45	54.00	-4.55	16.80	3	Horizontal	162	1.63	-	28.26	4.39	-
PK	2.4102G	116.46	Inf	-Inf	83.75	3	Horizontal	162	1.63	-	28.30	4.41	-
AV	2.4098G	103.04	Inf	-Inf	70.34	3	Horizontal	162	1.63	-	28.30	4.40	-

802.11ax HEW20_Nss1,(MCS0)_2TX

2412MHz_TX




EUT Y_2TX
Setting 21
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.8179G	55.44	74.00	-18.56	50.45	3	Vertical	7	2.17	-	33.31	7.10	35.42	
AV	4.8152G	40.56	54.00	-13.44	35.60	3	Vertical	7	2.17	-	33.29	7.10	35.43	

802.11ax HEW20_Nss1,(MCS0)_2TX

2412MHz_TX




EUT Y_2TX
Setting 21
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.8178G	51.18	74.00	-22.82	46.19	3	Horizontal	250	2.67	-	33.31	7.10	35.42	
AV	4.8151G	36.65	54.00	-17.35	31.69	3	Horizontal	250	2.67	-	33.29	7.10	35.43	

802.11ax HEW20_Nss1,(MCS0)_2TX

2437MHz_TX




EUT_V_2TX
Setting 24
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.387G	62.40	74.00	-11.60	29.76	3	Vertical	196	1.80	-	28.25	4.39	-
AV	2.3602G	47.51	54.00	-6.49	15.01	3	Vertical	196	1.80	-	28.14	4.36	-
PK	2.4398G	119.76	Inf	-Inf	87.04	3	Vertical	196	1.80	-	28.30	4.42	-
AV	2.4386G	106.39	Inf	-Inf	73.67	3	Vertical	196	1.80	-	28.30	4.42	-
PK	2.4846G	63.21	74.00	-10.79	30.33	3	Vertical	196	1.80	-	28.44	4.44	-
AV	2.4854G	46.54	54.00	-7.46	13.66	3	Vertical	196	1.80	-	28.44	4.44	-

802.11ax HEW20_Nss1,(MCS0)_2TX

2437MHz_TX




EUT_V_2TX
Setting 24
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3866G	60.46	74.00	-13.54	27.82	3	Horizontal	351	1.77	-	28.25	4.39	-
AV	2.3606G	45.77	54.00	-8.23	13.27	3	Horizontal	351	1.77	-	28.14	4.36	-
PK	2.4398G	117.79	Inf	-Inf	85.07	3	Horizontal	351	1.77	-	28.30	4.42	-
AV	2.4406G	104.23	Inf	-Inf	71.51	3	Horizontal	351	1.77	-	28.30	4.42	-
PK	2.4842G	62.11	74.00	-11.89	29.23	3	Horizontal	351	1.77	-	28.44	4.44	-
AV	2.4846G	46.08	54.00	-7.92	13.20	3	Horizontal	351	1.77	-	28.44	4.44	-

802.11ax HEW20_Nss1,(MCS0)_2TX

2437MHz_TX




EUT_V_2TX
Setting 24
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8829G	56.75	74.00	-17.25	51.41	3	Vertical	141	2.96	-	33.63	7.10	35.39
AV	4.8803G	43.03	54.00	-10.97	37.70	3	Vertical	141	2.96	-	33.62	7.10	35.39
PK	7.3177G	53.15	74.00	-20.85	43.34	3	Vertical	34	1.76	-	36.94	8.44	35.57
AV	7.3215G	39.62	54.00	-14.38	29.81	3	Vertical	34	1.76	-	36.94	8.44	35.57

802.11ax HEW20_Nss1,(MCS0)_2TX

2437MHz_TX




EUT_V_2TX
Setting 24
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8801G	55.46	74.00	-18.54	50.13	3	Horizontal	179	2.93	-	33.62	7.10	35.39
AV	4.8804G	41.05	54.00	-12.95	35.72	3	Horizontal	179	2.93	-	33.62	7.10	35.39
PK	7.3206G	52.55	74.00	-21.45	42.74	3	Horizontal	197	2.39	-	36.94	8.44	35.57
AV	7.3217G	39.08	54.00	-14.92	29.27	3	Horizontal	197	2.39	-	36.94	8.44	35.57

802.11ax HEW20_Nss1,(MCS0)_2TX

2462MHz_TX




EUT_V_2TX
Setting 20.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4644G	117.57	Inf	-Inf	84.78	3	Vertical	202	1.89	-	28.36	4.43	-
AV	2.4636G	104.01	Inf	-Inf	71.23	3	Vertical	202	1.89	-	28.35	4.43	-
PK	2.4838G	73.60	74.00	-0.40	40.72	3	Vertical	202	1.89	-	28.44	4.44	-
AV	2.4835G	52.11	54.00	-1.89	19.24	3	Vertical	202	1.89	-	28.43	4.44	-

802.11ax HEW20_Nss1,(MCS0)_2TX

2462MHz_TX




EUT_V_2TX
Setting 20.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4642G	117.36	Inf	-Inf	84.57	3	Horizontal	19	2.14	-	28.36	4.43	-
AV	2.4644G	103.64	Inf	-Inf	70.85	3	Horizontal	19	2.14	-	28.36	4.43	-
PK	2.4838G	73.93	74.00	-0.07	41.05	3	Horizontal	19	2.14	-	28.44	4.44	-
AV	2.4835G	51.43	54.00	-2.57	18.56	3	Horizontal	19	2.14	-	28.43	4.44	-

802.11ax HEW20_Nss1,(MCS0)_2TX

2462MHz_TX




EUT Y_2TX
Setting 20.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.9302G	51.79	74.00	-22.21	46.30	3	Vertical	339	3.00	-	33.76	7.10	35.37
AV	4.9326G	37.18	54.00	-16.82	31.68	3	Vertical	339	3.00	-	33.77	7.10	35.37

802.11ax HEW20_Nss1,(MCS0)_2TX

2462MHz_TX




EUT Y_2TX
Setting 20.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.9348G	47.13	74.00	-26.87	41.62	3	Horizontal	320	1.00	-	33.77	7.10	35.36	
AV	4.9316G	33.74	54.00	-20.26	28.25	3	Horizontal	320	1.00	-	33.76	7.10	35.37	

802.11ax HEW20_Nss1,(MCS0)_2TX

2467MHz_TX




EUT_V_2TX
Setting 17.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.4696G	115.49	Inf	-Inf	82.68	3	Vertical	192	1.60	-	28.38	4.43	-	
AV	2.4706G	102.05	Inf	-Inf	69.23	3	Vertical	192	1.60	-	28.38	4.44	-	
PK	2.4835G	72.83	74.00	-1.17	39.96	3	Vertical	192	1.60	-	28.43	4.44	-	
AV	2.4835G	52.46	54.00	-1.54	19.59	3	Vertical	192	1.60	-	28.43	4.44	-	

802.11ax HEW20_Nss1,(MCS0)_2TX

2467MHz_TX




EUT Y_2TX
Setting 17.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4696G	114.87	Inf	-Inf	82.06	3	Horizontal	348	2.08	-	28.38	4.43	-
AV	2.4704G	101.26	Inf	-Inf	68.44	3	Horizontal	348	2.08	-	28.38	4.44	-
PK	2.4835G	73.46	74.00	-0.54	40.59	3	Horizontal	348	2.08	-	28.43	4.44	-
AV	2.4835G	52.97	54.00	-1.03	20.10	3	Horizontal	348	2.08	-	28.43	4.44	-

802.11ax HEW20_Nss1,(MCS0)_2TX

2467MHz_TX




EUT Y_2TX
Setting 17.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.9423G	48.88	74.00	-25.12	43.36	3	Vertical	182	1.97	-	33.78	7.10	35.36
AV	4.9427G	34.82	54.00	-19.18	29.29	3	Vertical	182	1.97	-	33.79	7.10	35.36

802.11ax HEW20_Nss1,(MCS0)_2TX

2467MHz_TX




EUT Y_2TX
Setting 17.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.9398G	46.57	74.00	-27.43	41.05	3	Horizontal	63	2.66	-	33.78	7.10	35.36
AV	4.9441G	33.36	54.00	-20.64	27.83	3	Horizontal	63	2.66	-	33.79	7.10	35.36

802.11ax HEW20_Nss1,(MCS0)_2TX

2472MHz_TX




EUT_V_2TX
Setting 10.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.4746G	108.41	Inf	-Inf	75.57	3	Vertical	190	1.61	-	28.40	4.44	-	
AV	2.4736G	94.91	Inf	-Inf	62.08	3	Vertical	190	1.61	-	28.39	4.44	-	
PK	2.4835G	71.50	74.00	-2.50	38.63	3	Vertical	190	1.61	-	28.43	4.44	-	
AV	2.4835G	53.77	54.00	-0.23	20.90	3	Vertical	190	1.61	-	28.43	4.44	-	

802.11ax HEW20_Nss1,(MCS0)_2TX

2472MHz_TX




EUT_V_2TX
Setting 10.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.475G	108.68	Inf	-Inf	75.84	3	Horizontal	9	2.87	-	28.40	4.44	-	
AV	2.4742G	94.65	Inf	-Inf	61.81	3	Horizontal	9	2.87	-	28.40	4.44	-	
PK	2.4835G	70.73	74.00	-3.27	37.86	3	Horizontal	9	2.87	-	28.43	4.44	-	
AV	2.4835G	53.59	54.00	-0.41	20.72	3	Horizontal	9	2.87	-	28.43	4.44	-	

802.11ax HEW20_Nss1,(MCS0)_2TX

2472MHz_TX




EUT Y_2TX
Setting 10.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.9375G	46.67	74.00	-27.33	41.16	3	Vertical	261	2.70	-	33.77	7.10	35.36
AV	4.9456G	33.39	54.00	-20.61	27.86	3	Vertical	261	2.70	-	33.79	7.10	35.36

802.11ax HEW20_Nss1,(MCS0)_2TX

2472MHz_TX



EUT Y_2TX
Setting 10.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.9429G	46.87	74.00	-27.13	41.34	3	Horizontal	292	1.23	-	33.79	7.10	35.36
AV	4.961G	33.35	54.00	-20.65	27.82	3	Horizontal	292	1.23	-	33.78	7.10	35.35



RSE TX above 1GHz
<Partial RU> RU 26_Ant. 3 (2TX)


Appendix F.23

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	PK	2.4838G	73.91	74.00	-0.09	3	Vertical	56	1.62	-

802.11ax HEW20_Nss1,(MCS0)_2TX

2412MHz_TX




EUT V_2TX
Setting 19
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3898G	73.76	74.00	-0.24	41.11	3	Vertical	57	1.64	-	28.26	4.39	-
AV	2.3866G	53.48	54.00	-0.52	20.84	3	Vertical	57	1.64	-	28.25	4.39	-
PK	2.4208G	127.71	Inf	-Inf	95.00	3	Vertical	57	1.64	-	28.30	4.41	-
AV	2.4202G	113.62	Inf	-Inf	80.91	3	Vertical	57	1.64	-	28.30	4.41	-

802.11ax HEW20_Nss1,(MCS0)_2TX

2412MHz_TX




EUT X_2TX
Setting 19
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.81992G	54.18	74.00	-19.82	49.18	3	Vertical	316	2.27	-	33.32	7.10	35.42
AV	4.839G	40.68	54.00	-13.32	35.56	3	Vertical	316	2.27	-	33.43	7.10	35.41

802.11ax HEW20_Nss1,(MCS0)_2TX

2412MHz_TX




EUT X_2TX
Setting 19
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.81128G	54.04	74.00	-19.96	49.10	3	Horizontal	223	1.57	-	33.27	7.10	35.43	
AV	4.8309G	40.67	54.00	-13.33	35.60	3	Horizontal	223	1.57	-	33.39	7.10	35.42	

802.11ax HEW20_Nss1,(MCS0)_2TX

2437MHz_TX




EUT_V_2TX
Setting 23
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3894G	66.19	74.00	-7.81	33.54	3	Vertical	52	1.80	-	28.26	4.39	-
AV	2.3646G	53.82	54.00	-0.18	21.30	3	Vertical	52	1.80	-	28.16	4.36	-
PK	2.4458G	131.48	Inf	-Inf	98.76	3	Vertical	52	1.80	-	28.30	4.42	-
AV	2.445G	120.85	Inf	-Inf	88.13	3	Vertical	52	1.80	-	28.30	4.42	-
PK	2.485G	69.92	74.00	-4.08	37.04	3	Vertical	52	1.80	-	28.44	4.44	-
AV	2.4858G	53.85	54.00	-0.15	20.97	3	Vertical	52	1.80	-	28.44	4.44	-

802.11ax HEW20_Nss1,(MCS0)_2TX

2437MHz_TX




EUT_X_2TX
Setting 23
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.89G	61.43	74.00	-12.57	56.06	3	Vertical	229	1.70	-	33.66	7.10	35.39
AV	4.8904G	45.08	54.00	-8.92	39.71	3	Vertical	229	1.70	-	33.66	7.10	35.39
PK	7.3348G	58.18	74.00	-15.82	48.32	3	Vertical	231	1.80	-	36.97	8.47	35.58
AV	7.3364G	44.85	54.00	-9.15	34.99	3	Vertical	231	1.80	-	36.97	8.47	35.58

802.11ax HEW20_Nss1,(MCS0)_2TX

2437MHz_TX




EUT_X_2TX
Setting 23
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8902G	51.84	74.00	-22.16	46.47	3	Horizontal	257	2.37	-	33.66	7.10	35.39
AV	4.8906G	37.00	54.00	-17.00	31.63	3	Horizontal	257	2.37	-	33.66	7.10	35.39
PK	7.3348G	59.40	74.00	-14.60	49.54	3	Horizontal	313	1.00	-	36.97	8.47	35.58
AV	7.3364G	45.29	54.00	-8.71	35.43	3	Horizontal	313	1.00	-	36.97	8.47	35.58

802.11ax HEW20_Nss1,(MCS0)_2TX

2462MHz_TX




EUT_V_2TX
Setting 15.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.471G	124.52	Inf	-Inf	91.70	3	Vertical	56	1.62	-	28.38	4.44	-
AV	2.4704G	112.23	Inf	-Inf	79.41	3	Vertical	56	1.62	-	28.38	4.44	-
PK	2.4838G	73.91	74.00	-0.09	41.03	3	Vertical	56	1.62	-	28.44	4.44	-
AV	2.4876G	50.73	54.00	-3.27	17.84	3	Vertical	56	1.62	-	28.45	4.44	-

802.11ax HEW20_Nss1,(MCS0)_2TX

2462MHz_TX




EUT X_2TX
Setting 15.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.93516G	50.74	74.00	-23.26	45.23	3	Vertical	104	1.11	-	33.77	7.10	35.36
AV	4.93696G	37.01	54.00	-16.99	31.50	3	Vertical	104	1.11	-	33.77	7.10	35.36

802.11ax HEW20_Nss1,(MCS0)_2TX

2462MHz_TX




EUT X_2TX
Setting 15.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.9366G	50.15	74.00	-23.85	44.64	3	Horizontal	50	2.04	-	33.77	7.10	35.36	
AV	4.93756G	36.98	54.00	-17.02	31.46	3	Horizontal	50	2.04	-	33.78	7.10	35.36	

802.11ax HEW20_Nss1,(MCS0)_2TX

2467MHz_TX




EUT_V_2TX
Setting 11.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4754G	119.86	Inf	-Inf	87.02	3	Vertical	57	1.71	-	28.40	4.44	-
AV	2.4756G	107.66	Inf	-Inf	74.82	3	Vertical	57	1.71	-	28.40	4.44	-
PK	2.4836G	73.88	74.00	-0.12	41.01	3	Vertical	57	1.71	-	28.43	4.44	-
AV	2.4835G	47.73	54.00	-6.27	14.86	3	Vertical	57	1.71	-	28.43	4.44	-

802.11ax HEW20_Nss1,(MCS0)_2TX

2467MHz_TX




EUT X_2TX
Setting 11.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.9352G	49.69	74.00	-24.31	44.18	3	Vertical	3	2.34	-	33.77	7.10	35.36
AV	4.93598G	36.03	54.00	-17.97	30.52	3	Vertical	3	2.34	-	33.77	7.10	35.36

802.11ax HEW20_Nss1,(MCS0)_2TX

2467MHz_TX




EUT X_2TX
Setting 11.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.946G	49.31	74.00	-24.69	43.78	3	Horizontal	203	2.79	-	33.79	7.10	35.36
AV	4.9454G	36.05	54.00	-17.95	30.52	3	Horizontal	203	2.79	-	33.79	7.10	35.36

802.11ax HEW20_Nss1,(MCS0)_2TX

2472MHz_TX




EUT_V_2TX
Setting -2
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4808G	106.22	Inf	-Inf	73.36	3	Vertical	56	1.60	-	28.42	4.44	-
AV	2.4804G	93.88	Inf	-Inf	61.02	3	Vertical	56	1.60	-	28.42	4.44	-
PK	2.4835G	69.15	74.00	-4.85	36.28	3	Vertical	56	1.60	-	28.43	4.44	-
AV	2.4835G	53.74	54.00	-0.26	20.87	3	Vertical	56	1.60	-	28.43	4.44	-

802.11ax HEW20_Nss1,(MCS0)_2TX

2472MHz_TX




EUT_X_2TX
Setting -2
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.95288G	46.41	74.00	-27.59	40.87	3	Vertical	348	1.90	-	33.79	7.10	35.35
AV	4.94586G	33.06	54.00	-20.94	27.53	3	Vertical	348	1.90	-	33.79	7.10	35.36

802.11ax HEW20_Nss1,(MCS0)_2TX

2472MHz_TX



EUT X_2TX
Setting -2
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.94832G	46.51	74.00	-27.49	40.97	3	Horizontal	309	1.20	-	33.80	7.10	35.36
AV	4.95366G	33.05	54.00	-20.95	27.51	3	Horizontal	309	1.20	-	33.79	7.10	35.35



RSE TX above 1GHz
<Partial RU> RU 52_Ant. 3 (2TX)


Appendix F.24

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	PK	2.4835G	73.97	74.00	-0.03	3	Vertical	59	1.65	-

802.11ax HEW20_Nss1,(MCS0)_2TX

2412MHz_TX




EUT_V_2TX
Setting 18
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3892G	73.20	74.00	-0.80	40.55	3	Vertical	52	1.78	-	28.26	4.39	-
AV	2.39G	51.02	54.00	-2.98	18.37	3	Vertical	52	1.78	-	28.26	4.39	-
PK	2.4062G	125.05	Inf	-Inf	92.35	3	Vertical	52	1.78	-	28.30	4.40	-
AV	2.4058G	108.82	Inf	-Inf	76.12	3	Vertical	52	1.78	-	28.30	4.40	-

802.11ax HEW20_Nss1,(MCS0)_2TX

2412MHz_TX




EUT X_2TX
Setting 18
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.82148G	51.29	74.00	-22.71	46.28	3	Vertical	165	2.02	-	33.33	7.10	35.42
AV	4.83114G	38.94	54.00	-15.06	33.87	3	Vertical	165	2.02	-	33.39	7.10	35.42

802.11ax HEW20_Nss1,(MCS0)_2TX

2412MHz_TX




EUT X_2TX
Setting 18
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.83084G	51.96	74.00	-22.04	46.89	3	Horizontal	337	1.39	-	33.39	7.10	35.42	
AV	4.83168G	38.86	54.00	-15.14	33.79	3	Horizontal	337	1.39	-	33.39	7.10	35.42	

802.11ax HEW20_Nss1,(MCS0)_2TX

2437MHz_TX




EUT_V_2TX
Setting 24
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3898G	66.93	74.00	-7.07	34.28	3	Vertical	52	1.80	-	28.26	4.39	-
AV	2.3626G	50.94	54.00	-3.06	18.43	3	Vertical	52	1.80	-	28.15	4.36	-
PK	2.4434G	129.36	Inf	-Inf	96.64	3	Vertical	52	1.80	-	28.30	4.42	-
AV	2.443G	114.73	Inf	-Inf	82.01	3	Vertical	52	1.80	-	28.30	4.42	-
PK	2.4838G	72.33	74.00	-1.67	39.45	3	Vertical	52	1.80	-	28.44	4.44	-
AV	2.4858G	51.58	54.00	-2.42	18.70	3	Vertical	52	1.80	-	28.44	4.44	-

802.11ax HEW20_Nss1,(MCS0)_2TX

2437MHz_TX




EUT X_2TX
Setting 24
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8876G	57.16	74.00	-16.84	51.80	3	Vertical	227	1.62	-	33.65	7.10	35.39
AV	4.8878G	42.95	54.00	-11.05	37.59	3	Vertical	227	1.62	-	33.65	7.10	35.39
PK	7.3314G	56.43	74.00	-17.57	46.59	3	Vertical	232	1.80	-	36.96	8.46	35.58
AV	7.332G	42.68	54.00	-11.32	32.84	3	Vertical	232	1.80	-	36.96	8.46	35.58

802.11ax HEW20_Nss1,(MCS0)_2TX

2437MHz_TX




EUT X_2TX
Setting 24
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8728G	50.10	74.00	-23.90	44.81	3	Horizontal	259	2.50	-	33.59	7.10	35.40
AV	4.888G	36.60	54.00	-17.40	31.24	3	Horizontal	259	2.50	-	33.65	7.10	35.39
PK	7.3314G	56.62	74.00	-17.38	46.78	3	Horizontal	298	2.39	-	36.96	8.46	35.58
AV	7.3324G	42.18	54.00	-11.82	32.34	3	Horizontal	298	2.39	-	36.96	8.46	35.58

802.11ax HEW20_Nss1,(MCS0)_2TX

2462MHz_TX




EUT_V_2TX
Setting 16
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4684G	121.41	Inf	-Inf	88.61	3	Vertical	59	1.65	-	28.37	4.43	-
AV	2.468G	107.41	Inf	-Inf	74.61	3	Vertical	59	1.65	-	28.37	4.43	-
PK	2.4835G	73.97	74.00	-0.03	41.10	3	Vertical	59	1.65	-	28.43	4.44	-
AV	2.4835G	50.82	54.00	-3.18	17.95	3	Vertical	59	1.65	-	28.43	4.44	-

802.11ax HEW20_Nss1,(MCS0)_2TX

2462MHz_TX




EUT X_2TX
Setting 16
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.92688G	50.99	74.00	-23.01	45.51	3	Vertical	94	2.86	-	33.75	7.10	35.37
AV	4.93516G	37.01	54.00	-16.99	31.50	3	Vertical	94	2.86	-	33.77	7.10	35.36

802.11ax HEW20_Nss1,(MCS0)_2TX

2462MHz_TX




EUT X_2TX
Setting 16
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.9333G	50.53	74.00	-23.47	45.02	3	Horizontal	162	1.93	-	33.77	7.10	35.36
AV	4.93378G	37.01	54.00	-16.99	31.50	3	Horizontal	162	1.93	-	33.77	7.10	35.36

802.11ax HEW20_Nss1,(MCS0)_2TX

2467MHz_TX




EUT_V_2TX
Setting 11.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4732G	116.66	Inf	-Inf	83.83	3	Vertical	59	1.60	-	28.39	4.44	-
AV	2.473G	102.83	Inf	-Inf	70.00	3	Vertical	59	1.60	-	28.39	4.44	-
PK	2.4835G	73.88	74.00	-0.12	41.01	3	Vertical	59	1.60	-	28.43	4.44	-
AV	2.4835G	48.07	54.00	-5.93	15.20	3	Vertical	59	1.60	-	28.43	4.44	-

802.11ax HEW20_Nss1,(MCS0)_2TX

2467MHz_TX




EUT X_2TX
Setting 11.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.92602G	48.64	74.00	-25.36	43.16	3	Vertical	348	2.80	-	33.75	7.10	35.37
AV	4.94354G	35.06	54.00	-18.94	29.53	3	Vertical	348	2.80	-	33.79	7.10	35.36

802.11ax HEW20_Nss1,(MCS0)_2TX

2467MHz_TX




EUT X_2TX
Setting 11.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.9376G	48.62	74.00	-25.38	43.10	3	Horizontal	31	2.95	-	33.78	7.10	35.36
AV	4.93724G	35.08	54.00	-18.92	29.57	3	Horizontal	31	2.95	-	33.77	7.10	35.36

802.11ax HEW20_Nss1,(MCS0)_2TX

2472MHz_TX




EUT_V_2TX
Setting 3.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4784G	108.04	Inf	-Inf	75.19	3	Vertical	58	1.71	-	28.41	4.44	-
AV	2.478G	94.32	Inf	-Inf	61.47	3	Vertical	58	1.71	-	28.41	4.44	-
PK	2.4835G	73.27	74.00	-0.73	40.40	3	Vertical	58	1.71	-	28.43	4.44	-
AV	2.4835G	53.91	54.00	-0.09	21.04	3	Vertical	58	1.71	-	28.43	4.44	-

802.11ax HEW20_Nss1,(MCS0)_2TX

2472MHz_TX




EUT X_2TX
Setting 3.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.9323G	46.72	74.00	-27.28	41.23	3	Vertical	25	2.99	-	33.76	7.10	35.37	
AV	4.9521G	33.13	54.00	-20.87	27.58	3	Vertical	25	2.99	-	33.80	7.10	35.35	

802.11ax HEW20_Nss1,(MCS0)_2TX

2472MHz_TX



EUT X_2TX
Setting 3.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.94886G	46.74	74.00	-27.26	41.20	3	Horizontal	275	1.68	-	33.80	7.10	35.36
AV	4.9359G	33.14	54.00	-20.86	27.63	3	Horizontal	275	1.68	-	33.77	7.10	35.36



RSE TX above 1GHz
<Partial RU> RU 106__Ant. 3 (2TX)


Appendix F.25

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	PK	2.4835G	73.98	74.00	-0.02	3	Vertical	57	1.65	-

802.11ax HEW20_Nss1,(MCS0)_2TX

2412MHz_TX




EUT_V_2TX
Setting 18.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3894G	73.66	74.00	-0.34	41.01	3	Vertical	53	1.76	-	28.26	4.39	-
AV	2.39G	51.62	54.00	-2.38	18.97	3	Vertical	53	1.76	-	28.26	4.39	-
PK	2.4096G	122.90	Inf	-Inf	90.20	3	Vertical	53	1.76	-	28.30	4.40	-
AV	2.4104G	109.38	Inf	-Inf	76.67	3	Vertical	53	1.76	-	28.30	4.41	-

802.11ax HEW20_Nss1,(MCS0)_2TX

2412MHz_TX




EUT X_2TX
Setting 18.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.82976G	52.07	74.00	-21.93	47.01	3	Vertical	320	2.45	-	33.38	7.10	35.42
AV	4.83336G	39.06	54.00	-14.94	33.98	3	Vertical	320	2.45	-	33.40	7.10	35.42

802.11ax HEW20_Nss1,(MCS0)_2TX

2412MHz_TX




EUT X_2TX
Setting 18.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.83048G	52.49	74.00	-21.51	47.43	3	Horizontal	83	2.04	-	33.38	7.10	35.42
AV	4.8312G	36.02	54.00	-17.98	30.95	3	Horizontal	83	2.04	-	33.39	7.10	35.42

802.11ax HEW20_Nss1,(MCS0)_2TX

2437MHz_TX




EUT_V_2TX
Setting 24
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.389G	66.70	74.00	-7.30	34.05	3	Vertical	54	1.85	-	28.26	4.39	-
AV	2.3606G	49.97	54.00	-4.03	17.47	3	Vertical	54	1.85	-	28.14	4.36	-
PK	2.4398G	127.99	Inf	-Inf	95.27	3	Vertical	54	1.85	-	28.30	4.42	-
AV	2.4406G	113.68	Inf	-Inf	80.96	3	Vertical	54	1.85	-	28.30	4.42	-
PK	2.485G	70.90	74.00	-3.10	38.02	3	Vertical	54	1.85	-	28.44	4.44	-
AV	2.4838G	49.92	54.00	-4.08	17.04	3	Vertical	54	1.85	-	28.44	4.44	-

802.11ax HEW20_Nss1,(MCS0)_2TX

2437MHz_TX




EUT X_2TX
Setting 24
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8828G	57.07	74.00	-16.93	51.73	3	Vertical	226	1.66	-	33.63	7.10	35.39
AV	4.8802G	43.91	54.00	-10.09	38.58	3	Vertical	226	1.66	-	33.62	7.10	35.39
PK	7.3218G	56.71	74.00	-17.29	46.90	3	Vertical	228	1.92	-	36.94	8.44	35.57
AV	7.3248G	42.30	54.00	-11.70	32.47	3	Vertical	228	1.92	-	36.95	8.45	35.57

802.11ax HEW20_Nss1,(MCS0)_2TX

2437MHz_TX




EUT_X_2TX
Setting 24
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.883G	50.74	74.00	-23.26	45.40	3	Horizontal	299	2.40	-	33.63	7.10	35.39
AV	4.883G	37.47	54.00	-16.53	32.13	3	Horizontal	299	2.40	-	33.63	7.10	35.39
PK	7.3212G	56.14	74.00	-17.86	46.33	3	Horizontal	314	1.00	-	36.94	8.44	35.57
AV	7.3238G	41.61	54.00	-12.39	31.78	3	Horizontal	314	1.00	-	36.95	8.45	35.57

802.11ax HEW20_Nss1,(MCS0)_2TX

2462MHz_TX




EUT_V_2TX
Setting 18.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4646G	123.30	Inf	-Inf	90.51	3	Vertical	52	1.80	-	28.36	4.43	-
AV	2.4656G	109.62	Inf	-Inf	76.83	3	Vertical	52	1.80	-	28.36	4.43	-
PK	2.4836G	73.56	74.00	-0.44	40.69	3	Vertical	52	1.80	-	28.43	4.44	-
AV	2.4835G	53.75	54.00	-0.25	20.88	3	Vertical	52	1.80	-	28.43	4.44	-

802.11ax HEW20_Nss1,(MCS0)_2TX

2462MHz_TX




EUT X_2TX
Setting 18.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.93318G	52.32	74.00	-21.68	46.81	3	Vertical	37	2.37	-	33.77	7.10	35.36
AV	4.92796G	39.24	54.00	-14.76	33.75	3	Vertical	37	2.37	-	33.76	7.10	35.37

802.11ax HEW20_Nss1,(MCS0)_2TX

2462MHz_TX




EUT X_2TX
Setting 18.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.91752G	52.70	74.00	-21.30	47.23	3	Horizontal	137	1.55	-	33.74	7.10	35.37
AV	4.93684G	39.20	54.00	-14.80	33.69	3	Horizontal	137	1.55	-	33.77	7.10	35.36

802.11ax HEW20_Nss1,(MCS0)_2TX

2467MHz_TX




EUT_V_2TX
Setting 14
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4696G	118.94	Inf	-Inf	86.13	3	Vertical	57	1.65	-	28.38	4.43	-
AV	2.4704G	105.54	Inf	-Inf	72.72	3	Vertical	57	1.65	-	28.38	4.44	-
PK	2.4835G	73.98	74.00	-0.02	41.11	3	Vertical	57	1.65	-	28.43	4.44	-
AV	2.4835G	51.84	54.00	-2.16	18.97	3	Vertical	57	1.65	-	28.43	4.44	-

802.11ax HEW20_Nss1,(MCS0)_2TX

2467MHz_TX




EUT X_2TX
Setting 14
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.92944G	49.95	74.00	-24.05	44.46	3	Vertical	216	1.77	-	33.76	7.10	35.37
AV	4.93748G	36.23	54.00	-17.77	30.72	3	Vertical	216	1.77	-	33.77	7.10	35.36

802.11ax HEW20_Nss1,(MCS0)_2TX

2467MHz_TX




EUT X_2TX
Setting 14
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.93412G	49.96	74.00	-24.04	44.45	3	Horizontal	144	1.58	-	33.77	7.10	35.36	
AV	4.93598G	36.31	54.00	-17.69	30.80	3	Horizontal	144	1.58	-	33.77	7.10	35.36	

802.11ax HEW20_Nss1,(MCS0)_2TX

2472MHz_TX




EUT_V_2TX
Setting 5.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4744G	109.83	Inf	-Inf	76.99	3	Vertical	54	1.66	-	28.40	4.44	-
AV	2.4756G	96.18	Inf	-Inf	63.34	3	Vertical	54	1.66	-	28.40	4.44	-
PK	2.4835G	72.26	74.00	-1.74	39.39	3	Vertical	54	1.66	-	28.43	4.44	-
AV	2.4835G	53.86	54.00	-0.14	20.99	3	Vertical	54	1.66	-	28.43	4.44	-

802.11ax HEW20_Nss1,(MCS0)_2TX

2472MHz_TX




EUT X_2TX
Setting 5.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.93218G	46.56	74.00	-27.44	41.07	3	Vertical	96	2.73	-	33.76	7.10	35.37
AV	4.95612G	33.33	54.00	-20.67	27.79	3	Vertical	96	2.73	-	33.79	7.10	35.35

802.11ax HEW20_Nss1,(MCS0)_2TX

2472MHz_TX



EUT X_2TX
Setting 5.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.9347G	46.54	74.00	-27.46	41.03	3	Horizontal	166	2.92	-	33.77	7.10	35.36	
AV	4.95834G	33.27	54.00	-20.73	27.74	3	Horizontal	166	2.92	-	33.78	7.10	35.35	