


802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6345MHz_TnomVnom




EUT_V_2TX
 Setting 16
 03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.739G	61.46	88.20	-26.74	55.31	3	Horizontal	0	1.80	-	34.22	7.40	35.47
RMS	5.607G	50.36	68.20	-17.84	43.77	3	Horizontal	0	1.80	-	34.59	7.40	35.40
PK	6.342G	104.94	Inf	-Inf	97.78	3	Horizontal	0	1.80	-	34.92	7.70	35.46
RMS	6.339G	94.11	Inf	-Inf	86.95	3	Horizontal	0	1.80	-	34.92	7.70	35.46

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6345MHz_TnomVnom




EUT Y_2TX
Setting 16
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.69378G	59.60	74.00	-14.40	44.10	3	Vertical	334	1.10	-	39.08	11.36	34.94	
AV	12.67914G	48.82	54.00	-5.18	33.42	3	Vertical	334	1.10	-	39.04	11.34	34.98	

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6345MHz_TnomVnom




EUT_V_2TX
Setting 16
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.68712G	60.19	74.00	-13.81	44.74	3	Horizontal	210	2.44	-	39.06	11.35	34.96
AV	12.68376G	48.80	54.00	-5.20	33.37	3	Horizontal	210	2.44	-	39.05	11.35	34.97

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6345MHz_TnomVnom




EUT Y_2TX
Setting 16
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.04958G	48.80	83.54	-34.74	45.35	1	Vertical	156	2.84	-	37.94	15.12	49.61
AV	19.04496G	38.01	63.54	-25.53	34.55	1	Vertical	156	2.84	-	37.95	15.12	49.61

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6345MHz_TnomVnom




EUT Y_2TX
Setting 16
03-B-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.04058G	48.20	83.54	-35.34	44.74	1	Horizontal	178	1.60	-	37.95	15.12	49.61
AV	19.03506G	37.94	63.54	-25.60	34.48	1	Horizontal	178	1.60	-	37.96	15.11	49.61

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_V_2TX
 Setting 9.5
 03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.917G	61.55	88.20	-26.65	54.92	3	Vertical	336	1.68	-	34.67	7.52	35.56
RMS	5.925G	50.25	68.20	-17.95	43.59	3	Vertical	336	1.68	-	34.70	7.52	35.56
PK	6.5022G	98.46	Inf	-Inf	91.25	3	Vertical	336	1.68	-	34.71	7.90	35.40
RMS	6.5106G	87.31	Inf	-Inf	80.05	3	Vertical	336	1.68	-	34.74	7.92	35.40
PK	7.135G	66.50	88.20	-21.70	57.82	3	Vertical	336	1.68	-	36.01	8.20	35.53
RMS	7.1518G	55.36	68.20	-12.84	46.58	3	Vertical	336	1.68	-	36.11	8.20	35.53

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_V_2TX
 Setting 9.5
 03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8666G	60.46	88.20	-27.74	54.12	3	Horizontal	353	1.79	-	34.40	7.47	35.53
RMS	5.9198G	50.19	68.20	-18.01	43.55	3	Horizontal	353	1.79	-	34.68	7.52	35.56
PK	6.4882G	96.99	Inf	-Inf	89.81	3	Horizontal	353	1.79	-	34.70	7.88	35.40
RMS	6.5078G	86.32	Inf	-Inf	79.07	3	Horizontal	353	1.79	-	34.73	7.92	35.40
PK	7.1518G	66.63	88.20	-21.57	57.85	3	Horizontal	353	1.79	-	36.11	8.20	35.53
RMS	7.1574G	55.32	68.20	-12.88	46.51	3	Horizontal	353	1.79	-	36.14	8.20	35.53

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT Y_2TX
Setting 9.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.01G	61.35	88.20	-26.85	44.43	3	Vertical	112	2.70	-	39.53	11.61	34.22
RMS	13.01138G	49.58	68.20	-18.62	32.66	3	Vertical	112	2.70	-	39.53	11.61	34.22

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT Y_2TX
Setting 9.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.00004G	61.10	88.20	-27.10	44.24	3	Horizontal	199	1.29	-	39.50	11.60	34.24
RMS	13.00796G	49.94	68.20	-18.26	33.04	3	Horizontal	199	1.29	-	39.52	11.61	34.23

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT Y_2TX
Setting 9.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.50996G	49.31	83.54	-34.23	45.81	1	Vertical	83	1.04	-	37.90	15.30	49.70
AV	19.50042G	39.10	63.54	-24.44	35.60	1	Vertical	83	1.04	-	37.90	15.30	49.70

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT Y_2TX
Setting 9.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.50942G	49.31	83.54	-34.23	45.81	1	Horizontal	324	2.20	-	37.90	15.30	49.70
AV	19.50744G	38.68	63.54	-24.86	35.18	1	Horizontal	324	2.20	-	37.90	15.30	49.70

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6665MHz_TnomVnom




EUT Y_2TX
 Setting 18.5
 03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.6848G	107.14	Inf	-Inf	99.10	3	Vertical	347	1.80	-	35.37	8.10	35.43	
RMS	6.6694G	95.84	Inf	-Inf	87.83	3	Vertical	347	1.80	-	35.34	8.10	35.43	
PK	7.1468G	83.26	88.20	-4.94	74.51	3	Vertical	347	1.80	-	36.08	8.20	35.53	
RMS	7.1314G	67.56	68.20	-0.64	58.89	3	Vertical	347	1.80	-	35.99	8.20	35.52	

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6665MHz_TnomVnom




EUT V_2TX
Setting 18.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.6672G	105.16	Inf	-Inf	97.16	3	Horizontal	356	1.57	-	35.33	8.10	35.43	
RMS	6.6628G	94.98	Inf	-Inf	86.98	3	Horizontal	356	1.57	-	35.33	8.10	35.43	
PK	7.127G	83.60	88.20	-4.60	74.96	3	Horizontal	356	1.57	-	35.96	8.20	35.52	
RMS	7.1292G	66.39	68.20	-1.81	57.73	3	Horizontal	356	1.57	-	35.98	8.20	35.52	

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6665MHz_TnomVnom




EUT_V_2TX
Setting 18.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.33546G	61.54	74.00	-12.46	43.18	3	Vertical	164	1.31	-	40.17	11.87	33.68	
AV	13.3381G	51.10	54.00	-2.90	32.73	3	Vertical	164	1.31	-	40.18	11.87	33.68	

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6665MHz_TnomVnom




EUT Y_2TX
Setting 18.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.34296G	62.45	74.00	-11.55	44.06	3	Horizontal	309	2.69	-	40.19	11.87	33.67
AV	13.34284G	50.94	54.00	-3.06	32.55	3	Horizontal	309	2.69	-	40.19	11.87	33.67

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6665MHz_TnomVnom




EUT Y_2TX
Setting 18.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.99722G	50.23	83.54	-33.31	47.03	1	Vertical	264	2.01	-	37.40	15.50	49.70
AV	20.0049G	39.70	63.54	-23.84	36.50	1	Vertical	264	2.01	-	37.40	15.50	49.70

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6665MHz_TnomVnom




EUT Y_2TX
Setting 18.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.9902G	49.99	83.54	-33.55	46.77	1	Horizontal	188	2.32	-	37.42	15.50	49.70
AV	20.00724G	39.19	63.54	-24.35	35.98	1	Horizontal	188	2.32	-	37.41	15.50	49.70

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_2TX
Setting 9.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.833G	101.15	Inf	-Inf	92.76	3	Vertical	327	1.80	-	35.73	8.12	35.46	
RMS	6.8298G	88.84	Inf	-Inf	80.45	3	Vertical	327	1.80	-	35.74	8.11	35.46	
PK	7.2058G	78.06	88.20	-10.14	68.96	3	Vertical	327	1.80	-	36.43	8.21	35.54	
RMS	7.225G	59.35	68.20	-8.85	50.10	3	Vertical	327	1.80	-	36.55	8.25	35.55	

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_2TX
Setting 9.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.849G	98.04	Inf	-Inf	89.68	3	Horizontal	347	1.70	-	35.70	8.12	35.46
RMS	6.8298G	87.86	Inf	-Inf	79.47	3	Horizontal	347	1.70	-	35.74	8.11	35.46
PK	7.1754G	75.55	88.20	-12.65	66.64	3	Horizontal	347	1.70	-	36.25	8.20	35.54
RMS	7.2186G	57.76	68.20	-10.44	48.56	3	Horizontal	347	1.70	-	36.51	8.24	35.55

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_2TX
Setting 9.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.64874G	61.87	88.20	-26.33	42.66	3	Vertical	317	1.32	-	40.55	12.12	33.46
RMS	13.66422G	50.80	68.20	-17.40	31.58	3	Vertical	317	1.32	-	40.56	12.13	33.47

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_2TX
 Setting 9.5
 03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.65174G	62.31	88.20	-25.89	43.10	3	Horizontal	236	1.67	-	40.55	12.12	33.46
RMS	13.64664G	51.13	68.20	-17.07	31.92	3	Horizontal	236	1.67	-	40.55	12.12	33.46

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT V_2TX
Setting 9.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	20.4618G	49.92	83.54	-33.62	46.41	1	Vertical	87	2.51	-	37.68	15.71	49.88	
AV	20.49G	38.91	63.54	-24.63	35.39	1	Vertical	87	2.51	-	37.70	15.72	49.90	

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_2TX
Setting 9.5
03-B-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.47626G	50.50	83.54	-33.04	46.99	1	Horizontal	349	1.76	-	37.69	15.71	49.89
AV	20.4744G	39.45	63.54	-24.09	35.94	1	Horizontal	349	1.76	-	37.69	15.71	49.89

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6985MHz_TnomVnom




EUT Y_2TX
Setting 12.5
01-M-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.96G	104.70	Inf	-Inf	94.01	3	Vertical	40	1.36	-	36.46	7.24	33.01	
RMS	6.968G	91.08	Inf	-Inf	80.41	3	Vertical	40	1.36	-	36.43	7.25	33.01	
PK	7.128G	84.90	88.20	-3.30	74.03	3	Vertical	40	1.36	-	36.72	7.24	33.09	
RMS	7.128G	67.72	68.20	-0.48	56.85	3	Vertical	40	1.36	-	36.72	7.24	33.09	

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6985MHz_TnomVnom




EUT_V_2TX
Setting 12.5
01-M-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.96G	103.91	Inf	-Inf	93.22	3	Horizontal	36	1.80	-	36.46	7.24	33.01
RMS	6.93G	92.71	Inf	-Inf	82.14	3	Horizontal	36	1.80	-	36.38	7.19	33.00
PK	7.128G	82.06	88.20	-6.14	71.19	3	Horizontal	36	1.80	-	36.72	7.24	33.09
RMS	7.131G	66.01	68.20	-2.19	55.12	3	Horizontal	36	1.80	-	36.75	7.23	33.09

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6985MHz_TnomVnom




EUT_V_2TX
Setting 12.5
01-M-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.9685G	62.37	88.20	-25.83	41.09	3	Vertical	241	2.22	-	40.90	9.89	29.51	
RMS	13.97398G	52.69	68.20	-15.51	31.41	3	Vertical	241	2.22	-	40.90	9.89	29.51	

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6985MHz_TnomVnom




EUT_V_2TX
Setting 12.5
01-M-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.9721G	62.35	88.20	-25.85	41.07	3	Horizontal	297	1.91	-	40.90	9.89	29.51	
RMS	13.97306G	52.75	68.20	-15.45	31.47	3	Horizontal	297	1.91	-	40.90	9.89	29.51	

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6985MHz_TnomVnom




EUT Y_2TX
Setting 12.5
01-M-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.95968G	47.07	83.54	-36.47	43.20	1	Vertical	83	1.58	-	37.66	15.93	49.72
AV	20.95446G	37.48	63.54	-26.06	33.60	1	Vertical	83	1.58	-	37.67	15.93	49.72

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6985MHz_TnomVnom



EUT Y_2TX
Setting 12.5
01-M-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.95266G	46.99	83.54	-36.55	43.10	1	Horizontal	224	1.51	-	37.68	15.93	49.72
AV	20.95472G	38.10	63.54	-25.44	34.22	1	Horizontal	224	1.51	-	37.67	15.93	49.72



RSE TX above 1GHz
<Full RU> low power_Beamforming mode_2TX_Ant. 2


Appendix E.6

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	Pass	RMS	5.925G	68.11	68.20	-0.09	3	Vertical	44	1.80	-

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5955MHz_TnomVnom




EUT Y_2TX
 Setting 21.5
 01-M-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.925G	85.03	88.20	-3.17	76.24	3	Vertical	44	1.80	-	35.00	6.60	32.81	
RMS	5.925G	68.11	68.20	-0.09	59.32	3	Vertical	44	1.80	-	35.00	6.60	32.81	
PK	5.9558G	120.70	Inf	-Inf	111.80	3	Vertical	44	1.80	-	35.12	6.60	32.82	
RMS	5.9558G	112.83	Inf	-Inf	103.93	3	Vertical	44	1.80	-	35.12	6.60	32.82	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5955MHz_TnomVnom




EUT Y_2TX
 Setting 21.5
 01-M-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.925G	82.53	88.20	-5.67	73.74	3	Horizontal	348	2.86	-	35.00	6.60	32.81	
RMS	5.925G	67.48	68.20	-0.72	58.69	3	Horizontal	348	2.86	-	35.00	6.60	32.81	
PK	5.9566G	116.08	Inf	-Inf	107.17	3	Horizontal	348	2.86	-	35.13	6.60	32.82	
RMS	5.9618G	107.06	Inf	-Inf	98.13	3	Horizontal	348	2.86	-	35.15	6.60	32.82	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5955MHz_TnomVnom




EUT_V_2TX
Setting 21.5
01-M-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.91076G	61.62	74.00	-12.38	45.72	3	Vertical	339	1.19	-	38.50	8.98	31.58
AV	11.90836G	48.54	54.00	-5.46	32.64	3	Vertical	339	1.19	-	38.50	8.98	31.58

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5955MHz_TnomVnom




EUT_V_2TX
Setting 21.5
01-M-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.91374G	61.20	74.00	-12.80	45.29	3	Horizontal	6	2.88	-	38.50	8.98	31.57
AV	11.9082G	48.54	54.00	-5.46	32.64	3	Horizontal	6	2.88	-	38.50	8.98	31.58

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6195MHz_TnomVnom




EUT Y_2TX
Setting 19.75
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.919G	63.80	88.20	-24.40	55.03	3	Vertical	23	1.80	-	34.98	6.60	32.81	
RMS	5.925G	53.20	68.20	-15.00	44.41	3	Vertical	23	1.80	-	35.00	6.60	32.81	
PK	6.1962G	119.32	Inf	-Inf	109.80	3	Vertical	23	1.80	-	35.48	6.89	32.85	
RMS	6.1962G	107.67	Inf	-Inf	98.15	3	Vertical	23	1.80	-	35.48	6.89	32.85	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6195MHz_TnomVnom




EUT Y_2TX
Setting 19.75
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9226G	63.53	88.20	-24.67	54.75	3	Horizontal	179	3.00	-	34.99	6.60	32.81	
RMS	5.9238G	53.10	68.20	-15.10	44.31	3	Horizontal	179	3.00	-	35.00	6.60	32.81	
PK	6.1938G	115.33	Inf	-Inf	105.81	3	Horizontal	179	3.00	-	35.48	6.89	32.85	
RMS	6.1962G	103.21	Inf	-Inf	93.69	3	Horizontal	179	3.00	-	35.48	6.89	32.85	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6195MHz_TnomVnom




EUT_V_2TX
 Setting 19.75
 01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.38304G	63.08	74.00	-10.92	46.82	3	Vertical	272	1.80	-	38.67	9.17	31.58
AV	12.3906G	49.56	54.00	-4.44	33.28	3	Vertical	272	1.80	-	38.68	9.18	31.58

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6195MHz_TnomVnom




EUT_V_2TX
Setting 19.75
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.38928G	65.49	74.00	-8.51	49.21	3	Horizontal	210	1.80	-	38.68	9.18	31.58
AV	12.38748G	52.22	54.00	-1.78	35.96	3	Horizontal	210	1.80	-	38.67	9.17	31.58

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6195MHz_TnomVnom




EUT Y_2TX
Setting 19.75
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	18.58601G	50.22	83.54	-33.32	47.53	1	Vertical	53	2.37	-	37.77	14.93	50.01	
AV	18.58801G	36.12	63.54	-27.42	33.43	1	Vertical	53	2.37	-	37.76	14.94	50.01	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6195MHz_TnomVnom




EUT Y_2TX
Setting 19.75
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	18.58632G	49.96	83.54	-33.58	47.27	1	Horizontal	237	1.62	-	37.77	14.93	50.01	
AV	18.58574G	36.64	63.54	-26.90	33.95	1	Horizontal	237	1.62	-	37.77	14.93	50.01	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6415MHz_TnomVnom




EUT Y_2TX
Setting 19.75
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.8942G	63.63	88.20	-24.57	54.94	3	Vertical	304	1.72	-	34.89	6.60	32.80	
RMS	5.923G	53.16	68.20	-15.04	44.38	3	Vertical	304	1.72	-	34.99	6.60	32.81	
PK	6.415G	118.56	Inf	-Inf	108.88	3	Vertical	304	1.72	-	35.54	7.00	32.86	
RMS	6.415G	108.36	Inf	-Inf	98.68	3	Vertical	304	1.72	-	35.54	7.00	32.86	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6415MHz_TnomVnom




EUT Y_2TX
Setting 19.75
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.8534G	63.25	88.20	-24.95	54.62	3	Horizontal	136	1.80	-	34.81	6.60	32.78	
RMS	5.925G	53.14	68.20	-15.06	44.35	3	Horizontal	136	1.80	-	35.00	6.60	32.81	
PK	6.4174G	110.86	Inf	-Inf	101.19	3	Horizontal	136	1.80	-	35.53	7.00	32.86	
RMS	6.415G	101.25	Inf	-Inf	91.57	3	Horizontal	136	1.80	-	35.54	7.00	32.86	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6415MHz_TnomVnom




EUT Y_2TX
Setting 19.75
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8318G	64.77	88.20	-23.43	47.05	3	Vertical	278	1.79	-	39.23	9.37	30.88
RMS	12.83144G	50.49	68.20	-17.71	32.77	3	Vertical	278	1.79	-	39.23	9.37	30.88

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6415MHz_TnomVnom




EUT_V_2TX
Setting 19.75
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.83384G	66.29	88.20	-21.91	48.56	3	Horizontal	210	1.80	-	39.23	9.38	30.88	
RMS	12.82832G	52.55	68.20	-15.65	34.84	3	Horizontal	210	1.80	-	39.23	9.37	30.89	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6415MHz_TnomVnom




EUT Y_2TX
Setting 19.75
01-C-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.24482G	49.87	83.54	-33.67	46.61	1	Vertical	352	1.01	-	37.71	15.20	49.65	
AV	19.24241G	36.31	63.54	-27.23	33.05	1	Vertical	352	1.01	-	37.71	15.20	49.65	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6415MHz_TnomVnom




EUT Y_2TX
Setting 19.75
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.24429G	50.27	83.54	-33.27	47.01	1	Horizontal	5	1.08	-	37.71	15.20	49.65
AV	19.24368G	37.00	63.54	-26.54	33.74	1	Horizontal	5	1.08	-	37.71	15.20	49.65

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6435MHz_TnomVnom




EUT Y_2TX
Setting 0.5
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8448G	64.14	88.20	-24.06	55.56	3	Vertical	305	1.69	-	34.76	6.60	32.78
RMS	5.9228G	53.15	68.20	-15.05	44.37	3	Vertical	305	1.69	-	34.99	6.60	32.81
PK	6.4324G	100.15	Inf	-Inf	90.54	3	Vertical	305	1.69	-	35.47	7.00	32.86
RMS	6.435G	89.64	Inf	-Inf	80.04	3	Vertical	305	1.69	-	35.46	7.00	32.86

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6435MHz_TnomVnom




EUT Y_2TX
Setting 0.5
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9098G	63.68	88.20	-24.52	54.94	3	Horizontal	130	1.75	-	34.94	6.60	32.80
RMS	5.9202G	53.08	68.20	-15.12	44.31	3	Horizontal	130	1.75	-	34.98	6.60	32.81
PK	6.4376G	94.28	Inf	-Inf	84.69	3	Horizontal	130	1.75	-	35.45	7.00	32.86
RMS	6.435G	83.73	Inf	-Inf	74.13	3	Horizontal	130	1.75	-	35.46	7.00	32.86

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6435MHz_TnomVnom




EUT_V_2TX
Setting 0.5
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.86725G	61.97	88.20	-26.23	44.11	3	Vertical	204	2.40	-	39.27	9.39	30.80	
RMS	12.86743G	48.07	68.20	-20.13	30.21	3	Vertical	204	2.40	"	39.27	9.39	30.80	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6435MHz_TnomVnom




EUT_V_2TX
Setting 0.5
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.87001G	62.30	88.20	-25.90	44.44	3	Horizontal	278	1.79	-	39.27	9.39	30.80	
RMS	12.86732G	48.17	68.20	-20.03	30.31	3	Horizontal	278	1.79	-	39.27	9.39	30.80	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6435MHz_TnomVnom




EUT Y_2TX
Setting 0.5
01-C-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.30168G	49.62	83.54	-33.92	46.32	1	Vertical	142	1.10	-	37.74	15.22	49.66
AV	19.30363G	36.51	63.54	-27.03	33.21	1	Vertical	142	1.10	-	37.74	15.22	49.66

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6435MHz_TnomVnom




EUT Y_2TX
Setting 0.5
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.30332G	49.75	83.54	-33.79	46.45	1	Horizontal	246	1.44	-	37.74	15.22	49.66
AV	19.30704G	35.99	63.54	-27.55	32.68	1	Horizontal	246	1.44	-	37.75	15.22	49.66

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6475MHz_TnomVnom




EUT_V_2TX
Setting 0.5
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8702G	64.93	88.20	-23.27	56.28	3	Vertical	308	1.69	-	34.84	6.60	32.79
RMS	5.925G	53.10	68.20	-15.10	44.31	3	Vertical	308	1.69	-	35.00	6.60	32.81
PK	6.475G	99.31	Inf	-Inf	89.67	3	Vertical	308	1.69	-	35.50	7.00	32.86
RMS	6.475G	87.94	Inf	-Inf	78.30	3	Vertical	308	1.69	-	35.50	7.00	32.86
PK	7.1414G	66.93	88.20	-21.27	55.96	3	Vertical	308	1.69	-	36.83	7.23	33.09
RMS	7.1638G	56.32	68.20	-11.88	45.25	3	Vertical	308	1.69	-	36.96	7.22	33.11

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6475MHz_TnomVnom




EUT_V_2TX
Setting 0.5
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.915G	63.35	88.20	-24.85	54.60	3	Horizontal	131	1.74	-	34.96	6.60	32.81
RMS	5.9234G	53.11	68.20	-15.09	44.33	3	Horizontal	131	1.74	-	34.99	6.60	32.81
PK	6.4778G	92.77	Inf	-Inf	83.12	3	Horizontal	131	1.74	-	35.51	7.00	32.86
RMS	6.475G	81.75	Inf	-Inf	72.11	3	Horizontal	131	1.74	-	35.50	7.00	32.86
PK	7.1554G	67.18	88.20	-21.02	56.14	3	Horizontal	131	1.74	-	36.92	7.22	33.10
RMS	7.1554G	56.34	68.20	-11.86	45.30	3	Horizontal	131	1.74	-	36.92	7.22	33.10

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6475MHz_TnomVnom




EUT_V_2TX
Setting 0.5
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.9478G	62.56	88.20	-25.64	44.32	3	Vertical	0	1.28	-	39.44	9.43	30.63	
RMS	12.95125G	48.59	68.20	-19.61	30.33	3	Vertical	0	1.28	-	39.45	9.43	30.62	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6475MHz_TnomVnom




EUT_V_2TX
Setting 0.5
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.9475G	62.97	88.20	-25.23	44.73	3	Horizontal	201	1.66	-	39.44	9.43	30.63
RMS	12.9471G	49.37	68.20	-18.83	31.13	3	Horizontal	201	1.66	-	39.44	9.43	30.63

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6475MHz_TnomVnom




EUT Y_2TX
Setting 0.5
01-C-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.42749G	49.39	83.54	-34.15	45.97	1	Vertical	121	2.33	-	37.84	15.27	49.69
AV	19.4244G	36.64	63.54	-26.90	33.21	1	Vertical	121	2.33	-	37.84	15.27	49.68

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6475MHz_TnomVnom




EUT Y_2TX
Setting 0.5
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.42527G	49.51	83.54	-34.03	46.09	1	Horizontal	144	1.65	-	37.84	15.27	49.69
AV	19.42623G	36.52	63.54	-27.02	33.10	1	Horizontal	144	1.65	-	37.84	15.27	49.69

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6515MHz_TnomVnom




EUT_V_2TX
Setting 0.75
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9158G	63.20	88.20	-25.00	54.45	3	Vertical	307	1.73	-	34.96	6.60	32.81
RMS	5.9214G	53.13	68.20	-15.07	44.35	3	Vertical	307	1.73	-	34.99	6.60	32.81
PK	6.5122G	98.23	Inf	-Inf	88.44	3	Vertical	307	1.73	-	35.65	7.00	32.86
RMS	6.515G	87.23	Inf	-Inf	77.43	3	Vertical	307	1.73	-	35.66	7.00	32.86
PK	7.1954G	67.13	88.20	-21.07	55.97	3	Vertical	307	1.73	-	37.08	7.20	33.12
RMS	7.2094G	56.46	68.20	-11.74	45.28	3	Vertical	307	1.73	-	37.10	7.21	33.13

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6515MHz_TnomVnom




EUT_V_2TX
 Setting 0.75
 01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9074G	63.60	88.20	-24.60	54.87	3	Horizontal	132	1.80	-	34.93	6.60	32.80
RMS	5.9242G	53.13	68.20	-15.07	44.34	3	Horizontal	132	1.80	-	35.00	6.60	32.81
PK	6.515G	91.79	Inf	-Inf	81.99	3	Horizontal	132	1.80	-	35.66	7.00	32.86
RMS	6.515G	81.04	Inf	-Inf	71.24	3	Horizontal	132	1.80	-	35.66	7.00	32.86
PK	7.1758G	66.72	88.20	-21.48	55.62	3	Horizontal	132	1.80	-	37.00	7.21	33.11
RMS	7.201G	56.55	68.20	-11.65	45.37	3	Horizontal	132	1.80	-	37.10	7.20	33.12

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6515MHz_TnomVnom




EUT V_2TX
Setting 0.75
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.02944G	63.26	88.20	-24.94	44.65	3	Vertical	315	1.69	-	39.63	9.46	30.48	
RMS	13.03133G	49.24	68.20	-18.96	30.62	3	Vertical	315	1.69	-	39.63	9.46	30.47	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6515MHz_TnomVnom




EUT_V_2TX
Setting 0.75
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0318G	63.31	88.20	-24.89	44.69	3	Horizontal	90	1.95	-	39.63	9.46	30.47
RMS	13.02832G	49.31	68.20	-18.89	30.70	3	Horizontal	90	1.95	-	39.63	9.46	30.48

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6515MHz_TnomVnom




EUT Y_2TX
Setting 0.75
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.54374G	50.14	83.54	-33.40	46.64	1	Vertical	89	2.63	-	37.88	15.32	49.70
AV	19.54254G	37.09	63.54	-26.45	33.59	1	Vertical	89	2.63	-	37.88	15.32	49.70

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6515MHz_TnomVnom




EUT V_2TX
Setting 0.75
01-C-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.545G	49.87	83.54	-33.67	46.37	1	Horizontal	193	2.29	-	37.88	15.32	49.70
AV	19.54821G	36.41	63.54	-27.13	32.91	1	Horizontal	193	2.29	-	37.88	15.32	49.70

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6535MHz_TnomVnom




EUT_V_2TX
Setting 19.25
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8546G	64.28	88.20	-23.92	55.65	3	Vertical	64	1.66	-	34.81	6.60	32.78
RMS	5.9218G	53.11	68.20	-15.09	44.33	3	Vertical	64	1.66	-	34.99	6.60	32.81
PK	6.5322G	116.22	Inf	-Inf	106.36	3	Vertical	64	1.66	-	35.73	7.00	32.87
RMS	6.535G	106.69	Inf	-Inf	96.82	3	Vertical	64	1.66	-	35.74	7.00	32.87
PK	7.1902G	67.42	88.20	-20.78	56.28	3	Vertical	64	1.66	-	37.06	7.20	33.12
RMS	7.2014G	56.41	68.20	-11.79	45.23	3	Vertical	64	1.66	-	37.10	7.20	33.12

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6535MHz_TnomVnom




EUT V_2TX
Setting 19.25
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9218G	64.86	88.20	-23.34	56.08	3	Horizontal	131	1.77	-	34.99	6.60	32.81
RMS	5.9246G	53.12	68.20	-15.08	44.33	3	Horizontal	131	1.77	-	35.00	6.60	32.81
PK	6.535G	111.49	Inf	-Inf	101.62	3	Horizontal	131	1.77	-	35.74	7.00	32.87
RMS	6.535G	99.57	Inf	-Inf	89.70	3	Horizontal	131	1.77	-	35.74	7.00	32.87
PK	7.2014G	68.23	88.20	-19.97	57.05	3	Horizontal	131	1.77	-	37.10	7.20	33.12
RMS	7.2126G	56.49	68.20	-11.71	45.31	3	Horizontal	131	1.77	-	37.10	7.21	33.13

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6535MHz_TnomVnom




EUT Y_2TX
Setting 19.25
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.07192G	64.14	88.20	-24.06	45.40	3	Vertical	280	1.33	-	39.67	9.48	30.41	
RMS	13.07156G	50.66	68.20	-17.54	31.92	3	Vertical	280	1.33	-	39.67	9.48	30.41	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6535MHz_TnomVnom




EUT_V_2TX
Setting 19.25
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.073G	64.44	88.20	-23.76	45.70	3	Horizontal	143	1.80	-	39.67	9.48	30.41
RMS	13.07156G	51.02	68.20	-17.18	32.28	3	Horizontal	143	1.80	-	39.67	9.48	30.41

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6535MHz_TnomVnom




EUT_V_2TX
Setting 19.25
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.60347G	51.06	83.54	-32.48	47.56	1	Vertical	359	1.66	-	37.86	15.34	49.70
AV	19.60217G	37.13	63.54	-26.41	33.63	1	Vertical	359	1.66	-	37.86	15.34	49.70

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6535MHz_TnomVnom




EUT Y_2TX
Setting 19.25
01-C-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.60242G	50.59	83.54	-32.95	47.09	1	Horizontal	92	1.38	-	37.86	15.34	49.70
AV	19.60739G	37.81	63.54	-25.73	34.31	1	Horizontal	92	1.38	-	37.86	15.34	49.70

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6695MHz_TnomVnom




EUT Y_2TX
Setting 19.25
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.695G	118.87	Inf	-Inf	108.88	3	Vertical	256	1.66	-	35.91	7.00	32.92
RMS	6.6972G	107.11	Inf	-Inf	97.12	3	Vertical	256	1.66	-	35.91	7.00	32.92
PK	7.2384G	67.21	88.20	-20.99	56.01	3	Vertical	256	1.66	-	37.10	7.24	33.14
RMS	7.234G	56.43	68.20	-11.77	45.24	3	Vertical	256	1.66	-	37.10	7.23	33.14

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6695MHz_TnomVnom




EUT_V_2TX
Setting 19.25
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.6972G	109.55	Inf	-Inf	99.56	3	Horizontal	57	2.07	-	35.91	7.00	32.92	
RMS	6.6972G	98.26	Inf	-Inf	88.27	3	Horizontal	57	2.07	-	35.91	7.00	32.92	
PK	7.179G	66.72	88.20	-21.48	55.60	3	Horizontal	57	2.07	-	37.02	7.21	33.11	
RMS	7.2296G	56.36	68.20	-11.84	45.17	3	Horizontal	57	2.07	-	37.10	7.23	33.14	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6695MHz_TnomVnom




EUT_V_2TX
Setting 19.25
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.39012G	64.90	74.00	-9.10	45.03	3	Vertical	230	1.45	-	40.18	9.63	29.94	
AV	13.38784G	51.07	54.00	-2.93	31.22	3	Vertical	230	1.45	-	40.18	9.62	29.95	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6695MHz_TnomVnom




EUT_V_2TX
Setting 19.25
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.3918G	65.09	74.00	-8.91	45.22	3	Horizontal	148	1.80	-	40.18	9.63	29.94
AV	13.3918G	51.81	54.00	-2.19	31.94	3	Horizontal	148	1.80	-	40.18	9.63	29.94

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6695MHz_TnomVnom




EUT Y_2TX
Setting 19.25
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.08356G	50.76	83.54	-32.78	47.48	1	Vertical	204	2.49	-	37.47	15.54	49.73
AV	20.08244G	36.76	63.54	-26.78	33.48	1	Vertical	204	2.49	-	37.47	15.54	49.73

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6695MHz_TnomVnom




EUT Y_2TX
Setting 19.25
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.08612G	50.63	83.54	-32.91	47.35	1	Horizontal	232	2.48	-	37.47	15.54	49.73
AV	20.08812G	37.67	63.54	-25.87	34.40	1	Horizontal	232	2.48	-	37.47	15.54	49.74

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6855MHz_TnomVnom




EUT Y_2TX
Setting 24
01-M-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.8508G	123.48	Inf	-Inf	112.78	3	Vertical	49	2.23	-	36.59	7.08	32.97	
RMS	6.8578G	113.82	Inf	-Inf	103.16	3	Vertical	49	2.23	-	36.54	7.09	32.97	
PK	7.1826G	67.66	88.20	-20.54	56.53	3	Vertical	49	2.23	-	37.03	7.21	33.11	
RMS	7.184G	56.15	68.20	-12.05	45.02	3	Vertical	49	2.23	-	37.04	7.21	33.12	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6855MHz_TnomVnom




EUT Y_2TX
Setting 24
01-M-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.8508G	112.59	Inf	-Inf	101.89	3	Horizontal	46	2.53	-	36.59	7.08	32.97	
RMS	6.8578G	101.94	Inf	-Inf	91.28	3	Horizontal	46	2.53	-	36.54	7.09	32.97	
PK	7.2008G	67.32	88.20	-20.88	56.14	3	Horizontal	46	2.53	-	37.10	7.20	33.12	
RMS	7.1812G	56.17	68.20	-12.03	45.05	3	Horizontal	46	2.53	-	37.02	7.21	33.11	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6855MHz_TnomVnom




EUT_V_2TX
Setting 24
01-M-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.71164G	67.60	88.20	-20.60	46.96	3	Vertical	272	2.52	-	40.53	9.77	29.66	
RMS	13.71124G	55.26	68.20	-12.94	34.62	3	Vertical	272	2.52	-	40.53	9.77	29.66	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6855MHz_TnomVnom




EUT_V_2TX
Setting 24
01-M-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.71304G	68.64	88.20	-19.56	47.99	3	Horizontal	209	1.80	-	40.54	9.77	29.66
RMS	13.71256G	56.14	68.20	-12.06	35.49	3	Horizontal	209	1.80	-	40.54	9.77	29.66

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6855MHz_TnomVnom




EUT Y_2TX
Setting 21.5
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.56556G	49.65	83.54	-33.89	45.99	1	Vertical	301	1.57	-	37.78	15.75	49.87
AV	20.56758G	37.33	63.54	-26.21	33.66	1	Vertical	301	1.57	-	37.78	15.76	49.87

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6855MHz_TnomVnom




EUT_V_2TX
Setting 21.5
01-C-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	20.56508G	49.82	83.54	-33.72	46.16	1	Horizontal	75	1.51	-	37.78	15.75	49.87	
AV	20.56682G	37.33	63.54	-26.21	33.66	1	Horizontal	75	1.51	-	37.78	15.76	49.87	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_2TX
 Setting 0.5
 01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.8762G	99.67	Inf	-Inf	89.15	3	Vertical	68	1.22	-	36.39	7.11	32.98	
RMS	6.8738G	88.98	Inf	-Inf	78.44	3	Vertical	68	1.22	-	36.41	7.11	32.98	
PK	7.1378G	67.08	88.20	-21.12	56.14	3	Vertical	68	1.22	-	36.80	7.23	33.09	
RMS	7.1726G	56.13	68.20	-12.07	45.04	3	Vertical	68	1.22	-	36.99	7.21	33.11	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_2TX
 Setting 0.5
 01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.875G	91.13	Inf	-Inf	80.60	3	Horizontal	331	1.80	-	36.40	7.11	32.98
RMS	6.8774G	78.97	Inf	-Inf	68.45	3	Horizontal	331	1.80	-	36.38	7.12	32.98
PK	7.163G	66.56	88.20	-21.64	55.49	3	Horizontal	331	1.80	-	36.95	7.22	33.10
RMS	7.1678G	56.12	68.20	-12.08	45.04	3	Horizontal	331	1.80	-	36.97	7.22	33.11

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_2TX
Setting 0.5
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.74908G	66.18	88.20	-22.02	45.38	3	Vertical	289	1.90	-	40.65	9.79	29.64
RMS	13.7495G	52.60	68.20	-15.60	31.80	3	Vertical	289	1.90	-	40.65	9.79	29.64

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_2TX
 Setting 0.5
 01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.75029G	66.31	88.20	-21.89	45.50	3	Horizontal	188	2.60	-	40.65	9.79	29.63
RMS	13.74766G	53.28	68.20	-14.92	32.49	3	Horizontal	188	2.60	-	40.64	9.79	29.64

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_2TX
Setting 0.5
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.62541G	52.37	83.54	-31.17	48.59	1	Vertical	83	2.91	-	37.85	15.78	49.85
AV	20.62466G	38.42	63.54	-25.12	34.64	1	Vertical	83	2.91	-	37.85	15.78	49.85

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_2TX
Setting 0.5
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.6221G	51.28	83.54	-32.26	47.50	1	Horizontal	342	2.29	-	37.85	15.78	49.85
AV	20.62819G	38.34	63.54	-25.20	34.56	1	Horizontal	342	2.29	-	37.85	15.78	49.85

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6895MHz_TnomVnom




EUT Y_2TX
Setting 0.75
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.895G	102.12	Inf	-Inf	91.73	3	Vertical	65	1.15	-	36.24	7.14	32.99	
RMS	6.895G	89.17	Inf	-Inf	78.78	3	Vertical	65	1.15	-	36.24	7.14	32.99	
PK	7.1446G	67.35	88.20	-20.85	56.36	3	Vertical	65	1.15	-	36.86	7.23	33.10	
RMS	7.195G	56.19	68.20	-12.01	45.03	3	Vertical	65	1.15	-	37.08	7.20	33.12	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6895MHz_TnomVnom




EUT Y_2TX
Setting 0.75
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.8974G	90.76	Inf	-Inf	80.38	3	Horizontal	333	1.79	-	36.22	7.15	32.99	
RMS	6.895G	79.81	Inf	-Inf	69.42	3	Horizontal	333	1.79	-	36.24	7.14	32.99	
PK	7.1614G	66.76	88.20	-21.44	55.69	3	Horizontal	333	1.79	-	36.95	7.22	33.10	
RMS	7.1926G	56.17	68.20	-12.03	45.02	3	Horizontal	333	1.79	-	37.07	7.20	33.12	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6895MHz_TnomVnom




EUT Y_2TX
Setting 0.75
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.79193G	66.74	88.20	-21.46	45.76	3	Vertical	175	1.27	-	40.78	9.81	29.61
RMS	13.79008G	52.67	68.20	-15.53	31.70	3	Vertical	175	1.27	-	40.77	9.81	29.61

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6895MHz_TnomVnom




EUT_V_2TX
Setting 0.75
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.78964G	66.64	88.20	-21.56	45.67	3	Horizontal	233	2.72	-	40.77	9.81	29.61	
RMS	13.78888G	53.42	68.20	-14.78	32.46	3	Horizontal	233	2.72	-	40.77	9.80	29.61	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6895MHz_TnomVnom




EUT Y_2TX
Setting 0.75
01-C-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	20.68296G	52.72	83.54	-30.82	48.82	1	Vertical	42	2.37	-	37.92	15.81	49.83	
AV	20.68293G	38.89	63.54	-24.65	34.99	1	Vertical	42	2.37	-	37.92	15.81	49.83	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6895MHz_TnomVnom




EUT V_2TX
Setting 0.75
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.68637G	51.88	83.54	-31.66	47.98	1	Horizontal	29	2.65	-	37.92	15.81	49.83
AV	20.68401G	38.85	63.54	-24.69	34.95	1	Horizontal	29	2.65	-	37.92	15.81	49.83

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6995MHz_TnomVnom




EUT_V_2TX
 Setting 1.25
 01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.9958G	103.85	Inf	-Inf	93.26	3	Vertical	68	1.17	-	36.32	7.29	33.02	
RMS	6.9966G	93.17	Inf	-Inf	82.59	3	Vertical	68	1.17	-	36.31	7.29	33.02	
PK	7.1814G	67.13	88.20	-21.07	56.00	3	Vertical	68	1.17	-	37.03	7.21	33.11	
RMS	7.183G	56.14	68.20	-12.06	45.02	3	Vertical	68	1.17	-	37.03	7.21	33.12	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6995MHz_TnomVnom




EUT_V_2TX
Setting 1.25
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.995G	94.52	Inf	-Inf	83.93	3	Horizontal	334	1.77	-	36.32	7.29	33.02	
RMS	6.9958G	83.71	Inf	-Inf	73.12	3	Horizontal	334	1.77	-	36.32	7.29	33.02	
PK	7.1502G	67.29	88.20	-20.91	56.27	3	Horizontal	334	1.77	-	36.90	7.22	33.10	
RMS	7.1934G	56.15	68.20	-12.05	45.00	3	Horizontal	334	1.77	-	37.07	7.20	33.12	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6995MHz_TnomVnom




EUT_V_2TX
Setting 1.25
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.98742G	67.14	88.20	-21.06	45.85	3	Vertical	236	2.63	-	40.90	9.89	29.50	
RMS	13.99234G	54.21	68.20	-13.99	32.90	3	Vertical	236	2.63	-	40.90	9.90	29.49	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6995MHz_TnomVnom




EUT_V_2TX
Setting 1.25
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.98842G	66.87	88.20	-21.33	45.58	3	Horizontal	221	1.57	-	40.90	9.89	29.50	
RMS	13.98765G	53.53	68.20	-14.67	32.24	3	Horizontal	221	1.57	-	40.90	9.89	29.50	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6995MHz_TnomVnom




EUT Y_2TX
Setting 1.25
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.9831G	52.34	83.54	-31.20	48.48	1	Vertical	195	2.14	-	37.63	15.94	49.71
AV	20.98415G	37.88	63.54	-25.66	34.02	1	Vertical	195	2.14	-	37.63	15.94	49.71

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6995MHz_TnomVnom




EUT_V_2TX
Setting 1.25
01-C-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.98731G	51.35	83.54	-32.19	47.50	1	Horizontal	87	2.51	-	37.62	15.94	49.71
AV	20.98802G	37.90	63.54	-25.64	34.04	1	Horizontal	87	2.51	-	37.62	15.94	49.70

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

7095MHz_TnomVnom




EUT_V_2TX
Setting 0
01-M-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.0974G	117.85	Inf	-Inf	107.16	3	Vertical	52	2.18	-	36.51	7.25	33.07	
RMS	7.0962G	108.53	Inf	-Inf	97.84	3	Vertical	52	2.18	-	36.51	7.25	33.07	
PK	7.1278G	87.76	88.20	-0.44	76.89	3	Vertical	52	2.18	-	36.72	7.24	33.09	
RMS	7.125G	64.54	68.20	-3.66	53.69	3	Vertical	52	2.18	-	36.70	7.24	33.09	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

7095MHz_TnomVnom




EUT_V_2TX
Setting 0
01-M-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0974G	110.22	Inf	-Inf	99.53	3	Horizontal	30	2.89	-	36.51	7.25	33.07
RMS	7.0922G	101.50	Inf	-Inf	90.80	3	Horizontal	30	2.89	-	36.52	7.25	33.07
PK	7.127G	82.02	88.20	-6.18	71.15	3	Horizontal	30	2.89	-	36.72	7.24	33.09
RMS	7.1254G	59.97	68.20	-8.23	49.12	3	Horizontal	30	2.89	-	36.70	7.24	33.09

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

7095MHz_TnomVnom




EUT_V_2TX
Setting 0
01-M-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	14.19178G	66.39	88.20	-21.81	45.24	3	Vertical	63	2.33	-	40.81	9.96	29.62	
RMS	14.19226G	54.02	68.20	-14.18	32.87	3	Vertical	63	2.33	-	40.81	9.96	29.62	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

7095MHz_TnomVnom




EUT_V_2TX
Setting 0
01-M-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	14.18714G	66.91	88.20	-21.29	45.76	3	Horizontal	287	2.33	-	40.81	9.96	29.62	
RMS	14.19192G	54.02	68.20	-14.18	32.87	3	Horizontal	287	2.33	-	40.81	9.96	29.62	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

7095MHz_TnomVnom




EUT_V_2TX
Setting 0
01-M-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.28116G	51.48	83.54	-32.06	47.40	1	Vertical	219	1.58	-	37.64	16.08	49.64
AV	21.28066G	38.32	63.54	-25.22	34.24	1	Vertical	219	1.58	-	37.64	16.08	49.64

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

7095MHz_TnomVnom




EUT_V_2TX
Setting 0
01-M-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	21.28384G	50.79	83.54	-32.75	46.71	1	Horizontal	114	1.54	-	37.64	16.08	49.64	
AV	21.28704G	38.38	63.54	-25.16	34.30	1	Horizontal	114	1.54	-	37.64	16.08	49.64	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

7115MHz_TnomVnom




EUT Y_2TX
Setting 0.75
01-M-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.10755G	106.77	Inf	-Inf	96.04	3	Vertical	50	2.24	-	36.56	7.25	33.08	
RMS	7.1075G	91.39	Inf	-Inf	80.66	3	Vertical	50	2.24	-	36.56	7.25	33.08	
PK	7.1255G	82.55	88.20	-5.65	71.70	3	Vertical	50	2.24	-	36.70	7.24	33.09	
RMS	7.1255G	67.60	68.20	-0.60	56.75	3	Vertical	50	2.24	-	36.70	7.24	33.09	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

7115MHz_TnomVnom




EUT_V_2TX
Setting 0.75
01-M-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.11255G	98.87	Inf	-Inf	88.11	3	Horizontal	33	2.82	-	36.60	7.24	33.08	
RMS	7.11G	87.19	Inf	-Inf	76.44	3	Horizontal	33	2.82	-	36.58	7.25	33.08	
PK	7.1255G	76.41	88.20	-11.79	65.56	3	Horizontal	33	2.82	-	36.70	7.24	33.09	
RMS	7.1255G	64.16	68.20	-4.04	53.31	3	Horizontal	33	2.82	-	36.70	7.24	33.09	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

7115MHz_TnomVnom




EUT Y_2TX
Setting 0.75
01-M-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	14.23912G	66.72	88.20	-21.48	45.69	3	Vertical	236	1.78	-	40.72	9.97	29.66	
RMS	14.22796G	54.69	68.20	-13.51	33.63	3	Vertical	236	1.78	-	40.74	9.97	29.65	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

7115MHz_TnomVnom




EUT_V_2TX
Setting 0.75
01-M-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.22796G	67.29	88.20	-20.91	46.23	3	Horizontal	201	2.66	-	40.74	9.97	29.65
RMS	14.22748G	56.54	68.20	-11.66	35.47	3	Horizontal	201	2.66	-	40.75	9.97	29.65

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

7115MHz_TnomVnom




EUT Y_2TX
Setting 0.75
01-M-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.3455G	51.45	83.54	-32.09	47.26	1	Vertical	174	1.57	-	37.71	16.11	49.63
AV	21.34874G	39.30	63.54	-24.24	35.10	1	Vertical	174	1.57	-	37.72	16.11	49.63

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

7115MHz_TnomVnom




EUT V_2TX
Setting 0.75
01-M-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.34772G	51.23	83.54	-32.31	47.03	1	Horizontal	5	1.54	-	37.72	16.11	49.63
AV	21.34532G	39.37	63.54	-24.17	35.18	1	Horizontal	5	1.54	-	37.71	16.11	49.63

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5965MHz_TnomVnom




EUT Y_2TX
Setting 17
01-M-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	86.00	88.20	-2.20	77.21	3	Vertical	42	2.12	-	35.00	6.60	32.81
RMS	5.9246G	67.85	68.20	-0.35	59.06	3	Vertical	42	2.12	-	35.00	6.60	32.81
PK	5.9562G	115.39	Inf	-Inf	106.49	3	Vertical	42	2.12	-	35.12	6.60	32.82
RMS	5.9562G	106.41	Inf	-Inf	97.51	3	Vertical	42	2.12	-	35.12	6.60	32.82

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5965MHz_TnomVnom




EUT_V_2TX
Setting 17
01-M-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9238G	77.00	88.20	-11.20	68.21	3	Horizontal	57	1.84	-	35.00	6.60	32.81
RMS	5.925G	60.27	68.20	-7.93	51.48	3	Horizontal	57	1.84	-	35.00	6.60	32.81
PK	5.9502G	106.45	Inf	-Inf	97.57	3	Horizontal	57	1.84	-	35.10	6.60	32.82
RMS	5.9494G	98.22	Inf	-Inf	89.34	3	Horizontal	57	1.84	-	35.10	6.60	32.82

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5965MHz_TnomVnom




EUT_Y_2TX
Setting 17
01-M-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.92832G	60.84	74.00	-13.16	44.93	3	Vertical	305	1.89	-	38.50	8.98	31.57	
AV	11.92908G	48.55	54.00	-5.45	32.64	3	Vertical	305	1.89	-	38.50	8.98	31.57	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5965MHz_TnomVnom




EUT_V_2TX
Setting 17
01-M-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.93078G	61.58	74.00	-12.42	45.67	3	Horizontal	166	1.53	-	38.50	8.98	31.57
AV	11.9286G	48.55	54.00	-5.45	32.64	3	Horizontal	166	1.53	-	38.50	8.98	31.57

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6205MHz_TnomVnom




EUT_V_2TX
Setting 20
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.862G	64.46	88.20	-23.74	55.82	3	Vertical	318	1.80	-	34.82	6.60	32.78	
RMS	5.9236G	52.94	68.20	-15.26	44.16	3	Vertical	318	1.80	-	34.99	6.60	32.81	
PK	6.2078G	117.41	Inf	-Inf	107.92	3	Vertical	318	1.80	-	35.44	6.90	32.85	
RMS	6.2078G	107.18	Inf	-Inf	97.69	3	Vertical	318	1.80	-	35.44	6.90	32.85	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6205MHz_TnomVnom




EUT_V_2TX
Setting 20
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.883G	63.18	88.20	-25.02	54.50	3	Horizontal	182	2.65	-	34.87	6.60	32.79	
RMS	5.9222G	52.94	68.20	-15.26	44.16	3	Horizontal	182	2.65	-	34.99	6.60	32.81	
PK	6.2036G	111.62	Inf	-Inf	102.10	3	Horizontal	182	2.65	-	35.47	6.90	32.85	
RMS	6.2036G	100.37	Inf	-Inf	90.85	3	Horizontal	182	2.65	-	35.47	6.90	32.85	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6205MHz_TnomVnom




EUT_V_2TX
Setting 20
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.42056G	61.89	74.00	-12.11	45.62	3	Vertical	231	1.79	-	38.66	9.19	31.58
AV	12.40616G	48.68	54.00	-5.32	32.39	3	Vertical	231	1.79	-	38.69	9.18	31.58

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6205MHz_TnomVnom




EUT_V_2TX
Setting 20
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.41084G	64.47	74.00	-9.53	48.19	3	Horizontal	215	1.80	-	38.68	9.18	31.58
AV	12.4058G	50.92	54.00	-3.08	34.63	3	Horizontal	215	1.80	-	38.69	9.18	31.58

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6205MHz_TnomVnom




EUT Y_2TX
Setting 20
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.61329G	50.41	83.54	-33.13	47.70	1	Vertical	23	2.49	-	37.75	14.95	49.99
AV	18.61662G	37.05	63.54	-26.49	34.33	1	Vertical	23	2.49	-	37.75	14.95	49.98

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6205MHz_TnomVnom




EUT_V_2TX
Setting 20
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.61433G	50.25	83.54	-33.29	47.54	1	Horizontal	343	1.80	-	37.75	14.95	49.99
AV	18.61835G	36.16	63.54	-27.38	33.44	1	Horizontal	343	1.80	-	37.75	14.95	49.98

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6405MHz_TnomVnom




EUT Y_2TX
Setting 19.75
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9034G	64.03	88.20	-24.17	55.32	3	Vertical	325	1.74	-	34.91	6.60	32.80
RMS	5.9226G	53.00	68.20	-15.20	44.22	3	Vertical	325	1.74	-	34.99	6.60	32.81
PK	6.405G	116.83	Inf	-Inf	107.11	3	Vertical	325	1.74	-	35.58	7.00	32.86
RMS	6.4074G	105.63	Inf	-Inf	95.92	3	Vertical	325	1.74	-	35.57	7.00	32.86

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6405MHz_TnomVnom




EUT Y_2TX
Setting 19.75
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.8986G	63.69	88.20	-24.51	54.99	3	Horizontal	144	1.76	-	34.90	6.60	32.80	
RMS	5.9226G	52.94	68.20	-15.26	44.16	3	Horizontal	144	1.76	-	34.99	6.60	32.81	
PK	6.4074G	109.55	Inf	-Inf	99.84	3	Horizontal	144	1.76	-	35.57	7.00	32.86	
RMS	6.4074G	99.81	Inf	-Inf	90.10	3	Horizontal	144	1.76	-	35.57	7.00	32.86	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6405MHz_TnomVnom




EUT_V_2TX
Setting 19.75
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.80896G	61.13	88.20	-27.07	43.49	3	Vertical	237	1.06	-	39.21	9.36	30.93
RMS	12.80831G	47.58	68.20	-20.62	29.94	3	Vertical	237	1.06	-	39.21	9.36	30.93

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6405MHz_TnomVnom




EUT_V_2TX
Setting 19.75
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.81266G	61.18	88.20	-27.02	43.52	3	Horizontal	59	2.21	-	39.21	9.37	30.92
RMS	12.80856G	48.24	68.20	-19.96	30.60	3	Horizontal	59	2.21	-	39.21	9.36	30.93

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6405MHz_TnomVnom




EUT Y_2TX
Setting 19.75
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.21564G	49.93	83.54	-33.61	46.64	1	Vertical	325	2.76	-	37.74	15.19	49.64
AV	19.21786G	36.44	63.54	-27.10	33.15	1	Vertical	325	2.76	-	37.74	15.19	49.64

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6405MHz_TnomVnom




EUT Y_2TX
Setting 19.75
01-C-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.2159G	50.62	83.54	-32.92	47.33	1	Horizontal	263	1.28	-	37.74	15.19	49.64	
AV	19.21195G	37.06	63.54	-26.48	33.77	1	Horizontal	263	1.28	-	37.75	15.18	49.64	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6445MHz_TnomVnom




EUT_V_2TX
Setting 3.75
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9094G	63.39	88.20	-24.81	54.65	3	Vertical	324	2.34	-	34.94	6.60	32.80	
RMS	5.9224G	52.90	68.20	-15.30	44.12	3	Vertical	324	2.34	-	34.99	6.60	32.81	
PK	6.445G	97.78	Inf	-Inf	88.22	3	Vertical	324	2.34	-	35.42	7.00	32.86	
RMS	6.4424G	87.88	Inf	-Inf	78.31	3	Vertical	324	2.34	-	35.43	7.00	32.86	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6445MHz_TnomVnom




EUT V_2TX
Setting 3.75
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8028G	63.16	88.20	-25.04	54.90	3	Horizontal	143	1.83	-	34.42	6.60	32.76
RMS	5.925G	52.92	68.20	-15.28	44.13	3	Horizontal	143	1.83	-	35.00	6.60	32.81
PK	6.4476G	93.13	Inf	-Inf	83.58	3	Horizontal	143	1.83	-	35.41	7.00	32.86
RMS	6.4424G	81.77	Inf	-Inf	72.20	3	Horizontal	143	1.83	-	35.43	7.00	32.86

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6445MHz_TnomVnom




EUT Y_2TX
Setting 3.75
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.89059G	62.24	88.20	-25.96	44.30	3	Vertical	78	2.47	-	39.29	9.40	30.75	
RMS	12.88927G	48.99	68.20	-19.21	31.06	3	Vertical	78	2.47	-	39.29	9.40	30.76	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6445MHz_TnomVnom




EUT Y_2TX
Setting 3.75
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.8886G	62.13	88.20	-26.07	44.20	3	Horizontal	327	1.14	-	39.29	9.40	30.76	
RMS	12.88691G	48.29	68.20	-19.91	30.36	3	Horizontal	327	1.14	-	39.29	9.40	30.76	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6445MHz_TnomVnom




EUT Y_2TX
Setting 3.75
01-C-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.33525G	49.39	83.54	-34.15	46.06	1	Vertical	332	1.74	-	37.77	15.23	49.67	
AV	19.3359G	35.94	63.54	-27.60	32.61	1	Vertical	332	1.74	-	37.77	15.23	49.67	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6445MHz_TnomVnom




EUT Y_2TX
Setting 3.75
01-C-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.33219G	49.86	83.54	-33.68	46.53	1	Horizontal	262	2.06	-	37.77	15.23	49.67
AV	19.33548G	36.07	63.54	-27.47	32.74	1	Horizontal	262	2.06	-	37.77	15.23	49.67

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6485MHz_TnomVnom




EUT_V_2TX
Setting 3.75
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8298G	63.00	88.20	-25.20	54.53	3	Vertical	31	1.80	-	34.64	6.60	32.77
RMS	5.9222G	52.98	68.20	-15.22	44.20	3	Vertical	31	1.80	-	34.99	6.60	32.81
PK	6.4822G	99.25	Inf	-Inf	89.58	3	Vertical	31	1.80	-	35.53	7.00	32.86
RMS	6.4822G	87.91	Inf	-Inf	78.24	3	Vertical	31	1.80	-	35.53	7.00	32.86
PK	7.157G	67.42	88.20	-20.78	56.37	3	Vertical	31	1.80	-	36.93	7.22	33.10
RMS	7.1738G	56.07	68.20	-12.13	44.97	3	Vertical	31	1.80	-	37.00	7.21	33.11

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6485MHz_TnomVnom




EUT_V_2TX
Setting 3.75
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8578G	63.72	88.20	-24.48	55.08	3	Horizontal	144	1.80	-	34.82	6.60	32.78
RMS	5.925G	52.98	68.20	-15.22	44.19	3	Horizontal	144	1.80	-	35.00	6.60	32.81
PK	6.4822G	90.09	Inf	-Inf	80.42	3	Horizontal	144	1.80	-	35.53	7.00	32.86
RMS	6.4822G	80.42	Inf	-Inf	70.75	3	Horizontal	144	1.80	-	35.53	7.00	32.86
PK	7.1766G	66.64	88.20	-21.56	55.53	3	Horizontal	144	1.80	-	37.01	7.21	33.11
RMS	7.1822G	56.03	68.20	-12.17	44.90	3	Horizontal	144	1.80	-	37.03	7.21	33.11

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6485MHz_TnomVnom




EUT_V_2TX
Setting 3.75
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.96737G	62.76	88.20	-25.44	44.41	3	Vertical	330	1.05	-	39.50	9.44	30.59	
RMS	12.97281G	48.94	68.20	-19.26	30.56	3	Vertical	330	1.05	-	39.52	9.44	30.58	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6485MHz_TnomVnom




EUT_V_2TX
Setting 3.75
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.9708G	62.94	88.20	-25.26	44.57	3	Horizontal	172	1.23	-	39.51	9.44	30.58	
RMS	12.96745G	49.70	68.20	-18.50	31.35	3	Horizontal	172	1.23	-	39.50	9.44	30.59	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6485MHz_TnomVnom




EUT V_2TX
Setting 3.75
01-C-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.45769G	50.05	83.54	-33.49	46.59	1	Vertical	26	1.13	-	37.87	15.28	49.69	
AV	19.45164G	36.64	63.54	-26.90	33.19	1	Vertical	26	1.13	-	37.86	15.28	49.69	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6485MHz_TnomVnom




EUT V_2TX
Setting 3.75
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.45844G	49.97	83.54	-33.57	46.51	1	Horizontal	191	1.63	-	37.87	15.28	49.69
AV	19.45619G	35.98	63.54	-27.56	32.53	1	Horizontal	191	1.63	-	37.86	15.28	49.69

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_V_2TX
 Setting 3.75
 01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.923G	63.41	88.20	-24.79	54.63	3	Vertical	258	1.80	-	34.99	6.60	32.81
RMS	5.923G	52.94	68.20	-15.26	44.16	3	Vertical	258	1.80	-	34.99	6.60	32.81
PK	6.522G	95.97	Inf	-Inf	86.15	3	Vertical	258	1.80	-	35.69	7.00	32.87
RMS	6.5278G	85.68	Inf	-Inf	75.84	3	Vertical	258	1.80	-	35.71	7.00	32.87
PK	7.1354G	66.65	88.20	-21.55	55.73	3	Vertical	258	1.80	-	36.78	7.23	33.09
RMS	7.2222G	56.17	68.20	-12.03	44.99	3	Vertical	258	1.80	-	37.10	7.22	33.14

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_V_2TX
 Setting 3.75
 01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9146G	63.25	88.20	-24.95	54.50	3	Horizontal	205	3.00	-	34.96	6.60	32.81
RMS	5.925G	53.33	68.20	-14.87	44.54	3	Horizontal	205	3.00	-	35.00	6.60	32.81
PK	6.5278G	92.11	Inf	-Inf	82.27	3	Horizontal	205	3.00	-	35.71	7.00	32.87
RMS	6.5278G	81.45	Inf	-Inf	71.61	3	Horizontal	205	3.00	-	35.71	7.00	32.87
PK	7.1802G	67.09	88.20	-21.11	55.97	3	Horizontal	205	3.00	-	37.02	7.21	33.11
RMS	7.2222G	56.44	68.20	-11.76	45.26	3	Horizontal	205	3.00	-	37.10	7.22	33.14

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT Y_2TX
 Setting 3.75
 01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.04765G	63.90	88.20	-24.30	45.23	3	Vertical	33	1.95	-	39.65	9.47	30.45
RMS	13.05069G	49.53	68.20	-18.67	30.85	3	Vertical	33	1.95	-	39.65	9.47	30.44

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT Y_2TX
Setting 3.75
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.04789G	63.48	88.20	-24.72	44.81	3	Horizontal	84	1.90	-	39.65	9.47	30.45
RMS	13.05339G	49.48	68.20	-18.72	30.80	3	Horizontal	84	1.90	-	39.65	9.47	30.44

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT Y_2TX
Setting 3.75
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.5744G	50.23	83.54	-33.31	46.73	1	Vertical	141	2.15	-	37.87	15.33	49.70
AV	19.57291G	37.50	63.54	-26.04	34.00	1	Vertical	141	2.15	-	37.87	15.33	49.70

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT Y_2TX
Setting 3.75
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.57619G	50.49	83.54	-33.05	46.99	1	Horizontal	115	1.62	-	37.87	15.33	49.70
AV	19.57752G	36.85	63.54	-26.69	33.35	1	Horizontal	115	1.62	-	37.87	15.33	49.70

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6565MHz_TnomVnom




EUT Y_2TX
Setting 19.25
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.565G	118.09	Inf	-Inf	108.14	3	Vertical	262	1.73	-	35.83	7.00	32.88
RMS	6.5674G	106.82	Inf	-Inf	96.87	3	Vertical	262	1.73	-	35.83	7.00	32.88
PK	7.1338G	67.06	88.20	-21.14	56.15	3	Vertical	262	1.73	-	36.77	7.23	33.09
RMS	7.1554G	56.22	68.20	-11.98	45.18	3	Vertical	262	1.73	-	36.92	7.22	33.10

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6565MHz_TnomVnom




EUT Y_2TX
Setting 19.25
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.5626G	110.44	Inf	-Inf	100.49	3	Horizontal	342	1.80	-	35.83	7.00	32.88	
RMS	6.5674G	98.37	Inf	-Inf	88.42	3	Horizontal	342	1.80	-	35.83	7.00	32.88	
PK	7.1578G	66.57	88.20	-21.63	55.52	3	Horizontal	342	1.80	-	36.93	7.22	33.10	
RMS	7.1434G	56.38	68.20	-11.82	45.39	3	Horizontal	342	1.80	-	36.85	7.23	33.09	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6565MHz_TnomVnom




EUT_V_2TX
Setting 19.25
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.16052G	63.48	88.20	-24.72	44.42	3	Vertical	238	1.80	-	39.82	9.52	30.28	
RMS	13.13546G	50.37	68.20	-17.83	31.41	3	Vertical	238	1.80	-	39.77	9.51	30.32	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6565MHz_TnomVnom




EUT_V_2TX
Setting 19.25
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.13644G	64.40	88.20	-23.80	45.44	3	Horizontal	151	1.79	-	39.77	9.51	30.32
RMS	13.12664G	50.91	68.20	-17.29	31.98	3	Horizontal	151	1.79	-	39.75	9.51	30.33

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6565MHz_TnomVnom




EUT Y_2TX
Setting 19.25
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.69478G	51.39	83.54	-32.15	47.89	1	Vertical	273	1.07	-	37.82	15.38	49.70
AV	19.69613G	38.75	63.54	-24.79	35.25	1	Vertical	273	1.07	-	37.82	15.38	49.70

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6565MHz_TnomVnom




EUT_V_2TX
Setting 19.25
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.69303G	51.32	83.54	-32.22	47.82	1	Horizontal	177	2.55	-	37.82	15.38	49.70
AV	19.69345G	38.46	63.54	-25.08	34.96	1	Horizontal	177	2.55	-	37.82	15.38	49.70

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6685MHz_TnomVnom




EUT Y_2TX
Setting 19
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.687G	116.17	Inf	-Inf	106.16	3	Vertical	33	1.62	-	35.93	7.00	32.92	
RMS	6.683G	104.99	Inf	-Inf	94.98	3	Vertical	33	1.62	-	35.93	7.00	32.92	
PK	7.173G	67.16	88.20	-21.04	56.07	3	Vertical	33	1.62	-	36.99	7.21	33.11	
RMS	7.173G	56.27	68.20	-11.93	45.18	3	Vertical	33	1.62	-	36.99	7.21	33.11	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6685MHz_TnomVnom




EUT Y_2TX
Setting 19
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.683G	107.15	Inf	-Inf	97.14	3	Horizontal	142	1.80	-	35.93	7.00	32.92	
RMS	6.683G	95.97	Inf	-Inf	85.96	3	Horizontal	142	1.80	-	35.93	7.00	32.92	
PK	7.169G	67.52	88.20	-20.68	56.43	3	Horizontal	142	1.80	-	36.98	7.22	33.11	
RMS	7.167G	56.22	68.20	-11.98	45.14	3	Horizontal	142	1.80	-	36.97	7.22	33.11	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6685MHz_TnomVnom




EUT_V_2TX
 Setting 19
 01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.37098G	65.25	74.00	-8.75	45.46	3	Vertical	291	1.32	-	40.14	9.62	29.97
AV	13.3756G	51.27	54.00	-2.73	31.46	3	Vertical	291	1.32	-	40.15	9.62	29.96

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6685MHz_TnomVnom




EUT_V_2TX
Setting 19
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.38022G	64.70	74.00	-9.30	44.88	3	Horizontal	148	1.78	-	40.16	9.62	29.96
AV	13.37462G	50.97	54.00	-3.03	31.17	3	Horizontal	148	1.78	-	40.15	9.62	29.97

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6685MHz_TnomVnom




EUT Y_2TX
Setting 19
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.05345G	50.47	83.54	-33.07	47.23	1	Vertical	228	2.72	-	37.44	15.52	49.72
AV	20.05182G	36.88	63.54	-26.66	33.64	1	Vertical	228	2.72	-	37.44	15.52	49.72

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6685MHz_TnomVnom




EUT Y_2TX
Setting 19
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.05615G	50.26	83.54	-33.28	47.01	1	Horizontal	215	2.85	-	37.44	15.53	49.72
AV	20.05725G	36.23	63.54	-27.31	32.97	1	Horizontal	215	2.85	-	37.45	15.53	49.72

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_2TX
Setting 4.25
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.8808G	100.24	Inf	-Inf	89.75	3	Vertical	67	1.62	-	36.35	7.12	32.98	
RMS	6.8822G	89.69	Inf	-Inf	79.21	3	Vertical	67	1.62	-	36.34	7.12	32.98	
PK	7.144G	67.04	88.20	-21.16	56.05	3	Vertical	67	1.62	-	36.85	7.23	33.09	
RMS	7.1734G	56.18	68.20	-12.02	45.09	3	Vertical	67	1.62	-	36.99	7.21	33.11	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_2TX
Setting 4.25
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.8878G	90.08	Inf	-Inf	79.63	3	Horizontal	332	1.78	-	36.30	7.13	32.98	
RMS	6.8878G	79.23	Inf	-Inf	68.78	3	Horizontal	332	1.78	-	36.30	7.13	32.98	
PK	7.1944G	67.38	88.20	-20.82	56.22	3	Horizontal	332	1.78	-	37.08	7.20	33.12	
RMS	7.2112G	56.43	68.20	-11.77	45.25	3	Horizontal	332	1.78	-	37.10	7.21	33.13	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_2TX
Setting 4.25
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7708G	66.93	88.20	-21.27	46.04	3	Vertical	93	1.07	-	40.71	9.80	29.62
RMS	13.77077G	53.50	68.20	-14.70	32.61	3	Vertical	93	1.07	-	40.71	9.80	29.62

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_2TX
Setting 4.25
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.76814G	67.14	88.20	-21.06	46.26	3	Horizontal	267	2.95	-	40.70	9.80	29.62
RMS	13.77035G	52.66	68.20	-15.54	31.77	3	Horizontal	267	2.95	-	40.71	9.80	29.62

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_2TX
Setting 4.25
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	20.65826G	52.20	83.54	-31.34	48.35	1	Vertical	214	2.02	-	37.89	15.80	49.84	
AV	20.65644G	37.96	63.54	-25.58	34.11	1	Vertical	214	2.02	-	37.89	15.80	49.84	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_2TX
Setting 4.25
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	20.65532G	51.79	83.54	-31.75	47.95	1	Horizontal	291	2.77	-	37.89	15.79	49.84	
AV	20.65314G	38.54	63.54	-25.00	34.71	1	Horizontal	291	2.77	-	37.88	15.79	49.84	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6925MHz_TnomVnom




EUT Y_2TX
Setting 3.75
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.9274G	103.33	Inf	-Inf	92.78	3	Vertical	71	1.48	-	36.36	7.19	33.00	
RMS	6.9274G	92.78	Inf	-Inf	82.23	3	Vertical	71	1.48	-	36.36	7.19	33.00	
PK	7.1566G	67.14	88.20	-21.06	56.09	3	Vertical	71	1.48	-	36.93	7.22	33.10	
RMS	7.2214G	56.41	68.20	-11.79	45.23	3	Vertical	71	1.48	-	37.10	7.22	33.14	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6925MHz_TnomVnom




EUT Y_2TX
Setting 3.75
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.9286G	92.31	Inf	-Inf	81.75	3	Horizontal	331	1.80	-	36.37	7.19	33.00	
RMS	6.9274G	81.18	Inf	-Inf	70.63	3	Horizontal	331	1.80	-	36.36	7.19	33.00	
PK	7.1566G	67.23	88.20	-20.97	56.18	3	Horizontal	331	1.80	-	36.93	7.22	33.10	
RMS	7.201G	56.35	68.20	-11.85	45.17	3	Horizontal	331	1.80	-	37.10	7.20	33.12	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6925MHz_TnomVnom




EUT Y_2TX
Setting 3.75
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.85128G	66.47	88.20	-21.73	45.37	3	Vertical	25	1.86	-	40.85	9.83	29.58	
RMS	13.85055G	53.68	68.20	-14.52	32.58	3	Vertical	25	1.86	-	40.85	9.83	29.58	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6925MHz_TnomVnom




EUT V_2TX
Setting 3.75
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.84945G	66.91	88.20	-21.29	45.81	3	Horizontal	161	1.43	-	40.85	9.83	29.58	
RMS	13.85102G	52.97	68.20	-15.23	31.87	3	Horizontal	161	1.43	-	40.85	9.83	29.58	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6925MHz_TnomVnom




EUT Y_2TX
Setting 3.75
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.77305G	52.54	83.54	-31.00	48.52	1	Vertical	349	2.39	-	37.96	15.85	49.79
AV	20.77174G	38.82	63.54	-24.72	34.79	1	Vertical	349	2.39	-	37.97	15.85	49.79

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6925MHz_TnomVnom




EUT V_2TX
Setting 3.75
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.77597G	53.10	83.54	-30.44	49.08	1	Horizontal	79	2.52	-	37.96	15.85	49.79
AV	20.77487G	39.39	63.54	-24.15	35.37	1	Horizontal	79	2.52	-	37.96	15.85	49.79

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

7005MHz_TnomVnom




EUT Y_2TX
Setting 4.75
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0074G	104.38	Inf	-Inf	93.76	3	Vertical	67	1.71	-	36.34	7.30	33.02
RMS	7.0074G	93.12	Inf	-Inf	82.50	3	Vertical	67	1.71	-	36.34	7.30	33.02
PK	7.2018G	68.08	88.20	-20.12	56.90	3	Vertical	67	1.71	-	37.10	7.20	33.12
RMS	7.2034G	56.26	68.20	-11.94	45.09	3	Vertical	67	1.71	-	37.10	7.20	33.13

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

7005MHz_TnomVnom




EUT Y_2TX
Setting 4.75
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.0074G	93.47	Inf	-Inf	82.85	3	Horizontal	333	1.90	-	36.34	7.30	33.02	
RMS	7.0074G	82.86	Inf	-Inf	72.24	3	Horizontal	333	1.90	-	36.34	7.30	33.02	
PK	7.1346G	67.46	88.20	-20.74	56.54	3	Horizontal	333	1.90	-	36.78	7.23	33.09	
RMS	7.2018G	56.25	68.20	-11.95	45.07	3	Horizontal	333	1.90	-	37.10	7.20	33.12	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

7005MHz_TnomVnom




EUT Y_2TX
Setting 4.75
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	14.00878G	67.41	88.20	-20.79	46.11	3	Vertical	225	2.34	-	40.90	9.90	29.50	
RMS	14.01111G	53.56	68.20	-14.64	32.26	3	Vertical	225	2.34	-	40.90	9.90	29.50	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

7005MHz_TnomVnom




EUT_V_2TX
Setting 4.75
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.0107G	67.10	88.20	-21.10	45.80	3	Horizontal	236	1.89	-	40.90	9.90	29.50
RMS	14.01112G	53.55	68.20	-14.65	32.25	3	Horizontal	236	1.89	-	40.90	9.90	29.50

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

7005MHz_TnomVnom




EUT V_2TX
Setting 4.75
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.01606G	51.03	83.54	-32.51	47.17	1	Vertical	282	2.57	-	37.60	15.96	49.70
AV	21.01438G	37.11	63.54	-26.43	33.25	1	Vertical	282	2.57	-	37.60	15.96	49.70

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

7005MHz_TnomVnom




EUT V_2TX
Setting 4.75
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.01319G	50.80	83.54	-32.74	46.94	1	Horizontal	319	1.02	-	37.60	15.96	49.70
AV	21.01275G	37.58	63.54	-25.96	33.72	1	Horizontal	319	1.02	-	37.60	15.96	49.70

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

7085MHz_TnomVnom




EUT Y_2TX
 Setting 15
 01-M-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.1014G	114.26	Inf	-Inf	103.57	3	Vertical	49	2.39	-	36.51	7.25	33.07	
RMS	7.0954G	105.81	Inf	-Inf	95.12	3	Vertical	49	2.39	-	36.51	7.25	33.07	
PK	7.1298G	88.05	88.20	-0.15	77.16	3	Vertical	49	2.39	-	36.74	7.24	33.09	
RMS	7.1258G	65.12	68.20	-3.08	54.26	3	Vertical	49	2.39	-	36.71	7.24	33.09	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

7085MHz_TnomVnom




EUT_V_2TX
 Setting 15
 01-M-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0926G	106.50	Inf	-Inf	95.81	3	Horizontal	32	2.90	-	36.51	7.25	33.07
RMS	7.0738G	96.16	Inf	-Inf	85.41	3	Horizontal	32	2.90	-	36.55	7.26	33.06
PK	7.125G	82.40	88.20	-5.80	71.55	3	Horizontal	32	2.90	-	36.70	7.24	33.09
RMS	7.125G	61.93	68.20	-6.27	51.08	3	Horizontal	32	2.90	-	36.70	7.24	33.09

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

7085MHz_TnomVnom




EUT_Y_2TX
Setting 15
01-M-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	14.16636G	64.96	88.20	-23.24	43.79	3	Vertical	185	2.87	-	40.83	9.95	29.61	
RMS	14.16978G	53.37	68.20	-14.83	32.20	3	Vertical	185	2.87	-	40.83	9.95	29.61	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

7085MHz_TnomVnom




EUT_V_2TX
Setting 15
01-M-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	14.17198G	65.90	88.20	-22.30	44.73	3	Horizontal	282	1.90	-	40.83	9.95	29.61	
RMS	14.1729G	53.47	68.20	-14.73	32.30	3	Horizontal	282	1.90	-	40.83	9.95	29.61	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

7085MHz_TnomVnom




EUT_Y_2TX
Setting 15
01-M-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	21.25362G	51.19	83.54	-32.35	47.18	1	Vertical	321	1.53	-	37.60	16.06	49.65
AV	21.25936G	39.03	63.54	-24.51	35.00	1	Vertical	321	1.53	-	37.61	16.07	49.65

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

7085MHz_TnomVnom




EUT_V_2TX
Setting 15
01-M-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.25144G	50.81	83.54	-32.73	46.80	1	Horizontal	333	1.54	-	37.60	16.06	49.65
AV	21.25686G	39.03	63.54	-24.51	35.00	1	Horizontal	333	1.54	-	37.61	16.07	49.65

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5985MHz_TnomVnom




EUT Y_2TX
Setting 16.5
01-M-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9162G	83.06	88.20	-5.14	74.31	3	Vertical	41	2.32	-	34.96	6.60	32.81
RMS	5.925G	67.63	68.20	-0.57	58.84	3	Vertical	41	2.32	-	35.00	6.60	32.81
PK	5.9666G	112.41	Inf	-Inf	103.47	3	Vertical	41	2.32	-	35.17	6.60	32.83
RMS	5.9498G	102.61	Inf	-Inf	93.73	3	Vertical	41	2.32	-	35.10	6.60	32.82

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5985MHz_TnomVnom




EUT Y_2TX
Setting 16.5
01-M-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.913G	73.66	88.20	-14.54	64.92	3	Horizontal	56	1.80	-	34.95	6.60	32.81
RMS	5.9234G	60.59	68.20	-7.61	51.81	3	Horizontal	56	1.80	-	34.99	6.60	32.81
PK	5.9666G	102.34	Inf	-Inf	93.40	3	Horizontal	56	1.80	-	35.17	6.60	32.83
RMS	5.9498G	94.34	Inf	-Inf	85.46	3	Horizontal	56	1.80	-	35.10	6.60	32.82

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5985MHz_TnomVnom




EUT_V_2TX
Setting 16.5
01-M-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.974G	61.57	74.00	-12.43	45.63	3	Vertical	247	2.13	-	38.50	8.99	31.55
AV	11.96718G	51.55	54.00	-2.45	35.61	3	Vertical	247	2.13	-	38.50	8.99	31.55

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5985MHz_TnomVnom




EUT_V_2TX
Setting 16.5
01-M-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.97484G	61.15	74.00	-12.85	45.21	3	Horizontal	346	1.65	-	38.50	8.99	31.55
AV	11.97024G	51.47	54.00	-2.53	35.53	3	Horizontal	346	1.65	-	38.50	8.99	31.55

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6225MHz_TnomVnom




EUT_V_2TX
Setting 20
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8974G	63.36	88.20	-24.84	54.67	3	Vertical	321	1.80	-	34.89	6.60	32.80
RMS	5.925G	53.10	68.20	-15.10	44.31	3	Vertical	321	1.80	-	35.00	6.60	32.81
PK	6.2124G	114.89	Inf	-Inf	105.43	3	Vertical	321	1.80	-	35.40	6.91	32.85
RMS	6.2208G	104.34	Inf	-Inf	94.95	3	Vertical	321	1.80	-	35.33	6.91	32.85

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6225MHz_TnomVnom




EUT_V_2TX
Setting 20
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9002G	63.60	88.20	-24.60	54.90	3	Horizontal	142	1.74	-	34.90	6.60	32.80
RMS	5.925G	53.02	68.20	-15.18	44.23	3	Horizontal	142	1.74	-	35.00	6.60	32.81
PK	6.2292G	106.16	Inf	-Inf	96.83	3	Horizontal	142	1.74	-	35.27	6.91	32.85
RMS	6.2194G	96.61	Inf	-Inf	87.21	3	Horizontal	142	1.74	-	35.34	6.91	32.85

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6225MHz_TnomVnom




EUT_V_2TX
Setting 20
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.4661G	61.95	74.00	-12.05	45.76	3	Vertical	235	1.80	-	38.57	9.21	31.59
AV	12.43544G	50.91	54.00	-3.09	34.66	3	Vertical	235	1.80	-	38.63	9.20	31.58

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6225MHz_TnomVnom




EUT_V_2TX
Setting 20
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.46652G	63.07	74.00	-10.93	46.88	3	Horizontal	204	1.80	-	38.57	9.21	31.59	
AV	12.45588G	51.98	54.00	-2.02	35.77	3	Horizontal	204	1.80	-	38.59	9.21	31.59	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6225MHz_TnomVnom




EUT_V_2TX
Setting 20
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.67283G	50.38	83.54	-33.16	47.61	1	Vertical	42	2.11	-	37.73	14.97	49.93
AV	18.67746G	39.50	63.54	-24.04	36.72	1	Vertical	42	2.11	-	37.73	14.97	49.92

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6225MHz_TnomVnom




EUT Y_2TX
Setting 20
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.67241G	49.86	83.54	-33.68	47.09	1	Horizontal	317	2.31	-	37.73	14.97	49.93
AV	18.67247G	39.79	63.54	-23.75	37.02	1	Horizontal	317	2.31	-	37.73	14.97	49.93

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6385MHz_TnomVnom




EUT Y_2TX
Setting 18
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.833G	63.55	88.20	-24.65	55.06	3	Vertical	326	1.80	-	34.66	6.60	32.77	
RMS	5.924G	53.01	68.20	-15.19	44.22	3	Vertical	326	1.80	-	35.00	6.60	32.81	
PK	6.3874G	113.37	Inf	-Inf	103.72	3	Vertical	326	1.80	-	35.52	6.99	32.86	
RMS	6.3874G	102.79	Inf	-Inf	93.14	3	Vertical	326	1.80	-	35.52	6.99	32.86	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6385MHz_TnomVnom




EUT_V_2TX
 Setting 18
 01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.8042G	64.72	88.20	-23.48	56.45	3	Horizontal	142	1.72	-	34.43	6.60	32.76	
RMS	5.9242G	53.10	68.20	-15.10	44.31	3	Horizontal	142	1.72	-	35.00	6.60	32.81	
PK	6.3802G	105.97	Inf	-Inf	96.36	3	Horizontal	142	1.72	-	35.48	6.99	32.86	
RMS	6.3826G	96.35	Inf	-Inf	86.72	3	Horizontal	142	1.72	-	35.50	6.99	32.86	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6385MHz_TnomVnom




EUT_V_2TX
Setting 18
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.77153G	60.78	88.20	-27.42	43.30	3	Vertical	286	1.49	-	39.14	9.35	31.01	
RMS	12.76842G	50.17	68.20	-18.03	32.70	3	Vertical	286	1.49	-	39.14	9.35	31.02	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6385MHz_TnomVnom




EUT_V_2TX
Setting 18
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.77028G	61.22	88.20	-26.98	43.74	3	Horizontal	2	1.02	-	39.14	9.35	31.01	
RMS	12.77295G	50.11	68.20	-18.09	32.62	3	Horizontal	2	1.02	-	39.15	9.35	31.01	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6385MHz_TnomVnom




EUT Y_2TX
Setting 18
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.15801G	50.29	83.54	-33.25	46.95	1	Vertical	220	2.92	-	37.81	15.16	49.63
AV	19.15612G	39.86	63.54	-23.68	36.52	1	Vertical	220	2.92	-	37.81	15.16	49.63

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6385MHz_TnomVnom




EUT_V_2TX
Setting 18
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	19.15545G	49.91	83.54	-33.63	46.57	1	Horizontal	346	1.68	-	37.81	15.16	49.63	
AV	19.15238G	39.93	63.54	-23.61	36.58	1	Horizontal	346	1.68	-	37.82	15.16	49.63	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6465MHz_TnomVnom




EUT Y_2TX
Setting 7
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9242G	62.84	88.20	-25.36	54.05	3	Vertical	277	1.76	-	35.00	6.60	32.81	
RMS	5.9216G	53.01	68.20	-15.19	44.23	3	Vertical	277	1.76	-	34.99	6.60	32.81	
PK	6.452G	99.05	Inf	-Inf	89.50	3	Vertical	277	1.76	-	35.41	7.00	32.86	
RMS	6.4624G	88.75	Inf	-Inf	79.16	3	Vertical	277	1.76	-	35.45	7.00	32.86	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6465MHz_TnomVnom




EUT Y_2TX
Setting 7
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.8722G	63.61	88.20	-24.59	54.96	3	Horizontal	143	1.80	-	34.84	6.60	32.79	
RMS	5.919G	53.07	68.20	-15.13	44.30	3	Horizontal	143	1.80	-	34.98	6.60	32.81	
PK	6.4442G	91.79	Inf	-Inf	82.23	3	Horizontal	143	1.80	-	35.42	7.00	32.86	
RMS	6.4624G	81.83	Inf	-Inf	72.24	3	Horizontal	143	1.80	-	35.45	7.00	32.86	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6465MHz_TnomVnom




EUT Y_2TX
Setting 7
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.92742G	62.13	88.20	-26.07	44.01	3	Vertical	15	2.50	-	39.38	9.42	30.68	
RMS	12.93143G	51.40	68.20	-16.80	33.26	3	Vertical	15	2.50	-	39.39	9.42	30.67	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6465MHz_TnomVnom




EUT_V_2TX
Setting 7
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.93105G	62.32	88.20	-25.88	44.18	3	Horizontal	31	1.81	-	39.39	9.42	30.67
RMS	12.92759G	51.53	68.20	-16.67	33.40	3	Horizontal	31	1.81	-	39.38	9.42	30.67

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6465MHz_TnomVnom




EUT Y_2TX
Setting 7
01-C-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.39391G	49.63	83.54	-33.91	46.23	1	Vertical	61	1.04	-	37.82	15.26	49.68	
AV	19.39609G	38.81	63.54	-24.73	35.41	1	Vertical	61	1.04	-	37.82	15.26	49.68	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6465MHz_TnomVnom




EUT_V_2TX
Setting 7
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	19.39214G	49.21	83.54	-34.33	45.82	1	Horizontal	175	1.83	-	37.81	15.26	49.68	
AV	19.39429G	38.65	63.54	-24.89	35.25	1	Horizontal	175	1.83	-	37.82	15.26	49.68	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_V_2TX
 Setting 7
 01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.887G	62.98	88.20	-25.22	54.30	3	Vertical	266	1.80	-	34.87	6.60	32.79
RMS	5.925G	53.07	68.20	-15.13	44.28	3	Vertical	266	1.80	-	35.00	6.60	32.81
PK	6.538G	99.60	Inf	-Inf	89.73	3	Vertical	266	1.80	-	35.74	7.00	32.87
RMS	6.542G	88.48	Inf	-Inf	78.58	3	Vertical	266	1.80	-	35.77	7.00	32.87
PK	7.197G	66.94	88.20	-21.26	55.77	3	Vertical	266	1.80	-	37.09	7.20	33.12
RMS	7.245G	56.33	68.20	-11.87	45.13	3	Vertical	266	1.80	-	37.10	7.25	33.15

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_V_2TX
Setting 7
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9206G	63.25	88.20	-24.95	54.48	3	Horizontal	354	2.87	-	34.98	6.60	32.81
RMS	5.9178G	53.05	68.20	-15.15	44.29	3	Horizontal	354	2.87	-	34.97	6.60	32.81
PK	6.5618G	93.32	Inf	-Inf	83.38	3	Horizontal	354	2.87	-	35.82	7.00	32.88
RMS	6.5506G	81.65	Inf	-Inf	71.73	3	Horizontal	354	2.87	-	35.80	7.00	32.88
PK	7.2226G	66.80	88.20	-21.40	55.62	3	Horizontal	354	2.87	-	37.10	7.22	33.14
RMS	7.245G	56.34	68.20	-11.86	45.14	3	Horizontal	354	2.87	-	37.10	7.25	33.15

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT Y_2TX
Setting 7
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.08874G	62.58	88.20	-25.62	43.79	3	Vertical	95	1.66	-	39.69	9.49	30.39
RMS	13.09036G	52.58	68.20	-15.62	33.79	3	Vertical	95	1.66	-	39.69	9.49	30.39

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_V_2TX
Setting 7
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.09167G	63.36	88.20	-24.84	44.56	3	Horizontal	262	1.42	-	39.69	9.49	30.38	
RMS	13.087G	52.49	68.20	-15.71	33.70	3	Horizontal	262	1.42	-	39.69	9.49	30.39	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_V_2TX
Setting 7
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.63223G	51.62	83.54	-31.92	48.12	1	Vertical	324	2.32	-	37.85	15.35	49.70
AV	19.63508G	40.63	63.54	-22.91	37.13	1	Vertical	324	2.32	-	37.85	15.35	49.70

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_V_2TX
Setting 7
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.63758G	50.94	83.54	-32.60	47.44	1	Horizontal	279	2.55	-	37.84	15.36	49.70
AV	19.63193G	40.72	63.54	-22.82	37.22	1	Horizontal	279	2.55	-	37.85	15.35	49.70

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6625MHz_TnomVnom




EUT Y_2TX
 Setting 19.25
 01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.6298G	113.40	Inf	-Inf	103.34	3	Vertical	260	1.72	-	35.96	7.00	32.90	
RMS	6.6274G	102.01	Inf	-Inf	91.96	3	Vertical	260	1.72	-	35.95	7.00	32.90	
PK	7.1434G	67.39	88.20	-20.81	56.40	3	Vertical	260	1.72	-	36.85	7.23	33.09	
RMS	7.2106G	56.36	68.20	-11.84	45.18	3	Vertical	260	1.72	-	37.10	7.21	33.13	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6625MHz_TnomVnom




EUT Y_2TX
Setting 19.25
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6274G	105.40	Inf	-Inf	95.35	3	Horizontal	57	1.80	-	35.95	7.00	32.90
RMS	6.6226G	94.09	Inf	-Inf	84.04	3	Horizontal	57	1.80	-	35.95	7.00	32.90
PK	7.189G	66.94	88.20	-21.26	55.79	3	Horizontal	57	1.80	-	37.06	7.21	33.12
RMS	7.2202G	56.33	68.20	-11.87	45.14	3	Horizontal	57	1.80	-	37.10	7.22	33.13

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6625MHz_TnomVnom




EUT Y_2TX
Setting 19.25
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.2526G	63.29	74.00	-10.71	43.93	3	Vertical	88	1.80	-	39.95	9.56	30.15	
AV	13.2514G	52.27	54.00	-1.73	32.91	3	Vertical	88	1.80	-	39.95	9.56	30.15	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6625MHz_TnomVnom




EUT Y_2TX
Setting 19.25
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.26526G	63.48	74.00	-10.52	44.07	3	Horizontal	108	1.80	-	39.97	9.57	30.13
AV	13.26878G	52.49	54.00	-1.51	33.07	3	Horizontal	108	1.80	-	39.97	9.57	30.12

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6625MHz_TnomVnom




EUT Y_2TX
Setting 19.25
01-C-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.87335G	49.66	83.54	-33.88	46.31	1	Vertical	80	1.68	-	37.60	15.45	49.70
AV	19.87263G	39.62	63.54	-23.92	36.27	1	Vertical	80	1.68	-	37.60	15.45	49.70

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6625MHz_TnomVnom




EUT Y_2TX
Setting 19.25
01-C-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.87182G	50.47	83.54	-33.07	47.11	1	Horizontal	190	2.17	-	37.61	15.45	49.70
AV	19.87443G	39.04	63.54	-24.50	35.69	1	Horizontal	190	2.17	-	37.60	15.45	49.70

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6705MHz_TnomVnom




EUT Y_2TX
Setting 19
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.713G	113.24	Inf	-Inf	103.19	3	Vertical	69	1.57	-	35.98	7.00	32.93	
RMS	6.707G	102.95	Inf	-Inf	92.94	3	Vertical	69	1.57	-	35.94	7.00	32.93	
PK	7.171G	66.71	88.20	-21.49	55.63	3	Vertical	69	1.57	-	36.98	7.21	33.11	
RMS	7.193G	56.30	68.20	-11.90	45.15	3	Vertical	69	1.57	-	37.07	7.20	33.12	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6705MHz_TnomVnom




EUT Y_2TX
Setting 19
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.699G	103.18	Inf	-Inf	93.20	3	Horizontal	58	1.80	-	35.90	7.00	32.92	
RMS	6.703G	93.48	Inf	-Inf	83.48	3	Horizontal	58	1.80	-	35.92	7.00	32.92	
PK	7.127G	67.41	88.20	-20.79	56.54	3	Horizontal	58	1.80	-	36.72	7.24	33.09	
RMS	7.161G	56.08	68.20	-12.12	45.02	3	Horizontal	58	1.80	-	36.94	7.22	33.10	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6705MHz_TnomVnom




EUT Y_2TX
Setting 19
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.41242G	63.13	88.20	-25.07	43.20	3	Vertical	30	1.78	-	40.20	9.64	29.91	
RMS	13.40929G	52.20	68.20	-16.00	32.28	3	Vertical	30	1.78	-	40.20	9.63	29.91	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6705MHz_TnomVnom




EUT_V_2TX
Setting 19
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.40885G	63.04	88.20	-25.16	43.12	3	Horizontal	279	2.65	-	40.20	9.63	29.91
RMS	13.41108G	52.33	68.20	-15.87	32.41	3	Horizontal	279	2.65	-	40.20	9.63	29.91

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6705MHz_TnomVnom




EUT Y_2TX
Setting 19
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.11262G	51.01	83.54	-32.53	47.72	1	Vertical	283	2.82	-	37.49	15.55	49.75
AV	20.11482G	40.39	63.54	-23.15	37.10	1	Vertical	283	2.82	-	37.49	15.55	49.75

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6705MHz_TnomVnom




EUT Y_2TX
Setting 19
01-C-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.11843G	50.58	83.54	-32.96	47.29	1	Horizontal	57	2.61	-	37.49	15.55	49.75
AV	20.11475G	40.53	63.54	-23.01	37.24	1	Horizontal	57	2.61	-	37.49	15.55	49.75

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6785MHz_TnomVnom




EUT_V_2TX
 Setting 19
 01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.7882G	115.00	Inf	-Inf	104.75	3	Vertical	70	1.56	-	36.20	7.00	32.95	
RMS	6.7834G	104.43	Inf	-Inf	94.18	3	Vertical	70	1.56	-	36.20	7.00	32.95	
PK	7.1418G	67.38	88.20	-20.82	56.41	3	Vertical	70	1.56	-	36.83	7.23	33.09	
RMS	7.1578G	56.16	68.20	-12.04	45.11	3	Vertical	70	1.56	-	36.93	7.22	33.10	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6785MHz_TnomVnom




EUT Y_2TX
 Setting 19
 01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7802G	105.61	Inf	-Inf	95.36	3	Horizontal	340	2.98	-	36.20	7.00	32.95
RMS	6.7898G	95.35	Inf	-Inf	85.10	3	Horizontal	340	2.98	-	36.20	7.00	32.95
PK	7.1674G	67.49	88.20	-20.71	56.41	3	Horizontal	340	2.98	-	36.97	7.22	33.11
RMS	7.1802G	56.26	68.20	-11.94	45.14	3	Horizontal	340	2.98	-	37.02	7.21	33.11

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6785MHz_TnomVnom




EUT_V_2TX
Setting 19
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.5917G	64.41	88.20	-23.79	44.13	3	Vertical	276	1.80	-	40.29	9.72	29.73	
RMS	13.59828G	54.33	68.20	-13.87	34.03	3	Vertical	276	1.80	-	40.30	9.72	29.72	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6785MHz_TnomVnom




EUT_V_2TX
Setting 19
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.60164G	64.84	88.20	-23.36	44.54	3	Horizontal	219	1.77	-	40.30	9.72	29.72
RMS	13.5966G	54.91	68.20	-13.29	34.61	3	Horizontal	219	1.77	-	40.30	9.72	29.72

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6785MHz_TnomVnom




EUT_Y_2TX
Setting 19
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.35378G	51.99	83.54	-31.55	48.53	1	Vertical	189	2.67	-	37.64	15.66	49.84
AV	20.35448G	41.08	63.54	-22.46	37.62	1	Vertical	189	2.67	-	37.64	15.66	49.84

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6785MHz_TnomVnom




EUT_Y_2TX
Setting 19
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	20.35317G	51.76	83.54	-31.78	48.30	1	Horizontal	221	2.28	-	37.64	15.66	49.84	
AV	20.35212G	40.64	63.54	-22.90	37.18	1	Horizontal	221	2.28	-	37.64	15.66	49.84	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_2TX
 Setting 7.25
 01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8686G	102.16	Inf	-Inf	91.59	3	Vertical	70	1.56	-	36.45	7.10	32.98
RMS	6.8674G	90.92	Inf	-Inf	80.34	3	Vertical	70	1.56	-	36.46	7.10	32.98
PK	7.129G	66.67	88.20	-21.53	55.79	3	Vertical	70	1.56	-	36.73	7.24	33.09
RMS	7.1482G	56.24	68.20	-11.96	45.22	3	Vertical	70	1.56	-	36.89	7.23	33.10

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_2TX
 Setting 7.25
 01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8542G	89.74	Inf	-Inf	79.06	3	Horizontal	340	2.98	-	36.57	7.08	32.97
RMS	6.8578G	79.15	Inf	-Inf	68.49	3	Horizontal	340	2.98	-	36.54	7.09	32.97
PK	7.1362G	66.63	88.20	-21.57	55.70	3	Horizontal	340	2.98	-	36.79	7.23	33.09
RMS	7.1518G	56.23	68.20	-11.97	45.20	3	Horizontal	340	2.98	-	36.91	7.22	33.10

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_2TX
Setting 7.25
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.72923G	67.00	88.20	-21.20	46.28	3	Vertical	138	2.89	-	40.59	9.78	29.65
RMS	13.7298G	55.81	68.20	-12.39	35.09	3	Vertical	138	2.89	-	40.59	9.78	29.65

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_2TX
Setting 7.25
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.72768G	66.36	88.20	-21.84	45.65	3	Horizontal	0	1.63	-	40.58	9.78	29.65
RMS	13.72969G	55.76	68.20	-12.44	35.04	3	Horizontal	0	1.63	-	40.59	9.78	29.65

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_2TX
Setting 7.25
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.59266G	51.52	83.54	-32.02	47.80	1	Vertical	332	1.45	-	37.81	15.77	49.86
AV	20.5945G	40.05	63.54	-23.49	36.33	1	Vertical	332	1.45	-	37.81	15.77	49.86

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_2TX
Setting 7.25
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.59693G	50.42	83.54	-33.12	46.69	1	Horizontal	219	1.30	-	37.82	15.77	49.86
AV	20.59606G	40.42	63.54	-23.12	36.69	1	Horizontal	219	1.30	-	37.82	15.77	49.86

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6945MHz_TnomVnom




EUT Y_2TX
Setting 7.25
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.9486G	102.89	Inf	-Inf	92.18	3	Vertical	65	1.76	-	36.49	7.22	33.00	
RMS	6.9474G	93.07	Inf	-Inf	82.37	3	Vertical	65	1.76	-	36.48	7.22	33.00	
PK	7.2354G	66.77	88.20	-21.43	55.57	3	Vertical	65	1.76	-	37.10	7.24	33.14	
RMS	7.2126G	56.38	68.20	-11.82	45.20	3	Vertical	65	1.76	-	37.10	7.21	33.13	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6945MHz_TnomVnom




EUT_V_2TX
Setting 7.25
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.9402G	94.20	Inf	-Inf	83.55	3	Horizontal	333	1.80	-	36.44	7.21	33.00	
RMS	6.9498G	83.94	Inf	-Inf	73.22	3	Horizontal	333	1.80	-	36.50	7.22	33.00	
PK	7.1394G	67.56	88.20	-20.64	56.60	3	Horizontal	333	1.80	-	36.82	7.23	33.09	
RMS	7.2078G	56.34	68.20	-11.86	45.16	3	Horizontal	333	1.80	-	37.10	7.21	33.13	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6945MHz_TnomVnom




EUT Y_2TX
Setting 7.25
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.88985G	66.78	88.20	-21.42	45.59	3	Vertical	290	2.10	-	40.89	9.85	29.55	
RMS	13.89174G	56.25	68.20	-11.95	35.06	3	Vertical	290	2.10	-	40.89	9.85	29.55	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6945MHz_TnomVnom




EUT_V_2TX
Setting 7.25
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.88653G	67.48	88.20	-20.72	46.30	3	Horizontal	16	1.86	-	40.89	9.85	29.56	
RMS	13.88654G	56.05	68.20	-12.15	34.87	3	Horizontal	16	1.86	-	40.89	9.85	29.56	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6945MHz_TnomVnom




EUT V_2TX
Setting 7.25
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.83732G	52.58	83.54	-30.96	48.61	1	Vertical	141	1.15	-	37.86	15.88	49.77
AV	20.83604G	41.32	63.54	-22.22	37.35	1	Vertical	141	1.15	-	37.86	15.88	49.77

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6945MHz_TnomVnom




EUT V_2TX
Setting 7.25
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	20.8348G	52.44	83.54	-31.10	48.47	1	Horizontal	77	1.36	-	37.86	15.88	49.77	
AV	20.83314G	41.48	63.54	-22.06	37.51	1	Horizontal	77	1.36	-	37.87	15.87	49.77	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

7025MHz_TnomVnom




EUT V_2TX
Setting 13.75
01-M-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0066G	111.55	Inf	-Inf	100.93	3	Vertical	50	2.24	-	36.34	7.30	33.02
RMS	7.0002G	103.33	Inf	-Inf	92.75	3	Vertical	50	2.24	-	36.30	7.30	33.02
PK	7.129G	79.82	88.20	-8.38	68.94	3	Vertical	50	2.24	-	36.73	7.24	33.09
RMS	7.125G	67.94	68.20	-0.26	57.09	3	Vertical	50	2.24	-	36.70	7.24	33.09

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

7025MHz_TnomVnom




EUT_V_2TX
Setting 13.75
01-M-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.0066G	104.00	Inf	-Inf	93.38	3	Horizontal	31	2.88	-	36.34	7.30	33.02	
RMS	7.013G	92.01	Inf	-Inf	81.37	3	Horizontal	31	2.88	-	36.38	7.29	33.03	
PK	7.129G	73.98	88.20	-14.22	63.10	3	Horizontal	31	2.88	-	36.73	7.24	33.09	
RMS	7.125G	60.21	68.20	-7.99	49.36	3	Horizontal	31	2.88	-	36.70	7.24	33.09	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

7025MHz_TnomVnom




EUT_V_2TX
Setting 13.75
01-M-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	14.04982G	65.80	88.20	-22.40	44.51	3	Vertical	302	2.94	-	40.90	9.91	29.52	
RMS	14.05024G	55.99	68.20	-12.21	34.70	3	Vertical	302	2.94	-	40.90	9.92	29.53	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

7025MHz_TnomVnom




EUT_V_2TX
Setting 13.75
01-M-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	14.04684G	65.72	88.20	-22.48	44.43	3	Horizontal	312	1.55	-	40.90	9.91	29.52	
RMS	14.04804G	55.70	68.20	-12.50	34.41	3	Horizontal	312	1.55	-	40.90	9.91	29.52	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

7025MHz_TnomVnom




EUT Y_2TX
Setting 13.75
01-M-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.0776G	50.51	83.54	-33.03	46.61	1	Vertical	163	1.56	-	37.60	15.98	49.68
AV	21.07514G	40.74	63.54	-22.80	36.84	1	Vertical	163	1.56	-	37.60	15.98	49.68

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

7025MHz_TnomVnom




EUT_V_2TX
Setting 13.75
01-M-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.07694G	50.83	83.54	-32.71	46.93	1	Horizontal	233	1.55	-	37.60	15.98	49.68
AV	21.07904G	40.94	63.54	-22.60	37.03	1	Horizontal	233	1.55	-	37.60	15.99	49.68

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6025MHz_TnomVnom




EUT_V_2TX
 Setting 15
 01-M-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.89G	82.76	88.20	-5.44	74.08	3	Vertical	58	2.28	-	34.88	6.60	32.80	
RMS	5.916G	67.76	68.20	-0.44	59.01	3	Vertical	58	2.28	-	34.96	6.60	32.81	
PK	6.03G	107.59	Inf	-Inf	98.55	3	Vertical	58	2.28	-	35.24	6.64	32.84	
RMS	6.03G	99.70	Inf	-Inf	90.66	3	Vertical	58	2.28	-	35.24	6.64	32.84	

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6025MHz_TnomVnom




EUT Y_2TX
 Setting 15
 01-M-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.89G	75.66	88.20	-12.54	66.98	3	Horizontal	59	1.95	-	34.88	6.60	32.80	
RMS	5.9G	61.52	68.20	-6.68	52.82	3	Horizontal	59	1.95	-	34.90	6.60	32.80	
PK	6.017G	98.16	Inf	-Inf	89.10	3	Horizontal	59	1.95	-	35.27	6.63	32.84	
RMS	6.02G	91.12	Inf	-Inf	82.07	3	Horizontal	59	1.95	-	35.26	6.63	32.84	

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6025MHz_TnomVnom




EUT_Y_2TX
Setting 15
01-M-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.05058G	61.26	74.00	-12.74	45.24	3	Vertical	71	1.55	-	38.55	9.02	31.55
AV	12.04808G	51.64	54.00	-2.36	35.61	3	Vertical	71	1.55	-	38.55	9.02	31.54

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6025MHz_TnomVnom




EUT_V_2TX
Setting 15
01-M-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.0453G	61.17	74.00	-12.83	45.14	3	Horizontal	176	2.70	-	38.55	9.02	31.54
AV	12.0461G	51.36	54.00	-2.64	35.33	3	Horizontal	176	2.70	-	38.55	9.02	31.54

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6025MHz_TnomVnom




EUT_V_2TX
Setting 15
01-M-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	18.07278G	48.42	83.54	-35.12	46.32	1	Vertical	128	1.56	-	37.64	14.73	50.27	
AV	18.07078G	38.01	63.54	-25.53	35.91	1	Vertical	128	1.56	-	37.64	14.73	50.27	

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6025MHz_TnomVnom




EUT Y_2TX
Setting 15
01-M-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	18.07238G	47.13	83.54	-36.41	45.03	1	Horizontal	79	1.57	-	37.64	14.73	50.27	
AV	18.07744G	37.80	63.54	-25.74	35.70	1	Horizontal	79	1.57	-	37.64	14.73	50.27	

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6185MHz_TnomVnom




EUT_V_2TX
 Setting 19.5
 01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.897G	65.98	88.20	-22.22	57.29	3	Vertical	229	1.76	-	34.89	6.60	32.80
RMS	5.9178G	53.64	68.20	-14.56	44.88	3	Vertical	229	1.76	-	34.97	6.60	32.81
PK	6.1802G	111.63	Inf	-Inf	102.19	3	Vertical	229	1.76	-	35.42	6.87	32.85
RMS	6.1818G	100.98	Inf	-Inf	91.53	3	Vertical	229	1.76	-	35.43	6.87	32.85

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6185MHz_TnomVnom




EUT_V_2TX
 Setting 19.5
 01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9114G	66.86	88.20	-21.34	58.11	3	Horizontal	182	2.74	-	34.95	6.60	32.80
RMS	5.921G	53.86	68.20	-14.34	45.09	3	Horizontal	182	2.74	-	34.98	6.60	32.81
PK	6.1818G	106.54	Inf	-Inf	97.09	3	Horizontal	182	2.74	-	35.43	6.87	32.85
RMS	6.1818G	95.49	Inf	-Inf	86.04	3	Horizontal	182	2.74	-	35.43	6.87	32.85

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6185MHz_TnomVnom




EUT_V_2TX
Setting 19.5
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.39156G	62.57	74.00	-11.43	46.29	3	Vertical	234	1.77	-	38.68	9.18	31.58	
AV	12.39114G	51.50	54.00	-2.50	35.22	3	Vertical	234	1.77	-	38.68	9.18	31.58	

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6185MHz_TnomVnom




EUT_V_2TX
Setting 19.5
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.39128G	63.29	74.00	-10.71	47.01	3	Horizontal	145	1.76	-	38.68	9.18	31.58
AV	12.39128G	52.02	54.00	-1.98	35.74	3	Horizontal	145	1.76	-	38.68	9.18	31.58

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6185MHz_TnomVnom




EUT Y_2TX
Setting 19.5
01-C-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	18.55328G	49.55	83.54	-33.99	46.90	1	Vertical	27	1.79	-	37.78	14.92	50.05	
AV	18.55584G	38.87	63.54	-24.67	36.21	1	Vertical	27	1.79	-	37.78	14.92	50.04	

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6185MHz_TnomVnom




EUT Y_2TX
Setting 19.5
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.55289G	50.20	83.54	-33.34	47.55	1	Horizontal	58	3.00	-	37.78	14.92	50.05
AV	18.55529G	38.69	63.54	-24.85	36.03	1	Horizontal	58	3.00	-	37.78	14.92	50.04

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6345MHz_TnomVnom




EUT_Y_2TX
Setting 16
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.881G	63.53	88.20	-24.67	54.86	3	Vertical	224	1.79	-	34.86	6.60	32.79	
RMS	5.923G	53.16	68.20	-15.04	44.38	3	Vertical	224	1.79	-	34.99	6.60	32.81	
PK	6.375G	110.55	Inf	-Inf	100.97	3	Vertical	224	1.79	-	35.45	6.99	32.86	
RMS	6.353G	100.16	Inf	-Inf	90.71	3	Vertical	224	1.79	-	35.32	6.98	32.85	

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6345MHz_TnomVnom




EUT_V_2TX
Setting 16
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.881G	63.92	88.20	-24.28	55.25	3	Horizontal	205	2.66	-	34.86	6.60	32.79
RMS	5.925G	53.15	68.20	-15.05	44.36	3	Horizontal	205	2.66	-	35.00	6.60	32.81
PK	6.349G	101.51	Inf	-Inf	92.09	3	Horizontal	205	2.66	-	35.30	6.97	32.85
RMS	6.349G	91.90	Inf	-Inf	82.48	3	Horizontal	205	2.66	-	35.30	6.97	32.85

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6345MHz_TnomVnom




EUT_Y_2TX
Setting 16
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.6909G	60.75	74.00	-13.25	43.65	3	Vertical	128	1.09	-	38.97	9.31	31.18
AV	12.68755G	50.34	54.00	-3.66	33.26	3	Vertical	128	1.09	-	38.96	9.31	31.19

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6345MHz_TnomVnom




EUT_V_2TX
Setting 16
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.6883G	62.01	74.00	-11.99	44.93	3	Horizontal	243	1.54	-	38.96	9.31	31.19
AV	12.68817G	50.15	54.00	-3.85	33.07	3	Horizontal	243	1.54	-	38.96	9.31	31.19

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6345MHz_TnomVnom




EUT Y_2TX
Setting 16
01-C-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.03804G	50.03	83.54	-33.51	46.57	1	Vertical	330	1.30	-	37.95	15.12	49.61	
AV	19.03289G	39.15	63.54	-24.39	35.69	1	Vertical	330	1.30	-	37.96	15.11	49.61	

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6345MHz_TnomVnom




EUT Y_2TX
Setting 16
01-C-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.03424G	49.73	83.54	-33.81	46.27	1	Horizontal	135	1.69	-	37.96	15.11	49.61
AV	19.03662G	39.28	63.54	-24.26	35.82	1	Horizontal	135	1.69	-	37.96	15.11	49.61

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_V_2TX
 Setting 9.5
 01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.889G	63.36	88.20	-24.84	54.68	3	Vertical	229	1.76	-	34.88	6.60	32.80
RMS	5.925G	53.16	68.20	-15.04	44.37	3	Vertical	229	1.76	-	35.00	6.60	32.81
PK	6.5022G	95.81	Inf	-Inf	86.06	3	Vertical	229	1.76	-	35.61	7.00	32.86
RMS	6.5022G	84.55	Inf	-Inf	74.80	3	Vertical	229	1.76	-	35.61	7.00	32.86
PK	7.1714G	66.34	88.20	-21.86	55.25	3	Vertical	229	1.76	-	36.99	7.21	33.11
RMS	7.1742G	56.30	68.20	-11.90	45.20	3	Vertical	229	1.76	-	37.00	7.21	33.11

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_V_2TX
Setting 9.5
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9142G	63.86	88.20	-24.34	55.11	3	Horizontal	182	2.74	-	34.96	6.60	32.81
RMS	5.9226G	53.14	68.20	-15.06	44.36	3	Horizontal	182	2.74	-	34.99	6.60	32.81
PK	6.4798G	89.55	Inf	-Inf	79.89	3	Horizontal	182	2.74	-	35.52	7.00	32.86
RMS	6.5022G	78.39	Inf	-Inf	68.64	3	Horizontal	182	2.74	-	35.61	7.00	32.86
PK	7.1602G	66.21	88.20	-21.99	55.15	3	Horizontal	182	2.74	-	36.94	7.22	33.10
RMS	7.1882G	56.21	68.20	-11.99	45.07	3	Horizontal	182	2.74	-	37.05	7.21	33.12

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT Y_2TX
Setting 9.5
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.00932G	63.07	88.20	-25.13	44.52	3	Vertical	177	2.86	-	39.61	9.45	30.51	
RMS	13.01145G	52.21	68.20	-15.99	33.64	3	Vertical	177	2.86	-	39.61	9.46	30.50	

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT Y_2TX
Setting 9.5
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.01119G	63.21	88.20	-24.99	44.64	3	Horizontal	135	2.67	-	39.61	9.46	30.50
RMS	13.01135G	51.81	68.20	-16.39	33.24	3	Horizontal	135	2.67	-	39.61	9.46	30.50

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT Y_2TX
Setting 9.5
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.51795G	49.68	83.54	-33.86	46.18	1	Vertical	327	2.56	-	37.89	15.31	49.70
AV	19.51293G	39.17	63.54	-24.37	35.67	1	Vertical	327	2.56	-	37.89	15.31	49.70

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT Y_2TX
Setting 9.5
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.51319G	49.95	83.54	-33.59	46.45	1	Horizontal	197	2.41	-	37.89	15.31	49.70
AV	19.51262G	39.05	63.54	-24.49	35.55	1	Horizontal	197	2.41	-	37.89	15.31	49.70

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6665MHz_TnomVnom




EUT_V_2TX
Setting 18.5
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6496G	111.18	Inf	-Inf	101.09	3	Vertical	216	1.80	-	36.00	7.00	32.91
RMS	6.6694G	99.87	Inf	-Inf	89.82	3	Vertical	216	1.80	-	35.96	7.00	32.91
PK	7.1534G	67.44	88.20	-20.76	56.41	3	Vertical	216	1.80	-	36.91	7.22	33.10
RMS	7.1974G	56.32	68.20	-11.88	45.15	3	Vertical	216	1.80	-	37.09	7.20	33.12

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6665MHz_TnomVnom




EUT Y_2TX
 Setting 18.5
 01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.6628G	103.02	Inf	-Inf	92.96	3	Horizontal	60	1.74	-	35.97	7.00	32.91	
RMS	6.6606G	92.48	Inf	-Inf	82.41	3	Horizontal	60	1.74	-	35.98	7.00	32.91	
PK	7.1732G	66.95	88.20	-21.25	55.86	3	Horizontal	60	1.74	-	36.99	7.21	33.11	
RMS	7.1974G	56.32	68.20	-11.88	45.15	3	Horizontal	60	1.74	-	37.09	7.20	33.12	

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6665MHz_TnomVnom




EUT Y_2TX
Setting 18.5
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.32759G	63.51	74.00	-10.49	43.89	3	Vertical	307	2.44	-	40.06	9.60	30.04
AV	13.32829G	52.14	54.00	-1.86	32.51	3	Vertical	307	2.44	-	40.06	9.60	30.03

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6665MHz_TnomVnom




EUT_V_2TX
Setting 18.5
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.29272G	63.40	74.00	-10.60	43.92	3	Horizontal	295	2.65	-	39.99	9.58	30.09	
AV	13.33624G	51.80	54.00	-2.20	32.15	3	Horizontal	295	2.65	-	40.07	9.60	30.02	

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6665MHz_TnomVnom




EUT Y_2TX
Setting 18.5
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.99773G	50.30	83.54	-33.24	47.10	1	Vertical	295	1.02	-	37.40	15.50	49.70
AV	19.99828G	39.23	63.54	-24.31	36.03	1	Vertical	295	1.02	-	37.40	15.50	49.70

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6665MHz_TnomVnom




EUT Y_2TX
Setting 18.5
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.99202G	50.35	83.54	-33.19	47.14	1	Horizontal	211	1.19	-	37.41	15.50	49.70
AV	19.99157G	39.01	63.54	-24.53	35.80	1	Horizontal	211	1.19	-	37.41	15.50	49.70

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_2TX
 Setting 9.25
 01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.801G	99.24	Inf	-Inf	88.99	3	Vertical	216	1.80	-	36.21	7.00	32.96
RMS	6.8202G	89.10	Inf	-Inf	78.67	3	Vertical	216	1.80	-	36.36	7.03	32.96
PK	7.2202G	67.15	88.20	-21.05	55.96	3	Vertical	216	1.80	-	37.10	7.22	33.13
RMS	7.2154G	56.33	68.20	-11.87	45.14	3	Vertical	216	1.80	-	37.10	7.22	33.13

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_2TX
 Setting 9.25
 01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8218G	89.64	Inf	-Inf	79.20	3	Horizontal	60	1.74	-	36.37	7.03	32.96
RMS	6.817G	78.65	Inf	-Inf	68.24	3	Horizontal	60	1.74	-	36.34	7.03	32.96
PK	7.1834G	66.86	88.20	-21.34	55.74	3	Horizontal	60	1.74	-	37.03	7.21	33.12
RMS	7.2202G	56.37	68.20	-11.83	45.18	3	Horizontal	60	1.74	-	37.10	7.22	33.13

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_2TX
Setting 9.25
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.64988G	66.69	88.20	-21.51	46.24	3	Vertical	202	2.24	-	40.40	9.74	29.69
RMS	13.64755G	54.59	68.20	-13.61	34.14	3	Vertical	202	2.24	-	40.40	9.74	29.69

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_2TX
Setting 9.25
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.649G	65.72	88.20	-22.48	45.27	3	Horizontal	150	1.95	-	40.40	9.74	29.69
RMS	13.64964G	54.93	68.20	-13.27	34.48	3	Horizontal	150	1.95	-	40.40	9.74	29.69

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_2TX
Setting 9.25
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	20.47811G	50.94	83.54	-32.60	47.42	1	Vertical	134	1.91	-	37.69	15.72	49.89	
AV	20.4715G	40.25	63.54	-23.29	36.74	1	Vertical	134	1.91	-	37.69	15.71	49.89	

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_2TX
Setting 9.25
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.47234G	50.91	83.54	-32.63	47.40	1	Horizontal	234	2.30	-	37.69	15.71	49.89
AV	20.47366G	40.15	63.54	-23.39	36.64	1	Horizontal	234	2.30	-	37.69	15.71	49.89

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6985MHz_TnomVnom




EUT Y_2TX
 Setting 10.5
 01-M-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.981G	104.25	Inf	-Inf	93.61	3	Vertical	243	1.80	-	36.38	7.27	33.01
RMS	6.98G	94.89	Inf	-Inf	84.25	3	Vertical	243	1.80	-	36.38	7.27	33.01
PK	7.128G	79.38	88.20	-8.82	68.51	3	Vertical	243	1.80	-	36.72	7.24	33.09
RMS	7.143G	67.56	68.20	-0.64	56.58	3	Vertical	243	1.80	-	36.84	7.23	33.09

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6985MHz_TnomVnom




EUT_V_2TX
 Setting 10.5
 01-M-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.969G	95.47	Inf	-Inf	84.81	3	Horizontal	240	1.88	-	36.42	7.25	33.01	
RMS	6.97G	85.98	Inf	-Inf	75.32	3	Horizontal	240	1.88	-	36.42	7.25	33.01	
PK	7.129G	69.97	88.20	-18.23	59.09	3	Horizontal	240	1.88	-	36.73	7.24	33.09	
RMS	7.132G	60.97	68.20	-7.23	50.07	3	Horizontal	240	1.88	-	36.76	7.23	33.09	

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6985MHz_TnomVnom




EUT Y_2TX
Setting 10.5
01-M-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.97346G	65.85	88.20	-22.35	44.57	3	Vertical	32	2.79	-	40.90	9.89	29.51	
RMS	13.9712G	55.33	68.20	-12.87	34.05	3	Vertical	32	2.79	-	40.90	9.89	29.51	

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6985MHz_TnomVnom




EUT_V_2TX
Setting 10.5
01-M-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.98918G	65.59	88.20	-22.61	44.29	3	Horizontal	87	1.13	-	40.90	9.90	29.50	
RMS	13.98054G	55.48	68.20	-12.72	34.19	3	Horizontal	87	1.13	-	40.90	9.89	29.50	

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6985MHz_TnomVnom




EUT Y_2TX
Setting 10.5
01-M-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.94532G	50.54	83.54	-33.00	46.64	1	Vertical	149	1.53	-	37.69	15.93	49.72
AV	20.94112G	41.19	63.54	-22.35	37.30	1	Vertical	149	1.53	-	37.69	15.92	49.72

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6985MHz_TnomVnom



EUT Y_2TX
Setting 10.5
01-M-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	20.9475G	50.44	83.54	-33.10	46.55	1	Horizontal	15	1.53	-	37.68	15.93	49.72	
AV	20.94736G	40.65	63.54	-22.89	36.76	1	Horizontal	15	1.53	-	37.68	15.93	49.72	




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW160-BF_Nss1,(MCS0)_2TX	Pass	RMS	5.901G	68.19	68.20	-0.01	3	Vertical	87	1.54	-

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5955MHz_TnomVnom




EUT Y_2TX
 Setting 15
 01-M-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.863G	66.13	88.20	-22.07	57.49	3	Vertical	90	1.54	-	34.83	6.60	32.79	
RMS	5.925G	54.80	68.20	-13.40	46.01	3	Vertical	90	1.54	-	35.00	6.60	32.81	
PK	5.9542G	120.06	Inf	-Inf	111.16	3	Vertical	90	1.54	-	35.12	6.60	32.82	
RMS	5.9538G	107.59	Inf	-Inf	98.69	3	Vertical	90	1.54	-	35.12	6.60	32.82	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5955MHz_TnomVnom




EUT_V_2TX
Setting 15
01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.91516G	61.29	74.00	-12.71	45.38	3	Vertical	230	1.77	-	38.50	8.98	31.57
AV	11.91276G	49.06	54.00	-4.94	33.15	3	Vertical	230	1.77	-	38.50	8.98	31.57

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5955MHz_TnomVnom




EUT_Y_2TX
Setting 15
01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.91606G	66.37	74.00	-7.63	50.46	3	Horizontal	200	1.80	-	38.50	8.98	31.57
AV	11.90868G	53.76	54.00	-0.24	37.86	3	Horizontal	200	1.80	-	38.50	8.98	31.58

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6195MHz_TnomVnom




EUT V_2TX
 Setting 19.75
 03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.865G	62.41	88.20	-25.79	56.09	3	Vertical	75	1.80	-	34.39	7.46	35.53
RMS	5.907G	51.33	68.20	-16.87	44.74	3	Vertical	75	1.80	-	34.63	7.51	35.55
PK	6.197G	123.18	Inf	-Inf	115.81	3	Vertical	75	1.80	-	35.19	7.70	35.52
RMS	6.193G	111.35	Inf	-Inf	104.00	3	Vertical	75	1.80	-	35.17	7.70	35.52

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6195MHz_TnomVnom




EUT_V_2TX
Setting 19.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.38802G	62.18	74.00	-11.82	47.59	3	Vertical	224	1.90	-	38.89	11.11	35.41
AV	12.39036G	48.42	54.00	-5.58	33.83	3	Vertical	224	1.90	-	38.89	11.11	35.41

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6195MHz_TnomVnom




EUT_V_2TX
Setting 19.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.3933G	66.77	74.00	-7.23	52.18	3	Horizontal	204	2.33	-	38.89	11.11	35.41
AV	12.3903G	53.23	54.00	-0.77	38.64	3	Horizontal	204	2.33	-	38.89	11.11	35.41

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6195MHz_TnomVnom




EUT Y_2TX
Setting 19.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	18.58602G	49.17	83.54	-34.37	46.48	1	Vertical	38	1.76	-	37.77	14.93	50.01	
AV	18.5988G	35.89	63.54	-27.65	33.19	1	Vertical	38	1.76	-	37.76	14.94	50.00	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6195MHz_TnomVnom




EUT Y_2TX
Setting 19.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.59904G	50.10	83.54	-33.44	47.40	1	Horizontal	293	1.25	-	37.76	14.94	50.00
AV	18.57306G	36.03	63.54	-27.51	33.36	1	Horizontal	293	1.25	-	37.77	14.93	50.03

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6415MHz_TnomVnom




EUT_V_2TX
Setting 19.75
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8678G	62.25	88.20	-25.95	55.90	3	Vertical	71	1.80	-	34.41	7.47	35.53
RMS	5.919G	51.20	68.20	-17.00	44.56	3	Vertical	71	1.80	-	34.68	7.52	35.56
PK	6.415G	123.07	Inf	-Inf	115.93	3	Vertical	71	1.80	-	34.84	7.73	35.43
RMS	6.415G	112.30	Inf	-Inf	105.16	3	Vertical	71	1.80	-	34.84	7.73	35.43
PK	7.2086G	64.36	88.20	-23.84	55.23	3	Vertical	71	1.80	-	36.45	8.22	35.54
RMS	7.2118G	54.15	68.20	-14.05	45.01	3	Vertical	71	1.80	-	36.47	8.22	35.55

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6415MHz_TnomVnom




EUT_V_2TX
Setting 19.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.83354G	65.87	88.20	-22.33	49.69	3	Vertical	204	2.33	-	39.33	11.47	34.62	
RMS	12.82886G	51.36	68.20	-16.84	35.20	3	Vertical	204	2.33	-	39.33	11.46	34.63	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6415MHz_TnomVnom




EUT_V_2TX
Setting 19.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.83162G	66.09	88.20	-22.11	49.92	3	Horizontal	144	1.80	-	39.33	11.47	34.63	
RMS	12.83138G	51.72	68.20	-16.48	35.55	3	Horizontal	144	1.80	-	39.33	11.47	34.63	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6415MHz_TnomVnom




EUT_V_2TX
Setting 19.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.23906G	51.00	83.54	-32.54	47.74	1	Vertical	72	1.89	-	37.71	15.20	49.65
AV	19.24356G	36.99	63.54	-26.55	33.73	1	Vertical	72	1.89	-	37.71	15.20	49.65

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6415MHz_TnomVnom




EUT Y_2TX
Setting 19.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.25898G	51.40	83.54	-32.14	48.14	1	Horizontal	162	1.56	-	37.71	15.20	49.65
AV	19.23846G	37.08	63.54	-26.46	33.82	1	Horizontal	162	1.56	-	37.71	15.20	49.65

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6435MHz_TnomVnom



EUT_V_2TX
Setting 0.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9038G	61.88	88.20	-26.32	55.31	3	Vertical	74	1.80	-	34.62	7.50	35.55
RMS	5.925G	51.16	68.20	-17.04	44.50	3	Vertical	74	1.80	-	34.70	7.52	35.56
PK	6.4382G	105.11	Inf	-Inf	98.00	3	Vertical	74	1.80	-	34.75	7.78	35.42
RMS	6.435G	93.89	Inf	-Inf	86.79	3	Vertical	74	1.80	-	34.76	7.77	35.43
PK	7.1294G	64.15	88.20	-24.05	55.49	3	Vertical	74	1.80	-	35.98	8.20	35.52
RMS	7.2094G	54.14	68.20	-14.06	45.00	3	Vertical	74	1.80	-	36.46	8.22	35.54