


802.11ax HEW20_Nss1,(MCS0)_2TX

5955MHz_TnomVnom




EUT V_2TX
 Setting 13.5
 01-M-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9168G	63.63	88.20	-24.57	54.87	3	Horizontal	59	1.85	-	34.97	6.60	32.81	
AV	5.9164G	50.92	68.20	-17.28	42.16	3	Horizontal	59	1.85	-	34.97	6.60	32.81	
PK	5.9492G	113.09	Inf	-Inf	104.21	3	Horizontal	59	1.85	-	35.10	6.60	32.82	
AV	5.9474G	100.67	Inf	-Inf	91.80	3	Horizontal	59	1.85	-	35.09	6.60	32.82	

802.11ax HEW20_Nss1,(MCS0)_2TX

5955MHz_TnomVnom




EUT_V_2TX
Setting 13.5
01-M-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.89416G	60.90	74.00	-13.10	45.01	3	Vertical	24	1.71	-	38.50	8.97	31.58
AV	11.89528G	47.45	54.00	-6.55	31.56	3	Vertical	24	1.71	-	38.50	8.97	31.58

802.11ax HEW20_Nss1,(MCS0)_2TX

5955MHz_TnomVnom




EUT_V_2TX
Setting 13.5
01-M-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.89408G	65.44	74.00	-8.56	49.55	3	Horizontal	211	1.80	-	38.50	8.97	31.58
AV	11.89528G	53.54	54.00	-0.46	37.65	3	Horizontal	211	1.80	-	38.50	8.97	31.58

802.11ax HEW20_Nss1,(MCS0)_2TX

6195MHz_TnomVnom




EUT V_2TX
 Setting 13.5
 01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.847G	60.73	88.20	-27.47	52.13	3	Vertical	237	1.79	-	34.78	6.60	32.78
RMS	5.925G	50.15	68.20	-18.05	41.36	3	Vertical	237	1.79	-	35.00	6.60	32.81
PK	6.189G	114.71	Inf	-Inf	105.22	3	Vertical	237	1.79	-	35.46	6.88	32.85
RMS	6.189G	104.65	Inf	-Inf	95.16	3	Vertical	237	1.79	-	35.46	6.88	32.85

802.11ax HEW20_Nss1,(MCS0)_2TX

6195MHz_TnomVnom




EUT V_2TX
 Setting 13.5
 01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.867G	61.40	88.20	-26.80	52.76	3	Horizontal	61	1.78	-	34.83	6.60	32.79
RMS	5.923G	50.19	68.20	-18.01	41.41	3	Horizontal	61	1.78	-	34.99	6.60	32.81
PK	6.189G	109.86	Inf	-Inf	100.37	3	Horizontal	61	1.78	-	35.46	6.88	32.85
RMS	6.189G	97.57	Inf	-Inf	88.08	3	Horizontal	61	1.78	-	35.46	6.88	32.85

802.11ax HEW20_Nss1,(MCS0)_2TX

6195MHz_TnomVnom




EUT_V_2TX
 Setting 13.5
 01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.3949G	58.22	74.00	-15.78	41.93	3	Vertical	230	1.80	-	38.69	9.18	31.58	
AV	12.3754G	44.58	54.00	-9.42	28.34	3	Vertical	230	1.80	-	38.65	9.17	31.58	

802.11ax HEW20_Nss1,(MCS0)_2TX

6195MHz_TnomVnom




EUT_V_2TX
 Setting 13.5
 01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.3766G	57.82	74.00	-16.18	41.58	3	Horizontal	160	1.71	-	38.65	9.17	31.58
AV	12.3755G	44.58	54.00	-9.42	28.34	3	Horizontal	160	1.71	-	38.65	9.17	31.58

802.11ax HEW20_Nss1,(MCS0)_2TX

6195MHz_TnomVnom




EUT_V_2TX
Setting 13.5
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.5873G	47.26	83.54	-36.28	44.57	1	Vertical	245	1.05	-	37.77	14.93	50.01
AV	18.6054G	33.42	63.54	-30.12	30.71	1	Vertical	245	1.05	-	37.76	14.94	49.99

802.11ax HEW20_Nss1,(MCS0)_2TX

6195MHz_TnomVnom




EUT_V_2TX
Setting 13.5
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.6058G	47.24	83.54	-36.30	44.53	1	Horizontal	63	1.67	-	37.76	14.94	49.99
AV	18.608G	33.39	63.54	-30.15	30.68	1	Horizontal	63	1.67	-	37.76	14.94	49.99

802.11ax HEW20_Nss1,(MCS0)_2TX

6415MHz_TnomVnom




EUT V_2TX
Setting 13.75
01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9138G	61.18	88.20	-27.02	52.43	3	Vertical	71	1.52	-	34.96	6.60	32.81
RMS	5.925G	50.19	68.20	-18.01	41.40	3	Vertical	71	1.52	-	35.00	6.60	32.81
PK	6.4094G	115.54	Inf	-Inf	105.84	3	Vertical	71	1.52	-	35.56	7.00	32.86
RMS	6.4094G	105.41	Inf	-Inf	95.71	3	Vertical	71	1.52	-	35.56	7.00	32.86

802.11ax HEW20_Nss1,(MCS0)_2TX

6415MHz_TnomVnom




EUT V_2TX
Setting 13.75
01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.8214G	61.49	88.20	-26.71	53.09	3	Horizontal	62	1.68	-	34.57	6.60	32.77	
RMS	5.9222G	50.15	68.20	-18.05	41.37	3	Horizontal	62	1.68	-	34.99	6.60	32.81	
PK	6.4094G	110.44	Inf	-Inf	100.74	3	Horizontal	62	1.68	-	35.56	7.00	32.86	
RMS	6.4094G	96.10	Inf	-Inf	86.40	3	Horizontal	62	1.68	-	35.56	7.00	32.86	

802.11ax HEW20_Nss1,(MCS0)_2TX

6415MHz_TnomVnom




EUT_V_2TX
Setting 13.75
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.8181G	60.08	88.20	-28.12	42.40	3	Vertical	274	1.80	-	39.22	9.37	30.91	
RMS	12.8163G	45.98	68.20	-22.22	28.30	3	Vertical	274	1.80	-	39.22	9.37	30.91	

802.11ax HEW20_Nss1,(MCS0)_2TX

6415MHz_TnomVnom




EUT_V_2TX
Setting 13.75
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.8149G	62.75	88.20	-25.45	45.09	3	Horizontal	209	1.80	-	39.21	9.37	30.92	
RMS	12.8155G	48.29	68.20	-19.91	30.61	3	Horizontal	209	1.80	-	39.22	9.37	30.91	

802.11ax HEW20_Nss1,(MCS0)_2TX

6415MHz_TnomVnom




EUT_V_2TX
Setting 13.75
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.2483G	47.36	83.54	-36.18	44.11	1	Vertical	356	2.42	-	37.70	15.20	49.65
AV	19.2237G	33.73	63.54	-29.81	30.45	1	Vertical	356	2.42	-	37.73	15.19	49.64

802.11ax HEW20_Nss1,(MCS0)_2TX

6415MHz_TnomVnom




EUT_V_2TX
Setting 13.75
01-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.2229G	47.28	83.54	-36.26	44.00	1	Horizontal	24	2.26	-	37.73	15.19	49.64
AV	19.2216G	33.72	63.54	-29.82	30.44	1	Horizontal	24	2.26	-	37.73	15.19	49.64

802.11ax HEW20_Nss1,(MCS0)_2TX

6435MHz_TnomVnom




EUT_V_2TX
Setting -5.5
01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8206G	60.49	88.20	-27.71	52.10	3	Vertical	70	1.11	-	34.56	6.60	32.77
RMS	5.9198G	50.14	68.20	-18.06	41.37	3	Vertical	70	1.11	-	34.98	6.60	32.81
PK	6.4286G	98.80	Inf	-Inf	89.17	3	Vertical	70	1.11	-	35.49	7.00	32.86
RMS	6.4286G	86.96	Inf	-Inf	77.33	3	Vertical	70	1.11	-	35.49	7.00	32.86
PK	7.1902G	63.69	88.20	-24.51	52.55	3	Vertical	70	1.11	-	37.06	7.20	33.12
RMS	7.1966G	53.24	68.20	-14.96	42.07	3	Vertical	70	1.11	-	37.09	7.20	33.12

802.11ax HEW20_Nss1,(MCS0)_2TX

6435MHz_TnomVnom




EUT V_2TX
 Setting -5.5
 01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8174G	60.63	88.20	-27.57	52.26	3	Horizontal	62	1.68	-	34.54	6.60	32.77
RMS	5.925G	50.16	68.20	-18.04	41.37	3	Horizontal	62	1.68	-	35.00	6.60	32.81
PK	6.4286G	86.80	Inf	-Inf	77.17	3	Horizontal	62	1.68	-	35.49	7.00	32.86
RMS	6.4286G	77.10	Inf	-Inf	67.47	3	Horizontal	62	1.68	-	35.49	7.00	32.86
PK	7.1294G	63.99	88.20	-24.21	53.10	3	Horizontal	62	1.68	-	36.74	7.24	33.09
RMS	7.2318G	53.19	68.20	-15.01	42.00	3	Horizontal	62	1.68	-	37.10	7.23	33.14

802.11ax HEW20_Nss1,(MCS0)_2TX

6435MHz_TnomVnom




EUT_V_2TX
 Setting -5.5
 01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.8824G	58.80	88.20	-29.40	40.89	3	Vertical	308	1.10	-	39.28	9.40	30.77	
RMS	12.8947G	45.25	68.20	-22.95	27.31	3	Vertical	308	1.10	-	39.29	9.40	30.75	

802.11ax HEW20_Nss1,(MCS0)_2TX

6435MHz_TnomVnom




EUT_V_2TX
Setting -5.5
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8766G	58.54	88.20	-29.66	40.65	3	Horizontal	256	2.30	-	39.28	9.39	30.78
RMS	12.895G	45.25	68.20	-22.95	27.30	3	Horizontal	256	2.30	-	39.29	9.40	30.74

802.11ax HEW20_Nss1,(MCS0)_2TX

6435MHz_TnomVnom




EUT_V_2TX
Setting -5.5
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.3286G	46.78	83.54	-36.76	43.46	1	Vertical	190	2.57	-	37.76	15.23	49.67
AV	19.2827G	33.36	63.54	-30.18	30.08	1	Vertical	190	2.57	-	37.73	15.21	49.66

802.11ax HEW20_Nss1,(MCS0)_2TX

6435MHz_TnomVnom




EUT_V_2TX
Setting -5.5
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.2906G	47.60	83.54	-35.94	44.31	1	Horizontal	259	2.03	-	37.73	15.22	49.66
AV	19.2827G	33.36	63.54	-30.18	30.08	1	Horizontal	259	2.03	-	37.73	15.21	49.66

802.11ax HEW20_Nss1,(MCS0)_2TX

6475MHz_TnomVnom




EUT V_2TX
Setting -5.5
01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.911G	60.43	88.20	-27.77	51.69	3	Vertical	83	1.22	-	34.94	6.60	32.80
RMS	5.923G	50.08	68.20	-18.12	41.30	3	Vertical	83	1.22	-	34.99	6.60	32.81
PK	6.469G	98.52	Inf	-Inf	88.90	3	Vertical	83	1.22	-	35.48	7.00	32.86
RMS	6.469G	85.45	Inf	-Inf	75.83	3	Vertical	83	1.22	-	35.48	7.00	32.86
PK	7.189G	64.22	88.20	-23.98	53.07	3	Vertical	83	1.22	-	37.06	7.21	33.12
RMS	7.195G	53.33	68.20	-14.87	42.17	3	Vertical	83	1.22	-	37.08	7.20	33.12

802.11ax HEW20_Nss1,(MCS0)_2TX

6475MHz_TnomVnom




EUT V_2TX
Setting -5.5
01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.872G	60.54	88.20	-27.66	51.89	3	Horizontal	61	1.83	-	34.84	6.60	32.79
RMS	5.925G	50.12	68.20	-18.08	41.33	3	Horizontal	61	1.83	-	35.00	6.60	32.81
PK	6.469G	87.55	Inf	-Inf	77.93	3	Horizontal	61	1.83	-	35.48	7.00	32.86
RMS	6.469G	77.17	Inf	-Inf	67.55	3	Horizontal	61	1.83	-	35.48	7.00	32.86
PK	7.153G	64.07	88.20	-24.13	53.04	3	Horizontal	61	1.83	-	36.91	7.22	33.10
RMS	7.195G	53.29	68.20	-14.91	42.13	3	Horizontal	61	1.83	-	37.08	7.20	33.12

802.11ax HEW20_Nss1,(MCS0)_2TX

6475MHz_TnomVnom




EUT_V_2TX
Setting -5.5
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.9374G	59.05	88.20	-29.15	40.87	3	Vertical	18	2.45	-	39.41	9.42	30.65	
RMS	12.9724G	45.82	68.20	-22.38	27.44	3	Vertical	18	2.45	-	39.52	9.44	30.58	

802.11ax HEW20_Nss1,(MCS0)_2TX

6475MHz_TnomVnom




EUT_V_2TX
Setting -5.5
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.9389G	60.01	88.20	-28.19	41.82	3	Horizontal	148	2.03	-	39.42	9.42	30.65
RMS	12.9722G	45.82	68.20	-22.38	27.44	3	Horizontal	148	2.03	-	39.52	9.44	30.58

802.11ax HEW20_Nss1,(MCS0)_2TX

6475MHz_TnomVnom




EUT_V_2TX
Setting -5.5
01-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.4385G	47.81	83.54	-35.73	44.37	1	Vertical	204	1.27	-	37.85	15.28	49.69
AV	19.4493G	33.50	63.54	-30.04	30.05	1	Vertical	204	1.27	-	37.86	15.28	49.69

802.11ax HEW20_Nss1,(MCS0)_2TX

6475MHz_TnomVnom




EUT V_2TX
Setting -5.5
01-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.4497G	47.35	83.54	-36.19	43.90	1	Horizontal	49	1.75	-	37.86	15.28	49.69
AV	19.4482G	33.50	63.54	-30.04	30.05	1	Horizontal	49	1.75	-	37.86	15.28	49.69

802.11ax HEW20_Nss1,(MCS0)_2TX

6515MHz_TnomVnom




EUT_V_2TX
Setting -5.5
01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8822G	60.84	88.20	-27.36	52.17	3	Vertical	69	1.26	-	34.86	6.60	32.79
RMS	5.9214G	50.11	68.20	-18.09	41.33	3	Vertical	69	1.26	-	34.99	6.60	32.81
PK	6.5094G	98.05	Inf	-Inf	88.27	3	Vertical	69	1.26	-	35.64	7.00	32.86
RMS	6.5094G	85.76	Inf	-Inf	75.98	3	Vertical	69	1.26	-	35.64	7.00	32.86
PK	7.187G	64.85	88.20	-23.35	53.71	3	Vertical	69	1.26	-	37.05	7.21	33.12
RMS	7.1982G	53.25	68.20	-14.95	42.08	3	Vertical	69	1.26	-	37.09	7.20	33.12

802.11ax HEW20_Nss1,(MCS0)_2TX

6515MHz_TnomVnom




EUT V_2TX
 Setting -5.5
 01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8878G	60.10	88.20	-28.10	51.42	3	Horizontal	75	1.25	-	34.88	6.60	32.80
RMS	5.9214G	50.13	68.20	-18.07	41.35	3	Horizontal	75	1.25	-	34.99	6.60	32.81
PK	6.5094G	88.14	Inf	-Inf	78.36	3	Horizontal	75	1.25	-	35.64	7.00	32.86
RMS	6.5094G	77.05	Inf	-Inf	67.27	3	Horizontal	75	1.25	-	35.64	7.00	32.86
PK	7.159G	63.22	88.20	-24.98	52.16	3	Horizontal	75	1.25	-	36.94	7.22	33.10
RMS	7.1758G	53.26	68.20	-14.94	42.16	3	Horizontal	75	1.25	-	37.00	7.21	33.11

802.11ax HEW20_Nss1,(MCS0)_2TX

6515MHz_TnomVnom




EUT_V_2TX
Setting -5.5
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.0403G	59.75	88.20	-28.45	41.10	3	Vertical	279	2.10	-	39.64	9.47	30.46	
RMS	13.0522G	46.34	68.20	-21.86	27.66	3	Vertical	279	2.10	-	39.65	9.47	30.44	

802.11ax HEW20_Nss1,(MCS0)_2TX

6515MHz_TnomVnom




EUT_V_2TX
Setting -5.5
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0432G	59.61	88.20	-28.59	40.96	3	Horizontal	265	1.64	-	39.64	9.47	30.46
RMS	13.0458G	46.36	68.20	-21.84	27.69	3	Horizontal	265	1.64	-	39.65	9.47	30.45

802.11ax HEW20_Nss1,(MCS0)_2TX

6515MHz_TnomVnom




EUT_V_2TX
Setting -5.5
01-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.5383G	47.93	83.54	-35.61	44.43	1	Vertical	287	2.94	-	37.88	15.32	49.70	
AV	19.5668G	33.67	63.54	-29.87	30.17	1	Vertical	287	2.94	-	37.87	15.33	49.70	

802.11ax HEW20_Nss1,(MCS0)_2TX

6515MHz_TnomVnom




EUT_V_2TX
Setting -5.5
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.5519G	47.04	83.54	-36.50	43.54	1	Horizontal	243	1.34	-	37.88	15.32	49.70
AV	19.5667G	33.65	63.54	-29.89	30.15	1	Horizontal	243	1.34	-	37.87	15.33	49.70

802.11ax HEW20_Nss1,(MCS0)_2TX

6535MHz_TnomVnom




EUT V_2TX
Setting 13.5
01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8798G	60.18	88.20	-28.02	51.51	3	Vertical	72	1.22	-	34.86	6.60	32.79
RMS	5.9218G	50.13	68.20	-18.07	41.35	3	Vertical	72	1.22	-	34.99	6.60	32.81
PK	6.5406G	115.13	Inf	-Inf	105.24	3	Vertical	72	1.22	-	35.76	7.00	32.87
RMS	6.5434G	103.63	Inf	-Inf	93.73	3	Vertical	72	1.22	-	35.77	7.00	32.87
PK	7.1398G	63.41	88.20	-24.79	52.45	3	Vertical	72	1.22	-	36.82	7.23	33.09
RMS	7.2294G	53.27	68.20	-14.93	42.08	3	Vertical	72	1.22	-	37.10	7.23	33.14

802.11ax HEW20_Nss1,(MCS0)_2TX

6535MHz_TnomVnom




EUT_V_2TX
Setting 13.5
01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8742G	60.23	88.20	-27.97	51.57	3	Horizontal	62	1.82	-	34.85	6.60	32.79
RMS	5.9246G	50.10	68.20	-18.10	41.31	3	Horizontal	62	1.82	-	35.00	6.60	32.81
PK	6.5406G	105.46	Inf	-Inf	95.57	3	Horizontal	62	1.82	-	35.76	7.00	32.87
RMS	6.5434G	93.87	Inf	-Inf	83.97	3	Horizontal	62	1.82	-	35.77	7.00	32.87
PK	7.1622G	64.72	88.20	-23.48	53.65	3	Horizontal	62	1.82	-	36.95	7.22	33.10
RMS	7.2266G	53.31	68.20	-14.89	42.12	3	Horizontal	62	1.82	-	37.10	7.23	33.14

802.11ax HEW20_Nss1,(MCS0)_2TX

6535MHz_TnomVnom




EUT_V_2TX
Setting 13.5
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0824G	60.27	88.20	-27.93	41.50	3	Vertical	288	1.80	-	39.68	9.49	30.40
RMS	13.084G	46.65	68.20	-21.55	27.88	3	Vertical	288	1.80	-	39.68	9.49	30.40

802.11ax HEW20_Nss1,(MCS0)_2TX

6535MHz_TnomVnom




EUT_V_2TX
Setting 13.5
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.084G	61.54	88.20	-26.66	42.77	3	Horizontal	141	2.82	-	39.68	9.49	30.40
RMS	13.0838G	47.38	68.20	-20.82	28.61	3	Horizontal	141	2.82	-	39.68	9.49	30.40

802.11ax HEW20_Nss1,(MCS0)_2TX

6535MHz_TnomVnom




EUT_V_2TX
Setting 13.5
01-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.6064G	47.72	83.54	-35.82	44.22	1	Vertical	22	2.75	-	37.86	15.34	49.70
AV	19.6285G	34.56	63.54	-28.98	31.06	1	Vertical	22	2.75	-	37.85	15.35	49.70

802.11ax HEW20_Nss1,(MCS0)_2TX

6535MHz_TnomVnom




EUT V_2TX
Setting 13.5
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.6082G	48.10	83.54	-35.44	44.60	1	Horizontal	196	2.75	-	37.86	15.34	49.70
AV	19.6284G	34.59	63.54	-28.95	31.09	1	Horizontal	196	2.75	-	37.85	15.35	49.70

802.11ax HEW20_Nss1,(MCS0)_2TX

6695MHz_TnomVnom




EUT V_2TX
Setting 13.5
01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7016G	115.89	Inf	-Inf	105.90	3	Vertical	71	1.33	-	35.91	7.00	32.92
RMS	6.7016G	105.55	Inf	-Inf	95.56	3	Vertical	71	1.33	-	35.91	7.00	32.92
PK	7.157G	64.11	88.20	-24.09	53.06	3	Vertical	71	1.33	-	36.93	7.22	33.10
RMS	7.2318G	53.34	68.20	-14.86	42.15	3	Vertical	71	1.33	-	37.10	7.23	33.14

802.11ax HEW20_Nss1,(MCS0)_2TX

6695MHz_TnomVnom




EUT V_2TX
Setting 13.5
01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.7016G	106.64	Inf	-Inf	96.65	3	Horizontal	355	3.00	-	35.91	7.00	32.92	
RMS	6.7016G	97.06	Inf	-Inf	87.07	3	Horizontal	355	3.00	-	35.91	7.00	32.92	
PK	7.1702G	64.28	88.20	-23.92	53.20	3	Horizontal	355	3.00	-	36.98	7.21	33.11	
RMS	7.1966G	53.30	68.20	-14.90	42.13	3	Horizontal	355	3.00	-	37.09	7.20	33.12	

802.11ax HEW20_Nss1,(MCS0)_2TX

6695MHz_TnomVnom




EUT_V_2TX
 Setting 13.5
 01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.4098G	60.79	88.20	-27.41	40.87	3	Vertical	282	1.80	-	40.20	9.63	29.91	
RMS	13.4048G	46.97	68.20	-21.23	27.06	3	Vertical	282	1.80	-	40.20	9.63	29.92	

802.11ax HEW20_Nss1,(MCS0)_2TX

6695MHz_TnomVnom




EUT_V_2TX
Setting 13.5
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.40368G	61.17	88.20	-27.03	41.26	3	Horizontal	160	2.97	-	40.20	9.63	29.92	
RMS	13.4035G	47.46	68.20	-20.74	27.55	3	Horizontal	160	2.97	-	40.20	9.63	29.92	

802.11ax HEW20_Nss1,(MCS0)_2TX

6695MHz_TnomVnom




EUT_V_2TX
Setting 13.5
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.07306G	47.28	83.54	-36.26	44.02	1	Vertical	177	2.85	-	37.46	15.53	49.73
AV	20.0982G	33.91	63.54	-29.63	30.63	1	Vertical	177	2.85	-	37.48	15.54	49.74

802.11ax HEW20_Nss1,(MCS0)_2TX

6695MHz_TnomVnom




EUT_V_2TX
Setting 13.5
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.07888G	47.51	83.54	-36.03	44.24	1	Horizontal	43	2.13	-	37.46	15.54	49.73
AV	20.09826G	33.92	63.54	-29.62	30.64	1	Horizontal	43	2.13	-	37.48	15.54	49.74

802.11ax HEW20_Nss1,(MCS0)_2TX

6855MHz_TnomVnom




EUT V_2TX
Setting 23
01-M-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8494G	124.24	Inf	-Inf	113.54	3	Vertical	52	2.22	-	36.60	7.07	32.97
RMS	6.848G	114.79	Inf	-Inf	104.11	3	Vertical	52	2.22	-	36.58	7.07	32.97
PK	7.1994G	64.62	88.20	-23.58	53.44	3	Vertical	52	2.22	-	37.10	7.20	33.12
RMS	7.1882G	53.14	68.20	-15.06	42.00	3	Vertical	52	2.22	-	37.05	7.21	33.12

802.11ax HEW20_Nss1,(MCS0)_2TX

6855MHz_TnomVnom




EUT Y_2TX
 Setting 23
 01-M-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8494G	115.85	Inf	-Inf	105.15	3	Horizontal	50	2.19	-	36.60	7.07	32.97
RMS	6.848G	102.45	Inf	-Inf	91.77	3	Horizontal	50	2.19	-	36.58	7.07	32.97
PK	7.1392G	64.81	88.20	-23.39	53.86	3	Horizontal	50	2.19	-	36.81	7.23	33.09
RMS	7.1784G	53.12	68.20	-15.08	42.01	3	Horizontal	50	2.19	-	37.01	7.21	33.11

802.11ax HEW20_Nss1,(MCS0)_2TX

6855MHz_TnomVnom




EUT_V_2TX
Setting 23
01-M-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.69448G	66.57	88.20	-21.63	45.99	3	Vertical	177	2.74	-	40.49	9.76	29.67
AV	13.69448G	55.52	68.20	-12.68	34.94	3	Vertical	177	2.74	-	40.49	9.76	29.67

802.11ax HEW20_Nss1,(MCS0)_2TX

6855MHz_TnomVnom




EUT_V_2TX
Setting 23
01-M-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.69472G	66.59	88.20	-21.61	46.01	3	Horizontal	212	1.00	-	40.49	9.76	29.67
AV	13.69464G	55.52	68.20	-12.68	34.94	3	Horizontal	212	1.00	-	40.49	9.76	29.67

802.11ax HEW20_Nss1,(MCS0)_2TX

6855MHz_TnomVnom




EUT V_2TX
Setting 23
01-M-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.56388G	47.36	83.54	-36.18	43.70	1	Vertical	291	1.54	-	37.78	15.75	49.87
AV	20.56774G	34.37	63.54	-29.17	30.70	1	Vertical	291	1.54	-	37.78	15.76	49.87

802.11ax HEW20_Nss1,(MCS0)_2TX

6855MHz_TnomVnom




EUT_V_2TX
Setting 23
01-M-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.5675G	46.80	83.54	-36.74	43.13	1	Horizontal	334	1.54	-	37.78	15.76	49.87
AV	20.56754G	34.37	63.54	-29.17	30.70	1	Horizontal	334	1.54	-	37.78	15.76	49.87

802.11ax HEW20_Nss1,(MCS0)_2TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT V_2TX
Setting -5.25
01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8806G	96.26	Inf	-Inf	85.76	3	Vertical	73	1.13	-	36.36	7.12	32.98
RMS	6.882G	87.14	Inf	-Inf	76.66	3	Vertical	73	1.13	-	36.34	7.12	32.98
PK	7.2026G	64.55	88.20	-23.65	53.38	3	Vertical	73	1.13	-	37.10	7.20	33.13
RMS	7.197G	53.32	68.20	-14.88	42.15	3	Vertical	73	1.13	-	37.09	7.20	33.12

802.11ax HEW20_Nss1,(MCS0)_2TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT V_2TX
Setting -5.25
01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.882G	85.75	Inf	-Inf	75.27	3	Horizontal	348	2.38	-	36.34	7.12	32.98
RMS	6.882G	75.81	Inf	-Inf	65.33	3	Horizontal	348	2.38	-	36.34	7.12	32.98
PK	7.19G	64.75	88.20	-23.45	53.60	3	Horizontal	348	2.38	-	37.06	7.21	33.12
RMS	7.2138G	53.32	68.20	-14.88	42.14	3	Horizontal	348	2.38	-	37.10	7.21	33.13

802.11ax HEW20_Nss1,(MCS0)_2TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_2TX
 Setting -5.25
 01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.76116G	63.45	88.20	-24.75	42.61	3	Vertical	268	2.99	-	40.68	9.79	29.63
RMS	13.75942G	49.53	68.20	-18.67	28.69	3	Vertical	268	2.99	-	40.68	9.79	29.63

802.11ax HEW20_Nss1,(MCS0)_2TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_2TX
Setting -5.25
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.75876G	64.03	88.20	-24.17	43.19	3	Horizontal	145	2.68	-	40.68	9.79	29.63
RMS	13.7584G	49.53	68.20	-18.67	28.69	3	Horizontal	145	2.68	-	40.68	9.79	29.63

802.11ax HEW20_Nss1,(MCS0)_2TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_2TX
Setting -5.25
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.62926G	48.48	83.54	-35.06	44.69	1	Vertical	324	1.99	-	37.86	15.78	49.85
AV	20.6178G	34.50	63.54	-29.04	30.73	1	Vertical	324	1.99	-	37.84	15.78	49.85

802.11ax HEW20_Nss1,(MCS0)_2TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_2TX
Setting -5.25
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.63436G	48.41	83.54	-35.13	44.61	1	Horizontal	260	1.83	-	37.86	15.79	49.85
AV	20.62086G	34.51	63.54	-29.03	30.73	1	Horizontal	260	1.83	-	37.85	15.78	49.85

802.11ax HEW20_Nss1,(MCS0)_2TX

6895MHz_TnomVnom




EUT V_2TX
Setting -5.5
01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9006G	97.67	Inf	-Inf	87.31	3	Vertical	73	1.39	-	36.20	7.15	32.99
RMS	6.902G	87.06	Inf	-Inf	76.69	3	Vertical	73	1.39	-	36.21	7.15	32.99
PK	7.2422G	64.31	88.20	-23.89	53.12	3	Vertical	73	1.39	-	37.10	7.24	33.15
RMS	7.224G	53.35	68.20	-14.85	42.17	3	Vertical	73	1.39	-	37.10	7.22	33.14

802.11ax HEW20_Nss1,(MCS0)_2TX

6895MHz_TnomVnom




EUT V_2TX
Setting -5.5
01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9006G	86.25	Inf	-Inf	75.89	3	Horizontal	325	2.41	-	36.20	7.15	32.99
RMS	6.902G	75.16	Inf	-Inf	64.79	3	Horizontal	325	2.41	-	36.21	7.15	32.99
PK	7.2016G	64.34	88.20	-23.86	53.16	3	Horizontal	325	2.41	-	37.10	7.20	33.12
RMS	7.2422G	53.34	68.20	-14.86	42.15	3	Horizontal	325	2.41	-	37.10	7.24	33.15

802.11ax HEW20_Nss1,(MCS0)_2TX

6895MHz_TnomVnom




EUT_V_2TX
Setting -5.5
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.78082G	63.22	88.20	-24.98	42.30	3	Vertical	118	1.05	-	40.74	9.80	29.62
RMS	13.80452G	49.72	68.20	-18.48	28.71	3	Vertical	118	1.05	-	40.80	9.81	29.60

802.11ax HEW20_Nss1,(MCS0)_2TX

6895MHz_TnomVnom




EUT_V_2TX
Setting -5.5
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.79606G	63.65	88.20	-24.55	42.66	3	Horizontal	206	1.54	-	40.79	9.81	29.61
RMS	13.80374G	49.68	68.20	-18.52	28.67	3	Horizontal	206	1.54	-	40.80	9.81	29.60

802.11ax HEW20_Nss1,(MCS0)_2TX

6895MHz_TnomVnom




EUT_V_2TX
Setting -5.5
01-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	20.68626G	48.35	83.54	-35.19	44.45	1	Vertical	49	2.38	-	37.92	15.81	49.83	
AV	20.6973G	35.15	63.54	-28.39	31.22	1	Vertical	49	2.38	-	37.94	15.81	49.82	

802.11ax HEW20_Nss1,(MCS0)_2TX

6895MHz_TnomVnom




EUT_V_2TX
Setting -5.5
01-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.68278G	48.26	83.54	-35.28	44.36	1	Horizontal	246	1.55	-	37.92	15.81	49.83
AV	20.69394G	34.74	63.54	-28.80	30.82	1	Horizontal	246	1.55	-	37.93	15.81	49.82

802.11ax HEW20_Nss1,(MCS0)_2TX

6995MHz_TnomVnom




EUT V_2TX
Setting -4.5
01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.001G	101.70	Inf	-Inf	91.11	3	Vertical	71	1.40	-	36.31	7.30	33.02	
RMS	7.001G	92.94	Inf	-Inf	82.35	3	Vertical	71	1.40	-	36.31	7.30	33.02	
PK	7.17G	65.54	88.20	-22.66	54.46	3	Vertical	71	1.40	-	36.98	7.21	33.11	
RMS	7.21G	53.39	68.20	-14.81	42.21	3	Vertical	71	1.40	-	37.10	7.21	33.13	

802.11ax HEW20_Nss1,(MCS0)_2TX

6995MHz_TnomVnom




EUT V_2TX
Setting -4.5
01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.001G	92.83	Inf	-Inf	82.24	3	Horizontal	344	2.79	-	36.31	7.30	33.02	
RMS	7.002G	83.05	Inf	-Inf	72.46	3	Horizontal	344	2.79	-	36.31	7.30	33.02	
PK	7.145G	64.84	88.20	-23.36	53.85	3	Horizontal	344	2.79	-	36.86	7.23	33.10	
RMS	7.194G	53.32	68.20	-14.88	42.16	3	Horizontal	344	2.79	-	37.08	7.20	33.12	

802.11ax HEW20_Nss1,(MCS0)_2TX

6995MHz_TnomVnom




EUT_V_2TX
 Setting -4.5
 01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.002G	64.09	88.20	-24.11	42.78	3	Vertical	100	1.54	-	40.90	9.90	29.49
RMS	14.00068G	50.50	68.20	-17.70	29.19	3	Vertical	100	1.54	-	40.90	9.90	29.49

802.11ax HEW20_Nss1,(MCS0)_2TX

6995MHz_TnomVnom




EUT_V_2TX
Setting -4.5
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.00476G	64.31	88.20	-23.89	43.00	3	Horizontal	193	1.65	-	40.90	9.90	29.49
RMS	13.9975G	50.47	68.20	-17.73	29.16	3	Horizontal	193	1.65	-	40.90	9.90	29.49

802.11ax HEW20_Nss1,(MCS0)_2TX

6995MHz_TnomVnom




EUT_V_2TX
Setting -4.5
01-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.98692G	48.21	83.54	-35.33	44.36	1	Vertical	295	2.98	-	37.62	15.94	49.71
AV	20.97084G	34.71	63.54	-28.83	30.83	1	Vertical	295	2.98	-	37.65	15.94	49.71

802.11ax HEW20_Nss1,(MCS0)_2TX

6995MHz_TnomVnom




EUT_V_2TX
Setting -4.5
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.97924G	48.08	83.54	-35.46	44.22	1	Horizontal	193	1.13	-	37.63	15.94	49.71
AV	20.97174G	34.72	63.54	-28.82	30.84	1	Horizontal	193	1.13	-	37.65	15.94	49.71

802.11ax HEW20_Nss1,(MCS0)_2TX

7095MHz_TnomVnom




EUT V_2TX
Setting -4.25
01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.1016G	98.80	Inf	-Inf	88.11	3	Vertical	73	1.35	-	36.51	7.25	33.07
RMS	7.101G	89.48	Inf	-Inf	78.79	3	Vertical	73	1.35	-	36.51	7.25	33.07
PK	7.2444G	64.73	88.20	-23.47	53.54	3	Vertical	73	1.35	-	37.10	7.24	33.15
RMS	7.2042G	53.34	68.20	-14.86	42.17	3	Vertical	73	1.35	-	37.10	7.20	33.13

802.11ax HEW20_Nss1,(MCS0)_2TX

7095MHz_TnomVnom




EUT V_2TX
Setting -4.25
01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.1016G	89.44	Inf	-Inf	78.75	3	Horizontal	345	2.85	-	36.51	7.25	33.07	
RMS	7.1016G	79.32	Inf	-Inf	68.63	3	Horizontal	345	2.85	-	36.51	7.25	33.07	
PK	7.1616G	64.69	88.20	-23.51	53.62	3	Horizontal	345	2.85	-	36.95	7.22	33.10	
RMS	7.2048G	53.32	68.20	-14.88	42.15	3	Horizontal	345	2.85	-	37.10	7.20	33.13	

802.11ax HEW20_Nss1,(MCS0)_2TX

7095MHz_TnomVnom




EUT_V_2TX
Setting -4.25
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.19276G	63.47	88.20	-24.73	42.32	3	Vertical	253	1.64	-	40.81	9.96	29.62
RMS	14.20152G	50.05	68.20	-18.15	28.92	3	Vertical	253	1.64	-	40.80	9.96	29.63

802.11ax HEW20_Nss1,(MCS0)_2TX

7095MHz_TnomVnom




EUT_V_2TX
Setting -4.25
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.2026G	64.29	88.20	-23.91	43.17	3	Horizontal	239	2.09	-	40.79	9.96	29.63
RMS	14.17596G	50.06	68.20	-18.14	28.90	3	Horizontal	239	2.09	-	40.82	9.95	29.61

802.11ax HEW20_Nss1,(MCS0)_2TX

7095MHz_TnomVnom




EUT_V_2TX
Setting -4.25
01-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	21.28272G	49.27	83.54	-34.27	45.19	1	Vertical	233	2.71	-	37.64	16.08	49.64	
AV	21.2934G	35.72	63.54	-27.82	31.63	1	Vertical	233	2.71	-	37.65	16.08	49.64	

802.11ax HEW20_Nss1,(MCS0)_2TX

7095MHz_TnomVnom




EUT V_2TX
Setting -4.25
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.28152G	49.17	83.54	-34.37	45.09	1	Horizontal	110	1.95	-	37.64	16.08	49.64
AV	21.29982G	35.80	63.54	-27.74	31.70	1	Horizontal	110	1.95	-	37.66	16.08	49.64

802.11ax HEW20_Nss1,(MCS0)_2TX

7115MHz_TnomVnom




EUT_V_2TX
Setting 10
03-G-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.12115G	100.01	Inf	-Inf	90.94	3	Vertical	67	1.50	-	35.93	8.20	35.06	
RMS	7.1212G	92.88	Inf	-Inf	83.81	3	Vertical	67	1.50	-	35.93	8.20	35.06	
PK	7.1255G	79.20	88.20	-9.00	70.11	3	Vertical	67	1.50	-	35.95	8.20	35.06	
RMS	7.1255G	67.96	68.20	-0.24	58.87	3	Vertical	67	1.50	-	35.95	8.20	35.06	

802.11ax HEW20_Nss1,(MCS0)_2TX

7115MHz_TnomVnom




EUT_V_2TX
Setting 10
03-G-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.12115G	97.85	Inf	-Inf	88.78	3	Horizontal	60	1.27	-	35.93	8.20	35.06	
RMS	7.12123G	89.46	Inf	-Inf	80.39	3	Horizontal	60	1.27	-	35.93	8.20	35.06	
PK	7.1255G	76.84	88.20	-11.36	67.75	3	Horizontal	60	1.27	-	35.95	8.20	35.06	
RMS	7.1255G	64.79	68.20	-3.41	55.70	3	Horizontal	60	1.27	-	35.95	8.20	35.06	

802.11ax HEW20_Nss1,(MCS0)_2TX

7115MHz_TnomVnom




EUT_V_2TX
Setting 10
03-G-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	14.2313G	62.51	88.20	-25.69	41.41	3	Vertical	229	1.10	-	41.60	12.52	33.02	
RMS	14.22592G	49.63	68.20	-18.57	28.53	3	Vertical	229	1.10	-	41.60	12.51	33.01	

802.11ax HEW20_Nss1,(MCS0)_2TX

7115MHz_TnomVnom




EUT_V_2TX
Setting 10
03-G-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.22652G	62.81	88.20	-25.39	41.71	3	Horizontal	154	1.85	-	41.60	12.51	33.01
RMS	14.22644G	49.64	68.20	-18.56	28.54	3	Horizontal	154	1.85	-	41.60	12.51	33.01

802.11ax HEW20_Nss1,(MCS0)_2TX

7115MHz_TnomVnom




EUT_V_2TX
Setting 10
03-G-S-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	21.3411G	48.98	83.54	-34.56	44.80	1	Vertical	32	1.57	-	37.71	16.10	49.63
AV	21.3479G	35.54	63.54	-28.00	31.34	1	Vertical	32	1.57	-	37.72	16.11	49.63

802.11ax HEW20_Nss1,(MCS0)_2TX

7115MHz_TnomVnom



EUT_V_2TX
Setting 10
03-G-S-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	21.34518G	47.53	83.54	-36.01	43.34	1	Horizontal	28	1.55	-	37.71	16.11	49.63
AV	21.34784G	35.54	63.54	-28.00	31.34	1	Horizontal	28	1.55	-	37.72	16.11	49.63



RSE TX above 1GHz
<Partial RU> low power_RU106_2TX_Ant. 2


Appendix E.22

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	AV	11.90104G	53.52	54.00	-0.48	3	Horizontal	200	1.80	-

802.11ax HEW20_Nss1,(MCS0)_2TX

5955MHz_TnomVnom




EUT Y_2TX
Setting 16.5
01-M-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9242G	67.23	88.20	-20.97	58.44	3	Vertical	41	2.30	-	35.00	6.60	32.81
RMS	5.925G	52.34	68.20	-15.86	43.55	3	Vertical	41	2.30	-	35.00	6.60	32.81
PK	5.9518G	119.73	Inf	-Inf	110.84	3	Vertical	41	2.30	-	35.11	6.60	32.82
RMS	5.9522G	110.19	Inf	-Inf	101.30	3	Vertical	41	2.30	-	35.11	6.60	32.82

802.11ax HEW20_Nss1,(MCS0)_2TX

5955MHz_TnomVnom




EUT V_2TX
Setting 16.5
01-M-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	63.54	88.20	-24.66	54.75	3	Horizontal	60	1.86	-	35.00	6.60	32.81
RMS	5.9218G	50.99	68.20	-17.21	42.21	3	Horizontal	60	1.86	-	34.99	6.60	32.81
PK	5.9522G	109.63	Inf	-Inf	100.74	3	Horizontal	60	1.86	-	35.11	6.60	32.82
RMS	5.9522G	97.84	Inf	-Inf	88.95	3	Horizontal	60	1.86	-	35.11	6.60	32.82

802.11ax HEW20_Nss1,(MCS0)_2TX

5955MHz_TnomVnom




EUT_V_2TX
 Setting 16.5
 01-M-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.90136G	61.03	74.00	-12.97	45.13	3	Vertical	24	1.78	-	38.50	8.98	31.58
AV	11.90112G	48.63	54.00	-5.37	32.73	3	Vertical	24	1.78	-	38.50	8.98	31.58

802.11ax HEW20_Nss1,(MCS0)_2TX

5955MHz_TnomVnom




EUT_V_2TX
Setting 16.5
01-M-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.90164G	65.59	74.00	-8.41	49.69	3	Horizontal	200	1.80	-	38.50	8.98	31.58
AV	11.90104G	53.52	54.00	-0.48	37.62	3	Horizontal	200	1.80	-	38.50	8.98	31.58

802.11ax HEW20_Nss1,(MCS0)_2TX

6195MHz_TnomVnom




EUT Y_2TX
Setting 16
01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.85G	60.50	88.20	-27.70	51.88	3	Vertical	236	1.80	-	34.80	6.60	32.78
RMS	5.9234G	50.28	68.20	-17.92	41.50	3	Vertical	236	1.80	-	34.99	6.60	32.81
PK	6.1922G	115.05	Inf	-Inf	105.54	3	Vertical	236	1.80	-	35.47	6.89	32.85
RMS	6.1922G	104.18	Inf	-Inf	94.67	3	Vertical	236	1.80	-	35.47	6.89	32.85

802.11ax HEW20_Nss1,(MCS0)_2TX

6195MHz_TnomVnom




EUT_V_2TX
Setting 16
01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.859G	61.27	88.20	-26.93	52.63	3	Horizontal	61	1.78	-	34.82	6.60	32.78
RMS	5.9206G	50.23	68.20	-17.97	41.46	3	Horizontal	61	1.78	-	34.98	6.60	32.81
PK	6.1922G	109.09	Inf	-Inf	99.58	3	Horizontal	61	1.78	-	35.47	6.89	32.85
RMS	6.1922G	99.35	Inf	-Inf	89.84	3	Horizontal	61	1.78	-	35.47	6.89	32.85

802.11ax HEW20_Nss1,(MCS0)_2TX

6195MHz_TnomVnom




EUT_V_2TX
Setting 16
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.38298G	58.77	74.00	-15.23	42.51	3	Vertical	239	1.78	-	38.67	9.17	31.58	
AV	12.38016G	44.85	54.00	-9.15	28.60	3	Vertical	239	1.78	-	38.66	9.17	31.58	

802.11ax HEW20_Nss1,(MCS0)_2TX

6195MHz_TnomVnom




EUT_V_2TX
 Setting 16
 01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.3825G	63.39	74.00	-10.61	47.14	3	Horizontal	206	1.80	-	38.66	9.17	31.58	
AV	12.38448G	47.76	54.00	-6.24	31.50	3	Horizontal	206	1.80	-	38.67	9.17	31.58	

802.11ax HEW20_Nss1,(MCS0)_2TX

6195MHz_TnomVnom




EUT_V_2TX
Setting 16
01-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	18.59976G	47.04	83.54	-36.50	44.34	1	Vertical	161	2.54	-	37.76	14.94	50.00	
AV	18.59886G	33.29	63.54	-30.25	30.59	1	Vertical	161	2.54	-	37.76	14.94	50.00	

802.11ax HEW20_Nss1,(MCS0)_2TX

6195MHz_TnomVnom




EUT_V_2TX
Setting 16
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.58986G	47.16	83.54	-36.38	44.47	1	Horizontal	158	2.74	-	37.76	14.94	50.01
AV	18.59586G	33.28	63.54	-30.26	30.58	1	Horizontal	158	2.74	-	37.76	14.94	50.00

802.11ax HEW20_Nss1,(MCS0)_2TX

6415MHz_TnomVnom




EUT_V_2TX
 Setting 16
 01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.887G	61.55	88.20	-26.65	52.87	3	Vertical	71	1.26	-	34.87	6.60	32.79
RMS	5.925G	50.20	68.20	-18.00	41.41	3	Vertical	71	1.26	-	35.00	6.60	32.81
PK	6.4118G	116.70	Inf	-Inf	107.01	3	Vertical	71	1.26	-	35.55	7.00	32.86
RMS	6.4118G	106.41	Inf	-Inf	96.72	3	Vertical	71	1.26	-	35.55	7.00	32.86
PK	7.1606G	64.27	88.20	-23.93	53.21	3	Vertical	71	1.26	-	36.94	7.22	33.10
RMS	7.215G	53.45	68.20	-14.75	42.26	3	Vertical	71	1.26	-	37.10	7.22	33.13

802.11ax HEW20_Nss1,(MCS0)_2TX

6415MHz_TnomVnom




EUT_V_2TX
Setting 16
01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.727G	60.80	88.20	-27.40	52.71	3	Horizontal	60	1.80	-	34.22	6.60	32.73
RMS	5.9222G	50.22	68.20	-17.98	41.44	3	Horizontal	60	1.80	-	34.99	6.60	32.81
PK	6.4118G	108.25	Inf	-Inf	98.56	3	Horizontal	60	1.80	-	35.55	7.00	32.86
RMS	6.4118G	97.50	Inf	-Inf	87.81	3	Horizontal	60	1.80	-	35.55	7.00	32.86
PK	7.183G	64.26	88.20	-23.94	53.14	3	Horizontal	60	1.80	-	37.03	7.21	33.12
RMS	7.1894G	53.36	68.20	-14.84	42.21	3	Horizontal	60	1.80	-	37.06	7.21	33.12

802.11ax HEW20_Nss1,(MCS0)_2TX

6415MHz_TnomVnom




EUT_V_2TX
Setting 16
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.82154G	60.88	88.20	-27.32	43.19	3	Vertical	274	1.80	-	39.22	9.37	30.90	
RMS	12.82136G	46.68	68.20	-21.52	28.99	3	Vertical	274	1.80	-	39.22	9.37	30.90	

802.11ax HEW20_Nss1,(MCS0)_2TX

6415MHz_TnomVnom




EUT_V_2TX
Setting 16
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8213G	63.01	88.20	-25.19	45.32	3	Horizontal	199	1.86	-	39.22	9.37	30.90
RMS	12.8213G	48.66	68.20	-19.54	30.97	3	Horizontal	199	1.86	-	39.22	9.37	30.90

802.11ax HEW20_Nss1,(MCS0)_2TX

6415MHz_TnomVnom




EUT Y_2TX
Setting 16
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.23744G	48.13	83.54	-35.41	44.87	1	Vertical	92	1.47	-	37.72	15.19	49.65
AV	19.23072G	33.72	63.54	-29.82	30.46	1	Vertical	92	1.47	-	37.72	15.19	49.65

802.11ax HEW20_Nss1,(MCS0)_2TX

6415MHz_TnomVnom




EUT_V_2TX
Setting 16
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.2597G	47.22	83.54	-36.32	43.96	1	Horizontal	17	1.31	-	37.71	15.20	49.65
AV	19.23096G	33.75	63.54	-29.79	30.49	1	Horizontal	17	1.31	-	37.72	15.19	49.65

802.11ax HEW20_Nss1,(MCS0)_2TX

6435MHz_TnomVnom




EUT_V_2TX
Setting -3.25
01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8654G	60.81	88.20	-27.39	52.17	3	Vertical	71	1.67	-	34.83	6.60	32.79
RMS	5.925G	50.16	68.20	-18.04	41.37	3	Vertical	71	1.67	-	35.00	6.60	32.81
PK	6.4318G	97.90	Inf	-Inf	88.29	3	Vertical	71	1.67	-	35.47	7.00	32.86
RMS	6.4318G	87.82	Inf	-Inf	78.21	3	Vertical	71	1.67	-	35.47	7.00	32.86
PK	7.1934G	63.97	88.20	-24.23	52.82	3	Vertical	71	1.67	-	37.07	7.20	33.12
RMS	7.1966G	53.37	68.20	-14.83	42.20	3	Vertical	71	1.67	-	37.09	7.20	33.12

802.11ax HEW20_Nss1,(MCS0)_2TX

6435MHz_TnomVnom




EUT V_2TX
 Setting -3.25
 01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8942G	60.74	88.20	-27.46	52.05	3	Horizontal	60	1.77	-	34.89	6.60	32.80
RMS	5.923G	50.23	68.20	-17.97	41.45	3	Horizontal	60	1.77	-	34.99	6.60	32.81
PK	6.4318G	89.08	Inf	-Inf	79.47	3	Horizontal	60	1.77	-	35.47	7.00	32.86
RMS	6.4318G	79.07	Inf	-Inf	69.46	3	Horizontal	60	1.77	-	35.47	7.00	32.86
PK	7.1422G	64.71	88.20	-23.49	53.73	3	Horizontal	60	1.77	-	36.84	7.23	33.09
RMS	7.1966G	53.37	68.20	-14.83	42.20	3	Horizontal	60	1.77	-	37.09	7.20	33.12

802.11ax HEW20_Nss1,(MCS0)_2TX

6435MHz_TnomVnom




EUT V_2TX
Setting -3.25
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.87678G	59.06	88.20	-29.14	41.17	3	Vertical	140	2.45	-	39.28	9.39	30.78	
RMS	12.88182G	45.17	68.20	-23.03	27.26	3	Vertical	140	2.45	-	39.28	9.40	30.77	

802.11ax HEW20_Nss1,(MCS0)_2TX

6435MHz_TnomVnom




EUT_V_2TX
 Setting -3.25
 01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.85728G	58.87	88.20	-29.33	41.05	3	Horizontal	113	1.75	-	39.26	9.39	30.83	
RMS	12.8655G	45.13	68.20	-23.07	27.28	3	Horizontal	113	1.75	-	39.27	9.39	30.81	

802.11ax HEW20_Nss1,(MCS0)_2TX

6435MHz_TnomVnom




EUT_V_2TX
Setting -3.25
01-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.31202G	47.54	83.54	-36.00	44.23	1	Vertical	14	2.68	-	37.75	15.22	49.66
AV	19.29G	33.43	63.54	-30.11	30.14	1	Vertical	14	2.68	-	37.73	15.22	49.66

802.11ax HEW20_Nss1,(MCS0)_2TX

6435MHz_TnomVnom




EUT_V_2TX
Setting -3.25
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.31556G	47.15	83.54	-36.39	43.83	1	Horizontal	61	2.13	-	37.75	15.23	49.66
AV	19.29168G	33.41	63.54	-30.13	30.12	1	Horizontal	61	2.13	-	37.73	15.22	49.66

802.11ax HEW20_Nss1,(MCS0)_2TX

6475MHz_TnomVnom




EUT_V_2TX
Setting -3.25
01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.866G	60.98	88.20	-27.22	52.34	3	Vertical	71	1.26	-	34.83	6.60	32.79
RMS	5.925G	50.24	68.20	-17.96	41.45	3	Vertical	71	1.26	-	35.00	6.60	32.81
PK	6.472G	96.68	Inf	-Inf	87.05	3	Vertical	71	1.26	-	35.49	7.00	32.86
RMS	6.472G	86.77	Inf	-Inf	77.14	3	Vertical	71	1.26	-	35.49	7.00	32.86
PK	7.132G	64.05	88.20	-24.15	53.15	3	Vertical	71	1.26	-	36.76	7.23	33.09
RMS	7.207G	53.45	68.20	-14.75	42.27	3	Vertical	71	1.26	-	37.10	7.21	33.13

802.11ax HEW20_Nss1,(MCS0)_2TX

6475MHz_TnomVnom




EUT_V_2TX
 Setting -3.25
 01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.749G	61.09	88.20	-27.11	52.84	3	Horizontal	60	1.83	-	34.39	6.60	32.74
RMS	5.923G	50.18	68.20	-18.02	41.40	3	Horizontal	60	1.83	-	34.99	6.60	32.81
PK	6.472G	88.61	Inf	-Inf	78.98	3	Horizontal	60	1.83	-	35.49	7.00	32.86
RMS	6.472G	77.73	Inf	-Inf	68.10	3	Horizontal	60	1.83	-	35.49	7.00	32.86
PK	7.132G	64.54	88.20	-23.66	53.64	3	Horizontal	60	1.83	-	36.76	7.23	33.09
RMS	7.198G	53.42	68.20	-14.78	42.25	3	Horizontal	60	1.83	-	37.09	7.20	33.12

802.11ax HEW20_Nss1,(MCS0)_2TX

6475MHz_TnomVnom




EUT V_2TX
Setting -3.25
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.9401G	58.79	88.20	-29.41	40.60	3	Vertical	332	1.27	-	39.42	9.42	30.65	
RMS	12.95594G	45.63	68.20	-22.57	27.34	3	Vertical	332	1.27	-	39.47	9.43	30.61	

802.11ax HEW20_Nss1,(MCS0)_2TX

6475MHz_TnomVnom




EUT V_2TX
Setting -3.25
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.95846G	59.60	88.20	-28.60	41.30	3	Horizontal	126	1.99	-	39.48	9.43	30.61
RMS	12.96266G	45.63	68.20	-22.57	27.31	3	Horizontal	126	1.99	-	39.49	9.43	30.60

802.11ax HEW20_Nss1,(MCS0)_2TX

6475MHz_TnomVnom




EUT_V_2TX
Setting -3.25
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.43982G	47.03	83.54	-36.51	43.59	1	Vertical	222	2.33	-	37.85	15.28	49.69
AV	19.43628G	33.63	63.54	-29.91	30.20	1	Vertical	222	2.33	-	37.85	15.27	49.69

802.11ax HEW20_Nss1,(MCS0)_2TX

6475MHz_TnomVnom




EUT V_2TX
Setting -3.25
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.4145G	48.37	83.54	-35.17	44.95	1	Horizontal	228	1.46	-	37.83	15.27	49.68
AV	19.43544G	33.65	63.54	-29.89	30.22	1	Horizontal	228	1.46	-	37.85	15.27	49.69

802.11ax HEW20_Nss1,(MCS0)_2TX

6515MHz_TnomVnom




EUT_V_2TX
Setting -3
01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.913G	61.45	88.20	-26.75	52.71	3	Vertical	70	1.12	-	34.95	6.60	32.81
RMS	5.9214G	50.16	68.20	-18.04	41.38	3	Vertical	70	1.12	-	34.99	6.60	32.81
PK	6.5122G	98.91	Inf	-Inf	89.12	3	Vertical	70	1.12	-	35.65	7.00	32.86
RMS	6.5122G	87.50	Inf	-Inf	77.71	3	Vertical	70	1.12	-	35.65	7.00	32.86
PK	7.145G	63.61	88.20	-24.59	52.62	3	Vertical	70	1.12	-	36.86	7.23	33.10
RMS	7.201G	53.39	68.20	-14.81	42.21	3	Vertical	70	1.12	-	37.10	7.20	33.12

802.11ax HEW20_Nss1,(MCS0)_2TX

6515MHz_TnomVnom




EUT_V_2TX
Setting -3
01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9242G	60.54	88.20	-27.66	51.75	3	Horizontal	62	1.80	-	35.00	6.60	32.81
RMS	5.9214G	50.21	68.20	-17.99	41.43	3	Horizontal	62	1.80	-	34.99	6.60	32.81
PK	6.5122G	88.81	Inf	-Inf	79.02	3	Horizontal	62	1.80	-	35.65	7.00	32.86
RMS	6.5122G	78.16	Inf	-Inf	68.37	3	Horizontal	62	1.80	-	35.65	7.00	32.86
PK	7.1562G	64.04	88.20	-24.16	53.00	3	Horizontal	62	1.80	-	36.92	7.22	33.10
RMS	7.1982G	53.46	68.20	-14.74	42.29	3	Horizontal	62	1.80	-	37.09	7.20	33.12

802.11ax HEW20_Nss1,(MCS0)_2TX

6515MHz_TnomVnom




EUT V_2TX
Setting -3
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.02202G	60.53	88.20	-27.67	41.94	3	Vertical	295	1.98	-	39.62	9.46	30.49
RMS	13.04278G	46.28	68.20	-21.92	27.63	3	Vertical	295	1.98	-	39.64	9.47	30.46

802.11ax HEW20_Nss1,(MCS0)_2TX

6515MHz_TnomVnom




EUT V_2TX
Setting -3
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0378G	59.42	88.20	-28.78	40.77	3	Horizontal	27	2.18	-	39.64	9.47	30.46
RMS	13.04254G	46.29	68.20	-21.91	27.64	3	Horizontal	27	2.18	-	39.64	9.47	30.46

802.11ax HEW20_Nss1,(MCS0)_2TX

6515MHz_TnomVnom




EUT_V_2TX
Setting -3
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.54428G	47.30	83.54	-36.24	43.80	1	Vertical	56	2.54	-	37.88	15.32	49.70
AV	19.55592G	33.67	63.54	-29.87	30.17	1	Vertical	56	2.54	-	37.88	15.32	49.70

802.11ax HEW20_Nss1,(MCS0)_2TX

6515MHz_TnomVnom




EUT_V_2TX
Setting -3
01-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.55574G	47.79	83.54	-35.75	44.29	1	Horizontal	175	1.57	-	37.88	15.32	49.70
AV	19.56G	33.71	63.54	-29.83	30.21	1	Horizontal	175	1.57	-	37.88	15.32	49.70

802.11ax HEW20_Nss1,(MCS0)_2TX

6535MHz_TnomVnom




EUT_V_2TX
Setting 16
01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.835G	60.35	88.20	-27.85	51.84	3	Vertical	72	1.22	-	34.68	6.60	32.77
RMS	5.919G	50.18	68.20	-18.02	41.41	3	Vertical	72	1.22	-	34.98	6.60	32.81
PK	6.5378G	114.39	Inf	-Inf	104.51	3	Vertical	72	1.22	-	35.75	7.00	32.87
RMS	6.5378G	105.50	Inf	-Inf	95.62	3	Vertical	72	1.22	-	35.75	7.00	32.87
PK	7.2126G	64.03	88.20	-24.17	52.85	3	Vertical	72	1.22	-	37.10	7.21	33.13
RMS	7.1958G	53.41	68.20	-14.79	42.25	3	Vertical	72	1.22	-	37.08	7.20	33.12

802.11ax HEW20_Nss1,(MCS0)_2TX

6535MHz_TnomVnom




EUT_V_2TX
Setting 16
01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8854G	60.06	88.20	-28.14	51.38	3	Horizontal	62	1.80	-	34.87	6.60	32.79
RMS	5.9246G	50.30	68.20	-17.90	41.51	3	Horizontal	62	1.80	-	35.00	6.60	32.81
PK	6.5378G	105.33	Inf	-Inf	95.45	3	Horizontal	62	1.80	-	35.75	7.00	32.87
RMS	6.5378G	96.01	Inf	-Inf	86.13	3	Horizontal	62	1.80	-	35.75	7.00	32.87
PK	7.1426G	63.37	88.20	-24.83	52.39	3	Horizontal	62	1.80	-	36.84	7.23	33.09
RMS	7.2238G	53.43	68.20	-14.77	42.25	3	Horizontal	62	1.80	-	37.10	7.22	33.14

802.11ax HEW20_Nss1,(MCS0)_2TX

6535MHz_TnomVnom




EUT_V_2TX
Setting 16
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.08494G	60.47	88.20	-27.73	41.69	3	Vertical	238	1.80	-	39.68	9.49	30.39	
RMS	13.07762G	46.69	68.20	-21.51	27.94	3	Vertical	238	1.80	-	39.68	9.48	30.41	

802.11ax HEW20_Nss1,(MCS0)_2TX

6535MHz_TnomVnom




EUT_V_2TX
Setting 16
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.07798G	62.03	88.20	-26.17	43.26	3	Horizontal	200	1.80	-	39.68	9.49	30.40
RMS	13.07768G	47.28	68.20	-20.92	28.53	3	Horizontal	200	1.80	-	39.68	9.48	30.41

802.11ax HEW20_Nss1,(MCS0)_2TX

6535MHz_TnomVnom




EUT_V_2TX
Setting 16
01-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.61718G	47.94	83.54	-35.60	44.44	1	Vertical	57	1.93	-	37.85	15.35	49.70	
AV	19.61514G	34.48	63.54	-29.06	30.98	1	Vertical	57	1.93	-	37.85	15.35	49.70	

802.11ax HEW20_Nss1,(MCS0)_2TX

6535MHz_TnomVnom




EUT_V_2TX
Setting 16
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.60962G	48.26	83.54	-35.28	44.76	1	Horizontal	100	1.36	-	37.86	15.34	49.70
AV	19.61532G	34.26	63.54	-29.28	30.76	1	Horizontal	100	1.36	-	37.85	15.35	49.70

802.11ax HEW20_Nss1,(MCS0)_2TX

6695MHz_TnomVnom




EUT Y_2TX
Setting 16
01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6972G	115.31	Inf	-Inf	105.32	3	Vertical	69	1.34	-	35.91	7.00	32.92
RMS	6.6972G	105.49	Inf	-Inf	95.50	3	Vertical	69	1.34	-	35.91	7.00	32.92
PK	7.2186G	64.21	88.20	-23.99	53.02	3	Vertical	69	1.34	-	37.10	7.22	33.13
RMS	7.2142G	53.45	68.20	-14.75	42.27	3	Vertical	69	1.34	-	37.10	7.21	33.13

802.11ax HEW20_Nss1,(MCS0)_2TX

6695MHz_TnomVnom




EUT_V_2TX
Setting 16
01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6972G	104.71	Inf	-Inf	94.72	3	Horizontal	64	1.79	-	35.91	7.00	32.92
RMS	6.6972G	94.58	Inf	-Inf	84.59	3	Horizontal	64	1.79	-	35.91	7.00	32.92
PK	7.1306G	64.32	88.20	-23.88	53.44	3	Horizontal	64	1.79	-	36.74	7.23	33.09
RMS	7.2098G	53.45	68.20	-14.75	42.27	3	Horizontal	64	1.79	-	37.10	7.21	33.13

802.11ax HEW20_Nss1,(MCS0)_2TX

6695MHz_TnomVnom




EUT_V_2TX
Setting 16
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.3935G	60.38	74.00	-13.62	40.50	3	Vertical	293	1.80	-	40.19	9.63	29.94
AV	13.3996G	47.02	54.00	-6.98	27.12	3	Vertical	293	1.80	-	40.20	9.63	29.93

802.11ax HEW20_Nss1,(MCS0)_2TX

6695MHz_TnomVnom




EUT_V_2TX
Setting 16
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.39882G	62.59	74.00	-11.41	42.69	3	Horizontal	153	2.95	-	40.20	9.63	29.93
AV	13.39864G	48.51	54.00	-5.49	28.61	3	Horizontal	153	2.95	-	40.20	9.63	29.93

802.11ax HEW20_Nss1,(MCS0)_2TX

6695MHz_TnomVnom




EUT_V_2TX
Setting 16
01-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	20.0991G	48.17	83.54	-35.37	44.89	1	Vertical	231	2.58	-	37.48	15.54	49.74	
AV	20.09778G	34.14	63.54	-29.40	30.86	1	Vertical	231	2.58	-	37.48	15.54	49.74	

802.11ax HEW20_Nss1,(MCS0)_2TX

6695MHz_TnomVnom




EUT_V_2TX
Setting 16
01-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.08788G	47.56	83.54	-35.98	44.29	1	Horizontal	45	2.13	-	37.47	15.54	49.74
AV	20.0982G	34.12	63.54	-29.42	30.84	1	Horizontal	45	2.13	-	37.48	15.54	49.74

802.11ax HEW20_Nss1,(MCS0)_2TX

6855MHz_TnomVnom




EUT_V_2TX
Setting 23
01-M-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.848G	122.57	Inf	-Inf	111.89	3	Vertical	50	2.16	-	36.58	7.07	32.97	
RMS	6.8522G	111.93	Inf	-Inf	101.24	3	Vertical	50	2.16	-	36.58	7.08	32.97	
PK	7.1336G	63.71	88.20	-24.49	52.80	3	Vertical	50	2.16	-	36.77	7.23	33.09	
RMS	7.1812G	53.16	68.20	-15.04	42.04	3	Vertical	50	2.16	-	37.02	7.21	33.11	

802.11ax HEW20_Nss1,(MCS0)_2TX

6855MHz_TnomVnom




EUT V_2TX
Setting 23
01-M-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8494G	113.22	Inf	-Inf	102.52	3	Horizontal	51	2.20	-	36.60	7.07	32.97
RMS	6.8522G	102.81	Inf	-Inf	92.12	3	Horizontal	51	2.20	-	36.58	7.08	32.97
PK	7.1504G	64.31	88.20	-23.89	53.29	3	Horizontal	51	2.20	-	36.90	7.22	33.10
RMS	7.184G	53.12	68.20	-15.08	41.99	3	Horizontal	51	2.20	-	37.04	7.21	33.12

802.11ax HEW20_Nss1,(MCS0)_2TX

6855MHz_TnomVnom




EUT_V_2TX
 Setting 23
 01-M-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.69992G	64.49	88.20	-23.71	43.89	3	Vertical	270	1.71	-	40.50	9.76	29.66
RMS	13.70162G	53.50	68.20	-14.70	32.89	3	Vertical	270	1.71	-	40.50	9.77	29.66

802.11ax HEW20_Nss1,(MCS0)_2TX

6855MHz_TnomVnom




EUT_V_2TX
 Setting 23
 01-M-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.70012G	66.66	88.20	-21.54	46.05	3	Horizontal	214	1.80	-	40.50	9.77	29.66	
RMS	13.70152G	53.90	68.20	-14.30	33.29	3	Horizontal	214	1.80	-	40.50	9.77	29.66	

802.11ax HEW20_Nss1,(MCS0)_2TX

6855MHz_TnomVnom




EUT_V_2TX
Setting 23
01-M-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.56796G	46.98	83.54	-36.56	43.31	1	Vertical	9	1.50	-	37.78	15.76	49.87
AV	20.56686G	34.52	63.54	-29.02	30.85	1	Vertical	9	1.50	-	37.78	15.76	49.87

802.11ax HEW20_Nss1,(MCS0)_2TX

6855MHz_TnomVnom




EUT_V_2TX
Setting 23
01-M-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.56852G	47.49	83.54	-36.05	43.82	1	Horizontal	173	1.52	-	37.78	15.76	49.87
AV	20.5684G	34.52	63.54	-29.02	30.85	1	Horizontal	173	1.52	-	37.78	15.76	49.87

802.11ax HEW20_Nss1,(MCS0)_2TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_2TX
 Setting -2.25
 01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.8778G	96.72	Inf	-Inf	86.20	3	Vertical	75	1.54	-	36.38	7.12	32.98	
RMS	6.8778G	86.71	Inf	-Inf	76.19	3	Vertical	75	1.54	-	36.38	7.12	32.98	
PK	7.225G	64.35	88.20	-23.85	53.16	3	Vertical	75	1.54	-	37.10	7.23	33.14	
RMS	7.2124G	53.41	68.20	-14.79	42.23	3	Vertical	75	1.54	-	37.10	7.21	33.13	

802.11ax HEW20_Nss1,(MCS0)_2TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT V_2TX
 Setting -2.25
 01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8778G	85.86	Inf	-Inf	75.34	3	Horizontal	347	2.45	-	36.38	7.12	32.98
RMS	6.8778G	76.30	Inf	-Inf	65.78	3	Horizontal	347	2.45	-	36.38	7.12	32.98
PK	7.1662G	63.70	88.20	-24.50	52.63	3	Horizontal	347	2.45	-	36.96	7.22	33.11
RMS	7.2096G	53.41	68.20	-14.79	42.23	3	Horizontal	347	2.45	-	37.10	7.21	33.13

802.11ax HEW20_Nss1,(MCS0)_2TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT V_2TX
Setting -2.25
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.74412G	63.23	88.20	-24.97	42.46	3	Vertical	231	1.03	-	40.63	9.78	29.64
RMS	13.75954G	49.68	68.20	-18.52	28.84	3	Vertical	231	1.03	-	40.68	9.79	29.63

802.11ax HEW20_Nss1,(MCS0)_2TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_2TX
Setting -2.25
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.76206G	63.39	88.20	-24.81	42.54	3	Horizontal	0	1.09	-	40.69	9.79	29.63
RMS	13.74652G	49.69	68.20	-18.51	28.90	3	Horizontal	0	1.09	-	40.64	9.79	29.64

802.11ax HEW20_Nss1,(MCS0)_2TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT V_2TX
Setting -2.25
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.63964G	48.36	83.54	-35.18	44.54	1	Vertical	22	1.87	-	37.87	15.79	49.84
AV	20.61942G	34.74	63.54	-28.80	30.97	1	Vertical	22	1.87	-	37.84	15.78	49.85

802.11ax HEW20_Nss1,(MCS0)_2TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_2TX
Setting -2.25
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.62536G	49.21	83.54	-34.33	45.43	1	Horizontal	86	2.41	-	37.85	15.78	49.85
AV	20.62092G	34.74	63.54	-28.80	30.96	1	Horizontal	86	2.41	-	37.85	15.78	49.85

802.11ax HEW20_Nss1,(MCS0)_2TX

6895MHz_TnomVnom




EUT V_2TX
Setting -2.25
01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8978G	98.21	Inf	-Inf	87.83	3	Vertical	71	1.30	-	36.22	7.15	32.99
RMS	6.8978G	87.75	Inf	-Inf	77.37	3	Vertical	71	1.30	-	36.22	7.15	32.99
PK	7.196G	64.50	88.20	-23.70	53.34	3	Vertical	71	1.30	-	37.08	7.20	33.12
RMS	7.1988G	53.41	68.20	-14.79	42.23	3	Vertical	71	1.30	-	37.10	7.20	33.12

802.11ax HEW20_Nss1,(MCS0)_2TX

6895MHz_TnomVnom




EUT V_2TX
Setting -2.25
01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8978G	87.38	Inf	-Inf	77.00	3	Horizontal	349	2.48	-	36.22	7.15	32.99
RMS	6.8978G	76.08	Inf	-Inf	65.70	3	Horizontal	349	2.48	-	36.22	7.15	32.99
PK	7.1288G	64.88	88.20	-23.32	54.00	3	Horizontal	349	2.48	-	36.73	7.24	33.09
RMS	7.1988G	53.45	68.20	-14.75	42.27	3	Horizontal	349	2.48	-	37.10	7.20	33.12

802.11ax HEW20_Nss1,(MCS0)_2TX

6895MHz_TnomVnom




EUT V_2TX
 Setting -2.25
 01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.80362G	63.62	88.20	-24.58	42.61	3	Vertical	60	1.01	-	40.80	9.81	29.60
RMS	13.80446G	49.86	68.20	-18.34	28.85	3	Vertical	60	1.01	-	40.80	9.81	29.60

802.11ax HEW20_Nss1,(MCS0)_2TX

6895MHz_TnomVnom




EUT V_2TX
Setting -2.25
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7936G	63.94	88.20	-24.26	42.96	3	Horizontal	279	1.56	-	40.78	9.81	29.61
RMS	13.80356G	49.83	68.20	-18.37	28.82	3	Horizontal	279	1.56	-	40.80	9.81	29.60

802.11ax HEW20_Nss1,(MCS0)_2TX

6895MHz_TnomVnom




EUT_V_2TX
Setting -2.25
01-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.68128G	48.77	83.54	-34.77	44.87	1	Vertical	90	2.55	-	37.92	15.81	49.83
AV	20.69388G	35.13	63.54	-28.41	31.21	1	Vertical	90	2.55	-	37.93	15.81	49.82

802.11ax HEW20_Nss1,(MCS0)_2TX

6895MHz_TnomVnom




EUT_V_2TX
Setting -2.25
01-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.68938G	49.50	83.54	-34.04	45.58	1	Horizontal	104	2.89	-	37.93	15.81	49.82
AV	20.69382G	35.15	63.54	-28.39	31.23	1	Horizontal	104	2.89	-	37.93	15.81	49.82

802.11ax HEW20_Nss1,(MCS0)_2TX

6995MHz_TnomVnom




EUT V_2TX
Setting -1.75
01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.997G	101.28	Inf	-Inf	90.69	3	Vertical	74	1.51	-	36.31	7.30	33.02
RMS	6.998G	90.92	Inf	-Inf	80.33	3	Vertical	74	1.51	-	36.31	7.30	33.02
PK	7.188G	64.20	88.20	-24.00	53.06	3	Vertical	74	1.51	-	37.05	7.21	33.12
RMS	7.198G	53.41	68.20	-14.79	42.24	3	Vertical	74	1.51	-	37.09	7.20	33.12

802.11ax HEW20_Nss1,(MCS0)_2TX

6995MHz_TnomVnom




EUT V_2TX
Setting -1.75
01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.998G	92.59	Inf	-Inf	82.00	3	Horizontal	340	2.82	-	36.31	7.30	33.02	
RMS	6.997G	83.35	Inf	-Inf	72.76	3	Horizontal	340	2.82	-	36.31	7.30	33.02	
PK	7.192G	64.41	88.20	-23.79	53.26	3	Horizontal	340	2.82	-	37.07	7.20	33.12	
RMS	7.196G	53.41	68.20	-14.79	42.25	3	Horizontal	340	2.82	-	37.08	7.20	33.12	

802.11ax HEW20_Nss1,(MCS0)_2TX

6995MHz_TnomVnom




EUT_V_2TX
Setting -1.75
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.9897G	64.33	88.20	-23.87	43.03	3	Vertical	243	1.51	-	40.90	9.90	29.50	
RMS	14.00392G	50.65	68.20	-17.55	29.34	3	Vertical	243	1.51	-	40.90	9.90	29.49	

802.11ax HEW20_Nss1,(MCS0)_2TX

6995MHz_TnomVnom




EUT_V_2TX
Setting -1.75
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.99876G	64.32	88.20	-23.88	43.01	3	Horizontal	166	2.26	-	40.90	9.90	29.49
RMS	14.0038G	50.63	68.20	-17.57	29.32	3	Horizontal	166	2.26	-	40.90	9.90	29.49

802.11ax HEW20_Nss1,(MCS0)_2TX

6995MHz_TnomVnom




EUT_V_2TX
Setting -1.75
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	20.9829G	49.26	83.54	-34.28	45.40	1	Vertical	88	2.14	-	37.63	15.94	49.71	
AV	20.97078G	34.96	63.54	-28.58	31.08	1	Vertical	88	2.14	-	37.65	15.94	49.71	

802.11ax HEW20_Nss1,(MCS0)_2TX

6995MHz_TnomVnom




EUT V_2TX
Setting -1.75
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.98872G	48.58	83.54	-34.96	44.72	1	Horizontal	225	1.61	-	37.62	15.94	49.70
AV	20.97276G	34.95	63.54	-28.59	31.08	1	Horizontal	225	1.61	-	37.64	15.94	49.71

802.11ax HEW20_Nss1,(MCS0)_2TX

7095MHz_TnomVnom




EUT V_2TX
Setting -2.5
01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0974G	99.18	Inf	-Inf	88.49	3	Vertical	73	1.54	-	36.51	7.25	33.07
RMS	7.0986G	88.92	Inf	-Inf	78.24	3	Vertical	73	1.54	-	36.50	7.25	33.07
PK	7.2192G	64.48	88.20	-23.72	53.29	3	Vertical	73	1.54	-	37.10	7.22	33.13
RMS	7.1598G	53.31	68.20	-14.89	42.25	3	Vertical	73	1.54	-	36.94	7.22	33.10

802.11ax HEW20_Nss1,(MCS0)_2TX

7095MHz_TnomVnom




EUT V_2TX
Setting -2.5
01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0974G	89.20	Inf	-Inf	78.51	3	Horizontal	343	2.84	-	36.51	7.25	33.07
RMS	7.0968G	80.32	Inf	-Inf	69.63	3	Horizontal	343	2.84	-	36.51	7.25	33.07
PK	7.1658G	64.52	88.20	-23.68	53.45	3	Horizontal	343	2.84	-	36.96	7.22	33.11
RMS	7.1856G	53.38	68.20	-14.82	42.25	3	Horizontal	343	2.84	-	37.04	7.21	33.12

802.11ax HEW20_Nss1,(MCS0)_2TX

7095MHz_TnomVnom




EUT_V_2TX
Setting -2.5
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	14.18106G	63.95	88.20	-24.25	42.80	3	Vertical	249	2.69	-	40.82	9.95	29.62	
RMS	14.17596G	50.27	68.20	-17.93	29.11	3	Vertical	249	2.69	-	40.82	9.95	29.61	

802.11ax HEW20_Nss1,(MCS0)_2TX

7095MHz_TnomVnom




EUT_V_2TX
Setting -2.5
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.18316G	64.05	88.20	-24.15	42.90	3	Horizontal	37	2.82	-	40.82	9.95	29.62
RMS	14.17554G	50.24	68.20	-17.96	29.08	3	Horizontal	37	2.82	-	40.82	9.95	29.61

802.11ax HEW20_Nss1,(MCS0)_2TX

7095MHz_TnomVnom




EUT V_2TX
Setting -2.5
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.28224G	49.54	83.54	-34.00	45.46	1	Vertical	225	1.77	-	37.64	16.08	49.64
AV	21.29988G	36.08	63.54	-27.46	31.98	1	Vertical	225	1.77	-	37.66	16.08	49.64

802.11ax HEW20_Nss1,(MCS0)_2TX

7095MHz_TnomVnom




EUT_V_2TX
Setting -2.5
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.27384G	49.23	83.54	-34.31	45.18	1	Horizontal	283	1.01	-	37.63	16.07	49.65
AV	21.29982G	36.01	63.54	-27.53	31.91	1	Horizontal	283	1.01	-	37.66	16.08	49.64

802.11ax HEW20_Nss1,(MCS0)_2TX

7115MHz_TnomVnom




EUT_V_2TX
Setting 10
03-G-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.11805G	98.52	Inf	-Inf	89.46	3	Vertical	68	1.56	-	35.91	8.20	35.05	
RMS	7.11805G	91.17	Inf	-Inf	82.11	3	Vertical	68	1.56	-	35.91	8.20	35.05	
PK	7.1255G	77.69	88.20	-10.51	68.60	3	Vertical	68	1.56	-	35.95	8.20	35.06	
RMS	7.1255G	66.63	68.20	-1.57	57.54	3	Vertical	68	1.56	-	35.95	8.20	35.06	

802.11ax HEW20_Nss1,(MCS0)_2TX

7115MHz_TnomVnom




EUT_V_2TX
Setting 10
03-G-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.11805G	94.76	Inf	-Inf	85.70	3	Horizontal	64	1.72	-	35.91	8.20	35.05	
RMS	7.12248G	87.10	Inf	-Inf	78.03	3	Horizontal	64	1.72	-	35.93	8.20	35.06	
PK	7.1255G	74.56	88.20	-13.64	65.47	3	Horizontal	64	1.72	-	35.95	8.20	35.06	
RMS	7.1255G	63.09	68.20	-5.11	54.00	3	Horizontal	64	1.72	-	35.95	8.20	35.06	

802.11ax HEW20_Nss1,(MCS0)_2TX

7115MHz_TnomVnom




EUT_V_2TX
Setting 10
03-G-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	14.22192G	65.34	88.20	-22.86	44.24	3	Vertical	235	1.77	-	41.60	12.51	33.01	
RMS	14.22122G	53.80	68.20	-14.40	32.70	3	Vertical	235	1.77	-	41.60	12.51	33.01	

802.11ax HEW20_Nss1,(MCS0)_2TX

7115MHz_TnomVnom




EUT_V_2TX
Setting 10
03-G-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.21782G	66.42	88.20	-21.78	45.31	3	Horizontal	49	1.80	-	41.60	12.51	33.00
RMS	14.22132G	54.28	68.20	-13.92	33.18	3	Horizontal	49	1.80	-	41.60	12.51	33.01

802.11ax HEW20_Nss1,(MCS0)_2TX

7115MHz_TnomVnom




EUT_V_2TX
Setting 10
03-G-S-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	21.34226G	48.21	83.54	-35.33	44.03	1	Vertical	37	1.53	-	37.71	16.10	49.63
AV	21.34456G	35.47	63.54	-28.07	31.28	1	Vertical	37	1.53	-	37.71	16.11	49.63

802.11ax HEW20_Nss1,(MCS0)_2TX

7115MHz_TnomVnom



EUT_V_2TX
Setting 10
03-G-S-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	21.34602G	47.94	83.54	-35.60	43.74	1	Horizontal	79	1.58	-	37.72	16.11	49.63
AV	21.34482G	35.47	63.54	-28.07	31.28	1	Horizontal	79	1.58	-	37.71	16.11	49.63



RSE TX above 1GHz
<Partial RU> low power_RU26_2TX_Ant. 3


Appendix E.23

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1.(MCS0)_2TX	Pass	RMS	7.1255G	68.08	68.20	-0.12	3	Vertical	90	1.66	-

802.11ax HEW20_Nss1,(MCS0)_2TX

5955MHz_TnomVnom




EUT V_2TX
Setting 13.25
01-M-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9114G	74.49	88.20	-13.71	65.74	3	Vertical	90	1.79	-	34.95	6.60	32.80	
RMS	5.9058G	51.54	68.20	-16.66	42.82	3	Vertical	90	1.79	-	34.92	6.60	32.80	
PK	5.947G	124.47	Inf	-Inf	115.60	3	Vertical	90	1.79	-	35.09	6.60	32.82	
RMS	5.9466G	111.15	Inf	-Inf	102.28	3	Vertical	90	1.79	-	35.09	6.60	32.82	

802.11ax HEW20_Nss1,(MCS0)_2TX

5955MHz_TnomVnom




EUT V_2TX
Setting 13.25
01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.8934G	59.51	74.00	-14.49	43.62	3	Vertical	230	1.80	-	38.50	8.97	31.58
AV	11.8928G	46.91	54.00	-7.09	31.02	3	Vertical	230	1.80	-	38.50	8.97	31.58

802.11ax HEW20_Nss1,(MCS0)_2TX

5955MHz_TnomVnom




EUT_V_2TX
Setting 13.25
01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.8932G	67.35	74.00	-6.65	51.46	3	Horizontal	199	1.80	-	38.50	8.97	31.58
AV	11.8928G	53.79	54.00	-0.21	37.90	3	Horizontal	199	1.80	-	38.50	8.97	31.58

802.11ax HEW20_Nss1,(MCS0)_2TX

6195MHz_TnomVnom




EUT V_2TX
Setting 10.75
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.7786G	59.78	88.20	-28.42	53.67	3	Vertical	66	1.80	-	34.20	7.40	35.49	
RMS	5.9086G	47.93	68.20	-20.27	41.34	3	Vertical	66	1.80	-	34.63	7.51	35.55	
PK	6.1866G	118.28	Inf	-Inf	110.97	3	Vertical	66	1.80	-	35.15	7.69	35.53	
RMS	6.1866G	106.84	Inf	-Inf	99.53	3	Vertical	66	1.80	-	35.15	7.69	35.53	

802.11ax HEW20_Nss1,(MCS0)_2TX

6195MHz_TnomVnom




EUT V_2TX
Setting 10.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.3606G	55.06	74.00	-18.94	40.53	3	Vertical	321	1.93	-	38.86	11.09	35.42
AV	12.3764G	42.09	54.00	-11.91	27.52	3	Vertical	321	1.93	-	38.88	11.10	35.41

802.11ax HEW20_Nss1,(MCS0)_2TX

6195MHz_TnomVnom




EUT V_2TX
 Setting 10.75
 03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.415G	55.65	74.00	-18.35	41.05	3	Horizontal	12	2.29	-	38.88	11.13	35.41
AV	12.3762G	42.14	54.00	-11.86	27.57	3	Horizontal	12	2.29	-	38.88	11.10	35.41

802.11ax HEW20_Nss1,(MCS0)_2TX

6195MHz_TnomVnom




EUT Y_2TX
Setting 10.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	18.582G	46.33	83.54	-37.21	43.65	1	Vertical	58	1.71	-	37.77	14.93	50.02	
AV	18.628G	32.85	63.54	-30.69	30.12	1	Vertical	58	1.71	-	37.75	14.95	49.97	

802.11ax HEW20_Nss1,(MCS0)_2TX

6195MHz_TnomVnom




EUT Y_2TX
Setting 10.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.552G	46.07	83.54	-37.47	43.42	1	Horizontal	359	2.26	-	37.78	14.92	50.05
AV	18.6326G	32.91	63.54	-30.63	30.18	1	Horizontal	359	2.26	-	37.75	14.95	49.97

802.11ax HEW20_Nss1,(MCS0)_2TX

6415MHz_TnomVnom




EUT_V_2TX
Setting 10.75
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8742G	59.82	88.20	-28.38	53.44	3	Vertical	66	1.80	-	34.45	7.47	35.54
RMS	5.9062G	47.93	68.20	-20.27	41.35	3	Vertical	66	1.80	-	34.62	7.51	35.55
PK	6.4086G	119.49	Inf	-Inf	112.34	3	Vertical	66	1.80	-	34.87	7.72	35.44
RMS	6.4086G	103.77	Inf	-Inf	96.62	3	Vertical	66	1.80	-	34.87	7.72	35.44
PK	7.1446G	61.85	88.20	-26.35	53.11	3	Vertical	66	1.80	-	36.07	8.20	35.53
RMS	7.199G	50.61	68.20	-17.59	41.56	3	Vertical	66	1.80	-	36.39	8.20	35.54

802.11ax HEW20_Nss1,(MCS0)_2TX

6415MHz_TnomVnom




EUT V_2TX
Setting 10.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8214G	57.11	88.20	-31.09	40.98	3	Vertical	261	1.52	-	39.32	11.46	34.65
RMS	12.872G	42.97	68.20	-25.23	26.63	3	Vertical	261	1.52	-	39.37	11.50	34.53

802.11ax HEW20_Nss1,(MCS0)_2TX

6415MHz_TnomVnom




EUT V_2TX
Setting 10.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8414G	56.87	88.20	-31.33	40.66	3	Horizontal	221	1.09	-	39.34	11.47	34.60
RMS	12.867G	43.04	68.20	-25.16	26.73	3	Horizontal	221	1.09	-	39.37	11.49	34.55

802.11ax HEW20_Nss1,(MCS0)_2TX

6415MHz_TnomVnom




EUT_V_2TX
Setting 10.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.2328G	47.03	83.54	-36.51	43.77	1	Vertical	8	1.25	-	37.72	15.19	49.65
AV	19.214G	33.79	63.54	-29.75	30.50	1	Vertical	8	1.25	-	37.74	15.19	49.64

802.11ax HEW20_Nss1,(MCS0)_2TX

6415MHz_TnomVnom




EUT V_2TX
Setting 10.75
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.239G	47.04	83.54	-36.50	43.78	1	Horizontal	300	1.31	-	37.71	15.20	49.65
AV	19.2356G	33.83	63.54	-29.71	30.57	1	Horizontal	300	1.31	-	37.72	15.19	49.65

802.11ax HEW20_Nss1,(MCS0)_2TX

6435MHz_TnomVnom




EUT V_2TX
Setting -7.75
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	59.12	88.20	-29.08	52.46	3	Vertical	68	1.82	-	34.70	7.52	35.56
RMS	5.923G	47.88	68.20	-20.32	41.23	3	Vertical	68	1.82	-	34.69	7.52	35.56
PK	6.4254G	100.25	Inf	-Inf	93.13	3	Vertical	68	1.82	-	34.80	7.75	35.43
RMS	6.4254G	86.80	Inf	-Inf	79.68	3	Vertical	68	1.82	-	34.80	7.75	35.43
PK	7.1966G	62.34	88.20	-25.86	53.30	3	Vertical	68	1.82	-	36.38	8.20	35.54
RMS	7.2318G	50.79	68.20	-17.41	41.49	3	Vertical	68	1.82	-	36.59	8.26	35.55

802.11ax HEW20_Nss1,(MCS0)_2TX

6435MHz_TnomVnom




EUT V_2TX
Setting -7.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8558G	57.02	88.20	-31.18	40.75	3	Vertical	103	2.79	-	39.36	11.48	34.57
RMS	12.9046G	43.15	68.20	-25.05	26.69	3	Vertical	103	2.79	-	39.40	11.52	34.46

802.11ax HEW20_Nss1,(MCS0)_2TX

6435MHz_TnomVnom




EUT V_2TX
Setting -7.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.868G	56.36	88.20	-31.84	40.04	3	Horizontal	145	1.54	-	39.37	11.49	34.54
RMS	12.8964G	43.09	68.20	-25.11	26.65	3	Horizontal	145	1.54	-	39.40	11.52	34.48

802.11ax HEW20_Nss1,(MCS0)_2TX

6435MHz_TnomVnom




EUT V_2TX
Setting -7.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	19.323G	47.03	83.54	-36.51	43.70	1	Vertical	178	2.36	-	37.76	15.23	49.66	
AV	19.2612G	33.71	63.54	-29.83	30.45	1	Vertical	178	2.36	-	37.71	15.20	49.65	

802.11ax HEW20_Nss1,(MCS0)_2TX

6435MHz_TnomVnom




EUT V_2TX
Setting -7.75
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.2676G	47.09	83.54	-36.45	43.82	1	Horizontal	17	1.44	-	37.71	15.21	49.65
AV	19.2808G	33.65	63.54	-29.89	30.38	1	Horizontal	17	1.44	-	37.72	15.21	49.66

802.11ax HEW20_Nss1,(MCS0)_2TX

6475MHz_TnomVnom




EUT_V_2TX
Setting -8
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.923G	59.25	88.20	-28.95	52.60	3	Vertical	90	1.80	-	34.69	7.52	35.56
RMS	5.923G	47.84	68.20	-20.36	41.19	3	Vertical	90	1.80	-	34.69	7.52	35.56
PK	6.466G	99.21	Inf	-Inf	92.09	3	Vertical	90	1.80	-	34.70	7.83	35.41
RMS	6.466G	87.39	Inf	-Inf	80.27	3	Vertical	90	1.80	-	34.70	7.83	35.41
PK	7.204G	61.86	88.20	-26.34	52.77	3	Vertical	90	1.80	-	36.42	8.21	35.54
RMS	7.216G	50.63	68.20	-17.57	41.45	3	Vertical	90	1.80	-	36.50	8.23	35.55

802.11ax HEW20_Nss1,(MCS0)_2TX

6475MHz_TnomVnom




EUT_V_2TX
Setting -8
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.9982G	56.86	88.20	-31.34	40.00	3	Vertical	57	2.04	-	39.50	11.60	34.24	
RMS	12.9966G	44.30	68.20	-23.90	27.45	3	Vertical	57	2.04	-	39.50	11.60	34.25	

802.11ax HEW20_Nss1,(MCS0)_2TX

6475MHz_TnomVnom




EUT_V_2TX
 Setting -8
 03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.9228G	56.65	88.20	-31.55	40.11	3	Horizontal	315	2.93	-	39.42	11.54	34.42
RMS	12.9994G	44.35	68.20	-23.85	27.49	3	Horizontal	315	2.93	-	39.50	11.60	34.24

802.11ax HEW20_Nss1,(MCS0)_2TX

6475MHz_TnomVnom




EUT_V_2TX
Setting -8
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.3758G	48.19	83.54	-35.35	44.82	1	Vertical	277	1.49	-	37.80	15.25	49.68	
AV	19.375G	33.70	63.54	-29.84	30.33	1	Vertical	277	1.49	-	37.80	15.25	49.68	

802.11ax HEW20_Nss1,(MCS0)_2TX

6475MHz_TnomVnom




EUT_V_2TX
Setting -8
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.3944G	47.16	83.54	-36.38	43.76	1	Horizontal	76	3.00	-	37.82	15.26	49.68
AV	19.3756G	33.65	63.54	-29.89	30.28	1	Horizontal	76	3.00	-	37.80	15.25	49.68

802.11ax HEW20_Nss1,(MCS0)_2TX

6515MHz_TnomVnom




EUT V_2TX
Setting -7.75
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8738G	59.56	88.20	-28.64	53.19	3	Vertical	88	1.85	-	34.44	7.47	35.54
RMS	5.9074G	47.87	88.20	-40.33	41.28	3	Vertical	88	1.85	-	34.63	7.51	35.55
PK	6.5066G	99.14	Inf	-Inf	91.90	3	Vertical	88	1.85	-	34.73	7.91	35.40
RMS	6.5066G	86.75	Inf	-Inf	79.51	3	Vertical	88	1.85	-	34.73	7.91	35.40
PK	7.187G	62.13	88.20	-26.07	53.15	3	Vertical	88	1.85	-	36.32	8.20	35.54
RMS	7.2122G	50.70	88.20	-37.50	41.56	3	Vertical	88	1.85	-	36.47	8.22	35.55

802.11ax HEW20_Nss1,(MCS0)_2TX

6515MHz_TnomVnom




EUT V_2TX
Setting -7.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0686G	58.28	88.20	-29.92	41.05	3	Vertical	248	2.41	-	39.71	11.65	34.13
RMS	13.0692G	44.56	68.20	-23.64	27.32	3	Vertical	248	2.41	-	39.71	11.66	34.13

802.11ax HEW20_Nss1,(MCS0)_2TX

6515MHz_TnomVnom




EUT V_2TX
Setting -7.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.0646G	58.13	88.20	-30.07	40.92	3	Horizontal	245	2.29	-	39.69	11.65	34.13	
RMS	13.0766G	44.69	68.20	-23.51	27.41	3	Horizontal	245	2.29	-	39.73	11.66	34.11	

802.11ax HEW20_Nss1,(MCS0)_2TX

6515MHz_TnomVnom




EUT V_2TX
Setting -7.75
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.5054G	47.68	83.54	-35.86	44.18	1	Vertical	304	1.70	-	37.90	15.30	49.70	
AV	19.5946G	34.00	63.54	-29.54	30.50	1	Vertical	304	1.70	-	37.86	15.34	49.70	

802.11ax HEW20_Nss1,(MCS0)_2TX

6515MHz_TnomVnom




EUT_V_2TX
Setting -7.75
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.5918G	47.26	83.54	-36.28	43.76	1	Horizontal	35	1.45	-	37.86	15.34	49.70
AV	19.5892G	33.94	63.54	-29.60	30.44	1	Horizontal	35	1.45	-	37.86	15.34	49.70

802.11ax HEW20_Nss1,(MCS0)_2TX

6535MHz_TnomVnom




EUT_V_2TX
Setting 10.75
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9246G	59.65	88.20	-28.55	52.99	3	Vertical	69	1.80	-	34.70	7.52	35.56
RMS	5.9246G	47.86	68.20	-20.34	41.20	3	Vertical	69	1.80	-	34.70	7.52	35.56
PK	6.5434G	117.27	Inf	-Inf	109.82	3	Vertical	69	1.80	-	34.87	7.99	35.41
RMS	6.5434G	105.55	Inf	-Inf	98.10	3	Vertical	69	1.80	-	34.87	7.99	35.41
PK	7.1566G	62.19	88.20	-26.01	53.38	3	Vertical	69	1.80	-	36.14	8.20	35.53
RMS	7.2322G	50.87	68.20	-17.33	41.57	3	Vertical	69	1.80	-	36.59	8.26	35.55

802.11ax HEW20_Nss1,(MCS0)_2TX

6535MHz_TnomVnom




EUT_V_2TX
Setting 10.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.058G	57.95	88.20	-30.25	40.77	3	Vertical	140	1.48	-	39.67	11.65	34.14	
RMS	13.0766G	44.79	68.20	-23.41	27.51	3	Vertical	140	1.48	-	39.73	11.66	34.11	

802.11ax HEW20_Nss1,(MCS0)_2TX

6535MHz_TnomVnom




EUT_V_2TX
Setting 10.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.113G	57.60	88.20	-30.60	40.15	3	Horizontal	339	1.11	-	39.81	11.69	34.05
RMS	13.0796G	44.81	68.20	-23.39	27.52	3	Horizontal	339	1.11	-	39.74	11.66	34.11

802.11ax HEW20_Nss1,(MCS0)_2TX

6535MHz_TnomVnom




EUT_V_2TX
Setting 10.75
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.6528G	47.85	83.54	-35.69	44.35	1	Vertical	67	2.90	-	37.84	15.36	49.70
AV	19.655G	34.26	63.54	-29.28	30.76	1	Vertical	67	2.90	-	37.84	15.36	49.70

802.11ax HEW20_Nss1,(MCS0)_2TX

6535MHz_TnomVnom




EUT_V_2TX
Setting 10.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.559G	47.78	83.54	-35.76	44.28	1	Horizontal	127	1.10	-	37.88	15.32	49.70
AV	19.6526G	34.27	63.54	-29.27	30.77	1	Horizontal	127	1.10	-	37.84	15.36	49.70

802.11ax HEW20_Nss1,(MCS0)_2TX

6695MHz_TnomVnom




EUT V_2TX
Setting 10.75
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7038G	119.39	Inf	-Inf	111.31	3	Vertical	70	1.80	-	35.42	8.10	35.44
RMS	6.7038G	107.25	Inf	-Inf	99.17	3	Vertical	70	1.80	-	35.42	8.10	35.44
PK	7.234G	62.44	88.20	-25.76	53.12	3	Vertical	70	1.80	-	36.60	8.27	35.55
RMS	7.234G	50.85	68.20	-17.35	41.53	3	Vertical	70	1.80	-	36.60	8.27	35.55

802.11ax HEW20_Nss1,(MCS0)_2TX

6695MHz_TnomVnom




EUT_V_2TX
Setting 10.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.397G	58.88	74.00	-15.12	40.25	3	Vertical	134	1.80	-	40.29	11.92	33.58
AV	13.3974G	45.42	54.00	-8.58	26.79	3	Vertical	134	1.80	-	40.29	11.92	33.58

802.11ax HEW20_Nss1,(MCS0)_2TX

6695MHz_TnomVnom




EUT V_2TX
Setting 10.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.3962G	59.16	74.00	-14.84	40.53	3	Horizontal	299	1.05	-	40.29	11.92	33.58
AV	13.3998G	45.53	54.00	-8.47	26.89	3	Horizontal	299	1.05	-	40.30	11.92	33.58

802.11ax HEW20_Nss1,(MCS0)_2TX

6695MHz_TnomVnom




EUT Y_2TX
Setting 10.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.0592G	48.14	83.54	-35.40	44.88	1	Vertical	121	2.41	-	37.45	15.53	49.72
AV	20.0384G	34.44	63.54	-29.10	31.21	1	Vertical	121	2.41	-	37.43	15.52	49.72

802.11ax HEW20_Nss1,(MCS0)_2TX

6695MHz_TnomVnom




EUT_V_2TX
Setting 10.75
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.0472G	48.05	83.54	-35.49	44.81	1	Horizontal	322	1.42	-	37.44	15.52	49.72
AV	20.0574G	34.39	63.54	-29.15	31.13	1	Horizontal	322	1.42	-	37.45	15.53	49.72

802.11ax HEW20_Nss1,(MCS0)_2TX

6855MHz_TnomVnom




EUT_V_2TX
Setting 23
01-M-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8634G	126.33	Inf	-Inf	115.72	3	Vertical	88	1.74	-	36.49	7.10	32.98
RMS	6.8634G	118.34	Inf	-Inf	107.73	3	Vertical	88	1.74	-	36.49	7.10	32.98
PK	7.17G	65.21	88.20	-22.99	54.13	3	Vertical	88	1.74	-	36.98	7.21	33.11
RMS	7.2008G	53.36	68.20	-14.84	42.18	3	Vertical	88	1.74	-	37.10	7.20	33.12

802.11ax HEW20_Nss1,(MCS0)_2TX

6855MHz_TnomVnom




EUT_V_2TX
Setting 23
01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.7278G	66.97	88.20	-21.23	46.26	3	Vertical	167	2.24	-	40.58	9.78	29.65	
RMS	13.727G	58.01	68.20	-10.19	37.30	3	Vertical	167	2.24	-	40.58	9.78	29.65	

802.11ax HEW20_Nss1,(MCS0)_2TX

6855MHz_TnomVnom




EUT_V_2TX
 Setting 23
 01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7278G	65.40	88.20	-22.80	44.69	3	Horizontal	148	1.75	-	40.58	9.78	29.65
RMS	13.727G	56.18	68.20	-12.02	35.47	3	Horizontal	148	1.75	-	40.58	9.78	29.65

802.11ax HEW20_Nss1,(MCS0)_2TX

6855MHz_TnomVnom




EUT V_2TX
Setting 23
01-M-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	20.5474G	47.28	83.54	-36.26	43.65	1	Vertical	182	1.88	-	37.76	15.75	49.88	
AV	20.5908G	35.80	63.54	-27.74	32.08	1	Vertical	182	1.88	-	37.81	15.77	49.86	

802.11ax HEW20_Nss1,(MCS0)_2TX

6855MHz_TnomVnom




EUT_V_2TX
Setting 23
01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.6014G	47.29	83.54	-36.25	43.56	1	Horizontal	156	1.14	-	37.82	15.77	49.86
AV	20.5898G	35.73	63.54	-27.81	32.01	1	Horizontal	156	1.14	-	37.81	15.77	49.86

802.11ax HEW20_Nss1,(MCS0)_2TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT V_2TX
Setting -7.75
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.8834G	102.09	Inf	-Inf	93.79	3	Vertical	75	1.85	-	35.63	8.14	35.47	
RMS	6.8834G	90.01	Inf	-Inf	81.71	3	Vertical	75	1.85	-	35.63	8.14	35.47	
PK	7.2054G	62.48	88.20	-25.72	53.38	3	Vertical	75	1.85	-	36.43	8.21	35.54	
RMS	7.218G	50.83	68.20	-17.37	41.63	3	Vertical	75	1.85	-	36.51	8.24	35.55	

802.11ax HEW20_Nss1,(MCS0)_2TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_2TX
Setting -7.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.736G	61.38	88.20	-26.82	42.01	3	Vertical	179	1.42	-	40.67	12.19	33.49
RMS	13.7G	48.34	68.20	-19.86	29.06	3	Vertical	179	1.42	-	40.60	12.16	33.48

802.11ax HEW20_Nss1,(MCS0)_2TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT V_2TX
 Setting -7.75
 03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7292G	62.29	88.20	-25.91	42.94	3	Horizontal	45	1.65	-	40.66	12.18	33.49
RMS	13.7014G	48.38	68.20	-19.82	29.10	3	Horizontal	45	1.65	-	40.60	12.16	33.48

802.11ax HEW20_Nss1,(MCS0)_2TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_2TX
Setting -7.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.6128G	49.11	83.54	-34.43	45.34	1	Vertical	98	2.90	-	37.84	15.78	49.85
AV	20.5764G	34.96	63.54	-28.58	31.28	1	Vertical	98	2.90	-	37.79	15.76	49.87

802.11ax HEW20_Nss1,(MCS0)_2TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_2TX
Setting -7.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.6202G	47.99	83.54	-35.55	44.22	1	Horizontal	339	1.60	-	37.84	15.78	49.85
AV	20.5766G	34.96	63.54	-28.58	31.28	1	Horizontal	339	1.60	-	37.79	15.76	49.87

802.11ax HEW20_Nss1,(MCS0)_2TX

6895MHz_TnomVnom




EUT V_2TX
Setting -7.75
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9034G	101.03	Inf	-Inf	92.74	3	Vertical	93	1.88	-	35.61	8.15	35.47
RMS	6.9034G	89.65	Inf	-Inf	81.36	3	Vertical	93	1.88	-	35.61	8.15	35.47
PK	7.2338G	62.82	88.20	-25.38	53.50	3	Vertical	93	1.88	-	36.60	8.27	35.55
RMS	7.245G	50.87	68.20	-17.33	41.46	3	Vertical	93	1.88	-	36.67	8.29	35.55

802.11ax HEW20_Nss1,(MCS0)_2TX

6895MHz_TnomVnom




EUT V_2TX
 Setting -7.75
 03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.8082G	61.39	88.20	-26.81	41.83	3	Vertical	68	1.59	-	40.82	12.25	33.51	
RMS	13.7416G	48.24	68.20	-19.96	28.86	3	Vertical	68	1.59	-	40.68	12.19	33.49	

802.11ax HEW20_Nss1,(MCS0)_2TX

6895MHz_TnomVnom




EUT V_2TX
Setting -7.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7898G	61.33	88.20	-26.87	41.83	3	Horizontal	97	2.30	-	40.78	12.23	33.51
RMS	13.74G	48.25	68.20	-19.95	28.87	3	Horizontal	97	2.30	-	40.68	12.19	33.49

802.11ax HEW20_Nss1,(MCS0)_2TX

6895MHz_TnomVnom




EUT_V_2TX
Setting -7.75
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.6468G	47.96	83.54	-35.58	44.13	1	Vertical	194	1.60	-	37.88	15.79	49.84
AV	20.7342G	35.09	63.54	-28.45	31.09	1	Vertical	194	1.60	-	37.98	15.83	49.81

802.11ax HEW20_Nss1,(MCS0)_2TX

6895MHz_TnomVnom




EUT_V_2TX
Setting -7.75
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	20.6872G	48.48	83.54	-35.06	44.58	1	Horizontal	39	3.00	-	37.92	15.81	49.83	
AV	20.7348G	34.97	63.54	-28.57	30.97	1	Horizontal	39	3.00	-	37.98	15.83	49.81	

802.11ax HEW20_Nss1,(MCS0)_2TX

6995MHz_TnomVnom




EUT V_2TX
Setting -8.75
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.003G	101.56	Inf	-Inf	93.15	3	Vertical	69	1.80	-	35.70	8.20	35.49	
RMS	7.003G	90.66	Inf	-Inf	82.25	3	Vertical	69	1.80	-	35.70	8.20	35.49	
PK	7.202G	62.44	88.20	-25.76	53.37	3	Vertical	69	1.80	-	36.41	8.20	35.54	
RMS	7.239G	50.88	68.20	-17.32	41.52	3	Vertical	69	1.80	-	36.63	8.28	35.55	

802.11ax HEW20_Nss1,(MCS0)_2TX

6995MHz_TnomVnom




EUT V_2TX
Setting -8.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.959G	62.73	88.20	-25.47	42.81	3	Vertical	162	1.71	-	41.12	12.37	33.57	
RMS	14.04G	49.78	68.20	-18.42	29.68	3	Vertical	162	1.71	-	41.32	12.42	33.64	

802.11ax HEW20_Nss1,(MCS0)_2TX

6995MHz_TnomVnom




EUT V_2TX
Setting -8.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.024G	63.01	88.20	-25.19	42.95	3	Horizontal	319	2.71	-	41.27	12.41	33.62
RMS	14.0392G	49.88	68.20	-18.32	29.78	3	Horizontal	319	2.71	-	41.32	12.42	33.64

802.11ax HEW20_Nss1,(MCS0)_2TX

6995MHz_TnomVnom




EUT V_2TX
Setting -8.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.9468G	48.69	83.54	-34.85	44.79	1	Vertical	105	1.08	-	37.69	15.93	49.72
AV	21.0304G	35.03	63.54	-28.51	31.16	1	Vertical	105	1.08	-	37.60	15.96	49.69

802.11ax HEW20_Nss1,(MCS0)_2TX

6995MHz_TnomVnom




EUT V_2TX
Setting -8.75
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.9982G	48.69	83.54	-34.85	44.84	1	Horizontal	115	2.79	-	37.60	15.95	49.70
AV	21.0274G	35.06	63.54	-28.48	31.19	1	Horizontal	115	2.79	-	37.60	15.96	49.69

802.11ax HEW20_Nss1,(MCS0)_2TX

7095MHz_TnomVnom




EUT V_2TX
Setting -7
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.1034G	100.89	Inf	-Inf	92.39	3	Vertical	68	1.59	-	35.82	8.20	35.52
RMS	7.1034G	89.66	Inf	-Inf	81.16	3	Vertical	68	1.59	-	35.82	8.20	35.52
PK	7.1988G	62.17	88.20	-26.03	53.12	3	Vertical	68	1.59	-	36.39	8.20	35.54
RMS	7.2402G	50.91	68.20	-17.29	41.54	3	Vertical	68	1.59	-	36.64	8.28	35.55

802.11ax HEW20_Nss1,(MCS0)_2TX

7095MHz_TnomVnom




EUT_V_2TX
Setting -7
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.202G	63.70	88.20	-24.50	43.50	3	Vertical	10	1.66	-	41.60	12.50	33.90
RMS	14.1558G	50.31	68.20	-17.89	30.10	3	Vertical	10	1.66	-	41.56	12.48	33.83

802.11ax HEW20_Nss1,(MCS0)_2TX

7095MHz_TnomVnom




EUT_V_2TX
Setting -7
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.15G	63.24	88.20	-24.96	43.03	3	Horizontal	2	1.44	-	41.55	12.48	33.82
RMS	14.142G	50.25	68.20	-17.95	30.04	3	Horizontal	2	1.44	-	41.54	12.47	33.80

802.11ax HEW20_Nss1,(MCS0)_2TX

7095MHz_TnomVnom




EUT_V_2TX
Setting -7
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.331G	49.77	83.54	-33.77	45.60	1	Vertical	51	2.62	-	37.70	16.10	49.63
AV	21.3348G	36.31	63.54	-27.23	32.14	1	Vertical	51	2.62	-	37.70	16.10	49.63

802.11ax HEW20_Nss1,(MCS0)_2TX

7095MHz_TnomVnom




EUT_V_2TX
Setting -7
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.2846G	49.10	83.54	-34.44	45.02	1	Horizontal	126	1.88	-	37.64	16.08	49.64
AV	21.3338G	36.33	63.54	-27.21	32.16	1	Horizontal	126	1.88	-	37.70	16.10	49.63

802.11ax HEW20_Nss1,(MCS0)_2TX

7115MHz_TnomVnom




EUT Y_2TX
Setting 10.75
01-M-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.12368G	107.88	Inf	-Inf	97.03	3	Vertical	90	1.66	-	36.69	7.24	33.08	
RMS	7.12313G	94.60	Inf	-Inf	83.75	3	Vertical	90	1.66	-	36.69	7.24	33.08	
PK	7.1255G	85.95	88.20	-2.25	75.10	3	Vertical	90	1.66	-	36.70	7.24	33.09	
RMS	7.1255G	68.08	68.20	-0.12	57.23	3	Vertical	90	1.66	-	36.70	7.24	33.09	

802.11ax HEW20_Nss1,(MCS0)_2TX

7115MHz_TnomVnom




EUT Y_2TX
Setting 10.75
01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.2468G	63.45	88.20	-24.75	42.43	3	Vertical	173	1.80	-	40.71	9.97	29.66
RMS	14.2468G	52.17	68.20	-16.03	31.15	3	Vertical	173	1.80	-	40.71	9.97	29.66

802.11ax HEW20_Nss1,(MCS0)_2TX

7115MHz_TnomVnom




EUT_V_2TX
Setting 10.75
01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.2476G	67.68	88.20	-20.52	46.67	3	Horizontal	203	2.96	-	40.70	9.97	29.66
RMS	14.2466G	55.17	68.20	-13.03	34.15	3	Horizontal	203	2.96	-	40.71	9.97	29.66

802.11ax HEW20_Nss1,(MCS0)_2TX

7115MHz_TnomVnom




EUT V_2TX
Setting 10.75
01-M-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	21.392G	48.72	83.54	-34.82	44.44	1	Vertical	90	1.21	-	37.77	16.13	49.62
AV	21.347G	36.16	63.54	-27.38	31.96	1	Vertical	90	1.21	-	37.72	16.11	49.63

802.11ax HEW20_Nss1,(MCS0)_2TX

7115MHz_TnomVnom



EUT V_2TX
Setting 10.75
01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.389G	48.13	83.54	-35.41	43.85	1	Horizontal	108	2.68	-	37.77	16.13	49.62
AV	21.3734G	36.17	63.54	-27.37	31.93	1	Horizontal	108	2.68	-	37.75	16.12	49.63



RSE TX above 1GHz
<Partial RU> low power_RU52_2TX_Ant. 3


Appendix E.24

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1.(MCS0)_2TX	Pass	AV	11.8952G	53.85	54.00	-0.15	3	Horizontal	205	1.80	-

802.11ax HEW20_Nss1,(MCS0)_2TX

5955MHz_TnomVnom




EUT V_2TX
Setting 14.25
01-M-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9174G	82.83	88.20	-5.37	74.07	3	Vertical	69	1.50	-	34.97	6.60	32.81
RMS	5.9178G	53.72	68.20	-14.48	44.96	3	Vertical	69	1.50	-	34.97	6.60	32.81
PK	5.949G	122.32	Inf	-Inf	113.44	3	Vertical	69	1.50	-	35.10	6.60	32.82
RMS	5.9474G	108.31	Inf	-Inf	99.44	3	Vertical	69	1.50	-	35.09	6.60	32.82

802.11ax HEW20_Nss1,(MCS0)_2TX

5955MHz_TnomVnom




EUT Y_2TX
Setting 14.25
01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.8972G	58.51	74.00	-15.49	42.62	3	Vertical	230	1.78	-	38.50	8.97	31.58
AV	11.8952G	46.84	54.00	-7.16	30.95	3	Vertical	230	1.78	-	38.50	8.97	31.58

802.11ax HEW20_Nss1,(MCS0)_2TX

5955MHz_TnomVnom




EUT_V_2TX
Setting 14.25
01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.895G	65.67	74.00	-8.33	49.78	3	Horizontal	205	1.80	-	38.50	8.97	31.58
AV	11.8952G	53.85	54.00	-0.15	37.96	3	Horizontal	205	1.80	-	38.50	8.97	31.58

802.11ax HEW20_Nss1,(MCS0)_2TX

6195MHz_TnomVnom




EUT V_2TX
 Setting 13.5
 03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.6518G	58.88	88.20	-29.32	52.42	3	Vertical	68	1.73	-	34.49	7.40	35.43	
RMS	5.9066G	47.76	68.20	-20.44	41.17	3	Vertical	68	1.73	-	34.63	7.51	35.55	
PK	6.1894G	117.89	Inf	-Inf	110.56	3	Vertical	68	1.73	-	35.16	7.69	35.52	
RMS	6.1866G	106.21	Inf	-Inf	98.90	3	Vertical	68	1.73	-	35.15	7.69	35.53	

802.11ax HEW20_Nss1,(MCS0)_2TX

6195MHz_TnomVnom




EUT_V_2TX
Setting 13.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.3782G	58.50	74.00	-15.50	43.93	3	Vertical	316	2.47	-	38.88	11.10	35.41
AV	12.3756G	44.61	54.00	-9.39	30.04	3	Vertical	316	2.47	-	38.88	11.10	35.41

802.11ax HEW20_Nss1,(MCS0)_2TX

6195MHz_TnomVnom




EUT_V_2TX
Setting 13.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.3748G	62.44	74.00	-11.56	47.89	3	Horizontal	205	2.35	-	38.87	11.10	35.42
AV	12.3754G	47.46	54.00	-6.54	32.89	3	Horizontal	205	2.35	-	38.88	11.10	35.41

802.11ax HEW20_Nss1,(MCS0)_2TX

6195MHz_TnomVnom




EUT V_2TX
Setting 13.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.6156G	46.83	83.54	-36.71	44.11	1	Vertical	68	2.58	-	37.75	14.95	49.98
AV	18.6254G	32.96	63.54	-30.58	30.23	1	Vertical	68	2.58	-	37.75	14.95	49.97

802.11ax HEW20_Nss1,(MCS0)_2TX

6195MHz_TnomVnom




EUT_V_2TX
Setting 13.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.5912G	46.20	83.54	-37.34	43.51	1	Horizontal	17	1.49	-	37.76	14.94	50.01
AV	18.626G	32.94	63.54	-30.60	30.21	1	Horizontal	17	1.49	-	37.75	14.95	49.97

802.11ax HEW20_Nss1,(MCS0)_2TX

6415MHz_TnomVnom




EUT V_2TX
Setting 13.75
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.631G	59.07	88.20	-29.13	52.55	3	Vertical	65	1.79	-	34.54	7.40	35.42
RMS	5.9222G	47.96	68.20	-20.24	41.31	3	Vertical	65	1.79	-	34.69	7.52	35.56
PK	6.4086G	119.65	Inf	-Inf	112.50	3	Vertical	65	1.79	-	34.87	7.72	35.44
RMS	6.4086G	106.58	Inf	-Inf	99.43	3	Vertical	65	1.79	-	34.87	7.72	35.44
PK	7.199G	60.76	88.20	-27.44	51.71	3	Vertical	65	1.79	-	36.39	8.20	35.54
RMS	7.199G	50.75	68.20	-17.45	41.70	3	Vertical	65	1.79	-	36.39	8.20	35.54

802.11ax HEW20_Nss1,(MCS0)_2TX

6415MHz_TnomVnom




EUT_V_2TX
Setting 13.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.8148G	55.97	88.20	-32.23	39.88	3	Vertical	360	1.45	-	39.31	11.45	34.67	
RMS	12.8162G	41.96	68.20	-26.24	25.85	3	Vertical	360	1.45	-	39.32	11.45	34.66	

802.11ax HEW20_Nss1,(MCS0)_2TX

6415MHz_TnomVnom




EUT V_2TX
Setting 13.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8184G	60.20	88.20	-28.00	44.09	3	Horizontal	204	2.50	-	39.32	11.45	34.66
RMS	12.8162G	46.24	68.20	-21.96	30.13	3	Horizontal	204	2.50	-	39.32	11.45	34.66

802.11ax HEW20_Nss1,(MCS0)_2TX

6415MHz_TnomVnom




EUT_V_2TX
Setting 13.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.2468G	47.18	83.54	-36.36	43.93	1	Vertical	329	1.80	-	37.70	15.20	49.65
AV	19.2528G	33.88	63.54	-29.66	30.63	1	Vertical	329	1.80	-	37.70	15.20	49.65

802.11ax HEW20_Nss1,(MCS0)_2TX

6415MHz_TnomVnom




EUT_V_2TX
Setting 13.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.257G	47.34	83.54	-36.20	44.08	1	Horizontal	217	1.69	-	37.71	15.20	49.65
AV	19.2282G	33.88	63.54	-29.66	30.61	1	Horizontal	217	1.69	-	37.73	15.19	49.65

802.11ax HEW20_Nss1,(MCS0)_2TX

6435MHz_TnomVnom




EUT V_2TX
Setting -5.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.898G	58.54	88.20	-29.66	52.00	3	Vertical	77	1.33	-	34.59	7.50	35.55
RMS	5.922G	47.97	68.20	-20.23	41.32	3	Vertical	77	1.33	-	34.69	7.52	35.56
PK	6.429G	99.61	Inf	-Inf	92.50	3	Vertical	77	1.33	-	34.78	7.76	35.43
RMS	6.429G	88.85	Inf	-Inf	81.74	3	Vertical	77	1.33	-	34.78	7.76	35.43
PK	7.143G	60.40	88.20	-27.80	51.67	3	Vertical	77	1.33	-	36.06	8.20	35.53
RMS	7.143G	50.48	68.20	-17.72	41.75	3	Vertical	77	1.33	-	36.06	8.20	35.53

802.11ax HEW20_Nss1,(MCS0)_2TX

6435MHz_TnomVnom




EUT_V_2TX
Setting -5.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.8312G	56.28	88.20	-31.92	40.12	3	Vertical	52	1.90	-	39.33	11.46	34.63	
RMS	12.8818G	43.13	68.20	-25.07	26.75	3	Vertical	52	1.90	-	39.38	11.51	34.51	

802.11ax HEW20_Nss1,(MCS0)_2TX

6435MHz_TnomVnom




EUT V_2TX
Setting -5.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.8922G	56.26	88.20	-31.94	39.85	3	Horizontal	330	1.24	-	39.39	11.51	34.49	
RMS	12.919G	43.11	68.20	-25.09	26.58	3	Horizontal	330	1.24	-	39.42	11.54	34.43	

802.11ax HEW20_Nss1,(MCS0)_2TX

6435MHz_TnomVnom




EUT_V_2TX
Setting -5.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.324G	47.02	83.54	-36.52	43.69	1	Vertical	160	2.71	-	37.76	15.23	49.66
AV	19.264G	33.76	63.54	-29.78	30.49	1	Vertical	160	2.71	-	37.71	15.21	49.65

802.11ax HEW20_Nss1,(MCS0)_2TX

6435MHz_TnomVnom




EUT_V_2TX
Setting -5.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.2866G	47.09	83.54	-36.45	43.81	1	Horizontal	209	2.62	-	37.73	15.21	49.66
AV	19.2722G	33.76	63.54	-29.78	30.48	1	Horizontal	209	2.62	-	37.72	15.21	49.65

802.11ax HEW20_Nss1,(MCS0)_2TX

6475MHz_TnomVnom




EUT V_2TX
Setting -5.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.899G	58.99	88.20	-29.21	52.45	3	Vertical	67	1.25	-	34.59	7.50	35.55
RMS	5.902G	47.94	68.20	-20.26	41.38	3	Vertical	67	1.25	-	34.61	7.50	35.55
PK	6.469G	98.84	Inf	-Inf	91.71	3	Vertical	67	1.25	-	34.70	7.84	35.41
RMS	6.469G	87.29	Inf	-Inf	80.16	3	Vertical	67	1.25	-	34.70	7.84	35.41
PK	7.213G	60.98	88.20	-27.22	51.82	3	Vertical	67	1.25	-	36.48	8.23	35.55
RMS	7.222G	50.75	68.20	-17.45	41.53	3	Vertical	67	1.25	-	36.53	8.24	35.55

802.11ax HEW20_Nss1,(MCS0)_2TX

6475MHz_TnomVnom




EUT_V_2TX
Setting -5.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.9884G	56.74	88.20	-31.46	39.93	3	Vertical	222	2.69	-	39.49	11.59	34.27
RMS	12.9978G	44.26	68.20	-23.94	27.41	3	Vertical	222	2.69	-	39.50	11.60	34.25

802.11ax HEW20_Nss1,(MCS0)_2TX

6475MHz_TnomVnom




EUT_V_2TX
Setting -5.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.9932G	57.18	88.20	-31.02	40.36	3	Horizontal	249	1.06	-	39.49	11.59	34.26
RMS	12.9978G	44.27	68.20	-23.93	27.42	3	Horizontal	249	1.06	-	39.50	11.60	34.25

802.11ax HEW20_Nss1,(MCS0)_2TX

6475MHz_TnomVnom




EUT V_2TX
Setting -5.5
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.4092G	46.81	83.54	-36.73	43.40	1	Vertical	95	1.12	-	37.83	15.26	49.68	
AV	19.4698G	33.69	63.54	-29.85	30.21	1	Vertical	95	1.12	-	37.88	15.29	49.69	

802.11ax HEW20_Nss1,(MCS0)_2TX

6475MHz_TnomVnom




EUT_V_2TX
Setting -5.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.4536G	47.71	83.54	-35.83	44.26	1	Horizontal	133	2.65	-	37.86	15.28	49.69
AV	19.4446G	33.64	63.54	-29.90	30.19	1	Horizontal	133	2.65	-	37.86	15.28	49.69

802.11ax HEW20_Nss1,(MCS0)_2TX

6515MHz_TnomVnom




EUT_V_2TX
Setting -5.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.843G	58.51	88.20	-29.69	52.30	3	Vertical	70	1.79	-	34.29	7.44	35.52
RMS	5.9158G	47.93	68.20	-20.27	41.31	3	Vertical	70	1.79	-	34.66	7.52	35.56
PK	6.5094G	101.96	Inf	-Inf	94.70	3	Vertical	70	1.79	-	34.74	7.92	35.40
RMS	6.5094G	87.26	Inf	-Inf	80.00	3	Vertical	70	1.79	-	34.74	7.92	35.40
PK	7.2038G	61.48	88.20	-26.72	52.39	3	Vertical	70	1.79	-	36.42	8.21	35.54
RMS	7.215G	50.76	68.20	-17.44	41.59	3	Vertical	70	1.79	-	36.49	8.23	35.55

802.11ax HEW20_Nss1,(MCS0)_2TX

6515MHz_TnomVnom




EUT_V_2TX
Setting -5.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0034G	57.67	88.20	-30.53	40.79	3	Vertical	217	1.01	-	39.51	11.60	34.23
RMS	13.0764G	44.57	68.20	-23.63	27.29	3	Vertical	217	1.01	-	39.73	11.66	34.11

802.11ax HEW20_Nss1,(MCS0)_2TX

6515MHz_TnomVnom




EUT_V_2TX
Setting -5.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0116G	58.12	88.20	-30.08	41.20	3	Horizontal	124	2.06	-	39.53	11.61	34.22
RMS	13.074G	44.78	68.20	-23.42	27.52	3	Horizontal	124	2.06	-	39.72	11.66	34.12

802.11ax HEW20_Nss1,(MCS0)_2TX

6515MHz_TnomVnom




EUT_V_2TX
Setting -5.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.5278G	47.60	83.54	-35.94	44.10	1	Vertical	61	1.10	-	37.89	15.31	49.70
AV	19.5922G	34.04	63.54	-29.50	30.54	1	Vertical	61	1.10	-	37.86	15.34	49.70

802.11ax HEW20_Nss1,(MCS0)_2TX

6515MHz_TnomVnom




EUT V_2TX
Setting -5.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.5264G	47.62	83.54	-35.92	44.12	1	Horizontal	44	2.66	-	37.89	15.31	49.70
AV	19.5936G	33.98	63.54	-29.56	30.48	1	Horizontal	44	2.66	-	37.86	15.34	49.70

802.11ax HEW20_Nss1,(MCS0)_2TX

6535MHz_TnomVnom




EUT_V_2TX
Setting 13.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8882G	59.91	88.20	-28.29	53.43	3	Vertical	70	1.80	-	34.53	7.49	35.54
RMS	5.8966G	47.96	68.20	-20.24	41.43	3	Vertical	70	1.80	-	34.58	7.50	35.55
PK	6.5406G	116.70	Inf	-Inf	109.27	3	Vertical	70	1.80	-	34.86	7.98	35.41
RMS	6.5434G	105.17	Inf	-Inf	97.72	3	Vertical	70	1.80	-	34.87	7.99	35.41
PK	7.2182G	61.86	88.20	-26.34	52.66	3	Vertical	70	1.80	-	36.51	8.24	35.55
RMS	7.2322G	51.00	68.20	-17.20	41.70	3	Vertical	70	1.80	-	36.59	8.26	35.55

802.11ax HEW20_Nss1,(MCS0)_2TX

6535MHz_TnomVnom




EUT_V_2TX
Setting 13.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.1074G	57.45	88.20	-30.75	40.01	3	Vertical	262	1.33	-	39.81	11.69	34.06
RMS	13.0838G	44.36	68.20	-23.84	27.04	3	Vertical	262	1.33	-	39.75	11.67	34.10

802.11ax HEW20_Nss1,(MCS0)_2TX

6535MHz_TnomVnom




EUT_V_2TX
Setting 13.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.106G	58.57	88.20	-29.63	41.14	3	Horizontal	201	1.80	-	39.81	11.68	34.06
RMS	13.0836G	45.38	68.20	-22.82	28.06	3	Horizontal	201	1.80	-	39.75	11.67	34.10

802.11ax HEW20_Nss1,(MCS0)_2TX

6535MHz_TnomVnom




EUT V_2TX
Setting 13.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.6034G	47.88	83.54	-35.66	44.38	1	Vertical	225	2.99	-	37.86	15.34	49.70
AV	19.6548G	34.29	63.54	-29.25	30.79	1	Vertical	225	2.99	-	37.84	15.36	49.70

802.11ax HEW20_Nss1,(MCS0)_2TX

6535MHz_TnomVnom




EUT_V_2TX
Setting 13.5
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.5606G	47.34	83.54	-36.20	43.84	1	Horizontal	296	2.18	-	37.88	15.32	49.70
AV	19.6534G	34.26	63.54	-29.28	30.76	1	Horizontal	296	2.18	-	37.84	15.36	49.70

802.11ax HEW20_Nss1,(MCS0)_2TX

6695MHz_TnomVnom




EUT V_2TX
Setting 13.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.703G	118.70	Inf	-Inf	110.63	3	Vertical	67	1.73	-	35.41	8.10	35.44
RMS	6.703G	107.47	Inf	-Inf	99.40	3	Vertical	67	1.73	-	35.41	8.10	35.44
PK	7.157G	61.19	88.20	-27.01	52.38	3	Vertical	67	1.73	-	36.14	8.20	35.53
RMS	7.193G	50.66	68.20	-17.54	41.64	3	Vertical	67	1.73	-	36.36	8.20	35.54

802.11ax HEW20_Nss1,(MCS0)_2TX

6695MHz_TnomVnom




EUT_V_2TX
Setting 13.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.406G	58.22	88.20	-29.98	39.56	3	Vertical	256	1.17	-	40.31	11.92	33.57	
RMS	13.4044G	45.44	68.20	-22.76	26.79	3	Vertical	256	1.17	-	40.30	11.92	33.57	

802.11ax HEW20_Nss1,(MCS0)_2TX

6695MHz_TnomVnom




EUT_V_2TX
Setting 13.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.405G	58.63	88.20	-29.57	39.98	3	Horizontal	136	1.63	-	40.30	11.92	33.57	
RMS	13.404G	45.45	68.20	-22.75	26.80	3	Horizontal	136	1.63	-	40.30	11.92	33.57	

802.11ax HEW20_Nss1,(MCS0)_2TX

6695MHz_TnomVnom




EUT V_2TX
Setting 13.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.0538G	47.62	83.54	-35.92	44.38	1	Vertical	30	1.17	-	37.44	15.52	49.72
AV	20.0386G	34.34	63.54	-29.20	31.11	1	Vertical	30	1.17	-	37.43	15.52	49.72

802.11ax HEW20_Nss1,(MCS0)_2TX

6695MHz_TnomVnom




EUT_V_2TX
Setting 13.5
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	20.1164G	48.24	83.54	-35.30	44.95	1	Horizontal	349	1.76	-	37.49	15.55	49.75	
AV	20.0718G	34.28	63.54	-29.26	31.02	1	Horizontal	349	1.76	-	37.46	15.53	49.73	

802.11ax HEW20_Nss1,(MCS0)_2TX

6855MHz_TnomVnom




EUT_V_2TX
Setting 23
01-M-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.862G	124.44	Inf	-Inf	113.83	3	Vertical	88	1.75	-	36.50	7.09	32.98	
RMS	6.862G	115.48	Inf	-Inf	104.87	3	Vertical	88	1.75	-	36.50	7.09	32.98	
PK	7.1854G	64.10	88.20	-24.10	52.97	3	Vertical	88	1.75	-	37.04	7.21	33.12	
RMS	7.2036G	53.26	68.20	-14.94	42.09	3	Vertical	88	1.75	-	37.10	7.20	33.13	

802.11ax HEW20_Nss1,(MCS0)_2TX

6855MHz_TnomVnom




EUT_V_2TX
Setting 23
01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.7252G	63.39	88.20	-24.81	42.68	3	Vertical	156	1.00	-	40.58	9.78	29.65	
RMS	13.7246G	51.73	68.20	-16.47	31.03	3	Vertical	156	1.00	-	40.57	9.78	29.65	

802.11ax HEW20_Nss1,(MCS0)_2TX

6855MHz_TnomVnom




EUT_V_2TX
Setting 23
01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.7238G	65.47	88.20	-22.73	44.77	3	Horizontal	218	1.02	-	40.57	9.78	29.65	
RMS	13.7246G	54.71	68.20	-13.49	34.01	3	Horizontal	218	1.02	-	40.57	9.78	29.65	

802.11ax HEW20_Nss1,(MCS0)_2TX

6855MHz_TnomVnom




EUT V_2TX
Setting 23
01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	20.581G	46.73	83.54	-36.81	43.04	1	Vertical	348	2.41	-	37.80	15.76	49.87	
AV	20.5876G	35.16	63.54	-28.38	31.45	1	Vertical	348	2.41	-	37.81	15.76	49.86	

802.11ax HEW20_Nss1,(MCS0)_2TX

6855MHz_TnomVnom




EUT_V_2TX
Setting 23
01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.5828G	47.34	83.54	-36.20	43.65	1	Horizontal	52	2.83	-	37.80	15.76	49.87
AV	20.5872G	35.21	63.54	-28.33	31.52	1	Horizontal	52	2.83	-	37.80	15.76	49.87

802.11ax HEW20_Nss1,(MCS0)_2TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT V_2TX
Setting -5.25
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.8806G	100.46	Inf	-Inf	92.15	3	Vertical	70	1.75	-	35.64	8.14	35.47	
RMS	6.882G	91.06	Inf	-Inf	82.75	3	Vertical	70	1.75	-	35.64	8.14	35.47	
PK	7.1956G	61.77	88.20	-26.43	52.74	3	Vertical	70	1.75	-	36.37	8.20	35.54	
RMS	7.2194G	50.88	68.20	-17.32	41.67	3	Vertical	70	1.75	-	36.52	8.24	35.55	

802.11ax HEW20_Nss1,(MCS0)_2TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_2TX
Setting -5.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.747G	62.09	88.20	-26.11	42.69	3	Vertical	192	1.04	-	40.69	12.20	33.49
RMS	13.713G	48.33	68.20	-19.87	29.01	3	Vertical	192	1.04	-	40.63	12.17	33.48

802.11ax HEW20_Nss1,(MCS0)_2TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_2TX
Setting -5.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.7006G	61.56	88.20	-26.64	42.28	3	Horizontal	53	2.98	-	40.60	12.16	33.48	
RMS	13.7236G	48.38	68.20	-19.82	29.04	3	Horizontal	53	2.98	-	40.65	12.18	33.49	

802.11ax HEW20_Nss1,(MCS0)_2TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_2TX
Setting -5.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.6746G	48.68	83.54	-34.86	44.80	1	Vertical	4	1.39	-	37.91	15.80	49.83
AV	20.5768G	34.92	63.54	-28.62	31.24	1	Vertical	4	1.39	-	37.79	15.76	49.87

802.11ax HEW20_Nss1,(MCS0)_2TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT V_2TX
Setting -5.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.5848G	48.77	83.54	-34.77	45.08	1	Horizontal	45	2.23	-	37.80	15.76	49.87
AV	20.5792G	35.02	63.54	-28.52	31.33	1	Horizontal	45	2.23	-	37.80	15.76	49.87

802.11ax HEW20_Nss1,(MCS0)_2TX

6895MHz_TnomVnom




EUT V_2TX
Setting -5.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9034G	99.90	Inf	-Inf	91.61	3	Vertical	77	1.82	-	35.61	8.15	35.47
RMS	6.902G	89.09	Inf	-Inf	80.81	3	Vertical	77	1.82	-	35.60	8.15	35.47
PK	7.2296G	61.62	88.20	-26.58	52.33	3	Vertical	77	1.82	-	36.58	8.26	35.55
RMS	7.231G	50.94	68.20	-17.26	41.64	3	Vertical	77	1.82	-	36.59	8.26	35.55

802.11ax HEW20_Nss1,(MCS0)_2TX

6895MHz_TnomVnom




EUT_V_2TX
Setting -5.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.7822G	61.35	88.20	-26.85	41.87	3	Vertical	93	2.88	-	40.76	12.23	33.51	
RMS	13.741G	48.25	68.20	-19.95	28.87	3	Vertical	93	2.88	-	40.68	12.19	33.49	

802.11ax HEW20_Nss1,(MCS0)_2TX

6895MHz_TnomVnom




EUT_V_2TX
 Setting -5.5
 03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.8052G	61.74	88.20	-26.46	42.20	3	Horizontal	284	1.61	-	40.81	12.24	33.51	
RMS	13.74G	48.24	68.20	-19.96	28.86	3	Horizontal	284	1.61	-	40.68	12.19	33.49	

802.11ax HEW20_Nss1,(MCS0)_2TX

6895MHz_TnomVnom




EUT_V_2TX
Setting -5.5
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.6818G	48.54	83.54	-35.00	44.64	1	Vertical	268	2.09	-	37.92	15.81	49.83
AV	20.7342G	35.04	63.54	-28.50	31.04	1	Vertical	268	2.09	-	37.98	15.83	49.81

802.11ax HEW20_Nss1,(MCS0)_2TX

6895MHz_TnomVnom




EUT_V_2TX
Setting -5.5
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	20.6984G	49.72	83.54	-33.82	45.79	1	Horizontal	16	1.54	-	37.94	15.81	49.82	
AV	20.734G	35.07	63.54	-28.47	31.07	1	Horizontal	16	1.54	-	37.98	15.83	49.81	

802.11ax HEW20_Nss1,(MCS0)_2TX

6995MHz_TnomVnom




EUT V_2TX
 Setting -4.5
 03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.001G	100.88	Inf	-Inf	92.47	3	Vertical	99	1.73	-	35.70	8.20	35.49
RMS	7.001G	91.62	Inf	-Inf	83.21	3	Vertical	99	1.73	-	35.70	8.20	35.49
PK	7.236G	61.67	88.20	-26.53	52.33	3	Vertical	99	1.73	-	36.62	8.27	35.55
RMS	7.241G	50.95	68.20	-17.25	41.57	3	Vertical	99	1.73	-	36.65	8.28	35.55

802.11ax HEW20_Nss1,(MCS0)_2TX

6995MHz_TnomVnom




EUT_V_2TX
Setting -4.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.0354G	62.90	88.20	-25.30	42.81	3	Vertical	283	2.73	-	41.31	12.42	33.64
RMS	14.0392G	49.93	68.20	-18.27	29.83	3	Vertical	283	2.73	-	41.32	12.42	33.64

802.11ax HEW20_Nss1,(MCS0)_2TX

6995MHz_TnomVnom




EUT_V_2TX
Setting -4.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.0154G	62.83	88.20	-25.37	42.77	3	Horizontal	123	2.83	-	41.25	12.41	33.60
RMS	14.0372G	49.97	68.20	-18.23	29.88	3	Horizontal	123	2.83	-	41.31	12.42	33.64

802.11ax HEW20_Nss1,(MCS0)_2TX

6995MHz_TnomVnom




EUT V_2TX
Setting -4.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.0316G	48.25	83.54	-35.29	44.38	1	Vertical	316	2.22	-	37.60	15.96	49.69
AV	21.034G	34.98	63.54	-28.56	31.10	1	Vertical	316	2.22	-	37.60	15.97	49.69

802.11ax HEW20_Nss1,(MCS0)_2TX

6995MHz_TnomVnom




EUT_V_2TX
Setting -4.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.9506G	47.99	83.54	-35.55	44.10	1	Horizontal	267	1.02	-	37.68	15.93	49.72
AV	21.0304G	35.01	63.54	-28.53	31.14	1	Horizontal	267	1.02	-	37.60	15.96	49.69

802.11ax HEW20_Nss1,(MCS0)_2TX

7095MHz_TnomVnom




EUT V_2TX
Setting -4.25
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.101G	98.60	Inf	-Inf	90.11	3	Vertical	120	1.55	-	35.81	8.20	35.52	
RMS	7.101G	90.32	Inf	-Inf	81.83	3	Vertical	120	1.55	-	35.81	8.20	35.52	
PK	7.2072G	61.73	88.20	-26.47	52.62	3	Vertical	120	1.55	-	36.44	8.21	35.54	
RMS	7.2366G	50.96	68.20	-17.24	41.62	3	Vertical	120	1.55	-	36.62	8.27	35.55	

802.11ax HEW20_Nss1,(MCS0)_2TX

7095MHz_TnomVnom




EUT_V_2TX
Setting -4.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.1674G	63.34	88.20	-24.86	43.13	3	Vertical	269	1.40	-	41.57	12.48	33.84
RMS	14.1528G	50.20	68.20	-18.00	29.99	3	Vertical	269	1.40	-	41.55	12.48	33.82

802.11ax HEW20_Nss1,(MCS0)_2TX

7095MHz_TnomVnom




EUT_V_2TX
Setting -4.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	14.1526G	63.54	88.20	-24.66	43.33	3	Horizontal	211	1.93	-	41.55	12.48	33.82	
RMS	14.1414G	50.19	68.20	-18.01	29.98	3	Horizontal	211	1.93	-	41.54	12.47	33.80	

802.11ax HEW20_Nss1,(MCS0)_2TX

7095MHz_TnomVnom




EUT_V_2TX
Setting -4.25
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	21.2364G	49.36	83.54	-34.18	45.35	1	Vertical	79	2.80	-	37.60	16.06	49.65	
AV	21.3286G	36.16	63.54	-27.38	32.00	1	Vertical	79	2.80	-	37.69	16.10	49.63	

802.11ax HEW20_Nss1,(MCS0)_2TX

7095MHz_TnomVnom




EUT_V_2TX
Setting -4.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.2768G	49.30	83.54	-34.24	45.24	1	Horizontal	102	2.80	-	37.63	16.07	49.64
AV	21.334G	36.05	63.54	-27.49	31.88	1	Horizontal	102	2.80	-	37.70	16.10	49.63

802.11ax HEW20_Nss1,(MCS0)_2TX

7115MHz_TnomVnom




EUT_V_2TX
Setting 14.5
01-M-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.12128G	89.77	Inf	-Inf	78.94	3	Vertical	199	2.79	-	36.67	7.24	33.08	
RMS	7.12123G	80.21	Inf	-Inf	69.38	3	Vertical	199	2.79	-	36.67	7.24	33.08	
PK	7.1255G	85.74	88.20	-2.46	74.89	3	Vertical	199	2.79	-	36.70	7.24	33.09	
RMS	7.1255G	67.96	68.20	-0.24	57.11	3	Vertical	199	2.79	-	36.70	7.24	33.09	

802.11ax HEW20_Nss1,(MCS0)_2TX

7115MHz_TnomVnom




EUT_V_2TX
Setting 14.5
01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.2456G	65.59	88.20	-22.61	44.57	3	Vertical	173	1.80	-	40.71	9.97	29.66
RMS	14.2452G	53.93	68.20	-14.27	32.91	3	Vertical	173	1.80	-	40.71	9.97	29.66

802.11ax HEW20_Nss1,(MCS0)_2TX

7115MHz_TnomVnom




EUT_V_2TX
Setting 14.5
01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.2442G	68.26	88.20	-19.94	47.24	3	Horizontal	199	2.80	-	40.71	9.97	29.66
RMS	14.2446G	56.64	68.20	-11.56	35.62	3	Horizontal	199	2.80	-	40.71	9.97	29.66

802.11ax HEW20_Nss1,(MCS0)_2TX

7115MHz_TnomVnom




EUT Y_2TX
Setting 14.5
01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.331G	49.06	83.54	-34.48	44.89	1	Vertical	327	2.50	-	37.70	16.10	49.63
AV	21.366G	36.10	63.54	-27.44	31.88	1	Vertical	327	2.50	-	37.74	16.11	49.63

802.11ax HEW20_Nss1,(MCS0)_2TX

7115MHz_TnomVnom



EUT Y_2TX
Setting 14.5
01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.361G	48.10	83.54	-35.44	43.89	1	Horizontal	243	1.37	-	37.73	16.11	49.63
AV	21.3808G	36.16	63.54	-27.38	31.90	1	Horizontal	243	1.37	-	37.76	16.12	49.62



RSE TX above 1GHz
<Partial RU> low power_RU106_2TX_Ant. 3


Appendix E.25

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1.(MCS0)_2TX	Pass	AV	11.901G	53.82	54.00	-0.18	3	Horizontal	205	1.80	-

802.11ax HEW20_Nss1,(MCS0)_2TX

5955MHz_TnomVnom




EUT V_2TX
Setting 15.5
01-M-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.917G	79.23	88.20	-8.97	70.47	3	Vertical	89	1.53	-	34.97	6.60	32.81
RMS	5.925G	58.60	68.20	-9.60	49.81	3	Vertical	89	1.53	-	35.00	6.60	32.81
PK	5.9522G	119.94	Inf	-Inf	111.05	3	Vertical	89	1.53	-	35.11	6.60	32.82
RMS	5.9518G	108.83	Inf	-Inf	99.94	3	Vertical	89	1.53	-	35.11	6.60	32.82

802.11ax HEW20_Nss1,(MCS0)_2TX

5955MHz_TnomVnom




EUT Y_2TX
Setting 15.5
01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.9012G	58.80	74.00	-15.20	42.90	3	Vertical	231	1.80	-	38.50	8.98	31.58
AV	11.9012G	47.09	54.00	-6.91	31.19	3	Vertical	231	1.80	-	38.50	8.98	31.58

802.11ax HEW20_Nss1,(MCS0)_2TX

5955MHz_TnomVnom




EUT_V_2TX
Setting 15.5
01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.9014G	66.19	74.00	-7.81	50.29	3	Horizontal	205	1.80	-	38.50	8.98	31.58	
AV	11.901G	53.82	54.00	-0.18	37.92	3	Horizontal	205	1.80	-	38.50	8.98	31.58	

802.11ax HEW20_Nss1,(MCS0)_2TX

6195MHz_TnomVnom




EUT Y_2TX
Setting 16
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.7358G	58.92	88.20	-29.28	52.76	3	Vertical	68	1.79	-	34.23	7.40	35.47	
RMS	5.9234G	47.85	68.20	-20.35	41.20	3	Vertical	68	1.79	-	34.69	7.52	35.56	
PK	6.1922G	117.28	Inf	-Inf	109.93	3	Vertical	68	1.79	-	35.17	7.70	35.52	
RMS	6.1922G	107.96	Inf	-Inf	100.61	3	Vertical	68	1.79	-	35.17	7.70	35.52	

802.11ax HEW20_Nss1,(MCS0)_2TX

6195MHz_TnomVnom




EUT_V_2TX
Setting 16
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.3826G	56.92	74.00	-17.08	42.34	3	Vertical	294	2.47	-	38.88	11.11	35.41
AV	12.3802G	42.30	54.00	-11.70	27.73	3	Vertical	294	2.47	-	38.88	11.10	35.41

802.11ax HEW20_Nss1,(MCS0)_2TX

6195MHz_TnomVnom




EUT_V_2TX
Setting 16
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.3828G	62.41	74.00	-11.59	47.83	3	Horizontal	207	2.46	-	38.88	11.11	35.41	
AV	12.3802G	47.31	54.00	-6.69	32.74	3	Horizontal	207	2.46	-	38.88	11.10	35.41	

802.11ax HEW20_Nss1,(MCS0)_2TX

6195MHz_TnomVnom




EUT_V_2TX
Setting 16
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	18.635G	46.35	83.54	-37.19	43.62	1	Vertical	267	2.36	-	37.75	14.95	49.97	
AV	18.6278G	32.97	63.54	-30.57	30.24	1	Vertical	267	2.36	-	37.75	14.95	49.97	

802.11ax HEW20_Nss1,(MCS0)_2TX

6195MHz_TnomVnom




EUT_V_2TX
Setting 16
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.5756G	46.13	83.54	-37.41	43.45	1	Horizontal	77	1.46	-	37.77	14.93	50.02
AV	18.622G	32.98	63.54	-30.56	30.26	1	Horizontal	77	1.46	-	37.75	14.95	49.98

802.11ax HEW20_Nss1,(MCS0)_2TX

6415MHz_TnomVnom



EUT_V_2TX
Setting 16
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6406G	58.69	88.20	-29.51	52.19	3	Vertical	69	1.74	-	34.52	7.40	35.42
RMS	5.925G	47.80	68.20	-20.40	41.14	3	Vertical	69	1.74	-	34.70	7.52	35.56
PK	6.4118G	117.29	Inf	-Inf	110.16	3	Vertical	69	1.74	-	34.85	7.72	35.44
RMS	6.4118G	107.08	Inf	-Inf	99.95	3	Vertical	69	1.74	-	34.85	7.72	35.44
PK	7.1382G	61.47	88.20	-26.73	52.77	3	Vertical	69	1.74	-	36.03	8.20	35.53
RMS	7.199G	50.57	68.20	-17.63	41.52	3	Vertical	69	1.74	-	36.39	8.20	35.54