


802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TnomVnom




EUT_V_1TX
Setting 23
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	18.5901G	46.41	83.54	-37.13	43.72	1	Vertical	97	2.66	-	37.76	14.94	50.01	
AV	18.58704G	32.44	63.54	-31.10	29.75	1	Vertical	97	2.66	-	37.77	14.93	50.01	

802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TnomVnom




EUT_V_1TX
Setting 23
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	18.57942G	45.81	83.54	-37.73	43.13	1	Horizontal	144	2.34	-	37.77	14.93	50.02	
AV	18.58572G	32.42	63.54	-31.12	29.73	1	Horizontal	144	2.34	-	37.77	14.93	50.01	

802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TnomVnom




EUT V_1TX
 Setting 19.5
 03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8774G	59.32	88.20	-28.88	52.92	3	Vertical	70	1.80	-	34.46	7.48	35.54
RMS	5.9158G	47.49	68.20	-20.71	40.87	3	Vertical	70	1.80	-	34.66	7.52	35.56
PK	6.4182G	117.54	Inf	-Inf	110.40	3	Vertical	70	1.80	-	34.83	7.74	35.43
RMS	6.415G	108.99	Inf	-Inf	101.85	3	Vertical	70	1.80	-	34.84	7.73	35.43
PK	7.1382G	60.71	88.20	-27.49	52.01	3	Vertical	70	1.80	-	36.03	8.20	35.53
RMS	7.2118G	50.29	68.20	-17.91	41.15	3	Vertical	70	1.80	-	36.47	8.22	35.55

802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TnomVnom




EUT_V_1TX
 Setting 19.5
 03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.82724G	58.69	88.20	-29.51	42.54	3	Vertical	227	1.80	-	39.33	11.46	34.64
RMS	12.8273G	44.66	68.20	-23.54	28.51	3	Vertical	227	1.80	-	39.33	11.46	34.64

802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TnomVnom




EUT_V_1TX
 Setting 19.5
 03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.83372G	64.25	88.20	-23.95	48.07	3	Horizontal	204	2.20	-	39.33	11.47	34.62
RMS	12.8273G	50.54	68.20	-17.66	34.39	3	Horizontal	204	2.20	-	39.33	11.46	34.64

802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TnomVnom




EUT_V_1TX
Setting 19.5
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.25586G	46.52	83.54	-37.02	43.27	1	Vertical	158	1.19	-	37.70	15.20	49.65
AV	19.23G	33.00	63.54	-30.54	29.74	1	Vertical	158	1.19	-	37.72	15.19	49.65

802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TnomVnom




EUT_V_1TX
Setting 19.5
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.2345G	45.81	83.54	-37.73	42.55	1	Horizontal	248	2.89	-	37.72	15.19	49.65
AV	19.23006G	32.84	63.54	-30.70	29.58	1	Horizontal	248	2.89	-	37.72	15.19	49.65

802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TnomVnom




EUT_V_1TX
Setting 21
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8406G	57.51	88.20	-30.69	51.31	3	Vertical	69	1.80	-	34.28	7.44	35.52
RMS	5.9246G	47.53	68.20	-20.67	40.87	3	Vertical	69	1.80	-	34.70	7.52	35.56
PK	6.5378G	119.57	Inf	-Inf	112.15	3	Vertical	69	1.80	-	34.85	7.98	35.41
RMS	6.535G	110.56	Inf	-Inf	103.16	3	Vertical	69	1.80	-	34.84	7.97	35.41
PK	7.207G	61.65	88.20	-26.55	52.54	3	Vertical	69	1.80	-	36.44	8.21	35.54
RMS	7.2322G	50.36	68.20	-17.84	41.06	3	Vertical	69	1.80	-	36.59	8.26	35.55

802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TnomVnom




EUT_V_1TX
 Setting 21
 03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0634G	59.06	88.20	-29.14	41.85	3	Vertical	232	1.80	-	39.69	11.65	34.13
RMS	13.06742G	45.09	68.20	-23.11	27.87	3	Vertical	232	1.80	-	39.70	11.65	34.13

802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TnomVnom




EUT_V_1TX
 Setting 21
 03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.07234G	60.79	88.20	-27.41	43.53	3	Horizontal	144	2.24	-	39.72	11.66	34.12
RMS	13.06748G	47.39	68.20	-20.81	30.17	3	Horizontal	144	2.24	-	39.70	11.65	34.13

802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TnomVnom




EUT_V_1TX
Setting 21
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.60266G	47.68	83.54	-35.86	44.18	1	Vertical	176	1.22	-	37.86	15.34	49.70	
AV	19.60746G	34.09	63.54	-29.45	30.59	1	Vertical	176	1.22	-	37.86	15.34	49.70	

802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TnomVnom




EUT_V_1TX
Setting 21
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.60422G	48.03	83.54	-35.51	44.53	1	Horizontal	312	2.66	-	37.86	15.34	49.70
AV	19.60836G	34.10	63.54	-29.44	30.60	1	Horizontal	312	2.66	-	37.86	15.34	49.70

802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TnomVnom




EUT_V_1TX
Setting 23
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6972G	120.21	Inf	-Inf	112.16	3	Vertical	69	1.70	-	35.39	8.10	35.44
RMS	6.695G	111.24	Inf	-Inf	103.19	3	Vertical	69	1.70	-	35.39	8.10	35.44
PK	7.135G	60.98	88.20	-27.22	52.30	3	Vertical	69	1.70	-	36.01	8.20	35.53
RMS	7.2318G	50.43	68.20	-17.77	41.13	3	Vertical	69	1.70	-	36.59	8.26	35.55

802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TnomVnom




EUT_V_1TX
Setting 23
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.39498G	59.83	74.00	-14.17	41.20	3	Vertical	315	1.80	-	40.29	11.92	33.58	
AV	13.3927G	45.89	54.00	-8.11	27.28	3	Vertical	315	1.80	-	40.29	11.91	33.59	

802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TnomVnom




EUT V_1TX
Setting 23
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.39366G	63.59	74.00	-10.41	44.98	3	Horizontal	147	2.92	-	40.29	11.91	33.59
AV	13.38754G	49.95	54.00	-4.05	31.36	3	Horizontal	147	2.92	-	40.28	11.91	33.60

802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TnomVnom




EUT_V_1TX
Setting 23
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.08296G	47.20	83.54	-36.34	43.92	1	Vertical	194	2.06	-	37.47	15.54	49.73
AV	20.08236G	34.00	63.54	-29.54	30.72	1	Vertical	194	2.06	-	37.47	15.54	49.73

802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TnomVnom




EUT_V_1TX
Setting 23
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.0748G	48.16	83.54	-35.38	44.90	1	Horizontal	233	2.74	-	37.46	15.53	49.73
AV	20.0823G	34.03	63.54	-29.51	30.75	1	Horizontal	233	2.74	-	37.47	15.54	49.73

802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TnomVnom




EUT_V_1TX
 Setting 23
 01-M-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.8536G	120.20	Inf	-Inf	109.52	3	Vertical	56	1.50	-	36.57	7.08	32.97	
RMS	6.8522G	111.16	Inf	-Inf	100.47	3	Vertical	56	1.50	-	36.58	7.08	32.97	
PK	7.1924G	64.40	88.20	-23.80	53.25	3	Vertical	56	1.50	-	37.07	7.20	33.12	
RMS	7.1994G	53.27	68.20	-14.93	42.09	3	Vertical	56	1.50	-	37.10	7.20	33.12	

802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TnomVnom




EUT_V_1TX
Setting 23
01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7085G	62.00	88.20	-26.20	41.36	3	Vertical	64	1.80	-	40.53	9.77	29.66
RMS	13.70304G	49.81	68.20	-18.39	29.19	3	Vertical	64	1.80	-	40.51	9.77	29.66

802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TnomVnom




EUT_V_1TX
 Setting 23
 01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.70724G	66.10	88.20	-22.10	45.47	3	Horizontal	211	2.54	-	40.52	9.77	29.66
RMS	13.70718G	53.65	68.20	-14.55	33.02	3	Horizontal	211	2.54	-	40.52	9.77	29.66

802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TnomVnom




EUT_V_1TX
Setting 23
01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.57766G	47.82	83.54	-35.72	44.14	1	Vertical	150	2.17	-	37.79	15.76	49.87
AV	20.56956G	34.61	63.54	-28.93	30.94	1	Vertical	150	2.17	-	37.78	15.76	49.87

802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TnomVnom




EUT_V_1TX
Setting 23
01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.56866G	47.01	83.54	-36.53	43.34	1	Horizontal	194	1.68	-	37.78	15.76	49.87
AV	20.57184G	34.63	63.54	-28.91	30.95	1	Horizontal	194	1.68	-	37.79	15.76	49.87

802.11ax HEW40_Nss1,(MCS0)_1TX

5965MHz_TnomVnom




EUT V_1TX
Setting 17.5
01-M-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.923G	82.98	88.20	-5.22	74.20	3	Vertical	88	1.36	-	34.99	6.60	32.81	
RMS	5.9238G	67.68	68.20	-0.52	58.89	3	Vertical	88	1.36	-	35.00	6.60	32.81	
PK	5.9678G	113.67	Inf	-Inf	104.73	3	Vertical	88	1.36	-	35.17	6.60	32.83	
RMS	5.9738G	103.46	Inf	-Inf	94.49	3	Vertical	88	1.36	-	35.20	6.60	32.83	

802.11ax HEW40_Nss1,(MCS0)_1TX

5965MHz_TnomVnom




EUT_V_1TX
Setting 17.5
01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.94368G	58.59	74.00	-15.41	42.66	3	Vertical	3	1.05	-	38.50	8.99	31.56
AV	11.94086G	46.04	54.00	-7.96	30.11	3	Vertical	3	1.05	-	38.50	8.99	31.56

802.11ax HEW40_Nss1,(MCS0)_1TX

5965MHz_TnomVnom




EUT_V_1TX
 Setting 17.5
 01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.93708G	64.57	74.00	-9.43	48.66	3	Horizontal	206	1.65	-	38.50	8.98	31.57
AV	11.92946G	51.81	54.00	-2.19	35.90	3	Horizontal	206	1.65	-	38.50	8.98	31.57

802.11ax HEW40_Nss1,(MCS0)_1TX

6205MHz_TnomVnom




EUT Y_1TX
 Setting 23
 03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.787G	58.07	88.20	-30.13	51.96	3	Vertical	74	1.80	-	34.20	7.40	35.49	
RMS	5.919G	47.53	68.20	-20.67	40.89	3	Vertical	74	1.80	-	34.68	7.52	35.56	
PK	6.209G	115.48	Inf	-Inf	108.14	3	Vertical	74	1.80	-	35.16	7.70	35.52	
RMS	6.207G	105.66	Inf	-Inf	98.31	3	Vertical	74	1.80	-	35.17	7.70	35.52	

802.11ax HEW40_Nss1,(MCS0)_1TX

6205MHz_TnomVnom




EUT_V_1TX
Setting 23
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.40604G	57.89	74.00	-16.11	43.29	3	Vertical	284	1.80	-	38.89	11.12	35.41	
AV	12.41348G	43.60	54.00	-10.40	28.99	3	Vertical	284	1.80	-	38.89	11.13	35.41	

802.11ax HEW40_Nss1,(MCS0)_1TX

6205MHz_TnomVnom




EUT_V_1TX
 Setting 23
 03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.41066G	62.64	74.00	-11.36	48.03	3	Horizontal	207	2.36	-	38.89	11.13	35.41
AV	12.4058G	49.00	54.00	-5.00	34.40	3	Horizontal	207	2.36	-	38.89	11.12	35.41

802.11ax HEW40_Nss1,(MCS0)_1TX

6205MHz_TnomVnom




EUT_V_1TX
Setting 23
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.61254G	46.10	83.54	-37.44	43.39	1	Vertical	1	1.38	-	37.75	14.95	49.99
AV	18.61098G	31.91	63.54	-31.63	29.20	1	Vertical	1	1.38	-	37.76	14.94	49.99

802.11ax HEW40_Nss1,(MCS0)_1TX

6205MHz_TnomVnom




EUT_V_1TX
Setting 23
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	18.618G	45.18	83.54	-38.36	42.46	1	Horizontal	238	2.12	-	37.75	14.95	49.98
AV	18.61074G	31.80	63.54	-31.74	29.09	1	Horizontal	238	2.12	-	37.76	14.94	49.99

802.11ax HEW40_Nss1,(MCS0)_1TX

6405MHz_TnomVnom




EUT V_1TX
 Setting 18.5
 03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7586G	57.85	88.20	-30.35	51.73	3	Vertical	70	1.80	-	34.20	7.40	35.48
RMS	5.9058G	47.43	68.20	-20.77	40.85	3	Vertical	70	1.80	-	34.62	7.51	35.55
PK	6.4082G	114.78	Inf	-Inf	107.63	3	Vertical	70	1.80	-	34.87	7.72	35.44
RMS	6.4018G	105.53	Inf	-Inf	98.38	3	Vertical	70	1.80	-	34.89	7.70	35.44
PK	7.205G	60.46	88.20	-27.74	51.36	3	Vertical	70	1.80	-	36.43	8.21	35.54
RMS	7.205G	50.13	68.20	-18.07	41.03	3	Vertical	70	1.80	-	36.43	8.21	35.54

802.11ax HEW40_Nss1,(MCS0)_1TX

6405MHz_TnomVnom




EUT_V_1TX
 Setting 18.5
 03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.80382G	57.09	88.20	-31.11	41.04	3	Vertical	228	1.87	-	39.30	11.44	34.69	
RMS	12.80574G	43.65	68.20	-24.55	27.59	3	Vertical	228	1.87	-	39.31	11.44	34.69	

802.11ax HEW40_Nss1,(MCS0)_1TX

6405MHz_TnomVnom




EUT_V_1TX
 Setting 18.5
 03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8136G	62.54	88.20	-25.66	46.45	3	Horizontal	206	1.79	-	39.31	11.45	34.67
RMS	12.80586G	48.71	68.20	-19.49	32.65	3	Horizontal	206	1.79	-	39.31	11.44	34.69

802.11ax HEW40_Nss1,(MCS0)_1TX

6405MHz_TnomVnom




EUT_V_1TX
Setting 18.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.21434G	46.91	83.54	-36.63	43.62	1	Vertical	182	2.33	-	37.74	15.19	49.64
AV	19.22478G	32.75	63.54	-30.79	29.47	1	Vertical	182	2.33	-	37.73	15.19	49.64

802.11ax HEW40_Nss1,(MCS0)_1TX

6405MHz_TnomVnom




EUT_V_1TX
Setting 18.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.22958G	46.20	83.54	-37.34	42.94	1	Horizontal	266	1.32	-	37.72	15.19	49.65
AV	19.22538G	32.88	63.54	-30.66	29.61	1	Horizontal	266	1.32	-	37.73	15.19	49.65

802.11ax HEW40_Nss1,(MCS0)_1TX

6565MHz_TnomVnom




EUT_V_1TX
 Setting 22.25
 03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	57.26	88.20	-30.94	50.60	3	Vertical	71	1.67	-	34.70	7.52	35.56
RMS	5.915G	47.42	68.20	-20.78	40.81	3	Vertical	71	1.67	-	34.66	7.51	35.56
PK	6.5676G	116.49	Inf	-Inf	108.89	3	Vertical	71	1.67	-	34.97	8.04	35.41
RMS	6.5624G	106.70	Inf	-Inf	99.14	3	Vertical	71	1.67	-	34.95	8.02	35.41
PK	7.1786G	60.74	88.20	-27.46	51.81	3	Vertical	71	1.67	-	36.27	8.20	35.54
RMS	7.2098G	50.09	68.20	-18.11	40.95	3	Vertical	71	1.67	-	36.46	8.22	35.54

802.11ax HEW40_Nss1,(MCS0)_1TX

6565MHz_TnomVnom




EUT V_1TX
 Setting 22.25
 03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.11554G	58.03	88.20	-30.17	40.57	3	Vertical	334	1.74	-	39.82	11.69	34.05
RMS	13.12028G	44.21	68.20	-23.99	26.73	3	Vertical	334	1.74	-	39.82	11.70	34.04

802.11ax HEW40_Nss1,(MCS0)_1TX

6565MHz_TnomVnom




EUT V_1TX
 Setting 22.25
 03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.13894G	57.91	88.20	-30.29	40.37	3	Horizontal	137	2.99	-	39.84	11.71	34.01
RMS	13.12316G	44.16	68.20	-24.04	26.68	3	Horizontal	137	2.99	-	39.82	11.70	34.04

802.11ax HEW40_Nss1,(MCS0)_1TX

6565MHz_TnomVnom




EUT V_1TX
Setting 22.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.70922G	48.12	83.54	-35.42	44.62	1	Vertical	148	2.89	-	37.82	15.38	49.70
AV	19.68264G	34.12	63.54	-29.42	30.62	1	Vertical	148	2.89	-	37.83	15.37	49.70

802.11ax HEW40_Nss1,(MCS0)_1TX

6565MHz_TnomVnom




EUT V_1TX
Setting 22.25
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.68438G	48.10	83.54	-35.44	44.60	1	Horizontal	134	2.33	-	37.83	15.37	49.70
AV	19.70262G	34.11	63.54	-29.43	30.61	1	Horizontal	134	2.33	-	37.82	15.38	49.70

802.11ax HEW40_Nss1,(MCS0)_1TX

6685MHz_TnomVnom




EUT_V_1TX
Setting 23
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.6806G	118.09	Inf	-Inf	110.06	3	Vertical	70	1.71	-	35.36	8.10	35.43	
RMS	6.6828G	108.70	Inf	-Inf	100.66	3	Vertical	70	1.71	-	35.37	8.10	35.43	
PK	7.213G	60.89	88.20	-27.31	51.73	3	Vertical	70	1.71	-	36.48	8.23	35.55	
RMS	7.2328G	50.42	68.20	-17.78	41.10	3	Vertical	70	1.71	-	36.60	8.27	35.55	

802.11ax HEW40_Nss1,(MCS0)_1TX

6685MHz_TnomVnom




EUT_V_1TX
Setting 23
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.3733G	58.88	74.00	-15.12	40.35	3	Vertical	252	2.68	-	40.25	11.90	33.62
AV	13.37552G	44.93	54.00	-9.07	26.40	3	Vertical	252	2.68	-	40.25	11.90	33.62

802.11ax HEW40_Nss1,(MCS0)_1TX

6685MHz_TnomVnom




EUT_V_1TX
Setting 23
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.36022G	58.79	74.00	-15.21	40.32	3	Horizontal	280	2.78	-	40.22	11.89	33.64
AV	13.37612G	44.99	54.00	-9.01	26.46	3	Horizontal	280	2.78	-	40.25	11.90	33.62

802.11ax HEW40_Nss1,(MCS0)_1TX

6685MHz_TnomVnom




EUT_V_1TX
Setting 23
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.058G	47.51	83.54	-36.03	44.25	1	Vertical	199	1.10	-	37.45	15.53	49.72
AV	20.04402G	33.78	63.54	-29.76	30.54	1	Vertical	199	1.10	-	37.44	15.52	49.72

802.11ax HEW40_Nss1,(MCS0)_1TX

6685MHz_TnomVnom




EUT_V_1TX
Setting 23
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.05602G	47.19	83.54	-36.35	43.94	1	Horizontal	325	2.80	-	37.44	15.53	49.72
AV	20.06052G	33.67	63.54	-29.87	30.41	1	Horizontal	325	2.80	-	37.45	15.53	49.72

802.11ax HEW80_Nss1,(MCS0)_1TX

5985MHz_TnomVnom




EUT V_1TX
Setting 16.75
01-M-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.921G	81.07	88.20	-7.13	72.30	3	Vertical	88	1.47	-	34.98	6.60	32.81
RMS	5.923G	67.50	68.20	-0.70	58.72	3	Vertical	88	1.47	-	34.99	6.60	32.81
PK	6.018G	110.53	Inf	-Inf	101.48	3	Vertical	88	1.47	-	35.26	6.63	32.84
RMS	6.019G	100.33	Inf	-Inf	91.28	3	Vertical	88	1.47	-	35.26	6.63	32.84

802.11ax HEW80_Nss1,(MCS0)_1TX

5985MHz_TnomVnom




EUT_V_1TX
Setting 16.75
01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.97282G	58.40	74.00	-15.60	42.46	3	Vertical	213	1.80	-	38.50	8.99	31.55	
AV	11.96712G	48.85	54.00	-5.15	32.91	3	Vertical	213	1.80	-	38.50	8.99	31.55	

802.11ax HEW80_Nss1,(MCS0)_1TX

5985MHz_TnomVnom




EUT_V_1TX
Setting 16.75
01-M-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	11.98476G	63.18	74.00	-10.82	47.23	3	Horizontal	211	1.79	-	38.50	9.00	31.55	
AV	11.9841G	53.97	54.00	-0.03	38.02	3	Horizontal	211	1.79	-	38.50	9.00	31.55	

802.11ax HEW80_Nss1,(MCS0)_1TX

6225MHz_TnomVnom




EUT_V_1TX
Setting 23
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.915G	60.16	88.20	-28.04	53.55	3	Vertical	70	1.74	-	34.66	7.51	35.56
RMS	5.921G	47.95	68.20	-20.25	41.31	3	Vertical	70	1.74	-	34.68	7.52	35.56
PK	6.219G	112.92	Inf	-Inf	105.61	3	Vertical	70	1.74	-	35.12	7.70	35.51
RMS	6.221G	103.30	Inf	-Inf	95.99	3	Vertical	70	1.74	-	35.12	7.70	35.51

802.11ax HEW80_Nss1,(MCS0)_1TX

6225MHz_TnomVnom




EUT_V_1TX
Setting 23
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.45396G	56.53	74.00	-17.47	41.92	3	Vertical	283	2.10	-	38.85	11.16	35.40
AV	12.45678G	45.75	54.00	-8.25	31.14	3	Vertical	283	2.10	-	38.84	11.17	35.40

802.11ax HEW80_Nss1,(MCS0)_1TX

6225MHz_TnomVnom




EUT_V_1TX
Setting 23
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.46218G	60.28	74.00	-13.72	45.67	3	Horizontal	204	2.18	-	38.84	11.17	35.40	
AV	12.44568G	49.46	54.00	-4.54	34.85	3	Horizontal	204	2.18	-	38.85	11.16	35.40	

802.11ax HEW80_Nss1,(MCS0)_1TX

6225MHz_TnomVnom




EUT_V_1TX
Setting 23
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	18.66504G	44.67	83.54	-38.87	41.90	1	Vertical	91	1.03	-	37.73	14.97	49.93	
AV	18.66606G	34.01	63.54	-29.53	31.24	1	Vertical	91	1.03	-	37.73	14.97	49.93	

802.11ax HEW80_Nss1,(MCS0)_1TX

6225MHz_TnomVnom




EUT_V_1TX
Setting 23
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	18.66114G	44.63	83.54	-38.91	41.87	1	Horizontal	230	2.67	-	37.74	14.96	49.94
AV	18.66126G	34.51	63.54	-29.03	31.75	1	Horizontal	230	2.67	-	37.74	14.96	49.94

802.11ax HEW80_Nss1,(MCS0)_1TX

6385MHz_TnomVnom




EUT V_1TX
Setting 17.75
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8104G	58.14	88.20	-30.06	52.02	3	Vertical	69	1.80	-	34.22	7.41	35.51
RMS	5.909G	47.49	68.20	-20.71	40.89	3	Vertical	69	1.80	-	34.64	7.51	35.55
PK	6.385G	109.70	Inf	-Inf	102.55	3	Vertical	69	1.80	-	34.90	7.70	35.45
RMS	6.3884G	100.43	Inf	-Inf	93.27	3	Vertical	69	1.80	-	34.90	7.70	35.44
PK	7.2316G	60.19	88.20	-28.01	50.89	3	Vertical	69	1.80	-	36.59	8.26	35.55
RMS	7.235G	50.36	68.20	-17.84	41.03	3	Vertical	69	1.80	-	36.61	8.27	35.55

802.11ax HEW80_Nss1,(MCS0)_1TX

6385MHz_TnomVnom




EUT_V_1TX
Setting 17.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.77396G	55.01	88.20	-33.19	39.10	3	Vertical	208	2.23	-	39.25	11.42	34.76	
RMS	12.77744G	44.28	68.20	-23.92	28.36	3	Vertical	208	2.23	-	39.25	11.42	34.75	

802.11ax HEW80_Nss1,(MCS0)_1TX

6385MHz_TnomVnom




EUT_V_1TX
Setting 17.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.76112G	55.65	88.20	-32.55	39.81	3	Horizontal	99	2.36	-	39.22	11.41	34.79	
RMS	12.77774G	44.49	68.20	-23.71	28.56	3	Horizontal	99	2.36	-	39.26	11.42	34.75	

802.11ax HEW80_Nss1,(MCS0)_1TX

6385MHz_TnomVnom




EUT V_1TX
Setting 17.75
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.1628G	45.64	83.54	-37.90	42.30	1	Vertical	145	1.31	-	37.80	15.17	49.63
AV	19.15332G	35.57	63.54	-27.97	32.22	1	Vertical	145	1.31	-	37.82	15.16	49.63

802.11ax HEW80_Nss1,(MCS0)_1TX

6385MHz_TnomVnom




EUT V_1TX
Setting 17.75
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.1412G	45.59	83.54	-37.95	42.23	1	Horizontal	305	2.85	-	37.83	15.16	49.63
AV	19.15494G	34.83	63.54	-28.71	31.49	1	Horizontal	305	2.85	-	37.81	15.16	49.63

802.11ax HEW80_Nss1,(MCS0)_1TX

6625MHz_TnomVnom




EUT_V_1TX
Setting 22.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6346G	113.52	Inf	-Inf	105.60	3	Vertical	72	1.80	-	35.24	8.10	35.42
RMS	6.6274G	104.46	Inf	-Inf	96.57	3	Vertical	72	1.80	-	35.21	8.10	35.42
PK	7.1842G	61.41	88.20	-26.79	52.44	3	Vertical	72	1.80	-	36.31	8.20	35.54
RMS	7.213G	50.35	68.20	-17.85	41.19	3	Vertical	72	1.80	-	36.48	8.23	35.55

802.11ax HEW80_Nss1,(MCS0)_1TX

6625MHz_TnomVnom




EUT_V_1TX
 Setting 22.5
 03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.24898G	57.97	88.20	-30.23	40.00	3	Vertical	242	1.35	-	40.00	11.80	33.83	
RMS	13.2419G	46.74	68.20	-21.46	28.81	3	Vertical	242	1.35	-	39.98	11.79	33.84	

802.11ax HEW80_Nss1,(MCS0)_1TX

6625MHz_TnomVnom




EUT V_1TX
Setting 22.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.24098G	57.20	88.20	-31.00	39.27	3	Horizontal	308	1.37	-	39.98	11.79	33.84
RMS	13.24178G	46.91	68.20	-21.29	28.98	3	Horizontal	308	1.37	-	39.98	11.79	33.84

802.11ax HEW80_Nss1,(MCS0)_1TX

6625MHz_TnomVnom




EUT V_1TX
Setting 22.5
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.88064G	46.80	83.54	-36.74	43.46	1	Vertical	273	2.75	-	37.59	15.45	49.70	
AV	19.87134G	36.12	63.54	-27.42	32.76	1	Vertical	273	2.75	-	37.61	15.45	49.70	

802.11ax HEW80_Nss1,(MCS0)_1TX

6625MHz_TnomVnom




EUT_V_1TX
Setting 22.5
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.86306G	46.35	83.54	-37.19	42.98	1	Horizontal	5	1.59	-	37.62	15.45	49.70
AV	19.88418G	36.64	63.54	-26.90	33.30	1	Horizontal	5	1.59	-	37.59	15.45	49.70

802.11ax HEW80_Nss1,(MCS0)_1TX

6705MHz_TnomVnom




EUT V_1TX
Setting 23
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.709G	115.72	Inf	-Inf	107.62	3	Vertical	70	1.66	-	35.44	8.10	35.44	
RMS	6.703G	105.75	Inf	-Inf	97.68	3	Vertical	70	1.66	-	35.41	8.10	35.44	
PK	7.147G	60.39	88.20	-27.81	51.64	3	Vertical	70	1.66	-	36.08	8.20	35.53	
RMS	7.143G	50.34	68.20	-17.86	41.61	3	Vertical	70	1.66	-	36.06	8.20	35.53	

802.11ax HEW80_Nss1,(MCS0)_1TX

6705MHz_TnomVnom




EUT_V_1TX
Setting 23
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.41684G	58.26	88.20	-29.94	39.56	3	Vertical	258	1.95	-	40.32	11.93	33.55	
RMS	13.41698G	47.61	68.20	-20.59	28.91	3	Vertical	258	1.95	-	40.32	11.93	33.55	

802.11ax HEW80_Nss1,(MCS0)_1TX

6705MHz_TnomVnom




EUT_V_1TX
 Setting 23
 03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.4177G	60.77	88.20	-27.43	42.07	3	Horizontal	142	2.91	-	40.32	11.93	33.55	
RMS	13.40274G	49.67	68.20	-18.53	31.02	3	Horizontal	142	2.91	-	40.30	11.92	33.57	

802.11ax HEW80_Nss1,(MCS0)_1TX

6705MHz_TnomVnom




EUT V_1TX
Setting 23
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	20.10348G	46.90	83.54	-36.64	43.61	1	Vertical	65	1.80	-	37.48	15.55	49.74	
AV	20.11386G	36.30	63.54	-27.24	33.01	1	Vertical	65	1.80	-	37.49	15.55	49.75	

802.11ax HEW80_Nss1,(MCS0)_1TX

6705MHz_TnomVnom




EUT_V_1TX
Setting 23
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.1042G	47.00	83.54	-36.54	43.71	1	Horizontal	204	1.47	-	37.48	15.55	49.74
AV	20.12682G	36.36	63.54	-27.18	33.05	1	Horizontal	204	1.47	-	37.50	15.56	49.75

802.11ax HEW80_Nss1,(MCS0)_1TX

6785MHz_TnomVnom




EUT_V_1TX
 Setting 20.75
 03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7976G	114.79	Inf	-Inf	106.35	3	Vertical	71	1.71	-	35.79	8.10	35.45
RMS	6.7832G	104.82	Inf	-Inf	96.44	3	Vertical	71	1.71	-	35.73	8.10	35.45
PK	7.127G	72.92	88.20	-15.28	64.28	3	Vertical	71	1.71	-	35.96	8.20	35.52
RMS	7.1288G	58.35	68.20	-9.85	49.70	3	Vertical	71	1.71	-	35.97	8.20	35.52

802.11ax HEW80_Nss1,(MCS0)_1TX

6785MHz_TnomVnom




EUT V_1TX
Setting 20.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.57264G	58.66	88.20	-29.54	39.56	3	Vertical	215	1.06	-	40.47	12.06	33.43	
RMS	13.57942G	47.85	68.20	-20.35	28.75	3	Vertical	215	1.06	-	40.48	12.06	33.44	

802.11ax HEW80_Nss1,(MCS0)_1TX

6785MHz_TnomVnom




EUT V_1TX
Setting 20.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.56052G	59.21	88.20	-28.99	40.13	3	Horizontal	17	2.81	-	40.46	12.05	33.43
RMS	13.57144G	47.98	68.20	-20.22	28.88	3	Horizontal	17	2.81	-	40.47	12.06	33.43

802.11ax HEW80_Nss1,(MCS0)_1TX

6785MHz_TnomVnom




EUT_V_1TX
Setting 20.75
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	20.34588G	47.26	83.54	-36.28	43.80	1	Vertical	206	2.79	-	37.64	15.66	49.84	
AV	20.3631G	36.55	63.54	-26.99	33.09	1	Vertical	206	2.79	-	37.65	15.66	49.85	

802.11ax HEW80_Nss1,(MCS0)_1TX

6785MHz_TnomVnom




EUT_V_1TX
Setting 20.75
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	20.36184G	47.05	83.54	-36.49	43.59	1	Horizontal	319	2.30	-	37.64	15.66	49.84	
AV	20.3553G	36.69	63.54	-26.85	33.23	1	Horizontal	319	2.30	-	37.64	15.66	49.84	

802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TnomVnom




EUT V_1TX
 Setting 15.5
 01-M-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.901G	83.45	88.20	-4.75	74.75	3	Vertical	89	1.48	-	34.90	6.60	32.80
RMS	5.907G	67.57	68.20	-0.63	58.84	3	Vertical	89	1.48	-	34.93	6.60	32.80
PK	6G	105.45	Inf	-Inf	96.39	3	Vertical	89	1.48	-	35.30	6.60	32.84
RMS	6.03G	96.16	Inf	-Inf	87.12	3	Vertical	89	1.48	-	35.24	6.64	32.84

802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TnomVnom




EUT_V_1TX
Setting 15.5
01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.05492G	59.15	74.00	-14.85	43.13	3	Vertical	222	1.80	-	38.55	9.02	31.55
AV	12.03908G	48.97	54.00	-5.03	32.95	3	Vertical	222	1.80	-	38.54	9.02	31.54

802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TnomVnom




EUT_V_1TX
Setting 15.5
01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.06206G	61.65	74.00	-12.35	45.61	3	Horizontal	210	1.80	-	38.56	9.03	31.55
AV	12.06308G	53.47	54.00	-0.53	37.43	3	Horizontal	210	1.80	-	38.56	9.03	31.55

802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TnomVnom




EUT_V_1TX
Setting 15.5
01-M-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	18.0747G	44.71	83.54	-38.83	42.61	1	Vertical	111	2.76	-	37.64	14.73	50.27
AV	18.06408G	35.46	63.54	-28.08	33.35	1	Vertical	111	2.76	-	37.65	14.73	50.27

802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TnomVnom




EUT_V_1TX
Setting 15.5
01-M-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	18.0675G	45.55	83.54	-37.99	43.44	1	Horizontal	73	1.67	-	37.65	14.73	50.27
AV	18.08466G	35.34	63.54	-28.20	33.25	1	Horizontal	73	1.67	-	37.63	14.73	50.27

802.11ax HEW160_Nss1,(MCS0)_1TX

6185MHz_TnomVnom




EUT_V_1TX
 Setting 23
 03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.919G	73.05	88.20	-15.15	66.41	3	Vertical	69	1.76	-	34.68	7.52	35.56
RMS	5.921G	56.60	68.20	-11.60	49.96	3	Vertical	69	1.76	-	34.68	7.52	35.56
PK	6.181G	110.35	Inf	-Inf	103.07	3	Vertical	69	1.76	-	35.12	7.69	35.53
RMS	6.189G	100.93	Inf	-Inf	93.60	3	Vertical	69	1.76	-	35.16	7.69	35.52

802.11ax HEW160_Nss1,(MCS0)_1TX

6185MHz_TnomVnom




EUT V_1TX
Setting 23
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.37942G	56.10	74.00	-17.90	41.53	3	Vertical	281	1.76	-	38.88	11.10	35.41
AV	12.3811G	45.42	54.00	-8.58	30.85	3	Vertical	281	1.76	-	38.88	11.10	35.41

802.11ax HEW160_Nss1,(MCS0)_1TX

6185MHz_TnomVnom




EUT V_1TX
Setting 23
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.3838G	61.22	74.00	-12.78	46.64	3	Horizontal	206	2.30	-	38.88	11.11	35.41
AV	12.38134G	50.29	54.00	-3.71	35.71	3	Horizontal	206	2.30	-	38.88	11.11	35.41

802.11ax HEW160_Nss1,(MCS0)_1TX

6185MHz_TnomVnom




EUT_V_1TX
Setting 23
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.5559G	45.79	83.54	-37.75	43.13	1	Vertical	180	2.82	-	37.78	14.92	50.04
AV	18.54132G	34.73	63.54	-28.81	32.09	1	Vertical	180	2.82	-	37.78	14.92	50.06

802.11ax HEW160_Nss1,(MCS0)_1TX

6185MHz_TnomVnom




EUT_V_1TX
Setting 23
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.55782G	45.68	83.54	-37.86	43.02	1	Horizontal	89	1.79	-	37.78	14.92	50.04
AV	18.55242G	34.93	63.54	-28.61	32.28	1	Horizontal	89	1.79	-	37.78	14.92	50.05

802.11ax HEW160_Nss1,(MCS0)_1TX

6345MHz_TnomVnom




EUT V_1TX
 Setting 15
 03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.919G	61.27	88.20	-26.93	54.63	3	Vertical	69	1.73	-	34.68	7.52	35.56
RMS	5.922G	48.02	68.20	-20.18	41.37	3	Vertical	69	1.73	-	34.69	7.52	35.56
PK	6.342G	107.81	Inf	-Inf	100.65	3	Vertical	69	1.73	-	34.92	7.70	35.46
RMS	6.342G	98.53	Inf	-Inf	91.37	3	Vertical	69	1.73	-	34.92	7.70	35.46

802.11ax HEW160_Nss1,(MCS0)_1TX

6345MHz_TnomVnom




EUT Y_1TX
Setting 15
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.68868G	55.63	74.00	-18.37	40.17	3	Vertical	48	1.20	-	39.07	11.35	34.96
AV	12.68676G	45.59	54.00	-8.41	30.14	3	Vertical	48	1.20	-	39.06	11.35	34.96

802.11ax HEW160_Nss1,(MCS0)_1TX

6345MHz_TnomVnom




EUT_V_1TX
Setting 15
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.69356G	56.31	74.00	-17.69	40.82	3	Horizontal	25	2.75	-	39.08	11.35	34.94	
AV	12.6912G	44.67	54.00	-9.33	29.20	3	Horizontal	25	2.75	-	39.07	11.35	34.95	

802.11ax HEW160_Nss1,(MCS0)_1TX

6345MHz_TnomVnom




EUT_V_1TX
Setting 15
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.038G	46.13	83.54	-37.41	42.67	1	Vertical	73	2.70	-	37.95	15.12	49.61	
AV	19.03002G	36.03	63.54	-27.51	32.57	1	Vertical	73	2.70	-	37.96	15.11	49.61	

802.11ax HEW160_Nss1,(MCS0)_1TX

6345MHz_TnomVnom




EUT_V_1TX
Setting 15
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.02096G	46.15	83.54	-37.39	42.67	1	Horizontal	294	2.32	-	37.97	15.11	49.60
AV	19.02996G	35.93	63.54	-27.61	32.47	1	Horizontal	294	2.32	-	37.96	15.11	49.61

802.11ax HEW160_Nss1,(MCS0)_1TX

6665MHz_TnomVnom




EUT_V_1TX
Setting 18.75
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.6496G	112.77	Inf	-Inf	104.80	3	Vertical	69	1.73	-	35.30	8.10	35.43	
RMS	6.6606G	103.10	Inf	-Inf	95.11	3	Vertical	69	1.73	-	35.32	8.10	35.43	
PK	7.1292G	64.97	88.20	-23.23	56.31	3	Vertical	69	1.73	-	35.98	8.20	35.52	
RMS	7.1292G	52.25	68.20	-15.95	43.59	3	Vertical	69	1.73	-	35.98	8.20	35.52	

802.11ax HEW160_Nss1,(MCS0)_1TX

6665MHz_TnomVnom




EUT V_1TX
Setting 18.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.32382G	58.35	74.00	-15.65	40.04	3	Vertical	8	1.12	-	40.15	11.86	33.70
AV	13.33402G	47.37	54.00	-6.63	29.02	3	Vertical	8	1.12	-	40.17	11.87	33.69

802.11ax HEW160_Nss1,(MCS0)_1TX

6665MHz_TnomVnom




EUT V_1TX
Setting 18.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.33282G	58.05	74.00	-15.95	39.70	3	Horizontal	358	2.14	-	40.17	11.87	33.69
AV	13.34068G	47.38	54.00	-6.62	29.00	3	Horizontal	358	2.14	-	40.18	11.87	33.67

802.11ax HEW160_Nss1,(MCS0)_1TX

6665MHz_TnomVnom




EUT V_1TX
Setting 18.75
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.00544G	46.96	83.54	-36.58	43.76	1	Vertical	353	1.19	-	37.40	15.50	49.70
AV	20.00712G	36.65	63.54	-26.89	33.44	1	Vertical	353	1.19	-	37.41	15.50	49.70

802.11ax HEW160_Nss1,(MCS0)_1TX

6665MHz_TnomVnom



EUT_V_1TX
Setting 18.75
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.9938G	48.15	83.54	-35.39	44.94	1	Horizontal	107	2.35	-	37.41	15.50	49.70	
AV	20.00094G	36.75	63.54	-26.79	33.55	1	Horizontal	107	2.35	-	37.40	15.50	49.70	



RSE TX above 1GHz
<Full RU> standard power_Beamforming mode_2TX_Ant. 1


Appendix E.29

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	Pass	AV	11.9112G	53.86	54.00	-0.14	3	Horizontal	220	1.80	-

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5955MHz_TnomVnom




EUT_V_2TX
Setting 15
01-M-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9242G	80.87	88.20	-7.33	72.08	3	Vertical	48	1.49	-	35.00	6.60	32.81
RMS	5.924G	63.69	68.20	-4.51	54.90	3	Vertical	48	1.49	-	35.00	6.60	32.81
PK	5.9544G	120.66	Inf	-Inf	111.76	3	Vertical	48	1.49	-	35.12	6.60	32.82
RMS	5.9582G	109.56	Inf	-Inf	100.65	3	Vertical	48	1.49	-	35.13	6.60	32.82

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5955MHz_TnomVnom




EUT Y_2TX
Setting 15
01-M-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.925G	66.47	88.20	-21.73	57.68	3	Horizontal	45	2.30	-	35.00	6.60	32.81	
RMS	5.9232G	52.98	68.20	-15.22	44.20	3	Horizontal	45	2.30	-	34.99	6.60	32.81	
PK	5.9546G	115.08	Inf	-Inf	106.18	3	Horizontal	45	2.30	-	35.12	6.60	32.82	
RMS	5.96G	103.79	Inf	-Inf	94.87	3	Horizontal	45	2.30	-	35.14	6.60	32.82	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5955MHz_TnomVnom




EUT_V_2TX
Setting 15
01-M-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.9254G	61.87	74.00	-12.13	45.96	3	Vertical	55	1.80	-	38.50	8.98	31.57	
AV	11.9084G	48.19	54.00	-5.81	32.29	3	Vertical	55	1.80	-	38.50	8.98	31.58	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5955MHz_TnomVnom




EUT_V_2TX
Setting 15
01-M-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.916G	68.77	74.00	-5.23	52.86	3	Horizontal	220	1.80	-	38.50	8.98	31.57
AV	11.9112G	53.86	54.00	-0.14	37.96	3	Horizontal	220	1.80	-	38.50	8.98	31.58

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6195MHz_TnomVnom




EUT Y_2TX
Setting 20
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6126G	62.29	88.20	-25.91	55.73	3	Vertical	125	1.98	-	34.57	7.40	35.41
RMS	5.545G	50.33	68.20	-17.87	43.75	3	Vertical	125	1.98	-	34.60	7.35	35.37
PK	6.1976G	116.53	Inf	-Inf	109.16	3	Vertical	125	1.98	-	35.19	7.70	35.52
RMS	6.195G	104.87	Inf	-Inf	97.51	3	Vertical	125	1.98	-	35.18	7.70	35.52

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6195MHz_TnomVnom




EUT Y_2TX
Setting 20
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.6282G	61.38	88.20	-26.82	54.85	3	Horizontal	360	1.89	-	34.54	7.40	35.41	
RMS	5.6204G	50.29	68.20	-17.91	43.74	3	Horizontal	360	1.89	-	34.56	7.40	35.41	
PK	6.195G	117.18	Inf	-Inf	109.82	3	Horizontal	360	1.89	-	35.18	7.70	35.52	
RMS	6.195G	104.18	Inf	-Inf	96.82	3	Horizontal	360	1.89	-	35.18	7.70	35.52	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6195MHz_TnomVnom




EUT_V_2TX
 Setting 20
 03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.3939G	62.14	74.00	-11.86	47.54	3	Vertical	234	1.79	-	38.89	11.12	35.41
AV	12.39084G	47.29	54.00	-6.71	32.70	3	Vertical	234	1.79	-	38.89	11.11	35.41

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6195MHz_TnomVnom




EUT_V_2TX
 Setting 20
 03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.39036G	64.95	74.00	-9.05	50.36	3	Horizontal	207	1.80	-	38.89	11.11	35.41	
AV	12.38802G	51.39	54.00	-2.61	36.80	3	Horizontal	207	1.80	-	38.89	11.11	35.41	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6195MHz_TnomVnom




EUT_V_2TX
Setting 20
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.59568G	49.36	83.54	-34.18	46.66	1	Vertical	45	1.02	-	37.76	14.94	50.00
AV	18.59952G	34.47	63.54	-29.07	31.77	1	Vertical	45	1.02	-	37.76	14.94	50.00

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6195MHz_TnomVnom




EUT_V_2TX
Setting 20
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	18.59598G	48.40	83.54	-35.14	45.70	1	Horizontal	74	1.44	-	37.76	14.94	50.00	
AV	18.58782G	34.44	63.54	-29.10	31.75	1	Horizontal	74	1.44	-	37.76	14.94	50.01	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6415MHz_TnomVnom




EUT Y_2TX
Setting 19.75
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8522G	61.96	88.20	-26.24	55.73	3	Vertical	328	2.08	-	34.31	7.45	35.53
RMS	5.925G	50.25	68.20	-17.95	43.58	3	Vertical	328	2.08	-	34.70	7.53	35.56
PK	6.415G	118.55	Inf	-Inf	111.41	3	Vertical	328	2.08	-	34.84	7.73	35.43
RMS	6.415G	105.58	Inf	-Inf	98.44	3	Vertical	328	2.08	-	34.84	7.73	35.43

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6415MHz_TnomVnom




EUT V_2TX
 Setting 19.75
 03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8662G	61.06	88.20	-27.14	54.72	3	Horizontal	360	1.80	-	34.40	7.47	35.53
RMS	5.9222G	50.21	68.20	-17.99	43.56	3	Horizontal	360	1.80	-	34.69	7.52	35.56
PK	6.415G	116.14	Inf	-Inf	109.00	3	Horizontal	360	1.80	-	34.84	7.73	35.43
RMS	6.415G	104.82	Inf	-Inf	97.68	3	Horizontal	360	1.80	-	34.84	7.73	35.43

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6415MHz_TnomVnom




EUT_V_2TX
Setting 19.75
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.83084G	61.58	88.20	-26.62	45.42	3	Vertical	238	1.74	-	39.33	11.46	34.63	
RMS	12.83072G	48.07	68.20	-20.13	31.91	3	Vertical	238	1.74	-	39.33	11.46	34.63	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6415MHz_TnomVnom




EUT_V_2TX
Setting 19.75
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.83378G	65.64	88.20	-22.56	49.46	3	Horizontal	208	1.80	-	39.33	11.47	34.62	
RMS	12.83144G	51.42	68.20	-16.78	35.25	3	Horizontal	208	1.80	-	39.33	11.47	34.63	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6415MHz_TnomVnom




EUT Y_2TX
Setting 19.75
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.2339G	48.65	83.54	-34.89	45.39	1	Vertical	242	2.72	-	37.72	15.19	49.65
AV	19.23468G	35.10	63.54	-28.44	31.84	1	Vertical	242	2.72	-	37.72	15.19	49.65

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6415MHz_TnomVnom




EUT Y_2TX
Setting 19.75
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.25688G	49.38	83.54	-34.16	46.12	1	Horizontal	159	2.60	-	37.71	15.20	49.65
AV	19.2324G	35.11	63.54	-28.43	31.85	1	Horizontal	159	2.60	-	37.72	15.19	49.65

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6535MHz_TnomVnom




EUT_V_2TX
Setting 19.25
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.905G	60.99	88.20	-27.21	54.42	3	Vertical	328	1.95	-	34.62	7.50	35.55
RMS	5.9246G	50.21	68.20	-17.99	43.55	3	Vertical	328	1.95	-	34.70	7.52	35.56
PK	6.535G	115.76	Inf	-Inf	108.36	3	Vertical	328	1.95	-	34.84	7.97	35.41
RMS	6.535G	105.80	Inf	-Inf	98.40	3	Vertical	328	1.95	-	34.84	7.97	35.41
PK	7.1874G	66.46	88.20	-21.74	57.48	3	Vertical	328	1.95	-	36.32	8.20	35.54
RMS	7.151G	54.62	68.20	-13.58	45.84	3	Vertical	328	1.95	-	36.11	8.20	35.53

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6535MHz_TnomVnom




EUT V_2TX
 Setting 19.25
 03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9162G	62.23	88.20	-25.97	55.61	3	Horizontal	360	1.78	-	34.66	7.52	35.56
RMS	5.9246G	50.17	68.20	-18.03	43.51	3	Horizontal	360	1.78	-	34.70	7.52	35.56
PK	6.5378G	113.97	Inf	-Inf	106.55	3	Horizontal	360	1.78	-	34.85	7.98	35.41
RMS	6.535G	104.24	Inf	-Inf	96.84	3	Horizontal	360	1.78	-	34.84	7.97	35.41
PK	7.151G	65.08	88.20	-23.12	56.30	3	Horizontal	360	1.78	-	36.11	8.20	35.53
RMS	7.165G	54.60	68.20	-13.60	45.74	3	Horizontal	360	1.78	-	36.19	8.20	35.53

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6535MHz_TnomVnom




EUT Y_2TX
Setting 19.25
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.06856G	62.44	88.20	-25.76	45.21	3	Vertical	202	2.66	-	39.71	11.65	34.13
RMS	13.0709G	48.53	68.20	-19.67	31.28	3	Vertical	202	2.66	-	39.71	11.66	34.12

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6535MHz_TnomVnom




EUT_V_2TX
Setting 19.25
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.06946G	63.69	88.20	-24.51	46.44	3	Horizontal	278	1.89	-	39.71	11.66	34.12	
RMS	13.06982G	49.46	68.20	-18.74	32.21	3	Horizontal	278	1.89	-	39.71	11.66	34.12	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6535MHz_TnomVnom




EUT Y_2TX
Setting 19.25
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	19.5915G	49.85	83.54	-33.69	46.35	1	Vertical	153	1.25	-	37.86	15.34	49.70	
AV	19.59726G	35.74	63.54	-27.80	32.24	1	Vertical	153	1.25	-	37.86	15.34	49.70	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6535MHz_TnomVnom




EUT Y_2TX
Setting 19.25
03-B-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.6161G	49.87	83.54	-33.67	46.37	1	Horizontal	132	3.00	-	37.85	15.35	49.70
AV	19.59G	35.71	63.54	-27.83	32.21	1	Horizontal	132	3.00	-	37.86	15.34	49.70

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6695MHz_TnomVnom




EUT Y_2TX
Setting 19.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.6928G	114.19	Inf	-Inf	106.13	3	Vertical	334	1.70	-	35.39	8.10	35.43	
RMS	6.695G	104.28	Inf	-Inf	96.23	3	Vertical	334	1.70	-	35.39	8.10	35.44	
PK	7.1746G	65.84	88.20	-22.36	56.93	3	Vertical	334	1.70	-	36.25	8.20	35.54	
RMS	7.1614G	54.69	68.20	-13.51	45.85	3	Vertical	334	1.70	-	36.17	8.20	35.53	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6695MHz_TnomVnom




EUT V_2TX
Setting 19.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.695G	114.38	Inf	-Inf	106.33	3	Horizontal	347	2.02	-	35.39	8.10	35.44	
RMS	6.695G	103.57	Inf	-Inf	95.52	3	Horizontal	347	2.02	-	35.39	8.10	35.44	
PK	7.19G	66.10	88.20	-22.10	57.10	3	Horizontal	347	2.02	-	36.34	8.20	35.54	
RMS	7.157G	54.67	68.20	-13.53	45.86	3	Horizontal	347	2.02	-	36.14	8.20	35.53	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6695MHz_TnomVnom




EUT_V_2TX
Setting 19.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.39156G	63.77	74.00	-10.23	45.17	3	Vertical	220	2.50	-	40.28	11.91	33.59	
AV	13.39096G	50.05	54.00	-3.95	31.45	3	Vertical	220	2.50	-	40.28	11.91	33.59	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6695MHz_TnomVnom




EUT_V_2TX
Setting 19.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.39288G	64.75	74.00	-9.25	46.14	3	Horizontal	208	3.00	-	40.29	11.91	33.59	
AV	13.39048G	50.75	54.00	-3.25	32.15	3	Horizontal	208	3.00	-	40.28	11.91	33.59	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6695MHz_TnomVnom




EUT Y_2TX
Setting 19.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.07222G	51.02	83.54	-32.52	47.76	1	Vertical	319	2.51	-	37.46	15.53	49.73
AV	20.07168G	36.48	63.54	-27.06	33.22	1	Vertical	319	2.51	-	37.46	15.53	49.73

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6695MHz_TnomVnom




EUT V_2TX
Setting 19.5
03-B-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	20.08272G	50.08	83.54	-33.46	46.80	1	Horizontal	121	2.90	-	37.47	15.54	49.73	
AV	20.07G	36.46	63.54	-27.08	33.20	1	Horizontal	121	2.90	-	37.46	15.53	49.73	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6855MHz_TnomVnom




EUT Y_2TX
Setting 23
01-M-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8522G	121.77	Inf	-Inf	111.08	3	Vertical	16	1.70	-	36.58	7.08	32.97
RMS	6.8606G	107.97	Inf	-Inf	97.34	3	Vertical	16	1.70	-	36.52	7.09	32.98
PK	7.1588G	66.01	88.20	-22.19	54.95	3	Vertical	16	1.70	-	36.94	7.22	33.10
RMS	7.1742G	54.72	68.20	-13.48	43.62	3	Vertical	16	1.70	-	37.00	7.21	33.11

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6855MHz_TnomVnom




EUT V_2TX
Setting 23
01-M-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8578G	120.96	Inf	-Inf	110.30	3	Horizontal	7	1.80	-	36.54	7.09	32.97
RMS	6.8578G	107.66	Inf	-Inf	97.00	3	Horizontal	7	1.80	-	36.54	7.09	32.97
PK	7.177G	66.19	88.20	-22.01	55.08	3	Horizontal	7	1.80	-	37.01	7.21	33.11
RMS	7.1728G	54.64	68.20	-13.56	43.55	3	Horizontal	7	1.80	-	36.99	7.21	33.11

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6855MHz_TnomVnom




EUT_V_2TX
 Setting 23
 01-M-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.7144G	68.19	88.20	-20.01	47.54	3	Vertical	103	1.32	-	40.54	9.77	29.66	
RMS	13.7104G	55.44	68.20	-12.76	34.80	3	Vertical	103	1.32	-	40.53	9.77	29.66	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6855MHz_TnomVnom




EUT_V_2TX
Setting 23
01-M-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7182G	69.41	88.20	-18.79	48.74	3	Horizontal	213	2.75	-	40.55	9.77	29.65
RMS	13.7104G	55.41	68.20	-12.79	34.77	3	Horizontal	213	2.75	-	40.53	9.77	29.66

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6855MHz_TnomVnom




EUT Y_2TX
Setting 23
01-M-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.56546G	53.09	83.54	-30.45	49.43	1	Vertical	184	1.57	-	37.78	15.75	49.87
AV	20.56766G	38.45	63.54	-25.09	34.78	1	Vertical	184	1.57	-	37.78	15.76	49.87

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6855MHz_TnomVnom




EUT_V_2TX
Setting 23
01-M-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.56876G	52.17	83.54	-31.37	48.50	1	Horizontal	202	1.50	-	37.78	15.76	49.87
AV	20.56182G	38.32	63.54	-25.22	34.68	1	Horizontal	202	1.50	-	37.77	15.75	49.88

802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5965MHz_TnomVnom



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	84.82	88.20	-3.38	76.03	3	Vertical	48	1.44	-	35.00	6.60	32.81
RMS	5.925G	67.26	68.20	-0.94	58.47	3	Vertical	48	1.44	-	35.00	6.60	32.81
PK	5.9734G	110.78	Inf	-Inf	101.82	3	Vertical	48	1.44	-	35.19	6.60	32.83
RMS	5.9726G	100.87	Inf	-Inf	91.91	3	Vertical	48	1.44	-	35.19	6.60	32.83

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5965MHz_TnomVnom




EUT Y_2TX
Setting 17.5
01-M-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.925G	85.18	88.20	-3.02	76.39	3	Horizontal	33	2.32	-	35.00	6.60	32.81	
RMS	5.9222G	64.09	68.20	-4.11	55.31	3	Horizontal	33	2.32	-	34.99	6.60	32.81	
PK	5.949G	111.96	Inf	-Inf	103.08	3	Horizontal	33	2.32	-	35.10	6.60	32.82	
RMS	5.9762G	98.70	Inf	-Inf	89.73	3	Horizontal	33	2.32	-	35.20	6.60	32.83	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5965MHz_TnomVnom




EUT Y_2TX
Setting 17.5
01-M-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.93132G	63.36	74.00	-10.64	47.45	3	Vertical	146	2.21	-	38.50	8.98	31.57
AV	11.92864G	48.43	54.00	-5.57	32.52	3	Vertical	146	2.21	-	38.50	8.98	31.57
PK	17.88452G	65.43	74.00	-8.57	42.29	3	Vertical	221	1.98	-	42.74	11.07	30.67
AV	17.89532G	50.18	54.00	-3.82	27.00	3	Vertical	221	1.98	-	42.78	11.07	30.67

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5965MHz_TnomVnom




EUT Y_2TX
Setting 17.5
01-M-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.93116G	63.07	74.00	-10.93	47.16	3	Horizontal	69	1.40	-	38.50	8.98	31.57
AV	11.92856G	48.45	54.00	-5.55	32.54	3	Horizontal	69	1.40	-	38.50	8.98	31.57
PK	17.8624G	62.78	74.00	-11.22	39.73	3	Horizontal	125	1.68	-	42.65	11.06	30.66
AV	17.86351G	48.66	54.00	-5.34	25.61	3	Horizontal	125	1.68	-	42.65	11.06	30.66

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6205MHz_TnomVnom




EUT V_2TX
Setting 20
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.5526G	61.47	88.20	-26.73	54.90	3	Vertical	222	1.20	-	34.60	7.35	35.38
RMS	5.6086G	50.23	68.20	-17.97	43.65	3	Vertical	222	1.20	-	34.58	7.40	35.40
PK	6.2022G	112.18	Inf	-Inf	104.81	3	Vertical	222	1.20	-	35.19	7.70	35.52
RMS	6.2078G	101.88	Inf	-Inf	94.53	3	Vertical	222	1.20	-	35.17	7.70	35.52

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6205MHz_TnomVnom




EUT_V_2TX
Setting 20
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.673G	61.71	88.20	-26.49	55.34	3	Horizontal	360	1.80	-	34.41	7.40	35.44	
RMS	5.6114G	50.19	68.20	-18.01	43.62	3	Horizontal	360	1.80	-	34.58	7.40	35.41	
PK	6.1994G	111.07	Inf	-Inf	103.69	3	Horizontal	360	1.80	-	35.20	7.70	35.52	
RMS	6.2022G	99.89	Inf	-Inf	92.52	3	Horizontal	360	1.80	-	35.19	7.70	35.52	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6205MHz_TnomVnom




EUT_V_2TX
Setting 20
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.40352G	58.77	74.00	-15.23	44.16	3	Vertical	233	1.80	-	38.90	11.12	35.41	
AV	12.40604G	44.65	54.00	-9.35	30.05	3	Vertical	233	1.80	-	38.89	11.12	35.41	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6205MHz_TnomVnom




EUT_V_2TX
Setting 20
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.4109G	62.35	74.00	-11.65	47.74	3	Horizontal	208	1.78	-	38.89	11.13	35.41
AV	12.4055G	47.79	54.00	-6.21	33.19	3	Horizontal	208	1.78	-	38.89	11.12	35.41

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6205MHz_TnomVnom




EUT Y_2TX
Setting 20
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	18.60648G	49.32	83.54	-34.22	46.61	1	Vertical	57	2.47	-	37.76	14.94	49.99	
AV	18.61434G	34.49	63.54	-29.05	31.78	1	Vertical	57	2.47	-	37.75	14.95	49.99	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6205MHz_TnomVnom




EUT Y_2TX
Setting 20
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.60498G	49.31	83.54	-34.23	46.61	1	Horizontal	172	1.09	-	37.76	14.94	50.00
AV	18.60492G	34.45	63.54	-29.09	31.75	1	Horizontal	172	1.09	-	37.76	14.94	50.00

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6405MHz_TnomVnom




EUT_V_2TX
Setting 19.75
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6146G	61.72	88.20	-26.48	55.16	3	Vertical	324	2.19	-	34.57	7.40	35.41
RMS	5.6114G	50.27	68.20	-17.93	43.70	3	Vertical	324	2.19	-	34.58	7.40	35.41
PK	6.405G	113.85	Inf	-Inf	106.70	3	Vertical	324	2.19	-	34.88	7.71	35.44
RMS	6.4018G	102.52	Inf	-Inf	95.37	3	Vertical	324	2.19	-	34.89	7.70	35.44
PK	7.157G	65.97	88.20	-22.23	57.16	3	Vertical	324	2.19	-	36.14	8.20	35.53
RMS	7.157G	54.87	68.20	-13.33	46.06	3	Vertical	324	2.19	-	36.14	8.20	35.53

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6405MHz_TnomVnom




EUT_V_2TX
 Setting 19.75
 03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7554G	62.76	88.20	-25.44	56.64	3	Horizontal	360	1.80	-	34.20	7.40	35.48
RMS	5.605G	50.25	68.20	-17.95	43.66	3	Horizontal	360	1.80	-	34.59	7.40	35.40
PK	6.405G	112.91	Inf	-Inf	105.76	3	Horizontal	360	1.80	-	34.88	7.71	35.44
RMS	6.4082G	101.95	Inf	-Inf	94.80	3	Horizontal	360	1.80	-	34.87	7.72	35.44
PK	7.1378G	66.17	88.20	-22.03	57.47	3	Horizontal	360	1.80	-	36.03	8.20	35.53
RMS	7.1634G	54.86	68.20	-13.34	46.01	3	Horizontal	360	1.80	-	36.18	8.20	35.53

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6405MHz_TnomVnom




EUT_V_2TX
Setting 19.75
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8112G	59.30	88.20	-28.90	43.21	3	Vertical	178	1.44	-	39.31	11.45	34.67
RMS	12.80784G	45.40	68.20	-22.80	29.32	3	Vertical	178	1.44	-	39.31	11.45	34.68

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6405MHz_TnomVnom




EUT_V_2TX
Setting 19.75
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.81474G	58.98	88.20	-29.22	42.89	3	Horizontal	181	2.33	-	39.31	11.45	34.67	
RMS	12.80244G	45.38	68.20	-22.82	29.33	3	Horizontal	181	2.33	-	39.30	11.44	34.69	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6405MHz_TnomVnom




EUT Y_2TX
Setting 19.75
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	19.21854G	49.77	83.54	-33.77	46.48	1	Vertical	313	2.57	-	37.74	15.19	49.64	
AV	19.22556G	35.06	63.54	-28.48	31.79	1	Vertical	313	2.57	-	37.73	15.19	49.65	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6405MHz_TnomVnom




EUT Y_2TX
Setting 19.75
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.2219G	49.21	83.54	-34.33	45.93	1	Horizontal	230	1.19	-	37.73	15.19	49.64
AV	19.22364G	35.07	63.54	-28.47	31.79	1	Horizontal	230	1.19	-	37.73	15.19	49.64

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6565MHz_TnomVnom




EUT_V_2TX
Setting 19.25
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9228G	60.24	88.20	-27.96	53.59	3	Vertical	331	1.80	-	34.69	7.52	35.56
RMS	5.925G	50.03	68.20	-18.17	43.37	3	Vertical	331	1.80	-	34.70	7.52	35.56
PK	6.5676G	113.86	Inf	-Inf	106.26	3	Vertical	331	1.80	-	34.97	8.04	35.41
RMS	6.5676G	101.69	Inf	-Inf	94.09	3	Vertical	331	1.80	-	34.97	8.04	35.41
PK	7.1734G	65.75	88.20	-22.45	56.85	3	Vertical	331	1.80	-	36.24	8.20	35.54
RMS	7.1578G	54.97	68.20	-13.23	46.15	3	Vertical	331	1.80	-	36.15	8.20	35.53

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6565MHz_TnomVnom




EUT_V_2TX
 Setting 19.25
 03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9202G	60.22	88.20	-27.98	53.58	3	Horizontal	345	1.83	-	34.68	7.52	35.56
RMS	5.925G	50.04	68.20	-18.16	43.38	3	Horizontal	345	1.83	-	34.70	7.52	35.56
PK	6.5624G	110.28	Inf	-Inf	102.72	3	Horizontal	345	1.83	-	34.95	8.02	35.41
RMS	6.5624G	99.83	Inf	-Inf	92.27	3	Horizontal	345	1.83	-	34.95	8.02	35.41
PK	7.1578G	66.04	88.20	-22.16	57.22	3	Horizontal	345	1.83	-	36.15	8.20	35.53
RMS	7.1578G	55.05	68.20	-13.15	46.23	3	Horizontal	345	1.83	-	36.15	8.20	35.53

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6565MHz_TnomVnom




EUT_V_2TX
Setting 19.25
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.13336G	62.20	88.20	-26.00	44.68	3	Vertical	221	1.80	-	39.83	11.71	34.02	
RMS	13.13078G	48.24	68.20	-19.96	30.73	3	Vertical	221	1.80	-	39.83	11.70	34.02	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6565MHz_TnomVnom




EUT_V_2TX
Setting 19.25
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.13504G	63.19	88.20	-25.01	45.66	3	Horizontal	194	2.23	-	39.84	11.71	34.02	
RMS	13.12994G	48.86	68.20	-19.34	31.35	3	Horizontal	194	2.23	-	39.83	11.70	34.02	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6565MHz_TnomVnom




EUT Y_2TX
Setting 19.25
03-B-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.69158G	49.43	83.54	-34.11	45.93	1	Vertical	178	2.63	-	37.82	15.38	49.70	
AV	19.68G	35.72	63.54	-27.82	32.22	1	Vertical	178	2.63	-	37.83	15.37	49.70	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6565MHz_TnomVnom




EUT Y_2TX
Setting 19.25
03-B-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.68252G	49.99	83.54	-33.55	46.49	1	Horizontal	274	1.71	-	37.83	15.37	49.70
AV	19.68G	35.76	63.54	-27.78	32.26	1	Horizontal	274	1.71	-	37.83	15.37	49.70

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6685MHz_TnomVnom




EUT V_2TX
Setting 19.25
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.6872G	111.70	Inf	-Inf	103.66	3	Vertical	327	1.80	-	35.37	8.10	35.43	
RMS	6.6828G	100.18	Inf	-Inf	92.14	3	Vertical	327	1.80	-	35.37	8.10	35.43	
PK	7.1338G	85.12	88.20	-3.08	76.44	3	Vertical	327	1.80	-	36.00	8.20	35.52	
RMS	7.1294G	65.96	68.20	-2.24	57.30	3	Vertical	327	1.80	-	35.98	8.20	35.52	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6685MHz_TnomVnom




EUT V_2TX
Setting 19.25
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.685G	109.81	Inf	-Inf	101.77	3	Horizontal	0	1.73	-	35.37	8.10	35.43	
RMS	6.6828G	100.26	Inf	-Inf	92.22	3	Horizontal	0	1.73	-	35.37	8.10	35.43	
PK	7.136G	84.35	88.20	-3.85	75.66	3	Horizontal	0	1.73	-	36.02	8.20	35.53	
RMS	7.125G	65.43	68.20	-2.77	56.80	3	Horizontal	0	1.73	-	35.95	8.20	35.52	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6685MHz_TnomVnom




EUT_V_2TX
Setting 19.25
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.37024G	61.10	74.00	-12.90	42.59	3	Vertical	227	1.39	-	40.24	11.90	33.63	
AV	13.35548G	47.35	54.00	-6.65	28.91	3	Vertical	227	1.39	-	40.21	11.88	33.65	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6685MHz_TnomVnom




EUT_V_2TX
Setting 19.25
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.37864G	61.98	74.00	-12.02	43.43	3	Horizontal	351	2.00	-	40.26	11.90	33.61
AV	13.35854G	47.35	54.00	-6.65	28.88	3	Horizontal	351	2.00	-	40.22	11.89	33.64

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6685MHz_TnomVnom




EUT Y_2TX
Setting 19.25
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.04576G	50.54	83.54	-33.00	47.30	1	Vertical	212	2.24	-	37.44	15.52	49.72
AV	20.05716G	36.52	63.54	-27.02	33.26	1	Vertical	212	2.24	-	37.45	15.53	49.72

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6685MHz_TnomVnom




EUT Y_2TX
Setting 19.25
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.06226G	50.47	83.54	-33.07	47.21	1	Horizontal	122	1.83	-	37.45	15.53	49.72
AV	20.05896G	36.48	63.54	-27.06	33.22	1	Horizontal	122	1.83	-	37.45	15.53	49.72

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5985MHz_TnomVnom




EUT Y_2TX
 Setting 15.5
 01-M-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9226G	79.52	88.20	-8.68	70.74	3	Vertical	344	1.80	-	34.99	6.60	32.81	
RMS	5.9226G	66.07	68.20	-2.13	57.29	3	Vertical	344	1.80	-	34.99	6.60	32.81	
PK	6.0006G	108.03	Inf	-Inf	98.97	3	Vertical	344	1.80	-	35.30	6.60	32.84	
RMS	5.9598G	97.97	Inf	-Inf	89.05	3	Vertical	344	1.80	-	35.14	6.60	32.82	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5985MHz_TnomVnom




EUT V_2TX
 Setting 15.5
 01-M-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9226G	82.18	88.20	-6.02	73.40	3	Horizontal	341	1.15	-	34.99	6.60	32.81	
RMS	5.9232G	68.03	68.20	-0.17	59.25	3	Horizontal	341	1.15	-	34.99	6.60	32.81	
PK	5.973G	108.41	Inf	-Inf	99.45	3	Horizontal	341	1.15	-	35.19	6.60	32.83	
RMS	5.9688G	96.56	Inf	-Inf	87.61	3	Horizontal	341	1.15	-	35.18	6.60	32.83	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5985MHz_TnomVnom




EUT_V_2TX
Setting 15.5
01-M-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.97176G	58.67	74.00	-15.33	42.73	3	Vertical	70	1.30	-	38.50	8.99	31.55
AV	11.96658G	48.36	54.00	-5.64	32.42	3	Vertical	70	1.30	-	38.50	8.99	31.55

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5985MHz_TnomVnom




EUT Y_2TX
Setting 15.5
01-M-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.97226G	58.52	74.00	-15.48	42.58	3	Horizontal	181	1.74	-	38.50	8.99	31.55
AV	11.96586G	48.54	54.00	-5.46	32.60	3	Horizontal	181	1.74	-	38.50	8.99	31.55

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6225MHz_TnomVnom




EUT_V_2TX
Setting 20
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.769G	64.52	88.20	-23.68	58.40	3	Vertical	325	1.96	-	34.20	7.40	35.48	
RMS	5.607G	50.17	68.20	-18.03	43.58	3	Vertical	325	1.96	-	34.59	7.40	35.40	
PK	6.24G	109.74	Inf	-Inf	102.50	3	Vertical	325	1.96	-	35.04	7.70	35.50	
RMS	6.222G	99.35	Inf	-Inf	92.05	3	Vertical	325	1.96	-	35.11	7.70	35.51	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6225MHz_TnomVnom




EUT V_2TX
Setting 20
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.781G	61.39	88.20	-26.81	55.28	3	Horizontal	358	1.84	-	34.20	7.40	35.49
RMS	5.61G	50.22	68.20	-17.98	43.65	3	Horizontal	358	1.84	-	34.58	7.40	35.41
PK	6.228G	108.96	Inf	-Inf	101.68	3	Horizontal	358	1.84	-	35.09	7.70	35.51
RMS	6.228G	96.80	Inf	-Inf	89.52	3	Horizontal	358	1.84	-	35.09	7.70	35.51

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6225MHz_TnomVnom




EUT_V_2TX
Setting 20
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.43776G	59.52	74.00	-14.48	44.91	3	Vertical	0	2.98	-	38.86	11.15	35.40	
AV	12.44736G	47.98	54.00	-6.02	33.37	3	Vertical	0	2.98	-	38.85	11.16	35.40	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6225MHz_TnomVnom




EUT_V_2TX
Setting 20
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.46218G	60.67	74.00	-13.33	46.06	3	Horizontal	200	1.80	-	38.84	11.17	35.40
AV	12.44574G	49.32	54.00	-4.68	34.71	3	Horizontal	200	1.80	-	38.85	11.16	35.40

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6225MHz_TnomVnom




EUT_V_2TX
Setting 20
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	18.68724G	47.77	83.54	-35.77	44.98	1	Vertical	29	2.20	-	37.73	14.97	49.91	
AV	18.67092G	36.92	63.54	-26.62	34.15	1	Vertical	29	2.20	-	37.73	14.97	49.93	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6225MHz_TnomVnom




EUT Y_2TX
Setting 20
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.68946G	47.83	83.54	-35.71	45.04	1	Horizontal	290	1.42	-	37.72	14.98	49.91
AV	18.66492G	36.83	63.54	-26.71	34.07	1	Horizontal	290	1.42	-	37.73	14.97	49.94

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6385MHz_TnomVnom




EUT Y_2TX
Setting 18
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.923G	61.46	88.20	-26.74	54.81	3	Vertical	329	2.14	-	34.69	7.52	35.56
RMS	5.925G	50.39	68.20	-17.81	43.73	3	Vertical	329	2.14	-	34.70	7.52	35.56
PK	6.3878G	111.06	Inf	-Inf	103.90	3	Vertical	329	2.14	-	34.90	7.70	35.44
RMS	6.3878G	98.84	Inf	-Inf	91.68	3	Vertical	329	2.14	-	34.90	7.70	35.44

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6385MHz_TnomVnom




EUT_V_2TX
Setting 18
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.7578G	63.54	88.20	-24.66	57.42	3	Horizontal	360	1.86	-	34.20	7.40	35.48	
RMS	5.9062G	50.27	68.20	-17.93	43.69	3	Horizontal	360	1.86	-	34.62	7.51	35.55	
PK	6.3878G	110.10	Inf	-Inf	102.94	3	Horizontal	360	1.86	-	34.90	7.70	35.44	
RMS	6.3878G	97.94	Inf	-Inf	90.78	3	Horizontal	360	1.86	-	34.90	7.70	35.44	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6385MHz_TnomVnom




EUT_V_2TX
Setting 18
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.78242G	59.28	88.20	-28.92	43.33	3	Vertical	223	1.99	-	39.26	11.43	34.74	
RMS	12.76814G	48.39	68.20	-19.81	32.51	3	Vertical	223	1.99	-	39.24	11.41	34.77	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6385MHz_TnomVnom




EUT_V_2TX
Setting 18
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.76118G	58.98	88.20	-29.22	43.14	3	Horizontal	353	1.74	-	39.22	11.41	34.79	
RMS	12.75608G	48.41	68.20	-19.79	32.60	3	Horizontal	353	1.74	-	39.21	11.40	34.80	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6385MHz_TnomVnom




EUT Y_2TX
Setting 18
03-B-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.1604G	48.82	83.54	-34.72	45.48	1	Vertical	297	2.95	-	37.81	15.16	49.63	
AV	19.1517G	38.45	63.54	-25.09	35.10	1	Vertical	297	2.95	-	37.82	15.16	49.63	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6385MHz_TnomVnom




EUT Y_2TX
Setting 18
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	19.16958G	48.72	83.54	-34.82	45.38	1	Horizontal	25	1.97	-	37.80	15.17	49.63	
AV	19.15644G	38.12	63.54	-25.42	34.78	1	Horizontal	25	1.97	-	37.81	15.16	49.63	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6625MHz_TnomVnom




EUT Y_2TX
Setting 19.25
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.6202G	108.67	Inf	-Inf	100.81	3	Vertical	330	1.80	-	35.18	8.10	35.42	
RMS	6.6226G	98.73	Inf	-Inf	90.86	3	Vertical	330	1.80	-	35.19	8.10	35.42	
PK	7.1674G	65.84	88.20	-22.36	56.97	3	Vertical	330	1.80	-	36.20	8.20	35.53	
RMS	7.1554G	55.09	68.20	-13.11	46.29	3	Vertical	330	1.80	-	36.13	8.20	35.53	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6625MHz_TnomVnom




EUT Y_2TX
 Setting 19.25
 03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.6106G	108.02	Inf	-Inf	100.20	3	Horizontal	4	1.80	-	35.14	8.10	35.42	
RMS	6.6226G	97.48	Inf	-Inf	89.61	3	Horizontal	4	1.80	-	35.19	8.10	35.42	
PK	7.1362G	65.75	88.20	-22.45	57.06	3	Horizontal	4	1.80	-	36.02	8.20	35.53	
RMS	7.153G	55.11	68.20	-13.09	46.32	3	Horizontal	4	1.80	-	36.12	8.20	35.53	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6625MHz_TnomVnom




EUT_V_2TX
Setting 19.25
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.26314G	61.25	74.00	-12.75	43.21	3	Vertical	87	1.80	-	40.03	11.81	33.80
AV	13.25792G	50.43	54.00	-3.57	32.41	3	Vertical	87	1.80	-	40.02	11.81	33.81

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6625MHz_TnomVnom




EUT_V_2TX
Setting 19.25
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.25304G	62.11	74.00	-11.89	44.12	3	Horizontal	151	2.90	-	40.01	11.80	33.82
AV	13.25294G	51.10	54.00	-2.90	33.11	3	Horizontal	151	2.90	-	40.01	11.80	33.82

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6625MHz_TnomVnom




EUT Y_2TX
Setting 19.25
03-B-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.88202G	49.67	83.54	-33.87	46.33	1	Vertical	330	1.08	-	37.59	15.45	49.70
AV	19.8864G	38.99	63.54	-24.55	35.66	1	Vertical	330	1.08	-	37.58	15.45	49.70

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6625MHz_TnomVnom




EUT V_2TX
Setting 19.25
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	19.86756G	49.68	83.54	-33.86	46.32	1	Horizontal	75	1.71	-	37.61	15.45	49.70	
AV	19.88808G	39.10	63.54	-24.44	35.76	1	Horizontal	75	1.71	-	37.58	15.46	49.70	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6705MHz_TnomVnom




EUT Y_2TX
Setting 19
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.709G	108.04	Inf	-Inf	99.94	3	Vertical	326	1.80	-	35.44	8.10	35.44	
RMS	6.707G	96.92	Inf	-Inf	88.83	3	Vertical	326	1.80	-	35.43	8.10	35.44	
PK	7.157G	82.12	88.20	-6.08	73.31	3	Vertical	326	1.80	-	36.14	8.20	35.53	
RMS	7.135G	65.75	68.20	-2.45	57.07	3	Vertical	326	1.80	-	36.01	8.20	35.53	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6705MHz_TnomVnom




EUT Y_2TX
Setting 19
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.709G	107.62	Inf	-Inf	99.52	3	Horizontal	358	1.54	-	35.44	8.10	35.44	
RMS	6.707G	96.27	Inf	-Inf	88.18	3	Horizontal	358	1.54	-	35.43	8.10	35.44	
PK	7.167G	85.15	88.20	-3.05	76.28	3	Horizontal	358	1.54	-	36.20	8.20	35.53	
RMS	7.147G	68.03	68.20	-0.17	59.28	3	Horizontal	358	1.54	-	36.08	8.20	35.53	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6705MHz_TnomVnom




EUT_V_2TX
Setting 19
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.4211G	60.72	88.20	-27.48	42.00	3	Vertical	71	1.56	-	40.32	11.94	33.54	
RMS	13.42254G	50.28	68.20	-17.92	31.56	3	Vertical	71	1.56	-	40.32	11.94	33.54	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6705MHz_TnomVnom




EUT_V_2TX
Setting 19
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.4073G	61.71	88.20	-26.49	43.03	3	Horizontal	238	2.44	-	40.31	11.93	33.56	
RMS	13.42254G	50.38	68.20	-17.82	31.66	3	Horizontal	238	2.44	-	40.32	11.94	33.54	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6705MHz_TnomVnom




EUT Y_2TX
Setting 19
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	20.12892G	49.60	83.54	-33.94	46.29	1	Vertical	86	2.98	-	37.50	15.56	49.75	
AV	20.11194G	39.00	63.54	-24.54	35.70	1	Vertical	86	2.98	-	37.49	15.55	49.74	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6705MHz_TnomVnom




EUT Y_2TX
Setting 19
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.10222G	50.31	83.54	-33.23	47.02	1	Horizontal	0	2.11	-	37.48	15.55	49.74
AV	20.10594G	39.65	63.54	-23.89	36.36	1	Horizontal	0	2.11	-	37.48	15.55	49.74

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6785MHz_TnomVnom




EUT Y_2TX
Setting 19
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.7868G	106.08	Inf	-Inf	97.68	3	Vertical	325	1.80	-	35.75	8.10	35.45	
RMS	6.7904G	95.82	Inf	-Inf	87.41	3	Vertical	325	1.80	-	35.76	8.10	35.45	
PK	7.2134G	83.24	88.20	-4.96	74.08	3	Vertical	325	1.80	-	36.48	8.23	35.55	
RMS	7.1972G	67.76	68.20	-0.44	58.72	3	Vertical	325	1.80	-	36.38	8.20	35.54	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6785MHz_TnomVnom




EUT V_2TX
Setting 19
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.7958G	104.97	Inf	-Inf	96.54	3	Horizontal	354	1.78	-	35.78	8.10	35.45	
RMS	6.7904G	94.66	Inf	-Inf	86.25	3	Horizontal	354	1.78	-	35.76	8.10	35.45	
PK	7.2134G	80.12	88.20	-8.08	70.96	3	Horizontal	354	1.78	-	36.48	8.23	35.55	
RMS	7.1972G	65.37	68.20	-2.83	56.33	3	Horizontal	354	1.78	-	36.38	8.20	35.54	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6785MHz_TnomVnom




EUT_V_2TX
Setting 19
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.56538G	61.49	88.20	-26.71	42.40	3	Vertical	8	1.08	-	40.47	12.05	33.43	
RMS	13.57432G	50.95	68.20	-17.25	31.86	3	Vertical	8	1.08	-	40.47	12.06	33.44	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6785MHz_TnomVnom




EUT_V_2TX
Setting 19
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.57108G	61.77	88.20	-26.43	42.67	3	Horizontal	93	2.03	-	40.47	12.06	33.43
RMS	13.56106G	51.13	68.20	-17.07	32.05	3	Horizontal	93	2.03	-	40.46	12.05	33.43

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6785MHz_TnomVnom




EUT Y_2TX
Setting 19
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	20.35482G	49.46	83.54	-34.08	46.00	1	Vertical	280	2.39	-	37.64	15.66	49.84	
AV	20.35764G	38.99	63.54	-24.55	35.53	1	Vertical	280	2.39	-	37.64	15.66	49.84	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6785MHz_TnomVnom




EUT Y_2TX
Setting 19
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.34144G	49.11	83.54	-34.43	45.66	1	Horizontal	48	2.69	-	37.64	15.65	49.84
AV	20.35536G	38.74	63.54	-24.80	35.28	1	Horizontal	48	2.69	-	37.64	15.66	49.84

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6025MHz_TnomVnom




EUT_V_2TX
 Setting 14.75
 01-M-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8866G	82.53	88.20	-5.67	73.85	3	Vertical	33	1.20	-	34.87	6.60	32.79
RMS	5.9226G	67.71	68.20	-0.49	58.93	3	Vertical	33	1.20	-	34.99	6.60	32.81
PK	6.0002G	105.28	Inf	-Inf	96.22	3	Vertical	33	1.20	-	35.30	6.60	32.84
RMS	6.0298G	94.76	Inf	-Inf	85.72	3	Vertical	33	1.20	-	35.24	6.64	32.84

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6025MHz_TnomVnom




EUT V_2TX
Setting 14.75
01-M-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8866G	84.10	88.20	-4.10	75.42	3	Horizontal	342	1.06	-	34.87	6.60	32.79
RMS	5.925G	67.18	68.20	-1.02	58.39	3	Horizontal	342	1.06	-	35.00	6.60	32.81
PK	6.0002G	107.52	Inf	-Inf	98.46	3	Horizontal	342	1.06	-	35.30	6.60	32.84
RMS	6.0298G	96.52	Inf	-Inf	87.48	3	Horizontal	342	1.06	-	35.24	6.64	32.84

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6025MHz_TnomVnom




EUT Y_2TX
Setting 14.75
01-M-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.0538G	58.83	74.00	-15.17	42.81	3	Vertical	146	1.45	-	38.55	9.02	31.55
AV	12.05058G	48.90	54.00	-5.10	32.88	3	Vertical	146	1.45	-	38.55	9.02	31.55

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6025MHz_TnomVnom




EUT Y_2TX
Setting 14.75
01-M-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.0501G	59.20	74.00	-14.80	43.18	3	Horizontal	283	1.26	-	38.55	9.02	31.55	
AV	12.048G	49.22	54.00	-4.78	33.19	3	Horizontal	283	1.26	-	38.55	9.02	31.54	

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6025MHz_TnomVnom




EUT Y_2TX
Setting 14.75
01-M-S-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	18.0751G	44.53	83.54	-39.01	42.43	1	Vertical	300	1.52	-	37.64	14.73	50.27	
AV	18.07326G	34.78	63.54	-28.76	32.68	1	Vertical	300	1.52	-	37.64	14.73	50.27	

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6025MHz_TnomVnom




EUT Y_2TX
Setting 14.75
01-M-S-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	18.073G	44.37	83.54	-39.17	42.27	1	Horizontal	268	1.51	-	37.64	14.73	50.27	
AV	18.0704G	34.64	63.54	-28.90	32.54	1	Horizontal	268	1.51	-	37.64	14.73	50.27	

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6185MHz_TnomVnom




EUT_V_2TX
 Setting 19.5
 03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9218G	68.33	88.20	-19.87	61.68	3	Vertical	226	1.70	-	34.69	7.52	35.56
RMS	5.919G	52.28	68.20	-15.92	45.64	3	Vertical	226	1.70	-	34.68	7.52	35.56
PK	6.1822G	108.44	Inf	-Inf	101.15	3	Vertical	226	1.70	-	35.13	7.69	35.53
RMS	6.1794G	97.97	Inf	-Inf	90.69	3	Vertical	226	1.70	-	35.12	7.69	35.53

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6185MHz_TnomVnom




EUT V_2TX
Setting 19.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9218G	66.75	88.20	-21.45	60.10	3	Horizontal	-0	2.12	-	34.69	7.52	35.56
RMS	5.919G	51.33	68.20	-16.87	44.69	3	Horizontal	-0	2.12	-	34.68	7.52	35.56
PK	6.1878G	107.12	Inf	-Inf	99.80	3	Horizontal	-0	2.12	-	35.15	7.69	35.52
RMS	6.1822G	96.06	Inf	-Inf	88.77	3	Horizontal	-0	2.12	-	35.13	7.69	35.53

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6185MHz_TnomVnom




EUT Y_2TX
Setting 19.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.35608G	59.05	74.00	-14.95	44.53	3	Vertical	287	1.80	-	38.86	11.08	35.42
AV	12.36202G	48.04	54.00	-5.96	33.51	3	Vertical	287	1.80	-	38.86	11.09	35.42

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6185MHz_TnomVnom




EUT_V_2TX
Setting 19.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.37018G	59.60	74.00	-14.40	45.05	3	Horizontal	16	1.84	-	38.87	11.10	35.42
AV	12.35704G	48.49	54.00	-5.51	33.96	3	Horizontal	16	1.84	-	38.86	11.09	35.42

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6185MHz_TnomVnom




EUT_V_2TX
Setting 19.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.54786G	48.40	83.54	-35.14	45.75	1	Vertical	61	2.66	-	37.78	14.92	50.05
AV	18.55584G	37.44	63.54	-26.10	34.78	1	Vertical	61	2.66	-	37.78	14.92	50.04

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6185MHz_TnomVnom




EUT Y_2TX
Setting 19.5
03-B-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	18.55512G	48.84	83.54	-34.70	46.18	1	Horizontal	182	1.91	-	37.78	14.92	50.04	
AV	18.5673G	37.78	63.54	-25.76	35.11	1	Horizontal	182	1.91	-	37.77	14.93	50.03	

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6345MHz_TnomVnom




EUT V_2TX
Setting 16
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.757G	61.67	88.20	-26.53	55.55	3	Vertical	333	1.55	-	34.20	7.40	35.48
RMS	5.607G	50.46	68.20	-17.74	43.87	3	Vertical	333	1.55	-	34.59	7.40	35.40
PK	6.348G	104.88	Inf	-Inf	97.74	3	Vertical	333	1.55	-	34.90	7.70	35.46
RMS	6.339G	94.25	Inf	-Inf	87.09	3	Vertical	333	1.55	-	34.92	7.70	35.46

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6345MHz_TnomVnom




EUT_V_2TX
Setting 16
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.739G	61.46	88.20	-26.74	55.31	3	Horizontal	0	1.80	-	34.22	7.40	35.47	
RMS	5.607G	50.36	68.20	-17.84	43.77	3	Horizontal	0	1.80	-	34.59	7.40	35.40	
PK	6.342G	104.94	Inf	-Inf	97.78	3	Horizontal	0	1.80	-	34.92	7.70	35.46	
RMS	6.339G	94.11	Inf	-Inf	86.95	3	Horizontal	0	1.80	-	34.92	7.70	35.46	

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6345MHz_TnomVnom




EUT Y_2TX
Setting 16
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.69378G	59.60	74.00	-14.40	44.10	3	Vertical	334	1.10	-	39.08	11.36	34.94
AV	12.67914G	48.82	54.00	-5.18	33.42	3	Vertical	334	1.10	-	39.04	11.34	34.98

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6345MHz_TnomVnom




EUT_V_2TX
Setting 16
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.68712G	60.19	74.00	-13.81	44.74	3	Horizontal	210	2.44	-	39.06	11.35	34.96
AV	12.68376G	48.80	54.00	-5.20	33.37	3	Horizontal	210	2.44	-	39.05	11.35	34.97

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6345MHz_TnomVnom




EUT_Y_2TX
Setting 16
03-B-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.04958G	48.80	83.54	-34.74	45.35	1	Vertical	156	2.84	-	37.94	15.12	49.61	
AV	19.04496G	38.01	63.54	-25.53	34.55	1	Vertical	156	2.84	-	37.95	15.12	49.61	

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6345MHz_TnomVnom




EUT Y_2TX
Setting 16
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.04058G	48.20	83.54	-35.34	44.74	1	Horizontal	178	1.60	-	37.95	15.12	49.61
AV	19.03506G	37.94	63.54	-25.60	34.48	1	Horizontal	178	1.60	-	37.96	15.11	49.61

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6665MHz_TnomVnom




EUT_V_2TX
Setting 18.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.6848G	107.14	Inf	-Inf	99.10	3	Vertical	347	1.80	-	35.37	8.10	35.43	
RMS	6.6694G	95.84	Inf	-Inf	87.83	3	Vertical	347	1.80	-	35.34	8.10	35.43	
PK	7.1468G	83.26	88.20	-4.94	74.51	3	Vertical	347	1.80	-	36.08	8.20	35.53	
RMS	7.1314G	67.56	68.20	-0.64	58.89	3	Vertical	347	1.80	-	35.99	8.20	35.52	

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6665MHz_TnomVnom




EUT_V_2TX
Setting 18.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.6672G	105.16	Inf	-Inf	97.16	3	Horizontal	356	1.57	-	35.33	8.10	35.43	
RMS	6.6628G	94.98	Inf	-Inf	86.98	3	Horizontal	356	1.57	-	35.33	8.10	35.43	
PK	7.127G	83.60	88.20	-4.60	74.96	3	Horizontal	356	1.57	-	35.96	8.20	35.52	
RMS	7.1292G	66.39	68.20	-1.81	57.73	3	Horizontal	356	1.57	-	35.98	8.20	35.52	

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6665MHz_TnomVnom




EUT_V_2TX
Setting 18.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.33546G	61.54	74.00	-12.46	43.18	3	Vertical	164	1.31	-	40.17	11.87	33.68	
AV	13.3381G	51.10	54.00	-2.90	32.73	3	Vertical	164	1.31	-	40.18	11.87	33.68	

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6665MHz_TnomVnom




EUT_V_2TX
Setting 18.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.34296G	62.45	74.00	-11.55	44.06	3	Horizontal	309	2.69	-	40.19	11.87	33.67
AV	13.34284G	50.94	54.00	-3.06	32.55	3	Horizontal	309	2.69	-	40.19	11.87	33.67

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6665MHz_TnomVnom




EUT Y_2TX
Setting 18.5
03-B-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.99722G	50.23	83.54	-33.31	47.03	1	Vertical	264	2.01	-	37.40	15.50	49.70	
AV	20.0049G	39.70	63.54	-23.84	36.50	1	Vertical	264	2.01	-	37.40	15.50	49.70	

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6665MHz_TnomVnom



EUT Y_2TX
Setting 18.5
03-B-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.9902G	49.99	83.54	-33.55	46.77	1	Horizontal	188	2.32	-	37.42	15.50	49.70	
AV	20.00724G	39.19	63.54	-24.35	35.98	1	Horizontal	188	2.32	-	37.41	15.50	49.70	



RSE TX above 1GHz
<Full RU> standard power_Beamforming mode_2TX_Ant. 2


Appendix E.30

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	Pass	RMS	5.925G	68.11	68.20	-0.09	3	Vertical	44	1.80	-

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5955MHz_TnomVnom




EUT Y_2TX
Setting 21.5
01-M-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.925G	85.03	88.20	-3.17	76.24	3	Vertical	44	1.80	-	35.00	6.60	32.81	
RMS	5.925G	68.11	68.20	-0.09	59.32	3	Vertical	44	1.80	-	35.00	6.60	32.81	
PK	5.9558G	120.70	Inf	-Inf	111.80	3	Vertical	44	1.80	-	35.12	6.60	32.82	
RMS	5.9558G	112.83	Inf	-Inf	103.93	3	Vertical	44	1.80	-	35.12	6.60	32.82	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5955MHz_TnomVnom




EUT Y_2TX
Setting 21.5
01-M-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.925G	82.53	88.20	-5.67	73.74	3	Horizontal	348	2.86	-	35.00	6.60	32.81	
RMS	5.925G	67.48	68.20	-0.72	58.69	3	Horizontal	348	2.86	-	35.00	6.60	32.81	
PK	5.9566G	116.08	Inf	-Inf	107.17	3	Horizontal	348	2.86	-	35.13	6.60	32.82	
RMS	5.9618G	107.06	Inf	-Inf	98.13	3	Horizontal	348	2.86	-	35.15	6.60	32.82	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5955MHz_TnomVnom




EUT_V_2TX
Setting 21.5
01-M-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.91076G	61.62	74.00	-12.38	45.72	3	Vertical	339	1.19	-	38.50	8.98	31.58
AV	11.90836G	48.54	54.00	-5.46	32.64	3	Vertical	339	1.19	-	38.50	8.98	31.58

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5955MHz_TnomVnom




EUT_V_2TX
Setting 21.5
01-M-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.91374G	61.20	74.00	-12.80	45.29	3	Horizontal	6	2.88	-	38.50	8.98	31.57
AV	11.9082G	48.54	54.00	-5.46	32.64	3	Horizontal	6	2.88	-	38.50	8.98	31.58

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6195MHz_TnomVnom




EUT Y_2TX
 Setting 19.75
 01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.919G	63.80	88.20	-24.40	55.03	3	Vertical	23	1.80	-	34.98	6.60	32.81
RMS	5.925G	53.20	68.20	-15.00	44.41	3	Vertical	23	1.80	-	35.00	6.60	32.81
PK	6.1962G	119.32	Inf	-Inf	109.80	3	Vertical	23	1.80	-	35.48	6.89	32.85
RMS	6.1962G	107.67	Inf	-Inf	98.15	3	Vertical	23	1.80	-	35.48	6.89	32.85

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6195MHz_TnomVnom




EUT Y_2TX
Setting 19.75
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9226G	63.53	88.20	-24.67	54.75	3	Horizontal	179	3.00	-	34.99	6.60	32.81	
RMS	5.9238G	53.10	68.20	-15.10	44.31	3	Horizontal	179	3.00	-	35.00	6.60	32.81	
PK	6.1938G	115.33	Inf	-Inf	105.81	3	Horizontal	179	3.00	-	35.48	6.89	32.85	
RMS	6.1962G	103.21	Inf	-Inf	93.69	3	Horizontal	179	3.00	-	35.48	6.89	32.85	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6195MHz_TnomVnom




EUT_V_2TX
Setting 19.75
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.38304G	63.08	74.00	-10.92	46.82	3	Vertical	272	1.80	-	38.67	9.17	31.58
AV	12.3906G	49.56	54.00	-4.44	33.28	3	Vertical	272	1.80	-	38.68	9.18	31.58

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6195MHz_TnomVnom




EUT_V_2TX
Setting 19.75
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.38928G	65.49	74.00	-8.51	49.21	3	Horizontal	210	1.80	-	38.68	9.18	31.58	
AV	12.38748G	52.22	54.00	-1.78	35.96	3	Horizontal	210	1.80	-	38.67	9.17	31.58	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6195MHz_TnomVnom




EUT Y_2TX
Setting 19.75
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	18.58601G	50.22	83.54	-33.32	47.53	1	Vertical	53	2.37	-	37.77	14.93	50.01	
AV	18.58801G	36.12	63.54	-27.42	33.43	1	Vertical	53	2.37	-	37.76	14.94	50.01	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6195MHz_TnomVnom




EUT Y_2TX
Setting 19.75
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.58632G	49.96	83.54	-33.58	47.27	1	Horizontal	237	1.62	-	37.77	14.93	50.01
AV	18.58574G	36.64	63.54	-26.90	33.95	1	Horizontal	237	1.62	-	37.77	14.93	50.01

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6415MHz_TnomVnom




EUT Y_2TX
Setting 19.75
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.8942G	63.63	88.20	-24.57	54.94	3	Vertical	304	1.72	-	34.89	6.60	32.80	
RMS	5.923G	53.16	68.20	-15.04	44.38	3	Vertical	304	1.72	-	34.99	6.60	32.81	
PK	6.415G	118.56	Inf	-Inf	108.88	3	Vertical	304	1.72	-	35.54	7.00	32.86	
RMS	6.415G	108.36	Inf	-Inf	98.68	3	Vertical	304	1.72	-	35.54	7.00	32.86	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6415MHz_TnomVnom




EUT V_2TX
Setting 19.75
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.8534G	63.25	88.20	-24.95	54.62	3	Horizontal	136	1.80	-	34.81	6.60	32.78	
RMS	5.925G	53.14	68.20	-15.06	44.35	3	Horizontal	136	1.80	-	35.00	6.60	32.81	
PK	6.4174G	110.86	Inf	-Inf	101.19	3	Horizontal	136	1.80	-	35.53	7.00	32.86	
RMS	6.415G	101.25	Inf	-Inf	91.57	3	Horizontal	136	1.80	-	35.54	7.00	32.86	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6415MHz_TnomVnom




EUT_V_2TX
Setting 19.75
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.8318G	64.77	88.20	-23.43	47.05	3	Vertical	278	1.79	-	39.23	9.37	30.88	
RMS	12.83144G	50.49	68.20	-17.71	32.77	3	Vertical	278	1.79	-	39.23	9.37	30.88	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6415MHz_TnomVnom




EUT_V_2TX
Setting 19.75
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.83384G	66.29	88.20	-21.91	48.56	3	Horizontal	210	1.80	-	39.23	9.38	30.88	
RMS	12.82832G	52.55	68.20	-15.65	34.84	3	Horizontal	210	1.80	-	39.23	9.37	30.89	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6415MHz_TnomVnom




EUT Y_2TX
Setting 19.75
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.24482G	49.87	83.54	-33.67	46.61	1	Vertical	352	1.01	-	37.71	15.20	49.65
AV	19.24241G	36.31	63.54	-27.23	33.05	1	Vertical	352	1.01	-	37.71	15.20	49.65

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6415MHz_TnomVnom




EUT Y_2TX
Setting 19.75
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.24429G	50.27	83.54	-33.27	47.01	1	Horizontal	5	1.08	-	37.71	15.20	49.65
AV	19.24368G	37.00	63.54	-26.54	33.74	1	Horizontal	5	1.08	-	37.71	15.20	49.65

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6535MHz_TnomVnom




EUT_V_2TX
Setting 19.25
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8546G	64.28	88.20	-23.92	55.65	3	Vertical	64	1.66	-	34.81	6.60	32.78
RMS	5.9218G	53.11	68.20	-15.09	44.33	3	Vertical	64	1.66	-	34.99	6.60	32.81
PK	6.5322G	116.22	Inf	-Inf	106.36	3	Vertical	64	1.66	-	35.73	7.00	32.87
RMS	6.535G	106.69	Inf	-Inf	96.82	3	Vertical	64	1.66	-	35.74	7.00	32.87
PK	7.1902G	67.42	88.20	-20.78	56.28	3	Vertical	64	1.66	-	37.06	7.20	33.12
RMS	7.2014G	56.41	68.20	-11.79	45.23	3	Vertical	64	1.66	-	37.10	7.20	33.12

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6535MHz_TnomVnom




EUT_V_2TX
Setting 19.25
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9218G	64.86	88.20	-23.34	56.08	3	Horizontal	131	1.77	-	34.99	6.60	32.81
RMS	5.9246G	53.12	68.20	-15.08	44.33	3	Horizontal	131	1.77	-	35.00	6.60	32.81
PK	6.535G	111.49	Inf	-Inf	101.62	3	Horizontal	131	1.77	-	35.74	7.00	32.87
RMS	6.535G	99.57	Inf	-Inf	89.70	3	Horizontal	131	1.77	-	35.74	7.00	32.87
PK	7.2014G	68.23	88.20	-19.97	57.05	3	Horizontal	131	1.77	-	37.10	7.20	33.12
RMS	7.2126G	56.49	68.20	-11.71	45.31	3	Horizontal	131	1.77	-	37.10	7.21	33.13

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6535MHz_TnomVnom




EUT_V_2TX
Setting 19.25
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.07192G	64.14	88.20	-24.06	45.40	3	Vertical	280	1.33	-	39.67	9.48	30.41	
RMS	13.07156G	50.66	68.20	-17.54	31.92	3	Vertical	280	1.33	-	39.67	9.48	30.41	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6535MHz_TnomVnom




EUT Y_2TX
Setting 19.25
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.073G	64.44	88.20	-23.76	45.70	3	Horizontal	143	1.80	-	39.67	9.48	30.41
RMS	13.07156G	51.02	68.20	-17.18	32.28	3	Horizontal	143	1.80	-	39.67	9.48	30.41

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6535MHz_TnomVnom




EUT Y_2TX
Setting 19.25
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	19.60347G	51.06	83.54	-32.48	47.56	1	Vertical	359	1.66	-	37.86	15.34	49.70	
AV	19.60217G	37.13	63.54	-26.41	33.63	1	Vertical	359	1.66	-	37.86	15.34	49.70	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6535MHz_TnomVnom




EUT Y_2TX
Setting 19.25
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.60242G	50.59	83.54	-32.95	47.09	1	Horizontal	92	1.38	-	37.86	15.34	49.70
AV	19.60739G	37.81	63.54	-25.73	34.31	1	Horizontal	92	1.38	-	37.86	15.34	49.70

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6695MHz_TnomVnom




EUT Y_2TX
Setting 19.25
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.695G	118.87	Inf	-Inf	108.88	3	Vertical	256	1.66	-	35.91	7.00	32.92
RMS	6.6972G	107.11	Inf	-Inf	97.12	3	Vertical	256	1.66	-	35.91	7.00	32.92
PK	7.2384G	67.21	88.20	-20.99	56.01	3	Vertical	256	1.66	-	37.10	7.24	33.14
RMS	7.234G	56.43	68.20	-11.77	45.24	3	Vertical	256	1.66	-	37.10	7.23	33.14

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6695MHz_TnomVnom




EUT Y_2TX
 Setting 19.25
 01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6972G	109.55	Inf	-Inf	99.56	3	Horizontal	57	2.07	-	35.91	7.00	32.92
RMS	6.6972G	98.26	Inf	-Inf	88.27	3	Horizontal	57	2.07	-	35.91	7.00	32.92
PK	7.179G	66.72	88.20	-21.48	55.60	3	Horizontal	57	2.07	-	37.02	7.21	33.11
RMS	7.2296G	56.36	68.20	-11.84	45.17	3	Horizontal	57	2.07	-	37.10	7.23	33.14

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6695MHz_TnomVnom




EUT Y_2TX
Setting 19.25
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.39012G	64.90	74.00	-9.10	45.03	3	Vertical	230	1.45	-	40.18	9.63	29.94	
AV	13.38784G	51.07	54.00	-2.93	31.22	3	Vertical	230	1.45	-	40.18	9.62	29.95	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6695MHz_TnomVnom




EUT_V_2TX
Setting 19.25
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.3918G	65.09	74.00	-8.91	45.22	3	Horizontal	148	1.80	-	40.18	9.63	29.94	
AV	13.3918G	51.81	54.00	-2.19	31.94	3	Horizontal	148	1.80	-	40.18	9.63	29.94	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6695MHz_TnomVnom




EUT Y_2TX
Setting 19.25
01-C-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	20.08356G	50.76	83.54	-32.78	47.48	1	Vertical	204	2.49	-	37.47	15.54	49.73	
AV	20.08244G	36.76	63.54	-26.78	33.48	1	Vertical	204	2.49	-	37.47	15.54	49.73	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6695MHz_TnomVnom




EUT Y_2TX
Setting 19.25
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.08612G	50.63	83.54	-32.91	47.35	1	Horizontal	232	2.48	-	37.47	15.54	49.73
AV	20.08812G	37.67	63.54	-25.87	34.40	1	Horizontal	232	2.48	-	37.47	15.54	49.74

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6855MHz_TnomVnom




EUT Y_2TX
Setting 24
01-M-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.8508G	123.48	Inf	-Inf	112.78	3	Vertical	49	2.23	-	36.59	7.08	32.97	
RMS	6.8578G	113.82	Inf	-Inf	103.16	3	Vertical	49	2.23	-	36.54	7.09	32.97	
PK	7.1826G	67.66	88.20	-20.54	56.53	3	Vertical	49	2.23	-	37.03	7.21	33.11	
RMS	7.184G	56.15	68.20	-12.05	45.02	3	Vertical	49	2.23	-	37.04	7.21	33.12	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6855MHz_TnomVnom




EUT_V_2TX
Setting 24
01-M-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.8508G	112.59	Inf	-Inf	101.89	3	Horizontal	46	2.53	-	36.59	7.08	32.97	
RMS	6.8578G	101.94	Inf	-Inf	91.28	3	Horizontal	46	2.53	-	36.54	7.09	32.97	
PK	7.2008G	67.32	88.20	-20.88	56.14	3	Horizontal	46	2.53	-	37.10	7.20	33.12	
RMS	7.1812G	56.17	68.20	-12.03	45.05	3	Horizontal	46	2.53	-	37.02	7.21	33.11	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6855MHz_TnomVnom




EUT_V_2TX
Setting 24
01-M-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.71164G	67.60	88.20	-20.60	46.96	3	Vertical	272	2.52	-	40.53	9.77	29.66	
RMS	13.71124G	55.26	68.20	-12.94	34.62	3	Vertical	272	2.52	-	40.53	9.77	29.66	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6855MHz_TnomVnom




EUT_V_2TX
Setting 24
01-M-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.71304G	68.64	88.20	-19.56	47.99	3	Horizontal	209	1.80	-	40.54	9.77	29.66	
RMS	13.71256G	56.14	68.20	-12.06	35.49	3	Horizontal	209	1.80	-	40.54	9.77	29.66	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6855MHz_TnomVnom




EUT_V_2TX
Setting 21.5
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	20.56556G	49.65	83.54	-33.89	45.99	1	Vertical	301	1.57	-	37.78	15.75	49.87	
AV	20.56758G	37.33	63.54	-26.21	33.66	1	Vertical	301	1.57	-	37.78	15.76	49.87	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6855MHz_TnomVnom




EUT_V_2TX
Setting 21.5
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.56508G	49.82	83.54	-33.72	46.16	1	Horizontal	75	1.51	-	37.78	15.75	49.87
AV	20.56682G	37.33	63.54	-26.21	33.66	1	Horizontal	75	1.51	-	37.78	15.76	49.87

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5965MHz_TnomVnom




EUT Y_2TX
 Setting 17
 01-M-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.925G	86.00	88.20	-2.20	77.21	3	Vertical	42	2.12	-	35.00	6.60	32.81	
RMS	5.9246G	67.85	68.20	-0.35	59.06	3	Vertical	42	2.12	-	35.00	6.60	32.81	
PK	5.9562G	115.39	Inf	-Inf	106.49	3	Vertical	42	2.12	-	35.12	6.60	32.82	
RMS	5.9562G	106.41	Inf	-Inf	97.51	3	Vertical	42	2.12	-	35.12	6.60	32.82	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5965MHz_TnomVnom




EUT_V_2TX
Setting 17
01-M-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9238G	77.00	88.20	-11.20	68.21	3	Horizontal	57	1.84	-	35.00	6.60	32.81
RMS	5.925G	60.27	68.20	-7.93	51.48	3	Horizontal	57	1.84	-	35.00	6.60	32.81
PK	5.9502G	106.45	Inf	-Inf	97.57	3	Horizontal	57	1.84	-	35.10	6.60	32.82
RMS	5.9494G	98.22	Inf	-Inf	89.34	3	Horizontal	57	1.84	-	35.10	6.60	32.82

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5965MHz_TnomVnom




EUT_V_2TX
Setting 17
01-M-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.92832G	60.84	74.00	-13.16	44.93	3	Vertical	305	1.89	-	38.50	8.98	31.57
AV	11.92908G	48.55	54.00	-5.45	32.64	3	Vertical	305	1.89	-	38.50	8.98	31.57

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5965MHz_TnomVnom




EUT_V_2TX
 Setting 17
 01-M-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.93078G	61.58	74.00	-12.42	45.67	3	Horizontal	166	1.53	-	38.50	8.98	31.57	
AV	11.9286G	48.55	54.00	-5.45	32.64	3	Horizontal	166	1.53	-	38.50	8.98	31.57	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6205MHz_TnomVnom




EUT Y_2TX
Setting 20
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.862G	64.46	88.20	-23.74	55.82	3	Vertical	318	1.80	-	34.82	6.60	32.78	
RMS	5.9236G	52.94	68.20	-15.26	44.16	3	Vertical	318	1.80	-	34.99	6.60	32.81	
PK	6.2078G	117.41	Inf	-Inf	107.92	3	Vertical	318	1.80	-	35.44	6.90	32.85	
RMS	6.2078G	107.18	Inf	-Inf	97.69	3	Vertical	318	1.80	-	35.44	6.90	32.85	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6205MHz_TnomVnom




EUT_V_2TX
Setting 20
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.883G	63.18	88.20	-25.02	54.50	3	Horizontal	182	2.65	-	34.87	6.60	32.79	
RMS	5.9222G	52.94	68.20	-15.26	44.16	3	Horizontal	182	2.65	-	34.99	6.60	32.81	
PK	6.2036G	111.62	Inf	-Inf	102.10	3	Horizontal	182	2.65	-	35.47	6.90	32.85	
RMS	6.2036G	100.37	Inf	-Inf	90.85	3	Horizontal	182	2.65	-	35.47	6.90	32.85	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6205MHz_TnomVnom




EUT_V_2TX
Setting 20
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.42056G	61.89	74.00	-12.11	45.62	3	Vertical	231	1.79	-	38.66	9.19	31.58
AV	12.40616G	48.68	54.00	-5.32	32.39	3	Vertical	231	1.79	-	38.69	9.18	31.58

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6205MHz_TnomVnom




EUT_V_2TX
Setting 20
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.41084G	64.47	74.00	-9.53	48.19	3	Horizontal	215	1.80	-	38.68	9.18	31.58
AV	12.4058G	50.92	54.00	-3.08	34.63	3	Horizontal	215	1.80	-	38.69	9.18	31.58

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6205MHz_TnomVnom




EUT Y_2TX
Setting 20
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.61329G	50.41	83.54	-33.13	47.70	1	Vertical	23	2.49	-	37.75	14.95	49.99
AV	18.61662G	37.05	63.54	-26.49	34.33	1	Vertical	23	2.49	-	37.75	14.95	49.98

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6205MHz_TnomVnom




EUT Y_2TX
Setting 20
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.61433G	50.25	83.54	-33.29	47.54	1	Horizontal	343	1.80	-	37.75	14.95	49.99
AV	18.61835G	36.16	63.54	-27.38	33.44	1	Horizontal	343	1.80	-	37.75	14.95	49.98

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6405MHz_TnomVnom




EUT Y_2TX
Setting 19.75
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9034G	64.03	88.20	-24.17	55.32	3	Vertical	325	1.74	-	34.91	6.60	32.80
RMS	5.9226G	53.00	68.20	-15.20	44.22	3	Vertical	325	1.74	-	34.99	6.60	32.81
PK	6.405G	116.83	Inf	-Inf	107.11	3	Vertical	325	1.74	-	35.58	7.00	32.86
RMS	6.4074G	105.63	Inf	-Inf	95.92	3	Vertical	325	1.74	-	35.57	7.00	32.86

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6405MHz_TnomVnom




EUT Y_2TX
 Setting 19.75
 01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.8986G	63.69	88.20	-24.51	54.99	3	Horizontal	144	1.76	-	34.90	6.60	32.80	
RMS	5.9226G	52.94	68.20	-15.26	44.16	3	Horizontal	144	1.76	-	34.99	6.60	32.81	
PK	6.4074G	109.55	Inf	-Inf	99.84	3	Horizontal	144	1.76	-	35.57	7.00	32.86	
RMS	6.4074G	99.81	Inf	-Inf	90.10	3	Horizontal	144	1.76	-	35.57	7.00	32.86	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6405MHz_TnomVnom




EUT_V_2TX
Setting 19.75
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.80896G	61.13	88.20	-27.07	43.49	3	Vertical	237	1.06	-	39.21	9.36	30.93	
RMS	12.80831G	47.58	68.20	-20.62	29.94	3	Vertical	237	1.06	-	39.21	9.36	30.93	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6405MHz_TnomVnom




EUT Y_2TX
Setting 19.75
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.81266G	61.18	88.20	-27.02	43.52	3	Horizontal	59	2.21	-	39.21	9.37	30.92	
RMS	12.80856G	48.24	68.20	-19.96	30.60	3	Horizontal	59	2.21	-	39.21	9.36	30.93	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6405MHz_TnomVnom




EUT Y_2TX
Setting 19.75
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.21564G	49.93	83.54	-33.61	46.64	1	Vertical	325	2.76	-	37.74	15.19	49.64
AV	19.21786G	36.44	63.54	-27.10	33.15	1	Vertical	325	2.76	-	37.74	15.19	49.64

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6405MHz_TnomVnom




EUT Y_2TX
Setting 19.75
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.2159G	50.62	83.54	-32.92	47.33	1	Horizontal	263	1.28	-	37.74	15.19	49.64
AV	19.21195G	37.06	63.54	-26.48	33.77	1	Horizontal	263	1.28	-	37.75	15.18	49.64

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6565MHz_TnomVnom




EUT Y_2TX
Setting 19.25
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.565G	118.09	Inf	-Inf	108.14	3	Vertical	262	1.73	-	35.83	7.00	32.88
RMS	6.5674G	106.82	Inf	-Inf	96.87	3	Vertical	262	1.73	-	35.83	7.00	32.88
PK	7.1338G	67.06	88.20	-21.14	56.15	3	Vertical	262	1.73	-	36.77	7.23	33.09
RMS	7.1554G	56.22	68.20	-11.98	45.18	3	Vertical	262	1.73	-	36.92	7.22	33.10

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6565MHz_TnomVnom




EUT Y_2TX
Setting 19.25
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.5626G	110.44	Inf	-Inf	100.49	3	Horizontal	342	1.80	-	35.83	7.00	32.88	
RMS	6.5674G	98.37	Inf	-Inf	88.42	3	Horizontal	342	1.80	-	35.83	7.00	32.88	
PK	7.1578G	66.57	88.20	-21.63	55.52	3	Horizontal	342	1.80	-	36.93	7.22	33.10	
RMS	7.1434G	56.38	68.20	-11.82	45.39	3	Horizontal	342	1.80	-	36.85	7.23	33.09	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6565MHz_TnomVnom




EUT_V_2TX
Setting 19.25
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.16052G	63.48	88.20	-24.72	44.42	3	Vertical	238	1.80	-	39.82	9.52	30.28	
RMS	13.13546G	50.37	68.20	-17.83	31.41	3	Vertical	238	1.80	-	39.77	9.51	30.32	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6565MHz_TnomVnom




EUT_V_2TX
Setting 19.25
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.13644G	64.40	88.20	-23.80	45.44	3	Horizontal	151	1.79	-	39.77	9.51	30.32	
RMS	13.12664G	50.91	68.20	-17.29	31.98	3	Horizontal	151	1.79	-	39.75	9.51	30.33	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6565MHz_TnomVnom




EUT Y_2TX
Setting 19.25
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.69478G	51.39	83.54	-32.15	47.89	1	Vertical	273	1.07	-	37.82	15.38	49.70
AV	19.69613G	38.75	63.54	-24.79	35.25	1	Vertical	273	1.07	-	37.82	15.38	49.70

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6565MHz_TnomVnom




EUT Y_2TX
Setting 19.25
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.69303G	51.32	83.54	-32.22	47.82	1	Horizontal	177	2.55	-	37.82	15.38	49.70
AV	19.69345G	38.46	63.54	-25.08	34.96	1	Horizontal	177	2.55	-	37.82	15.38	49.70

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6685MHz_TnomVnom




EUT Y_2TX
Setting 19
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.687G	116.17	Inf	-Inf	106.16	3	Vertical	33	1.62	-	35.93	7.00	32.92	
RMS	6.683G	104.99	Inf	-Inf	94.98	3	Vertical	33	1.62	-	35.93	7.00	32.92	
PK	7.173G	67.16	88.20	-21.04	56.07	3	Vertical	33	1.62	-	36.99	7.21	33.11	
RMS	7.173G	56.27	68.20	-11.93	45.18	3	Vertical	33	1.62	-	36.99	7.21	33.11	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6685MHz_TnomVnom




EUT Y_2TX
Setting 19
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.683G	107.15	Inf	-Inf	97.14	3	Horizontal	142	1.80	-	35.93	7.00	32.92	
RMS	6.683G	95.97	Inf	-Inf	85.96	3	Horizontal	142	1.80	-	35.93	7.00	32.92	
PK	7.169G	67.52	88.20	-20.68	56.43	3	Horizontal	142	1.80	-	36.98	7.22	33.11	
RMS	7.167G	56.22	68.20	-11.98	45.14	3	Horizontal	142	1.80	-	36.97	7.22	33.11	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6685MHz_TnomVnom




EUT Y_2TX
Setting 19
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.37098G	65.25	74.00	-8.75	45.46	3	Vertical	291	1.32	-	40.14	9.62	29.97	
AV	13.3756G	51.27	54.00	-2.73	31.46	3	Vertical	291	1.32	-	40.15	9.62	29.96	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6685MHz_TnomVnom




EUT_V_2TX
Setting 19
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.38022G	64.70	74.00	-9.30	44.88	3	Horizontal	148	1.78	-	40.16	9.62	29.96
AV	13.37462G	50.97	54.00	-3.03	31.17	3	Horizontal	148	1.78	-	40.15	9.62	29.97

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6685MHz_TnomVnom




EUT Y_2TX
Setting 19
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	20.05345G	50.47	83.54	-33.07	47.23	1	Vertical	228	2.72	-	37.44	15.52	49.72	
AV	20.05182G	36.88	63.54	-26.66	33.64	1	Vertical	228	2.72	-	37.44	15.52	49.72	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6685MHz_TnomVnom




EUT Y_2TX
Setting 19
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.05615G	50.26	83.54	-33.28	47.01	1	Horizontal	215	2.85	-	37.44	15.53	49.72
AV	20.05725G	36.23	63.54	-27.31	32.97	1	Horizontal	215	2.85	-	37.45	15.53	49.72

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5985MHz_TnomVnom




EUT Y_2TX
Setting 16.5
01-M-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9162G	83.06	88.20	-5.14	74.31	3	Vertical	41	2.32	-	34.96	6.60	32.81
RMS	5.925G	67.63	68.20	-0.57	58.84	3	Vertical	41	2.32	-	35.00	6.60	32.81
PK	5.9666G	112.41	Inf	-Inf	103.47	3	Vertical	41	2.32	-	35.17	6.60	32.83
RMS	5.9498G	102.61	Inf	-Inf	93.73	3	Vertical	41	2.32	-	35.10	6.60	32.82

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5985MHz_TnomVnom




EUT Y_2TX
Setting 16.5
01-M-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.913G	73.66	88.20	-14.54	64.92	3	Horizontal	56	1.80	-	34.95	6.60	32.81
RMS	5.9234G	60.59	68.20	-7.61	51.81	3	Horizontal	56	1.80	-	34.99	6.60	32.81
PK	5.9666G	102.34	Inf	-Inf	93.40	3	Horizontal	56	1.80	-	35.17	6.60	32.83
RMS	5.9498G	94.34	Inf	-Inf	85.46	3	Horizontal	56	1.80	-	35.10	6.60	32.82

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5985MHz_TnomVnom




EUT_Y_2TX
Setting 16.5
01-M-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.974G	61.57	74.00	-12.43	45.63	3	Vertical	247	2.13	-	38.50	8.99	31.55
AV	11.96718G	51.55	54.00	-2.45	35.61	3	Vertical	247	2.13	-	38.50	8.99	31.55

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5985MHz_TnomVnom




EUT Y_2TX
Setting 16.5
01-M-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.97484G	61.15	74.00	-12.85	45.21	3	Horizontal	346	1.65	-	38.50	8.99	31.55
AV	11.97024G	51.47	54.00	-2.53	35.53	3	Horizontal	346	1.65	-	38.50	8.99	31.55

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6225MHz_TnomVnom




EUT_V_2TX
Setting 20
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8974G	63.36	88.20	-24.84	54.67	3	Vertical	321	1.80	-	34.89	6.60	32.80
RMS	5.925G	53.10	68.20	-15.10	44.31	3	Vertical	321	1.80	-	35.00	6.60	32.81
PK	6.2124G	114.89	Inf	-Inf	105.43	3	Vertical	321	1.80	-	35.40	6.91	32.85
RMS	6.2208G	104.34	Inf	-Inf	94.95	3	Vertical	321	1.80	-	35.33	6.91	32.85

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6225MHz_TnomVnom




EUT_V_2TX
Setting 20
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9002G	63.60	88.20	-24.60	54.90	3	Horizontal	142	1.74	-	34.90	6.60	32.80
RMS	5.925G	53.02	68.20	-15.18	44.23	3	Horizontal	142	1.74	-	35.00	6.60	32.81
PK	6.2292G	106.16	Inf	-Inf	96.83	3	Horizontal	142	1.74	-	35.27	6.91	32.85
RMS	6.2194G	96.61	Inf	-Inf	87.21	3	Horizontal	142	1.74	-	35.34	6.91	32.85

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6225MHz_TnomVnom




EUT_V_2TX
Setting 20
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.4661G	61.95	74.00	-12.05	45.76	3	Vertical	235	1.80	-	38.57	9.21	31.59
AV	12.43544G	50.91	54.00	-3.09	34.66	3	Vertical	235	1.80	-	38.63	9.20	31.58

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6225MHz_TnomVnom




EUT_V_2TX
Setting 20
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.46652G	63.07	74.00	-10.93	46.88	3	Horizontal	204	1.80	-	38.57	9.21	31.59
AV	12.45588G	51.98	54.00	-2.02	35.77	3	Horizontal	204	1.80	-	38.59	9.21	31.59

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6225MHz_TnomVnom




EUT Y_2TX
Setting 20
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	18.67283G	50.38	83.54	-33.16	47.61	1	Vertical	42	2.11	-	37.73	14.97	49.93	
AV	18.67746G	39.50	63.54	-24.04	36.72	1	Vertical	42	2.11	-	37.73	14.97	49.92	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6225MHz_TnomVnom




EUT Y_2TX
Setting 20
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.67241G	49.86	83.54	-33.68	47.09	1	Horizontal	317	2.31	-	37.73	14.97	49.93
AV	18.67247G	39.79	63.54	-23.75	37.02	1	Horizontal	317	2.31	-	37.73	14.97	49.93

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6385MHz_TnomVnom




EUT Y_2TX
Setting 18
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.833G	63.55	88.20	-24.65	55.06	3	Vertical	326	1.80	-	34.66	6.60	32.77	
RMS	5.924G	53.01	68.20	-15.19	44.22	3	Vertical	326	1.80	-	35.00	6.60	32.81	
PK	6.3874G	113.37	Inf	-Inf	103.72	3	Vertical	326	1.80	-	35.52	6.99	32.86	
RMS	6.3874G	102.79	Inf	-Inf	93.14	3	Vertical	326	1.80	-	35.52	6.99	32.86	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6385MHz_TnomVnom




EUT_V_2TX
 Setting 18
 01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.8042G	64.72	88.20	-23.48	56.45	3	Horizontal	142	1.72	-	34.43	6.60	32.76	
RMS	5.9242G	53.10	68.20	-15.10	44.31	3	Horizontal	142	1.72	-	35.00	6.60	32.81	
PK	6.3802G	105.97	Inf	-Inf	96.36	3	Horizontal	142	1.72	-	35.48	6.99	32.86	
RMS	6.3826G	96.35	Inf	-Inf	86.72	3	Horizontal	142	1.72	-	35.50	6.99	32.86	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6385MHz_TnomVnom




EUT Y_2TX
Setting 18
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.77153G	60.78	88.20	-27.42	43.30	3	Vertical	286	1.49	-	39.14	9.35	31.01	
RMS	12.76842G	50.17	68.20	-18.03	32.70	3	Vertical	286	1.49	-	39.14	9.35	31.02	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6385MHz_TnomVnom




EUT_V_2TX
Setting 18
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.77028G	61.22	88.20	-26.98	43.74	3	Horizontal	2	1.02	-	39.14	9.35	31.01	
RMS	12.77295G	50.11	68.20	-18.09	32.62	3	Horizontal	2	1.02	-	39.15	9.35	31.01	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6385MHz_TnomVnom




EUT Y_2TX
Setting 18
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	19.15801G	50.29	83.54	-33.25	46.95	1	Vertical	220	2.92	-	37.81	15.16	49.63	
AV	19.15612G	39.86	63.54	-23.68	36.52	1	Vertical	220	2.92	-	37.81	15.16	49.63	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6385MHz_TnomVnom




EUT_V_2TX
Setting 18
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	19.15545G	49.91	83.54	-33.63	46.57	1	Horizontal	346	1.68	-	37.81	15.16	49.63	
AV	19.15238G	39.93	63.54	-23.61	36.58	1	Horizontal	346	1.68	-	37.82	15.16	49.63	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6625MHz_TnomVnom




EUT Y_2TX
Setting 19.25
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6298G	113.40	Inf	-Inf	103.34	3	Vertical	260	1.72	-	35.96	7.00	32.90
RMS	6.6274G	102.01	Inf	-Inf	91.96	3	Vertical	260	1.72	-	35.95	7.00	32.90
PK	7.1434G	67.39	88.20	-20.81	56.40	3	Vertical	260	1.72	-	36.85	7.23	33.09
RMS	7.2106G	56.36	68.20	-11.84	45.18	3	Vertical	260	1.72	-	37.10	7.21	33.13

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6625MHz_TnomVnom




EUT Y_2TX
Setting 19.25
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6274G	105.40	Inf	-Inf	95.35	3	Horizontal	57	1.80	-	35.95	7.00	32.90
RMS	6.6226G	94.09	Inf	-Inf	84.04	3	Horizontal	57	1.80	-	35.95	7.00	32.90
PK	7.189G	66.94	88.20	-21.26	55.79	3	Horizontal	57	1.80	-	37.06	7.21	33.12
RMS	7.2202G	56.33	68.20	-11.87	45.14	3	Horizontal	57	1.80	-	37.10	7.22	33.13

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6625MHz_TnomVnom




EUT Y_2TX
Setting 19.25
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.2526G	63.29	74.00	-10.71	43.93	3	Vertical	88	1.80	-	39.95	9.56	30.15	
AV	13.2514G	52.27	54.00	-1.73	32.91	3	Vertical	88	1.80	-	39.95	9.56	30.15	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6625MHz_TnomVnom




EUT_V_2TX
Setting 19.25
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.26526G	63.48	74.00	-10.52	44.07	3	Horizontal	108	1.80	-	39.97	9.57	30.13	
AV	13.26878G	52.49	54.00	-1.51	33.07	3	Horizontal	108	1.80	-	39.97	9.57	30.12	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6625MHz_TnomVnom




EUT Y_2TX
Setting 19.25
01-C-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.87335G	49.66	83.54	-33.88	46.31	1	Vertical	80	1.68	-	37.60	15.45	49.70
AV	19.87263G	39.62	63.54	-23.92	36.27	1	Vertical	80	1.68	-	37.60	15.45	49.70

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6625MHz_TnomVnom




EUT Y_2TX
Setting 19.25
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.87182G	50.47	83.54	-33.07	47.11	1	Horizontal	190	2.17	-	37.61	15.45	49.70
AV	19.87443G	39.04	63.54	-24.50	35.69	1	Horizontal	190	2.17	-	37.60	15.45	49.70

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6705MHz_TnomVnom




EUT Y_2TX
Setting 19
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.713G	113.24	Inf	-Inf	103.19	3	Vertical	69	1.57	-	35.98	7.00	32.93	
RMS	6.707G	102.95	Inf	-Inf	92.94	3	Vertical	69	1.57	-	35.94	7.00	32.93	
PK	7.171G	66.71	88.20	-21.49	55.63	3	Vertical	69	1.57	-	36.98	7.21	33.11	
RMS	7.193G	56.30	68.20	-11.90	45.15	3	Vertical	69	1.57	-	37.07	7.20	33.12	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6705MHz_TnomVnom




EUT Y_2TX
Setting 19
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.699G	103.18	Inf	-Inf	93.20	3	Horizontal	58	1.80	-	35.90	7.00	32.92	
RMS	6.703G	93.48	Inf	-Inf	83.48	3	Horizontal	58	1.80	-	35.92	7.00	32.92	
PK	7.127G	67.41	88.20	-20.79	56.54	3	Horizontal	58	1.80	-	36.72	7.24	33.09	
RMS	7.161G	56.08	68.20	-12.12	45.02	3	Horizontal	58	1.80	-	36.94	7.22	33.10	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6705MHz_TnomVnom




EUT_V_2TX
Setting 19
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.41242G	63.13	88.20	-25.07	43.20	3	Vertical	30	1.78	-	40.20	9.64	29.91	
RMS	13.40929G	52.20	68.20	-16.00	32.28	3	Vertical	30	1.78	-	40.20	9.63	29.91	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6705MHz_TnomVnom




EUT_V_2TX
Setting 19
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.40885G	63.04	88.20	-25.16	43.12	3	Horizontal	279	2.65	-	40.20	9.63	29.91	
RMS	13.41108G	52.33	68.20	-15.87	32.41	3	Horizontal	279	2.65	-	40.20	9.63	29.91	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6705MHz_TnomVnom




EUT_V_2TX
Setting 19
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.11262G	51.01	83.54	-32.53	47.72	1	Vertical	283	2.82	-	37.49	15.55	49.75
AV	20.11482G	40.39	63.54	-23.15	37.10	1	Vertical	283	2.82	-	37.49	15.55	49.75

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6705MHz_TnomVnom




EUT Y_2TX
Setting 19
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.11843G	50.58	83.54	-32.96	47.29	1	Horizontal	57	2.61	-	37.49	15.55	49.75
AV	20.11475G	40.53	63.54	-23.01	37.24	1	Horizontal	57	2.61	-	37.49	15.55	49.75

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6785MHz_TnomVnom



EUT Y_2TX
Setting 19
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7882G	115.00	Inf	-Inf	104.75	3	Vertical	70	1.56	-	36.20	7.00	32.95
RMS	6.7834G	104.43	Inf	-Inf	94.18	3	Vertical	70	1.56	-	36.20	7.00	32.95
PK	7.1418G	67.38	88.20	-20.82	56.41	3	Vertical	70	1.56	-	36.83	7.23	33.09
RMS	7.1578G	56.16	68.20	-12.04	45.11	3	Vertical	70	1.56	-	36.93	7.22	33.10