


802.11ax HEW20_Nss1,(MCS0)_2TX

5320MHz_TnomVnom




EUT_X_2TX
Setting 18
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6378G	52.65	74.00	-21.35	39.12	3	Horizontal	196	2.56	-	38.28	10.60	35.35
AV	10.6536G	39.62	54.00	-14.38	26.05	3	Horizontal	196	2.56	-	38.31	10.60	35.34
PK	15.9324G	57.97	74.00	-16.03	42.79	3	Horizontal	322	1.85	-	37.54	13.37	35.73
AV	15.91G	44.04	54.00	-9.96	28.82	3	Horizontal	322	1.85	-	37.58	13.35	35.71

802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TnomVnom




EUT X_2TX
Setting 18.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	64.24	74.00	-9.76	57.81	3	Vertical	172	1.80	-	34.52	7.26	35.35
AV	5.4596G	46.44	54.00	-7.56	40.01	3	Vertical	172	1.80	-	34.52	7.26	35.35
PK	5.4624G	66.74	68.20	-1.46	60.31	3	Vertical	172	1.80	-	34.52	7.26	35.35
PK	5.4944G	119.02	Inf	-Inf	112.49	3	Vertical	172	1.80	-	34.59	7.29	35.35
AV	5.4928G	102.16	Inf	-Inf	95.63	3	Vertical	172	1.80	-	34.59	7.29	35.35

802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TnomVnom




EUT_X_2TX
Setting 18.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4592G	63.41	74.00	-10.59	56.98	3	Horizontal	187	2.94	-	34.52	7.26	35.35
AV	5.4508G	45.98	54.00	-8.02	39.58	3	Horizontal	187	2.94	-	34.50	7.25	35.35
PK	5.4628G	65.95	68.20	-2.25	59.51	3	Horizontal	187	2.94	-	34.53	7.26	35.35
PK	5.4944G	117.45	Inf	-Inf	110.92	3	Horizontal	187	2.94	-	34.59	7.29	35.35
AV	5.4936G	102.99	Inf	-Inf	96.46	3	Horizontal	187	2.94	-	34.59	7.29	35.35

802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TnomVnom




EUT_X_2TX
Setting 18.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.9884G	57.85	74.00	-16.15	43.86	3	Vertical	80	1.47	-	38.39	10.65	35.05
AV	10.9862G	44.54	54.00	-9.46	30.55	3	Vertical	80	1.47	-	38.39	10.65	35.05

802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TnomVnom




EUT X_2TX
Setting 18.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0432G	57.82	74.00	-16.18	43.81	3	Horizontal	24	2.97	-	38.44	10.66	35.09
AV	10.9864G	43.81	54.00	-10.19	29.82	3	Horizontal	24	2.97	-	38.39	10.65	35.05

802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4144G	59.94	74.00	-14.06	53.51	3	Vertical	177	1.70	-	34.57	7.21	35.35
AV	5.412G	47.30	54.00	-6.70	40.86	3	Vertical	177	1.70	-	34.58	7.21	35.35
PK	5.4688G	59.58	68.20	-8.62	53.12	3	Vertical	177	1.70	-	34.54	7.27	35.35
PK	5.5744G	122.32	Inf	-Inf	115.74	3	Vertical	177	1.70	-	34.60	7.37	35.39
AV	5.5744G	107.08	Inf	-Inf	100.50	3	Vertical	177	1.70	-	34.60	7.37	35.39
PK	5.7344G	59.40	68.20	-8.80	53.24	3	Vertical	177	1.70	-	34.23	7.40	35.47

802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4136G	59.23	74.00	-14.77	52.80	3	Horizontal	188	2.96	-	34.57	7.21	35.35
AV	5.4136G	46.68	54.00	-7.32	40.25	3	Horizontal	188	2.96	-	34.57	7.21	35.35
PK	5.4632G	57.06	68.20	-11.14	50.62	3	Horizontal	188	2.96	-	34.53	7.26	35.35
PK	5.5744G	120.06	Inf	-Inf	113.48	3	Horizontal	188	2.96	-	34.60	7.37	35.39
AV	5.5736G	106.08	Inf	-Inf	99.50	3	Horizontal	188	2.96	-	34.60	7.37	35.39
PK	5.7344G	59.38	68.20	-8.82	53.22	3	Horizontal	188	2.96	-	34.23	7.40	35.47

802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1462G	61.21	74.00	-12.79	47.19	3	Vertical	163	2.96	-	38.55	10.67	35.20
AV	11.1464G	48.38	54.00	-5.62	34.36	3	Vertical	163	2.96	-	38.55	10.67	35.20

802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	11.1454G	62.08	74.00	-11.92	48.06	3	Horizontal	132	2.09	-	38.55	10.67	35.20	
AV	11.1454G	48.67	54.00	-5.33	34.65	3	Horizontal	132	2.09	-	38.55	10.67	35.20	

802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TnomVnom




EUT_X_2TX
Setting 16.75
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7064G	117.55	Inf	-Inf	111.31	3	Vertical	176	1.75	-	34.29	7.40	35.45
AV	5.7062G	103.76	Inf	-Inf	97.52	3	Vertical	176	1.75	-	34.29	7.40	35.45
PK	5.7252G	67.53	68.20	-0.67	61.34	3	Vertical	176	1.75	-	34.25	7.40	35.46

802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TnomVnom




EUT_X_2TX
Setting 16.75
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7064G	112.38	Inf	-Inf	106.14	3	Horizontal	71	2.72	-	34.29	7.40	35.45
AV	5.7058G	98.48	Inf	-Inf	92.24	3	Horizontal	71	2.72	-	34.29	7.40	35.45
PK	5.7254G	64.54	68.20	-3.66	58.35	3	Horizontal	71	2.72	-	34.25	7.40	35.46

802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TnomVnom




EUT X_2TX
Setting 16.75
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4144G	56.64	74.00	-17.36	42.60	3	Vertical	101	1.29	-	38.83	10.71	35.50
AV	11.4146G	44.40	54.00	-9.60	30.36	3	Vertical	101	1.29	-	38.83	10.71	35.50

802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TnomVnom




EUT X_2TX
Setting 16.75
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4156G	56.92	74.00	-17.08	42.89	3	Horizontal	19	1.88	-	38.83	10.71	35.51
AV	11.4148G	44.01	54.00	-9.99	29.97	3	Horizontal	19	1.88	-	38.83	10.71	35.50

802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3728G	58.19	74.00	-15.81	51.78	3	Vertical	176	1.80	-	34.55	7.20	35.34
AV	5.37G	45.26	54.00	-8.74	38.86	3	Vertical	176	1.80	-	34.54	7.20	35.34
PK	5.468G	57.45	68.20	-10.75	50.99	3	Vertical	176	1.80	-	34.54	7.27	35.35
PK	5.727G	119.79	Inf	-Inf	113.60	3	Vertical	176	1.80	-	34.25	7.40	35.46
AV	5.7256G	106.09	Inf	-Inf	99.90	3	Vertical	176	1.80	-	34.25	7.40	35.46
PK	5.9608G	58.46	68.20	-9.74	51.68	3	Vertical	176	1.80	-	34.80	7.56	35.58

802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.426G	58.23	74.00	-15.77	51.80	3	Horizontal	200	1.20	-	34.55	7.23	35.35
AV	5.3714G	45.18	54.00	-8.82	38.78	3	Horizontal	200	1.20	-	34.54	7.20	35.34
PK	5.468G	57.33	68.20	-10.87	50.87	3	Horizontal	200	1.20	-	34.54	7.27	35.35
PK	5.7256G	114.86	Inf	-Inf	108.67	3	Horizontal	200	1.20	-	34.25	7.40	35.46
AV	5.7256G	102.92	Inf	-Inf	96.73	3	Horizontal	200	1.20	-	34.25	7.40	35.46
PK	5.986G	58.49	68.20	-9.71	51.69	3	Horizontal	200	1.20	-	34.80	7.59	35.59

802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4544G	62.41	74.00	-11.59	48.33	3	Vertical	182	2.79	-	38.91	10.72	35.55
AV	11.4546G	49.41	54.00	-4.59	35.33	3	Vertical	182	2.79	-	38.91	10.72	35.55

802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4532G	60.45	74.00	-13.55	46.37	3	Horizontal	150	2.07	-	38.91	10.72	35.55
AV	11.4552G	47.71	54.00	-6.29	33.63	3	Horizontal	150	2.07	-	38.91	10.72	35.55

802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.579G	59.17	68.20	-9.03	52.58	3	Vertical	177	1.94	-	34.60	7.38	35.39
PK	5.739G	120.89	Inf	-Inf	114.74	3	Vertical	177	1.94	-	34.22	7.40	35.47
AV	5.738G	105.94	Inf	-Inf	99.79	3	Vertical	177	1.94	-	34.22	7.40	35.47
PK	5.981G	58.32	68.20	-9.88	51.53	3	Vertical	177	1.94	-	34.80	7.58	35.59

802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.555G	58.50	68.20	-9.70	51.92	3	Horizontal	210	1.20	-	34.60	7.36	35.38
PK	5.739G	116.59	Inf	-Inf	110.44	3	Horizontal	210	1.20	-	34.22	7.40	35.47
AV	5.738G	100.27	Inf	-Inf	94.12	3	Horizontal	210	1.20	-	34.22	7.40	35.47
PK	5.99G	58.16	68.20	-10.04	51.36	3	Horizontal	210	1.20	-	34.80	7.59	35.59

802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4772G	60.98	74.00	-13.02	46.88	3	Vertical	173	2.80	-	38.95	10.72	35.57
AV	11.4746G	47.94	54.00	-6.06	33.84	3	Vertical	173	2.80	-	38.95	10.72	35.57

802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4756G	60.57	74.00	-13.43	46.47	3	Horizontal	136	2.06	-	38.95	10.72	35.57
AV	11.4756G	48.07	54.00	-5.93	33.97	3	Horizontal	136	2.06	-	38.95	10.72	35.57

802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.619G	59.24	68.20	-8.96	52.69	3	Vertical	176	1.91	-	34.56	7.40	35.41
PK	5.779G	120.75	Inf	-Inf	114.64	3	Vertical	176	1.91	-	34.20	7.40	35.49
AV	5.779G	106.22	Inf	-Inf	100.11	3	Vertical	176	1.91	-	34.20	7.40	35.49
PK	5.925G	58.65	68.20	-9.55	51.98	3	Vertical	176	1.91	-	34.70	7.53	35.56

802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.645G	59.02	68.20	-9.18	52.53	3	Horizontal	208	1.27	-	34.51	7.40	35.42
PK	5.779G	116.85	Inf	-Inf	110.74	3	Horizontal	208	1.27	-	34.20	7.40	35.49
AV	5.779G	101.56	Inf	-Inf	95.45	3	Horizontal	208	1.27	-	34.20	7.40	35.49
PK	5.978G	58.40	68.20	-9.80	51.61	3	Horizontal	208	1.27	-	34.80	7.58	35.59

802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5546G	63.30	74.00	-10.70	48.94	3	Vertical	177	2.48	-	39.22	10.73	35.59
AV	11.5548G	49.40	54.00	-4.60	35.04	3	Vertical	177	2.48	-	39.22	10.73	35.59

802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5556G	61.81	74.00	-12.19	47.45	3	Horizontal	147	2.05	-	39.22	10.73	35.59
AV	11.5556G	49.35	54.00	-4.65	34.99	3	Horizontal	147	2.05	-	39.22	10.73	35.59

802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.58G	58.35	68.20	-9.85	51.76	3	Vertical	180	1.89	-	34.60	7.38	35.39	
PK	5.831G	117.44	Inf	-Inf	111.27	3	Vertical	180	1.89	-	34.26	7.43	35.52	
AV	5.831G	104.92	Inf	-Inf	98.75	3	Vertical	180	1.89	-	34.26	7.43	35.52	
PK	5.994G	59.73	68.20	-8.47	52.94	3	Vertical	180	1.89	-	34.80	7.59	35.60	

802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.631G	58.81	68.20	-9.39	52.29	3	Horizontal	182	3.00	-	34.54	7.40	35.42
PK	5.831G	113.64	Inf	-Inf	107.47	3	Horizontal	182	3.00	-	34.26	7.43	35.52
AV	5.831G	101.44	Inf	-Inf	95.27	3	Horizontal	182	3.00	-	34.26	7.43	35.52
PK	6.06G	58.44	68.20	-9.76	51.47	3	Horizontal	182	3.00	-	34.92	7.63	35.58

802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6646G	63.51	74.00	-10.49	48.92	3	Vertical	173	2.85	-	39.40	10.75	35.56
AV	11.6646G	50.45	54.00	-3.55	35.86	3	Vertical	173	2.85	-	39.40	10.75	35.56

802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz_TnomVnom



EUT X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6652G	62.80	74.00	-11.20	48.21	3	Horizontal	207	2.03	-	39.40	10.75	35.56
AV	11.665G	49.42	54.00	-4.58	34.83	3	Horizontal	207	2.03	-	39.40	10.75	35.56



RSE TX above 1GHz
<Partial RU> UNII1~UNII3 RU 106 Ant. 2 (2TX)


Appendix E.22

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1.(MCS0)_2TX	Pass	PK	5.15G	73.96	74.00	-0.04	3	Horizontal	188	2.19	-

802.11ax HEW20_Nss1,(MCS0)_2TX

5180MHz_TnomVnom




EUT_X_2TX
Setting 20.25
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1494G	73.51	74.00	-0.49	67.68	3	Vertical	159	1.85	-	34.00	7.17	35.34
AV	5.15G	47.96	54.00	-6.04	42.13	3	Vertical	159	1.85	-	34.00	7.17	35.34
PK	5.1782G	117.38	Inf	-Inf	111.42	3	Vertical	159	1.85	-	34.11	7.19	35.34
AV	5.178G	104.59	Inf	-Inf	98.63	3	Vertical	159	1.85	-	34.11	7.19	35.34

802.11ax HEW20_Nss1,(MCS0)_2TX

5180MHz_TnomVnom




EUT_X_2TX
Setting 20.25
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.15G	73.96	74.00	-0.04	68.13	3	Horizontal	188	2.19	-	34.00	7.17	35.34	
AV	5.1488G	48.10	54.00	-5.90	42.27	3	Horizontal	188	2.19	-	34.00	7.17	35.34	
PK	5.1774G	116.17	Inf	-Inf	110.21	3	Horizontal	188	2.19	-	34.11	7.19	35.34	
AV	5.1764G	103.62	Inf	-Inf	97.66	3	Horizontal	188	2.19	-	34.11	7.19	35.34	

802.11ax HEW20_Nss1,(MCS0)_2TX

5180MHz_TnomVnom




EUT X_2TX
Setting 20.25
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.5074G	57.94	74.00	-16.06	41.52	3	Vertical	150	1.62	-	38.65	13.15	35.38
AV	15.5102G	44.82	54.00	-9.18	28.41	3	Vertical	150	1.62	-	38.63	13.16	35.38

802.11ax HEW20_Nss1,(MCS0)_2TX

5180MHz_TnomVnom




EUT X_2TX
Setting 20.25
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.5054G	58.34	74.00	-15.66	41.90	3	Horizontal	332	1.85	-	38.66	13.15	35.37
AV	15.5014G	44.89	54.00	-9.11	28.42	3	Horizontal	332	1.85	-	38.69	13.15	35.37

802.11ax HEW20_Nss1,(MCS0)_2TX

5200MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1472G	61.04	74.00	-12.96	55.22	3	Vertical	158	1.80	-	33.99	7.17	35.34
AV	5.1492G	45.23	54.00	-8.77	39.40	3	Vertical	158	1.80	-	34.00	7.17	35.34
PK	5.1984G	118.10	Inf	-Inf	112.05	3	Vertical	158	1.80	-	34.19	7.20	35.34
AV	5.1976G	103.98	Inf	-Inf	97.93	3	Vertical	158	1.80	-	34.19	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_2TX

5200MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1452G	60.33	74.00	-13.67	54.51	3	Horizontal	190	2.17	-	33.99	7.17	35.34
AV	5.15G	45.10	54.00	-8.90	39.27	3	Horizontal	190	2.17	-	34.00	7.17	35.34
PK	5.1976G	116.79	Inf	-Inf	110.74	3	Horizontal	190	2.17	-	34.19	7.20	35.34
AV	5.1976G	103.26	Inf	-Inf	97.21	3	Horizontal	190	2.17	-	34.19	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_2TX

5200MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.623G	57.34	74.00	-16.66	41.71	3	Vertical	341	2.91	-	37.89	13.21	35.47
AV	15.5954G	43.97	54.00	-10.03	28.19	3	Vertical	341	2.91	-	38.03	13.20	35.45

802.11ax HEW20_Nss1,(MCS0)_2TX

5200MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.5768G	57.32	74.00	-16.68	41.40	3	Horizontal	266	1.21	-	38.16	13.19	35.43
AV	15.5948G	44.01	54.00	-9.99	28.22	3	Horizontal	266	1.21	-	38.04	13.20	35.45

802.11ax HEW20_Nss1,(MCS0)_2TX

5240MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1374G	58.05	74.00	-15.95	52.25	3	Vertical	160	1.80	-	33.97	7.17	35.34
AV	5.1014G	44.87	54.00	-9.13	39.15	3	Vertical	160	1.80	-	33.90	7.15	35.33
PK	5.2382G	117.89	Inf	-Inf	111.68	3	Vertical	160	1.80	-	34.35	7.20	35.34
AV	5.2376G	104.09	Inf	-Inf	97.88	3	Vertical	160	1.80	-	34.35	7.20	35.34
PK	5.3684G	58.35	74.00	-15.65	51.95	3	Vertical	160	1.80	-	34.54	7.20	35.34
AV	5.3864G	45.25	54.00	-8.75	38.83	3	Vertical	160	1.80	-	34.57	7.20	35.35

802.11ax HEW20_Nss1,(MCS0)_2TX

5240MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1026G	57.81	74.00	-16.19	52.08	3	Horizontal	188	2.14	-	33.91	7.15	35.33
AV	5.1158G	44.81	54.00	-9.19	39.05	3	Horizontal	188	2.14	-	33.93	7.16	35.33
PK	5.2376G	116.07	Inf	-Inf	109.86	3	Horizontal	188	2.14	-	34.35	7.20	35.34
AV	5.2364G	103.97	Inf	-Inf	97.76	3	Horizontal	188	2.14	-	34.35	7.20	35.34
PK	5.354G	58.65	74.00	-15.35	52.28	3	Horizontal	188	2.14	-	34.51	7.20	35.34
AV	5.3714G	45.22	54.00	-8.78	38.82	3	Horizontal	188	2.14	-	34.54	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_2TX

5240MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	15.7608G	57.32	74.00	-16.68	41.89	3	Vertical	332	1.34	-	37.74	13.28	35.59	
AV	15.7686G	43.86	54.00	-10.14	28.41	3	Vertical	332	1.34	-	37.77	13.28	35.60	

802.11ax HEW20_Nss1,(MCS0)_2TX

5240MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	15.703G	57.12	74.00	-16.88	41.90	3	Horizontal	356	2.75	-	37.51	13.25	35.54	
AV	15.7694G	43.87	54.00	-10.13	28.41	3	Horizontal	356	2.75	-	37.78	13.28	35.60	

802.11ax HEW20_Nss1,(MCS0)_2TX

5260MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1298G	57.31	74.00	-16.69	51.53	3	Vertical	156	1.80	-	33.96	7.16	35.34
AV	5.113G	44.85	54.00	-9.15	39.09	3	Vertical	156	1.80	-	33.93	7.16	35.33
PK	5.2636G	117.57	Inf	-Inf	111.28	3	Vertical	156	1.80	-	34.43	7.20	35.34
AV	5.2636G	104.29	Inf	-Inf	98.00	3	Vertical	156	1.80	-	34.43	7.20	35.34
PK	5.3728G	58.09	74.00	-15.91	51.68	3	Vertical	156	1.80	-	34.55	7.20	35.34
AV	5.35G	45.33	54.00	-8.67	38.97	3	Vertical	156	1.80	-	34.50	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_2TX

5260MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1154G	57.42	74.00	-16.58	51.66	3	Horizontal	188	1.92	-	33.93	7.16	35.33
AV	5.11G	44.81	54.00	-9.19	39.06	3	Horizontal	188	1.92	-	33.92	7.16	35.33
PK	5.2624G	116.34	Inf	-Inf	110.06	3	Horizontal	188	1.92	-	34.42	7.20	35.34
AV	5.2636G	102.20	Inf	-Inf	95.91	3	Horizontal	188	1.92	-	34.43	7.20	35.34
PK	5.41G	58.02	74.00	-15.98	51.58	3	Horizontal	188	1.92	-	34.58	7.21	35.35
AV	5.3692G	45.27	54.00	-8.73	38.87	3	Horizontal	188	1.92	-	34.54	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_2TX

5260MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.7978G	58.67	74.00	-15.33	43.10	3	Vertical	160	1.80	-	37.89	13.30	35.62
AV	15.7928G	44.92	54.00	-9.08	29.37	3	Vertical	160	1.80	-	37.87	13.30	35.62

802.11ax HEW20_Nss1,(MCS0)_2TX

5260MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.7926G	58.76	74.00	-15.24	43.21	3	Horizontal	234	1.75	-	37.87	13.30	35.62
AV	15.7946G	44.64	54.00	-9.36	29.08	3	Horizontal	234	1.75	-	37.88	13.30	35.62

802.11ax HEW20_Nss1,(MCS0)_2TX

5300MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3036G	118.04	Inf	-Inf	111.68	3	Vertical	155	1.76	-	34.50	7.20	35.34
AV	5.3036G	105.10	Inf	-Inf	98.74	3	Vertical	155	1.76	-	34.50	7.20	35.34
PK	5.3528G	62.47	74.00	-11.53	56.10	3	Vertical	155	1.76	-	34.51	7.20	35.34
AV	5.3836G	45.91	54.00	-8.09	39.49	3	Vertical	155	1.76	-	34.57	7.20	35.35

802.11ax HEW20_Nss1,(MCS0)_2TX

5300MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3024G	115.88	Inf	-Inf	109.52	3	Horizontal	187	1.55	-	34.50	7.20	35.34
AV	5.3036G	103.24	Inf	-Inf	96.88	3	Horizontal	187	1.55	-	34.50	7.20	35.34
PK	5.3528G	59.58	74.00	-14.42	53.21	3	Horizontal	187	1.55	-	34.51	7.20	35.34
AV	5.35G	45.59	54.00	-8.41	39.23	3	Horizontal	187	1.55	-	34.50	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_2TX

5300MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6086G	55.18	74.00	-18.82	41.75	3	Vertical	76	1.80	-	38.22	10.59	35.38
AV	10.6084G	41.07	54.00	-12.93	27.64	3	Vertical	76	1.80	-	38.22	10.59	35.38
PK	15.8934G	58.00	74.00	-16.00	42.73	3	Vertical	172	2.29	-	37.62	13.35	35.70
AV	15.9098G	44.28	54.00	-9.72	29.06	3	Vertical	172	2.29	-	37.58	13.35	35.71

802.11ax HEW20_Nss1,(MCS0)_2TX

5300MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6098G	54.83	74.00	-19.17	41.40	3	Horizontal	148	1.74	-	38.22	10.59	35.38
AV	10.6094G	41.27	54.00	-12.73	27.84	3	Horizontal	148	1.74	-	38.22	10.59	35.38
PK	15.8536G	57.58	74.00	-16.42	42.18	3	Horizontal	35	2.03	-	37.74	13.33	35.67
AV	15.9094G	44.36	54.00	-9.64	29.14	3	Horizontal	35	2.03	-	37.58	13.35	35.71

802.11ax HEW20_Nss1,(MCS0)_2TX

5320MHz_TnomVnom




EUT_X_2TX
Setting 18.75
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3236G	116.99	Inf	-Inf	110.63	3	Vertical	156	1.85	-	34.50	7.20	35.34
AV	5.3236G	103.85	Inf	-Inf	97.49	3	Vertical	156	1.85	-	34.50	7.20	35.34
PK	5.35G	73.36	74.00	-0.64	67.00	3	Vertical	156	1.85	-	34.50	7.20	35.34
AV	5.3502G	49.81	54.00	-4.19	43.45	3	Vertical	156	1.85	-	34.50	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_2TX

5320MHz_TnomVnom




EUT X_2TX
Setting 18.75
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3226G	115.35	Inf	-Inf	108.99	3	Horizontal	189	2.08	-	34.50	7.20	35.34
AV	5.3234G	102.45	Inf	-Inf	96.09	3	Horizontal	189	2.08	-	34.50	7.20	35.34
PK	5.3502G	73.93	74.00	-0.07	67.57	3	Horizontal	189	2.08	-	34.50	7.20	35.34
AV	5.3512G	49.61	54.00	-4.39	43.25	3	Horizontal	189	2.08	-	34.50	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_2TX

5320MHz_TnomVnom




EUT X_2TX
Setting 18.75
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6872G	53.37	74.00	-20.63	39.71	3	Vertical	219	1.40	-	38.37	10.60	35.31
AV	10.6566G	39.49	54.00	-14.51	25.92	3	Vertical	219	1.40	-	38.31	10.60	35.34
PK	15.9574G	58.24	74.00	-15.76	43.12	3	Vertical	88	1.42	-	37.49	13.38	35.75
AV	15.9114G	44.25	54.00	-9.75	29.03	3	Vertical	88	1.42	-	37.58	13.36	35.72

802.11ax HEW20_Nss1,(MCS0)_2TX

5320MHz_TnomVnom




EUT X_2TX
Setting 18.75
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.639G	52.75	74.00	-21.25	39.22	3	Horizontal	279	1.13	-	38.28	10.60	35.35
AV	10.656G	39.48	54.00	-14.52	25.91	3	Horizontal	279	1.13	-	38.31	10.60	35.34
PK	15.9138G	57.26	74.00	-16.74	42.05	3	Horizontal	267	1.25	-	37.57	13.36	35.72
AV	15.9148G	44.14	54.00	-9.86	28.93	3	Horizontal	267	1.25	-	37.57	13.36	35.72

802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TnomVnom




EUT X_2TX
Setting 18
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.4344G	59.23	74.00	-14.77	52.82	3	Vertical	82	1.76	-	34.53	7.23	35.35	
PK	5.4696G	67.72	68.20	-0.48	61.26	3	Vertical	82	1.76	-	34.54	7.27	35.35	
AV	5.4584G	45.81	54.00	-8.19	39.38	3	Vertical	82	1.76	-	34.52	7.26	35.35	
PK	5.4984G	115.95	Inf	-Inf	109.40	3	Vertical	82	1.76	-	34.60	7.30	35.35	
AV	5.4976G	103.11	Inf	-Inf	96.56	3	Vertical	82	1.76	-	34.60	7.30	35.35	

802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TnomVnom




EUT X_2TX
Setting 18
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.4128G	58.90	74.00	-15.10	52.47	3	Horizontal	186	2.77	-	34.57	7.21	35.35	
PK	5.4688G	67.34	68.20	-0.86	60.88	3	Horizontal	186	2.77	-	34.54	7.27	35.35	
AV	5.4568G	45.46	54.00	-8.54	39.04	3	Horizontal	186	2.77	-	34.51	7.26	35.35	
PK	5.4976G	114.24	Inf	-Inf	107.69	3	Horizontal	186	2.77	-	34.60	7.30	35.35	
AV	5.4964G	101.46	Inf	-Inf	94.92	3	Horizontal	186	2.77	-	34.59	7.30	35.35	

802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TnomVnom




EUT_X_2TX
Setting 18
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.9694G	53.62	74.00	-20.38	39.67	3	Vertical	294	1.94	-	38.37	10.65	35.07
AV	10.996G	40.74	54.00	-13.26	26.73	3	Vertical	294	1.94	-	38.40	10.65	35.04

802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TnomVnom




EUT X_2TX
Setting 18
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.9886G	53.70	74.00	-20.30	39.71	3	Horizontal	260	2.38	-	38.39	10.65	35.05
AV	10.989G	40.69	54.00	-13.31	26.70	3	Horizontal	260	2.38	-	38.39	10.65	35.05

802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4184G	58.70	74.00	-15.30	52.27	3	Vertical	174	1.80	-	34.56	7.22	35.35
AV	5.4168G	46.96	54.00	-7.04	40.52	3	Vertical	174	1.80	-	34.57	7.22	35.35
PK	5.468G	58.29	68.20	-9.91	51.83	3	Vertical	174	1.80	-	34.54	7.27	35.35
PK	5.5776G	118.69	Inf	-Inf	112.10	3	Vertical	174	1.80	-	34.60	7.38	35.39
AV	5.5776G	105.60	Inf	-Inf	99.01	3	Vertical	174	1.80	-	34.60	7.38	35.39
PK	5.7376G	59.25	68.20	-8.95	53.10	3	Vertical	174	1.80	-	34.22	7.40	35.47

802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4144G	58.21	74.00	-15.79	51.78	3	Horizontal	188	2.97	-	34.57	7.21	35.35
AV	5.416G	45.91	54.00	-8.09	39.47	3	Horizontal	188	2.97	-	34.57	7.22	35.35
PK	5.4656G	57.22	68.20	-10.98	50.77	3	Horizontal	188	2.97	-	34.53	7.27	35.35
PK	5.5784G	115.98	Inf	-Inf	109.39	3	Horizontal	188	2.97	-	34.60	7.38	35.39
AV	5.576G	104.59	Inf	-Inf	98.00	3	Horizontal	188	2.97	-	34.60	7.38	35.39
PK	5.7488G	57.55	68.20	-10.65	51.42	3	Horizontal	188	2.97	-	34.20	7.40	35.47

802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.1496G	63.32	74.00	-10.68	49.31	3	Vertical	178	2.96	-	38.55	10.67	35.21	
AV	11.1542G	50.15	54.00	-3.85	36.14	3	Vertical	178	2.96	-	38.55	10.67	35.21	

802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1526G	61.36	74.00	-12.64	47.35	3	Horizontal	148	1.80	-	38.55	10.67	35.21
AV	11.1504G	47.88	54.00	-6.12	33.87	3	Horizontal	148	1.80	-	38.55	10.67	35.21

802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TnomVnom




EUT_X_2TX
Setting 16.75
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7026G	116.85	Inf	-Inf	110.61	3	Vertical	178	2.01	-	34.29	7.40	35.45
AV	5.7036G	103.44	Inf	-Inf	97.20	3	Vertical	178	2.01	-	34.29	7.40	35.45
PK	5.725G	67.09	68.20	-1.11	60.90	3	Vertical	178	2.01	-	34.25	7.40	35.46

802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TnomVnom




EUT X_2TX
Setting 16.75
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7026G	111.11	Inf	-Inf	104.87	3	Horizontal	214	1.79	-	34.29	7.40	35.45
AV	5.7036G	97.47	Inf	-Inf	91.23	3	Horizontal	214	1.79	-	34.29	7.40	35.45
PK	5.7266G	62.57	68.20	-5.63	56.38	3	Horizontal	214	1.79	-	34.25	7.40	35.46

802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TnomVnom




EUT X_2TX
Setting 16.75
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.408G	58.86	74.00	-15.14	44.83	3	Vertical	79	2.93	-	38.82	10.71	35.50
AV	11.4054G	44.90	54.00	-9.10	30.87	3	Vertical	79	2.93	-	38.81	10.71	35.49

802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TnomVnom




EUT X_2TX
Setting 16.75
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4128G	58.99	74.00	-15.01	44.95	3	Horizontal	294	2.26	-	38.83	10.71	35.50
AV	11.4054G	44.90	54.00	-9.10	30.87	3	Horizontal	294	2.26	-	38.81	10.71	35.49

802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3896G	58.76	74.00	-15.24	52.33	3	Vertical	178	1.80	-	34.58	7.20	35.35
AV	5.384G	45.32	54.00	-8.68	38.90	3	Vertical	178	1.80	-	34.57	7.20	35.35
PK	5.4652G	56.98	68.20	-11.22	50.53	3	Vertical	178	1.80	-	34.53	7.27	35.35
PK	5.7242G	120.21	Inf	-Inf	114.02	3	Vertical	178	1.80	-	34.25	7.40	35.46
AV	5.7242G	105.84	Inf	-Inf	99.65	3	Vertical	178	1.80	-	34.25	7.40	35.46
PK	5.8852G	58.86	68.20	-9.34	52.40	3	Vertical	178	1.80	-	34.51	7.49	35.54

802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.398G	58.00	74.00	-16.00	51.55	3	Horizontal	184	2.72	-	34.60	7.20	35.35
PK	5.4694G	57.64	68.20	-10.56	51.18	3	Horizontal	184	2.72	-	34.54	7.27	35.35
AV	5.4526G	45.33	54.00	-8.67	38.92	3	Horizontal	184	2.72	-	34.51	7.25	35.35
PK	5.7228G	117.70	Inf	-Inf	111.51	3	Horizontal	184	2.72	-	34.25	7.40	35.46
AV	5.7228G	103.56	Inf	-Inf	97.37	3	Horizontal	184	2.72	-	34.25	7.40	35.46
PK	5.9664G	58.93	68.20	-9.27	52.14	3	Horizontal	184	2.72	-	34.80	7.57	35.58

802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.439G	63.43	74.00	-10.57	49.36	3	Vertical	178	2.54	-	38.88	10.72	35.53
AV	11.4496G	49.47	54.00	-4.53	35.39	3	Vertical	178	2.54	-	38.90	10.72	35.54

802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.445G	61.39	74.00	-12.61	47.32	3	Horizontal	142	2.09	-	38.89	10.72	35.54
AV	11.4456G	48.64	54.00	-5.36	34.57	3	Horizontal	142	2.09	-	38.89	10.72	35.54

802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.615G	59.30	68.20	-8.90	52.74	3	Vertical	174	1.80	-	34.57	7.40	35.41
PK	5.743G	118.52	Inf	-Inf	112.38	3	Vertical	174	1.80	-	34.21	7.40	35.47
AV	5.743G	105.37	Inf	-Inf	99.23	3	Vertical	174	1.80	-	34.21	7.40	35.47
PK	5.93G	58.78	68.20	-9.42	52.09	3	Vertical	174	1.80	-	34.72	7.53	35.56

802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.542G	58.55	68.20	-9.65	51.98	3	Horizontal	208	1.26	-	34.60	7.34	35.37
PK	5.743G	114.08	Inf	-Inf	107.94	3	Horizontal	208	1.26	-	34.21	7.40	35.47
AV	5.743G	100.53	Inf	-Inf	94.39	3	Horizontal	208	1.26	-	34.21	7.40	35.47
PK	5.963G	60.25	68.20	-7.95	53.47	3	Horizontal	208	1.26	-	34.80	7.56	35.58

802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4796G	62.33	74.00	-11.67	48.23	3	Vertical	174	2.55	-	38.96	10.72	35.58
AV	11.4844G	48.33	54.00	-5.67	34.22	3	Vertical	174	2.55	-	38.97	10.72	35.58

802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4804G	61.16	74.00	-12.84	47.06	3	Horizontal	138	2.06	-	38.96	10.72	35.58
AV	11.4804G	48.21	54.00	-5.79	34.11	3	Horizontal	138	2.06	-	38.96	10.72	35.58

802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.548G	59.06	68.20	-9.14	52.48	3	Vertical	174	1.80	-	34.60	7.35	35.37
PK	5.783G	118.26	Inf	-Inf	112.15	3	Vertical	174	1.80	-	34.20	7.40	35.49
AV	5.781G	105.91	Inf	-Inf	99.80	3	Vertical	174	1.80	-	34.20	7.40	35.49
PK	5.945G	59.36	68.20	-8.84	52.61	3	Vertical	174	1.80	-	34.78	7.54	35.57

802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.575G	58.94	68.20	-9.26	52.36	3	Horizontal	209	1.24	-	34.60	7.37	35.39
PK	5.782G	112.90	Inf	-Inf	106.79	3	Horizontal	209	1.24	-	34.20	7.40	35.49
AV	5.781G	99.93	Inf	-Inf	93.82	3	Horizontal	209	1.24	-	34.20	7.40	35.49
PK	5.962G	59.01	68.20	-9.19	52.23	3	Horizontal	209	1.24	-	34.80	7.56	35.58

802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5696G	63.58	74.00	-10.42	49.14	3	Vertical	175	2.71	-	39.28	10.74	35.58
AV	11.5646G	49.28	54.00	-4.72	34.88	3	Vertical	175	2.71	-	39.26	10.73	35.59

802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5626G	62.16	74.00	-11.84	47.77	3	Horizontal	144	2.05	-	39.25	10.73	35.59
AV	11.5606G	48.82	54.00	-5.18	34.44	3	Horizontal	144	2.05	-	39.24	10.73	35.59

802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.597G	59.11	68.20	-9.09	52.51	3	Vertical	174	1.95	-	34.60	7.40	35.40	
PK	5.829G	118.24	Inf	-Inf	112.06	3	Vertical	174	1.95	-	34.26	7.43	35.51	
AV	5.829G	105.08	Inf	-Inf	98.90	3	Vertical	174	1.95	-	34.26	7.43	35.51	
PK	6.067G	58.73	68.20	-9.47	51.74	3	Vertical	174	1.95	-	34.93	7.63	35.57	

802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.645G	58.69	68.20	-9.51	52.20	3	Horizontal	209	1.14	-	34.51	7.40	35.42
PK	5.828G	112.81	Inf	-Inf	106.63	3	Horizontal	209	1.14	-	34.26	7.43	35.51
AV	5.827G	99.67	Inf	-Inf	93.50	3	Horizontal	209	1.14	-	34.25	7.43	35.51
PK	6.072G	58.93	68.20	-9.27	51.92	3	Horizontal	209	1.14	-	34.94	7.64	35.57

802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6552G	63.97	74.00	-10.03	49.39	3	Vertical	172	2.73	-	39.40	10.75	35.57
AV	11.6596G	50.07	54.00	-3.93	35.48	3	Vertical	172	2.73	-	39.40	10.75	35.56

802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz_TnomVnom



EUT X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.655G	61.67	74.00	-12.33	47.09	3	Horizontal	204	2.04	-	39.40	10.75	35.57
AV	11.6554G	48.90	54.00	-5.10	34.32	3	Horizontal	204	2.04	-	39.40	10.75	35.57



RSE TX above 1GHz
<Partial RU> UNII1~UNII3 RU 26 Ant. 3 (2TX)


Appendix E.23

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	AV	11.47264G	53.99	54.00	-0.01	3	Horizontal	143	1.76	-

802.11ax HEW20_Nss1,(MCS0)_2TX

5180MHz_TnomVnom




EUT V_2TX
Setting 19.5
03-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.138G	73.77	74.00	-0.23	67.96	3	Vertical	74	1.93	-	33.98	7.17	35.34
AV	5.1382G	52.25	54.00	-1.75	46.44	3	Vertical	74	1.93	-	33.98	7.17	35.34
PK	5.1718G	126.84	Inf	-Inf	120.90	3	Vertical	74	1.93	-	34.09	7.19	35.34
AV	5.172G	115.20	Inf	-Inf	109.26	3	Vertical	74	1.93	-	34.09	7.19	35.34

802.11ax HEW20_Nss1,(MCS0)_2TX

5180MHz_TnomVnom




EUT V_2TX
Setting 19.5
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.53528G	60.13	74.00	-13.87	43.91	3	Vertical	195	2.61	-	38.45	13.17	35.40
AV	15.53546G	46.65	54.00	-7.35	30.43	3	Vertical	195	2.61	-	38.45	13.17	35.40

802.11ax HEW20_Nss1,(MCS0)_2TX

5180MHz_TnomVnom




EUT_V_2TX
Setting 19.5
03-C-K-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	15.54026G	60.51	74.00	-13.49	44.32	3	Horizontal	84	1.38	-	38.42	13.17	35.40	
AV	15.535G	46.62	54.00	-7.38	30.39	3	Horizontal	84	1.38	-	38.46	13.17	35.40	

802.11ax HEW20_Nss1,(MCS0)_2TX

5200MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1024G	59.51	74.00	-14.49	53.79	3	Vertical	57	1.92	-	33.90	7.15	35.33
AV	5.15G	46.25	54.00	-7.75	40.42	3	Vertical	57	1.92	-	34.00	7.17	35.34
PK	5.192G	126.21	Inf	-Inf	120.18	3	Vertical	57	1.92	-	34.17	7.20	35.34
AV	5.192G	115.13	Inf	-Inf	109.10	3	Vertical	57	1.92	-	34.17	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_2TX

5200MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.60228G	60.48	74.00	-13.52	44.75	3	Vertical	81	2.71	-	37.99	13.20	35.46
AV	15.5983G	46.76	54.00	-7.24	31.00	3	Vertical	81	2.71	-	38.01	13.20	35.45

802.11ax HEW20_Nss1,(MCS0)_2TX

5200MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.5953G	60.69	74.00	-13.31	44.91	3	Horizontal	289	2.49	-	38.03	13.20	35.45
AV	15.595G	46.75	54.00	-7.25	30.96	3	Horizontal	289	2.49	-	38.04	13.20	35.45

802.11ax HEW20_Nss1,(MCS0)_2TX

5240MHz_TnomVnom




EUT_V_2TX
Setting 21.5
03-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.0948G	59.21	74.00	-14.79	53.50	3	Vertical	57	1.95	-	33.89	7.15	35.33
AV	5.1008G	45.73	54.00	-8.27	40.01	3	Vertical	57	1.95	-	33.90	7.15	35.33
PK	5.2322G	126.40	Inf	-Inf	120.21	3	Vertical	57	1.95	-	34.33	7.20	35.34
AV	5.2322G	115.25	Inf	-Inf	109.06	3	Vertical	57	1.95	-	34.33	7.20	35.34
PK	5.3618G	60.27	74.00	-13.73	53.89	3	Vertical	57	1.95	-	34.52	7.20	35.34
AV	5.39G	46.96	54.00	-7.04	40.53	3	Vertical	57	1.95	-	34.58	7.20	35.35

802.11ax HEW20_Nss1,(MCS0)_2TX

5240MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.71644G	59.93	74.00	-14.07	44.65	3	Vertical	208	1.47	-	37.57	13.26	35.55
AV	15.724G	45.77	54.00	-8.23	30.47	3	Vertical	208	1.47	-	37.60	13.26	35.56

802.11ax HEW20_Nss1,(MCS0)_2TX

5240MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.7207G	60.13	74.00	-13.87	44.85	3	Horizontal	81	2.91	-	37.58	13.26	35.56
AV	15.72072G	45.79	54.00	-8.21	30.51	3	Horizontal	81	2.91	-	37.58	13.26	35.56

802.11ax HEW20_Nss1,(MCS0)_2TX

5260MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1268G	58.95	74.00	-15.05	53.18	3	Vertical	77	1.94	-	33.95	7.16	35.34
AV	5.11G	46.21	54.00	-7.79	40.46	3	Vertical	77	1.94	-	33.92	7.16	35.33
PK	5.2684G	127.36	Inf	-Inf	121.06	3	Vertical	77	1.94	-	34.44	7.20	35.34
AV	5.2684G	117.07	Inf	-Inf	110.77	3	Vertical	77	1.94	-	34.44	7.20	35.34
PK	5.401G	60.80	74.00	-13.20	54.35	3	Vertical	77	1.94	-	34.60	7.20	35.35
AV	5.35G	47.24	54.00	-6.76	40.88	3	Vertical	77	1.94	-	34.50	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_2TX

5260MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.7894G	59.78	74.00	-14.22	44.24	3	Vertical	304	1.80	-	37.86	13.29	35.61
AV	15.78836G	45.69	54.00	-8.31	30.16	3	Vertical	304	1.80	-	37.85	13.29	35.61

802.11ax HEW20_Nss1,(MCS0)_2TX

5260MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.7756G	59.70	74.00	-14.30	44.21	3	Horizontal	359	1.80	-	37.80	13.29	35.60
AV	15.78528G	45.77	54.00	-8.23	30.25	3	Horizontal	359	1.80	-	37.84	13.29	35.61

802.11ax HEW20_Nss1,(MCS0)_2TX

5300MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3084G	128.03	Inf	-Inf	121.67	3	Vertical	76	1.87	-	34.50	7.20	35.34
AV	5.3092G	114.61	Inf	-Inf	108.25	3	Vertical	76	1.87	-	34.50	7.20	35.34
PK	5.356G	64.99	74.00	-9.01	58.62	3	Vertical	76	1.87	-	34.51	7.20	35.34
AV	5.35G	49.03	54.00	-4.97	42.67	3	Vertical	76	1.87	-	34.50	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_2TX

5300MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.61568G	57.99	74.00	-16.01	44.54	3	Vertical	212	1.90	-	38.23	10.59	35.37
AV	10.6161G	44.34	54.00	-9.66	30.89	3	Vertical	212	1.90	-	38.23	10.59	35.37
PK	15.90054G	59.27	74.00	-14.73	44.03	3	Vertical	55	2.26	-	37.60	13.35	35.71
AV	15.90478G	45.63	54.00	-8.37	30.40	3	Vertical	55	2.26	-	37.59	13.35	35.71

802.11ax HEW20_Nss1,(MCS0)_2TX

5300MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.61736G	57.32	74.00	-16.68	43.87	3	Horizontal	118	1.80	-	38.23	10.59	35.37
AV	10.61666G	44.77	54.00	-9.23	31.32	3	Horizontal	118	1.80	-	38.23	10.59	35.37
PK	15.90136G	59.40	74.00	-14.60	44.16	3	Horizontal	28	1.99	-	37.60	13.35	35.71
AV	15.90458G	45.61	54.00	-8.39	30.38	3	Horizontal	28	1.99	-	37.59	13.35	35.71

802.11ax HEW20_Nss1,(MCS0)_2TX

5320MHz_TnomVnom




EUT_V_2TX
Setting 18
03-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3282G	126.44	Inf	-Inf	120.08	3	Vertical	74	1.93	-	34.50	7.20	35.34
AV	5.3282G	115.16	Inf	-Inf	108.80	3	Vertical	74	1.93	-	34.50	7.20	35.34
PK	5.3604G	73.76	74.00	-0.24	67.38	3	Vertical	74	1.93	-	34.52	7.20	35.34
AV	5.3692G	51.17	54.00	-2.83	44.77	3	Vertical	74	1.93	-	34.54	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_2TX

5320MHz_TnomVnom




EUT_V_2TX
Setting 18
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.96078G	59.52	74.00	-14.48	44.42	3	Vertical	280	1.62	-	37.48	13.38	35.76
AV	15.96336G	45.73	54.00	-8.27	30.64	3	Vertical	280	1.62	-	37.47	13.38	35.76

802.11ax HEW20_Nss1,(MCS0)_2TX

5320MHz_TnomVnom




EUT_V_2TX
Setting 18
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.95876G	59.56	74.00	-14.44	44.46	3	Horizontal	261	1.44	-	37.48	13.38	35.76
AV	15.95812G	45.71	54.00	-8.29	30.60	3	Horizontal	261	1.44	-	37.48	13.38	35.75

802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TnomVnom




EUT V_2TX
Setting 17.5
03-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4592G	67.53	74.00	-6.47	61.10	3	Vertical	75	1.90	-	34.52	7.26	35.35
AV	5.4518G	48.75	54.00	-5.25	42.35	3	Vertical	75	1.90	-	34.50	7.25	35.35
PK	5.469G	67.96	68.20	-0.24	61.50	3	Vertical	75	1.90	-	34.54	7.27	35.35
PK	5.4918G	127.47	Inf	-Inf	120.95	3	Vertical	75	1.90	-	34.58	7.29	35.35
AV	5.492G	114.75	Inf	-Inf	108.23	3	Vertical	75	1.90	-	34.58	7.29	35.35

802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TnomVnom




EUT_V_2TX
Setting 17.5
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99546G	56.12	74.00	-17.88	42.11	3	Vertical	276	2.62	-	38.40	10.65	35.04
AV	11.00382G	41.28	54.00	-12.72	27.27	3	Vertical	276	2.62	-	38.40	10.65	35.04

802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TnomVnom




EUT_V_2TX
Setting 17.5
03-C-K-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	11.0035G	55.27	74.00	-18.73	41.26	3	Horizontal	309	2.07	-	38.40	10.65	35.04	
AV	11.0034G	41.26	54.00	-12.74	27.25	3	Horizontal	309	2.07	-	38.40	10.65	35.04	

802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.433G	60.35	74.00	-13.65	53.94	3	Vertical	75	1.83	-	34.53	7.23	35.35
AV	5.4432G	46.63	54.00	-7.37	40.23	3	Vertical	75	1.83	-	34.51	7.24	35.35
PK	5.4672G	59.84	68.20	-8.36	53.39	3	Vertical	75	1.83	-	34.53	7.27	35.35
PK	5.5722G	129.07	Inf	-Inf	122.49	3	Vertical	75	1.83	-	34.60	7.37	35.39
AV	5.5722G	118.52	Inf	-Inf	111.94	3	Vertical	75	1.83	-	34.60	7.37	35.39
PK	5.727G	59.48	68.20	-8.72	53.29	3	Vertical	75	1.83	-	34.25	7.40	35.46

802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.14344G	64.50	74.00	-9.50	50.49	3	Vertical	183	1.80	-	38.54	10.67	35.20
AV	11.14312G	52.47	54.00	-1.53	38.46	3	Vertical	183	1.80	-	38.54	10.67	35.20

802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.14464G	66.08	74.00	-7.92	52.07	3	Horizontal	147	1.79	-	38.54	10.67	35.20
AV	11.14248G	52.14	54.00	-1.86	38.13	3	Horizontal	147	1.79	-	38.54	10.67	35.20

802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TnomVnom




EUT_V_2TX
Setting 11.5
03-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7078G	121.13	Inf	-Inf	114.90	3	Vertical	77	1.90	-	34.28	7.40	35.45
AV	5.708G	109.12	Inf	-Inf	102.89	3	Vertical	77	1.90	-	34.28	7.40	35.45
PK	5.7274G	67.50	68.20	-0.70	61.31	3	Vertical	77	1.90	-	34.25	7.40	35.46

802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TnomVnom




EUT_V_2TX
Setting 11.5
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40064G	55.57	74.00	-18.43	41.55	3	Vertical	25	2.32	-	38.80	10.71	35.49
AV	11.39592G	41.58	54.00	-12.42	27.55	3	Vertical	25	2.32	-	38.80	10.71	35.48

802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TnomVnom




EUT_V_2TX
Setting 11.5
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39894G	56.17	74.00	-17.83	42.15	3	Horizontal	140	1.96	-	38.80	10.71	35.49
AV	11.39916G	41.54	54.00	-12.46	27.52	3	Horizontal	140	1.96	-	38.80	10.71	35.49

802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT V_2TX
Setting 18.5
03-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.728G	128.03	Inf	-Inf	121.85	3	Vertical	78	1.80	-	34.24	7.40	35.46
AV	5.728G	116.69	Inf	-Inf	110.51	3	Vertical	78	1.80	-	34.24	7.40	35.46
PK	5.888G	64.41	68.20	-3.79	57.93	3	Vertical	78	1.80	-	34.53	7.49	35.54

802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_V_2TX
Setting 18.5
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.45576G	62.17	74.00	-11.83	48.09	3	Vertical	189	1.82	-	38.91	10.72	35.55
AV	11.45616G	47.35	54.00	-6.65	33.27	3	Vertical	189	1.82	-	38.91	10.72	35.55

802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT V_2TX
Setting 18.5
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4572G	66.72	74.00	-7.28	52.64	3	Horizontal	147	1.61	-	38.91	10.72	35.55
AV	11.45696G	53.78	54.00	-0.22	39.70	3	Horizontal	147	1.61	-	38.91	10.72	35.55

802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TnomVnom




EUT V_2TX
Setting 19.25
03-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.577G	62.38	68.20	-5.82	55.79	3	Vertical	77	1.89	-	34.60	7.38	35.39
PK	5.737G	127.60	Inf	-Inf	121.44	3	Vertical	77	1.89	-	34.23	7.40	35.47
AV	5.737G	116.34	Inf	-Inf	110.18	3	Vertical	77	1.89	-	34.23	7.40	35.47
PK	5.939G	60.36	68.20	-7.84	53.63	3	Vertical	77	1.89	-	34.76	7.54	35.57

802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TnomVnom




EUT_V_2TX
Setting 19.25
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.47328G	63.39	74.00	-10.61	49.29	3	Vertical	203	1.80	-	38.95	10.72	35.57
AV	11.47312G	49.92	54.00	-4.08	35.82	3	Vertical	203	1.80	-	38.95	10.72	35.57
PK	17.23414G	65.77	68.20	-2.43	45.59	3	Vertical	293	1.81	-	40.80	14.26	34.88

802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TnomVnom




EUT_V_2TX
Setting 19.25
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.47192G	68.81	74.00	-5.19	54.72	3	Horizontal	143	1.76	-	38.94	10.72	35.57
AV	11.47264G	53.99	54.00	-0.01	39.89	3	Horizontal	143	1.76	-	38.95	10.72	35.57
PK	17.2348G	64.40	68.20	-3.80	44.21	3	Horizontal	300	1.20	-	40.81	14.26	34.88

802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz_TnomVnom




EUT Y_2TX
Setting 18.25
03-C-K-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	5.617G	61.75	68.20	-6.45	55.19	3	Vertical	77	1.76	-	34.57	7.40	35.41	
PK	5.777G	128.07	Inf	-Inf	121.96	3	Vertical	77	1.76	-	34.20	7.40	35.49	
AV	5.777G	115.47	Inf	-Inf	109.36	3	Vertical	77	1.76	-	34.20	7.40	35.49	
PK	5.937G	63.31	68.20	-4.89	56.59	3	Vertical	77	1.76	-	34.75	7.54	35.57	

802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz_TnomVnom




EUT V_2TX
Setting 18.25
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.55288G	63.13	74.00	-10.87	48.78	3	Vertical	197	1.80	-	39.21	10.73	35.59
AV	11.55312G	49.02	54.00	-4.98	34.67	3	Vertical	197	1.80	-	39.21	10.73	35.59
PK	17.35042G	64.55	68.20	-3.65	43.70	3	Vertical	281	1.04	-	41.40	14.35	34.90

802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz_TnomVnom




EUT_V_2TX
Setting 18.25
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.55184G	68.28	74.00	-5.72	53.93	3	Horizontal	148	1.80	-	39.21	10.73	35.59
AV	11.55272G	53.91	54.00	-0.09	39.56	3	Horizontal	148	1.80	-	39.21	10.73	35.59
PK	17.35444G	64.40	68.20	-3.80	43.53	3	Horizontal	109	2.26	-	41.42	14.35	34.90

802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz_TnomVnom




EUT V_2TX
Setting 18
03-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.58G	60.56	68.20	-7.64	53.97	3	Vertical	80	1.80	-	34.60	7.38	35.39
PK	5.833G	126.81	Inf	-Inf	120.63	3	Vertical	80	1.80	-	34.27	7.43	35.52
AV	5.834G	113.36	Inf	-Inf	107.18	3	Vertical	80	1.80	-	34.27	7.43	35.52
PK	5.994G	64.14	68.20	-4.06	57.35	3	Vertical	80	1.80	-	34.80	7.59	35.60

802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz_TnomVnom




EUT_V_2TX
Setting 18
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.66744G	61.45	74.00	-12.55	46.86	3	Vertical	198	1.91	-	39.40	10.75	35.56
AV	11.66736G	46.64	54.00	-7.36	32.05	3	Vertical	198	1.91	-	39.40	10.75	35.56
PK	17.47464G	66.63	68.20	-1.57	44.84	3	Vertical	182	1.81	-	42.27	14.43	34.91

802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz_TnomVnom



EUT V_2TX
Setting 18
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.66744G	68.23	74.00	-5.77	53.64	3	Horizontal	146	1.80	-	39.40	10.75	35.56
AV	11.66688G	53.99	54.00	-0.01	39.40	3	Horizontal	146	1.80	-	39.40	10.75	35.56
PK	17.47982G	67.11	68.20	-1.09	45.26	3	Horizontal	213	1.82	-	42.32	14.44	34.91



RSE TX above 1GHz
<Partial RU> UNII1~UNII3 RU 52 Ant. 3 (2TX)


Appendix E.24

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	PK	5.7256G	68.04	68.20	-0.16	3	Vertical	76	1.90	-

802.11ax HEW20_Nss1,(MCS0)_2TX

5180MHz_TnomVnom




EUT Y_2TX
Setting 19
03-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1402G	70.83	74.00	-3.17	65.02	3	Vertical	75	1.92	-	33.98	7.17	35.34
AV	5.1446G	51.22	54.00	-2.78	45.40	3	Vertical	75	1.92	-	33.99	7.17	35.34
PK	5.1742G	123.57	Inf	-Inf	117.62	3	Vertical	75	1.92	-	34.10	7.19	35.34
AV	5.1742G	108.21	Inf	-Inf	102.26	3	Vertical	75	1.92	-	34.10	7.19	35.34

802.11ax HEW20_Nss1,(MCS0)_2TX

5180MHz_TnomVnom




EUT_V_2TX
Setting 19
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.54054G	60.52	74.00	-13.48	44.33	3	Vertical	125	1.08	-	38.42	13.17	35.40
AV	15.53556G	46.71	54.00	-7.29	30.49	3	Vertical	125	1.08	-	38.45	13.17	35.40

802.11ax HEW20_Nss1,(MCS0)_2TX

5180MHz_TnomVnom




EUT_V_2TX
Setting 19
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.53664G	60.36	74.00	-13.64	44.15	3	Horizontal	92	2.68	-	38.44	13.17	35.40
AV	15.5352G	46.71	54.00	-7.29	30.49	3	Horizontal	92	2.68	-	38.45	13.17	35.40

802.11ax HEW20_Nss1,(MCS0)_2TX

5200MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	59.75	74.00	-14.25	53.92	3	Vertical	74	1.80	-	34.00	7.17	35.34
AV	5.1496G	46.32	54.00	-7.68	40.49	3	Vertical	74	1.80	-	34.00	7.17	35.34
PK	5.194G	125.35	Inf	-Inf	119.31	3	Vertical	74	1.80	-	34.18	7.20	35.34
AV	5.1944G	110.53	Inf	-Inf	104.49	3	Vertical	74	1.80	-	34.18	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_2TX

5200MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.60404G	60.84	74.00	-13.16	45.12	3	Vertical	239	2.24	-	37.98	13.20	35.46
AV	15.59748G	47.07	54.00	-6.93	31.30	3	Vertical	239	2.24	-	38.02	13.20	35.45

802.11ax HEW20_Nss1,(MCS0)_2TX

5200MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.59784G	60.87	74.00	-13.13	45.10	3	Horizontal	354	2.93	-	38.02	13.20	35.45
AV	15.59776G	47.01	54.00	-6.99	31.24	3	Horizontal	354	2.93	-	38.02	13.20	35.45

802.11ax HEW20_Nss1,(MCS0)_2TX

5240MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1206G	59.24	74.00	-14.76	53.47	3	Vertical	74	1.98	-	33.94	7.16	35.33
AV	5.1206G	45.60	54.00	-8.40	39.83	3	Vertical	74	1.98	-	33.94	7.16	35.33
PK	5.234G	126.05	Inf	-Inf	119.85	3	Vertical	74	1.98	-	34.34	7.20	35.34
AV	5.234G	110.96	Inf	-Inf	104.76	3	Vertical	74	1.98	-	34.34	7.20	35.34
PK	5.384G	60.46	74.00	-13.54	54.04	3	Vertical	74	1.98	-	34.57	7.20	35.35
AV	5.3744G	46.60	54.00	-7.40	40.19	3	Vertical	74	1.98	-	34.55	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_2TX

5240MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.71738G	60.00	74.00	-14.00	44.72	3	Vertical	270	1.22	-	37.57	13.26	35.55
AV	15.72402G	45.84	54.00	-8.16	30.54	3	Vertical	270	1.22	-	37.60	13.26	35.56

802.11ax HEW20_Nss1,(MCS0)_2TX

5240MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.7204G	59.88	74.00	-14.12	44.60	3	Horizontal	343	2.96	-	37.58	13.26	35.56
AV	15.72404G	45.84	54.00	-8.16	30.54	3	Horizontal	343	2.96	-	37.60	13.26	35.56

802.11ax HEW20_Nss1,(MCS0)_2TX

5260MHz_TnomVnom




EUT_V_2TX
Setting 21.5
03-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1148G	58.75	74.00	-15.25	52.99	3	Vertical	76	1.99	-	33.93	7.16	35.33
AV	5.1196G	45.64	54.00	-8.36	39.87	3	Vertical	76	1.99	-	33.94	7.16	35.33
PK	5.2672G	124.43	Inf	-Inf	118.14	3	Vertical	76	1.99	-	34.43	7.20	35.34
AV	5.2672G	110.25	Inf	-Inf	103.96	3	Vertical	76	1.99	-	34.43	7.20	35.34
PK	5.3842G	60.51	74.00	-13.49	54.09	3	Vertical	76	1.99	-	34.57	7.20	35.35
AV	5.3866G	46.94	54.00	-7.06	40.52	3	Vertical	76	1.99	-	34.57	7.20	35.35

802.11ax HEW20_Nss1,(MCS0)_2TX

5260MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.7821G	59.68	74.00	-14.32	44.17	3	Vertical	179	2.25	-	37.83	13.29	35.61
AV	15.7815G	45.75	54.00	-8.25	30.24	3	Vertical	179	2.25	-	37.83	13.29	35.61

802.11ax HEW20_Nss1,(MCS0)_2TX

5260MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.78218G	59.68	74.00	-14.32	44.17	3	Horizontal	107	1.43	-	37.83	13.29	35.61
AV	15.78144G	45.76	54.00	-8.24	30.25	3	Horizontal	107	1.43	-	37.83	13.29	35.61

802.11ax HEW20_Nss1,(MCS0)_2TX

5300MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3068G	124.91	Inf	-Inf	118.55	3	Vertical	75	1.80	-	34.50	7.20	35.34
AV	5.3068G	110.68	Inf	-Inf	104.32	3	Vertical	75	1.80	-	34.50	7.20	35.34
PK	5.3644G	66.40	74.00	-7.60	60.01	3	Vertical	75	1.80	-	34.53	7.20	35.34
AV	5.35G	48.01	54.00	-5.99	41.65	3	Vertical	75	1.80	-	34.50	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_2TX

5300MHz_TnomVnom




EUT_V_2TX
Setting 21.5
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.61288G	58.25	74.00	-15.75	44.80	3	Vertical	185	2.04	-	38.23	10.59	35.37
AV	10.6152G	44.17	54.00	-9.83	30.72	3	Vertical	185	2.04	-	38.23	10.59	35.37
PK	15.88864G	59.56	74.00	-14.44	44.29	3	Vertical	167	2.46	-	37.63	13.34	35.70
AV	15.91888G	45.96	54.00	-8.04	30.76	3	Vertical	167	2.46	-	37.56	13.36	35.72

802.11ax HEW20_Nss1,(MCS0)_2TX

5300MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.61432G	55.74	74.00	-18.26	42.29	3	Horizontal	114	1.77	-	38.23	10.59	35.37
AV	10.61424G	43.28	54.00	-10.72	29.83	3	Horizontal	114	1.77	-	38.23	10.59	35.37
PK	15.89304G	59.29	74.00	-14.71	44.02	3	Horizontal	334	1.29	-	37.62	13.35	35.70
AV	15.88272G	45.95	54.00	-8.05	30.65	3	Horizontal	334	1.29	-	37.65	13.34	35.69

802.11ax HEW20_Nss1,(MCS0)_2TX

5320MHz_TnomVnom




EUT V_2TX
Setting 17.75
03-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.327G	122.23	Inf	-Inf	115.87	3	Vertical	74	1.77	-	34.50	7.20	35.34
AV	5.327G	108.32	Inf	-Inf	101.96	3	Vertical	74	1.77	-	34.50	7.20	35.34
PK	5.3548G	71.64	74.00	-2.36	65.27	3	Vertical	74	1.77	-	34.51	7.20	35.34
AV	5.3566G	50.92	54.00	-3.08	44.55	3	Vertical	74	1.77	-	34.51	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_2TX

5320MHz_TnomVnom




EUT V_2TX
Setting 17.75
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.96252G	59.22	74.00	-14.78	44.13	3	Vertical	224	2.23	-	37.47	13.38	35.76
AV	15.95714G	45.52	54.00	-8.48	30.40	3	Vertical	224	2.23	-	37.49	13.38	35.75

802.11ax HEW20_Nss1,(MCS0)_2TX

5320MHz_TnomVnom




EUT V_2TX
Setting 17.75
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.9645G	59.37	74.00	-14.63	44.28	3	Horizontal	13	2.58	-	37.47	13.38	35.76
AV	15.95704G	45.54	54.00	-8.46	30.42	3	Horizontal	13	2.58	-	37.49	13.38	35.75

802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TnomVnom




EUT_V_2TX
Setting 17.5
03-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	66.76	74.00	-7.24	60.33	3	Vertical	75	1.98	-	34.52	7.26	35.35
AV	5.4594G	48.15	54.00	-5.85	41.72	3	Vertical	75	1.98	-	34.52	7.26	35.35
PK	5.4632G	67.96	68.20	-0.24	61.52	3	Vertical	75	1.98	-	34.53	7.26	35.35
PK	5.4942G	125.38	Inf	-Inf	118.85	3	Vertical	75	1.98	-	34.59	7.29	35.35
AV	5.4942G	109.16	Inf	-Inf	102.63	3	Vertical	75	1.98	-	34.59	7.29	35.35

802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TnomVnom




EUT V_2TX
Setting 17.5
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99768G	55.12	74.00	-18.88	41.11	3	Vertical	243	1.95	-	38.40	10.65	35.04
AV	11.00338G	41.40	54.00	-12.60	27.39	3	Vertical	243	1.95	-	38.40	10.65	35.04

802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TnomVnom




EUT_V_2TX
Setting 17.5
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99772G	55.49	74.00	-18.51	41.48	3	Horizontal	317	2.24	-	38.40	10.65	35.04
AV	11.00356G	41.50	54.00	-12.50	27.49	3	Horizontal	317	2.24	-	38.40	10.65	35.04

802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TnomVnom




EUT_V_2TX
Setting 21.5
03-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4354G	60.33	74.00	-13.67	53.91	3	Vertical	75	1.80	-	34.53	7.24	35.35
AV	5.4312G	46.76	54.00	-7.24	40.34	3	Vertical	75	1.80	-	34.54	7.23	35.35
PK	5.4618G	59.80	68.20	-8.40	53.37	3	Vertical	75	1.80	-	34.52	7.26	35.35
PK	5.574G	128.54	Inf	-Inf	121.96	3	Vertical	75	1.80	-	34.60	7.37	35.39
AV	5.574G	112.94	Inf	-Inf	106.36	3	Vertical	75	1.80	-	34.60	7.37	35.39
PK	5.7258G	59.90	68.20	-8.30	53.71	3	Vertical	75	1.80	-	34.25	7.40	35.46

802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.14568G	63.41	74.00	-10.59	49.39	3	Vertical	184	1.92	-	38.55	10.67	35.20
AV	11.1456G	49.86	54.00	-4.14	35.84	3	Vertical	184	1.92	-	38.55	10.67	35.20

802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.14456G	64.01	74.00	-9.99	50.00	3	Horizontal	149	1.07	-	38.54	10.67	35.20
AV	11.1464G	50.17	54.00	-3.83	36.15	3	Horizontal	149	1.07	-	38.55	10.67	35.20

802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TnomVnom




EUT V_2TX
Setting 12
03-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7056G	117.33	Inf	-Inf	111.09	3	Vertical	76	1.90	-	34.29	7.40	35.45
AV	5.7058G	105.25	Inf	-Inf	99.01	3	Vertical	76	1.90	-	34.29	7.40	35.45
PK	5.7256G	68.04	68.20	-0.16	61.85	3	Vertical	76	1.90	-	34.25	7.40	35.46

802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TnomVnom




EUT_V_2TX
Setting 12
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39848G	55.79	74.00	-18.21	41.77	3	Vertical	117	2.18	-	38.80	10.71	35.49
AV	11.40486G	41.94	54.00	-12.06	27.91	3	Vertical	117	2.18	-	38.81	10.71	35.49

802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TnomVnom




EUT_V_2TX
Setting 12
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3982G	55.70	74.00	-18.30	41.68	3	Horizontal	114	1.65	-	38.80	10.71	35.49
AV	11.39562G	42.03	54.00	-11.97	28.00	3	Horizontal	114	1.65	-	38.80	10.71	35.48

802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_V_2TX
Setting 21.5
03-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7272G	126.10	Inf	-Inf	119.91	3	Vertical	78	1.80	-	34.25	7.40	35.46
AV	5.7256G	113.77	Inf	-Inf	107.58	3	Vertical	78	1.80	-	34.25	7.40	35.46
PK	5.8888G	63.68	68.20	-4.52	57.20	3	Vertical	78	1.80	-	34.53	7.49	35.54

802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_V_2TX
Setting 21.5
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.45344G	59.80	74.00	-14.20	45.72	3	Vertical	206	1.80	-	38.91	10.72	35.55
AV	11.45328G	46.71	54.00	-7.29	32.63	3	Vertical	206	1.80	-	38.91	10.72	35.55
PK	17.14912G	63.81	68.20	-4.39	44.08	3	Vertical	0	1.80	-	40.40	14.20	34.87

802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_V_2TX
Setting 21.5
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.45448G	65.45	74.00	-8.55	51.37	3	Horizontal	144	1.80	-	38.91	10.72	35.55
AV	11.4548G	53.12	54.00	-0.88	39.04	3	Horizontal	144	1.80	-	38.91	10.72	35.55
PK	17.15856G	63.83	68.20	-4.37	44.07	3	Horizontal	149	1.67	-	40.43	14.21	34.88

802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.578G	63.87	68.20	-4.33	57.28	3	Vertical	78	1.82	-	34.60	7.38	35.39
PK	5.739G	128.21	Inf	-Inf	122.06	3	Vertical	78	1.82	-	34.22	7.40	35.47
AV	5.738G	111.20	Inf	-Inf	105.05	3	Vertical	78	1.82	-	34.22	7.40	35.47
PK	5.96G	60.41	68.20	-7.79	53.63	3	Vertical	78	1.82	-	34.80	7.56	35.58

802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TnomVnom




EUT_V_2TX
Setting 21.5
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.47848G	62.56	74.00	-11.44	48.46	3	Vertical	203	1.66	-	38.96	10.72	35.58
AV	11.47608G	48.80	54.00	-5.20	34.70	3	Vertical	203	1.66	-	38.95	10.72	35.57
PK	17.229G	64.44	68.20	-3.76	44.29	3	Vertical	110	2.22	-	40.77	14.26	34.88

802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TnomVnom




EUT_V_2TX
Setting 21.5
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.47472G	66.19	74.00	-7.81	52.09	3	Horizontal	142	1.80	-	38.95	10.72	35.57
AV	11.47464G	52.90	54.00	-1.10	38.80	3	Horizontal	142	1.80	-	38.95	10.72	35.57
PK	17.23972G	64.83	68.20	-3.37	44.60	3	Horizontal	33	1.66	-	40.84	14.27	34.88

802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.619G	64.06	68.20	-4.14	57.51	3	Vertical	77	1.83	-	34.56	7.40	35.41
PK	5.779G	128.29	Inf	-Inf	122.18	3	Vertical	77	1.83	-	34.20	7.40	35.49
AV	5.778G	111.40	Inf	-Inf	105.29	3	Vertical	77	1.83	-	34.20	7.40	35.49
PK	5.94G	64.86	68.20	-3.34	58.13	3	Vertical	77	1.83	-	34.76	7.54	35.57

802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz_TnomVnom




EUT_V_2TX
Setting 21.5
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.55592G	62.19	74.00	-11.81	47.83	3	Vertical	197	1.78	-	39.22	10.73	35.59
AV	11.55552G	49.20	54.00	-4.80	34.84	3	Vertical	197	1.78	-	39.22	10.73	35.59
PK	17.36108G	64.94	68.20	-3.26	44.05	3	Vertical	83	2.82	-	41.44	14.35	34.90

802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz_TnomVnom




EUT_V_2TX
Setting 21.5
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.55736G	66.84	74.00	-7.16	52.47	3	Horizontal	144	1.70	-	39.23	10.73	35.59
AV	11.55464G	53.63	54.00	-0.37	39.27	3	Horizontal	144	1.70	-	39.22	10.73	35.59
PK	17.33996G	65.29	68.20	-2.91	44.48	3	Horizontal	67	1.42	-	41.36	14.34	34.89

802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.584G	60.08	68.20	-8.12	53.49	3	Vertical	76	1.89	-	34.60	7.38	35.39
PK	5.832G	125.95	Inf	-Inf	119.78	3	Vertical	76	1.89	-	34.26	7.43	35.52
AV	5.832G	111.52	Inf	-Inf	105.35	3	Vertical	76	1.89	-	34.26	7.43	35.52
PK	5.992G	64.43	68.20	-3.77	57.64	3	Vertical	76	1.89	-	34.80	7.59	35.60

802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz_TnomVnom




EUT_V_2TX
Setting 21.5
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.66552G	60.08	74.00	-13.92	45.49	3	Vertical	200	2.02	-	39.40	10.75	35.56
AV	11.6652G	47.14	54.00	-6.86	32.55	3	Vertical	200	2.02	-	39.40	10.75	35.56
PK	17.48836G	66.09	68.20	-2.11	44.16	3	Vertical	34	1.79	-	42.40	14.44	34.91

802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz_TnomVnom



EUT V_2TX
Setting 21.5
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.66432G	66.76	74.00	-7.24	52.17	3	Horizontal	145	1.37	-	39.40	10.75	35.56
AV	11.66464G	53.28	54.00	-0.72	38.69	3	Horizontal	145	1.37	-	39.40	10.75	35.56
PK	17.4922G	66.18	68.20	-2.02	44.22	3	Horizontal	72	1.80	-	42.43	14.44	34.91



RSE TX above 1GHz
<Partial RU> UNII1~UNII3 RU 106 Ant. 3 (2TX)


Appendix E.25

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	PK	5.725G	68.08	68.20	-0.12	3	Vertical	77	1.79	-

802.11ax HEW20_Nss1,(MCS0)_2TX

5180MHz_TnomVnom




EUT V_2TX
Setting 18
03-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1488G	73.77	74.00	-0.23	67.94	3	Vertical	73	1.92	-	34.00	7.17	35.34
AV	5.15G	49.61	54.00	-4.39	43.78	3	Vertical	73	1.92	-	34.00	7.17	35.34
PK	5.177G	120.95	Inf	-Inf	114.99	3	Vertical	73	1.92	-	34.11	7.19	35.34
AV	5.1776G	107.28	Inf	-Inf	101.32	3	Vertical	73	1.92	-	34.11	7.19	35.34

802.11ax HEW20_Nss1,(MCS0)_2TX

5180MHz_TnomVnom




EUT_V_2TX
Setting 18
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.53862G	60.77	74.00	-13.23	44.57	3	Vertical	279	1.77	-	38.43	13.17	35.40
AV	15.535G	46.72	54.00	-7.28	30.49	3	Vertical	279	1.77	-	38.46	13.17	35.40

802.11ax HEW20_Nss1,(MCS0)_2TX

5180MHz_TnomVnom




EUT_V_2TX
Setting 18
03-C-K-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	15.53706G	60.96	74.00	-13.04	44.75	3	Horizontal	139	1.29	-	38.44	13.17	35.40
AV	15.53734G	46.73	54.00	-7.27	30.52	3	Horizontal	139	1.29	-	38.44	13.17	35.40

802.11ax HEW20_Nss1,(MCS0)_2TX

5200MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.146G	64.26	74.00	-9.74	58.44	3	Vertical	73	1.96	-	33.99	7.17	35.34
AV	5.15G	46.66	54.00	-7.34	40.83	3	Vertical	73	1.96	-	34.00	7.17	35.34
PK	5.1984G	123.75	Inf	-Inf	117.70	3	Vertical	73	1.96	-	34.19	7.20	35.34
AV	5.198G	110.44	Inf	-Inf	104.39	3	Vertical	73	1.96	-	34.19	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_2TX

5200MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.59696G	60.33	74.00	-13.67	44.56	3	Vertical	126	2.20	-	38.02	13.20	35.45
AV	15.59828G	47.05	54.00	-6.95	31.29	3	Vertical	126	2.20	-	38.01	13.20	35.45

802.11ax HEW20_Nss1,(MCS0)_2TX

5200MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.5984G	60.82	74.00	-13.18	45.06	3	Horizontal	32	1.95	-	38.01	13.20	35.45
AV	15.59814G	47.02	54.00	-6.98	31.26	3	Horizontal	32	1.95	-	38.01	13.20	35.45

802.11ax HEW20_Nss1,(MCS0)_2TX

5240MHz_TnomVnom




EUT_V_2TX
Setting 21.5
03-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.108G	59.04	74.00	-14.96	53.30	3	Vertical	77	1.96	-	33.92	7.15	35.33
AV	5.1104G	45.80	54.00	-8.20	40.05	3	Vertical	77	1.96	-	33.92	7.16	35.33
PK	5.2382G	124.02	Inf	-Inf	117.81	3	Vertical	77	1.96	-	34.35	7.20	35.34
AV	5.2382G	110.71	Inf	-Inf	104.50	3	Vertical	77	1.96	-	34.35	7.20	35.34
PK	5.3768G	59.89	74.00	-14.11	53.49	3	Vertical	77	1.96	-	34.55	7.20	35.35
AV	5.3894G	46.82	54.00	-7.18	40.39	3	Vertical	77	1.96	-	34.58	7.20	35.35

802.11ax HEW20_Nss1,(MCS0)_2TX

5240MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.7215G	59.47	74.00	-14.53	44.18	3	Vertical	359	2.68	-	37.59	13.26	35.56
AV	15.72034G	46.02	54.00	-7.98	30.74	3	Vertical	359	2.68	-	37.58	13.26	35.56

802.11ax HEW20_Nss1,(MCS0)_2TX

5240MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.71524G	60.30	74.00	-13.70	45.03	3	Horizontal	9	1.53	-	37.56	13.26	35.55
AV	15.724G	46.11	54.00	-7.89	30.81	3	Horizontal	9	1.53	-	37.60	13.26	35.56

802.11ax HEW20_Nss1,(MCS0)_2TX

5260MHz_TnomVnom




EUT_V_2TX
Setting 21.5
03-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1292G	59.35	74.00	-14.65	53.57	3	Vertical	74	1.92	-	33.96	7.16	35.34
AV	5.11G	45.66	54.00	-8.34	39.91	3	Vertical	74	1.92	-	33.92	7.16	35.33
PK	5.2636G	123.35	Inf	-Inf	117.06	3	Vertical	74	1.92	-	34.43	7.20	35.34
AV	5.2648G	110.74	Inf	-Inf	104.45	3	Vertical	74	1.92	-	34.43	7.20	35.34
PK	5.3932G	61.23	74.00	-12.77	54.79	3	Vertical	74	1.92	-	34.59	7.20	35.35
AV	5.3896G	46.91	54.00	-7.09	40.48	3	Vertical	74	1.92	-	34.58	7.20	35.35

802.11ax HEW20_Nss1,(MCS0)_2TX

5260MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.77524G	59.92	74.00	-14.08	44.43	3	Vertical	43	1.77	-	37.80	13.29	35.60
AV	15.78456G	45.75	54.00	-8.25	30.23	3	Vertical	43	1.77	-	37.84	13.29	35.61

802.11ax HEW20_Nss1,(MCS0)_2TX

5260MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.78286G	59.54	74.00	-14.46	44.03	3	Horizontal	151	2.17	-	37.83	13.29	35.61
AV	15.78172G	45.78	54.00	-8.22	30.27	3	Horizontal	151	2.17	-	37.83	13.29	35.61

802.11ax HEW20_Nss1,(MCS0)_2TX

5300MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.302G	123.74	Inf	-Inf	117.38	3	Vertical	75	1.94	-	34.50	7.20	35.34
AV	5.3044G	111.14	Inf	-Inf	104.78	3	Vertical	75	1.94	-	34.50	7.20	35.34
PK	5.35G	66.12	74.00	-7.88	59.76	3	Vertical	75	1.94	-	34.50	7.20	35.34
AV	5.35G	48.12	54.00	-5.88	41.76	3	Vertical	75	1.94	-	34.50	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_2TX

5300MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.61352G	54.88	74.00	-19.12	41.43	3	Vertical	67	1.33	-	38.23	10.59	35.37
AV	10.60848G	42.33	54.00	-11.67	28.90	3	Vertical	67	1.33	-	38.22	10.59	35.38
PK	15.88576G	59.51	74.00	-14.49	44.22	3	Vertical	24	1.94	-	37.64	13.34	35.69
AV	15.91096G	46.02	54.00	-7.98	30.80	3	Vertical	24	1.94	-	37.58	13.36	35.72

802.11ax HEW20_Nss1,(MCS0)_2TX

5300MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6088G	56.55	74.00	-17.45	43.12	3	Horizontal	115	1.80	-	38.22	10.59	35.38
AV	10.60904G	42.73	54.00	-11.27	29.30	3	Horizontal	115	1.80	-	38.22	10.59	35.38
PK	15.91464G	60.69	74.00	-13.31	45.48	3	Horizontal	176	1.56	-	37.57	13.36	35.72
AV	15.9108G	46.51	54.00	-7.49	31.29	3	Horizontal	176	1.56	-	37.58	13.36	35.72

802.11ax HEW20_Nss1,(MCS0)_2TX

5320MHz_TnomVnom




EUT_V_2TX
Setting 18
03-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.322G	121.33	Inf	-Inf	114.97	3	Vertical	75	1.90	-	34.50	7.20	35.34
AV	5.3244G	109.19	Inf	-Inf	102.83	3	Vertical	75	1.90	-	34.50	7.20	35.34
PK	5.3504G	72.67	74.00	-1.33	66.31	3	Vertical	75	1.90	-	34.50	7.20	35.34
AV	5.35G	52.18	54.00	-1.82	45.82	3	Vertical	75	1.90	-	34.50	7.20	35.34

802.11ax HEW20_Nss1,(MCS0)_2TX

5320MHz_TnomVnom




EUT_V_2TX
Setting 18
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.96118G	59.44	74.00	-14.56	44.34	3	Vertical	222	1.26	-	37.48	13.38	35.76
AV	15.95798G	45.69	54.00	-8.31	30.58	3	Vertical	222	1.26	-	37.48	13.38	35.75

802.11ax HEW20_Nss1,(MCS0)_2TX

5320MHz_TnomVnom




EUT_V_2TX
Setting 18
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.96104G	59.61	74.00	-14.39	44.51	3	Horizontal	140	1.86	-	37.48	13.38	35.76
AV	15.95524G	45.70	54.00	-8.30	30.58	3	Horizontal	140	1.86	-	37.49	13.38	35.75

802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TnomVnom




EUT V_2TX
Setting 16.75
03-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.4582G	61.71	74.00	-12.29	55.28	3	Vertical	74	1.87	-	34.52	7.26	35.35	
AV	5.4576G	48.15	54.00	-5.85	41.72	3	Vertical	74	1.87	-	34.52	7.26	35.35	
PK	5.4684G	67.96	68.20	-0.24	61.50	3	Vertical	74	1.87	-	34.54	7.27	35.35	
PK	5.4968G	122.32	Inf	-Inf	115.78	3	Vertical	74	1.87	-	34.59	7.30	35.35	
AV	5.4978G	108.10	Inf	-Inf	101.55	3	Vertical	74	1.87	-	34.60	7.30	35.35	

802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TnomVnom




EUT V_2TX
Setting 16.75
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00216G	55.31	74.00	-18.69	41.30	3	Vertical	78	2.16	-	38.40	10.65	35.04
AV	11.00328G	41.46	54.00	-12.54	27.45	3	Vertical	78	2.16	-	38.40	10.65	35.04

802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TnomVnom




EUT V_2TX
Setting 16.75
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99878G	55.82	74.00	-18.18	41.81	3	Horizontal	43	2.68	-	38.40	10.65	35.04
AV	11.00366G	41.42	54.00	-12.58	27.41	3	Horizontal	43	2.68	-	38.40	10.65	35.04

802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.448G	59.94	74.00	-14.06	53.54	3	Vertical	77	1.80	-	34.50	7.25	35.35
AV	5.4462G	46.73	54.00	-7.27	40.32	3	Vertical	77	1.80	-	34.51	7.25	35.35
PK	5.4606G	59.73	68.20	-8.47	53.30	3	Vertical	77	1.80	-	34.52	7.26	35.35
PK	5.5782G	125.15	Inf	-Inf	118.56	3	Vertical	77	1.80	-	34.60	7.38	35.39
AV	5.5776G	111.23	Inf	-Inf	104.64	3	Vertical	77	1.80	-	34.60	7.38	35.39
PK	5.73G	59.50	68.20	-8.70	53.33	3	Vertical	77	1.80	-	34.24	7.40	35.47

802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15056G	61.24	74.00	-12.76	47.23	3	Vertical	185	1.93	-	38.55	10.67	35.21
AV	11.15096G	48.38	54.00	-5.62	34.37	3	Vertical	185	1.93	-	38.55	10.67	35.21

802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.14944G	63.79	74.00	-10.21	49.78	3	Horizontal	144	1.60	-	38.55	10.67	35.21
AV	11.15432G	49.55	54.00	-4.45	35.54	3	Horizontal	144	1.60	-	38.55	10.67	35.21

802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TnomVnom




EUT_V_2TX
Setting 13
03-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.703G	118.76	Inf	-Inf	112.52	3	Vertical	77	1.79	-	34.29	7.40	35.45
AV	5.7028G	104.72	Inf	-Inf	98.48	3	Vertical	77	1.79	-	34.29	7.40	35.45
PK	5.725G	68.08	68.20	-0.12	61.89	3	Vertical	77	1.79	-	34.25	7.40	35.46

802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TnomVnom




EUT_V_2TX
Setting 13
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3982G	55.92	74.00	-18.08	41.90	3	Vertical	130	2.89	-	38.80	10.71	35.49
AV	11.39914G	41.84	54.00	-12.16	27.82	3	Vertical	130	2.89	-	38.80	10.71	35.49

802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TnomVnom




EUT_V_2TX
Setting 13
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40002G	55.62	74.00	-18.38	41.60	3	Horizontal	149	1.20	-	38.80	10.71	35.49
AV	11.39574G	41.82	54.00	-12.18	27.79	3	Horizontal	149	1.20	-	38.80	10.71	35.48

802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_V_2TX
Setting 21.5
03-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7232G	125.36	Inf	-Inf	119.17	3	Vertical	77	1.80	-	34.25	7.40	35.46
AV	5.7232G	111.84	Inf	-Inf	105.65	3	Vertical	77	1.80	-	34.25	7.40	35.46
PK	5.8832G	63.46	68.20	-4.74	57.02	3	Vertical	77	1.80	-	34.50	7.48	35.54

802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT V_2TX
Setting 21.5
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44136G	61.11	74.00	-12.89	47.04	3	Vertical	181	1.93	-	38.88	10.72	35.53
AV	11.4456G	47.80	54.00	-6.20	33.73	3	Vertical	181	1.93	-	38.89	10.72	35.54

802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT V_2TX
Setting 21.5
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44488G	64.88	74.00	-9.12	50.81	3	Horizontal	147	1.80	-	38.89	10.72	35.54
AV	11.4496G	50.62	54.00	-3.38	36.54	3	Horizontal	147	1.80	-	38.90	10.72	35.54

802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.581G	63.40	68.20	-4.80	56.81	3	Vertical	79	1.80	-	34.60	7.38	35.39
PK	5.743G	124.98	Inf	-Inf	118.84	3	Vertical	79	1.80	-	34.21	7.40	35.47
AV	5.743G	111.95	Inf	-Inf	105.81	3	Vertical	79	1.80	-	34.21	7.40	35.47
PK	5.98G	61.11	68.20	-7.09	54.32	3	Vertical	79	1.80	-	34.80	7.58	35.59

802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TnomVnom




EUT_V_2TX
Setting 21.5
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48728G	56.04	74.00	-17.96	41.94	3	Vertical	114	1.23	-	38.97	10.72	35.59
AV	11.4844G	44.14	54.00	-9.86	30.03	3	Vertical	114	1.23	-	38.97	10.72	35.58
PK	17.23244G	64.25	68.20	-3.95	44.08	3	Vertical	123	1.00	-	40.79	14.26	34.88

802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TnomVnom




EUT_V_2TX
Setting 21.5
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48896G	66.01	74.00	-7.99	51.90	3	Horizontal	142	1.80	-	38.98	10.72	35.59
AV	11.48448G	51.62	54.00	-2.38	37.51	3	Horizontal	142	1.80	-	38.97	10.72	35.58
PK	17.24836G	63.72	68.20	-4.48	43.44	3	Horizontal	176	1.32	-	40.89	14.27	34.88

802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.623G	62.55	68.20	-5.65	56.01	3	Vertical	78	1.80	-	34.55	7.40	35.41
PK	5.783G	125.53	Inf	-Inf	119.42	3	Vertical	78	1.80	-	34.20	7.40	35.49
AV	5.783G	111.60	Inf	-Inf	105.49	3	Vertical	78	1.80	-	34.20	7.40	35.49
PK	5.943G	63.64	68.20	-4.56	56.90	3	Vertical	78	1.80	-	34.77	7.54	35.57

802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56544G	61.54	74.00	-12.46	47.14	3	Vertical	188	2.84	-	39.26	10.73	35.59
AV	11.56104G	49.05	54.00	-4.95	34.67	3	Vertical	188	2.84	-	39.24	10.73	35.59
PK	17.35684G	65.31	68.20	-2.89	44.43	3	Vertical	54	2.00	-	41.43	14.35	34.90

802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz_TnomVnom




EUT_V_2TX
Setting 21.5
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56904G	66.54	74.00	-7.46	52.10	3	Horizontal	144	1.75	-	39.28	10.74	35.58
AV	11.56432G	52.18	54.00	-1.82	37.78	3	Horizontal	144	1.75	-	39.26	10.73	35.59
PK	17.33732G	64.49	68.20	-3.71	43.69	3	Horizontal	333	1.80	-	41.35	14.34	34.89

802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.59G	60.54	68.20	-7.66	53.95	3	Vertical	76	1.80	-	34.60	7.39	35.40
PK	5.828G	125.16	Inf	-Inf	118.98	3	Vertical	76	1.80	-	34.26	7.43	35.51
AV	5.827G	112.75	Inf	-Inf	106.58	3	Vertical	76	1.80	-	34.25	7.43	35.51
PK	5.989G	62.70	68.20	-5.50	55.90	3	Vertical	76	1.80	-	34.80	7.59	35.59

802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65544G	59.69	74.00	-14.31	45.11	3	Vertical	197	1.80	-	39.40	10.75	35.57
AV	11.65552G	46.83	54.00	-7.17	32.25	3	Vertical	197	1.80	-	39.40	10.75	35.57
PK	17.47764G	65.74	68.20	-2.46	43.92	3	Vertical	191	1.22	-	42.30	14.43	34.91

802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz_TnomVnom



EUT_V_2TX
Setting 21.5
03-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64944G	65.28	74.00	-8.72	50.70	3	Horizontal	147	1.75	-	39.40	10.75	35.57
AV	11.65944G	51.43	54.00	-2.57	36.84	3	Horizontal	147	1.75	-	39.40	10.75	35.56
PK	17.632G	67.87	68.20	-0.33	44.45	3	Horizontal	199	2.18	-	43.72	14.54	34.84




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.895GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW160_Nss1,(MCS0)_1TX	Pass	PK	5.657G	73.33	73.38	-0.05	3	Vertical	255	2.00	-

802.11a_Nss1,(6Mbps)_1TX

5845MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.645G	59.08	68.20	-9.12	52.44	3	Vertical	334	2.11	-	34.51	7.55	35.42	
PK	5.846G	111.72	Inf	-Inf	105.50	3	Vertical	334	2.11	-	34.29	7.45	35.52	
AV	5.844G	102.00	Inf	-Inf	95.79	3	Vertical	334	2.11	-	34.29	7.44	35.52	
PK	5.993G	59.62	88.20	-28.58	52.83	3	Vertical	334	2.11	-	34.80	7.59	35.60	
AV	6.071G	46.68	68.20	-21.52	39.60	3	Vertical	334	2.11	-	34.94	7.71	35.57	

802.11a_Nss1,(6Mbps)_1TX

5845MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.609G	58.94	68.20	-9.26	52.17	3	Horizontal	194	2.07	-	34.58	7.59	35.40
PK	5.846G	112.97	Inf	-Inf	106.75	3	Horizontal	194	2.07	-	34.29	7.45	35.52
AV	5.844G	103.15	Inf	-Inf	96.94	3	Horizontal	194	2.07	-	34.29	7.44	35.52
PK	6.078G	59.30	88.20	-28.90	52.19	3	Horizontal	194	2.07	-	34.96	7.72	35.57
AV	6.083G	46.67	68.20	-21.53	39.55	3	Horizontal	194	2.07	-	34.97	7.72	35.57

802.11a_Nss1,(6Mbps)_1TX

5845MHz_TnomVnom




EUT_X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.69222G	58.85	74.00	-15.15	44.26	3	Vertical	3	1.82	-	39.40	10.75	35.56
AV	11.69138G	45.23	54.00	-8.77	30.64	3	Vertical	3	1.82	-	39.40	10.75	35.56

802.11a_Nss1,(6Mbps)_1TX

5845MHz_TnomVnom




EUT_X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.68844G	60.07	74.00	-13.93	45.48	3	Horizontal	193	2.01	-	39.40	10.75	35.56
AV	11.69162G	47.03	54.00	-6.97	32.44	3	Horizontal	193	2.01	-	39.40	10.75	35.56

802.11a_Nss1,(6Mbps)_1TX

5865MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.62G	59.03	68.20	-9.17	52.30	3	Vertical	281	1.98	-	34.56	7.58	35.41
PK	5.866G	112.03	Inf	-Inf	105.69	3	Vertical	281	1.98	-	34.40	7.47	35.53
AV	5.866G	101.90	Inf	-Inf	95.56	3	Vertical	281	1.98	-	34.40	7.47	35.53
PK	5.925G	64.42	88.20	-23.78	57.75	3	Vertical	281	1.98	-	34.70	7.53	35.56
AV	5.925G	47.93	68.20	-20.27	41.26	3	Vertical	281	1.98	-	34.70	7.53	35.56

802.11a_Nss1,(6Mbps)_1TX

5865MHz_TnomVnom




EUT_X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.644G	60.14	68.20	-8.06	53.49	3	Horizontal	190	2.04	-	34.51	7.56	35.42
PK	5.866G	113.24	Inf	-Inf	106.90	3	Horizontal	190	2.04	-	34.40	7.47	35.53
AV	5.866G	103.31	Inf	-Inf	96.97	3	Horizontal	190	2.04	-	34.40	7.47	35.53
PK	5.927G	65.07	88.20	-23.13	58.39	3	Horizontal	190	2.04	-	34.71	7.53	35.56
AV	5.925G	48.32	68.20	-19.88	41.65	3	Horizontal	190	2.04	-	34.70	7.53	35.56

802.11a_Nss1,(6Mbps)_1TX

5865MHz_TnomVnom




EUT_X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.73078G	57.44	74.00	-16.56	42.80	3	Vertical	0	1.80	-	39.43	10.76	35.55
AV	11.73162G	43.97	54.00	-10.03	29.33	3	Vertical	0	1.80	-	39.43	10.76	35.55

802.11a_Nss1,(6Mbps)_1TX

5865MHz_TnomVnom




EUT_X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.73216G	61.02	74.00	-12.98	46.38	3	Horizontal	194	1.95	-	39.43	10.76	35.55
AV	11.72976G	47.11	54.00	-6.89	32.47	3	Horizontal	194	1.95	-	39.43	10.76	35.55

802.11a_Nss1,(6Mbps)_1TX

5885MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.642G	58.09	68.20	-10.11	51.43	3	Vertical	281	2.00	-	34.52	7.56	35.42	
PK	5.886G	112.25	Inf	-Inf	105.78	3	Vertical	281	2.00	-	34.52	7.49	35.54	
AV	5.886G	102.21	Inf	-Inf	95.74	3	Vertical	281	2.00	-	34.52	7.49	35.54	
PK	5.898G	94.67	108.00	-13.33	88.13	3	Vertical	281	2.00	-	34.59	7.50	35.55	
AV	5.896G	82.14	89.47	-7.33	75.61	3	Vertical	281	2.00	-	34.58	7.50	35.55	

802.11a_Nss1,(6Mbps)_1TX

5885MHz_TnomVnom




EUT_X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.635G	58.03	68.20	-10.17	51.36	3	Horizontal	192	1.94	-	34.53	7.56	35.42	
PK	5.886G	113.11	Inf	-Inf	106.64	3	Horizontal	192	1.94	-	34.52	7.49	35.54	
AV	5.884G	103.22	Inf	-Inf	96.78	3	Horizontal	192	1.94	-	34.50	7.48	35.54	
PK	5.895G	99.01	110.20	-11.19	92.49	3	Horizontal	192	1.94	-	34.57	7.50	35.55	
AV	5.896G	83.05	89.47	-6.42	76.52	3	Horizontal	192	1.94	-	34.58	7.50	35.55	

802.11a_Nss1,(6Mbps)_1TX

5885MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.77432G	58.77	74.00	-15.23	44.07	3	Vertical	3	1.80	-	39.47	10.77	35.54
AV	11.7697G	45.77	54.00	-8.23	31.07	3	Vertical	3	1.80	-	39.47	10.77	35.54

802.11a_Nss1,(6Mbps)_1TX

5885MHz_TnomVnom




EUT_X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.77222G	60.99	74.00	-13.01	46.29	3	Horizontal	193	2.10	-	39.47	10.77	35.54
AV	11.77162G	47.42	54.00	-6.58	32.72	3	Horizontal	193	2.10	-	39.47	10.77	35.54

802.11ax HEW20_Nss1,(MCS0)_1TX

5845MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.641G	58.80	68.20	-9.40	52.14	3	Vertical	335	1.95	-	34.52	7.56	35.42	
PK	5.844G	113.76	Inf	-Inf	107.55	3	Vertical	335	1.95	-	34.29	7.44	35.52	
AV	5.846G	101.62	Inf	-Inf	95.40	3	Vertical	335	1.95	-	34.29	7.45	35.52	
PK	5.929G	59.75	88.20	-28.45	53.06	3	Vertical	335	1.95	-	34.72	7.53	35.56	
AV	5.925G	46.66	68.20	-21.54	39.99	3	Vertical	335	1.95	-	34.70	7.53	35.56	

802.11ax HEW20_Nss1,(MCS0)_1TX

5845MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.646G	59.09	68.20	-9.11	52.45	3	Horizontal	194	2.08	-	34.51	7.55	35.42	
PK	5.846G	114.32	Inf	-Inf	108.10	3	Horizontal	194	2.08	-	34.29	7.45	35.52	
AV	5.846G	102.66	Inf	-Inf	96.44	3	Horizontal	194	2.08	-	34.29	7.45	35.52	
PK	5.975G	59.71	88.20	-28.49	52.93	3	Horizontal	194	2.08	-	34.80	7.57	35.59	
AV	6.088G	46.66	68.20	-21.54	39.51	3	Horizontal	194	2.08	-	34.98	7.73	35.56	

802.11ax HEW20_Nss1,(MCS0)_1TX

5845MHz_TnomVnom




EUT_X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.69174G	62.05	74.00	-11.95	47.46	3	Vertical	174	3.00	-	39.40	10.75	35.56
AV	11.68742G	48.37	54.00	-5.63	33.78	3	Vertical	174	3.00	-	39.40	10.75	35.56

802.11ax HEW20_Nss1,(MCS0)_1TX

5845MHz_TnomVnom




EUT_X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.69372G	60.34	74.00	-13.66	45.75	3	Horizontal	194	2.03	-	39.40	10.75	35.56
AV	11.68904G	46.74	54.00	-7.26	32.15	3	Horizontal	194	2.03	-	39.40	10.75	35.56

802.11ax HEW20_Nss1,(MCS0)_1TX

5865MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.642G	58.49	68.20	-9.71	51.83	3	Vertical	280	1.99	-	34.52	7.56	35.42
PK	5.865G	112.90	Inf	-Inf	106.58	3	Vertical	280	1.99	-	34.39	7.46	35.53
AV	5.866G	101.34	Inf	-Inf	95.00	3	Vertical	280	1.99	-	34.40	7.47	35.53
PK	5.925G	64.30	88.20	-23.90	57.63	3	Vertical	280	1.99	-	34.70	7.53	35.56
AV	5.925G	48.47	68.20	-19.73	41.80	3	Vertical	280	1.99	-	34.70	7.53	35.56

802.11ax HEW20_Nss1,(MCS0)_1TX

5865MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.621G	58.17	68.20	-10.03	51.44	3	Horizontal	192	2.05	-	34.56	7.58	35.41
PK	5.865G	114.53	Inf	-Inf	108.21	3	Horizontal	192	2.05	-	34.39	7.46	35.53
AV	5.866G	102.92	Inf	-Inf	96.58	3	Horizontal	192	2.05	-	34.40	7.47	35.53
PK	5.926G	66.06	88.20	-22.14	59.39	3	Horizontal	192	2.05	-	34.70	7.53	35.56
AV	5.925G	48.73	68.20	-19.47	42.06	3	Horizontal	192	2.05	-	34.70	7.53	35.56

802.11ax HEW20_Nss1,(MCS0)_1TX

5865MHz_TnomVnom




EUT_X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.7312G	57.27	74.00	-16.73	42.63	3	Vertical	0	1.80	-	39.43	10.76	35.55
AV	11.72982G	43.55	54.00	-10.45	28.91	3	Vertical	0	1.80	-	39.43	10.76	35.55

802.11ax HEW20_Nss1,(MCS0)_1TX

5865MHz_TnomVnom




EUT_X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.72958G	61.10	74.00	-12.90	46.46	3	Horizontal	194	1.99	-	39.43	10.76	35.55
AV	11.72982G	46.84	54.00	-7.16	32.20	3	Horizontal	194	1.99	-	39.43	10.76	35.55

802.11ax HEW20_Nss1,(MCS0)_1TX

5885MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.88625G	106.29	Inf	-Inf	99.82	3	Vertical	147	1.85	-	34.52	7.49	35.54
AV	5.88595G	96.02	Inf	-Inf	89.55	3	Vertical	147	1.85	-	34.52	7.49	35.54
PK	5.8955G	97.46	109.83	-12.37	90.94	3	Vertical	147	1.85	BP 1MHz	34.57	7.50	35.55
AV	5.8955G	87.71	89.83	-2.12	81.19	3	Vertical	147	1.85	BP 1MHz	34.57	7.50	35.55

802.11ax HEW20_Nss1,(MCS0)_1TX

5885MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.88625G	104.50	Inf	-Inf	98.03	3	Horizontal	184	1.84	-	34.52	7.49	35.54
AV	5.88595G	94.26	Inf	-Inf	87.79	3	Horizontal	184	1.84	-	34.52	7.49	35.54
PK	5.8955G	95.01	109.83	-14.82	88.49	3	Horizontal	184	1.84	BP 1MHz	34.57	7.50	35.55
AV	5.8955G	84.85	89.83	-4.98	78.33	3	Horizontal	184	1.84	BP 1MHz	34.57	7.50	35.55

802.11ax HEW20_Nss1,(MCS0)_1TX

5885MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.76952G	59.25	74.00	-14.75	44.55	3	Vertical	3	1.80	-	39.47	10.77	35.54
AV	11.76988G	45.22	54.00	-8.78	30.52	3	Vertical	3	1.80	-	39.47	10.77	35.54

802.11ax HEW20_Nss1,(MCS0)_1TX

5885MHz_TnomVnom




EUT_X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.7736G	60.50	74.00	-13.50	45.80	3	Horizontal	193	2.02	-	39.47	10.77	35.54
AV	11.7721G	46.78	54.00	-7.22	32.08	3	Horizontal	193	2.02	-	39.47	10.77	35.54

802.11ax HEW40_Nss1,(MCS0)_1TX

5835MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.596G	58.58	68.20	-9.62	51.79	3	Vertical	257	2.10	-	34.60	7.59	35.40	
PK	5.837G	110.49	Inf	-Inf	104.30	3	Vertical	257	2.10	-	34.27	7.44	35.52	
AV	5.837G	98.11	Inf	-Inf	91.92	3	Vertical	257	2.10	-	34.27	7.44	35.52	
PK	5.922G	67.44	90.40	-22.96	60.79	3	Vertical	257	2.10	-	34.69	7.52	35.56	
AV	5.925G	50.10	68.20	-18.10	43.43	3	Vertical	257	2.10	-	34.70	7.53	35.56	

802.11ax HEW40_Nss1,(MCS0)_1TX

5835MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.611G	59.90	68.20	-8.30	53.14	3	Horizontal	191	1.98	-	34.58	7.59	35.41
PK	5.837G	111.56	Inf	-Inf	105.37	3	Horizontal	191	1.98	-	34.27	7.44	35.52
AV	5.837G	99.13	Inf	-Inf	92.94	3	Horizontal	191	1.98	-	34.27	7.44	35.52
PK	5.925G	66.78	88.20	-21.42	60.11	3	Horizontal	191	1.98	-	34.70	7.53	35.56
AV	5.925G	51.95	68.20	-16.25	45.28	3	Horizontal	191	1.98	-	34.70	7.53	35.56

802.11ax HEW40_Nss1,(MCS0)_1TX

5835MHz_TnomVnom




EUT_X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.66844G	57.81	74.00	-16.19	43.22	3	Vertical	3	1.83	-	39.40	10.75	35.56
AV	11.6688G	43.83	54.00	-10.17	29.24	3	Vertical	3	1.83	-	39.40	10.75	35.56

802.11ax HEW40_Nss1,(MCS0)_1TX

5835MHz_TnomVnom




EUT_X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6688G	58.66	74.00	-15.34	44.07	3	Horizontal	186	2.02	-	39.40	10.75	35.56
AV	11.66976G	45.01	54.00	-8.99	30.42	3	Horizontal	186	2.02	-	39.40	10.75	35.56

802.11ax HEW40_Nss1,(MCS0)_1TX

5875MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.643G	58.66	68.20	-9.54	52.01	3	Vertical	279	1.98	-	34.51	7.56	35.42	
PK	5.873G	110.94	Inf	-Inf	104.57	3	Vertical	279	1.98	-	34.44	7.47	35.54	
AV	5.872G	99.02	Inf	-Inf	92.66	3	Vertical	279	1.98	-	34.43	7.47	35.54	
PK	5.924G	79.71	88.93	-9.22	73.05	3	Vertical	279	1.98	-	34.70	7.52	35.56	
AV	5.923G	65.26	69.67	-4.41	58.61	3	Vertical	279	1.98	-	34.69	7.52	35.56	

802.11ax HEW40_Nss1,(MCS0)_1TX

5875MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.632G	58.26	68.20	-9.94	51.57	3	Horizontal	190	2.05	-	34.54	7.57	35.42	
PK	5.877G	112.27	Inf	-Inf	105.87	3	Horizontal	190	2.05	-	34.46	7.48	35.54	
AV	5.872G	100.06	Inf	-Inf	93.70	3	Horizontal	190	2.05	-	34.43	7.47	35.54	
PK	5.917G	85.36	94.07	-8.71	78.73	3	Horizontal	190	2.05	-	34.67	7.52	35.56	
AV	5.923G	66.81	69.67	-2.86	60.16	3	Horizontal	190	2.05	-	34.69	7.52	35.56	

802.11ax HEW40_Nss1,(MCS0)_1TX

5875MHz_TnomVnom




EUT_X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.74862G	57.33	74.00	-16.67	42.67	3	Vertical	4	1.80	-	39.45	10.76	35.55
AV	11.7551G	43.35	54.00	-10.65	28.67	3	Vertical	4	1.80	-	39.46	10.76	35.54

802.11ax HEW40_Nss1,(MCS0)_1TX

5875MHz_TnomVnom




EUT_X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.74868G	59.32	74.00	-14.68	44.66	3	Horizontal	194	2.07	-	39.45	10.76	35.55
AV	11.7458G	44.97	54.00	-9.03	30.31	3	Horizontal	194	2.07	-	39.45	10.76	35.55

802.11ax HEW80_Nss1,(MCS0)_1TX

5855MHz_TnomVnom




EUT X_1TX
Setting 18
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.651G	61.13	68.94	-7.81	54.66	3	Vertical	188	2.08	-	34.50	7.40	35.43	
PK	5.859G	107.11	Inf	-Inf	100.83	3	Vertical	188	2.08	-	34.35	7.46	35.53	
AV	5.8575G	97.03	Inf	-Inf	90.76	3	Vertical	188	2.08	-	34.34	7.46	35.53	
PK	5.928G	80.63	88.20	-7.57	73.95	3	Vertical	188	2.08	-	34.71	7.53	35.56	
AV	5.9285G	67.80	68.20	-0.40	61.12	3	Vertical	188	2.08	-	34.71	7.53	35.56	

802.11ax HEW80_Nss1,(MCS0)_1TX

5855MHz_TnomVnom




EUT X_1TX
Setting 18
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.641G	59.08	68.20	-9.12	52.58	3	Horizontal	193	1.84	-	34.52	7.40	35.42
PK	5.859G	105.43	Inf	-Inf	99.15	3	Horizontal	193	1.84	-	34.35	7.46	35.53
AV	5.8585G	95.33	Inf	-Inf	89.05	3	Horizontal	193	1.84	-	34.35	7.46	35.53
PK	5.928G	78.82	88.20	-9.38	72.14	3	Horizontal	193	1.84	-	34.71	7.53	35.56
AV	5.9305G	66.14	68.20	-2.06	59.46	3	Horizontal	193	1.84	-	34.72	7.53	35.57

802.11ax HEW80_Nss1,(MCS0)_1TX

5855MHz_TnomVnom




EUT X_1TX
Setting 18
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.70826G	54.46	74.00	-19.54	39.84	3	Vertical	2	1.71	-	39.41	10.76	35.55
AV	11.71186G	43.69	54.00	-10.31	29.07	3	Vertical	2	1.71	-	39.41	10.76	35.55

802.11ax HEW80_Nss1,(MCS0)_1TX

5855MHz_TnomVnom




EUT X_1TX
Setting 18
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.72176G	58.87	74.00	-15.13	44.24	3	Horizontal	193	2.01	-	39.42	10.76	35.55
AV	11.71888G	47.80	54.00	-6.20	33.17	3	Horizontal	193	2.01	-	39.42	10.76	35.55

802.11ax HEW160_Nss1,(MCS0)_1TX

5815MHz_TnomVnom




EUT X_1TX
Setting 15
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.657G	73.33	73.38	-0.05	66.75	3	Vertical	255	2.00	-	34.47	7.54	35.43
PK	5.828G	101.52	Inf	-Inf	95.34	3	Vertical	255	2.00	-	34.26	7.43	35.51
AV	5.819G	91.58	Inf	-Inf	85.43	3	Vertical	255	2.00	-	34.24	7.42	35.51
PK	5.958G	76.11	88.20	-12.09	69.33	3	Vertical	255	2.00	-	34.80	7.56	35.58
AV	5.958G	63.09	68.20	-5.11	56.31	3	Vertical	255	2.00	-	34.80	7.56	35.58

802.11ax HEW160_Nss1,(MCS0)_1TX

5815MHz_TnomVnom




EUT X_1TX
Setting 15
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.657G	73.22	73.38	-0.16	66.64	3	Horizontal	192	2.01	-	34.47	7.54	35.43
PK	5.811G	102.59	Inf	-Inf	96.47	3	Horizontal	192	2.01	-	34.22	7.41	35.51
AV	5.81G	92.23	Inf	-Inf	86.11	3	Horizontal	192	2.01	-	34.22	7.41	35.51
PK	5.958G	80.31	88.20	-7.89	73.53	3	Horizontal	192	2.01	-	34.80	7.56	35.58
AV	5.958G	66.36	68.20	-1.84	59.58	3	Horizontal	192	2.01	-	34.80	7.56	35.58

802.11ax HEW160_Nss1,(MCS0)_1TX

5815MHz_TnomVnom




EUT_X_1TX
Setting 15
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.62994G	55.87	74.00	-18.13	41.30	3	Vertical	294	2.73	-	39.40	10.74	35.57
AV	11.61578G	45.38	54.00	-8.62	30.81	3	Vertical	294	2.73	-	39.40	10.74	35.57

802.11ax HEW160_Nss1,(MCS0)_1TX

5815MHz_TnomVnom



EUT_X_1TX
Setting 15
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.62046G	56.24	74.00	-17.76	41.67	3	Horizontal	59	1.58	-	39.40	10.74	35.57
AV	11.6312G	45.45	54.00	-8.55	30.88	3	Horizontal	59	1.58	-	39.40	10.74	35.57



RSE TX above 1GHz
<Full RU> UNII4_Ant.2 (1TX)


Appendix E.27

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.895GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40_Nss1.(MCS0)_1TX	Pass	AV	5.925G	65.58	68.20	-2.62	3	Vertical	29	1.93	-

802.11a_Nss1,(6Mbps)_1TX

5845MHz_TnomVnom




EUT_Z_1TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.643G	58.89	68.20	-9.31	52.24	3	Vertical	29	1.94	-	34.51	7.56	35.42
PK	5.846G	112.57	Inf	-Inf	106.35	3	Vertical	29	1.94	-	34.29	7.45	35.52
AV	5.844G	102.87	Inf	-Inf	96.66	3	Vertical	29	1.94	-	34.29	7.44	35.52
PK	5.926G	59.55	88.20	-28.65	52.88	3	Vertical	29	1.94	-	34.70	7.53	35.56
AV	6.006G	46.09	68.20	-22.11	39.27	3	Vertical	29	1.94	-	34.81	7.61	35.60

802.11a_Nss1,(6Mbps)_1TX

5845MHz_TnomVnom




EUT_Z_1TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.595G	59.27	68.20	-8.93	52.48	3	Horizontal	53	1.80	-	34.60	7.59	35.40
PK	5.844G	108.52	Inf	-Inf	102.31	3	Horizontal	53	1.80	-	34.29	7.44	35.52
AV	5.844G	98.81	Inf	-Inf	92.60	3	Horizontal	53	1.80	-	34.29	7.44	35.52
PK	6.078G	59.23	88.20	-28.97	52.12	3	Horizontal	53	1.80	-	34.96	7.72	35.57
AV	6.093G	45.84	68.20	-22.36	38.67	3	Horizontal	53	1.80	-	34.99	7.74	35.56

802.11a_Nss1,(6Mbps)_1TX

5845MHz_TnomVnom




EUT_X_1TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6868G	61.41	74.00	-12.59	46.82	3	Vertical	160	3.00	-	39.40	10.75	35.56
AV	11.6912G	48.08	54.00	-5.92	33.49	3	Vertical	160	3.00	-	39.40	10.75	35.56

802.11a_Nss1,(6Mbps)_1TX

5845MHz_TnomVnom




EUT_X_1TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6896G	62.81	74.00	-11.19	48.22	3	Horizontal	205	2.08	-	39.40	10.75	35.56
AV	11.6916G	49.84	54.00	-4.16	35.25	3	Horizontal	205	2.08	-	39.40	10.75	35.56

802.11a_Nss1,(6Mbps)_1TX

5865MHz_TnomVnom




EUT_Z_1TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.641G	58.17	68.20	-10.03	51.51	3	Vertical	28	1.92	-	34.52	7.56	35.42	
PK	5.866G	113.15	Inf	-Inf	106.81	3	Vertical	28	1.92	-	34.40	7.47	35.53	
AV	5.866G	103.13	Inf	-Inf	96.79	3	Vertical	28	1.92	-	34.40	7.47	35.53	
PK	5.929G	64.12	88.20	-24.08	57.43	3	Vertical	28	1.92	-	34.72	7.53	35.56	
AV	5.925G	47.46	68.20	-20.74	40.79	3	Vertical	28	1.92	-	34.70	7.53	35.56	

802.11a_Nss1,(6Mbps)_1TX

5865MHz_TnomVnom




EUT_Z_1TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.619G	58.20	68.20	-10.00	51.47	3	Horizontal	52	1.89	-	34.56	7.58	35.41	
PK	5.866G	108.71	Inf	-Inf	102.37	3	Horizontal	52	1.89	-	34.40	7.47	35.53	
AV	5.866G	98.91	Inf	-Inf	92.57	3	Horizontal	52	1.89	-	34.40	7.47	35.53	
PK	5.925G	61.66	88.20	-26.54	54.99	3	Horizontal	52	1.89	-	34.70	7.53	35.56	
AV	5.925G	46.20	68.20	-22.00	39.53	3	Horizontal	52	1.89	-	34.70	7.53	35.56	

802.11a_Nss1,(6Mbps)_1TX

5865MHz_TnomVnom




EUT_X_1TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.727G	59.33	74.00	-14.67	44.69	3	Vertical	156	3.00	-	39.43	10.76	35.55
AV	11.731G	47.44	54.00	-6.56	32.80	3	Vertical	156	3.00	-	39.43	10.76	35.55

802.11a_Nss1,(6Mbps)_1TX

5865MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.7322G	64.42	74.00	-9.58	49.78	3	Horizontal	241	1.80	-	39.43	10.76	35.55
AV	11.7316G	50.40	54.00	-3.60	35.76	3	Horizontal	241	1.80	-	39.43	10.76	35.55

802.11a_Nss1,(6Mbps)_1TX

5885MHz_TnomVnom




EUT_Z_1TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.645G	58.46	68.20	-9.74	51.82	3	Vertical	31	2.04	-	34.51	7.55	35.42	
PK	5.886G	112.84	Inf	-Inf	106.37	3	Vertical	31	2.04	-	34.52	7.49	35.54	
AV	5.886G	103.23	Inf	-Inf	96.76	3	Vertical	31	2.04	-	34.52	7.49	35.54	
PK	5.898G	95.72	108.00	-12.28	89.18	3	Vertical	31	2.04	-	34.59	7.50	35.55	
AV	5.896G	82.55	89.47	-6.92	76.02	3	Vertical	31	2.04	-	34.58	7.50	35.55	

802.11a_Nss1,(6Mbps)_1TX

5885MHz_TnomVnom




EUT_Z_1TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.643G	58.28	68.20	-9.92	51.63	3	Horizontal	52	1.80	-	34.51	7.56	35.42	
PK	5.886G	108.40	Inf	-Inf	101.93	3	Horizontal	52	1.80	-	34.52	7.49	35.54	
AV	5.886G	98.61	Inf	-Inf	92.14	3	Horizontal	52	1.80	-	34.52	7.49	35.54	
PK	5.898G	91.63	108.00	-16.37	85.09	3	Horizontal	52	1.80	-	34.59	7.50	35.55	
AV	5.896G	78.50	89.47	-10.97	71.97	3	Horizontal	52	1.80	-	34.58	7.50	35.55	

802.11a_Nss1,(6Mbps)_1TX

5885MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.7736G	60.24	74.00	-13.76	45.54	3	Vertical	195	2.20	-	39.47	10.77	35.54
AV	11.7714G	47.01	54.00	-6.99	32.31	3	Vertical	195	2.20	-	39.47	10.77	35.54

802.11a_Nss1,(6Mbps)_1TX

5885MHz_TnomVnom




EUT_X_1TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.7732G	64.17	74.00	-9.83	49.47	3	Horizontal	205	2.03	-	39.47	10.77	35.54
AV	11.7714G	51.37	54.00	-2.63	36.67	3	Horizontal	205	2.03	-	39.47	10.77	35.54

802.11ax HEW20_Nss1,(MCS0)_1TX

5845MHz_TnomVnom




EUT_Z_1TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.606G	58.48	68.20	-9.72	51.70	3	Vertical	29	2.01	-	34.59	7.59	35.40	
PK	5.845G	114.61	Inf	-Inf	108.39	3	Vertical	29	2.01	-	34.29	7.45	35.52	
AV	5.846G	102.88	Inf	-Inf	96.66	3	Vertical	29	2.01	-	34.29	7.45	35.52	
PK	5.931G	59.13	88.20	-29.07	52.45	3	Vertical	29	2.01	-	34.72	7.53	35.57	
AV	6.004G	46.66	68.20	-21.54	39.84	3	Vertical	29	2.01	-	34.81	7.61	35.60	

802.11ax HEW20_Nss1,(MCS0)_1TX

5845MHz_TnomVnom




EUT_Z_1TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.63G	58.13	68.20	-10.07	51.43	3	Horizontal	52	1.80	-	34.54	7.57	35.41	
PK	5.845G	111.02	Inf	-Inf	104.80	3	Horizontal	52	1.80	-	34.29	7.45	35.52	
AV	5.846G	99.18	Inf	-Inf	92.96	3	Horizontal	52	1.80	-	34.29	7.45	35.52	
PK	5.933G	59.16	88.20	-29.04	52.47	3	Horizontal	52	1.80	-	34.73	7.53	35.57	
AV	6.05G	46.37	68.20	-21.83	39.38	3	Horizontal	52	1.80	-	34.90	7.67	35.58	

802.11ax HEW20_Nss1,(MCS0)_1TX

5845MHz_TnomVnom




EUT_X_1TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.69G	60.96	74.00	-13.04	46.37	3	Vertical	312	1.93	-	39.40	10.75	35.56
AV	11.6928G	48.75	54.00	-5.25	34.16	3	Vertical	312	1.93	-	39.40	10.75	35.56

802.11ax HEW20_Nss1,(MCS0)_1TX

5845MHz_TnomVnom




EUT_X_1TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6918G	63.87	74.00	-10.13	49.28	3	Horizontal	122	1.62	-	39.40	10.75	35.56
AV	11.6878G	50.70	54.00	-3.30	36.11	3	Horizontal	122	1.62	-	39.40	10.75	35.56

802.11ax HEW20_Nss1,(MCS0)_1TX

5865MHz_TnomVnom




EUT_Z_1TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.646G	57.60	68.20	-10.60	50.96	3	Vertical	30	1.93	-	34.51	7.55	35.42
PK	5.864G	114.61	Inf	-Inf	108.30	3	Vertical	30	1.93	-	34.38	7.46	35.53
AV	5.866G	103.14	Inf	-Inf	96.80	3	Vertical	30	1.93	-	34.40	7.47	35.53
PK	5.925G	65.05	88.20	-23.15	58.38	3	Vertical	30	1.93	-	34.70	7.53	35.56
AV	5.925G	48.36	68.20	-19.84	41.69	3	Vertical	30	1.93	-	34.70	7.53	35.56

802.11ax HEW20_Nss1,(MCS0)_1TX

5865MHz_TnomVnom




EUT_Z_1TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.639G	57.65	68.20	-10.55	50.99	3	Horizontal	51	1.89	-	34.52	7.56	35.42
PK	5.865G	110.40	Inf	-Inf	104.08	3	Horizontal	51	1.89	-	34.39	7.46	35.53
AV	5.866G	99.28	Inf	-Inf	92.94	3	Horizontal	51	1.89	-	34.40	7.47	35.53
PK	5.925G	61.38	88.20	-26.82	54.71	3	Horizontal	51	1.89	-	34.70	7.53	35.56
AV	5.925G	47.03	68.20	-21.17	40.36	3	Horizontal	51	1.89	-	34.70	7.53	35.56

802.11ax HEW20_Nss1,(MCS0)_1TX

5865MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.7338G	61.43	74.00	-12.57	46.79	3	Vertical	10	1.01	-	39.43	10.76	35.55
AV	11.7274G	49.02	54.00	-4.98	34.38	3	Vertical	10	1.01	-	39.43	10.76	35.55

802.11ax HEW20_Nss1,(MCS0)_1TX

5865MHz_TnomVnom




EUT_X_1TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.7318G	63.60	74.00	-10.40	48.96	3	Horizontal	205	2.05	-	39.43	10.76	35.55
AV	11.7276G	50.97	54.00	-3.03	36.33	3	Horizontal	205	2.05	-	39.43	10.76	35.55

802.11ax HEW20_Nss1,(MCS0)_1TX

5885MHz_TnomVnom




EUT_Z_1TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6735G	60.22	85.59	-25.37	53.85	3	Vertical	167	2.02	BP 1MHz	34.41	7.40	35.44
PK	5.88375G	104.65	Inf	-Inf	98.21	3	Vertical	167	2.02	-	34.50	7.48	35.54
AV	5.886G	94.87	Inf	-Inf	88.40	3	Vertical	167	2.02	-	34.52	7.49	35.54
PK	5.8955G	95.81	109.83	-14.02	89.29	3	Vertical	167	2.02	BP 1MHz	34.57	7.50	35.55
AV	5.8955G	86.15	89.83	-3.68	79.63	3	Vertical	167	2.02	BP 1MHz	34.57	7.50	35.55

802.11ax HEW20_Nss1,(MCS0)_1TX

5885MHz_TnomVnom




EUT_Z_1TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6665G	60.50	80.41	-19.91	54.10	3	Horizontal	226	1.76	BP 1MHz	34.43	7.40	35.43
PK	5.88625G	100.58	Inf	-Inf	94.11	3	Horizontal	226	1.76	-	34.52	7.49	35.54
AV	5.88438G	90.19	Inf	-Inf	83.74	3	Horizontal	226	1.76	-	34.51	7.48	35.54
PK	5.8955G	91.74	109.83	-18.09	85.22	3	Horizontal	226	1.76	BP 1MHz	34.57	7.50	35.55
AV	5.8955G	81.66	89.83	-8.17	75.14	3	Horizontal	226	1.76	BP 1MHz	34.57	7.50	35.55

802.11ax HEW20_Nss1,(MCS0)_1TX

5885MHz_TnomVnom




EUT_X_1TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.7716G	63.82	74.00	-10.18	49.12	3	Vertical	162	2.97	-	39.47	10.77	35.54
AV	11.7706G	50.18	54.00	-3.82	35.48	3	Vertical	162	2.97	-	39.47	10.77	35.54

802.11ax HEW20_Nss1,(MCS0)_1TX

5885MHz_TnomVnom




EUT_X_1TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.7738G	63.97	74.00	-10.03	49.27	3	Horizontal	205	2.07	-	39.47	10.77	35.54
AV	11.7704G	51.36	54.00	-2.64	36.66	3	Horizontal	205	2.07	-	39.47	10.77	35.54

802.11ax HEW40_Nss1,(MCS0)_1TX

5835MHz_TnomVnom




EUT_Z_1TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.626G	58.28	68.20	-9.92	51.57	3	Vertical	30	1.94	-	34.55	7.57	35.41
PK	5.837G	111.57	Inf	-Inf	105.38	3	Vertical	30	1.94	-	34.27	7.44	35.52
AV	5.836G	99.61	Inf	-Inf	93.42	3	Vertical	30	1.94	-	34.27	7.44	35.52
PK	5.929G	68.32	88.20	-19.88	61.63	3	Vertical	30	1.94	-	34.72	7.53	35.56
AV	5.925G	51.97	68.20	-16.23	45.30	3	Vertical	30	1.94	-	34.70	7.53	35.56

802.11ax HEW40_Nss1,(MCS0)_1TX

5835MHz_TnomVnom




EUT_Z_1TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.607G	57.93	68.20	-10.27	51.15	3	Horizontal	52	1.79	-	34.59	7.59	35.40
PK	5.837G	107.83	Inf	-Inf	101.64	3	Horizontal	52	1.79	-	34.27	7.44	35.52
AV	5.836G	95.92	Inf	-Inf	89.73	3	Horizontal	52	1.79	-	34.27	7.44	35.52
PK	5.921G	66.68	91.13	-24.45	60.04	3	Horizontal	52	1.79	-	34.68	7.52	35.56
AV	5.925G	48.96	68.20	-19.24	42.29	3	Horizontal	52	1.79	-	34.70	7.53	35.56

802.11ax HEW40_Nss1,(MCS0)_1TX

5835MHz_TnomVnom




EUT_X_1TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.6734G	60.17	74.00	-13.83	45.58	3	Vertical	162	2.82	-	39.40	10.75	35.56	
AV	11.669G	46.20	54.00	-7.80	31.61	3	Vertical	162	2.82	-	39.40	10.75	35.56	

802.11ax HEW40_Nss1,(MCS0)_1TX

5835MHz_TnomVnom




EUT_X_1TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6706G	60.81	74.00	-13.19	46.22	3	Horizontal	205	2.06	-	39.40	10.75	35.56
AV	11.6658G	47.60	54.00	-6.40	33.01	3	Horizontal	205	2.06	-	39.40	10.75	35.56

802.11ax HEW40_Nss1,(MCS0)_1TX

5875MHz_TnomVnom




EUT_Z_1TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.629G	58.10	68.20	-10.10	51.40	3	Vertical	29	1.93	-	34.54	7.57	35.41	
PK	5.877G	112.24	Inf	-Inf	105.84	3	Vertical	29	1.93	-	34.46	7.48	35.54	
AV	5.874G	100.45	Inf	-Inf	94.08	3	Vertical	29	1.93	-	34.44	7.47	35.54	
PK	5.924G	80.86	88.93	-8.07	74.20	3	Vertical	29	1.93	-	34.70	7.52	35.56	
AV	5.925G	65.58	68.20	-2.62	58.91	3	Vertical	29	1.93	-	34.70	7.53	35.56	

802.11ax HEW40_Nss1,(MCS0)_1TX

5875MHz_TnomVnom




EUT_Z_1TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.645G	58.12	68.20	-10.08	51.48	3	Horizontal	54	1.79	-	34.51	7.55	35.42	
PK	5.877G	107.59	Inf	-Inf	101.19	3	Horizontal	54	1.79	-	34.46	7.48	35.54	
AV	5.877G	95.95	Inf	-Inf	89.55	3	Horizontal	54	1.79	-	34.46	7.48	35.54	
PK	5.924G	75.49	88.93	-13.44	68.83	3	Horizontal	54	1.79	-	34.70	7.52	35.56	
AV	5.925G	60.79	68.20	-7.41	54.12	3	Horizontal	54	1.79	-	34.70	7.53	35.56	

802.11ax HEW40_Nss1,(MCS0)_1TX

5875MHz_TnomVnom




EUT_X_1TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.7398G	59.91	74.00	-14.09	45.26	3	Vertical	160	2.97	-	39.44	10.76	35.55
AV	11.7552G	46.95	54.00	-7.05	32.27	3	Vertical	160	2.97	-	39.46	10.76	35.54

802.11ax HEW40_Nss1,(MCS0)_1TX

5875MHz_TnomVnom




EUT_X_1TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.7488G	60.56	74.00	-13.44	45.90	3	Horizontal	268	2.07	-	39.45	10.76	35.55
AV	11.7458G	48.49	54.00	-5.51	33.83	3	Horizontal	268	2.07	-	39.45	10.76	35.55

802.11ax HEW80_Nss1,(MCS0)_1TX

5855MHz_TnomVnom




EUT_Z_1TX
Setting 18
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.631G	59.40	68.20	-8.80	52.88	3	Vertical	178	1.91	-	34.54	7.40	35.42	
PK	5.859G	105.96	Inf	-Inf	99.68	3	Vertical	178	1.91	-	34.35	7.46	35.53	
AV	5.8585G	95.89	Inf	-Inf	89.61	3	Vertical	178	1.91	-	34.35	7.46	35.53	
PK	5.928G	77.09	88.20	-11.11	70.41	3	Vertical	178	1.91	-	34.71	7.53	35.56	
AV	5.929G	64.73	68.20	-3.47	58.04	3	Vertical	178	1.91	-	34.72	7.53	35.56	

802.11ax HEW80_Nss1,(MCS0)_1TX

5855MHz_TnomVnom




EUT_Z_1TX
Setting 18
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.634G	58.40	68.20	-9.80	51.89	3	Horizontal	98	1.95	-	34.53	7.40	35.42
PK	5.858G	102.18	Inf	-Inf	95.90	3	Horizontal	98	1.95	-	34.35	7.46	35.53
AV	5.858G	92.12	Inf	-Inf	85.84	3	Horizontal	98	1.95	-	34.35	7.46	35.53
PK	5.925G	73.79	88.20	-14.41	67.12	3	Horizontal	98	1.95	-	34.70	7.53	35.56
AV	5.929G	62.05	68.20	-6.15	55.36	3	Horizontal	98	1.95	-	34.72	7.53	35.56

802.11ax HEW80_Nss1,(MCS0)_1TX

5855MHz_TnomVnom




EUT_X_1TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.737G	57.73	74.00	-16.27	43.08	3	Vertical	153	1.79	-	39.44	10.76	35.55
AV	11.7414G	47.38	54.00	-6.62	32.73	3	Vertical	153	1.79	-	39.44	10.76	35.55

802.11ax HEW80_Nss1,(MCS0)_1TX

5855MHz_TnomVnom




EUT_X_1TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.722G	60.52	74.00	-13.48	45.89	3	Horizontal	205	2.13	-	39.42	10.76	35.55
AV	11.7274G	49.21	54.00	-4.79	34.57	3	Horizontal	205	2.13	-	39.43	10.76	35.55

802.11ax HEW160_Nss1,(MCS0)_1TX

5815MHz_TnomVnom




EUT_Z_1TX
Setting 14
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7235G	66.67	118.78	-52.11	60.48	3	Vertical	354	2.83	BP 1MHz	34.25	7.40	35.46
PK	5.82G	91.43	Inf	-Inf	85.28	3	Vertical	354	2.83	-	34.24	7.42	35.51
AV	5.81G	81.63	Inf	-Inf	75.51	3	Vertical	354	2.83	-	34.22	7.41	35.51
PK	5.8985G	66.75	107.63	-40.88	60.21	3	Vertical	354	2.83	BP 1MHz	34.59	7.50	35.55
AV	5.8965G	57.26	89.10	-31.84	50.73	3	Vertical	354	2.83	BP 1MHz	34.58	7.50	35.55

802.11ax HEW160_Nss1,(MCS0)_1TX

5815MHz_TnomVnom




EUT_Z_1TX
Setting 14
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6905G	64.52	98.17	-33.65	58.23	3	Horizontal	236	1.97	BP 1MHz	34.34	7.40	35.45
PK	5.81875G	87.92	Inf	-Inf	81.77	3	Horizontal	236	1.97	-	34.24	7.42	35.51
AV	5.8175G	78.18	Inf	-Inf	72.04	3	Horizontal	236	1.97	-	34.23	7.42	35.51
PK	5.8975G	63.98	108.37	-44.39	57.44	3	Horizontal	236	1.97	BP 1MHz	34.59	7.50	35.55
AV	5.8965G	54.66	89.10	-34.44	48.13	3	Horizontal	236	1.97	BP 1MHz	34.58	7.50	35.55

802.11ax HEW160_Nss1,(MCS0)_1TX

5815MHz_TnomVnom




EUT_X_1TX
Setting 14
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6412G	55.45	74.00	-18.55	40.87	3	Vertical	210	2.59	-	39.40	10.75	35.57
AV	11.5916G	44.74	54.00	-9.26	30.21	3	Vertical	210	2.59	-	39.37	10.74	35.58

802.11ax HEW160_Nss1,(MCS0)_1TX

5815MHz_TnomVnom



EUT_X_1TX
Setting 14
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6722G	54.98	74.00	-19.02	40.39	3	Horizontal	320	2.61	-	39.40	10.75	35.56
AV	11.648G	44.43	54.00	-9.57	29.85	3	Horizontal	320	2.61	-	39.40	10.75	35.57



RSE TX above 1GHz
<Full RU> UNII4_Ant.3 (1TX)


Appendix E.28

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.895GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1.(MCS0)_1TX	Pass	AV	5.89555G	89.66	89.80	-0.14	3	Vertical	50	1.79	BP 1MHz

802.11a_Nss1,(6Mbps)_1TX

5845MHz_TnomVnom




EUT_X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.617G	59.10	68.20	-9.10	52.36	3	Vertical	80	1.77	-	34.57	7.58	35.41
PK	5.844G	118.08	Inf	-Inf	111.87	3	Vertical	80	1.77	-	34.29	7.44	35.52
AV	5.846G	108.15	Inf	-Inf	101.93	3	Vertical	80	1.77	-	34.29	7.45	35.52
PK	5.927G	63.82	88.20	-24.38	57.14	3	Vertical	80	1.77	-	34.71	7.53	35.56
AV	5.925G	48.26	68.20	-19.94	41.59	3	Vertical	80	1.77	-	34.70	7.53	35.56

802.11a_Nss1,(6Mbps)_1TX

5845MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.69222G	66.04	74.00	-7.96	51.45	3	Vertical	179	2.70	-	39.40	10.75	35.56
AV	11.69144G	52.66	54.00	-1.34	38.07	3	Vertical	179	2.70	-	39.40	10.75	35.56

802.11a_Nss1,(6Mbps)_1TX

5845MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.69168G	63.49	74.00	-10.51	48.90	3	Horizontal	194	2.10	-	39.40	10.75	35.56
AV	11.69144G	49.97	54.00	-4.03	35.38	3	Horizontal	194	2.10	-	39.40	10.75	35.56

802.11a_Nss1,(6Mbps)_1TX

5865MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.635G	59.11	68.20	-9.09	52.44	3	Vertical	78	1.80	-	34.53	7.56	35.42
PK	5.866G	118.23	Inf	-Inf	111.89	3	Vertical	78	1.80	-	34.40	7.47	35.53
AV	5.866G	108.29	Inf	-Inf	101.95	3	Vertical	78	1.80	-	34.40	7.47	35.53
PK	5.929G	70.71	88.20	-17.49	64.02	3	Vertical	78	1.80	-	34.72	7.53	35.56
AV	5.925G	51.08	68.20	-17.12	44.41	3	Vertical	78	1.80	-	34.70	7.53	35.56

802.11a_Nss1,(6Mbps)_1TX

5865MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.73228G	66.30	74.00	-7.70	51.66	3	Vertical	168	2.71	-	39.43	10.76	35.55
AV	11.7315G	52.78	54.00	-1.22	38.14	3	Vertical	168	2.71	-	39.43	10.76	35.55

802.11a_Nss1,(6Mbps)_1TX

5865MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.73222G	64.53	74.00	-9.47	49.89	3	Horizontal	195	2.10	-	39.43	10.76	35.55
AV	11.73G	49.82	54.00	-4.18	35.18	3	Horizontal	195	2.10	-	39.43	10.76	35.55

802.11a_Nss1,(6Mbps)_1TX

5885MHz_TnomVnom




EUT_X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.642G	59.16	68.20	-9.04	52.50	3	Vertical	80	1.92	-	34.52	7.56	35.42
PK	5.886G	118.54	Inf	-Inf	112.07	3	Vertical	80	1.92	-	34.52	7.49	35.54
AV	5.884G	108.76	Inf	-Inf	102.32	3	Vertical	80	1.92	-	34.50	7.48	35.54
PK	5.898G	101.50	108.00	-6.50	94.96	3	Vertical	80	1.92	-	34.59	7.50	35.55
AV	5.896G	88.77	89.47	-0.70	82.24	3	Vertical	80	1.92	-	34.58	7.50	35.55

802.11a_Nss1,(6Mbps)_1TX

5885MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.77222G	65.13	74.00	-8.87	50.43	3	Vertical	169	2.74	-	39.47	10.77	35.54
AV	11.77162G	51.86	54.00	-2.14	37.16	3	Vertical	169	2.74	-	39.47	10.77	35.54

802.11a_Nss1,(6Mbps)_1TX

5885MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.77168G	62.48	74.00	-11.52	47.78	3	Horizontal	195	2.09	-	39.47	10.77	35.54
AV	11.77168G	49.07	54.00	-4.93	34.37	3	Horizontal	195	2.09	-	39.47	10.77	35.54

802.11ax HEW20_Nss1,(MCS0)_1TX

5845MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.635G	59.10	68.20	-9.10	52.43	3	Vertical	80	1.76	-	34.53	7.56	35.42
PK	5.847G	119.53	Inf	-Inf	113.31	3	Vertical	80	1.76	-	34.29	7.45	35.52
AV	5.846G	107.70	Inf	-Inf	101.48	3	Vertical	80	1.76	-	34.29	7.45	35.52
PK	5.925G	63.65	88.20	-24.55	56.98	3	Vertical	80	1.76	-	34.70	7.53	35.56
AV	5.925G	48.42	68.20	-19.78	41.75	3	Vertical	80	1.76	-	34.70	7.53	35.56

802.11ax HEW20_Nss1,(MCS0)_1TX

5845MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.69168G	65.87	74.00	-8.13	51.28	3	Vertical	173	2.49	-	39.40	10.75	35.56	
AV	11.68742G	52.62	54.00	-1.38	38.03	3	Vertical	173	2.49	-	39.40	10.75	35.56	

802.11ax HEW20_Nss1,(MCS0)_1TX

5845MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.69156G	62.94	74.00	-11.06	48.35	3	Horizontal	195	2.13	-	39.40	10.75	35.56
AV	11.68736G	49.36	54.00	-4.64	34.77	3	Horizontal	195	2.13	-	39.40	10.75	35.56

802.11ax HEW20_Nss1,(MCS0)_1TX

5865MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.633G	59.25	68.20	-8.95	52.57	3	Vertical	79	1.94	-	34.53	7.57	35.42
PK	5.867G	119.88	Inf	-Inf	113.54	3	Vertical	79	1.94	-	34.40	7.47	35.53
AV	5.866G	108.12	Inf	-Inf	101.78	3	Vertical	79	1.94	-	34.40	7.47	35.53
PK	5.925G	71.61	88.20	-16.59	64.94	3	Vertical	79	1.94	-	34.70	7.53	35.56
AV	5.925G	52.71	68.20	-15.49	46.04	3	Vertical	79	1.94	-	34.70	7.53	35.56

802.11ax HEW20_Nss1,(MCS0)_1TX

5865MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.73168G	65.39	74.00	-8.61	50.75	3	Vertical	177	2.46	-	39.43	10.76	35.55
AV	11.72742G	52.20	54.00	-1.80	37.56	3	Vertical	177	2.46	-	39.43	10.76	35.55

802.11ax HEW20_Nss1,(MCS0)_1TX

5865MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.73162G	63.19	74.00	-10.81	48.55	3	Horizontal	194	2.10	-	39.43	10.76	35.55
AV	11.72736G	49.54	54.00	-4.46	34.90	3	Horizontal	194	2.10	-	39.43	10.76	35.55

802.11ax HEW20_Nss1,(MCS0)_1TX

5885MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.88628G	108.27	Inf	-Inf	101.80	3	Vertical	50	1.79	-	34.52	7.49	35.54
AV	5.8853G	99.71	Inf	-Inf	93.25	3	Vertical	50	1.79	-	34.51	7.49	35.54
PK	5.89555G	99.75	109.80	-10.05	93.23	3	Vertical	50	1.79	BP 1MHz	34.57	7.50	35.55
AV	5.89555G	89.66	89.80	-0.14	83.14	3	Vertical	50	1.79	BP 1MHz	34.57	7.50	35.55

802.11ax HEW20_Nss1,(MCS0)_1TX

5885MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.7736G	65.13	74.00	-8.87	50.43	3	Vertical	179	2.49	-	39.47	10.77	35.54
AV	11.76742G	51.88	54.00	-2.12	37.18	3	Vertical	179	2.49	-	39.47	10.77	35.54

802.11ax HEW20_Nss1,(MCS0)_1TX

5885MHz_TnomVnom



EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.77168G	61.75	74.00	-12.25	47.05	3	Horizontal	194	2.08	-	39.47	10.77	35.54
AV	11.76754G	48.47	54.00	-5.53	33.77	3	Horizontal	194	2.08	-	39.47	10.77	35.54