


802.11ax HEW40_Nss1,(MCS0)_1TX

5835MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.63G	58.75	68.20	-9.45	52.05	3	Vertical	79	1.88	-	34.54	7.57	35.41
PK	5.837G	116.15	Inf	-Inf	109.96	3	Vertical	79	1.88	-	34.27	7.44	35.52
AV	5.837G	104.23	Inf	-Inf	98.04	3	Vertical	79	1.88	-	34.27	7.44	35.52
PK	5.921G	75.38	91.13	-15.75	68.74	3	Vertical	79	1.88	-	34.68	7.52	35.56
AV	5.925G	56.38	68.20	-11.82	49.71	3	Vertical	79	1.88	-	34.70	7.53	35.56

802.11ax HEW40_Nss1,(MCS0)_1TX

5835MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.67066G	63.33	74.00	-10.67	48.74	3	Vertical	179	2.67	-	39.40	10.75	35.56
AV	11.66592G	49.59	54.00	-4.41	35.00	3	Vertical	179	2.67	-	39.40	10.75	35.56

802.11ax HEW40_Nss1,(MCS0)_1TX

5835MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.6775G	60.59	74.00	-13.41	46.00	3	Horizontal	194	2.10	-	39.40	10.75	35.56	
AV	11.66574G	47.23	54.00	-6.77	32.64	3	Horizontal	194	2.10	-	39.40	10.75	35.56	

802.11ax HEW40_Nss1,(MCS0)_1TX

5875MHz_TnomVnom




EUT_X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.87995G	106.70	Inf	-Inf	100.28	3	Vertical	50	1.97	-	34.48	7.48	35.54
AV	5.87748G	97.14	Inf	-Inf	90.74	3	Vertical	50	1.97	-	34.46	7.48	35.54
PK	5.89753G	96.93	108.34	-11.41	90.39	3	Vertical	50	1.97	BP 1MHz	34.59	7.50	35.55
AV	5.89553G	88.15	89.81	-1.66	81.63	3	Vertical	50	1.97	BP 1MHz	34.57	7.50	35.55

802.11ax HEW40_Nss1,(MCS0)_1TX

5875MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.75336G	62.38	74.00	-11.62	47.71	3	Vertical	180	2.75	-	39.45	10.76	35.54
AV	11.74574G	48.89	54.00	-5.11	34.23	3	Vertical	180	2.75	-	39.45	10.76	35.55

802.11ax HEW40_Nss1,(MCS0)_1TX

5875MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.73914G	60.33	74.00	-13.67	45.68	3	Horizontal	195	2.11	-	39.44	10.76	35.55
AV	11.74574G	46.84	54.00	-7.16	32.18	3	Horizontal	195	2.11	-	39.45	10.76	35.55

802.11ax HEW80_Nss1,(MCS0)_1TX

5855MHz_TnomVnom




EUT X_1TX
Setting 18
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.641G	60.04	68.20	-8.16	53.54	3	Vertical	72	1.45	-	34.52	7.40	35.42
PK	5.858G	109.90	Inf	-Inf	103.62	3	Vertical	72	1.45	-	34.35	7.46	35.53
AV	5.8575G	99.91	Inf	-Inf	93.64	3	Vertical	72	1.45	-	34.34	7.46	35.53
PK	5.928G	81.75	88.20	-6.45	75.07	3	Vertical	72	1.45	-	34.71	7.53	35.56
AV	5.9265G	67.84	68.20	-0.36	61.16	3	Vertical	72	1.45	-	34.71	7.53	35.56

802.11ax HEW80_Nss1,(MCS0)_1TX

5855MHz_TnomVnom




EUT X_1TX
Setting 19.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.72194G	61.38	74.00	-12.62	46.75	3	Vertical	179	2.68	-	39.42	10.76	35.55
AV	11.72146G	49.85	54.00	-4.15	35.22	3	Vertical	179	2.68	-	39.42	10.76	35.55

802.11ax HEW80_Nss1,(MCS0)_1TX

5855MHz_TnomVnom




EUT X_1TX
Setting 19.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.72218G	58.76	74.00	-15.24	44.13	3	Horizontal	193	2.09	-	39.42	10.76	35.55
AV	11.72356G	47.99	54.00	-6.01	33.36	3	Horizontal	193	2.09	-	39.42	10.76	35.55

802.11ax HEW160_Nss1,(MCS0)_1TX

5815MHz_TnomVnom




EUT X_1TX
Setting 13.75
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7225G	69.65	116.50	-46.85	63.45	3	Vertical	54	2.01	BP 1MHz	34.26	7.40	35.46
PK	5.81875G	94.61	Inf	-Inf	88.46	3	Vertical	54	2.01	-	34.24	7.42	35.51
AV	5.8175G	85.79	Inf	-Inf	79.65	3	Vertical	54	2.01	-	34.23	7.42	35.51
PK	5.9035G	69.35	103.97	-34.62	62.79	3	Vertical	54	2.01	BP 1MHz	34.61	7.50	35.55
AV	5.8955G	60.66	89.83	-29.17	54.14	3	Vertical	54	2.01	BP 1MHz	34.57	7.50	35.55

802.11ax HEW160_Nss1,(MCS0)_1TX

5815MHz_TnomVnom




EUT X_1TX
Setting 13.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64224G	56.42	74.00	-17.58	41.84	3	Vertical	330	2.88	-	39.40	10.75	35.57
AV	11.61794G	45.29	54.00	-8.71	30.72	3	Vertical	330	2.88	-	39.40	10.74	35.57

802.11ax HEW160_Nss1,(MCS0)_1TX

5815MHz_TnomVnom



EUT X_1TX
Setting 13.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.62574G	56.31	74.00	-17.69	41.74	3	Horizontal	332	2.57	-	39.40	10.74	35.57
AV	11.6177G	44.95	54.00	-9.05	30.38	3	Horizontal	332	2.57	-	39.40	10.74	35.57



RSE TX above 1GHz
<Full RU> UNII4_Ant.1 (2TX)


Appendix E.29

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.895GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	Pass	AV	5.929G	67.97	68.20	-0.23	3	Horizontal	189	1.84	-

802.11a_Nss1,(6Mbps)_2TX

5845MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.61G	59.84	68.20	-8.36	53.08	3	Vertical	216	2.04	-	34.58	7.59	35.41	
PK	5.844G	116.78	Inf	-Inf	110.57	3	Vertical	216	2.04	-	34.29	7.44	35.52	
AV	5.846G	106.43	Inf	-Inf	100.21	3	Vertical	216	2.04	-	34.29	7.45	35.52	
PK	5.962G	59.22	88.20	-28.98	52.44	3	Vertical	216	2.04	-	34.80	7.56	35.58	
AV	6.007G	47.48	68.20	-20.72	40.66	3	Vertical	216	2.04	-	34.81	7.61	35.60	

802.11a_Nss1,(6Mbps)_2TX

5845MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.617G	59.37	68.20	-8.83	52.63	3	Horizontal	343	2.08	-	34.57	7.58	35.41	
PK	5.844G	116.23	Inf	-Inf	110.02	3	Horizontal	343	2.08	-	34.29	7.44	35.52	
AV	5.846G	105.74	Inf	-Inf	99.52	3	Horizontal	343	2.08	-	34.29	7.45	35.52	
PK	5.98G	59.33	88.20	-28.87	52.54	3	Horizontal	343	2.08	-	34.80	7.58	35.59	
AV	6.007G	47.21	68.20	-20.99	40.39	3	Horizontal	343	2.08	-	34.81	7.61	35.60	

802.11a_Nss1,(6Mbps)_2TX

5845MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6951G	58.44	74.00	-15.56	43.85	3	Vertical	223	2.94	-	39.40	10.75	35.56
AV	11.69012G	45.09	54.00	-8.91	30.50	3	Vertical	223	2.94	-	39.40	10.75	35.56
PK	17.53806G	67.05	88.20	-21.15	44.58	3	Vertical	357	1.94	-	42.88	14.48	34.89

802.11a_Nss1,(6Mbps)_2TX

5845MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.69102G	61.06	74.00	-12.94	46.47	3	Horizontal	193	2.06	-	39.40	10.75	35.56
AV	11.6912G	47.76	54.00	-6.24	33.17	3	Horizontal	193	2.06	-	39.40	10.75	35.56
PK	17.53398G	66.50	88.20	-21.70	44.08	3	Horizontal	9	2.06	-	42.84	14.47	34.89

802.11a_Nss1,(6Mbps)_2TX

5865MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.616G	58.24	68.20	-9.96	51.50	3	Vertical	215	2.03	-	34.57	7.58	35.41
PK	5.865G	115.78	Inf	-Inf	109.46	3	Vertical	215	2.03	-	34.39	7.46	35.53
AV	5.864G	105.30	Inf	-Inf	98.99	3	Vertical	215	2.03	-	34.38	7.46	35.53
PK	5.924G	61.97	88.93	-26.96	55.31	3	Vertical	215	2.03	-	34.70	7.52	35.56
AV	6.025G	47.02	68.20	-21.18	40.12	3	Vertical	215	2.03	-	34.85	7.64	35.59

802.11a_Nss1,(6Mbps)_2TX

5865MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.643G	58.20	68.20	-10.00	51.55	3	Horizontal	215	2.03	-	34.51	7.56	35.42
PK	5.864G	115.83	Inf	-Inf	109.52	3	Horizontal	215	2.03	-	34.38	7.46	35.53
AV	5.864G	105.86	Inf	-Inf	99.55	3	Horizontal	215	2.03	-	34.38	7.46	35.53
PK	5.925G	60.78	88.20	-27.42	54.11	3	Horizontal	215	2.03	-	34.70	7.53	35.56
AV	6.029G	47.01	68.20	-21.19	40.10	3	Horizontal	215	2.03	-	34.86	7.64	35.59

802.11a_Nss1,(6Mbps)_2TX

5865MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.72994G	59.42	74.00	-14.58	44.78	3	Vertical	225	1.80	-	39.43	10.76	35.55
AV	11.73072G	45.46	54.00	-8.54	30.82	3	Vertical	225	1.80	-	39.43	10.76	35.55
PK	17.59176G	66.87	88.20	-21.33	43.80	3	Vertical	50	1.14	-	43.42	14.51	34.86

802.11a_Nss1,(6Mbps)_2TX

5865MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.73108G	61.23	74.00	-12.77	46.59	3	Horizontal	193	2.06	-	39.43	10.76	35.55
AV	11.7312G	48.03	54.00	-5.97	33.39	3	Horizontal	193	2.06	-	39.43	10.76	35.55
PK	17.60022G	67.13	88.20	-21.07	43.97	3	Horizontal	220	2.04	-	43.50	14.52	34.86

802.11a_Nss1,(6Mbps)_2TX

5885MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.642G	58.86	68.20	-9.34	52.20	3	Vertical	326	2.08	-	34.52	7.56	35.42	
PK	5.886G	115.24	Inf	-Inf	108.77	3	Vertical	326	2.08	-	34.52	7.49	35.54	
AV	5.884G	105.19	Inf	-Inf	98.75	3	Vertical	326	2.08	-	34.50	7.48	35.54	
PK	5.895G	97.23	110.20	-12.97	90.71	3	Vertical	326	2.08	-	34.57	7.50	35.55	
AV	5.899G	79.76	87.27	-7.51	73.22	3	Vertical	326	2.08	-	34.59	7.50	35.55	

802.11a_Nss1,(6Mbps)_2TX

5885MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.646G	57.78	68.20	-10.42	51.14	3	Horizontal	340	2.04	-	34.51	7.55	35.42	
PK	5.885G	116.67	Inf	-Inf	110.21	3	Horizontal	340	2.04	-	34.51	7.49	35.54	
AV	5.886G	105.44	Inf	-Inf	98.97	3	Horizontal	340	2.04	-	34.52	7.49	35.54	
PK	5.897G	97.94	108.73	-10.79	91.41	3	Horizontal	340	2.04	-	34.58	7.50	35.55	
AV	5.897G	82.38	88.73	-6.35	75.85	3	Horizontal	340	2.04	-	34.58	7.50	35.55	

802.11a_Nss1,(6Mbps)_2TX

5885MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.77024G	59.09	74.00	-14.91	44.39	3	Vertical	225	1.80	-	39.47	10.77	35.54
AV	11.7706G	45.43	54.00	-8.57	30.73	3	Vertical	225	1.80	-	39.47	10.77	35.54
PK	17.66112G	67.80	88.20	-20.40	44.14	3	Vertical	73	2.44	-	43.93	14.56	34.83

802.11a_Nss1,(6Mbps)_2TX

5885MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.76964G	61.10	74.00	-12.90	46.40	3	Horizontal	201	2.03	-	39.47	10.77	35.54
AV	11.7703G	47.70	54.00	-6.30	33.00	3	Horizontal	201	2.03	-	39.47	10.77	35.54
PK	17.66988G	67.95	88.20	-20.25	44.21	3	Horizontal	348	1.12	-	43.99	14.57	34.82

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5845MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.643G	61.42	68.20	-6.78	54.77	3	Vertical	217	1.93	-	34.51	7.56	35.42
PK	5.845G	120.14	Inf	-Inf	113.92	3	Vertical	217	1.93	-	34.29	7.45	35.52
AV	5.844G	107.56	Inf	-Inf	101.35	3	Vertical	217	1.93	-	34.29	7.44	35.52
PK	6.069G	62.13	88.20	-26.07	55.06	3	Vertical	217	1.93	-	34.94	7.70	35.57
AV	6.005G	49.50	68.20	-18.70	42.68	3	Vertical	217	1.93	-	34.81	7.61	35.60

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5845MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.604G	62.13	68.20	-6.07	55.34	3	Horizontal	342	2.00	-	34.59	7.60	35.40
PK	5.846G	119.18	Inf	-Inf	112.96	3	Horizontal	342	2.00	-	34.29	7.45	35.52
AV	5.846G	108.70	Inf	-Inf	102.48	3	Horizontal	342	2.00	-	34.29	7.45	35.52
PK	6.022G	62.80	88.20	-25.40	55.92	3	Horizontal	342	2.00	-	34.84	7.63	35.59
AV	6.008G	49.57	68.20	-18.63	42.74	3	Horizontal	342	2.00	-	34.82	7.61	35.60

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5845MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.69114G	62.70	74.00	-11.30	48.11	3	Vertical	214	2.96	-	39.40	10.75	35.56
AV	11.68796G	49.49	54.00	-4.51	34.90	3	Vertical	214	2.96	-	39.40	10.75	35.56

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5845MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.69528G	63.77	74.00	-10.23	49.18	3	Horizontal	194	2.04	-	39.40	10.75	35.56
AV	11.69054G	50.99	54.00	-3.01	36.40	3	Horizontal	194	2.04	-	39.40	10.75	35.56

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5865MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.636G	60.85	68.20	-7.35	54.18	3	Vertical	278	1.80	-	34.53	7.56	35.42
PK	5.867G	118.60	Inf	-Inf	112.26	3	Vertical	278	1.80	-	34.40	7.47	35.53
AV	5.866G	107.20	Inf	-Inf	100.86	3	Vertical	278	1.80	-	34.40	7.47	35.53
PK	5.927G	64.17	88.20	-24.03	57.49	3	Vertical	278	1.80	-	34.71	7.53	35.56
AV	5.925G	49.65	68.20	-18.55	42.98	3	Vertical	278	1.80	-	34.70	7.53	35.56

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5865MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.628G	61.25	68.20	-6.95	54.55	3	Horizontal	343	1.98	-	34.54	7.57	35.41
PK	5.864G	120.29	Inf	-Inf	113.98	3	Horizontal	343	1.98	-	34.38	7.46	35.53
AV	5.866G	108.47	Inf	-Inf	102.13	3	Horizontal	343	1.98	-	34.40	7.47	35.53
PK	5.926G	64.15	88.20	-24.05	57.48	3	Horizontal	343	1.98	-	34.70	7.53	35.56
AV	6.024G	49.70	68.20	-18.50	42.80	3	Horizontal	343	1.98	-	34.85	7.64	35.59

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5865MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.72988G	61.54	74.00	-12.46	46.90	3	Vertical	225	1.77	-	39.43	10.76	35.55
AV	11.73036G	48.70	54.00	-5.30	34.06	3	Vertical	225	1.77	-	39.43	10.76	35.55

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5865MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.73264G	64.22	74.00	-9.78	49.58	3	Horizontal	203	1.98	-	39.43	10.76	35.55
AV	11.73042G	50.83	54.00	-3.17	36.19	3	Horizontal	203	1.98	-	39.43	10.76	35.55

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5885MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.88765G	108.67	Inf	-Inf	102.19	3	Vertical	85	1.95	-	34.53	7.49	35.54
AV	5.88765G	92.06	Inf	-Inf	85.58	3	Vertical	85	1.95	-	34.53	7.49	35.54
PK	5.8955G	95.88	109.83	-13.95	89.36	3	Vertical	85	1.95	BP 1MHz	34.57	7.50	35.55
AV	5.8975G	79.14	88.37	-9.23	72.60	3	Vertical	85	1.95	BP 1MHz	34.59	7.50	35.55

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5885MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8877G	108.49	Inf	-Inf	102.01	3	Horizontal	24	1.99	-	34.53	7.49	35.54
AV	5.8877G	91.64	Inf	-Inf	85.16	3	Horizontal	24	1.99	-	34.53	7.49	35.54
PK	5.8955G	94.76	109.83	-15.07	88.24	3	Horizontal	24	1.99	BP 1MHz	34.57	7.50	35.55
AV	5.8965G	77.76	89.10	-11.34	71.23	3	Horizontal	24	1.99	BP 1MHz	34.58	7.50	35.55

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5885MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.7727G	61.65	74.00	-12.35	46.95	3	Vertical	224	1.80	-	39.47	10.77	35.54
AV	11.76778G	48.65	54.00	-5.35	33.95	3	Vertical	224	1.80	-	39.47	10.77	35.54

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5885MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.77354G	63.84	74.00	-10.16	49.14	3	Horizontal	195	2.10	-	39.47	10.77	35.54
AV	11.7706G	50.17	54.00	-3.83	35.47	3	Horizontal	195	2.10	-	39.47	10.77	35.54

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5835MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.601G	62.13	68.20	-6.07	55.33	3	Vertical	326	2.12	-	34.60	7.60	35.40
PK	5.836G	116.31	Inf	-Inf	110.12	3	Vertical	326	2.12	-	34.27	7.44	35.52
AV	5.838G	103.98	Inf	-Inf	97.78	3	Vertical	326	2.12	-	34.28	7.44	35.52
PK	5.921G	72.60	91.13	-18.53	65.96	3	Vertical	326	2.12	-	34.68	7.52	35.56
AV	5.926G	52.40	68.20	-15.80	45.73	3	Vertical	326	2.12	-	34.70	7.53	35.56

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5835MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.603G	62.10	68.20	-6.10	55.31	3	Horizontal	340	2.07	-	34.59	7.60	35.40	
PK	5.837G	117.46	Inf	-Inf	111.27	3	Horizontal	340	2.07	-	34.27	7.44	35.52	
AV	5.836G	104.23	Inf	-Inf	98.04	3	Horizontal	340	2.07	-	34.27	7.44	35.52	
PK	5.93G	70.72	88.20	-17.48	64.03	3	Horizontal	340	2.07	-	34.72	7.53	35.56	
AV	5.925G	52.34	68.20	-15.86	45.67	3	Horizontal	340	2.07	-	34.70	7.53	35.56	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5835MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.67012G	60.09	74.00	-13.91	45.50	3	Vertical	224	2.95	-	39.40	10.75	35.56
AV	11.67498G	46.65	54.00	-7.35	32.06	3	Vertical	224	2.95	-	39.40	10.75	35.56

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5835MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.67066G	62.23	74.00	-11.77	47.64	3	Horizontal	195	2.02	-	39.40	10.75	35.56
AV	11.66574G	48.71	54.00	-5.29	34.12	3	Horizontal	195	2.02	-	39.40	10.75	35.56

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5875MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.639G	62.34	68.20	-5.86	55.68	3	Vertical	328	2.02	-	34.52	7.56	35.42	
PK	5.874G	116.48	Inf	-Inf	110.11	3	Vertical	328	2.02	-	34.44	7.47	35.54	
AV	5.874G	104.37	Inf	-Inf	98.00	3	Vertical	328	2.02	-	34.44	7.47	35.54	
AV	5.895G	88.10	90.20	-2.10	81.58	3	Vertical	328	2.02	-	34.57	7.50	35.55	
PK	5.925G	81.11	88.20	-7.09	74.44	3	Vertical	328	2.02	-	34.70	7.53	35.56	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5875MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.635G	61.54	68.20	-6.66	54.87	3	Horizontal	340	2.06	-	34.53	7.56	35.42	
PK	5.874G	117.00	Inf	-Inf	110.63	3	Horizontal	340	2.06	-	34.44	7.47	35.54	
AV	5.874G	104.90	Inf	-Inf	98.53	3	Horizontal	340	2.06	-	34.44	7.47	35.54	
PK	5.913G	91.20	97.00	-5.80	84.60	3	Horizontal	340	2.06	-	34.65	7.51	35.56	
AV	5.895G	89.31	90.20	-0.89	82.79	3	Horizontal	340	2.06	-	34.57	7.50	35.55	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5875MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.75582G	60.91	74.00	-13.09	46.23	3	Vertical	224	2.99	-	39.46	10.76	35.54
AV	11.7554G	46.84	54.00	-7.16	32.16	3	Vertical	224	2.99	-	39.46	10.76	35.54

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5875MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.7503G	62.33	74.00	-11.67	47.66	3	Horizontal	202	2.02	-	39.45	10.76	35.54
AV	11.7554G	48.75	54.00	-5.25	34.07	3	Horizontal	202	2.02	-	39.46	10.76	35.54

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5855MHz_TnomVnom




EUT_X_2TX
Setting 19.25
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.641G	62.38	68.20	-5.82	55.88	3	Vertical	188	1.79	-	34.52	7.40	35.42
PK	5.859G	111.86	Inf	-Inf	105.58	3	Vertical	188	1.79	-	34.35	7.46	35.53
AV	5.8575G	100.34	Inf	-Inf	94.07	3	Vertical	188	1.79	-	34.34	7.46	35.53
PK	5.928G	82.90	88.20	-5.30	76.22	3	Vertical	188	1.79	-	34.71	7.53	35.56
AV	5.929G	67.90	68.20	-0.30	61.21	3	Vertical	188	1.79	-	34.72	7.53	35.56

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5855MHz_TnomVnom




EUT X_2TX
Setting 19.25
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.64G	62.55	68.20	-5.65	56.05	3	Horizontal	189	1.84	-	34.52	7.40	35.42	
PK	5.858G	111.12	Inf	-Inf	104.84	3	Horizontal	189	1.84	-	34.35	7.46	35.53	
AV	5.849G	99.04	Inf	-Inf	92.81	3	Horizontal	189	1.84	-	34.30	7.45	35.52	
PK	5.928G	82.64	88.20	-5.56	75.96	3	Horizontal	189	1.84	-	34.71	7.53	35.56	
AV	5.929G	67.97	68.20	-0.23	61.28	3	Horizontal	189	1.84	-	34.72	7.53	35.56	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5855MHz_TnomVnom




EUT X_2TX
Setting 19.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.71228G	57.09	74.00	-16.91	42.47	3	Vertical	222	2.99	-	39.41	10.76	35.55
AV	11.71228G	46.89	54.00	-7.11	32.27	3	Vertical	222	2.99	-	39.41	10.76	35.55

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5855MHz_TnomVnom




EUT X_2TX
Setting 19.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.71774G	58.46	74.00	-15.54	43.83	3	Horizontal	202	2.03	-	39.42	10.76	35.55	
AV	11.72044G	48.14	54.00	-5.86	33.51	3	Horizontal	202	2.03	-	39.42	10.76	35.55	

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

5815MHz_TnomVnom




EUT_X_2TX
Setting 13
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.657G	72.96	73.38	-0.42	66.38	3	Vertical	329	2.14	-	34.47	7.54	35.43
PK	5.812G	106.79	Inf	-Inf	100.67	3	Vertical	329	2.14	-	34.22	7.41	35.51
AV	5.813G	96.49	Inf	-Inf	90.36	3	Vertical	329	2.14	-	34.23	7.41	35.51
PK	5.958G	78.67	88.20	-9.53	71.89	3	Vertical	329	2.14	-	34.80	7.56	35.58
AV	5.959G	65.70	68.20	-2.50	58.92	3	Vertical	329	2.14	-	34.80	7.56	35.58

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

5815MHz_TnomVnom




EUT X_2TX
Setting 13
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.63G	66.71	68.20	-1.49	60.01	3	Horizontal	340	2.14	-	34.54	7.57	35.41
PK	5.818G	106.19	Inf	-Inf	100.04	3	Horizontal	340	2.14	-	34.24	7.42	35.51
AV	5.819G	96.71	Inf	-Inf	90.56	3	Horizontal	340	2.14	-	34.24	7.42	35.51
PK	5.958G	78.94	88.20	-9.26	72.16	3	Horizontal	340	2.14	-	34.80	7.56	35.58
AV	5.958G	65.53	68.20	-2.67	58.75	3	Horizontal	340	2.14	-	34.80	7.56	35.58

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

5815MHz_TnomVnom




EUT_X_2TX
Setting 13
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64386G	59.09	74.00	-14.91	44.51	3	Vertical	340	2.14	-	39.40	10.75	35.57
AV	11.63132G	48.19	54.00	-5.81	33.62	3	Vertical	340	2.14	-	39.40	10.74	35.57

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

5815MHz_TnomVnom



EUT_X_2TX
Setting 13
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.63972G	59.68	74.00	-14.32	45.10	3	Horizontal	197	1.07	-	39.40	10.75	35.57
AV	11.6342G	47.93	54.00	-6.07	33.35	3	Horizontal	197	1.07	-	39.40	10.75	35.57



RSE TX above 1GHz
<Full RU> UNII4_Ant.2 (2TX)


Appendix E.30

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.895GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	Pass	AV	11.72766G	53.61	54.00	-0.39	3	Horizontal	198	2.07	-

802.11a_Nss1,(6Mbps)_2TX

5845MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.628G	58.68	68.20	-9.52	51.98	3	Vertical	171	1.80	-	34.54	7.57	35.41	
PK	5.846G	115.51	Inf	-Inf	109.29	3	Vertical	171	1.80	-	34.29	7.45	35.52	
AV	5.846G	106.67	Inf	-Inf	100.45	3	Vertical	171	1.80	-	34.29	7.45	35.52	
PK	5.946G	59.47	88.20	-28.73	52.71	3	Vertical	171	1.80	-	34.78	7.55	35.57	
AV	6.006G	47.42	68.20	-20.78	40.60	3	Vertical	171	1.80	-	34.81	7.61	35.60	

802.11a_Nss1,(6Mbps)_2TX

5845MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.63G	58.68	68.20	-9.52	51.98	3	Horizontal	63	1.00	-	34.54	7.57	35.41
PK	5.846G	109.34	Inf	-Inf	103.12	3	Horizontal	63	1.00	-	34.29	7.45	35.52
AV	5.846G	100.54	Inf	-Inf	94.32	3	Horizontal	63	1.00	-	34.29	7.45	35.52
PK	5.976G	59.27	88.20	-28.93	52.48	3	Horizontal	63	1.00	-	34.80	7.58	35.59
AV	6.07G	46.42	68.20	-21.78	39.34	3	Horizontal	63	1.00	-	34.94	7.71	35.57

802.11a_Nss1,(6Mbps)_2TX

5845MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.6898G	62.39	74.00	-11.61	47.80	3	Vertical	197	1.00	-	39.40	10.75	35.56	
AV	11.6898G	48.77	54.00	-5.23	34.18	3	Vertical	197	1.00	-	39.40	10.75	35.56	

802.11a_Nss1,(6Mbps)_2TX

5845MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6858G	61.59	74.00	-12.41	47.00	3	Horizontal	198	2.07	-	39.40	10.75	35.56
AV	11.69G	48.87	54.00	-5.13	34.28	3	Horizontal	198	2.07	-	39.40	10.75	35.56

802.11a_Nss1,(6Mbps)_2TX

5865MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.621G	57.92	68.20	-10.28	51.19	3	Vertical	176	1.80	-	34.56	7.58	35.41	
PK	5.864G	116.08	Inf	-Inf	109.77	3	Vertical	176	1.80	-	34.38	7.46	35.53	
AV	5.865G	106.82	Inf	-Inf	100.50	3	Vertical	176	1.80	-	34.39	7.46	35.53	
PK	5.918G	67.46	93.33	-25.87	60.83	3	Vertical	176	1.80	-	34.67	7.52	35.56	
AV	6.025G	47.32	68.20	-20.88	40.42	3	Vertical	176	1.80	-	34.85	7.64	35.59	

802.11a_Nss1,(6Mbps)_2TX

5865MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.63G	58.44	68.20	-9.76	51.74	3	Horizontal	62	1.00	-	34.54	7.57	35.41
PK	5.866G	110.33	Inf	-Inf	103.99	3	Horizontal	62	1.00	-	34.40	7.47	35.53
AV	5.866G	100.93	Inf	-Inf	94.59	3	Horizontal	62	1.00	-	34.40	7.47	35.53
PK	6.06G	58.38	88.20	-29.82	51.35	3	Horizontal	62	1.00	-	34.92	7.69	35.58
AV	6.026G	46.58	68.20	-21.62	39.68	3	Horizontal	62	1.00	-	34.85	7.64	35.59

802.11a_Nss1,(6Mbps)_2TX

5865MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.7258G	56.85	74.00	-17.15	42.21	3	Vertical	136	1.80	-	39.43	10.76	35.55
AV	11.7314G	44.29	54.00	-9.71	29.65	3	Vertical	136	1.80	-	39.43	10.76	35.55

802.11a_Nss1,(6Mbps)_2TX

5865MHz_TnomVnom




EUT_X_2TX
 Setting 21.5
 03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.7298G	62.31	74.00	-11.69	47.67	3	Horizontal	197	2.07	-	39.43	10.76	35.55
AV	11.73G	49.56	54.00	-4.44	34.92	3	Horizontal	197	2.07	-	39.43	10.76	35.55

802.11a_Nss1,(6Mbps)_2TX

5885MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.646G	57.49	68.20	-10.71	50.85	3	Vertical	64	1.76	-	34.51	7.55	35.42
PK	5.887G	115.62	Inf	-Inf	109.15	3	Vertical	64	1.76	-	34.52	7.49	35.54
AV	5.887G	106.47	Inf	-Inf	100.00	3	Vertical	64	1.76	-	34.52	7.49	35.54
PK	5.896G	97.77	109.47	-11.70	91.24	3	Vertical	64	1.76	-	34.58	7.50	35.55
AV	5.897G	80.89	88.73	-7.84	74.36	3	Vertical	64	1.76	-	34.58	7.50	35.55

802.11a_Nss1,(6Mbps)_2TX

5885MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.65G	57.83	68.20	-10.37	51.21	3	Horizontal	63	1.08	-	34.50	7.55	35.43	
PK	5.886G	110.48	Inf	-Inf	104.01	3	Horizontal	63	1.08	-	34.52	7.49	35.54	
AV	5.886G	101.10	Inf	-Inf	94.63	3	Horizontal	63	1.08	-	34.52	7.49	35.54	
PK	5.896G	92.53	109.47	-16.94	86.00	3	Horizontal	63	1.08	-	34.58	7.50	35.55	
AV	5.896G	76.10	89.47	-13.37	69.57	3	Horizontal	63	1.08	-	34.58	7.50	35.55	

802.11a_Nss1,(6Mbps)_2TX

5885MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.7712G	59.12	74.00	-14.88	44.42	3	Vertical	213	2.96	-	39.47	10.77	35.54
AV	11.7712G	46.86	54.00	-7.14	32.16	3	Vertical	213	2.96	-	39.47	10.77	35.54

802.11a_Nss1,(6Mbps)_2TX

5885MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.77G	61.55	74.00	-12.45	46.85	3	Horizontal	201	2.11	-	39.47	10.77	35.54
AV	11.77G	48.98	54.00	-5.02	34.28	3	Horizontal	201	2.11	-	39.47	10.77	35.54

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5845MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.647G	61.74	68.20	-6.46	55.10	3	Vertical	172	1.80	-	34.51	7.55	35.42
PK	5.847G	120.69	Inf	-Inf	114.47	3	Vertical	172	1.80	-	34.29	7.45	35.52
AV	5.846G	108.44	Inf	-Inf	102.22	3	Vertical	172	1.80	-	34.29	7.45	35.52
PK	6.003G	63.11	88.20	-25.09	56.30	3	Vertical	172	1.80	-	34.81	7.60	35.60
AV	6.004G	49.40	68.20	-18.80	42.58	3	Vertical	172	1.80	-	34.81	7.61	35.60

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5845MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.631G	61.20	68.20	-7.00	54.51	3	Horizontal	62	1.00	-	34.54	7.57	35.42
PK	5.845G	115.06	Inf	-Inf	108.84	3	Horizontal	62	1.00	-	34.29	7.45	35.52
AV	5.846G	102.14	Inf	-Inf	95.92	3	Horizontal	62	1.00	-	34.29	7.45	35.52
PK	6.079G	62.00	88.20	-26.20	54.89	3	Horizontal	62	1.00	-	34.96	7.72	35.57
AV	6.094G	48.82	68.20	-19.38	41.65	3	Horizontal	62	1.00	-	34.99	7.74	35.56

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5845MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.69012G	66.26	74.00	-7.74	51.67	3	Vertical	197	1.00	-	39.40	10.75	35.56
AV	11.69G	52.74	54.00	-1.26	38.15	3	Vertical	197	1.00	-	39.40	10.75	35.56

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5845MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.69024G	66.58	74.00	-7.42	51.99	3	Horizontal	198	2.12	-	39.40	10.75	35.56
AV	11.68772G	53.20	54.00	-0.80	38.61	3	Horizontal	198	2.12	-	39.40	10.75	35.56

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5865MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.624G	61.20	68.20	-7.00	54.48	3	Vertical	178	1.80	-	34.55	7.58	35.41
PK	5.865G	121.06	Inf	-Inf	114.74	3	Vertical	178	1.80	-	34.39	7.46	35.53
AV	5.865G	107.67	Inf	-Inf	101.35	3	Vertical	178	1.80	-	34.39	7.46	35.53
PK	5.925G	65.33	88.20	-22.87	58.66	3	Vertical	178	1.80	-	34.70	7.53	35.56
AV	6.025G	49.72	68.20	-18.48	42.82	3	Vertical	178	1.80	-	34.85	7.64	35.59

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5865MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.623G	60.90	68.20	-7.30	54.18	3	Horizontal	61	1.00	-	34.55	7.58	35.41	
PK	5.864G	115.45	Inf	-Inf	109.14	3	Horizontal	61	1.00	-	34.38	7.46	35.53	
AV	5.866G	102.07	Inf	-Inf	95.73	3	Horizontal	61	1.00	-	34.40	7.47	35.53	
PK	5.927G	62.04	88.20	-26.16	55.36	3	Horizontal	61	1.00	-	34.71	7.53	35.56	
AV	6.024G	48.85	68.20	-19.35	41.95	3	Horizontal	61	1.00	-	34.85	7.64	35.59	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5865MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.73276G	64.66	74.00	-9.34	50.02	3	Vertical	212	2.97	-	39.43	10.76	35.55
AV	11.73048G	50.90	54.00	-3.10	36.26	3	Vertical	212	2.97	-	39.43	10.76	35.55

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5865MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.7303G	66.65	74.00	-7.35	52.01	3	Horizontal	198	2.07	-	39.43	10.76	35.55
AV	11.72766G	53.61	54.00	-0.39	38.97	3	Horizontal	198	2.07	-	39.43	10.76	35.55

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5885MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8801G	107.48	Inf	-Inf	101.06	3	Vertical	223	1.85	-	34.48	7.48	35.54
AV	5.88535G	97.25	Inf	-Inf	90.79	3	Vertical	223	1.85	-	34.51	7.49	35.54
PK	5.8955G	97.68	109.83	-12.15	91.16	3	Vertical	223	1.85	BP 1MHz	34.57	7.50	35.55
AV	5.8955G	87.31	89.83	-2.52	80.79	3	Vertical	223	1.85	BP 1MHz	34.57	7.50	35.55

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5885MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8876G	101.31	Inf	-Inf	94.83	3	Horizontal	105	2.08	-	34.53	7.49	35.54
AV	5.8858G	90.56	Inf	-Inf	84.10	3	Horizontal	105	2.08	-	34.51	7.49	35.54
PK	5.8955G	91.28	109.83	-18.55	84.76	3	Horizontal	105	2.08	BP 1MHz	34.57	7.50	35.55
AV	5.8955G	80.65	89.83	-9.18	74.13	3	Horizontal	105	2.08	BP 1MHz	34.57	7.50	35.55

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5885MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.76844G	61.39	74.00	-12.61	46.69	3	Vertical	143	2.02	-	39.47	10.77	35.54
AV	11.7712G	47.51	54.00	-6.49	32.81	3	Vertical	143	2.02	-	39.47	10.77	35.54

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5885MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.77258G	66.85	74.00	-7.15	52.15	3	Horizontal	205	2.04	-	39.47	10.77	35.54
AV	11.76772G	53.28	54.00	-0.72	38.58	3	Horizontal	205	2.04	-	39.47	10.77	35.54

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5835MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.6G	60.69	68.20	-7.51	53.89	3	Vertical	173	1.80	-	34.60	7.60	35.40	
PK	5.838G	117.00	Inf	-Inf	110.80	3	Vertical	173	1.80	-	34.28	7.44	35.52	
AV	5.834G	104.87	Inf	-Inf	98.69	3	Vertical	173	1.80	-	34.27	7.43	35.52	
PK	5.933G	71.78	88.20	-16.42	65.09	3	Vertical	173	1.80	-	34.73	7.53	35.57	
AV	5.927G	53.55	68.20	-14.65	46.87	3	Vertical	173	1.80	-	34.71	7.53	35.56	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5835MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65G	61.23	68.20	-6.97	54.61	3	Horizontal	61	1.00	-	34.50	7.55	35.43
PK	5.834G	110.82	Inf	-Inf	104.64	3	Horizontal	61	1.00	-	34.27	7.43	35.52
AV	5.837G	98.81	Inf	-Inf	92.62	3	Horizontal	61	1.00	-	34.27	7.44	35.52
PK	5.95G	65.06	88.20	-23.14	58.29	3	Horizontal	61	1.00	-	34.80	7.55	35.58
AV	5.925G	50.68	68.20	-17.52	44.01	3	Horizontal	61	1.00	-	34.70	7.53	35.56

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5835MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.67042G	60.03	74.00	-13.97	45.44	3	Vertical	135	1.80	-	39.40	10.75	35.56
AV	11.6706G	46.16	54.00	-7.84	31.57	3	Vertical	135	1.80	-	39.40	10.75	35.56

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5835MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6709G	64.08	74.00	-9.92	49.49	3	Horizontal	198	2.09	-	39.40	10.75	35.56
AV	11.67522G	50.74	54.00	-3.26	36.15	3	Horizontal	198	2.09	-	39.40	10.75	35.56

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5875MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.631G	61.16	68.20	-7.04	54.47	3	Vertical	176	1.77	-	34.54	7.57	35.42	
PK	5.877G	118.06	Inf	-Inf	111.66	3	Vertical	176	1.77	-	34.46	7.48	35.54	
AV	5.877G	104.96	Inf	-Inf	98.56	3	Vertical	176	1.77	-	34.46	7.48	35.54	
PK	5.911G	92.30	98.47	-6.17	85.71	3	Vertical	176	1.77	-	34.64	7.51	35.56	
AV	5.895G	89.66	90.20	-0.54	83.14	3	Vertical	176	1.77	-	34.57	7.50	35.55	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5875MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65G	61.01	68.20	-7.19	54.39	3	Horizontal	62	1.08	-	34.50	7.55	35.43
PK	5.873G	112.27	Inf	-Inf	105.90	3	Horizontal	62	1.08	-	34.44	7.47	35.54
AV	5.878G	98.80	Inf	-Inf	92.39	3	Horizontal	62	1.08	-	34.47	7.48	35.54
AV	5.895G	84.34	90.20	-5.86	77.82	3	Horizontal	62	1.08	-	34.57	7.50	35.55
PK	5.919G	78.37	92.60	-14.23	71.73	3	Horizontal	62	1.08	-	34.68	7.52	35.56

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5875MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.73824G	61.51	74.00	-12.49	46.86	3	Vertical	225	2.60	-	39.44	10.76	35.55
AV	11.7506G	46.78	54.00	-7.22	32.11	3	Vertical	225	2.60	-	39.45	10.76	35.54

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5875MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.75084G	64.96	74.00	-9.04	50.29	3	Horizontal	204	2.06	-	39.45	10.76	35.54
AV	11.75516G	50.86	54.00	-3.14	36.18	3	Horizontal	204	2.06	-	39.46	10.76	35.54

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5855MHz_TnomVnom




EUT X_2TX
Setting 18.25
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.615G	62.00	68.20	-6.20	55.44	3	Vertical	231	1.82	-	34.57	7.40	35.41	
PK	5.859G	109.08	Inf	-Inf	102.80	3	Vertical	231	1.82	-	34.35	7.46	35.53	
AV	5.8575G	98.96	Inf	-Inf	92.69	3	Vertical	231	1.82	-	34.34	7.46	35.53	
PK	5.928G	80.13	88.20	-8.07	73.45	3	Vertical	231	1.82	-	34.71	7.53	35.56	
AV	5.929G	67.48	68.20	-0.72	60.79	3	Vertical	231	1.82	-	34.72	7.53	35.56	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5855MHz_TnomVnom




EUT_X_2TX
Setting 18.25
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.615G	62.46	68.20	-5.74	55.90	3	Horizontal	189	1.08	-	34.57	7.40	35.41
PK	5.859G	106.59	Inf	-Inf	100.31	3	Horizontal	189	1.08	-	34.35	7.46	35.53
AV	5.8575G	93.78	Inf	-Inf	87.51	3	Horizontal	189	1.08	-	34.34	7.46	35.53
PK	5.922G	79.49	90.40	-10.91	72.84	3	Horizontal	189	1.08	-	34.69	7.52	35.56
AV	5.928G	64.86	68.20	-3.34	58.18	3	Horizontal	189	1.08	-	34.71	7.53	35.56

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5855MHz_TnomVnom




EUT X_2TX
Setting 18.25
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.7064G	58.36	74.00	-15.64	43.74	3	Vertical	305	2.91	-	39.41	10.76	35.55
AV	11.70862G	48.03	54.00	-5.97	33.41	3	Vertical	305	2.91	-	39.41	10.76	35.55

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5855MHz_TnomVnom




EUT_X_2TX
Setting 18.25
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.70748G	59.04	74.00	-14.96	44.42	3	Horizontal	33	1.37	-	39.41	10.76	35.55
AV	11.70784G	48.05	54.00	-5.95	33.43	3	Horizontal	33	1.37	-	39.41	10.76	35.55

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

5815MHz_TnomVnom




EUT X_2TX
Setting 12.25
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7225G	66.12	116.50	-50.38	59.92	3	Vertical	224	1.80	BP 1MHz	34.26	7.40	35.46
PK	5.82G	95.12	Inf	-Inf	88.97	3	Vertical	224	1.80	-	34.24	7.42	35.51
AV	5.82G	83.97	Inf	-Inf	77.82	3	Vertical	224	1.80	-	34.24	7.42	35.51
PK	5.8955G	68.19	109.83	-41.64	61.67	3	Vertical	224	1.80	BP 1MHz	34.57	7.50	35.55
AV	5.8955G	58.15	89.83	-31.68	51.63	3	Vertical	224	1.80	BP 1MHz	34.57	7.50	35.55

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

5815MHz_TnomVnom




EUT X_2TX
Setting 12.25
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7145G	61.41	109.26	-47.85	55.20	3	Horizontal	106	2.19	BP 1MHz	34.27	7.40	35.46
PK	5.82G	87.49	Inf	-Inf	81.34	3	Horizontal	106	2.19	-	34.24	7.42	35.51
AV	5.82G	77.17	Inf	-Inf	71.02	3	Horizontal	106	2.19	-	34.24	7.42	35.51
PK	5.8955G	62.39	109.83	-47.44	55.87	3	Horizontal	106	2.19	BP 1MHz	34.57	7.50	35.55
AV	5.8955G	53.56	89.83	-36.27	47.04	3	Horizontal	106	2.19	BP 1MHz	34.57	7.50	35.55

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

5815MHz_TnomVnom




EUT_X_2TX
Setting 12.25
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64368G	58.34	74.00	-15.66	43.76	3	Vertical	237	1.87	-	39.40	10.75	35.57
AV	11.61542G	47.35	54.00	-6.65	32.78	3	Vertical	237	1.87	-	39.40	10.74	35.57

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

5815MHz_TnomVnom



EUT_X_2TX
Setting 12.25
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.6698G	58.95	74.00	-15.05	44.36	3	Horizontal	115	1.96	-	39.40	10.75	35.56	
AV	11.6416G	47.34	54.00	-6.66	32.76	3	Horizontal	115	1.96	-	39.40	10.75	35.57	



RSE TX above 1GHz
<Full RU> UNII4_Ant.3 (2TX)


Appendix E.31

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.895GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	Pass	AV	5.929G	68.09	68.20	-0.11	3	Vertical	70	1.57	-

802.11a_Nss1,(6Mbps)_2TX

5845MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.603G	58.54	68.20	-9.66	51.75	3	Vertical	64	1.65	-	34.59	7.60	35.40
PK	5.846G	120.81	Inf	-Inf	114.59	3	Vertical	64	1.65	-	34.29	7.45	35.52
AV	5.846G	111.11	Inf	-Inf	104.89	3	Vertical	64	1.65	-	34.29	7.45	35.52
PK	5.924G	64.04	88.93	-24.89	57.38	3	Vertical	64	1.65	-	34.70	7.52	35.56
AV	6.004G	48.73	68.20	-19.47	41.91	3	Vertical	64	1.65	-	34.81	7.61	35.60

802.11a_Nss1,(6Mbps)_2TX

5845MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6856G	58.13	74.00	-15.87	43.54	3	Vertical	198	2.49	-	39.40	10.75	35.56
AV	11.6912G	45.46	54.00	-8.54	30.87	3	Vertical	198	2.49	-	39.40	10.75	35.56

802.11a_Nss1,(6Mbps)_2TX

5845MHz_TnomVnom




EUT_V_2TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6898G	63.85	74.00	-10.15	49.26	3	Horizontal	140	1.74	-	39.40	10.75	35.56
AV	11.6898G	50.66	54.00	-3.34	36.07	3	Horizontal	140	1.74	-	39.40	10.75	35.56

802.11a_Nss1,(6Mbps)_2TX

5865MHz_TnomVnom




EUT_V_2TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.648G	58.76	68.20	-9.44	52.13	3	Vertical	65	1.64	-	34.50	7.55	35.42
PK	5.866G	121.21	Inf	-Inf	114.87	3	Vertical	65	1.64	-	34.40	7.47	35.53
AV	5.863G	110.93	Inf	-Inf	104.62	3	Vertical	65	1.64	-	34.38	7.46	35.53
PK	5.919G	71.80	92.60	-20.80	65.16	3	Vertical	65	1.64	-	34.68	7.52	35.56
AV	6.024G	48.99	68.20	-19.21	42.09	3	Vertical	65	1.64	-	34.85	7.64	35.59

802.11a_Nss1,(6Mbps)_2TX

5865MHz_TnomVnom




EUT_V_2TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.731G	58.81	74.00	-15.19	44.17	3	Vertical	211	1.80	-	39.43	10.76	35.55	
AV	11.7314G	44.59	54.00	-9.41	29.95	3	Vertical	211	1.80	-	39.43	10.76	35.55	

802.11a_Nss1,(6Mbps)_2TX

5865MHz_TnomVnom




EUT_V_2TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.73G	63.31	74.00	-10.69	48.67	3	Horizontal	140	1.80	-	39.43	10.76	35.55
AV	11.73G	50.64	54.00	-3.36	36.00	3	Horizontal	140	1.80	-	39.43	10.76	35.55

802.11a_Nss1,(6Mbps)_2TX

5885MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.635G	59.00	68.20	-9.20	52.33	3	Vertical	66	1.70	-	34.53	7.56	35.42	
PK	5.884G	120.67	Inf	-Inf	114.23	3	Vertical	66	1.70	-	34.50	7.48	35.54	
AV	5.883G	110.88	Inf	-Inf	104.44	3	Vertical	66	1.70	-	34.50	7.48	35.54	
PK	5.898G	102.54	108.00	-5.46	96.00	3	Vertical	66	1.70	-	34.59	7.50	35.55	
AV	5.898G	86.61	88.00	-1.39	80.07	3	Vertical	66	1.70	-	34.59	7.50	35.55	

802.11a_Nss1,(6Mbps)_2TX

5885MHz_TnomVnom




EUT_V_2TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.7696G	59.00	74.00	-15.00	44.30	3	Vertical	186	2.96	-	39.47	10.77	35.54
AV	11.7702G	46.07	54.00	-7.93	31.37	3	Vertical	186	2.96	-	39.47	10.77	35.54

802.11a_Nss1,(6Mbps)_2TX

5885MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.7694G	64.62	74.00	-9.38	49.92	3	Horizontal	140	1.31	-	39.47	10.77	35.54
AV	11.7698G	51.09	54.00	-2.91	36.39	3	Horizontal	140	1.31	-	39.47	10.77	35.54

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5845MHz_TnomVnom




EUT V_2TX
Setting 17.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.633G	61.53	68.20	-6.67	54.85	3	Vertical	67	1.79	-	34.53	7.57	35.42	
PK	5.847G	124.74	Inf	-Inf	118.52	3	Vertical	67	1.79	-	34.29	7.45	35.52	
AV	5.844G	112.65	Inf	-Inf	106.44	3	Vertical	67	1.79	-	34.29	7.44	35.52	
PK	6.002G	63.76	88.20	-24.44	56.96	3	Vertical	67	1.79	-	34.80	7.60	35.60	
AV	6.004G	50.82	68.20	-17.38	44.00	3	Vertical	67	1.79	-	34.81	7.61	35.60	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5845MHz_TnomVnom




EUT_V_2TX
Setting 17.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.69006G	62.67	74.00	-11.33	48.08	3	Vertical	184	2.82	-	39.40	10.75	35.56
AV	11.69054G	49.05	54.00	-4.95	34.46	3	Vertical	184	2.82	-	39.40	10.75	35.56

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5845MHz_TnomVnom




EUT_V_2TX
Setting 17.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6897G	68.21	74.00	-5.79	53.62	3	Horizontal	144	1.80	-	39.40	10.75	35.56
AV	11.68754G	53.88	54.00	-0.12	39.29	3	Horizontal	144	1.80	-	39.40	10.75	35.56

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5865MHz_TnomVnom




EUT V_2TX
Setting 17.75
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.626G	61.67	68.20	-6.53	54.96	3	Vertical	66	1.85	-	34.55	7.57	35.41
PK	5.864G	125.39	Inf	-Inf	119.08	3	Vertical	66	1.85	-	34.38	7.46	35.53
AV	5.864G	112.72	Inf	-Inf	106.41	3	Vertical	66	1.85	-	34.38	7.46	35.53
PK	6.026G	62.75	88.20	-25.45	55.85	3	Vertical	66	1.85	-	34.85	7.64	35.59
AV	6.025G	51.29	68.20	-16.91	44.39	3	Vertical	66	1.85	-	34.85	7.64	35.59

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5865MHz_TnomVnom




EUT V_2TX
Setting 17.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.73048G	61.99	74.00	-12.01	47.35	3	Vertical	196	1.90	-	39.43	10.76	35.55
AV	11.72766G	48.70	54.00	-5.30	34.06	3	Vertical	196	1.90	-	39.43	10.76	35.55

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5865MHz_TnomVnom




EUT V_2TX
Setting 17.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.72934G	68.23	74.00	-5.77	53.59	3	Horizontal	146	1.80	-	39.43	10.76	35.55
AV	11.72982G	53.77	54.00	-0.23	39.13	3	Horizontal	146	1.80	-	39.43	10.76	35.55

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5885MHz_TnomVnom




EUT V_2TX
Setting 14.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.8875G	104.62	Inf	-Inf	98.15	3	Vertical	79	1.90	-	34.52	7.49	35.54	
AV	5.88465G	94.42	Inf	-Inf	87.97	3	Vertical	79	1.90	-	34.51	7.48	35.54	
PK	5.8955G	77.64	109.83	-32.19	71.12	3	Vertical	79	1.90	BP 1MHz	34.57	7.50	35.55	
AV	5.8955G	66.00	89.83	-23.83	59.48	3	Vertical	79	1.90	BP 1MHz	34.57	7.50	35.55	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5885MHz_TnomVnom




EUT V_2TX
Setting 14.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.77006G	60.85	74.00	-13.15	46.15	3	Vertical	186	2.88	-	39.47	10.77	35.54
AV	11.76994G	47.23	54.00	-6.77	32.53	3	Vertical	186	2.88	-	39.47	10.77	35.54

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5885MHz_TnomVnom




EUT V_2TX
Setting 14.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.7697G	64.64	74.00	-9.36	49.94	3	Horizontal	142	1.80	-	39.47	10.77	35.54
AV	11.7697G	51.83	54.00	-2.17	37.13	3	Horizontal	142	1.80	-	39.47	10.77	35.54

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5835MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.615G	62.07	68.20	-6.13	55.33	3	Vertical	67	1.85	-	34.57	7.58	35.41
PK	5.837G	122.77	Inf	-Inf	116.58	3	Vertical	67	1.85	-	34.27	7.44	35.52
AV	5.834G	110.78	Inf	-Inf	104.60	3	Vertical	67	1.85	-	34.27	7.43	35.52
PK	5.929G	76.65	88.20	-11.55	69.96	3	Vertical	67	1.85	-	34.72	7.53	35.56
AV	5.925G	57.93	68.20	-10.27	51.26	3	Vertical	67	1.85	-	34.70	7.53	35.56

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5835MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6704G	62.15	74.00	-11.85	47.56	3	Vertical	196	1.92	-	39.40	10.75	35.56
AV	11.6703G	48.49	54.00	-5.51	33.90	3	Vertical	196	1.92	-	39.40	10.75	35.56

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5835MHz_TnomVnom




EUT V_2TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.66886G	66.48	74.00	-7.52	51.89	3	Horizontal	143	1.79	-	39.40	10.75	35.56
AV	11.67498G	52.70	54.00	-1.30	38.11	3	Horizontal	143	1.79	-	39.40	10.75	35.56

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5875MHz_TnomVnom




EUT V_2TX
Setting 21
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.87875G	110.15	Inf	-Inf	103.74	3	Vertical	292	1.57	-	34.47	7.48	35.54
AV	5.87755G	99.25	Inf	-Inf	92.84	3	Vertical	292	1.57	-	34.47	7.48	35.54
PK	5.89553G	96.89	109.81	-12.92	90.37	3	Vertical	292	1.57	BP 1MHz	34.57	7.50	35.55
AV	5.89553G	87.64	89.81	-2.17	81.12	3	Vertical	292	1.57	BP 1MHz	34.57	7.50	35.55

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5875MHz_TnomVnom




EUT V_2TX
Setting 16.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.75042G	60.98	74.00	-13.02	46.31	3	Vertical	196	1.91	-	39.45	10.76	35.54
AV	11.74538G	47.26	54.00	-6.74	32.60	3	Vertical	196	1.91	-	39.45	10.76	35.55

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5875MHz_TnomVnom




EUT_V_2TX
Setting 21
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.7488G	65.85	74.00	-8.15	51.19	3	Horizontal	142	1.75	-	39.45	10.76	35.55
AV	11.74988G	52.05	54.00	-1.95	37.39	3	Horizontal	142	1.75	-	39.45	10.76	35.55

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5855MHz_TnomVnom




EUT V_2TX
Setting 17.25
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.62G	62.64	68.20	-5.56	56.09	3	Vertical	70	1.57	-	34.56	7.40	35.41
PK	5.859G	115.26	Inf	-Inf	108.98	3	Vertical	70	1.57	-	34.35	7.46	35.53
AV	5.8585G	104.65	Inf	-Inf	98.37	3	Vertical	70	1.57	-	34.35	7.46	35.53
PK	5.925G	82.68	88.20	-5.52	76.01	3	Vertical	70	1.57	-	34.70	7.53	35.56
AV	5.929G	68.09	68.20	-0.11	61.40	3	Vertical	70	1.57	-	34.72	7.53	35.56

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5855MHz_TnomVnom




EUT V_2TX
Setting 17.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.71216G	59.88	74.00	-14.12	45.26	3	Vertical	182	2.37	-	39.41	10.76	35.55
AV	11.69536G	49.38	54.00	-4.62	34.79	3	Vertical	182	2.37	-	39.40	10.75	35.56

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5855MHz_TnomVnom




EUT V_2TX
Setting 17.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.72476G	62.63	74.00	-11.37	48.00	3	Horizontal	143	1.80	-	39.42	10.76	35.55
AV	11.71714G	52.69	54.00	-1.31	38.06	3	Horizontal	143	1.80	-	39.42	10.76	35.55

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

5815MHz_TnomVnom




EUT V_2TX
Setting 11.25
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7225G	68.94	116.50	-47.56	62.74	3	Vertical	294	1.53	BP 1MHz	34.26	7.40	35.46
PK	5.82G	97.46	Inf	-Inf	91.31	3	Vertical	294	1.53	-	34.24	7.42	35.51
AV	5.82G	86.84	Inf	-Inf	80.69	3	Vertical	294	1.53	-	34.24	7.42	35.51
PK	5.8955G	70.95	109.83	-38.88	64.43	3	Vertical	294	1.53	BP 1MHz	34.57	7.50	35.55
AV	5.8955G	61.02	89.83	-28.81	54.50	3	Vertical	294	1.53	BP 1MHz	34.57	7.50	35.55

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

5815MHz_TnomVnom




EUT V_2TX
Setting 11.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6255G	58.47	74.00	-15.53	43.90	3	Vertical	107	1.23	-	39.40	10.74	35.57
AV	11.63654G	48.26	54.00	-5.74	33.68	3	Vertical	107	1.23	-	39.40	10.75	35.57

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

5815MHz_TnomVnom



EUT_V_2TX
Setting 11.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.61572G	59.40	74.00	-14.60	44.83	3	Horizontal	122	1.79	-	39.40	10.74	35.57
AV	11.64386G	48.93	54.00	-5.07	34.35	3	Horizontal	122	1.79	-	39.40	10.75	35.57



RSE TX above 1GHz
<Partial RU> UNII 4_RU 26_Ant. 1 (1TX)


Appendix E.32

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.895GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1.(MCS0)_1TX	Pass	AV	11.7468G	53.85	54.00	-0.15	3	Vertical	177	3.00	-

802.11ax HEW20_Nss1,(MCS0)_1TX

5845MHz_TnomVnom




EUT X_1TX
Setting 19.75
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.626G	58.54	68.20	-9.66	51.83	3	Vertical	232	1.90	-	34.55	7.57	35.41
PK	5.854G	119.03	Inf	-Inf	112.79	3	Vertical	232	1.90	-	34.32	7.45	35.53
AV	5.853G	108.38	Inf	-Inf	102.14	3	Vertical	232	1.90	-	34.32	7.45	35.53
PK	6.073G	59.49	88.20	-28.71	52.40	3	Vertical	232	1.90	-	34.95	7.71	35.57
AV	6.013G	47.23	68.20	-20.97	40.37	3	Vertical	232	1.90	-	34.83	7.62	35.59

802.11ax HEW20_Nss1,(MCS0)_1TX

5845MHz_TnomVnom




EUT X_1TX
Setting 19.75
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.624G	58.82	68.20	-9.38	52.10	3	Horizontal	211	2.94	-	34.55	7.58	35.41
PK	5.853G	117.19	Inf	-Inf	110.95	3	Horizontal	211	2.94	-	34.32	7.45	35.53
AV	5.853G	105.93	Inf	-Inf	99.69	3	Horizontal	211	2.94	-	34.32	7.45	35.53
PK	6.061G	59.70	88.20	-28.50	52.67	3	Horizontal	211	2.94	-	34.92	7.69	35.58
AV	6.014G	46.08	68.20	-22.12	39.22	3	Horizontal	211	2.94	-	34.83	7.62	35.59

802.11ax HEW20_Nss1,(MCS0)_1TX

5845MHz_TnomVnom




EUT_X_1TX
Setting 19.75
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.7074G	67.10	74.00	-6.90	52.48	3	Vertical	179	3.00	-	39.41	10.76	35.55
AV	11.7068G	53.70	54.00	-0.30	39.08	3	Vertical	179	3.00	-	39.41	10.76	35.55

802.11ax HEW20_Nss1,(MCS0)_1TX

5845MHz_TnomVnom




EUT_X_1TX
Setting 19.75
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.7056G	66.41	74.00	-7.59	51.79	3	Horizontal	138	2.04	-	39.41	10.76	35.55
AV	11.7068G	52.90	54.00	-1.10	38.28	3	Horizontal	138	2.04	-	39.41	10.76	35.55

802.11ax HEW20_Nss1,(MCS0)_1TX

5865MHz_TnomVnom




EUT X_1TX
Setting 19.25
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.637G	59.27	68.20	-8.93	52.60	3	Vertical	233	1.80	-	34.53	7.56	35.42
PK	5.874G	117.24	Inf	-Inf	110.87	3	Vertical	233	1.80	-	34.44	7.47	35.54
AV	5.873G	105.73	Inf	-Inf	99.36	3	Vertical	233	1.80	-	34.44	7.47	35.54
PK	5.906G	75.73	102.13	-26.40	69.15	3	Vertical	233	1.80	-	34.62	7.51	35.55
AV	6.034G	46.53	68.20	-21.67	39.60	3	Vertical	233	1.80	-	34.87	7.65	35.59

802.11ax HEW20_Nss1,(MCS0)_1TX

5865MHz_TnomVnom




EUT X_1TX
Setting 19.25
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.621G	58.85	68.20	-9.35	52.12	3	Horizontal	205	1.90	-	34.56	7.58	35.41
PK	5.874G	116.28	Inf	-Inf	109.91	3	Horizontal	205	1.90	-	34.44	7.47	35.54
AV	5.873G	104.68	Inf	-Inf	98.31	3	Horizontal	205	1.90	-	34.44	7.47	35.54
PK	5.906G	73.45	102.13	-28.68	66.87	3	Horizontal	205	1.90	-	34.62	7.51	35.55
AV	6.034G	46.31	68.20	-21.89	39.38	3	Horizontal	205	1.90	-	34.87	7.65	35.59

802.11ax HEW20_Nss1,(MCS0)_1TX

5865MHz_TnomVnom




EUT X_1TX
Setting 19.25
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.7476G	68.35	74.00	-5.65	53.69	3	Vertical	177	3.00	-	39.45	10.76	35.55
AV	11.7468G	53.85	54.00	-0.15	39.19	3	Vertical	177	3.00	-	39.45	10.76	35.55

802.11ax HEW20_Nss1,(MCS0)_1TX

5865MHz_TnomVnom




EUT X_1TX
Setting 19.25
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.7468G	65.48	74.00	-8.52	50.82	3	Horizontal	137	2.03	-	39.45	10.76	35.55
AV	11.7468G	52.33	54.00	-1.67	37.67	3	Horizontal	137	2.03	-	39.45	10.76	35.55

802.11ax HEW20_Nss1,(MCS0)_1TX

5885MHz_TnomVnom




EUT X_1TX
Setting 17.75
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.89255G	105.40	Inf	-Inf	98.90	3	Vertical	149	1.97	-	34.56	7.49	35.55
AV	5.89273G	97.65	Inf	-Inf	91.15	3	Vertical	149	1.97	-	34.56	7.49	35.55
PK	5.8955G	84.21	109.83	-25.62	77.69	3	Vertical	149	1.97	BP 1MHz	34.57	7.50	35.55
AV	5.8955G	70.87	89.83	-18.96	64.35	3	Vertical	149	1.97	BP 1MHz	34.57	7.50	35.55

802.11ax HEW20_Nss1,(MCS0)_1TX

5885MHz_TnomVnom




EUT X_1TX
Setting 17.75
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.89255G	103.76	Inf	-Inf	97.26	3	Horizontal	1	2.10	-	34.56	7.49	35.55
AV	5.89255G	96.02	Inf	-Inf	89.52	3	Horizontal	1	2.10	-	34.56	7.49	35.55
PK	5.8955G	82.32	109.83	-27.51	75.80	3	Horizontal	1	2.10	BP 1MHz	34.57	7.50	35.55
AV	5.8955G	69.12	89.83	-20.71	62.60	3	Horizontal	1	2.10	BP 1MHz	34.57	7.50	35.55

802.11ax HEW20_Nss1,(MCS0)_1TX

5885MHz_TnomVnom




EUT_X_1TX
Setting 17.75
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.7858G	68.41	74.00	-5.59	53.69	3	Vertical	178	2.97	-	39.49	10.77	35.54
AV	11.7868G	52.34	54.00	-1.66	37.62	3	Vertical	178	2.97	-	39.49	10.77	35.54

802.11ax HEW20_Nss1,(MCS0)_1TX

5885MHz_TnomVnom



EUT_X_1TX
Setting 17.75
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.7874G	60.57	74.00	-13.43	45.85	3	Horizontal	203	1.80	-	39.49	10.77	35.54
AV	11.7868G	47.09	54.00	-6.91	32.37	3	Horizontal	203	1.80	-	39.49	10.77	35.54



RSE TX above 1GHz
<Partial RU> UNII 4_RU 52_Ant. 1 (1TX)


Appendix E.33

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.895GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	AV	11.784G	53.95	54.00	-0.05	3	Vertical	179	2.97	-

802.11ax HEW20_Nss1,(MCS0)_1TX

5845MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.603G	58.84	68.20	-9.36	52.05	3	Vertical	234	1.80	-	34.59	7.60	35.40	
PK	5.851G	115.73	Inf	-Inf	109.50	3	Vertical	234	1.80	-	34.31	7.45	35.53	
AV	5.851G	103.49	Inf	-Inf	97.26	3	Vertical	234	1.80	-	34.31	7.45	35.53	
PK	6.011G	58.41	88.20	-29.79	51.57	3	Vertical	234	1.80	-	34.82	7.62	35.60	
AV	6.011G	46.15	68.20	-22.05	39.31	3	Vertical	234	1.80	-	34.82	7.62	35.60	

802.11ax HEW20_Nss1,(MCS0)_1TX

5845MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.603G	58.43	68.20	-9.77	51.64	3	Horizontal	203	1.80	-	34.59	7.60	35.40
PK	5.851G	113.39	Inf	-Inf	107.16	3	Horizontal	203	1.80	-	34.31	7.45	35.53
AV	5.851G	101.20	Inf	-Inf	94.97	3	Horizontal	203	1.80	-	34.31	7.45	35.53
PK	6.08G	59.25	88.20	-28.95	52.14	3	Horizontal	203	1.80	-	34.96	7.72	35.57
AV	6.012G	46.10	68.20	-22.10	39.26	3	Horizontal	203	1.80	-	34.82	7.62	35.60

802.11ax HEW20_Nss1,(MCS0)_1TX

5845MHz_TnomVnom




EUT_X_1TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.7054G	63.98	74.00	-10.02	49.36	3	Vertical	180	2.94	-	39.41	10.76	35.55
AV	11.704G	51.43	54.00	-2.57	36.83	3	Vertical	180	2.94	-	39.40	10.76	35.56

802.11ax HEW20_Nss1,(MCS0)_1TX

5845MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.7028G	64.94	74.00	-9.06	50.34	3	Horizontal	135	2.05	-	39.40	10.76	35.56
AV	11.704G	51.10	54.00	-2.90	36.50	3	Horizontal	135	2.05	-	39.40	10.76	35.56

802.11ax HEW20_Nss1,(MCS0)_1TX

5865MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.617G	58.20	68.20	-10.00	51.46	3	Vertical	235	1.98	-	34.57	7.58	35.41
PK	5.871G	116.31	Inf	-Inf	109.95	3	Vertical	235	1.98	-	34.43	7.47	35.54
AV	5.871G	104.14	Inf	-Inf	97.78	3	Vertical	235	1.98	-	34.43	7.47	35.54
PK	5.928G	64.15	88.20	-24.05	57.47	3	Vertical	235	1.98	-	34.71	7.53	35.56
AV	6.032G	46.06	68.20	-22.14	39.14	3	Vertical	235	1.98	-	34.86	7.65	35.59

802.11ax HEW20_Nss1,(MCS0)_1TX

5865MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.647G	58.03	68.20	-10.17	51.39	3	Horizontal	211	2.93	-	34.51	7.55	35.42
PK	5.871G	115.34	Inf	-Inf	108.98	3	Horizontal	211	2.93	-	34.43	7.47	35.54
AV	5.871G	103.28	Inf	-Inf	96.92	3	Horizontal	211	2.93	-	34.43	7.47	35.54
PK	5.901G	82.17	105.80	-23.63	75.62	3	Horizontal	211	2.93	-	34.60	7.50	35.55
AV	6.032G	45.96	68.20	-22.24	39.04	3	Horizontal	211	2.93	-	34.86	7.65	35.59

802.11ax HEW20_Nss1,(MCS0)_1TX

5865MHz_TnomVnom




EUT_X_1TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.7454G	65.81	74.00	-8.19	51.15	3	Vertical	178	3.00	-	39.45	10.76	35.55
AV	11.7442G	53.11	54.00	-0.89	38.46	3	Vertical	178	3.00	-	39.44	10.76	35.55

802.11ax HEW20_Nss1,(MCS0)_1TX

5865MHz_TnomVnom




EUT_X_1TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.744G	63.67	74.00	-10.33	49.02	3	Horizontal	138	2.04	-	39.44	10.76	35.55	
AV	11.744G	51.07	54.00	-2.93	36.42	3	Horizontal	138	2.04	-	39.44	10.76	35.55	

802.11ax HEW20_Nss1,(MCS0)_1TX

5885MHz_TnomVnom




EUT X_1TX
Setting 21
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.89055G	106.24	Inf	-Inf	99.76	3	Vertical	147	1.85	-	34.54	7.49	35.55	
AV	5.8912G	99.87	Inf	-Inf	93.38	3	Vertical	147	1.85	-	34.55	7.49	35.55	
PK	5.8955G	92.94	109.83	-16.89	86.42	3	Vertical	147	1.85	BP 1MHz	34.57	7.50	35.55	
AV	5.8955G	84.02	89.83	-5.81	77.50	3	Vertical	147	1.85	BP 1MHz	34.57	7.50	35.55	

802.11ax HEW20_Nss1,(MCS0)_1TX

5885MHz_TnomVnom




EUT X_1TX
Setting 21
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.89058G	104.44	Inf	-Inf	97.96	3	Horizontal	1	2.10	-	34.54	7.49	35.55	
AV	5.89065G	98.14	Inf	-Inf	91.66	3	Horizontal	1	2.10	-	34.54	7.49	35.55	
PK	5.8955G	92.11	109.83	-17.72	85.59	3	Horizontal	1	2.10	BP 1MHz	34.57	7.50	35.55	
AV	5.8955G	83.21	89.83	-6.62	76.69	3	Horizontal	1	2.10	BP 1MHz	34.57	7.50	35.55	

802.11ax HEW20_Nss1,(MCS0)_1TX

5885MHz_TnomVnom




EUT_X_1TX
Setting 21
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.7842G	66.63	74.00	-7.37	51.92	3	Vertical	179	2.97	-	39.48	10.77	35.54
AV	11.784G	53.95	54.00	-0.05	39.24	3	Vertical	179	2.97	-	39.48	10.77	35.54

802.11ax HEW20_Nss1,(MCS0)_1TX

5885MHz_TnomVnom



EUT_X_1TX
Setting 21
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.7838G	64.04	74.00	-9.96	49.33	3	Horizontal	138	2.02	-	39.48	10.77	35.54
AV	11.7842G	51.43	54.00	-2.57	36.72	3	Horizontal	138	2.02	-	39.48	10.77	35.54



RSE TX above 1GHz
<Partial RU> UNII 4_RU 106_Ant. 1 (1TX)


Appendix E.34

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.895GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	AV	11.77846G	53.93	54.00	-0.07	3	Vertical	178	2.98	-

802.11ax HEW20_Nss1,(MCS0)_1TX

5845MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.607G	58.16	68.20	-10.04	51.38	3	Vertical	235	1.80	-	34.59	7.59	35.40
PK	5.848G	115.65	Inf	-Inf	109.42	3	Vertical	235	1.80	-	34.30	7.45	35.52
AV	5.847G	103.70	Inf	-Inf	97.48	3	Vertical	235	1.80	-	34.29	7.45	35.52
PK	6.015G	59.81	88.20	-28.39	52.95	3	Vertical	235	1.80	-	34.83	7.62	35.59
AV	6.008G	45.98	68.20	-22.22	39.15	3	Vertical	235	1.80	-	34.82	7.61	35.60

802.11ax HEW20_Nss1,(MCS0)_1TX

5845MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.597G	58.60	68.20	-9.60	51.81	3	Horizontal	211	2.96	-	34.60	7.59	35.40
PK	5.848G	115.46	Inf	-Inf	109.23	3	Horizontal	211	2.96	-	34.30	7.45	35.52
AV	5.847G	103.61	Inf	-Inf	97.39	3	Horizontal	211	2.96	-	34.29	7.45	35.52
PK	5.946G	58.79	88.20	-29.41	52.03	3	Horizontal	211	2.96	-	34.78	7.55	35.57
AV	6.088G	45.83	68.20	-22.37	38.68	3	Horizontal	211	2.96	-	34.98	7.73	35.56

802.11ax HEW20_Nss1,(MCS0)_1TX

5845MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.69858G	64.17	74.00	-9.83	49.58	3	Vertical	161	3.00	-	39.40	10.75	35.56
AV	11.6963G	51.04	54.00	-2.96	36.45	3	Vertical	161	3.00	-	39.40	10.75	35.56

802.11ax HEW20_Nss1,(MCS0)_1TX

5845MHz_TnomVnom




EUT_X_1TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.694G	63.47	74.00	-10.53	48.88	3	Horizontal	138	2.04	-	39.40	10.75	35.56
AV	11.696G	50.70	54.00	-3.30	36.11	3	Horizontal	138	2.04	-	39.40	10.75	35.56

802.11ax HEW20_Nss1,(MCS0)_1TX

5865MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.626G	58.01	68.20	-10.19	51.30	3	Vertical	235	1.98	-	34.55	7.57	35.41
PK	5.868G	116.05	Inf	-Inf	109.70	3	Vertical	235	1.98	-	34.41	7.47	35.53
AV	5.867G	103.89	Inf	-Inf	97.55	3	Vertical	235	1.98	-	34.40	7.47	35.53
PK	5.918G	66.61	93.33	-26.72	59.98	3	Vertical	235	1.98	-	34.67	7.52	35.56
AV	6.027G	45.97	68.20	-22.23	39.07	3	Vertical	235	1.98	-	34.85	7.64	35.59

802.11ax HEW20_Nss1,(MCS0)_1TX

5865MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.647G	57.81	68.20	-10.39	51.17	3	Horizontal	204	1.57	-	34.51	7.55	35.42
PK	5.868G	114.36	Inf	-Inf	108.01	3	Horizontal	204	1.57	-	34.41	7.47	35.53
AV	5.867G	102.22	Inf	-Inf	95.88	3	Horizontal	204	1.57	-	34.40	7.47	35.53
PK	5.926G	59.90	88.20	-28.30	53.23	3	Horizontal	204	1.57	-	34.70	7.53	35.56
AV	6.027G	45.95	68.20	-22.25	39.05	3	Horizontal	204	1.57	-	34.85	7.64	35.59

802.11ax HEW20_Nss1,(MCS0)_1TX

5865MHz_TnomVnom




EUT_X_1TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.74098G	66.01	74.00	-7.99	51.36	3	Vertical	178	3.00	-	39.44	10.76	35.55
AV	11.73624G	52.43	54.00	-1.57	37.78	3	Vertical	178	3.00	-	39.44	10.76	35.55

802.11ax HEW20_Nss1,(MCS0)_1TX

5865MHz_TnomVnom




EUT_X_1TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.74092G	64.26	74.00	-9.74	49.61	3	Horizontal	138	2.08	-	39.44	10.76	35.55
AV	11.7363G	50.50	54.00	-3.50	35.85	3	Horizontal	138	2.08	-	39.44	10.76	35.55

802.11ax HEW20_Nss1,(MCS0)_1TX

5885MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.88625G	106.36	Inf	-Inf	99.89	3	Vertical	145	1.97	-	34.52	7.49	35.54
AV	5.88748G	100.14	Inf	-Inf	93.67	3	Vertical	145	1.97	-	34.52	7.49	35.54
PK	5.8955G	97.04	109.83	-12.79	90.52	3	Vertical	145	1.97	BP 1MHz	34.57	7.50	35.55
AV	5.8955G	88.71	89.83	-1.12	82.19	3	Vertical	145	1.97	BP 1MHz	34.57	7.50	35.55

802.11ax HEW20_Nss1,(MCS0)_1TX

5885MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.88623G	104.53	Inf	-Inf	98.06	3	Horizontal	24	2.10	-	34.52	7.49	35.54
AV	5.88745G	98.32	Inf	-Inf	91.85	3	Horizontal	24	2.10	-	34.52	7.49	35.54
PK	5.8955G	94.91	109.83	-14.92	88.39	3	Horizontal	24	2.10	BP 1MHz	34.57	7.50	35.55
AV	5.8955G	86.52	89.83	-3.31	80.00	3	Horizontal	24	2.10	BP 1MHz	34.57	7.50	35.55

802.11ax HEW20_Nss1,(MCS0)_1TX

5885MHz_TnomVnom




EUT_X_1TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.78092G	67.65	74.00	-6.35	52.94	3	Vertical	178	2.98	-	39.48	10.77	35.54
AV	11.77846G	53.93	54.00	-0.07	39.22	3	Vertical	178	2.98	-	39.48	10.77	35.54

802.11ax HEW20_Nss1,(MCS0)_1TX

5885MHz_TnomVnom



EUT_X_1TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.78128G	64.79	74.00	-9.21	50.08	3	Horizontal	139	2.05	-	39.48	10.77	35.54
AV	11.77852G	51.03	54.00	-2.97	36.32	3	Horizontal	139	2.05	-	39.48	10.77	35.54



RSE TX above 1GHz
<Partial RU> UNII 4_RU 26_Ant. 2 (1TX)


Appendix E.35

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.895GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	AV	11.74684G	53.77	54.00	-0.23	3	Horizontal	205	2.07	-

802.11ax HEW20_Nss1,(MCS0)_1TX

5845MHz_TnomVnom




EUT Z_1TX
Setting 21.5
03-B-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.626G	59.24	68.20	-8.96	52.53	3	Vertical	62	1.99	-	34.55	7.57	35.41
PK	5.854G	117.91	Inf	-Inf	111.67	3	Vertical	62	1.99	-	34.32	7.45	35.53
AV	5.853G	106.96	Inf	-Inf	100.72	3	Vertical	62	1.99	-	34.32	7.45	35.53
PK	6.013G	60.31	88.20	-27.89	53.45	3	Vertical	62	1.99	-	34.83	7.62	35.59
AV	6.013G	47.53	68.20	-20.67	40.67	3	Vertical	62	1.99	-	34.83	7.62	35.59

802.11ax HEW20_Nss1,(MCS0)_1TX

5845MHz_TnomVnom




EUT Z_1TX
Setting 21.5
03-B-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.607G	59.29	68.20	-8.91	52.51	3	Horizontal	69	1.80	-	34.59	7.59	35.40
PK	5.854G	115.09	Inf	-Inf	108.85	3	Horizontal	69	1.80	-	34.32	7.45	35.53
AV	5.853G	103.98	Inf	-Inf	97.74	3	Horizontal	69	1.80	-	34.32	7.45	35.53
PK	6.079G	59.94	88.20	-28.26	52.83	3	Horizontal	69	1.80	-	34.96	7.72	35.57
AV	6.013G	46.52	68.20	-21.68	39.66	3	Horizontal	69	1.80	-	34.83	7.62	35.59

802.11ax HEW20_Nss1,(MCS0)_1TX

5845MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.7056G	59.77	74.00	-14.23	45.15	3	Vertical	149	1.80	-	39.41	10.76	35.55
AV	11.7068G	46.40	54.00	-7.60	31.78	3	Vertical	149	1.80	-	39.41	10.76	35.55

802.11ax HEW20_Nss1,(MCS0)_1TX

5845MHz_TnomVnom




EUT_X_1TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.7066G	65.22	74.00	-8.78	50.60	3	Horizontal	206	2.10	-	39.41	10.76	35.55
AV	11.7068G	53.21	54.00	-0.79	38.59	3	Horizontal	206	2.10	-	39.41	10.76	35.55

802.11ax HEW20_Nss1,(MCS0)_1TX

5865MHz_TnomVnom




EUT_Z_1TX
Setting 19.25
03-B-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.624G	59.31	68.20	-8.89	52.59	3	Vertical	182	1.78	-	34.55	7.58	35.41
PK	5.874G	117.81	Inf	-Inf	111.44	3	Vertical	182	1.78	-	34.44	7.47	35.54
AV	5.873G	106.47	Inf	-Inf	100.10	3	Vertical	182	1.78	-	34.44	7.47	35.54
PK	5.906G	74.34	102.13	-27.79	67.76	3	Vertical	182	1.78	-	34.62	7.51	35.55
AV	6.033G	47.00	68.20	-21.20	40.07	3	Vertical	182	1.78	-	34.87	7.65	35.59

802.11ax HEW20_Nss1,(MCS0)_1TX

5865MHz_TnomVnom




EUT_Z_1TX
Setting 19.25
03-B-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.64G	58.86	68.20	-9.34	52.20	3	Horizontal	70	1.80	-	34.52	7.56	35.42
PK	5.873G	113.83	Inf	-Inf	107.46	3	Horizontal	70	1.80	-	34.44	7.47	35.54
AV	5.873G	102.80	Inf	-Inf	96.43	3	Horizontal	70	1.80	-	34.44	7.47	35.54
PK	6.099G	59.86	88.20	-28.34	52.67	3	Horizontal	70	1.80	-	35.00	7.75	35.56
AV	6.034G	46.28	68.20	-21.92	39.35	3	Horizontal	70	1.80	-	34.87	7.65	35.59

802.11ax HEW20_Nss1,(MCS0)_1TX

5865MHz_TnomVnom




EUT_X_1TX
Setting 19.25
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.74556G	62.36	74.00	-11.64	47.70	3	Vertical	209	2.72	-	39.45	10.76	35.55
AV	11.7468G	48.83	54.00	-5.17	34.17	3	Vertical	209	2.72	-	39.45	10.76	35.55

802.11ax HEW20_Nss1,(MCS0)_1TX

5865MHz_TnomVnom




EUT X_1TX
Setting 19.25
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.74732G	66.99	74.00	-7.01	52.33	3	Horizontal	205	2.07	-	39.45	10.76	35.55
AV	11.74684G	53.77	54.00	-0.23	39.11	3	Horizontal	205	2.07	-	39.45	10.76	35.55

802.11ax HEW20_Nss1,(MCS0)_1TX

5885MHz_TnomVnom




EUT_Z_1TX
Setting 16
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6405G	60.94	68.20	-7.26	54.44	3	Vertical	332	2.21	BP 1MHz	34.52	7.40	35.42
PK	5.89263G	101.55	Inf	-Inf	95.05	3	Vertical	332	2.21	-	34.56	7.49	35.55
AV	5.89275G	93.82	Inf	-Inf	87.32	3	Vertical	332	2.21	-	34.56	7.49	35.55
PK	5.8955G	82.22	109.83	-27.61	75.70	3	Vertical	332	2.21	BP 1MHz	34.57	7.50	35.55
AV	5.8955G	68.40	89.83	-21.43	61.88	3	Vertical	332	2.21	BP 1MHz	34.57	7.50	35.55

802.11ax HEW20_Nss1,(MCS0)_1TX

5885MHz_TnomVnom




EUT_Z_1TX
Setting 16
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6595G	60.51	75.23	-14.72	54.08	3	Horizontal	233	2.01	BP 1MHz	34.46	7.40	35.43
PK	5.89263G	97.69	Inf	-Inf	91.19	3	Horizontal	233	2.01	-	34.56	7.49	35.55
AV	5.89275G	89.95	Inf	-Inf	83.45	3	Horizontal	233	2.01	-	34.56	7.49	35.55
PK	5.8955G	77.82	109.83	-32.01	71.30	3	Horizontal	233	2.01	BP 1MHz	34.57	7.50	35.55
AV	5.8955G	64.71	89.83	-25.12	58.19	3	Horizontal	233	2.01	BP 1MHz	34.57	7.50	35.55

802.11ax HEW20_Nss1,(MCS0)_1TX

5885MHz_TnomVnom




EUT_X_1TX
Setting 16
03-B-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.7858G	67.65	74.00	-6.35	52.93	3	Vertical	169	2.71	-	39.49	10.77	35.54
AV	11.7868G	51.54	54.00	-2.46	36.82	3	Vertical	169	2.71	-	39.49	10.77	35.54

802.11ax HEW20_Nss1,(MCS0)_1TX

5885MHz_TnomVnom



EUT_X_1TX
Setting 16
03-B-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.7868G	63.44	74.00	-10.56	48.72	3	Horizontal	150	2.00	-	39.49	10.77	35.54
AV	11.7866G	48.51	54.00	-5.49	33.79	3	Horizontal	150	2.00	-	39.49	10.77	35.54



RSE TX above 1GHz
<Partial RU> UNII 4_RU 52_Ant. 2 (1TX)


Appendix E.36

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.895GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	AV	11.784G	52.20	54.00	-1.80	3	Horizontal	204	2.07	-

802.11ax HEW20_Nss1,(MCS0)_1TX

5845MHz_TnomVnom




EUT_Z_1TX
Setting 21.5
03-B-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.627G	59.10	68.20	-9.10	52.39	3	Vertical	125	1.71	-	34.55	7.57	35.41
PK	5.851G	114.28	Inf	-Inf	108.05	3	Vertical	125	1.71	-	34.31	7.45	35.53
AV	5.851G	102.09	Inf	-Inf	95.86	3	Vertical	125	1.71	-	34.31	7.45	35.53
PK	5.936G	60.01	88.20	-28.19	53.30	3	Vertical	125	1.71	-	34.74	7.54	35.57
AV	6.011G	46.51	68.20	-21.69	39.67	3	Vertical	125	1.71	-	34.82	7.62	35.60

802.11ax HEW20_Nss1,(MCS0)_1TX

5845MHz_TnomVnom




EUT Z_1TX
Setting 21.5
03-B-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.639G	58.87	68.20	-9.33	52.21	3	Horizontal	63	1.88	-	34.52	7.56	35.42
PK	5.851G	114.07	Inf	-Inf	107.84	3	Horizontal	63	1.88	-	34.31	7.45	35.53
AV	5.851G	101.83	Inf	-Inf	95.60	3	Horizontal	63	1.88	-	34.31	7.45	35.53
PK	6.013G	59.52	88.20	-28.68	52.66	3	Horizontal	63	1.88	-	34.83	7.62	35.59
AV	6.012G	46.43	68.20	-21.77	39.59	3	Horizontal	63	1.88	-	34.82	7.62	35.60

802.11ax HEW20_Nss1,(MCS0)_1TX

5845MHz_TnomVnom




EUT_X_1TX
Setting 21.5
03-B-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.703G	62.69	74.00	-11.31	48.09	3	Vertical	168	3.00	-	39.40	10.76	35.56
AV	11.704G	49.76	54.00	-4.24	35.16	3	Vertical	168	3.00	-	39.40	10.76	35.56

802.11ax HEW20_Nss1,(MCS0)_1TX

5845MHz_TnomVnom




EUT_X_1TX
Setting 21.5
03-B-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.7038G	63.80	74.00	-10.20	49.20	3	Horizontal	204	2.04	-	39.40	10.76	35.56
AV	11.7042G	50.84	54.00	-3.16	36.24	3	Horizontal	204	2.04	-	39.40	10.76	35.56

802.11ax HEW20_Nss1,(MCS0)_1TX

5865MHz_TnomVnom




EUT_Z_1TX
Setting 21.5
03-B-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.631G	58.48	68.20	-9.72	51.79	3	Vertical	124	1.51	-	34.54	7.57	35.42	
PK	5.871G	115.11	Inf	-Inf	108.75	3	Vertical	124	1.51	-	34.43	7.47	35.54	
AV	5.871G	102.91	Inf	-Inf	96.55	3	Vertical	124	1.51	-	34.43	7.47	35.54	
PK	5.931G	61.31	88.20	-26.89	54.63	3	Vertical	124	1.51	-	34.72	7.53	35.57	
AV	6.032G	46.50	68.20	-21.70	39.58	3	Vertical	124	1.51	-	34.86	7.65	35.59	

802.11ax HEW20_Nss1,(MCS0)_1TX

5865MHz_TnomVnom




EUT Z_1TX
Setting 21.5
03-B-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.647G	58.57	68.20	-9.63	51.93	3	Horizontal	121	1.80	-	34.51	7.55	35.42	
PK	5.871G	114.59	Inf	-Inf	108.23	3	Horizontal	121	1.80	-	34.43	7.47	35.54	
AV	5.871G	102.36	Inf	-Inf	96.00	3	Horizontal	121	1.80	-	34.43	7.47	35.54	
PK	5.93G	61.06	88.20	-27.14	54.37	3	Horizontal	121	1.80	-	34.72	7.53	35.56	
AV	6.032G	46.31	68.20	-21.89	39.39	3	Horizontal	121	1.80	-	34.86	7.65	35.59	

802.11ax HEW20_Nss1,(MCS0)_1TX

5865MHz_TnomVnom




EUT_X_1TX
Setting 21.5
03-B-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.7436G	58.86	74.00	-15.14	44.21	3	Vertical	146	1.96	-	39.44	10.76	35.55
AV	11.744G	45.52	54.00	-8.48	30.87	3	Vertical	146	1.96	-	39.44	10.76	35.55

802.11ax HEW20_Nss1,(MCS0)_1TX

5865MHz_TnomVnom




EUT_X_1TX
Setting 21.5
03-B-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.7444G	63.98	74.00	-10.02	49.33	3	Horizontal	206	2.09	-	39.44	10.76	35.55
AV	11.744G	51.04	54.00	-2.96	36.39	3	Horizontal	206	2.09	-	39.44	10.76	35.55

802.11ax HEW20_Nss1,(MCS0)_1TX

5885MHz_TnomVnom




EUT_Z_1TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7095G	59.98	107.86	-47.88	53.75	3	Vertical	167	2.03	BP 1MHz	34.28	7.40	35.45
PK	5.89063G	105.53	Inf	-Inf	99.05	3	Vertical	167	2.03	-	34.54	7.49	35.55
AV	5.89125G	98.81	Inf	-Inf	92.32	3	Vertical	167	2.03	-	34.55	7.49	35.55
PK	5.8955G	94.82	109.83	-15.01	88.30	3	Vertical	167	2.03	BP 1MHz	34.57	7.50	35.55
AV	5.8955G	85.63	89.83	-4.20	79.11	3	Vertical	167	2.03	BP 1MHz	34.57	7.50	35.55

802.11ax HEW20_Nss1,(MCS0)_1TX

5885MHz_TnomVnom




EUT_Z_1TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7245G	60.11	121.06	-60.95	53.92	3	Horizontal	234	1.90	BP 1MHz	34.25	7.40	35.46
PK	5.89063G	101.31	Inf	-Inf	94.83	3	Horizontal	234	1.90	-	34.54	7.49	35.55
AV	5.89125G	94.39	Inf	-Inf	87.90	3	Horizontal	234	1.90	-	34.55	7.49	35.55
PK	5.8955G	90.60	109.83	-19.23	84.08	3	Horizontal	234	1.90	BP 1MHz	34.57	7.50	35.55
AV	5.8955G	81.57	89.83	-8.26	75.05	3	Horizontal	234	1.90	BP 1MHz	34.57	7.50	35.55

802.11ax HEW20_Nss1,(MCS0)_1TX

5885MHz_TnomVnom




EUT_X_1TX
Setting 21.5
03-B-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.7838G	60.71	74.00	-13.29	46.00	3	Vertical	150	2.91	-	39.48	10.77	35.54
AV	11.7842G	47.73	54.00	-6.27	33.02	3	Vertical	150	2.91	-	39.48	10.77	35.54

802.11ax HEW20_Nss1,(MCS0)_1TX

5885MHz_TnomVnom



EUT_X_1TX
Setting 21.5
03-B-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.7838G	64.88	74.00	-9.12	50.17	3	Horizontal	204	2.07	-	39.48	10.77	35.54
AV	11.784G	52.20	54.00	-1.80	37.49	3	Horizontal	204	2.07	-	39.48	10.77	35.54



RSE TX above 1GHz
<Partial RU> UNII 4_RU 106_Ant. 2 (1TX)


Appendix E.37

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.895GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1.(MCS0)_1TX	Pass	AV	11.7762G	50.73	54.00	-3.27	3	Horizontal	205	2.06	-

802.11ax HEW20_Nss1,(MCS0)_1TX

5845MHz_TnomVnom




EUT_Z_1TX
Setting 21.5
03-B-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.614G	58.54	68.20	-9.66	51.79	3	Vertical	124	1.71	-	34.57	7.59	35.41
PK	5.848G	114.17	Inf	-Inf	107.94	3	Vertical	124	1.71	-	34.30	7.45	35.52
AV	5.847G	102.15	Inf	-Inf	95.93	3	Vertical	124	1.71	-	34.29	7.45	35.52
AV	6.007G	46.32	68.20	-21.88	39.50	3	Vertical	124	1.71	-	34.81	7.61	35.60
PK	6.075G	59.16	88.20	-29.04	52.07	3	Vertical	124	1.71	-	34.95	7.71	35.57

802.11ax HEW20_Nss1,(MCS0)_1TX

5845MHz_TnomVnom




EUT_Z_1TX
Setting 21.5
03-B-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.64G	58.60	68.20	-9.60	51.94	3	Horizontal	68	1.93	-	34.52	7.56	35.42
PK	5.848G	113.76	Inf	-Inf	107.53	3	Horizontal	68	1.93	-	34.30	7.45	35.52
AV	5.847G	101.89	Inf	-Inf	95.67	3	Horizontal	68	1.93	-	34.29	7.45	35.52
PK	6.041G	60.43	88.20	-27.77	53.47	3	Horizontal	68	1.93	-	34.88	7.66	35.58
AV	6.007G	46.14	68.20	-22.06	39.32	3	Horizontal	68	1.93	-	34.81	7.61	35.60

802.11ax HEW20_Nss1,(MCS0)_1TX

5845MHz_TnomVnom




EUT_X_1TX
Setting 21.5
03-B-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6948G	61.83	74.00	-12.17	47.24	3	Vertical	169	3.00	-	39.40	10.75	35.56
AV	11.6962G	48.86	54.00	-5.14	34.27	3	Vertical	169	3.00	-	39.40	10.75	35.56

802.11ax HEW20_Nss1,(MCS0)_1TX

5845MHz_TnomVnom




EUT_X_1TX
Setting 21.5
03-B-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6962G	63.26	74.00	-10.74	48.67	3	Horizontal	205	2.09	-	39.40	10.75	35.56
AV	11.6962G	50.10	54.00	-3.90	35.51	3	Horizontal	205	2.09	-	39.40	10.75	35.56

802.11ax HEW20_Nss1,(MCS0)_1TX

5865MHz_TnomVnom




EUT_Z_1TX
Setting 21.5
03-B-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.633G	58.66	68.20	-9.54	51.98	3	Vertical	126	1.80	-	34.53	7.57	35.42
PK	5.868G	113.77	Inf	-Inf	107.42	3	Vertical	126	1.80	-	34.41	7.47	35.53
AV	5.867G	101.63	Inf	-Inf	95.29	3	Vertical	126	1.80	-	34.40	7.47	35.53
PK	5.925G	60.06	88.20	-28.14	53.39	3	Vertical	126	1.80	-	34.70	7.53	35.56
AV	6.027G	46.19	68.20	-22.01	39.29	3	Vertical	126	1.80	-	34.85	7.64	35.59

802.11ax HEW20_Nss1,(MCS0)_1TX

5865MHz_TnomVnom




EUT_Z_1TX
Setting 21.5
03-B-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.64G	58.92	68.20	-9.28	52.26	3	Horizontal	120	1.78	-	34.52	7.56	35.42
PK	5.868G	114.10	Inf	-Inf	107.75	3	Horizontal	120	1.78	-	34.41	7.47	35.53
AV	5.867G	101.94	Inf	-Inf	95.60	3	Horizontal	120	1.78	-	34.40	7.47	35.53
PK	5.929G	60.27	88.20	-27.93	53.58	3	Horizontal	120	1.78	-	34.72	7.53	35.56
AV	6.027G	46.25	68.20	-21.95	39.35	3	Horizontal	120	1.78	-	34.85	7.64	35.59

802.11ax HEW20_Nss1,(MCS0)_1TX

5865MHz_TnomVnom




EUT_X_1TX
Setting 21.5
03-B-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.729G	60.92	74.00	-13.08	46.28	3	Vertical	151	2.98	-	39.43	10.76	35.55
AV	11.7362G	46.97	54.00	-7.03	32.32	3	Vertical	151	2.98	-	39.44	10.76	35.55

802.11ax HEW20_Nss1,(MCS0)_1TX

5865MHz_TnomVnom




EUT_X_1TX
Setting 21.5
03-B-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.736G	62.92	74.00	-11.08	48.27	3	Horizontal	205	2.08	-	39.44	10.76	35.55
AV	11.7362G	50.32	54.00	-3.68	35.67	3	Horizontal	205	2.08	-	39.44	10.76	35.55

802.11ax HEW20_Nss1,(MCS0)_1TX

5885MHz_TnomVnom




EUT_Z_1TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7175G	60.05	110.10	-50.05	53.84	3	Vertical	333	2.02	BP 1MHz	34.27	7.40	35.46
PK	5.88625G	104.44	Inf	-Inf	97.97	3	Vertical	333	2.02	-	34.52	7.49	35.54
AV	5.8875G	97.22	Inf	-Inf	90.75	3	Vertical	333	2.02	-	34.52	7.49	35.54
PK	5.8955G	93.98	109.83	-15.85	87.46	3	Vertical	333	2.02	BP 1MHz	34.57	7.50	35.55
AV	5.8955G	84.94	89.83	-4.89	78.42	3	Vertical	333	2.02	BP 1MHz	34.57	7.50	35.55

802.11ax HEW20_Nss1,(MCS0)_1TX

5885MHz_TnomVnom




EUT_Z_1TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6745G	60.11	86.33	-26.22	53.75	3	Horizontal	234	1.89	BP 1MHz	34.40	7.40	35.44
PK	5.88625G	101.09	Inf	-Inf	94.62	3	Horizontal	234	1.89	-	34.52	7.49	35.54
AV	5.8875G	94.15	Inf	-Inf	87.68	3	Horizontal	234	1.89	-	34.52	7.49	35.54
PK	5.8955G	91.11	109.83	-18.72	84.59	3	Horizontal	234	1.89	BP 1MHz	34.57	7.50	35.55
AV	5.8955G	81.81	89.83	-8.02	75.29	3	Horizontal	234	1.89	BP 1MHz	34.57	7.50	35.55

802.11ax HEW20_Nss1,(MCS0)_1TX

5885MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-B-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.7762G	59.60	74.00	-14.40	44.89	3	Vertical	148	2.85	-	39.48	10.77	35.54
AV	11.7762G	46.05	54.00	-7.95	31.34	3	Vertical	148	2.85	-	39.48	10.77	35.54

802.11ax HEW20_Nss1,(MCS0)_1TX

5885MHz_TnomVnom



EUT X_1TX
Setting 21.5
03-B-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.7764G	64.04	74.00	-9.96	49.33	3	Horizontal	205	2.06	-	39.48	10.77	35.54
AV	11.7762G	50.73	54.00	-3.27	36.02	3	Horizontal	205	2.06	-	39.48	10.77	35.54



RSE TX above 1GHz
<Partial RU> UNII 4_RU 26_Ant. 3 (1TX)


Appendix E.38

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.895GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1.(MCS0)_1TX	Pass	AV	11.7068G	53.82	54.00	-0.18	3	Vertical	165	3.00	-

802.11ax HEW20_Nss1,(MCS0)_1TX

5845MHz_TnomVnom




EUT X_1TX
Setting 18.75
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.648G	59.58	68.20	-8.62	52.95	3	Vertical	77	1.70	-	34.50	7.55	35.42
PK	5.853G	123.11	Inf	-Inf	116.87	3	Vertical	77	1.70	-	34.32	7.45	35.53
AV	5.853G	111.42	Inf	-Inf	105.18	3	Vertical	77	1.70	-	34.32	7.45	35.53
AV	6.013G	48.50	68.20	-19.70	41.64	3	Vertical	77	1.70	-	34.83	7.62	35.59
PK	6.092G	60.85	88.20	-27.35	53.69	3	Vertical	77	1.70	-	34.98	7.74	35.56

802.11ax HEW20_Nss1,(MCS0)_1TX

5845MHz_TnomVnom




EUT X_1TX
Setting 18.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.706G	68.34	74.00	-5.66	53.72	3	Vertical	165	3.00	-	39.41	10.76	35.55
AV	11.7068G	53.82	54.00	-0.18	39.20	3	Vertical	165	3.00	-	39.41	10.76	35.55

802.11ax HEW20_Nss1,(MCS0)_1TX

5845MHz_TnomVnom




EUT X_1TX
Setting 18.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.7054G	64.61	74.00	-9.39	49.99	3	Horizontal	191	2.14	-	39.41	10.76	35.55
AV	11.7068G	50.93	54.00	-3.07	36.31	3	Horizontal	191	2.14	-	39.41	10.76	35.55

802.11ax HEW20_Nss1,(MCS0)_1TX

5865MHz_TnomVnom




EUT X_1TX
Setting 19.25
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.637G	59.29	68.20	-8.91	52.62	3	Vertical	76	1.67	-	34.53	7.56	35.42
PK	5.873G	123.61	Inf	-Inf	117.24	3	Vertical	76	1.67	-	34.44	7.47	35.54
AV	5.873G	112.23	Inf	-Inf	105.86	3	Vertical	76	1.67	-	34.44	7.47	35.54
PK	6.034G	61.09	88.20	-27.11	54.16	3	Vertical	76	1.67	-	34.87	7.65	35.59
AV	6.033G	48.65	68.20	-19.55	41.72	3	Vertical	76	1.67	-	34.87	7.65	35.59

802.11ax HEW20_Nss1,(MCS0)_1TX

5865MHz_TnomVnom




EUT X_1TX
Setting 19.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.7456G	67.82	74.00	-6.18	53.16	3	Vertical	165	2.70	-	39.45	10.76	35.55
AV	11.7466G	53.76	54.00	-0.24	39.10	3	Vertical	165	2.70	-	39.45	10.76	35.55

802.11ax HEW20_Nss1,(MCS0)_1TX

5865MHz_TnomVnom




EUT X_1TX
Setting 19.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.7474G	64.91	74.00	-9.09	50.25	3	Horizontal	195	2.08	-	39.45	10.76	35.55
AV	11.7468G	51.32	54.00	-2.68	36.66	3	Horizontal	195	2.08	-	39.45	10.76	35.55

802.11ax HEW20_Nss1,(MCS0)_1TX

5885MHz_TnomVnom




EUT X_1TX
Setting 12.25
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.89255G	102.06	Inf	-Inf	95.56	3	Vertical	50	1.80	-	34.56	7.49	35.55
AV	5.89253G	94.29	Inf	-Inf	87.79	3	Vertical	50	1.80	-	34.56	7.49	35.55
AV	5.8955G	66.80	89.83	-23.03	60.28	3	Vertical	50	1.80	BP 1MHz	34.57	7.50	35.55
PK	5.8955G	80.37	109.83	-29.46	73.85	3	Vertical	50	1.80	BP 1MHz	34.57	7.50	35.55
AV	5.8955G	66.77	89.83	-23.06	60.25	3	Vertical	50	1.80	BP 1MHz	34.57	7.50	35.55

802.11ax HEW20_Nss1,(MCS0)_1TX

5885MHz_TnomVnom




EUT X_1TX
Setting 12.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.7862G	61.02	74.00	-12.98	46.30	3	Vertical	167	2.95	-	39.49	10.77	35.54
AV	11.7866G	45.51	54.00	-8.49	30.79	3	Vertical	167	2.95	-	39.49	10.77	35.54

802.11ax HEW20_Nss1,(MCS0)_1TX

5885MHz_TnomVnom



EUT X_1TX
Setting 12.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.7868G	57.87	74.00	-16.13	43.15	3	Horizontal	140	2.10	-	39.49	10.77	35.54
AV	11.7868G	43.40	54.00	-10.60	28.68	3	Horizontal	140	2.10	-	39.49	10.77	35.54



RSE TX above 1GHz
<Partial RU> UNII 4_RU 52_Ant. 3 (1TX)


Appendix E.39

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.895GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	AV	11.704G	53.83	54.00	-0.17	3	Vertical	169	3.00	-

802.11ax HEW20_Nss1,(MCS0)_1TX

5845MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.629G	59.80	68.20	-8.40	53.10	3	Vertical	79	1.77	-	34.54	7.57	35.41
PK	5.851G	121.65	Inf	-Inf	115.42	3	Vertical	79	1.77	-	34.31	7.45	35.53
AV	5.851G	109.60	Inf	-Inf	103.37	3	Vertical	79	1.77	-	34.31	7.45	35.53
PK	5.939G	61.65	88.20	-26.55	54.92	3	Vertical	79	1.77	-	34.76	7.54	35.57
AV	6.011G	48.22	68.20	-19.98	41.38	3	Vertical	79	1.77	-	34.82	7.62	35.60

802.11ax HEW20_Nss1,(MCS0)_1TX

5845MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.7054G	66.59	74.00	-7.41	51.97	3	Vertical	169	3.00	-	39.41	10.76	35.55
AV	11.704G	53.83	54.00	-0.17	39.23	3	Vertical	169	3.00	-	39.40	10.76	35.56

802.11ax HEW20_Nss1,(MCS0)_1TX

5845MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.7056G	60.93	74.00	-13.07	46.31	3	Horizontal	0	2.57	-	39.41	10.76	35.55
AV	11.704G	48.20	54.00	-5.80	33.60	3	Horizontal	0	2.57	-	39.40	10.76	35.56

802.11ax HEW20_Nss1,(MCS0)_1TX

5865MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6442G	60.23	68.20	-7.97	53.58	3	Vertical	79.6	1.66	-	34.51	7.56	35.42
PK	5.8712G	122.18	Inf	-Inf	115.82	3	Vertical	79.6	1.66	-	34.43	7.47	35.54
AV	5.8712G	110.02	Inf	-Inf	103.66	3	Vertical	79.6	1.66	-	34.43	7.47	35.54
PK	5.9012G	86.23	105.65	-19.42	79.68	3	Vertical	79.6	1.66	-	34.60	7.50	35.55
AV	6.0312G	48.39	68.20	-19.81	41.47	3	Vertical	79.6	1.66	-	34.86	7.65	35.59

802.11ax HEW20_Nss1,(MCS0)_1TX

5865MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.7428G	65.91	74.00	-8.09	51.26	3	Vertical	165	2.73	-	39.44	10.76	35.55
AV	11.744G	53.22	54.00	-0.78	38.57	3	Vertical	165	2.73	-	39.44	10.76	35.55

802.11ax HEW20_Nss1,(MCS0)_1TX

5865MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.7428G	61.04	74.00	-12.96	46.39	3	Horizontal	360	2.58	-	39.44	10.76	35.55
AV	11.744G	47.91	54.00	-6.09	33.26	3	Horizontal	360	2.58	-	39.44	10.76	35.55

802.11ax HEW20_Nss1,(MCS0)_1TX

5885MHz_TnomVnom




EUT X_1TX
Setting 16.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.8862G	102.71	Inf	-Inf	96.24	3	Vertical	48	1.80	-	34.52	7.49	35.54	
AV	5.8912G	96.17	Inf	-Inf	89.68	3	Vertical	48	1.80	-	34.55	7.49	35.55	
PK	5.8955G	81.20	109.83	-28.63	74.68	3	Vertical	48	1.80	BP 1MHz	34.57	7.50	35.55	
AV	5.8955G	70.67	89.83	-19.16	64.15	3	Vertical	48	1.80	BP 1MHz	34.57	7.50	35.55	

802.11ax HEW20_Nss1,(MCS0)_1TX

5885MHz_TnomVnom




EUT X_1TX
Setting 16.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.7834G	62.75	74.00	-11.25	48.04	3	Vertical	163	2.74	-	39.48	10.77	35.54	
AV	11.784G	48.29	54.00	-5.71	33.58	3	Vertical	163	2.74	-	39.48	10.77	35.54	

802.11ax HEW20_Nss1,(MCS0)_1TX

5885MHz_TnomVnom



EUT X_1TX
Setting 16.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.7846G	60.02	74.00	-13.98	45.31	3	Horizontal	198	1.80	-	39.48	10.77	35.54
AV	11.784G	45.10	54.00	-8.90	30.39	3	Horizontal	198	1.80	-	39.48	10.77	35.54



RSE TX above 1GHz
<Partial RU> UNII 4_RU 106_Ant. 3 (1TX)


Appendix E.40

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.895GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1.(MCS0)_1TX	Pass	AV	11.7362G	52.31	54.00	-1.69	3	Vertical	162	2.72	-

802.11ax HEW20_Nss1,(MCS0)_1TX

5845MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.649G	60.16	68.20	-8.04	53.53	3	Vertical	76	1.69	-	34.50	7.55	35.42
PK	5.848G	121.43	Inf	-Inf	115.20	3	Vertical	76	1.69	-	34.30	7.45	35.52
AV	5.847G	109.86	Inf	-Inf	103.64	3	Vertical	76	1.69	-	34.29	7.45	35.52
PK	5.929G	61.03	88.20	-27.17	54.34	3	Vertical	76	1.69	-	34.72	7.53	35.56
AV	6.009G	47.75	68.20	-20.45	40.92	3	Vertical	76	1.69	-	34.82	7.61	35.60

802.11ax HEW20_Nss1,(MCS0)_1TX

5845MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.701G	64.16	74.00	-9.84	49.56	3	Vertical	163	3.00	-	39.40	10.76	35.56
AV	11.6962G	51.25	54.00	-2.75	36.66	3	Vertical	163	3.00	-	39.40	10.75	35.56

802.11ax HEW20_Nss1,(MCS0)_1TX

5845MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.701G	60.10	74.00	-13.90	45.50	3	Horizontal	-0	2.60	-	39.40	10.76	35.56
AV	11.6962G	46.72	54.00	-7.28	32.13	3	Horizontal	-0	2.60	-	39.40	10.75	35.56

802.11ax HEW20_Nss1,(MCS0)_1TX

5865MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.639G	58.52	68.20	-9.68	51.86	3	Vertical	78	1.68	-	34.52	7.56	35.42
PK	5.868G	121.89	Inf	-Inf	115.54	3	Vertical	78	1.68	-	34.41	7.47	35.53
AV	5.867G	109.93	Inf	-Inf	103.59	3	Vertical	78	1.68	-	34.40	7.47	35.53
PK	5.921G	67.48	91.13	-23.65	60.84	3	Vertical	78	1.68	-	34.68	7.52	35.56
AV	5.925G	48.03	68.20	-20.17	41.36	3	Vertical	78	1.68	-	34.70	7.53	35.56

802.11ax HEW20_Nss1,(MCS0)_1TX

5865MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.7348G	65.73	74.00	-8.27	51.09	3	Vertical	162	2.72	-	39.43	10.76	35.55
AV	11.7362G	52.31	54.00	-1.69	37.66	3	Vertical	162	2.72	-	39.44	10.76	35.55

802.11ax HEW20_Nss1,(MCS0)_1TX

5865MHz_TnomVnom




EUT X_1TX
Setting 21.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.7364G	60.11	74.00	-13.89	45.46	3	Horizontal	357	2.61	-	39.44	10.76	35.55
AV	11.7384G	46.79	54.00	-7.21	32.14	3	Horizontal	357	2.61	-	39.44	10.76	35.55

802.11ax HEW20_Nss1,(MCS0)_1TX

5885MHz_TnomVnom




EUT X_1TX
Setting 18.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	5.88743G	98.63	Inf	-Inf	92.16	3	Vertical	51	1.80	-	34.52	7.49	35.54
PK	5.88623G	105.02	Inf	-Inf	98.55	3	Vertical	51	1.80	-	34.52	7.49	35.54
PK	5.8955G	88.84	109.83	-20.99	82.32	3	Vertical	51	1.80	BP 1MHz	34.57	7.50	35.55
AV	5.8955G	77.28	89.83	-12.55	70.76	3	Vertical	51	1.80	BP 1MHz	34.57	7.50	35.55
PK	5.8955G	88.76	109.83	-21.07	82.24	3	Vertical	51	1.80	BP 1MHz	34.57	7.50	35.55

802.11ax HEW20_Nss1,(MCS0)_1TX

5885MHz_TnomVnom




EUT X_1TX
Setting 18.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.776G	63.88	74.00	-10.12	49.17	3	Vertical	165	2.71	-	39.48	10.77	35.54
AV	11.7762G	50.36	54.00	-3.64	35.65	3	Vertical	165	2.71	-	39.48	10.77	35.54

802.11ax HEW20_Nss1,(MCS0)_1TX

5885MHz_TnomVnom



EUT X_1TX
Setting 18.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.7786G	59.71	74.00	-14.29	45.00	3	Horizontal	197	1.80	-	39.48	10.77	35.54
AV	11.7784G	45.34	54.00	-8.66	30.63	3	Horizontal	197	1.80	-	39.48	10.77	35.54



RSE TX above 1GHz
<Partial RU> UNII 4_RU 26_Ant. 1 (2TX)


Appendix E.41

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.895GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	AV	11.707G	53.76	54.00	-0.24	3	Vertical	178	2.81	-

802.11ax HEW20_Nss1,(MCS0)_2TX

5845MHz_TnomVnom




EUT X_2TX
Setting 19.25
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.634G	59.09	68.20	-9.11	52.41	3	Vertical	232	1.80	-	34.53	7.57	35.42
PK	5.854G	120.18	Inf	-Inf	113.94	3	Vertical	232	1.80	-	34.32	7.45	35.53
AV	5.853G	108.51	Inf	-Inf	102.27	3	Vertical	232	1.80	-	34.32	7.45	35.53
PK	5.972G	59.82	88.20	-28.38	53.04	3	Vertical	232	1.80	-	34.80	7.57	35.59
AV	6.013G	47.60	68.20	-20.60	40.74	3	Vertical	232	1.80	-	34.83	7.62	35.59

802.11ax HEW20_Nss1,(MCS0)_2TX

5845MHz_TnomVnom




EUT X_2TX
Setting 19.25
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.61G	58.67	68.20	-9.53	51.91	3	Horizontal	211	2.94	-	34.58	7.59	35.41
PK	5.853G	119.71	Inf	-Inf	113.47	3	Horizontal	211	2.94	-	34.32	7.45	35.53
AV	5.853G	109.18	Inf	-Inf	102.94	3	Horizontal	211	2.94	-	34.32	7.45	35.53
PK	5.954G	59.55	88.20	-28.65	52.78	3	Horizontal	211	2.94	-	34.80	7.55	35.58
AV	6.013G	47.19	68.20	-21.01	40.33	3	Horizontal	211	2.94	-	34.83	7.62	35.59

802.11ax HEW20_Nss1,(MCS0)_2TX

5845MHz_TnomVnom




EUT X_2TX
Setting 19.25
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.707G	66.79	74.00	-7.21	52.17	3	Vertical	178	2.81	-	39.41	10.76	35.55
AV	11.707G	53.76	54.00	-0.24	39.14	3	Vertical	178	2.81	-	39.41	10.76	35.55

802.11ax HEW20_Nss1,(MCS0)_2TX

5845MHz_TnomVnom




EUT X_2TX
Setting 19.25
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.708G	66.63	74.00	-7.37	52.01	3	Horizontal	199	2.00	-	39.41	10.76	35.55
AV	11.7074G	51.77	54.00	-2.23	37.15	3	Horizontal	199	2.00	-	39.41	10.76	35.55

802.11ax HEW20_Nss1,(MCS0)_2TX

5865MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.626G	58.93	68.20	-9.27	52.22	3	Vertical	231	1.80	-	34.55	7.57	35.41
PK	5.874G	121.21	Inf	-Inf	114.84	3	Vertical	231	1.80	-	34.44	7.47	35.54
AV	5.873G	110.40	Inf	-Inf	104.03	3	Vertical	231	1.80	-	34.44	7.47	35.54
PK	5.906G	81.87	102.13	-20.26	75.29	3	Vertical	231	1.80	-	34.62	7.51	35.55
AV	6.033G	48.41	68.20	-19.79	41.48	3	Vertical	231	1.80	-	34.87	7.65	35.59

802.11ax HEW20_Nss1,(MCS0)_2TX

5865MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.64G	58.66	68.20	-9.54	52.00	3	Horizontal	208	1.77	-	34.52	7.56	35.42
PK	5.873G	119.89	Inf	-Inf	113.52	3	Horizontal	208	1.77	-	34.44	7.47	35.54
AV	5.873G	109.91	Inf	-Inf	103.54	3	Horizontal	208	1.77	-	34.44	7.47	35.54
PK	5.906G	82.01	102.13	-20.12	75.43	3	Horizontal	208	1.77	-	34.62	7.51	35.55
AV	6.033G	48.06	68.20	-20.14	41.13	3	Horizontal	208	1.77	-	34.87	7.65	35.59

802.11ax HEW20_Nss1,(MCS0)_2TX

5865MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.7472G	60.96	74.00	-13.04	46.30	3	Vertical	221	1.80	-	39.45	10.76	35.55
AV	11.7472G	47.72	54.00	-6.28	33.06	3	Vertical	221	1.80	-	39.45	10.76	35.55

802.11ax HEW20_Nss1,(MCS0)_2TX

5865MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.7476G	67.89	74.00	-6.11	53.23	3	Horizontal	200	2.04	-	39.45	10.76	35.55
AV	11.7474G	53.05	54.00	-0.95	38.39	3	Horizontal	200	2.04	-	39.45	10.76	35.55

802.11ax HEW20_Nss1,(MCS0)_2TX

5885MHz_TnomVnom




EUT_X_2TX
Setting 15
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.89265G	106.88	Inf	-Inf	100.38	3	Vertical	86	2.07	-	34.56	7.49	35.55
AV	5.89293G	94.37	Inf	-Inf	87.87	3	Vertical	86	2.07	-	34.56	7.49	35.55
PK	5.8955G	86.72	109.83	-23.11	80.20	3	Vertical	86	2.07	BP 1MHz	34.57	7.50	35.55
AV	5.8955G	69.30	89.83	-20.53	62.78	3	Vertical	86	2.07	BP 1MHz	34.57	7.50	35.55

802.11ax HEW20_Nss1,(MCS0)_2TX

5885MHz_TnomVnom




EUT_X_2TX
Setting 15
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.89268G	108.12	Inf	-Inf	101.62	3	Horizontal	170	1.86	-	34.56	7.49	35.55
AV	5.89278G	97.35	Inf	-Inf	90.85	3	Horizontal	170	1.86	-	34.56	7.49	35.55
PK	5.8955G	87.50	109.83	-22.33	80.98	3	Horizontal	170	1.86	BP 1MHz	34.57	7.50	35.55
AV	5.8955G	72.21	89.83	-17.62	65.69	3	Horizontal	170	1.86	BP 1MHz	34.57	7.50	35.55

802.11ax HEW20_Nss1,(MCS0)_2TX

5885MHz_TnomVnom




EUT_X_2TX
Setting 15
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.7866G	63.26	74.00	-10.74	48.54	3	Vertical	179	3.00	-	39.49	10.77	35.54
AV	11.7872G	47.82	54.00	-6.18	33.10	3	Vertical	179	3.00	-	39.49	10.77	35.54

802.11ax HEW20_Nss1,(MCS0)_2TX

5885MHz_TnomVnom



EUT_X_2TX
Setting 15
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.7878G	61.72	74.00	-12.28	47.00	3	Horizontal	198	2.06	-	39.49	10.77	35.54
AV	11.7874G	46.88	54.00	-7.12	32.16	3	Horizontal	198	2.06	-	39.49	10.77	35.54



RSE TX above 1GHz
<Partial RU> UNII 4_RU 52_Ant. 1 (2TX)


Appendix E.42

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.895GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1.(MCS0)_2TX	Pass	AV	11.7844G	52.22	54.00	-1.78	3	Vertical	179	2.97	-

802.11ax HEW20_Nss1,(MCS0)_2TX

5845MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.641G	58.19	68.20	-10.01	51.53	3	Vertical	229	1.80	-	34.52	7.56	35.42
PK	5.851G	116.99	Inf	-Inf	110.76	3	Vertical	229	1.80	-	34.31	7.45	35.53
AV	5.851G	102.19	Inf	-Inf	95.96	3	Vertical	229	1.80	-	34.31	7.45	35.53
PK	6.053G	59.35	88.20	-28.85	52.34	3	Vertical	229	1.80	-	34.91	7.68	35.58
AV	6.012G	46.82	68.20	-21.38	39.98	3	Vertical	229	1.80	-	34.82	7.62	35.60

802.11ax HEW20_Nss1,(MCS0)_2TX

5845MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.641G	58.14	68.20	-10.06	51.48	3	Horizontal	205	1.94	-	34.52	7.56	35.42
PK	5.851G	116.46	Inf	-Inf	110.23	3	Horizontal	205	1.94	-	34.31	7.45	35.53
AV	5.851G	104.15	Inf	-Inf	97.92	3	Horizontal	205	1.94	-	34.31	7.45	35.53
PK	6.082G	59.10	88.20	-29.10	51.99	3	Horizontal	205	1.94	-	34.96	7.72	35.57
AV	6.011G	46.70	68.20	-21.50	39.86	3	Horizontal	205	1.94	-	34.82	7.62	35.60

802.11ax HEW20_Nss1,(MCS0)_2TX

5845MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.705G	58.10	74.00	-15.90	43.48	3	Vertical	220	1.80	-	39.41	10.76	35.55
AV	11.705G	45.21	54.00	-8.79	30.59	3	Vertical	220	1.80	-	39.41	10.76	35.55

802.11ax HEW20_Nss1,(MCS0)_2TX

5845MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.7052G	63.36	74.00	-10.64	48.74	3	Horizontal	200	2.04	-	39.41	10.76	35.55
AV	11.7052G	50.69	54.00	-3.31	36.07	3	Horizontal	200	2.04	-	39.41	10.76	35.55

802.11ax HEW20_Nss1,(MCS0)_2TX

5865MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.624G	58.85	68.20	-9.35	52.13	3	Vertical	233	1.80	-	34.55	7.58	35.41	
PK	5.872G	117.12	Inf	-Inf	110.76	3	Vertical	233	1.80	-	34.43	7.47	35.54	
AV	5.871G	104.63	Inf	-Inf	98.27	3	Vertical	233	1.80	-	34.43	7.47	35.54	
PK	5.929G	66.97	88.20	-21.23	60.28	3	Vertical	233	1.80	-	34.72	7.53	35.56	
AV	6.031G	46.84	68.20	-21.36	39.92	3	Vertical	233	1.80	-	34.86	7.65	35.59	

802.11ax HEW20_Nss1,(MCS0)_2TX

5865MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.646G	58.74	68.20	-9.46	52.10	3	Horizontal	207	1.94	-	34.51	7.55	35.42
PK	5.872G	117.58	Inf	-Inf	111.22	3	Horizontal	207	1.94	-	34.43	7.47	35.54
AV	5.871G	102.68	Inf	-Inf	96.32	3	Horizontal	207	1.94	-	34.43	7.47	35.54
PK	5.903G	83.09	104.33	-21.24	76.53	3	Horizontal	207	1.94	-	34.61	7.50	35.55
AV	6.032G	46.50	68.20	-21.70	39.58	3	Horizontal	207	1.94	-	34.86	7.65	35.59

802.11ax HEW20_Nss1,(MCS0)_2TX

5865MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.7444G	59.87	74.00	-14.13	45.22	3	Vertical	228	1.03	-	39.44	10.76	35.55
AV	11.7448G	47.14	54.00	-6.86	32.49	3	Vertical	228	1.03	-	39.44	10.76	35.55

802.11ax HEW20_Nss1,(MCS0)_2TX

5865MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.7454G	63.69	74.00	-10.31	49.03	3	Horizontal	201	2.03	-	39.45	10.76	35.55
AV	11.745G	50.81	54.00	-3.19	36.15	3	Horizontal	201	2.03	-	39.45	10.76	35.55

802.11ax HEW20_Nss1,(MCS0)_2TX

5885MHz_TnomVnom




EUT_X_2TX
Setting 19.25
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.89073G	107.68	Inf	-Inf	101.20	3	Vertical	152	1.79	-	34.54	7.49	35.55
AV	5.89133G	95.68	Inf	-Inf	89.19	3	Vertical	152	1.79	-	34.55	7.49	35.55
PK	5.8955G	93.62	109.83	-16.21	87.10	3	Vertical	152	1.79	BP 1MHz	34.57	7.50	35.55
AV	5.8955G	80.37	89.83	-9.46	73.85	3	Vertical	152	1.79	BP 1MHz	34.57	7.50	35.55

802.11ax HEW20_Nss1,(MCS0)_2TX

5885MHz_TnomVnom




EUT X_2TX
Setting 19.25
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.89068G	107.71	Inf	-Inf	101.23	3	Horizontal	25	2.13	-	34.54	7.49	35.55
AV	5.89103G	96.40	Inf	-Inf	89.91	3	Horizontal	25	2.13	-	34.55	7.49	35.55
PK	5.8955G	93.74	109.83	-16.09	87.22	3	Horizontal	25	2.13	BP 1MHz	34.57	7.50	35.55
AV	5.8955G	79.30	89.83	-10.53	72.78	3	Horizontal	25	2.13	BP 1MHz	34.57	7.50	35.55

802.11ax HEW20_Nss1,(MCS0)_2TX

5885MHz_TnomVnom




EUT X_2TX
Setting 19.25
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.7842G	65.53	74.00	-8.47	50.82	3	Vertical	179	2.97	-	39.48	10.77	35.54
AV	11.7844G	52.22	54.00	-1.78	37.51	3	Vertical	179	2.97	-	39.48	10.77	35.54

802.11ax HEW20_Nss1,(MCS0)_2TX

5885MHz_TnomVnom



EUT X_2TX
Setting 19.25
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.7852G	63.53	74.00	-10.47	48.81	3	Horizontal	197	2.04	-	39.49	10.77	35.54
AV	11.7852G	50.50	54.00	-3.50	35.78	3	Horizontal	197	2.04	-	39.49	10.77	35.54



RSE TX above 1GHz
<Partial RU> UNII 4_RU 106_Ant. 1 (2TX)


Appendix E.43

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.895GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	AV	5.8955G	87.93	89.83	-1.90	3	Horizontal	170	1.88	BP 1MHz

802.11ax HEW20_Nss1,(MCS0)_2TX

5845MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.601G	58.98	68.20	-9.22	52.18	3	Vertical	234	1.80	-	34.60	7.60	35.40
PK	5.848G	116.33	Inf	-Inf	110.10	3	Vertical	234	1.80	-	34.30	7.45	35.52
AV	5.849G	102.47	Inf	-Inf	96.24	3	Vertical	234	1.80	-	34.30	7.45	35.52
PK	6.011G	58.51	88.20	-29.69	51.67	3	Vertical	234	1.80	-	34.82	7.62	35.60
AV	6.009G	46.33	68.20	-21.87	39.50	3	Vertical	234	1.80	-	34.82	7.61	35.60

802.11ax HEW20_Nss1,(MCS0)_2TX

5845MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.597G	58.89	68.20	-9.31	52.10	3	Horizontal	210	1.93	-	34.60	7.59	35.40
PK	5.848G	115.97	Inf	-Inf	109.74	3	Horizontal	210	1.93	-	34.30	7.45	35.52
AV	5.848G	101.77	Inf	-Inf	95.54	3	Horizontal	210	1.93	-	34.30	7.45	35.52
PK	5.928G	59.17	88.20	-29.03	52.49	3	Horizontal	210	1.93	-	34.71	7.53	35.56
AV	6.008G	46.05	68.20	-22.15	39.22	3	Horizontal	210	1.93	-	34.82	7.61	35.60

802.11ax HEW20_Nss1,(MCS0)_2TX

5845MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.68898G	63.85	74.00	-10.15	49.26	3	Vertical	164	3.00	-	39.40	10.75	35.56
AV	11.69948G	49.99	54.00	-4.01	35.40	3	Vertical	164	3.00	-	39.40	10.75	35.56

802.11ax HEW20_Nss1,(MCS0)_2TX

5845MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.69504G	61.65	74.00	-12.35	47.06	3	Horizontal	200	1.80	-	39.40	10.75	35.56
AV	11.69546G	48.32	54.00	-5.68	33.73	3	Horizontal	200	1.80	-	39.40	10.75	35.56

802.11ax HEW20_Nss1,(MCS0)_2TX

5865MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.617G	58.25	68.20	-9.95	51.51	3	Vertical	225	1.80	-	34.57	7.58	35.41	
PK	5.869G	116.14	Inf	-Inf	109.79	3	Vertical	225	1.80	-	34.41	7.47	35.53	
AV	5.869G	102.49	Inf	-Inf	96.14	3	Vertical	225	1.80	-	34.41	7.47	35.53	
PK	5.928G	59.42	88.20	-28.78	52.74	3	Vertical	225	1.80	-	34.71	7.53	35.56	
AV	6.029G	46.52	68.20	-21.68	39.61	3	Vertical	225	1.80	-	34.86	7.64	35.59	

802.11ax HEW20_Nss1,(MCS0)_2TX

5865MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.629G	59.63	68.20	-8.57	52.93	3	Horizontal	205	1.76	-	34.54	7.57	35.41
PK	5.867G	115.96	Inf	-Inf	109.62	3	Horizontal	205	1.76	-	34.40	7.47	35.53
AV	5.867G	102.96	Inf	-Inf	96.62	3	Horizontal	205	1.76	-	34.40	7.47	35.53
PK	5.927G	59.30	88.20	-28.90	52.62	3	Horizontal	205	1.76	-	34.71	7.53	35.56
AV	6.027G	46.55	68.20	-21.65	39.65	3	Horizontal	205	1.76	-	34.85	7.64	35.59

802.11ax HEW20_Nss1,(MCS0)_2TX

5865MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.73744G	59.53	74.00	-14.47	44.88	3	Vertical	221	1.80	-	39.44	10.76	35.55
AV	11.73972G	45.08	54.00	-8.92	30.43	3	Vertical	221	1.80	-	39.44	10.76	35.55

802.11ax HEW20_Nss1,(MCS0)_2TX

5865MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.73498G	64.68	74.00	-9.32	50.04	3	Horizontal	199	2.02	-	39.43	10.76	35.55
AV	11.73552G	50.64	54.00	-3.36	35.99	3	Horizontal	199	2.02	-	39.44	10.76	35.55

802.11ax HEW20_Nss1,(MCS0)_2TX

5885MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.8876G	107.95	Inf	-Inf	101.47	3	Vertical	152	1.80	-	34.53	7.49	35.54	
AV	5.88755G	97.84	Inf	-Inf	91.36	3	Vertical	152	1.80	-	34.53	7.49	35.54	
PK	5.8955G	96.65	109.83	-13.18	90.13	3	Vertical	152	1.80	BP 1MHz	34.57	7.50	35.55	
AV	5.8955G	82.84	89.83	-6.99	76.32	3	Vertical	152	1.80	BP 1MHz	34.57	7.50	35.55	

802.11ax HEW20_Nss1,(MCS0)_2TX

5885MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8869G	108.39	Inf	-Inf	101.92	3	Horizontal	170	1.88	-	34.52	7.49	35.54
AV	5.8875G	100.57	Inf	-Inf	94.10	3	Horizontal	170	1.88	-	34.52	7.49	35.54
PK	5.8955G	97.71	109.83	-12.12	91.19	3	Horizontal	170	1.88	BP 1MHz	34.57	7.50	35.55
AV	5.8955G	87.93	89.83	-1.90	81.41	3	Horizontal	170	1.88	BP 1MHz	34.57	7.50	35.55

802.11ax HEW20_Nss1,(MCS0)_2TX

5885MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.77498G	59.11	74.00	-14.89	44.41	3	Vertical	220	1.80	-	39.47	10.77	35.54
AV	11.77756G	45.06	54.00	-8.94	30.35	3	Vertical	220	1.80	-	39.48	10.77	35.54

802.11ax HEW20_Nss1,(MCS0)_2TX

5885MHz_TnomVnom



EUT X_2TX
Setting 21.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.77522G	64.57	74.00	-9.43	49.86	3	Horizontal	138	2.04	-	39.48	10.77	35.54
AV	11.77522G	51.47	54.00	-2.53	36.76	3	Horizontal	138	2.04	-	39.48	10.77	35.54



RSE TX above 1GHz
<Partial RU> UNII 4_RU 26_Ant. 2 (2TX)


Appendix E.44

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.895GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1.(MCS0)_2TX	Pass	AV	11.7472G	53.82	54.00	-0.18	3	Horizontal	200	2.09	-

802.11ax HEW20_Nss1,(MCS0)_2TX

5845MHz_TnomVnom




EUT X_2TX
Setting 19.5
03-B-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.613G	58.69	68.20	-9.51	51.94	3	Vertical	183	1.68	-	34.57	7.59	35.41
PK	5.854G	121.60	Inf	-Inf	115.36	3	Vertical	183	1.68	-	34.32	7.45	35.53
AV	5.853G	110.27	Inf	-Inf	104.03	3	Vertical	183	1.68	-	34.32	7.45	35.53
PK	6.014G	61.33	88.20	-26.87	54.47	3	Vertical	183	1.68	-	34.83	7.62	35.59
AV	6.014G	49.55	68.20	-18.65	42.69	3	Vertical	183	1.68	-	34.83	7.62	35.59

802.11ax HEW20_Nss1,(MCS0)_2TX

5845MHz_TnomVnom




EUT X_2TX
Setting 19.5
03-B-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.617G	59.38	68.20	-8.82	52.64	3	Horizontal	202	2.99	-	34.57	7.58	35.41
PK	5.854G	115.36	Inf	-Inf	109.12	3	Horizontal	202	2.99	-	34.32	7.45	35.53
AV	5.853G	104.14	Inf	-Inf	97.90	3	Horizontal	202	2.99	-	34.32	7.45	35.53
PK	6.014G	59.67	88.20	-28.53	52.81	3	Horizontal	202	2.99	-	34.83	7.62	35.59
AV	6.015G	46.81	68.20	-21.39	39.95	3	Horizontal	202	2.99	-	34.83	7.62	35.59

802.11ax HEW20_Nss1,(MCS0)_2TX

5845MHz_TnomVnom




EUT X_2TX
Setting 19.5
03-B-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.7078G	66.72	74.00	-7.28	52.10	3	Vertical	193	2.36	-	39.41	10.76	35.55
AV	11.7072G	52.11	54.00	-1.89	37.49	3	Vertical	193	2.36	-	39.41	10.76	35.55

802.11ax HEW20_Nss1,(MCS0)_2TX

5845MHz_TnomVnom




EUT_X_2TX
Setting 19.5
03-B-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.7076G	68.45	74.00	-5.55	53.83	3	Horizontal	204	2.08	-	39.41	10.76	35.55
AV	11.7074G	53.70	54.00	-0.30	39.08	3	Horizontal	204	2.08	-	39.41	10.76	35.55

802.11ax HEW20_Nss1,(MCS0)_2TX

5865MHz_TnomVnom




EUT X_2TX
Setting 18
03-B-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.644G	59.91	68.20	-8.29	53.26	3	Vertical	64	1.80	-	34.51	7.56	35.42
PK	5.874G	121.86	Inf	-Inf	115.49	3	Vertical	64	1.80	-	34.44	7.47	35.54
AV	5.873G	110.49	Inf	-Inf	104.12	3	Vertical	64	1.80	-	34.44	7.47	35.54
PK	5.907G	79.68	101.40	-21.72	73.09	3	Vertical	64	1.80	-	34.63	7.51	35.55
AV	6.034G	49.01	68.20	-19.19	42.08	3	Vertical	64	1.80	-	34.87	7.65	35.59

802.11ax HEW20_Nss1,(MCS0)_2TX

5865MHz_TnomVnom




EUT X_2TX
Setting 18
03-B-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.637G	58.56	68.20	-9.64	51.89	3	Horizontal	61	1.00	-	34.53	7.56	35.42
PK	5.874G	115.59	Inf	-Inf	109.22	3	Horizontal	61	1.00	-	34.44	7.47	35.54
AV	5.873G	104.86	Inf	-Inf	98.49	3	Horizontal	61	1.00	-	34.44	7.47	35.54
PK	5.907G	74.75	101.40	-26.65	68.16	3	Horizontal	61	1.00	-	34.63	7.51	35.55
AV	6.034G	46.56	68.20	-21.64	39.63	3	Horizontal	61	1.00	-	34.87	7.65	35.59

802.11ax HEW20_Nss1,(MCS0)_2TX

5865MHz_TnomVnom




EUT_X_2TX
Setting 18
03-B-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.7478G	64.75	74.00	-9.25	50.09	3	Vertical	198	2.36	-	39.45	10.76	35.55
AV	11.747G	51.08	54.00	-2.92	36.42	3	Vertical	198	2.36	-	39.45	10.76	35.55

802.11ax HEW20_Nss1,(MCS0)_2TX

5865MHz_TnomVnom




EUT_X_2TX
Setting 18
03-B-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.7474G	68.88	74.00	-5.12	54.22	3	Horizontal	200	2.09	-	39.45	10.76	35.55
AV	11.7472G	53.82	54.00	-0.18	39.16	3	Horizontal	200	2.09	-	39.45	10.76	35.55

802.11ax HEW20_Nss1,(MCS0)_2TX

5885MHz_TnomVnom




EUT X_2TX
Setting 13.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8926G	104.17	Inf	-Inf	97.67	3	Vertical	224	1.80	-	34.56	7.49	35.55
AV	5.89258G	96.19	Inf	-Inf	89.69	3	Vertical	224	1.80	-	34.56	7.49	35.55
PK	5.8955G	84.17	109.83	-25.66	77.65	3	Vertical	224	1.80	BP 1MHz	34.57	7.50	35.55
AV	5.8955G	70.03	89.83	-19.80	63.51	3	Vertical	224	1.80	BP 1MHz	34.57	7.50	35.55

802.11ax HEW20_Nss1,(MCS0)_2TX

5885MHz_TnomVnom




EUT X_2TX
Setting 13.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8926G	97.19	Inf	-Inf	90.69	3	Horizontal	104	2.08	-	34.56	7.49	35.55
AV	5.89258G	89.16	Inf	-Inf	82.66	3	Horizontal	104	2.08	-	34.56	7.49	35.55
PK	5.8955G	77.31	109.83	-32.52	70.79	3	Horizontal	104	2.08	BP 1MHz	34.57	7.50	35.55
AV	5.8955G	62.89	89.83	-26.94	56.37	3	Horizontal	104	2.08	BP 1MHz	34.57	7.50	35.55

802.11ax HEW20_Nss1,(MCS0)_2TX

5885MHz_TnomVnom




EUT X_2TX
Setting 13.5
03-B-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.7874G	62.78	74.00	-11.22	48.06	3	Vertical	194	1.00	-	39.49	10.77	35.54
AV	11.787G	46.79	54.00	-7.21	32.07	3	Vertical	194	1.00	-	39.49	10.77	35.54

802.11ax HEW20_Nss1,(MCS0)_2TX

5885MHz_TnomVnom



EUT X_2TX
Setting 13.5
03-B-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.7876G	63.05	74.00	-10.95	48.33	3	Horizontal	205	2.09	-	39.49	10.77	35.54
AV	11.7874G	47.56	54.00	-6.44	32.84	3	Horizontal	205	2.09	-	39.49	10.77	35.54



RSE TX above 1GHz
<Partial RU> UNII 4_RU 52_Ant. 2 (2TX)


Appendix E.45

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.895GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1.(MCS0)_2TX	Pass	AV	11.7452G	51.83	54.00	-2.17	3	Horizontal	200	2.12	-

802.11ax HEW20_Nss1,(MCS0)_2TX

5845MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.604G	58.61	68.20	-9.59	51.82	3	Vertical	178	1.59	-	34.59	7.60	35.40	
PK	5.851G	118.55	Inf	-Inf	112.32	3	Vertical	178	1.59	-	34.31	7.45	35.53	
AV	5.852G	103.56	Inf	-Inf	97.33	3	Vertical	178	1.59	-	34.31	7.45	35.53	
PK	5.94G	60.80	88.20	-27.40	54.07	3	Vertical	178	1.59	-	34.76	7.54	35.57	
AV	6.013G	47.43	68.20	-20.77	40.57	3	Vertical	178	1.59	-	34.83	7.62	35.59	

802.11ax HEW20_Nss1,(MCS0)_2TX

5845MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.608G	59.35	68.20	-8.85	52.58	3	Horizontal	205	3.00	-	34.58	7.59	35.40
PK	5.851G	112.81	Inf	-Inf	106.58	3	Horizontal	205	3.00	-	34.31	7.45	35.53
AV	5.851G	99.08	Inf	-Inf	92.85	3	Horizontal	205	3.00	-	34.31	7.45	35.53
PK	6.016G	59.03	88.20	-29.17	52.17	3	Horizontal	205	3.00	-	34.83	7.62	35.59
AV	6.012G	46.14	68.20	-22.06	39.30	3	Horizontal	205	3.00	-	34.82	7.62	35.60

802.11ax HEW20_Nss1,(MCS0)_2TX

5845MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.7046G	63.99	74.00	-10.01	49.38	3	Vertical	199	1.00	-	39.40	10.76	35.55
AV	11.7052G	51.16	54.00	-2.84	36.54	3	Vertical	199	1.00	-	39.41	10.76	35.55

802.11ax HEW20_Nss1,(MCS0)_2TX

5845MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6896G	64.03	74.00	-9.97	49.44	3	Horizontal	200	2.11	-	39.40	10.75	35.56
AV	11.705G	51.62	54.00	-2.38	37.00	3	Horizontal	200	2.11	-	39.41	10.76	35.55

802.11ax HEW20_Nss1,(MCS0)_2TX

5865MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.618G	58.54	68.20	-9.66	51.81	3	Vertical	61	1.80	-	34.56	7.58	35.41
PK	5.872G	118.86	Inf	-Inf	112.50	3	Vertical	61	1.80	-	34.43	7.47	35.54
AV	5.871G	106.20	Inf	-Inf	99.84	3	Vertical	61	1.80	-	34.43	7.47	35.54
PK	5.901G	84.27	105.80	-21.53	77.72	3	Vertical	61	1.80	-	34.60	7.50	35.55
AV	6.032G	47.59	68.20	-20.61	40.67	3	Vertical	61	1.80	-	34.86	7.65	35.59

802.11ax HEW20_Nss1,(MCS0)_2TX

5865MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.649G	58.32	68.20	-9.88	51.69	3	Horizontal	200	2.99	-	34.50	7.55	35.42
PK	5.872G	113.12	Inf	-Inf	106.76	3	Horizontal	200	2.99	-	34.43	7.47	35.54
AV	5.871G	99.76	Inf	-Inf	93.40	3	Horizontal	200	2.99	-	34.43	7.47	35.54
PK	5.901G	78.25	105.80	-27.55	71.70	3	Horizontal	200	2.99	-	34.60	7.50	35.55
AV	6.032G	46.30	68.20	-21.90	39.38	3	Horizontal	200	2.99	-	34.86	7.65	35.59

802.11ax HEW20_Nss1,(MCS0)_2TX

5865MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.7428G	62.86	74.00	-11.14	48.21	3	Vertical	195	2.96	-	39.44	10.76	35.55
AV	11.745G	49.01	54.00	-4.99	34.35	3	Vertical	195	2.96	-	39.45	10.76	35.55

802.11ax HEW20_Nss1,(MCS0)_2TX

5865MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.7454G	64.33	74.00	-9.67	49.67	3	Horizontal	200	2.12	-	39.45	10.76	35.55
AV	11.7452G	51.83	54.00	-2.17	37.17	3	Horizontal	200	2.12	-	39.45	10.76	35.55

802.11ax HEW20_Nss1,(MCS0)_2TX

5885MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.89065G	109.14	Inf	-Inf	102.66	3	Vertical	222	1.97	-	34.54	7.49	35.55
AV	5.89075G	101.08	Inf	-Inf	94.60	3	Vertical	222	1.97	-	34.54	7.49	35.55
PK	5.8955G	98.01	109.83	-11.82	91.49	3	Vertical	222	1.97	BP 1MHz	34.57	7.50	35.55
AV	5.8955G	87.46	89.83	-2.37	80.94	3	Vertical	222	1.97	BP 1MHz	34.57	7.50	35.55

802.11ax HEW20_Nss1,(MCS0)_2TX

5885MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.89068G	102.63	Inf	-Inf	96.15	3	Horizontal	105	2.10	-	34.54	7.49	35.55	
AV	5.89075G	95.04	Inf	-Inf	88.56	3	Horizontal	105	2.10	-	34.54	7.49	35.55	
PK	5.8955G	91.41	109.83	-18.42	84.89	3	Horizontal	105	2.10	BP 1MHz	34.57	7.50	35.55	
AV	5.8955G	81.14	89.83	-8.69	74.62	3	Horizontal	105	2.10	BP 1MHz	34.57	7.50	35.55	

802.11ax HEW20_Nss1,(MCS0)_2TX

5885MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.7856G	61.53	74.00	-12.47	46.81	3	Vertical	215	2.96	-	39.49	10.77	35.54
AV	11.7854G	47.86	54.00	-6.14	33.14	3	Vertical	215	2.96	-	39.49	10.77	35.54

802.11ax HEW20_Nss1,(MCS0)_2TX

5885MHz_TnomVnom



EUT X_2TX
Setting 21.5
03-B-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.785G	65.06	74.00	-8.94	50.35	3	Horizontal	206	2.11	-	39.48	10.77	35.54
AV	11.785G	51.64	54.00	-2.36	36.93	3	Horizontal	206	2.11	-	39.48	10.77	35.54



RSE TX above 1GHz
<Partial RU> UNII 4_RU 106_Ant. 2 (2TX)


Appendix E.46

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.895GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	AV	5.8955G	87.04	89.83	-2.79	3	Vertical	224	1.86	BP 1MHz

802.11ax HEW20_Nss1,(MCS0)_2TX

5845MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.646G	58.63	68.20	-9.57	51.99	3	Vertical	176	1.67	-	34.51	7.55	35.42
PK	5.849G	118.18	Inf	-Inf	111.95	3	Vertical	176	1.67	-	34.30	7.45	35.52
AV	5.848G	105.06	Inf	-Inf	98.83	3	Vertical	176	1.67	-	34.30	7.45	35.52
PK	6.008G	59.54	88.20	-28.66	52.71	3	Vertical	176	1.67	-	34.82	7.61	35.60
AV	6.009G	47.05	68.20	-21.15	40.22	3	Vertical	176	1.67	-	34.82	7.61	35.60

802.11ax HEW20_Nss1,(MCS0)_2TX

5845MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.629G	58.04	68.20	-10.16	51.34	3	Horizontal	201	1.02	-	34.54	7.57	35.41
PK	5.848G	111.60	Inf	-Inf	105.37	3	Horizontal	201	1.02	-	34.30	7.45	35.52
AV	5.847G	99.07	Inf	-Inf	92.85	3	Horizontal	201	1.02	-	34.29	7.45	35.52
PK	6.038G	58.20	88.20	-30.00	51.24	3	Horizontal	201	1.02	-	34.88	7.66	35.58
AV	6.071G	45.80	68.20	-22.40	38.72	3	Horizontal	201	1.02	-	34.94	7.71	35.57

802.11ax HEW20_Nss1,(MCS0)_2TX

5845MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6952G	60.48	74.00	-13.52	45.89	3	Vertical	193	3.00	-	39.40	10.75	35.56
AV	11.6978G	47.22	54.00	-6.78	32.63	3	Vertical	193	3.00	-	39.40	10.75	35.56

802.11ax HEW20_Nss1,(MCS0)_2TX

5845MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6976G	63.54	74.00	-10.46	48.95	3	Horizontal	199	2.06	-	39.40	10.75	35.56
AV	11.6954G	49.77	54.00	-4.23	35.18	3	Horizontal	199	2.06	-	39.40	10.75	35.56

802.11ax HEW20_Nss1,(MCS0)_2TX

5865MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.626G	57.86	68.20	-10.34	51.15	3	Vertical	67	1.00	-	34.55	7.57	35.41
PK	5.869G	118.57	Inf	-Inf	112.22	3	Vertical	67	1.00	-	34.41	7.47	35.53
AV	5.869G	105.45	Inf	-Inf	99.10	3	Vertical	67	1.00	-	34.41	7.47	35.53
PK	5.927G	62.18	88.20	-26.02	55.50	3	Vertical	67	1.00	-	34.71	7.53	35.56
AV	6.029G	47.62	68.20	-20.58	40.71	3	Vertical	67	1.00	-	34.86	7.64	35.59

802.11ax HEW20_Nss1,(MCS0)_2TX

5865MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.648G	58.25	68.20	-9.95	51.62	3	Horizontal	201	1.00	-	34.50	7.55	35.42
PK	5.868G	111.95	Inf	-Inf	105.60	3	Horizontal	201	1.00	-	34.41	7.47	35.53
AV	5.869G	99.29	Inf	-Inf	92.94	3	Horizontal	201	1.00	-	34.41	7.47	35.53
PK	6.102G	59.11	88.20	-29.09	51.92	3	Horizontal	201	1.00	-	35.00	7.75	35.56
AV	6.029G	46.04	68.20	-22.16	39.13	3	Horizontal	201	1.00	-	34.86	7.64	35.59

802.11ax HEW20_Nss1,(MCS0)_2TX

5865MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.735G	62.48	74.00	-11.52	47.84	3	Vertical	193	2.97	-	39.43	10.76	35.55
AV	11.7358G	48.54	54.00	-5.46	33.89	3	Vertical	193	2.97	-	39.44	10.76	35.55

802.11ax HEW20_Nss1,(MCS0)_2TX

5865MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.7354G	65.00	74.00	-9.00	50.35	3	Horizontal	201	2.10	-	39.44	10.76	35.55
AV	11.7354G	50.73	54.00	-3.27	36.08	3	Horizontal	201	2.10	-	39.44	10.76	35.55

802.11ax HEW20_Nss1,(MCS0)_2TX

5885MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.6475G	60.19	68.20	-8.01	53.70	3	Vertical	224	1.86	BP 1MHz	34.51	7.40	35.42	
PK	5.887G	108.36	Inf	-Inf	101.89	3	Vertical	224	1.86	-	34.52	7.49	35.54	
AV	5.88675G	99.62	Inf	-Inf	93.15	3	Vertical	224	1.86	-	34.52	7.49	35.54	
PK	5.8955G	97.98	109.83	-11.85	91.46	3	Vertical	224	1.86	BP 1MHz	34.57	7.50	35.55	
AV	5.8955G	87.04	89.83	-2.79	80.52	3	Vertical	224	1.86	BP 1MHz	34.57	7.50	35.55	

802.11ax HEW20_Nss1,(MCS0)_2TX

5885MHz_TnomVnom




EUT_X_2TX
Setting 21.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6505G	59.63	68.57	-8.94	53.16	3	Horizontal	106	2.10	BP 1MHz	34.50	7.40	35.43
PK	5.88675G	101.66	Inf	-Inf	95.19	3	Horizontal	106	2.10	-	34.52	7.49	35.54
AV	5.88888G	93.26	Inf	-Inf	86.78	3	Horizontal	106	2.10	-	34.53	7.49	35.54
AV	5.8955G	81.05	89.83	-8.78	74.53	3	Horizontal	106	2.10	BP 1MHz	34.57	7.50	35.55
PK	5.8955G	91.65	109.83	-18.18	85.13	3	Horizontal	106	2.10	BP 1MHz	34.57	7.50	35.55

802.11ax HEW20_Nss1,(MCS0)_2TX

5885MHz_TnomVnom




EUT X_2TX
Setting 21.5
03-B-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.7756G	63.41	74.00	-10.59	48.70	3	Vertical	195	2.95	-	39.48	10.77	35.54
AV	11.7756G	49.16	54.00	-4.84	34.45	3	Vertical	195	2.95	-	39.48	10.77	35.54

802.11ax HEW20_Nss1,(MCS0)_2TX

5885MHz_TnomVnom



EUT X_2TX
Setting 21.5
03-B-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.775G	65.43	74.00	-8.57	50.72	3	Horizontal	205	2.08	-	39.48	10.77	35.54
AV	11.7756G	51.17	54.00	-2.83	36.46	3	Horizontal	205	2.08	-	39.48	10.77	35.54



RSE TX above 1GHz
<Partial RU> UNII 4_RU 26_Ant. 3 (2TX)

Appendix E.47

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.895GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	AV	11.707G	53.98	54.00	-0.02	3	Horizontal	142	1.80	-