

Test Result of Gravity-Sensor are shown as below.

1.Gravity-Sensor(Triggering Test WLAN 5G 802.11b Ch6 Ant.MAIN)

Closed Mode to Tablet Mode

Step1 Form close mode 0 degrees, open the screen in 10 degree step until High Power Mode obtained

Degree	0	10	20	30	40	50	60	70	80	90	100	110	120	130	140	150	160	170	180	190	200	210	220	230	240	250	260	270	280	290	300	310	320	330	340	350	360		
Power	16.28	16.43	16.26	16.43	16.40	16.38	16.43	16.13	16.37	16.25	16.38	16.14	16.37	16.38	16.17	16.39	16.28	16.43	16.27	16.20	16.23	16.24	16.34	16.35	16.41	16.37	16.42	16.25	16.31	16.18	16.29	16.23	16.35	16.25	16.24	15.84	15.82		
Step2: Move back by 5 degree, until close mode is reobtained.																																							
Degree	10	5	0	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/			
Power	16.40	16.40	16.26	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/		

Step2 Move back by 5 degree, until close mode is reobtained.

Degree	0	1	2	3	4	5		10	11	12	13	14	15	16	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/
Power	16.19	16.31	16.40	16.29	16.25	16.36		16.14	16.27	16.29	16.37	16.34	16.18	16.39	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/

Step3 Open the screen in 1 degree steps until High Power Mode is reobtained and continue opening the screen in 1 degree s

Degree	0	1	2	3	4	5		10	11	12	13	14	15	16	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/
Power	16.19	16.31	16.40	16.29	16.25	16.36		16.14	16.27	16.29	16.37	16.34	16.18	16.39	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/

Step4 Then continue opening the screen in 10 degree steps until Low Power Mode is obtained.

Degree	16	20	30	40	50	60	70	80	90	100	110	120	130	140	150	160	170	180	190	200	210	220	230	240	250	260	270	280	290	300	310	320	330	340	350	360
Power	16.24	16.38	16.39	16.23	16.17	16.18	16.21	16.17	16.18	16.23	16.17	16.42	16.15	16.14	16.27	16.37	16.26	16.41	16.31	16.39	16.41	16.18	16.15	16.25	16.23	16.36	16.35	16.21	16.15	16.43	16.24	16.32	16.21	16.31	15.89	15.96

Range of trigger angle

High Power angle 0°<=Angle<=350°

Tablet Mode to Closed Mode

Step1 Form close mode 0 degrees, open the screen in 10 degree step until High Power Mode obtained

Degree	360	350	340	330	320	310	300	290	280	270	260	250	240	230	220	210	200	190	180	170	160	150	140	130	120	110	100	90	80	70	60	50	40	30	20	10	0		
Power	15.92	15.85	16.13	16.37	16.42	16.42	16.24	16.25	16.20	16.24	16.37	16.41	16.42	16.34	16.41	16.32	16.32	16.17	16.36	16.33	16.40	16.31	16.36	16.29	16.34	16.30	16.36	16.19	16.29	16.36	16.23	16.33	16.28	16.39	16.25	16.21	16.22		
Step3 Open the screen in 1 degree steps until High Power Mode is reobtained and continue opening the screen in 1 degree s																																							
Degree	350	349	348	347	346	345	344																																
Power	15.80	16.21	16.16	16.38	16.26	16.18	16.38																																
Step4. Then continue opening 10 degree steps until low Power mode is obtained																																							

Step2 Move back by 5 degree, until close mode is reobtained.

Degree	350	349	348	347	346	345	344	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/
Power	15.80	16.21	16.16	16.38	16.26	16.18	16.38	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/

Step3 Open the screen in 1 degree steps until High Power Mode is reobtained and continue opening the screen in 1 degree s

Degree	340	340	330	320	310	300	290	280	270	260	250	240	230	220	210	200	190	180	170	160	150	140	130	120	110	100	90	80	70	60	50	40	30	20	10	0
Power	16.41	16.14	16.17	16.16	16.22	16.35	16.17	16.21	16.18	16.33	16.38	16.17	16.23	16.26	16.27	16.42	16.36	16.35	16.16	16.28	16.40	16.24	16.32	16.40	16.28	16.31	16.21	16.19	16.38	16.25	16.29	16.42	16.25	16.20	16.18	16.30

Range of trigger angle

Low Power angle 350°<=Angle<=360°

2.Gravity-Sensor(Triggering Test WLAN5G 802.11b Ch6 Ant.AUX)

Closed Mode to Tablet Mode

Step1 Form close mode 0 degrees, open the screen in 10 degree step until High Power Mode obtained

Degree	0	10	20	30	40	50	60	70	80	90	100	110	120	130	140	150	160	170	180	190	200	210	220	230	240	250	260	270	280	290	300	310	320	330	340	350	360		
Power	16.42	16.20	16.41	16.20	16.26	16.14	16.22	16.38	16.33	16.39	16.18	16.40	16.17	16.37	16.14	16.26	16.19	16.34	16.40	16.29	16.15	16.23	16.21	16.13	16.40	16.13	16.34	16.18	16.27	16.41	16.28	16.19	16.16	16.34	16.16	15.91	15.94		
Degree	10	5	0	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/			
Power	16.27	16.30	16.21	16.20	16.17	16.22	16.10	16.42	16.13	16.20	16.37	16.29	16.37	16.37	16.37	16.37	16.37	16.37	16.37	16.37	16.37	16.37	16.37	16.37	16.37	16.37	16.37	16.37	16.37	16.37	16.37	16.37	16.37	16.37	16.37	16.37			
Step3 Open the screen in 1 degree steps until High Power Mode is reobtained and continue opening the screen in 1 degree s																																							
Degree	0	10	20	30	40	50	60	70	80	90	100	110	120	130	140	150	160	170	180	190	200	210	220	230	240	250	260	270	280	290	300	310	320	330	340	350	360		
Power	16.27	16.30	16.21	16.20	16.17	16.22	16.10	16.42	16.13	16.20	16.37	16.29	16.37	16.37	16.37	16.37	16.37	16.37	16.37	16.37	16.37	16.37	16.37	16.37	16.37	16.37	16.37	16.37	16.37	16.37	16.37	16.37	16.37	16.37	16.37	16.37	16.37		
Step4 Then continue opening the screen in 10 degree steps until Low Power Mode is obtained.																																							

Step2 Move back by 5 degree, until close mode is reobtained.

Degree	0	1	2	3	4	5		10	11	12	13	14	15	16	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/
Power	16.27	16.30	16.21	16.20	16.17	16.22		16.42	16.13	16.20	16.37	16.29	16.37	16.37	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/

Step3 Open the screen in 1 degree steps until High Power Mode is reobtained and continue opening the screen in 1 degree s

Degree	16	20	30	40	50	60	70	80	90	100	110	120	130	140	150	160	170	180	190	200	210	220	230	240	250	260	270	280	290	300	310	320	330	340	350	360
Power	16.41	16.42	16.43	16.27	16.25	16.40	16.28	16.34	16.42	16.33	16.17	16.27	16.18	16.32	16.39	16.15	16.42	16.17	16.19	16.21	16.16	16.18	16.20	16.29	16.41	16.36	16.20	16.43	16.30	16.43	16.27	16.17	16.24	16.30	15.90	15.84

Range of trigger angle

High Power angle 0°<=Angle<=350°

Tablet Mode to Closed Mode

Step1 Form close mode 0 degrees, open the screen in 10 degree step until High Power Mode obtained

Power	16.28	16.17	15.86																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				</
-------	-------	-------	-------	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	----

Step2 Move back by 5 degree, until close mode is reobtained.

Degree	350	349	348	347	346	345	344	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/
Power	15.88	16.20	16.19	16.25	16.39	16.29	16.37	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/

Step3 Open the screen in 1 degree steps until High Power Mode is reobtained and continue opening the screen in 1 degree s

Degree	344	340	330	320	310	300	290	280	270	260	250	240	230	220	210	200	190	180	170	160	150	140	130	120	110	100	90	80	70	60	50	40	30	20	10	0
Power	16.29	16.14	16.31	16.34	16.37	16.36	16.23	16.21	16.23	16.22	16.33	16.13	16.38	16.36	16.15	16.23	16.13	16.42	16.39	16.17	16.16	16.15	16.26	16.25	16.35	16.29	16.29	16.24	16.13	16.43	16.22	16.14	16.19	16.42	16.15	16.33

Range of trigger angle

Low Power angle 350°<=Angle<=360°

1.Gravity-Sensor(Triggering Test WLAN 5G 802.11ac Ch155 Ant.0)

Step1 Form close mode 0 degrees, open the screen in 10 degree step

1999-2000	0-10000000000
-----------	---------------

Step1 Form close mode 0 degrees, open the screen in 10 degree step until High Power Mode obtained

Range of trigger angle	
Low Power angle	$350^{\circ} \leq \text{Angle} \leq 360^{\circ}$

Closed Mode to Tablet Mode

Degree	0	10	20	30	40	50	60	70	80
--------	---	----	----	----	----	----	----	----	----

Input Power angle	0 <= Angle < 360
-------------------	------------------

Step1 Form close mode 0 degrees, open the screen in 10 degree step until High Power Mode obtained

Low Power angle	300 ~ Angle ~ 300
-----------------	-------------------

1.Gravity-Sensor(Triggering Test WLAN 6G 802.11ax Ch111 Ant.0)

Step1 Form close mode 0 degrees, open the screen in 10 degree step until High Power Mode obtained																																					
Degree	0	10	20	30	40	50	60	70	80	90	100	110	120	130	140	150	160	170	180	190	200	210	220	230	240	250	260	270	280	290	300	310	320	330	340	350	360
Power	12.82	12.89	12.71	12.73	12.68	12.91	12.93	12.67	12.82	12.97	12.72	12.80	12.68	12.92	12.79	12.96	12.72	12.90	12.82	12.79	12.82	12.86	12.67	12.73	12.88	12.86	12.70	12.74	12.84	12.70	12.71	12.87	12.78	12.86	12.84	10.82	10.91
Step2 Move back by 5 degree, until close mode is reobtained.																																					
Degree	0	10	5	0																																	
Power	12.82	12.75	12.77																																		
Step3 Open the screen in 1 degree steps until High Power Mode is reobtained and continue opening the screen in 1 degree s																																					
Degree	0	1	2	3	4	5		10	11	12	13	14	15	16																							
Power	12.75	12.96	12.73	12.69	12.75	12.77		12.92	12.95	12.79	12.72	12.86	12.96	12.78																							
Step4 Then continue opening the screen in 10 degree steps until Low Power Mode is obtained.																																					
Degree	15	25	35	45	55	65	70	80	90	100	110	120	130	140	150	160	170	180	190	200	210	220	230	240	250	260	270	280	290	300	310	320	330	340	350	360	
Power	12.88	12.92	12.95	12.90	12.82	12.84	12.68	12.69	12.80	12.94	12.94	12.89	12.70	12.80	12.94	12.95	12.84	12.74	12.81	12.84	12.81	12.74	12.71	12.75	12.79	12.82	12.79	12.82	12.87	12.81	12.70	12.80	12.76	12.74	10.85	10.91	
Range of trigger angle																																					
High Power angle																																					
0° <= Angle <= 350°																																					

Step1 Form close mode 0 degrees, open the screen in 10 degree step until High Power Mode is obtained																																					
Degree	360	350	340	330	320	310	300	290	280	270	260	250	240	230	220	210	200	190	180	170	160	150	140	130	120	110	100	90	80	70	60	50	40	30	20	10	0
Power	10.77	10.83	12.79	12.70	12.82	12.67	12.79	12.73	12.72	12.90	12.88	12.68	12.93	12.69	12.91	12.72	12.91	12.85	12.79	12.72	12.86	12.85	12.85	12.74	12.75	12.93	12.97	12.67	12.75	12.91	12.89	12.74	12.77	12.79	12.94	12.85	12.8
Step2 Move back by 5 degree, until close mode is reobtained																																					
Degree	340	340	345	350	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/
Power	12.70	12.69	10.74	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/
Step3 Open the screen in 1 degree steps until High Power Mode is reobtained and continue opening the screen in 1 degree s																																					
Degree	350	349	348	347	346	345	344	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/
Power	10.86	12.87	12.88	12.82	12.82	12.89	12.69	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/
Step4 Then continue opening the screen in 10 degree steps until Low Power Mode is obtained.																																					
Degree	344	340	330	320	310	300	290	280	270	260	250	240	230	220	210	200	190	180	170	160	150	140	130	120	110	100	90	80	70	60	50	40	30	20	10	0	/
Power	12.87	12.67	12.88	12.88	12.90	12.82	12.72	12.77	12.93	12.90	12.72	12.91	12.73	12.67	12.78	12.81	12.77	12.96	12.77	12.79	12.68	12.92	12.81	12.91	12.74	12.91	12.67	12.89	12.78	12.76	12.67	12.84	12.74	12.95	12.89	12.97	/
Range of trigger angle																																					
Low Power angle 350° <= Angle <= 360°																																					

Closed Mode to Tablet Mode																																						
Step1 Form close mode 0 degrees, open the screen in 10 degree step until High Power Mode obtained																																						
Degree	0	10	20	30	40	50	60	70	80	90	100	110	120	130	140	150	160	170	180	190	200	210	220	230	240	250	260	270	280	290	300	310	320	330	340	350	360	
Power	12.85	12.68	12.50	12.30	12.12	11.90	11.79	11.61	11.45	11.28	11.10	10.94	10.79	10.64	10.49	10.34	10.19	10.04	9.89	9.74	9.59	9.44	9.29	9.14	8.99	8.84	8.69	8.54	8.39	8.24	8.09	7.94	7.79	7.64	7.49	7.34	7.19	7.04
Step2 Move back by 5 degree, until close mode is reobtained.																																						
Degree	10	5	0	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	
Power	12.76	12.70	12.93	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	
Step3 Open the screen in 1 degree steps until High Power Mode is reobtained, and continue opening the screen in 1 degree s																																						
Degree	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	
Power	12.93	12.81	12.80	12.80	12.89	12.68	12.68	12.89	12.89	12.89	12.89	12.89	12.89	12.89	12.89	12.89	12.89	12.89	12.89	12.89	12.89	12.89	12.89	12.89	12.89	12.89	12.89	12.89	12.89	12.89	12.89	12.89	12.89	12.89	12.89	12.89	12.89	
Step4 Then continue opening the screen in 10 degree steps until Low Power Mode is obtained.																																						
Degree	16	20	30	40	50	60	70	80	90	100	110	120	130	140	150	160	170	180	190	200	210	220	230	240	250	260	270	280	290	300	310	320	330	340	350	360		
Power	12.78	12.82	12.71	12.85	12.84	12.81	12.88	12.92	12.83	12.69	12.80	12.97	12.81	12.85	12.68	12.77	12.70	12.87	12.95	12.87	12.84	12.74	12.85	12.76	12.91	12.87	12.92	12.82	12.83	12.69	12.72	12.67	12.68	12.80	10.82	10.84	/	
Range of trigger angle																																						
High Power angle																																						
0° <=Angle<350°																																						

Step1 Form close mode 0 degrees, open the screen in 10 degree step until High Power Mode is obtained																																					
Degree	360	350	340	330	320	310	300	290	280	270	260	250	240	230	220	210	200	190	180	170	160	150	140	130	120	110	100	90	80	70	60	50	40	30	20	10	0
Power	10.83	10.92	12.85	12.67	12.75	12.84	12.89	12.90	12.87	12.87	12.75	12.91	12.82	12.71	12.90	12.92	12.70	12.76	12.81	12.86	12.83	12.84	12.95	12.84	12.73	12.97	12.97	12.84	12.92	12.81	12.69	12.88	12.89	12.67	12.81	12.93	12.7
Step2 Move back by 5 degree, until close mode is reobtained																																					
Degree	340	345	350																																		
Power	12.92	12.67	10.91																																		
Step3 Open the screen in 1 degree steps until High Power Mode is reobtained and continue opening the screen in 1 degree s																																					
Degree	350	349	348	347	346	345	344																														
Power	10.93	12.87	12.88	12.88	12.92	12.87	12.95																														
Step4 Then continue opening the screen in 10 degree steps until Low Power Mode is obtained.																																					
Degree	344	340	330	320	310	300	290	280	270	260	250	240	230	220	210	200	190	180	170	160	150	140	130	120	110	100	90	80	70	60	50	40	30	20	10	0	/
Power	12.70	12.89	12.81	12.82	12.82	12.73	12.79	12.93	12.83	12.96	12.86	12.70	12.81	12.67	12.92	12.89	12.71	12.72	12.65	12.67	12.70	12.94	12.83	12.92	12.67	12.87	12.97	12.74	12.82	12.72	12.78	12.69	12.82	12.73	12.75	12.72	/
Range of trigger angle																																					
Low Power angle																																					
350° <= Angle <= 360°																																					