


5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6405MHz_TX




EUT_V_1TX
Setting 5
02-H-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.81026G	45.44	88.20	-42.76	59.81	3	Horizontal	216	1.66	-	38.92	11.96	65.25			
RMS	12.80931G	32.82	68.20	-35.38	47.19	3	Horizontal	216	1.66	-	38.92	11.96	65.25			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


6405MHz_TX

EUT_Y_1TX
Setting 5
02-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.21509G	50.97	83.54	-32.57	46.69	1	Vertical	176	2.55	-	37.86	15.22	48.80			
AV	19.20129G	37.28	63.54	-26.26	33.05	1	Vertical	176	2.55	-	37.81	15.22	48.80			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


6405MHz_TX

EUT_Y_1TX
Setting 5
02-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.20039G	51.71	83.54	-31.83	47.49	1	Horizontal	41	1.49	-	37.80	15.22	48.80			
AV	19.20102G	37.20	63.54	-26.34	32.98	1	Horizontal	41	1.49	-	37.80	15.22	48.80			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6565MHz_TX




EUT_V_1TX
Setting 4.5
02-H-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.129G	47.23	88.20	-40.97	60.64	3	Vertical	17	1.66	-	39.66	11.91	64.98			
RMS	13.12985G	34.13	68.20	-34.07	47.54	3	Vertical	17	1.66	-	39.66	11.91	64.98			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


6565MHz_TX

EUT_V_1TX
Setting 4.5
02-H-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.12905G	46.96	88.20	-41.24	60.37	3	Horizontal	159	1.35	-	39.66	11.91	64.98			
RMS	13.13036G	34.15	68.20	-34.05	47.56	3	Horizontal	159	1.35	-	39.66	11.91	64.98			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6565MHz_TX




EUT_Y_1TX
Setting 4.5
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.70076G	53.38	83.54	-30.16	49.29	1	Vertical	108	2.08	-	37.70	15.19	48.80			
AV	19.70682G	38.25	63.54	-25.29	34.16	1	Vertical	108	2.08	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


6565MHz_TX

EUT_Y_1TX
Setting 1
02-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.70601G	51.98	83.54	-31.56	47.89	1	Horizontal	252	1.45	-	37.70	15.19	48.80			
AV	19.7067G	38.30	63.54	-25.24	34.21	1	Horizontal	252	1.45	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


6685MHz_TX

EUT_V_1TX
Setting 4
02-H-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.37073G	49.25	74.00	-24.75	61.65	3	Vertical	175	2.94	-	40.24	11.87	64.51			
AV	13.37044G	35.40	54.00	-18.60	47.80	3	Vertical	175	2.94	-	40.24	11.87	64.51			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6685MHz_TX




EUT_V_1TX
Setting 4
02-H-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.3692G	48.13	74.00	-25.87	60.53	3	Horizontal	264	1.48	-	40.24	11.87	64.51			
AV	13.36953G	35.38	54.00	-18.62	47.78	3	Horizontal	264	1.48	-	40.24	11.87	64.51			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6685MHz_TX




EUT_Y_1TX
Setting 4
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.05125G	50.92	83.54	-32.62	46.70	1	Vertical	311	1.47	-	37.80	15.21	48.79			
AV	20.05286G	37.52	63.54	-26.02	33.30	1	Vertical	311	1.47	-	37.80	15.21	48.79			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6685MHz_TX




EUT_Y_1TX
Setting 4
02-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.04351G	51.09	83.54	-32.45	46.88	1	Horizontal	100	2.49	-	37.79	15.21	48.79			
AV	20.04818G	37.46	63.54	-26.08	33.24	1	Horizontal	100	2.49	-	37.80	15.21	48.79			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


6845MHz_TX

EUT_V_1TX
Setting 3.5
02-H-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.68979G	47.68	88.20	-40.52	59.33	3	Vertical	18	2.56	-	40.86	11.83	64.34			
RMS	13.69095G	34.97	68.20	-33.23	46.62	3	Vertical	18	2.56	-	40.86	11.83	64.34			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6845MHz_TX




EUT_V_1TX
Setting 3.5
02-H-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.69043G	47.92	88.20	-40.28	59.57	3	Horizontal	296	2.22	-	40.86	11.83	64.34			
RMS	13.68952G	34.94	68.20	-33.26	46.59	3	Horizontal	296	2.22	-	40.86	11.83	64.34			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6845MHz_TX




EUT_Y_1TX
Setting 3.5
02-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.53275G	55.18	83.54	-28.36	50.38	1	Vertical	118	1.67	-	37.90	15.60	48.70			
AV	20.54439G	39.64	63.54	-23.90	34.83	1	Vertical	118	1.67	-	37.90	15.61	48.70			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6845MHz_TX




EUT_V_1TX
Setting 3.5
02-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.54637G	54.50	83.54	-29.04	49.68	1	Horizontal	239	1.73	-	37.90	15.62	48.70			
AV	20.53617G	39.58	63.54	-23.96	34.77	1	Horizontal	239	1.73	-	37.90	15.61	48.70			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5985MHz_TX




EUT_Y_1TX
Setting 6.5
02-R-Y-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9054G	67.02	88.20	-21.18	55.58	3	Vertical	158	1.80	-	34.20	7.87	30.63			
RMS	5.8894G	55.41	68.20	-12.79	44.03	3	Vertical	158	1.80	-	34.16	7.86	30.64			
PK	5.9558G	97.54	Inf	-Inf	86.05	3	Vertical	158	1.80	-	34.21	7.90	30.62			
RMS	5.9562G	88.00	Inf	-Inf	76.51	3	Vertical	158	1.80	-	34.21	7.90	30.62			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX


5985MHz_TX

EUT_Y_1TX
Setting 6.5
02-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.96954G	47.23	74.00	-26.77	61.63	3	Vertical	69	2.48	-	39.30	12.06	65.76			
AV	11.97095G	34.35	54.00	-19.65	48.75	3	Vertical	69	2.48	-	39.30	12.06	65.76			
PK	17.95365G	54.63	74.00	-19.37	57.41	3	Vertical	175	2.92	-	46.79	12.80	62.37			
AV	17.95414G	42.37	54.00	-11.63	45.15	3	Vertical	175	2.92	-	46.79	12.80	62.37			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX


5985MHz_TX

EUT_Y_1TX
Setting 6.5
02-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.97032G	47.15	74.00	-26.85	61.55	3	Horizontal	33	2.36	-	39.30	12.06	65.76			
AV	11.97094G	34.37	54.00	-19.63	48.77	3	Horizontal	33	2.36	-	39.30	12.06	65.76			
PK	17.95491G	54.76	74.00	-19.24	57.54	3	Horizontal	140	2.84	-	46.79	12.80	62.37			
AV	17.94528G	42.17	54.00	-11.83	44.96	3	Horizontal	140	2.84	-	46.81	12.79	62.39			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX


5985MHz_TX

EUT_Y_1TX
Setting 6.5
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.9292G	56.63	83.54	-26.91	47.95	1	Vertical	220	2.20	-	39.00	17.31	47.63			
AV	23.92453G	44.57	63.54	-18.97	35.89	1	Vertical	220	2.20	-	39.00	17.31	47.63			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX


5985MHz_TX

EUT_Y_1TX
Setting 6.5
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.9292G	56.93	83.54	-26.61	48.25	1	Horizontal	28	2.54	-	39.00	17.31	47.63			
AV	23.92959G	44.48	63.54	-19.06	35.80	1	Horizontal	28	2.54	-	39.00	17.31	47.63			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX


6225MHz_TX

EUT_V_1TX
Setting 7
02-H-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.45071G	46.02	74.00	-27.98	60.54	3	Vertical	102	1.85	-	38.80	12.01	65.33			
AV	12.4507G	33.25	54.00	-20.75	47.77	3	Vertical	102	1.85	-	38.80	12.01	65.33			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX


6225MHz_TX

EUT_V_1TX
Setting 7
02-H-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.45009G	45.75	74.00	-28.25	60.27	3	Horizontal	154	1.45	-	38.80	12.01	65.33			
AV	12.45094G	33.28	54.00	-20.72	47.80	3	Horizontal	154	1.45	-	38.80	12.01	65.33			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX


6225MHz_TX

EUT_Y_1TX
Setting 7
02-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.68643G	51.99	83.54	-31.55	47.33	1	Vertical	33	1.07	-	37.90	15.25	48.49			
AV	18.66963G	39.76	63.54	-23.78	35.08	1	Vertical	33	1.07	-	37.90	15.25	48.47			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX


6225MHz_TX

EUT_Y_1TX
Setting 7
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.6648G	52.08	83.54	-31.46	47.39	1	Horizontal	47	2.53	-	37.90	15.25	48.46			
AV	18.66204G	39.75	63.54	-23.79	35.06	1	Horizontal	47	2.53	-	37.90	15.25	48.46			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6385MHz_TX




EUT_V_1TX
Setting 7.5
02-H-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.76908G	45.67	88.20	-42.53	60.13	3	Vertical	65	3.00	-	38.84	11.96	65.26			
RMS	12.77082G	33.23	68.20	-34.97	47.69	3	Vertical	65	3.00	-	38.84	11.96	65.26			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX


6385MHz_TX

EUT_V_1TX
Setting 7.5
02-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.76904G	45.92	88.20	-42.28	60.38	3	Horizontal	185	1.07	-	38.84	11.96	65.26			
RMS	12.76918G	33.17	68.20	-35.03	47.63	3	Horizontal	185	1.07	-	38.84	11.96	65.26			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX


6385MHz_TX

EUT_Y_1TX
Setting 7.5
02-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.16115G	51.45	83.54	-32.09	47.07	1	Vertical	259	1.50	-	37.96	15.22	48.80			
AV	19.14312G	38.84	63.54	-24.70	34.42	1	Vertical	259	1.50	-	38.00	15.22	48.80			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX


6385MHz_TX

EUT_Y_1TX
Setting 7.5
02-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.15935G	50.83	83.54	-32.71	46.45	1	Horizontal	168	2.94	-	37.96	15.22	48.80			
AV	19.1436G	39.06	63.54	-24.48	34.64	1	Horizontal	168	2.94	-	38.00	15.22	48.80			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6625MHz_TX




EUT_V_1TX
Setting 6.5
02-H-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.25031G	47.47	74.00	-26.53	60.32	3	Vertical	249	2.36	-	40.00	11.89	64.74			
AV	13.25029G	34.43	54.00	-19.57	47.28	3	Vertical	249	2.36	-	40.00	11.89	64.74			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6625MHz_TX




EUT_V_1TX
Setting 6.5
02-H-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.25083G	48.27	74.00	-25.73	61.12	3	Horizontal	261	2.40	-	40.00	11.89	64.74			
AV	13.25043G	34.43	54.00	-19.57	47.28	3	Horizontal	261	2.40	-	40.00	11.89	64.74			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6625MHz_TX




EUT_Y_1TX
Setting 6.5
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.88622G	50.53	83.54	-33.01	46.45	1	Vertical	102	2.36	-	37.70	15.18	48.80			
AV	19.87044G	38.96	63.54	-24.58	34.88	1	Vertical	102	2.36	-	37.70	15.18	48.80			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX


6625MHz_TX

EUT_Y_1TX
Setting 6.5
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.87551G	50.89	83.54	-32.65	46.81	1	Horizontal	10	1.62	-	37.70	15.18	48.80			
AV	19.87035G	38.48	63.54	-25.06	34.40	1	Horizontal	10	1.62	-	37.70	15.18	48.80			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6705MHz_TX




EUT_V_1TX
Setting 6
02-H-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.41091G	48.59	88.20	-39.61	60.81	3	Vertical	61	1.56	-	40.34	11.87	64.43			
RMS	13.40956G	35.54	68.20	-32.66	47.77	3	Vertical	61	1.56	-	40.34	11.87	64.44			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX


6705MHz_TX

EUT_V_1TX
Setting 6
02-H-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.41054G	48.61	88.20	-39.59	60.83	3	Horizontal	122	1.31	-	40.34	11.87	64.43			
RMS	13.40982G	35.60	68.20	-32.60	47.82	3	Horizontal	122	1.31	-	40.34	11.87	64.43			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX


6705MHz_TX

EUT_Y_1TX
Setting 6
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.12724G	52.34	83.54	-31.20	48.04	1	Vertical	276	1.54	-	37.80	15.27	48.77			
AV	20.12547G	39.77	63.54	-23.77	35.47	1	Vertical	276	1.54	-	37.80	15.27	48.77			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX


6705MHz_TX

EUT_Y_1TX
Setting 6
02-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.11941G	51.97	83.54	-31.57	47.68	1	Horizontal	220	2.95	-	37.80	15.27	48.78			
AV	20.12985G	39.73	63.54	-23.81	35.42	1	Horizontal	220	2.95	-	37.80	15.28	48.77			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6785MHz_TX




EUT_V_1TX
Setting 6
02-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.56998G	48.36	88.20	-39.84	60.21	3	Vertical	265	1.26	-	40.60	11.84	64.29			
RMS	13.57095G	35.41	68.20	-32.79	47.26	3	Vertical	265	1.26	-	40.60	11.84	64.29			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX


6785MHz_TX

EUT_V_1TX
Setting 6
02-H-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.5696G	48.07	88.20	-40.13	59.92	3	Horizontal	7	2.83	-	40.60	11.84	64.29			
RMS	13.57096G	35.37	68.20	-32.83	47.22	3	Horizontal	7	2.83	-	40.60	11.84	64.29			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX


6785MHz_TX

EUT_Y_1TX
Setting 6
02-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.34234G	53.51	83.54	-30.03	48.91	1	Vertical	243	2.85	-	37.88	15.45	48.73			
AV	20.35194G	41.30	63.54	-22.24	36.67	1	Vertical	243	2.85	-	37.90	15.46	48.73			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6785MHz_TX




EUT_V_1TX
Setting 6
02-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.35233G	53.51	83.54	-30.03	48.88	1	Horizontal	133	2.64	-	37.90	15.46	48.73			
AV	20.34948G	41.38	63.54	-22.16	36.76	1	Horizontal	133	2.64	-	37.90	15.45	48.73			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT_Y_1TX
Setting 6.5
02-R-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7818G	66.96	88.20	-21.24	55.78	3	Vertical	162	1.75	-	34.06	7.78	30.66			
RMS	5.9122G	55.50	68.20	-12.70	44.06	3	Vertical	162	1.75	-	34.20	7.87	30.63			
PK	6.0378G	93.64	Inf	-Inf	82.00	3	Vertical	162	1.75	-	34.30	7.99	30.65			
RMS	6.0298G	84.49	Inf	-Inf	72.85	3	Vertical	162	1.75	-	34.30	7.98	30.64			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX


6025MHz_TX

EUT_V_1TX
Setting 6.5
02-H-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.04983G	46.85	74.00	-27.15	61.38	3	Vertical	251	2.79	-	39.10	12.07	65.70			
AV	12.05091G	34.19	54.00	-19.81	48.71	3	Vertical	251	2.79	-	39.10	12.07	65.69			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX


6025MHz_TX

EUT_V_1TX
Setting 6.5
02-H-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.05086G	47.27	74.00	-26.73	61.79	3	Horizontal	40	2.92	-	39.10	12.07	65.69			
AV	12.0507G	34.19	54.00	-19.81	48.71	3	Horizontal	40	2.92	-	39.10	12.07	65.69			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX


6025MHz_TX

EUT_Y_1TX
Setting 6.5
02-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.07569G	52.02	83.54	-31.52	47.40	1	Vertical	323	1.46	-	37.55	15.29	48.22			
AV	18.06997G	39.82	63.54	-23.72	35.22	1	Vertical	323	1.46	-	37.52	15.29	48.21			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX


6025MHz_TX

EUT_Y_1TX
Setting 6.5
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07788G	51.91	83.54	-31.63	47.27	1	Horizontal	98	2.07	-	37.57	15.29	48.22			
AV	18.07397G	39.74	63.54	-23.80	35.12	1	Horizontal	98	2.07	-	37.54	15.29	48.21			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX


6185MHz_TX

EUT_V_1TX
Setting 7
02-H-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.36901G	46.07	74.00	-27.93	60.66	3	Vertical	179	1.48	-	38.80	12.02	65.41			
AV	12.36999G	33.42	54.00	-20.58	48.01	3	Vertical	179	1.48	-	38.80	12.02	65.41			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6185MHz_TX




EUT_V_1TX
Setting 7
02-H-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.36913G	46.02	74.00	-27.98	60.61	3	Horizontal	134	2.17	-	38.80	12.02	65.41			
AV	12.36963G	33.43	54.00	-20.57	48.02	3	Horizontal	134	2.17	-	38.80	12.02	65.41			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX


6185MHz_TX

EUT_Y_1TX
Setting 7
02-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.5493G	51.26	83.54	-32.28	46.55	1	Vertical	47	1.80	-	37.80	15.26	48.35			
AV	18.55239G	39.22	63.54	-24.32	34.51	1	Vertical	47	1.80	-	37.80	15.26	48.35			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX


6185MHz_TX

EUT_Y_1TX
Setting 7
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.55545G	51.26	83.54	-32.28	46.56	1	Horizontal	137	2.61	-	37.80	15.26	48.36			
AV	18.55002G	39.05	63.54	-24.49	34.34	1	Horizontal	137	2.61	-	37.80	15.26	48.35			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX


6345MHz_TX

EUT V_1TX
Setting 7.5
02-H-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.69097G	46.12	74.00	-27.88	60.71	3	Vertical	263	2.79	-	38.70	11.98	65.27			
AV	12.69068G	33.15	54.00	-20.85	47.74	3	Vertical	263	2.79	-	38.70	11.98	65.27			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX


6345MHz_TX

EUT_V_1TX
Setting 7.5
02-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.69021G	46.50	74.00	-27.50	61.09	3	Horizontal	213	2.78	-	38.70	11.98	65.27			
AV	12.68959G	33.14	54.00	-20.86	47.73	3	Horizontal	213	2.78	-	38.70	11.98	65.27			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX


6345MHz_TX

EUT_Y_1TX
Setting 7.5
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.04583G	51.49	83.54	-32.05	47.15	1	Vertical	112	2.94	-	37.91	15.23	48.80			
AV	19.03752G	38.68	63.54	-24.86	34.33	1	Vertical	112	2.94	-	37.92	15.23	48.80			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX


6345MHz_TX

EUT_Y_1TX
Setting 7.5
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.02744G	50.98	83.54	-32.56	46.60	1	Horizontal	162	2.11	-	37.95	15.23	48.80			
AV	19.02084G	38.65	63.54	-24.89	34.26	1	Horizontal	162	2.11	-	37.96	15.23	48.80			

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6665MHz_TX




EUT_V_1TX
Setting 6.5
02-H-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.33032G	48.16	74.00	-25.84	60.71	3	Vertical	110	2.82	-	40.16	11.88	64.59			
AV	13.3295G	34.75	54.00	-19.25	47.30	3	Vertical	110	2.82	-	40.16	11.88	64.59			

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6665MHz_TX




EUT_V_1TX
Setting 6.5
02-H-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.32973G	48.25	74.00	-25.75	60.80	3	Horizontal	126	2.89	-	40.16	11.88	64.59			
AV	13.33093G	34.73	54.00	-19.27	47.28	3	Horizontal	126	2.89	-	40.16	11.88	64.59			

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6665MHz_TX




EUT_Y_1TX
Setting 6.5
02-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.00628G	51.44	83.54	-32.10	47.35	1	Vertical	229	1.88	-	37.71	15.18	48.80			
AV	20.00531G	38.80	63.54	-24.74	34.72	1	Vertical	229	1.88	-	37.71	15.17	48.80			

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6665MHz_TX




EUT_Y_1TX
Setting 6.5
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.01219G	50.80	83.54	-32.74	46.70	1	Horizontal	269	2.63	-	37.72	15.18	48.80			
AV	20.00709G	38.64	63.54	-24.90	34.55	1	Horizontal	269	2.63	-	37.71	15.18	48.80			

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Y_2TX
Setting -6.5(S0 2)
02-R-Y-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.905G	69.53	88.20	-18.67	58.09	3	Vertical	353	1.79	-	34.20	7.87	30.63				
RMS	5.905G	58.25	68.20	-9.95	46.81	3	Vertical	353	1.79	-	34.20	7.87	30.63				
PK	5.9545G	101.00	Inf	-Inf	89.51	3	Vertical	353	1.79	-	34.21	7.90	30.62				
RMS	5.9562G	89.07	Inf	-Inf	77.58	3	Vertical	353	1.79	-	34.21	7.90	30.62				

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5955MHz_TX

EUT_Y_2TX
Setting -6.5(S0 2)
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.91059G	52.10	74.00	-21.90	46.04	3	Vertical	309	1.36	-	39.38	12.02	45.34			
AV	11.91044G	37.38	54.00	-16.62	31.32	3	Vertical	309	1.36	-	39.38	12.02	45.34			
PK	17.87408G	58.47	74.00	-15.53	43.18	3	Vertical	53	1.82	-	46.85	12.76	44.32			
AV	17.86644G	45.86	54.00	-8.14	30.59	3	Vertical	53	1.82	-	46.83	12.76	44.32			

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Y_2TX
Setting -6.5(S0 2)
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.9102G	51.19	74.00	-22.81	45.13	3	Horizontal	61	1.21	-	39.38	12.02	45.34				
AV	11.91093G	37.40	54.00	-16.60	31.34	3	Horizontal	61	1.21	-	39.38	12.02	45.34				
PK	17.87384G	58.60	74.00	-15.40	43.31	3	Horizontal	336	1.38	-	46.85	12.76	44.32				
AV	17.8649G	45.86	54.00	-8.14	30.59	3	Horizontal	336	1.38	-	46.83	12.76	44.32				

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Y_2TX
Setting -6.5(S0 2)
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.80959G	57.55	83.54	-25.99	48.85	1	Vertical	316	2.43	-	39.10	17.28	47.68			
AV	23.83029G	43.12	63.54	-20.42	34.40	1	Vertical	316	2.43	-	39.10	17.29	47.67			

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5955MHz_TX

EUT_Y_2TX
Setting -6.5(S0 2)
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.80863G	56.81	83.54	-26.73	48.11	1	Horizontal	248	1.29	-	39.10	17.28	47.68			
AV	23.83302G	43.01	63.54	-20.53	34.29	1	Horizontal	248	1.29	-	39.10	17.29	47.67			

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_Y_2TX
Setting -7(S0 3)
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.39028G	50.39	74.00	-23.61	45.14	3	Vertical	113	2.41	-	38.80	12.02	45.57			
AV	12.39046G	37.65	54.00	-16.35	32.40	3	Vertical	113	2.41	-	38.80	12.02	45.57			

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_Y_2TX
Setting -7(S0 3)
02-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.38998G	51.83	74.00	-22.17	46.58	3	Horizontal	4	1.81	-	38.80	12.02	45.57			
AV	12.3904G	37.65	54.00	-16.35	32.40	3	Horizontal	4	1.81	-	38.80	12.02	45.57			

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_Y_2TX
Setting -7(S0 3)
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.58377G	51.73	83.54	-31.81	47.06	1	Vertical	311	2.35	-	37.80	15.25	48.38			
AV	18.58979G	37.88	63.54	-25.66	33.22	1	Vertical	311	2.35	-	37.80	15.25	48.39			

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_Y_2TX
Setting -7(S0 3)
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.58696G	51.76	83.54	-31.78	47.10	1	Horizontal	74	2.01	-	37.80	15.25	48.39			
AV	18.58618G	37.79	63.54	-25.75	33.13	1	Horizontal	74	2.01	-	37.80	15.25	48.39			

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_Y_2TX
Setting -7(S0 3)
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.83057G	51.52	88.20	-36.68	45.86	3	Vertical	228	1.99	-	38.96	11.96	45.26			
RMS	12.82903G	38.21	68.20	-29.99	32.55	3	Vertical	228	1.99	-	38.96	11.96	45.26			

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_Y_2TX
Setting -7(S0 3)
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.82934G	51.17	88.20	-37.03	45.51	3	Horizontal	334	2.07	-	38.96	11.96	45.26			
RMS	12.82904G	38.21	68.20	-29.99	32.55	3	Horizontal	334	2.07	-	38.96	11.96	45.26			

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_Y_2TX
Setting -7(S0 3)
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.24959G	51.51	83.54	-32.03	47.09	1	Vertical	340	2.31	-	38.00	15.22	48.80			
AV	19.24825G	37.43	63.54	-26.11	33.02	1	Vertical	340	2.31	-	37.99	15.22	48.80			

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_Y_2TX
Setting -7(S0 3)
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.24425G	51.78	83.54	-31.76	47.38	1	Horizontal	118	1.89	-	37.98	15.22	48.80			
AV	19.24823G	37.38	63.54	-26.16	32.97	1	Horizontal	118	1.89	-	37.99	15.22	48.80			

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_Y_2TX
Setting -7.5(S0 3)
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.07038G	51.17	88.20	-37.03	44.78	3	Vertical	157	1.02	-	39.48	11.92	45.01			
RMS	13.0703G	38.27	68.20	-29.93	31.88	3	Vertical	157	1.02	-	39.48	11.92	45.01			

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_Y_2TX
Setting -7.5(S0 3)
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.07019G	50.69	88.20	-37.51	44.30	3	Horizontal	178	2.25	-	39.48	11.92	45.01			
RMS	13.07045G	38.27	68.20	-29.93	31.88	3	Horizontal	178	2.25	-	39.48	11.92	45.01			

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_Y_2TX
Setting -7(S0 3)
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.60446G	51.81	83.54	-31.73	47.72	1	Vertical	236	2.11	-	37.70	15.19	48.80			
AV	19.6055G	37.37	63.54	-26.17	33.28	1	Vertical	236	2.11	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_Y_2TX
Setting -7(S0 3)
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.60504G	51.63	83.54	-31.91	47.54	1	Horizontal	324	1.76	-	37.70	15.19	48.80			
AV	19.603G	37.42	63.54	-26.12	33.33	1	Horizontal	324	1.76	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6695MHz_TX




EUT_Y_2TX
Setting -9(S0 3.5)
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.3908G	53.65	74.00	-20.35	46.25	3	Vertical	327	2.22	-	40.28	11.87	44.75			
AV	13.39077G	40.15	54.00	-13.85	32.75	3	Vertical	327	2.22	-	40.28	11.87	44.75			

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6695MHz_TX




EUT_Y_2TX
Setting -9(S0 3.5)
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.38932G	53.62	74.00	-20.38	46.22	3	Horizontal	358	1.45	-	40.28	11.87	44.75			
AV	13.38958G	40.09	54.00	-13.91	32.69	3	Horizontal	358	1.45	-	40.28	11.87	44.75			

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6695MHz_TX




EUT_Y_2TX
Setting -7(S0 3)
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.08819G	51.83	83.54	-31.71	47.57	1	Vertical	71	1.40	-	37.80	15.24	48.78			
AV	20.08799G	37.52	63.54	-26.02	33.26	1	Vertical	71	1.40	-	37.80	15.24	48.78			

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6695MHz_TX




EUT_Y_2TX
Setting -7(S0 3)
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.08593G	51.20	83.54	-32.34	46.94	1	Horizontal	296	1.15	-	37.80	15.24	48.78			
AV	20.08791G	37.52	63.54	-26.02	33.26	1	Horizontal	296	1.15	-	37.80	15.24	48.78			

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6855MHz_TX




EUT_Y_2TX
Setting -9.5(S0 3.5)
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.70933G	52.48	88.20	-35.72	44.23	3	Vertical	311	2.73	-	40.94	11.82	44.51			
RMS	13.71053G	39.70	68.20	-28.50	31.45	3	Vertical	311	2.73	-	40.94	11.82	44.51			

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6855MHz_TX




EUT_Y_2TX
Setting -9.5(S0 3.5)
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.70915G	53.19	88.20	-35.01	44.94	3	Horizontal	17	2.01	-	40.94	11.82	44.51			
RMS	13.71018G	39.70	68.20	-28.50	31.45	3	Horizontal	17	2.01	-	40.94	11.82	44.51			

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6855MHz_TX




EUT_Y_2TX
Setting -9.5(S0 3.5)
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.56112G	53.83	83.54	-29.71	49.00	1	Vertical	121	2.03	-	37.90	15.63	48.70			
AV	20.56274G	39.57	63.54	-23.97	34.74	1	Vertical	121	2.03	-	37.90	15.63	48.70			

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6855MHz_TX




EUT_Y_2TX
Setting -9.5(S0 3.5)
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.56275G	54.30	83.54	-29.24	49.47	1	Horizontal	28	2.99	-	37.90	15.63	48.70			
AV	20.56101G	39.54	63.54	-24.00	34.71	1	Horizontal	28	2.99	-	37.90	15.63	48.70			

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Y_2TX
Setting -2.5(S0 1)
02-R-Y-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.8822G	69.36	88.20	-18.84	58.02	3	Vertical	350	1.73	-	34.13	7.85	30.64			
RMS	5.8942G	58.32	68.20	-9.88	46.92	3	Vertical	350	1.73	-	34.18	7.86	30.64			
PK	5.9538G	100.90	Inf	-Inf	89.41	3	Vertical	350	1.73	-	34.21	7.90	30.62			
RMS	5.95G	88.93	Inf	-Inf	77.45	3	Vertical	350	1.73	-	34.20	7.90	30.62			

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Y_2TX
Setting -2.5(S0 1)
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.93073G	51.98	74.00	-22.02	45.94	3	Vertical	176	2.00	-	39.34	12.04	45.34			
AV	11.93098G	38.85	54.00	-15.15	32.81	3	Vertical	176	2.00	-	39.34	12.04	45.34			
PK	17.88926G	58.72	74.00	-15.28	43.38	3	Vertical	120	1.43	-	46.88	12.77	44.31			
AV	17.885G	45.49	54.00	-8.51	30.17	3	Vertical	120	1.43	-	46.87	12.77	44.32			

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Y_2TX
Setting -2.5(S0 1)
02-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.93096G	51.66	74.00	-22.34	45.62	3	Horizontal	1	2.96	-	39.34	12.04	45.34			
AV	11.93083G	38.86	54.00	-15.14	32.82	3	Horizontal	1	2.96	-	39.34	12.04	45.34			
PK	17.89956G	57.68	74.00	-16.32	42.32	3	Horizontal	252	1.21	-	46.90	12.77	44.31			
AV	17.89552G	45.49	54.00	-8.51	30.14	3	Horizontal	252	1.21	-	46.89	12.77	44.31			

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Y_2TX
Setting -2.5(S0 1)
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.86006G	59.99	83.54	-23.55	51.28	1	Vertical	297	2.10	-	39.08	17.29	47.66			
AV	23.85531G	46.43	63.54	-17.11	37.71	1	Vertical	297	2.10	-	39.09	17.29	47.66			

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Y_2TX
Setting -2.5(S0 1)
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.86486G	60.41	83.54	-23.13	51.70	1	Horizontal	186	2.80	-	39.07	17.29	47.65			
AV	23.85535G	46.33	63.54	-17.21	37.61	1	Horizontal	186	2.80	-	39.09	17.29	47.66			

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6205MHz_TX




EUT_Y_2TX
Setting -2.5(S0 1.5)
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.40921G	50.51	74.00	-23.49	45.27	3	Vertical	44	2.51	-	38.80	12.02	45.58			
AV	12.41042G	37.53	54.00	-16.47	32.29	3	Vertical	44	2.51	-	38.80	12.02	45.58			

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6205MHz_TX




EUT_Y_2TX
Setting -2.5(S0 1.5)
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.41068G	50.44	74.00	-23.56	45.20	3	Horizontal	211	2.49	-	38.80	12.02	45.58			
AV	12.41047G	37.53	54.00	-16.47	32.29	3	Horizontal	211	2.49	-	38.80	12.02	45.58			

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6205MHz_TX




EUT_Y_2TX
Setting -2.5(S0 1)
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.61171G	55.34	83.54	-28.20	50.68	1	Vertical	205	2.92	-	37.82	15.25	48.41			
AV	18.61743G	41.00	63.54	-22.54	36.34	1	Vertical	205	2.92	-	37.83	15.25	48.42			

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6205MHz_TX




EUT_Y_2TX
Setting -2.5(S0 1)
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.61122G	54.59	83.54	-28.95	49.93	1	Horizontal	308	2.39	-	37.82	15.25	48.41			
AV	18.61635G	41.02	63.54	-22.52	36.36	1	Horizontal	308	2.39	-	37.83	15.25	48.42			

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_Y_2TX
Setting -2.5(S0 1.5)
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.8095G	51.53	88.20	-36.67	45.93	3	Vertical	24	1.32	-	38.92	11.96	45.28			
RMS	12.80935G	38.24	68.20	-29.96	32.64	3	Vertical	24	1.32	-	38.92	11.96	45.28			

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_Y_2TX
Setting -2.5(S0 1.5)
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.80979G	50.72	88.20	-37.48	45.12	3	Horizontal	27	1.63	-	38.92	11.96	45.28			
RMS	12.80903G	38.17	68.20	-30.03	32.57	3	Horizontal	27	1.63	-	38.92	11.96	45.28			

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_Y_2TX
Setting -2.5(S0 1.5)
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.21554G	53.77	83.54	-29.77	49.49	1	Vertical	237	2.46	-	37.86	15.22	48.80			
AV	19.21192G	40.05	63.54	-23.49	35.78	1	Vertical	237	2.46	-	37.85	15.22	48.80			

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_Y_2TX
Setting -2.5(S0 1.5)
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.2158G	53.83	83.54	-29.71	49.55	1	Horizontal	153	1.24	-	37.86	15.22	48.80			
AV	19.21755G	40.11	63.54	-23.43	35.82	1	Horizontal	153	1.24	-	37.87	15.22	48.80			

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_Y_2TX
Setting -3.5(S0 1.5)
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.12948G	52.04	88.20	-36.16	45.43	3	Vertical	97	2.23	-	39.66	11.91	44.96			
RMS	13.13003G	38.96	68.20	-29.24	32.35	3	Vertical	97	2.23	-	39.66	11.91	44.96			

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_Y_2TX
Setting -3.5(S0 1.5)
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.13054G	52.03	88.20	-36.17	45.42	3	Horizontal	336	1.65	-	39.66	11.91	44.96			
RMS	13.13004G	38.96	68.20	-29.24	32.35	3	Horizontal	336	1.65	-	39.66	11.91	44.96			

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_Y_2TX
Setting -3.5(S0 1.5)
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.69847G	55.04	83.54	-28.50	50.95	1	Vertical	45	1.56	-	37.70	15.19	48.80			
AV	19.69535G	41.12	63.54	-22.42	37.03	1	Vertical	45	1.56	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_Y_2TX
Setting -3.5(S0 1.5)
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.69583G	55.29	83.54	-28.25	51.20	1	Horizontal	279	1.84	-	37.70	15.19	48.80			
AV	19.69839G	41.10	63.54	-22.44	37.01	1	Horizontal	279	1.84	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_Y_2TX
Setting -4(S0 1.5)
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.36931G	52.76	74.00	-21.24	45.42	3	Vertical	360	1.25	-	40.24	11.87	44.77			
AV	13.37015G	39.88	54.00	-14.12	32.54	3	Vertical	360	1.25	-	40.24	11.87	44.77			

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX


6685MHz_TX

EUT_Y_2TX
Setting -4(S0 1.5)
02-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.36977G	52.74	74.00	-21.26	45.40	3	Horizontal	53	1.12	-	40.24	11.87	44.77			
AV	13.37018G	39.88	54.00	-14.12	32.54	3	Horizontal	53	1.12	-	40.24	11.87	44.77			

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_Y_2TX
Setting -4(S0 1.5)
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.05262G	54.36	83.54	-29.18	50.14	1	Vertical	108	2.37	-	37.80	15.21	48.79			
AV	20.05194G	40.40	63.54	-23.14	36.18	1	Vertical	108	2.37	-	37.80	15.21	48.79			

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_Y_2TX
Setting -4(S0 1.5)
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.05193G	54.77	83.54	-28.77	50.55	1	Horizontal	215	2.44	-	37.80	15.21	48.79			
AV	20.05025G	40.36	63.54	-23.18	36.14	1	Horizontal	215	2.44	-	37.80	15.21	48.79			

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6845MHz_TX




EUT_Y_2TX
Setting -4(S0 1.5)
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.68926G	52.63	88.20	-35.57	44.47	3	Vertical	99	1.75	-	40.86	11.83	44.53			
RMS	13.68992G	39.35	68.20	-28.85	31.19	3	Vertical	99	1.75	-	40.86	11.83	44.53			

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6845MHz_TX




EUT_Y_2TX
Setting -4(S0 1.5)
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.69072G	52.35	88.20	-35.85	44.19	3	Horizontal	185	1.81	-	40.86	11.83	44.53			
RMS	13.69004G	39.34	68.20	-28.86	31.18	3	Horizontal	185	1.81	-	40.86	11.83	44.53			

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6845MHz_TX




EUT_Y_2TX
Setting -4(S0 1.5)
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.53903G	56.43	83.54	-27.11	51.62	1	Vertical	207	2.81	-	37.90	15.61	48.70			
AV	20.53096G	42.36	63.54	-21.18	37.56	1	Vertical	207	2.81	-	37.90	15.60	48.70			

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6845MHz_TX




EUT_Y_2TX
Setting -4(S0 1.5)
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.53136G	56.89	83.54	-26.65	52.09	1	Horizontal	158	2.92	-	37.90	15.60	48.70			
AV	20.53652G	42.34	63.54	-21.20	37.53	1	Horizontal	158	2.92	-	37.90	15.61	48.70			

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Y_2TX
Setting 0(S0 0.5)
02-R-Y-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.7862G	69.25	88.20	-18.95	58.05	3	Vertical	352	1.80	-	34.07	7.79	30.66			
RMS	5.8894G	58.38	68.20	-9.82	47.00	3	Vertical	352	1.80	-	34.16	7.86	30.64			
PK	5.9726G	99.96	Inf	-Inf	88.42	3	Vertical	352	1.80	-	34.25	7.91	30.62			
RMS	5.9726G	84.65	Inf	-Inf	73.11	3	Vertical	352	1.80	-	34.25	7.91	30.62			

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX


5985MHz_TX

EUT_Y_2TX
Setting 0(S0 0.5)
02-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.96971G	51.89	74.00	-22.11	45.88	3	Vertical	186	2.56	-	39.30	12.06	45.35			
AV	11.97099G	41.27	54.00	-12.73	35.26	3	Vertical	186	2.56	-	39.30	12.06	45.35			
PK	17.96148G	57.52	74.00	-16.48	42.23	3	Vertical	129	2.57	-	46.78	12.80	44.29			
AV	17.9635G	47.35	54.00	-6.65	32.06	3	Vertical	129	2.57	-	46.77	12.80	44.28			

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Y_2TX
Setting 0(S0 0.5)
02-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.97076G	52.03	74.00	-21.97	46.02	3	Horizontal	112	1.52	-	39.30	12.06	45.35			
AV	11.96989G	41.02	54.00	-12.98	35.01	3	Horizontal	112	1.52	-	39.30	12.06	45.35			
PK	17.94802G	58.08	74.00	-15.92	42.77	3	Horizontal	231	2.13	-	46.80	12.80	44.29			
AV	17.95114G	47.25	54.00	-6.75	31.94	3	Horizontal	231	2.13	-	46.80	12.80	44.29			

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX


5985MHz_TX

EUT_Y_2TX
Setting 0(S0 0.5)
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.941G	60.05	83.54	-23.49	51.36	1	Vertical	325	1.03	-	39.00	17.31	47.62			
AV	23.94086G	47.30	63.54	-16.24	38.61	1	Vertical	325	1.03	-	39.00	17.31	47.62			

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Y_2TX
Setting 0(S0 0.5)
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.94221G	59.62	83.54	-23.92	50.93	1	Horizontal	17	1.40	-	39.00	17.31	47.62			
AV	23.94109G	47.30	63.54	-16.24	38.61	1	Horizontal	17	1.40	-	39.00	17.31	47.62			

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6225MHz_TX




EUT_Y_2TX
Setting 0.5(S0 1)
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.44925G	50.48	74.00	-23.52	45.27	3	Vertical	50	1.13	-	38.80	12.01	45.60			
AV	12.44969G	39.45	54.00	-14.55	34.24	3	Vertical	50	1.13	-	38.80	12.01	45.60			

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6225MHz_TX




EUT Y_2TX
Setting 0.5(S0 1)
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	12.44968G	50.11	74.00	-23.89	44.90	3	Horizontal	39	1.14	-	38.80	12.01	45.60				
AV	12.44954G	39.50	54.00	-14.50	34.29	3	Horizontal	39	1.14	-	38.80	12.01	45.60				

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6225MHz_TX




EUT_Y_2TX
Setting 0.5(S0 1)
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.6778G	55.16	83.54	-28.38	50.49	1	Vertical	343	2.00	-	37.90	15.25	48.48			
AV	18.67692G	42.85	63.54	-20.69	38.18	1	Vertical	343	2.00	-	37.90	15.25	48.48			

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6225MHz_TX




EUT_Y_2TX
Setting 0.5(S0 1)
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.67186G	55.77	83.54	-27.77	51.09	1	Horizontal	87	2.29	-	37.90	15.25	48.47			
AV	18.67661G	43.05	63.54	-20.49	38.38	1	Horizontal	87	2.29	-	37.90	15.25	48.48			

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6385MHz_TX




EUT_Y_2TX
Setting 1(S0 1)
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.76976G	51.06	88.20	-37.14	45.59	3	Vertical	348	1.28	-	38.84	11.96	45.33			
RMS	12.77045G	40.53	68.20	-27.67	35.06	3	Vertical	348	1.28	-	38.84	11.96	45.33			

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX


6385MHz_TX

EUT_Y_2TX
Setting 1(S0 1)
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.76991G	50.96	88.20	-37.24	45.49	3	Horizontal	290	1.63	-	38.84	11.96	45.33			
RMS	12.76947G	40.28	68.20	-27.92	34.81	3	Horizontal	290	1.63	-	38.84	11.96	45.33			

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX


6385MHz_TX

EUT_Y_2TX
Setting 1(S0 1)
02-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.15826G	54.22	83.54	-29.32	49.83	1	Vertical	95	2.73	-	37.97	15.22	48.80			
AV	19.15852G	41.89	63.54	-21.65	37.50	1	Vertical	95	2.73	-	37.97	15.22	48.80			

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6385MHz_TX




EUT_Y_2TX
Setting 1(S0 1)
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.15554G	53.75	83.54	-29.79	49.35	1	Horizontal	4	2.17	-	37.98	15.22	48.80			
AV	19.15505G	41.86	63.54	-21.68	37.46	1	Horizontal	4	2.17	-	37.98	15.22	48.80			

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_Y_2TX
Setting -0.5(S0 1)
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.25077G	52.40	74.00	-21.60	45.37	3	Vertical	53	2.00	-	40.00	11.89	44.86			
AV	13.25098G	41.55	54.00	-12.45	34.52	3	Vertical	53	2.00	-	40.00	11.89	44.86			

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_Y_2TX
Setting -0.5(S0 1)
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.24903G	52.16	88.20	-36.04	45.14	3	Horizontal	114	2.96	-	40.00	11.89	44.87			
RMS	13.2494G	41.42	68.20	-26.78	34.40	3	Horizontal	114	2.96	-	40.00	11.89	44.87			

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_Y_2TX
Setting -0.5(S0 1)
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.8717G	54.42	83.54	-29.12	50.34	1	Vertical	106	2.23	-	37.70	15.18	48.80			
AV	19.87102G	41.97	63.54	-21.57	37.89	1	Vertical	106	2.23	-	37.70	15.18	48.80			

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_Y_2TX
Setting -0.5(S0 1)
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.873G	54.37	83.54	-29.17	50.29	1	Horizontal	102	2.27	-	37.70	15.18	48.80			
AV	19.87178G	42.06	63.54	-21.48	37.98	1	Horizontal	102	2.27	-	37.70	15.18	48.80			

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX


6705MHz_TX

EUT_Y_2TX
Setting -1(S0 1)
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.41007G	53.27	88.20	-34.93	45.79	3	Vertical	212	2.32	-	40.34	11.87	44.73			
RMS	13.41019G	42.39	68.20	-25.81	34.91	3	Vertical	212	2.32	-	40.34	11.87	44.73			

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_Y_2TX
Setting -1(S0 1)
02-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.40972G	53.21	88.20	-34.99	45.73	3	Horizontal	301	2.76	-	40.34	11.87	44.73			
RMS	13.41018G	42.29	68.20	-25.91	34.81	3	Horizontal	301	2.76	-	40.34	11.87	44.73			

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_Y_2TX
Setting -1(S0 1)
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.11721G	55.08	83.54	-28.46	50.79	1	Vertical	324	2.12	-	37.80	15.27	48.78			
AV	20.11221G	42.66	63.54	-20.88	38.38	1	Vertical	324	2.12	-	37.80	15.26	48.78			

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_Y_2TX
Setting -1(S0 1)
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.11792G	55.07	83.54	-28.47	50.78	1	Horizontal	91	1.56	-	37.80	15.27	48.78			
AV	20.11736G	42.84	63.54	-20.70	38.55	1	Horizontal	91	1.56	-	37.80	15.27	48.78			

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_Y_2TX
Setting -1(S0 1)
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.56922G	52.55	88.20	-35.65	44.72	3	Vertical	104	2.47	-	40.60	11.84	44.61			
RMS	13.56994G	41.92	68.20	-26.28	34.09	3	Vertical	104	2.47	-	40.60	11.84	44.61			

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_Y_2TX
Setting -1(S0 1)
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.57077G	52.61	88.20	-35.59	44.78	3	Horizontal	218	1.41	-	40.60	11.84	44.61			
RMS	13.57027G	41.97	68.20	-26.23	34.14	3	Horizontal	218	1.41	-	40.60	11.84	44.61			

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_Y_2TX
Setting -1(S0 1)
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.3535G	57.22	83.54	-26.32	52.60	1	Vertical	342	1.13	-	37.89	15.46	48.73			
AV	20.35316G	44.42	63.54	-19.12	39.80	1	Vertical	342	1.13	-	37.89	15.46	48.73			

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_Y_2TX
Setting -1(S0 1)
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.35209G	56.60	83.54	-26.94	51.97	1	Horizontal	15	1.62	-	37.90	15.46	48.73			
AV	20.35251G	44.35	63.54	-19.19	39.73	1	Horizontal	15	1.62	-	37.89	15.46	48.73			

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Y_2TX
Setting 0.5
02-R-Y-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.7762G	69.48	88.20	-18.72	58.31	3	Vertical	352	1.76	-	34.05	7.78	30.66			
RMS	5.897G	58.33	68.20	-9.87	46.91	3	Vertical	352	1.76	-	34.19	7.86	30.63			
PK	6.009G	96.56	Inf	-Inf	84.94	3	Vertical	352	1.76	-	34.30	7.94	30.62			
RMS	6.0426G	82.37	Inf	-Inf	70.73	3	Vertical	352	1.76	-	34.30	8.00	30.66			

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Y_2TX
Setting 0.5
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.04947G	51.55	74.00	-22.45	45.77	3	Vertical	147	2.51	-	39.10	12.07	45.39			
AV	12.04986G	41.08	54.00	-12.92	35.30	3	Vertical	147	2.51	-	39.10	12.07	45.39			

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6025MHz_TX

EUT_Y_2TX
Setting 0.5
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.04926G	51.63	74.00	-22.37	45.85	3	Horizontal	74	1.55	-	39.10	12.07	45.39			
AV	12.05056G	40.99	54.00	-13.01	35.21	3	Horizontal	74	1.55	-	39.10	12.07	45.39			

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX


6025MHz_TX

EUT_Y_2TX
Setting 0.5
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07397G	56.06	83.54	-27.48	51.44	1	Vertical	32	2.65	-	37.54	15.29	48.21			
AV	18.0782G	42.98	63.54	-20.56	38.34	1	Vertical	32	2.65	-	37.57	15.29	48.22			

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Y_2TX
Setting 0.5
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07173G	55.17	83.54	-28.37	50.56	1	Horizontal	1	3.00	-	37.53	15.29	48.21			
AV	18.07263G	42.67	63.54	-20.87	38.05	1	Horizontal	1	3.00	-	37.54	15.29	48.21			

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6185MHz_TX




EUT_Y_2TX
Setting 1(S0 0.5)
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.36938G	50.38	74.00	-23.62	45.12	3	Vertical	66	2.90	-	38.80	12.02	45.56			
AV	12.36985G	39.72	54.00	-14.28	34.46	3	Vertical	66	2.90	-	38.80	12.02	45.56			

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6185MHz_TX




EUT_Y_2TX
Setting 1(S0 0.5)
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.37061G	50.41	74.00	-23.59	45.15	3	Horizontal	297	1.27	-	38.80	12.02	45.56			
AV	12.37039G	39.67	54.00	-14.33	34.41	3	Horizontal	297	1.27	-	38.80	12.02	45.56			

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6185MHz_TX




EUT_Y_2TX
Setting 1(S0 0.5)
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.55647G	54.75	83.54	-28.79	50.05	1	Vertical	215	2.72	-	37.80	15.26	48.36			
AV	18.55372G	42.08	63.54	-21.46	37.37	1	Vertical	215	2.72	-	37.80	15.26	48.35			

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX


6185MHz_TX

EUT_Y_2TX
Setting 1(S0 0.5)
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.55625G	54.16	83.54	-29.38	49.46	1	Horizontal	171	2.66	-	37.80	15.26	48.36			
AV	18.55259G	42.00	63.54	-21.54	37.29	1	Horizontal	171	2.66	-	37.80	15.26	48.35			

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6345MHz_TX




EUT_Y_2TX
Setting 1.5(S0 0.5)
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.68963G	50.81	74.00	-23.19	45.55	3	Vertical	89	1.14	-	38.70	11.98	45.42			
AV	12.69005G	40.60	54.00	-13.40	35.34	3	Vertical	89	1.14	-	38.70	11.98	45.42			

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6345MHz_TX




EUT_Y_2TX
Setting 1.5(S0 0.5)
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.68901G	52.61	74.00	-21.39	47.35	3	Horizontal	168	1.51	-	38.70	11.98	45.42			
AV	12.69064G	40.74	54.00	-13.26	35.48	3	Horizontal	168	1.51	-	38.70	11.98	45.42			

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6345MHz_TX




EUT_Y_2TX
Setting 1.5(S0 0.5)
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.03657G	54.27	83.54	-29.27	49.91	1	Vertical	284	2.06	-	37.93	15.23	48.80			
AV	19.03373G	41.91	63.54	-21.63	37.55	1	Vertical	284	2.06	-	37.93	15.23	48.80			

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6345MHz_TX




EUT_Y_2TX
Setting 1.5(S0 0.5)
02-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.03676G	53.87	83.54	-29.67	49.51	1	Horizontal	53	2.59	-	37.93	15.23	48.80			
AV	19.03678G	41.93	63.54	-21.61	37.57	1	Horizontal	53	2.59	-	37.93	15.23	48.80			

6.525-6.875GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6665MHz_TX




EUT_Y_2TX
Setting 0(S0 0.5)
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.33022G	52.48	74.00	-21.52	45.24	3	Vertical	337	1.03	-	40.16	11.88	44.80			
AV	13.33G	42.01	54.00	-11.99	34.77	3	Vertical	337	1.03	-	40.16	11.88	44.80			

6.525-6.875GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6665MHz_TX




EUT_Y_2TX
Setting 0(S0 0.5)
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.33061G	53.04	74.00	-20.96	45.80	3	Horizontal	283	2.00	-	40.16	11.88	44.80			
AV	13.32992G	42.21	54.00	-11.79	34.97	3	Horizontal	283	2.00	-	40.16	11.88	44.80			

6.525-6.875GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6665MHz_TX




EUT_Y_2TX
Setting 0(S0 0.5)
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.9963G	54.04	83.54	-29.50	49.96	1	Vertical	281	1.31	-	37.71	15.17	48.80			
AV	19.99784G	41.88	63.54	-21.66	37.81	1	Vertical	281	1.31	-	37.70	15.17	48.80			

6.525-6.875GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6665MHz_TX



EUT_Y_2TX
Setting 0(S0 0.5)
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.99861G	54.15	83.54	-29.39	50.08	1	Horizontal	324	1.10	-	37.70	15.17	48.80			
AV	19.99892G	41.81	63.54	-21.73	37.74	1	Horizontal	324	1.10	-	37.70	15.17	48.80			




Test Mode: Mode 6

Summary

Mode	Result	Type	Freq	Level	Limit	Margin	Dist	Condition	Azimuth	Height	Comments
			(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(m)		(°)	(m)	
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX	Pass	AV	17.8991G	46.85	54.00	-7.15	3	Vertical	337	1.80	-

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX

5955MHz_TX




EUT_Y_1TX
Setting -9
02-C-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9108G	63.28	88.20	-24.92	51.84	3	Vertical	176	1.78	-	34.20	7.87	30.63			
RMS	5.9051G	51.05	68.20	-17.15	39.61	3	Vertical	176	1.78	-	34.20	7.87	30.63			
PK	5.9468G	98.08	Inf	-Inf	86.60	3	Vertical	176	1.78	-	34.20	7.90	30.62			
RMS	5.9469G	87.72	Inf	-Inf	76.24	3	Vertical	176	1.78	-	34.20	7.90	30.62			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX

5955MHz_TX




EUT_Y_1TX
Setting -9
02-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.9417G	50.12	74.00	-23.88	44.11	3	Vertical	294	1.65	-	39.32	12.04	45.35			
AV	11.9563G	35.83	54.00	-18.17	29.83	3	Vertical	294	1.65	-	39.30	12.05	45.35			
PK	17.8661G	57.53	74.00	-16.47	42.26	3	Vertical	332	1.80	-	46.83	12.76	44.32			
AV	17.8481G	43.59	54.00	-10.41	28.38	3	Vertical	332	1.80	-	46.79	12.75	44.33			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX


5955MHz_TX

EUT_Y_1TX
Setting -9
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.91441G	49.69	74.00	-24.31	43.63	3	Horizontal	150	1.98	-	39.37	12.03	45.34				
AV	11.90989G	36.66	54.00	-17.34	30.60	3	Horizontal	150	1.98	-	39.38	12.02	45.34				
PK	17.882G	57.69	74.00	-16.31	42.39	3	Horizontal	211	1.80	-	46.86	12.76	44.32				
AV	17.8514G	43.71	54.00	-10.29	28.49	3	Horizontal	211	1.80	-	46.80	12.75	44.33				

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX


5955MHz_TX

EUT_Y_1TX
Setting -9
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.7723G	56.38	83.54	-27.16	47.70	1	Vertical	35	2.02	-	39.10	17.27	47.69			
AV	23.7711G	41.79	63.54	-21.75	33.11	1	Vertical	35	2.02	-	39.10	17.27	47.69			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX


5955MHz_TX

EUT_Y_1TX
Setting -9
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.7975G	56.04	83.54	-27.50	47.34	1	Horizontal	261	2.94	-	39.10	17.28	47.68			
AV	23.8075G	41.78	63.54	-21.76	33.08	1	Horizontal	261	2.94	-	39.10	17.28	47.68			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX

5955MHz_TX




EUT_Y_1TX
Setting -5.5
02-C-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.9206G	62.23	88.20	-25.97	50.78	3	Vertical	16	1.72	-	34.20	7.88	30.63				
RMS	5.9123G	51.20	68.20	-17.00	39.76	3	Vertical	16	1.72	-	34.20	7.87	30.63				
PK	5.9492G	99.83	Inf	-Inf	88.35	3	Vertical	16	1.72	-	34.20	7.90	30.62				
RMS	5.9487G	89.73	Inf	-Inf	78.25	3	Vertical	16	1.72	-	34.20	7.90	30.62				

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX


5955MHz_TX

EUT_Y_1TX
Setting -5.5
02-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.9558G	49.20	74.00	-24.80	43.20	3	Vertical	281	1.00	-	39.30	12.05	45.35			
AV	11.9381G	38.67	54.00	-15.33	32.66	3	Vertical	281	1.00	-	39.32	12.04	45.35			
PK	17.9006G	57.44	74.00	-16.56	42.08	3	Vertical	292	1.80	-	46.90	12.77	44.31			
AV	17.8911G	46.58	54.00	-7.42	31.24	3	Vertical	292	1.80	-	46.88	12.77	44.31			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX

5955MHz_TX




EUT_Y_1TX
Setting -5.5
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.8927G	48.70	74.00	-25.30	42.61	3	Horizontal	192	2.28	-	39.41	12.01	45.33				
AV	11.931G	38.23	54.00	-15.77	32.19	3	Horizontal	192	2.28	-	39.34	12.04	45.34				
PK	17.8691G	56.93	74.00	-17.07	41.65	3	Horizontal	137	1.82	-	46.84	12.76	44.32				
AV	17.8688G	46.29	54.00	-7.71	31.01	3	Horizontal	137	1.82	-	46.84	12.76	44.32				

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX

5955MHz_TX




EUT_Y_1TX
Setting -5.5
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.81764G	56.22	83.54	-27.32	47.51	1	Vertical	49	2.55	-	39.10	17.28	47.67			
AV	23.81628G	44.71	63.54	-18.83	36.00	1	Vertical	49	2.55	-	39.10	17.28	47.67			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX

5955MHz_TX




EUT_Y_1TX
Setting -5.5
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.81569G	55.14	83.54	-28.40	46.43	1	Horizontal	6	2.90	-	39.10	17.28	47.67			
AV	23.8153G	44.68	63.54	-18.86	35.97	1	Horizontal	6	2.90	-	39.10	17.28	47.67			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX

5955MHz_TX




EUT_Y_1TX
Setting -2
02-C-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.9165G	62.19	88.20	-26.01	50.74	3	Vertical	194	1.81	-	34.20	7.88	30.63				
RMS	5.9169G	51.28	68.20	-16.92	39.83	3	Vertical	194	1.81	-	34.20	7.88	30.63				
PK	5.9519G	97.80	Inf	-Inf	86.32	3	Vertical	194	1.81	-	34.20	7.90	30.62				
RMS	5.9525G	89.10	Inf	-Inf	77.61	3	Vertical	194	1.81	-	34.21	7.90	30.62				

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX

5955MHz_TX




EUT_Y_1TX
Setting -2
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.8911G	48.24	74.00	-25.76	42.14	3	Vertical	260	2.24	-	39.42	12.01	45.33			
AV	11.9507G	37.24	54.00	-16.76	31.24	3	Vertical	260	2.24	-	39.30	12.05	45.35			
PK	17.8403G	57.31	74.00	-16.69	42.16	3	Vertical	337	1.80	-	46.74	12.74	44.33			
AV	17.8991G	46.85	54.00	-7.15	31.49	3	Vertical	337	1.80	-	46.90	12.77	44.31			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX

5955MHz_TX




EUT_Y_1TX
Setting -2
02-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.9591G	49.13	74.00	-24.87	43.13	3	Horizontal	358	1.80	-	39.30	12.05	45.35			
AV	11.9399G	37.88	54.00	-16.12	31.87	3	Horizontal	358	1.80	-	39.32	12.04	45.35			
PK	17.8459G	57.36	74.00	-16.64	42.16	3	Horizontal	10	1.75	-	46.78	12.75	44.33			
AV	17.909G	46.09	54.00	-7.91	30.74	3	Horizontal	10	1.75	-	46.88	12.78	44.31			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX


5955MHz_TX

EUT_Y_1TX
Setting -2
02-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	23.81981G	55.35	83.54	-28.19	46.64	1	Vertical	213	2.69	-	39.10	17.28	47.67			
AV	23.82116G	44.59	63.54	-18.95	35.88	1	Vertical	213	2.69	-	39.10	17.28	47.67			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX

5955MHz_TX




EUT_Y_1TX
Setting -2
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.82303G	54.94	83.54	-28.60	46.23	1	Horizontal	183	1.49	-	39.10	17.28	47.67			
AV	23.82471G	44.74	63.54	-18.80	36.03	1	Horizontal	183	1.49	-	39.10	17.28	47.67			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX

6195MHz_TX




EUT_V_1TX
Setting -8.5
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.4287G	48.29	74.00	-25.71	43.06	3	Vertical	0	1.00	-	38.80	12.02	45.59			
AV	12.43104G	34.58	54.00	-19.42	29.35	3	Vertical	0	1.00	-	38.80	12.02	45.59			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX

6195MHz_TX




EUT_V_1TX
Setting -8.5
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.4296G	48.32	74.00	-25.68	43.09	3	Horizontal	119	1.80	-	38.80	12.02	45.59			
AV	12.4309G	34.56	54.00	-19.44	29.33	3	Horizontal	119	1.80	-	38.80	12.02	45.59			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX

6195MHz_TX




EUT_Y_1TX
Setting -8.5
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.58782G	51.03	83.54	-32.51	46.37	1	Vertical	318	2.34	-	37.80	15.25	48.39			
AV	18.58608G	37.33	63.54	-26.21	32.67	1	Vertical	318	2.34	-	37.80	15.25	48.39			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX

6195MHz_TX




EUT_Y_1TX
Setting -8.5
02-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.6221G	51.97	83.54	-31.57	47.30	1	Horizontal	288	2.82	-	37.84	15.25	48.42			
AV	18.6319G	38.00	63.54	-25.54	33.32	1	Horizontal	288	2.82	-	37.86	15.25	48.43			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX

6195MHz_TX




EUT_V_1TX
Setting -5
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.4126G	48.43	74.00	-25.57	43.19	3	Vertical	154	1.80	-	38.80	12.02	45.58			
AV	12.4192G	37.16	54.00	-16.84	31.93	3	Vertical	154	1.80	-	38.80	12.02	45.59			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX

6195MHz_TX




EUT_V_1TX
Setting -5
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.4288G	47.64	74.00	-26.36	42.41	3	Horizontal	48	1.00	-	38.80	12.02	45.59			
AV	12.4226G	36.89	54.00	-17.11	31.66	3	Horizontal	48	1.00	-	38.80	12.02	45.59			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX


6195MHz_TX

EUT_Y_1TX
Setting -5
02-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.58765G	51.61	83.54	-31.93	46.95	1	Vertical	254	1.96	-	37.80	15.25	48.39			
AV	18.58072G	40.47	63.54	-23.07	35.79	1	Vertical	254	1.96	-	37.80	15.26	48.38			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX

6195MHz_TX




EUT_Y_1TX
Setting -5
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.58362G	51.42	83.54	-32.12	46.75	1	Horizontal	219	1.90	-	37.80	15.25	48.38			
AV	18.58301G	40.63	63.54	-22.91	35.95	1	Horizontal	219	1.90	-	37.80	15.26	48.38			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX

6195MHz_TX




EUT_V_1TX
Setting -2
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.4087G	47.88	74.00	-26.12	42.64	3	Vertical	3	1.80	-	38.80	12.02	45.58			
AV	12.4182G	36.88	54.00	-17.12	31.65	3	Vertical	3	1.80	-	38.80	12.02	45.59			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX

6195MHz_TX




EUT_V_1TX
Setting -2
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.3911G	47.99	74.00	-26.01	42.74	3	Horizontal	40	1.91	-	38.80	12.02	45.57			
AV	12.3962G	37.23	54.00	-16.77	31.98	3	Horizontal	40	1.91	-	38.80	12.02	45.57			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX


6195MHz_TX

EUT_Y_1TX
Setting -2
02-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.58895G	51.13	83.54	-32.41	46.47	1	Vertical	178	1.25	-	37.80	15.25	48.39			
AV	18.58403G	40.30	63.54	-23.24	35.63	1	Vertical	178	1.25	-	37.80	15.25	48.38			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX

6195MHz_TX




EUT_Y_1TX
Setting -2
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.58265G	51.31	83.54	-32.23	46.63	1	Horizontal	96	1.97	-	37.80	15.26	48.38			
AV	18.58383G	40.52	63.54	-23.02	35.85	1	Horizontal	96	1.97	-	37.80	15.25	48.38			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX

6415MHz_TX




EUT_V_1TX
Setting -8.5
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.8775G	47.34	88.20	-40.86	41.55	3	Vertical	54	1.80	-	39.05	11.95	45.21			
RMS	12.874G	33.49	68.20	-34.71	27.70	3	Vertical	54	1.80	-	39.05	11.95	45.21			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX


6415MHz_TX

EUT_V_1TX
Setting -8.5
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.8538G	47.31	88.20	-40.89	41.58	3	Horizontal	196	1.98	-	39.01	11.95	45.23			
RMS	12.8749G	33.88	68.20	-34.32	28.09	3	Horizontal	196	1.98	-	39.05	11.95	45.21			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX

6415MHz_TX




EUT_Y_1TX
Setting -8.5
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.24104G	50.61	83.54	-32.93	46.23	1	Vertical	229	2.30	-	37.96	15.22	48.80			
AV	19.24894G	36.83	63.54	-26.71	32.41	1	Vertical	229	2.30	-	38.00	15.22	48.80			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX


6415MHz_TX

EUT_Y_1TX
Setting -8.5
02-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.24639G	50.68	83.54	-32.86	46.27	1	Horizontal	220	2.35	-	37.99	15.22	48.80			
AV	19.24873G	36.82	63.54	-26.72	32.41	1	Horizontal	220	2.35	-	37.99	15.22	48.80			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX

6415MHz_TX




EUT_V_1TX
Setting -4.5
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.8694G	47.72	88.20	-40.48	41.95	3	Vertical	255	1.41	-	39.04	11.95	45.22			
RMS	12.7814G	36.03	68.20	-32.17	30.52	3	Vertical	255	1.41	-	38.86	11.96	45.31			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX

6415MHz_TX




EUT_V_1TX
Setting -4.5
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.7864G	47.22	88.20	-40.98	41.70	3	Horizontal	278	2.96	-	38.87	11.96	45.31			
RMS	12.8068G	36.52	68.20	-31.68	30.94	3	Horizontal	278	2.96	-	38.91	11.96	45.29			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX


6415MHz_TX

EUT_Y_1TX
Setting -4.5
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.24903G	50.90	83.54	-32.64	46.48	1	Vertical	241	1.77	-	38.00	15.22	48.80			
AV	19.2498G	40.05	63.54	-23.49	35.63	1	Vertical	241	1.77	-	38.00	15.22	48.80			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX

6415MHz_TX




EUT_Y_1TX
Setting -4.5
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.24603G	51.31	83.54	-32.23	46.91	1	Horizontal	181	2.73	-	37.98	15.22	48.80			
AV	19.24986G	39.95	63.54	-23.59	35.53	1	Horizontal	181	2.73	-	38.00	15.22	48.80			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX


6415MHz_TX

EUT_V_1TX
Setting -1.5
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.7806G	47.44	88.20	-40.76	41.94	3	Vertical	66	1.80	-	38.86	11.96	45.32			
RMS	12.8282G	35.23	68.20	-32.97	29.57	3	Vertical	66	1.80	-	38.96	11.96	45.26			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX

6415MHz_TX




EUT_V_1TX
Setting -1.5
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.8285G	47.22	88.20	-40.98	41.56	3	Horizontal	338	2.96	-	38.96	11.96	45.26			
RMS	12.8342G	35.20	68.20	-33.00	29.54	3	Horizontal	338	2.96	-	38.97	11.95	45.26			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX


6415MHz_TX

EUT_Y_1TX
Setting -1.5
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.24677G	50.28	83.54	-33.26	45.87	1	Vertical	290	2.72	-	37.99	15.22	48.80			
AV	19.2434G	38.34	63.54	-25.20	33.95	1	Vertical	290	2.72	-	37.97	15.22	48.80			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX


6415MHz_TX

EUT_Y_1TX
Setting -1.5
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.24778G	50.56	83.54	-32.98	46.15	1	Horizontal	273	1.76	-	37.99	15.22	48.80			
AV	19.24468G	38.35	63.54	-25.19	33.95	1	Horizontal	273	1.76	-	37.98	15.22	48.80			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX

6535MHz_TX




EUT_V_1TX
Setting -9
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.1017G	48.52	88.20	-39.68	42.00	3	Vertical	179	2.19	-	39.60	11.91	44.99			
RMS	13.1035G	35.03	68.20	-33.17	28.50	3	Vertical	179	2.19	-	39.61	11.91	44.99			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX

6535MHz_TX




EUT_V_1TX
Setting -9
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.1081G	49.01	88.20	-39.19	42.46	3	Horizontal	272	1.80	-	39.62	11.91	44.98			
RMS	13.1013G	35.46	68.20	-32.74	28.94	3	Horizontal	272	1.80	-	39.60	11.91	44.99			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX


6535MHz_TX

EUT_Y_1TX
Setting -9
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.60548G	50.68	83.54	-32.86	46.59	1	Vertical	216	2.42	-	37.70	15.19	48.80			
AV	19.60494G	36.51	63.54	-27.03	32.42	1	Vertical	216	2.42	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX


6535MHz_TX

EUT_Y_1TX
Setting -9
02-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.60369G	51.00	83.54	-32.54	46.91	1	Horizontal	187	1.07	-	37.70	15.19	48.80			
AV	19.60386G	36.54	63.54	-27.00	32.45	1	Horizontal	187	1.07	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX


6535MHz_TX


EUT_V_1TX
Setting -5.5
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.1071G	49.15	88.20	-39.05	42.61	3	Vertical	298	1.96	-	39.61	11.91	44.98			
RMS	13.1092G	38.12	68.20	-30.08	31.57	3	Vertical	298	1.96	-	39.62	11.91	44.98			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX

6535MHz_TX




EUT_V_1TX
Setting -5.5
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.0538G	48.25	88.20	-39.95	41.97	3	Horizontal	113	1.99	-	39.40	11.92	45.04			
RMS	13.1053G	37.59	68.20	-30.61	31.05	3	Horizontal	113	1.99	-	39.61	11.91	44.98			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX

6535MHz_TX




EUT_Y_1TX
Setting -5.5
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.60809G	51.06	83.54	-32.48	46.97	1	Vertical	213	2.68	-	37.70	15.19	48.80			
AV	19.60801G	39.89	63.54	-23.65	35.80	1	Vertical	213	2.68	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX


6535MHz_TX

EUT_Y_1TX
Setting -5.5
02-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.60218G	50.24	83.54	-33.30	46.15	1	Horizontal	6	2.98	-	37.70	15.19	48.80			
AV	19.60612G	39.85	63.54	-23.69	35.76	1	Horizontal	6	2.98	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX

6535MHz_TX




EUT_V_1TX
Setting -2
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.0264G	48.72	88.20	-39.48	42.44	3	Vertical	322	1.31	-	39.40	11.93	45.05			
RMS	13.1017G	37.74	68.20	-30.46	31.22	3	Vertical	322	1.31	-	39.60	11.91	44.99			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX

6535MHz_TX




EUT_V_1TX
Setting -2
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.1003G	49.15	88.20	-39.05	42.63	3	Horizontal	68	1.80	-	39.60	11.91	44.99			
RMS	13.0913G	38.49	68.20	-29.71	32.00	3	Horizontal	68	1.80	-	39.57	11.92	45.00			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX

6535MHz_TX




EUT_Y_1TX
Setting -2
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.60638G	50.55	83.54	-32.99	46.46	1	Vertical	48	2.24	-	37.70	15.19	48.80			
AV	19.60803G	39.69	63.54	-23.85	35.60	1	Vertical	48	2.24	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX

6535MHz_TX




EUT_Y_1TX
Setting -2
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.60602G	50.69	83.54	-32.85	46.60	1	Horizontal	226	1.68	-	37.70	15.19	48.80			
AV	19.60573G	39.51	63.54	-24.03	35.42	1	Horizontal	226	1.68	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX

6695MHz_TX




EUT_V_1TX
Setting -10
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.437G	50.40	88.20	-37.80	42.80	3	Vertical	46	1.04	-	40.45	11.86	44.71			
RMS	13.4376G	36.45	68.20	-31.75	28.85	3	Vertical	46	1.04	-	40.45	11.86	44.71			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX

6695MHz_TX




EUT_V_1TX
Setting -10
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.4223G	50.38	88.20	-37.82	42.84	3	Horizontal	190	1.83	-	40.39	11.87	44.72			
RMS	13.432G	36.19	68.20	-32.01	28.61	3	Horizontal	190	1.83	-	40.43	11.87	44.72			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX

6695MHz_TX




EUT_Y_1TX
Setting -10
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.0828G	51.61	83.54	-31.93	47.35	1	Vertical	305	1.03	-	37.80	15.24	48.78			
AV	20.08391G	36.77	63.54	-26.77	32.51	1	Vertical	305	1.03	-	37.80	15.24	48.78			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX

6695MHz_TX




EUT_Y_1TX
Setting -10
02-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.08928G	51.12	83.54	-32.42	46.86	1	Horizontal	128	2.34	-	37.80	15.24	48.78			
AV	20.08406G	36.75	63.54	-26.79	32.49	1	Horizontal	128	2.34	-	37.80	15.24	48.78			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX

6695MHz_TX




EUT_V_1TX
Setting -6
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.4388G	50.01	88.20	-38.19	42.40	3	Vertical	144	2.67	-	40.46	11.86	44.71			
RMS	13.4305G	38.57	68.20	-29.63	31.00	3	Vertical	144	2.67	-	40.42	11.87	44.72			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX

6695MHz_TX




EUT_V_1TX
Setting -6
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.4334G	49.36	88.20	-38.84	41.78	3	Horizontal	202	1.31	-	40.43	11.86	44.71			
RMS	13.4348G	38.97	68.20	-29.23	31.38	3	Horizontal	202	1.31	-	40.44	11.86	44.71			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX


6695MHz_TX

EUT_Y_1TX
Setting -6
02-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.08132G	50.51	83.54	-33.03	46.25	1	Vertical	310	1.61	-	37.80	15.24	48.78			
AV	20.08157G	40.22	63.54	-23.32	35.96	1	Vertical	310	1.61	-	37.80	15.24	48.78			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX

6695MHz_TX




EUT_Y_1TX
Setting -6
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.08196G	50.85	83.54	-32.69	46.59	1	Horizontal	326	1.79	-	37.80	15.24	48.78			
AV	20.08018G	39.88	63.54	-23.66	35.62	1	Horizontal	326	1.79	-	37.80	15.24	48.78			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX


6695MHz_TX

EUT_V_1TX
Setting -3
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.4386G	50.06	88.20	-38.14	42.46	3	Vertical	223	1.80	-	40.45	11.86	44.71			
RMS	13.4276G	38.99	68.20	-29.21	31.43	3	Vertical	223	1.80	-	40.41	11.87	44.72			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX

6695MHz_TX




EUT_V_1TX
Setting -3
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.4354G	50.49	88.20	-37.71	42.90	3	Horizontal	234	2.83	-	40.44	11.86	44.71			
RMS	13.4376G	38.86	68.20	-29.34	31.26	3	Horizontal	234	2.83	-	40.45	11.86	44.71			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX

6695MHz_TX




EUT_Y_1TX
Setting -3
02-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.08916G	50.47	83.54	-33.07	46.21	1	Vertical	112	1.38	-	37.80	15.24	48.78			
AV	20.08241G	40.02	63.54	-23.52	35.76	1	Vertical	112	1.38	-	37.80	15.24	48.78			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX


6695MHz_TX

EUT_Y_1TX
Setting -3
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.08976G	50.50	83.54	-33.04	46.24	1	Horizontal	288	1.56	-	37.80	15.24	48.78			
AV	20.08944G	39.95	63.54	-23.59	35.69	1	Horizontal	288	1.56	-	37.80	15.24	48.78			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX

6855MHz_TX




EUT_V_1TX
Setting -10
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.7479G	50.75	88.20	-37.45	42.33	3	Vertical	161	1.82	-	41.09	11.82	44.49			
RMS	13.7566G	37.96	68.20	-30.24	29.53	3	Vertical	161	1.82	-	41.09	11.82	44.48			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX

6855MHz_TX




EUT_V_1TX
Setting -10
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.7501G	51.49	88.20	-36.71	43.05	3	Horizontal	124	2.71	-	41.10	11.82	44.48			
RMS	13.749G	37.79	68.20	-30.41	29.36	3	Horizontal	124	2.71	-	41.10	11.82	44.49			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX

6855MHz_TX




EUT_Y_1TX
Setting -10
02-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.56949G	52.56	83.54	-30.98	47.73	1	Vertical	114	1.08	-	37.90	15.63	48.70			
AV	20.56509G	38.61	63.54	-24.93	33.78	1	Vertical	114	1.08	-	37.90	15.63	48.70			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX

6855MHz_TX




EUT_Y_1TX
Setting -10
02-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.56808G	52.83	83.54	-30.71	48.00	1	Horizontal	199	2.08	-	37.90	15.63	48.70			
AV	20.56772G	38.59	63.54	-24.95	33.76	1	Horizontal	199	2.08	-	37.90	15.63	48.70			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX

6855MHz_TX




EUT_V_1TX
Setting -6
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.7017G	51.08	88.20	-37.12	42.87	3	Vertical	288	1.55	-	40.91	11.82	44.52			
RMS	13.7563G	41.21	68.20	-26.99	32.78	3	Vertical	288	1.55	-	41.09	11.82	44.48			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX

6855MHz_TX




EUT_V_1TX
Setting -6
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.7595G	51.18	88.20	-37.02	42.76	3	Horizontal	304	2.86	-	41.08	11.82	44.48			
RMS	13.7435G	40.74	68.20	-27.46	32.34	3	Horizontal	304	2.86	-	41.07	11.82	44.49			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX

6855MHz_TX




EUT_Y_1TX
Setting -6
02-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.56617G	52.37	83.54	-31.17	47.54	1	Vertical	339	1.26	-	37.90	15.63	48.70			
AV	20.56919G	41.67	63.54	-21.87	36.84	1	Vertical	339	1.26	-	37.90	15.63	48.70			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX

6855MHz_TX




EUT_Y_1TX
Setting -6
02-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.56644G	52.81	83.54	-30.73	47.98	1	Horizontal	6	1.76	-	37.90	15.63	48.70			
AV	20.56731G	41.88	63.54	-21.66	37.05	1	Horizontal	6	1.76	-	37.90	15.63	48.70			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX

6855MHz_TX




EUT_V_1TX
Setting -3
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.7418G	51.95	88.20	-36.25	43.55	3	Vertical	224	1.62	-	41.07	11.82	44.49			
RMS	13.742G	39.31	68.20	-28.89	30.91	3	Vertical	224	1.62	-	41.07	11.82	44.49			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX

6855MHz_TX




EUT_V_1TX
Setting -3
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.7504G	51.37	88.20	-36.83	42.93	3	Horizontal	19	1.80	-	41.10	11.82	44.48			
RMS	13.7592G	39.49	68.20	-28.71	31.07	3	Horizontal	19	1.80	-	41.08	11.82	44.48			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX

6855MHz_TX




EUT_Y_1TX
Setting -3
02-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.56542G	52.27	83.54	-31.27	47.44	1	Vertical	61	2.91	-	37.90	15.63	48.70			
AV	20.56936G	40.09	63.54	-23.45	35.26	1	Vertical	61	2.91	-	37.90	15.63	48.70			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX


6855MHz_TX

EUT_Y_1TX
Setting -3
02-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.56378G	52.34	83.54	-31.20	47.51	1	Horizontal	347	2.83	-	37.90	15.63	48.70			
AV	20.5683G	40.08	63.54	-23.46	35.25	1	Horizontal	347	2.83	-	37.90	15.63	48.70			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX

5955MHz_TX




EUT_Y_2TX
Setting -10(S1 -6)
02-C-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.924G	62.77	88.20	-25.43	51.32	3	Vertical	172	1.80	-	34.20	7.88	30.63				
RMS	5.9108G	51.01	68.20	-17.19	39.57	3	Vertical	172	1.80	-	34.20	7.87	30.63				
PK	5.9468G	107.28	Inf	-Inf	95.80	3	Vertical	172	1.80	-	34.20	7.90	30.62				
RMS	5.9467G	93.08	Inf	-Inf	81.60	3	Vertical	172	1.80	-	34.20	7.90	30.62				

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX

5955MHz_TX




EUT_Y_2TX
Setting -10(S1 -6)
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.9202G	48.84	74.00	-25.16	42.79	3	Vertical	262	1.80	-	39.36	12.03	45.34				
AV	11.9447G	35.70	54.00	-18.30	29.70	3	Vertical	262	1.80	-	39.31	12.04	45.35				
PK	17.888G	57.87	74.00	-16.13	42.53	3	Vertical	110	1.80	-	46.88	12.77	44.31				
AV	17.8568G	43.60	54.00	-10.40	28.37	3	Vertical	110	1.80	-	46.81	12.75	44.33				

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX

5955MHz_TX




EUT_Y_2TX
Setting -10(S1 -6)
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.899G	49.47	74.00	-24.53	43.39	3	Horizontal	310	1.80	-	39.40	12.02	45.34				
AV	11.9515G	35.99	54.00	-18.01	29.99	3	Horizontal	310	1.80	-	39.30	12.05	45.35				
PK	17.9065G	56.74	74.00	-17.26	41.38	3	Horizontal	247	1.19	-	46.89	12.78	44.31				
AV	17.8485G	43.37	54.00	-10.63	28.16	3	Horizontal	247	1.19	-	46.79	12.75	44.33				

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX

5955MHz_TX




EUT_Y_2TX
Setting -10(S1 -6)
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.82322G	55.18	83.54	-28.36	46.47	1	Vertical	70	2.87	-	39.10	17.28	47.67			
AV	23.82279G	41.25	63.54	-22.29	32.54	1	Vertical	70	2.87	-	39.10	17.28	47.67			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX

5955MHz_TX




EUT_Y_2TX
Setting -10(S1 -6)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.82082G	55.60	83.54	-27.94	46.89	1	Horizontal	330	1.65	-	39.10	17.28	47.67			
AV	23.82279G	41.22	63.54	-22.32	32.51	1	Horizontal	330	1.65	-	39.10	17.28	47.67			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX

5955MHz_TX




EUT_Y_2TX
Setting -8.5(S1 -2)
02-C-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9094G	62.25	88.20	-25.95	50.81	3	Vertical	172	1.79	-	34.20	7.87	30.63			
RMS	5.9154G	51.17	68.20	-17.03	39.72	3	Vertical	172	1.79	-	34.20	7.88	30.63			
PK	5.9491G	102.07	Inf	-Inf	90.59	3	Vertical	172	1.79	-	34.20	7.90	30.62			
RMS	5.9488G	89.63	Inf	-Inf	78.15	3	Vertical	172	1.79	-	34.20	7.90	30.62			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX

5955MHz_TX




EUT_Y_2TX
Setting -8.5(S1 -2)
02-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.9298G	49.16	74.00	-24.84	43.12	3	Vertical	334	2.42	-	39.34	12.04	45.34			
AV	11.9585G	38.00	54.00	-16.00	32.00	3	Vertical	334	2.42	-	39.30	12.05	45.35			
PK	17.8601G	56.81	74.00	-17.19	41.57	3	Vertical	195	2.60	-	46.82	12.75	44.33			
AV	17.9042G	46.12	54.00	-7.88	30.77	3	Vertical	195	2.60	-	46.89	12.77	44.31			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX

5955MHz_TX




EUT_Y_2TX
Setting -8.5(S1 -2)
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.8638G	49.27	74.00	-24.73	43.14	3	Horizontal	200	1.65	-	39.47	11.99	45.33			
AV	11.9301G	38.61	54.00	-15.39	32.57	3	Horizontal	200	1.65	-	39.34	12.04	45.34			
PK	17.8493G	56.75	74.00	-17.25	41.53	3	Horizontal	163	1.48	-	46.80	12.75	44.33			
AV	17.8796G	46.06	54.00	-7.94	30.76	3	Horizontal	163	1.48	-	46.86	12.76	44.32			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX

5955MHz_TX




EUT_Y_2TX
Setting -8.5(S1 -2)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.82003G	57.08	83.54	-26.46	48.37	1	Vertical	92	1.18	-	39.10	17.28	47.67			
AV	23.82474G	46.69	63.54	-16.85	37.98	1	Vertical	92	1.18	-	39.10	17.28	47.67			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX

5955MHz_TX




EUT_Y_2TX
Setting -8.5(S1 -2)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.82417G	57.28	83.54	-26.26	48.57	1	Horizontal	10	1.91	-	39.10	17.28	47.67			
AV	23.82394G	46.30	63.54	-17.24	37.59	1	Horizontal	10	1.91	-	39.10	17.28	47.67			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX

5955MHz_TX




EUT_Y_2TX
Setting -7(S1 -0.5)
02-C-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9117G	62.28	88.20	-25.92	50.84	3	Vertical	177	1.80	-	34.20	7.87	30.63			
RMS	5.9081G	51.18	68.20	-17.02	39.74	3	Vertical	177	1.80	-	34.20	7.87	30.63			
PK	5.9519G	99.14	Inf	-Inf	87.66	3	Vertical	177	1.80	-	34.20	7.90	30.62			
RMS	5.9524G	87.25	Inf	-Inf	75.77	3	Vertical	177	1.80	-	34.20	7.90	30.62			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX

5955MHz_TX




EUT_Y_2TX
Setting -7(S1 -0.5)
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.9415G	48.97	74.00	-25.03	42.96	3	Vertical	280	2.33	-	39.32	12.04	45.35			
AV	11.9523G	38.19	54.00	-15.81	32.19	3	Vertical	280	2.33	-	39.30	12.05	45.35			
PK	17.8288G	56.63	74.00	-17.37	41.56	3	Vertical	274	2.78	-	46.67	12.74	44.34			
AV	17.8292G	46.12	54.00	-7.88	31.04	3	Vertical	274	2.78	-	46.68	12.74	44.34			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX

5955MHz_TX




EUT_Y_2TX
Setting -7(S1 -0.5)
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.9519G	48.70	74.00	-25.30	42.70	3	Horizontal	181	1.86	-	39.30	12.05	45.35				
AV	11.9299G	37.96	54.00	-16.04	31.92	3	Horizontal	181	1.86	-	39.34	12.04	45.34				
PK	17.8349G	57.08	74.00	-16.92	41.97	3	Horizontal	310	1.45	-	46.71	12.74	44.34				
AV	17.8998G	46.21	54.00	-7.79	30.85	3	Horizontal	310	1.45	-	46.90	12.77	44.31				

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX

5955MHz_TX




EUT_Y_2TX
Setting -7(S1 -0.5)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.82364G	57.21	83.54	-26.33	48.50	1	Vertical	347	2.99	-	39.10	17.28	47.67			
AV	23.8214G	46.17	63.54	-17.37	37.46	1	Vertical	347	2.99	-	39.10	17.28	47.67			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX


5955MHz_TX

EUT_Y_2TX
Setting -7(S1 -0.5)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.82362G	58.06	83.54	-25.48	49.35	1	Horizontal	38	1.80	-	39.10	17.28	47.67			
AV	23.8242G	46.20	63.54	-17.34	37.49	1	Horizontal	38	1.80	-	39.10	17.28	47.67			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX

6195MHz_TX




EUT_Y_2TX
Setting -10(S1 -6.5)
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.3969G	47.41	74.00	-26.59	42.16	3	Vertical	166	1.80	-	38.80	12.02	45.57			
AV	12.4339G	34.38	54.00	-19.62	29.16	3	Vertical	166	1.80	-	38.80	12.01	45.59			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX

6195MHz_TX




EUT_Y_2TX
Setting -10(S1 -6.5)
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.3921G	47.63	74.00	-26.37	42.38	3	Horizontal	103	1.42	-	38.80	12.02	45.57			
AV	12.4224G	33.82	54.00	-20.18	28.59	3	Horizontal	103	1.42	-	38.80	12.02	45.59			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX

6195MHz_TX




EUT_Y_2TX
Setting -10(S1 -6.5)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.58954G	53.10	83.54	-30.44	48.44	1	Vertical	20	2.05	-	37.80	15.25	48.39			
AV	18.58992G	39.62	63.54	-23.92	34.96	1	Vertical	20	2.05	-	37.80	15.25	48.39			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX

6195MHz_TX




EUT_V_2TX
Setting -10(S1 -6.5)
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.5851G	53.21	83.54	-30.33	48.55	1	Horizontal	218	2.16	-	37.80	15.25	48.39			
AV	18.58945G	39.58	63.54	-23.96	34.92	1	Horizontal	218	2.16	-	37.80	15.25	48.39			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX

6195MHz_TX




EUT_Y_2TX
Setting -8.5(S1 -2.5)
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.4017G	46.99	74.00	-27.01	41.75	3	Vertical	89	1.53	-	38.80	12.02	45.58			
AV	12.4228G	36.28	54.00	-17.72	31.05	3	Vertical	89	1.53	-	38.80	12.02	45.59			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX

6195MHz_TX




EUT_Y_2TX
Setting -8.5(S1 -2.5)
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.4159G	47.51	74.00	-26.49	42.27	3	Horizontal	270	2.86	-	38.80	12.02	45.58			
AV	12.4014G	36.56	54.00	-17.44	31.32	3	Horizontal	270	2.86	-	38.80	12.02	45.58			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX

6195MHz_TX




EUT_Y_2TX
Setting -8.5(S1 -2.5)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.58572G	54.06	83.54	-29.48	49.40	1	Vertical	264	2.31	-	37.80	15.25	48.39			
AV	18.58365G	42.62	63.54	-20.92	37.95	1	Vertical	264	2.31	-	37.80	15.25	48.38			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX

6195MHz_TX




EUT_Y_2TX
Setting -8.5(S1 -2.5)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.58468G	53.39	83.54	-30.15	48.72	1	Horizontal	65	1.96	-	37.80	15.25	48.38			
AV	18.58676G	43.33	63.54	-20.21	38.67	1	Horizontal	65	1.96	-	37.80	15.25	48.39			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX


6195MHz_TX

EUT_Y_2TX
Setting -7(S1 -0.5)
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.4328G	47.77	74.00	-26.23	42.54	3	Vertical	321	1.80	-	38.80	12.02	45.59			
AV	12.4246G	37.29	54.00	-16.71	32.06	3	Vertical	321	1.80	-	38.80	12.02	45.59			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX

6195MHz_TX




EUT_Y_2TX
Setting -7(S1 -0.5)
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.4316G	47.04	74.00	-26.96	41.81	3	Horizontal	135	1.30	-	38.80	12.02	45.59			
AV	12.4165G	36.31	54.00	-17.69	31.07	3	Horizontal	135	1.30	-	38.80	12.02	45.58			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX

6195MHz_TX




EUT_Y_2TX
Setting -7(S1 -0.5)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.58407G	53.40	83.54	-30.14	48.73	1	Vertical	152	1.51	-	37.80	15.25	48.38			
AV	18.58588G	43.37	63.54	-20.17	38.71	1	Vertical	152	1.51	-	37.80	15.25	48.39			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX


6195MHz_TX

EUT_Y_2TX
Setting -7(S1 -0.5)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.58516G	53.74	83.54	-29.80	49.08	1	Horizontal	284	1.37	-	37.80	15.25	48.39			
AV	18.58551G	42.70	63.54	-20.84	38.04	1	Horizontal	284	1.37	-	37.80	15.25	48.39			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX

6415MHz_TX




EUT_Y_2TX
Setting -10(S1 -5.5)
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.8499G	47.20	88.20	-41.00	41.49	3	Vertical	150	2.97	-	39.00	11.95	45.24			
RMS	12.8791G	33.87	68.20	-34.33	28.07	3	Vertical	150	2.97	-	39.06	11.95	45.21			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX

6415MHz_TX




EUT_Y_2TX
Setting -10(S1 -5.5)
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.8299G	48.03	88.20	-40.17	42.37	3	Horizontal	148	1.80	-	38.96	11.96	45.26			
RMS	12.8299G	34.94	68.20	-33.26	29.28	3	Horizontal	148	1.80	-	38.96	11.96	45.26			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX

6415MHz_TX




EUT_Y_2TX
Setting -10(S1 -5.5)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.24581G	53.28	83.54	-30.26	48.88	1	Vertical	208	2.18	-	37.98	15.22	48.80			
AV	19.24591G	39.18	63.54	-24.36	34.78	1	Vertical	208	2.18	-	37.98	15.22	48.80			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX

6415MHz_TX




EUT_Y_2TX
Setting -10(S1 -5.5)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.24435G	53.46	83.54	-30.08	49.06	1	Horizontal	141	2.99	-	37.98	15.22	48.80			
AV	19.24596G	39.19	63.54	-24.35	34.79	1	Horizontal	141	2.99	-	37.98	15.22	48.80			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX

6415MHz_TX




EUT_Y_2TX
Setting -8.5(S1 -2)
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.8101G	47.30	88.20	-40.90	41.70	3	Vertical	345	2.87	-	38.92	11.96	45.28			
RMS	12.8725G	36.50	68.20	-31.70	30.71	3	Vertical	345	2.87	-	39.05	11.95	45.21			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX


6415MHz_TX

EUT_Y_2TX
Setting -8.5(S1 -2)
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.816G	46.91	88.20	-41.29	41.30	3	Horizontal	114	1.34	-	38.93	11.96	45.28			
RMS	12.8787G	36.14	68.20	-32.06	30.34	3	Horizontal	114	1.34	-	39.06	11.95	45.21			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX


6415MHz_TX

EUT_Y_2TX
Setting -8.5(S1 -2)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.2446G	52.78	83.54	-30.76	48.38	1	Vertical	283	2.81	-	37.98	15.22	48.80			
AV	19.24459G	42.23	63.54	-21.31	37.83	1	Vertical	283	2.81	-	37.98	15.22	48.80			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX

6415MHz_TX




EUT_Y_2TX
Setting -8.5(S1 -2)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.24536G	52.71	83.54	-30.83	48.31	1	Horizontal	225	2.52	-	37.98	15.22	48.80			
AV	19.2442G	42.16	63.54	-21.38	37.76	1	Horizontal	225	2.52	-	37.98	15.22	48.80			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX

6415MHz_TX




EUT_Y_2TX
Setting -7(S1 -0.5)
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.8605G	47.41	88.20	-40.79	41.67	3	Vertical	84	2.23	-	39.02	11.95	45.23			
RMS	12.8299G	36.22	68.20	-31.98	30.56	3	Vertical	84	2.23	-	38.96	11.96	45.26			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX

6415MHz_TX




EUT_Y_2TX
Setting -7(S1 -0.5)
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.8769G	46.83	88.20	-41.37	41.04	3	Horizontal	158	2.03	-	39.05	11.95	45.21			
RMS	12.8212G	36.11	68.20	-32.09	30.48	3	Horizontal	158	2.03	-	38.94	11.96	45.27			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX

6415MHz_TX




EUT_Y_2TX
Setting -7(S1 -0.5)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.24587G	52.84	83.54	-30.70	48.44	1	Vertical	352	1.20	-	37.98	15.22	48.80			
AV	19.24461G	42.74	63.54	-20.80	38.34	1	Vertical	352	1.20	-	37.98	15.22	48.80			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX

6415MHz_TX




EUT_Y_2TX
Setting -7(S1 -0.5)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.24553G	53.85	83.54	-29.69	49.45	1	Horizontal	68	1.41	-	37.98	15.22	48.80			
AV	19.24582G	42.18	63.54	-21.36	37.78	1	Horizontal	68	1.41	-	37.98	15.22	48.80			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX


6535MHz_TX

EUT_Y_2TX
Setting -10(S1 -6)
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.1055G	47.25	88.20	-40.95	40.71	3	Vertical	208	2.45	-	39.61	11.91	44.98			
RMS	13.1015G	34.17	68.20	-34.03	27.65	3	Vertical	208	2.45	-	39.60	11.91	44.99			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX

6535MHz_TX




EUT_Y_2TX
Setting -10(S1 -6)
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.1047G	47.30	88.20	-40.90	40.76	3	Horizontal	245	1.13	-	39.61	11.91	44.98			
RMS	13.1059G	34.57	68.20	-33.63	28.03	3	Horizontal	245	1.13	-	39.61	11.91	44.98			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX

6535MHz_TX




EUT_Y_2TX
Setting -10(S1 -6)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.60579G	52.70	83.54	-30.84	48.61	1	Vertical	151	2.91	-	37.70	15.19	48.80			
AV	19.60595G	38.33	63.54	-25.21	34.24	1	Vertical	151	2.91	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX

6535MHz_TX




EUT_Y_2TX
Setting -10(S1 -6)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.60461G	52.33	83.54	-31.21	48.24	1	Horizontal	121	1.51	-	37.70	15.19	48.80			
AV	19.60563G	38.34	63.54	-25.20	34.25	1	Horizontal	121	1.51	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX

6535MHz_TX




EUT_Y_2TX
Setting -8.5(S1 -2)
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.1082G	48.41	88.20	-39.79	41.86	3	Vertical	141	1.47	-	39.62	11.91	44.98			
RMS	13.0993G	37.78	68.20	-30.42	31.25	3	Vertical	141	1.47	-	39.60	11.92	44.99			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX

6535MHz_TX




EUT_Y_2TX
Setting -8.5(S1 -2)
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.1048G	48.30	88.20	-39.90	41.76	3	Horizontal	357	1.89	-	39.61	11.91	44.98			
RMS	13.1024G	37.56	68.20	-30.64	31.04	3	Horizontal	357	1.89	-	39.60	11.91	44.99			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX

6535MHz_TX




EUT_Y_2TX
Setting -8.5(S1 -2)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.60561G	52.46	83.54	-31.08	48.37	1	Vertical	322	2.57	-	37.70	15.19	48.80			
AV	19.60522G	41.42	63.54	-22.12	37.33	1	Vertical	322	2.57	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX

6535MHz_TX




EUT_Y_2TX
Setting -8.5(S1 -2)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.60544G	52.92	83.54	-30.62	48.83	1	Horizontal	350	1.36	-	37.70	15.19	48.80			
AV	19.6047G	42.02	63.54	-21.52	37.93	1	Horizontal	350	1.36	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX

6535MHz_TX




EUT_Y_2TX
Setting -7(S1 -0.5)
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.1018G	47.44	88.20	-40.76	40.92	3	Vertical	277	2.79	-	39.60	11.91	44.99			
RMS	13.1079G	36.93	68.20	-31.27	30.38	3	Vertical	277	2.79	-	39.62	11.91	44.98			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX

6535MHz_TX




EUT_Y_2TX
Setting -7(S1 -0.5)
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.0973G	49.19	88.20	-39.01	42.67	3	Horizontal	143	1.29	-	39.59	11.92	44.99			
RMS	13.0939G	38.03	68.20	-30.17	31.52	3	Horizontal	143	1.29	-	39.58	11.92	44.99			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX

6535MHz_TX




EUT_Y_2TX
Setting -7(S1 -0.5)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.60458G	52.39	83.54	-31.15	48.30	1	Vertical	174	1.43	-	37.70	15.19	48.80			
AV	19.60487G	41.85	63.54	-21.69	37.76	1	Vertical	174	1.43	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX

6535MHz_TX




EUT_Y_2TX
Setting -7(S1 -0.5)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.60437G	52.60	83.54	-30.94	48.51	1	Horizontal	107	1.94	-	37.70	15.19	48.80			
AV	19.60465G	41.54	63.54	-22.00	37.45	1	Horizontal	107	1.94	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX

6695MHz_TX




EUT_Y_2TX
Setting -10(S1 -6)
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.42G	49.50	88.20	-38.70	41.98	3	Vertical	112	2.46	-	40.38	11.87	44.73			
RMS	13.4271G	35.91	68.20	-32.29	28.35	3	Vertical	112	2.46	-	40.41	11.87	44.72			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX

6695MHz_TX




EUT_Y_2TX
Setting -10(S1 -6)
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	13.4374G	50.28	88.20	-37.92	42.68	3	Horizontal	132	1.27	-	40.45	11.86	44.71				
RMS	13.4308G	35.98	68.20	-32.22	28.41	3	Horizontal	132	1.27	-	40.42	11.87	44.72				

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX

6695MHz_TX




EUT_Y_2TX
Setting -10(S1 -6)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.08443G	52.38	83.54	-31.16	48.12	1	Vertical	24	2.51	-	37.80	15.24	48.78			
AV	20.08409G	38.64	63.54	-24.90	34.38	1	Vertical	24	2.51	-	37.80	15.24	48.78			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX


6695MHz_TX

EUT_Y_2TX
Setting -10(S1 -6)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.0852G	52.56	83.54	-30.98	48.30	1	Horizontal	346	1.64	-	37.80	15.24	48.78			
AV	20.08407G	38.53	63.54	-25.01	34.27	1	Horizontal	346	1.64	-	37.80	15.24	48.78			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX


6695MHz_TX

EUT_Y_2TX
Setting -8.5(S1 -2)
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.4268G	49.65	88.20	-38.55	42.09	3	Vertical	109	1.97	-	40.41	11.87	44.72			
RMS	13.4201G	38.99	68.20	-29.21	31.47	3	Vertical	109	1.97	-	40.38	11.87	44.73			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX

6695MHz_TX




EUT_Y_2TX
Setting -8.5(S1 -2)
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.4127G	48.83	88.20	-39.37	41.34	3	Horizontal	76	2.15	-	40.35	11.87	44.73			
RMS	13.4378G	38.35	68.20	-29.85	30.75	3	Horizontal	76	2.15	-	40.45	11.86	44.71			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX


6695MHz_TX

EUT_Y_2TX
Setting -8.5(S1 -2)
02-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.08427G	52.41	83.54	-31.13	48.15	1	Vertical	273	1.40	-	37.80	15.24	48.78			
AV	20.08525G	41.76	63.54	-21.78	37.50	1	Vertical	273	1.40	-	37.80	15.24	48.78			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX

6695MHz_TX




EUT_Y_2TX
Setting -8.5(S1 -2)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.08432G	52.72	83.54	-30.82	48.46	1	Horizontal	209	2.51	-	37.80	15.24	48.78			
AV	20.08414G	41.50	63.54	-22.04	37.24	1	Horizontal	209	2.51	-	37.80	15.24	48.78			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX

6695MHz_TX




EUT_Y_2TX
Setting -6.5(S1 -0.5)
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.4315G	50.00	88.20	-38.20	42.42	3	Vertical	318	2.16	-	40.43	11.87	44.72			
RMS	13.4306G	39.51	68.20	-28.69	31.94	3	Vertical	318	2.16	-	40.42	11.87	44.72			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX

6695MHz_TX




EUT_Y_2TX
Setting -6.5(S1 -0.5)
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.4286G	49.11	88.20	-39.09	41.55	3	Horizontal	91	1.56	-	40.41	11.87	44.72			
RMS	13.42G	38.28	68.20	-29.92	30.76	3	Horizontal	91	1.56	-	40.38	11.87	44.73			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX

6695MHz_TX




EUT_Y_2TX
Setting -6.5(S1 -0.5)
02-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.08435G	52.56	83.54	-30.98	48.30	1	Vertical	281	1.94	-	37.80	15.24	48.78			
AV	20.08492G	41.64	63.54	-21.90	37.38	1	Vertical	281	1.94	-	37.80	15.24	48.78			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX

6695MHz_TX




EUT_Y_2TX
Setting -6.5(S1 -0.5)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.08461G	52.85	83.54	-30.69	48.59	1	Horizontal	346	1.12	-	37.80	15.24	48.78			
AV	20.0842G	41.58	63.54	-21.96	37.32	1	Horizontal	346	1.12	-	37.80	15.24	48.78			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX

6855MHz_TX




EUT_Y_2TX
Setting -10(S1 -6)
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.7433G	50.55	88.20	-37.65	42.15	3	Vertical	153	2.18	-	41.07	11.82	44.49			
RMS	13.7511G	37.47	68.20	-30.73	29.03	3	Vertical	153	2.18	-	41.10	11.82	44.48			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX

6855MHz_TX




EUT_Y_2TX
Setting -10(S1 -6)
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.7483G	50.91	88.20	-37.29	42.49	3	Horizontal	199	2.73	-	41.09	11.82	44.49			
RMS	13.7473G	37.64	68.20	-30.56	29.22	3	Horizontal	199	2.73	-	41.09	11.82	44.49			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX

6855MHz_TX




EUT_Y_2TX
Setting -10(S1 -6)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.56481G	54.48	83.54	-29.06	49.65	1	Vertical	222	2.70	-	37.90	15.63	48.70			
AV	20.56473G	40.39	63.54	-23.15	35.56	1	Vertical	222	2.70	-	37.90	15.63	48.70			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX

6855MHz_TX




EUT_Y_2TX
Setting -10(S1 -6)
02-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.56445G	53.89	83.54	-29.65	49.06	1	Horizontal	172	2.66	-	37.90	15.63	48.70			
AV	20.56521G	40.38	63.54	-23.16	35.55	1	Horizontal	172	2.66	-	37.90	15.63	48.70			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX

6855MHz_TX




EUT_Y_2TX
Setting -8.5(S1 -2)
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.7397G	50.87	88.20	-37.33	42.48	3	Vertical	296	2.36	-	41.06	11.82	44.49			
RMS	13.742G	41.25	68.20	-26.95	32.85	3	Vertical	296	2.36	-	41.07	11.82	44.49			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX

6855MHz_TX




EUT_Y_2TX
Setting -8.5(S1 -2)
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.7284G	50.76	88.20	-37.44	42.43	3	Horizontal	10	2.21	-	41.01	11.82	44.50			
RMS	13.76G	40.15	68.20	-28.05	31.73	3	Horizontal	10	2.21	-	41.08	11.82	44.48			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX

6855MHz_TX




EUT_Y_2TX
Setting -8.5(S1 -2)
02-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.56539G	54.51	83.54	-29.03	49.68	1	Vertical	269	2.35	-	37.90	15.63	48.70			
AV	20.56591G	43.39	63.54	-20.15	38.56	1	Vertical	269	2.35	-	37.90	15.63	48.70			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX

6855MHz_TX




EUT_Y_2TX
Setting -8.5(S1 -2)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.56438G	54.09	83.54	-29.45	49.26	1	Horizontal	301	2.36	-	37.90	15.63	48.70			
AV	20.56511G	43.63	63.54	-19.91	38.80	1	Horizontal	301	2.36	-	37.90	15.63	48.70			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX

6855MHz_TX




EUT_Y_2TX
Setting -7(S1 -0.5)
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.7571G	51.07	88.20	-37.13	42.64	3	Vertical	244	2.35	-	41.09	11.82	44.48			
RMS	13.7252G	40.53	68.20	-27.67	32.21	3	Vertical	244	2.35	-	41.00	11.82	44.50			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX


6855MHz_TX

EUT_Y_2TX
Setting -7(S1 -0.5)
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.7G	50.71	88.20	-37.49	42.51	3	Horizontal	219	2.01	-	40.90	11.82	44.52			
RMS	13.7493G	40.53	68.20	-27.67	32.10	3	Horizontal	219	2.01	-	41.10	11.82	44.49			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX

6855MHz_TX




EUT_Y_2TX
Setting -7(S1 -0.5)
02-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.56442G	54.80	83.54	-28.74	49.97	1	Vertical	324	1.75	-	37.90	15.63	48.70			
AV	20.56528G	43.72	63.54	-19.82	38.89	1	Vertical	324	1.75	-	37.90	15.63	48.70			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX


6855MHz_TX



EUT_Y_2TX
Setting -7(S1 -0.5)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.56536G	54.41	83.54	-29.13	49.58	1	Horizontal	3	2.12	-	37.90	15.63	48.70			
AV	20.56487G	43.17	63.54	-20.37	38.34	1	Horizontal	3	2.12	-	37.90	15.63	48.70			

Test Mode: Mode 1




5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

6415MHz_TX

09/12/2024




6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

6535MHz_TX

09/12/2024




6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

6695MHz_TX

09/12/2024




6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

6855MHz_TX

09/12/2024




5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

MASK

5965MHz_TX

09/12/2024




5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

MASK

6205MHz_TX

09/12/2024




5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

MASK

6405MHz_TX

09/12/2024




6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

MASK

6565MHz_TX

09/12/2024




6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

MASK

6685MHz_TX

09/12/2024




6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

MASK

6845MHz_TX

09/12/2024




5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

MASK

5985MHz_TX

09/12/2024




5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

MASK

6225MHz_TX

09/12/2024




5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

MASK

6385MHz_TX

09/12/2024




6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

MASK

6625MHz_TX

09/12/2024




6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

MASK

6705MHz_TX

09/12/2024




6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

MASK

6785MHz_TX

09/12/2024




5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

MASK

6025MHz_TX

09/12/2024



5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

MASK

6185MHz_TX

09/12/2024

