


6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX


6625MHz_TX

EUT_Y_1TX
Setting 6.5
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.87987G	51.64	83.54	-31.90	47.56	1	Vertical	182	1.91	-	37.70	15.18	48.80			
AV	19.8732G	38.99	63.54	-24.55	34.91	1	Vertical	182	1.91	-	37.70	15.18	48.80			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6625MHz_TX




EUT_Y_1TX
Setting 6.5
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.87294G	52.39	83.54	-31.15	48.31	1	Horizontal	165	2.15	-	37.70	15.18	48.80			
AV	19.87618G	39.26	63.54	-24.28	35.18	1	Horizontal	165	2.15	-	37.70	15.18	48.80			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6705MHz_TX




EUT_Y_1TX
Setting 6
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.4097G	47.87	88.20	-40.33	60.10	3	Vertical	152	2.83	-	40.34	11.87	64.44			
RMS	13.40986G	36.54	68.20	-31.66	48.76	3	Vertical	152	2.83	-	40.34	11.87	64.43			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6705MHz_TX




EUT_Y_1TX
Setting 6
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.411G	48.43	88.20	-39.77	60.65	3	Horizontal	282	1.90	-	40.34	11.87	64.43			
RMS	13.40998G	36.62	68.20	-31.58	48.84	3	Horizontal	282	1.90	-	40.34	11.87	64.43			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX


6705MHz_TX

EUT_Y_1TX
Setting 6.5
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.11321G	52.68	83.54	-30.86	48.40	1	Vertical	236	1.69	-	37.80	15.26	48.78			
AV	20.11536G	39.88	63.54	-23.66	35.60	1	Vertical	236	1.69	-	37.80	15.26	48.78			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX


6705MHz_TX

EUT_Y_1TX
Setting 6.5
02-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.11012G	52.23	83.54	-31.31	47.95	1	Horizontal	166	1.93	-	37.80	15.26	48.78			
AV	20.11607G	40.00	63.54	-23.54	35.72	1	Horizontal	166	1.93	-	37.80	15.26	48.78			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6785MHz_TX




EUT_Y_1TX
Setting 6
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.571G	46.45	88.20	-41.75	58.30	3	Vertical	152	1.33	-	40.60	11.84	64.29			
RMS	13.57097G	35.73	68.20	-32.47	47.58	3	Vertical	152	1.33	-	40.60	11.84	64.29			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6785MHz_TX




EUT_Y_1TX
Setting 6
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.56953G	47.32	88.20	-40.88	59.17	3	Horizontal	39	1.37	-	40.60	11.84	64.29			
RMS	13.56978G	36.05	68.20	-32.15	47.90	3	Horizontal	39	1.37	-	40.60	11.84	64.29			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6785MHz_TX




EUT_Y_1TX
Setting 6.5
02-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.35741G	54.65	83.54	-28.89	50.03	1	Vertical	323	1.36	-	37.89	15.46	48.73			
AV	20.35654G	41.60	63.54	-21.94	36.98	1	Vertical	323	1.36	-	37.89	15.46	48.73			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX


6785MHz_TX

EUT_Y_1TX
Setting 6.5
02-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.35257G	53.50	83.54	-30.04	48.88	1	Horizontal	329	1.06	-	37.89	15.46	48.73			
AV	20.35019G	41.42	63.54	-22.12	36.79	1	Horizontal	329	1.06	-	37.90	15.46	48.73			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT_Y_1TX
Setting 6.5
02-R-Y-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9034G	66.51	88.20	-21.69	55.07	3	Vertical	296	1.82	-	34.20	7.87	30.63			
RMS	5.8946G	54.84	68.20	-13.36	43.44	3	Vertical	296	1.82	-	34.18	7.86	30.64			
PK	6.053G	88.28	Inf	-Inf	76.63	3	Vertical	296	1.82	-	34.31	8.01	30.67			
RMS	6.0298G	79.31	Inf	-Inf	67.67	3	Vertical	296	1.82	-	34.30	7.98	30.64			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT_Y_1TX
Setting 6.5
02-R-Y-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.857G	66.08	88.20	-22.12	54.85	3	Horizontal	170	2.09	-	34.03	7.84	30.64			
RMS	5.9002G	54.74	68.20	-13.46	43.30	3	Horizontal	170	2.09	-	34.20	7.87	30.63			
PK	6.0626G	92.19	Inf	-Inf	80.49	3	Horizontal	170	2.09	-	34.35	8.03	30.68			
RMS	6.0626G	82.15	Inf	-Inf	70.45	3	Horizontal	170	2.09	-	34.35	8.03	30.68			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT_Y_1TX
Setting 6.5
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.04927G	45.75	74.00	-28.25	60.28	3	Vertical	43	2.26	-	39.10	12.07	65.70			
AV	12.05023G	34.85	54.00	-19.15	49.37	3	Vertical	43	2.26	-	39.10	12.07	65.69			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX


6025MHz_TX

EUT_Y_1TX
Setting 6.5
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.049G	45.59	74.00	-28.41	60.12	3	Horizontal	279	2.87	-	39.10	12.07	65.70			
AV	12.04975G	35.46	54.00	-18.54	49.99	3	Horizontal	279	2.87	-	39.10	12.07	65.70			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT_Y_1TX
Setting 6.5
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07051G	52.10	83.54	-31.44	47.50	1	Vertical	145	2.35	-	37.52	15.29	48.21			
AV	18.07783G	39.85	63.54	-23.69	35.21	1	Vertical	145	2.35	-	37.57	15.29	48.22			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX


6025MHz_TX

EUT_Y_1TX
Setting 6.5
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07867G	51.91	83.54	-31.63	47.27	1	Horizontal	168	2.36	-	37.57	15.29	48.22			
AV	18.07762G	39.80	63.54	-23.74	35.16	1	Horizontal	168	2.36	-	37.57	15.29	48.22			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX


6185MHz_TX

EUT_Y_1TX
Setting 7
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.36985G	45.28	74.00	-28.72	59.87	3	Vertical	95	1.05	-	38.80	12.02	65.41			
AV	12.369G	34.06	54.00	-19.94	48.65	3	Vertical	95	1.05	-	38.80	12.02	65.41			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX


6185MHz_TX

EUT_Y_1TX
Setting 7
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.371G	45.68	74.00	-28.32	60.27	3	Horizontal	322	2.52	-	38.80	12.02	65.41			
AV	12.36927G	33.93	54.00	-20.07	48.52	3	Horizontal	322	2.52	-	38.80	12.02	65.41			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6185MHz_TX




EUT_Y_1TX
Setting 7
02-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.55609G	51.64	83.54	-31.90	46.94	1	Vertical	214	1.95	-	37.80	15.26	48.36			
AV	18.55323G	39.23	63.54	-24.31	34.52	1	Vertical	214	1.95	-	37.80	15.26	48.35			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6185MHz_TX




EUT_Y_1TX
Setting 7
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.55015G	51.75	83.54	-31.79	47.04	1	Horizontal	12	2.66	-	37.80	15.26	48.35			
AV	18.55543G	39.14	63.54	-24.40	34.44	1	Horizontal	12	2.66	-	37.80	15.26	48.36			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX


6345MHz_TX

EUT_Y_1TX
Setting 7.5
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.68969G	45.59	74.00	-28.41	60.18	3	Vertical	44	1.55	-	38.70	11.98	65.27			
AV	12.691G	34.13	54.00	-19.87	48.72	3	Vertical	44	1.55	-	38.70	11.98	65.27			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX


6345MHz_TX

EUT_Y_1TX
Setting 7.5
02-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.69011G	45.29	74.00	-28.71	59.88	3	Horizontal	253	2.78	-	38.70	11.98	65.27			
AV	12.68918G	34.92	54.00	-19.08	49.51	3	Horizontal	253	2.78	-	38.70	11.98	65.27			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6345MHz_TX




EUT_Y_1TX
Setting 7.5
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.03646G	51.93	83.54	-31.61	47.57	1	Vertical	151	2.88	-	37.93	15.23	48.80			
AV	19.03459G	38.89	63.54	-24.65	34.53	1	Vertical	151	2.88	-	37.93	15.23	48.80			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6345MHz_TX




EUT_Y_1TX
Setting 7.5
02-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.03605G	51.33	83.54	-32.21	46.97	1	Horizontal	214	2.43	-	37.93	15.23	48.80			
AV	19.03655G	39.05	63.54	-24.49	34.69	1	Horizontal	214	2.43	-	37.93	15.23	48.80			

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6665MHz_TX




EUT_Y_1TX
Setting 6.5
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.33075G	46.31	74.00	-27.69	58.86	3	Vertical	203	1.27	-	40.16	11.88	64.59			
AV	13.33078G	35.27	54.00	-18.73	47.82	3	Vertical	203	1.27	-	40.16	11.88	64.59			

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6665MHz_TX




EUT_Y_1TX
Setting 6.5
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.33048G	45.99	74.00	-28.01	58.54	3	Horizontal	245	2.25	-	40.16	11.88	64.59			
AV	13.32949G	35.53	54.00	-18.47	48.08	3	Horizontal	245	2.25	-	40.16	11.88	64.59			

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6665MHz_TX




EUT_Y_1TX
Setting 6.5
02-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.99413G	51.34	83.54	-32.20	47.26	1	Vertical	9	2.89	-	37.71	15.17	48.80			
AV	19.99331G	39.34	63.54	-24.20	35.26	1	Vertical	9	2.89	-	37.71	15.17	48.80			

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6665MHz_TX




EUT_Y_1TX
Setting 6.5
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.99764G	51.25	83.54	-32.29	47.18	1	Horizontal	284	1.80	-	37.70	15.17	48.80			
AV	19.99472G	39.32	63.54	-24.22	35.24	1	Horizontal	284	1.80	-	37.71	15.17	48.80			

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Y_2TX
Setting -6.5(S0 2)
02-R-Y-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9242G	68.53	88.20	-19.67	57.08	3	Vertical	92	2.15	-	34.20	7.88	30.63			
RMS	5.912G	57.61	68.20	-10.59	46.17	3	Vertical	92	2.15	-	34.20	7.87	30.63			
PK	5.9546G	95.01	Inf	-Inf	83.52	3	Vertical	92	2.15	-	34.21	7.90	30.62			
RMS	5.956G	83.18	Inf	-Inf	71.69	3	Vertical	92	2.15	-	34.21	7.90	30.62			

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Y_2TX
Setting -6.5(S0 2)
02-R-Y-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9179G	68.85	88.20	-19.35	57.40	3	Horizontal	159	1.75	-	34.20	7.88	30.63			
RMS	5.9054G	57.62	68.20	-10.58	46.18	3	Horizontal	159	1.75	-	34.20	7.87	30.63			
PK	5.9546G	94.93	Inf	-Inf	83.44	3	Horizontal	159	1.75	-	34.21	7.90	30.62			
RMS	5.9529G	81.36	Inf	-Inf	69.87	3	Horizontal	159	1.75	-	34.21	7.90	30.62			

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5955MHz_TX

EUT_Y_2TX
Setting -6.5(S0 2)
02-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.90386G	51.59	74.00	-22.41	45.52	3	Vertical	1	1.80	-	39.39	12.02	45.34			
AV	11.90194G	39.06	54.00	-14.94	32.98	3	Vertical	1	1.80	-	39.40	12.02	45.34			
PK	17.87276G	59.20	74.00	-14.80	43.91	3	Vertical	278	1.80	-	46.85	12.76	44.32			
AV	17.86526G	45.68	54.00	-8.32	30.41	3	Vertical	278	1.80	-	46.83	12.76	44.32			

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5955MHz_TX

EUT_Y_2TX
Setting -6.5(S0 2)
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.91098G	51.93	74.00	-22.07	45.87	3	Horizontal	166	1.80	-	39.38	12.02	45.34			
AV	11.90994G	39.49	54.00	-14.51	33.43	3	Horizontal	166	1.80	-	39.38	12.02	45.34			
PK	17.86438G	58.45	74.00	-15.55	43.18	3	Horizontal	70	1.80	-	46.83	12.76	44.32			
AV	17.86134G	45.64	54.00	-8.36	30.40	3	Horizontal	70	1.80	-	46.82	12.75	44.33			

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5955MHz_TX

EUT_Y_2TX
Setting -6.5(S0 2)
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.81696G	60.57	83.54	-22.97	51.86	1	Vertical	132	1.90	-	39.10	17.28	47.67			
AV	23.82194G	46.35	63.54	-17.19	37.64	1	Vertical	132	1.90	-	39.10	17.28	47.67			

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5955MHz_TX

EUT_Y_2TX
Setting -6.5(S0 2)
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.82248G	60.38	83.54	-23.16	51.67	1	Horizontal	75	1.91	-	39.10	17.28	47.67			
AV	23.8223G	46.28	63.54	-17.26	37.57	1	Horizontal	75	1.91	-	39.10	17.28	47.67			

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_Y_2TX
Setting -7(S0 3))
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.38286G	50.24	74.00	-23.76	44.99	3	Vertical	108	1.14	-	38.80	12.02	45.57			
AV	12.38554G	37.38	54.00	-16.62	32.13	3	Vertical	108	1.14	-	38.80	12.02	45.57			

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_Y_2TX
Setting -7(S0 3))
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.38522G	49.94	74.00	-24.06	44.69	3	Horizontal	189	1.67	-	38.80	12.02	45.57			
AV	12.38358G	37.40	54.00	-16.60	32.15	3	Horizontal	189	1.67	-	38.80	12.02	45.57			

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_Y_2TX
Setting -7(S0 3))
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.58046G	55.17	83.54	-28.37	50.49	1	Vertical	33	2.38	-	37.80	15.26	48.38			
AV	18.58368G	40.71	63.54	-22.83	36.04	1	Vertical	33	2.38	-	37.80	15.25	48.38			

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_Y_2TX
Setting -7(S0 3))
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.58807G	55.16	83.54	-28.38	50.50	1	Horizontal	312	1.70	-	37.80	15.25	48.39			
AV	18.58845G	40.72	63.54	-22.82	36.06	1	Horizontal	312	1.70	-	37.80	15.25	48.39			

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_Y_2TX
Setting -7(S0 3))
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.82988G	51.38	88.20	-36.82	45.72	3	Vertical	158	2.15	-	38.96	11.96	45.26			
RMS	12.829G	37.93	68.20	-30.27	32.27	3	Vertical	158	2.15	-	38.96	11.96	45.26			

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_Y_2TX
Setting -7(S0 3))
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.83078G	51.46	88.20	-36.74	45.80	3	Horizontal	124	2.00	-	38.96	11.96	45.26			
RMS	12.82917G	37.93	68.20	-30.27	32.27	3	Horizontal	124	2.00	-	38.96	11.96	45.26			

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_Y_2TX
Setting -7(S0 3))
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.24789G	54.62	83.54	-28.92	50.21	1	Vertical	158	2.75	-	37.99	15.22	48.80			
AV	19.24826G	40.63	63.54	-22.91	36.22	1	Vertical	158	2.75	-	37.99	15.22	48.80			

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_Y_2TX
Setting -7(S0 3))
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.24399G	54.55	83.54	-28.99	50.15	1	Horizontal	225	2.29	-	37.98	15.22	48.80			
AV	19.24523G	40.60	63.54	-22.94	36.20	1	Horizontal	225	2.29	-	37.98	15.22	48.80			

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_Y_2TX
Setting -7.5(S0 3)
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.0697G	51.10	88.20	-37.10	44.71	3	Vertical	158	2.48	-	39.48	11.92	45.01			
RMS	13.07082G	38.15	68.20	-30.05	31.76	3	Vertical	158	2.48	-	39.48	11.92	45.01			

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_Y_2TX
Setting -7.5(S0 3)
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.06906G	50.93	88.20	-37.27	44.54	3	Horizontal	341	1.15	-	39.48	11.92	45.01			
RMS	13.07043G	38.09	68.20	-30.11	31.70	3	Horizontal	341	1.15	-	39.48	11.92	45.01			

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_Y_2TX
Setting -7.5(S0 3)
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.60676G	54.17	83.54	-29.37	50.08	1	Vertical	93	1.99	-	37.70	15.19	48.80			
AV	19.60696G	40.47	63.54	-23.07	36.38	1	Vertical	93	1.99	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_Y_2TX
Setting -7.5(S0 3)
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.60902G	54.92	83.54	-28.62	50.83	1	Horizontal	146	1.60	-	37.70	15.19	48.80			
AV	19.60919G	40.49	63.54	-23.05	36.40	1	Horizontal	146	1.60	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6695MHz_TX




EUT_Y_2TX
Setting -9(S0 3.5)
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.39054G	52.99	74.00	-21.01	45.59	3	Vertical	173	2.45	-	40.28	11.87	44.75			
AV	13.39083G	39.96	54.00	-14.04	32.56	3	Vertical	173	2.45	-	40.28	11.87	44.75			

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6695MHz_TX




EUT_Y_2TX
Setting -9(S0 3.5)
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.39015G	53.16	74.00	-20.84	45.76	3	Horizontal	166	1.78	-	40.28	11.87	44.75			
AV	13.38907G	39.90	54.00	-14.10	32.50	3	Horizontal	166	1.78	-	40.28	11.87	44.75			

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6695MHz_TX




EUT_Y_2TX
Setting -9(S0 3.5)
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.08248G	54.48	83.54	-29.06	50.22	1	Vertical	299	2.79	-	37.80	15.24	48.78			
AV	20.08509G	40.78	63.54	-22.76	36.52	1	Vertical	299	2.79	-	37.80	15.24	48.78			

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6695MHz_TX




EUT_Y_2TX
Setting -9(S0 3.5)
02-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.08402G	55.12	83.54	-28.42	50.86	1	Horizontal	337	2.78	-	37.80	15.24	48.78			
AV	20.0879G	40.80	63.54	-22.74	36.54	1	Horizontal	337	2.78	-	37.80	15.24	48.78			

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6855MHz_TX




EUT_Y_2TX
Setting -9.5(S0 3.5)
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.71098G	52.32	88.20	-35.88	44.07	3	Vertical	151	2.52	-	40.94	11.82	44.51			
RMS	13.71005G	39.57	68.20	-28.63	31.32	3	Vertical	151	2.52	-	40.94	11.82	44.51			

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6855MHz_TX




EUT_Y_2TX
Setting -9.5(S0 3.5)
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.71017G	52.10	88.20	-36.10	43.85	3	Horizontal	19	2.91	-	40.94	11.82	44.51			
RMS	13.71031G	39.57	68.20	-28.63	31.32	3	Horizontal	19	2.91	-	40.94	11.82	44.51			

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


6855MHz_TX

EUT_Y_2TX
Setting -9.5(S0 3.5)
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.56534G	57.44	83.54	-26.10	52.61	1	Vertical	348	1.45	-	37.90	15.63	48.70			
AV	20.56489G	42.83	63.54	-20.71	38.00	1	Vertical	348	1.45	-	37.90	15.63	48.70			

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6855MHz_TX




EUT_Y_2TX
Setting -9.5(S0 3.5)
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.5689G	57.26	83.54	-26.28	52.43	1	Horizontal	235	1.58	-	37.90	15.63	48.70			
AV	20.5689G	42.74	63.54	-20.80	37.91	1	Horizontal	235	1.58	-	37.90	15.63	48.70			

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Y_2TX
Setting -2.5(S0 1)
02-R-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.8838G	69.07	88.20	-19.13	57.72	3	Vertical	96	2.02	-	34.14	7.85	30.64			
RMS	5.8936G	57.69	68.20	-10.51	46.30	3	Vertical	96	2.02	-	34.17	7.86	30.64			
PK	5.9676G	94.05	Inf	-Inf	82.52	3	Vertical	96	2.02	-	34.24	7.91	30.62			
RMS	5.9744G	82.58	Inf	-Inf	71.04	3	Vertical	96	2.02	-	34.25	7.91	30.62			

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Y_2TX
Setting -2.5(S0 1)
02-R-Y-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.877G	69.66	88.20	-18.54	58.34	3	Horizontal	159	1.88	-	34.11	7.85	30.64			
RMS	5.903G	57.71	68.20	-10.49	46.27	3	Horizontal	159	1.88	-	34.20	7.87	30.63			
PK	5.9678G	94.40	Inf	-Inf	82.87	3	Horizontal	159	1.88	-	34.24	7.91	30.62			
RMS	5.9724G	79.95	Inf	-Inf	68.42	3	Horizontal	159	1.88	-	34.24	7.91	30.62			

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Y_2TX
Setting -2.5(S0 1)
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.9301G	51.85	74.00	-22.15	45.81	3	Vertical	173	2.39	-	39.34	12.04	45.34			
AV	11.93023G	38.64	54.00	-15.36	32.60	3	Vertical	173	2.39	-	39.34	12.04	45.34			
PK	17.88664G	58.10	74.00	-15.90	42.78	3	Vertical	246	2.78	-	46.87	12.77	44.32			
AV	17.88796G	45.52	54.00	-8.48	30.18	3	Vertical	246	2.78	-	46.88	12.77	44.31			

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5965MHz_TX

EUT_Y_2TX
Setting -2.5(S0 1)
02-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.92946G	52.12	74.00	-21.88	46.08	3	Horizontal	157	2.92	-	39.34	12.04	45.34			
AV	11.93075G	38.71	54.00	-15.29	32.67	3	Horizontal	157	2.92	-	39.34	12.04	45.34			
PK	17.89666G	57.76	74.00	-16.24	42.41	3	Horizontal	131	2.38	-	46.89	12.77	44.31			
AV	17.89794G	45.52	54.00	-8.48	30.16	3	Horizontal	131	2.38	-	46.90	12.77	44.31			

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Y_2TX
Setting -2.5(S0 1)
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.86381G	61.46	83.54	-22.08	52.75	1	Vertical	57	1.76	-	39.07	17.29	47.65			
AV	23.85539G	46.60	63.54	-16.94	37.88	1	Vertical	57	1.76	-	39.09	17.29	47.66			

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Y_2TX
Setting -2.5(S0 1)
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.85786G	60.51	83.54	-23.03	51.80	1	Horizontal	302	2.57	-	39.08	17.29	47.66			
AV	23.85558G	46.63	63.54	-16.91	37.91	1	Horizontal	302	2.57	-	39.09	17.29	47.66			

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6205MHz_TX




EUT_Y_2TX
Setting -2.5(S0 1.5)
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.40992G	51.28	74.00	-22.72	46.04	3	Vertical	123	1.31	-	38.80	12.02	45.58			
AV	12.41054G	37.41	54.00	-16.59	32.17	3	Vertical	123	1.31	-	38.80	12.02	45.58			

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6205MHz_TX




EUT_Y_2TX
Setting -2.5(S0 1.5)
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.4097G	50.05	74.00	-23.95	44.81	3	Horizontal	108	2.67	-	38.80	12.02	45.58			
AV	12.41049G	37.41	54.00	-16.59	32.17	3	Horizontal	108	2.67	-	38.80	12.02	45.58			

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6205MHz_TX




EUT_Y_2TX
Setting -2.5(S0 1.5)
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.61949G	54.96	83.54	-28.58	50.29	1	Vertical	274	1.18	-	37.84	15.25	48.42			
AV	18.61966G	41.11	63.54	-22.43	36.44	1	Vertical	274	1.18	-	37.84	15.25	48.42			

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6205MHz_TX




EUT_Y_2TX
Setting -2.5(S0 1.5)
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.61417G	55.57	83.54	-27.97	50.90	1	Horizontal	177	2.81	-	37.83	15.25	48.41			
AV	18.61919G	41.11	63.54	-22.43	36.44	1	Horizontal	177	2.81	-	37.84	15.25	48.42			

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_Y_2TX
Setting -2.5(S0 1.5)
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.8097G	50.87	88.20	-37.33	45.27	3	Vertical	117	1.41	-	38.92	11.96	45.28			
RMS	12.80903G	38.10	68.20	-30.10	32.50	3	Vertical	117	1.41	-	38.92	11.96	45.28			

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_Y_2TX
Setting -2.5(S0 1.5)
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.81G	50.89	88.20	-37.31	45.29	3	Horizontal	191	2.09	-	38.92	11.96	45.28			
RMS	12.80912G	38.04	68.20	-30.16	32.44	3	Horizontal	191	2.09	-	38.92	11.96	45.28			

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_Y_2TX
Setting -2.5(S0 1.5)
02-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.21779G	54.48	83.54	-29.06	50.19	1	Vertical	105	2.55	-	37.87	15.22	48.80			
AV	19.21193G	40.40	63.54	-23.14	36.13	1	Vertical	105	2.55	-	37.85	15.22	48.80			

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_Y_2TX
Setting -2.5(S0 1.5)
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.21003G	55.44	83.54	-28.10	51.18	1	Horizontal	301	1.30	-	37.84	15.22	48.80			
AV	19.21518G	40.37	63.54	-23.17	36.09	1	Horizontal	301	1.30	-	37.86	15.22	48.80			

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_Y_2TX
Setting -3.5(S0 1.5)
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.13055G	52.00	88.20	-36.20	45.39	3	Vertical	182	2.02	-	39.66	11.91	44.96			
RMS	13.13008G	38.90	68.20	-29.30	32.29	3	Vertical	182	2.02	-	39.66	11.91	44.96			

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_Y_2TX
Setting -3.5(S0 1.5)
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.12965G	52.00	88.20	-36.20	45.39	3	Horizontal	306	1.81	-	39.66	11.91	44.96			
RMS	13.13007G	38.90	68.20	-29.30	32.29	3	Horizontal	306	1.81	-	39.66	11.91	44.96			

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_Y_2TX
Setting -3.5(S0 1.5)
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.69704G	54.98	83.54	-28.56	50.89	1	Vertical	184	1.88	-	37.70	15.19	48.80			
AV	19.69612G	41.30	63.54	-22.24	37.21	1	Vertical	184	1.88	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_Y_2TX
Setting -3.5(S0 1.5)
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.6921G	55.15	83.54	-28.39	51.06	1	Horizontal	62	2.44	-	37.70	15.19	48.80			
AV	19.69646G	41.30	63.54	-22.24	37.21	1	Horizontal	62	2.44	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_Y_2TX
Setting -4(S0 1.5)
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.37023G	52.48	74.00	-21.52	45.14	3	Vertical	159	2.92	-	40.24	11.87	44.77			
AV	13.36992G	39.82	54.00	-14.18	32.48	3	Vertical	159	2.92	-	40.24	11.87	44.77			

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_Y_2TX
Setting -4(S0 1.5)
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.36958G	53.20	74.00	-20.80	45.86	3	Horizontal	351	2.86	-	40.24	11.87	44.77			
AV	13.36982G	39.82	54.00	-14.18	32.48	3	Horizontal	351	2.86	-	40.24	11.87	44.77			

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_Y_2TX
Setting -4(S0 1.5)
02-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.05661G	55.49	83.54	-28.05	51.26	1	Vertical	42	2.30	-	37.80	15.22	48.79			
AV	20.05799G	40.70	63.54	-22.84	36.47	1	Vertical	42	2.30	-	37.80	15.22	48.79			

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_Y_2TX
Setting -4(S0 1.5)
02-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.05276G	54.39	83.54	-29.15	50.17	1	Horizontal	231	1.78	-	37.80	15.21	48.79			
AV	20.05311G	40.65	63.54	-22.89	36.43	1	Horizontal	231	1.78	-	37.80	15.21	48.79			

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6845MHz_TX




EUT_Y_2TX
Setting -4(S0 1.5)
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.6905G	51.78	88.20	-36.42	43.62	3	Vertical	11	1.72	-	40.86	11.83	44.53			
RMS	13.69034G	39.34	68.20	-28.86	31.18	3	Vertical	11	1.72	-	40.86	11.83	44.53			

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6845MHz_TX




EUT_Y_2TX
Setting -4(S0 1.5)
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.68962G	52.51	88.20	-35.69	44.35	3	Horizontal	268	2.55	-	40.86	11.83	44.53			
RMS	13.69007G	39.34	68.20	-28.86	31.18	3	Horizontal	268	2.55	-	40.86	11.83	44.53			

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6845MHz_TX




EUT_Y_2TX
Setting -4(S0 1.5)
02-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.53417G	56.57	83.54	-26.97	51.76	1	Vertical	302	2.89	-	37.90	15.61	48.70			
AV	20.53111G	42.64	63.54	-20.90	37.84	1	Vertical	302	2.89	-	37.90	15.60	48.70			

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6845MHz_TX




EUT_Y_2TX
Setting -4(S0 1.5)
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.53054G	56.42	83.54	-27.12	51.62	1	Horizontal	288	2.57	-	37.90	15.60	48.70			
AV	20.53894G	42.64	63.54	-20.90	37.83	1	Horizontal	288	2.57	-	37.90	15.61	48.70			

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Y_2TX
Setting 0(S0 0.5)
02-R-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9182G	69.64	88.20	-18.56	58.19	3	Vertical	101	1.95	-	34.20	7.88	30.63			
RMS	5.9058G	57.72	68.20	-10.48	46.28	3	Vertical	101	1.95	-	34.20	7.87	30.63			
PK	6.0098G	91.69	Inf	-Inf	80.06	3	Vertical	101	1.95	-	34.30	7.95	30.62			
RMS	6.0186G	83.91	Inf	-Inf	72.28	3	Vertical	101	1.95	-	34.30	7.96	30.63			

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Y_2TX
Setting 0(S0 0.5)
02-R-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.8226G	70.25	88.20	-17.95	59.04	3	Horizontal	159	1.79	-	34.05	7.81	30.65			
RMS	5.897G	57.67	68.20	-10.53	46.25	3	Horizontal	159	1.79	-	34.19	7.86	30.63			
PK	6.0114G	92.15	Inf	-Inf	80.52	3	Horizontal	159	1.79	-	34.30	7.95	30.62			
RMS	6.0086G	80.14	Inf	-Inf	68.52	3	Horizontal	159	1.79	-	34.30	7.94	30.62			

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Y_2TX
Setting 0(S0 0.5)
02-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.97059G	52.02	74.00	-21.98	46.01	3	Vertical	178	1.01	-	39.30	12.06	45.35			
AV	11.97085G	41.12	54.00	-12.88	35.11	3	Vertical	178	1.01	-	39.30	12.06	45.35			
PK	17.96412G	58.17	74.00	-15.83	42.88	3	Vertical	336	2.60	-	46.77	12.80	44.28			
AV	17.96032G	47.42	54.00	-6.58	32.13	3	Vertical	336	2.60	-	46.78	12.80	44.29			

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Y_2TX
Setting 0(S0 0.5)
02-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	11.96938G	51.60	74.00	-22.40	45.59	3	Horizontal	219	2.29	-	39.30	12.06	45.35				
AV	11.97016G	41.02	54.00	-12.98	35.01	3	Horizontal	219	2.29	-	39.30	12.06	45.35				
PK	17.95048G	58.21	74.00	-15.79	42.90	3	Horizontal	106	2.54	-	46.80	12.80	44.29				
AV	17.95013G	47.59	54.00	-6.41	32.28	3	Horizontal	106	2.54	-	46.80	12.80	44.29				

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX


5985MHz_TX

EUT_Y_2TX
Setting 0(S0 0.5)
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.93531G	60.25	83.54	-23.29	51.57	1	Vertical	168	2.99	-	39.00	17.31	47.63			
AV	23.93238G	47.84	63.54	-15.70	39.16	1	Vertical	168	2.99	-	39.00	17.31	47.63			

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Y_2TX
Setting 0(S0 0.5)
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.94135G	59.85	83.54	-23.69	51.16	1	Horizontal	259	2.01	-	39.00	17.31	47.62			
AV	23.93961G	47.78	63.54	-15.76	39.09	1	Horizontal	259	2.01	-	39.00	17.31	47.62			

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6225MHz_TX




EUT_Y_2TX
Setting 0.5(S0 1)
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.44938G	49.90	74.00	-24.10	44.69	3	Vertical	324	1.62	-	38.80	12.01	45.60			
AV	12.44939G	39.45	54.00	-14.55	34.24	3	Vertical	324	1.62	-	38.80	12.01	45.60			

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6225MHz_TX




EUT_Y_2TX
Setting 0.5(S0 1)
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.44953G	50.09	74.00	-23.91	44.88	3	Horizontal	352	2.06	-	38.80	12.01	45.60			
AV	12.45088G	39.67	54.00	-14.33	34.46	3	Horizontal	352	2.06	-	38.80	12.01	45.60			

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6225MHz_TX




EUT_Y_2TX
Setting 0.5(S0 1)
02-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.67093G	55.62	83.54	-27.92	50.94	1	Vertical	106	2.96	-	37.90	15.25	48.47			
AV	18.67959G	43.21	63.54	-20.33	38.54	1	Vertical	106	2.96	-	37.90	15.25	48.48			

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6225MHz_TX




EUT_Y_2TX
Setting 0.5(S0 1)
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.67215G	55.37	83.54	-28.17	50.69	1	Horizontal	116	2.21	-	37.90	15.25	48.47			
AV	18.67003G	43.14	63.54	-20.40	38.46	1	Horizontal	116	2.21	-	37.90	15.25	48.47			

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6385MHz_TX




EUT_Y_2TX
Setting 1(S0 1)
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.77028G	52.11	88.20	-36.09	46.64	3	Vertical	52	2.19	-	38.84	11.96	45.33			
RMS	12.77045G	40.34	68.20	-27.86	34.87	3	Vertical	52	2.19	-	38.84	11.96	45.33			

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX


6385MHz_TX

EUT_Y_2TX
Setting 1(S0 1)
02-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.76923G	51.01	88.20	-37.19	45.54	3	Horizontal	277	1.46	-	38.84	11.96	45.33			
RMS	12.76976G	40.18	68.20	-28.02	34.71	3	Horizontal	277	1.46	-	38.84	11.96	45.33			

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6385MHz_TX




EUT_Y_2TX
Setting 1(S0 1)
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.154G	54.54	83.54	-29.00	50.14	1	Vertical	295	2.86	-	37.98	15.22	48.80			
AV	19.15443G	41.94	63.54	-21.60	37.54	1	Vertical	295	2.86	-	37.98	15.22	48.80			

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6385MHz_TX




EUT_Y_2TX
Setting 1(S0 1)
02-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.15823G	54.69	83.54	-28.85	50.30	1	Horizontal	253	2.63	-	37.97	15.22	48.80			
AV	19.15785G	41.98	63.54	-21.56	37.59	1	Horizontal	253	2.63	-	37.97	15.22	48.80			

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_Y_2TX
Setting -0.5(S0 1)
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.25082G	52.36	74.00	-21.64	45.33	3	Vertical	28	2.59	-	40.00	11.89	44.86			
AV	13.25064G	41.81	54.00	-12.19	34.78	3	Vertical	28	2.59	-	40.00	11.89	44.86			

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_Y_2TX
Setting -0.5(S0 1)
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.24955G	52.31	88.20	-35.89	45.29	3	Horizontal	325	2.01	-	40.00	11.89	44.87			
RMS	13.24932G	41.69	68.20	-26.51	34.67	3	Horizontal	325	2.01	-	40.00	11.89	44.87			

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX


6625MHz_TX

EUT_Y_2TX
Setting -0.5(S0 1)
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.87736G	54.08	83.54	-29.46	50.00	1	Vertical	285	1.10	-	37.70	15.18	48.80			
AV	19.87677G	42.07	63.54	-21.47	37.99	1	Vertical	285	1.10	-	37.70	15.18	48.80			

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_Y_2TX
Setting -0.5(S0 1)
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.8761G	54.68	83.54	-28.86	50.60	1	Horizontal	357	1.23	-	37.70	15.18	48.80			
AV	19.87037G	42.24	63.54	-21.30	38.16	1	Horizontal	357	1.23	-	37.70	15.18	48.80			

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_Y_2TX
Setting -1(S0 1)
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.41061G	52.96	88.20	-35.24	45.48	3	Vertical	301	2.55	-	40.34	11.87	44.73			
RMS	13.40988G	42.34	68.20	-25.86	34.86	3	Vertical	301	2.55	-	40.34	11.87	44.73			

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_Y_2TX
Setting -1(S0 1)
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.41064G	52.81	88.20	-35.39	45.33	3	Horizontal	298	2.21	-	40.34	11.87	44.73			
RMS	13.40982G	42.19	68.20	-26.01	34.71	3	Horizontal	298	2.21	-	40.34	11.87	44.73			

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_Y_2TX
Setting -1(S0 1)
02-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.11706G	55.64	83.54	-27.90	51.35	1	Vertical	69	1.60	-	37.80	15.27	48.78			
AV	20.11587G	42.90	63.54	-20.64	38.62	1	Vertical	69	1.60	-	37.80	15.26	48.78			

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_Y_2TX
Setting -1(S0 1)
02-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.11613G	55.39	83.54	-28.15	51.11	1	Horizontal	20	2.91	-	37.80	15.26	48.78			
AV	20.11596G	42.76	63.54	-20.78	38.48	1	Horizontal	20	2.91	-	37.80	15.26	48.78			

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_Y_2TX
Setting -1(S0 1)
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.56928G	52.50	88.20	-35.70	44.67	3	Vertical	119	1.07	-	40.60	11.84	44.61			
RMS	13.56925G	42.19	68.20	-26.01	34.36	3	Vertical	119	1.07	-	40.60	11.84	44.61			

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_Y_2TX
Setting -1(S0 1)
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.57065G	52.72	88.20	-35.48	44.89	3	Horizontal	225	2.45	-	40.60	11.84	44.61			
RMS	13.56921G	41.98	68.20	-26.22	34.15	3	Horizontal	225	2.45	-	40.60	11.84	44.61			

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_Y_2TX
Setting -1(S0 1)
02-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.35083G	57.34	83.54	-26.20	52.71	1	Vertical	233	1.24	-	37.90	15.46	48.73			
AV	20.35591G	44.40	63.54	-19.14	39.78	1	Vertical	233	1.24	-	37.89	15.46	48.73			

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_Y_2TX
Setting -1(S0 1)
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.3536G	57.16	83.54	-26.38	52.54	1	Horizontal	120	2.52	-	37.89	15.46	48.73			
AV	20.35814G	44.45	63.54	-19.09	39.84	1	Horizontal	120	2.52	-	37.88	15.46	48.73			

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Y_2TX
Setting 0.5
02-R-Y-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.8818G	68.74	88.20	-19.46	57.40	3	Vertical	297	1.77	-	34.13	7.85	30.64			
RMS	5.8994G	57.69	68.20	-10.51	46.26	3	Vertical	297	1.77	-	34.20	7.86	30.63			
PK	6.0498G	88.42	Inf	-Inf	76.77	3	Vertical	297	1.77	-	34.30	8.01	30.66			
RMS	6.0194G	78.10	Inf	-Inf	66.47	3	Vertical	297	1.77	-	34.30	7.96	30.63			

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Y_2TX
Setting 0.5
02-R-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7778G	68.56	88.20	-19.64	57.38	3	Horizontal	344	1.73	-	34.06	7.78	30.66			
RMS	5.885G	57.75	68.20	-10.45	46.39	3	Horizontal	344	1.73	-	34.14	7.86	30.64			
PK	6.0354G	88.93	Inf	-Inf	77.30	3	Horizontal	344	1.73	-	34.30	7.98	30.65			
RMS	6.0402G	80.83	Inf	-Inf	69.19	3	Horizontal	344	1.73	-	34.30	7.99	30.65			

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Y_2TX
Setting 0.5
02-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.04968G	52.26	74.00	-21.74	46.48	3	Vertical	355	1.78	-	39.10	12.07	45.39			
AV	12.0505G	40.84	54.00	-13.16	35.06	3	Vertical	355	1.78	-	39.10	12.07	45.39			

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX


6025MHz_TX

EUT_Y_2TX
Setting 0.5
02-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.05059G	51.70	74.00	-22.30	45.92	3	Horizontal	66	2.40	-	39.10	12.07	45.39			
AV	12.04988G	40.94	54.00	-13.06	35.16	3	Horizontal	66	2.40	-	39.10	12.07	45.39			

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX


6025MHz_TX

EUT_Y_2TX
Setting 0.5
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07328G	54.93	83.54	-28.61	50.31	1	Vertical	335	1.34	-	37.54	15.29	48.21			
AV	18.07745G	42.79	63.54	-20.75	38.16	1	Vertical	335	1.34	-	37.56	15.29	48.22			

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX


6025MHz_TX

EUT_Y_2TX
Setting 0.5
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07548G	55.20	83.54	-28.34	50.58	1	Horizontal	327	2.07	-	37.55	15.29	48.22			
AV	18.07732G	42.66	63.54	-20.88	38.03	1	Horizontal	327	2.07	-	37.56	15.29	48.22			

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6185MHz_TX




EUT_Y_2TX
Setting 1(S0 0.5)
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.36984G	50.99	74.00	-23.01	45.73	3	Vertical	314	2.29	-	38.80	12.02	45.56			
AV	12.37047G	39.62	54.00	-14.38	34.36	3	Vertical	314	2.29	-	38.80	12.02	45.56			

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6185MHz_TX




EUT_Y_2TX
Setting 1(S0 0.5)
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.37014G	50.09	74.00	-23.91	44.83	3	Horizontal	141	2.12	-	38.80	12.02	45.56			
AV	12.36997G	39.72	54.00	-14.28	34.46	3	Horizontal	141	2.12	-	38.80	12.02	45.56			

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6185MHz_TX




EUT_Y_2TX
Setting 1(S0 0.5)
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.55771G	54.52	83.54	-29.02	49.82	1	Vertical	122	2.83	-	37.80	15.26	48.36			
AV	18.5532G	42.19	63.54	-21.35	37.48	1	Vertical	122	2.83	-	37.80	15.26	48.35			

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6185MHz_TX




EUT_Y_2TX
Setting 1(S0 0.5)
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.55048G	54.62	83.54	-28.92	49.91	1	Horizontal	187	1.72	-	37.80	15.26	48.35			
AV	18.55667G	42.26	63.54	-21.28	37.56	1	Horizontal	187	1.72	-	37.80	15.26	48.36			

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6345MHz_TX




EUT_Y_2TX
Setting 1.5(S0 0.5)
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.69081G	51.40	74.00	-22.60	46.14	3	Vertical	14	1.36	-	38.70	11.98	45.42			
AV	12.69075G	40.44	54.00	-13.56	35.18	3	Vertical	14	1.36	-	38.70	11.98	45.42			

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6345MHz_TX




EUT_Y_2TX
Setting 1.5(S0 0.5)
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.69086G	51.18	74.00	-22.82	45.92	3	Horizontal	10	2.34	-	38.70	11.98	45.42			
AV	12.69038G	40.55	54.00	-13.45	35.29	3	Horizontal	10	2.34	-	38.70	11.98	45.42			

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6345MHz_TX




EUT_Y_2TX
Setting 1.5(S0 0.5)
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.03079G	54.44	83.54	-29.10	50.07	1	Vertical	163	1.18	-	37.94	15.23	48.80			
AV	19.03208G	41.98	63.54	-21.56	37.61	1	Vertical	163	1.18	-	37.94	15.23	48.80			

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6345MHz_TX




EUT_Y_2TX
Setting 1.5(S0 0.5)
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.03219G	53.93	83.54	-29.61	49.56	1	Horizontal	341	1.98	-	37.94	15.23	48.80			
AV	19.03131G	42.11	63.54	-21.43	37.74	1	Horizontal	341	1.98	-	37.94	15.23	48.80			

6.525-6.875GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6665MHz_TX




EUT_Y_2TX
Setting 0(S0 0.5)
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.33056G	52.78	74.00	-21.22	45.54	3	Vertical	22	1.75	-	40.16	11.88	44.80			
AV	13.32983G	41.96	54.00	-12.04	34.72	3	Vertical	22	1.75	-	40.16	11.88	44.80			

6.525-6.875GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX


6665MHz_TX


EUT_Y_2TX
Setting 0(S0 0.5)
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.331G	52.62	74.00	-21.38	45.38	3	Horizontal	173	1.37	-	40.16	11.88	44.80			
AV	13.33005G	42.26	54.00	-11.74	35.02	3	Horizontal	173	1.37	-	40.16	11.88	44.80			

6.525-6.875GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6665MHz_TX




EUT_Y_2TX
Setting 0(S0 0.5)
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.99503G	53.79	83.54	-29.75	49.71	1	Vertical	45	1.16	-	37.71	15.17	48.80			
AV	19.99713G	41.92	63.54	-21.62	37.84	1	Vertical	45	1.16	-	37.71	15.17	48.80			

6.525-6.875GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6665MHz_TX



EUT_Y_2TX
Setting 0(S0 0.5)
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.99157G	54.18	83.54	-29.36	50.09	1	Horizontal	184	2.40	-	37.72	15.17	48.80			
AV	19.99439G	42.00	63.54	-21.54	37.92	1	Horizontal	184	2.40	-	37.71	15.17	48.80			




Test Mode: Mode 4

Summary

Mode	Result	Type	Freq	Level	Limit	Margin	Dist	Condition	Azimuth	Height	Comments
			(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(m)		(°)	(m)	
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX	Pass	AV	17.86437G	47.65	54.00	-6.35	3	Vertical	168	2.04	-

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX


5955MHz_TX

EUT_Y_1TX
Setting -9
02-C-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9175G	62.17	88.20	-26.03	50.72	3	Vertical	208	2.29	-	34.20	7.88	30.63			
RMS	5.9109G	50.60	68.20	-17.60	39.16	3	Vertical	208	2.29	-	34.20	7.87	30.63			
PK	5.9468G	90.85	Inf	-Inf	79.37	3	Vertical	208	2.29	-	34.20	7.90	30.62			
RMS	5.947G	80.48	Inf	-Inf	69.00	3	Vertical	208	2.29	-	34.20	7.90	30.62			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX


5955MHz_TX

EUT_Y_1TX
Setting -9
02-C-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.915G	62.68	88.20	-25.52	51.24	3	Horizontal	181	1.80	-	34.20	7.87	30.63			
RMS	5.9144G	50.61	68.20	-17.59	39.17	3	Horizontal	181	1.80	-	34.20	7.87	30.63			
PK	5.9469G	93.07	Inf	-Inf	81.59	3	Horizontal	181	1.80	-	34.20	7.90	30.62			
RMS	5.9467G	83.00	Inf	-Inf	71.52	3	Horizontal	181	1.80	-	34.20	7.90	30.62			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX


5955MHz_TX

EUT_Y_1TX
Setting -9
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.90943G	46.05	74.00	-27.95	39.99	3	Vertical	91	1.43	-	39.38	12.02	45.34			
AV	11.90912G	31.78	54.00	-22.22	25.72	3	Vertical	91	1.43	-	39.38	12.02	45.34			
PK	17.86545G	58.09	74.00	-15.91	42.82	3	Vertical	290	1.95	-	46.83	12.76	44.32			
AV	17.86414G	44.42	54.00	-9.58	29.15	3	Vertical	290	1.95	-	46.83	12.76	44.32			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX

5955MHz_TX




EUT_Y_1TX
Setting -9
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.91071G	45.92	74.00	-28.08	39.86	3	Horizontal	19	2.86	-	39.38	12.02	45.34				
AV	11.90908G	31.79	54.00	-22.21	25.73	3	Horizontal	19	2.86	-	39.38	12.02	45.34				
PK	17.86426G	58.39	74.00	-15.61	43.12	3	Horizontal	101	1.43	-	46.83	12.76	44.32				
AV	17.86522G	44.39	54.00	-9.61	29.12	3	Horizontal	101	1.43	-	46.83	12.76	44.32				

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX


5955MHz_TX

EUT_Y_1TX
Setting -9
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.81937G	61.31	83.54	-22.23	52.60	1	Vertical	90	2.39	-	39.10	17.28	47.67			
AV	23.8202G	49.09	63.54	-14.45	40.38	1	Vertical	90	2.39	-	39.10	17.28	47.67			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX

5955MHz_TX




EUT_Y_1TX
Setting -9
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.81985G	62.58	83.54	-20.96	53.87	1	Horizontal	78	2.75	-	39.10	17.28	47.67			
AV	23.81993G	48.77	63.54	-14.77	40.06	1	Horizontal	78	2.75	-	39.10	17.28	47.67			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX

5955MHz_TX




EUT_Y_1TX
Setting -5.5
02-C-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9189G	62.59	88.20	-25.61	51.14	3	Vertical	197	2.29	-	34.20	7.88	30.63			
RMS	5.9188G	50.72	68.20	-17.48	39.27	3	Vertical	197	2.29	-	34.20	7.88	30.63			
PK	5.9492G	91.71	Inf	-Inf	80.23	3	Vertical	197	2.29	-	34.20	7.90	30.62			
RMS	5.9478G	81.75	Inf	-Inf	70.27	3	Vertical	197	2.29	-	34.20	7.90	30.62			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX

5955MHz_TX




EUTY_1TX
Setting -5.5
02-C-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9169G	62.56	88.20	-25.64	51.11	3	Horizontal	178	1.80	-	34.20	7.88	30.63			
RMS	5.9082G	50.82	68.20	-17.38	39.38	3	Horizontal	178	1.80	-	34.20	7.87	30.63			
PK	5.9491G	92.58	Inf	-Inf	81.10	3	Horizontal	178	1.80	-	34.20	7.90	30.62			
RMS	5.9473G	82.68	Inf	-Inf	71.20	3	Horizontal	178	1.80	-	34.20	7.90	30.62			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX

5955MHz_TX




EUT_Y_1TX
Setting -5.5
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.90959G	46.53	74.00	-27.47	40.47	3	Vertical	115	2.85	-	39.38	12.02	45.34			
AV	11.90914G	34.97	54.00	-19.03	28.91	3	Vertical	115	2.85	-	39.38	12.02	45.34			
PK	17.86535G	58.10	74.00	-15.90	42.83	3	Vertical	168	2.04	-	46.83	12.76	44.32			
AV	17.86437G	47.65	54.00	-6.35	32.38	3	Vertical	168	2.04	-	46.83	12.76	44.32			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX


5955MHz_TX

EUT_Y_1TX
Setting -5.5
02-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	11.91048G	45.88	74.00	-28.12	39.82	3	Horizontal	47	2.22	-	39.38	12.02	45.34				
AV	11.91048G	34.96	54.00	-19.04	28.90	3	Horizontal	47	2.22	-	39.38	12.02	45.34				
PK	17.86482G	58.18	74.00	-15.82	42.91	3	Horizontal	344	1.78	-	46.83	12.76	44.32				
AV	17.86551G	47.50	54.00	-6.50	32.23	3	Horizontal	344	1.78	-	46.83	12.76	44.32				

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX

5955MHz_TX




EUT_Y_1TX
Setting -5.5
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.81973G	61.07	83.54	-22.47	52.36	1	Vertical	203	2.84	-	39.10	17.28	47.67			
AV	23.81921G	50.83	63.54	-12.71	42.12	1	Vertical	203	2.84	-	39.10	17.28	47.67			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX

5955MHz_TX




EUT_Y_1TX
Setting -5.5
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.81917G	60.89	83.54	-22.65	52.18	1	Horizontal	29	1.00	-	39.10	17.28	47.67			
AV	23.81988G	50.84	63.54	-12.70	42.13	1	Horizontal	29	1.00	-	39.10	17.28	47.67			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX

5955MHz_TX




EUT_Y_1TX
Setting -2
02-C-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.908G	61.49	88.20	-26.71	50.05	3	Vertical	205	1.80	-	34.20	7.87	30.63			
RMS	5.9205G	50.71	68.20	-17.49	39.26	3	Vertical	205	1.80	-	34.20	7.88	30.63			
PK	5.9518G	90.42	Inf	-Inf	78.94	3	Vertical	205	1.80	-	34.20	7.90	30.62			
RMS	5.9524G	81.46	Inf	-Inf	69.98	3	Vertical	205	1.80	-	34.20	7.90	30.62			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX

5955MHz_TX




EUT_Y_1TX
Setting -2
02-C-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.9085G	62.61	88.20	-25.59	51.17	3	Horizontal	183	1.81	-	34.20	7.87	30.63				
RMS	5.9232G	50.78	68.20	-17.42	39.33	3	Horizontal	183	1.81	-	34.20	7.88	30.63				
PK	5.9507G	92.05	Inf	-Inf	80.57	3	Horizontal	183	1.81	-	34.20	7.90	30.62				
RMS	5.9523G	82.97	Inf	-Inf	71.49	3	Horizontal	183	1.81	-	34.20	7.90	30.62				

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX

5955MHz_TX




EUT_Y_1TX
Setting -2
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.91059G	45.71	74.00	-28.29	39.65	3	Vertical	116	1.89	-	39.38	12.02	45.34			
AV	11.91012G	35.04	54.00	-18.96	28.98	3	Vertical	116	1.89	-	39.38	12.02	45.34			
PK	17.86457G	52.88	74.00	-21.12	37.61	3	Vertical	80	2.81	-	46.83	12.76	44.32			
AV	17.86541G	41.01	54.00	-12.99	25.74	3	Vertical	80	2.81	-	46.83	12.76	44.32			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX


5955MHz_TX

EUT_Y_1TX
Setting -2
02-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.90968G	46.29	74.00	-27.71	40.23	3	Horizontal	146	1.99	-	39.38	12.02	45.34			
AV	11.91031G	35.01	54.00	-18.99	28.95	3	Horizontal	146	1.99	-	39.38	12.02	45.34			
PK	17.86475G	51.36	74.00	-22.64	36.09	3	Horizontal	182	1.08	-	46.83	12.76	44.32			
AV	17.86533G	40.20	54.00	-13.80	24.93	3	Horizontal	182	1.08	-	46.83	12.76	44.32			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX

5955MHz_TX




EUT_Y_1TX
Setting -2
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.82007G	60.70	83.54	-22.84	51.99	1	Vertical	115	1.46	-	39.10	17.28	47.67			
AV	23.821G	50.39	63.54	-13.15	41.68	1	Vertical	115	1.46	-	39.10	17.28	47.67			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX

5955MHz_TX




EUT_Y_1TX
Setting -2
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.81902G	61.24	83.54	-22.30	52.53	1	Horizontal	12	2.08	-	39.10	17.28	47.67			
AV	23.82087G	50.11	63.54	-13.43	41.40	1	Horizontal	12	2.08	-	39.10	17.28	47.67			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX


6195MHz_TX

EUT_Y_1TX
Setting -8.5
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.38919G	46.23	74.00	-27.77	40.98	3	Vertical	126	2.63	-	38.80	12.02	45.57			
AV	12.38943G	31.04	54.00	-22.96	25.79	3	Vertical	126	2.63	-	38.80	12.02	45.57			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX

6195MHz_TX




EUT_Y_1TX
Setting -8.5
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.39048G	44.85	74.00	-29.15	39.60	3	Horizontal	286	1.48	-	38.80	12.02	45.57			
AV	12.38917G	31.04	54.00	-22.96	25.79	3	Horizontal	286	1.48	-	38.80	12.02	45.57			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX

6195MHz_TX




EUT_V_1TX
Setting -8.5
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.58599G	53.49	83.54	-30.05	48.83	1	Vertical	67	2.27	-	37.80	15.25	48.39			
AV	18.5856G	39.53	63.54	-24.01	34.87	1	Vertical	67	2.27	-	37.80	15.25	48.39			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX

6195MHz_TX




EUT_Y_1TX
Setting -8.5
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.58456G	53.33	83.54	-30.21	48.66	1	Horizontal	233	1.48	-	37.80	15.25	48.38			
AV	18.58539G	41.49	63.54	-22.05	36.83	1	Horizontal	233	1.48	-	37.80	15.25	48.39			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX

6195MHz_TX




EUT_Y_1TX
Setting -5
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.3908G	45.39	74.00	-28.61	40.14	3	Vertical	303	1.59	-	38.80	12.02	45.57			
AV	12.38972G	34.41	54.00	-19.59	29.16	3	Vertical	303	1.59	-	38.80	12.02	45.57			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX


6195MHz_TX

EUT_Y_1TX
Setting -5
02-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.38986G	45.55	74.00	-28.45	40.30	3	Horizontal	256	2.81	-	38.80	12.02	45.57			
AV	12.3909G	34.59	54.00	-19.41	29.34	3	Horizontal	256	2.81	-	38.80	12.02	45.57			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX

6195MHz_TX




EUT_Y_1TX
Setting -5
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.58493G	53.31	83.54	-30.23	48.64	1	Vertical	327	2.19	-	37.80	15.25	48.38			
AV	18.58432G	42.53	63.54	-21.01	37.86	1	Vertical	327	2.19	-	37.80	15.25	48.38			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX

6195MHz_TX




EUT_Y_1TX
Setting -5
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.58414G	53.64	83.54	-29.90	48.97	1	Horizontal	336	2.12	-	37.80	15.25	48.38			
AV	18.58577G	42.57	63.54	-20.97	37.91	1	Horizontal	336	2.12	-	37.80	15.25	48.39			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX

6195MHz_TX




EUT_Y_1TX
Setting -2
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.3908G	45.94	74.00	-28.06	40.69	3	Vertical	70	2.95	-	38.80	12.02	45.57			
AV	12.39071G	34.66	54.00	-19.34	29.41	3	Vertical	70	2.95	-	38.80	12.02	45.57			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX

6195MHz_TX




EUT_Y_1TX
Setting -2
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.38946G	45.57	74.00	-28.43	40.32	3	Horizontal	113	1.05	-	38.80	12.02	45.57			
AV	12.38951G	34.39	54.00	-19.61	29.14	3	Horizontal	113	1.05	-	38.80	12.02	45.57			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX


6195MHz_TX

EUT_Y_1TX
Setting -2
02-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.58437G	54.33	83.54	-29.21	49.66	1	Vertical	258	1.33	-	37.80	15.25	48.38			
AV	18.58464G	42.84	63.54	-20.70	38.17	1	Vertical	258	1.33	-	37.80	15.25	48.38			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX


6195MHz_TX

EUT_Y_1TX
Setting -2
02-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.58409G	53.34	83.54	-30.20	48.67	1	Horizontal	343	1.13	-	37.80	15.25	48.38			
AV	18.58526G	42.58	63.54	-20.96	37.92	1	Horizontal	343	1.13	-	37.80	15.25	48.39			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX

6415MHz_TX




EUT_Y_1TX
Setting -8.5
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.83054G	45.66	88.20	-42.54	40.00	3	Vertical	28	2.11	-	38.96	11.96	45.26			
RMS	12.82986G	30.96	68.20	-37.24	25.30	3	Vertical	28	2.11	-	38.96	11.96	45.26			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX

6415MHz_TX




EUT_Y_1TX
Setting -8.5
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.82996G	45.38	88.20	-42.82	39.72	3	Horizontal	65	2.13	-	38.96	11.96	45.26			
RMS	12.83011G	30.97	68.20	-37.23	25.31	3	Horizontal	65	2.13	-	38.96	11.96	45.26			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX

6415MHz_TX




EUT_Y_1TX
Setting -8.5
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.24404G	53.16	83.54	-30.38	48.76	1	Vertical	325	1.58	-	37.98	15.22	48.80			
AV	19.24596G	39.15	63.54	-24.39	34.75	1	Vertical	325	1.58	-	37.98	15.22	48.80			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX

6415MHz_TX




EUT_Y_1TX
Setting -8.5
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.245G	53.01	83.54	-30.53	48.61	1	Horizontal	74	2.13	-	37.98	15.22	48.80			
AV	19.24597G	39.14	63.54	-24.40	34.74	1	Horizontal	74	2.13	-	37.98	15.22	48.80			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX


6415MHz_TX

EUT_Y_1TX
Setting -4.5
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.83038G	45.52	88.20	-42.68	39.86	3	Vertical	237	2.88	-	38.96	11.96	45.26			
RMS	12.83005G	34.76	68.20	-33.44	29.10	3	Vertical	237	2.88	-	38.96	11.96	45.26			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX


6415MHz_TX

EUT_Y_1TX
Setting -4.5
02-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.82938G	45.15	88.20	-43.05	39.49	3	Horizontal	63	1.29	-	38.96	11.96	45.26			
RMS	12.83055G	34.55	68.20	-33.65	28.89	3	Horizontal	63	1.29	-	38.96	11.96	45.26			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX

6415MHz_TX




EUT_Y_1TX
Setting -4.5
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.24549G	53.68	83.54	-29.86	49.28	1	Vertical	211	1.85	-	37.98	15.22	48.80			
AV	19.24526G	42.16	63.54	-21.38	37.76	1	Vertical	211	1.85	-	37.98	15.22	48.80			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX

6415MHz_TX




EUT_Y_1TX
Setting -4.5
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.24557G	58.26	83.54	-25.28	53.86	1	Horizontal	210	1.66	-	37.98	15.22	48.80			
AV	19.24416G	47.19	63.54	-16.35	42.79	1	Horizontal	210	1.66	-	37.98	15.22	48.80			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX

6415MHz_TX




EUT_Y_1TX
Setting -1.5
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.82999G	45.18	88.20	-43.02	39.52	3	Vertical	54	2.04	-	38.96	11.96	45.26			
RMS	12.82963G	32.94	68.20	-35.26	27.28	3	Vertical	54	2.04	-	38.96	11.96	45.26			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX

6415MHz_TX




EUT_Y_1TX
Setting -1.5
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.82981G	45.26	88.20	-42.94	39.60	3	Horizontal	353	1.01	-	38.96	11.96	45.26			
RMS	12.83076G	32.86	68.20	-35.34	27.20	3	Horizontal	353	1.01	-	38.96	11.96	45.26			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX

6415MHz_TX




EUT_Y_1TX
Setting -1.5
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.24534G	53.71	83.54	-29.83	49.31	1	Vertical	213	2.97	-	37.98	15.22	48.80			
AV	19.24412G	40.72	63.54	-22.82	36.32	1	Vertical	213	2.97	-	37.98	15.22	48.80			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX


6415MHz_TX

EUT_Y_1TX
Setting -1.5
02-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.24444G	53.54	83.54	-30.00	49.14	1	Horizontal	204	2.89	-	37.98	15.22	48.80			
AV	19.24517G	40.85	63.54	-22.69	36.45	1	Horizontal	204	2.89	-	37.98	15.22	48.80			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX

5955MHz_TX




EUT_Y_2TX
Setting -10(S1 -6)
02-C-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9099G	62.20	88.20	-26.00	50.76	3	Vertical	252	1.82	-	34.20	7.87	30.63			
RMS	5.9208G	50.71	68.20	-17.49	39.26	3	Vertical	252	1.82	-	34.20	7.88	30.63			
PK	5.9468G	98.07	Inf	-Inf	86.59	3	Vertical	252	1.82	-	34.20	7.90	30.62			
RMS	5.9468G	83.27	Inf	-Inf	71.79	3	Vertical	252	1.82	-	34.20	7.90	30.62			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX

5955MHz_TX




EUT_Y_2TX
Setting -10(S1 -6)
02-C-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9059G	62.69	88.20	-25.51	51.25	3	Horizontal	167	1.80	-	34.20	7.87	30.63			
RMS	5.9082G	50.76	68.20	-17.44	39.32	3	Horizontal	167	1.80	-	34.20	7.87	30.63			
PK	5.9469G	99.31	Inf	-Inf	87.83	3	Horizontal	167	1.80	-	34.20	7.90	30.62			
RMS	5.9466G	83.61	Inf	-Inf	72.13	3	Horizontal	167	1.80	-	34.20	7.90	30.62			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX


5955MHz_TX

EUT_Y_2TX
Setting -10(S1 -6)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.91015G	45.90	74.00	-28.10	39.84	3	Vertical	40	1.90	-	39.38	12.02	45.34			
AV	11.90914G	31.53	54.00	-22.47	25.47	3	Vertical	40	1.90	-	39.38	12.02	45.34			
PK	17.86497G	57.89	74.00	-16.11	42.62	3	Vertical	111	2.66	-	46.83	12.76	44.32			
AV	17.86406G	44.12	54.00	-9.88	28.85	3	Vertical	111	2.66	-	46.83	12.76	44.32			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX

5955MHz_TX




EUT_Y_2TX
Setting -10(S1 -6)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.90988G	45.85	74.00	-28.15	39.79	3	Horizontal	171	1.19	-	39.38	12.02	45.34				
AV	11.90918G	31.55	54.00	-22.45	25.49	3	Horizontal	171	1.19	-	39.38	12.02	45.34				
PK	17.86404G	58.09	74.00	-15.91	42.82	3	Horizontal	308	1.07	-	46.83	12.76	44.32				
AV	17.86424G	44.12	54.00	-9.88	28.85	3	Horizontal	308	1.07	-	46.83	12.76	44.32				

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX

5955MHz_TX




EUT_Y_2TX
Setting -10(S1 -6)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.82023G	61.21	83.54	-22.33	52.50	1	Vertical	307	1.60	-	39.10	17.28	47.67			
AV	23.81977G	47.26	63.54	-16.28	38.55	1	Vertical	307	1.60	-	39.10	17.28	47.67			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX

5955MHz_TX




EUT_Y_2TX
Setting -10(S1 -6)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.82033G	61.77	83.54	-21.77	53.06	1	Horizontal	21	2.31	-	39.10	17.28	47.67			
AV	23.81989G	47.08	63.54	-16.46	38.37	1	Horizontal	21	2.31	-	39.10	17.28	47.67			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX

5955MHz_TX




EUT_Y_2TX
Setting -8.5(S1 -2)
02-C-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9159G	62.44	88.20	-25.76	50.99	3	Vertical	190	1.86	-	34.20	7.88	30.63			
RMS	5.9195G	50.77	68.20	-17.43	39.32	3	Vertical	190	1.86	-	34.20	7.88	30.63			
PK	5.9491G	93.54	Inf	-Inf	82.06	3	Vertical	190	1.86	-	34.20	7.90	30.62			
RMS	5.9479G	80.75	Inf	-Inf	69.27	3	Vertical	190	1.86	-	34.20	7.90	30.62			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX

5955MHz_TX




EUT_Y_2TX
Setting -8.5(S1 -2)
02-C-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.922G	62.55	88.20	-25.65	51.10	3	Horizontal	174	1.80	-	34.20	7.88	30.63			
RMS	5.9199G	50.80	68.20	-17.40	39.35	3	Horizontal	174	1.80	-	34.20	7.88	30.63			
PK	5.9491G	96.43	Inf	-Inf	84.95	3	Horizontal	174	1.80	-	34.20	7.90	30.62			
RMS	5.9474G	80.59	Inf	-Inf	69.11	3	Horizontal	174	1.80	-	34.20	7.90	30.62			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX


5955MHz_TX

EUT_Y_2TX
Setting -8.5(S1 -2)
02-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.90973G	45.59	74.00	-28.41	39.53	3	Vertical	8	1.52	-	39.38	12.02	45.34			
AV	11.91039G	34.73	54.00	-19.27	28.67	3	Vertical	8	1.52	-	39.38	12.02	45.34			
PK	17.86443G	58.24	74.00	-15.76	42.97	3	Vertical	229	2.44	-	46.83	12.76	44.32			
AV	17.86515G	47.50	54.00	-6.50	32.23	3	Vertical	229	2.44	-	46.83	12.76	44.32			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX

5955MHz_TX




EUT_Y_2TX
Setting -8.5(S1 -2)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.90921G	45.66	74.00	-28.34	39.60	3	Horizontal	163	2.14	-	39.38	12.02	45.34			
AV	11.91048G	35.23	54.00	-18.77	29.17	3	Horizontal	163	2.14	-	39.38	12.02	45.34			
PK	17.86421G	58.54	74.00	-15.46	43.27	3	Horizontal	304	1.48	-	46.83	12.76	44.32			
AV	17.86465G	47.26	54.00	-6.74	31.99	3	Horizontal	304	1.48	-	46.83	12.76	44.32			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX

5955MHz_TX




EUT_Y_2TX
Setting -8.5(S1 -2)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.82063G	61.89	83.54	-21.65	53.18	1	Vertical	277	1.24	-	39.10	17.28	47.67			
AV	23.82007G	50.48	63.54	-13.06	41.77	1	Vertical	277	1.24	-	39.10	17.28	47.67			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX

5955MHz_TX




EUT_Y_2TX
Setting -8.5(S1 -2)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.82017G	60.88	83.54	-22.66	52.17	1	Horizontal	159	2.01	-	39.10	17.28	47.67			
AV	23.81918G	50.10	63.54	-13.44	41.39	1	Horizontal	159	2.01	-	39.10	17.28	47.67			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX

5955MHz_TX




EUT_Y_2TX
Setting -7(S1 -0.5)
02-C-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.9171G	62.42	88.20	-25.78	50.97	3	Vertical	253	1.82	-	34.20	7.88	30.63				
RMS	5.9186G	50.83	68.20	-17.37	39.38	3	Vertical	253	1.82	-	34.20	7.88	30.63				
PK	5.9519G	92.05	Inf	-Inf	80.57	3	Vertical	253	1.82	-	34.20	7.90	30.62				
RMS	5.9532G	78.79	Inf	-Inf	67.30	3	Vertical	253	1.82	-	34.21	7.90	30.62				

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX

5955MHz_TX




EUT_Y_2TX
Setting -7(S1 -0.5)
02-C-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9246G	62.09	88.20	-26.11	50.64	3	Horizontal	0	1.85	-	34.20	7.88	30.63			
RMS	5.9101G	50.82	68.20	-17.38	39.38	3	Horizontal	0	1.85	-	34.20	7.87	30.63			
PK	5.9507G	92.59	Inf	-Inf	81.11	3	Horizontal	0	1.85	-	34.20	7.90	30.62			
RMS	5.9513G	83.16	Inf	-Inf	71.68	3	Horizontal	0	1.85	-	34.20	7.90	30.62			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX

5955MHz_TX




EUT_Y_2TX
Setting -7(S1 -0.5)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.91058G	46.16	74.00	-27.84	40.10	3	Vertical	194	2.62	-	39.38	12.02	45.34			
AV	11.91049G	34.67	54.00	-19.33	28.61	3	Vertical	194	2.62	-	39.38	12.02	45.34			
PK	17.86446G	58.30	74.00	-15.70	43.03	3	Vertical	58	1.82	-	46.83	12.76	44.32			
AV	17.86569G	47.57	54.00	-6.43	32.30	3	Vertical	58	1.82	-	46.83	12.76	44.32			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX


5955MHz_TX

EUT_Y_2TX
Setting -7(S1 -0.5)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.90909G	46.69	74.00	-27.31	40.63	3	Horizontal	337	2.96	-	39.38	12.02	45.34			
AV	11.91047G	34.70	54.00	-19.30	28.64	3	Horizontal	337	2.96	-	39.38	12.02	45.34			
PK	17.86575G	57.54	74.00	-16.46	42.27	3	Horizontal	192	2.09	-	46.83	12.76	44.32			
AV	17.86477G	47.44	54.00	-6.56	32.17	3	Horizontal	192	2.09	-	46.83	12.76	44.32			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX

5955MHz_TX




EUT_Y_2TX
Setting -7(S1 -0.5)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.82078G	61.15	83.54	-22.39	52.44	1	Vertical	56	2.38	-	39.10	17.28	47.67			
AV	23.81965G	49.99	63.54	-13.55	41.28	1	Vertical	56	2.38	-	39.10	17.28	47.67			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX

5955MHz_TX




EUT_Y_2TX
Setting -7(S1 -0.5)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.81976G	60.55	83.54	-22.99	51.84	1	Horizontal	190	2.80	-	39.10	17.28	47.67			
AV	23.82092G	50.28	63.54	-13.26	41.57	1	Horizontal	190	2.80	-	39.10	17.28	47.67			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX


6195MHz_TX

EUT_Y_2TX
Setting -10(S1 -6.5)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.39029G	45.34	74.00	-28.66	40.09	3	Vertical	333	2.01	-	38.80	12.02	45.57			
AV	12.38932G	30.71	54.00	-23.29	25.46	3	Vertical	333	2.01	-	38.80	12.02	45.57			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX


6195MHz_TX

EUT_Y_2TX
Setting -10(S1 -6.5)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.38917G	44.93	74.00	-29.07	39.68	3	Horizontal	207	2.54	-	38.80	12.02	45.57			
AV	12.38901G	30.69	54.00	-23.31	25.44	3	Horizontal	207	2.54	-	38.80	12.02	45.57			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX

6195MHz_TX




EUT_Y_2TX
Setting -10(S1 -6.5)
02-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.58466G	53.34	83.54	-30.20	48.67	1	Vertical	206	1.58	-	37.80	15.25	48.38			
AV	18.5859G	39.54	63.54	-24.00	34.88	1	Vertical	206	1.58	-	37.80	15.25	48.39			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX

6195MHz_TX




EUT_Y_2TX
Setting -10(S1 -6.5)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.58574G	53.45	83.54	-30.09	48.79	1	Horizontal	138	2.31	-	37.80	15.25	48.39			
AV	18.585G	39.53	63.54	-24.01	34.86	1	Horizontal	138	2.31	-	37.80	15.25	48.38			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX

6195MHz_TX




EUT_Y_2TX
Setting -8.5(S1 -2.5)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.38937G	44.59	74.00	-29.41	39.34	3	Vertical	36	2.25	-	38.80	12.02	45.57			
AV	12.38925G	34.08	54.00	-19.92	28.83	3	Vertical	36	2.25	-	38.80	12.02	45.57			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX

6195MHz_TX




EUT_Y_2TX
Setting -8.5(S1 -2.5)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.38984G	44.68	74.00	-29.32	39.43	3	Horizontal	244	1.81	-	38.80	12.02	45.57			
AV	12.3897G	34.15	54.00	-19.85	28.90	3	Horizontal	244	1.81	-	38.80	12.02	45.57			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX

6195MHz_TX




EUT_Y_2TX
Setting -8.5(S1 -2.5)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.58496G	53.60	83.54	-29.94	48.93	1	Vertical	20	2.49	-	37.80	15.25	48.38			
AV	18.5856G	42.77	63.54	-20.77	38.11	1	Vertical	20	2.49	-	37.80	15.25	48.39			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX


6195MHz_TX

EUT_Y_2TX
Setting -8.5(S1 -2.5)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.58448G	53.08	83.54	-30.46	48.41	1	Horizontal	243	2.15	-	37.80	15.25	48.38			
AV	18.58464G	42.91	63.54	-20.63	38.24	1	Horizontal	243	2.15	-	37.80	15.25	48.38			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX


6195MHz_TX

EUT_Y_2TX
Setting -7(S1 -0.5)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.38926G	44.91	74.00	-29.09	39.66	3	Vertical	130	1.08	-	38.80	12.02	45.57			
AV	12.38956G	34.13	54.00	-19.87	28.88	3	Vertical	130	1.08	-	38.80	12.02	45.57			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX

6195MHz_TX




EUT_Y_2TX
Setting -7(S1 -0.5)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.39086G	44.61	74.00	-29.39	39.36	3	Horizontal	43	1.22	-	38.80	12.02	45.57			
AV	12.38901G	34.15	54.00	-19.85	28.90	3	Horizontal	43	1.22	-	38.80	12.02	45.57			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX

6195MHz_TX




EUT_Y_2TX
Setting -7(S1 -0.5)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.58494G	53.23	83.54	-30.31	48.56	1	Vertical	44	2.66	-	37.80	15.25	48.38			
AV	18.5843G	42.73	63.54	-20.81	38.06	1	Vertical	44	2.66	-	37.80	15.25	48.38			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX


6195MHz_TX

EUT_Y_2TX
Setting -7(S1 -0.5)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.58577G	53.52	83.54	-30.02	48.86	1	Horizontal	298	2.49	-	37.80	15.25	48.39			
AV	18.58484G	42.78	63.54	-20.76	38.11	1	Horizontal	298	2.49	-	37.80	15.25	48.38			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX

6415MHz_TX




EUT_Y_2TX
Setting -10(S1 -5.5)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.83062G	45.85	88.20	-42.35	40.19	3	Vertical	76	1.16	-	38.96	11.96	45.26			
RMS	12.83089G	31.49	68.20	-36.71	25.83	3	Vertical	76	1.16	-	38.96	11.96	45.26			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX

6415MHz_TX




EUT_Y_2TX
Setting -10(S1 -5.5)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.8301G	46.59	88.20	-41.61	40.93	3	Horizontal	323	2.12	-	38.96	11.96	45.26			
RMS	12.83067G	31.49	68.20	-36.71	25.83	3	Horizontal	323	2.12	-	38.96	11.96	45.26			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX

6415MHz_TX




EUT_Y_2TX
Setting -10(S1 -5.5)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.2456G	52.98	83.54	-30.56	48.58	1	Vertical	129	2.89	-	37.98	15.22	48.80			
AV	19.24591G	39.21	63.54	-24.33	34.81	1	Vertical	129	2.89	-	37.98	15.22	48.80			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX

6415MHz_TX




EUT_Y_2TX
Setting -10(S1 -5.5)
02-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.24577G	53.34	83.54	-30.20	48.94	1	Horizontal	302	1.27	-	37.98	15.22	48.80			
AV	19.24587G	39.13	63.54	-24.41	34.73	1	Horizontal	302	1.27	-	37.98	15.22	48.80			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX

6415MHz_TX




EUT_Y_2TX
Setting -8.5(S1 -2)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.82991G	45.75	88.20	-42.45	40.09	3	Vertical	199	2.00	-	38.96	11.96	45.26			
RMS	12.82988G	34.89	68.20	-33.31	29.23	3	Vertical	199	2.00	-	38.96	11.96	45.26			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX

6415MHz_TX




EUT_Y_2TX
Setting -8.5(S1 -2)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.82925G	45.30	88.20	-42.90	39.64	3	Horizontal	75	2.60	-	38.96	11.96	45.26			
RMS	12.83092G	35.10	68.20	-33.10	29.44	3	Horizontal	75	2.60	-	38.96	11.96	45.26			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX

6415MHz_TX




EUT_Y_2TX
Setting -8.5(S1 -2)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.24401G	52.95	83.54	-30.59	48.55	1	Vertical	327	2.19	-	37.98	15.22	48.80			
AV	19.24481G	42.08	63.54	-21.46	37.68	1	Vertical	327	2.19	-	37.98	15.22	48.80			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX


6415MHz_TX

EUT_Y_2TX
Setting -8.5(S1 -2)
02-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.24499G	53.41	83.54	-30.13	49.01	1	Horizontal	89	1.00	-	37.98	15.22	48.80			
AV	19.24414G	42.20	63.54	-21.34	37.80	1	Horizontal	89	1.00	-	37.98	15.22	48.80			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX

6415MHz_TX




EUT_Y_2TX
Setting -7(S1 -0.5)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.83008G	45.17	88.20	-43.03	39.51	3	Vertical	348	2.01	-	38.96	11.96	45.26			
RMS	12.83083G	34.98	68.20	-33.22	29.32	3	Vertical	348	2.01	-	38.96	11.96	45.26			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX

6415MHz_TX




EUT_Y_2TX
Setting -7(S1 -0.5)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.82956G	46.07	88.20	-42.13	40.41	3	Horizontal	285	2.93	-	38.96	11.96	45.26			
RMS	12.83079G	34.57	68.20	-33.63	28.91	3	Horizontal	285	2.93	-	38.96	11.96	45.26			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX

6415MHz_TX




EUT_Y_2TX
Setting -7(S1 -0.5)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.24526G	52.97	83.54	-30.57	48.57	1	Vertical	60	1.47	-	37.98	15.22	48.80			
AV	19.2458G	42.27	63.54	-21.27	37.87	1	Vertical	60	1.47	-	37.98	15.22	48.80			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX

6415MHz_TX




EUT_Y_2TX
Setting -7(S1 -0.5)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.24425G	52.79	83.54	-30.75	48.39	1	Horizontal	257	1.51	-	37.98	15.22	48.80			
AV	19.24587G	41.90	63.54	-21.64	37.50	1	Horizontal	257	1.51	-	37.98	15.22	48.80			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX

6535MHz_TX




EUT_Y_1TX
Setting -9
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.06948G	45.89	88.20	-42.31	39.50	3	Vertical	11	2.07	-	39.48	11.92	45.01			
RMS	13.06978G	31.86	68.20	-36.34	25.47	3	Vertical	11	2.07	-	39.48	11.92	45.01			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX


6535MHz_TX

EUT_Y_1TX
Setting -9
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.06974G	46.02	88.20	-42.18	39.63	3	Horizontal	41	2.13	-	39.48	11.92	45.01			
RMS	13.06944G	31.87	68.20	-36.33	25.48	3	Horizontal	41	2.13	-	39.48	11.92	45.01			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX

6535MHz_TX




EUT_Y_1TX
Setting -9
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.60423G	53.00	83.54	-30.54	48.91	1	Vertical	83	1.75	-	37.70	15.19	48.80			
AV	19.6058G	38.39	63.54	-25.15	34.30	1	Vertical	83	1.75	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX

6535MHz_TX




EUT_Y_1TX
Setting -9
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.60486G	52.33	83.54	-31.21	48.24	1	Horizontal	188	2.71	-	37.70	15.19	48.80			
AV	19.60575G	38.43	63.54	-25.11	34.34	1	Horizontal	188	2.71	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX

6535MHz_TX




EUT_Y_1TX
Setting -5.5
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.06979G	45.98	88.20	-42.22	39.59	3	Vertical	35	1.50	-	39.48	11.92	45.01			
RMS	13.06962G	34.95	68.20	-33.25	28.56	3	Vertical	35	1.50	-	39.48	11.92	45.01			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX

6535MHz_TX




EUT_Y_1TX
Setting -5.5
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.06937G	46.44	88.20	-41.76	40.05	3	Horizontal	155	1.74	-	39.48	11.92	45.01			
RMS	13.06929G	35.04	68.20	-33.16	28.65	3	Horizontal	155	1.74	-	39.48	11.92	45.01			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX

6535MHz_TX




EUT_Y_1TX
Setting -5.5
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.60437G	52.31	83.54	-31.23	48.22	1	Vertical	116	2.40	-	37.70	15.19	48.80			
AV	19.60425G	41.72	63.54	-21.82	37.63	1	Vertical	116	2.40	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX

6535MHz_TX




EUT_Y_1TX
Setting -5.5
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.60407G	52.64	83.54	-30.90	48.55	1	Horizontal	117	1.34	-	37.70	15.19	48.80			
AV	19.60449G	41.70	63.54	-21.84	37.61	1	Horizontal	117	1.34	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX

6535MHz_TX




EUT_Y_1TX
Setting -2
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.06935G	45.61	88.20	-42.59	39.22	3	Vertical	104	1.73	-	39.48	11.92	45.01			
RMS	13.06992G	34.95	68.20	-33.25	28.56	3	Vertical	104	1.73	-	39.48	11.92	45.01			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX

6535MHz_TX




EUT_Y_1TX
Setting -2
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.06932G	45.94	88.20	-42.26	39.55	3	Horizontal	125	2.79	-	39.48	11.92	45.01			
RMS	13.06982G	35.18	68.20	-33.02	28.79	3	Horizontal	125	2.79	-	39.48	11.92	45.01			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX

6535MHz_TX




EUT_Y_1TX
Setting -2
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.60404G	53.05	83.54	-30.49	48.96	1	Vertical	90	2.72	-	37.70	15.19	48.80			
AV	19.60409G	41.46	63.54	-22.08	37.37	1	Vertical	90	2.72	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX

6535MHz_TX




EUT_Y_1TX
Setting -2
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	19.60485G	52.53	83.54	-31.01	48.44	1	Horizontal	331	2.14	-	37.70	15.19	48.80				
AV	19.60488G	41.76	63.54	-21.78	37.67	1	Horizontal	331	2.14	-	37.70	15.19	48.80				

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX

6695MHz_TX




EUT_Y_1TX
Setting -10
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.3906G	48.08	74.00	-25.92	40.68	3	Vertical	171	2.35	-	40.28	11.87	44.75			
AV	13.38902G	33.34	54.00	-20.66	25.94	3	Vertical	171	2.35	-	40.28	11.87	44.75			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX

6695MHz_TX




EUT_Y_1TX
Setting -10
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.3893G	47.58	74.00	-26.42	40.18	3	Horizontal	254	2.30	-	40.28	11.87	44.75			
AV	13.38924G	33.33	54.00	-20.67	25.93	3	Horizontal	254	2.30	-	40.28	11.87	44.75			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX


6695MHz_TX

EUT_Y_1TX
Setting -9
02-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.08434G	52.97	83.54	-30.57	48.71	1	Vertical	58	1.93	-	37.80	15.24	48.78			
AV	20.08401G	38.63	63.54	-24.91	34.37	1	Vertical	58	1.93	-	37.80	15.24	48.78			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX


6695MHz_TX

EUT_Y_1TX
Setting -9
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.08485G	52.28	83.54	-31.26	48.02	1	Horizontal	73	2.53	-	37.80	15.24	48.78			
AV	20.084G	38.56	63.54	-24.98	34.30	1	Horizontal	73	2.53	-	37.80	15.24	48.78			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX

6695MHz_TX




EUT_Y_1TX
Setting -6
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.38946G	47.84	74.00	-26.16	40.44	3	Vertical	328	1.08	-	40.28	11.87	44.75			
AV	13.38907G	36.83	54.00	-17.17	29.43	3	Vertical	328	1.08	-	40.28	11.87	44.75			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX

6695MHz_TX




EUT_Y_1TX
Setting -6
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.39086G	47.57	74.00	-26.43	40.17	3	Horizontal	140	1.26	-	40.28	11.87	44.75			
AV	13.39021G	36.87	54.00	-17.13	29.47	3	Horizontal	140	1.26	-	40.28	11.87	44.75			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX

6695MHz_TX




EUT_Y_1TX
Setting -6
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.08515G	52.86	83.54	-30.68	48.60	1	Vertical	154	2.33	-	37.80	15.24	48.78			
AV	20.08457G	41.93	63.54	-21.61	37.67	1	Vertical	154	2.33	-	37.80	15.24	48.78			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX

6695MHz_TX




EUT_Y_1TX
Setting -6
02-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.08449G	53.03	83.54	-30.51	48.77	1	Horizontal	199	1.52	-	37.80	15.24	48.78			
AV	20.0852G	41.85	63.54	-21.69	37.59	1	Horizontal	199	1.52	-	37.80	15.24	48.78			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX

6695MHz_TX




EUT_Y_1TX
Setting -3
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.39021G	47.59	74.00	-26.41	40.19	3	Vertical	0	2.22	-	40.28	11.87	44.75			
AV	13.39057G	36.63	54.00	-17.37	29.23	3	Vertical	0	2.22	-	40.28	11.87	44.75			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX

6695MHz_TX




EUT_Y_1TX
Setting -3
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.38998G	47.49	74.00	-26.51	40.09	3	Horizontal	171	2.43	-	40.28	11.87	44.75			
AV	13.38912G	36.82	54.00	-17.18	29.42	3	Horizontal	171	2.43	-	40.28	11.87	44.75			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX


6695MHz_TX

EUT_Y_1TX
Setting -3
02-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.0842G	52.12	83.54	-31.42	47.86	1	Vertical	61	2.91	-	37.80	15.24	48.78			
AV	20.08542G	41.96	63.54	-21.58	37.70	1	Vertical	61	2.91	-	37.80	15.24	48.78			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX


6695MHz_TX

EUT_Y_1TX
Setting -3
02-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.08492G	52.77	83.54	-30.77	48.51	1	Horizontal	265	1.66	-	37.80	15.24	48.78			
AV	20.08555G	41.59	63.54	-21.95	37.33	1	Horizontal	265	1.66	-	37.80	15.24	48.78			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX

6855MHz_TX




EUT_Y_1TX
Setting -10
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.70958G	50.85	88.20	-37.35	42.60	3	Vertical	232	2.79	-	40.94	11.82	44.51			
RMS	13.70911G	36.03	68.20	-32.17	27.78	3	Vertical	232	2.79	-	40.94	11.82	44.51			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX

6855MHz_TX




EUT_Y_1TX
Setting -10
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.71005G	50.65	88.20	-37.55	42.40	3	Horizontal	349	2.44	-	40.94	11.82	44.51			
RMS	13.70911G	36.02	68.20	-32.18	27.77	3	Horizontal	349	2.44	-	40.94	11.82	44.51			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX


6855MHz_TX

EUT_Y_1TX
Setting -10
02-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.5651G	54.18	83.54	-29.36	49.35	1	Vertical	140	2.88	-	37.90	15.63	48.70			
AV	20.56471G	40.49	63.54	-23.05	35.66	1	Vertical	140	2.88	-	37.90	15.63	48.70			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX

6855MHz_TX




EUT_Y_1TX
Setting -10
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.56465G	54.28	83.54	-29.26	49.45	1	Horizontal	336	1.09	-	37.90	15.63	48.70			
AV	20.5647G	40.51	63.54	-23.03	35.68	1	Horizontal	336	1.09	-	37.90	15.63	48.70			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX

6855MHz_TX




EUT_Y_1TX
Setting -6
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.70923G	50.18	88.20	-38.02	41.93	3	Vertical	115	1.83	-	40.94	11.82	44.51			
RMS	13.71045G	39.38	68.20	-28.82	31.13	3	Vertical	115	1.83	-	40.94	11.82	44.51			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX

6855MHz_TX




EUT_Y_1TX
Setting -6
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.70929G	50.10	88.20	-38.10	41.85	3	Horizontal	308	2.64	-	40.94	11.82	44.51			
RMS	13.71001G	39.29	68.20	-28.91	31.04	3	Horizontal	308	2.64	-	40.94	11.82	44.51			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX

6855MHz_TX




EUT_Y_1TX
Setting -6
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	20.56514G	54.05	83.54	-29.49	49.22	1	Vertical	281	1.58	-	37.90	15.63	48.70				
AV	20.5653G	43.42	63.54	-20.12	38.59	1	Vertical	281	1.58	-	37.90	15.63	48.70				

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX

6855MHz_TX




EUT_Y_1TX
Setting -6
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.56571G	54.36	83.54	-29.18	49.53	1	Horizontal	162	1.70	-	37.90	15.63	48.70			
AV	20.56506G	43.58	63.54	-19.96	38.75	1	Horizontal	162	1.70	-	37.90	15.63	48.70			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX

6855MHz_TX




EUT_Y_1TX
Setting -3
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.71025G	50.65	88.20	-37.55	42.40	3	Vertical	356	2.20	-	40.94	11.82	44.51			
RMS	13.70992G	37.61	68.20	-30.59	29.36	3	Vertical	356	2.20	-	40.94	11.82	44.51			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX

6855MHz_TX




EUT_Y_1TX
Setting -3
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.71071G	50.34	88.20	-37.86	42.09	3	Horizontal	142	2.86	-	40.94	11.82	44.51			
RMS	13.70955G	37.90	68.20	-30.30	29.65	3	Horizontal	142	2.86	-	40.94	11.82	44.51			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX

6855MHz_TX




EUT_Y_1TX
Setting -3
02-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.56516G	54.92	83.54	-28.62	50.09	1	Vertical	14	1.74	-	37.90	15.63	48.70			
AV	20.56487G	41.80	63.54	-21.74	36.97	1	Vertical	14	1.74	-	37.90	15.63	48.70			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX


6855MHz_TX

EUT_Y_1TX
Setting -3
02-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.56575G	54.10	83.54	-29.44	49.27	1	Horizontal	0	2.56	-	37.90	15.63	48.70			
AV	20.56501G	41.83	63.54	-21.71	37.00	1	Horizontal	0	2.56	-	37.90	15.63	48.70			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX

6535MHz_TX




EUT_Y_2TX
Setting -10(S1 -6)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.06969G	46.53	88.20	-41.67	40.14	3	Vertical	171	1.55	-	39.48	11.92	45.01			
RMS	13.06976G	32.03	68.20	-36.17	25.64	3	Vertical	171	1.55	-	39.48	11.92	45.01			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX

6535MHz_TX




EUT_Y_2TX
Setting -10(S1 -6)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.06989G	46.42	88.20	-41.78	40.03	3	Horizontal	208	1.70	-	39.48	11.92	45.01			
RMS	13.06961G	32.03	68.20	-36.17	25.64	3	Horizontal	208	1.70	-	39.48	11.92	45.01			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX

6535MHz_TX




EUT_Y_2TX
Setting -10(S1 -6)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.60514G	52.64	83.54	-30.90	48.55	1	Vertical	136	2.53	-	37.70	15.19	48.80			
AV	19.60579G	38.37	63.54	-25.17	34.28	1	Vertical	136	2.53	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX

6535MHz_TX




EUT_Y_2TX
Setting -10(S1 -6)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.60521G	52.18	83.54	-31.36	48.09	1	Horizontal	48	1.26	-	37.70	15.19	48.80			
AV	19.60576G	38.44	63.54	-25.10	34.35	1	Horizontal	48	1.26	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX

6535MHz_TX




EUT_Y_2TX
Setting -8.5(S1 -2)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.06913G	45.88	88.20	-42.32	39.49	3	Vertical	247	1.22	-	39.48	11.92	45.01			
RMS	13.06955G	35.26	68.20	-32.94	28.87	3	Vertical	247	1.22	-	39.48	11.92	45.01			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX

6535MHz_TX




EUT_Y_2TX
Setting -8.5(S1 -2)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.06921G	45.62	88.20	-42.58	39.23	3	Horizontal	145	2.53	-	39.48	11.92	45.01			
RMS	13.0697G	35.36	68.20	-32.84	28.97	3	Horizontal	145	2.53	-	39.48	11.92	45.01			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX


6535MHz_TX

EUT_Y_2TX
Setting -8.5(S1 -2)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.60457G	53.39	83.54	-30.15	49.30	1	Vertical	70	1.89	-	37.70	15.19	48.80			
AV	19.60495G	41.77	63.54	-21.77	37.68	1	Vertical	70	1.89	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX

6535MHz_TX




EUT_Y_2TX
Setting -8.5(S1 -2)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.60495G	53.29	83.54	-30.25	49.20	1	Horizontal	351	2.13	-	37.70	15.19	48.80			
AV	19.60435G	41.55	63.54	-21.99	37.46	1	Horizontal	351	2.13	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX

6535MHz_TX




EUT_Y_2TX
Setting -7(S1 -0.5)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.06982G	45.91	88.20	-42.29	39.52	3	Vertical	202	1.58	-	39.48	11.92	45.01			
RMS	13.07071G	35.05	68.20	-33.15	28.66	3	Vertical	202	1.58	-	39.48	11.92	45.01			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX

6535MHz_TX




EUT_Y_2TX
Setting -7(S1 -0.5)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.06923G	46.28	88.20	-41.92	39.89	3	Horizontal	76	2.03	-	39.48	11.92	45.01			
RMS	13.06911G	35.58	68.20	-32.62	29.19	3	Horizontal	76	2.03	-	39.48	11.92	45.01			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX

6535MHz_TX




EUT_Y_2TX
Setting -7(S1 -0.5)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.60451G	53.36	83.54	-30.18	49.27	1	Vertical	56	2.07	-	37.70	15.19	48.80			
AV	19.60562G	41.68	63.54	-21.86	37.59	1	Vertical	56	2.07	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX


6535MHz_TX

EUT_Y_2TX
Setting -7(S1 -0.5)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.60417G	52.65	83.54	-30.89	48.56	1	Horizontal	258	2.89	-	37.70	15.19	48.80			
AV	19.60531G	41.49	63.54	-22.05	37.40	1	Horizontal	258	2.89	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX

6695MHz_TX




EUT_Y_2TX
Setting -10(S1 -6)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.3891G	47.47	74.00	-26.53	40.07	3	Vertical	181	1.95	-	40.28	11.87	44.75			
AV	13.38982G	33.54	54.00	-20.46	26.14	3	Vertical	181	1.95	-	40.28	11.87	44.75			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX

6695MHz_TX




EUT_Y_2TX
Setting -10(S1 -6)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.39029G	47.77	74.00	-26.23	40.37	3	Horizontal	174	2.15	-	40.28	11.87	44.75			
AV	13.38991G	33.55	54.00	-20.45	26.15	3	Horizontal	174	2.15	-	40.28	11.87	44.75			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX

6695MHz_TX




EUT_Y_2TX
Setting -10(S1 -6)
02-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.08451G	52.74	83.54	-30.80	48.48	1	Vertical	77	2.43	-	37.80	15.24	48.78			
AV	20.08401G	38.61	63.54	-24.93	34.35	1	Vertical	77	2.43	-	37.80	15.24	48.78			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX

6695MHz_TX




EUT_Y_2TX
Setting -10(S1 -6)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.08515G	52.99	83.54	-30.55	48.73	1	Horizontal	190	1.31	-	37.80	15.24	48.78			
AV	20.08401G	38.60	63.54	-24.94	34.34	1	Horizontal	190	1.31	-	37.80	15.24	48.78			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX

6695MHz_TX




EUT_Y_2TX
Setting -8.5(S1 -2)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.38937G	48.09	74.00	-25.91	40.69	3	Vertical	73	1.89	-	40.28	11.87	44.75			
AV	13.38966G	36.81	54.00	-17.19	29.41	3	Vertical	73	1.89	-	40.28	11.87	44.75			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX

6695MHz_TX




EUT_Y_2TX
Setting -8.5(S1 -2)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.38963G	47.68	74.00	-26.32	40.28	3	Horizontal	25	1.37	-	40.28	11.87	44.75			
AV	13.39088G	37.18	54.00	-16.82	29.78	3	Horizontal	25	1.37	-	40.28	11.87	44.75			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX

6695MHz_TX




EUT_Y_2TX
Setting -8.5(S1 -2)
02-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.08481G	52.10	83.54	-31.44	47.84	1	Vertical	199	2.98	-	37.80	15.24	48.78			
AV	20.08467G	41.66	63.54	-21.88	37.40	1	Vertical	199	2.98	-	37.80	15.24	48.78			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX

6695MHz_TX




EUT_Y_2TX
Setting -8.5(S1 -2)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.08409G	53.37	83.54	-30.17	49.11	1	Horizontal	50	2.06	-	37.80	15.24	48.78			
AV	20.08483G	41.67	63.54	-21.87	37.41	1	Horizontal	50	2.06	-	37.80	15.24	48.78			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX

6695MHz_TX




EUT_Y_2TX
Setting -6.5(S1 -0.5)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.38905G	47.93	74.00	-26.07	40.53	3	Vertical	208	1.58	-	40.28	11.87	44.75			
AV	13.39024G	36.97	54.00	-17.03	29.57	3	Vertical	208	1.58	-	40.28	11.87	44.75			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX

6695MHz_TX




EUT_Y_2TX
Setting -6.5(S1 -0.5)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.38952G	47.96	74.00	-26.04	40.56	3	Horizontal	343	2.55	-	40.28	11.87	44.75			
AV	13.38904G	36.97	54.00	-17.03	29.57	3	Horizontal	343	2.55	-	40.28	11.87	44.75			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX

6695MHz_TX




EUT_Y_2TX
Setting -6.5(S1 -0.5)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.0845G	52.81	83.54	-30.73	48.55	1	Vertical	318	2.81	-	37.80	15.24	48.78			
AV	20.08526G	41.81	63.54	-21.73	37.55	1	Vertical	318	2.81	-	37.80	15.24	48.78			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX

6695MHz_TX




EUT_Y_2TX
Setting -6.5(S1 -0.5)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.08546G	52.56	83.54	-30.98	48.30	1	Horizontal	328	1.94	-	37.80	15.24	48.78			
AV	20.08488G	41.68	63.54	-21.86	37.42	1	Horizontal	328	1.94	-	37.80	15.24	48.78			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX

6855MHz_TX




EUT_Y_2TX
Setting -10(S1 -6)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.71093G	50.55	88.20	-37.65	42.30	3	Vertical	196	1.22	-	40.94	11.82	44.51			
RMS	13.70916G	36.12	68.20	-32.08	27.87	3	Vertical	196	1.22	-	40.94	11.82	44.51			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX

6855MHz_TX




EUT_Y_2TX
Setting -10(S1 -6)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.70907G	50.46	88.20	-37.74	42.21	3	Horizontal	349	1.31	-	40.94	11.82	44.51			
RMS	13.7094G	36.13	68.20	-32.07	27.88	3	Horizontal	349	1.31	-	40.94	11.82	44.51			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX

6855MHz_TX




EUT_Y_2TX
Setting -10(S1 -6)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.56443G	54.77	83.54	-28.77	49.94	1	Vertical	180	2.81	-	37.90	15.63	48.70			
AV	20.56469G	40.46	63.54	-23.08	35.63	1	Vertical	180	2.81	-	37.90	15.63	48.70			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX

6855MHz_TX




EUT_Y_2TX
Setting -10(S1 -6)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.56542G	54.55	83.54	-28.99	49.72	1	Horizontal	350	1.73	-	37.90	15.63	48.70			
AV	20.56512G	40.42	63.54	-23.12	35.59	1	Horizontal	350	1.73	-	37.90	15.63	48.70			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX

6855MHz_TX




EUT_Y_2TX
Setting -8.5(S1 -2)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.71035G	50.41	88.20	-37.79	42.16	3	Vertical	193	2.63	-	40.94	11.82	44.51			
RMS	13.70976G	39.42	68.20	-28.78	31.17	3	Vertical	193	2.63	-	40.94	11.82	44.51			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX

6855MHz_TX




EUT_Y_2TX
Setting -8.5(S1 -2)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.71085G	50.79	88.20	-37.41	42.54	3	Horizontal	220	1.00	-	40.94	11.82	44.51			
RMS	13.70919G	39.68	68.20	-28.52	31.43	3	Horizontal	220	1.00	-	40.94	11.82	44.51			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX

6855MHz_TX




EUT_Y_2TX
Setting -8.5(S1 -2)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.56429G	54.13	83.54	-29.41	49.30	1	Vertical	65	2.91	-	37.90	15.63	48.70			
AV	20.56486G	43.43	63.54	-20.11	38.60	1	Vertical	65	2.91	-	37.90	15.63	48.70			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX


6855MHz_TX

EUT_Y_2TX
Setting -8.5(S1 -2)
02-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.56467G	54.39	83.54	-29.15	49.56	1	Horizontal	255	1.11	-	37.90	15.63	48.70			
AV	20.56466G	43.79	63.54	-19.75	38.96	1	Horizontal	255	1.11	-	37.90	15.63	48.70			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX

6855MHz_TX




EUT_Y_2TX
Setting -7(S1 -0.5)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.70954G	50.03	88.20	-38.17	41.78	3	Vertical	99	1.41	-	40.94	11.82	44.51			
RMS	13.70964G	39.58	68.20	-28.62	31.33	3	Vertical	99	1.41	-	40.94	11.82	44.51			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX

6855MHz_TX




EUT_Y_2TX
Setting -7(S1 -0.5)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.7102G	51.11	88.20	-37.09	42.86	3	Horizontal	351	1.94	-	40.94	11.82	44.51			
RMS	13.71075G	39.50	68.20	-28.70	31.25	3	Horizontal	351	1.94	-	40.94	11.82	44.51			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX

6855MHz_TX




EUT_Y_2TX
Setting -7(S1 -0.5)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.56486G	54.47	83.54	-29.07	49.64	1	Vertical	351	1.33	-	37.90	15.63	48.70			
AV	20.56551G	43.39	63.54	-20.15	38.56	1	Vertical	351	1.33	-	37.90	15.63	48.70			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX

6855MHz_TX



EUT_Y_2TX
Setting -7(S1 -0.5)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.56557G	54.23	83.54	-29.31	49.40	1	Horizontal	107	1.16	-	37.90	15.63	48.70			
AV	20.56533G	43.32	63.54	-20.22	38.49	1	Horizontal	107	1.16	-	37.90	15.63	48.70			




Test Mode: Mode 5

Summary

Mode	Result	Type	Freq	Level	Limit	Margin	Dist	Condition	Azimuth	Height	Comments
			(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(m)		(°)	(m)	
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	Pass	AV	17.9635G	47.35	54.00	-6.65	3	Vertical	129	2.57	-

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TX




EUT_Y_1TX
Setting 1
02-R-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.864G	65.32	88.20	-22.88	54.06	3	Vertical	69	1.56	-	34.06	7.84	30.64				
RMS	5.8818G	54.30	68.20	-13.90	42.96	3	Vertical	69	1.56	-	34.13	7.85	30.64				
PK	5.9574G	100.78	Inf	-Inf	89.29	3	Vertical	69	1.56	-	34.21	7.90	30.62				
RMS	5.9576G	90.47	Inf	-Inf	78.97	3	Vertical	69	1.56	-	34.22	7.90	30.62				

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


5955MHz_TX

EUT_Y_1TX
Setting 1
04-H-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	11.90522G	46.88	74.00	-27.12	61.27	3	Vertical	86	1.80	-	39.39	12.02	65.80				
AV	11.9013G	34.11	54.00	-19.89	48.50	3	Vertical	86	1.80	-	39.40	12.02	65.81				
PK	17.87292G	55.30	74.00	-18.70	58.22	3	Vertical	6	1.10	-	46.85	12.76	62.53				
AV	17.8675G	42.88	54.00	-11.12	45.82	3	Vertical	6	1.10	-	46.84	12.76	62.54				

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


5955MHz_TX

EUT_Y_1TX
Setting 1
04-H-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.90708G	47.23	74.00	-26.77	61.62	3	Horizontal	105	1.89	-	39.39	12.02	65.80			
AV	11.90218G	34.20	54.00	-19.80	48.58	3	Horizontal	105	1.89	-	39.40	12.02	65.80			
PK	17.85626G	55.96	74.00	-18.04	58.96	3	Horizontal	34	1.80	-	46.81	12.75	62.56			
AV	17.8691G	42.91	54.00	-11.09	45.85	3	Horizontal	34	1.80	-	46.84	12.76	62.54			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


5955MHz_TX

EUT_Y_1TX
Setting 1
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.80908G	59.02	83.54	-24.52	50.32	1	Vertical	188	1.12	-	39.10	17.28	47.68			
AV	23.80845G	44.53	63.54	-19.01	35.83	1	Vertical	188	1.12	-	39.10	17.28	47.68			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


5955MHz_TX

EUT_Y_1TX
Setting 1
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.82681G	57.59	83.54	-25.95	48.88	1	Horizontal	257	2.58	-	39.10	17.28	47.67			
AV	23.83338G	43.71	63.54	-19.83	34.99	1	Horizontal	257	2.58	-	39.10	17.29	47.67			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


6195MHz_TX

EUT V_1TX
Setting 1.5
02-H-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.38921G	45.77	74.00	-28.23	60.34	3	Vertical	108	1.94	-	38.80	12.02	65.39			
AV	12.38909G	32.97	54.00	-21.03	47.54	3	Vertical	108	1.94	-	38.80	12.02	65.39			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TX




EUT_V_1TX
Setting 1.5
02-H-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.39006G	45.98	74.00	-28.02	60.55	3	Horizontal	303	1.49	-	38.80	12.02	65.39			
AV	12.38933G	33.03	54.00	-20.97	47.60	3	Horizontal	303	1.49	-	38.80	12.02	65.39			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


6195MHz_TX

EUT_Y_1TX
Setting 1.5
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.59745G	51.66	83.54	-31.88	47.01	1	Vertical	333	2.65	-	37.80	15.25	48.40			
AV	18.59994G	38.22	63.54	-25.32	33.57	1	Vertical	333	2.65	-	37.80	15.25	48.40			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


6195MHz_TX

EUT_Y_1TX
Setting 1.5
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.57444G	52.41	83.54	-31.13	47.72	1	Horizontal	283	1.32	-	37.80	15.26	48.37			
AV	18.57943G	38.19	63.54	-25.35	33.51	1	Horizontal	283	1.32	-	37.80	15.26	48.38			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


6415MHz_TX

EUT_V_1TX
Setting 2
02-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.82999G	45.56	88.20	-42.64	59.89	3	Vertical	137	2.62	-	38.96	11.96	65.25			
RMS	12.83017G	32.78	68.20	-35.42	47.11	3	Vertical	137	2.62	-	38.96	11.96	65.25			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


6415MHz_TX

EUT_V_1TX
Setting 2
02-H-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.82943G	45.46	88.20	-42.74	59.79	3	Horizontal	89	2.84	-	38.96	11.96	65.25			
RMS	12.82906G	32.77	68.20	-35.43	47.10	3	Horizontal	89	2.84	-	38.96	11.96	65.25			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


6415MHz_TX

EUT_Y_1TX
Setting 2
02-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.23918G	51.45	83.54	-32.09	47.07	1	Vertical	167	1.93	-	37.96	15.22	48.80			
AV	19.24839G	37.71	63.54	-25.83	33.30	1	Vertical	167	1.93	-	37.99	15.22	48.80			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TX




EUT_Y_1TX
Setting 2
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.24506G	52.07	83.54	-31.47	47.67	1	Horizontal	192	2.84	-	37.98	15.22	48.80			
AV	19.25667G	37.66	63.54	-25.88	33.28	1	Horizontal	192	2.84	-	37.97	15.21	48.80			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


6535MHz_TX

EUT_V_1TX
Setting 1.5
02-H-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.07094G	46.16	88.20	-42.04	59.85	3	Vertical	74	2.47	-	39.48	11.92	65.09			
RMS	13.07057G	33.46	68.20	-34.74	47.15	3	Vertical	74	2.47	-	39.48	11.92	65.09			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


6535MHz_TX


EUT_V_1TX
Setting 1.5
02-H-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.07095G	46.00	88.20	-42.20	59.69	3	Horizontal	39	1.61	-	39.48	11.92	65.09			
RMS	13.07096G	33.49	68.20	-34.71	47.18	3	Horizontal	39	1.61	-	39.48	11.92	65.09			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


6535MHz_TX

EUT_Y_1TX
Setting 1.5
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.61406G	51.44	83.54	-32.10	47.35	1	Vertical	218	2.45	-	37.70	15.19	48.80			
AV	19.61919G	37.85	63.54	-25.69	33.76	1	Vertical	218	2.45	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


6535MHz_TX

EUT_Y_1TX
Setting 1.5
02-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.61841G	51.15	83.54	-32.39	47.06	1	Horizontal	58	2.80	-	37.70	15.19	48.80			
AV	19.61916G	37.83	63.54	-25.71	33.74	1	Horizontal	58	2.80	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TX




EUT V_1TX
Setting 0.5
02-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.3898G	48.70	74.00	-25.30	61.02	3	Vertical	325	2.07	-	40.28	11.87	64.47			
AV	13.38903G	35.80	54.00	-18.20	48.13	3	Vertical	325	2.07	-	40.28	11.87	64.48			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TX




EUT V_1TX
Setting 0.5
02-H-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.38921G	48.62	74.00	-25.38	60.94	3	Horizontal	152	2.71	-	40.28	11.87	64.47			
AV	13.39084G	35.79	54.00	-18.21	48.11	3	Horizontal	152	2.71	-	40.28	11.87	64.47			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TX




EUT_Y_1TX
Setting 0.5
02-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.09676G	51.54	83.54	-32.00	47.27	1	Vertical	28	2.36	-	37.80	15.25	48.78			
AV	20.09343G	37.76	63.54	-25.78	33.49	1	Vertical	28	2.36	-	37.80	15.25	48.78			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


6695MHz_TX

EUT_Y_1TX
Setting 0.5
02-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.09706G	51.41	83.54	-32.13	47.14	1	Horizontal	154	2.97	-	37.80	15.25	48.78			
AV	20.09664G	37.74	63.54	-25.80	33.47	1	Horizontal	154	2.97	-	37.80	15.25	48.78			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TX




EUT_V_1TX
Setting 0.5
02-H-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.71011G	47.60	88.20	-40.60	59.18	3	Vertical	167	1.89	-	40.94	11.82	64.34			
RMS	13.71097G	35.05	68.20	-33.15	46.63	3	Vertical	167	1.89	-	40.94	11.82	64.34			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


6855MHz_TX

EUT_V_1TX
Setting 0.5
02-H-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.70915G	48.15	88.20	-40.05	59.73	3	Horizontal	322	2.39	-	40.94	11.82	64.34			
RMS	13.71037G	35.06	68.20	-33.14	46.64	3	Horizontal	322	2.39	-	40.94	11.82	64.34			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


6855MHz_TX

EUT_Y_1TX
Setting 0.5
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.57442G	53.52	83.54	-30.02	48.68	1	Vertical	217	2.01	-	37.90	15.64	48.70			
AV	20.57976G	39.73	63.54	-23.81	34.89	1	Vertical	217	2.01	-	37.90	15.64	48.70			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TX




EUT_Y_1TX
Setting 0.5
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.57535G	53.52	83.54	-30.02	48.68	1	Horizontal	49	2.34	-	37.90	15.64	48.70			
AV	20.57739G	39.64	63.54	-23.90	34.80	1	Horizontal	49	2.34	-	37.90	15.64	48.70			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5965MHz_TX




EUT_Y_1TX
Setting 4.5
02-R-Y-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9106G	66.43	88.20	-21.77	54.99	3	Vertical	160	1.80	-	34.20	7.87	30.63			
RMS	5.8942G	55.30	68.20	-12.90	43.90	3	Vertical	160	1.80	-	34.18	7.86	30.64			
PK	5.9538G	98.86	Inf	-Inf	87.37	3	Vertical	160	1.80	-	34.21	7.90	30.62			
RMS	5.9574G	88.91	Inf	-Inf	77.42	3	Vertical	160	1.80	-	34.21	7.90	30.62			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


5965MHz_TX

EUT_Y_1TX
Setting 4.5
04-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.92913G	46.01	74.00	-27.99	60.43	3	Vertical	322	1.36	-	39.34	12.03	65.79			
AV	11.93096G	33.80	54.00	-20.20	48.21	3	Vertical	322	1.36	-	39.34	12.04	65.79			
PK	17.90325G	58.24	74.00	-15.76	61.05	3	Vertical	0	2.01	-	46.89	12.77	62.47			
AV	17.90084G	44.56	54.00	-9.44	47.36	3	Vertical	0	2.01	-	46.90	12.77	62.47			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


5965MHz_TX

EUT_Y_1TX
Setting 4.5
04-H-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.92959G	46.60	74.00	-27.40	61.01	3	Horizontal	356	2.78	-	39.34	12.04	65.79			
AV	11.9309G	33.83	54.00	-20.17	48.24	3	Horizontal	356	2.78	-	39.34	12.04	65.79			
PK	17.90238G	54.99	74.00	-19.01	57.79	3	Horizontal	146	1.81	-	46.90	12.77	62.47			
AV	17.90354G	40.70	54.00	-13.30	43.51	3	Horizontal	146	1.81	-	46.89	12.77	62.47			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


5965MHz_TX

EUT_Y_1TX
Setting 1
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.86816G	57.65	83.54	-25.89	48.94	1	Vertical	259	1.80	-	39.06	17.30	47.65			
AV	23.84713G	43.72	63.54	-19.82	34.99	1	Vertical	259	1.80	-	39.10	17.29	47.66			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


5965MHz_TX

EUT_Y_1TX
Setting 1
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.84767G	56.81	83.54	-26.73	48.08	1	Horizontal	146	2.33	-	39.10	17.29	47.66			
AV	23.85574G	43.41	63.54	-20.13	34.69	1	Horizontal	146	2.33	-	39.09	17.29	47.66			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


6205MHz_TX

EUT_V_1TX
Setting 4.5
02-H-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.40907G	45.62	74.00	-28.38	60.17	3	Vertical	174	1.66	-	38.80	12.02	65.37			
AV	12.40951G	32.68	54.00	-21.32	47.23	3	Vertical	174	1.66	-	38.80	12.02	65.37			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


6205MHz_TX

EUT_V_1TX
Setting 4.5
02-H-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.41034G	46.02	74.00	-27.98	60.57	3	Horizontal	178	2.43	-	38.80	12.02	65.37			
AV	12.40925G	32.72	54.00	-21.28	47.27	3	Horizontal	178	2.43	-	38.80	12.02	65.37			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6205MHz_TX




EUT_Y_1TX
Setting 4.5
02-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.60729G	52.76	83.54	-30.78	48.11	1	Vertical	312	1.06	-	37.81	15.25	48.41			
AV	18.62166G	38.22	63.54	-25.32	33.55	1	Vertical	312	1.06	-	37.84	15.25	48.42			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6205MHz_TX




EUT_Y_1TX
Setting 4.5
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.62547G	52.17	83.54	-31.37	47.50	1	Horizontal	39	2.33	-	37.85	15.25	48.43			
AV	18.62469G	38.22	63.54	-25.32	33.54	1	Horizontal	39	2.33	-	37.85	15.25	48.42			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6405MHz_TX

EUT_V_1TX
Setting 5
02-H-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.81019G	45.82	88.20	-42.38	60.19	3	Vertical	230	1.30	-	38.92	11.96	65.25			
RMS	12.80903G	32.79	68.20	-35.41	47.16	3	Vertical	230	1.30	-	38.92	11.96	65.25			