


5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Y_2TX
Setting -6.5(S0 2)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.82322G	60.22	83.54	-23.32	51.51	1	Horizontal	98	1.23	-	39.10	17.28	47.67			
AV	23.81617G	46.35	63.54	-17.19	37.64	1	Horizontal	98	1.23	-	39.10	17.28	47.67			

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_Y_2TX
Setting -7(S0 3)
02-R-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.39712G	49.84	74.00	-24.16	44.59	3	Vertical	34	1.42	-	38.80	12.02	45.57			
AV	12.38282G	37.35	54.00	-16.65	32.10	3	Vertical	34	1.42	-	38.80	12.02	45.57			

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_Y_2TX
Setting -7(S0 3)
02-R-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.391G	50.03	74.00	-23.97	44.78	3	Horizontal	255	2.05	-	38.80	12.02	45.57			
AV	12.38728G	37.50	54.00	-16.50	32.25	3	Horizontal	255	2.05	-	38.80	12.02	45.57			

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_Y_2TX
Setting -7(S0 3)
02-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.58229G	55.02	83.54	-28.52	50.34	1	Vertical	43	2.87	-	37.80	15.26	48.38			
AV	18.58957G	40.69	63.54	-22.85	36.03	1	Vertical	43	2.87	-	37.80	15.25	48.39			

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_Y_2TX
Setting -7(S0 3)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.5873G	54.26	83.54	-29.28	49.60	1	Horizontal	309	1.61	-	37.80	15.25	48.39			
AV	18.58964G	40.66	63.54	-22.88	36.00	1	Horizontal	309	1.61	-	37.80	15.25	48.39			

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_Y_2TX
Setting -7(S0 3)
02-R-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.82476G	50.65	88.20	-37.55	45.01	3	Vertical	336	1.49	-	38.95	11.96	45.27			
RMS	12.8267G	37.98	68.20	-30.22	32.33	3	Vertical	336	1.49	-	38.95	11.96	45.26			

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_Y_2TX
Setting -7(S0 3)
02-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.83086G	50.23	88.20	-37.97	44.57	3	Horizontal	50	1.46	-	38.96	11.96	45.26			
RMS	12.82686G	37.84	68.20	-30.36	32.19	3	Horizontal	50	1.46	-	38.95	11.96	45.26			

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


6415MHz_TX

EUT_Y_2TX
Setting -7(S0 3)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.24426G	54.74	83.54	-28.80	50.34	1	Vertical	4	2.32	-	37.98	15.22	48.80			
AV	19.2487G	40.60	63.54	-22.94	36.19	1	Vertical	4	2.32	-	37.99	15.22	48.80			

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_Y_2TX
Setting -7(S0 3)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.24329G	53.99	83.54	-29.55	49.60	1	Horizontal	115	1.29	-	37.97	15.22	48.80			
AV	19.2454G	40.53	63.54	-23.01	36.13	1	Horizontal	115	1.29	-	37.98	15.22	48.80			

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_Y_2TX
Setting -7.5(S0 3)
02-R-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.06814G	49.56	88.20	-38.64	43.18	3	Vertical	149	1.30	-	39.47	11.92	45.01			
RMS	13.07656G	38.07	68.20	-30.13	31.65	3	Vertical	149	1.30	-	39.51	11.92	45.01			

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_Y_2TX
Setting -7.5(S0 3)
02-R-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.07728G	50.24	88.20	-37.96	43.82	3	Horizontal	48	1.37	-	39.51	11.92	45.01			
RMS	13.07426G	38.24	68.20	-29.96	31.83	3	Horizontal	48	1.37	-	39.50	11.92	45.01			

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_Y_2TX
Setting -7.5(S0 3)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.60303G	55.11	83.54	-28.43	51.02	1	Vertical	36	1.35	-	37.70	15.19	48.80			
AV	19.60286G	40.82	63.54	-22.72	36.73	1	Vertical	36	1.35	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_Y_2TX
Setting -7.5(S0 3)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.60344G	55.32	83.54	-28.22	51.23	1	Horizontal	177	2.61	-	37.70	15.19	48.80			
AV	19.60929G	40.82	63.54	-22.72	36.73	1	Horizontal	177	2.61	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6695MHz_TX




EUT_Y_2TX
Setting -9(S0 3.5)
02-R-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.3854G	52.51	74.00	-21.49	45.12	3	Vertical	114	1.42	-	40.27	11.87	44.75			
AV	13.39982G	40.02	54.00	-13.98	32.59	3	Vertical	114	1.42	-	40.30	11.87	44.74			

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


6695MHz_TX

EUT_Y_2TX
Setting -9(S0 3.5)
02-R-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.39342G	52.10	74.00	-21.90	44.69	3	Horizontal	38	1.39	-	40.29	11.87	44.75			
AV	13.3806G	39.87	54.00	-14.13	32.50	3	Horizontal	38	1.39	-	40.26	11.87	44.76			

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6695MHz_TX




EUT_Y_2TX
Setting -9(S0 3.5)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.08222G	54.79	83.54	-28.75	50.53	1	Vertical	103	2.51	-	37.80	15.24	48.78			
AV	20.08233G	40.90	63.54	-22.64	36.64	1	Vertical	103	2.51	-	37.80	15.24	48.78			

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6695MHz_TX




EUT_Y_2TX
Setting -9(S0 3.5)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.08291G	51.70	83.54	-31.84	47.44	1	Horizontal	5	1.59	-	37.80	15.24	48.78			
AV	20.08794G	37.99	63.54	-25.55	33.73	1	Horizontal	5	1.59	-	37.80	15.24	48.78			

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6855MHz_TX




EUT_Y_2TX
Setting -9.5(S0 3.5)
02-R-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.7004G	52.39	88.20	-35.81	44.19	3	Vertical	339	2.10	-	40.90	11.82	44.52			
RMS	13.71894G	39.65	68.20	-28.55	31.36	3	Vertical	339	2.10	-	40.98	11.82	44.51			

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6855MHz_TX




EUT_Y_2TX
Setting -9.5(S0 3.5)
02-R-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.70774G	52.48	88.20	-35.72	44.24	3	Horizontal	340	1.06	-	40.93	11.82	44.51			
RMS	13.7167G	39.71	68.20	-28.49	31.43	3	Horizontal	340	1.06	-	40.97	11.82	44.51			

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6855MHz_TX




EUT_Y_2TX
Setting -9.5(S0 3.5)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.56574G	56.75	83.54	-26.79	51.92	1	Vertical	205	2.92	-	37.90	15.63	48.70			
AV	20.56879G	42.94	63.54	-20.60	38.11	1	Vertical	205	2.92	-	37.90	15.63	48.70			

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6855MHz_TX




EUT_Y_2TX
Setting -9.5(S0 3.5)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.56951G	57.69	83.54	-25.85	52.86	1	Horizontal	118	2.22	-	37.90	15.63	48.70			
AV	20.56608G	43.03	63.54	-20.51	38.20	1	Horizontal	118	2.22	-	37.90	15.63	48.70			

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Y_2TX
Setting -2.5(S0 1)
02-R-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9018G	68.71	88.20	-19.49	57.27	3	Vertical	207	1.14	-	34.20	7.87	30.63			
RMS	5.8912G	57.56	68.20	-10.64	46.18	3	Vertical	207	1.14	-	34.16	7.86	30.64			
PK	5.9676G	96.25	Inf	-Inf	84.72	3	Vertical	207	1.14	-	34.24	7.91	30.62			
RMS	5.9738G	85.79	Inf	-Inf	74.25	3	Vertical	207	1.14	-	34.25	7.91	30.62			

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Y_2TX
Setting -2.5(S0 1)
02-R-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9006G	69.23	88.20	-18.97	57.79	3	Horizontal	341	1.56	-	34.20	7.87	30.63			
RMS	5.875G	57.57	68.20	-10.63	46.26	3	Horizontal	341	1.56	-	34.10	7.85	30.64			
PK	5.9678G	93.62	Inf	-Inf	82.09	3	Horizontal	341	1.56	-	34.24	7.91	30.62			
RMS	5.9662G	83.03	Inf	-Inf	71.51	3	Horizontal	341	1.56	-	34.23	7.91	30.62			

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5965MHz_TX

EUT_Y_2TX
Setting -2.5(S0 1)
02-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.9381G	51.30	74.00	-22.70	45.29	3	Vertical	24	2.56	-	39.32	12.04	45.35			
AV	11.92174G	38.94	54.00	-15.06	32.89	3	Vertical	24	2.56	-	39.36	12.03	45.34			
PK	17.88978G	58.08	74.00	-15.92	42.74	3	Vertical	238	2.17	-	46.88	12.77	44.31			
AV	17.8857G	45.49	54.00	-8.51	30.17	3	Vertical	238	2.17	-	46.87	12.77	44.32			

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Y_2TX
Setting -2.5(S0 1)
02-R-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.93778G	50.80	74.00	-23.20	44.79	3	Horizontal	214	1.94	-	39.32	12.04	45.35				
AV	11.92182G	38.94	54.00	-15.06	32.89	3	Horizontal	214	1.94	-	39.36	12.03	45.34				
PK	17.89914G	57.10	74.00	-16.90	41.74	3	Horizontal	92	1.90	-	46.90	12.77	44.31				
AV	17.88536G	45.10	54.00	-8.90	29.78	3	Horizontal	92	1.90	-	46.87	12.77	44.32				

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Y_2TX
Setting -2.5(S0 1)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.86415G	60.95	83.54	-22.59	52.24	1	Vertical	348	1.71	-	39.07	17.29	47.65			
AV	23.85586G	46.74	63.54	-16.80	38.02	1	Vertical	348	1.71	-	39.09	17.29	47.66			

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Y_2TX
Setting -2.5(S0 1)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.85799G	60.67	83.54	-22.87	51.96	1	Horizontal	195	2.04	-	39.08	17.29	47.66			
AV	23.85554G	46.86	63.54	-16.68	38.14	1	Horizontal	195	2.04	-	39.09	17.29	47.66			

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6205MHz_TX




EUT_Y_2TX
Setting -2.5(S0 1.5)
02-R-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.41928G	49.96	74.00	-24.04	44.73	3	Vertical	142	1.05	-	38.80	12.02	45.59			
AV	12.41124G	37.34	54.00	-16.66	32.10	3	Vertical	142	1.05	-	38.80	12.02	45.58			

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6205MHz_TX




EUT_Y_2TX
Setting -2.5(S0 1.5)
02-R-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.40592G	49.38	74.00	-24.62	44.14	3	Horizontal	317	2.68	-	38.80	12.02	45.58			
AV	12.40532G	37.42	54.00	-16.58	32.18	3	Horizontal	317	2.68	-	38.80	12.02	45.58			

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6205MHz_TX




EUT_Y_2TX
Setting -2.5(S0 1.5)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.61065G	55.55	83.54	-27.99	50.89	1	Vertical	276	1.02	-	37.82	15.25	48.41			
AV	18.61487G	41.28	63.54	-22.26	36.61	1	Vertical	276	1.02	-	37.83	15.25	48.41			

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX


6205MHz_TX

EUT_Y_2TX
Setting -2.5(S0 1.5)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.61138G	55.08	83.54	-28.46	50.42	1	Horizontal	140	1.10	-	37.82	15.25	48.41			
AV	18.61939G	41.27	63.54	-22.27	36.60	1	Horizontal	140	1.10	-	37.84	15.25	48.42			

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_Y_2TX
Setting -2.5(S0 1.5)
02-R-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.80214G	50.20	88.20	-38.00	44.63	3	Vertical	0	1.99	-	38.90	11.96	45.29			
RMS	12.80026G	38.02	68.20	-30.18	32.45	3	Vertical	0	1.99	-	38.90	11.96	45.29			

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_Y_2TX
Setting -2.5(S0 1.5)
02-R-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.80262G	49.43	88.20	-38.77	43.85	3	Horizontal	62	1.64	-	38.91	11.96	45.29			
RMS	12.81346G	37.68	68.20	-30.52	32.07	3	Horizontal	62	1.64	-	38.93	11.96	45.28			

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_Y_2TX
Setting -2.5(S0 1.5)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.21707G	54.94	83.54	-28.60	50.65	1	Vertical	41	2.45	-	37.87	15.22	48.80			
AV	19.21701G	40.61	63.54	-22.93	36.32	1	Vertical	41	2.45	-	37.87	15.22	48.80			

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_Y_2TX
Setting -2.5(S0 1.5)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.21833G	54.00	83.54	-29.54	49.71	1	Horizontal	220	2.34	-	37.87	15.22	48.80			
AV	19.21839G	40.61	63.54	-22.93	36.32	1	Horizontal	220	2.34	-	37.87	15.22	48.80			

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_Y_2TX
Setting -3.5(S0 1.5)
02-R-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.13132G	51.26	88.20	-36.94	44.65	3	Vertical	105	1.78	-	39.66	11.91	44.96			
RMS	13.13268G	38.88	68.20	-29.32	32.26	3	Vertical	105	1.78	-	39.67	11.91	44.96			

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_Y_2TX
Setting -3.5(S0 1.5)
02-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.13708G	51.50	88.20	-36.70	44.88	3	Horizontal	289	2.29	-	39.67	11.91	44.96			
RMS	13.13682G	38.88	68.20	-29.32	32.26	3	Horizontal	289	2.29	-	39.67	11.91	44.96			

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_Y_2TX
Setting -3.5(S0 1.5)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.69816G	55.34	83.54	-28.20	51.25	1	Vertical	184	2.86	-	37.70	15.19	48.80			
AV	19.69808G	41.38	63.54	-22.16	37.29	1	Vertical	184	2.86	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_Y_2TX
Setting -3.5(S0 1.5)
02-R-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.69065G	55.54	83.54	-28.00	51.45	1	Horizontal	128	2.17	-	37.70	15.19	48.80			
AV	19.69836G	41.40	63.54	-22.14	37.31	1	Horizontal	128	2.17	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_Y_2TX
Setting -4(S0 1.5)
02-R-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.36402G	52.73	74.00	-21.27	45.39	3	Vertical	53	2.35	-	40.23	11.88	44.77			
AV	13.37624G	40.00	54.00	-14.00	32.64	3	Vertical	53	2.35	-	40.25	11.87	44.76			

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX


6685MHz_TX

EUT_Y_2TX
Setting -4(S0 1.5)
02-R-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.36312G	51.82	74.00	-22.18	44.48	3	Horizontal	233	1.99	-	40.23	11.88	44.77			
AV	13.3728G	39.46	54.00	-14.54	32.10	3	Horizontal	233	1.99	-	40.25	11.87	44.76			

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_Y_2TX
Setting -4(S0 1.5)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.05018G	55.36	83.54	-28.18	51.14	1	Vertical	247	2.45	-	37.80	15.21	48.79			
AV	20.05004G	40.69	63.54	-22.85	36.47	1	Vertical	247	2.45	-	37.80	15.21	48.79			

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_Y_2TX
Setting -4(S0 1.5)
02-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.05052G	54.80	83.54	-28.74	50.58	1	Horizontal	195	1.48	-	37.80	15.21	48.79			
AV	20.05145G	40.75	63.54	-22.79	36.53	1	Horizontal	195	1.48	-	37.80	15.21	48.79			

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6845MHz_TX




EUT_Y_2TX
Setting -4(S0 1.5)
02-R-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.68804G	51.18	88.20	-37.02	43.03	3	Vertical	206	1.88	-	40.85	11.83	44.53			
RMS	13.69576G	39.35	68.20	-28.85	31.16	3	Vertical	206	1.88	-	40.88	11.83	44.52			

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6845MHz_TX




EUT_Y_2TX
Setting -4(S0 1.5)
02-R-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.68862G	51.70	88.20	-36.50	43.55	3	Horizontal	73	1.41	-	40.85	11.83	44.53			
RMS	13.69726G	39.35	68.20	-28.85	31.15	3	Horizontal	73	1.41	-	40.89	11.83	44.52			

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6845MHz_TX




EUT_Y_2TX
Setting -4(S0 1.5)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.53976G	57.14	83.54	-26.40	52.33	1	Vertical	97	1.57	-	37.90	15.61	48.70			
AV	20.5362G	42.66	63.54	-20.88	37.85	1	Vertical	97	1.57	-	37.90	15.61	48.70			

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6845MHz_TX




EUT_Y_2TX
Setting -4(S0 1.5)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.53451G	56.55	83.54	-26.99	51.74	1	Horizontal	55	1.49	-	37.90	15.61	48.70			
AV	20.53883G	42.70	63.54	-20.84	37.89	1	Horizontal	55	1.49	-	37.90	15.61	48.70			

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Y_2TX
Setting 0(S0 0.5)
02-R-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.8822G	69.06	88.20	-19.14	57.72	3	Vertical	206	1.00	-	34.13	7.85	30.64			
RMS	5.901G	57.68	68.20	-10.52	46.24	3	Vertical	206	1.00	-	34.20	7.87	30.63			
PK	6.0006G	95.01	Inf	-Inf	83.39	3	Vertical	206	1.00	-	34.30	7.93	30.61			
RMS	5.9786G	84.66	Inf	-Inf	73.10	3	Vertical	206	1.00	-	34.26	7.92	30.62			

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX


5985MHz_TX

EUT_Y_2TX
Setting 0(S0 0.5)
02-R-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9178G	69.04	88.20	-19.16	57.59	3	Horizontal	342	1.55	-	34.20	7.88	30.63			
RMS	5.9054G	57.58	68.20	-10.62	46.14	3	Horizontal	342	1.55	-	34.20	7.87	30.63			
PK	6.0006G	92.94	Inf	-Inf	81.32	3	Horizontal	342	1.55	-	34.30	7.93	30.61			
RMS	6.0098G	81.92	Inf	-Inf	70.29	3	Horizontal	342	1.55	-	34.30	7.95	30.62			

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Y_2TX
Setting 0(S0 0.5)
02-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.9687G	51.64	74.00	-22.36	45.63	3	Vertical	77	2.53	-	39.30	12.06	45.35			
AV	11.9688G	41.04	54.00	-12.96	35.03	3	Vertical	77	2.53	-	39.30	12.06	45.35			
PK	17.95862G	58.09	74.00	-15.91	42.80	3	Vertical	105	1.29	-	46.78	12.80	44.29			
AV	17.95764G	47.00	54.00	-7.00	31.71	3	Vertical	105	1.29	-	46.78	12.80	44.29			

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Y_2TX
Setting 0(S0 0.5)
02-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.96708G	52.85	74.00	-21.15	46.84	3	Horizontal	238	1.62	-	39.30	12.06	45.35			
AV	11.96868G	41.15	54.00	-12.85	35.14	3	Horizontal	238	1.62	-	39.30	12.06	45.35			
PK	17.9608G	58.63	74.00	-15.37	43.34	3	Horizontal	41	1.35	-	46.78	12.80	44.29			
AV	17.96382G	47.01	54.00	-6.99	31.72	3	Horizontal	41	1.35	-	46.77	12.80	44.28			

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Y_2TX
Setting 0(S0 0.5)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.93918G	60.87	83.54	-22.67	52.18	1	Vertical	273	2.82	-	39.00	17.31	47.62			
AV	23.93965G	47.55	63.54	-15.99	38.86	1	Vertical	273	2.82	-	39.00	17.31	47.62			

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Y_2TX
Setting 0(S0 0.5)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.93646G	59.86	83.54	-23.68	51.18	1	Horizontal	34	2.34	-	39.00	17.31	47.63			
AV	23.93925G	47.61	63.54	-15.93	38.92	1	Horizontal	34	2.34	-	39.00	17.31	47.62			

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6225MHz_TX




EUT_Y_2TX
Setting 0.5(S0 1)
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.45468G	50.20	74.00	-23.80	45.01	3	Vertical	268	2.28	-	38.79	12.01	45.61			
AV	12.44242G	38.80	54.00	-15.20	33.59	3	Vertical	268	2.28	-	38.80	12.01	45.60			

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6225MHz_TX




EUT_Y_2TX
Setting 0.5(S0 1)
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.44354G	50.50	74.00	-23.50	45.29	3	Horizontal	75	2.19	-	38.80	12.01	45.60			
AV	12.45242G	38.80	54.00	-15.20	33.59	3	Horizontal	75	2.19	-	38.80	12.01	45.60			

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6225MHz_TX




EUT_Y_2TX
Setting 0.5(S0 1)
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.67835G	55.57	83.54	-27.97	50.90	1	Vertical	74	2.08	-	37.90	15.25	48.48			
AV	18.67266G	42.96	63.54	-20.58	38.28	1	Vertical	74	2.08	-	37.90	15.25	48.47			

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6225MHz_TX




EUT_Y_2TX
Setting 0.5(S0 1)
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.67939G	54.76	83.54	-28.78	50.09	1	Horizontal	5	1.89	-	37.90	15.25	48.48			
AV	18.67484G	42.92	63.54	-20.62	38.24	1	Horizontal	5	1.89	-	37.90	15.25	48.47			

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6385MHz_TX




EUT_Y_2TX
Setting 1(S0 1)
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.7784G	50.80	88.20	-37.40	45.30	3	Vertical	73	1.86	-	38.86	11.96	45.32			
RMS	12.76556G	39.69	68.20	-28.51	34.22	3	Vertical	73	1.86	-	38.83	11.97	45.33			

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6385MHz_TX




EUT_Y_2TX
Setting 1(S0 1)
02-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.77766G	50.45	88.20	-37.75	44.95	3	Horizontal	43	1.94	-	38.86	11.96	45.32			
RMS	12.77766G	39.68	68.20	-28.52	34.18	3	Horizontal	43	1.94	-	38.86	11.96	45.32			

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6385MHz_TX




EUT_Y_2TX
Setting 1(S0 1)
02-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.15146G	54.08	83.54	-29.46	49.67	1	Vertical	150	1.60	-	37.99	15.22	48.80			
AV	19.15197G	41.84	63.54	-21.70	37.43	1	Vertical	150	1.60	-	37.99	15.22	48.80			

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6385MHz_TX




EUT_Y_2TX
Setting 1(S0 1)
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.1565G	54.14	83.54	-29.40	49.75	1	Horizontal	265	1.88	-	37.97	15.22	48.80			
AV	19.15856G	41.99	63.54	-21.55	37.60	1	Horizontal	265	1.88	-	37.97	15.22	48.80			

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX


6625MHz_TX

EUT_Y_2TX
Setting -0.5(S0 1)
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.24626G	52.14	88.20	-36.06	45.13	3	Vertical	126	2.65	-	39.99	11.89	44.87			
RMS	13.24632G	41.02	68.20	-27.18	34.01	3	Vertical	126	2.65	-	39.99	11.89	44.87			

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_Y_2TX
Setting -0.5(S0 1)
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.24828G	52.44	88.20	-35.76	45.42	3	Horizontal	69	1.50	-	40.00	11.89	44.87			
RMS	13.24754G	41.31	68.20	-26.89	34.29	3	Horizontal	69	1.50	-	40.00	11.89	44.87			

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_Y_2TX
Setting -0.5(S0 1)
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.87863G	55.15	83.54	-28.39	51.07	1	Vertical	135	2.46	-	37.70	15.18	48.80			
AV	19.87427G	42.10	63.54	-21.44	38.02	1	Vertical	135	2.46	-	37.70	15.18	48.80			

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX


6625MHz_TX

EUT_Y_2TX
Setting -0.5(S0 1)
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.87768G	54.28	83.54	-29.26	50.20	1	Horizontal	11	1.87	-	37.70	15.18	48.80			
AV	19.87891G	41.99	63.54	-21.55	37.91	1	Horizontal	11	1.87	-	37.70	15.18	48.80			

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX


6705MHz_TX

EUT_Y_2TX
Setting -1(S0 1)
02-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.41986G	52.64	88.20	-35.56	45.12	3	Vertical	298	2.47	-	40.38	11.87	44.73			
RMS	13.41656G	41.86	68.20	-26.34	34.35	3	Vertical	298	2.47	-	40.37	11.87	44.73			

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_Y_2TX
Setting -1(S0 1)
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.40098G	52.87	88.20	-35.33	45.44	3	Horizontal	54	1.89	-	40.30	11.87	44.74			
RMS	13.41562G	41.95	68.20	-26.25	34.45	3	Horizontal	54	1.89	-	40.36	11.87	44.73			

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_Y_2TX
Setting -1(S0 1)
02-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.11034G	56.17	83.54	-27.37	51.89	1	Vertical	266	2.94	-	37.80	15.26	48.78			
AV	20.118G	42.78	63.54	-20.76	38.49	1	Vertical	266	2.94	-	37.80	15.27	48.78			

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_Y_2TX
Setting -1(S0 1)
02-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.11137G	55.34	83.54	-28.20	51.06	1	Horizontal	63	2.74	-	37.80	15.26	48.78			
AV	20.11166G	42.79	63.54	-20.75	38.51	1	Horizontal	63	2.74	-	37.80	15.26	48.78			

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_Y_2TX
Setting -1(S0 1)
02-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.56288G	53.21	88.20	-34.99	45.38	3	Vertical	205	2.13	-	40.60	11.85	44.62			
RMS	13.56164G	41.48	68.20	-26.72	33.65	3	Vertical	205	2.13	-	40.60	11.85	44.62			

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_Y_2TX
Setting -1(S0 1)
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.56212G	52.93	88.20	-35.27	45.10	3	Horizontal	121	1.18	-	40.60	11.85	44.62			
RMS	13.56132G	41.42	68.20	-26.78	33.59	3	Horizontal	121	1.18	-	40.60	11.85	44.62			

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX


6785MHz_TX

EUT_Y_2TX
Setting -1(S0 1)
02-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.35292G	57.18	83.54	-26.36	52.56	1	Vertical	226	1.73	-	37.89	15.46	48.73			
AV	20.35308G	44.65	63.54	-18.89	40.03	1	Vertical	226	1.73	-	37.89	15.46	48.73			

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_Y_2TX
Setting -1(S0 1)
02-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.35242G	57.25	83.54	-26.29	52.62	1	Horizontal	15	2.06	-	37.90	15.46	48.73			
AV	20.35075G	44.49	63.54	-19.05	39.86	1	Horizontal	15	2.06	-	37.90	15.46	48.73			

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Y_2TX
Setting 0.5
02-R-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.7755G	68.72	88.20	-19.48	57.55	3	Vertical	200	1.14	-	34.05	7.78	30.66			
RMS	5.8955G	57.76	68.20	-10.44	46.36	3	Vertical	200	1.14	-	34.18	7.86	30.64			
PK	6G	93.78	Inf	-Inf	82.16	3	Vertical	200	1.14	-	34.30	7.93	30.61			
RMS	6.0295G	83.58	Inf	-Inf	71.94	3	Vertical	200	1.14	-	34.30	7.98	30.64			

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX


6025MHz_TX

EUT_Y_2TX
Setting 0.5
02-R-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.8295G	68.75	88.20	-19.45	57.54	3	Horizontal	173	2.16	-	34.04	7.82	30.65			
RMS	5.882G	57.76	68.20	-10.44	46.42	3	Horizontal	173	2.16	-	34.13	7.85	30.64			
PK	6.009G	91.79	Inf	-Inf	80.17	3	Horizontal	173	2.16	-	34.30	7.94	30.62			
RMS	6.0225G	78.23	Inf	-Inf	66.60	3	Horizontal	173	2.16	-	34.30	7.96	30.63			

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX


6025MHz_TX

EUT_Y_2TX
Setting 0.5
02-R-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.05448G	50.99	74.00	-23.01	45.22	3	Vertical	4	1.91	-	39.09	12.07	45.39			
AV	12.04232G	40.83	54.00	-13.17	35.01	3	Vertical	4	1.91	-	39.13	12.07	45.38			

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6025MHz_TX

EUT_Y_2TX
Setting 0.5
02-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.04986G	51.52	74.00	-22.48	45.74	3	Horizontal	204	1.58	-	39.10	12.07	45.39			
AV	12.0501G	42.12	54.00	-11.88	36.34	3	Horizontal	204	1.58	-	39.10	12.07	45.39			

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX


6025MHz_TX

EUT_Y_2TX
Setting 0.5
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07184G	56.08	83.54	-27.46	51.47	1	Vertical	307	2.38	-	37.53	15.29	48.21			
AV	18.07746G	42.94	63.54	-20.60	38.31	1	Vertical	307	2.38	-	37.56	15.29	48.22			

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Y_2TX
Setting 0.5
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07319G	55.39	83.54	-28.15	50.77	1	Horizontal	312	2.22	-	37.54	15.29	48.21			
AV	18.07739G	42.71	63.54	-20.83	38.08	1	Horizontal	312	2.22	-	37.56	15.29	48.22			

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6185MHz_TX




EUT_Y_2TX
Setting 1(S0 0.5)
02-R-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.36732G	49.44	74.00	-24.56	44.18	3	Vertical	228	1.48	-	38.80	12.02	45.56			
AV	12.36458G	39.45	54.00	-14.55	34.18	3	Vertical	228	1.48	-	38.80	12.03	45.56			

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6185MHz_TX




EUT_Y_2TX
Setting 1(S0 0.5)
02-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.37548G	50.38	74.00	-23.62	45.12	3	Horizontal	47	2.69	-	38.80	12.02	45.56			
AV	12.3718G	39.48	54.00	-14.52	34.22	3	Horizontal	47	2.69	-	38.80	12.02	45.56			

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6185MHz_TX




EUT_Y_2TX
Setting 1(S0 0.5)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.5575G	54.69	83.54	-28.85	49.99	1	Vertical	125	1.40	-	37.80	15.26	48.36			
AV	18.55267G	42.15	63.54	-21.39	37.44	1	Vertical	125	1.40	-	37.80	15.26	48.35			

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6185MHz_TX




EUT_Y_2TX
Setting 1(S0 0.5)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.55726G	55.68	83.54	-27.86	50.98	1	Horizontal	5	1.65	-	37.80	15.26	48.36			
AV	18.55639G	42.34	63.54	-21.20	37.64	1	Horizontal	5	1.65	-	37.80	15.26	48.36			

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6345MHz_TX




EUT_Y_2TX
Setting 1.5(S0 0.5)
02-R-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.68412G	51.23	74.00	-22.77	45.97	3	Vertical	295	1.80	-	38.70	11.98	45.42			
AV	12.68998G	41.51	54.00	-12.49	36.25	3	Vertical	295	1.80	-	38.70	11.98	45.42			

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX


6345MHz_TX

EUT_Y_2TX
Setting 1.5(S0 0.5)
02-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.68756G	51.22	74.00	-22.78	45.96	3	Horizontal	8	2.95	-	38.70	11.98	45.42			
AV	12.69014G	40.61	54.00	-13.39	35.35	3	Horizontal	8	2.95	-	38.70	11.98	45.42			

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6345MHz_TX




EUT_Y_2TX
Setting 1.5(S0 0.5)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.03495G	54.14	83.54	-29.40	49.78	1	Vertical	169	1.16	-	37.93	15.23	48.80			
AV	19.03309G	41.97	63.54	-21.57	37.61	1	Vertical	169	1.16	-	37.93	15.23	48.80			

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6345MHz_TX




EUT_Y_2TX
Setting 1.5(S0 0.5)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.03997G	54.05	83.54	-29.49	49.70	1	Horizontal	52	2.92	-	37.92	15.23	48.80			
AV	19.03847G	41.75	63.54	-21.79	37.40	1	Horizontal	52	2.92	-	37.92	15.23	48.80			

6.525-6.875GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6665MHz_TX




EUT_Y_2TX
Setting 0(S0 0.5)
02-R-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.33432G	52.31	74.00	-21.69	45.06	3	Vertical	103	2.22	-	40.17	11.88	44.80			
AV	13.32188G	41.85	54.00	-12.15	34.64	3	Vertical	103	2.22	-	40.14	11.88	44.81			

6.525-6.875GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6665MHz_TX




EUT_Y_2TX
Setting 0(S0 0.5)
02-R-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.33674G	52.31	74.00	-21.69	45.05	3	Horizontal	117	2.74	-	40.17	11.88	44.79			
AV	13.32392G	42.07	54.00	-11.93	34.84	3	Horizontal	117	2.74	-	40.15	11.88	44.80			

6.525-6.875GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6665MHz_TX




EUT_Y_2TX
Setting 0(S0 0.5)
02-R-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.99585G	54.67	83.54	-28.87	50.59	1	Vertical	275	1.10	-	37.71	15.17	48.80			
AV	19.99582G	41.95	63.54	-21.59	37.87	1	Vertical	275	1.10	-	37.71	15.17	48.80			

6.525-6.875GHz_802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6665MHz_TX



EUT_Y_2TX
Setting 0(S0 0.5)
02-R-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.99829G	55.30	83.54	-28.24	51.23	1	Horizontal	186	2.02	-	37.70	15.17	48.80			
AV	19.99965G	42.27	63.54	-21.27	38.20	1	Horizontal	186	2.02	-	37.70	15.17	48.80			




Test Mode: Mode 2

Summary

Mode	Result	Type	Freq	Level	Limit	Margin	Dist	Condition	Azimuth	Height	Comments
			(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(m)		(°)	(m)	
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX	Pass	AV	17.8884G	47.48	54.00	-6.52	3	Horizontal	308	2.91	-

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX

5955MHz_TX




EUT_Y_1TX
Setting -9
02-C-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.9096G	62.61	88.20	-25.59	51.17	3	Vertical	77	1.96	-	34.20	7.87	30.63				
RMS	5.9099G	50.69	68.20	-17.51	39.25	3	Vertical	77	1.96	-	34.20	7.87	30.63				
PK	5.9468G	94.60	Inf	-Inf	83.12	3	Vertical	77	1.96	-	34.20	7.90	30.62				
RMS	5.9468G	84.58	Inf	-Inf	73.10	3	Vertical	77	1.96	-	34.20	7.90	30.62				

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX

5955MHz_TX




EUT_Y_1TX
Setting -9
02-C-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9223G	62.40	88.20	-25.80	50.95	3	Horizontal	351	1.76	-	34.20	7.88	30.63			
RMS	5.9051G	50.66	68.20	-17.54	39.22	3	Horizontal	351	1.76	-	34.20	7.87	30.63			
PK	5.9468G	90.80	Inf	-Inf	79.32	3	Horizontal	351	1.76	-	34.20	7.90	30.62			
RMS	5.9465G	80.59	Inf	-Inf	69.11	3	Horizontal	351	1.76	-	34.20	7.90	30.62			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX

5955MHz_TX




EUT_Y_1TX
Setting -9
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.8628G	48.25	74.00	-25.75	42.12	3	Vertical	243	2.93	-	39.47	11.99	45.33			
AV	11.9504G	35.31	54.00	-18.69	29.31	3	Vertical	243	2.93	-	39.30	12.05	45.35			
PK	17.8829G	57.55	74.00	-16.45	42.24	3	Vertical	52	2.19	-	46.87	12.76	44.32			
AV	17.8848G	43.33	54.00	-10.67	28.01	3	Vertical	52	2.19	-	46.87	12.77	44.32			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX


5955MHz_TX

EUT_Y_1TX
Setting -9
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.9103G	49.69	74.00	-24.31	43.63	3	Horizontal	72	2.33	-	39.38	12.02	45.34			
AV	11.9478G	35.37	54.00	-18.63	29.37	3	Horizontal	72	2.33	-	39.30	12.05	45.35			
PK	17.8671G	57.06	74.00	-16.94	41.79	3	Horizontal	200	1.61	-	46.83	12.76	44.32			
AV	17.8494G	43.22	54.00	-10.78	28.00	3	Horizontal	200	1.61	-	46.80	12.75	44.33			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX

5955MHz_TX




EUT_V_1TX
Setting -9
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.8354G	60.82	83.54	-22.72	52.10	1	Vertical	203	1.69	-	39.10	17.29	47.67			
AV	23.8478G	47.14	63.54	-16.40	38.41	1	Vertical	203	1.69	-	39.10	17.29	47.66			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX

5955MHz_TX




EUT_V_1TX
Setting -9
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.825G	61.02	83.54	-22.52	52.31	1	Horizontal	221	1.07	-	39.10	17.28	47.67			
AV	23.8394G	47.18	63.54	-16.36	38.45	1	Horizontal	221	1.07	-	39.10	17.29	47.66			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX

5955MHz_TX




EUT_Y_1TX
Setting -5.5
02-C-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.9071G	61.99	88.20	-26.21	50.55	3	Vertical	76	1.98	-	34.20	7.87	30.63				
RMS	5.9077G	50.74	68.20	-17.46	39.30	3	Vertical	76	1.98	-	34.20	7.87	30.63				
PK	5.9491G	94.27	Inf	-Inf	82.79	3	Vertical	76	1.98	-	34.20	7.90	30.62				
RMS	5.9488G	84.19	Inf	-Inf	72.71	3	Vertical	76	1.98	-	34.20	7.90	30.62				

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX

5955MHz_TX




EUT_Y_1TX
Setting -5.5
02-C-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9124G	62.76	88.20	-25.44	51.32	3	Horizontal	350	1.77	-	34.20	7.87	30.63			
RMS	5.917G	50.72	68.20	-17.48	39.27	3	Horizontal	350	1.77	-	34.20	7.88	30.63			
PK	5.9492G	90.39	Inf	-Inf	78.91	3	Horizontal	350	1.77	-	34.20	7.90	30.62			
RMS	5.9479G	80.32	Inf	-Inf	68.84	3	Horizontal	350	1.77	-	34.20	7.90	30.62			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX

5955MHz_TX




EUT_Y_1TX
Setting -5.5
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.932G	48.50	74.00	-25.50	42.46	3	Vertical	307	2.32	-	39.34	12.04	45.34				
AV	11.9486G	37.70	54.00	-16.30	31.70	3	Vertical	307	2.32	-	39.30	12.05	45.35				
PK	17.8851G	56.24	74.00	-17.76	40.92	3	Vertical	5	1.05	-	46.87	12.77	44.32				
AV	17.865G	45.97	54.00	-8.03	30.70	3	Vertical	5	1.05	-	46.83	12.76	44.32				

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX


5955MHz_TX

EUT_Y_1TX
Setting -5.5
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.8769G	48.31	74.00	-25.69	42.19	3	Horizontal	118	1.94	-	39.45	12.00	45.33			
AV	11.9478G	37.81	54.00	-16.19	31.81	3	Horizontal	118	1.94	-	39.30	12.05	45.35			
PK	17.8809G	56.62	74.00	-17.38	41.32	3	Horizontal	318	2.09	-	46.86	12.76	44.32			
AV	17.8432G	45.93	54.00	-8.07	30.75	3	Horizontal	318	2.09	-	46.76	12.75	44.33			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX

5955MHz_TX




EUT_V_1TX
Setting -5.5
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.821G	60.68	83.54	-22.86	51.97	1	Vertical	95	1.60	-	39.10	17.28	47.67			
AV	23.8381G	50.13	63.54	-13.41	41.40	1	Vertical	95	1.60	-	39.10	17.29	47.66			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX

5955MHz_TX




EUT_V_1TX
Setting -5.5
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.8434G	60.63	83.54	-22.91	51.90	1	Horizontal	284	1.58	-	39.10	17.29	47.66			
AV	23.831G	50.24	63.54	-13.30	41.52	1	Horizontal	284	1.58	-	39.10	17.29	47.67			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX

5955MHz_TX




EUT_Y_1TX
Setting -2
02-C-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9052G	61.93	88.20	-26.27	50.49	3	Vertical	76	1.98	-	34.20	7.87	30.63			
RMS	5.9086G	50.68	68.20	-17.52	39.24	3	Vertical	76	1.98	-	34.20	7.87	30.63			
PK	5.9507G	93.78	Inf	-Inf	82.30	3	Vertical	76	1.98	-	34.20	7.90	30.62			
RMS	5.9524G	85.05	Inf	-Inf	73.57	3	Vertical	76	1.98	-	34.20	7.90	30.62			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX

5955MHz_TX




EUT_Y_1TX
Setting -2
02-C-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9173G	62.13	88.20	-26.07	50.68	3	Horizontal	352	1.72	-	34.20	7.88	30.63			
RMS	5.9231G	50.68	68.20	-17.52	39.23	3	Horizontal	352	1.72	-	34.20	7.88	30.63			
PK	5.9507G	89.71	Inf	-Inf	78.23	3	Horizontal	352	1.72	-	34.20	7.90	30.62			
RMS	5.9526G	80.99	Inf	-Inf	69.50	3	Horizontal	352	1.72	-	34.21	7.90	30.62			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX

5955MHz_TX




EUT_Y_1TX
Setting -2
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.8771G	48.45	74.00	-25.55	42.33	3	Vertical	238	1.89	-	39.45	12.00	45.33				
AV	11.9296G	37.83	54.00	-16.17	31.79	3	Vertical	238	1.89	-	39.34	12.04	45.34				
PK	17.8588G	56.42	74.00	-17.58	41.18	3	Vertical	286	1.92	-	46.82	12.75	44.33				
AV	17.8708G	46.03	54.00	-7.97	30.75	3	Vertical	286	1.92	-	46.84	12.76	44.32				

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX

5955MHz_TX




EUT_Y_1TX
Setting -2
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.8758G	48.55	74.00	-25.45	42.43	3	Horizontal	171	2.09	-	39.45	12.00	45.33				
AV	11.9538G	37.64	54.00	-16.36	31.64	3	Horizontal	171	2.09	-	39.30	12.05	45.35				
PK	17.8628G	56.27	74.00	-17.73	41.01	3	Horizontal	137	1.71	-	46.83	12.75	44.32				
AV	17.8589G	45.89	54.00	-8.11	30.65	3	Horizontal	137	1.71	-	46.82	12.75	44.33				

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX

5955MHz_TX




EUT_V_1TX
Setting -2
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.7816G	60.39	83.54	-23.15	51.71	1	Vertical	186	1.11	-	39.10	17.27	47.69			
AV	23.8282G	49.85	63.54	-13.69	41.14	1	Vertical	186	1.11	-	39.10	17.28	47.67			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX


5955MHz_TX

EUT_V_1TX
Setting -2
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.8618G	60.71	83.54	-22.83	52.00	1	Horizontal	274	2.59	-	39.08	17.29	47.66			
AV	23.8691G	49.99	63.54	-13.55	41.28	1	Horizontal	274	2.59	-	39.06	17.30	47.65			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX

6195MHz_TX




EUT_V_1TX
Setting -8.5
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.3829G	47.49	74.00	-26.51	42.24	3	Vertical	338	2.59	-	38.80	12.02	45.57			
AV	12.4011G	34.31	54.00	-19.69	29.07	3	Vertical	338	2.59	-	38.80	12.02	45.58			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX


6195MHz_TX

EUT_V_1TX
Setting -8.5
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.4021G	47.81	74.00	-26.19	42.57	3	Horizontal	246	2.55	-	38.80	12.02	45.58			
AV	12.3997G	34.25	54.00	-19.75	29.01	3	Horizontal	246	2.55	-	38.80	12.02	45.58			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX

6195MHz_TX




EUT_V_1TX
Setting -8.5
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.6217G	56.43	83.54	-27.11	51.76	1	Vertical	235	2.56	-	37.84	15.25	48.42			
AV	18.635G	42.99	63.54	-20.55	38.30	1	Vertical	235	2.56	-	37.87	15.25	48.43			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX


6195MHz_TX

EUT_V_1TX
Setting -8.5
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.6208G	56.43	83.54	-27.11	51.76	1	Horizontal	133	2.78	-	37.84	15.25	48.42			
AV	18.6318G	43.03	63.54	-20.51	38.35	1	Horizontal	133	2.78	-	37.86	15.25	48.43			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX


6195MHz_TX

EUT_V_1TX
Setting -5
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.4102G	48.50	74.00	-25.50	43.26	3	Vertical	284	2.47	-	38.80	12.02	45.58			
AV	12.4019G	37.33	54.00	-16.67	32.09	3	Vertical	284	2.47	-	38.80	12.02	45.58			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX

6195MHz_TX




EUT_V_1TX
Setting -5
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.3611G	48.68	74.00	-25.32	43.40	3	Horizontal	314	2.73	-	38.80	12.03	45.55			
AV	12.4304G	37.05	54.00	-16.95	31.82	3	Horizontal	314	2.73	-	38.80	12.02	45.59			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX


6195MHz_TX

EUT_V_1TX
Setting -5
02-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.595G	57.01	83.54	-26.53	52.35	1	Vertical	28	1.71	-	37.80	15.25	48.39			
AV	18.6312G	45.71	63.54	-17.83	41.03	1	Vertical	28	1.71	-	37.86	15.25	48.43			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX


6195MHz_TX

EUT_V_1TX
Setting -5
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.6275G	56.30	83.54	-27.24	51.63	1	Horizontal	109	2.05	-	37.85	15.25	48.43			
AV	18.6035G	45.85	63.54	-17.69	41.19	1	Horizontal	109	2.05	-	37.81	15.25	48.40			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX

6195MHz_TX




EUT_V_1TX
Setting -2
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.4274G	48.07	74.00	-25.93	42.84	3	Vertical	32	2.98	-	38.80	12.02	45.59			
AV	12.4253G	37.07	54.00	-16.93	31.84	3	Vertical	32	2.98	-	38.80	12.02	45.59			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX

6195MHz_TX




EUT_V_1TX
Setting -2
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.4177G	47.82	74.00	-26.18	42.59	3	Horizontal	20	1.43	-	38.80	12.02	45.59			
AV	12.4331G	37.04	54.00	-16.96	31.81	3	Horizontal	20	1.43	-	38.80	12.02	45.59			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX


6195MHz_TX

EUT_V_1TX
Setting -2
02-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.6236G	57.05	83.54	-26.49	52.37	1	Vertical	85	1.10	-	37.85	15.25	48.42			
AV	18.6039G	45.81	63.54	-17.73	41.15	1	Vertical	85	1.10	-	37.81	15.25	48.40			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX

6195MHz_TX




EUT_V_1TX
Setting -2
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.5352G	56.63	83.54	-26.91	51.91	1	Horizontal	84	1.48	-	37.80	15.26	48.34			
AV	18.5982G	45.55	63.54	-17.99	40.90	1	Horizontal	84	1.48	-	37.80	15.25	48.40			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX


6415MHz_TX

EUT_V_1TX
Setting -8.5
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.8279G	47.10	88.20	-41.10	41.44	3	Vertical	40	1.16	-	38.96	11.96	45.26			
RMS	12.8743G	33.86	68.20	-34.34	28.07	3	Vertical	40	1.16	-	39.05	11.95	45.21			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX


6415MHz_TX

EUT_V_1TX
Setting -8.5
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.8435G	47.40	88.20	-40.80	41.71	3	Horizontal	86	1.44	-	38.99	11.95	45.25			
RMS	12.8683G	33.87	68.20	-34.33	28.10	3	Horizontal	86	1.44	-	39.04	11.95	45.22			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX

6415MHz_TX




EUT_V_1TX
Setting -8.5
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.25G	54.97	83.54	-28.57	50.56	1	Vertical	215	2.39	-	38.00	15.21	48.80			
AV	19.2452G	41.74	63.54	-21.80	37.34	1	Vertical	215	2.39	-	37.98	15.22	48.80			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX


6415MHz_TX

EUT_V_1TX
Setting -8.5
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.2016G	55.88	83.54	-27.66	51.65	1	Horizontal	340	1.01	-	37.81	15.22	48.80			
AV	19.2503G	41.78	63.54	-21.76	37.37	1	Horizontal	340	1.01	-	38.00	15.21	48.80			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX


6415MHz_TX

EUT_V_1TX
Setting -4.5
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.794G	47.56	88.20	-40.64	42.01	3	Vertical	29	2.91	-	38.89	11.96	45.30			
RMS	12.804G	36.67	68.20	-31.53	31.09	3	Vertical	29	2.91	-	38.91	11.96	45.29			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX


6415MHz_TX

EUT_V_1TX
Setting -4.5
02-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.8392G	47.24	88.20	-40.96	41.56	3	Horizontal	91	1.72	-	38.98	11.95	45.25			
RMS	12.8591G	36.53	68.20	-31.67	30.79	3	Horizontal	91	1.72	-	39.02	11.95	45.23			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX


6415MHz_TX

EUT_V_1TX
Setting -4.5
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.2502G	55.04	83.54	-28.50	50.63	1	Vertical	346	1.80	-	38.00	15.21	48.80			
AV	19.223G	44.20	63.54	-19.34	39.89	1	Vertical	346	1.80	-	37.89	15.22	48.80			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX

6415MHz_TX




EUT_V_1TX
Setting -4.5
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.2029G	54.79	83.54	-28.75	50.56	1	Horizontal	165	1.87	-	37.81	15.22	48.80			
AV	19.213G	44.27	63.54	-19.27	40.00	1	Horizontal	165	1.87	-	37.85	15.22	48.80			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX

6415MHz_TX




EUT_V_1TX
Setting -1.5
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.848G	46.96	88.20	-41.24	41.25	3	Vertical	317	1.08	-	39.00	11.95	45.24			
RMS	12.8631G	35.26	68.20	-32.94	29.50	3	Vertical	317	1.08	-	39.03	11.95	45.22			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX

6415MHz_TX




EUT_V_1TX
Setting -1.5
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.8755G	48.50	88.20	-39.70	42.71	3	Horizontal	132	2.45	-	39.05	11.95	45.21			
RMS	12.7974G	35.58	68.20	-32.62	30.03	3	Horizontal	132	2.45	-	38.89	11.96	45.30			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX


6415MHz_TX

EUT_V_1TX
Setting -1.5
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.2147G	55.11	83.54	-28.43	50.83	1	Vertical	240	2.49	-	37.86	15.22	48.80			
AV	19.2708G	42.91	63.54	-20.63	38.58	1	Vertical	240	2.49	-	37.92	15.21	48.80			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX


6415MHz_TX

EUT_V_1TX
Setting -1.5
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.2707G	54.76	83.54	-28.78	50.43	1	Horizontal	69	1.95	-	37.92	15.21	48.80			
AV	19.2535G	43.04	63.54	-20.50	38.64	1	Horizontal	69	1.95	-	37.99	15.21	48.80			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX

5955MHz_TX




EUT_Y_2TX
Setting -10(S1 -6)
02-C-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.9202G	63.56	88.20	-24.64	52.11	3	Vertical	200	2.30	-	34.20	7.88	30.63				
RMS	5.9067G	51.31	68.20	-16.89	39.87	3	Vertical	200	2.30	-	34.20	7.87	30.63				
PK	5.9467G	101.63	Inf	-Inf	90.15	3	Vertical	200	2.30	-	34.20	7.90	30.62				
RMS	5.9468G	89.22	Inf	-Inf	77.74	3	Vertical	200	2.30	-	34.20	7.90	30.62				

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX

5955MHz_TX




EUT_Y_2TX
Setting -10(S1 -6)
02-C-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9111G	63.05	88.20	-25.15	51.61	3	Horizontal	11	2.52	-	34.20	7.87	30.63			
RMS	5.9208G	51.22	68.20	-16.98	39.77	3	Horizontal	11	2.52	-	34.20	7.88	30.63			
PK	5.9467G	100.51	Inf	-Inf	89.03	3	Horizontal	11	2.52	-	34.20	7.90	30.62			
RMS	5.9469G	85.24	Inf	-Inf	73.76	3	Horizontal	11	2.52	-	34.20	7.90	30.62			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX

5955MHz_TX




EUT_Y_2TX
Setting -10(S1 -6)
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.96G	48.61	74.00	-25.39	42.61	3	Vertical	332	1.37	-	39.30	12.05	45.35				
AV	11.9498G	35.12	54.00	-18.88	29.12	3	Vertical	332	1.37	-	39.30	12.05	45.35				
PK	17.8857G	57.19	74.00	-16.81	41.87	3	Vertical	45	2.26	-	46.87	12.77	44.32				
AV	17.8739G	43.90	54.00	-10.10	28.61	3	Vertical	45	2.26	-	46.85	12.76	44.32				

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX

5955MHz_TX




EUT_Y_2TX
Setting -10(S1 -6)
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.9127G	48.15	74.00	-25.85	42.10	3	Horizontal	153	2.23	-	39.37	12.02	45.34				
AV	11.9528G	35.13	54.00	-18.87	29.13	3	Horizontal	153	2.23	-	39.30	12.05	45.35				
PK	17.8535G	57.79	74.00	-16.21	42.56	3	Horizontal	345	1.12	-	46.81	12.75	44.33				
AV	17.8888G	44.27	54.00	-9.73	28.93	3	Horizontal	345	1.12	-	46.88	12.77	44.31				

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX

5955MHz_TX




EUT_Y_2TX
Setting -10(S1 -6)
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.8672G	60.75	83.54	-22.79	52.04	1	Vertical	150	2.72	-	39.07	17.29	47.65			
AV	23.7969G	47.39	63.54	-16.15	38.69	1	Vertical	150	2.72	-	39.10	17.28	47.68			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX

5955MHz_TX




EUT_Y_2TX
Setting -10(S1 -6)
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.8195G	61.26	83.54	-22.28	52.55	1	Horizontal	202	1.55	-	39.10	17.28	47.67			
AV	23.8002G	47.33	63.54	-16.21	38.63	1	Horizontal	202	1.55	-	39.10	17.28	47.68			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX

5955MHz_TX




EUT_Y_2TX
Setting -8.5(S1 -2)
02-C-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9161G	62.53	88.20	-25.67	51.08	3	Vertical	201	2.16	-	34.20	7.88	30.63			
RMS	5.9056G	51.25	68.20	-16.95	39.81	3	Vertical	201	2.16	-	34.20	7.87	30.63			
PK	5.9491G	97.89	Inf	-Inf	86.41	3	Vertical	201	2.16	-	34.20	7.90	30.62			
RMS	5.9488G	86.44	Inf	-Inf	74.96	3	Vertical	201	2.16	-	34.20	7.90	30.62			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX

5955MHz_TX




EUT_Y_2TX
Setting -8.5(S1 -2)
02-C-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9105G	62.41	88.20	-25.79	50.97	3	Horizontal	9	2.53	-	34.20	7.87	30.63			
RMS	5.9058G	51.30	68.20	-16.90	39.86	3	Horizontal	9	2.53	-	34.20	7.87	30.63			
PK	5.9491G	96.68	Inf	-Inf	85.20	3	Horizontal	9	2.53	-	34.20	7.90	30.62			
RMS	5.9491G	82.52	Inf	-Inf	71.04	3	Horizontal	9	2.53	-	34.20	7.90	30.62			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX

5955MHz_TX




EUT_Y_2TX
Setting -8.5(S1 -2)
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.8637G	48.45	74.00	-25.55	42.32	3	Vertical	255	1.70	-	39.47	11.99	45.33			
AV	11.9591G	37.55	54.00	-16.45	31.55	3	Vertical	255	1.70	-	39.30	12.05	45.35			
PK	17.9009G	57.81	74.00	-16.19	42.45	3	Vertical	139	2.83	-	46.90	12.77	44.31			
AV	17.8814G	46.85	54.00	-7.15	31.55	3	Vertical	139	2.83	-	46.86	12.76	44.32			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX

5955MHz_TX




EUT_Y_2TX
Setting -8.5(S1 -2)
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.9208G	48.56	74.00	-25.44	42.51	3	Horizontal	188	2.96	-	39.36	12.03	45.34			
AV	11.892G	37.61	54.00	-16.39	31.51	3	Horizontal	188	2.96	-	39.42	12.01	45.33			
PK	17.8428G	57.83	74.00	-16.17	42.65	3	Horizontal	308	2.91	-	46.76	12.75	44.33			
AV	17.8884G	47.48	54.00	-6.52	32.14	3	Horizontal	308	2.91	-	46.88	12.77	44.31			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX

5955MHz_TX




EUT_Y_2TX
Setting -8.5(S1 -2)
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.8108G	61.91	83.54	-21.63	53.21	1	Vertical	302	1.08	-	39.10	17.28	47.68			
AV	23.8188G	50.03	63.54	-13.51	41.32	1	Vertical	302	1.08	-	39.10	17.28	47.67			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX

5955MHz_TX




EUT_Y_2TX
Setting -8.5(S1 -2)
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.8477G	61.01	83.54	-22.53	52.28	1	Horizontal	177	2.91	-	39.10	17.29	47.66			
AV	23.8371G	49.89	63.54	-13.65	41.17	1	Horizontal	177	2.91	-	39.10	17.29	47.67			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX

5955MHz_TX




EUT_Y_2TX
Setting -7(S1 -0.5)
02-C-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9183G	63.22	88.20	-24.98	51.77	3	Vertical	199	2.47	-	34.20	7.88	30.63			
RMS	5.9169G	51.28	68.20	-16.92	39.83	3	Vertical	199	2.47	-	34.20	7.88	30.63			
PK	5.9517G	95.59	Inf	-Inf	84.11	3	Vertical	199	2.47	-	34.20	7.90	30.62			
RMS	5.9494G	85.30	Inf	-Inf	73.82	3	Vertical	199	2.47	-	34.20	7.90	30.62			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX

5955MHz_TX




EUT_Y_2TX
Setting -7(S1 -0.5)
02-C-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9052G	62.76	88.20	-25.44	51.32	3	Horizontal	344	2.53	-	34.20	7.87	30.63			
RMS	5.9103G	51.10	68.20	-17.10	39.66	3	Horizontal	344	2.53	-	34.20	7.87	30.63			
PK	5.9518G	91.69	Inf	-Inf	80.21	3	Horizontal	344	2.53	-	34.20	7.90	30.62			
RMS	5.9519G	82.00	Inf	-Inf	70.52	3	Horizontal	344	2.53	-	34.20	7.90	30.62			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX

5955MHz_TX




EUT_Y_2TX
Setting -7(S1 -0.5)
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.8995G	48.72	74.00	-25.28	42.64	3	Vertical	75	1.75	-	39.40	12.02	45.34				
AV	11.9129G	38.02	54.00	-15.98	31.97	3	Vertical	75	1.75	-	39.37	12.02	45.34				
PK	17.8698G	57.24	74.00	-16.76	41.96	3	Vertical	344	1.15	-	46.84	12.76	44.32				
AV	17.891G	46.55	54.00	-7.45	31.21	3	Vertical	344	1.15	-	46.88	12.77	44.31				

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX

5955MHz_TX




EUT_Y_2TX
Setting -7(S1 -0.5)
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.8818G	49.12	74.00	-24.88	43.01	3	Horizontal	202	1.19	-	39.44	12.00	45.33			
AV	11.9132G	37.83	54.00	-16.17	31.78	3	Horizontal	202	1.19	-	39.37	12.02	45.34			
PK	17.8485G	57.24	74.00	-16.76	42.03	3	Horizontal	32	1.64	-	46.79	12.75	44.33			
AV	17.8747G	47.10	54.00	-6.90	31.81	3	Horizontal	32	1.64	-	46.85	12.76	44.32			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX

5955MHz_TX




EUT_Y_2TX
Setting -7(S1 -0.5)
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.8253G	61.15	83.54	-22.39	52.44	1	Vertical	255	1.56	-	39.10	17.28	47.67			
AV	23.8194G	49.77	63.54	-13.77	41.06	1	Vertical	255	1.56	-	39.10	17.28	47.67			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX

5955MHz_TX




EUT_Y_2TX
Setting -7(S1 -0.5)
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.86G	60.86	83.54	-22.68	52.15	1	Horizontal	117	1.01	-	39.08	17.29	47.66			
AV	23.8286G	49.90	63.54	-13.64	41.19	1	Horizontal	117	1.01	-	39.10	17.28	47.67			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX

6195MHz_TX




EUT_Y_2TX
Setting -10(S1 -6.5)
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.4388G	48.10	74.00	-25.90	42.89	3	Vertical	92	2.05	-	38.80	12.01	45.60			
AV	12.4243G	34.11	54.00	-19.89	28.88	3	Vertical	92	2.05	-	38.80	12.02	45.59			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX

6195MHz_TX




EUT_Y_2TX
Setting -10(S1 -6.5)
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.3559G	47.32	74.00	-26.68	42.04	3	Horizontal	311	2.04	-	38.80	12.03	45.55			
AV	12.39G	34.16	54.00	-19.84	28.91	3	Horizontal	311	2.04	-	38.80	12.02	45.57			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX

6195MHz_TX




EUT_V_2TX
Setting -10(S1 -6.5)
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.6328G	56.58	83.54	-26.96	51.89	1	Vertical	190	1.04	-	37.87	15.25	48.43			
AV	18.6267G	43.11	63.54	-20.43	38.44	1	Vertical	190	1.04	-	37.85	15.25	48.43			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX

6195MHz_TX




EUT_Y_2TX
Setting -10(S1 -6.5)
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.622G	56.45	83.54	-27.09	51.78	1	Horizontal	300	2.20	-	37.84	15.25	48.42			
AV	18.6322G	43.13	63.54	-20.41	38.45	1	Horizontal	300	2.20	-	37.86	15.25	48.43			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX

6195MHz_TX




EUT_Y_2TX
Setting -8.5(S1 -2.5)
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.4175G	47.12	74.00	-26.88	41.89	3	Vertical	316	2.59	-	38.80	12.02	45.59			
AV	12.4305G	36.31	54.00	-17.69	31.08	3	Vertical	316	2.59	-	38.80	12.02	45.59			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX

6195MHz_TX




EUT_Y_2TX
Setting -8.5(S1 -2.5)
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.3457G	47.31	74.00	-26.69	42.04	3	Horizontal	102	2.98	-	38.79	12.03	45.55			
AV	12.4338G	36.86	54.00	-17.14	31.64	3	Horizontal	102	2.98	-	38.80	12.01	45.59			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX

6195MHz_TX




EUT_Y_2TX
Setting -8.5(S1 -2.5)
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.6187G	57.37	83.54	-26.17	52.70	1	Vertical	219	2.80	-	37.84	15.25	48.42			
AV	18.632G	46.00	63.54	-17.54	41.32	1	Vertical	219	2.80	-	37.86	15.25	48.43			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX

6195MHz_TX




EUT_V_2TX
Setting -8.5(S1 -2.5)
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.5375G	56.65	83.54	-26.89	51.93	1	Horizontal	323	2.89	-	37.80	15.26	48.34			
AV	18.6046G	45.92	63.54	-17.62	41.26	1	Horizontal	323	2.89	-	37.81	15.25	48.40			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX

6195MHz_TX




EUT_Y_2TX
Setting -7(S1 -0.5)
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.41G	48.23	74.00	-25.77	42.99	3	Vertical	112	1.97	-	38.80	12.02	45.58			
AV	12.39G	36.82	54.00	-17.18	31.57	3	Vertical	112	1.97	-	38.80	12.02	45.57			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX

6195MHz_TX




EUT_Y_2TX
Setting -7(S1 -0.5)
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.4298G	46.80	74.00	-27.20	41.57	3	Horizontal	167	2.60	-	38.80	12.02	45.59			
AV	12.3823G	36.49	54.00	-17.51	31.24	3	Horizontal	167	2.60	-	38.80	12.02	45.57			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX

6195MHz_TX




EUT_Y_2TX
Setting -7(S1 -0.5)
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.6198G	57.01	83.54	-26.53	52.34	1	Vertical	307	2.11	-	37.84	15.25	48.42			
AV	18.6294G	45.68	63.54	-17.86	41.00	1	Vertical	307	2.11	-	37.86	15.25	48.43			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX


6195MHz_TX

EUT_Y_2TX
Setting -7(S1 -0.5)
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.5892G	56.33	83.54	-27.21	51.67	1	Horizontal	349	2.53	-	37.80	15.25	48.39			
AV	18.5752G	45.91	63.54	-17.63	41.23	1	Horizontal	349	2.53	-	37.80	15.26	48.38			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX

6415MHz_TX




EUT_Y_2TX
Setting -10(S1 -5.5)
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.8258G	47.27	88.20	-40.93	41.63	3	Vertical	160	2.17	-	38.95	11.96	45.27			
RMS	12.8753G	33.50	68.20	-34.70	27.71	3	Vertical	160	2.17	-	39.05	11.95	45.21			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX

6415MHz_TX




EUT_Y_2TX
Setting -10(S1 -5.5)
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.8597G	47.05	88.20	-41.15	41.31	3	Horizontal	251	2.38	-	39.02	11.95	45.23			
RMS	12.8298G	33.86	68.20	-34.34	28.20	3	Horizontal	251	2.38	-	38.96	11.96	45.26			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX

6415MHz_TX




EUT_Y_2TX
Setting -10(S1 -5.5)
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.2141G	56.02	83.54	-27.52	51.74	1	Vertical	334	1.12	-	37.86	15.22	48.80			
AV	19.2418G	42.21	63.54	-21.33	37.82	1	Vertical	334	1.12	-	37.97	15.22	48.80			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX

6415MHz_TX




EUT_Y_2TX
Setting -10(S1 -5.5)
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.2626G	56.26	83.54	-27.28	51.90	1	Horizontal	116	1.43	-	37.95	15.21	48.80			
AV	19.2568G	42.27	63.54	-21.27	37.89	1	Horizontal	116	1.43	-	37.97	15.21	48.80			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX

6415MHz_TX




EUT_Y_2TX
Setting -8.5(S1 -2)
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.8438G	47.32	88.20	-40.88	41.62	3	Vertical	62	1.93	-	38.99	11.95	45.24			
RMS	12.8667G	36.66	68.20	-31.54	30.90	3	Vertical	62	1.93	-	39.03	11.95	45.22			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX

6415MHz_TX




EUT_Y_2TX
Setting -8.5(S1 -2)
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.7948G	46.95	88.20	-41.25	41.40	3	Horizontal	239	1.53	-	38.89	11.96	45.30			
RMS	12.8703G	36.50	68.20	-31.70	30.73	3	Horizontal	239	1.53	-	39.04	11.95	45.22			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX


6415MHz_TX

EUT_Y_2TX
Setting -8.5(S1 -2)
02-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.2782G	56.11	83.54	-27.43	51.81	1	Vertical	201	2.56	-	37.89	15.21	48.80			
AV	19.2577G	44.96	63.54	-18.58	40.58	1	Vertical	201	2.56	-	37.97	15.21	48.80			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX


6415MHz_TX

EUT_Y_2TX
Setting -8.5(S1 -2)
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.2642G	55.87	83.54	-27.67	51.52	1	Horizontal	282	1.10	-	37.94	15.21	48.80			
AV	19.2516G	44.90	63.54	-18.64	40.50	1	Horizontal	282	1.10	-	37.99	15.21	48.80			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX

6415MHz_TX




EUT_Y_2TX
Setting -7(S1 -0.5)
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.8359G	46.61	88.20	-41.59	40.94	3	Vertical	302	2.37	-	38.97	11.95	45.25			
RMS	12.7847G	36.36	68.20	-31.84	30.84	3	Vertical	302	2.37	-	38.87	11.96	45.31			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX

6415MHz_TX




EUT_Y_2TX
Setting -7(S1 -0.5)
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.8238G	47.48	88.20	-40.72	41.84	3	Horizontal	226	1.40	-	38.95	11.96	45.27			
RMS	12.8338G	36.41	68.20	-31.79	30.75	3	Horizontal	226	1.40	-	38.97	11.95	45.26			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX

6415MHz_TX




EUT_Y_2TX
Setting -7(S1 -0.5)
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.2192G	55.39	83.54	-28.15	51.09	1	Vertical	117	2.07	-	37.88	15.22	48.80			
AV	19.263G	45.05	63.54	-18.49	40.69	1	Vertical	117	2.07	-	37.95	15.21	48.80			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX

6415MHz_TX




EUT_Y_2TX
Setting -7(S1 -0.5)
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.2035G	55.19	83.54	-28.35	50.96	1	Horizontal	173	2.02	-	37.81	15.22	48.80			
AV	19.2241G	44.80	63.54	-18.74	40.48	1	Horizontal	173	2.02	-	37.90	15.22	48.80			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX

6535MHz_TX




EUT_V_1TX
Setting -9
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.0897G	48.92	88.20	-39.28	42.44	3	Vertical	186	1.66	-	39.56	11.92	45.00			
RMS	13.0986G	35.29	68.20	-32.91	28.77	3	Vertical	186	1.66	-	39.59	11.92	44.99			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX

6535MHz_TX




EUT_V_1TX
Setting -9
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.094G	48.44	88.20	-39.76	41.93	3	Horizontal	270	2.85	-	39.58	11.92	44.99			
RMS	13.0999G	35.27	68.20	-32.93	28.74	3	Horizontal	270	2.85	-	39.60	11.92	44.99			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX

6535MHz_TX




EUT_V_1TX
Setting -9
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.6262G	55.57	83.54	-27.97	51.48	1	Vertical	332	1.30	-	37.70	15.19	48.80			
AV	19.6532G	42.32	63.54	-21.22	38.23	1	Vertical	332	1.30	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX

6535MHz_TX




EUT_V_1TX
Setting -9
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.6401G	55.49	83.54	-28.05	51.40	1	Horizontal	346	2.51	-	37.70	15.19	48.80			
AV	19.642G	42.22	63.54	-21.32	38.13	1	Horizontal	346	2.51	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX

6535MHz_TX




EUT_V_1TX
Setting -5.5
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.1082G	48.06	88.20	-40.14	41.51	3	Vertical	208	1.66	-	39.62	11.91	44.98			
RMS	13.103G	37.49	68.20	-30.71	30.96	3	Vertical	208	1.66	-	39.61	11.91	44.99			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX

6535MHz_TX




EUT_V_1TX
Setting -5.5
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.0964G	47.93	88.20	-40.27	41.41	3	Horizontal	83	2.24	-	39.59	11.92	44.99			
RMS	13.0947G	37.54	68.20	-30.66	31.03	3	Horizontal	83	2.24	-	39.58	11.92	44.99			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX

6535MHz_TX




EUT_V_1TX
Setting -5.5
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.6535G	55.69	83.54	-27.85	51.60	1	Vertical	257	1.26	-	37.70	15.19	48.80			
AV	19.6201G	44.92	63.54	-18.62	40.83	1	Vertical	257	1.26	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX

6535MHz_TX




EUT_V_1TX
Setting -5.5
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.6541G	55.68	83.54	-27.86	51.59	1	Horizontal	5	2.01	-	37.70	15.19	48.80			
AV	19.6245G	45.77	63.54	-17.77	41.68	1	Horizontal	5	2.01	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX


6535MHz_TX

EUT_V_1TX
Setting -2
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.0872G	47.72	88.20	-40.48	41.25	3	Vertical	190	2.58	-	39.55	11.92	45.00			
RMS	13.1068G	37.57	68.20	-30.63	31.03	3	Vertical	190	2.58	-	39.61	11.91	44.98			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX

6535MHz_TX




EUT_V_1TX
Setting -2
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.1012G	48.12	88.20	-40.08	41.60	3	Horizontal	149	2.18	-	39.60	11.91	44.99			
RMS	13.1076G	37.15	68.20	-31.05	30.60	3	Horizontal	149	2.18	-	39.62	11.91	44.98			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX

6535MHz_TX




EUT_V_1TX
Setting -2
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.5894G	55.49	83.54	-28.05	51.40	1	Vertical	53	2.32	-	37.70	15.19	48.80			
AV	19.6124G	44.86	63.54	-18.68	40.77	1	Vertical	53	2.32	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX


6535MHz_TX

EUT_V_1TX
Setting -2
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.608G	56.01	83.54	-27.53	51.92	1	Horizontal	105	2.63	-	37.70	15.19	48.80			
AV	19.631G	44.72	63.54	-18.82	40.63	1	Horizontal	105	2.63	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX

6695MHz_TX




EUT_Y_1TX
Setting -10
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.4371G	49.74	88.20	-38.46	42.14	3	Vertical	78	2.68	-	40.45	11.86	44.71			
RMS	13.4318G	36.31	68.20	-31.89	28.73	3	Vertical	78	2.68	-	40.43	11.87	44.72			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX

6695MHz_TX




EUT_V_1TX
Setting -10
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.4172G	51.07	88.20	-37.13	43.56	3	Horizontal	283	1.03	-	40.37	11.87	44.73			
RMS	13.4382G	36.49	68.20	-31.71	28.89	3	Horizontal	283	1.03	-	40.45	11.86	44.71			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX


6695MHz_TX

EUT_V_1TX
Setting -10
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.114G	55.58	83.54	-27.96	51.30	1	Vertical	256	1.74	-	37.80	15.26	48.78			
AV	20.1334G	42.29	63.54	-21.25	37.98	1	Vertical	256	1.74	-	37.80	15.28	48.77			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_1TX

6695MHz_TX




EUT_V_1TX
Setting -10
02-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.0571G	55.17	83.54	-28.37	50.94	1	Horizontal	125	1.13	-	37.80	15.22	48.79			
AV	20.133G	42.22	63.54	-21.32	37.91	1	Horizontal	125	1.13	-	37.80	15.28	48.77			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX

6695MHz_TX




EUT_V_1TX
Setting -6
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.4106G	50.17	88.20	-38.03	42.69	3	Vertical	262	2.45	-	40.34	11.87	44.73			
RMS	13.4035G	38.68	68.20	-29.52	31.24	3	Vertical	262	2.45	-	40.31	11.87	44.74			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX

6695MHz_TX




EUT_V_1TX
Setting -6
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.44G	49.63	88.20	-38.57	42.02	3	Horizontal	66	2.52	-	40.46	11.86	44.71			
RMS	13.4126G	39.07	68.20	-29.13	31.58	3	Horizontal	66	2.52	-	40.35	11.87	44.73			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX

6695MHz_TX




EUT_V_1TX
Setting -6
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.0915G	56.38	83.54	-27.16	52.12	1	Vertical	286	2.64	-	37.80	15.24	48.78			
AV	20.1255G	44.83	63.54	-18.71	40.53	1	Vertical	286	2.64	-	37.80	15.27	48.77			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_1TX


6695MHz_TX

EUT_V_1TX
Setting -6
02-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.0581G	55.22	83.54	-28.32	50.99	1	Horizontal	148	1.47	-	37.80	15.22	48.79			
AV	20.1289G	44.96	63.54	-18.58	40.65	1	Horizontal	148	1.47	-	37.80	15.28	48.77			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX

6695MHz_TX




EUT_V_1TX
Setting -3
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.4324G	49.33	88.20	-38.87	41.75	3	Vertical	132	2.21	-	40.43	11.87	44.72			
RMS	13.4217G	38.99	68.20	-29.21	31.45	3	Vertical	132	2.21	-	40.39	11.87	44.72			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX

6695MHz_TX




EUT_V_1TX
Setting -3
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.438G	49.81	88.20	-38.39	42.21	3	Horizontal	347	1.01	-	40.45	11.86	44.71			
RMS	13.4332G	39.14	68.20	-29.06	31.55	3	Horizontal	347	1.01	-	40.43	11.87	44.71			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX

6695MHz_TX




EUT_V_1TX
Setting -3
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.0512G	55.88	83.54	-27.66	51.66	1	Vertical	325	2.39	-	37.80	15.21	48.79			
AV	20.1335G	45.02	63.54	-18.52	40.71	1	Vertical	325	2.39	-	37.80	15.28	48.77			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_1TX

6695MHz_TX




EUT_V_1TX
Setting -3
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.0385G	56.03	83.54	-27.51	51.84	1	Horizontal	317	1.27	-	37.78	15.20	48.79			
AV	20.1321G	44.92	63.54	-18.62	40.61	1	Horizontal	317	1.27	-	37.80	15.28	48.77			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX

6855MHz_TX




EUT_V_1TX
Setting -10
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.7007G	51.58	88.20	-36.62	43.38	3	Vertical	259	1.37	-	40.90	11.82	44.52			
RMS	13.7533G	37.94	68.20	-30.26	29.51	3	Vertical	259	1.37	-	41.09	11.82	44.48			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX

6855MHz_TX




EUT_V_1TX
Setting -10
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.7266G	51.16	88.20	-37.04	42.83	3	Horizontal	275	1.36	-	41.01	11.82	44.50			
RMS	13.7569G	37.86	68.20	-30.34	29.43	3	Horizontal	275	1.36	-	41.09	11.82	44.48			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX


6855MHz_TX

EUT_V_1TX
Setting -10
02-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.6106G	57.27	83.54	-26.27	52.40	1	Vertical	2	1.84	-	37.90	15.67	48.70			
AV	20.6124G	44.03	63.54	-19.51	39.16	1	Vertical	2	1.84	-	37.90	15.67	48.70			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_1TX

6855MHz_TX




EUT_V_1TX
Setting -10
02-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.5406G	57.50	83.54	-26.04	52.69	1	Horizontal	5	2.44	-	37.90	15.61	48.70			
AV	20.605G	43.94	63.54	-19.60	39.08	1	Horizontal	5	2.44	-	37.90	15.66	48.70			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX

6855MHz_TX




EUT_V_1TX
Setting -6
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.7455G	50.81	88.20	-37.39	42.40	3	Vertical	324	2.19	-	41.08	11.82	44.49			
RMS	13.7437G	40.31	68.20	-27.89	31.91	3	Vertical	324	2.19	-	41.07	11.82	44.49			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX

6855MHz_TX




EUT_V_1TX
Setting -6
02-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.7251G	51.89	88.20	-36.31	43.57	3	Horizontal	53	1.44	-	41.00	11.82	44.50			
RMS	13.7165G	40.13	68.20	-28.07	31.85	3	Horizontal	53	1.44	-	40.97	11.82	44.51			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX

6855MHz_TX




EUT_V_1TX
Setting -6
02-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.5296G	57.28	83.54	-26.26	52.48	1	Vertical	261	2.35	-	37.90	15.60	48.70			
AV	20.6052G	46.39	63.54	-17.15	41.53	1	Vertical	261	2.35	-	37.90	15.66	48.70			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_1TX

6855MHz_TX




EUT_V_1TX
Setting -6
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.5813G	57.26	83.54	-26.28	52.42	1	Horizontal	6	1.14	-	37.90	15.64	48.70			
AV	20.5576G	46.33	63.54	-17.21	41.51	1	Horizontal	6	1.14	-	37.90	15.62	48.70			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX

6855MHz_TX




EUT_V_1TX
Setting -3
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.6667G	51.01	88.20	-37.19	42.95	3	Vertical	223	1.77	-	40.77	11.83	44.54			
RMS	13.7511G	39.16	68.20	-29.04	30.72	3	Vertical	223	1.77	-	41.10	11.82	44.48			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX

6855MHz_TX




EUT_V_1TX
Setting -3
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.7319G	51.73	88.20	-36.47	43.38	3	Horizontal	239	1.67	-	41.03	11.82	44.50			
RMS	13.7418G	39.30	68.20	-28.90	30.90	3	Horizontal	239	1.67	-	41.07	11.82	44.49			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX

6855MHz_TX




EUT_V_1TX
Setting -3
02-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.6077G	57.50	83.54	-26.04	52.63	1	Vertical	75	1.77	-	37.90	15.67	48.70			
AV	20.6131G	45.38	63.54	-18.16	40.51	1	Vertical	75	1.77	-	37.90	15.67	48.70			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_1TX

6855MHz_TX




EUT_V_1TX
Setting -3
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.589G	57.91	83.54	-25.63	53.06	1	Horizontal	203	2.95	-	37.90	15.65	48.70			
AV	20.5379G	45.20	63.54	-18.34	40.39	1	Horizontal	203	2.95	-	37.90	15.61	48.70			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX

6535MHz_TX




EUT_Y_2TX
Setting -10(S1 -6)
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.1135G	47.63	88.20	-40.57	41.07	3	Vertical	168	1.28	-	39.63	11.91	44.98			
RMS	13.0983G	35.09	68.20	-33.11	28.57	3	Vertical	168	1.28	-	39.59	11.92	44.99			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX

6535MHz_TX




EUT_Y_2TX
Setting -10(S1 -6)
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.083G	48.59	88.20	-39.61	42.14	3	Horizontal	95	2.49	-	39.53	11.92	45.00			
RMS	13.0986G	35.02	68.20	-33.18	28.50	3	Horizontal	95	2.49	-	39.59	11.92	44.99			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX

6535MHz_TX




EUT_Y_2TX
Setting -10(S1 -6)
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.6473G	55.75	83.54	-27.79	51.66	1	Vertical	315	2.91	-	37.70	15.19	48.80			
AV	19.6311G	42.40	63.54	-21.14	38.31	1	Vertical	315	2.91	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX

6535MHz_TX




EUT_Y_2TX
Setting -10(S1 -6)
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.6426G	56.29	83.54	-27.25	52.20	1	Horizontal	223	1.83	-	37.70	15.19	48.80			
AV	19.6534G	42.37	63.54	-21.17	38.28	1	Horizontal	223	1.83	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX

6535MHz_TX




EUT_Y_2TX
Setting -8.5(S1 -2)
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.1107G	47.91	88.20	-40.29	41.36	3	Vertical	163	2.04	-	39.62	11.91	44.98			
RMS	13.1069G	37.64	68.20	-30.56	31.10	3	Vertical	163	2.04	-	39.61	11.91	44.98			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX

6535MHz_TX




EUT_Y_2TX
Setting -8.5(S1 -2)
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.0911G	48.05	88.20	-40.15	41.57	3	Horizontal	135	2.93	-	39.56	11.92	45.00			
RMS	13.1149G	37.54	68.20	-30.66	30.98	3	Horizontal	135	2.93	-	39.63	11.91	44.98			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX

6535MHz_TX




EUT_Y_2TX
Setting -8.5(S1 -2)
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.5866G	55.59	83.54	-27.95	51.50	1	Vertical	30	2.90	-	37.70	15.19	48.80			
AV	19.6229G	44.65	63.54	-18.89	40.56	1	Vertical	30	2.90	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX

6535MHz_TX




EUT_Y_2TX
Setting -8.5(S1 -2)
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.6184G	55.40	83.54	-28.14	51.31	1	Horizontal	217	1.93	-	37.70	15.19	48.80			
AV	19.6014G	45.01	63.54	-18.53	40.92	1	Horizontal	217	1.93	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX


6535MHz_TX

EUT_Y_2TX
Setting -7(S1 -0.5)
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.0849G	48.28	88.20	-39.92	41.82	3	Vertical	46	1.93	-	39.54	11.92	45.00			
RMS	13.0929G	37.82	68.20	-30.38	31.32	3	Vertical	46	1.93	-	39.57	11.92	44.99			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX

6535MHz_TX




EUT_Y_2TX
Setting -7(S1 -0.5)
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.0995G	47.39	88.20	-40.81	40.86	3	Horizontal	205	1.82	-	39.60	11.92	44.99			
RMS	13.1013G	37.46	68.20	-30.74	30.94	3	Horizontal	205	1.82	-	39.60	11.91	44.99			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX

6535MHz_TX




EUT_Y_2TX
Setting -7(S1 -0.5)
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.6345G	56.32	83.54	-27.22	52.23	1	Vertical	177	1.89	-	37.70	15.19	48.80			
AV	19.6454G	45.84	63.54	-17.70	41.75	1	Vertical	177	1.89	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX

6535MHz_TX




EUT_Y_2TX
Setting -7(S1 -0.5)
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.6389G	56.34	83.54	-27.20	52.25	1	Horizontal	126	2.79	-	37.70	15.19	48.80			
AV	19.6189G	45.45	63.54	-18.09	41.36	1	Horizontal	126	2.79	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX

6695MHz_TX




EUT_Y_2TX
Setting -10(S1 -6)
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.4378G	49.81	88.20	-38.39	42.21	3	Vertical	3	2.02	-	40.45	11.86	44.71			
RMS	13.4317G	36.27	68.20	-31.93	28.69	3	Vertical	3	2.02	-	40.43	11.87	44.72			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX

6695MHz_TX




EUT_Y_2TX
Setting -10(S1 -6)
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.4338G	49.71	88.20	-38.49	42.12	3	Horizontal	180	1.66	-	40.44	11.86	44.71			
RMS	13.4357G	36.47	68.20	-31.73	28.88	3	Horizontal	180	1.66	-	40.44	11.86	44.71			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX


6695MHz_TX

EUT_Y_2TX
Setting -10(S1 -6)
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.1082G	55.88	83.54	-27.66	51.60	1	Vertical	143	2.25	-	37.80	15.26	48.78			
AV	20.1339G	42.40	63.54	-21.14	38.09	1	Vertical	143	2.25	-	37.80	15.28	48.77			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 0_2TX


6695MHz_TX

EUT_Y_2TX
Setting -10(S1 -6)
02-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.0874G	56.49	83.54	-27.05	52.23	1	Horizontal	146	2.52	-	37.80	15.24	48.78			
AV	20.1332G	42.34	63.54	-21.20	38.03	1	Horizontal	146	2.52	-	37.80	15.28	48.77			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX

6695MHz_TX




EUT_Y_2TX
Setting -8.5(S1 -2)
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.4329G	49.77	88.20	-38.43	42.19	3	Vertical	207	1.04	-	40.43	11.87	44.72			
RMS	13.4323G	39.14	68.20	-29.06	31.56	3	Vertical	207	1.04	-	40.43	11.87	44.72			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX

6695MHz_TX




EUT_Y_2TX
Setting -8.5(S1 -2)
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.4379G	49.17	88.20	-39.03	41.57	3	Horizontal	150	1.14	-	40.45	11.86	44.71			
RMS	13.4393G	39.05	68.20	-29.15	31.44	3	Horizontal	150	1.14	-	40.46	11.86	44.71			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX


6695MHz_TX

EUT_Y_2TX
Setting -8.5(S1 -2)
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.0875G	55.52	83.54	-28.02	51.26	1	Vertical	218	2.01	-	37.80	15.24	48.78			
AV	20.1199G	44.93	63.54	-18.61	40.64	1	Vertical	218	2.01	-	37.80	15.27	48.78			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 37_2TX

6695MHz_TX




EUT_V_2TX
Setting -8.5(S1 -2)
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.1227G	55.65	83.54	-27.89	51.36	1	Horizontal	44	2.06	-	37.80	15.27	48.78			
AV	20.1302G	45.18	63.54	-18.36	40.87	1	Horizontal	44	2.06	-	37.80	15.28	48.77			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX

6695MHz_TX




EUT_Y_2TX
Setting -6.5(S1 -0.5)
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.4135G	49.05	88.20	-39.15	41.56	3	Vertical	219	1.93	-	40.35	11.87	44.73			
RMS	13.4219G	39.11	68.20	-29.09	31.57	3	Vertical	219	1.93	-	40.39	11.87	44.72			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX

6695MHz_TX




EUT_Y_2TX
Setting -6.5(S1 -0.5)
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.439G	49.24	88.20	-38.96	41.63	3	Horizontal	120	2.88	-	40.46	11.86	44.71			
RMS	13.4186G	39.09	68.20	-29.11	31.58	3	Horizontal	120	2.88	-	40.37	11.87	44.73			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX

6695MHz_TX




EUT_Y_2TX
Setting -6.5(S1 -0.5)
02-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.1281G	56.53	83.54	-27.01	52.23	1	Vertical	242	2.54	-	37.80	15.27	48.77			
AV	20.1316G	45.09	63.54	-18.45	40.78	1	Vertical	242	2.54	-	37.80	15.28	48.77			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 53_2TX

6695MHz_TX




EUT_Y_2TX
Setting -6.5(S1 -0.5)
02-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.0686G	56.07	83.54	-27.47	51.83	1	Horizontal	187	2.56	-	37.80	15.23	48.79			
AV	20.1202G	44.93	63.54	-18.61	40.64	1	Horizontal	187	2.56	-	37.80	15.27	48.78			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX

6855MHz_TX




EUT_Y_2TX
Setting -10(S1 -6)
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.6978G	50.82	88.20	-37.38	42.62	3	Vertical	322	2.65	-	40.89	11.83	44.52			
RMS	13.749G	37.95	68.20	-30.25	29.52	3	Vertical	322	2.65	-	41.10	11.82	44.49			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX

6855MHz_TX




EUT_Y_2TX
Setting -10(S1 -6)
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.749G	50.84	88.20	-37.36	42.41	3	Horizontal	60	1.21	-	41.10	11.82	44.49			
RMS	13.7465G	37.83	68.20	-30.37	29.41	3	Horizontal	60	1.21	-	41.09	11.82	44.49			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX

6855MHz_TX




EUT_Y_2TX
Setting -10(S1 -6)
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.5741G	58.05	83.54	-25.49	53.21	1	Vertical	191	2.55	-	37.90	15.64	48.70			
AV	20.6145G	44.23	63.54	-19.31	39.36	1	Vertical	191	2.55	-	37.90	15.67	48.70			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX

6855MHz_TX




EUT_V_2TX
Setting -10(S1 -6)
02-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.5692G	57.97	83.54	-25.57	53.14	1	Horizontal	17	1.34	-	37.90	15.63	48.70			
AV	20.614G	44.24	63.54	-19.30	39.37	1	Horizontal	17	1.34	-	37.90	15.67	48.70			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX

6855MHz_TX




EUT_Y_2TX
Setting -8.5(S1 -2)
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.7315G	50.91	88.20	-37.29	42.56	3	Vertical	121	2.30	-	41.03	11.82	44.50			
RMS	13.699G	40.14	68.20	-28.06	31.93	3	Vertical	121	2.30	-	40.90	11.83	44.52			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX

6855MHz_TX




EUT_Y_2TX
Setting -8.5(S1 -2)
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.7236G	51.40	88.20	-36.80	43.09	3	Horizontal	16	1.86	-	40.99	11.82	44.50			
RMS	13.7246G	40.42	68.20	-27.78	32.10	3	Horizontal	16	1.86	-	41.00	11.82	44.50			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX

6855MHz_TX




EUT_Y_2TX
Setting -8.5(S1 -2)
02-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.59966G	57.42	83.54	-26.12	52.56	1	Vertical	79	2.60	-	37.90	15.66	48.70			
AV	20.59999G	46.54	63.54	-17.00	41.68	1	Vertical	79	2.60	-	37.90	15.66	48.70			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 52,#RU 40_2TX

6855MHz_TX




EUT_Y_2TX
Setting -8.5(S1 -2)
02-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.5737G	57.46	83.54	-26.08	52.62	1	Horizontal	198	2.92	-	37.90	15.64	48.70			
AV	20.5973G	46.76	63.54	-16.78	41.90	1	Horizontal	198	2.92	-	37.90	15.66	48.70			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX

6855MHz_TX




EUT_Y_2TX
Setting -7(S1 -0.5)
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.6833G	51.72	88.20	-36.48	43.59	3	Vertical	336	1.87	-	40.83	11.83	44.53			
RMS	13.7026G	40.29	68.20	-27.91	32.08	3	Vertical	336	1.87	-	40.91	11.82	44.52			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX

6855MHz_TX




EUT_Y_2TX
Setting -7(S1 -0.5)
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.6693G	51.21	88.20	-36.99	43.14	3	Horizontal	310	1.21	-	40.78	11.83	44.54			
RMS	13.7432G	40.47	68.20	-27.73	32.07	3	Horizontal	310	1.21	-	41.07	11.82	44.49			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX

6855MHz_TX




EUT_Y_2TX
Setting -7(S1 -0.5)
02-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.6147G	57.69	83.54	-25.85	52.82	1	Vertical	139	1.02	-	37.90	15.67	48.70			
AV	20.5808G	46.82	63.54	-16.72	41.98	1	Vertical	139	1.02	-	37.90	15.64	48.70			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0),RU 106,#RU 54_2TX

6855MHz_TX



EUT_Y_2TX
Setting -7(S1 -0.5)
02-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.5894G	57.11	83.54	-26.43	52.26	1	Horizontal	28	2.66	-	37.90	15.65	48.70			
AV	20.603G	46.84	63.54	-16.70	41.98	1	Horizontal	28	2.66	-	37.90	15.66	48.70			




Test Mode: Mode 3

Summary

Mode	Result	Type	Freq	Level	Limit	Margin	Dist	Condition	Azimuth	Height	Comments
			(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(m)		(°)	(m)	
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	Pass	AV	17.95013G	47.59	54.00	-6.41	3	Horizontal	106	2.54	-

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TX




EUT_Y_1TX
Setting 1
02-R-Y-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.9077G	65.30	88.20	-22.90	53.86	3	Vertical	82	1.80	-	34.20	7.87	30.63				
RMS	5.9176G	54.27	68.20	-13.93	42.82	3	Vertical	82	1.80	-	34.20	7.88	30.63				
PK	5.9544G	96.09	Inf	-Inf	84.60	3	Vertical	82	1.80	-	34.21	7.90	30.62				
RMS	5.96G	83.54	Inf	-Inf	72.04	3	Vertical	82	1.80	-	34.22	7.90	30.62				

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TX




EUT_Y_1TX
Setting 1
02-R-Y-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9186G	65.54	88.20	-22.66	54.09	3	Horizontal	176	1.80	-	34.20	7.88	30.63			
RMS	5.9095G	54.32	68.20	-13.88	42.88	3	Horizontal	176	1.80	-	34.20	7.87	30.63			
PK	5.9574G	93.98	Inf	-Inf	82.49	3	Horizontal	176	1.80	-	34.21	7.90	30.62			
RMS	5.9621G	82.54	Inf	-Inf	71.03	3	Horizontal	176	1.80	-	34.22	7.91	30.62			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


5955MHz_TX

EUT_Y_1TX
Setting 1
02-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.9181G	47.71	74.00	-26.29	62.11	3	Vertical	53	2.69	-	39.36	12.03	65.79			
AV	11.91761G	32.90	54.00	-21.10	47.30	3	Vertical	53	2.69	-	39.36	12.03	65.79			
PK	17.86221G	55.83	74.00	-18.17	58.81	3	Vertical	179	2.52	-	46.82	12.75	62.55			
AV	17.85252G	42.92	54.00	-11.08	45.93	3	Vertical	179	2.52	-	46.81	12.75	62.57			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


5955MHz_TX

EUT_Y_1TX
Setting 1
02-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.89869G	47.31	74.00	-26.69	61.70	3	Horizontal	188	2.89	-	39.40	12.02	65.81			
AV	11.90497G	32.87	54.00	-21.13	47.26	3	Horizontal	188	2.89	-	39.39	12.02	65.80			
PK	17.87958G	55.42	74.00	-18.58	58.32	3	Horizontal	112	2.81	-	46.86	12.76	62.52			
AV	17.85297G	42.92	54.00	-11.08	45.93	3	Horizontal	112	2.81	-	46.81	12.75	62.57			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


5955MHz_TX

EUT_Y_1TX
Setting 1
02-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	23.81836G	58.04	83.54	-25.50	49.33	1	Vertical	333	2.63	-	39.10	17.28	47.67			
AV	23.81615G	43.73	63.54	-19.81	35.02	1	Vertical	333	2.63	-	39.10	17.28	47.67			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TX




EUT_Y_1TX
Setting 1
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.82328G	57.65	83.54	-25.89	48.94	1	Horizontal	109	2.04	-	39.10	17.28	47.67			
AV	23.82192G	43.59	63.54	-19.95	34.88	1	Horizontal	109	2.04	-	39.10	17.28	47.67			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


6195MHz_TX

EUT_Y_1TX
Setting 1.5
02-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.39786G	45.50	74.00	-28.50	60.06	3	Vertical	64	2.60	-	38.80	12.02	65.38			
AV	12.38061G	31.57	54.00	-22.43	46.15	3	Vertical	64	2.60	-	38.80	12.02	65.40			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


6195MHz_TX

EUT_Y_1TX
Setting 1.5
02-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.37728G	45.38	74.00	-28.62	59.96	3	Horizontal	48	1.93	-	38.80	12.02	65.40			
AV	12.38067G	31.63	54.00	-22.37	46.21	3	Horizontal	48	1.93	-	38.80	12.02	65.40			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


6195MHz_TX

EUT_Y_1TX
Setting 1.5
02-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.58517G	51.96	83.54	-31.58	47.30	1	Vertical	269	2.60	-	37.80	15.25	48.39			
AV	18.58882G	38.01	63.54	-25.53	33.35	1	Vertical	269	2.60	-	37.80	15.25	48.39			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TX




EUT_Y_1TX
Setting 1.5
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.584G	52.07	83.54	-31.47	47.40	1	Horizontal	177	2.54	-	37.80	15.25	48.38			
AV	18.58875G	38.02	63.54	-25.52	33.36	1	Horizontal	177	2.54	-	37.80	15.25	48.39			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


6415MHz_TX

EUT_Y_1TX
Setting 2
02-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.84125G	45.53	88.20	-42.67	59.85	3	Vertical	353	2.76	-	38.98	11.95	65.25			
RMS	12.82115G	31.39	68.20	-36.81	45.74	3	Vertical	353	2.76	-	38.94	11.96	65.25			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


6415MHz_TX

EUT_Y_1TX
Setting 2
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.82019G	45.33	88.20	-42.87	59.68	3	Horizontal	226	2.38	-	38.94	11.96	65.25			
RMS	12.82112G	31.44	68.20	-36.76	45.79	3	Horizontal	226	2.38	-	38.94	11.96	65.25			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TX




EUT_Y_1TX
Setting 2
02-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.24625G	52.29	83.54	-31.25	47.89	1	Vertical	295	1.47	-	37.98	15.22	48.80			
AV	19.2453G	37.86	63.54	-25.68	33.46	1	Vertical	295	1.47	-	37.98	15.22	48.80			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


6415MHz_TX

EUT_Y_1TX
Setting 2
02-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.24009G	52.05	83.54	-31.49	47.67	1	Horizontal	149	2.71	-	37.96	15.22	48.80			
AV	19.24802G	37.87	63.54	-25.67	33.46	1	Horizontal	149	2.71	-	37.99	15.22	48.80			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TX




EUT_Y_1TX
Setting 1.5
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.08443G	46.42	88.20	-41.78	60.03	3	Vertical	127	2.60	-	39.54	11.92	65.07			
RMS	13.085G	32.15	68.20	-36.05	45.76	3	Vertical	127	2.60	-	39.54	11.92	65.07			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TX




EUT_Y_1TX
Setting 1.5
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.07846G	45.99	88.20	-42.21	59.64	3	Horizontal	211	1.51	-	39.51	11.92	65.08			
RMS	13.08497G	32.16	68.20	-36.04	45.77	3	Horizontal	211	1.51	-	39.54	11.92	65.07			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TX




EUT_Y_1TX
Setting 1.5
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.60674G	51.57	83.54	-31.97	47.48	1	Vertical	9	1.48	-	37.70	15.19	48.80			
AV	19.6077G	37.63	63.54	-25.91	33.54	1	Vertical	9	1.48	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


6535MHz_TX

EUT_Y_1TX
Setting 1.5
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.6047G	52.00	83.54	-31.54	47.91	1	Horizontal	61	1.38	-	37.70	15.19	48.80			
AV	19.60579G	37.61	63.54	-25.93	33.52	1	Horizontal	61	1.38	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TX




EUT_Y_1TX
Setting 0.5
02-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.39777G	48.08	74.00	-25.92	60.37	3	Vertical	191	2.65	-	40.30	11.87	64.46			
AV	13.39795G	34.28	54.00	-19.72	46.57	3	Vertical	191	2.65	-	40.30	11.87	64.46			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


6695MHz_TX

EUT_Y_1TX
Setting 0.5
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.3822G	48.25	74.00	-25.75	60.61	3	Horizontal	59	2.84	-	40.26	11.87	64.49			
AV	13.39768G	34.31	54.00	-19.69	46.60	3	Horizontal	59	2.84	-	40.30	11.87	64.46			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TX




EUT_Y_1TX
Setting 0.5
02-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.08998G	51.31	83.54	-32.23	47.05	1	Vertical	68	2.44	-	37.80	15.24	48.78			
AV	20.08032G	37.88	63.54	-25.66	33.62	1	Vertical	68	2.44	-	37.80	15.24	48.78			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


6695MHz_TX

EUT_Y_1TX
Setting 0.5
02-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.08467G	51.50	83.54	-32.04	47.24	1	Horizontal	102	1.31	-	37.80	15.24	48.78			
AV	20.08G	37.90	63.54	-25.64	33.64	1	Horizontal	102	1.31	-	37.80	15.24	48.78			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TX




EUT_Y_1TX
Setting 0.5
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.69878G	47.40	88.20	-40.80	59.01	3	Vertical	313	1.31	-	40.90	11.83	64.34			
RMS	13.70073G	33.62	68.20	-34.58	45.24	3	Vertical	313	1.31	-	40.90	11.82	64.34			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TX




EUT_Y_1TX
Setting 0.5
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.69857G	48.09	88.20	-40.11	59.71	3	Horizontal	91	2.66	-	40.89	11.83	64.34			
RMS	13.70058G	33.57	68.20	-34.63	45.19	3	Horizontal	91	2.66	-	40.90	11.82	64.34			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TX




EUT_Y_1TX
Setting 0.5
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.566G	53.68	83.54	-29.86	48.85	1	Vertical	145	2.80	-	37.90	15.63	48.70			
AV	20.56891G	39.97	63.54	-23.57	35.14	1	Vertical	145	2.80	-	37.90	15.63	48.70			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TX




EUT_Y_1TX
Setting 0.5
02-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.56693G	53.81	83.54	-29.73	48.98	1	Horizontal	327	2.35	-	37.90	15.63	48.70			
AV	20.56571G	39.97	63.54	-23.57	35.14	1	Horizontal	327	2.35	-	37.90	15.63	48.70			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5965MHz_TX




EUT_Y_1TX
Setting 4.5
02-R-Y-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9098G	66.09	88.20	-22.11	54.65	3	Vertical	84	2.07	-	34.20	7.87	30.63			
RMS	5.9132G	54.69	68.20	-13.51	43.25	3	Vertical	84	2.07	-	34.20	7.87	30.63			
PK	5.9832G	92.55	Inf	-Inf	80.97	3	Vertical	84	2.07	-	34.27	7.92	30.61			
RMS	5.9824G	82.84	Inf	-Inf	71.27	3	Vertical	84	2.07	-	34.26	7.92	30.61			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5965MHz_TX




EUT_Y_1TX
Setting 4.5
02-R-Y-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.8938G	66.34	88.20	-21.86	54.94	3	Horizontal	171	2.19	-	34.18	7.86	30.64				
RMS	5.9046G	54.68	68.20	-13.52	43.24	3	Horizontal	171	2.19	-	34.20	7.87	30.63				
PK	5.96G	94.06	Inf	-Inf	82.56	3	Horizontal	171	2.19	-	34.22	7.90	30.62				
RMS	5.9598G	84.70	Inf	-Inf	73.20	3	Horizontal	171	2.19	-	34.22	7.90	30.62				

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


5965MHz_TX

EUT_Y_1TX
Setting 4.5
02-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.91782G	46.70	74.00	-27.30	61.10	3	Vertical	287	1.41	-	39.36	12.03	65.79			
AV	11.94491G	33.16	54.00	-20.84	47.58	3	Vertical	287	1.41	-	39.31	12.05	65.78			
PK	17.89968G	55.77	74.00	-18.23	58.58	3	Vertical	35	2.56	-	46.90	12.77	62.48			
AV	17.89973G	41.32	54.00	-12.68	44.13	3	Vertical	35	2.56	-	46.90	12.77	62.48			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


5965MHz_TX

EUT_Y_1TX
Setting 4.5
02-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.92034G	46.29	74.00	-27.71	60.69	3	Horizontal	128	2.93	-	39.36	12.03	65.79			
AV	11.945G	33.00	54.00	-21.00	47.42	3	Horizontal	128	2.93	-	39.31	12.05	65.78			
PK	17.88024G	55.51	74.00	-18.49	58.40	3	Horizontal	238	2.54	-	46.86	12.76	62.51			
AV	17.88018G	41.30	54.00	-12.70	44.19	3	Horizontal	238	2.54	-	46.86	12.76	62.51			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


5965MHz_TX

EUT_Y_1TX
Setting 4.5
02-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	23.85502G	57.50	83.54	-26.04	48.78	1	Vertical	57	2.84	-	39.09	17.29	47.66			
AV	23.85597G	43.57	63.54	-19.97	34.85	1	Vertical	57	2.84	-	39.09	17.29	47.66			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5965MHz_TX




EUT_Y_1TX
Setting 4.5
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.85915G	56.90	83.54	-26.64	48.19	1	Horizontal	59	1.36	-	39.08	17.29	47.66			
AV	23.85533G	43.43	63.54	-20.11	34.71	1	Horizontal	59	1.36	-	39.09	17.29	47.66			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6205MHz_TX




EUT_Y_1TX
Setting 4.5
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.40944G	44.54	74.00	-29.46	59.09	3	Vertical	160	1.02	-	38.80	12.02	65.37			
AV	12.41098G	30.97	54.00	-23.03	45.52	3	Vertical	160	1.02	-	38.80	12.02	65.37			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


6205MHz_TX

EUT_Y_1TX
Setting 4.5
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.40995G	44.60	74.00	-29.40	59.15	3	Horizontal	82	2.19	-	38.80	12.02	65.37			
AV	12.41098G	30.95	54.00	-23.05	45.50	3	Horizontal	82	2.19	-	38.80	12.02	65.37			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6205MHz_TX




EUT_Y_1TX
Setting 4.5
02-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.6152G	52.18	83.54	-31.36	47.52	1	Vertical	312	1.59	-	37.83	15.25	48.42			
AV	18.61898G	38.13	63.54	-25.41	33.46	1	Vertical	312	1.59	-	37.84	15.25	48.42			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


6205MHz_TX

EUT_Y_1TX
Setting 4.5
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.61933G	51.76	83.54	-31.78	47.09	1	Horizontal	190	1.94	-	37.84	15.25	48.42			
AV	18.61803G	38.21	63.54	-25.33	33.54	1	Horizontal	190	1.94	-	37.84	15.25	48.42			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


6405MHz_TX

EUT_Y_1TX
Setting 5
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.81063G	44.91	88.20	-43.29	59.28	3	Vertical	356	1.55	-	38.92	11.96	65.25			
RMS	12.80921G	31.38	68.20	-36.82	45.75	3	Vertical	356	1.55	-	38.92	11.96	65.25			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6405MHz_TX




EUT_V_1TX
Setting 5
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.809G	45.02	88.20	-43.18	59.39	3	Horizontal	30	1.81	-	38.92	11.96	65.25			
RMS	12.80902G	31.40	68.20	-36.80	45.77	3	Horizontal	30	1.81	-	38.92	11.96	65.25			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6405MHz_TX




EUT_Y_1TX
Setting 5
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.21233G	51.11	83.54	-32.43	46.84	1	Vertical	77	1.75	-	37.85	15.22	48.80			
AV	19.2131G	37.43	63.54	-26.11	33.16	1	Vertical	77	1.75	-	37.85	15.22	48.80			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6405MHz_TX




EUT_Y_1TX
Setting 5
02-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.21717G	51.48	83.54	-32.06	47.19	1	Horizontal	204	1.15	-	37.87	15.22	48.80			
AV	19.21431G	37.42	63.54	-26.12	33.14	1	Horizontal	204	1.15	-	37.86	15.22	48.80			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6565MHz_TX




EUT_Y_1TX
Setting 4.5
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.13031G	46.42	88.20	-41.78	59.83	3	Vertical	296	2.73	-	39.66	11.91	64.98			
RMS	13.129G	32.23	68.20	-35.97	45.64	3	Vertical	296	2.73	-	39.66	11.91	64.98			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6565MHz_TX




EUT_Y_1TX
Setting 4.5
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.1308G	46.28	88.20	-41.92	59.69	3	Horizontal	63	2.97	-	39.66	11.91	64.98			
RMS	13.12983G	32.22	68.20	-35.98	45.63	3	Horizontal	63	2.97	-	39.66	11.91	64.98			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6565MHz_TX




EUT_Y_1TX
Setting 4.5
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.69902G	52.53	83.54	-31.01	48.44	1	Vertical	190	2.89	-	37.70	15.19	48.80			
AV	19.69885G	38.32	63.54	-25.22	34.23	1	Vertical	190	2.89	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6565MHz_TX




EUT_Y_1TX
Setting 4.5
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.69588G	52.72	83.54	-30.82	48.63	1	Horizontal	337	2.00	-	37.70	15.19	48.80			
AV	19.69947G	38.33	63.54	-25.21	34.24	1	Horizontal	337	2.00	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6685MHz_TX




EUT_Y_1TX
Setting 4
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.36943G	46.85	74.00	-27.15	59.25	3	Vertical	90	1.95	-	40.24	11.87	64.51			
AV	13.36904G	33.00	54.00	-21.00	45.40	3	Vertical	90	1.95	-	40.24	11.87	64.51			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6685MHz_TX




EUT_Y_1TX
Setting 4
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.3695G	46.93	74.00	-27.07	59.33	3	Horizontal	217	2.36	-	40.24	11.87	64.51			
AV	13.37046G	32.96	54.00	-21.04	45.36	3	Horizontal	217	2.36	-	40.24	11.87	64.51			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6685MHz_TX




EUT_Y_1TX
Setting 4
02-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.05937G	52.11	83.54	-31.43	47.88	1	Vertical	308	2.12	-	37.80	15.22	48.79			
AV	20.05927G	37.74	63.54	-25.80	33.51	1	Vertical	308	2.12	-	37.80	15.22	48.79			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6685MHz_TX




EUT_Y_1TX
Setting 4
02-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.05528G	51.54	83.54	-32.00	47.31	1	Horizontal	150	2.23	-	37.80	15.22	48.79			
AV	20.05503G	37.77	63.54	-25.77	33.55	1	Horizontal	150	2.23	-	37.80	15.21	48.79			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6845MHz_TX




EUT_Y_1TX
Setting 3.5
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.68942G	47.32	88.20	-40.88	58.97	3	Vertical	305	1.71	-	40.86	11.83	64.34			
RMS	13.68915G	33.35	68.20	-34.85	45.00	3	Vertical	305	1.71	-	40.86	11.83	64.34			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6845MHz_TX




EUT_Y_1TX
Setting 3.5
02-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.69059G	46.94	88.20	-41.26	58.59	3	Horizontal	159	1.22	-	40.86	11.83	64.34			
RMS	13.68965G	33.34	68.20	-34.86	44.99	3	Horizontal	159	1.22	-	40.86	11.83	64.34			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6845MHz_TX




EUT_Y_1TX
Setting 3.5
02-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.53206G	53.50	83.54	-30.04	48.70	1	Vertical	39	1.06	-	37.90	15.60	48.70			
AV	20.53911G	39.66	63.54	-23.88	34.85	1	Vertical	39	1.06	-	37.90	15.61	48.70			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6845MHz_TX




EUT_Y_1TX
Setting 3.5
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.53808G	53.70	83.54	-29.84	48.89	1	Horizontal	22	2.60	-	37.90	15.61	48.70			
AV	20.53907G	39.63	63.54	-23.91	34.82	1	Horizontal	22	2.60	-	37.90	15.61	48.70			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5985MHz_TX




EUT_Y_1TX
Setting 6.5
02-R-Y-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.905G	66.01	88.20	-22.19	54.57	3	Vertical	295	1.80	-	34.20	7.87	30.63				
RMS	5.8954G	54.69	68.20	-13.51	43.29	3	Vertical	295	1.80	-	34.18	7.86	30.64				
PK	6.0182G	91.19	Inf	-Inf	79.56	3	Vertical	295	1.80	-	34.30	7.96	30.63				
RMS	6.0226G	81.59	Inf	-Inf	69.95	3	Vertical	295	1.80	-	34.30	7.97	30.63				

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5985MHz_TX




EUT_Y_1TX
Setting 6.5
02-R-Y-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.8286G	66.13	88.20	-22.07	54.92	3	Horizontal	171	1.96	-	34.04	7.82	30.65			
RMS	5.8866G	54.68	68.20	-13.52	43.31	3	Horizontal	171	1.96	-	34.15	7.86	30.64			
PK	6.0178G	94.73	Inf	-Inf	83.10	3	Horizontal	171	1.96	-	34.30	7.96	30.63			
RMS	6.0174G	84.69	Inf	-Inf	73.06	3	Horizontal	171	1.96	-	34.30	7.96	30.63			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX


5985MHz_TX

EUT_Y_1TX
Setting 6.5
02-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.98476G	47.42	74.00	-26.58	61.80	3	Vertical	148	1.13	-	39.30	12.07	65.75			
AV	11.98296G	36.30	54.00	-17.70	50.68	3	Vertical	148	1.13	-	39.30	12.07	65.75			
PK	17.95821G	55.42	74.00	-18.58	58.20	3	Vertical	254	1.72	-	46.78	12.80	62.36			
AV	17.96913G	43.46	54.00	-10.54	46.23	3	Vertical	254	1.72	-	46.76	12.81	62.34			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX


5985MHz_TX

EUT_Y_1TX
Setting 6.5
02-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.9772G	47.02	74.00	-26.98	61.41	3	Horizontal	88	2.08	-	39.30	12.07	65.76			
AV	11.9787G	35.70	54.00	-18.30	50.08	3	Horizontal	88	2.08	-	39.30	12.07	65.75			
PK	17.9483G	55.29	74.00	-18.71	58.07	3	Horizontal	6	1.03	-	46.80	12.80	62.38			
AV	17.94141G	43.68	54.00	-10.32	46.46	3	Horizontal	6	1.03	-	46.82	12.79	62.39			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX


5985MHz_TX

EUT_Y_1TX
Setting 6.5
02-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	23.93644G	57.40	83.54	-26.14	48.72	1	Vertical	216	2.88	-	39.00	17.31	47.63			
AV	23.94191G	44.93	63.54	-18.61	36.24	1	Vertical	216	2.88	-	39.00	17.31	47.62			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5985MHz_TX




EUT_Y_1TX
Setting 6.5
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.94226G	56.83	83.54	-26.71	48.14	1	Horizontal	203	1.52	-	39.00	17.31	47.62			
AV	23.93952G	45.09	63.54	-18.45	36.40	1	Horizontal	203	1.52	-	39.00	17.31	47.62			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX


6225MHz_TX

EUT_Y_1TX
Setting 7
02-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.45068G	45.18	74.00	-28.82	59.70	3	Vertical	161	1.85	-	38.80	12.01	65.33			
AV	12.45031G	34.39	54.00	-19.61	48.91	3	Vertical	161	1.85	-	38.80	12.01	65.33			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX


6225MHz_TX

EUT_Y_1TX
Setting 7
02-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.45023G	45.15	74.00	-28.85	59.67	3	Horizontal	230	1.93	-	38.80	12.01	65.33			
AV	12.44925G	34.22	54.00	-19.78	48.75	3	Horizontal	230	1.93	-	38.80	12.01	65.34			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX


6225MHz_TX

EUT_Y_1TX
Setting 7
02-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.67132G	52.77	83.54	-30.77	48.09	1	Vertical	234	1.67	-	37.90	15.25	48.47			
AV	18.67551G	40.05	63.54	-23.49	35.38	1	Vertical	234	1.67	-	37.90	15.25	48.48			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX


6225MHz_TX

EUT_V_1TX
Setting 1
02-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.67094G	52.56	83.54	-30.98	47.88	1	Horizontal	254	1.71	-	37.90	15.25	48.47			
AV	18.6756G	40.23	63.54	-23.31	35.56	1	Horizontal	254	1.71	-	37.90	15.25	48.48			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6385MHz_TX




EUT_Y_1TX
Setting 7.5
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.77201G	46.81	88.20	-41.39	61.27	3	Vertical	191	1.80	-	38.84	11.96	65.26			
RMS	12.76985G	35.09	68.20	-33.11	49.55	3	Vertical	191	1.80	-	38.84	11.96	65.26			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6385MHz_TX




EUT_Y_1TX
Setting 7.5
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.76175G	47.77	88.20	-40.43	62.24	3	Horizontal	143	2.00	-	38.82	11.97	65.26			
RMS	12.76985G	36.37	68.20	-31.83	50.83	3	Horizontal	143	2.00	-	38.84	11.96	65.26			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX


6385MHz_TX

EUT_Y_1TX
Setting 7.5
02-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.15006G	51.31	83.54	-32.23	46.89	1	Vertical	9	2.06	-	38.00	15.22	48.80			
AV	19.15777G	38.98	63.54	-24.56	34.59	1	Vertical	9	2.06	-	37.97	15.22	48.80			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX


6385MHz_TX

EUT_Y_1TX
Setting 7.5
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.15352G	51.22	83.54	-32.32	46.81	1	Horizontal	56	1.36	-	37.99	15.22	48.80			
AV	19.15984G	39.09	63.54	-24.45	34.71	1	Horizontal	56	1.36	-	37.96	15.22	48.80			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6625MHz_TX




EUT_Y_1TX
Setting 6.5
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.25014G	46.28	74.00	-27.72	59.13	3	Vertical	233	1.43	-	40.00	11.89	64.74			
AV	13.25087G	35.53	54.00	-18.47	48.38	3	Vertical	233	1.43	-	40.00	11.89	64.74			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6625MHz_TX



EUT_Y_1TX
Setting 6.5
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	13.25061G	47.20	74.00	-26.80	60.05	3	Horizontal	275	2.39	-	40.00	11.89	64.74				
AV	13.25086G	35.45	54.00	-18.55	48.30	3	Horizontal	275	2.39	-	40.00	11.89	64.74				