


5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


6415MHz_TX

EUT_Y_1TX
Setting 2
02-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.24814G	51.92	83.54	-31.62	47.51	1	Vertical	33	2.92	-	37.99	15.22	48.80			
AV	19.24868G	37.83	63.54	-25.71	33.42	1	Vertical	33	2.92	-	37.99	15.22	48.80			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


6415MHz_TX

EUT_Y_1TX
Setting 2
02-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.24093G	52.00	83.54	-31.54	47.62	1	Horizontal	175	2.24	-	37.96	15.22	48.80			
AV	19.24737G	37.83	63.54	-25.71	33.42	1	Horizontal	175	2.24	-	37.99	15.22	48.80			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


6535MHz_TX

EUT_V_1TX
Setting 1.5
02-R-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.06719G	47.91	88.20	-40.29	41.53	3	Vertical	198	2.95	-	39.47	11.92	45.01			
RMS	13.06995G	34.88	68.20	-33.32	28.49	3	Vertical	198	2.95	-	39.48	11.92	45.01			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TX




EUT_V_1TX
Setting 1.5
02-R-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.0695G	47.74	88.20	-40.46	41.35	3	Horizontal	203	1.80	-	39.48	11.92	45.01			
RMS	13.06983G	36.51	68.20	-31.69	30.12	3	Horizontal	203	1.80	-	39.48	11.92	45.01			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


6535MHz_TX

EUT_Y_1TX
Setting 1.5
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.60587G	52.97	83.54	-30.57	48.88	1	Vertical	310	1.27	-	37.70	15.19	48.80			
AV	19.60477G	38.57	63.54	-24.97	34.48	1	Vertical	310	1.27	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


6535MHz_TX

EUT_Y_1TX
Setting 1.5
02-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.60318G	52.36	83.54	-31.18	48.27	1	Horizontal	97	1.89	-	37.70	15.19	48.80			
AV	19.6029G	38.55	63.54	-24.99	34.46	1	Horizontal	97	1.89	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TX




EUT V_1TX
Setting 0.5
02-R-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.39118G	48.55	74.00	-25.45	41.15	3	Vertical	267	1.51	-	40.28	11.87	44.75			
AV	13.39425G	36.37	54.00	-17.63	28.96	3	Vertical	267	1.51	-	40.29	11.87	44.75			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TX




EUT_V_1TX
Setting 0.5
02-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.38583G	48.92	74.00	-25.08	41.53	3	Horizontal	202	2.79	-	40.27	11.87	44.75			
AV	13.38773G	36.44	54.00	-17.56	29.04	3	Horizontal	202	2.79	-	40.28	11.87	44.75			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TX




EUT_Y_1TX
Setting 0.5
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.08555G	52.61	83.54	-30.93	48.35	1	Vertical	170	2.70	-	37.80	15.24	48.78			
AV	20.088G	37.78	63.54	-25.76	33.52	1	Vertical	170	2.70	-	37.80	15.24	48.78			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TX




EUT_Y_1TX
Setting 0.5
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.0879G	52.20	74.00	-21.80	47.94	1	Horizontal	48	1.50	-	37.80	15.24	48.78			
AV	20.08847G	37.81	54.00	-16.19	33.55	1	Horizontal	48	1.50	-	37.80	15.24	48.78			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TX




EUT_V_1TX
Setting 0.5
02-R-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.70801G	48.69	88.20	-39.51	40.45	3	Vertical	287	1.31	-	40.93	11.82	44.51			
RMS	13.71283G	36.24	68.20	-31.96	27.98	3	Vertical	287	1.31	-	40.95	11.82	44.51			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TX




EUT Y_1TX
Setting 0.5
02-R-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.71034G	48.94	88.20	-39.26	40.69	3	Horizontal	355	2.33	-	40.94	11.82	44.51			
RMS	13.71469G	35.98	68.20	-32.22	27.71	3	Horizontal	355	2.33	-	40.96	11.82	44.51			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TX




EUT_Y_1TX
Setting 0.5
02-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.56321G	53.49	83.54	-30.05	48.66	1	Vertical	216	2.94	-	37.90	15.63	48.70			
AV	20.56301G	39.91	63.54	-23.63	35.08	1	Vertical	216	2.94	-	37.90	15.63	48.70			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TX




EUT_Y_1TX
Setting 0.5
02-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.56378G	54.11	83.54	-29.43	49.28	1	Horizontal	243	1.32	-	37.90	15.63	48.70			
AV	20.56368G	39.96	63.54	-23.58	35.13	1	Horizontal	243	1.32	-	37.90	15.63	48.70			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5965MHz_TX




EUT_Y_1TX
Setting 4.5
02-R-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.8728G	66.66	88.20	-21.54	55.36	3	Vertical	158	2.27	-	34.09	7.85	30.64				
RMS	5.8928G	54.55	68.20	-13.65	43.16	3	Vertical	158	2.27	-	34.17	7.86	30.64				
PK	5.9538G	94.04	Inf	-Inf	82.55	3	Vertical	158	2.27	-	34.21	7.90	30.62				
RMS	5.9522G	84.32	Inf	-Inf	72.84	3	Vertical	158	2.27	-	34.20	7.90	30.62				

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5965MHz_TX




EUT_Y_1TX
Setting 4.5
02-R-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.865G	65.84	88.20	-22.36	54.58	3	Horizontal	165	1.83	-	34.06	7.84	30.64				
RMS	5.899G	54.51	68.20	-13.69	43.08	3	Horizontal	165	1.83	-	34.20	7.86	30.63				
PK	5.9676G	91.97	Inf	-Inf	80.44	3	Horizontal	165	1.83	-	34.24	7.91	30.62				
RMS	5.9774G	82.35	Inf	-Inf	70.80	3	Horizontal	165	1.83	-	34.25	7.92	30.62				

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


5965MHz_TX

EUT_Y_1TX
Setting 4.5
02-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.92617G	48.42	74.00	-25.58	42.38	3	Vertical	343	1.80	-	39.35	12.03	45.34			
AV	11.93007G	35.58	54.00	-18.42	29.54	3	Vertical	343	1.80	-	39.34	12.04	45.34			
PK	17.89617G	55.32	74.00	-18.68	39.97	3	Vertical	95	1.80	-	46.89	12.77	44.31			
AV	17.8921G	41.95	54.00	-12.05	26.61	3	Vertical	95	1.80	-	46.88	12.77	44.31			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


5965MHz_TX

EUT_Y_1TX
Setting 4.5
02-R-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.93248G	48.68	74.00	-25.32	42.64	3	Horizontal	143	1.80	-	39.34	12.04	45.34			
AV	11.92975G	36.07	54.00	-17.93	30.03	3	Horizontal	143	1.80	-	39.34	12.04	45.34			
PK	17.89558G	54.90	74.00	-19.10	39.55	3	Horizontal	328	1.80	-	46.89	12.77	44.31			
AV	17.8924G	42.05	54.00	-11.95	26.71	3	Horizontal	328	1.80	-	46.88	12.77	44.31			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5965MHz_TX




EUT_Y_1TX
Setting 4.5
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.86306G	57.95	83.54	-25.59	49.24	1	Vertical	92	2.67	-	39.07	17.29	47.65			
AV	23.85534G	43.64	63.54	-19.90	34.92	1	Vertical	92	2.67	-	39.09	17.29	47.66			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


5965MHz_TX

EUT_Y_1TX
Setting 4.5
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.85843G	57.65	83.54	-25.89	48.94	1	Horizontal	146	1.72	-	39.08	17.29	47.66			
AV	23.85536G	43.52	63.54	-20.02	34.80	1	Horizontal	146	1.72	-	39.09	17.29	47.66			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


6205MHz_TX

EUT_V_1TX
Setting 4.5
02-R-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.40622G	46.13	74.00	-27.87	40.89	3	Vertical	140	1.15	-	38.80	12.02	45.58			
AV	12.41453G	33.73	54.00	-20.27	28.49	3	Vertical	140	1.15	-	38.80	12.02	45.58			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6205MHz_TX




EUT_V_1TX
Setting 4.5
02-R-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.41379G	46.25	74.00	-27.75	41.01	3	Horizontal	307	2.95	-	38.80	12.02	45.58			
AV	12.40993G	33.95	54.00	-20.05	28.71	3	Horizontal	307	2.95	-	38.80	12.02	45.58			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


6205MHz_TX

EUT_Y_1TX
Setting 4.5
02-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.61768G	51.76	83.54	-31.78	47.09	1	Vertical	344	1.65	-	37.84	15.25	48.42			
AV	18.6175G	38.21	63.54	-25.33	33.54	1	Vertical	344	1.65	-	37.84	15.25	48.42			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


6205MHz_TX

EUT_Y_1TX
Setting 4.5
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.61556G	51.88	83.54	-31.66	47.22	1	Horizontal	296	2.00	-	37.83	15.25	48.42			
AV	18.61936G	38.20	63.54	-25.34	33.53	1	Horizontal	296	2.00	-	37.84	15.25	48.42			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6405MHz_TX




EUT_V_1TX
Setting 5
02-R-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.81095G	47.02	88.20	-41.18	41.42	3	Vertical	15	1.80	-	38.92	11.96	45.28			
RMS	12.81373G	34.47	68.20	-33.73	28.86	3	Vertical	15	1.80	-	38.93	11.96	45.28			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


6405MHz_TX

EUT_V_1TX
Setting 5
02-R-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.80966G	46.77	88.20	-41.43	41.17	3	Horizontal	153	1.78	-	38.92	11.96	45.28			
RMS	12.80982G	35.67	68.20	-32.53	30.07	3	Horizontal	153	1.78	-	38.92	11.96	45.28			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


6405MHz_TX

EUT_Y_1TX
Setting 5
02-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.21726G	51.00	83.54	-32.54	46.71	1	Vertical	205	2.12	-	37.87	15.22	48.80			
AV	19.21762G	37.48	63.54	-26.06	33.19	1	Vertical	205	2.12	-	37.87	15.22	48.80			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6405MHz_TX




EUT_Y_1TX
Setting 5
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.21945G	51.61	83.54	-31.93	47.31	1	Horizontal	75	1.72	-	37.88	15.22	48.80			
AV	19.21465G	37.52	63.54	-26.02	33.24	1	Horizontal	75	1.72	-	37.86	15.22	48.80			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6565MHz_TX




EUT_V_1TX
Setting 4.5
02-R-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.12986G	47.60	88.20	-40.60	40.99	3	Vertical	1	1.80	-	39.66	11.91	44.96			
RMS	13.13376G	35.51	68.20	-32.69	28.89	3	Vertical	1	1.80	-	39.67	11.91	44.96			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


6565MHz_TX

EUT_V_1TX
Setting 4.5
02-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.12968G	49.00	88.20	-39.20	42.39	3	Horizontal	211	1.79	-	39.66	11.91	44.96			
RMS	13.12988G	37.40	68.20	-30.80	30.79	3	Horizontal	211	1.79	-	39.66	11.91	44.96			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


6565MHz_TX

EUT_Y_1TX
Setting 4.5
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.69525G	52.29	83.54	-31.25	48.20	1	Vertical	129	2.86	-	37.70	15.19	48.80			
AV	19.69818G	38.34	63.54	-25.20	34.25	1	Vertical	129	2.86	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6565MHz_TX




EUT_Y_1TX
Setting 4.5
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.69897G	52.15	83.54	-31.39	48.06	1	Horizontal	37	2.80	-	37.70	15.19	48.80			
AV	19.69665G	38.33	63.54	-25.21	34.24	1	Horizontal	37	2.80	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6685MHz_TX




EUT_V_1TX
Setting 4
02-R-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.37495G	48.88	74.00	-25.12	41.52	3	Vertical	348	1.48	-	40.25	11.87	44.76			
AV	13.37323G	36.43	54.00	-17.57	29.07	3	Vertical	348	1.48	-	40.25	11.87	44.76			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6685MHz_TX




EUT V_1TX
Setting 4
02-R-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.36759G	48.29	74.00	-25.71	40.95	3	Horizontal	243	1.88	-	40.24	11.87	44.77			
AV	13.37407G	36.23	54.00	-17.77	28.87	3	Horizontal	243	1.88	-	40.25	11.87	44.76			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


6685MHz_TX

EUT_Y_1TX
Setting 4
02-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.05169G	52.54	83.54	-31.00	48.32	1	Vertical	223	1.64	-	37.80	15.21	48.79			
AV	20.0521G	37.63	63.54	-25.91	33.41	1	Vertical	223	1.64	-	37.80	15.21	48.79			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6685MHz_TX




EUT_Y_1TX
Setting 4
02-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.05693G	51.02	83.54	-32.52	46.79	1	Horizontal	335	1.25	-	37.80	15.22	48.79			
AV	20.05514G	37.67	63.54	-25.87	33.45	1	Horizontal	335	1.25	-	37.80	15.21	48.79			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6845MHz_TX




EUT V_1TX
Setting 3.5
02-R-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.69245G	48.55	88.20	-39.65	40.38	3	Vertical	124	1.61	-	40.87	11.83	44.53			
RMS	13.69403G	36.37	68.20	-31.83	28.18	3	Vertical	124	1.61	-	40.88	11.83	44.52			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6845MHz_TX




EUT_V_1TX
Setting 3.5
02-R-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.6878G	48.71	88.20	-39.49	40.56	3	Horizontal	93	2.30	-	40.85	11.83	44.53			
RMS	13.69287G	36.44	68.20	-31.76	28.26	3	Horizontal	93	2.30	-	40.87	11.83	44.52			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


6845MHz_TX

EUT_Y_1TX
Setting 3.5
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.53081G	53.87	83.54	-29.67	49.07	1	Vertical	50	1.84	-	37.90	15.60	48.70			
AV	20.53904G	39.59	63.54	-23.95	34.78	1	Vertical	50	1.84	-	37.90	15.61	48.70			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6845MHz_TX




EUT_Y_1TX
Setting 3.5
02-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.53664G	54.39	83.54	-29.15	49.58	1	Horizontal	311	2.48	-	37.90	15.61	48.70			
AV	20.53921G	39.63	63.54	-23.91	34.82	1	Horizontal	311	2.48	-	37.90	15.61	48.70			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX


5985MHz_TX

EUT Y_1TX
Setting 6.5
02-R-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.817G	65.79	88.20	-22.41	54.56	3	Vertical	158	2.28	-	34.07	7.81	30.65			
RMS	5.8882G	54.61	68.20	-13.59	43.24	3	Vertical	158	2.28	-	34.15	7.86	30.64			
PK	5.9558G	92.68	Inf	-Inf	81.19	3	Vertical	158	2.28	-	34.21	7.90	30.62			
RMS	5.9538G	83.32	Inf	-Inf	71.83	3	Vertical	158	2.28	-	34.21	7.90	30.62			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5985MHz_TX




EUT_Y_1TX
Setting 6.5
02-R-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.8942G	66.28	88.20	-21.92	54.88	3	Horizontal	164	1.65	-	34.18	7.86	30.64			
RMS	5.8734G	54.64	68.20	-13.56	43.34	3	Horizontal	164	1.65	-	34.09	7.85	30.64			
PK	6.0126G	92.10	Inf	-Inf	80.47	3	Horizontal	164	1.65	-	34.30	7.95	30.62			
RMS	6.0138G	82.32	Inf	-Inf	70.69	3	Horizontal	164	1.65	-	34.30	7.95	30.62			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX


5985MHz_TX

EUT_Y_1TX
Setting 6.5
02-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.96879G	48.46	74.00	-25.54	42.45	3	Vertical	183	1.80	-	39.30	12.06	45.35			
AV	11.96601G	37.83	54.00	-16.17	31.82	3	Vertical	183	1.80	-	39.30	12.06	45.35			
PK	17.95789G	55.76	74.00	-18.24	40.47	3	Vertical	9	1.47	-	46.78	12.80	44.29			
AV	17.95676G	44.26	54.00	-9.74	28.96	3	Vertical	9	1.47	-	46.79	12.80	44.29			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5985MHz_TX




EUT_Y_1TX
Setting 6.5
02-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.97411G	48.68	74.00	-25.32	42.67	3	Horizontal	85	2.35	-	39.30	12.06	45.35			
AV	11.97381G	38.24	54.00	-15.76	32.23	3	Horizontal	85	2.35	-	39.30	12.06	45.35			
PK	17.95774G	55.96	74.00	-18.04	40.67	3	Horizontal	71	1.03	-	46.78	12.80	44.29			
AV	17.95485G	44.34	54.00	-9.66	29.04	3	Horizontal	71	1.03	-	46.79	12.80	44.29			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5985MHz_TX




EUT_Y_1TX
Setting 6.5
02-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	23.94232G	57.09	83.54	-26.45	48.40	1	Vertical	274	1.71	-	39.00	17.31	47.62			
AV	23.9416G	43.05	63.54	-20.49	34.36	1	Vertical	274	1.71	-	39.00	17.31	47.62			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX


5985MHz_TX

EUT_Y_1TX
Setting 6.5
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.94134G	56.73	83.54	-26.81	48.04	1	Horizontal	258	2.99	-	39.00	17.31	47.62			
AV	23.9419G	43.14	63.54	-20.40	34.45	1	Horizontal	258	2.99	-	39.00	17.31	47.62			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6225MHz_TX




EUT_V_1TX
Setting 7
02-R-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.45456G	47.44	74.00	-26.56	42.25	3	Vertical	22	1.80	-	38.79	12.01	45.61			
AV	12.44993G	36.36	54.00	-17.64	31.15	3	Vertical	22	1.80	-	38.80	12.01	45.60			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX


6225MHz_TX

EUT_V_1TX
Setting 7
02-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.45307G	47.18	74.00	-26.82	41.98	3	Horizontal	152	1.78	-	38.79	12.01	45.60			
AV	12.44972G	37.02	54.00	-16.98	31.81	3	Horizontal	152	1.78	-	38.80	12.01	45.60			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX


6225MHz_TX

EUT_Y_1TX
Setting 7
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.67627G	52.00	83.54	-31.54	47.33	1	Vertical	62	1.53	-	37.90	15.25	48.48			
AV	18.67791G	38.38	63.54	-25.16	33.71	1	Vertical	62	1.53	-	37.90	15.25	48.48			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX


6225MHz_TX

EUT_Y_1TX
Setting 7
02-R-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.67093G	52.83	83.54	-30.71	48.15	1	Horizontal	216	1.58	-	37.90	15.25	48.47			
AV	18.67792G	38.38	63.54	-25.16	33.71	1	Horizontal	216	1.58	-	37.90	15.25	48.48			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6385MHz_TX




EUT_V_1TX
Setting 7.5
02-R-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.76584G	48.15	88.20	-40.05	42.68	3	Vertical	68	1.80	-	38.83	11.97	45.33			
RMS	12.77403G	37.21	68.20	-30.99	31.72	3	Vertical	68	1.80	-	38.85	11.96	45.32			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX


6385MHz_TX

EUT_Y_1TX
Setting 7.5
02-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.76917G	48.05	88.20	-40.15	42.58	3	Horizontal	157	1.86	-	38.84	11.96	45.33			
RMS	12.7699G	38.05	68.20	-30.15	32.58	3	Horizontal	157	1.86	-	38.84	11.96	45.33			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX


6385MHz_TX

EUT_Y_1TX
Setting 7.5
02-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.1551G	50.97	83.54	-32.57	46.57	1	Vertical	224	1.75	-	37.98	15.22	48.80			
AV	19.1589G	37.38	63.54	-26.16	33.00	1	Vertical	224	1.75	-	37.96	15.22	48.80			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX


6385MHz_TX

EUT_Y_1TX
Setting 7.5
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.1566G	51.09	83.54	-32.45	46.70	1	Horizontal	168	2.90	-	37.97	15.22	48.80			
AV	19.15909G	37.39	63.54	-26.15	33.01	1	Horizontal	168	2.90	-	37.96	15.22	48.80			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX


6625MHz_TX

EUT V_1TX
Setting 6.5
02-R-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.25413G	48.08	74.00	-25.92	41.04	3	Vertical	195	1.79	-	40.01	11.89	44.86			
AV	13.25407G	38.25	54.00	-15.75	31.21	3	Vertical	195	1.79	-	40.01	11.89	44.86			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6625MHz_TX




EUT_V_1TX
Setting 6.5
02-R-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.25134G	48.51	74.00	-25.49	41.48	3	Horizontal	236	1.59	-	40.00	11.89	44.86			
AV	13.25354G	38.31	54.00	-15.69	31.27	3	Horizontal	236	1.59	-	40.01	11.89	44.86			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6625MHz_TX




EUT_Y_1TX
Setting 6.5
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.87095G	51.48	83.54	-32.06	47.40	1	Vertical	355	1.70	-	37.70	15.18	48.80			
AV	19.87245G	37.45	63.54	-26.09	33.37	1	Vertical	355	1.70	-	37.70	15.18	48.80			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX


6625MHz_TX

EUT_Y_1TX
Setting 6.5
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.87774G	51.44	83.54	-32.10	47.36	1	Horizontal	213	2.95	-	37.70	15.18	48.80			
AV	19.87032G	37.48	63.54	-26.06	33.40	1	Horizontal	213	2.95	-	37.70	15.18	48.80			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6705MHz_TX




EUT_V_1TX
Setting 6
02-R-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.41005G	49.55	88.20	-38.65	42.07	3	Vertical	81	1.18	-	40.34	11.87	44.73			
RMS	13.41425G	39.31	68.20	-28.89	31.81	3	Vertical	81	1.18	-	40.36	11.87	44.73			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6705MHz_TX




EUT_V_1TX
Setting 6
02-R-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.41003G	49.09	88.20	-39.11	41.61	3	Horizontal	227	2.69	-	40.34	11.87	44.73			
RMS	13.41253G	38.47	68.20	-29.73	30.98	3	Horizontal	227	2.69	-	40.35	11.87	44.73			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6705MHz_TX




EUT_Y_1TX
Setting 6
02-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.11693G	52.69	83.54	-30.85	48.40	1	Vertical	99	2.57	-	37.80	15.27	48.78			
AV	20.11673G	38.24	63.54	-25.30	33.95	1	Vertical	99	2.57	-	37.80	15.27	48.78			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6705MHz_TX




EUT_V_1TX
Setting 6
02-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.11002G	52.61	83.54	-30.93	48.33	1	Horizontal	23	1.93	-	37.80	15.26	48.78			
AV	20.11172G	38.21	63.54	-25.33	33.93	1	Horizontal	23	1.93	-	37.80	15.26	48.78			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6785MHz_TX




EUT_V_1TX
Setting 6
02-R-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.5671G	48.46	88.20	-39.74	40.63	3	Vertical	21	1.66	-	40.60	11.84	44.61			
RMS	13.56598G	38.33	68.20	-29.87	30.49	3	Vertical	21	1.66	-	40.60	11.85	44.61			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6785MHz_TX




EUT_V_1TX
Setting 6
02-R-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.5702G	49.44	88.20	-38.76	41.61	3	Horizontal	116	1.41	-	40.60	11.84	44.61			
RMS	13.57126G	38.58	68.20	-29.62	30.75	3	Horizontal	116	1.41	-	40.60	11.84	44.61			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX


6785MHz_TX

EUT_Y_1TX
Setting 6
02-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.35109G	53.52	83.54	-30.02	48.89	1	Vertical	78	2.44	-	37.90	15.46	48.73			
AV	20.35181G	39.82	63.54	-23.72	35.19	1	Vertical	78	2.44	-	37.90	15.46	48.73			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6785MHz_TX




EUT_Y_1TX
Setting 6
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.35394G	54.48	83.54	-29.06	49.86	1	Horizontal	58	1.63	-	37.89	15.46	48.73			
AV	20.35191G	39.86	63.54	-23.68	35.23	1	Horizontal	58	1.63	-	37.90	15.46	48.73			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT_Y_1TX
Setting 6.5
02-R-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.904G	65.82	88.20	-22.38	54.38	3	Vertical	258	1.07	-	34.20	7.87	30.63			
RMS	5.9035G	54.74	68.20	-13.46	43.30	3	Vertical	258	1.07	-	34.20	7.87	30.63			
PK	6.038G	90.32	Inf	-Inf	78.68	3	Vertical	258	1.07	-	34.30	7.99	30.65			
RMS	6.0295G	81.35	Inf	-Inf	69.71	3	Vertical	258	1.07	-	34.30	7.98	30.64			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX


6025MHz_TX

EUT_Y_1TX
Setting 6.5
02-R-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.8G	65.60	88.20	-22.60	54.36	3	Horizontal	165	1.63	-	34.10	7.80	30.66			
RMS	5.9095G	54.68	68.20	-13.52	43.24	3	Horizontal	165	1.63	-	34.20	7.87	30.63			
PK	6.009G	89.54	Inf	-Inf	77.92	3	Horizontal	165	1.63	-	34.30	7.94	30.62			
RMS	6.01G	79.66	Inf	-Inf	68.03	3	Horizontal	165	1.63	-	34.30	7.95	30.62			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT_V_1TX
Setting 6.5
02-R-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.05065G	49.32	74.00	-24.68	43.54	3	Vertical	257	1.80	-	39.10	12.07	45.39			
AV	12.04596G	37.74	54.00	-16.26	31.93	3	Vertical	257	1.80	-	39.12	12.07	45.38			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT_V_1TX
Setting 6.5
02-R-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.0501G	48.13	74.00	-25.87	42.35	3	Horizontal	139	1.80	-	39.10	12.07	45.39			
AV	12.0496G	37.72	54.00	-16.28	31.94	3	Horizontal	139	1.80	-	39.10	12.07	45.39			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX


6025MHz_TX

EUT_Y_1TX
Setting 6.5
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07739G	51.96	83.54	-31.58	47.33	1	Vertical	104	2.52	-	37.56	15.29	48.22			
AV	18.0717G	39.96	63.54	-23.58	35.35	1	Vertical	104	2.52	-	37.53	15.29	48.21			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT_Y_1TX
Setting 6.5
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07561G	52.21	83.54	-31.33	47.59	1	Horizontal	70	2.62	-	37.55	15.29	48.22			
AV	18.0706G	39.99	63.54	-23.55	35.39	1	Horizontal	70	2.62	-	37.52	15.29	48.21			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX


6185MHz_TX

EUT_V_1TX
Setting 7
02-R-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.36576G	46.76	74.00	-27.24	41.49	3	Vertical	23	1.71	-	38.80	12.03	45.56			
AV	12.36925G	36.45	54.00	-17.55	31.19	3	Vertical	23	1.71	-	38.80	12.02	45.56			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX


6185MHz_TX

EUT_V_1TX
Setting 7
02-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.36584G	47.17	74.00	-26.83	41.90	3	Horizontal	305	2.05	-	38.80	12.03	45.56			
AV	12.37046G	36.28	54.00	-17.72	31.02	3	Horizontal	305	2.05	-	38.80	12.02	45.56			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6185MHz_TX




EUT_Y_1TX
Setting 7
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.55816G	51.23	83.54	-32.31	46.53	1	Vertical	325	2.99	-	37.80	15.26	48.36			
AV	18.55839G	39.27	63.54	-24.27	34.57	1	Vertical	325	2.99	-	37.80	15.26	48.36			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX


6185MHz_TX

EUT_Y_1TX
Setting 7
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.55692G	51.43	83.54	-32.11	46.73	1	Horizontal	55	1.64	-	37.80	15.26	48.36			
AV	18.55055G	39.07	63.54	-24.47	34.36	1	Horizontal	55	1.64	-	37.80	15.26	48.35			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6345MHz_TX




EUT_V_1TX
Setting 7.5
02-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.69393G	47.52	74.00	-26.48	42.25	3	Vertical	172	1.37	-	38.70	11.98	45.41			
AV	12.69065G	37.23	54.00	-16.77	31.97	3	Vertical	172	1.37	-	38.70	11.98	45.42			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6345MHz_TX




EUT_V_1TX
Setting 7.5
02-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.69309G	47.23	74.00	-26.77	41.96	3	Horizontal	271	1.24	-	38.70	11.98	45.41			
AV	12.68572G	36.84	54.00	-17.16	31.58	3	Horizontal	271	1.24	-	38.70	11.98	45.42			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6345MHz_TX




EUT_Y_1TX
Setting 7.5
02-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.03863G	51.69	83.54	-31.85	47.34	1	Vertical	266	2.71	-	37.92	15.23	48.80			
AV	19.03936G	39.12	63.54	-24.42	34.77	1	Vertical	266	2.71	-	37.92	15.23	48.80			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX


6345MHz_TX

EUT_Y_1TX
Setting 7.5
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.03251G	52.39	83.54	-31.15	48.03	1	Horizontal	11	2.49	-	37.93	15.23	48.80			
AV	19.03358G	38.91	63.54	-24.63	34.55	1	Horizontal	11	2.49	-	37.93	15.23	48.80			

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6665MHz_TX




EUT_V_1TX
Setting 6.5
02-R-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.32697G	48.56	74.00	-25.44	41.33	3	Vertical	282	1.79	-	40.15	11.88	44.80			
AV	13.33473G	38.20	54.00	-15.80	30.95	3	Vertical	282	1.79	-	40.17	11.88	44.80			

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6665MHz_TX




EUT_V_1TX
Setting 6.5
02-R-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.33106G	48.72	74.00	-25.28	41.48	3	Horizontal	326	1.76	-	40.16	11.88	44.80			
AV	13.32784G	38.66	54.00	-15.34	31.42	3	Horizontal	326	1.76	-	40.16	11.88	44.80			

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6665MHz_TX




EUT_Y_1TX
Setting 6.5
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.99897G	50.91	83.54	-32.63	46.84	1	Vertical	172	2.24	-	37.70	15.17	48.80			
AV	19.99899G	38.89	63.54	-24.65	34.82	1	Vertical	172	2.24	-	37.70	15.17	48.80			

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6665MHz_TX




EUT_Y_1TX
Setting 6.5
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.99069G	51.03	83.54	-32.51	46.94	1	Horizontal	118	2.55	-	37.72	15.17	48.80			
AV	19.99015G	38.94	63.54	-24.60	34.85	1	Horizontal	118	2.55	-	37.72	15.17	48.80			

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Y_2TX
Setting -6.5(S0 2)
02-R-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9199G	68.77	88.20	-19.43	57.32	3	Vertical	342	1.39	-	34.20	7.88	30.63			
RMS	5.9082G	57.42	68.20	-10.78	45.98	3	Vertical	342	1.39	-	34.20	7.87	30.63			
PK	5.9544G	94.25	Inf	-Inf	82.76	3	Vertical	342	1.39	-	34.21	7.90	30.62			
RMS	5.9576G	83.35	Inf	-Inf	71.85	3	Vertical	342	1.39	-	34.22	7.90	30.62			

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Y_2TX
Setting -6.5(S0 2)
02-R-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9242G	68.79	88.20	-19.41	57.34	3	Horizontal	340	1.48	-	34.20	7.88	30.63			
RMS	5.9083G	57.40	68.20	-10.80	45.96	3	Horizontal	340	1.48	-	34.20	7.87	30.63			
PK	5.9545G	93.25	Inf	-Inf	81.76	3	Horizontal	340	1.48	-	34.21	7.90	30.62			
RMS	5.9598G	82.21	Inf	-Inf	70.71	3	Horizontal	340	1.48	-	34.22	7.90	30.62			

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Y_2TX
Setting -6.5(S0 2)
02-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.90134G	51.02	74.00	-22.98	44.94	3	Vertical	262	2.95	-	39.40	12.02	45.34			
AV	11.9021G	39.06	54.00	-14.94	32.98	3	Vertical	262	2.95	-	39.40	12.02	45.34			
PK	17.86707G	57.59	74.00	-16.41	42.32	3	Vertical	66	1.18	-	46.83	12.76	44.32			
AV	17.86981G	44.82	54.00	-9.18	29.54	3	Vertical	66	1.18	-	46.84	12.76	44.32			

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5955MHz_TX

EUT_Y_2TX
Setting -6.5(S0 2)
02-R-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.91002G	51.63	74.00	-22.37	45.57	3	Horizontal	203	1.86	-	39.38	12.02	45.34			
AV	11.90988G	39.83	54.00	-14.17	33.77	3	Horizontal	203	1.86	-	39.38	12.02	45.34			
PK	17.86751G	57.46	74.00	-16.54	42.18	3	Horizontal	129	1.38	-	46.84	12.76	44.32			
AV	17.86721G	43.89	54.00	-10.11	28.62	3	Horizontal	129	1.38	-	46.83	12.76	44.32			

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5955MHz_TX



EUT_Y_2TX
Setting -6.5(S0 2)
02-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.82328G	60.40	83.54	-23.14	51.69	1	Vertical	46	1.06	-	39.10	17.28	47.67			
AV	23.82481G	46.23	63.54	-17.31	37.52	1	Vertical	46	1.06	-	39.10	17.28	47.67			