


802.11ax HEW20_Nss1,(MCS0)_1TX

6475MHz_TnomVnom




EUT_V_1TX
Setting -0.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.4516G	45.59	83.54	-37.95	42.14	1	Horizontal	295	2.56	-	37.86	15.28	49.69
AV	19.4682G	32.44	63.54	-31.10	28.97	1	Horizontal	295	2.56	-	37.87	15.29	49.69

802.11ax HEW20_Nss1,(MCS0)_1TX

6515MHz_TnomVnom




EUT_V_1TX
Setting -0.25
03-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.857G	58.04	88.20	-30.16	51.77	3	Vertical	352	1.88	-	34.34	7.46	35.53
RMS	5.9186G	47.01	68.20	-21.19	40.38	3	Vertical	352	1.88	-	34.67	7.52	35.56
PK	6.5094G	99.09	Inf	-Inf	91.83	3	Vertical	352	1.88	-	34.74	7.92	35.40
RMS	6.5066G	85.36	Inf	-Inf	78.12	3	Vertical	352	1.88	-	34.73	7.91	35.40
PK	7.1506G	63.94	88.20	-24.26	55.17	3	Vertical	352	1.88	-	36.10	8.20	35.53
RMS	7.1562G	52.52	68.20	-15.68	43.71	3	Vertical	352	1.88	-	36.14	8.20	35.53

802.11ax HEW20_Nss1,(MCS0)_1TX

6515MHz_TnomVnom




EUT V_1TX
Setting -0.25
03-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.829G	57.96	88.20	-30.24	51.78	3	Horizontal	-0	1.60	-	34.26	7.43	35.51
RMS	5.9242G	46.94	68.20	-21.26	40.28	3	Horizontal	-0	1.60	-	34.70	7.52	35.56
PK	6.5094G	96.86	Inf	-Inf	89.60	3	Horizontal	-0	1.60	-	34.74	7.92	35.40
RMS	6.5066G	82.98	Inf	-Inf	75.74	3	Horizontal	-0	1.60	-	34.73	7.91	35.40
PK	7.1758G	63.14	88.20	-25.06	54.23	3	Horizontal	-0	1.60	-	36.25	8.20	35.54
RMS	7.1618G	52.44	68.20	-15.76	43.60	3	Horizontal	-0	1.60	-	36.17	8.20	35.53

802.11ax HEW20_Nss1,(MCS0)_1TX

6515MHz_TnomVnom




EUT_V_1TX
Setting -0.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.9948G	58.54	88.20	-29.66	41.70	3	Vertical	47	1.01	-	39.49	11.60	34.25	
RMS	13.0702G	43.71	68.20	-24.49	26.46	3	Vertical	47	1.01	-	39.71	11.66	34.12	

802.11ax HEW20_Nss1,(MCS0)_1TX

6515MHz_TnomVnom




EUT_V_1TX
Setting -0.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.02G	57.62	88.20	-30.58	40.65	3	Horizontal	52	1.78	-	39.56	11.62	34.21
RMS	13.0608G	43.66	68.20	-24.54	26.47	3	Horizontal	52	1.78	-	39.68	11.65	34.14

802.11ax HEW20_Nss1,(MCS0)_1TX

6515MHz_TnomVnom




EUT_V_1TX
Setting -0.25
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.4994G	46.22	83.54	-37.32	42.72	1	Vertical	180	1.27	-	37.90	15.30	49.70
AV	19.5938G	32.80	63.54	-30.74	29.30	1	Vertical	180	1.27	-	37.86	15.34	49.70

802.11ax HEW20_Nss1,(MCS0)_1TX

6515MHz_TnomVnom




EUT_V_1TX
Setting -0.25
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.5922G	46.97	83.54	-36.57	43.47	1	Horizontal	289	2.11	-	37.86	15.34	49.70
AV	19.587G	32.83	63.54	-30.71	29.33	1	Horizontal	289	2.11	-	37.87	15.33	49.70

802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TnomVnom




EUT_V_1TX
Setting 18.25
03-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9106G	57.87	88.20	-30.33	51.28	3	Vertical	327	1.74	-	34.64	7.51	35.56
RMS	5.9218G	46.89	68.20	-21.31	40.24	3	Vertical	327	1.74	-	34.69	7.52	35.56
PK	6.5406G	113.64	Inf	-Inf	106.21	3	Vertical	327	1.74	-	34.86	7.98	35.41
RMS	6.5434G	103.52	Inf	-Inf	96.07	3	Vertical	327	1.74	-	34.87	7.99	35.41
PK	7.1314G	63.53	88.20	-24.67	54.86	3	Vertical	327	1.74	-	35.99	8.20	35.52
RMS	7.1566G	52.52	68.20	-15.68	43.71	3	Vertical	327	1.74	-	36.14	8.20	35.53

802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TnomVnom




EUT_V_1TX
 Setting 18.25
 03-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.877G	57.59	88.20	-30.61	51.19	3	Horizontal	355	1.78	-	34.46	7.48	35.54
RMS	5.919G	46.90	68.20	-21.30	40.26	3	Horizontal	355	1.78	-	34.68	7.52	35.56
PK	6.5406G	110.80	Inf	-Inf	103.37	3	Horizontal	355	1.78	-	34.86	7.98	35.41
RMS	6.5434G	100.83	Inf	-Inf	93.38	3	Horizontal	355	1.78	-	34.87	7.99	35.41
PK	7.2154G	64.09	88.20	-24.11	54.92	3	Horizontal	355	1.78	-	36.49	8.23	35.55
RMS	7.151G	52.55	68.20	-15.65	43.77	3	Horizontal	355	1.78	-	36.11	8.20	35.53

802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TnomVnom




EUT_V_1TX
Setting 18.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0848G	57.94	88.20	-30.26	40.62	3	Vertical	307	1.80	-	39.75	11.67	34.10
RMS	13.0838G	44.69	68.20	-23.51	27.37	3	Vertical	307	1.80	-	39.75	11.67	34.10

802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TnomVnom




EUT_V_1TX
Setting 18.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0848G	61.19	88.20	-27.01	43.87	3	Horizontal	202	2.92	-	39.75	11.67	34.10
RMS	13.0842G	48.00	68.20	-20.20	30.68	3	Horizontal	202	2.92	-	39.75	11.67	34.10

802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TnomVnom




EUT_V_1TX
Setting 18.25
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.6322G	47.05	83.54	-36.49	43.55	1	Vertical	213	1.96	-	37.85	15.35	49.70
AV	19.6446G	32.79	63.54	-30.75	29.29	1	Vertical	213	1.96	-	37.84	15.36	49.70

802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TnomVnom




EUT_V_1TX
Setting 18.25
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.651G	46.54	83.54	-37.00	43.04	1	Horizontal	51	2.25	-	37.84	15.36	49.70
AV	19.5902G	32.76	63.54	-30.78	29.26	1	Horizontal	51	2.25	-	37.86	15.34	49.70

802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TnomVnom




EUT_V_1TX
Setting 18.25
03-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.7016G	113.04	Inf	-Inf	104.97	3	Vertical	328	1.73	-	35.41	8.10	35.44	
RMS	6.7016G	104.92	Inf	-Inf	96.85	3	Vertical	328	1.73	-	35.41	8.10	35.44	
PK	7.1592G	63.40	88.20	-24.80	54.57	3	Vertical	328	1.73	-	36.16	8.20	35.53	
RMS	7.1548G	52.54	68.20	-15.66	43.74	3	Vertical	328	1.73	-	36.13	8.20	35.53	

802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TnomVnom




EUT_V_1TX
Setting 18.25
03-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7016G	111.86	Inf	-Inf	103.79	3	Horizontal	355	1.51	-	35.41	8.10	35.44
RMS	6.7016G	103.41	Inf	-Inf	95.34	3	Horizontal	355	1.51	-	35.41	8.10	35.44
PK	7.1636G	63.04	88.20	-25.16	54.19	3	Horizontal	355	1.51	-	36.18	8.20	35.53
RMS	7.1548G	52.55	68.20	-15.65	43.75	3	Horizontal	355	1.51	-	36.13	8.20	35.53

802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TnomVnom




EUT_V_1TX
 Setting 18.25
 03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.4356G	58.47	88.20	-29.73	39.70	3	Vertical	178	1.98	-	40.34	11.95	33.52
RMS	13.4038G	44.83	68.20	-23.37	26.18	3	Vertical	178	1.98	-	40.30	11.92	33.57

802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TnomVnom




EUT V_1TX
Setting 18.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.4022G	62.77	88.20	-25.43	44.12	3	Horizontal	202	2.43	-	40.30	11.92	33.57
RMS	13.4038G	48.79	68.20	-19.41	30.14	3	Horizontal	202	2.43	-	40.30	11.92	33.57

802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TnomVnom




EUT_V_1TX
Setting 18.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.0578G	46.99	83.54	-36.55	43.73	1	Vertical	97	1.23	-	37.45	15.53	49.72
AV	20.0762G	33.33	63.54	-30.21	30.07	1	Vertical	97	1.23	-	37.46	15.53	49.73

802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TnomVnom




EUT_V_1TX
Setting 18.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.1078G	46.91	83.54	-36.63	43.61	1	Horizontal	217	2.29	-	37.49	15.55	49.74
AV	20.0516G	33.33	63.54	-30.21	30.09	1	Horizontal	217	2.29	-	37.44	15.52	49.72

802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TnomVnom




EUT_V_1TX
Setting 23
01-M-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.848G	119.72	Inf	-Inf	109.04	3	Vertical	76	1.35	-	36.58	7.07	32.97
RMS	6.848G	112.87	Inf	-Inf	102.19	3	Vertical	76	1.35	-	36.58	7.07	32.97
PK	7.198G	64.06	88.20	-24.14	52.89	3	Vertical	76	1.35	-	37.09	7.20	33.12
RMS	7.17G	53.15	68.20	-15.05	42.07	3	Vertical	76	1.35	-	36.98	7.21	33.11

802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TnomVnom




EUT_V_1TX
Setting 23
01-M-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8494G	118.31	Inf	-Inf	107.61	3	Horizontal	17	2.02	-	36.60	7.07	32.97
RMS	6.848G	111.10	Inf	-Inf	100.42	3	Horizontal	17	2.02	-	36.58	7.07	32.97
PK	7.142G	64.45	88.20	-23.75	53.47	3	Horizontal	17	2.02	-	36.84	7.23	33.09
RMS	7.1784G	53.17	68.20	-15.03	42.06	3	Horizontal	17	2.02	-	37.01	7.21	33.11

802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TnomVnom




EUT_V_1TX
 Setting 23
 01-M-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7087G	74.97	88.20	-13.23	54.33	3	Vertical	283	1.69	-	40.53	9.77	29.66
RMS	13.70834G	60.13	68.20	-8.07	39.49	3	Vertical	283	1.69	-	40.53	9.77	29.66

802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TnomVnom




EUT_V_1TX
 Setting 23
 01-M-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.70876G	75.25	88.20	-12.95	54.61	3	Horizontal	193	2.80	-	40.53	9.77	29.66
RMS	13.7084G	60.22	68.20	-7.98	39.58	3	Horizontal	193	2.80	-	40.53	9.77	29.66

802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TnomVnom




EUT_V_1TX
 Setting 23
 01-M-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.56276G	46.49	83.54	-37.05	42.83	1	Vertical	197	1.54	-	37.78	15.75	49.87
AV	20.5675G	34.37	63.54	-29.17	30.70	1	Vertical	197	1.54	-	37.78	15.76	49.87

802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TnomVnom




EUT_V_1TX
Setting 23
01-M-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.56858G	47.08	83.54	-36.46	43.41	1	Horizontal	330	1.57	-	37.78	15.76	49.87
AV	20.5677G	34.37	63.54	-29.17	30.70	1	Horizontal	330	1.57	-	37.78	15.76	49.87

802.11ax HEW20_Nss1,(MCS0)_1TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT V_1TX
Setting -0.5
03-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.881G	98.68	Inf	-Inf	90.37	3	Vertical	349	1.89	-	35.64	8.14	35.47	
RMS	6.881G	89.31	Inf	-Inf	81.00	3	Vertical	349	1.89	-	35.64	8.14	35.47	
PK	7.1534G	63.26	88.20	-24.94	54.47	3	Vertical	349	1.89	-	36.12	8.20	35.53	
RMS	7.1486G	52.56	68.20	-15.64	43.80	3	Vertical	349	1.89	-	36.09	8.20	35.53	

802.11ax HEW20_Nss1,(MCS0)_1TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT V_1TX
 Setting -0.5
 03-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8834G	96.65	Inf	-Inf	88.35	3	Horizontal	347	1.73	-	35.63	8.14	35.47
RMS	6.881G	87.35	Inf	-Inf	79.04	3	Horizontal	347	1.73	-	35.64	8.14	35.47
PK	7.1486G	63.25	88.20	-24.95	54.49	3	Horizontal	347	1.73	-	36.09	8.20	35.53
RMS	7.1558G	52.59	68.20	-15.61	43.79	3	Horizontal	347	1.73	-	36.13	8.20	35.53

802.11ax HEW20_Nss1,(MCS0)_1TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_1TX
 Setting -0.5
 03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7986G	58.70	88.20	-29.50	39.17	3	Vertical	265	1.04	-	40.80	12.24	33.51
RMS	13.7952G	45.67	68.20	-22.53	26.15	3	Vertical	265	1.04	-	40.79	12.24	33.51

802.11ax HEW20_Nss1,(MCS0)_1TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_1TX
 Setting -0.5
 03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7984G	58.53	88.20	-29.67	39.00	3	Horizontal	148	1.91	-	40.80	12.24	33.51
RMS	13.7954G	45.63	68.20	-22.57	26.11	3	Horizontal	148	1.91	-	40.79	12.24	33.51

802.11ax HEW20_Nss1,(MCS0)_1TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_1TX
Setting -0.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.6454G	47.61	83.54	-35.93	43.79	1	Vertical	176	2.75	-	37.87	15.79	49.84
AV	20.5782G	33.99	63.54	-29.55	30.31	1	Vertical	176	2.75	-	37.79	15.76	49.87

802.11ax HEW20_Nss1,(MCS0)_1TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_1TX
Setting -0.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.5978G	46.98	83.54	-36.56	43.25	1	Horizontal	151	1.72	-	37.82	15.77	49.86
AV	20.5838G	34.01	63.54	-29.53	30.32	1	Horizontal	151	1.72	-	37.80	15.76	49.87

802.11ax HEW20_Nss1,(MCS0)_1TX

6895MHz_TnomVnom




EUT V_1TX
 Setting -0.5
 03-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.9034G	97.98	Inf	-Inf	89.69	3	Vertical	327	1.74	-	35.61	8.15	35.47	
RMS	6.901G	89.42	Inf	-Inf	81.14	3	Vertical	327	1.74	-	35.60	8.15	35.47	
PK	7.1362G	63.18	88.20	-25.02	54.49	3	Vertical	327	1.74	-	36.02	8.20	35.53	
RMS	7.1542G	52.53	68.20	-15.67	43.73	3	Vertical	327	1.74	-	36.13	8.20	35.53	

802.11ax HEW20_Nss1,(MCS0)_1TX

6895MHz_TnomVnom




EUT V_1TX
Setting -0.5
03-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.9022G	95.87	Inf	-Inf	87.59	3	Horizontal	348	1.69	-	35.60	8.15	35.47	
RMS	6.901G	87.34	Inf	-Inf	79.06	3	Horizontal	348	1.69	-	35.60	8.15	35.47	
PK	7.1338G	63.60	88.20	-24.60	54.92	3	Horizontal	348	1.69	-	36.00	8.20	35.52	
RMS	7.1542G	52.52	68.20	-15.68	43.72	3	Horizontal	348	1.69	-	36.13	8.20	35.53	

802.11ax HEW20_Nss1,(MCS0)_1TX

6895MHz_TnomVnom




EUT_V_1TX
Setting -0.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.8186G	58.89	88.20	-29.31	39.32	3	Vertical	10	2.87	-	40.84	12.25	33.52
RMS	13.8182G	45.58	68.20	-22.62	26.01	3	Vertical	10	2.87	-	40.84	12.25	33.52

802.11ax HEW20_Nss1,(MCS0)_1TX

6895MHz_TnomVnom




EUT_V_1TX
Setting -0.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.8348G	59.03	88.20	-29.17	39.41	3	Horizontal	52	2.77	-	40.87	12.27	33.52
RMS	13.8124G	45.80	68.20	-22.40	26.25	3	Horizontal	52	2.77	-	40.82	12.25	33.52

802.11ax HEW20_Nss1,(MCS0)_1TX

6895MHz_TnomVnom




EUT_V_1TX
Setting -0.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.6906G	47.42	83.54	-36.12	43.50	1	Vertical	219	2.81	-	37.93	15.81	49.82
AV	20.6664G	34.02	63.54	-29.52	30.15	1	Vertical	219	2.81	-	37.90	15.80	49.83

802.11ax HEW20_Nss1,(MCS0)_1TX

6895MHz_TnomVnom




EUT V_1TX
Setting -0.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.6632G	48.43	83.54	-35.11	44.56	1	Horizontal	193	1.38	-	37.90	15.80	49.83
AV	20.6448G	33.99	63.54	-29.55	30.17	1	Horizontal	193	1.38	-	37.87	15.79	49.84

802.11ax HEW20_Nss1,(MCS0)_1TX

6995MHz_TnomVnom




EUT_V_1TX
Setting -1
03-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.003G	99.47	Inf	-Inf	91.06	3	Vertical	320	1.80	-	35.70	8.20	35.49	
RMS	7.0014G	91.16	Inf	-Inf	82.75	3	Vertical	320	1.80	-	35.70	8.20	35.49	
PK	7.147G	63.67	88.20	-24.53	54.92	3	Vertical	320	1.80	-	36.08	8.20	35.53	
RMS	7.1566G	52.51	68.20	-15.69	43.70	3	Vertical	320	1.80	-	36.14	8.20	35.53	

802.11ax HEW20_Nss1,(MCS0)_1TX

6995MHz_TnomVnom




EUT_V_1TX
Setting -1
03-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.003G	99.53	Inf	-Inf	91.12	3	Horizontal	324	2.11	-	35.70	8.20	35.49
RMS	7.0014G	90.22	Inf	-Inf	81.81	3	Horizontal	324	2.11	-	35.70	8.20	35.49
PK	7.1814G	63.69	88.20	-24.51	54.74	3	Horizontal	324	2.11	-	36.29	8.20	35.54
RMS	7.1622G	52.56	68.20	-15.64	43.72	3	Horizontal	324	2.11	-	36.17	8.20	35.53

802.11ax HEW20_Nss1,(MCS0)_1TX

6995MHz_TnomVnom




EUT_V_1TX
Setting -1
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.0242G	59.47	88.20	-28.73	39.41	3	Vertical	282	2.58	-	41.27	12.41	33.62
RMS	14.0396G	46.11	68.20	-22.09	26.01	3	Vertical	282	2.58	-	41.32	12.42	33.64

802.11ax HEW20_Nss1,(MCS0)_1TX

6995MHz_TnomVnom




EUT_V_1TX
 Setting -1
 03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.0288G	59.60	88.20	-28.60	39.53	3	Horizontal	121	1.27	-	41.29	12.41	33.63
RMS	14.038G	46.12	68.20	-22.08	26.03	3	Horizontal	121	1.27	-	41.31	12.42	33.64

802.11ax HEW20_Nss1,(MCS0)_1TX

6995MHz_TnomVnom




EUT_V_1TX
Setting -1
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.994G	47.84	83.54	-35.70	43.98	1	Vertical	158	2.40	-	37.61	15.95	49.70
AV	21.0114G	33.34	63.54	-30.20	29.48	1	Vertical	158	2.40	-	37.60	15.96	49.70

802.11ax HEW20_Nss1,(MCS0)_1TX

6995MHz_TnomVnom




EUT_V_1TX
Setting -1
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	21.0264G	47.04	83.54	-36.50	43.17	1	Horizontal	137	2.57	-	37.60	15.96	49.69
AV	21.0204G	33.37	63.54	-30.17	29.51	1	Horizontal	137	2.57	-	37.60	15.96	49.70

802.11ax HEW20_Nss1,(MCS0)_1TX

7095MHz_TnomVnom




EUT V_1TX
Setting 2.25
03-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.1026G	98.71	Inf	-Inf	90.21	3	Vertical	324	1.79	-	35.82	8.20	35.52	
RMS	7.101G	90.33	Inf	-Inf	81.84	3	Vertical	324	1.79	-	35.81	8.20	35.52	
PK	7.1718G	64.86	88.20	-23.34	55.96	3	Vertical	324	1.79	-	36.23	8.20	35.53	
RMS	7.1506G	52.60	68.20	-15.60	43.83	3	Vertical	324	1.79	-	36.10	8.20	35.53	

802.11ax HEW20_Nss1,(MCS0)_1TX

7095MHz_TnomVnom




EUT_V_1TX
Setting 2.25
03-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.1026G	98.36	Inf	-Inf	89.86	3	Horizontal	339	2.09	-	35.82	8.20	35.52	
RMS	7.1014G	89.91	Inf	-Inf	81.42	3	Horizontal	339	2.09	-	35.81	8.20	35.52	
PK	7.1414G	63.94	88.20	-24.26	55.22	3	Horizontal	339	2.09	-	36.05	8.20	35.53	
RMS	7.1526G	52.61	68.20	-15.59	43.82	3	Horizontal	339	2.09	-	36.12	8.20	35.53	

802.11ax HEW20_Nss1,(MCS0)_1TX

7095MHz_TnomVnom




EUT_V_1TX
Setting 2.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.2296G	60.51	88.20	-27.69	40.34	3	Vertical	243	2.14	-	41.60	12.51	33.94
RMS	14.2382G	46.80	68.20	-21.40	26.64	3	Vertical	243	2.14	-	41.60	12.52	33.96

802.11ax HEW20_Nss1,(MCS0)_1TX

7095MHz_TnomVnom




EUT V_1TX
 Setting 2.25
 03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.239G	60.71	88.20	-27.49	40.55	3	Horizontal	23	1.64	-	41.60	12.52	33.96
RMS	14.238G	46.89	68.20	-21.31	26.73	3	Horizontal	23	1.64	-	41.60	12.52	33.96

802.11ax HEW20_Nss1,(MCS0)_1TX

7095MHz_TnomVnom




EUT_V_1TX
Setting 2.25
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	21.2452G	47.80	83.54	-35.74	43.79	1	Vertical	113	2.25	-	37.60	16.06	49.65
AV	21.2466G	34.42	63.54	-29.12	30.41	1	Vertical	113	2.25	-	37.60	16.06	49.65

802.11ax HEW20_Nss1,(MCS0)_1TX

7095MHz_TnomVnom




EUT_V_1TX
Setting 2.25
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	21.2792G	47.79	83.54	-35.75	43.71	1	Horizontal	244	3.00	-	37.64	16.08	49.64	
AV	21.2408G	34.38	63.54	-29.16	30.37	1	Horizontal	244	3.00	-	37.60	16.06	49.65	

802.11ax HEW20_Nss1,(MCS0)_1TX

7115MHz_TnomVnom




EUT_V_1TX
Setting 10
03-G-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.1211G	94.84	Inf	-Inf	85.77	3	Vertical	16	1.46	-	35.93	8.20	35.06	
RMS	7.12115G	88.22	Inf	-Inf	79.15	3	Vertical	16	1.46	-	35.93	8.20	35.06	
PK	7.1255G	72.94	88.20	-15.26	63.85	3	Vertical	16	1.46	-	35.95	8.20	35.06	
RMS	7.1255G	61.62	68.20	-6.58	52.53	3	Vertical	16	1.46	-	35.95	8.20	35.06	

802.11ax HEW20_Nss1,(MCS0)_1TX

7115MHz_TnomVnom




EUT_V_1TX
Setting 10
03-G-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.1211G	93.51	Inf	-Inf	84.44	3	Horizontal	159	2.39	-	35.93	8.20	35.06	
RMS	7.12113G	86.81	Inf	-Inf	77.74	3	Horizontal	159	2.39	-	35.93	8.20	35.06	
PK	7.1255G	71.74	88.20	-16.46	62.65	3	Horizontal	159	2.39	-	35.95	8.20	35.06	
RMS	7.1255G	60.39	68.20	-7.81	51.30	3	Horizontal	159	2.39	-	35.95	8.20	35.06	

802.11ax HEW20_Nss1,(MCS0)_1TX

7115MHz_TnomVnom




EUT_V_1TX
Setting 10
03-G-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.22504G	63.32	88.20	-24.88	42.22	3	Vertical	118	1.53	-	41.60	12.51	33.01
RMS	14.22832G	49.94	68.20	-18.26	28.84	3	Vertical	118	1.53	-	41.60	12.51	33.01

802.11ax HEW20_Nss1,(MCS0)_1TX

7115MHz_TnomVnom




EUT_V_1TX
Setting 10
03-G-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.22546G	62.39	88.20	-25.81	41.29	3	Horizontal	112	1.44	-	41.60	12.51	33.01
RMS	14.23072G	49.96	68.20	-18.24	28.86	3	Horizontal	112	1.44	-	41.60	12.52	33.02

802.11ax HEW20_Nss1,(MCS0)_1TX

7115MHz_TnomVnom




EUT_V_1TX
Setting 10
03-G-S-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	21.34812G	48.44	83.54	-35.10	44.24	1	Vertical	313	1.55	-	37.72	16.11	49.63	
AV	21.3443G	35.54	63.54	-28.00	31.36	1	Vertical	313	1.55	-	37.71	16.10	49.63	

802.11ax HEW20_Nss1,(MCS0)_1TX

7115MHz_TnomVnom



EUT_V_1TX
Setting 10
03-G-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.34394G	48.31	83.54	-35.23	44.13	1	Horizontal	352	1.52	-	37.71	16.10	49.63
AV	21.34782G	35.62	63.54	-27.92	31.42	1	Horizontal	352	1.52	-	37.72	16.11	49.63



RSE TX above 1GHz
<Partial RU> low power_RU106_1TX_Ant. 1


Appendix E.10

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	AV	11.90111G	53.74	54.00	-0.26	3	Vertical	296	2.24	-

802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TnomVnom




EUT_V_1TX
Setting 15.75
01-M-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9222G	67.03	88.20	-21.17	58.25	3	Vertical	42	1.14	-	34.99	6.60	32.81
RMS	5.925G	51.84	68.20	-16.36	43.05	3	Vertical	42	1.14	-	35.00	6.60	32.81
PK	5.9518G	113.81	Inf	-Inf	104.92	3	Vertical	42	1.14	-	35.11	6.60	32.82
RMS	5.9522G	105.25	Inf	-Inf	96.36	3	Vertical	42	1.14	-	35.11	6.60	32.82

802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TnomVnom




EUT V_1TX
Setting 15.75
01-M-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9198G	66.64	88.20	-21.56	57.87	3	Horizontal	360	1.70	-	34.98	6.60	32.81
RMS	5.9238G	51.33	68.20	-16.87	42.54	3	Horizontal	360	1.70	-	35.00	6.60	32.81
PK	5.9522G	111.12	Inf	-Inf	102.23	3	Horizontal	360	1.70	-	35.11	6.60	32.82
RMS	5.9522G	102.40	Inf	-Inf	93.51	3	Horizontal	360	1.70	-	35.11	6.60	32.82

802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TnomVnom




EUT_V_1TX
Setting 15.75
01-M-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.90141G	65.67	74.00	-8.33	49.77	3	Vertical	296	2.24	-	38.50	8.98	31.58
AV	11.90111G	53.74	54.00	-0.26	37.84	3	Vertical	296	2.24	-	38.50	8.98	31.58

802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TnomVnom




EUT_V_1TX
Setting 15.75
01-M-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.89711G	65.88	74.00	-8.12	49.99	3	Horizontal	209	1.50	-	38.50	8.97	31.58
AV	11.90101G	53.52	54.00	-0.48	37.62	3	Horizontal	209	1.50	-	38.50	8.98	31.58

802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TnomVnom




EUT V_1TX
Setting 20.75
03-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.925G	58.48	88.20	-29.72	51.81	3	Vertical	223	1.94	-	34.70	7.53	35.56	
RMS	5.9238G	46.94	68.20	-21.26	40.28	3	Vertical	223	1.94	-	34.70	7.52	35.56	
PK	6.1926G	112.47	Inf	-Inf	105.12	3	Vertical	223	1.94	-	35.17	7.70	35.52	
RMS	6.1926G	104.65	Inf	-Inf	97.30	3	Vertical	223	1.94	-	35.17	7.70	35.52	

802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TnomVnom




EUT V_1TX
Setting 20.75
03-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.919G	58.56	88.20	-29.64	51.92	3	Horizontal	198	1.80	-	34.68	7.52	35.56
RMS	5.925G	46.92	68.20	-21.28	40.25	3	Horizontal	198	1.80	-	34.70	7.53	35.56
PK	6.1926G	111.11	Inf	-Inf	103.76	3	Horizontal	198	1.80	-	35.17	7.70	35.52
RMS	6.1926G	103.17	Inf	-Inf	95.82	3	Horizontal	198	1.80	-	35.17	7.70	35.52

802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TnomVnom




EUT V_1TX
Setting 20.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.3828G	58.72	74.00	-15.28	44.14	3	Vertical	263	1.79	-	38.88	11.11	35.41	
AV	12.38124G	45.46	54.00	-8.54	30.89	3	Vertical	263	1.79	-	38.88	11.10	35.41	

802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TnomVnom




EUT V_1TX
Setting 20.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.38262G	63.44	74.00	-10.56	48.86	3	Horizontal	209	1.80	-	38.88	11.11	35.41
AV	12.3813G	51.21	54.00	-2.79	36.63	3	Horizontal	209	1.80	-	38.88	11.11	35.41

802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TnomVnom




EUT_V_1TX
Setting 20.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.58584G	44.93	83.54	-38.61	42.24	1	Vertical	1	1.84	-	37.77	14.93	50.01
AV	18.57096G	30.79	63.54	-32.75	28.12	1	Vertical	1	1.84	-	37.77	14.93	50.03

802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TnomVnom




EUT V_1TX
Setting 20.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	18.59226G	44.63	83.54	-38.91	41.94	1	Horizontal	298	2.24	-	37.76	14.94	50.01	
AV	18.57114G	30.77	63.54	-32.77	28.10	1	Horizontal	298	2.24	-	37.77	14.93	50.03	

802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TnomVnom




EUT V_1TX
Setting 21.25
03-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9158G	57.90	88.20	-30.30	51.28	3	Vertical	329	1.80	-	34.66	7.52	35.56
RMS	5.925G	46.99	68.20	-21.21	40.33	3	Vertical	329	1.80	-	34.70	7.52	35.56
PK	6.4126G	112.19	Inf	-Inf	105.04	3	Vertical	329	1.80	-	34.85	7.73	35.43
RMS	6.4126G	104.13	Inf	-Inf	96.98	3	Vertical	329	1.80	-	34.85	7.73	35.43

802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TnomVnom




EUT V_1TX
Setting 21.25
03-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.8342G	57.31	88.20	-30.89	51.13	3	Horizontal	0	1.85	-	34.27	7.43	35.52	
RMS	5.923G	46.92	68.20	-21.28	40.27	3	Horizontal	0	1.85	-	34.69	7.52	35.56	
PK	6.4126G	111.50	Inf	-Inf	104.35	3	Horizontal	0	1.85	-	34.85	7.73	35.43	
RMS	6.4126G	103.37	Inf	-Inf	96.22	3	Horizontal	0	1.85	-	34.85	7.73	35.43	

802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TnomVnom




EUT V_1TX
Setting 21.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.82106G	59.36	88.20	-28.84	43.23	3	Vertical	265	1.80	-	39.32	11.46	34.65
RMS	12.82124G	45.43	68.20	-22.77	29.30	3	Vertical	265	1.80	-	39.32	11.46	34.65

802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TnomVnom




EUT V_1TX
Setting 21.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.82058G	64.99	88.20	-23.21	48.86	3	Horizontal	207	1.71	-	39.32	11.46	34.65
RMS	12.82124G	52.77	68.20	-15.43	36.64	3	Horizontal	207	1.71	-	39.32	11.46	34.65

802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TnomVnom




EUT_V_1TX
Setting 21.25
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.2303G	45.41	83.54	-38.13	42.15	1	Vertical	170	2.46	-	37.72	15.19	49.65
AV	19.23318G	31.59	63.54	-31.95	28.33	1	Vertical	170	2.46	-	37.72	15.19	49.65

802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TnomVnom




EUT_V_1TX
Setting 21.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	19.25886G	45.66	83.54	-37.88	42.40	1	Horizontal	111	1.04	-	37.71	15.20	49.65	
AV	19.23348G	31.55	63.54	-31.99	28.29	1	Horizontal	111	1.04	-	37.72	15.19	49.65	

802.11ax HEW20_Nss1,(MCS0)_1TX

6435MHz_TnomVnom




EUT V_1TX
Setting 2.75
03-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8058G	57.42	88.20	-30.78	51.30	3	Vertical	282	2.09	-	34.21	7.41	35.50
RMS	5.9202G	46.88	68.20	-21.32	40.24	3	Vertical	282	2.09	-	34.68	7.52	35.56
PK	6.4324G	94.85	Inf	-Inf	87.75	3	Vertical	282	2.09	-	34.77	7.76	35.43
RMS	6.4324G	86.11	Inf	-Inf	79.01	3	Vertical	282	2.09	-	34.77	7.76	35.43

802.11ax HEW20_Nss1,(MCS0)_1TX

6435MHz_TnomVnom




EUT V_1TX
Setting 2.75
03-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8968G	57.84	88.20	-30.36	51.31	3	Horizontal	352	1.80	-	34.58	7.50	35.55
RMS	5.925G	46.87	68.20	-21.33	40.21	3	Horizontal	352	1.80	-	34.70	7.52	35.56
PK	6.4324G	93.20	Inf	-Inf	86.10	3	Horizontal	352	1.80	-	34.77	7.76	35.43
RMS	6.4324G	84.25	Inf	-Inf	77.15	3	Horizontal	352	1.80	-	34.77	7.76	35.43

802.11ax HEW20_Nss1,(MCS0)_1TX

6435MHz_TnomVnom




EUT V_1TX
Setting 2.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.8664G	56.34	88.20	-31.86	40.03	3	Vertical	195	1.03	-	39.37	11.49	34.55	
RMS	12.88182G	42.50	68.20	-25.70	26.12	3	Vertical	195	1.03	-	39.38	11.51	34.51	

802.11ax HEW20_Nss1,(MCS0)_1TX

6435MHz_TnomVnom




EUT_V_1TX
Setting 2.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.86682G	56.15	88.20	-32.05	39.84	3	Horizontal	196	1.88	-	39.37	11.49	34.55	
RMS	12.8817G	42.45	68.20	-25.75	26.07	3	Horizontal	196	1.88	-	39.38	11.51	34.51	

802.11ax HEW20_Nss1,(MCS0)_1TX

6435MHz_TnomVnom




EUT V_1TX
Setting 2.75
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.3152G	44.99	83.54	-38.55	41.67	1	Vertical	98	2.48	-	37.75	15.23	49.66	
AV	19.31292G	31.44	63.54	-32.10	28.12	1	Vertical	98	2.48	-	37.75	15.23	49.66	

802.11ax HEW20_Nss1,(MCS0)_1TX

6435MHz_TnomVnom




EUT V_1TX
Setting 2.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.29276G	45.45	83.54	-38.09	42.16	1	Horizontal	168	2.48	-	37.73	15.22	49.66
AV	19.29114G	31.42	63.54	-32.12	28.13	1	Horizontal	168	2.48	-	37.73	15.22	49.66

802.11ax HEW20_Nss1,(MCS0)_1TX

6475MHz_TnomVnom




EUT V_1TX
Setting 2.75
03-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.859G	57.92	88.20	-30.28	51.64	3	Vertical	324	1.86	-	34.35	7.46	35.53
RMS	5.925G	46.93	68.20	-21.27	40.27	3	Vertical	324	1.86	-	34.70	7.52	35.56
PK	6.4722G	96.67	Inf	-Inf	89.54	3	Vertical	324	1.86	-	34.70	7.84	35.41
RMS	6.4722G	86.63	Inf	-Inf	79.50	3	Vertical	324	1.86	-	34.70	7.84	35.41
PK	7.1442G	63.55	88.20	-24.65	54.81	3	Vertical	324	1.86	-	36.07	8.20	35.53
RMS	7.1526G	52.39	68.20	-15.81	43.60	3	Vertical	324	1.86	-	36.12	8.20	35.53

802.11ax HEW20_Nss1,(MCS0)_1TX

6475MHz_TnomVnom




EUT_V_1TX
 Setting 2.75
 03-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9066G	57.21	88.20	-30.99	50.62	3	Horizontal	358	1.76	-	34.63	7.51	35.55
RMS	5.925G	46.91	68.20	-21.29	40.25	3	Horizontal	358	1.76	-	34.70	7.52	35.56
PK	6.4722G	93.59	Inf	-Inf	86.46	3	Horizontal	358	1.76	-	34.70	7.84	35.41
RMS	6.4722G	84.16	Inf	-Inf	77.03	3	Horizontal	358	1.76	-	34.70	7.84	35.41
PK	7.133G	63.35	88.20	-24.85	54.67	3	Horizontal	358	1.76	-	36.00	8.20	35.52
RMS	7.1582G	52.41	68.20	-15.79	43.59	3	Horizontal	358	1.76	-	36.15	8.20	35.53

802.11ax HEW20_Nss1,(MCS0)_1TX

6475MHz_TnomVnom




EUT_V_1TX
Setting 2.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.96362G	56.79	88.20	-31.41	40.08	3	Vertical	187	2.88	-	39.46	11.57	34.32	
RMS	12.95924G	43.23	68.20	-24.97	26.53	3	Vertical	187	2.88	-	39.46	11.57	34.33	

802.11ax HEW20_Nss1,(MCS0)_1TX

6475MHz_TnomVnom




EUT V_1TX
 Setting 2.75
 03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.95852G	57.36	88.20	-30.84	40.67	3	Horizontal	266	2.09	-	39.46	11.57	34.34
RMS	12.96092G	43.22	68.20	-24.98	26.52	3	Horizontal	266	2.09	-	39.46	11.57	34.33

802.11ax HEW20_Nss1,(MCS0)_1TX

6475MHz_TnomVnom




EUT V_1TX
Setting 2.75
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.42524G	46.10	83.54	-37.44	42.68	1	Vertical	54	2.20	-	37.84	15.27	49.69	
AV	19.43844G	32.00	63.54	-31.54	28.56	1	Vertical	54	2.20	-	37.85	15.28	49.69	

802.11ax HEW20_Nss1,(MCS0)_1TX

6475MHz_TnomVnom




EUT V_1TX
Setting 2.75
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.42842G	45.42	83.54	-38.12	42.00	1	Horizontal	30	2.03	-	37.84	15.27	49.69	
AV	19.43808G	31.99	63.54	-31.55	28.55	1	Horizontal	30	2.03	-	37.85	15.28	49.69	

802.11ax HEW20_Nss1,(MCS0)_1TX

6515MHz_TnomVnom




EUT_V_1TX
Setting 3
03-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.843G	57.61	88.20	-30.59	51.40	3	Vertical	334	1.80	-	34.29	7.44	35.52
RMS	5.9214G	46.95	68.20	-21.25	40.30	3	Vertical	334	1.80	-	34.69	7.52	35.56
PK	6.5122G	95.97	Inf	-Inf	88.70	3	Vertical	334	1.80	-	34.75	7.92	35.40
RMS	6.5122G	87.03	Inf	-Inf	79.76	3	Vertical	334	1.80	-	34.75	7.92	35.40
PK	7.1646G	63.37	88.20	-24.83	54.51	3	Vertical	334	1.80	-	36.19	8.20	35.53
RMS	7.1562G	52.43	68.20	-15.77	43.62	3	Vertical	334	1.80	-	36.14	8.20	35.53

802.11ax HEW20_Nss1,(MCS0)_1TX

6515MHz_TnomVnom




EUT_V_1TX
Setting 3
03-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8458G	57.11	88.20	-31.09	50.89	3	Horizontal	356	1.85	-	34.29	7.45	35.52
RMS	5.9214G	46.90	68.20	-21.30	40.25	3	Horizontal	356	1.85	-	34.69	7.52	35.56
PK	6.5122G	94.62	Inf	-Inf	87.35	3	Horizontal	356	1.85	-	34.75	7.92	35.40
RMS	6.5122G	85.69	Inf	-Inf	78.42	3	Horizontal	356	1.85	-	34.75	7.92	35.40
PK	7.1842G	62.98	88.20	-25.22	54.01	3	Horizontal	356	1.85	-	36.31	8.20	35.54
RMS	7.1534G	52.43	68.20	-15.77	43.64	3	Horizontal	356	1.85	-	36.12	8.20	35.53

802.11ax HEW20_Nss1,(MCS0)_1TX

6515MHz_TnomVnom




EUT_V_1TX
 Setting 3
 03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.01764G	57.41	88.20	-30.79	40.46	3	Vertical	315	1.67	-	39.55	11.61	34.21	
RMS	13.01566G	43.37	68.20	-24.83	26.42	3	Vertical	315	1.67	-	39.55	11.61	34.21	

802.11ax HEW20_Nss1,(MCS0)_1TX

6515MHz_TnomVnom




EUT_V_1TX
Setting 3
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0162G	56.89	88.20	-31.31	39.94	3	Horizontal	12	1.83	-	39.55	11.61	34.21
RMS	13.01704G	43.33	68.20	-24.87	26.38	3	Horizontal	12	1.83	-	39.55	11.61	34.21

802.11ax HEW20_Nss1,(MCS0)_1TX

6515MHz_TnomVnom




EUT_V_1TX
Setting 3
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.54446G	45.68	83.54	-37.86	42.18	1	Vertical	258	2.03	-	37.88	15.32	49.70
AV	19.54278G	32.46	63.54	-31.08	28.96	1	Vertical	258	2.03	-	37.88	15.32	49.70

802.11ax HEW20_Nss1,(MCS0)_1TX

6515MHz_TnomVnom




EUT V_1TX
Setting 3
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.53462G	46.42	83.54	-37.12	42.92	1	Horizontal	120	1.79	-	37.89	15.31	49.70
AV	19.55862G	32.52	63.54	-31.02	29.02	1	Horizontal	120	1.79	-	37.88	15.32	49.70

802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TnomVnom




EUT V_1TX
Setting 20.75
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8994G	57.46	88.20	-30.74	50.91	3	Vertical	326	1.97	-	34.60	7.50	35.55
RMS	5.9162G	46.83	68.20	-21.37	40.21	3	Vertical	326	1.97	-	34.66	7.52	35.56
PK	6.5378G	114.73	Inf	-Inf	107.31	3	Vertical	326	1.97	-	34.85	7.98	35.41
RMS	6.5378G	106.34	Inf	-Inf	98.92	3	Vertical	326	1.97	-	34.85	7.98	35.41
PK	7.1454G	62.84	88.20	-25.36	54.10	3	Vertical	326	1.97	-	36.07	8.20	35.53
RMS	7.1594G	52.14	68.20	-16.06	43.31	3	Vertical	326	1.97	-	36.16	8.20	35.53

802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TnomVnom




EUT V_1TX
Setting 20.75
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9022G	57.64	88.20	-30.56	51.08	3	Horizontal	333	2.96	-	34.61	7.50	35.55
RMS	5.9246G	46.90	68.20	-21.30	40.24	3	Horizontal	333	2.96	-	34.70	7.52	35.56
PK	6.5378G	112.39	Inf	-Inf	104.97	3	Horizontal	333	2.96	-	34.85	7.98	35.41
RMS	6.5378G	103.85	Inf	-Inf	96.43	3	Horizontal	333	2.96	-	34.85	7.98	35.41
PK	7.1398G	62.84	88.20	-25.36	54.13	3	Horizontal	333	2.96	-	36.04	8.20	35.53
RMS	7.1426G	52.05	68.20	-16.15	43.32	3	Horizontal	333	2.96	-	36.06	8.20	35.53

802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TnomVnom




EUT_V_1TX
Setting 20.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.07636G	59.22	88.20	-28.98	41.94	3	Vertical	308	1.80	-	39.73	11.66	34.11
RMS	13.07864G	44.41	68.20	-23.79	27.12	3	Vertical	308	1.80	-	39.74	11.66	34.11

802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TnomVnom




EUT V_1TX
Setting 20.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.07876G	61.31	88.20	-26.89	44.02	3	Horizontal	202	1.80	-	39.74	11.66	34.11
RMS	13.07618G	47.52	68.20	-20.68	30.24	3	Horizontal	202	1.80	-	39.73	11.66	34.11

802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TnomVnom




EUT_V_1TX
Setting 20.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.59216G	46.41	83.54	-37.13	42.91	1	Vertical	126	1.58	-	37.86	15.34	49.70
AV	19.59366G	32.48	63.54	-31.06	28.98	1	Vertical	126	1.58	-	37.86	15.34	49.70

802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TnomVnom




EUT V_1TX
Setting 20.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.59168G	46.00	83.54	-37.54	42.50	1	Horizontal	336	2.51	-	37.86	15.34	49.70
AV	19.5939G	32.51	63.54	-31.03	29.01	1	Horizontal	336	2.51	-	37.86	15.34	49.70

802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TnomVnom




EUT V_1TX
Setting 21
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.6972G	114.09	Inf	-Inf	106.04	3	Vertical	325	1.90	-	35.39	8.10	35.44	
RMS	6.6972G	105.83	Inf	-Inf	97.78	3	Vertical	325	1.90	-	35.39	8.10	35.44	
PK	7.146G	63.31	88.20	-24.89	54.56	3	Vertical	325	1.90	-	36.08	8.20	35.53	
RMS	7.157G	52.11	68.20	-16.09	43.30	3	Vertical	325	1.90	-	36.14	8.20	35.53	

802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TnomVnom




EUT V_1TX
Setting 21
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6972G	111.34	Inf	-Inf	103.29	3	Horizontal	355	1.75	-	35.39	8.10	35.44
RMS	6.6972G	102.87	Inf	-Inf	94.82	3	Horizontal	355	1.75	-	35.39	8.10	35.44
PK	7.1394G	63.23	88.20	-24.97	54.52	3	Horizontal	355	1.75	-	36.04	8.20	35.53
RMS	7.1548G	52.10	68.20	-16.10	43.30	3	Horizontal	355	1.75	-	36.13	8.20	35.53

802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TnomVnom




EUT_V_1TX
 Setting 21
 03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.39792G	61.25	74.00	-12.75	42.61	3	Vertical	207	1.00	-	40.30	11.92	33.58
AV	13.39558G	46.98	54.00	-7.02	28.35	3	Vertical	207	1.00	-	40.29	11.92	33.58

802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TnomVnom




EUT V_1TX
Setting 21
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.39966G	62.54	74.00	-11.46	43.90	3	Horizontal	207	3.00	-	40.30	11.92	33.58
AV	13.39984G	47.96	54.00	-6.04	29.32	3	Horizontal	207	3.00	-	40.30	11.92	33.58

802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TnomVnom




EUT_V_1TX
Setting 21
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.07756G	47.48	83.54	-36.06	44.22	1	Vertical	48	2.31	-	37.46	15.53	49.73
AV	20.0874G	33.05	63.54	-30.49	29.77	1	Vertical	48	2.31	-	37.47	15.54	49.73

802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TnomVnom




EUT V_1TX
Setting 21
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.0949G	46.63	83.54	-36.91	43.35	1	Horizontal	322	2.85	-	37.48	15.54	49.74
AV	20.07G	33.11	63.54	-30.43	29.85	1	Horizontal	322	2.85	-	37.46	15.53	49.73

802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TnomVnom




EUT_V_1TX
Setting 23
01-M-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.848G	118.23	Inf	-Inf	107.55	3	Vertical	74	1.34	-	36.58	7.07	32.97
RMS	6.8508G	109.52	Inf	-Inf	98.82	3	Vertical	74	1.34	-	36.59	7.08	32.97
PK	7.198G	64.34	88.20	-23.86	53.17	3	Vertical	74	1.34	-	37.09	7.20	33.12
RMS	7.1966G	53.15	68.20	-15.05	41.98	3	Vertical	74	1.34	-	37.09	7.20	33.12

802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TnomVnom




EUT_V_1TX
Setting 23
01-M-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.848G	116.80	Inf	-Inf	106.12	3	Horizontal	17	2.02	-	36.58	7.07	32.97	
RMS	6.8508G	108.20	Inf	-Inf	97.50	3	Horizontal	17	2.02	-	36.59	7.08	32.97	
PK	7.1336G	64.45	88.20	-23.75	53.54	3	Horizontal	17	2.02	-	36.77	7.23	33.09	
RMS	7.1882G	53.22	68.20	-14.98	42.08	3	Horizontal	17	2.02	-	37.05	7.21	33.12	

802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TnomVnom




EUT_V_1TX
Setting 23
01-M-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7093G	77.63	88.20	-10.57	56.99	3	Vertical	164	2.24	-	40.53	9.77	29.66
RMS	13.70542G	64.21	68.20	-3.99	43.58	3	Vertical	164	2.24	-	40.52	9.77	29.66

802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TnomVnom




EUT_V_1TX
Setting 23
01-M-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.70586G	75.10	88.20	-13.10	54.47	3	Horizontal	241	1.34	-	40.52	9.77	29.66
RMS	13.70536G	66.21	68.20	-1.99	45.58	3	Horizontal	241	1.34	-	40.52	9.77	29.66

802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TnomVnom




EUT_V_1TX
Setting 23
01-M-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.56836G	46.69	83.54	-36.85	43.02	1	Vertical	268	1.58	-	37.78	15.76	49.87
AV	20.56926G	34.30	63.54	-29.24	30.63	1	Vertical	268	1.58	-	37.78	15.76	49.87

802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TnomVnom




EUT_V_1TX
Setting 23
01-M-S-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	20.56232G	47.42	83.54	-36.12	43.78	1	Horizontal	189	1.57	-	37.77	15.75	49.88	
AV	20.5694G	34.30	63.54	-29.24	30.63	1	Horizontal	189	1.57	-	37.78	15.76	49.87	

802.11ax HEW20_Nss1,(MCS0)_1TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT V_1TX
Setting 2.75
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.8778G	101.37	Inf	-Inf	93.06	3	Vertical	324	1.77	-	35.64	8.14	35.47	
RMS	6.8778G	90.58	Inf	-Inf	82.27	3	Vertical	324	1.77	-	35.64	8.14	35.47	
PK	7.1676G	63.57	88.20	-24.63	54.69	3	Vertical	324	1.77	-	36.21	8.20	35.53	
RMS	7.148G	52.30	68.20	-15.90	43.54	3	Vertical	324	1.77	-	36.09	8.20	35.53	

802.11ax HEW20_Nss1,(MCS0)_1TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT V_1TX
Setting 2.75
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8778G	99.35	Inf	-Inf	91.04	3	Horizontal	210	1.85	-	35.64	8.14	35.47
RMS	6.8778G	89.53	Inf	-Inf	81.22	3	Horizontal	210	1.85	-	35.64	8.14	35.47
PK	7.1564G	63.27	88.20	-24.93	54.46	3	Horizontal	210	1.85	-	36.14	8.20	35.53
RMS	7.148G	52.28	68.20	-15.92	43.52	3	Horizontal	210	1.85	-	36.09	8.20	35.53

802.11ax HEW20_Nss1,(MCS0)_1TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT V_1TX
Setting 2.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.75828G	59.13	88.20	-29.07	39.70	3	Vertical	149	1.24	-	40.72	12.21	33.50
RMS	13.76152G	45.16	68.20	-23.04	25.73	3	Vertical	149	1.24	-	40.72	12.21	33.50

802.11ax HEW20_Nss1,(MCS0)_1TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_1TX
 Setting 2.75
 03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.73728G	58.19	88.20	-30.01	38.82	3	Horizontal	292	2.27	-	40.67	12.19	33.49
RMS	13.76158G	45.15	68.20	-23.05	25.72	3	Horizontal	292	2.27	-	40.72	12.21	33.50

802.11ax HEW20_Nss1,(MCS0)_1TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_1TX
Setting 2.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.63082G	47.86	83.54	-35.68	44.07	1	Vertical	113	2.35	-	37.86	15.78	49.85
AV	20.613G	33.78	63.54	-29.76	30.01	1	Vertical	113	2.35	-	37.84	15.78	49.85

802.11ax HEW20_Nss1,(MCS0)_1TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_1TX
Setting 2.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.6295G	47.38	83.54	-36.16	43.59	1	Horizontal	307	2.55	-	37.86	15.78	49.85
AV	20.61324G	33.77	63.54	-29.77	30.00	1	Horizontal	307	2.55	-	37.84	15.78	49.85

802.11ax HEW20_Nss1,(MCS0)_1TX

6895MHz_TnomVnom




EUT V_1TX
Setting 2.75
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.8992G	100.74	Inf	-Inf	92.46	3	Vertical	320	1.96	-	35.60	8.15	35.47	
RMS	6.8978G	91.17	Inf	-Inf	82.89	3	Vertical	320	1.96	-	35.60	8.15	35.47	
PK	7.1554G	63.49	88.20	-24.71	54.69	3	Vertical	320	1.96	-	36.13	8.20	35.53	
RMS	7.161G	52.25	68.20	-15.95	43.41	3	Vertical	320	1.96	-	36.17	8.20	35.53	

802.11ax HEW20_Nss1,(MCS0)_1TX

6895MHz_TnomVnom




EUT V_1TX
Setting 2.75
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8978G	98.71	Inf	-Inf	90.43	3	Horizontal	360	1.69	-	35.60	8.15	35.47
RMS	6.8992G	89.20	Inf	-Inf	80.92	3	Horizontal	360	1.69	-	35.60	8.15	35.47
PK	7.1428G	63.58	88.20	-24.62	54.85	3	Horizontal	360	1.69	-	36.06	8.20	35.53
RMS	7.1498G	52.27	68.20	-15.93	43.50	3	Horizontal	360	1.69	-	36.10	8.20	35.53

802.11ax HEW20_Nss1,(MCS0)_1TX

6895MHz_TnomVnom




EUT_V_1TX
 Setting 2.75
 03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.79432G	58.72	88.20	-29.48	39.20	3	Vertical	91	1.00	-	40.79	12.24	33.51
RMS	13.80446G	45.38	68.20	-22.82	25.84	3	Vertical	91	1.00	-	40.81	12.24	33.51

802.11ax HEW20_Nss1,(MCS0)_1TX

6895MHz_TnomVnom




EUT_V_1TX
 Setting 2.75
 03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.80068G	59.36	88.20	-28.84	39.83	3	Horizontal	151	1.82	-	40.80	12.24	33.51
RMS	13.80386G	45.39	68.20	-22.81	25.85	3	Horizontal	151	1.82	-	40.81	12.24	33.51

802.11ax HEW20_Nss1,(MCS0)_1TX

6895MHz_TnomVnom




EUT_V_1TX
Setting 2.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.7G	47.66	83.54	-35.88	43.72	1	Vertical	261	1.06	-	37.94	15.82	49.82
AV	20.67G	33.57	63.54	-29.97	29.70	1	Vertical	261	1.06	-	37.90	15.80	49.83

802.11ax HEW20_Nss1,(MCS0)_1TX

6895MHz_TnomVnom




EUT_V_1TX
Setting 2.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.68254G	47.40	83.54	-36.14	43.50	1	Horizontal	217	2.30	-	37.92	15.81	49.83
AV	20.69718G	33.69	63.54	-29.85	29.76	1	Horizontal	217	2.30	-	37.94	15.81	49.82

802.11ax HEW20_Nss1,(MCS0)_1TX

6995MHz_TnomVnom




EUT V_1TX
 Setting 2.5
 03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.998G	103.36	Inf	-Inf	94.95	3	Vertical	322	2.06	-	35.70	8.20	35.49	
RMS	6.998G	92.94	Inf	-Inf	84.53	3	Vertical	322	2.06	-	35.70	8.20	35.49	
PK	7.161G	63.92	88.20	-24.28	55.08	3	Vertical	322	2.06	-	36.17	8.20	35.53	
RMS	7.142G	52.27	68.20	-15.93	43.55	3	Vertical	322	2.06	-	36.05	8.20	35.53	

802.11ax HEW20_Nss1,(MCS0)_1TX

6995MHz_TnomVnom




EUT V_1TX
 Setting 2.5
 03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.998G	101.22	Inf	-Inf	92.81	3	Horizontal	210	1.84	-	35.70	8.20	35.49
RMS	6.997G	92.85	Inf	-Inf	84.44	3	Horizontal	210	1.84	-	35.70	8.20	35.49
PK	7.156G	63.55	88.20	-24.65	54.74	3	Horizontal	210	1.84	-	36.14	8.20	35.53
RMS	7.153G	52.34	68.20	-15.86	43.55	3	Horizontal	210	1.84	-	36.12	8.20	35.53

802.11ax HEW20_Nss1,(MCS0)_1TX

6995MHz_TnomVnom




EUT_V_1TX
Setting 2.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.9774G	59.47	88.20	-28.73	39.51	3	Vertical	115	1.48	-	41.15	12.38	33.57	
RMS	13.97518G	45.89	68.20	-22.31	25.93	3	Vertical	115	1.48	-	41.15	12.38	33.57	

802.11ax HEW20_Nss1,(MCS0)_1TX

6995MHz_TnomVnom




EUT_V_1TX
 Setting 2.5
 03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.98682G	59.36	88.20	-28.84	39.38	3	Horizontal	351	2.81	-	41.17	12.39	33.58	
RMS	13.97728G	45.89	68.20	-22.31	25.93	3	Horizontal	351	2.81	-	41.15	12.38	33.57	

802.11ax HEW20_Nss1,(MCS0)_1TX

6995MHz_TnomVnom




EUT_V_1TX
Setting 2.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.98458G	46.63	83.54	-36.91	42.78	1	Vertical	229	1.42	-	37.62	15.94	49.71
AV	20.9967G	33.01	63.54	-30.53	29.15	1	Vertical	229	1.42	-	37.61	15.95	49.70

802.11ax HEW20_Nss1,(MCS0)_1TX

6995MHz_TnomVnom




EUT_V_1TX
Setting 2.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.9712G	46.66	83.54	-36.88	42.78	1	Horizontal	96	2.68	-	37.65	15.94	49.71
AV	20.99982G	32.99	63.54	-30.55	29.14	1	Horizontal	96	2.68	-	37.60	15.95	49.70

802.11ax HEW20_Nss1,(MCS0)_1TX

7095MHz_TnomVnom




EUT V_1TX
Setting 4.25
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0974G	103.64	Inf	-Inf	95.17	3	Vertical	324	2.01	-	35.79	8.20	35.52
RMS	7.0968G	93.26	Inf	-Inf	84.79	3	Vertical	324	2.01	-	35.79	8.20	35.52
PK	7.1334G	63.66	88.20	-24.54	54.98	3	Vertical	324	2.01	-	36.00	8.20	35.52
RMS	7.1496G	52.28	68.20	-15.92	43.51	3	Vertical	324	2.01	-	36.10	8.20	35.53

802.11ax HEW20_Nss1,(MCS0)_1TX

7095MHz_TnomVnom




EUT V_1TX
Setting 4.25
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.0974G	102.65	Inf	-Inf	94.18	3	Horizontal	210	1.05	-	35.79	8.20	35.52	
RMS	7.0974G	93.18	Inf	-Inf	84.71	3	Horizontal	210	1.05	-	35.79	8.20	35.52	
PK	7.1502G	63.58	88.20	-24.62	54.81	3	Horizontal	210	1.05	-	36.10	8.20	35.53	
RMS	7.1502G	52.18	68.20	-16.02	43.41	3	Horizontal	210	1.05	-	36.10	8.20	35.53	

802.11ax HEW20_Nss1,(MCS0)_1TX

7095MHz_TnomVnom




EUT V_1TX
 Setting 4.25
 03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.18574G	59.62	88.20	-28.58	39.41	3	Vertical	230	1.13	-	41.59	12.49	33.87
RMS	14.17818G	46.23	68.20	-21.97	26.02	3	Vertical	230	1.13	-	41.58	12.49	33.86

802.11ax HEW20_Nss1,(MCS0)_1TX

7095MHz_TnomVnom




EUT_V_1TX
Setting 4.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	14.1966G	59.89	88.20	-28.31	39.68	3	Horizontal	202	2.07	-	41.60	12.50	33.89	
RMS	14.175G	46.25	68.20	-21.95	26.04	3	Horizontal	202	2.07	-	41.58	12.49	33.86	

802.11ax HEW20_Nss1,(MCS0)_1TX

7095MHz_TnomVnom




EUT V_1TX
Setting 4.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.29784G	47.75	83.54	-35.79	43.65	1	Vertical	263	1.65	-	37.66	16.08	49.64
AV	21.27264G	33.96	63.54	-29.58	29.91	1	Vertical	263	1.65	-	37.63	16.07	49.65

802.11ax HEW20_Nss1,(MCS0)_1TX

7095MHz_TnomVnom




EUT_V_1TX
Setting 4.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.27168G	47.54	83.54	-36.00	43.49	1	Horizontal	235	1.24	-	37.63	16.07	49.65
AV	21.27726G	33.97	63.54	-29.57	29.91	1	Horizontal	235	1.24	-	37.63	16.07	49.64

802.11ax HEW20_Nss1,(MCS0)_1TX

7115MHz_TnomVnom




EUT_V_1TX
Setting 10
03-G-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.118G	92.60	Inf	-Inf	83.54	3	Vertical	18	1.60	-	35.91	8.20	35.05	
RMS	7.1187G	85.83	Inf	-Inf	76.77	3	Vertical	18	1.60	-	35.91	8.20	35.05	
PK	7.1255G	70.75	88.20	-17.45	61.66	3	Vertical	18	1.60	-	35.95	8.20	35.06	
RMS	7.1255G	59.88	68.20	-8.32	50.79	3	Vertical	18	1.60	-	35.95	8.20	35.06	

802.11ax HEW20_Nss1,(MCS0)_1TX

7115MHz_TnomVnom




EUT_V_1TX
Setting 10
03-G-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.118G	91.44	Inf	-Inf	82.38	3	Horizontal	159	2.36	-	35.91	8.20	35.05	
RMS	7.11803G	84.73	Inf	-Inf	75.67	3	Horizontal	159	2.36	-	35.91	8.20	35.05	
PK	7.1255G	70.32	88.20	-17.88	61.23	3	Horizontal	159	2.36	-	35.95	8.20	35.06	
RMS	7.1255G	59.42	68.20	-8.78	50.33	3	Horizontal	159	2.36	-	35.95	8.20	35.06	

802.11ax HEW20_Nss1,(MCS0)_1TX

7115MHz_TnomVnom




EUT_V_1TX
Setting 10
03-G-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.229G	62.95	88.20	-25.25	41.85	3	Vertical	203	2.66	-	41.60	12.51	33.01
RMS	14.22554G	50.21	68.20	-17.99	29.11	3	Vertical	203	2.66	-	41.60	12.51	33.01

802.11ax HEW20_Nss1,(MCS0)_1TX

7115MHz_TnomVnom




EUT_V_1TX
Setting 10
03-G-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.2251G	63.16	88.20	-25.04	42.06	3	Horizontal	343	2.25	-	41.60	12.51	33.01
RMS	14.22528G	50.30	68.20	-17.90	29.20	3	Horizontal	343	2.25	-	41.60	12.51	33.01

802.11ax HEW20_Nss1,(MCS0)_1TX

7115MHz_TnomVnom




EUT_V_1TX
Setting 10
03-G-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.34924G	47.87	83.54	-35.67	43.67	1	Vertical	278	1.50	-	37.72	16.11	49.63
AV	21.34938G	35.54	63.54	-28.00	31.34	1	Vertical	278	1.50	-	37.72	16.11	49.63

802.11ax HEW20_Nss1,(MCS0)_1TX

7115MHz_TnomVnom



EUT_V_1TX
Setting 10
03-G-S-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	21.34604G	47.63	83.54	-35.91	43.43	1	Horizontal	53	1.53	-	37.72	16.11	49.63
AV	21.34546G	35.54	63.54	-28.00	31.35	1	Horizontal	53	1.53	-	37.71	16.11	49.63



RSE TX above 1GHz
<Partial RU> low power_RU26_1TX_Ant. 2


Appendix E.11

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	AV	11.89287G	53.88	54.00	-0.12	3	Horizontal	199	2.27	-

802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TnomVnom




EUT_V_1TX
Setting 12.5
01-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9082G	63.38	88.20	-24.82	54.65	3	Vertical	19	2.26	-	34.93	6.60	32.80	
RMS	5.9094G	50.93	68.20	-17.27	42.19	3	Vertical	19	2.26	-	34.94	6.60	32.80	
PK	5.9466G	103.51	Inf	-Inf	94.64	3	Vertical	19	2.26	-	35.09	6.60	32.82	
RMS	5.9466G	93.80	Inf	-Inf	84.93	3	Vertical	19	2.26	-	35.09	6.60	32.82	

802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TnomVnom




EUT V_1TX
Setting 12.5
01-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.879G	63.26	88.20	-24.94	54.59	3	Horizontal	346	2.87	-	34.86	6.60	32.79	
RMS	5.9174G	50.88	68.20	-17.32	42.12	3	Horizontal	346	2.87	-	34.97	6.60	32.81	
PK	5.9466G	108.85	Inf	-Inf	99.98	3	Horizontal	346	2.87	-	35.09	6.60	32.82	
RMS	5.9466G	99.94	Inf	-Inf	91.07	3	Horizontal	346	2.87	-	35.09	6.60	32.82	

802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TnomVnom




EUT_V_1TX
 Setting 12.5
 01-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.89339G	65.21	74.00	-8.79	49.32	3	Vertical	231	1.79	-	38.50	8.97	31.58
AV	11.89275G	51.71	54.00	-2.29	35.82	3	Vertical	231	1.79	-	38.50	8.97	31.58

802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TnomVnom




EUT_V_1TX
Setting 12.5
01-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.89295G	68.91	74.00	-5.09	53.02	3	Horizontal	199	2.27	-	38.50	8.97	31.58
AV	11.89287G	53.88	54.00	-0.12	37.99	3	Horizontal	199	2.27	-	38.50	8.97	31.58

802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TnomVnom




EUT_V_1TX
Setting 15
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.8974G	61.70	88.20	-26.50	53.01	3	Vertical	230	1.77	-	34.89	6.60	32.80	
RMS	5.9238G	50.11	68.20	-18.09	41.32	3	Vertical	230	1.77	-	35.00	6.60	32.81	
PK	6.1866G	121.45	Inf	-Inf	111.97	3	Vertical	230	1.77	-	35.45	6.88	32.85	
RMS	6.1866G	109.57	Inf	-Inf	100.09	3	Vertical	230	1.77	-	35.45	6.88	32.85	

802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TnomVnom




EUT_V_1TX
 Setting 15
 01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9226G	61.56	88.20	-26.64	52.78	3	Horizontal	182	2.69	-	34.99	6.60	32.81	
RMS	5.925G	50.10	68.20	-18.10	41.31	3	Horizontal	182	2.69	-	35.00	6.60	32.81	
PK	6.1866G	114.92	Inf	-Inf	105.44	3	Horizontal	182	2.69	-	35.45	6.88	32.85	
RMS	6.1866G	103.69	Inf	-Inf	94.21	3	Horizontal	182	2.69	-	35.45	6.88	32.85	

802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TnomVnom




EUT_V_1TX
 Setting 15
 01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.3726G	63.31	74.00	-10.69	47.07	3	Vertical	232	1.72	-	38.65	9.17	31.58
AV	12.3732G	48.68	54.00	-5.32	32.44	3	Vertical	232	1.72	-	38.65	9.17	31.58

802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TnomVnom




EUT_V_1TX
Setting 15
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.37212G	67.43	74.00	-6.57	51.20	3	Horizontal	203	1.80	-	38.64	9.17	31.58
AV	12.37272G	51.38	54.00	-2.62	35.14	3	Horizontal	203	1.80	-	38.65	9.17	31.58

802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TnomVnom




EUT_V_1TX
Setting 15
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	18.5856G	47.54	83.54	-36.00	44.85	1	Vertical	181	1.55	-	37.77	14.93	50.01	
AV	18.61308G	33.70	63.54	-29.84	30.99	1	Vertical	181	1.55	-	37.75	14.95	49.99	

802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TnomVnom




EUT_V_1TX
Setting 15
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.59016G	47.79	83.54	-35.75	45.10	1	Horizontal	283	2.71	-	37.76	14.94	50.01
AV	18.609G	33.78	63.54	-29.76	31.07	1	Horizontal	283	2.71	-	37.76	14.94	49.99

802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TnomVnom




EUT V_1TX
Setting 15.5
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.911G	61.56	88.20	-26.64	52.82	3	Vertical	222	1.80	-	34.94	6.60	32.80	
RMS	5.925G	50.04	68.20	-18.16	41.25	3	Vertical	222	1.80	-	35.00	6.60	32.81	
PK	6.4078G	121.96	Inf	-Inf	112.25	3	Vertical	222	1.80	-	35.57	7.00	32.86	
RMS	6.4078G	107.73	Inf	-Inf	98.02	3	Vertical	222	1.80	-	35.57	7.00	32.86	

802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TnomVnom




EUT V_1TX
Setting 15.5
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8942G	61.44	88.20	-26.76	52.75	3	Horizontal	322	1.72	-	34.89	6.60	32.80
RMS	5.923G	50.02	68.20	-18.18	41.24	3	Horizontal	322	1.72	-	34.99	6.60	32.81
PK	6.4078G	115.06	Inf	-Inf	105.35	3	Horizontal	322	1.72	-	35.57	7.00	32.86
RMS	6.4078G	101.97	Inf	-Inf	92.26	3	Horizontal	322	1.72	-	35.57	7.00	32.86

802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TnomVnom




EUT_V_1TX
 Setting 15.5
 01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.81392G	64.84	88.20	-23.36	47.18	3	Vertical	262	1.80	-	39.21	9.37	30.92
RMS	12.81344G	49.97	68.20	-18.23	32.31	3	Vertical	262	1.80	-	39.21	9.37	30.92

802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TnomVnom




EUT_V_1TX
 Setting 15.5
 01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.81368G	69.32	88.20	-18.88	51.66	3	Horizontal	206	2.15	-	39.21	9.37	30.92	
RMS	12.81308G	54.90	68.20	-13.30	37.24	3	Horizontal	206	2.15	-	39.21	9.37	30.92	

802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TnomVnom




EUT_V_1TX
Setting 15.5
01-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.22328G	47.34	83.54	-36.20	44.06	1	Vertical	235	1.73	-	37.73	15.19	49.64
AV	19.21728G	34.13	63.54	-29.41	30.84	1	Vertical	235	1.73	-	37.74	15.19	49.64

802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TnomVnom




EUT_V_1TX
Setting 15.5
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.257G	48.05	83.54	-35.49	44.79	1	Horizontal	195	2.06	-	37.71	15.20	49.65
AV	19.21788G	34.13	63.54	-29.41	30.84	1	Horizontal	195	2.06	-	37.74	15.19	49.64

802.11ax HEW20_Nss1,(MCS0)_1TX

6435MHz_TnomVnom




EUT V_1TX
Setting -3.25
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.8994G	60.72	88.20	-27.48	52.02	3	Vertical	68	1.61	-	34.90	6.60	32.80	
RMS	5.9176G	50.02	68.20	-18.18	41.26	3	Vertical	68	1.61	-	34.97	6.60	32.81	
PK	6.4272G	104.05	Inf	-Inf	94.42	3	Vertical	68	1.61	-	35.49	7.00	32.86	
RMS	6.4272G	91.86	Inf	-Inf	82.23	3	Vertical	68	1.61	-	35.49	7.00	32.86	

802.11ax HEW20_Nss1,(MCS0)_1TX

6435MHz_TnomVnom




EUT V_1TX
Setting -3.25
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8578G	61.42	88.20	-26.78	52.78	3	Horizontal	319	1.64	-	34.82	6.60	32.78
RMS	5.9202G	50.03	68.20	-18.17	41.26	3	Horizontal	319	1.64	-	34.98	6.60	32.81
PK	6.4272G	96.55	Inf	-Inf	86.92	3	Horizontal	319	1.64	-	35.49	7.00	32.86
RMS	6.4272G	83.70	Inf	-Inf	74.07	3	Horizontal	319	1.64	-	35.49	7.00	32.86

802.11ax HEW20_Nss1,(MCS0)_1TX

6435MHz_TnomVnom




EUT V_1TX
Setting -3.25
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.8724G	59.23	88.20	-28.97	41.36	3	Vertical	253	1.29	-	39.27	9.39	30.79	
RMS	12.86144G	45.32	68.20	-22.88	27.49	3	Vertical	253	1.29	-	39.26	9.39	30.82	

802.11ax HEW20_Nss1,(MCS0)_1TX

6435MHz_TnomVnom




EUT_V_1TX
 Setting -3.25
 01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8792G	58.41	88.20	-29.79	40.51	3	Horizontal	320	1.82	-	39.28	9.40	30.78
RMS	12.86816G	45.91	68.20	-22.29	28.05	3	Horizontal	320	1.82	-	39.27	9.39	30.80

802.11ax HEW20_Nss1,(MCS0)_1TX

6435MHz_TnomVnom




EUT_V_1TX
Setting -3.25
01-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.31472G	47.14	83.54	-36.40	43.82	1	Vertical	165	1.15	-	37.75	15.23	49.66
AV	19.28112G	34.50	63.54	-29.04	31.23	1	Vertical	165	1.15	-	37.72	15.21	49.66

802.11ax HEW20_Nss1,(MCS0)_1TX

6435MHz_TnomVnom




EUT_V_1TX
Setting -3.25
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.2792G	46.82	83.54	-36.72	43.55	1	Horizontal	336	1.98	-	37.72	15.21	49.66
AV	19.29444G	34.55	63.54	-28.99	31.25	1	Horizontal	336	1.98	-	37.74	15.22	49.66

802.11ax HEW20_Nss1,(MCS0)_1TX

6475MHz_TnomVnom




EUT V_1TX
 Setting -3.25
 01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.915G	61.40	88.20	-26.80	52.65	3	Vertical	222	1.78	-	34.96	6.60	32.81
RMS	5.925G	49.96	68.20	-18.24	41.17	3	Vertical	222	1.78	-	35.00	6.60	32.81
PK	6.4666G	101.80	Inf	-Inf	92.19	3	Vertical	222	1.78	-	35.47	7.00	32.86
RMS	6.4666G	90.52	Inf	-Inf	80.91	3	Vertical	222	1.78	-	35.47	7.00	32.86
PK	7.1386G	63.93	88.20	-24.27	52.98	3	Vertical	222	1.78	-	36.81	7.23	33.09
RMS	7.175G	53.06	68.20	-15.14	41.96	3	Vertical	222	1.78	-	37.00	7.21	33.11

802.11ax HEW20_Nss1,(MCS0)_1TX

6475MHz_TnomVnom




EUT_V_1TX
 Setting -3.25
 01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9234G	61.42	88.20	-26.78	52.64	3	Horizontal	142	1.86	-	34.99	6.60	32.81
RMS	5.9234G	49.99	68.20	-18.21	41.21	3	Horizontal	142	1.86	-	34.99	6.60	32.81
PK	6.4666G	95.03	Inf	-Inf	85.42	3	Horizontal	142	1.86	-	35.47	7.00	32.86
RMS	6.4666G	83.68	Inf	-Inf	74.07	3	Horizontal	142	1.86	-	35.47	7.00	32.86
PK	7.1694G	64.04	88.20	-24.16	52.95	3	Horizontal	142	1.86	-	36.98	7.22	33.11
RMS	7.1582G	53.10	68.20	-15.10	42.05	3	Horizontal	142	1.86	-	36.93	7.22	33.10

802.11ax HEW20_Nss1,(MCS0)_1TX

6475MHz_TnomVnom




EUT V_1TX
 Setting -3.25
 01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.95064G	58.83	88.20	-29.37	40.58	3	Vertical	46	2.49	-	39.45	9.43	30.63
RMS	12.9648G	46.64	68.20	-21.56	28.32	3	Vertical	46	2.49	-	39.49	9.43	30.60

802.11ax HEW20_Nss1,(MCS0)_1TX

6475MHz_TnomVnom




EUT V_1TX
 Setting -3.25
 01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.93904G	59.97	88.20	-28.23	41.78	3	Horizontal	14	1.07	-	39.42	9.42	30.65
RMS	12.9684G	45.95	68.20	-22.25	27.59	3	Horizontal	14	1.07	-	39.51	9.44	30.59

802.11ax HEW20_Nss1,(MCS0)_1TX

6475MHz_TnomVnom




EUT V_1TX
Setting -3.25
01-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.40616G	48.46	83.54	-35.08	45.06	1	Vertical	258	1.13	-	37.82	15.26	49.68	
AV	19.44936G	34.45	63.54	-29.09	31.00	1	Vertical	258	1.13	-	37.86	15.28	49.69	

802.11ax HEW20_Nss1,(MCS0)_1TX

6475MHz_TnomVnom




EUT_V_1TX
Setting -3.25
01-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.40448G	47.09	83.54	-36.45	43.69	1	Horizontal	252	1.87	-	37.82	15.26	49.68
AV	19.43868G	34.44	63.54	-29.10	31.00	1	Horizontal	252	1.87	-	37.85	15.28	49.69

802.11ax HEW20_Nss1,(MCS0)_1TX

6515MHz_TnomVnom




EUT_V_1TX
Setting -3
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9102G	61.71	88.20	-26.49	52.97	3	Vertical	218	1.80	-	34.94	6.60	32.80
RMS	5.9242G	50.01	68.20	-18.19	41.22	3	Vertical	218	1.80	-	35.00	6.60	32.81
PK	6.5066G	101.74	Inf	-Inf	91.97	3	Vertical	218	1.80	-	35.63	7.00	32.86
RMS	6.5066G	88.81	Inf	-Inf	79.04	3	Vertical	218	1.80	-	35.63	7.00	32.86
PK	7.159G	65.44	88.20	-22.76	54.38	3	Vertical	218	1.80	-	36.94	7.22	33.10
RMS	7.1954G	53.17	68.20	-15.03	42.01	3	Vertical	218	1.80	-	37.08	7.20	33.12

802.11ax HEW20_Nss1,(MCS0)_1TX

6515MHz_TnomVnom




EUT_V_1TX
Setting -3
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9186G	61.09	88.20	-27.11	52.33	3	Horizontal	142	1.80	-	34.97	6.60	32.81
RMS	5.9214G	49.97	68.20	-18.23	41.19	3	Horizontal	142	1.80	-	34.99	6.60	32.81
PK	6.5066G	94.79	Inf	-Inf	85.02	3	Horizontal	142	1.80	-	35.63	7.00	32.86
RMS	6.5066G	82.54	Inf	-Inf	72.77	3	Horizontal	142	1.80	-	35.63	7.00	32.86
PK	7.1814G	64.52	88.20	-23.68	53.39	3	Horizontal	142	1.80	-	37.03	7.21	33.11
RMS	7.1954G	53.07	68.20	-15.13	41.91	3	Horizontal	142	1.80	-	37.08	7.20	33.12

802.11ax HEW20_Nss1,(MCS0)_1TX

6515MHz_TnomVnom




EUT_V_1TX
Setting -3
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.02872G	60.13	88.20	-28.07	41.52	3	Vertical	175	1.97	-	39.63	9.46	30.48
RMS	13.0476G	46.63	68.20	-21.57	27.96	3	Vertical	175	1.97	-	39.65	9.47	30.45

802.11ax HEW20_Nss1,(MCS0)_1TX

6515MHz_TnomVnom




EUT_V_1TX
Setting -3
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.04328G	59.83	88.20	-28.37	41.18	3	Horizontal	182	1.61	-	39.64	9.47	30.46
RMS	13.04464G	46.57	68.20	-21.63	27.91	3	Horizontal	182	1.61	-	39.64	9.47	30.45

802.11ax HEW20_Nss1,(MCS0)_1TX

6515MHz_TnomVnom




EUT_V_1TX
Setting -3
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	19.56996G	48.40	83.54	-35.14	44.90	1	Vertical	67	2.79	-	37.87	15.33	49.70	
AV	19.5738G	34.13	63.54	-29.41	30.63	1	Vertical	67	2.79	-	37.87	15.33	49.70	

802.11ax HEW20_Nss1,(MCS0)_1TX

6515MHz_TnomVnom




EUT_V_1TX
 Setting -3
 01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.56408G	47.22	83.54	-36.32	43.72	1	Horizontal	106	1.84	-	37.87	15.33	49.70
AV	19.57428G	34.13	63.54	-29.41	30.63	1	Horizontal	106	1.84	-	37.87	15.33	49.70

802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TnomVnom




EUT_V_1TX
Setting 15.25
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8798G	61.21	88.20	-26.99	52.54	3	Vertical	220	1.78	-	34.86	6.60	32.79
RMS	5.9246G	50.19	68.20	-18.01	41.40	3	Vertical	220	1.78	-	35.00	6.60	32.81
PK	6.5434G	117.50	Inf	-Inf	107.60	3	Vertical	220	1.78	-	35.77	7.00	32.87
RMS	6.5434G	106.92	Inf	-Inf	97.02	3	Vertical	220	1.78	-	35.77	7.00	32.87
PK	7.2098G	65.11	88.20	-23.09	53.93	3	Vertical	220	1.78	-	37.10	7.21	33.13
RMS	7.235G	53.41	68.20	-14.79	42.22	3	Vertical	220	1.78	-	37.10	7.23	33.14

802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TnomVnom




EUT_V_1TX
 Setting 15.25
 01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.835G	61.51	88.20	-26.69	53.00	3	Horizontal	143	1.92	-	34.68	6.60	32.77
RMS	5.9246G	50.22	68.20	-17.98	41.43	3	Horizontal	143	1.92	-	35.00	6.60	32.81
PK	6.5434G	106.87	Inf	-Inf	96.97	3	Horizontal	143	1.92	-	35.77	7.00	32.87
RMS	6.5434G	95.86	Inf	-Inf	85.96	3	Horizontal	143	1.92	-	35.77	7.00	32.87
PK	7.137G	64.75	88.20	-23.45	53.81	3	Horizontal	143	1.92	-	36.80	7.23	33.09
RMS	7.2182G	53.38	68.20	-14.82	42.19	3	Horizontal	143	1.92	-	37.10	7.22	33.13

802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TnomVnom




EUT_V_1TX
Setting 15.25
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.05404G	60.95	88.20	-27.25	42.27	3	Vertical	265	1.80	-	39.65	9.47	30.44
RMS	13.05344G	47.97	68.20	-20.23	29.29	3	Vertical	265	1.80	-	39.65	9.47	30.44

802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TnomVnom




EUT_V_1TX
 Setting 15.25
 01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.05368G	65.77	88.20	-22.43	47.09	3	Horizontal	151	1.80	-	39.65	9.47	30.44
RMS	13.0532G	49.93	68.20	-18.27	31.25	3	Horizontal	151	1.80	-	39.65	9.47	30.44

802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TnomVnom




EUT_V_1TX
Setting 15.25
01-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.57932G	48.07	83.54	-35.47	44.57	1	Vertical	208	2.19	-	37.87	15.33	49.70
AV	19.63452G	35.07	63.54	-28.47	31.57	1	Vertical	208	2.19	-	37.85	15.35	49.70

802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TnomVnom




EUT_V_1TX
Setting 15.25
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.57884G	48.13	83.54	-35.41	44.63	1	Horizontal	44	1.22	-	37.87	15.33	49.70
AV	19.61628G	35.05	63.54	-28.49	31.55	1	Horizontal	44	1.22	-	37.85	15.35	49.70

802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TnomVnom




EUT V_1TX
Setting 15.25
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7038G	116.83	Inf	-Inf	106.84	3	Vertical	216	1.80	-	35.92	7.00	32.93
RMS	6.7038G	106.07	Inf	-Inf	96.08	3	Vertical	216	1.80	-	35.92	7.00	32.93
PK	7.2318G	65.08	88.20	-23.12	53.89	3	Vertical	216	1.80	-	37.10	7.23	33.14
RMS	7.2362G	53.40	68.20	-14.80	42.20	3	Vertical	216	1.80	-	37.10	7.24	33.14

802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TnomVnom




EUT V_1TX
Setting 15.25
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7038G	110.13	Inf	-Inf	100.14	3	Horizontal	355	2.90	-	35.92	7.00	32.93
RMS	6.7038G	99.03	Inf	-Inf	89.04	3	Horizontal	355	2.90	-	35.92	7.00	32.93
PK	7.2032G	64.90	88.20	-23.30	53.73	3	Horizontal	355	2.90	-	37.10	7.20	33.13
RMS	7.234G	53.36	68.20	-14.84	42.17	3	Horizontal	355	2.90	-	37.10	7.23	33.14

802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TnomVnom




EUT_V_1TX
Setting 15.25
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.3736G	63.22	74.00	-10.78	43.42	3	Vertical	269	1.80	-	40.15	9.62	29.97
AV	13.3733G	49.41	54.00	-4.59	29.61	3	Vertical	269	1.80	-	40.15	9.62	29.97

802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TnomVnom




EUT_V_1TX
Setting 15.25
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.373G	63.95	74.00	-10.05	44.15	3	Horizontal	298	1.42	-	40.15	9.62	29.97
AV	13.373G	50.89	54.00	-3.11	31.09	3	Horizontal	298	1.42	-	40.15	9.62	29.97

802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TnomVnom




EUT_V_1TX
Setting 15.25
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.10492G	47.52	83.54	-36.02	44.23	1	Vertical	1	2.17	-	37.48	15.55	49.74
AV	20.11104G	34.57	63.54	-28.97	31.27	1	Vertical	1	2.17	-	37.49	15.55	49.74

802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TnomVnom




EUT_V_1TX
Setting 15.25
01-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.07348G	47.84	83.54	-35.70	44.58	1	Horizontal	264	2.81	-	37.46	15.53	49.73
AV	20.1018G	34.58	63.54	-28.96	31.29	1	Horizontal	264	2.81	-	37.48	15.55	49.74

802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TnomVnom




EUT V_1TX
Setting 23
01-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8466G	122.19	Inf	-Inf	111.52	3	Vertical	49	1.54	-	36.57	7.07	32.97
RMS	6.8466G	117.04	Inf	-Inf	106.37	3	Vertical	49	1.54	-	36.57	7.07	32.97
PK	7.128G	63.98	88.20	-24.22	53.11	3	Vertical	49	1.54	-	36.72	7.24	33.09
RMS	7.1854G	53.21	68.20	-14.99	42.08	3	Vertical	49	1.54	-	37.04	7.21	33.12

802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TnomVnom




EUT_V_1TX
Setting 23
01-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8466G	112.65	Inf	-Inf	101.98	3	Horizontal	32	2.44	-	36.57	7.07	32.97
RMS	6.8466G	107.40	Inf	-Inf	96.73	3	Horizontal	32	2.44	-	36.57	7.07	32.97
PK	7.1266G	64.11	88.20	-24.09	53.25	3	Horizontal	32	2.44	-	36.71	7.24	33.09
RMS	7.1994G	53.22	68.20	-14.98	42.04	3	Horizontal	32	2.44	-	37.10	7.20	33.12

802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TnomVnom




EUT_V_1TX
Setting 23
01-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.69272G	65.33	88.20	-22.87	44.75	3	Vertical	254	1.80	-	40.49	9.76	29.67	
RMS	13.69284G	54.29	68.20	-13.91	33.71	3	Vertical	254	1.80	-	40.49	9.76	29.67	

802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TnomVnom




EUT_V_1TX
 Setting 23
 01-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.6922G	69.61	88.20	-18.59	49.04	3	Horizontal	204	2.67	-	40.48	9.76	29.67
RMS	13.6928G	61.19	68.20	-7.01	40.61	3	Horizontal	204	2.67	-	40.49	9.76	29.67

802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TnomVnom




EUT_V_1TX
Setting 23
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.5637G	47.17	83.54	-36.37	43.51	1	Vertical	322	1.50	-	37.78	15.75	49.87
AV	20.56244G	34.65	63.54	-28.89	31.01	1	Vertical	322	1.50	-	37.77	15.75	49.88

802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TnomVnom




EUT_V_1TX
Setting 23
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.56276G	47.08	83.54	-36.46	43.42	1	Horizontal	358	1.58	-	37.78	15.75	49.87
AV	20.56862G	34.70	63.54	-28.84	31.03	1	Horizontal	358	1.58	-	37.78	15.76	49.87

802.11ax HEW20_Nss1,(MCS0)_1TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT V_1TX
 Setting -3.25
 01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8834G	99.07	Inf	-Inf	88.59	3	Vertical	71	1.23	-	36.33	7.13	32.98
RMS	6.8834G	89.37	Inf	-Inf	78.89	3	Vertical	71	1.23	-	36.33	7.13	32.98
PK	7.1618G	64.37	88.20	-23.83	53.30	3	Vertical	71	1.23	-	36.95	7.22	33.10
RMS	7.1654G	53.18	68.20	-15.02	42.11	3	Vertical	71	1.23	-	36.96	7.22	33.11

802.11ax HEW20_Nss1,(MCS0)_1TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT V_1TX
 Setting -3.25
 01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8834G	88.92	Inf	-Inf	78.44	3	Horizontal	344	1.84	-	36.33	7.13	32.98
RMS	6.8834G	78.76	Inf	-Inf	68.28	3	Horizontal	344	1.84	-	36.33	7.13	32.98
PK	7.1546G	64.50	88.20	-23.70	53.46	3	Horizontal	344	1.84	-	36.92	7.22	33.10
RMS	7.163G	53.12	68.20	-15.08	42.05	3	Horizontal	344	1.84	-	36.95	7.22	33.10

802.11ax HEW20_Nss1,(MCS0)_1TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT V_1TX
 Setting -3.25
 01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7577G	63.66	88.20	-24.54	42.83	3	Vertical	127	1.78	-	40.67	9.79	29.63
RMS	13.7489G	49.84	68.20	-18.36	29.04	3	Vertical	127	1.78	-	40.65	9.79	29.64

802.11ax HEW20_Nss1,(MCS0)_1TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT V_1TX
Setting -3.25
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7532G	63.64	88.20	-24.56	42.82	3	Horizontal	194	1.44	-	40.66	9.79	29.63
RMS	13.7559G	49.85	68.20	-18.35	29.02	3	Horizontal	194	1.44	-	40.67	9.79	29.63

802.11ax HEW20_Nss1,(MCS0)_1TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_1TX
Setting -3.25
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.6202G	49.73	83.54	-33.81	45.96	1	Vertical	96	2.60	-	37.84	15.78	49.85
AV	20.65152G	35.22	63.54	-28.32	31.39	1	Vertical	96	2.60	-	37.88	15.79	49.84

802.11ax HEW20_Nss1,(MCS0)_1TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_1TX
Setting -3.25
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.62656G	48.66	83.54	-34.88	44.88	1	Horizontal	7	2.95	-	37.85	15.78	49.85
AV	20.65212G	35.18	63.54	-28.36	31.35	1	Horizontal	7	2.95	-	37.88	15.79	49.84

802.11ax HEW20_Nss1,(MCS0)_1TX

6895MHz_TnomVnom




EUT V_1TX
Setting -3.25
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9034G	99.20	Inf	-Inf	88.81	3	Vertical	68	1.06	-	36.22	7.16	32.99
RMS	6.9034G	88.80	Inf	-Inf	78.41	3	Vertical	68	1.06	-	36.22	7.16	32.99
PK	7.1758G	64.87	88.20	-23.33	53.77	3	Vertical	68	1.06	-	37.00	7.21	33.11
RMS	7.1938G	53.21	68.20	-14.99	42.05	3	Vertical	68	1.06	-	37.08	7.20	33.12

802.11ax HEW20_Nss1,(MCS0)_1TX

6895MHz_TnomVnom




EUT V_1TX
 Setting -3.25
 01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9034G	88.36	Inf	-Inf	77.97	3	Horizontal	344	1.84	-	36.22	7.16	32.99
RMS	6.9034G	78.12	Inf	-Inf	67.73	3	Horizontal	344	1.84	-	36.22	7.16	32.99
PK	7.1842G	65.23	88.20	-22.97	54.10	3	Horizontal	344	1.84	-	37.04	7.21	33.12
RMS	7.1914G	53.23	68.20	-14.97	42.08	3	Horizontal	344	1.84	-	37.07	7.20	33.12

802.11ax HEW20_Nss1,(MCS0)_1TX

6895MHz_TnomVnom




EUT V_1TX
Setting -3.25
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7679G	63.59	88.20	-24.61	42.71	3	Vertical	261	2.64	-	40.70	9.80	29.62
RMS	13.8021G	50.70	68.20	-17.50	29.69	3	Vertical	261	2.64	-	40.80	9.81	29.60

802.11ax HEW20_Nss1,(MCS0)_1TX

6895MHz_TnomVnom




EUT V_1TX
 Setting -3.25
 01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7899G	63.16	88.20	-25.04	42.19	3	Horizontal	314	1.43	-	40.77	9.81	29.61
RMS	13.8036G	49.95	68.20	-18.25	28.94	3	Horizontal	314	1.43	-	40.80	9.81	29.60

802.11ax HEW20_Nss1,(MCS0)_1TX

6895MHz_TnomVnom




EUT_V_1TX
Setting -3.25
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.66712G	49.24	83.54	-34.30	45.37	1	Vertical	79	2.76	-	37.90	15.80	49.83
AV	20.71356G	36.54	63.54	-27.00	32.57	1	Vertical	79	2.76	-	37.96	15.82	49.81

802.11ax HEW20_Nss1,(MCS0)_1TX

6895MHz_TnomVnom




EUT_V_1TX
Setting -3.25
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.68464G	49.34	83.54	-34.20	45.44	1	Horizontal	200	1.82	-	37.92	15.81	49.83
AV	20.70168G	36.77	63.54	-26.77	32.83	1	Horizontal	200	1.82	-	37.94	15.82	49.82

802.11ax HEW20_Nss1,(MCS0)_1TX

6995MHz_TnomVnom




EUT V_1TX
 Setting -3.75
 01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.003G	101.68	Inf	-Inf	91.08	3	Vertical	70	1.17	-	36.32	7.30	33.02
RMS	7.003G	91.61	Inf	-Inf	81.01	3	Vertical	70	1.17	-	36.32	7.30	33.02
PK	7.1686G	65.57	88.20	-22.63	54.49	3	Vertical	70	1.17	-	36.97	7.22	33.11
RMS	7.187G	53.17	68.20	-15.03	42.03	3	Vertical	70	1.17	-	37.05	7.21	33.12

802.11ax HEW20_Nss1,(MCS0)_1TX

6995MHz_TnomVnom




EUT V_1TX
 Setting -3.75
 01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.003G	89.01	Inf	-Inf	78.41	3	Horizontal	344	1.84	-	36.32	7.30	33.02
RMS	7.003G	78.87	Inf	-Inf	68.27	3	Horizontal	344	1.84	-	36.32	7.30	33.02
PK	7.179G	64.77	88.20	-23.43	53.65	3	Horizontal	344	1.84	-	37.02	7.21	33.11
RMS	7.1894G	53.18	68.20	-15.02	42.03	3	Horizontal	344	1.84	-	37.06	7.21	33.12

802.11ax HEW20_Nss1,(MCS0)_1TX

6995MHz_TnomVnom




EUT V_1TX
Setting -3.75
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.976G	64.61	88.20	-23.59	43.32	3	Vertical	174	1.47	-	40.90	9.89	29.50	
RMS	14.0063G	50.73	68.20	-17.47	29.42	3	Vertical	174	1.47	-	40.90	9.90	29.49	

802.11ax HEW20_Nss1,(MCS0)_1TX

6995MHz_TnomVnom




EUT V_1TX
 Setting -3.75
 01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.9805G	64.90	88.20	-23.30	43.61	3	Horizontal	58	1.75	-	40.90	9.89	29.50
RMS	14.0061G	50.79	68.20	-17.41	29.48	3	Horizontal	58	1.75	-	40.90	9.90	29.49

802.11ax HEW20_Nss1,(MCS0)_1TX

6995MHz_TnomVnom




EUT_V_1TX
Setting -3.75
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.96004G	48.42	83.54	-35.12	44.55	1	Vertical	69	1.38	-	37.66	15.93	49.72
AV	20.95608G	35.33	63.54	-28.21	31.45	1	Vertical	69	1.38	-	37.67	15.93	49.72

802.11ax HEW20_Nss1,(MCS0)_1TX

6995MHz_TnomVnom




EUT_V_1TX
Setting -3.75
01-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.9568G	47.90	83.54	-35.64	44.02	1	Horizontal	124	1.65	-	37.67	15.93	49.72
AV	20.95788G	35.28	63.54	-28.26	31.40	1	Horizontal	124	1.65	-	37.67	15.93	49.72

802.11ax HEW20_Nss1,(MCS0)_1TX

7095MHz_TnomVnom




EUT V_1TX
Setting -1.5
01-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.087G	122.29	Inf	-Inf	111.57	3	Vertical	36	2.18	-	36.53	7.26	33.07	
RMS	7.0866G	116.90	Inf	-Inf	106.18	3	Vertical	36	2.18	-	36.53	7.26	33.07	
PK	7.1306G	86.63	88.20	-1.57	75.75	3	Vertical	36	2.18	-	36.74	7.23	33.09	
RMS	7.1274G	60.08	68.20	-8.12	49.21	3	Vertical	36	2.18	-	36.72	7.24	33.09	

802.11ax HEW20_Nss1,(MCS0)_1TX

7095MHz_TnomVnom




EUT V_1TX
Setting -1.5
01-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.0866G	109.33	Inf	-Inf	98.61	3	Horizontal	334	1.76	-	36.53	7.26	33.07	
RMS	7.0866G	104.40	Inf	-Inf	93.68	3	Horizontal	334	1.76	-	36.53	7.26	33.07	
PK	7.1274G	77.51	88.20	-10.69	66.64	3	Horizontal	334	1.76	-	36.72	7.24	33.09	
RMS	7.1274G	54.39	68.20	-13.81	43.52	3	Horizontal	334	1.76	-	36.72	7.24	33.09	

802.11ax HEW20_Nss1,(MCS0)_1TX

7095MHz_TnomVnom




EUT_V_1TX
Setting -1.5
01-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	14.1736G	69.23	88.20	-18.97	48.06	3	Vertical	188	2.23	-	40.83	9.95	29.61	
RMS	14.1728G	59.91	68.20	-8.29	38.74	3	Vertical	188	2.23	-	40.83	9.95	29.61	

802.11ax HEW20_Nss1,(MCS0)_1TX

7095MHz_TnomVnom




EUT_V_1TX
 Setting -1.5
 01-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.1723G	71.50	88.20	-16.70	50.33	3	Horizontal	195	2.89	-	40.83	9.95	29.61
RMS	14.1728G	63.71	68.20	-4.49	42.54	3	Horizontal	195	2.89	-	40.83	9.95	29.61

802.11ax HEW20_Nss1,(MCS0)_1TX

7095MHz_TnomVnom




EUT_V_1TX
Setting -1.5
01-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.28228G	47.82	83.54	-35.72	43.74	1	Vertical	189	1.54	-	37.64	16.08	49.64
AV	21.28322G	35.54	63.54	-28.00	31.46	1	Vertical	189	1.54	-	37.64	16.08	49.64

802.11ax HEW20_Nss1,(MCS0)_1TX

7095MHz_TnomVnom




EUT_V_1TX
Setting -1.5
01-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.28042G	47.69	83.54	-35.85	43.61	1	Horizontal	3	1.52	-	37.64	16.08	49.64
AV	21.28358G	35.54	63.54	-28.00	31.46	1	Horizontal	3	1.52	-	37.64	16.08	49.64

802.11ax HEW20_Nss1,(MCS0)_1TX

7115MHz_TnomVnom




EUT_V_1TX
Setting 10
03-G-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.1236G	99.14	Inf	-Inf	90.06	3	Vertical	26	1.32	-	35.94	8.20	35.06	
RMS	7.12393G	91.29	Inf	-Inf	82.21	3	Vertical	26	1.32	-	35.94	8.20	35.06	
PK	7.1255G	77.70	88.20	-10.50	68.61	3	Vertical	26	1.32	-	35.95	8.20	35.06	
RMS	7.1255G	64.84	68.20	-3.36	55.75	3	Vertical	26	1.32	-	35.95	8.20	35.06	

802.11ax HEW20_Nss1,(MCS0)_1TX

7115MHz_TnomVnom




EUT_V_1TX
Setting 10
03-G-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.12358G	98.39	Inf	-Inf	89.31	3	Horizontal	65	1.60	-	35.94	8.20	35.06	
RMS	7.12395G	90.78	Inf	-Inf	81.70	3	Horizontal	65	1.60	-	35.94	8.20	35.06	
PK	7.1255G	76.91	88.20	-11.29	67.82	3	Horizontal	65	1.60	-	35.95	8.20	35.06	
RMS	7.1255G	64.32	68.20	-3.88	55.23	3	Horizontal	65	1.60	-	35.95	8.20	35.06	

802.11ax HEW20_Nss1,(MCS0)_1TX

7115MHz_TnomVnom




EUT_V_1TX
 Setting 10
 03-G-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.21432G	68.62	88.20	-19.58	47.51	3	Vertical	182	1.97	-	41.60	12.51	33.00
RMS	14.21272G	58.35	68.20	-9.85	37.24	3	Vertical	182	1.97	-	41.60	12.51	33.00

802.11ax HEW20_Nss1,(MCS0)_1TX

7115MHz_TnomVnom




EUT_V_1TX
 Setting 10
 03-G-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	14.21348G	70.32	88.20	-17.88	49.21	3	Horizontal	210	2.31	-	41.60	12.51	33.00	
RMS	14.21288G	60.28	68.20	-7.92	39.17	3	Horizontal	210	2.31	-	41.60	12.51	33.00	

802.11ax HEW20_Nss1,(MCS0)_1TX

7115MHz_TnomVnom




EUT_V_1TX
Setting 10
03-G-S-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	21.34678G	49.38	83.54	-34.16	45.18	1	Vertical	299	1.56	-	37.72	16.11	49.63
AV	21.35G	35.72	63.54	-27.82	31.52	1	Vertical	299	1.56	-	37.72	16.11	49.63

802.11ax HEW20_Nss1,(MCS0)_1TX

7115MHz_TnomVnom



EUT_V_1TX
Setting 10
03-G-S-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	21.34088G	47.80	83.54	-35.74	43.62	1	Horizontal	176	1.55	-	37.71	16.10	49.63	
AV	21.3493G	35.72	63.54	-27.82	31.52	1	Horizontal	176	1.55	-	37.72	16.11	49.63	



RSE TX above 1GHz
<Partial RU> low power_RU52_1TX_Ant. 2


Appendix E.12

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1.(MCS0)_1TX	Pass	AV	11.8952G	53.83	54.00	-0.17	3	Horizontal	211	1.80	-

802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TnomVnom




EUT V_1TX
 Setting 14.75
 01-M-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9192G	62.20	88.20	-26.00	53.43	3	Vertical	41	2.28	-	34.98	6.60	32.81
RMS	5.9056G	51.09	68.20	-17.11	42.37	3	Vertical	41	2.28	-	34.92	6.60	32.80
PK	5.9492G	117.30	Inf	-Inf	108.42	3	Vertical	41	2.28	-	35.10	6.60	32.82
RMS	5.9486G	107.43	Inf	-Inf	98.56	3	Vertical	41	2.28	-	35.09	6.60	32.82

802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TnomVnom




EUT_V_1TX
 Setting 14.75
 01-M-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.911G	62.40	88.20	-25.80	53.66	3	Horizontal	345	2.86	-	34.94	6.60	32.80	
RMS	5.9162G	50.92	68.20	-17.28	42.17	3	Horizontal	345	2.86	-	34.96	6.60	32.81	
PK	5.9492G	108.35	Inf	-Inf	99.47	3	Horizontal	345	2.86	-	35.10	6.60	32.82	
RMS	5.9486G	98.46	Inf	-Inf	89.59	3	Horizontal	345	2.86	-	35.09	6.60	32.82	

802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TnomVnom




EUT Y_1TX
Setting 14.75
01-M-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.8936G	59.82	74.00	-14.18	43.93	3	Vertical	22	1.80	-	38.50	8.97	31.58
AV	11.8955G	47.30	54.00	-6.70	31.41	3	Vertical	22	1.80	-	38.50	8.97	31.58

802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TnomVnom




EUT_V_1TX
Setting 14.75
01-M-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.8941G	66.13	74.00	-7.87	50.24	3	Horizontal	211	1.80	-	38.50	8.97	31.58
AV	11.8952G	53.83	54.00	-0.17	37.94	3	Horizontal	211	1.80	-	38.50	8.97	31.58

802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TnomVnom




EUT V_1TX
Setting 17.75
01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.873G	61.34	88.20	-26.86	52.68	3	Vertical	232	1.78	-	34.85	6.60	32.79
RMS	5.919G	50.12	68.20	-18.08	41.35	3	Vertical	232	1.78	-	34.98	6.60	32.81
PK	6.189G	119.45	Inf	-Inf	109.96	3	Vertical	232	1.78	-	35.46	6.88	32.85
RMS	6.189G	108.57	Inf	-Inf	99.08	3	Vertical	232	1.78	-	35.46	6.88	32.85

802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TnomVnom




EUT_V_1TX
Setting 17.75
01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.749G	60.78	88.20	-27.42	52.53	3	Horizontal	189	2.90	-	34.39	6.60	32.74	
RMS	5.925G	50.06	68.20	-18.14	41.27	3	Horizontal	189	2.90	-	35.00	6.60	32.81	
PK	6.189G	110.83	Inf	-Inf	101.34	3	Horizontal	189	2.90	-	35.46	6.88	32.85	
RMS	6.189G	100.59	Inf	-Inf	91.10	3	Horizontal	189	2.90	-	35.46	6.88	32.85	

802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TnomVnom




EUT_V_1TX
Setting 17.75
01-C-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.3782G	63.01	74.00	-10.99	46.76	3	Vertical	235	1.80	-	38.66	9.17	31.58
AV	12.3761G	49.12	54.00	-4.88	32.88	3	Vertical	235	1.80	-	38.65	9.17	31.58

802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TnomVnom




EUT_V_1TX
 Setting 17.75
 01-C-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.3784G	67.04	74.00	-6.96	50.79	3	Horizontal	203	1.80	-	38.66	9.17	31.58
AV	12.3761G	53.08	54.00	-0.92	36.84	3	Horizontal	203	1.80	-	38.65	9.17	31.58

802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TnomVnom




EUT_V_1TX
Setting 17.75
01-C-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.5885G	46.93	83.54	-36.61	44.24	1	Vertical	7	1.54	-	37.76	14.94	50.01
AV	18.5887G	33.39	63.54	-30.15	30.70	1	Vertical	7	1.54	-	37.76	14.94	50.01

802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TnomVnom




EUT_V_1TX
Setting 17.75
01-C-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.604G	47.11	83.54	-36.43	44.41	1	Horizontal	268	2.98	-	37.76	14.94	50.00
AV	18.6063G	33.44	63.54	-30.10	30.73	1	Horizontal	268	2.98	-	37.76	14.94	49.99

802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TnomVnom




EUT V_1TX
 Setting 18.25
 01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9222G	61.04	88.20	-27.16	52.26	3	Vertical	223	1.80	-	34.99	6.60	32.81	
RMS	5.925G	49.99	68.20	-18.21	41.20	3	Vertical	223	1.80	-	35.00	6.60	32.81	
PK	6.4094G	119.52	Inf	-Inf	109.82	3	Vertical	223	1.80	-	35.56	7.00	32.86	
RMS	6.4094G	107.44	Inf	-Inf	97.74	3	Vertical	223	1.80	-	35.56	7.00	32.86	

802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TnomVnom




EUT_V_1TX
Setting 18.25
01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.813G	60.30	88.20	-27.90	51.97	3	Horizontal	322	1.72	-	34.50	6.60	32.77	
RMS	5.925G	50.04	68.20	-18.16	41.25	3	Horizontal	322	1.72	-	35.00	6.60	32.81	
PK	6.4094G	112.18	Inf	-Inf	102.48	3	Horizontal	322	1.72	-	35.56	7.00	32.86	
RMS	6.4094G	100.22	Inf	-Inf	90.52	3	Horizontal	322	1.72	-	35.56	7.00	32.86	

802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TnomVnom




EUT_V_1TX
Setting 18.25
01-C-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.8162G	64.38	88.20	-23.82	46.70	3	Vertical	259	1.80	-	39.22	9.37	30.91	
RMS	12.816G	51.13	68.20	-17.07	33.45	3	Vertical	259	1.80	-	39.22	9.37	30.91	

802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TnomVnom




EUT V_1TX
Setting 18.25
01-C-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.8162G	67.89	88.20	-20.31	50.21	3	Horizontal	202	1.87	-	39.22	9.37	30.91	
RMS	12.8162G	54.53	68.20	-13.67	36.85	3	Horizontal	202	1.87	-	39.22	9.37	30.91	

802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TnomVnom




EUT_V_1TX
Setting 18.25
01-C-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.2398G	47.16	83.54	-36.38	43.90	1	Vertical	101	2.74	-	37.71	15.20	49.65
AV	19.2287G	33.98	63.54	-29.56	30.71	1	Vertical	101	2.74	-	37.73	15.19	49.65

802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TnomVnom




EUT V_1TX
Setting 18.25
01-C-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.231G	47.05	83.54	-36.49	43.79	1	Horizontal	73	2.08	-	37.72	15.19	49.65
AV	19.2321G	33.95	63.54	-29.59	30.69	1	Horizontal	73	2.08	-	37.72	15.19	49.65

802.11ax HEW20_Nss1,(MCS0)_1TX

6435MHz_TnomVnom




EUT V_1TX
Setting -0.5
01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8494G	60.76	88.20	-27.44	52.14	3	Vertical	64	1.68	-	34.80	6.60	32.78
RMS	5.925G	50.00	68.20	-18.20	41.21	3	Vertical	64	1.68	-	35.00	6.60	32.81
PK	6.4286G	100.20	Inf	-Inf	90.57	3	Vertical	64	1.68	-	35.49	7.00	32.86
RMS	6.4286G	90.52	Inf	-Inf	80.89	3	Vertical	64	1.68	-	35.49	7.00	32.86
PK	7.219G	63.78	88.20	-24.42	52.59	3	Vertical	64	1.68	-	37.10	7.22	33.13
RMS	7.2318G	53.17	68.20	-15.03	41.98	3	Vertical	64	1.68	-	37.10	7.23	33.14

802.11ax HEW20_Nss1,(MCS0)_1TX

6435MHz_TnomVnom




EUT_V_1TX
Setting -0.5
01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8942G	60.39	88.20	-27.81	51.70	3	Horizontal	300	1.75	-	34.89	6.60	32.80
RMS	5.925G	50.02	68.20	-18.18	41.23	3	Horizontal	300	1.75	-	35.00	6.60	32.81
PK	6.4286G	93.58	Inf	-Inf	83.95	3	Horizontal	300	1.75	-	35.49	7.00	32.86
RMS	6.4286G	82.32	Inf	-Inf	72.69	3	Horizontal	300	1.75	-	35.49	7.00	32.86
PK	7.2318G	63.69	88.20	-24.51	52.50	3	Horizontal	300	1.75	-	37.10	7.23	33.14
RMS	7.2318G	53.20	68.20	-15.00	42.01	3	Horizontal	300	1.75	-	37.10	7.23	33.14

802.11ax HEW20_Nss1,(MCS0)_1TX

6435MHz_TnomVnom




EUT_V_1TX
Setting -0.5
01-C-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8542G	59.92	88.20	-28.28	42.12	3	Vertical	30	2.53	-	39.25	9.38	30.83
RMS	12.8942G	45.86	68.20	-22.34	27.92	3	Vertical	30	2.53	-	39.29	9.40	30.75

802.11ax HEW20_Nss1,(MCS0)_1TX

6435MHz_TnomVnom




EUT_V_1TX
Setting -0.5
01-C-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.8668G	58.81	88.20	-29.39	40.96	3	Horizontal	354	1.92	-	39.27	9.39	30.81	
RMS	12.8937G	45.79	68.20	-22.41	27.85	3	Horizontal	354	1.92	-	39.29	9.40	30.75	

802.11ax HEW20_Nss1,(MCS0)_1TX

6435MHz_TnomVnom




EUT_V_1TX
Setting -0.5
01-C-K-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.3042G	47.84	83.54	-35.70	44.54	1	Vertical	243	2.88	-	37.74	15.22	49.66
AV	19.3013G	33.41	63.54	-30.13	30.11	1	Vertical	243	2.88	-	37.74	15.22	49.66

802.11ax HEW20_Nss1,(MCS0)_1TX

6435MHz_TnomVnom




EUT_V_1TX
Setting -0.5
01-C-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.3235G	46.77	83.54	-36.77	43.44	1	Horizontal	43	1.11	-	37.76	15.23	49.66
AV	19.2812G	33.47	63.54	-30.07	30.20	1	Horizontal	43	1.11	-	37.72	15.21	49.66

802.11ax HEW20_Nss1,(MCS0)_1TX

6475MHz_TnomVnom




EUT V_1TX
Setting -0.5
01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.788G	60.94	88.20	-27.26	52.70	3	Vertical	55	1.51	-	34.40	6.60	32.76
RMS	5.925G	50.03	68.20	-18.17	41.24	3	Vertical	55	1.51	-	35.00	6.60	32.81
PK	6.469G	99.34	Inf	-Inf	89.72	3	Vertical	55	1.51	-	35.48	7.00	32.86
RMS	6.469G	89.19	Inf	-Inf	79.57	3	Vertical	55	1.51	-	35.48	7.00	32.86
PK	7.177G	63.81	88.20	-24.39	52.70	3	Vertical	55	1.51	-	37.01	7.21	33.11
RMS	7.192G	53.18	68.20	-15.02	42.03	3	Vertical	55	1.51	-	37.07	7.20	33.12

802.11ax HEW20_Nss1,(MCS0)_1TX

6475MHz_TnomVnom




EUT_V_1TX
Setting -0.5
01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.809G	60.30	88.20	-27.90	51.99	3	Horizontal	319	1.66	-	34.47	6.60	32.76
RMS	5.917G	50.00	68.20	-18.20	41.24	3	Horizontal	319	1.66	-	34.97	6.60	32.81
PK	6.469G	91.97	Inf	-Inf	82.35	3	Horizontal	319	1.66	-	35.48	7.00	32.86
RMS	6.469G	80.19	Inf	-Inf	70.57	3	Horizontal	319	1.66	-	35.48	7.00	32.86
PK	7.192G	65.01	88.20	-23.19	53.86	3	Horizontal	319	1.66	-	37.07	7.20	33.12
RMS	7.195G	53.26	68.20	-14.94	42.10	3	Horizontal	319	1.66	-	37.08	7.20	33.12

802.11ax HEW20_Nss1,(MCS0)_1TX

6475MHz_TnomVnom




EUT_V_1TX
Setting -0.5
01-C-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.9582G	60.33	88.20	-27.87	42.04	3	Vertical	102	1.97	-	39.47	9.43	30.61
RMS	12.9749G	46.61	68.20	-21.59	28.22	3	Vertical	102	1.97	-	39.52	9.44	30.57

802.11ax HEW20_Nss1,(MCS0)_1TX

6475MHz_TnomVnom




EUT_V_1TX
Setting -0.5
01-C-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.964G	60.23	88.20	-27.97	41.91	3	Horizontal	360	1.54	-	39.49	9.43	30.60
RMS	12.9747G	46.58	68.20	-21.62	28.19	3	Horizontal	360	1.54	-	39.52	9.44	30.57

802.11ax HEW20_Nss1,(MCS0)_1TX

6475MHz_TnomVnom




EUT_V_1TX
Setting -0.5
01-C-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.4355G	47.74	83.54	-35.80	44.31	1	Vertical	72	2.91	-	37.85	15.27	49.69
AV	19.4499G	33.38	63.54	-30.16	29.93	1	Vertical	72	2.91	-	37.86	15.28	49.69

802.11ax HEW20_Nss1,(MCS0)_1TX

6475MHz_TnomVnom




EUT_V_1TX
Setting -0.5
01-C-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.425G	46.55	83.54	-36.99	43.13	1	Horizontal	262	2.57	-	37.84	15.27	49.69
AV	19.4481G	33.34	63.54	-30.20	29.89	1	Horizontal	262	2.57	-	37.86	15.28	49.69

802.11ax HEW20_Nss1,(MCS0)_1TX

6515MHz_TnomVnom




EUT V_1TX
Setting -0.25
01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9046G	61.72	88.20	-26.48	53.00	3	Vertical	221	1.80	-	34.92	6.60	32.80
RMS	5.9214G	50.05	68.20	-18.15	41.27	3	Vertical	221	1.80	-	34.99	6.60	32.81
PK	6.5094G	100.81	Inf	-Inf	91.03	3	Vertical	221	1.80	-	35.64	7.00	32.86
RMS	6.5094G	88.80	Inf	-Inf	79.02	3	Vertical	221	1.80	-	35.64	7.00	32.86
PK	7.1982G	63.56	88.20	-24.64	52.39	3	Vertical	221	1.80	-	37.09	7.20	33.12
RMS	7.145G	53.11	68.20	-15.09	42.12	3	Vertical	221	1.80	-	36.86	7.23	33.10

802.11ax HEW20_Nss1,(MCS0)_1TX

6515MHz_TnomVnom




EUT_V_1TX
 Setting -0.25
 01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9158G	60.71	88.20	-27.49	51.96	3	Horizontal	330	1.77	-	34.96	6.60	32.81
RMS	5.9242G	50.03	68.20	-18.17	41.24	3	Horizontal	330	1.77	-	35.00	6.60	32.81
PK	6.5094G	91.06	Inf	-Inf	81.28	3	Horizontal	330	1.77	-	35.64	7.00	32.86
RMS	6.5094G	79.70	Inf	-Inf	69.92	3	Horizontal	330	1.77	-	35.64	7.00	32.86
PK	7.1702G	64.15	88.20	-24.05	53.07	3	Horizontal	330	1.77	-	36.98	7.21	33.11
RMS	7.1954G	53.20	68.20	-15.00	42.04	3	Horizontal	330	1.77	-	37.08	7.20	33.12

802.11ax HEW20_Nss1,(MCS0)_1TX

6515MHz_TnomVnom




EUT_V_1TX
Setting -0.25
01-C-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0489G	60.82	88.20	-27.38	42.15	3	Vertical	254	1.33	-	39.65	9.47	30.45
RMS	13.0476G	47.00	68.20	-21.20	28.33	3	Vertical	254	1.33	-	39.65	9.47	30.45

802.11ax HEW20_Nss1,(MCS0)_1TX

6515MHz_TnomVnom




EUT_V_1TX
Setting -0.25
01-C-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0158G	60.62	88.20	-27.58	42.04	3	Horizontal	241	2.94	-	39.62	9.46	30.50
RMS	13.045G	47.01	68.20	-21.19	28.34	3	Horizontal	241	2.94	-	39.65	9.47	30.45

802.11ax HEW20_Nss1,(MCS0)_1TX

6515MHz_TnomVnom




EUT_V_1TX
Setting -0.25
01-C-K-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.5667G	47.92	83.54	-35.62	44.42	1	Vertical	118	1.18	-	37.87	15.33	49.70
AV	19.5676G	34.18	63.54	-29.36	30.68	1	Vertical	118	1.18	-	37.87	15.33	49.70

802.11ax HEW20_Nss1,(MCS0)_1TX

6515MHz_TnomVnom




EUT_V_1TX
Setting -0.25
01-C-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.5676G	48.27	83.54	-35.27	44.77	1	Horizontal	138	2.64	-	37.87	15.33	49.70
AV	19.5678G	34.20	63.54	-29.34	30.70	1	Horizontal	138	2.64	-	37.87	15.33	49.70

802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TnomVnom




EUT V_1TX
Setting 18.25
01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9106G	60.42	88.20	-27.78	51.68	3	Vertical	63	1.79	-	34.94	6.60	32.80
RMS	5.9218G	50.00	68.20	-18.20	41.22	3	Vertical	63	1.79	-	34.99	6.60	32.81
PK	6.5406G	116.01	Inf	-Inf	106.12	3	Vertical	63	1.79	-	35.76	7.00	32.87
RMS	6.5406G	105.77	Inf	-Inf	95.88	3	Vertical	63	1.79	-	35.76	7.00	32.87
PK	7.1678G	63.33	88.20	-24.87	52.25	3	Vertical	63	1.79	-	36.97	7.22	33.11
RMS	7.1986G	53.26	68.20	-14.94	42.09	3	Vertical	63	1.79	-	37.09	7.20	33.12

802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TnomVnom




EUT_V_1TX
Setting 18.25
01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8882G	61.07	88.20	-27.13	52.39	3	Horizontal	63	2.93	-	34.88	6.60	32.80
RMS	5.9246G	50.05	68.20	-18.15	41.26	3	Horizontal	63	2.93	-	35.00	6.60	32.81
PK	6.5406G	109.13	Inf	-Inf	99.24	3	Horizontal	63	2.93	-	35.76	7.00	32.87
RMS	6.5406G	98.99	Inf	-Inf	89.10	3	Horizontal	63	2.93	-	35.76	7.00	32.87
PK	7.1706G	63.83	88.20	-24.37	52.75	3	Horizontal	63	2.93	-	36.98	7.21	33.11
RMS	7.2238G	53.19	68.20	-15.01	42.01	3	Horizontal	63	2.93	-	37.10	7.22	33.14

802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TnomVnom




EUT_V_1TX
Setting 18.25
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0848G	61.07	88.20	-27.13	42.29	3	Vertical	230	1.41	-	39.68	9.49	30.39
RMS	13.0836G	48.11	68.20	-20.09	29.34	3	Vertical	230	1.41	-	39.68	9.49	30.40

802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TnomVnom




EUT_V_1TX
Setting 18.25
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0834G	62.85	88.20	-25.35	44.08	3	Horizontal	148	1.80	-	39.68	9.49	30.40
RMS	13.0842G	49.50	68.20	-18.70	30.73	3	Horizontal	148	1.80	-	39.68	9.49	30.40

802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TnomVnom




EUT_V_1TX
Setting 18.25
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.6382G	48.34	83.54	-35.20	44.84	1	Vertical	6	1.88	-	37.84	15.36	49.70
AV	19.6538G	34.97	63.54	-28.57	31.47	1	Vertical	6	1.88	-	37.84	15.36	49.70

802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TnomVnom




EUT_V_1TX
Setting 18.25
01-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.6486G	48.07	83.54	-35.47	44.57	1	Horizontal	44	1.52	-	37.84	15.36	49.70
AV	19.6474G	34.96	63.54	-28.58	31.46	1	Horizontal	44	1.52	-	37.84	15.36	49.70

802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TnomVnom




EUT_V_1TX
Setting 18.25
01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7016G	116.47	Inf	-Inf	106.48	3	Vertical	217	1.80	-	35.91	7.00	32.92
RMS	6.7016G	108.16	Inf	-Inf	98.17	3	Vertical	217	1.80	-	35.91	7.00	32.92
PK	7.1724G	63.75	88.20	-24.45	52.66	3	Vertical	217	1.80	-	36.99	7.21	33.11
RMS	7.2252G	53.33	68.20	-14.87	42.14	3	Vertical	217	1.80	-	37.10	7.23	33.14

802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TnomVnom




EUT V_1TX
Setting 18.25
01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7016G	107.50	Inf	-Inf	97.51	3	Horizontal	356	2.79	-	35.91	7.00	32.92
RMS	6.7016G	99.57	Inf	-Inf	89.58	3	Horizontal	356	2.79	-	35.91	7.00	32.92
PK	7.2032G	64.23	88.20	-23.97	53.06	3	Horizontal	356	2.79	-	37.10	7.20	33.13
RMS	7.2428G	53.32	68.20	-14.88	42.13	3	Horizontal	356	2.79	-	37.10	7.24	33.15

802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TnomVnom




EUT_V_1TX
Setting 18.25
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.4032G	62.33	88.20	-25.87	42.42	3	Vertical	269	1.80	-	40.20	9.63	29.92
RMS	13.4042G	49.22	68.20	-18.98	29.31	3	Vertical	269	1.80	-	40.20	9.63	29.92

802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TnomVnom




EUT_V_1TX
Setting 18.25
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.4054G	63.46	88.20	-24.74	43.55	3	Horizontal	300	1.37	-	40.20	9.63	29.92	
RMS	13.404G	50.19	68.20	-18.01	30.28	3	Horizontal	300	1.37	-	40.20	9.63	29.92	

802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TnomVnom




EUT_V_1TX
Setting 18.25
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.092G	47.85	83.54	-35.69	44.58	1	Vertical	86	1.17	-	37.47	15.54	49.74
AV	20.1248G	34.77	63.54	-28.77	31.46	1	Vertical	86	1.17	-	37.50	15.56	49.75

802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TnomVnom




EUT_V_1TX
Setting 18.25
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.0578G	47.64	83.54	-35.90	44.38	1	Horizontal	13	2.51	-	37.45	15.53	49.72
AV	20.1282G	34.79	63.54	-28.75	31.48	1	Horizontal	13	2.51	-	37.50	15.56	49.75

802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TnomVnom




EUT_V_1TX
Setting -0.5
01-M-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.848G	122.24	Inf	-Inf	111.56	3	Vertical	34	2.24	-	36.58	7.07	32.97
RMS	6.848G	114.87	Inf	-Inf	104.19	3	Vertical	34	2.24	-	36.58	7.07	32.97
PK	7.1574G	64.09	88.20	-24.11	53.04	3	Vertical	34	2.24	-	36.93	7.22	33.10
RMS	7.1826G	53.13	68.20	-15.07	42.00	3	Vertical	34	2.24	-	37.03	7.21	33.11

802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TnomVnom




EUT V_1TX
Setting -0.5
01-M-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.8494G	111.72	Inf	-Inf	101.02	3	Horizontal	34	2.43	-	36.60	7.07	32.97	
RMS	6.848G	104.47	Inf	-Inf	93.79	3	Horizontal	34	2.43	-	36.58	7.07	32.97	
PK	7.1658G	63.73	88.20	-24.47	52.66	3	Horizontal	34	2.43	-	36.96	7.22	33.11	
RMS	7.1994G	53.14	68.20	-15.06	41.96	3	Horizontal	34	2.43	-	37.10	7.20	33.12	

802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TnomVnom




EUT_V_1TX
Setting -0.5
01-M-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.69408G	63.69	88.20	-24.51	43.11	3	Vertical	293	1.74	-	40.49	9.76	29.67
RMS	13.69536G	51.74	68.20	-16.46	31.16	3	Vertical	293	1.74	-	40.49	9.76	29.67

802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TnomVnom




EUT_V_1TX
Setting -0.5
01-M-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.69608G	67.90	88.20	-20.30	47.32	3	Horizontal	210	1.80	-	40.49	9.76	29.67
RMS	13.69536G	56.41	68.20	-11.79	35.83	3	Horizontal	210	1.80	-	40.49	9.76	29.67

802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TnomVnom




EUT_V_1TX
Setting -0.5
01-M-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.56738G	47.32	83.54	-36.22	43.65	1	Vertical	214	1.50	-	37.78	15.76	49.87
AV	20.56798G	34.60	63.54	-28.94	30.93	1	Vertical	214	1.50	-	37.78	15.76	49.87

802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TnomVnom




EUT_V_1TX
Setting -0.5
01-M-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	20.56012G	48.36	83.54	-35.18	44.72	1	Horizontal	73	1.55	-	37.77	15.75	49.88	
AV	20.56798G	34.60	63.54	-28.94	30.93	1	Horizontal	73	1.55	-	37.78	15.76	49.87	

802.11ax HEW20_Nss1,(MCS0)_1TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT V_1TX
 Setting -0.5
 01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.882G	96.49	Inf	-Inf	86.01	3	Vertical	67	1.79	-	36.34	7.12	32.98
RMS	6.882G	88.16	Inf	-Inf	77.68	3	Vertical	67	1.79	-	36.34	7.12	32.98
PK	7.162G	64.13	88.20	-24.07	53.06	3	Vertical	67	1.79	-	36.95	7.22	33.10
RMS	7.211G	53.32	68.20	-14.88	42.14	3	Vertical	67	1.79	-	37.10	7.21	33.13

802.11ax HEW20_Nss1,(MCS0)_1TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT V_1TX
Setting -0.5
01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8806G	85.55	Inf	-Inf	75.05	3	Horizontal	350	2.51	-	36.36	7.12	32.98
RMS	6.882G	77.29	Inf	-Inf	66.81	3	Horizontal	350	2.51	-	36.34	7.12	32.98
PK	7.1466G	64.11	88.20	-24.09	53.11	3	Horizontal	350	2.51	-	36.87	7.23	33.10
RMS	7.1984G	53.32	68.20	-14.88	42.15	3	Horizontal	350	2.51	-	37.09	7.20	33.12

802.11ax HEW20_Nss1,(MCS0)_1TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_1TX
Setting -0.5
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7374G	64.39	88.20	-23.81	43.64	3	Vertical	304	2.62	-	40.61	9.78	29.64
RMS	13.75894G	49.56	68.20	-18.64	28.72	3	Vertical	304	2.62	-	40.68	9.79	29.63

802.11ax HEW20_Nss1,(MCS0)_1TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_1TX
Setting -0.5
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.74808G	63.49	88.20	-24.71	42.70	3	Horizontal	267	1.39	-	40.64	9.79	29.64
RMS	13.7521G	49.57	68.20	-18.63	28.75	3	Horizontal	267	1.39	-	40.66	9.79	29.63

802.11ax HEW20_Nss1,(MCS0)_1TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_1TX
Setting -0.5
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.62686G	49.11	83.54	-34.43	45.33	1	Vertical	342	2.65	-	37.85	15.78	49.85
AV	20.63982G	34.57	63.54	-28.97	30.75	1	Vertical	342	2.65	-	37.87	15.79	49.84

802.11ax HEW20_Nss1,(MCS0)_1TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_1TX
Setting -0.5
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.63814G	48.82	83.54	-34.72	45.00	1	Horizontal	308	1.41	-	37.87	15.79	49.84
AV	20.64G	34.56	63.54	-28.98	30.74	1	Horizontal	308	1.41	-	37.87	15.79	49.84

802.11ax HEW20_Nss1,(MCS0)_1TX

6895MHz_TnomVnom




EUT V_1TX
Setting -0.5
01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.9034G	96.90	Inf	-Inf	86.51	3	Vertical	55	1.70	-	36.22	7.16	32.99	
RMS	6.902G	87.99	Inf	-Inf	77.62	3	Vertical	55	1.70	-	36.21	7.15	32.99	
PK	7.203G	64.13	88.20	-24.07	52.96	3	Vertical	55	1.70	-	37.10	7.20	33.13	
RMS	7.2422G	53.32	68.20	-14.88	42.13	3	Vertical	55	1.70	-	37.10	7.24	33.15	

802.11ax HEW20_Nss1,(MCS0)_1TX

6895MHz_TnomVnom




EUT V_1TX
Setting -0.5
01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.9034G	88.79	Inf	-Inf	78.40	3	Horizontal	182	2.91	-	36.22	7.16	32.99	
RMS	6.902G	80.31	Inf	-Inf	69.94	3	Horizontal	182	2.91	-	36.21	7.15	32.99	
PK	7.2254G	64.41	88.20	-23.79	53.22	3	Horizontal	182	2.91	-	37.10	7.23	33.14	
RMS	7.2394G	53.35	68.20	-14.85	42.15	3	Horizontal	182	2.91	-	37.10	7.24	33.14	

802.11ax HEW20_Nss1,(MCS0)_1TX

6895MHz_TnomVnom




EUT_V_1TX
Setting -0.5
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.78802G	63.36	88.20	-24.84	42.41	3	Vertical	66	1.28	-	40.76	9.80	29.61
RMS	13.8044G	49.72	68.20	-18.48	28.71	3	Vertical	66	1.28	-	40.80	9.81	29.60

802.11ax HEW20_Nss1,(MCS0)_1TX

6895MHz_TnomVnom




EUT_V_1TX
Setting -0.5
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.79216G	63.71	88.20	-24.49	42.73	3	Horizontal	17	2.89	-	40.78	9.81	29.61
RMS	13.80464G	49.75	68.20	-18.45	28.74	3	Horizontal	17	2.89	-	40.80	9.81	29.60

802.11ax HEW20_Nss1,(MCS0)_1TX

6895MHz_TnomVnom




EUT_V_1TX
Setting -0.5
01-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	20.69874G	49.05	83.54	-34.49	45.12	1	Vertical	335	2.18	-	37.94	15.81	49.82	
AV	20.69544G	34.94	63.54	-28.60	31.02	1	Vertical	335	2.18	-	37.93	15.81	49.82	

802.11ax HEW20_Nss1,(MCS0)_1TX

6895MHz_TnomVnom




EUT_V_1TX
Setting -0.5
01-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.69424G	48.24	83.54	-35.30	44.32	1	Horizontal	180	1.85	-	37.93	15.81	49.82
AV	20.6991G	34.92	63.54	-28.62	30.99	1	Horizontal	180	1.85	-	37.94	15.81	49.82

802.11ax HEW20_Nss1,(MCS0)_1TX

6995MHz_TnomVnom




EUT V_1TX
Setting -1
01-C-E-2-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	7.001G	99.79	Inf	-Inf	89.20	3	Vertical	67	2.74	-	36.31	7.30	33.02	
RMS	7.001G	91.58	Inf	-Inf	80.99	3	Vertical	67	2.74	-	36.31	7.30	33.02	
PK	7.2G	64.41	88.20	-23.79	53.23	3	Vertical	67	2.74	-	37.10	7.20	33.12	
RMS	7.2G	53.33	68.20	-14.87	42.15	3	Vertical	67	2.74	-	37.10	7.20	33.12	

802.11ax HEW20_Nss1,(MCS0)_1TX

6995MHz_TnomVnom




EUT V_1TX
Setting -1
01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.003G	89.74	Inf	-Inf	79.14	3	Horizontal	177	2.85	-	36.32	7.30	33.02	
RMS	7.001G	81.29	Inf	-Inf	70.70	3	Horizontal	177	2.85	-	36.31	7.30	33.02	
PK	7.233G	64.21	88.20	-23.99	53.02	3	Horizontal	177	2.85	-	37.10	7.23	33.14	
RMS	7.198G	53.32	68.20	-14.88	42.15	3	Horizontal	177	2.85	-	37.09	7.20	33.12	

802.11ax HEW20_Nss1,(MCS0)_1TX

6995MHz_TnomVnom




EUT_V_1TX
Setting -1
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.99678G	64.54	88.20	-23.66	43.23	3	Vertical	324	1.50	-	40.90	9.90	29.49	
RMS	14.00302G	50.48	68.20	-17.72	29.17	3	Vertical	324	1.50	-	40.90	9.90	29.49	

802.11ax HEW20_Nss1,(MCS0)_1TX

6995MHz_TnomVnom




EUT_V_1TX
Setting -1
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.98244G	64.35	88.20	-23.85	43.06	3	Horizontal	327	2.30	-	40.90	9.89	29.50
RMS	14.00302G	50.53	68.20	-17.67	29.22	3	Horizontal	327	2.30	-	40.90	9.90	29.49

802.11ax HEW20_Nss1,(MCS0)_1TX

6995MHz_TnomVnom




EUT_V_1TX
Setting -1
01-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	20.99202G	48.02	83.54	-35.52	44.16	1	Vertical	268	1.99	-	37.61	15.95	49.70	
AV	20.97042G	34.68	63.54	-28.86	30.80	1	Vertical	268	1.99	-	37.65	15.94	49.71	

802.11ax HEW20_Nss1,(MCS0)_1TX

6995MHz_TnomVnom




EUT_V_1TX
Setting -1
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.9949G	48.45	83.54	-35.09	44.59	1	Horizontal	273	1.86	-	37.61	15.95	49.70
AV	20.9727G	34.71	63.54	-28.83	30.84	1	Horizontal	273	1.86	-	37.64	15.94	49.71

802.11ax HEW20_Nss1,(MCS0)_1TX

7095MHz_TnomVnom




EUT V_1TX
Setting 2.25
01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.1028G	99.57	Inf	-Inf	88.87	3	Vertical	67	2.16	-	36.52	7.25	33.07	
RMS	7.101G	91.00	Inf	-Inf	80.31	3	Vertical	67	2.16	-	36.51	7.25	33.07	
PK	7.125G	65.24	88.20	-22.96	54.39	3	Vertical	67	2.16	-	36.70	7.24	33.09	
RMS	7.2018G	53.30	68.20	-14.90	42.12	3	Vertical	67	2.16	-	37.10	7.20	33.12	

802.11ax HEW20_Nss1,(MCS0)_1TX

7095MHz_TnomVnom




EUT V_1TX
 Setting 2.25
 01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.1028G	91.56	Inf	-Inf	80.86	3	Horizontal	67	2.94	-	36.52	7.25	33.07
RMS	7.101G	83.05	Inf	-Inf	72.36	3	Horizontal	67	2.94	-	36.51	7.25	33.07
PK	7.2318G	64.70	88.20	-23.50	53.51	3	Horizontal	67	2.94	-	37.10	7.23	33.14
RMS	7.1988G	53.30	68.20	-14.90	42.12	3	Horizontal	67	2.94	-	37.10	7.20	33.12

802.11ax HEW20_Nss1,(MCS0)_1TX

7095MHz_TnomVnom




EUT V_1TX
Setting 2.25
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	14.17728G	63.85	88.20	-24.35	42.69	3	Vertical	170	2.17	-	40.82	9.95	29.61	
RMS	14.1777G	50.11	68.20	-18.09	28.95	3	Vertical	170	2.17	-	40.82	9.95	29.61	

802.11ax HEW20_Nss1,(MCS0)_1TX

7095MHz_TnomVnom




EUT_V_1TX
Setting 2.25
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.19504G	64.45	88.20	-23.75	43.32	3	Horizontal	171	2.08	-	40.80	9.96	29.63
RMS	14.17836G	50.11	68.20	-18.09	28.95	3	Horizontal	171	2.08	-	40.82	9.95	29.61

802.11ax HEW20_Nss1,(MCS0)_1TX

7095MHz_TnomVnom




EUT_V_1TX
Setting 2.25
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.29292G	49.59	83.54	-33.95	45.50	1	Vertical	1	2.28	-	37.65	16.08	49.64
AV	21.29826G	35.66	63.54	-27.88	31.56	1	Vertical	1	2.28	-	37.66	16.08	49.64

802.11ax HEW20_Nss1,(MCS0)_1TX

7095MHz_TnomVnom




EUT_V_1TX
Setting 2.25
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.2799G	49.43	83.54	-34.11	45.35	1	Horizontal	45	1.79	-	37.64	16.08	49.64
AV	21.29826G	35.62	63.54	-27.92	31.52	1	Horizontal	45	1.79	-	37.66	16.08	49.64

802.11ax HEW20_Nss1,(MCS0)_1TX

7115MHz_TnomVnom




EUT_V_1TX
Setting 10
03-G-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.1211G	95.41	Inf	-Inf	86.34	3	Vertical	29	1.35	-	35.93	8.20	35.06	
RMS	7.12118G	88.81	Inf	-Inf	79.74	3	Vertical	29	1.35	-	35.93	8.20	35.06	
PK	7.1255G	73.90	88.20	-14.30	64.81	3	Vertical	29	1.35	-	35.95	8.20	35.06	
RMS	7.1255G	62.52	68.20	-5.68	53.43	3	Vertical	29	1.35	-	35.95	8.20	35.06	

802.11ax HEW20_Nss1,(MCS0)_1TX

7115MHz_TnomVnom




EUT_V_1TX
Setting 10
03-G-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.1211G	95.64	Inf	-Inf	86.57	3	Horizontal	62	1.34	-	35.93	8.20	35.06	
RMS	7.12118G	89.08	Inf	-Inf	80.01	3	Horizontal	62	1.34	-	35.93	8.20	35.06	
PK	7.1255G	74.07	88.20	-14.13	64.98	3	Horizontal	62	1.34	-	35.95	8.20	35.06	
RMS	7.1255G	62.65	68.20	-5.55	53.56	3	Horizontal	62	1.34	-	35.95	8.20	35.06	

802.11ax HEW20_Nss1,(MCS0)_1TX

7115MHz_TnomVnom




EUT_V_1TX
Setting 10
03-G-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.21592G	66.94	88.20	-21.26	45.83	3	Vertical	236	1.80	-	41.60	12.51	33.00
RMS	14.2152G	54.04	68.20	-14.16	32.93	3	Vertical	236	1.80	-	41.60	12.51	33.00

802.11ax HEW20_Nss1,(MCS0)_1TX

7115MHz_TnomVnom




EUT_V_1TX
Setting 10
03-G-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.21608G	68.64	88.20	-19.56	47.53	3	Horizontal	204	2.84	-	41.60	12.51	33.00
RMS	14.21528G	57.20	68.20	-11.00	36.09	3	Horizontal	204	2.84	-	41.60	12.51	33.00

802.11ax HEW20_Nss1,(MCS0)_1TX

7115MHz_TnomVnom




EUT_V_1TX
Setting 10
03-G-S-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	21.34608G	48.62	83.54	-34.92	44.42	1	Vertical	159	1.53	-	37.72	16.11	49.63	
AV	21.34882G	35.85	63.54	-27.69	31.65	1	Vertical	159	1.53	-	37.72	16.11	49.63	

802.11ax HEW20_Nss1,(MCS0)_1TX

7115MHz_TnomVnom



EUT_V_1TX
Setting 10
03-G-S-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	21.34938G	48.76	83.54	-34.78	44.56	1	Horizontal	110	1.52	-	37.72	16.11	49.63	
AV	21.34786G	35.85	63.54	-27.69	31.65	1	Horizontal	110	1.52	-	37.72	16.11	49.63	



RSE TX above 1GHz
<Partial RU> low power_RU106_1TX_Ant. 2


Appendix E.13

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1.(MCS0)_1TX	Pass	AV	12.3812G	53.73	54.00	-0.27	3	Horizontal	203	1.80	-

802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TnomVnom




EUT V_1TX
 Setting 15.75
 01-M-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9238G	62.30	88.20	-25.90	53.51	3	Vertical	41	2.30	-	35.00	6.60	32.81
RMS	5.9234G	51.14	68.20	-17.06	42.36	3	Vertical	41	2.30	-	34.99	6.60	32.81
PK	5.9518G	114.00	Inf	-Inf	105.11	3	Vertical	41	2.30	-	35.11	6.60	32.82
RMS	5.9524G	105.54	Inf	-Inf	96.65	3	Vertical	41	2.30	-	35.11	6.60	32.82

802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TnomVnom




EUT_V_1TX
Setting 15.75
01-M-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9158G	62.30	88.20	-25.90	53.55	3	Horizontal	344	2.86	-	34.96	6.60	32.81
RMS	5.9102G	50.90	68.20	-17.30	42.16	3	Horizontal	344	2.86	-	34.94	6.60	32.80
PK	5.952G	105.38	Inf	-Inf	96.49	3	Horizontal	344	2.86	-	35.11	6.60	32.82
RMS	5.9524G	96.97	Inf	-Inf	88.08	3	Horizontal	344	2.86	-	35.11	6.60	32.82

802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TnomVnom



EUT V_1TX
Setting 15.75
01-M-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.8966G	59.73	74.00	-14.27	43.84	3	Vertical	18	1.78	-	38.50	8.97	31.58
AV	11.9002G	47.10	54.00	-6.90	31.20	3	Vertical	18	1.78	-	38.50	8.98	31.58