


802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6435MHz_TnomVnom




EUT_V_2TX
Setting 0.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.88104G	61.15	88.20	-27.05	44.78	3	Vertical	275	2.01	-	39.38	11.50	34.51	
RMS	12.86538G	46.48	68.20	-21.72	30.17	3	Vertical	275	2.01	-	39.37	11.49	34.55	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6435MHz_TnomVnom




EUT Y_2TX
Setting 0.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.86628G	59.93	88.20	-28.27	43.62	3	Horizontal	164	1.86	-	39.37	11.49	34.55	
RMS	12.8805G	46.50	68.20	-21.70	30.13	3	Horizontal	164	1.86	-	39.38	11.50	34.51	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6435MHz_TnomVnom




EUT Y_2TX
Setting 0.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.31754G	50.52	83.54	-33.02	47.20	1	Vertical	141	1.22	-	37.75	15.23	49.66
AV	19.31616G	36.89	63.54	-26.65	33.57	1	Vertical	141	1.22	-	37.75	15.23	49.66

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6435MHz_TnomVnom




EUT Y_2TX
Setting 0.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.31388G	50.44	83.54	-33.10	47.12	1	Horizontal	286	1.76	-	37.75	15.23	49.66
AV	19.30554G	36.81	63.54	-26.73	33.51	1	Horizontal	286	1.76	-	37.74	15.22	49.66

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6475MHz_TnomVnom




EUT_V_2TX
Setting 0.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.824G	61.08	88.20	-27.12	54.92	3	Vertical	73	1.80	-	34.25	7.42	35.51
RMS	5.925G	51.18	68.20	-17.02	44.52	3	Vertical	73	1.80	-	34.70	7.52	35.56
PK	6.475G	105.38	Inf	-Inf	98.24	3	Vertical	73	1.80	-	34.70	7.85	35.41
RMS	6.475G	93.28	Inf	-Inf	86.14	3	Vertical	73	1.80	-	34.70	7.85	35.41
PK	7.147G	65.03	88.20	-23.17	56.28	3	Vertical	73	1.80	-	36.08	8.20	35.53
RMS	7.213G	54.12	68.20	-14.08	44.96	3	Vertical	73	1.80	-	36.48	8.23	35.55

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6475MHz_TnomVnom




EUT_V_2TX
Setting 0.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.95078G	60.83	88.20	-27.37	44.17	3	Vertical	213	2.58	-	39.45	11.56	34.35	
RMS	12.94748G	46.43	68.20	-21.77	29.78	3	Vertical	213	2.58	-	39.45	11.56	34.36	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6475MHz_TnomVnom




EUT V_2TX
Setting 0.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.94202G	60.13	88.20	-28.07	43.51	3	Horizontal	217	2.14	-	39.44	11.55	34.37	
RMS	12.9419G	46.44	68.20	-21.76	29.82	3	Horizontal	217	2.14	-	39.44	11.55	34.37	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6475MHz_TnomVnom




EUT Y_2TX
Setting 0.5
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.43298G	50.23	83.54	-33.31	46.80	1	Vertical	115	2.39	-	37.85	15.27	49.69	
AV	19.43754G	37.12	63.54	-26.42	33.68	1	Vertical	115	2.39	-	37.85	15.28	49.69	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6475MHz_TnomVnom




EUT Y_2TX
Setting 0.5
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.43844G	51.03	83.54	-32.51	47.59	1	Horizontal	271	2.93	-	37.85	15.28	49.69	
AV	19.43976G	37.06	63.54	-26.48	33.62	1	Horizontal	271	2.93	-	37.85	15.28	49.69	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6515MHz_TnomVnom




EUT_V_2TX
Setting 0.75
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9046G	61.67	88.20	-26.53	55.10	3	Vertical	71	1.85	-	34.62	7.50	35.55
RMS	5.9102G	51.14	68.20	-17.06	44.55	3	Vertical	71	1.85	-	34.64	7.51	35.56
PK	6.5178G	103.67	Inf	-Inf	96.36	3	Vertical	71	1.85	-	34.77	7.94	35.40
RMS	6.515G	93.45	Inf	-Inf	86.16	3	Vertical	71	1.85	-	34.76	7.93	35.40
PK	7.201G	64.66	88.20	-23.54	55.59	3	Vertical	71	1.85	-	36.41	8.20	35.54
RMS	7.2122G	54.18	68.20	-14.02	45.04	3	Vertical	71	1.85	-	36.47	8.22	35.55

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6515MHz_TnomVnom




EUT_V_2TX
Setting 0.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.02574G	60.81	88.20	-27.39	43.81	3	Vertical	232	2.56	-	39.58	11.62	34.20
RMS	13.03246G	47.59	68.20	-20.61	30.55	3	Vertical	232	2.56	-	39.60	11.63	34.19

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6515MHz_TnomVnom




EUT_V_2TX
Setting 0.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.03492G	60.57	88.20	-27.63	43.52	3	Horizontal	115	2.09	-	39.60	11.63	34.18	
RMS	13.03558G	47.58	68.20	-20.62	30.52	3	Horizontal	115	2.09	-	39.61	11.63	34.18	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6515MHz_TnomVnom




EUT V_2TX
Setting 0.75
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.5447G	51.15	83.54	-32.39	47.65	1	Vertical	325	2.72	-	37.88	15.32	49.70
AV	19.5378G	37.59	63.54	-25.95	34.09	1	Vertical	325	2.72	-	37.88	15.32	49.70

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6515MHz_TnomVnom




EUT V_2TX
Setting 0.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.54812G	52.13	83.54	-31.41	48.63	1	Horizontal	31	1.60	-	37.88	15.32	49.70
AV	19.55934G	37.45	63.54	-26.09	33.95	1	Horizontal	31	1.60	-	37.88	15.32	49.70

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6535MHz_TnomVnom




EUT_V_2TX
 Setting 19.25
 03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9246G	61.73	88.20	-26.47	55.07	3	Vertical	72	1.80	-	34.70	7.52	35.56
RMS	5.919G	51.14	68.20	-17.06	44.50	3	Vertical	72	1.80	-	34.68	7.52	35.56
PK	6.535G	121.91	Inf	-Inf	114.51	3	Vertical	72	1.80	-	34.84	7.97	35.41
RMS	6.535G	111.90	Inf	-Inf	104.50	3	Vertical	72	1.80	-	34.84	7.97	35.41
PK	7.1958G	64.78	88.20	-23.42	55.75	3	Vertical	72	1.80	-	36.37	8.20	35.54
RMS	7.235G	54.19	68.20	-14.01	44.86	3	Vertical	72	1.80	-	36.61	8.27	35.55

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6535MHz_TnomVnom




EUT_V_2TX
Setting 19.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.08476G	61.87	88.20	-26.33	44.55	3	Vertical	240	1.78	-	39.75	11.67	34.10	
RMS	13.07486G	48.06	68.20	-20.14	30.80	3	Vertical	240	1.78	-	39.72	11.66	34.12	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6535MHz_TnomVnom




EUT_V_2TX
Setting 19.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.06916G	63.77	88.20	-24.43	46.53	3	Horizontal	146	2.03	-	39.71	11.66	34.13	
RMS	13.06934G	49.55	68.20	-18.65	32.30	3	Horizontal	146	2.03	-	39.71	11.66	34.12	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6535MHz_TnomVnom




EUT V_2TX
Setting 19.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.61748G	51.36	83.54	-32.18	47.86	1	Vertical	159	1.16	-	37.85	15.35	49.70
AV	19.61748G	37.31	63.54	-26.23	33.81	1	Vertical	159	1.16	-	37.85	15.35	49.70

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6535MHz_TnomVnom




EUT Y_2TX
Setting 19.25
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.5939G	50.36	83.54	-33.18	46.86	1	Horizontal	354	1.61	-	37.86	15.34	49.70	
AV	19.6041G	37.32	63.54	-26.22	33.82	1	Horizontal	354	1.61	-	37.86	15.34	49.70	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6695MHz_TnomVnom




EUT Y_2TX
Setting 19.25
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6972G	125.00	Inf	-Inf	116.95	3	Vertical	72	1.76	-	35.39	8.10	35.44
RMS	6.695G	112.87	Inf	-Inf	104.82	3	Vertical	72	1.76	-	35.39	8.10	35.44
PK	7.2362G	65.12	88.20	-23.08	55.78	3	Vertical	72	1.76	-	36.62	8.27	35.55
RMS	7.245G	54.16	68.20	-14.04	44.75	3	Vertical	72	1.76	-	36.67	8.29	35.55

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6695MHz_TnomVnom




EUT_V_2TX
Setting 19.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.3903G	64.59	74.00	-9.41	45.99	3	Vertical	217	2.63	-	40.28	11.91	33.59
AV	13.3903G	50.35	54.00	-3.65	31.75	3	Vertical	217	2.63	-	40.28	11.91	33.59

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6695MHz_TnomVnom




EUT_V_2TX
Setting 19.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.38994G	65.27	74.00	-8.73	46.67	3	Horizontal	198	3.00	-	40.28	11.91	33.59
AV	13.39006G	52.19	54.00	-1.81	33.59	3	Horizontal	198	3.00	-	40.28	11.91	33.59

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6695MHz_TnomVnom




EUT Y_2TX
Setting 19.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.09262G	52.19	83.54	-31.35	48.92	1	Vertical	149	2.10	-	37.47	15.54	49.74
AV	20.07942G	38.01	63.54	-25.53	34.74	1	Vertical	149	2.10	-	37.46	15.54	49.73

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6695MHz_TnomVnom




EUT_V_2TX
Setting 19.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.08224G	51.72	83.54	-31.82	48.44	1	Horizontal	13	2.41	-	37.47	15.54	49.73
AV	20.07444G	37.97	63.54	-25.57	34.71	1	Horizontal	13	2.41	-	37.46	15.53	49.73

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6855MHz_TnomVnom




EUT_V_2TX
Setting 23
01-M-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.855G	124.16	Inf	-Inf	113.49	3	Vertical	90	1.68	-	36.56	7.08	32.97	
RMS	6.8536G	113.49	Inf	-Inf	102.81	3	Vertical	90	1.68	-	36.57	7.08	32.97	
PK	7.1672G	66.93	88.20	-21.27	55.85	3	Vertical	90	1.68	-	36.97	7.22	33.11	
RMS	7.184G	56.22	68.20	-11.98	45.09	3	Vertical	90	1.68	-	37.04	7.21	33.12	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6855MHz_TnomVnom




EUT Y_2TX
Setting 23
01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.70724G	66.69	88.20	-21.51	46.06	3	Vertical	153	1.00	-	40.52	9.77	29.66	
RMS	13.70712G	52.88	68.20	-15.32	32.25	3	Vertical	153	1.00	-	40.52	9.77	29.66	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6855MHz_TnomVnom




EUT_V_2TX
Setting 23
01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.7091G	68.18	88.20	-20.02	47.54	3	Horizontal	199	2.95	-	40.53	9.77	29.66	
RMS	13.70994G	55.13	68.20	-13.07	34.49	3	Horizontal	199	2.95	-	40.53	9.77	29.66	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6855MHz_TnomVnom




EUT Y_2TX
Setting 23
01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	20.55126G	50.39	83.54	-33.15	46.76	1	Vertical	184	1.35	-	37.76	15.75	49.88	
AV	20.57406G	37.49	63.54	-26.05	33.81	1	Vertical	184	1.35	-	37.79	15.76	49.87	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6855MHz_TnomVnom




EUT Y_2TX
Setting 23
01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.58G	50.35	83.54	-33.19	46.66	1	Horizontal	202	1.69	-	37.80	15.76	49.87
AV	20.57256G	37.49	63.54	-26.05	33.81	1	Horizontal	202	1.69	-	37.79	15.76	49.87

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_2TX
 Setting 0.5
 03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.8764G	104.93	Inf	-Inf	96.61	3	Vertical	72	1.69	-	35.65	8.14	35.47	
RMS	6.8764G	94.76	Inf	-Inf	86.44	3	Vertical	72	1.69	-	35.65	8.14	35.47	
PK	7.2012G	64.92	88.20	-23.28	55.85	3	Vertical	72	1.69	-	36.41	8.20	35.54	
RMS	7.218G	54.10	68.20	-14.10	44.90	3	Vertical	72	1.69	-	36.51	8.24	35.55	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_2TX
Setting 0.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.74886G	64.91	88.20	-23.29	45.50	3	Vertical	343	2.39	-	40.70	12.20	33.49
RMS	13.735G	51.59	68.20	-16.61	32.22	3	Vertical	343	2.39	-	40.67	12.19	33.49

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_2TX
Setting 0.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.76176G	65.15	88.20	-23.05	45.72	3	Horizontal	5	2.04	-	40.72	12.21	33.50
RMS	13.74028G	51.60	68.20	-16.60	32.22	3	Horizontal	5	2.04	-	40.68	12.19	33.49

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_2TX
Setting 0.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.62482G	51.87	83.54	-31.67	48.09	1	Vertical	45	2.22	-	37.85	15.78	49.85
AV	20.6274G	38.46	63.54	-25.08	34.68	1	Vertical	45	2.22	-	37.85	15.78	49.85

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_2TX
Setting 0.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.63736G	51.51	83.54	-32.03	47.71	1	Horizontal	246	1.54	-	37.86	15.79	49.85
AV	20.61666G	38.32	63.54	-25.22	34.55	1	Horizontal	246	1.54	-	37.84	15.78	49.85

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6895MHz_TnomVnom




EUT Y_2TX
Setting 0.75
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8936G	105.33	Inf	-Inf	97.04	3	Vertical	71	1.68	-	35.61	8.15	35.47
RMS	6.8964G	94.41	Inf	-Inf	86.12	3	Vertical	71	1.68	-	35.61	8.15	35.47
PK	7.2142G	65.23	88.20	-22.97	56.06	3	Vertical	71	1.68	-	36.49	8.23	35.55
RMS	7.2422G	54.17	68.20	-14.03	44.79	3	Vertical	71	1.68	-	36.65	8.28	35.55

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6895MHz_TnomVnom




EUT_V_2TX
Setting 0.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.80044G	64.54	88.20	-23.66	45.01	3	Vertical	61	1.73	-	40.80	12.24	33.51
RMS	13.7954G	51.24	68.20	-16.96	31.72	3	Vertical	61	1.73	-	40.79	12.24	33.51

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6895MHz_TnomVnom




EUT_V_2TX
Setting 0.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.80422G	65.03	88.20	-23.17	45.49	3	Horizontal	238	1.04	-	40.81	12.24	33.51
RMS	13.79912G	51.22	68.20	-16.98	31.69	3	Horizontal	238	1.04	-	40.80	12.24	33.51

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6895MHz_TnomVnom




EUT V_2TX
Setting 0.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.68488G	52.51	83.54	-31.03	48.61	1	Vertical	117	1.65	-	37.92	15.81	49.83
AV	20.67936G	38.83	63.54	-24.71	34.93	1	Vertical	117	1.65	-	37.92	15.81	49.83

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6895MHz_TnomVnom




EUT V_2TX
Setting 0.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.6922G	52.46	83.54	-31.08	48.54	1	Horizontal	161	2.88	-	37.93	15.81	49.82
AV	20.6835G	38.84	63.54	-24.70	34.94	1	Horizontal	161	2.88	-	37.92	15.81	49.83

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6995MHz_TnomVnom




EUT V_2TX
 Setting 1.25
 03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.993G	106.22	Inf	-Inf	97.81	3	Vertical	74	1.67	-	35.70	8.20	35.49	
RMS	6.996G	96.98	Inf	-Inf	88.57	3	Vertical	74	1.67	-	35.70	8.20	35.49	
PK	7.147G	65.20	88.20	-23.00	56.45	3	Vertical	74	1.67	-	36.08	8.20	35.53	
RMS	7.215G	54.17	68.20	-14.03	45.00	3	Vertical	74	1.67	-	36.49	8.23	35.55	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6995MHz_TnomVnom




EUT V_2TX
Setting 1.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.00044G	66.19	88.20	-22.01	46.17	3	Vertical	356	1.19	-	41.20	12.40	33.58
RMS	13.99978G	52.84	68.20	-15.36	32.82	3	Vertical	356	1.19	-	41.20	12.40	33.58

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6995MHz_TnomVnom




EUT_V_2TX
Setting 1.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.9765G	66.62	88.20	-21.58	46.66	3	Horizontal	248	1.55	-	41.15	12.38	33.57	
RMS	13.99978G	52.83	68.20	-15.37	32.81	3	Horizontal	248	1.55	-	41.20	12.40	33.58	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6995MHz_TnomVnom




EUT_V_2TX
Setting 1.25
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.97972G	52.23	83.54	-31.31	48.37	1	Vertical	93	1.30	-	37.63	15.94	49.71
AV	20.9991G	38.65	63.54	-24.89	34.80	1	Vertical	93	1.30	-	37.60	15.95	49.70

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6995MHz_TnomVnom




EUT V_2TX
Setting 1.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.99526G	52.42	83.54	-31.12	48.56	1	Horizontal	343	2.19	-	37.61	15.95	49.70
AV	20.99052G	38.64	63.54	-24.90	34.77	1	Horizontal	343	2.19	-	37.62	15.95	49.70

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

7095MHz_TnomVnom




EUT_V_2TX
 Setting 0
 03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.0944G	106.02	Inf	-Inf	97.54	3	Vertical	74	1.63	-	35.79	8.20	35.51	
RMS	7.0944G	94.22	Inf	-Inf	85.74	3	Vertical	74	1.63	-	35.79	8.20	35.51	
PK	7.2174G	65.09	88.20	-23.11	55.91	3	Vertical	74	1.63	-	36.50	8.23	35.55	
RMS	7.245G	54.18	68.20	-14.02	44.77	3	Vertical	74	1.63	-	36.67	8.29	35.55	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

7095MHz_TnomVnom




EUT_V_2TX
Setting 0
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.20368G	67.52	88.20	-20.68	47.32	3	Vertical	292	2.07	-	41.60	12.50	33.90
RMS	14.1774G	53.38	68.20	-14.82	33.17	3	Vertical	292	2.07	-	41.58	12.49	33.86

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

7095MHz_TnomVnom




EUT_V_2TX
Setting 0
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	14.1909G	66.81	88.20	-21.39	46.60	3	Horizontal	41	2.51	-	41.59	12.50	33.88	
RMS	14.18274G	53.39	68.20	-14.81	33.19	3	Horizontal	41	2.51	-	41.58	12.49	33.87	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

7095MHz_TnomVnom




EUT_V_2TX
Setting 0
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.28128G	52.49	83.54	-31.05	48.41	1	Vertical	310	2.23	-	37.64	16.08	49.64
AV	21.2784G	39.29	63.54	-24.25	35.22	1	Vertical	310	2.23	-	37.63	16.08	49.64

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

7095MHz_TnomVnom




EUT_V_2TX
Setting 0
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.27654G	52.84	83.54	-30.70	48.78	1	Horizontal	280	2.53	-	37.63	16.07	49.64
AV	21.27084G	39.27	63.54	-24.27	35.22	1	Horizontal	280	2.53	-	37.63	16.07	49.65

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

7115MHz_TnomVnom




EUT_V_2TX
Setting 13
01-M-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.11003G	104.83	Inf	-Inf	94.09	3	Vertical	87	1.51	-	36.58	7.24	33.08
RMS	7.1175G	90.45	Inf	-Inf	79.65	3	Vertical	87	1.51	-	36.64	7.24	33.08
PK	7.1275G	85.28	88.20	-2.92	74.41	3	Vertical	87	1.51	-	36.72	7.24	33.09
RMS	7.1255G	67.22	68.20	-0.98	56.37	3	Vertical	87	1.51	-	36.70	7.24	33.09

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

7115MHz_TnomVnom




EUT_V_2TX
Setting 13
01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	14.22778G	66.61	88.20	-21.59	45.55	3	Vertical	170	1.80	-	40.74	9.97	29.65	
RMS	14.23114G	53.16	68.20	-15.04	32.10	3	Vertical	170	1.80	-	40.74	9.97	29.65	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

7115MHz_TnomVnom




EUT_V_2TX
Setting 13
01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	14.2276G	66.65	88.20	-21.55	45.59	3	Horizontal	200	2.83	-	40.74	9.97	29.65	
RMS	14.23114G	54.23	68.20	-13.97	33.17	3	Horizontal	200	2.83	-	40.74	9.97	29.65	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

7115MHz_TnomVnom




EUT Y_2TX
Setting 13
01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.35694G	50.90	83.54	-32.64	46.69	1	Vertical	339	2.61	-	37.73	16.11	49.63
AV	21.35622G	38.53	63.54	-25.01	34.32	1	Vertical	339	2.61	-	37.73	16.11	49.63

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

7115MHz_TnomVnom




EUT Y_2TX
Setting 13
01-M-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	21.33882G	50.87	83.54	-32.67	46.69	1	Horizontal	318	2.93	-	37.71	16.10	49.63	
AV	21.35694G	38.53	63.54	-25.01	34.32	1	Horizontal	318	2.93	-	37.73	16.11	49.63	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5965MHz_TnomVnom




EUT_V_2TX
Setting 16.5
01-M-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9226G	86.47	88.20	-1.73	77.69	3	Vertical	86	1.55	-	34.99	6.60	32.81
RMS	5.9234G	67.84	68.20	-0.36	59.06	3	Vertical	86	1.55	-	34.99	6.60	32.81
PK	5.9678G	118.74	Inf	-Inf	109.80	3	Vertical	86	1.55	-	35.17	6.60	32.83
RMS	5.9738G	106.38	Inf	-Inf	97.41	3	Vertical	86	1.55	-	35.20	6.60	32.83

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5965MHz_TnomVnom




EUT Y_2TX
Setting 16.5
01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.93516G	61.17	74.00	-12.83	45.26	3	Vertical	231	1.83	-	38.50	8.98	31.57
AV	11.94404G	48.67	54.00	-5.33	32.74	3	Vertical	231	1.83	-	38.50	8.99	31.56

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5965MHz_TnomVnom




EUT Y_2TX
Setting 16.5
01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.9372G	66.19	74.00	-7.81	50.28	3	Horizontal	211	1.70	-	38.50	8.98	31.57
AV	11.9297G	53.62	54.00	-0.38	37.71	3	Horizontal	211	1.70	-	38.50	8.98	31.57

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6205MHz_TnomVnom




EUT Y_2TX
Setting 20
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.915G	62.03	88.20	-26.17	55.42	3	Vertical	71	1.77	-	34.66	7.51	35.56
RMS	5.925G	51.25	68.20	-16.95	44.58	3	Vertical	71	1.77	-	34.70	7.53	35.56
PK	6.205G	119.73	Inf	-Inf	112.37	3	Vertical	71	1.77	-	35.18	7.70	35.52
RMS	6.203G	109.99	Inf	-Inf	102.62	3	Vertical	71	1.77	-	35.19	7.70	35.52

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6205MHz_TnomVnom




EUT_V_2TX
 Setting 20
 03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.39824G	60.62	74.00	-13.38	46.01	3	Vertical	224	1.66	-	38.90	11.12	35.41
AV	12.41048G	46.98	54.00	-7.02	32.37	3	Vertical	224	1.66	-	38.89	11.13	35.41

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6205MHz_TnomVnom




EUT_V_2TX
Setting 20
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.41072G	66.56	74.00	-7.44	51.95	3	Horizontal	207	2.28	-	38.89	11.13	35.41
AV	12.41522G	51.24	54.00	-2.76	36.64	3	Horizontal	207	2.28	-	38.88	11.13	35.41

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6205MHz_TnomVnom




EUT Y_2TX
Setting 20
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.60636G	49.90	83.54	-33.64	47.19	1	Vertical	293	1.11	-	37.76	14.94	49.99
AV	18.62622G	36.01	63.54	-27.53	33.28	1	Vertical	293	1.11	-	37.75	14.95	49.97

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6205MHz_TnomVnom




EUT_V_2TX
Setting 20
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.62088G	50.60	83.54	-32.94	47.88	1	Horizontal	162	1.37	-	37.75	14.95	49.98
AV	18.609G	36.04	63.54	-27.50	33.33	1	Horizontal	162	1.37	-	37.76	14.94	49.99

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6405MHz_TnomVnom




EUT Y_2TX
 Setting 19.75
 03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	62.33	88.20	-25.87	55.66	3	Vertical	73	1.80	-	34.70	7.53	35.56
RMS	5.915G	51.22	68.20	-16.98	44.61	3	Vertical	73	1.80	-	34.66	7.51	35.56
PK	6.405G	121.37	Inf	-Inf	114.22	3	Vertical	73	1.80	-	34.88	7.71	35.44
RMS	6.4078G	110.45	Inf	-Inf	103.30	3	Vertical	73	1.80	-	34.87	7.72	35.44

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6405MHz_TnomVnom




EUT_V_2TX
Setting 19.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.81042G	60.56	88.20	-27.64	44.48	3	Vertical	252	2.42	-	39.31	11.45	34.68	
RMS	12.81624G	47.10	68.20	-21.10	30.99	3	Vertical	252	2.42	-	39.32	11.45	34.66	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6405MHz_TnomVnom




EUT_V_2TX
Setting 19.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.81366G	63.52	88.20	-24.68	47.43	3	Horizontal	210	1.47	-	39.31	11.45	34.67
RMS	12.80598G	50.47	68.20	-17.73	34.41	3	Horizontal	210	1.47	-	39.31	11.44	34.69

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6405MHz_TnomVnom




EUT Y_2TX
Setting 19.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	19.21572G	50.30	83.54	-33.24	47.01	1	Vertical	279	1.45	-	37.74	15.19	49.64	
AV	19.22976G	36.99	63.54	-26.55	33.73	1	Vertical	279	1.45	-	37.72	15.19	49.65	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6405MHz_TnomVnom




EUT_V_2TX
Setting 19.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.2237G	51.38	83.54	-32.16	48.10	1	Horizontal	72	2.03	-	37.73	15.19	49.64
AV	19.2285G	36.97	63.54	-26.57	33.70	1	Horizontal	72	2.03	-	37.73	15.19	49.65

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6445MHz_TnomVnom




EUT_V_2TX
 Setting 3.75
 03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.709G	61.85	88.20	-26.35	55.62	3	Vertical	71	1.73	-	34.28	7.40	35.45
RMS	5.925G	51.15	68.20	-17.05	44.49	3	Vertical	71	1.73	-	34.70	7.52	35.56
PK	6.4482G	105.17	Inf	-Inf	98.08	3	Vertical	71	1.73	-	34.71	7.80	35.42
RMS	6.4418G	93.32	Inf	-Inf	86.23	3	Vertical	71	1.73	-	34.73	7.78	35.42
PK	7.2098G	64.70	88.20	-23.50	55.56	3	Vertical	71	1.73	-	36.46	8.22	35.54
RMS	7.2322G	54.19	68.20	-14.01	44.89	3	Vertical	71	1.73	-	36.59	8.26	35.55

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6445MHz_TnomVnom




EUT Y_2TX
Setting 3.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.8762G	60.28	88.20	-27.92	43.92	3	Vertical	63	1.93	-	39.38	11.50	34.52	
RMS	12.88304G	46.47	68.20	-21.73	30.09	3	Vertical	63	1.93	-	39.38	11.51	34.51	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6445MHz_TnomVnom




EUT V_2TX
Setting 3.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.88046G	60.60	88.20	-27.60	44.23	3	Horizontal	201	1.25	-	39.38	11.50	34.51	
RMS	12.88988G	46.46	68.20	-21.74	30.05	3	Horizontal	201	1.25	-	39.39	11.51	34.49	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6445MHz_TnomVnom




EUT V_2TX
Setting 3.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.33338G	49.98	83.54	-33.56	46.65	1	Vertical	224	2.49	-	37.77	15.23	49.67
AV	19.32456G	36.85	63.54	-26.69	33.52	1	Vertical	224	2.49	-	37.76	15.23	49.66

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6445MHz_TnomVnom




EUT V_2TX
Setting 3.75
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.3374G	50.30	83.54	-33.24	46.97	1	Horizontal	267	2.22	-	37.77	15.23	49.67
AV	19.34928G	36.90	63.54	-26.64	33.55	1	Horizontal	267	2.22	-	37.78	15.24	49.67

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6485MHz_TnomVnom




EUT_V_2TX
 Setting 3.75
 03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.744G	61.14	88.20	-27.06	55.00	3	Vertical	210	1.33	-	34.21	7.40	35.47
RMS	5.897G	51.13	68.20	-17.07	44.60	3	Vertical	210	1.33	-	34.58	7.50	35.55
PK	6.488G	102.07	Inf	-Inf	94.89	3	Vertical	210	1.33	-	34.70	7.88	35.40
RMS	6.488G	92.79	Inf	-Inf	85.61	3	Vertical	210	1.33	-	34.70	7.88	35.40
PK	7.208G	64.81	88.20	-23.39	55.68	3	Vertical	210	1.33	-	36.45	8.22	35.54
RMS	7.226G	54.20	68.20	-14.00	44.94	3	Vertical	210	1.33	-	36.56	8.25	35.55

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6485MHz_TnomVnom




EUT V_2TX
Setting 3.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.98128G	60.29	88.20	-27.91	43.50	3	Vertical	268	2.16	-	39.48	11.59	34.28	
RMS	12.98386G	46.72	68.20	-21.48	29.93	3	Vertical	268	2.16	-	39.48	11.59	34.28	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6485MHz_TnomVnom




EUT Y_2TX
Setting 3.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.9595G	60.71	88.20	-27.49	44.01	3	Horizontal	18	2.06	-	39.46	11.57	34.33	
RMS	12.9826G	46.71	68.20	-21.49	29.92	3	Horizontal	18	2.06	-	39.48	11.59	34.28	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6485MHz_TnomVnom




EUT V_2TX
Setting 3.75
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.46274G	50.96	83.54	-32.58	47.49	1	Vertical	67	1.02	-	37.87	15.29	49.69	
AV	19.45668G	37.30	63.54	-26.24	33.84	1	Vertical	67	1.02	-	37.87	15.28	49.69	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6485MHz_TnomVnom




EUT V_2TX
Setting 3.75
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.4436G	50.46	83.54	-33.08	47.02	1	Horizontal	36	2.14	-	37.85	15.28	49.69
AV	19.452G	37.31	63.54	-26.23	33.86	1	Horizontal	36	2.14	-	37.86	15.28	49.69

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_V_2TX
 Setting 3.75
 03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9118G	62.36	88.20	-25.84	55.76	3	Vertical	88	1.88	-	34.65	7.51	35.56
RMS	5.925G	51.36	68.20	-16.84	44.70	3	Vertical	88	1.88	-	34.70	7.52	35.56
PK	6.525G	103.87	Inf	-Inf	96.52	3	Vertical	88	1.88	-	34.80	7.95	35.40
RMS	6.5222G	92.68	Inf	-Inf	85.35	3	Vertical	88	1.88	-	34.79	7.94	35.40
PK	7.1522G	66.10	88.20	-22.10	57.32	3	Vertical	88	1.88	-	36.11	8.20	35.53
RMS	7.225G	54.20	68.20	-14.00	44.95	3	Vertical	88	1.88	-	36.55	8.25	35.55

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT Y_2TX
Setting 3.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.04634G	60.88	88.20	-27.32	43.76	3	Vertical	127	1.93	-	39.64	11.64	34.16
RMS	13.05846G	47.45	68.20	-20.75	30.26	3	Vertical	127	1.93	-	39.68	11.65	34.14

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT Y_2TX
Setting 3.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.03986G	60.89	88.20	-27.31	43.81	3	Horizontal	49	2.38	-	39.62	11.63	34.17
RMS	13.06404G	47.45	68.20	-20.75	30.24	3	Horizontal	49	2.38	-	39.69	11.65	34.13

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT Y_2TX
Setting 3.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.58922G	51.13	83.54	-32.41	47.63	1	Vertical	156	1.27	-	37.86	15.34	49.70
AV	19.57002G	37.44	63.54	-26.10	33.94	1	Vertical	156	1.27	-	37.87	15.33	49.70

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT Y_2TX
Setting 3.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.5882G	52.00	83.54	-31.54	48.50	1	Horizontal	145	1.78	-	37.86	15.34	49.70
AV	19.56168G	37.48	63.54	-26.06	33.98	1	Horizontal	145	1.78	-	37.88	15.32	49.70

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6565MHz_TnomVnom




EUT_V_2TX
Setting 19.25
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	61.32	88.20	-26.88	54.66	3	Vertical	73	1.79	-	34.70	7.52	35.56
RMS	5.9176G	51.29	68.20	-16.91	44.66	3	Vertical	73	1.79	-	34.67	7.52	35.56
PK	6.5676G	122.46	Inf	-Inf	114.86	3	Vertical	73	1.79	-	34.97	8.04	35.41
RMS	6.5624G	111.13	Inf	-Inf	103.57	3	Vertical	73	1.79	-	34.95	8.02	35.41
PK	7.1344G	65.30	88.20	-22.90	56.61	3	Vertical	73	1.79	-	36.01	8.20	35.52
RMS	7.2072G	54.18	68.20	-14.02	45.07	3	Vertical	73	1.79	-	36.44	8.21	35.54

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6565MHz_TnomVnom




EUT_V_2TX
Setting 19.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.13318G	61.67	88.20	-26.53	44.15	3	Vertical	302	2.91	-	39.83	11.71	34.02	
RMS	13.14422G	47.86	68.20	-20.34	30.30	3	Vertical	302	2.91	-	39.84	11.72	34.00	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6565MHz_TnomVnom




EUT_V_2TX
Setting 19.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.13972G	62.07	88.20	-26.13	44.53	3	Horizontal	153	2.34	-	39.84	11.71	34.01
RMS	13.13042G	48.58	68.20	-19.62	31.07	3	Horizontal	153	2.34	-	39.83	11.70	34.02

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6565MHz_TnomVnom




EUT_V_2TX
Setting 19.25
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.6956G	48.80	83.54	-34.74	45.30	1	Vertical	115	2.45	-	37.82	15.38	49.70
AV	19.68498G	35.74	63.54	-27.80	32.24	1	Vertical	115	2.45	-	37.83	15.37	49.70

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6565MHz_TnomVnom




EUT_V_2TX
Setting 19.25
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.70034G	49.59	83.54	-33.95	46.09	1	Horizontal	-0	1.50	-	37.82	15.38	49.70	
AV	19.68498G	35.77	63.54	-27.77	32.27	1	Horizontal	-0	1.50	-	37.83	15.37	49.70	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6685MHz_TnomVnom




EUT Y_2TX
Setting 19
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.6872G	120.93	Inf	-Inf	112.89	3	Vertical	71	1.73	-	35.37	8.10	35.43	
RMS	6.6872G	111.48	Inf	-Inf	103.44	3	Vertical	71	1.73	-	35.37	8.10	35.43	
PK	7.2064G	64.17	88.20	-24.03	55.06	3	Vertical	71	1.73	-	36.44	8.21	35.54	
RMS	7.2306G	53.36	68.20	-14.84	44.07	3	Vertical	71	1.73	-	36.58	8.26	35.55	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6685MHz_TnomVnom




EUT_V_2TX
Setting 19
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.37648G	61.64	74.00	-12.36	43.11	3	Vertical	152	2.28	-	40.25	11.90	33.62	
AV	13.37522G	48.39	54.00	-5.61	29.86	3	Vertical	152	2.28	-	40.25	11.90	33.62	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6685MHz_TnomVnom




EUT_V_2TX
Setting 19
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.35728G	63.04	74.00	-10.96	44.59	3	Horizontal	203	2.97	-	40.21	11.89	33.65
AV	13.37024G	49.30	54.00	-4.70	30.79	3	Horizontal	203	2.97	-	40.24	11.90	33.63

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6685MHz_TnomVnom




EUT Y_2TX
Setting 19
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	20.0568G	49.69	83.54	-33.85	46.43	1	Vertical	175.2	1.51	-	37.45	15.53	49.72	
AV	20.0628G	35.89	63.54	-27.65	32.64	1	Vertical	175.2	1.51	-	37.45	15.53	49.73	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6685MHz_TnomVnom




EUT Y_2TX
Setting 19
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.0422G	49.94	83.54	-33.60	46.71	1	Horizontal	318	1.50	-	37.43	15.52	49.72
AV	20.052G	37.01	63.54	-26.53	33.77	1	Horizontal	318	1.50	-	37.44	15.52	49.72

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_2TX
Setting 4.25
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8836G	106.73	Inf	-Inf	98.43	3	Vertical	75	1.80	-	35.63	8.14	35.47
RMS	6.8822G	94.34	Inf	-Inf	86.03	3	Vertical	75	1.80	-	35.64	8.14	35.47
PK	7.207G	64.92	88.20	-23.28	55.81	3	Vertical	75	1.80	-	36.44	8.21	35.54
RMS	7.2294G	54.26	68.20	-13.94	44.97	3	Vertical	75	1.80	-	36.58	8.26	35.55

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_2TX
Setting 4.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7577G	64.40	88.20	-23.80	44.97	3	Vertical	244	2.90	-	40.72	12.21	33.50
RMS	13.75596G	51.31	68.20	-16.89	31.90	3	Vertical	244	2.90	-	40.71	12.20	33.50

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_2TX
Setting 4.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.77438G	65.21	88.20	-22.99	45.74	3	Horizontal	215	2.13	-	40.75	12.22	33.50
RMS	13.75596G	51.34	68.20	-16.86	31.93	3	Horizontal	215	2.13	-	40.71	12.20	33.50

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_2TX
Setting 4.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.66442G	53.48	83.54	-30.06	49.61	1	Vertical	356	2.18	-	37.90	15.80	49.83
AV	20.66832G	38.95	63.54	-24.59	35.08	1	Vertical	356	2.18	-	37.90	15.80	49.83

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_2TX
Setting 4.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.64936G	52.58	83.54	-30.96	48.75	1	Horizontal	292	1.20	-	37.88	15.79	49.84
AV	20.6673G	38.87	63.54	-24.67	35.00	1	Horizontal	292	1.20	-	37.90	15.80	49.83

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6925MHz_TnomVnom




EUT Y_2TX
 Setting 3.75
 03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.925G	106.05	Inf	-Inf	97.72	3	Vertical	205	2.00	-	35.65	8.16	35.48
RMS	6.9274G	95.08	Inf	-Inf	86.75	3	Vertical	205	2.00	-	35.65	8.16	35.48
PK	7.1566G	64.63	88.20	-23.57	55.82	3	Vertical	205	2.00	-	36.14	8.20	35.53
RMS	7.2154G	54.24	68.20	-13.96	45.07	3	Vertical	205	2.00	-	36.49	8.23	35.55

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6925MHz_TnomVnom




EUT V_2TX
Setting 3.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.85516G	65.40	88.20	-22.80	45.74	3	Vertical	13	1.36	-	40.91	12.28	33.53	
RMS	13.86278G	51.50	68.20	-16.70	31.81	3	Vertical	13	1.36	-	40.93	12.29	33.53	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6925MHz_TnomVnom




EUT V_2TX
Setting 3.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.84838G	65.15	88.20	-23.05	45.50	3	Horizontal	60	1.78	-	40.90	12.28	33.53	
RMS	13.85876G	51.44	68.20	-16.76	31.76	3	Horizontal	60	1.78	-	40.92	12.29	33.53	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6925MHz_TnomVnom




EUT Y_2TX
Setting 3.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.76594G	52.60	83.54	-30.94	48.58	1	Vertical	69	2.78	-	37.97	15.84	49.79
AV	20.76036G	39.07	63.54	-24.47	35.05	1	Vertical	69	2.78	-	37.98	15.84	49.80

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6925MHz_TnomVnom




EUT V_2TX
Setting 3.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.7615G	52.29	83.54	-31.25	48.27	1	Horizontal	270	1.24	-	37.98	15.84	49.80
AV	20.76144G	38.99	63.54	-24.55	34.97	1	Horizontal	270	1.24	-	37.98	15.84	49.80

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

7005MHz_TnomVnom




EUT Y_2TX
Setting 4.75
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0034G	105.90	Inf	-Inf	97.49	3	Vertical	327	1.28	-	35.70	8.20	35.49
RMS	7.0034G	94.83	Inf	-Inf	86.42	3	Vertical	327	1.28	-	35.70	8.20	35.49
PK	7.1666G	65.09	88.20	-23.11	56.22	3	Vertical	327	1.28	-	36.20	8.20	35.53
RMS	7.2026G	54.23	68.20	-13.97	45.14	3	Vertical	327	1.28	-	36.42	8.21	35.54

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

7005MHz_TnomVnom




EUT_V_2TX
Setting 4.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.99674G	66.47	88.20	-21.73	46.46	3	Vertical	44	2.68	-	41.19	12.40	33.58	
RMS	14.02278G	52.82	68.20	-15.38	32.76	3	Vertical	44	2.68	-	41.27	12.41	33.62	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

7005MHz_TnomVnom




EUT_V_2TX
Setting 4.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	14.01912G	67.70	88.20	-20.50	47.64	3	Horizontal	343	1.13	-	41.26	12.41	33.61	
RMS	14.02236G	52.99	68.20	-15.21	32.93	3	Horizontal	343	1.13	-	41.27	12.41	33.62	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

7005MHz_TnomVnom




EUT V_2TX
Setting 4.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.0264G	52.79	83.54	-30.75	48.92	1	Vertical	49	1.56	-	37.60	15.96	49.69
AV	21.02796G	38.91	63.54	-24.63	35.04	1	Vertical	49	1.56	-	37.60	15.96	49.69

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

7005MHz_TnomVnom




EUT V_2TX
Setting 4.75
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	21.02184G	52.70	83.54	-30.84	48.84	1	Horizontal	346	1.04	-	37.60	15.96	49.70	
AV	21.03G	38.87	63.54	-24.67	35.00	1	Horizontal	346	1.04	-	37.60	15.96	49.69	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

7085MHz_TnomVnom




EUT_V_2TX
 Setting 15.5
 01-M-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0982G	115.17	Inf	-Inf	104.49	3	Vertical	88	1.37	-	36.50	7.25	33.07
RMS	7.0998G	104.70	Inf	-Inf	94.02	3	Vertical	88	1.37	-	36.50	7.25	33.07
PK	7.1378G	86.33	88.20	-1.87	75.39	3	Vertical	88	1.37	-	36.80	7.23	33.09
RMS	7.1302G	67.80	68.20	-0.40	56.92	3	Vertical	88	1.37	-	36.74	7.23	33.09

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

7085MHz_TnomVnom




EUT_V_2TX
Setting 15.5
01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	14.18464G	66.32	88.20	-21.88	45.16	3	Vertical	173	1.80	-	40.82	9.96	29.62	
RMS	14.18122G	53.25	68.20	-14.95	32.10	3	Vertical	173	1.80	-	40.82	9.95	29.62	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

7085MHz_TnomVnom




EUT_V_2TX
Setting 15.5
01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.16634G	67.27	88.20	-20.93	46.10	3	Horizontal	203	2.55	-	40.83	9.95	29.61
RMS	14.16874G	54.50	68.20	-13.70	33.33	3	Horizontal	203	2.55	-	40.83	9.95	29.61

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

7085MHz_TnomVnom




EUT Y_2TX
Setting 15.5
01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.24738G	51.33	83.54	-32.21	47.32	1	Vertical	118	1.02	-	37.60	16.06	49.65
AV	21.26718G	38.92	63.54	-24.62	34.88	1	Vertical	118	1.02	-	37.62	16.07	49.65

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

7085MHz_TnomVnom




EUT Y_2TX
Setting 15.5
01-M-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	21.2472G	52.28	83.54	-31.26	48.27	1	Horizontal	22	1.27	-	37.60	16.06	49.65	
AV	21.2652G	38.92	63.54	-24.62	34.88	1	Horizontal	22	1.27	-	37.62	16.07	49.65	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5985MHz_TnomVnom




EUT_V_2TX
Setting 14
01-M-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9162G	77.47	88.20	-10.73	68.72	3	Vertical	67	1.57	-	34.96	6.60	32.81
RMS	5.9234G	61.00	68.20	-7.20	52.22	3	Vertical	67	1.57	-	34.99	6.60	32.81
PK	6.0098G	112.00	Inf	-Inf	102.95	3	Vertical	67	1.57	-	35.28	6.61	32.84
RMS	6.0186G	103.68	Inf	-Inf	94.63	3	Vertical	67	1.57	-	35.26	6.63	32.84

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5985MHz_TnomVnom




EUT Y_2TX
Setting 14
01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.98422G	61.45	74.00	-12.55	45.50	3	Vertical	68	1.80	-	38.50	9.00	31.55
AV	11.98434G	51.58	54.00	-2.42	35.63	3	Vertical	68	1.80	-	38.50	9.00	31.55

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5985MHz_TnomVnom




EUT Y_2TX
Setting 14
01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.95968G	63.82	74.00	-10.18	47.89	3	Horizontal	199	1.80	-	38.50	8.99	31.56
AV	11.973G	53.84	54.00	-0.16	37.90	3	Horizontal	199	1.80	-	38.50	8.99	31.55

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6225MHz_TnomVnom




EUT Y_2TX
 Setting 20
 03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.915G	63.12	88.20	-25.08	56.51	3	Vertical	72	1.82	-	34.66	7.51	35.56
RMS	5.925G	51.48	68.20	-16.72	44.81	3	Vertical	72	1.82	-	34.70	7.53	35.56
PK	6.229G	118.31	Inf	-Inf	111.04	3	Vertical	72	1.82	-	35.08	7.70	35.51
RMS	6.231G	107.06	Inf	-Inf	99.79	3	Vertical	72	1.82	-	35.08	7.70	35.51

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6225MHz_TnomVnom




EUT_V_2TX
Setting 20
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.43632G	59.37	74.00	-14.63	44.76	3	Vertical	223	1.80	-	38.86	11.15	35.40
AV	12.45792G	48.43	54.00	-5.57	33.82	3	Vertical	223	1.80	-	38.84	11.17	35.40

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6225MHz_TnomVnom




EUT_V_2TX
Setting 20
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.46224G	62.00	74.00	-12.00	47.39	3	Horizontal	205	2.61	-	38.84	11.17	35.40
AV	12.453G	51.86	54.00	-2.14	37.25	3	Horizontal	205	2.61	-	38.85	11.16	35.40

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6225MHz_TnomVnom




EUT Y_2TX
Setting 20
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	18.66126G	49.73	83.54	-33.81	46.97	1	Vertical	43	2.46	-	37.74	14.96	49.94	
AV	18.66804G	39.40	63.54	-24.14	36.63	1	Vertical	43	2.46	-	37.73	14.97	49.93	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6225MHz_TnomVnom




EUT Y_2TX
Setting 20
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	18.68718G	49.62	83.54	-33.92	46.83	1	Horizontal	297	1.97	-	37.73	14.97	49.91	
AV	18.67608G	39.42	63.54	-24.12	36.64	1	Horizontal	297	1.97	-	37.73	14.97	49.92	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6385MHz_TnomVnom




EUT_V_2TX
Setting 18
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.7858G	61.36	88.20	-26.84	55.25	3	Vertical	72	1.80	-	34.20	7.40	35.49	
RMS	5.925G	51.27	68.20	-16.93	44.61	3	Vertical	72	1.80	-	34.70	7.52	35.56	
PK	6.399G	116.62	Inf	-Inf	109.46	3	Vertical	72	1.80	-	34.90	7.70	35.44	
RMS	6.3878G	106.34	Inf	-Inf	99.18	3	Vertical	72	1.80	-	34.90	7.70	35.44	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6385MHz_TnomVnom




EUT_V_2TX
Setting 18
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.76724G	59.42	88.20	-28.78	43.56	3	Vertical	43	1.41	-	39.23	11.41	34.78	
RMS	12.75638G	48.20	68.20	-20.00	32.38	3	Vertical	43	1.41	-	39.21	11.41	34.80	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6385MHz_TnomVnom




EUT Y_2TX
Setting 18
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.76436G	58.77	88.20	-29.43	42.91	3	Horizontal	192	2.23	-	39.23	11.41	34.78
RMS	12.76946G	48.40	68.20	-19.80	32.51	3	Horizontal	192	2.23	-	39.24	11.42	34.77

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6385MHz_TnomVnom




EUT Y_2TX
Setting 18
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.16382G	50.48	83.54	-33.06	47.14	1	Vertical	150	1.41	-	37.80	15.17	49.63	
AV	19.15506G	40.01	63.54	-23.53	36.67	1	Vertical	150	1.41	-	37.81	15.16	49.63	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6385MHz_TnomVnom




EUT Y_2TX
Setting 18
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.1673G	50.54	83.54	-33.00	47.20	1	Horizontal	198	1.45	-	37.80	15.17	49.63
AV	19.16328G	40.15	63.54	-23.39	36.81	1	Horizontal	198	1.45	-	37.80	15.17	49.63

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6465MHz_TnomVnom




EUT_V_2TX
 Setting 7
 03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.877G	61.61	88.20	-26.59	55.21	3	Vertical	78	1.80	-	34.46	7.48	35.54
RMS	5.904G	51.24	68.20	-16.96	44.67	3	Vertical	78	1.80	-	34.62	7.50	35.55
PK	6.462G	105.27	Inf	-Inf	98.17	3	Vertical	78	1.80	-	34.70	7.82	35.42
RMS	6.462G	94.29	Inf	-Inf	87.19	3	Vertical	78	1.80	-	34.70	7.82	35.42
PK	7.212G	65.11	88.20	-23.09	55.97	3	Vertical	78	1.80	-	36.47	8.22	35.55
RMS	7.215G	54.19	68.20	-14.01	45.02	3	Vertical	78	1.80	-	36.49	8.23	35.55

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6465MHz_TnomVnom




EUT Y_2TX
Setting 7
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.93708G	59.74	88.20	-28.46	43.13	3	Vertical	153	1.31	-	39.44	11.55	34.38	
RMS	12.94272G	49.09	68.20	-19.11	32.47	3	Vertical	153	1.31	-	39.44	11.55	34.37	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6465MHz_TnomVnom




EUT Y_2TX
Setting 7
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.93228G	59.46	88.20	-28.74	42.88	3	Horizontal	36	2.31	-	39.43	11.55	34.40
RMS	12.91758G	49.02	68.20	-19.18	32.50	3	Horizontal	36	2.31	-	39.42	11.53	34.43

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6465MHz_TnomVnom




EUT Y_2TX
Setting 7
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.39086G	50.87	83.54	-32.67	47.48	1	Vertical	211	2.64	-	37.81	15.26	49.68
AV	19.38348G	39.92	63.54	-23.62	36.54	1	Vertical	211	2.64	-	37.81	15.25	49.68

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6465MHz_TnomVnom




EUT_V_2TX
Setting 7
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.39248G	50.40	83.54	-33.14	47.01	1	Horizontal	189	2.65	-	37.81	15.26	49.68
AV	19.38702G	40.05	63.54	-23.49	36.67	1	Horizontal	189	2.65	-	37.81	15.25	49.68

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_V_2TX
 Setting 7
 03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9178G	61.93	88.20	-26.27	55.30	3	Vertical	90	1.77	-	34.67	7.52	35.56
RMS	5.9178G	51.28	68.20	-16.92	44.65	3	Vertical	90	1.77	-	34.67	7.52	35.56
PK	6.5478G	103.17	Inf	-Inf	95.69	3	Vertical	90	1.77	-	34.89	8.00	35.41
RMS	6.5478G	93.99	Inf	-Inf	86.51	3	Vertical	90	1.77	-	34.89	8.00	35.41
PK	7.245G	64.68	88.20	-23.52	55.27	3	Vertical	90	1.77	-	36.67	8.29	35.55
RMS	7.2394G	54.34	68.20	-13.86	44.97	3	Vertical	90	1.77	-	36.64	8.28	35.55

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT Y_2TX
Setting 7
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.093G	60.68	88.20	-27.52	43.32	3	Vertical	95	2.66	-	39.78	11.67	34.09
RMS	13.07896G	50.32	68.20	-17.88	33.03	3	Vertical	95	2.66	-	39.74	11.66	34.11

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_V_2TX
Setting 7
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.10314G	61.05	88.20	-27.15	43.64	3	Horizontal	65	1.31	-	39.80	11.68	34.07	
RMS	13.10308G	50.40	68.20	-17.80	32.99	3	Horizontal	65	1.31	-	39.80	11.68	34.07	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_V_2TX
Setting 7
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.62096G	51.68	83.54	-31.86	48.18	1	Vertical	319	1.22	-	37.85	15.35	49.70
AV	19.64334G	40.24	63.54	-23.30	36.74	1	Vertical	319	1.22	-	37.84	15.36	49.70

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_V_2TX
Setting 7
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.63944G	51.35	83.54	-32.19	47.85	1	Horizontal	255	2.95	-	37.84	15.36	49.70
AV	19.63752G	40.39	63.54	-23.15	36.89	1	Horizontal	255	2.95	-	37.84	15.36	49.70

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6625MHz_TnomVnom




EUT V_2TX
Setting 19.25
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.613G	119.14	Inf	-Inf	111.31	3	Vertical	72	1.80	-	35.15	8.10	35.42
RMS	6.6226G	108.72	Inf	-Inf	100.85	3	Vertical	72	1.80	-	35.19	8.10	35.42
PK	7.189G	66.51	88.20	-21.69	57.52	3	Vertical	72	1.80	-	36.33	8.20	35.54
RMS	7.2226G	54.37	68.20	-13.83	45.13	3	Vertical	72	1.80	-	36.54	8.25	35.55

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6625MHz_TnomVnom




EUT_V_2TX
Setting 19.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.24434G	62.78	88.20	-25.42	44.82	3	Vertical	176	1.68	-	39.99	11.80	33.83	
RMS	13.24604G	50.83	68.20	-17.37	32.87	3	Vertical	176	1.68	-	39.99	11.80	33.83	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6625MHz_TnomVnom




EUT_V_2TX
Setting 19.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.23038G	61.17	88.20	-27.03	43.29	3	Horizontal	226	1.08	-	39.96	11.78	33.86
RMS	13.23902G	50.73	68.20	-17.47	32.80	3	Horizontal	226	1.08	-	39.98	11.79	33.84

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6625MHz_TnomVnom




EUT Y_2TX
Setting 19.25
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.87344G	51.88	83.54	-31.66	48.53	1	Vertical	329	1.85	-	37.60	15.45	49.70
AV	19.88916G	41.27	63.54	-22.27	37.93	1	Vertical	329	1.85	-	37.58	15.46	49.70

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6625MHz_TnomVnom




EUT Y_2TX
Setting 19.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.86348G	52.35	83.54	-31.19	48.98	1	Horizontal	103	1.86	-	37.62	15.45	49.70
AV	19.86342G	41.06	63.54	-22.48	37.69	1	Horizontal	103	1.86	-	37.62	15.45	49.70

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6705MHz_TnomVnom




EUT_V_2TX
Setting 19
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.693G	118.12	Inf	-Inf	110.06	3	Vertical	73	1.80	-	35.39	8.10	35.43
RMS	6.703G	107.54	Inf	-Inf	99.47	3	Vertical	73	1.80	-	35.41	8.10	35.44
PK	7.199G	65.26	88.20	-22.94	56.21	3	Vertical	73	1.80	-	36.39	8.20	35.54
RMS	7.201G	53.49	68.20	-14.71	44.42	3	Vertical	73	1.80	-	36.41	8.20	35.54

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6705MHz_TnomVnom




EUT_V_2TX
Setting 19
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.40168G	62.51	88.20	-25.69	43.86	3	Vertical	334	2.19	-	40.30	11.92	33.57	
RMS	13.40784G	52.04	68.20	-16.16	33.36	3	Vertical	334	2.19	-	40.31	11.93	33.56	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6705MHz_TnomVnom




EUT_V_2TX
Setting 19
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.42104G	61.98	88.20	-26.22	43.26	3	Horizontal	176	1.75	-	40.32	11.94	33.54	
RMS	13.41642G	51.73	68.20	-16.47	33.03	3	Horizontal	176	1.75	-	40.32	11.93	33.55	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6705MHz_TnomVnom




EUT_V_2TX
Setting 19
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.1231G	51.91	83.54	-31.63	48.60	1	Vertical	122	2.32	-	37.50	15.56	49.75
AV	20.12382G	40.81	63.54	-22.73	37.50	1	Vertical	122	2.32	-	37.50	15.56	49.75

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6705MHz_TnomVnom




EUT Y_2TX
Setting 19
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.1066G	51.77	83.54	-31.77	48.47	1	Horizontal	47	2.46	-	37.49	15.55	49.74
AV	20.11068G	41.20	63.54	-22.34	37.90	1	Horizontal	47	2.46	-	37.49	15.55	49.74

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6785MHz_TnomVnom




EUT_V_2TX
 Setting 19
 03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7886G	119.96	Inf	-Inf	111.56	3	Vertical	72	1.74	-	35.75	8.10	35.45
RMS	6.7832G	109.31	Inf	-Inf	100.93	3	Vertical	72	1.74	-	35.73	8.10	35.45
PK	7.1774G	64.34	88.20	-23.86	55.42	3	Vertical	72	1.74	-	36.26	8.20	35.54
RMS	7.2314G	53.82	68.20	-14.38	44.52	3	Vertical	72	1.74	-	36.59	8.26	35.55

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6785MHz_TnomVnom




EUT_V_2TX
Setting 19
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.57972G	61.95	88.20	-26.25	42.85	3	Vertical	25	1.33	-	40.48	12.06	33.44	
RMS	13.5604G	51.73	68.20	-16.47	32.65	3	Vertical	25	1.33	-	40.46	12.05	33.43	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6785MHz_TnomVnom




EUT_V_2TX
Setting 19
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.5766G	62.68	88.20	-25.52	43.58	3	Horizontal	241	2.89	-	40.48	12.06	33.44
RMS	13.5823G	51.58	68.20	-16.62	32.47	3	Horizontal	241	2.89	-	40.48	12.07	33.44

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6785MHz_TnomVnom




EUT Y_2TX
Setting 19
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	20.35782G	49.41	83.54	-34.13	45.95	1	Vertical	266	2.55	-	37.64	15.66	49.84	
AV	20.34528G	39.58	63.54	-23.96	36.12	1	Vertical	266	2.55	-	37.64	15.66	49.84	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6785MHz_TnomVnom




EUT Y_2TX
Setting 19
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.34984G	49.49	83.54	-34.05	46.03	1	Horizontal	248	1.33	-	37.64	15.66	49.84
AV	20.35104G	38.91	63.54	-24.63	35.45	1	Horizontal	248	1.33	-	37.64	15.66	49.84

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT V_2TX
Setting 7.25
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8524G	105.10	Inf	-Inf	96.73	3	Vertical	90	1.12	-	35.70	8.13	35.46
RMS	6.8608G	95.27	Inf	-Inf	86.92	3	Vertical	90	1.12	-	35.68	8.13	35.46
PK	7.2052G	64.97	88.20	-23.23	55.87	3	Vertical	90	1.12	-	36.43	8.21	35.54
RMS	7.2066G	54.26	68.20	-13.94	45.15	3	Vertical	90	1.12	-	36.44	8.21	35.54

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_2TX
Setting 7.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.71956G	65.78	88.20	-22.42	46.44	3	Vertical	172	2.95	-	40.64	12.18	33.48
RMS	13.73744G	54.85	68.20	-13.35	35.48	3	Vertical	172	2.95	-	40.67	12.19	33.49

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_2TX
Setting 7.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.73006G	65.18	88.20	-23.02	45.83	3	Horizontal	128	2.41	-	40.66	12.18	33.49
RMS	13.72754G	54.58	68.20	-13.62	35.23	3	Horizontal	128	2.41	-	40.66	12.18	33.49

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_2TX
Setting 7.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.58126G	52.44	83.54	-31.10	48.75	1	Vertical	19	1.95	-	37.80	15.76	49.87
AV	20.59494G	42.06	63.54	-21.48	38.34	1	Vertical	19	1.95	-	37.81	15.77	49.86

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_2TX
Setting 7.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.58378G	52.45	83.54	-31.09	48.76	1	Horizontal	257	2.82	-	37.80	15.76	49.87
AV	20.60574G	41.52	63.54	-22.02	37.78	1	Horizontal	257	2.82	-	37.83	15.77	49.86

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6945MHz_TnomVnom




EUT Y_2TX
Setting 7.75
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9486G	107.35	Inf	-Inf	98.96	3	Vertical	74	1.67	-	35.70	8.17	35.48
RMS	6.9426G	97.38	Inf	-Inf	89.00	3	Vertical	74	1.67	-	35.69	8.17	35.48
PK	7.2198G	64.60	88.20	-23.60	55.39	3	Vertical	74	1.67	-	36.52	8.24	35.55
RMS	7.2438G	54.35	68.20	-13.85	44.95	3	Vertical	74	1.67	-	36.66	8.29	35.55

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6945MHz_TnomVnom




EUT V_2TX
Setting 7.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.89888G	65.24	88.20	-22.96	45.47	3	Vertical	65	1.48	-	41.00	12.32	33.55	
RMS	13.87728G	54.39	68.20	-13.81	34.68	3	Vertical	65	1.48	-	40.95	12.30	33.54	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6945MHz_TnomVnom




EUT_V_2TX
Setting 7.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.90194G	65.56	88.20	-22.64	45.79	3	Horizontal	224	2.80	-	41.00	12.32	33.55	
RMS	13.88568G	54.69	68.20	-13.51	34.95	3	Horizontal	224	2.80	-	40.97	12.31	33.54	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6945MHz_TnomVnom




EUT V_2TX
Setting 7.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.83062G	52.38	83.54	-31.16	48.41	1	Vertical	145	2.41	-	37.87	15.87	49.77
AV	20.82042G	41.15	63.54	-22.39	37.16	1	Vertical	145	2.41	-	37.89	15.87	49.77

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6945MHz_TnomVnom




EUT V_2TX
Setting 7.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.82204G	51.59	83.54	-31.95	47.61	1	Horizontal	9	1.29	-	37.88	15.87	49.77
AV	20.83788G	41.44	63.54	-22.10	37.46	1	Horizontal	9	1.29	-	37.86	15.88	49.76

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

7025MHz_TnomVnom




EUT Y_2TX
Setting 14
01-M-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.013G	113.27	Inf	-Inf	102.63	3	Vertical	88	1.54	-	36.38	7.29	33.03
RMS	7.001G	99.80	Inf	-Inf	89.21	3	Vertical	88	1.54	-	36.31	7.30	33.02
PK	7.1274G	82.06	88.20	-6.14	71.19	3	Vertical	88	1.54	-	36.72	7.24	33.09
RMS	7.1258G	67.39	68.20	-0.81	56.53	3	Vertical	88	1.54	-	36.71	7.24	33.09

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

7025MHz_TnomVnom




EUT_V_2TX
Setting 14
01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	14.06002G	65.95	88.20	-22.25	44.66	3	Vertical	188	2.52	-	40.90	9.92	29.53	
RMS	14.0647G	56.68	68.20	-11.52	35.40	3	Vertical	188	2.52	-	40.90	9.92	29.54	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

7025MHz_TnomVnom




EUT_Y_2TX
Setting 14
01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	14.05282G	66.77	88.20	-21.43	45.48	3	Horizontal	207	2.85	-	40.90	9.92	29.53	
RMS	14.0542G	56.90	68.20	-11.30	35.61	3	Horizontal	207	2.85	-	40.90	9.92	29.53	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

7025MHz_TnomVnom




EUT Y_2TX
Setting 14
01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.06144G	50.35	83.54	-33.19	46.46	1	Vertical	311	1.05	-	37.60	15.98	49.69
AV	21.06126G	41.21	63.54	-22.33	37.32	1	Vertical	311	1.05	-	37.60	15.98	49.69

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

7025MHz_TnomVnom




EUT Y_2TX
Setting 14
01-M-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	21.0735G	50.93	83.54	-32.61	47.04	1	Horizontal	250	1.31	-	37.60	15.98	49.69	
AV	21.08214G	41.21	63.54	-22.33	37.30	1	Horizontal	250	1.31	-	37.60	15.99	49.68	

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6025MHz_TnomVnom




EUT Y_2TX
Setting 13.25
01-M-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.901G	86.18	88.20	-2.02	77.48	3	Vertical	87	1.54	-	34.90	6.60	32.80
RMS	5.901G	68.19	68.20	-0.01	59.49	3	Vertical	87	1.54	-	34.90	6.60	32.80
PK	6G	109.33	Inf	-Inf	100.27	3	Vertical	87	1.54	-	35.30	6.60	32.84
RMS	6.021G	99.93	Inf	-Inf	90.88	3	Vertical	87	1.54	-	35.26	6.63	32.84

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6025MHz_TnomVnom




EUT_V_2TX
Setting 13.25
01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.04982G	61.31	74.00	-12.69	45.28	3	Vertical	0	2.78	-	38.55	9.02	31.54	
AV	12.0545G	51.67	54.00	-2.33	35.65	3	Vertical	0	2.78	-	38.55	9.02	31.55	

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6025MHz_TnomVnom




EUT_V_2TX
Setting 13.25
01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.0458G	62.52	74.00	-11.48	46.49	3	Horizontal	218	1.45	-	38.55	9.02	31.54
AV	12.05864G	52.94	54.00	-1.06	36.90	3	Horizontal	218	1.45	-	38.56	9.03	31.55

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6025MHz_TnomVnom




EUT Y_2TX
Setting 13.25
01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.07614G	47.87	83.54	-35.67	45.77	1	Vertical	259	2.58	-	37.64	14.73	50.27
AV	18.07668G	38.12	63.54	-25.42	36.02	1	Vertical	259	2.58	-	37.64	14.73	50.27

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6025MHz_TnomVnom




EUT_V_2TX
Setting 13.25
01-M-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	18.0696G	47.95	83.54	-35.59	45.85	1	Horizontal	157	1.62	-	37.64	14.73	50.27
AV	18.0855G	38.36	63.54	-25.18	36.27	1	Horizontal	157	1.62	-	37.63	14.73	50.27

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6185MHz_TnomVnom




EUT V_2TX
Setting 19.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.907G	77.69	88.20	-10.51	71.10	3	Vertical	74	1.80	-	34.63	7.51	35.55	
RMS	5.917G	59.69	68.20	-8.51	53.06	3	Vertical	74	1.80	-	34.67	7.52	35.56	
PK	6.179G	114.70	Inf	-Inf	107.42	3	Vertical	74	1.80	-	35.12	7.69	35.53	
RMS	6.181G	104.97	Inf	-Inf	97.69	3	Vertical	74	1.80	-	35.12	7.69	35.53	

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6185MHz_TnomVnom




EUT_V_2TX
Setting 19.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.3847G	60.14	74.00	-13.86	45.56	3	Vertical	211	1.80	-	38.88	11.11	35.41
AV	12.37024G	48.89	54.00	-5.11	34.34	3	Vertical	211	1.80	-	38.87	11.10	35.42

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6185MHz_TnomVnom




EUT_V_2TX
Setting 19.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.35674G	59.17	74.00	-14.83	44.64	3	Horizontal	65	2.36	-	38.86	11.09	35.42
AV	12.3811G	48.81	54.00	-5.19	34.24	3	Horizontal	65	2.36	-	38.88	11.10	35.41

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6185MHz_TnomVnom




EUT Y_2TX
Setting 19.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.54924G	50.16	83.54	-33.38	47.51	1	Vertical	225	1.28	-	37.78	14.92	50.05
AV	18.54318G	39.16	63.54	-24.38	36.52	1	Vertical	225	1.28	-	37.78	14.92	50.06

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6185MHz_TnomVnom




EUT_V_2TX
Setting 19.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.5595G	49.64	83.54	-33.90	46.98	1	Horizontal	106	1.38	-	37.78	14.92	50.04
AV	18.54576G	39.26	63.54	-24.28	36.61	1	Horizontal	106	1.38	-	37.78	14.92	50.05

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6345MHz_TnomVnom




EUT_V_2TX
 Setting 16
 03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.91G	64.03	88.20	-24.17	57.43	3	Vertical	72	1.73	-	34.64	7.51	35.55	
RMS	5.916G	51.75	68.20	-16.45	45.13	3	Vertical	72	1.73	-	34.66	7.52	35.56	
PK	6.357G	114.41	Inf	-Inf	107.27	3	Vertical	72	1.73	-	34.90	7.70	35.46	
RMS	6.342G	103.01	Inf	-Inf	95.85	3	Vertical	72	1.73	-	34.92	7.70	35.46	

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6345MHz_TnomVnom




EUT_V_2TX
Setting 16
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.69612G	59.42	74.00	-14.58	43.91	3	Vertical	352	1.63	-	39.09	11.36	34.94	
AV	12.69398G	48.59	54.00	-5.41	33.09	3	Vertical	352	1.63	-	39.08	11.36	34.94	

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6345MHz_TnomVnom




EUT_V_2TX
Setting 16
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.6978G	59.94	74.00	-14.06	44.43	3	Horizontal	83	2.74	-	39.09	11.36	34.94
AV	12.68034G	48.65	54.00	-5.35	33.25	3	Horizontal	83	2.74	-	39.04	11.34	34.98

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6345MHz_TnomVnom




EUT_V_2TX
 Setting 16
 03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.04088G	51.36	83.54	-32.18	47.90	1	Vertical	215	2.47	-	37.95	15.12	49.61
AV	19.04076G	40.41	63.54	-23.13	36.95	1	Vertical	215	2.47	-	37.95	15.12	49.61

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6345MHz_TnomVnom




EUT_V_2TX
Setting 16
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.02168G	51.02	83.54	-32.52	47.54	1	Horizontal	323	1.22	-	37.97	15.11	49.60
AV	19.04052G	40.31	63.54	-23.23	36.85	1	Horizontal	323	1.22	-	37.95	15.12	49.61

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_V_2TX
Setting 9.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8302G	61.17	88.20	-27.03	55.00	3	Vertical	72	1.76	-	34.26	7.43	35.52
RMS	5.9114G	50.93	68.20	-17.27	44.33	3	Vertical	72	1.76	-	34.65	7.51	35.56
PK	6.519G	103.84	Inf	-Inf	96.52	3	Vertical	72	1.76	-	34.78	7.94	35.40
RMS	6.5022G	92.70	Inf	-Inf	85.49	3	Vertical	72	1.76	-	34.71	7.90	35.40
PK	7.1378G	63.45	88.20	-24.75	54.75	3	Vertical	72	1.76	-	36.03	8.20	35.53
RMS	7.205G	53.64	68.20	-14.56	44.54	3	Vertical	72	1.76	-	36.43	8.21	35.54

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT Y_2TX
 Setting 9.5
 03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.02494G	60.49	88.20	-27.71	43.50	3	Vertical	32	2.47	-	39.57	11.62	34.20
RMS	13.00484G	50.56	68.20	-17.64	33.68	3	Vertical	32	2.47	-	39.51	11.60	34.23

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_V_2TX
Setting 9.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.01408G	61.76	88.20	-26.44	44.83	3	Horizontal	33	1.31	-	39.54	11.61	34.22	
RMS	13.01852G	50.04	68.20	-18.16	33.08	3	Horizontal	33	1.31	-	39.56	11.61	34.21	

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT Y_2TX
Setting 9.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.5138G	51.22	83.54	-32.32	47.72	1	Vertical	138	2.40	-	37.89	15.31	49.70
AV	19.50858G	40.41	63.54	-23.13	36.91	1	Vertical	138	2.40	-	37.90	15.30	49.70

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_V_2TX
Setting 9.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.5231G	50.98	83.54	-32.56	47.48	1	Horizontal	278	2.11	-	37.89	15.31	49.70
AV	19.5003G	40.30	63.54	-23.24	36.80	1	Horizontal	278	2.11	-	37.90	15.30	49.70

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6665MHz_TnomVnom




EUT V_2TX
Setting 18.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.6628G	118.45	Inf	-Inf	110.45	3	Vertical	72	1.76	-	35.33	8.10	35.43	
RMS	6.6606G	107.28	Inf	-Inf	99.29	3	Vertical	72	1.76	-	35.32	8.10	35.43	
PK	7.1292G	70.65	88.20	-17.55	61.99	3	Vertical	72	1.76	-	35.98	8.20	35.52	
RMS	7.1292G	55.52	68.20	-12.68	46.86	3	Vertical	72	1.76	-	35.98	8.20	35.52	

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6665MHz_TnomVnom




EUT_V_2TX
Setting 18.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.3444G	61.86	74.00	-12.14	43.46	3	Vertical	304	2.06	-	40.19	11.88	33.67
AV	13.31818G	51.47	54.00	-2.53	33.19	3	Vertical	304	2.06	-	40.14	11.85	33.71

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6665MHz_TnomVnom




EUT_V_2TX
Setting 18.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.32814G	62.07	74.00	-11.93	43.75	3	Horizontal	127	1.66	-	40.16	11.86	33.70
AV	13.33774G	51.11	54.00	-2.89	32.74	3	Horizontal	127	1.66	-	40.18	11.87	33.68

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6665MHz_TnomVnom




EUT Y_2TX
Setting 18.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.00088G	52.59	83.54	-30.95	49.39	1	Vertical	2	2.59	-	37.40	15.50	49.70
AV	20.00514G	41.13	63.54	-22.41	37.93	1	Vertical	2	2.59	-	37.40	15.50	49.70

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6665MHz_TnomVnom




EUT_V_2TX
Setting 18.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.98324G	51.63	83.54	-31.91	48.41	1	Horizontal	147	1.31	-	37.43	15.49	49.70
AV	20.00052G	40.96	63.54	-22.58	37.76	1	Horizontal	147	1.31	-	37.40	15.50	49.70

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_2TX
 Setting 9.25
 03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.8218G	105.61	Inf	-Inf	97.20	3	Vertical	70	1.80	-	35.76	8.11	35.46	
RMS	6.817G	95.21	Inf	-Inf	86.79	3	Vertical	70	1.80	-	35.77	8.11	35.46	
PK	7.1386G	64.80	88.20	-23.40	56.10	3	Vertical	70	1.80	-	36.03	8.20	35.53	
RMS	7.225G	54.01	68.20	-14.19	44.76	3	Vertical	70	1.80	-	36.55	8.25	35.55	

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT V_2TX
Setting 9.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.64466G	65.16	88.20	-23.04	45.96	3	Vertical	332	1.12	-	40.54	12.12	33.46
RMS	13.64034G	54.52	68.20	-13.68	35.33	3	Vertical	332	1.12	-	40.54	12.11	33.46

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_2TX
Setting 9.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.65246G	65.14	88.20	-23.06	45.93	3	Horizontal	195	2.55	-	40.55	12.12	33.46
RMS	13.64862G	54.84	68.20	-13.36	35.63	3	Horizontal	195	2.55	-	40.55	12.12	33.46

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_2TX
Setting 9.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	20.46492G	51.82	83.54	-31.72	48.31	1	Vertical	65	1.44	-	37.69	15.71	49.89	
AV	20.47554G	41.84	63.54	-21.70	38.33	1	Vertical	65	1.44	-	37.69	15.71	49.89	

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT V_2TX
Setting 9.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.48562G	52.30	83.54	-31.24	48.78	1	Horizontal	152	2.97	-	37.69	15.72	49.89
AV	20.47332G	41.51	63.54	-22.03	38.00	1	Horizontal	152	2.97	-	37.69	15.71	49.89

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6985MHz_TnomVnom




EUT Y_2TX
 Setting 11.5
 01-M-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.96G	106.96	Inf	-Inf	96.27	3	Vertical	255	1.77	-	36.46	7.24	33.01	
RMS	7.001G	93.70	Inf	-Inf	83.11	3	Vertical	255	1.77	-	36.31	7.30	33.02	
PK	7.141G	84.96	88.20	-3.24	73.99	3	Vertical	255	1.77	-	36.83	7.23	33.09	
RMS	7.142G	67.83	68.20	-0.37	56.85	3	Vertical	255	1.77	-	36.84	7.23	33.09	

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6985MHz_TnomVnom




EUT_V_2TX
Setting 11.5
01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.98494G	64.90	88.20	-23.30	43.61	3	Vertical	200	2.45	-	40.90	9.89	29.50	
RMS	13.9622G	55.75	68.20	-12.45	34.48	3	Vertical	200	2.45	-	40.90	9.88	29.51	

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6985MHz_TnomVnom




EUT_V_2TX
Setting 11.5
01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.98428G	65.26	88.20	-22.94	43.97	3	Horizontal	0	1.80	-	40.90	9.89	29.50	
RMS	13.97546G	55.64	68.20	-12.56	34.35	3	Horizontal	0	1.80	-	40.90	9.89	29.50	

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6985MHz_TnomVnom




EUT Y_2TX
Setting 11.5
01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.94246G	50.57	83.54	-32.97	46.68	1	Vertical	305	2.42	-	37.69	15.92	49.72
AV	20.94696G	41.19	63.54	-22.35	37.30	1	Vertical	305	2.42	-	37.68	15.93	49.72

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6985MHz_TnomVnom



EUT Y_2TX
Setting 11.5
01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.94588G	51.03	83.54	-32.51	47.13	1	Horizontal	159	2.28	-	37.69	15.93	49.72
AV	20.95626G	41.56	63.54	-21.98	37.68	1	Horizontal	159	2.28	-	37.67	15.93	49.72



RSE TX above 1GHz
<Partial RU> low power_RU26_1TX_Ant. 1


Appendix E.8

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	AV	11.89279G	53.68	54.00	-0.32	3	Horizontal	207	1.86	-

802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TnomVnom




EUT V_1TX
Setting 12.25
01-M-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8906G	62.62	88.20	-25.58	53.94	3	Vertical	44	1.24	-	34.88	6.60	32.80
RMS	5.9058G	51.13	68.20	-17.07	42.41	3	Vertical	44	1.24	-	34.92	6.60	32.80
PK	5.9466G	117.20	Inf	-Inf	108.33	3	Vertical	44	1.24	-	35.09	6.60	32.82
RMS	5.9466G	107.53	Inf	-Inf	98.66	3	Vertical	44	1.24	-	35.09	6.60	32.82

802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TnomVnom




EUT V_1TX
 Setting 12.25
 01-M-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8986G	62.20	88.20	-26.00	53.50	3	Horizontal	356	1.07	-	34.90	6.60	32.80
RMS	5.9062G	50.98	68.20	-17.22	42.26	3	Horizontal	356	1.07	-	34.92	6.60	32.80
PK	5.9462G	114.08	Inf	-Inf	105.22	3	Horizontal	356	1.07	-	35.08	6.60	32.82
RMS	5.9466G	104.86	Inf	-Inf	95.99	3	Horizontal	356	1.07	-	35.09	6.60	32.82

802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TnomVnom




EUT_V_1TX
 Setting 12.25
 01-M-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.89391G	58.78	74.00	-15.22	42.89	3	Vertical	241	1.76	-	38.50	8.97	31.58
AV	11.89291G	46.59	54.00	-7.41	30.70	3	Vertical	241	1.76	-	38.50	8.97	31.58

802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TnomVnom




EUT_V_1TX
Setting 12.25
01-M-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.89335G	69.32	74.00	-4.68	53.43	3	Horizontal	207	1.86	-	38.50	8.97	31.58
AV	11.89279G	53.68	54.00	-0.32	37.79	3	Horizontal	207	1.86	-	38.50	8.97	31.58

802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TnomVnom




EUT V_1TX
Setting 15.25
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.5174G	59.31	88.20	-28.89	52.75	3	Vertical	236	1.12	-	34.60	7.32	35.36	
RMS	5.6098G	47.40	68.20	-20.80	40.82	3	Vertical	236	1.12	-	34.58	7.40	35.40	
PK	6.1866G	117.69	Inf	-Inf	110.38	3	Vertical	236	1.12	-	35.15	7.69	35.53	
RMS	6.1866G	106.58	Inf	-Inf	99.27	3	Vertical	236	1.12	-	35.15	7.69	35.53	

802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TnomVnom




EUT_V_1TX
Setting 15.25
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6322G	59.14	88.20	-29.06	52.62	3	Horizontal	2	1.88	-	34.54	7.40	35.42
RMS	5.6154G	47.38	68.20	-20.82	40.82	3	Horizontal	2	1.88	-	34.57	7.40	35.41
PK	6.1866G	114.78	Inf	-Inf	107.47	3	Horizontal	2	1.88	-	35.15	7.69	35.53
RMS	6.1866G	103.31	Inf	-Inf	96.00	3	Horizontal	2	1.88	-	35.15	7.69	35.53

802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TnomVnom




EUT Y_1TX
Setting 15.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.3736G	56.45	74.00	-17.55	41.90	3	Vertical	255	1.80	-	38.87	11.10	35.42
AV	12.3734G	43.34	54.00	-10.66	28.79	3	Vertical	255	1.80	-	38.87	11.10	35.42

802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TnomVnom




EUT_V_1TX
Setting 15.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.3736G	68.10	74.00	-5.90	53.55	3	Horizontal	213	2.10	-	38.87	11.10	35.42
AV	12.373G	51.19	54.00	-2.81	36.64	3	Horizontal	213	2.10	-	38.87	11.10	35.42

802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TnomVnom




EUT_V_1TX
Setting 15.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	19.2236G	45.34	83.54	-38.20	42.06	1	Vertical	160	1.76	-	37.73	15.19	49.64	
AV	19.2328G	32.18	63.54	-31.36	28.92	1	Vertical	160	1.76	-	37.72	15.19	49.65	

802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TnomVnom




EUT V_1TX
Setting 15.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.2526G	45.82	83.54	-37.72	42.57	1	Horizontal	67	1.08	-	37.70	15.20	49.65
AV	19.2288G	32.10	63.54	-31.44	28.83	1	Horizontal	67	1.08	-	37.73	15.19	49.65

802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TnomVnom




EUT_V_1TX
 Setting 15.5
 03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	59.16	88.20	-29.04	52.50	3	Vertical	285	2.06	-	34.70	7.52	35.56
RMS	5.925G	47.33	68.20	-20.87	40.67	3	Vertical	285	2.06	-	34.70	7.52	35.56
PK	6.4054G	114.82	Inf	-Inf	107.67	3	Vertical	285	2.06	-	34.88	7.71	35.44
RMS	6.4054G	101.77	Inf	-Inf	94.62	3	Vertical	285	2.06	-	34.88	7.71	35.44
PK	7.1254G	63.84	88.20	-24.36	55.21	3	Vertical	285	2.06	-	35.95	8.20	35.52
RMS	7.1574G	52.11	68.20	-16.09	43.30	3	Vertical	285	2.06	-	36.14	8.20	35.53

802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TnomVnom




EUT V_1TX
Setting 15.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	59.63	88.20	-28.57	52.97	3	Horizontal	3	1.79	-	34.70	7.52	35.56
RMS	5.925G	47.29	68.20	-20.91	40.63	3	Horizontal	3	1.79	-	34.70	7.52	35.56
PK	6.4054G	113.87	Inf	-Inf	106.72	3	Horizontal	3	1.79	-	34.88	7.71	35.44
RMS	6.4054G	100.11	Inf	-Inf	92.96	3	Horizontal	3	1.79	-	34.88	7.71	35.44
PK	7.1318G	63.39	88.20	-24.81	54.72	3	Horizontal	3	1.79	-	35.99	8.20	35.52
RMS	7.1606G	52.15	68.20	-16.05	43.32	3	Horizontal	3	1.79	-	36.16	8.20	35.53

802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TnomVnom




EUT_V_1TX
Setting 15.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.8136G	62.10	88.20	-26.10	46.01	3	Vertical	230	1.78	-	39.31	11.45	34.67	
RMS	12.813G	46.72	68.20	-21.48	30.63	3	Vertical	230	1.78	-	39.31	11.45	34.67	

802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TnomVnom




EUT_V_1TX
Setting 15.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8136G	67.17	88.20	-21.03	51.08	3	Horizontal	213	1.80	-	39.31	11.45	34.67
RMS	12.8132G	51.89	68.20	-16.31	35.80	3	Horizontal	213	1.80	-	39.31	11.45	34.67

802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TnomVnom




EUT_V_1TX
Setting 15.5
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.2454G	45.74	83.54	-37.80	42.48	1	Vertical	338	1.58	-	37.71	15.20	49.65
AV	19.236G	32.12	63.54	-31.42	28.86	1	Vertical	338	1.58	-	37.72	15.19	49.65

802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TnomVnom




EUT_V_1TX
Setting 15.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.2082G	46.41	83.54	-37.13	43.12	1	Horizontal	126	2.99	-	37.75	15.18	49.64
AV	19.2378G	32.17	63.54	-31.37	28.91	1	Horizontal	126	2.99	-	37.71	15.20	49.65

802.11ax HEW20_Nss1,(MCS0)_1TX

6435MHz_TnomVnom




EUT V_1TX
 Setting -3.25
 03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.895G	59.07	88.20	-29.13	52.55	3	Vertical	8	2.22	-	34.57	7.50	35.55
RMS	5.925G	47.25	68.20	-20.95	40.58	3	Vertical	8	2.22	-	34.70	7.53	35.56
PK	6.426G	94.01	Inf	-Inf	86.89	3	Vertical	8	2.22	-	34.80	7.75	35.43
RMS	6.426G	83.01	Inf	-Inf	75.89	3	Vertical	8	2.22	-	34.80	7.75	35.43
PK	7.164G	63.86	88.20	-24.34	55.01	3	Vertical	8	2.22	-	36.18	8.20	35.53
RMS	7.161G	52.16	68.20	-16.04	43.32	3	Vertical	8	2.22	-	36.17	8.20	35.53

802.11ax HEW20_Nss1,(MCS0)_1TX

6435MHz_TnomVnom




EUT_V_1TX
 Setting -3.25
 03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.754G	58.61	88.20	-29.59	52.49	3	Horizontal	15	1.70	-	34.20	7.40	35.48
RMS	5.922G	47.20	68.20	-21.00	40.55	3	Horizontal	15	1.70	-	34.69	7.52	35.56
PK	6.426G	93.40	Inf	-Inf	86.28	3	Horizontal	15	1.70	-	34.80	7.75	35.43
RMS	6.426G	81.49	Inf	-Inf	74.37	3	Horizontal	15	1.70	-	34.80	7.75	35.43
PK	7.167G	64.29	88.20	-23.91	55.42	3	Horizontal	15	1.70	-	36.20	8.20	35.53
RMS	7.161G	52.14	68.20	-16.06	43.30	3	Horizontal	15	1.70	-	36.17	8.20	35.53

802.11ax HEW20_Nss1,(MCS0)_1TX

6435MHz_TnomVnom




EUT V_1TX
Setting -3.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.88158G	56.96	88.20	-31.24	40.58	3	Vertical	109	2.72	-	39.38	11.51	34.51
RMS	12.88242G	42.79	68.20	-25.41	26.41	3	Vertical	109	2.72	-	39.38	11.51	34.51

802.11ax HEW20_Nss1,(MCS0)_1TX

6435MHz_TnomVnom




EUT V_1TX
Setting -3.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.88452G	56.55	88.20	-31.65	40.17	3	Horizontal	199	1.02	-	39.38	11.51	34.51
RMS	12.88074G	42.78	68.20	-25.42	26.41	3	Horizontal	199	1.02	-	39.38	11.50	34.51

802.11ax HEW20_Nss1,(MCS0)_1TX

6435MHz_TnomVnom




EUT_V_1TX
Setting -3.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.31724G	45.66	83.54	-37.88	42.34	1	Vertical	216	2.38	-	37.75	15.23	49.66
AV	19.29348G	31.73	63.54	-31.81	28.44	1	Vertical	216	2.38	-	37.73	15.22	49.66

802.11ax HEW20_Nss1,(MCS0)_1TX

6435MHz_TnomVnom




EUT V_1TX
Setting -3.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.31022G	45.62	83.54	-37.92	42.31	1	Horizontal	296	1.78	-	37.75	15.22	49.66
AV	19.29378G	31.72	63.54	-31.82	28.42	1	Horizontal	296	1.78	-	37.74	15.22	49.66

802.11ax HEW20_Nss1,(MCS0)_1TX

6475MHz_TnomVnom




EUT V_1TX
Setting -3.25
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.854G	58.87	88.20	-29.33	52.63	3	Vertical	330	1.76	-	34.32	7.45	35.53
RMS	5.92G	47.19	68.20	-21.01	40.55	3	Vertical	330	1.76	-	34.68	7.52	35.56
PK	6.466G	99.20	Inf	-Inf	92.08	3	Vertical	330	1.76	-	34.70	7.83	35.41
RMS	6.466G	85.68	Inf	-Inf	78.56	3	Vertical	330	1.76	-	34.70	7.83	35.41
PK	7.201G	63.53	88.20	-24.67	54.46	3	Vertical	330	1.76	-	36.41	8.20	35.54
RMS	7.156G	52.19	68.20	-16.01	43.38	3	Vertical	330	1.76	-	36.14	8.20	35.53

802.11ax HEW20_Nss1,(MCS0)_1TX

6475MHz_TnomVnom




EUT_V_1TX
Setting -3.25
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.755G	58.52	88.20	-29.68	52.40	3	Horizontal	355	1.80	-	34.20	7.40	35.48
RMS	5.925G	47.21	68.20	-20.99	40.55	3	Horizontal	355	1.80	-	34.70	7.52	35.56
PK	6.466G	97.25	Inf	-Inf	90.13	3	Horizontal	355	1.80	-	34.70	7.83	35.41
RMS	6.466G	83.90	Inf	-Inf	76.78	3	Horizontal	355	1.80	-	34.70	7.83	35.41
PK	7.141G	63.63	88.20	-24.57	54.91	3	Horizontal	355	1.80	-	36.05	8.20	35.53
RMS	7.159G	52.04	68.20	-16.16	43.22	3	Horizontal	355	1.80	-	36.15	8.20	35.53

802.11ax HEW20_Nss1,(MCS0)_1TX

6475MHz_TnomVnom




EUT V_1TX
Setting -3.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.96176G	58.07	88.20	-30.13	41.37	3	Vertical	64	1.83	-	39.46	11.57	34.33
RMS	12.9545G	43.49	68.20	-24.71	26.82	3	Vertical	64	1.83	-	39.45	11.56	34.34

802.11ax HEW20_Nss1,(MCS0)_1TX

6475MHz_TnomVnom




EUT V_1TX
Setting -3.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.94226G	56.71	88.20	-31.49	40.09	3	Horizontal	193	2.47	-	39.44	11.55	34.37
RMS	12.95612G	43.54	68.20	-24.66	26.86	3	Horizontal	193	2.47	-	39.46	11.56	34.34

802.11ax HEW20_Nss1,(MCS0)_1TX

6475MHz_TnomVnom




EUT V_1TX
Setting -3.25
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.42548G	45.94	83.54	-37.60	42.52	1	Vertical	149	2.52	-	37.84	15.27	49.69	
AV	19.4295G	32.25	63.54	-31.29	28.83	1	Vertical	149	2.52	-	37.84	15.27	49.69	

802.11ax HEW20_Nss1,(MCS0)_1TX

6475MHz_TnomVnom




EUT V_1TX
Setting -3.25
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.41318G	45.70	83.54	-37.84	42.28	1	Horizontal	320	2.69	-	37.83	15.27	49.68	
AV	19.43802G	32.24	63.54	-31.30	28.80	1	Horizontal	320	2.69	-	37.85	15.28	49.69	

802.11ax HEW20_Nss1,(MCS0)_1TX

6515MHz_TnomVnom




EUT_V_1TX
Setting -3
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8346G	58.89	88.20	-29.31	52.71	3	Vertical	301	1.80	-	34.27	7.43	35.52
RMS	5.9242G	47.22	68.20	-20.98	40.56	3	Vertical	301	1.80	-	34.70	7.52	35.56
PK	6.5066G	97.63	Inf	-Inf	90.39	3	Vertical	301	1.80	-	34.73	7.91	35.40
RMS	6.5066G	86.34	Inf	-Inf	79.10	3	Vertical	301	1.80	-	34.73	7.91	35.40
PK	7.1618G	63.34	88.20	-24.86	54.50	3	Vertical	301	1.80	-	36.17	8.20	35.53
RMS	7.1562G	52.05	68.20	-16.15	43.24	3	Vertical	301	1.80	-	36.14	8.20	35.53

802.11ax HEW20_Nss1,(MCS0)_1TX

6515MHz_TnomVnom




EUT V_1TX
Setting -3
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8822G	58.49	88.20	-29.71	52.06	3	Horizontal	300	1.55	-	34.49	7.48	35.54
RMS	5.9186G	47.26	68.20	-20.94	40.63	3	Horizontal	300	1.55	-	34.67	7.52	35.56
PK	6.5066G	99.30	Inf	-Inf	92.06	3	Horizontal	300	1.55	-	34.73	7.91	35.40
RMS	6.5066G	85.03	Inf	-Inf	77.79	3	Horizontal	300	1.55	-	34.73	7.91	35.40
PK	7.159G	63.66	88.20	-24.54	54.84	3	Horizontal	300	1.55	-	36.15	8.20	35.53
RMS	7.1478G	52.07	68.20	-16.13	43.31	3	Horizontal	300	1.55	-	36.09	8.20	35.53

802.11ax HEW20_Nss1,(MCS0)_1TX

6515MHz_TnomVnom




EUT_V_1TX
 Setting -3
 03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.02358G	57.32	88.20	-30.88	40.33	3	Vertical	38	2.75	-	39.57	11.62	34.20	
RMS	13.03882G	43.63	68.20	-24.57	26.56	3	Vertical	38	2.75	-	39.62	11.63	34.18	

802.11ax HEW20_Nss1,(MCS0)_1TX

6515MHz_TnomVnom




EUT_V_1TX
Setting -3
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.04146G	57.24	88.20	-30.96	40.16	3	Horizontal	315	1.00	-	39.62	11.63	34.17
RMS	13.03918G	43.64	68.20	-24.56	26.56	3	Horizontal	315	1.00	-	39.62	11.63	34.17

802.11ax HEW20_Nss1,(MCS0)_1TX

6515MHz_TnomVnom




EUT V_1TX
Setting -3
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.5546G	46.22	83.54	-37.32	42.72	1	Vertical	359	1.09	-	37.88	15.32	49.70
AV	19.54812G	32.67	63.54	-30.87	29.17	1	Vertical	359	1.09	-	37.88	15.32	49.70

802.11ax HEW20_Nss1,(MCS0)_1TX

6515MHz_TnomVnom




EUT_V_1TX
Setting -3
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.54728G	46.73	83.54	-36.81	43.23	1	Horizontal	47	1.29	-	37.88	15.32	49.70
AV	19.55946G	32.61	63.54	-30.93	29.11	1	Horizontal	47	1.29	-	37.88	15.32	49.70

802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TnomVnom




EUT_V_1TX
Setting 15.25
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.891G	59.40	88.20	-28.80	52.91	3	Vertical	327	1.74	-	34.55	7.49	35.55
RMS	5.9246G	47.16	68.20	-21.04	40.50	3	Vertical	327	1.74	-	34.70	7.52	35.56
PK	6.5434G	115.88	Inf	-Inf	108.43	3	Vertical	327	1.74	-	34.87	7.99	35.41
RMS	6.5434G	105.21	Inf	-Inf	97.76	3	Vertical	327	1.74	-	34.87	7.99	35.41
PK	7.1734G	63.50	88.20	-24.70	54.60	3	Vertical	327	1.74	-	36.24	8.20	35.54
RMS	7.151G	52.15	68.20	-16.05	43.37	3	Vertical	327	1.74	-	36.11	8.20	35.53

802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TnomVnom




EUT_V_1TX
Setting 15.25
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8574G	58.87	88.20	-29.33	52.60	3	Horizontal	355	1.79	-	34.34	7.46	35.53
RMS	5.9246G	47.20	68.20	-21.00	40.54	3	Horizontal	355	1.79	-	34.70	7.52	35.56
PK	6.5434G	112.38	Inf	-Inf	104.93	3	Horizontal	355	1.79	-	34.87	7.99	35.41
RMS	6.5434G	102.57	Inf	-Inf	95.12	3	Horizontal	355	1.79	-	34.87	7.99	35.41
PK	7.1426G	64.04	88.20	-24.16	55.31	3	Horizontal	355	1.79	-	36.06	8.20	35.53
RMS	7.151G	52.13	68.20	-16.07	43.35	3	Horizontal	355	1.79	-	36.11	8.20	35.53

802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TnomVnom




EUT_V_1TX
Setting 15.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0862G	59.32	88.20	-28.88	41.99	3	Vertical	216	2.76	-	39.76	11.67	34.10
RMS	13.0868G	45.81	68.20	-22.39	28.48	3	Vertical	216	2.76	-	39.76	11.67	34.10

802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TnomVnom




EUT V_1TX
 Setting 15.25
 03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0868G	63.97	88.20	-24.23	46.64	3	Horizontal	212	3.00	-	39.76	11.67	34.10
RMS	13.0866G	49.27	68.20	-18.93	31.94	3	Horizontal	212	3.00	-	39.76	11.67	34.10

802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TnomVnom




EUT V_1TX
Setting 15.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.5926G	46.24	83.54	-37.30	42.74	1	Vertical	331	1.03	-	37.86	15.34	49.70
AV	19.5842G	32.82	63.54	-30.72	29.32	1	Vertical	331	1.03	-	37.87	15.33	49.70

802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TnomVnom




EUT V_1TX
Setting 15.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.5734G	46.58	83.54	-36.96	43.08	1	Horizontal	67	2.26	-	37.87	15.33	49.70
AV	19.5896G	32.60	63.54	-30.94	29.10	1	Horizontal	67	2.26	-	37.86	15.34	49.70

802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TnomVnom




EUT V_1TX
Setting 15.25
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.7038G	115.52	Inf	-Inf	107.44	3	Vertical	322	1.89	-	35.42	8.10	35.44	
RMS	6.7038G	104.81	Inf	-Inf	96.73	3	Vertical	322	1.89	-	35.42	8.10	35.44	
PK	7.234G	63.72	88.20	-24.48	54.40	3	Vertical	322	1.89	-	36.60	8.27	35.55	
RMS	7.1614G	52.37	68.20	-15.83	43.53	3	Vertical	322	1.89	-	36.17	8.20	35.53	

802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TnomVnom




EUT V_1TX
 Setting 15.25
 03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.7038G	113.83	Inf	-Inf	105.75	3	Horizontal	356	1.50	-	35.42	8.10	35.44	
RMS	6.7038G	102.66	Inf	-Inf	94.58	3	Horizontal	356	1.50	-	35.42	8.10	35.44	
PK	7.1526G	64.06	88.20	-24.14	55.27	3	Horizontal	356	1.50	-	36.12	8.20	35.53	
RMS	7.1504G	52.41	68.20	-15.79	43.64	3	Horizontal	356	1.50	-	36.10	8.20	35.53	

802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TnomVnom




EUT_V_1TX
 Setting 15.25
 03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.4158G	59.46	88.20	-28.74	40.76	3	Vertical	172	1.80	-	40.32	11.93	33.55	
RMS	13.4064G	45.21	68.20	-22.99	26.54	3	Vertical	172	1.80	-	40.31	11.93	33.57	

802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TnomVnom




EUT_V_1TX
Setting 15.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.4074G	62.02	88.20	-26.18	43.34	3	Horizontal	200	2.97	-	40.31	11.93	33.56
RMS	13.4068G	48.34	68.20	-19.86	29.66	3	Horizontal	200	2.97	-	40.31	11.93	33.56

802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TnomVnom




EUT_V_1TX
Setting 15.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.09856G	47.12	83.54	-36.42	43.84	1	Vertical	85	2.81	-	37.48	15.54	49.74
AV	20.07132G	33.09	63.54	-30.45	29.83	1	Vertical	85	2.81	-	37.46	15.53	49.73

802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TnomVnom




EUT_V_1TX
Setting 15.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.08506G	47.68	83.54	-35.86	44.40	1	Horizontal	41	2.45	-	37.47	15.54	49.73
AV	20.07108G	33.08	63.54	-30.46	29.82	1	Horizontal	41	2.45	-	37.46	15.53	49.73

802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TnomVnom




EUT V_1TX
 Setting 23
 01-M-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.8466G	120.87	Inf	-Inf	110.20	3	Vertical	75	1.27	-	36.57	7.07	32.97	
RMS	6.8466G	115.75	Inf	-Inf	105.08	3	Vertical	75	1.27	-	36.57	7.07	32.97	
PK	7.1574G	64.05	88.20	-24.15	53.00	3	Vertical	75	1.27	-	36.93	7.22	33.10	
RMS	7.1854G	53.18	68.20	-15.02	42.05	3	Vertical	75	1.27	-	37.04	7.21	33.12	

802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TnomVnom




EUT_V_1TX
 Setting 23
 01-M-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.8466G	119.44	Inf	-Inf	108.77	3	Horizontal	17	1.72	-	36.57	7.07	32.97	
RMS	6.8466G	114.27	Inf	-Inf	103.60	3	Horizontal	17	1.72	-	36.57	7.07	32.97	
PK	7.198G	63.64	88.20	-24.56	52.47	3	Horizontal	17	1.72	-	37.09	7.20	33.12	
RMS	7.1882G	53.13	68.20	-15.07	41.99	3	Horizontal	17	1.72	-	37.05	7.21	33.12	

802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TnomVnom




EUT_V_1TX
Setting 23
01-M-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.6933G	68.79	88.20	-19.41	48.21	3	Vertical	297	1.84	-	40.49	9.76	29.67
RMS	13.6929G	60.62	68.20	-7.58	40.04	3	Vertical	297	1.84	-	40.49	9.76	29.67

802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TnomVnom




EUT_V_1TX
 Setting 23
 01-M-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.6931G	68.64	88.20	-19.56	48.06	3	Horizontal	215	2.88	-	40.49	9.76	29.67
RMS	13.6929G	60.41	68.20	-7.79	39.83	3	Horizontal	215	2.88	-	40.49	9.76	29.67

802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TnomVnom




EUT_V_1TX
Setting 23
01-M-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.56196G	46.70	83.54	-36.84	43.06	1	Vertical	358	1.50	-	37.77	15.75	49.88
AV	20.56556G	34.58	63.54	-28.96	30.92	1	Vertical	358	1.50	-	37.78	15.75	49.87

802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TnomVnom




EUT_V_1TX
Setting 23
01-M-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.56752G	47.02	83.54	-36.52	43.35	1	Horizontal	122	1.58	-	37.78	15.76	49.87
AV	20.56658G	34.58	63.54	-28.96	30.92	1	Horizontal	122	1.58	-	37.78	15.75	49.87

802.11ax HEW20_Nss1,(MCS0)_1TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT V_1TX
 Setting -3.25
 03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.8834G	100.24	Inf	-Inf	91.94	3	Vertical	330	1.33	-	35.63	8.14	35.47	
RMS	6.8834G	89.53	Inf	-Inf	81.23	3	Vertical	330	1.33	-	35.63	8.14	35.47	
PK	7.1662G	64.56	88.20	-23.64	55.69	3	Vertical	330	1.33	-	36.20	8.20	35.53	
RMS	7.1592G	52.43	68.20	-15.77	43.60	3	Vertical	330	1.33	-	36.16	8.20	35.53	

802.11ax HEW20_Nss1,(MCS0)_1TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT V_1TX
 Setting -3.25
 03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8834G	100.25	Inf	-Inf	91.95	3	Horizontal	300	1.25	-	35.63	8.14	35.47
RMS	6.8834G	88.45	Inf	-Inf	80.15	3	Horizontal	300	1.25	-	35.63	8.14	35.47
PK	7.1522G	64.03	88.20	-24.17	55.25	3	Horizontal	300	1.25	-	36.11	8.20	35.53
RMS	7.1592G	52.40	68.20	-15.80	43.57	3	Horizontal	300	1.25	-	36.16	8.20	35.53

802.11ax HEW20_Nss1,(MCS0)_1TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_1TX
 Setting -3.25
 03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.75222G	58.54	88.20	-29.66	39.14	3	Vertical	31	2.92	-	40.70	12.20	33.50
RMS	13.75978G	45.13	68.20	-23.07	25.70	3	Vertical	31	2.92	-	40.72	12.21	33.50

802.11ax HEW20_Nss1,(MCS0)_1TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT V_1TX
 Setting -3.25
 03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.75786G	59.29	88.20	-28.91	39.86	3	Horizontal	27	2.05	-	40.72	12.21	33.50
RMS	13.76392G	45.11	68.20	-23.09	25.67	3	Horizontal	27	2.05	-	40.73	12.21	33.50

802.11ax HEW20_Nss1,(MCS0)_1TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_1TX
Setting -3.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.6397G	48.01	83.54	-35.53	44.19	1	Vertical	5	1.37	-	37.87	15.79	49.84
AV	20.6127G	33.87	63.54	-29.67	30.10	1	Vertical	5	1.37	-	37.84	15.78	49.85

802.11ax HEW20_Nss1,(MCS0)_1TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_1TX
Setting -3.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.63178G	47.58	83.54	-35.96	43.79	1	Horizontal	200	1.58	-	37.86	15.78	49.85
AV	20.61282G	33.84	63.54	-29.70	30.07	1	Horizontal	200	1.58	-	37.84	15.78	49.85

802.11ax HEW20_Nss1,(MCS0)_1TX

6895MHz_TnomVnom




EUT V_1TX
Setting -3.25
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.9034G	99.56	Inf	-Inf	91.27	3	Vertical	55	1.10	-	35.61	8.15	35.47	
RMS	6.9034G	89.60	Inf	-Inf	81.31	3	Vertical	55	1.10	-	35.61	8.15	35.47	
PK	7.1694G	64.22	88.20	-23.98	55.33	3	Vertical	55	1.10	-	36.22	8.20	35.53	
RMS	7.1456G	52.40	68.20	-15.80	43.66	3	Vertical	55	1.10	-	36.07	8.20	35.53	

802.11ax HEW20_Nss1,(MCS0)_1TX

6895MHz_TnomVnom




EUT V_1TX
Setting -3.25
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9034G	100.65	Inf	-Inf	92.36	3	Horizontal	56	1.03	-	35.61	8.15	35.47
RMS	6.9034G	88.79	Inf	-Inf	80.50	3	Horizontal	56	1.03	-	35.61	8.15	35.47
PK	7.1442G	64.05	88.20	-24.15	55.31	3	Horizontal	56	1.03	-	36.07	8.20	35.53
RMS	7.1512G	52.43	68.20	-15.77	43.65	3	Horizontal	56	1.03	-	36.11	8.20	35.53

802.11ax HEW20_Nss1,(MCS0)_1TX

6895MHz_TnomVnom




EUT V_1TX
Setting -3.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.78628G	59.78	88.20	-28.42	40.29	3	Vertical	88	1.78	-	40.77	12.23	33.51	
RMS	13.80458G	45.56	68.20	-22.64	26.02	3	Vertical	88	1.78	-	40.81	12.24	33.51	

802.11ax HEW20_Nss1,(MCS0)_1TX

6895MHz_TnomVnom




EUT V_1TX
 Setting -3.25
 03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.79852G	58.92	88.20	-29.28	39.39	3	Horizontal	20	1.69	-	40.80	12.24	33.51
RMS	13.80398G	45.54	68.20	-22.66	26.00	3	Horizontal	20	1.69	-	40.81	12.24	33.51

802.11ax HEW20_Nss1,(MCS0)_1TX

6895MHz_TnomVnom




EUT_V_1TX
Setting -3.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.69052G	47.64	83.54	-35.90	43.72	1	Vertical	27	1.89	-	37.93	15.81	49.82
AV	20.6718G	33.73	63.54	-29.81	29.85	1	Vertical	27	1.89	-	37.91	15.80	49.83

802.11ax HEW20_Nss1,(MCS0)_1TX

6895MHz_TnomVnom




EUT_V_1TX
Setting -3.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.67402G	48.33	83.54	-35.21	44.45	1	Horizontal	93	1.73	-	37.91	15.80	49.83
AV	20.67936G	33.72	63.54	-29.82	29.82	1	Horizontal	93	1.73	-	37.92	15.81	49.83

802.11ax HEW20_Nss1,(MCS0)_1TX

6995MHz_TnomVnom




EUT V_1TX
 Setting -3.75
 03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.004G	102.13	Inf	-Inf	93.72	3	Vertical	309	1.24	-	35.70	8.20	35.49
RMS	7.003G	91.00	Inf	-Inf	82.59	3	Vertical	309	1.24	-	35.70	8.20	35.49
PK	7.237G	64.86	88.20	-23.34	55.52	3	Vertical	309	1.24	-	36.62	8.27	35.55
RMS	7.15G	52.49	68.20	-15.71	43.72	3	Vertical	309	1.24	-	36.10	8.20	35.53

802.11ax HEW20_Nss1,(MCS0)_1TX

6995MHz_TnomVnom




EUT V_1TX
 Setting -3.75
 03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.003G	101.16	Inf	-Inf	92.75	3	Horizontal	156	1.30	-	35.70	8.20	35.49	
RMS	7.003G	90.27	Inf	-Inf	81.86	3	Horizontal	156	1.30	-	35.70	8.20	35.49	
PK	7.152G	64.08	88.20	-24.12	55.30	3	Horizontal	156	1.30	-	36.11	8.20	35.53	
RMS	7.152G	52.52	68.20	-15.68	43.74	3	Horizontal	156	1.30	-	36.11	8.20	35.53	

802.11ax HEW20_Nss1,(MCS0)_1TX

6995MHz_TnomVnom




EUT V_1TX
Setting -3.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.99408G	60.35	88.20	-27.85	40.34	3	Vertical	217	1.56	-	41.19	12.40	33.58
RMS	13.9765G	45.87	68.20	-22.33	25.91	3	Vertical	217	1.56	-	41.15	12.38	33.57

802.11ax HEW20_Nss1,(MCS0)_1TX

6995MHz_TnomVnom




EUT V_1TX
 Setting -3.75
 03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.99282G	60.16	88.20	-28.04	40.16	3	Horizontal	158	1.48	-	41.19	12.39	33.58
RMS	13.9822G	45.91	68.20	-22.29	25.93	3	Horizontal	158	1.48	-	41.16	12.39	33.57

802.11ax HEW20_Nss1,(MCS0)_1TX

6995MHz_TnomVnom




EUT_V_1TX
Setting -3.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.98722G	46.62	83.54	-36.92	42.77	1	Vertical	168	2.08	-	37.62	15.94	49.71
AV	20.99532G	33.07	63.54	-30.47	29.21	1	Vertical	168	2.08	-	37.61	15.95	49.70

802.11ax HEW20_Nss1,(MCS0)_1TX

6995MHz_TnomVnom




EUT V_1TX
Setting -3.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.99868G	47.13	83.54	-36.41	43.28	1	Horizontal	146	1.49	-	37.60	15.95	49.70
AV	20.99888G	33.04	63.54	-30.50	29.19	1	Horizontal	146	1.49	-	37.60	15.95	49.70

802.11ax HEW20_Nss1,(MCS0)_1TX

7095MHz_TnomVnom




EUT V_1TX
Setting -1.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.1028G	100.79	Inf	-Inf	92.29	3	Vertical	347	2.00	-	35.82	8.20	35.52	
RMS	7.1034G	90.61	Inf	-Inf	82.11	3	Vertical	347	2.00	-	35.82	8.20	35.52	
PK	7.1484G	64.71	88.20	-23.49	55.95	3	Vertical	347	2.00	-	36.09	8.20	35.53	
RMS	7.1544G	52.50	68.20	-15.70	43.70	3	Vertical	347	2.00	-	36.13	8.20	35.53	

802.11ax HEW20_Nss1,(MCS0)_1TX

7095MHz_TnomVnom




EUT V_1TX
Setting -1.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.1028G	100.00	Inf	-Inf	91.50	3	Horizontal	340	1.94	-	35.82	8.20	35.52	
RMS	7.1034G	89.81	Inf	-Inf	81.31	3	Horizontal	340	1.94	-	35.82	8.20	35.52	
PK	7.2438G	64.29	88.20	-23.91	54.89	3	Horizontal	340	1.94	-	36.66	8.29	35.55	
RMS	7.149G	52.38	68.20	-15.82	43.62	3	Horizontal	340	1.94	-	36.09	8.20	35.53	

802.11ax HEW20_Nss1,(MCS0)_1TX

7095MHz_TnomVnom




EUT_V_1TX
Setting -1.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	14.19816G	59.87	88.20	-28.33	39.66	3	Vertical	299	1.90	-	41.60	12.50	33.89	
RMS	14.17602G	46.34	68.20	-21.86	26.13	3	Vertical	299	1.90	-	41.58	12.49	33.86	

802.11ax HEW20_Nss1,(MCS0)_1TX

7095MHz_TnomVnom




EUT_V_1TX
Setting -1.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.19954G	60.09	88.20	-28.11	39.89	3	Horizontal	205	2.04	-	41.60	12.50	33.90
RMS	14.17554G	46.32	68.20	-21.88	26.11	3	Horizontal	205	2.04	-	41.58	12.49	33.86

802.11ax HEW20_Nss1,(MCS0)_1TX

7095MHz_TnomVnom




EUT_V_1TX
Setting -1.5
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	21.27228G	48.87	83.54	-34.67	44.82	1	Vertical	4	2.96	-	37.63	16.07	49.65	
AV	21.27G	34.02	63.54	-29.52	29.98	1	Vertical	4	2.96	-	37.62	16.07	49.65	

802.11ax HEW20_Nss1,(MCS0)_1TX

7095MHz_TnomVnom




EUT_V_1TX
Setting -1.5
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	21.27138G	48.16	83.54	-35.38	44.11	1	Horizontal	339	1.76	-	37.63	16.07	49.65
AV	21.27G	33.95	63.54	-29.59	29.91	1	Horizontal	339	1.76	-	37.62	16.07	49.65

802.11ax HEW20_Nss1,(MCS0)_1TX

7115MHz_TnomVnom




EUT_V_1TX
Setting 10
03-G-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.12358G	98.51	Inf	-Inf	89.89	3	Vertical	16	1.80	-	35.94	8.20	35.52	
RMS	7.12308G	90.17	Inf	-Inf	81.55	3	Vertical	16	1.80	-	35.94	8.20	35.52	
PK	7.1255G	76.93	88.20	-11.27	68.30	3	Vertical	16	1.80	-	35.95	8.20	35.52	
RMS	7.1255G	63.57	68.20	-4.63	54.94	3	Vertical	16	1.80	-	35.95	8.20	35.52	

802.11ax HEW20_Nss1,(MCS0)_1TX

7115MHz_TnomVnom




EUT_V_1TX
Setting 10
03-G-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.12358G	96.68	Inf	-Inf	88.06	3	Horizontal	158	2.36	-	35.94	8.20	35.52	
RMS	7.124G	89.19	Inf	-Inf	80.57	3	Horizontal	158	2.36	-	35.94	8.20	35.52	
PK	7.1255G	74.92	88.20	-13.28	66.29	3	Horizontal	158	2.36	-	35.95	8.20	35.52	
RMS	7.1255G	62.59	68.20	-5.61	53.96	3	Horizontal	158	2.36	-	35.95	8.20	35.52	

802.11ax HEW20_Nss1,(MCS0)_1TX

7115MHz_TnomVnom




EUT_V_1TX
Setting 10
03-G-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.22842G	72.41	88.20	-15.79	52.24	3	Vertical	276	2.94	-	41.60	12.51	33.94
RMS	14.22738G	59.84	68.20	-8.36	39.67	3	Vertical	276	2.94	-	41.60	12.51	33.94

802.11ax HEW20_Nss1,(MCS0)_1TX

7115MHz_TnomVnom




EUT_V_1TX
Setting 10
03-G-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.23042G	73.05	88.20	-15.15	52.87	3	Horizontal	193	2.05	-	41.60	12.52	33.94
RMS	14.22872G	59.85	68.20	-8.35	39.68	3	Horizontal	193	2.05	-	41.60	12.51	33.94

802.11ax HEW20_Nss1,(MCS0)_1TX

7115MHz_TnomVnom




EUT_V_1TX
Setting 10
03-G-S-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	21.34078G	48.16	83.54	-35.38	43.98	1	Vertical	354	1.58	-	37.71	16.10	49.63	
AV	21.34828G	35.54	63.54	-28.00	31.34	1	Vertical	354	1.58	-	37.72	16.11	49.63	

802.11ax HEW20_Nss1,(MCS0)_1TX

7115MHz_TnomVnom



EUT_V_1TX
Setting 10
03-G-S-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	21.34272G	48.00	83.54	-35.54	43.82	1	Horizontal	251	1.57	-	37.71	16.10	49.63
AV	21.34136G	35.55	63.54	-27.99	31.37	1	Horizontal	251	1.57	-	37.71	16.10	49.63



RSE TX above 1GHz
<Partial RU> low power_RU52_1TX_Ant. 1


Appendix E.9

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	AV	11.89523G	53.88	54.00	-0.12	3	Horizontal	220	1.80	-

802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TnomVnom




EUT V_1TX
Setting 13.75
01-M-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9186G	64.29	88.20	-23.91	55.53	3	Vertical	44	1.25	-	34.97	6.60	32.81
RMS	5.9186G	51.76	68.20	-16.44	43.00	3	Vertical	44	1.25	-	34.97	6.60	32.81
PK	5.949G	117.41	Inf	-Inf	108.53	3	Vertical	44	1.25	-	35.10	6.60	32.82
RMS	5.9482G	107.28	Inf	-Inf	98.41	3	Vertical	44	1.25	-	35.09	6.60	32.82

802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TnomVnom




EUT_V_1TX
Setting 13.75
01-M-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9126G	62.99	88.20	-25.21	54.25	3	Horizontal	360	2.41	-	34.95	6.60	32.81
RMS	5.9142G	51.06	68.20	-17.14	42.31	3	Horizontal	360	2.41	-	34.96	6.60	32.81
PK	5.949G	114.42	Inf	-Inf	105.54	3	Horizontal	360	2.41	-	35.10	6.60	32.82
RMS	5.9486G	104.37	Inf	-Inf	95.50	3	Horizontal	360	2.41	-	35.09	6.60	32.82

802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TnomVnom




EUT_V_1TX
Setting 13.75
01-M-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.89795G	60.52	74.00	-13.48	44.63	3	Vertical	3	1.77	-	38.50	8.97	31.58
AV	11.89519G	47.67	54.00	-6.33	31.78	3	Vertical	3	1.77	-	38.50	8.97	31.58

802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TnomVnom




EUT_V_1TX
 Setting 13.75
 01-M-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.89815G	65.95	74.00	-8.05	50.06	3	Horizontal	220	1.80	-	38.50	8.97	31.58
AV	11.89523G	53.88	54.00	-0.12	37.99	3	Horizontal	220	1.80	-	38.50	8.97	31.58

802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TnomVnom




EUT_V_1TX
Setting 17.75
03-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9118G	57.96	88.20	-30.24	51.36	3	Vertical	235	1.12	-	34.65	7.51	35.56	
RMS	5.9238G	47.09	68.20	-21.11	40.43	3	Vertical	235	1.12	-	34.70	7.52	35.56	
PK	6.189G	117.44	Inf	-Inf	110.11	3	Vertical	235	1.12	-	35.16	7.69	35.52	
RMS	6.189G	106.86	Inf	-Inf	99.53	3	Vertical	235	1.12	-	35.16	7.69	35.52	

802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TnomVnom




EUT_V_1TX
 Setting 17.75
 03-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9118G	57.65	88.20	-30.55	51.05	3	Horizontal	0	1.88	-	34.65	7.51	35.56	
RMS	5.925G	47.04	68.20	-21.16	40.37	3	Horizontal	0	1.88	-	34.70	7.53	35.56	
PK	6.189G	114.17	Inf	-Inf	106.84	3	Horizontal	0	1.88	-	35.16	7.69	35.52	
RMS	6.189G	103.52	Inf	-Inf	96.19	3	Horizontal	0	1.88	-	35.16	7.69	35.52	

802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TnomVnom




EUT_V_1TX
Setting 17.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.3756G	58.39	74.00	-15.61	43.82	3	Vertical	261	1.80	-	38.88	11.10	35.41
AV	12.376G	45.50	54.00	-8.50	30.93	3	Vertical	261	1.80	-	38.88	11.10	35.41

802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TnomVnom




EUT_V_1TX
 Setting 17.75
 03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.3762G	64.45	74.00	-9.55	49.88	3	Horizontal	208	1.80	-	38.88	11.10	35.41
AV	12.3762G	50.66	54.00	-3.34	36.09	3	Horizontal	208	1.80	-	38.88	11.10	35.41

802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TnomVnom




EUT V_1TX
Setting 17.75
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	18.6032G	45.20	83.54	-38.34	42.50	1	Vertical	129	1.26	-	37.76	14.94	50.00
AV	18.5358G	31.25	63.54	-32.29	28.61	1	Vertical	129	1.26	-	37.79	14.91	50.06

802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TnomVnom




EUT_V_1TX
Setting 17.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.5786G	44.56	83.54	-38.98	41.88	1	Horizontal	179	2.19	-	37.77	14.93	50.02
AV	18.5376G	31.25	63.54	-32.29	28.61	1	Horizontal	179	2.19	-	37.78	14.92	50.06

802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TnomVnom




EUT_V_1TX
Setting 18.25
03-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.8654G	57.58	88.20	-30.62	51.25	3	Vertical	332	1.64	-	34.39	7.47	35.53	
RMS	5.9206G	47.00	68.20	-21.20	40.36	3	Vertical	332	1.64	-	34.68	7.52	35.56	
PK	6.4102G	114.05	Inf	-Inf	106.91	3	Vertical	332	1.64	-	34.86	7.72	35.44	
RMS	6.4078G	103.50	Inf	-Inf	96.35	3	Vertical	332	1.64	-	34.87	7.72	35.44	

802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TnomVnom




EUT_V_1TX
Setting 18.25
03-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9182G	57.90	88.20	-30.30	51.27	3	Horizontal	355	1.87	-	34.67	7.52	35.56	
RMS	5.9182G	46.98	68.20	-21.22	40.35	3	Horizontal	355	1.87	-	34.67	7.52	35.56	
PK	6.4102G	113.72	Inf	-Inf	106.58	3	Horizontal	355	1.87	-	34.86	7.72	35.44	
RMS	6.4078G	102.92	Inf	-Inf	95.77	3	Horizontal	355	1.87	-	34.87	7.72	35.44	

802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TnomVnom




EUT_V_1TX
Setting 18.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8184G	59.76	88.20	-28.44	43.65	3	Vertical	215	1.80	-	39.32	11.45	34.66
RMS	12.816G	46.19	68.20	-22.01	30.08	3	Vertical	215	1.80	-	39.32	11.45	34.66

802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TnomVnom




EUT_V_1TX
 Setting 18.25
 03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8164G	65.45	88.20	-22.75	49.34	3	Horizontal	206	1.80	-	39.32	11.45	34.66
RMS	12.8162G	52.02	68.20	-16.18	35.91	3	Horizontal	206	1.80	-	39.32	11.45	34.66

802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TnomVnom




EUT_V_1TX
Setting 18.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	19.2296G	46.10	83.54	-37.44	42.84	1	Vertical	340	1.04	-	37.72	15.19	49.65	
AV	19.233G	32.16	63.54	-31.38	28.90	1	Vertical	340	1.04	-	37.72	15.19	49.65	

802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TnomVnom




EUT_V_1TX
Setting 18.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.2846G	46.27	83.54	-37.27	42.99	1	Horizontal	271	1.93	-	37.73	15.21	49.66
AV	19.2278G	32.08	63.54	-31.46	28.81	1	Horizontal	271	1.93	-	37.73	15.19	49.65

802.11ax HEW20_Nss1,(MCS0)_1TX

6435MHz_TnomVnom




EUT V_1TX
 Setting -0.5
 03-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.8734G	57.83	88.20	-30.37	51.46	3	Vertical	324	1.80	-	34.44	7.47	35.54	
RMS	5.9176G	47.06	68.20	-21.14	40.43	3	Vertical	324	1.80	-	34.67	7.52	35.56	
PK	6.4298G	96.97	Inf	-Inf	89.86	3	Vertical	324	1.80	-	34.78	7.76	35.43	
RMS	6.4272G	85.44	Inf	-Inf	78.33	3	Vertical	324	1.80	-	34.79	7.75	35.43	

802.11ax HEW20_Nss1,(MCS0)_1TX

6435MHz_TnomVnom




EUT V_1TX
Setting -0.5
03-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.876G	57.99	88.20	-30.21	51.59	3	Horizontal	356	1.80	-	34.46	7.48	35.54
RMS	5.9228G	47.04	68.20	-21.16	40.39	3	Horizontal	356	1.80	-	34.69	7.52	35.56
PK	6.4298G	96.50	Inf	-Inf	89.39	3	Horizontal	356	1.80	-	34.78	7.76	35.43
RMS	6.4272G	84.05	Inf	-Inf	76.94	3	Horizontal	356	1.80	-	34.79	7.75	35.43

802.11ax HEW20_Nss1,(MCS0)_1TX

6435MHz_TnomVnom




EUT_V_1TX
 Setting -0.5
 03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.9G	56.88	88.20	-31.32	40.43	3	Vertical	54	1.90	-	39.40	11.52	34.47
RMS	12.9102G	42.96	68.20	-25.24	26.47	3	Vertical	54	1.90	-	39.41	11.53	34.45

802.11ax HEW20_Nss1,(MCS0)_1TX

6435MHz_TnomVnom




EUT_V_1TX
Setting -0.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8816G	56.45	88.20	-31.75	40.07	3	Horizontal	295	1.08	-	39.38	11.51	34.51
RMS	12.8834G	42.98	68.20	-25.22	26.60	3	Horizontal	295	1.08	-	39.38	11.51	34.51

802.11ax HEW20_Nss1,(MCS0)_1TX

6435MHz_TnomVnom




EUT V_1TX
Setting -0.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.3188G	46.52	83.54	-37.02	43.19	1	Vertical	357	2.24	-	37.76	15.23	49.66
AV	19.2688G	31.95	63.54	-31.59	28.67	1	Vertical	357	2.24	-	37.72	15.21	49.65

802.11ax HEW20_Nss1,(MCS0)_1TX

6435MHz_TnomVnom




EUT_V_1TX
Setting -0.5
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.257G	45.90	83.54	-37.64	42.64	1	Horizontal	59	1.58	-	37.71	15.20	49.65	
AV	19.2632G	31.98	63.54	-31.56	28.71	1	Horizontal	59	1.58	-	37.71	15.21	49.65	

802.11ax HEW20_Nss1,(MCS0)_1TX

6475MHz_TnomVnom




EUT_V_1TX
 Setting -0.5
 03-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9066G	57.65	88.20	-30.55	51.06	3	Vertical	341	1.80	-	34.63	7.51	35.55
RMS	5.925G	46.95	68.20	-21.25	40.29	3	Vertical	341	1.80	-	34.70	7.52	35.56
PK	6.4694G	95.84	Inf	-Inf	88.71	3	Vertical	341	1.80	-	34.70	7.84	35.41
RMS	6.4666G	83.32	Inf	-Inf	76.20	3	Vertical	341	1.80	-	34.70	7.83	35.41
PK	7.133G	63.68	88.20	-24.52	55.00	3	Vertical	341	1.80	-	36.00	8.20	35.52
RMS	7.1554G	52.57	68.20	-15.63	43.77	3	Vertical	341	1.80	-	36.13	8.20	35.53

802.11ax HEW20_Nss1,(MCS0)_1TX

6475MHz_TnomVnom




EUT_V_1TX
Setting -0.5
03-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7974G	57.83	88.20	-30.37	51.73	3	Horizontal	-0	1.80	-	34.20	7.40	35.50
RMS	5.9234G	46.97	68.20	-21.23	40.32	3	Horizontal	-0	1.80	-	34.69	7.52	35.56
PK	6.4694G	95.26	Inf	-Inf	88.13	3	Horizontal	-0	1.80	-	34.70	7.84	35.41
RMS	6.4666G	82.14	Inf	-Inf	75.02	3	Horizontal	-0	1.80	-	34.70	7.83	35.41
PK	7.1554G	62.62	88.20	-25.58	53.82	3	Horizontal	-0	1.80	-	36.13	8.20	35.53
RMS	7.1526G	52.49	68.20	-15.71	43.70	3	Horizontal	-0	1.80	-	36.12	8.20	35.53

802.11ax HEW20_Nss1,(MCS0)_1TX

6475MHz_TnomVnom




EUT_V_1TX
Setting -0.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.9504G	56.75	88.20	-31.45	40.09	3	Vertical	127	2.94	-	39.45	11.56	34.35
RMS	12.999G	43.34	68.20	-24.86	26.48	3	Vertical	127	2.94	-	39.50	11.60	34.24

802.11ax HEW20_Nss1,(MCS0)_1TX

6475MHz_TnomVnom




EUT_V_1TX
Setting -0.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.9264G	57.17	88.20	-31.03	40.61	3	Horizontal	166	1.32	-	39.43	11.54	34.41
RMS	12.9928G	43.51	68.20	-24.69	26.69	3	Horizontal	166	1.32	-	39.49	11.59	34.26

802.11ax HEW20_Nss1,(MCS0)_1TX

6475MHz_TnomVnom



EUT_V_1TX
Setting -0.5
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.4596G	45.51	83.54	-38.03	42.05	1	Vertical	124	1.30	-	37.87	15.28	49.69	
AV	19.47G	32.43	63.54	-31.11	28.95	1	Vertical	124	1.30	-	37.88	15.29	49.69	