


802.11ax HEW80_Nss1,(MCS0)_1TX

6465MHz_TnomVnom




EUT_V_1TX
 Setting 11.5
 03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.73G	59.13	88.20	-29.07	52.96	3	Vertical	88	1.80	-	34.24	7.40	35.47
RMS	5.925G	47.44	68.20	-20.76	40.77	3	Vertical	88	1.80	-	34.70	7.53	35.56
PK	6.462G	102.31	Inf	-Inf	95.21	3	Vertical	88	1.80	-	34.70	7.82	35.42
RMS	6.459G	93.04	Inf	-Inf	85.94	3	Vertical	88	1.80	-	34.70	7.82	35.42
PK	7.179G	60.16	88.20	-28.04	51.23	3	Vertical	88	1.80	-	36.27	8.20	35.54
RMS	7.194G	50.09	68.20	-18.11	41.07	3	Vertical	88	1.80	-	36.36	8.20	35.54

802.11ax HEW80_Nss1,(MCS0)_1TX

6465MHz_TnomVnom




EUT_V_1TX
 Setting 11.5
 03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.92568G	56.52	88.20	-31.68	39.96	3	Vertical	327	2.93	-	39.43	11.54	34.41
RMS	12.92844G	45.24	68.20	-22.96	28.67	3	Vertical	327	2.93	-	39.43	11.54	34.40

802.11ax HEW80_Nss1,(MCS0)_1TX

6465MHz_TnomVnom




EUT_V_1TX
 Setting 11.5
 03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.9372G	56.34	88.20	-31.86	39.73	3	Horizontal	258	1.20	-	39.44	11.55	34.38	
RMS	12.91968G	45.90	68.20	-22.30	29.36	3	Horizontal	258	1.20	-	39.42	11.54	34.42	

802.11ax HEW80_Nss1,(MCS0)_1TX

6465MHz_TnomVnom




EUT_V_1TX
Setting 11.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.39248G	46.36	83.54	-37.18	42.97	1	Vertical	84	1.27	-	37.81	15.26	49.68
AV	19.39212G	35.19	63.54	-28.35	31.80	1	Vertical	84	1.27	-	37.81	15.26	49.68

802.11ax HEW80_Nss1,(MCS0)_1TX

6465MHz_TnomVnom




EUT_V_1TX
Setting 11.5
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.39056G	45.69	83.54	-37.85	42.30	1	Horizontal	106	2.62	-	37.81	15.26	49.68
AV	19.39026G	34.96	63.54	-28.58	31.57	1	Horizontal	106	2.62	-	37.81	15.26	49.68

802.11ax HEW80_Nss1,(MCS0)_1TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_V_1TX
 Setting 11.75
 03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	58.23	88.20	-29.97	51.57	3	Vertical	69	1.80	-	34.70	7.52	35.56
RMS	5.925G	47.49	68.20	-20.71	40.83	3	Vertical	69	1.80	-	34.70	7.52	35.56
PK	6.5478G	103.26	Inf	-Inf	95.78	3	Vertical	69	1.80	-	34.89	8.00	35.41
RMS	6.5478G	93.14	Inf	-Inf	85.66	3	Vertical	69	1.80	-	34.89	8.00	35.41
PK	7.2338G	60.78	88.20	-27.42	51.46	3	Vertical	69	1.80	-	36.60	8.27	35.55
RMS	7.245G	50.43	68.20	-17.77	41.02	3	Vertical	69	1.80	-	36.67	8.29	35.55

802.11ax HEW80_Nss1,(MCS0)_1TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_V_1TX
Setting 11.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.07764G	57.66	88.20	-30.54	40.38	3	Vertical	348	1.20	-	39.73	11.66	34.11
RMS	13.07866G	46.80	68.20	-21.40	29.51	3	Vertical	348	1.20	-	39.74	11.66	34.11

802.11ax HEW80_Nss1,(MCS0)_1TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_V_1TX
 Setting 11.75
 03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.08532G	57.79	88.20	-30.41	40.46	3	Horizontal	106	1.92	-	39.76	11.67	34.10
RMS	13.08832G	47.27	68.20	-20.93	29.93	3	Horizontal	106	1.92	-	39.76	11.67	34.09

802.11ax HEW80_Nss1,(MCS0)_1TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_V_1TX
Setting 11.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.62396G	45.94	83.54	-37.60	42.44	1	Vertical	74	1.47	-	37.85	15.35	49.70
AV	19.63128G	35.98	63.54	-27.56	32.48	1	Vertical	74	1.47	-	37.85	15.35	49.70

802.11ax HEW80_Nss1,(MCS0)_1TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_V_1TX
 Setting 11.75
 03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.62222G	46.06	83.54	-37.48	42.56	1	Horizontal	10	1.19	-	37.85	15.35	49.70
AV	19.62294G	35.48	63.54	-28.06	31.98	1	Horizontal	10	1.19	-	37.85	15.35	49.70

802.11ax HEW80_Nss1,(MCS0)_1TX

6625MHz_TnomVnom




EUT_V_1TX
 Setting 22.5
 03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6346G	113.52	Inf	-Inf	105.60	3	Vertical	72	1.80	-	35.24	8.10	35.42
RMS	6.6274G	104.46	Inf	-Inf	96.57	3	Vertical	72	1.80	-	35.21	8.10	35.42
PK	7.1842G	61.41	88.20	-26.79	52.44	3	Vertical	72	1.80	-	36.31	8.20	35.54
RMS	7.213G	50.35	68.20	-17.85	41.19	3	Vertical	72	1.80	-	36.48	8.23	35.55

802.11ax HEW80_Nss1,(MCS0)_1TX

6625MHz_TnomVnom




EUT_V_1TX
 Setting 22.5
 03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.24898G	57.97	88.20	-30.23	40.00	3	Vertical	242	1.35	-	40.00	11.80	33.83
RMS	13.2419G	46.74	68.20	-21.46	28.81	3	Vertical	242	1.35	-	39.98	11.79	33.84

802.11ax HEW80_Nss1,(MCS0)_1TX

6625MHz_TnomVnom




EUT_V_1TX
 Setting 22.5
 03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.24098G	57.20	88.20	-31.00	39.27	3	Horizontal	308	1.37	-	39.98	11.79	33.84	
RMS	13.24178G	46.91	68.20	-21.29	28.98	3	Horizontal	308	1.37	-	39.98	11.79	33.84	

802.11ax HEW80_Nss1,(MCS0)_1TX

6625MHz_TnomVnom




EUT V_1TX
Setting 22.5
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.88064G	46.80	83.54	-36.74	43.46	1	Vertical	273	2.75	-	37.59	15.45	49.70
AV	19.87134G	36.12	63.54	-27.42	32.76	1	Vertical	273	2.75	-	37.61	15.45	49.70

802.11ax HEW80_Nss1,(MCS0)_1TX

6625MHz_TnomVnom




EUT_V_1TX
Setting 22.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.86306G	46.35	83.54	-37.19	42.98	1	Horizontal	5	1.59	-	37.62	15.45	49.70
AV	19.88418G	36.64	63.54	-26.90	33.30	1	Horizontal	5	1.59	-	37.59	15.45	49.70

802.11ax HEW80_Nss1,(MCS0)_1TX

6705MHz_TnomVnom




EUT_V_1TX
 Setting 23
 03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.709G	115.72	Inf	-Inf	107.62	3	Vertical	70	1.66	-	35.44	8.10	35.44	
RMS	6.703G	105.75	Inf	-Inf	97.68	3	Vertical	70	1.66	-	35.41	8.10	35.44	
PK	7.147G	60.39	88.20	-27.81	51.64	3	Vertical	70	1.66	-	36.08	8.20	35.53	
RMS	7.143G	50.34	68.20	-17.86	41.61	3	Vertical	70	1.66	-	36.06	8.20	35.53	

802.11ax HEW80_Nss1,(MCS0)_1TX

6705MHz_TnomVnom




EUT_V_1TX
 Setting 23
 03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.41684G	58.26	88.20	-29.94	39.56	3	Vertical	258	1.95	-	40.32	11.93	33.55	
RMS	13.41698G	47.61	68.20	-20.59	28.91	3	Vertical	258	1.95	-	40.32	11.93	33.55	

802.11ax HEW80_Nss1,(MCS0)_1TX

6705MHz_TnomVnom




EUT_V_1TX
 Setting 23
 03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.4177G	60.77	88.20	-27.43	42.07	3	Horizontal	142	2.91	-	40.32	11.93	33.55	
RMS	13.40274G	49.67	68.20	-18.53	31.02	3	Horizontal	142	2.91	-	40.30	11.92	33.57	

802.11ax HEW80_Nss1,(MCS0)_1TX

6705MHz_TnomVnom




EUT V_1TX
Setting 23
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	20.10348G	46.90	83.54	-36.64	43.61	1	Vertical	65	1.80	-	37.48	15.55	49.74	
AV	20.11386G	36.30	63.54	-27.24	33.01	1	Vertical	65	1.80	-	37.49	15.55	49.75	

802.11ax HEW80_Nss1,(MCS0)_1TX

6705MHz_TnomVnom




EUT_V_1TX
Setting 23
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.1042G	47.00	83.54	-36.54	43.71	1	Horizontal	204	1.47	-	37.48	15.55	49.74
AV	20.12682G	36.36	63.54	-27.18	33.05	1	Horizontal	204	1.47	-	37.50	15.56	49.75

802.11ax HEW80_Nss1,(MCS0)_1TX

6785MHz_TnomVnom




EUT V_1TX
 Setting 20.75
 03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7976G	114.79	Inf	-Inf	106.35	3	Vertical	71	1.71	-	35.79	8.10	35.45
RMS	6.7832G	104.82	Inf	-Inf	96.44	3	Vertical	71	1.71	-	35.73	8.10	35.45
PK	7.127G	72.92	88.20	-15.28	64.28	3	Vertical	71	1.71	-	35.96	8.20	35.52
RMS	7.1288G	58.35	68.20	-9.85	49.70	3	Vertical	71	1.71	-	35.97	8.20	35.52

802.11ax HEW80_Nss1,(MCS0)_1TX

6785MHz_TnomVnom




EUT_V_1TX
 Setting 20.75
 03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.57264G	58.66	88.20	-29.54	39.56	3	Vertical	215	1.06	-	40.47	12.06	33.43
RMS	13.57942G	47.85	68.20	-20.35	28.75	3	Vertical	215	1.06	-	40.48	12.06	33.44

802.11ax HEW80_Nss1,(MCS0)_1TX

6785MHz_TnomVnom




EUT_V_1TX
 Setting 20.75
 03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.56052G	59.21	88.20	-28.99	40.13	3	Horizontal	17	2.81	-	40.46	12.05	33.43
RMS	13.57144G	47.98	68.20	-20.22	28.88	3	Horizontal	17	2.81	-	40.47	12.06	33.43

802.11ax HEW80_Nss1,(MCS0)_1TX

6785MHz_TnomVnom




EUT_V_1TX
Setting 20.75
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.34588G	47.26	83.54	-36.28	43.80	1	Vertical	206	2.79	-	37.64	15.66	49.84
AV	20.3631G	36.55	63.54	-26.99	33.09	1	Vertical	206	2.79	-	37.65	15.66	49.85

802.11ax HEW80_Nss1,(MCS0)_1TX

6785MHz_TnomVnom




EUT_V_1TX
Setting 20.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.36184G	47.05	83.54	-36.49	43.59	1	Horizontal	319	2.30	-	37.64	15.66	49.84
AV	20.3553G	36.69	63.54	-26.85	33.23	1	Horizontal	319	2.30	-	37.64	15.66	49.84

802.11ax HEW80_Nss1,(MCS0)_1TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT V_1TX
 Setting 11.5
 03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.8692G	104.32	Inf	-Inf	96.00	3	Vertical	75	1.71	-	35.66	8.13	35.47	
RMS	6.8678G	94.50	Inf	-Inf	86.18	3	Vertical	75	1.71	-	35.66	8.13	35.47	
PK	7.1492G	60.96	88.20	-27.24	52.19	3	Vertical	75	1.71	-	36.10	8.20	35.53	
RMS	7.2122G	50.37	68.20	-17.83	41.23	3	Vertical	75	1.71	-	36.47	8.22	35.55	

802.11ax HEW80_Nss1,(MCS0)_1TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_1TX
 Setting 11.5
 03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.73438G	61.48	88.20	-26.72	42.11	3	Vertical	297	2.95	-	40.67	12.19	33.49
RMS	13.72382G	51.16	68.20	-17.04	31.82	3	Vertical	297	2.95	-	40.65	12.18	33.49

802.11ax HEW80_Nss1,(MCS0)_1TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_1TX
 Setting 11.5
 03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.72694G	61.21	88.20	-26.99	41.87	3	Horizontal	104	1.29	-	40.65	12.18	33.49
RMS	13.73G	50.96	68.20	-17.24	31.61	3	Horizontal	104	1.29	-	40.66	12.18	33.49

802.11ax HEW80_Nss1,(MCS0)_1TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_1TX
Setting 11.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.59956G	48.05	83.54	-35.49	44.32	1	Vertical	30	2.76	-	37.82	15.77	49.86
AV	20.59038G	36.95	63.54	-26.59	33.23	1	Vertical	30	2.76	-	37.81	15.77	49.86

802.11ax HEW80_Nss1,(MCS0)_1TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_1TX
 Setting 11.5
 03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.58624G	47.29	83.54	-36.25	43.60	1	Horizontal	128	2.45	-	37.80	15.76	49.87
AV	20.5893G	36.73	63.54	-26.81	33.01	1	Horizontal	128	2.45	-	37.81	15.77	49.86

802.11ax HEW80_Nss1,(MCS0)_1TX

6945MHz_TnomVnom




EUT_V_1TX
 Setting 10.5
 03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.9486G	104.71	Inf	-Inf	96.32	3	Vertical	72	1.67	-	35.70	8.17	35.48	
RMS	6.9474G	95.07	Inf	-Inf	86.69	3	Vertical	72	1.67	-	35.69	8.17	35.48	
PK	7.2246G	61.36	88.20	-26.84	52.11	3	Vertical	72	1.67	-	36.55	8.25	35.55	
RMS	7.2426G	50.56	68.20	-17.64	41.16	3	Vertical	72	1.67	-	36.66	8.29	35.55	

802.11ax HEW80_Nss1,(MCS0)_1TX

6945MHz_TnomVnom




EUT_V_1TX
Setting 10.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.88892G	61.72	88.20	-26.48	41.97	3	Vertical	170	2.56	-	40.98	12.31	33.54
RMS	13.90314G	50.76	68.20	-17.44	30.98	3	Vertical	170	2.56	-	41.01	12.32	33.55

802.11ax HEW80_Nss1,(MCS0)_1TX

6945MHz_TnomVnom




EUT_V_1TX
Setting 10.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.89024G	61.58	88.20	-26.62	41.83	3	Horizontal	216	1.26	-	40.98	12.31	33.54	
RMS	13.8858G	50.75	68.20	-17.45	31.01	3	Horizontal	216	1.26	-	40.97	12.31	33.54	

802.11ax HEW80_Nss1,(MCS0)_1TX

6945MHz_TnomVnom




EUT_V_1TX
Setting 10.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.83308G	47.56	83.54	-35.98	43.59	1	Vertical	121	1.12	-	37.87	15.87	49.77
AV	20.82726G	37.97	63.54	-25.57	33.99	1	Vertical	121	1.12	-	37.88	15.87	49.77

802.11ax HEW80_Nss1,(MCS0)_1TX

6945MHz_TnomVnom




EUT_V_1TX
Setting 10.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.83872G	47.76	83.54	-35.78	43.78	1	Horizontal	314	2.40	-	37.86	15.88	49.76
AV	20.82132G	37.14	63.54	-26.40	33.15	1	Horizontal	314	2.40	-	37.89	15.87	49.77

802.11ax HEW80_Nss1,(MCS0)_1TX

7025MHz_TnomVnom




EUT_V_1TX
 Setting 16.5
 01-M-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.0018G	109.70	Inf	-Inf	99.11	3	Vertical	57	1.38	-	36.31	7.30	33.02	
RMS	7.001G	100.65	Inf	-Inf	90.06	3	Vertical	57	1.38	-	36.31	7.30	33.02	
PK	7.1266G	79.15	88.20	-9.05	68.29	3	Vertical	57	1.38	-	36.71	7.24	33.09	
RMS	7.125G	67.60	68.20	-0.60	56.75	3	Vertical	57	1.38	-	36.70	7.24	33.09	

802.11ax HEW80_Nss1,(MCS0)_1TX

7025MHz_TnomVnom




EUT_V_1TX
Setting 16.5
01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	14.04826G	62.84	88.20	-25.36	41.55	3	Vertical	164	1.80	-	40.90	9.91	29.52	
RMS	14.04322G	53.49	68.20	-14.71	32.20	3	Vertical	164	1.80	-	40.90	9.91	29.52	

802.11ax HEW80_Nss1,(MCS0)_1TX

7025MHz_TnomVnom




EUT_V_1TX
Setting 16.5
01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.05756G	62.93	88.20	-25.27	41.64	3	Horizontal	154	2.01	-	40.90	9.92	29.53
RMS	14.05978G	53.85	68.20	-14.35	32.56	3	Horizontal	154	2.01	-	40.90	9.92	29.53

802.11ax HEW80_Nss1,(MCS0)_1TX

7025MHz_TnomVnom




EUT_V_1TX
Setting 16.5
01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.06882G	47.35	83.54	-36.19	43.46	1	Vertical	39	1.87	-	37.60	15.98	49.69
AV	21.06222G	38.15	63.54	-25.39	34.26	1	Vertical	39	1.87	-	37.60	15.98	49.69

802.11ax HEW80_Nss1,(MCS0)_1TX

7025MHz_TnomVnom




EUT_V_1TX
 Setting 16.5
 01-M-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	21.07062G	47.79	83.54	-35.75	43.90	1	Horizontal	318	2.67	-	37.60	15.98	49.69
AV	21.0759G	38.26	63.54	-25.28	34.36	1	Horizontal	318	2.67	-	37.60	15.98	49.68

802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TnomVnom




EUT V_1TX
 Setting 15.5
 01-M-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.901G	83.45	88.20	-4.75	74.75	3	Vertical	89	1.48	-	34.90	6.60	32.80	
RMS	5.907G	67.57	68.20	-0.63	58.84	3	Vertical	89	1.48	-	34.93	6.60	32.80	
PK	6G	105.45	Inf	-Inf	96.39	3	Vertical	89	1.48	-	35.30	6.60	32.84	
RMS	6.03G	96.16	Inf	-Inf	87.12	3	Vertical	89	1.48	-	35.24	6.64	32.84	

802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TnomVnom




EUT_V_1TX
Setting 15.5
01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.05492G	59.15	74.00	-14.85	43.13	3	Vertical	222	1.80	-	38.55	9.02	31.55
AV	12.03908G	48.97	54.00	-5.03	32.95	3	Vertical	222	1.80	-	38.54	9.02	31.54

802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TnomVnom




EUT_V_1TX
Setting 15.5
01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.06206G	61.65	74.00	-12.35	45.61	3	Horizontal	210	1.80	-	38.56	9.03	31.55
AV	12.06308G	53.47	54.00	-0.53	37.43	3	Horizontal	210	1.80	-	38.56	9.03	31.55

802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TnomVnom




EUT_V_1TX
Setting 15.5
01-M-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	18.0747G	44.71	83.54	-38.83	42.61	1	Vertical	111	2.76	-	37.64	14.73	50.27
AV	18.06408G	35.46	63.54	-28.08	33.35	1	Vertical	111	2.76	-	37.65	14.73	50.27

802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TnomVnom




EUT V_1TX
Setting 15.5
01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.0675G	45.55	83.54	-37.99	43.44	1	Horizontal	73	1.67	-	37.65	14.73	50.27
AV	18.08466G	35.34	63.54	-28.20	33.25	1	Horizontal	73	1.67	-	37.63	14.73	50.27

802.11ax HEW160_Nss1,(MCS0)_1TX

6185MHz_TnomVnom




EUT_V_1TX
 Setting 23
 03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.919G	73.05	88.20	-15.15	66.41	3	Vertical	69	1.76	-	34.68	7.52	35.56
RMS	5.921G	56.60	68.20	-11.60	49.96	3	Vertical	69	1.76	-	34.68	7.52	35.56
PK	6.181G	110.35	Inf	-Inf	103.07	3	Vertical	69	1.76	-	35.12	7.69	35.53
RMS	6.189G	100.93	Inf	-Inf	93.60	3	Vertical	69	1.76	-	35.16	7.69	35.52

802.11ax HEW160_Nss1,(MCS0)_1TX

6185MHz_TnomVnom




EUT_V_1TX
Setting 23
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.37942G	56.10	74.00	-17.90	41.53	3	Vertical	281	1.76	-	38.88	11.10	35.41
AV	12.3811G	45.42	54.00	-8.58	30.85	3	Vertical	281	1.76	-	38.88	11.10	35.41

802.11ax HEW160_Nss1,(MCS0)_1TX

6185MHz_TnomVnom




EUT_V_1TX
 Setting 23
 03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.3838G	61.22	74.00	-12.78	46.64	3	Horizontal	206	2.30	-	38.88	11.11	35.41
AV	12.38134G	50.29	54.00	-3.71	35.71	3	Horizontal	206	2.30	-	38.88	11.11	35.41

802.11ax HEW160_Nss1,(MCS0)_1TX

6185MHz_TnomVnom




EUT_V_1TX
Setting 23
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.5559G	45.79	83.54	-37.75	43.13	1	Vertical	180	2.82	-	37.78	14.92	50.04
AV	18.54132G	34.73	63.54	-28.81	32.09	1	Vertical	180	2.82	-	37.78	14.92	50.06

802.11ax HEW160_Nss1,(MCS0)_1TX

6185MHz_TnomVnom




EUT_V_1TX
Setting 23
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.55782G	45.68	83.54	-37.86	43.02	1	Horizontal	89	1.79	-	37.78	14.92	50.04
AV	18.55242G	34.93	63.54	-28.61	32.28	1	Horizontal	89	1.79	-	37.78	14.92	50.05

802.11ax HEW160_Nss1,(MCS0)_1TX

6345MHz_TnomVnom




EUT_V_1TX
 Setting 15
 03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.919G	61.27	88.20	-26.93	54.63	3	Vertical	69	1.73	-	34.68	7.52	35.56
RMS	5.922G	48.02	68.20	-20.18	41.37	3	Vertical	69	1.73	-	34.69	7.52	35.56
PK	6.342G	107.81	Inf	-Inf	100.65	3	Vertical	69	1.73	-	34.92	7.70	35.46
RMS	6.342G	98.53	Inf	-Inf	91.37	3	Vertical	69	1.73	-	34.92	7.70	35.46

802.11ax HEW160_Nss1,(MCS0)_1TX

6345MHz_TnomVnom




EUT Y_1TX
Setting 15
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.68868G	55.63	74.00	-18.37	40.17	3	Vertical	48	1.20	-	39.07	11.35	34.96
AV	12.68676G	45.59	54.00	-8.41	30.14	3	Vertical	48	1.20	-	39.06	11.35	34.96

802.11ax HEW160_Nss1,(MCS0)_1TX

6345MHz_TnomVnom




EUT_V_1TX
Setting 15
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.69356G	56.31	74.00	-17.69	40.82	3	Horizontal	25	2.75	-	39.08	11.35	34.94
AV	12.6912G	44.67	54.00	-9.33	29.20	3	Horizontal	25	2.75	-	39.07	11.35	34.95

802.11ax HEW160_Nss1,(MCS0)_1TX

6345MHz_TnomVnom




EUT Y_1TX
Setting 15
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.038G	46.13	83.54	-37.41	42.67	1	Vertical	73	2.70	-	37.95	15.12	49.61
AV	19.03002G	36.03	63.54	-27.51	32.57	1	Vertical	73	2.70	-	37.96	15.11	49.61

802.11ax HEW160_Nss1,(MCS0)_1TX

6345MHz_TnomVnom




EUT_V_1TX
 Setting 15
 03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.02096G	46.15	83.54	-37.39	42.67	1	Horizontal	294	2.32	-	37.97	15.11	49.60
AV	19.02996G	35.93	63.54	-27.61	32.47	1	Horizontal	294	2.32	-	37.96	15.11	49.61

802.11ax HEW160_Nss1,(MCS0)_1TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_V_1TX
 Setting 14
 03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9198G	57.67	88.20	-30.53	51.03	3	Vertical	68	1.78	-	34.68	7.52	35.56
RMS	5.9226G	47.60	68.20	-20.60	40.95	3	Vertical	68	1.78	-	34.69	7.52	35.56
PK	6.4994G	101.67	Inf	-Inf	94.47	3	Vertical	68	1.78	-	34.70	7.90	35.40
RMS	6.5022G	92.59	Inf	-Inf	85.38	3	Vertical	68	1.78	-	34.71	7.90	35.40
PK	7.1518G	60.65	88.20	-27.55	51.87	3	Vertical	68	1.78	-	36.11	8.20	35.53
RMS	7.205G	50.23	68.20	-17.97	41.13	3	Vertical	68	1.78	-	36.43	8.21	35.54

802.11ax HEW160_Nss1,(MCS0)_1TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_V_1TX
Setting 14
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0172G	57.85	88.20	-30.35	40.90	3	Vertical	207	2.77	-	39.55	11.61	34.21
RMS	13.00976G	47.28	68.20	-20.92	30.36	3	Vertical	207	2.77	-	39.53	11.61	34.22

802.11ax HEW160_Nss1,(MCS0)_1TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_V_1TX
 Setting 14
 03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0199G	57.32	88.20	-30.88	40.35	3	Horizontal	135	1.74	-	39.56	11.62	34.21
RMS	12.99674G	47.66	68.20	-20.54	30.81	3	Horizontal	135	1.74	-	39.50	11.60	34.25

802.11ax HEW160_Nss1,(MCS0)_1TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_V_1TX
Setting 14
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.52544G	46.77	83.54	-36.77	43.27	1	Vertical	219	1.08	-	37.89	15.31	49.70
AV	19.51128G	35.94	63.54	-27.60	32.44	1	Vertical	219	1.08	-	37.90	15.30	49.70

802.11ax HEW160_Nss1,(MCS0)_1TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_V_1TX
 Setting 14
 03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.52772G	48.35	83.54	-35.19	44.85	1	Horizontal	330	2.04	-	37.89	15.31	49.70
AV	19.50324G	36.30	63.54	-27.24	32.80	1	Horizontal	330	2.04	-	37.90	15.30	49.70

802.11ax HEW160_Nss1,(MCS0)_1TX

6665MHz_TnomVnom




EUT_V_1TX
 Setting 18.75
 03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.6496G	112.77	Inf	-Inf	104.80	3	Vertical	69	1.73	-	35.30	8.10	35.43	
RMS	6.6606G	103.10	Inf	-Inf	95.11	3	Vertical	69	1.73	-	35.32	8.10	35.43	
PK	7.1292G	64.97	88.20	-23.23	56.31	3	Vertical	69	1.73	-	35.98	8.20	35.52	
RMS	7.1292G	52.25	68.20	-15.95	43.59	3	Vertical	69	1.73	-	35.98	8.20	35.52	

802.11ax HEW160_Nss1,(MCS0)_1TX

6665MHz_TnomVnom




EUT V_1TX
Setting 18.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.32382G	58.35	74.00	-15.65	40.04	3	Vertical	8	1.12	-	40.15	11.86	33.70
AV	13.33402G	47.37	54.00	-6.63	29.02	3	Vertical	8	1.12	-	40.17	11.87	33.69

802.11ax HEW160_Nss1,(MCS0)_1TX

6665MHz_TnomVnom




EUT_V_1TX
Setting 18.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.33282G	58.05	74.00	-15.95	39.70	3	Horizontal	358	2.14	-	40.17	11.87	33.69
AV	13.34068G	47.38	54.00	-6.62	29.00	3	Horizontal	358	2.14	-	40.18	11.87	33.67

802.11ax HEW160_Nss1,(MCS0)_1TX

6665MHz_TnomVnom




EUT V_1TX
Setting 18.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.00544G	46.96	83.54	-36.58	43.76	1	Vertical	353	1.19	-	37.40	15.50	49.70
AV	20.00712G	36.65	63.54	-26.89	33.44	1	Vertical	353	1.19	-	37.41	15.50	49.70

802.11ax HEW160_Nss1,(MCS0)_1TX

6665MHz_TnomVnom




EUT V_1TX
Setting 18.75
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.9938G	48.15	83.54	-35.39	44.94	1	Horizontal	107	2.35	-	37.41	15.50	49.70
AV	20.00094G	36.75	63.54	-26.79	33.55	1	Horizontal	107	2.35	-	37.40	15.50	49.70

802.11ax HEW160_Nss1,(MCS0)_1TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_1TX
 Setting 14
 03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8218G	104.04	Inf	-Inf	95.63	3	Vertical	71	1.67	-	35.76	8.11	35.46
RMS	6.8218G	94.69	Inf	-Inf	86.28	3	Vertical	71	1.67	-	35.76	8.11	35.46
PK	7.2186G	62.24	88.20	-25.96	53.04	3	Vertical	71	1.67	-	36.51	8.24	35.55
RMS	7.209G	50.51	68.20	-17.69	41.38	3	Vertical	71	1.67	-	36.45	8.22	35.54

802.11ax HEW160_Nss1,(MCS0)_1TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_1TX
 Setting 14
 03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.65594G	62.07	88.20	-26.13	42.85	3	Vertical	56	1.12	-	40.56	12.12	33.46
RMS	13.64844G	51.09	68.20	-17.11	31.88	3	Vertical	56	1.12	-	40.55	12.12	33.46

802.11ax HEW160_Nss1,(MCS0)_1TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_1TX
 Setting 14
 03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.63578G	61.60	88.20	-26.60	42.41	3	Horizontal	23	1.72	-	40.54	12.11	33.46
RMS	13.6485G	50.88	68.20	-17.32	31.67	3	Horizontal	23	1.72	-	40.55	12.12	33.46

802.11ax HEW160_Nss1,(MCS0)_1TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_1TX
 Setting 14
 03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	20.46948G	47.84	83.54	-35.70	44.33	1	Vertical	356	1.24	-	37.69	15.71	49.89	
AV	20.47764G	37.45	63.54	-26.09	33.94	1	Vertical	356	1.24	-	37.69	15.71	49.89	

802.11ax HEW160_Nss1,(MCS0)_1TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_1TX
Setting 14
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	20.4618G	47.65	83.54	-35.89	44.14	1	Horizontal	37	1.59	-	37.68	15.71	49.88	
AV	20.475G	37.30	63.54	-26.24	33.79	1	Horizontal	37	1.59	-	37.69	15.71	49.89	

802.11ax HEW160_Nss1,(MCS0)_1TX

6985MHz_TnomVnom




EUT_V_1TX
 Setting 13.5
 01-M-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.96G	104.63	Inf	-Inf	93.94	3	Vertical	57	1.41	-	36.46	7.24	33.01	
RMS	6.98G	94.88	Inf	-Inf	84.24	3	Vertical	57	1.41	-	36.38	7.27	33.01	
PK	7.127G	83.63	88.20	-4.57	72.76	3	Vertical	57	1.41	-	36.72	7.24	33.09	
RMS	7.132G	68.13	68.20	-0.07	57.23	3	Vertical	57	1.41	-	36.76	7.23	33.09	

802.11ax HEW160_Nss1,(MCS0)_1TX

6985MHz_TnomVnom




EUT_V_1TX
 Setting 13.5
 01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.9628G	62.25	88.20	-25.95	40.98	3	Vertical	8	1.80	-	40.90	9.88	29.51
RMS	13.98488G	52.56	68.20	-15.64	31.27	3	Vertical	8	1.80	-	40.90	9.89	29.50

802.11ax HEW160_Nss1,(MCS0)_1TX

6985MHz_TnomVnom




EUT_V_1TX
Setting 13.5
01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.97108G	62.21	88.20	-25.99	40.93	3	Horizontal	38	1.80	-	40.90	9.89	29.51	
RMS	13.97852G	52.55	68.20	-15.65	31.26	3	Horizontal	38	1.80	-	40.90	9.89	29.50	

802.11ax HEW160_Nss1,(MCS0)_1TX

6985MHz_TnomVnom




EUT_V_1TX
Setting 13.5
01-M-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.94096G	47.59	83.54	-35.95	43.70	1	Vertical	108	1.87	-	37.69	15.92	49.72
AV	20.9424G	38.21	63.54	-25.33	34.32	1	Vertical	108	1.87	-	37.69	15.92	49.72

802.11ax HEW160_Nss1,(MCS0)_1TX

6985MHz_TnomVnom



EUT_V_1TX
Setting 13.5
01-M-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.9553G	47.64	83.54	-35.90	43.76	1	Horizontal	316	1.42	-	37.67	15.93	49.72
AV	20.95074G	39.17	63.54	-24.37	35.28	1	Horizontal	316	1.42	-	37.68	15.93	49.72



RSE TX above 1GHz
<Full RU> low power_Beamforming mode_2TX_Ant. 1


Appendix E.5

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	Pass	AV	11.9112G	53.86	54.00	-0.14	3	Horizontal	220	1.80	-

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5955MHz_TnomVnom




EUT Y_2TX
Setting 15
01-M-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9242G	80.87	88.20	-7.33	72.08	3	Vertical	48	1.49	-	35.00	6.60	32.81
RMS	5.924G	63.69	68.20	-4.51	54.90	3	Vertical	48	1.49	-	35.00	6.60	32.81
PK	5.9544G	120.66	Inf	-Inf	111.76	3	Vertical	48	1.49	-	35.12	6.60	32.82
RMS	5.9582G	109.56	Inf	-Inf	100.65	3	Vertical	48	1.49	-	35.13	6.60	32.82

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5955MHz_TnomVnom




EUT_V_2TX
 Setting 15
 01-M-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.925G	66.47	88.20	-21.73	57.68	3	Horizontal	45	2.30	-	35.00	6.60	32.81	
RMS	5.9232G	52.98	68.20	-15.22	44.20	3	Horizontal	45	2.30	-	34.99	6.60	32.81	
PK	5.9546G	115.08	Inf	-Inf	106.18	3	Horizontal	45	2.30	-	35.12	6.60	32.82	
RMS	5.96G	103.79	Inf	-Inf	94.87	3	Horizontal	45	2.30	-	35.14	6.60	32.82	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5955MHz_TnomVnom




EUT Y_2TX
Setting 15
01-M-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.9254G	61.87	74.00	-12.13	45.96	3	Vertical	55	1.80	-	38.50	8.98	31.57
AV	11.9084G	48.19	54.00	-5.81	32.29	3	Vertical	55	1.80	-	38.50	8.98	31.58

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5955MHz_TnomVnom




EUT_V_2TX
Setting 15
01-M-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.916G	68.77	74.00	-5.23	52.86	3	Horizontal	220	1.80	-	38.50	8.98	31.57
AV	11.9112G	53.86	54.00	-0.14	37.96	3	Horizontal	220	1.80	-	38.50	8.98	31.58

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6195MHz_TnomVnom




EUT Y_2TX
Setting 20
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6126G	62.29	88.20	-25.91	55.73	3	Vertical	125	1.98	-	34.57	7.40	35.41
RMS	5.545G	50.33	68.20	-17.87	43.75	3	Vertical	125	1.98	-	34.60	7.35	35.37
PK	6.1976G	116.53	Inf	-Inf	109.16	3	Vertical	125	1.98	-	35.19	7.70	35.52
RMS	6.195G	104.87	Inf	-Inf	97.51	3	Vertical	125	1.98	-	35.18	7.70	35.52

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6195MHz_TnomVnom




EUT Y_2TX
Setting 20
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6282G	61.38	88.20	-26.82	54.85	3	Horizontal	360	1.89	-	34.54	7.40	35.41
RMS	5.6204G	50.29	68.20	-17.91	43.74	3	Horizontal	360	1.89	-	34.56	7.40	35.41
PK	6.195G	117.18	Inf	-Inf	109.82	3	Horizontal	360	1.89	-	35.18	7.70	35.52
RMS	6.195G	104.18	Inf	-Inf	96.82	3	Horizontal	360	1.89	-	35.18	7.70	35.52

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6195MHz_TnomVnom




EUT Y_2TX
Setting 20
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.3939G	62.14	74.00	-11.86	47.54	3	Vertical	234	1.79	-	38.89	11.12	35.41
AV	12.39084G	47.29	54.00	-6.71	32.70	3	Vertical	234	1.79	-	38.89	11.11	35.41

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6195MHz_TnomVnom




EUT_V_2TX
Setting 20
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.39036G	64.95	74.00	-9.05	50.36	3	Horizontal	207	1.80	-	38.89	11.11	35.41
AV	12.38802G	51.39	54.00	-2.61	36.80	3	Horizontal	207	1.80	-	38.89	11.11	35.41

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6195MHz_TnomVnom




EUT Y_2TX
Setting 20
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	18.59568G	49.36	83.54	-34.18	46.66	1	Vertical	45	1.02	-	37.76	14.94	50.00	
AV	18.59952G	34.47	63.54	-29.07	31.77	1	Vertical	45	1.02	-	37.76	14.94	50.00	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6195MHz_TnomVnom




EUT_V_2TX
Setting 20
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	18.59598G	48.40	83.54	-35.14	45.70	1	Horizontal	74	1.44	-	37.76	14.94	50.00	
AV	18.58782G	34.44	63.54	-29.10	31.75	1	Horizontal	74	1.44	-	37.76	14.94	50.01	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6415MHz_TnomVnom




EUT Y_2TX
 Setting 19.75
 03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8522G	61.96	88.20	-26.24	55.73	3	Vertical	328	2.08	-	34.31	7.45	35.53
RMS	5.925G	50.25	68.20	-17.95	43.58	3	Vertical	328	2.08	-	34.70	7.53	35.56
PK	6.415G	118.55	Inf	-Inf	111.41	3	Vertical	328	2.08	-	34.84	7.73	35.43
RMS	6.415G	105.58	Inf	-Inf	98.44	3	Vertical	328	2.08	-	34.84	7.73	35.43

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6415MHz_TnomVnom




EUT V_2TX
Setting 19.75
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8662G	61.06	88.20	-27.14	54.72	3	Horizontal	360	1.80	-	34.40	7.47	35.53
RMS	5.9222G	50.21	68.20	-17.99	43.56	3	Horizontal	360	1.80	-	34.69	7.52	35.56
PK	6.415G	116.14	Inf	-Inf	109.00	3	Horizontal	360	1.80	-	34.84	7.73	35.43
RMS	6.415G	104.82	Inf	-Inf	97.68	3	Horizontal	360	1.80	-	34.84	7.73	35.43

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6415MHz_TnomVnom




EUT_V_2TX
Setting 19.75
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.83084G	61.58	88.20	-26.62	45.42	3	Vertical	238	1.74	-	39.33	11.46	34.63
RMS	12.83072G	48.07	68.20	-20.13	31.91	3	Vertical	238	1.74	-	39.33	11.46	34.63

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6415MHz_TnomVnom




EUT_V_2TX
Setting 19.75
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.83378G	65.64	88.20	-22.56	49.46	3	Horizontal	208	1.80	-	39.33	11.47	34.62
RMS	12.83144G	51.42	68.20	-16.78	35.25	3	Horizontal	208	1.80	-	39.33	11.47	34.63

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6415MHz_TnomVnom




EUT V_2TX
Setting 19.75
03-B-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.2339G	48.65	83.54	-34.89	45.39	1	Vertical	242	2.72	-	37.72	15.19	49.65
AV	19.23468G	35.10	63.54	-28.44	31.84	1	Vertical	242	2.72	-	37.72	15.19	49.65

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6415MHz_TnomVnom




EUT Y_2TX
Setting 19.75
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.25688G	49.38	83.54	-34.16	46.12	1	Horizontal	159	2.60	-	37.71	15.20	49.65
AV	19.2324G	35.11	63.54	-28.43	31.85	1	Horizontal	159	2.60	-	37.72	15.19	49.65

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6435MHz_TnomVnom




EUT_V_2TX
 Setting 0.5
 03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.862G	61.84	88.20	-26.36	55.54	3	Vertical	300	1.33	-	34.37	7.46	35.53
RMS	5.919G	50.17	68.20	-18.03	43.53	3	Vertical	300	1.33	-	34.68	7.52	35.56
PK	6.435G	97.49	Inf	-Inf	90.39	3	Vertical	300	1.33	-	34.76	7.77	35.43
RMS	6.435G	87.08	Inf	-Inf	79.98	3	Vertical	300	1.33	-	34.76	7.77	35.43
PK	7.164G	65.13	88.20	-23.07	56.28	3	Vertical	300	1.33	-	36.18	8.20	35.53
RMS	7.155G	54.65	68.20	-13.55	45.85	3	Vertical	300	1.33	-	36.13	8.20	35.53

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6435MHz_TnomVnom




EUT_V_2TX
 Setting 0.5
 03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	61.89	88.20	-26.31	55.22	3	Horizontal	360	1.80	-	34.70	7.53	35.56
RMS	5.922G	50.25	68.20	-17.95	43.60	3	Horizontal	360	1.80	-	34.69	7.52	35.56
PK	6.432G	96.83	Inf	-Inf	89.73	3	Horizontal	360	1.80	-	34.77	7.76	35.43
RMS	6.435G	86.27	Inf	-Inf	79.17	3	Horizontal	360	1.80	-	34.76	7.77	35.43
PK	7.173G	65.17	88.20	-23.03	56.26	3	Horizontal	360	1.80	-	36.24	8.20	35.53
RMS	7.158G	54.65	68.20	-13.55	45.83	3	Horizontal	360	1.80	-	36.15	8.20	35.53

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6435MHz_TnomVnom




EUT Y_2TX
Setting 0.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.86058G	59.74	88.20	-28.46	43.45	3	Vertical	92	1.10	-	39.36	11.49	34.56	
RMS	12.88488G	45.90	68.20	-22.30	29.51	3	Vertical	92	1.10	-	39.38	11.51	34.50	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6435MHz_TnomVnom




EUT V_2TX
Setting 0.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.87606G	59.42	88.20	-28.78	43.07	3	Horizontal	20	2.82	-	39.38	11.50	34.53	
RMS	12.88014G	45.87	68.20	-22.33	29.51	3	Horizontal	20	2.82	-	39.38	11.50	34.52	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6435MHz_TnomVnom




EUT Y_2TX
Setting 0.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.30062G	49.76	83.54	-33.78	46.46	1	Vertical	37	2.09	-	37.74	15.22	49.66
AV	19.31376G	35.04	63.54	-28.50	31.72	1	Vertical	37	2.09	-	37.75	15.23	49.66

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6435MHz_TnomVnom




EUT V_2TX
Setting 0.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.31334G	48.79	83.54	-34.75	45.47	1	Horizontal	38	2.81	-	37.75	15.23	49.66
AV	19.31622G	35.03	63.54	-28.51	31.71	1	Horizontal	38	2.81	-	37.75	15.23	49.66

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6475MHz_TnomVnom




EUT_V_2TX
 Setting 0.5
 03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.878G	61.87	88.20	-26.33	55.46	3	Vertical	329	2.13	-	34.47	7.48	35.54
RMS	5.925G	50.18	68.20	-18.02	43.52	3	Vertical	329	2.13	-	34.70	7.52	35.56
PK	6.475G	96.98	Inf	-Inf	89.84	3	Vertical	329	2.13	-	34.70	7.85	35.41
RMS	6.475G	86.28	Inf	-Inf	79.14	3	Vertical	329	2.13	-	34.70	7.85	35.41
PK	7.144G	65.71	88.20	-22.49	56.98	3	Vertical	329	2.13	-	36.06	8.20	35.53
RMS	7.162G	54.62	68.20	-13.58	45.78	3	Vertical	329	2.13	-	36.17	8.20	35.53

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6475MHz_TnomVnom




EUT_V_2TX
 Setting 0.5
 03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.836G	60.76	88.20	-27.44	54.57	3	Horizontal	115	1.70	-	34.27	7.44	35.52
RMS	5.925G	50.27	68.20	-17.93	43.61	3	Horizontal	115	1.70	-	34.70	7.52	35.56
PK	6.475G	95.98	Inf	-Inf	88.84	3	Horizontal	115	1.70	-	34.70	7.85	35.41
RMS	6.475G	85.20	Inf	-Inf	78.06	3	Horizontal	115	1.70	-	34.70	7.85	35.41
PK	7.165G	65.82	88.20	-22.38	56.96	3	Horizontal	115	1.70	-	36.19	8.20	35.53
RMS	7.159G	54.70	68.20	-13.50	45.88	3	Horizontal	115	1.70	-	36.15	8.20	35.53

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6475MHz_TnomVnom




EUT Y_2TX
Setting 0.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.95282G	61.29	88.20	-26.91	44.63	3	Vertical	203	2.43	-	39.45	11.56	34.35
RMS	12.95702G	46.51	68.20	-21.69	29.82	3	Vertical	203	2.43	-	39.46	11.57	34.34

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6475MHz_TnomVnom




EUT Y_2TX
Setting 0.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.96278G	60.21	88.20	-27.99	43.51	3	Horizontal	297	2.39	-	39.46	11.57	34.33
RMS	12.95222G	46.50	68.20	-21.70	29.84	3	Horizontal	297	2.39	-	39.45	11.56	34.35

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6475MHz_TnomVnom




EUT V_2TX
Setting 0.5
03-B-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.43064G	49.09	83.54	-34.45	45.67	1	Vertical	248	2.03	-	37.84	15.27	49.69
AV	19.42776G	35.44	63.54	-28.10	32.02	1	Vertical	248	2.03	-	37.84	15.27	49.69

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6475MHz_TnomVnom




EUT V_2TX
Setting 0.5
03-B-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.43814G	49.11	83.54	-34.43	45.67	1	Horizontal	327	2.98	-	37.85	15.28	49.69	
AV	19.4277G	35.38	63.54	-28.16	31.96	1	Horizontal	327	2.98	-	37.84	15.27	49.69	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6515MHz_TnomVnom




EUT_V_2TX
 Setting 0.75
 03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9158G	61.16	88.20	-27.04	54.54	3	Vertical	300	1.55	-	34.66	7.52	35.56
RMS	5.9242G	50.24	68.20	-17.96	43.58	3	Vertical	300	1.55	-	34.70	7.52	35.56
PK	6.515G	98.25	Inf	-Inf	90.96	3	Vertical	300	1.55	-	34.76	7.93	35.40
RMS	6.515G	87.57	Inf	-Inf	80.28	3	Vertical	300	1.55	-	34.76	7.93	35.40
PK	7.1394G	65.28	88.20	-22.92	56.57	3	Vertical	300	1.55	-	36.04	8.20	35.53
RMS	7.1562G	54.64	68.20	-13.56	45.83	3	Vertical	300	1.55	-	36.14	8.20	35.53

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6515MHz_TnomVnom




EUT V_2TX
Setting 0.75
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8962G	60.64	88.20	-27.56	54.11	3	Horizontal	360	1.80	-	34.58	7.50	35.55
RMS	5.9214G	50.21	68.20	-17.99	43.56	3	Horizontal	360	1.80	-	34.69	7.52	35.56
PK	6.515G	96.34	Inf	-Inf	89.05	3	Horizontal	360	1.80	-	34.76	7.93	35.40
RMS	6.515G	86.31	Inf	-Inf	79.02	3	Horizontal	360	1.80	-	34.76	7.93	35.40
PK	7.131G	65.38	88.20	-22.82	56.71	3	Horizontal	360	1.80	-	35.99	8.20	35.52
RMS	7.145G	54.62	68.20	-13.58	45.88	3	Horizontal	360	1.80	-	36.07	8.20	35.53

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6515MHz_TnomVnom




EUT Y_2TX
Setting 0.75
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.04182G	60.93	88.20	-27.27	43.84	3	Vertical	269	2.43	-	39.63	11.63	34.17
RMS	13.04494G	46.71	68.20	-21.49	29.61	3	Vertical	269	2.43	-	39.63	11.64	34.17

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6515MHz_TnomVnom




EUT Y_2TX
Setting 0.75
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.03354G	60.89	88.20	-27.31	43.84	3	Horizontal	165	2.32	-	39.60	11.63	34.18	
RMS	13.04386G	46.70	68.20	-21.50	29.60	3	Horizontal	165	2.32	-	39.63	11.64	34.17	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6515MHz_TnomVnom




EUT V_2TX
Setting 0.75
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.54386G	49.86	83.54	-33.68	46.36	1	Vertical	285	2.05	-	37.88	15.32	49.70
AV	19.55184G	35.72	63.54	-27.82	32.22	1	Vertical	285	2.05	-	37.88	15.32	49.70

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6515MHz_TnomVnom




EUT V_2TX
 Setting 0.75
 03-B-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.5561G	49.42	83.54	-34.12	45.92	1	Horizontal	353	2.47	-	37.88	15.32	49.70	
AV	19.55316G	35.67	63.54	-27.87	32.17	1	Horizontal	353	2.47	-	37.88	15.32	49.70	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6535MHz_TnomVnom




EUT V_2TX
Setting 19.25
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.905G	60.99	88.20	-27.21	54.42	3	Vertical	328	1.95	-	34.62	7.50	35.55
RMS	5.9246G	50.21	68.20	-17.99	43.55	3	Vertical	328	1.95	-	34.70	7.52	35.56
PK	6.535G	115.76	Inf	-Inf	108.36	3	Vertical	328	1.95	-	34.84	7.97	35.41
RMS	6.535G	105.80	Inf	-Inf	98.40	3	Vertical	328	1.95	-	34.84	7.97	35.41
PK	7.1874G	66.46	88.20	-21.74	57.48	3	Vertical	328	1.95	-	36.32	8.20	35.54
RMS	7.151G	54.62	68.20	-13.58	45.84	3	Vertical	328	1.95	-	36.11	8.20	35.53

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6535MHz_TnomVnom




EUT V_2TX
Setting 19.25
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9162G	62.23	88.20	-25.97	55.61	3	Horizontal	360	1.78	-	34.66	7.52	35.56
RMS	5.9246G	50.17	68.20	-18.03	43.51	3	Horizontal	360	1.78	-	34.70	7.52	35.56
PK	6.5378G	113.97	Inf	-Inf	106.55	3	Horizontal	360	1.78	-	34.85	7.98	35.41
RMS	6.535G	104.24	Inf	-Inf	96.84	3	Horizontal	360	1.78	-	34.84	7.97	35.41
PK	7.151G	65.08	88.20	-23.12	56.30	3	Horizontal	360	1.78	-	36.11	8.20	35.53
RMS	7.165G	54.60	68.20	-13.60	45.74	3	Horizontal	360	1.78	-	36.19	8.20	35.53

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6535MHz_TnomVnom




EUT_V_2TX
Setting 19.25
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.06856G	62.44	88.20	-25.76	45.21	3	Vertical	202	2.66	-	39.71	11.65	34.13	
RMS	13.0709G	48.53	68.20	-19.67	31.28	3	Vertical	202	2.66	-	39.71	11.66	34.12	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6535MHz_TnomVnom




EUT_V_2TX
Setting 19.25
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.06946G	63.69	88.20	-24.51	46.44	3	Horizontal	278	1.89	-	39.71	11.66	34.12	
RMS	13.06982G	49.46	68.20	-18.74	32.21	3	Horizontal	278	1.89	-	39.71	11.66	34.12	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6535MHz_TnomVnom




EUT Y_2TX
Setting 19.25
03-B-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.5915G	49.85	83.54	-33.69	46.35	1	Vertical	153	1.25	-	37.86	15.34	49.70
AV	19.59726G	35.74	63.54	-27.80	32.24	1	Vertical	153	1.25	-	37.86	15.34	49.70

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6535MHz_TnomVnom




EUT V_2TX
Setting 19.25
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.6161G	49.87	83.54	-33.67	46.37	1	Horizontal	132	3.00	-	37.85	15.35	49.70
AV	19.59G	35.71	63.54	-27.83	32.21	1	Horizontal	132	3.00	-	37.86	15.34	49.70

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6695MHz_TnomVnom




EUT V_2TX
Setting 19.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6928G	114.19	Inf	-Inf	106.13	3	Vertical	334	1.70	-	35.39	8.10	35.43
RMS	6.695G	104.28	Inf	-Inf	96.23	3	Vertical	334	1.70	-	35.39	8.10	35.44
PK	7.1746G	65.84	88.20	-22.36	56.93	3	Vertical	334	1.70	-	36.25	8.20	35.54
RMS	7.1614G	54.69	68.20	-13.51	45.85	3	Vertical	334	1.70	-	36.17	8.20	35.53

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6695MHz_TnomVnom




EUT V_2TX
Setting 19.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.695G	114.38	Inf	-Inf	106.33	3	Horizontal	347	2.02	-	35.39	8.10	35.44
RMS	6.695G	103.57	Inf	-Inf	95.52	3	Horizontal	347	2.02	-	35.39	8.10	35.44
PK	7.19G	66.10	88.20	-22.10	57.10	3	Horizontal	347	2.02	-	36.34	8.20	35.54
RMS	7.157G	54.67	68.20	-13.53	45.86	3	Horizontal	347	2.02	-	36.14	8.20	35.53

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6695MHz_TnomVnom




EUT_V_2TX
Setting 19.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.39156G	63.77	74.00	-10.23	45.17	3	Vertical	220	2.50	-	40.28	11.91	33.59
AV	13.39096G	50.05	54.00	-3.95	31.45	3	Vertical	220	2.50	-	40.28	11.91	33.59

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6695MHz_TnomVnom




EUT_V_2TX
Setting 19.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.39288G	64.75	74.00	-9.25	46.14	3	Horizontal	208	3.00	-	40.29	11.91	33.59
AV	13.39048G	50.75	54.00	-3.25	32.15	3	Horizontal	208	3.00	-	40.28	11.91	33.59

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6695MHz_TnomVnom




EUT Y_2TX
Setting 19.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.07222G	51.02	83.54	-32.52	47.76	1	Vertical	319	2.51	-	37.46	15.53	49.73
AV	20.07168G	36.48	63.54	-27.06	33.22	1	Vertical	319	2.51	-	37.46	15.53	49.73

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6695MHz_TnomVnom




EUT Y_2TX
Setting 19.5
03-B-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.08272G	50.08	83.54	-33.46	46.80	1	Horizontal	121	2.90	-	37.47	15.54	49.73
AV	20.07G	36.46	63.54	-27.08	33.20	1	Horizontal	121	2.90	-	37.46	15.53	49.73

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6855MHz_TnomVnom




EUT Y_2TX
 Setting 23
 01-M-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.8522G	121.77	Inf	-Inf	111.08	3	Vertical	16	1.70	-	36.58	7.08	32.97	
RMS	6.8606G	107.97	Inf	-Inf	97.34	3	Vertical	16	1.70	-	36.52	7.09	32.98	
PK	7.1588G	66.01	88.20	-22.19	54.95	3	Vertical	16	1.70	-	36.94	7.22	33.10	
RMS	7.1742G	54.72	68.20	-13.48	43.62	3	Vertical	16	1.70	-	37.00	7.21	33.11	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6855MHz_TnomVnom




EUT Y_2TX
 Setting 23
 01-M-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8578G	120.96	Inf	-Inf	110.30	3	Horizontal	7	1.80	-	36.54	7.09	32.97
RMS	6.8578G	107.66	Inf	-Inf	97.00	3	Horizontal	7	1.80	-	36.54	7.09	32.97
PK	7.177G	66.19	88.20	-22.01	55.08	3	Horizontal	7	1.80	-	37.01	7.21	33.11
RMS	7.1728G	54.64	68.20	-13.56	43.55	3	Horizontal	7	1.80	-	36.99	7.21	33.11

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6855MHz_TnomVnom




EUT_V_2TX
 Setting 23
 01-M-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7144G	68.19	88.20	-20.01	47.54	3	Vertical	103	1.32	-	40.54	9.77	29.66
RMS	13.7104G	55.44	68.20	-12.76	34.80	3	Vertical	103	1.32	-	40.53	9.77	29.66

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6855MHz_TnomVnom




EUT_V_2TX
Setting 23
01-M-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7182G	69.41	88.20	-18.79	48.74	3	Horizontal	213	2.75	-	40.55	9.77	29.65
RMS	13.7104G	55.41	68.20	-12.79	34.77	3	Horizontal	213	2.75	-	40.53	9.77	29.66

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6855MHz_TnomVnom




EUT Y_2TX
Setting 23
01-M-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	20.56546G	53.09	83.54	-30.45	49.43	1	Vertical	184	1.57	-	37.78	15.75	49.87	
AV	20.56766G	38.45	63.54	-25.09	34.78	1	Vertical	184	1.57	-	37.78	15.76	49.87	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6855MHz_TnomVnom




EUT_V_2TX
Setting 23
01-M-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.56876G	52.17	83.54	-31.37	48.50	1	Horizontal	202	1.50	-	37.78	15.76	49.87
AV	20.56182G	38.32	63.54	-25.22	34.68	1	Horizontal	202	1.50	-	37.77	15.75	49.88

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_2TX
 Setting 0.75
 03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8764G	99.35	Inf	-Inf	91.03	3	Vertical	337	1.50	-	35.65	8.14	35.47
RMS	6.8736G	89.41	Inf	-Inf	81.09	3	Vertical	337	1.50	-	35.65	8.14	35.47
PK	7.1354G	65.67	88.20	-22.53	56.99	3	Vertical	337	1.50	-	36.01	8.20	35.53
RMS	7.155G	54.65	68.20	-13.55	45.85	3	Vertical	337	1.50	-	36.13	8.20	35.53

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT V_2TX
 Setting 0.75
 03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8778G	98.59	Inf	-Inf	90.28	3	Horizontal	352	1.75	-	35.64	8.14	35.47
RMS	6.875G	87.91	Inf	-Inf	79.59	3	Horizontal	352	1.75	-	35.65	8.14	35.47
PK	7.2152G	66.35	88.20	-21.85	57.18	3	Horizontal	352	1.75	-	36.49	8.23	35.55
RMS	7.1606G	54.77	68.20	-13.43	45.94	3	Horizontal	352	1.75	-	36.16	8.20	35.53

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT V_2TX
Setting 0.75
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.76422G	62.58	88.20	-25.62	43.14	3	Vertical	29	1.13	-	40.73	12.21	33.50
RMS	13.7629G	48.19	68.20	-20.01	28.75	3	Vertical	29	1.13	-	40.73	12.21	33.50

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT V_2TX
 Setting 0.75
 03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.75504G	61.97	88.20	-26.23	42.56	3	Horizontal	61	1.29	-	40.71	12.20	33.50
RMS	13.76326G	48.19	68.20	-20.01	28.75	3	Horizontal	61	1.29	-	40.73	12.21	33.50

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT V_2TX
Setting 0.75
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.61246G	51.27	83.54	-32.27	47.52	1	Vertical	162	1.91	-	37.83	15.78	49.86
AV	20.61144G	37.10	63.54	-26.44	33.35	1	Vertical	162	1.91	-	37.83	15.78	49.86

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_2TX
Setting 0.75
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.62392G	51.14	83.54	-32.40	47.36	1	Horizontal	255	1.94	-	37.85	15.78	49.85
AV	20.61312G	37.11	63.54	-26.43	33.34	1	Horizontal	255	1.94	-	37.84	15.78	49.85

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6895MHz_TnomVnom




EUT V_2TX
Setting 0.75
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.895G	100.85	Inf	-Inf	92.56	3	Vertical	325	1.92	-	35.61	8.15	35.47	
RMS	6.895G	89.30	Inf	-Inf	81.01	3	Vertical	325	1.92	-	35.61	8.15	35.47	
PK	7.1736G	66.49	88.20	-21.71	57.59	3	Vertical	325	1.92	-	36.24	8.20	35.54	
RMS	7.1582G	54.82	68.20	-13.38	46.00	3	Vertical	325	1.92	-	36.15	8.20	35.53	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6895MHz_TnomVnom




EUT V_2TX
Setting 0.75
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.895G	99.52	Inf	-Inf	91.23	3	Horizontal	349	1.80	-	35.61	8.15	35.47	
RMS	6.895G	87.96	Inf	-Inf	79.67	3	Horizontal	349	1.80	-	35.61	8.15	35.47	
PK	7.1344G	65.86	88.20	-22.34	57.17	3	Horizontal	349	1.80	-	36.01	8.20	35.52	
RMS	7.1484G	54.76	68.20	-13.44	46.00	3	Horizontal	349	1.80	-	36.09	8.20	35.53	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6895MHz_TnomVnom




EUT Y_2TX
Setting 0.75
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.78862G	62.53	88.20	-25.67	43.03	3	Vertical	65	2.31	-	40.78	12.23	33.51	
RMS	13.80458G	48.62	68.20	-19.58	29.08	3	Vertical	65	2.31	-	40.81	12.24	33.51	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6895MHz_TnomVnom




EUT_V_2TX
Setting 0.75
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.78322G	62.85	88.20	-25.35	43.36	3	Horizontal	73	2.80	-	40.77	12.23	33.51	
RMS	13.80434G	48.62	68.20	-19.58	29.08	3	Horizontal	73	2.80	-	40.81	12.24	33.51	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6895MHz_TnomVnom




EUT V_2TX
Setting 0.75
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.68092G	50.86	83.54	-32.68	46.96	1	Vertical	32	1.31	-	37.92	15.81	49.83
AV	20.67978G	37.06	63.54	-26.48	33.16	1	Vertical	32	1.31	-	37.92	15.81	49.83

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6895MHz_TnomVnom




EUT V_2TX
Setting 0.75
03-B-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.67768G	51.50	83.54	-32.04	47.62	1	Horizontal	80	2.63	-	37.91	15.80	49.83
AV	20.67G	37.01	63.54	-26.53	33.14	1	Horizontal	80	2.63	-	37.90	15.80	49.83

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6995MHz_TnomVnom




EUT Y_2TX
Setting 1.25
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.992G	102.45	Inf	-Inf	94.04	3	Vertical	318	1.95	-	35.70	8.20	35.49
RMS	6.994G	91.78	Inf	-Inf	83.37	3	Vertical	318	1.95	-	35.70	8.20	35.49
PK	7.239G	66.31	88.20	-21.89	56.95	3	Vertical	318	1.95	-	36.63	8.28	35.55
RMS	7.158G	54.82	68.20	-13.38	46.00	3	Vertical	318	1.95	-	36.15	8.20	35.53

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6995MHz_TnomVnom




EUT Y_2TX
Setting 1.25
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.996G	99.98	Inf	-Inf	91.57	3	Horizontal	184	1.80	-	35.70	8.20	35.49	
RMS	6.996G	89.54	Inf	-Inf	81.13	3	Horizontal	184	1.80	-	35.70	8.20	35.49	
PK	7.146G	66.17	88.20	-22.03	57.42	3	Horizontal	184	1.80	-	36.08	8.20	35.53	
RMS	7.154G	54.90	68.20	-13.30	46.11	3	Horizontal	184	1.80	-	36.12	8.20	35.53	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6995MHz_TnomVnom




EUT Y_2TX
Setting 1.25
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.99552G	62.84	88.20	-25.36	42.83	3	Vertical	48	2.95	-	41.19	12.40	33.58	
RMS	13.98724G	49.03	68.20	-19.17	29.05	3	Vertical	48	2.95	-	41.17	12.39	33.58	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6995MHz_TnomVnom




EUT Y_2TX
Setting 1.25
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.99468G	63.13	88.20	-25.07	43.12	3	Horizontal	357	3.00	-	41.19	12.40	33.58
RMS	13.99426G	49.04	68.20	-19.16	29.03	3	Horizontal	357	3.00	-	41.19	12.40	33.58

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6995MHz_TnomVnom




EUT V_2TX
Setting 1.25
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.98416G	51.26	83.54	-32.28	47.40	1	Vertical	331	1.08	-	37.63	15.94	49.71
AV	20.97072G	36.38	63.54	-27.16	32.50	1	Vertical	331	1.08	-	37.65	15.94	49.71

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6995MHz_TnomVnom




EUT V_2TX
Setting 1.25
03-B-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	20.97372G	49.76	83.54	-33.78	45.89	1	Horizontal	63	2.99	-	37.64	15.94	49.71	
AV	20.97252G	36.37	63.54	-27.17	32.50	1	Horizontal	63	2.99	-	37.64	15.94	49.71	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

7095MHz_TnomVnom




EUT_V_2TX
 Setting 0
 03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0944G	101.51	Inf	-Inf	93.03	3	Vertical	342	1.85	-	35.79	8.20	35.51
RMS	7.0956G	90.88	Inf	-Inf	82.40	3	Vertical	342	1.85	-	35.79	8.20	35.51
PK	7.1646G	66.52	88.20	-21.68	57.66	3	Vertical	342	1.85	-	36.19	8.20	35.53
RMS	7.1592G	54.87	68.20	-13.33	46.04	3	Vertical	342	1.85	-	36.16	8.20	35.53

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

7095MHz_TnomVnom




EUT V_2TX
Setting 0
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0944G	102.15	Inf	-Inf	93.67	3	Horizontal	185	2.19	-	35.79	8.20	35.51
RMS	7.0944G	91.02	Inf	-Inf	82.54	3	Horizontal	185	2.19	-	35.79	8.20	35.51
PK	7.134G	66.36	88.20	-21.84	57.68	3	Horizontal	185	2.19	-	36.00	8.20	35.52
RMS	7.1568G	54.87	68.20	-13.33	46.06	3	Horizontal	185	2.19	-	36.14	8.20	35.53

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

7095MHz_TnomVnom




EUT_V_2TX
Setting 0
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.17518G	63.60	88.20	-24.60	43.39	3	Vertical	233	1.84	-	41.58	12.49	33.86
RMS	14.17512G	49.48	68.20	-18.72	29.27	3	Vertical	233	1.84	-	41.58	12.49	33.86

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

7095MHz_TnomVnom




EUT_V_2TX
Setting 0
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.17866G	64.12	88.20	-24.08	43.91	3	Horizontal	101	2.67	-	41.58	12.49	33.86
RMS	14.17506G	49.48	68.20	-18.72	29.27	3	Horizontal	101	2.67	-	41.58	12.49	33.86

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

7095MHz_TnomVnom




EUT_V_2TX
Setting 0
03-B-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	21.27654G	51.65	83.54	-31.89	47.59	1	Vertical	353	1.73	-	37.63	16.07	49.64	
AV	21.27G	37.17	63.54	-26.37	33.13	1	Vertical	353	1.73	-	37.62	16.07	49.65	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

7095MHz_TnomVnom




EUT V_2TX
Setting 0
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.2892G	51.01	83.54	-32.53	46.92	1	Horizontal	112	2.42	-	37.65	16.08	49.64
AV	21.2709G	37.13	63.54	-26.41	33.08	1	Horizontal	112	2.42	-	37.63	16.07	49.65

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

7115MHz_TnomVnom




EUT Y_2TX
Setting -0.75
03-L-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.1137G	88.46	Inf	-Inf	77.69	3	Vertical	311	1.79	-	36.61	7.24	33.08	
RMS	7.1155G	77.46	Inf	-Inf	66.68	3	Vertical	311	1.79	-	36.62	7.24	33.08	
PK	7.1255G	63.86	88.20	-24.34	53.01	3	Vertical	311	1.79	-	36.70	7.24	33.09	
RMS	7.1255G	54.67	68.20	-13.53	43.82	3	Vertical	311	1.79	-	36.70	7.24	33.09	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

7115MHz_TnomVnom




EUT_V_2TX
Setting 11.25
01-M-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.11G	102.59	Inf	-Inf	91.84	3	Horizontal	38	1.42	-	36.58	7.25	33.08	
RMS	7.11313G	88.88	Inf	-Inf	78.11	3	Horizontal	38	1.42	-	36.61	7.24	33.08	
PK	7.1255G	77.81	88.20	-10.39	66.96	3	Horizontal	38	1.42	-	36.70	7.24	33.09	
RMS	7.1255G	62.94	68.20	-5.26	52.09	3	Horizontal	38	1.42	-	36.70	7.24	33.09	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

7115MHz_TnomVnom




EUT_V_2TX
Setting 11.25
01-M-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	14.23158G	66.35	88.20	-21.85	45.29	3	Vertical	154	2.70	-	40.74	9.97	29.65	
RMS	14.22932G	52.50	68.20	-15.70	31.44	3	Vertical	154	2.70	-	40.74	9.97	29.65	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

7115MHz_TnomVnom




EUT_V_2TX
Setting 11.25
01-M-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.2311G	66.10	88.20	-22.10	45.04	3	Horizontal	303	2.59	-	40.74	9.97	29.65
RMS	14.2293G	52.50	68.20	-15.70	31.44	3	Horizontal	303	2.59	-	40.74	9.97	29.65

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

7115MHz_TnomVnom




EUT Y_2TX
Setting 11.25
01-M-S-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	21.3409G	50.92	83.54	-32.62	46.74	1	Vertical	331	1.50	-	37.71	16.10	49.63
AV	21.34784G	37.93	63.54	-25.61	33.73	1	Vertical	331	1.50	-	37.72	16.11	49.63

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

7115MHz_TnomVnom




EUT Y_2TX
Setting 11.25
01-M-S-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	21.3488G	50.68	83.54	-32.86	46.48	1	Horizontal	7	1.52	-	37.72	16.11	49.63
AV	21.34802G	37.93	63.54	-25.61	33.73	1	Horizontal	7	1.52	-	37.72	16.11	49.63

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5965MHz_TnomVnom




EUT Y_2TX
 Setting 17.5
 01-M-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.925G	84.82	88.20	-3.38	76.03	3	Vertical	48	1.44	-	35.00	6.60	32.81	
RMS	5.925G	67.26	68.20	-0.94	58.47	3	Vertical	48	1.44	-	35.00	6.60	32.81	
PK	5.9734G	110.78	Inf	-Inf	101.82	3	Vertical	48	1.44	-	35.19	6.60	32.83	
RMS	5.9726G	100.87	Inf	-Inf	91.91	3	Vertical	48	1.44	-	35.19	6.60	32.83	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5965MHz_TnomVnom




EUT Y_2TX
Setting 17.5
01-M-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.925G	85.18	88.20	-3.02	76.39	3	Horizontal	33	2.32	-	35.00	6.60	32.81	
RMS	5.9222G	64.09	68.20	-4.11	55.31	3	Horizontal	33	2.32	-	34.99	6.60	32.81	
PK	5.949G	111.96	Inf	-Inf	103.08	3	Horizontal	33	2.32	-	35.10	6.60	32.82	
RMS	5.9762G	98.70	Inf	-Inf	89.73	3	Horizontal	33	2.32	-	35.20	6.60	32.83	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5965MHz_TnomVnom




EUT Y_2TX
Setting 17.5
01-M-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.93132G	63.36	74.00	-10.64	47.45	3	Vertical	146	2.21	-	38.50	8.98	31.57
AV	11.92864G	48.43	54.00	-5.57	32.52	3	Vertical	146	2.21	-	38.50	8.98	31.57
PK	17.88452G	65.43	74.00	-8.57	42.29	3	Vertical	221	1.98	-	42.74	11.07	30.67
AV	17.89532G	50.18	54.00	-3.82	27.00	3	Vertical	221	1.98	-	42.78	11.07	30.67

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5965MHz_TnomVnom




EUT Y_2TX
Setting 17.5
01-M-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.93116G	63.07	74.00	-10.93	47.16	3	Horizontal	69	1.40	-	38.50	8.98	31.57
AV	11.92856G	48.45	54.00	-5.55	32.54	3	Horizontal	69	1.40	-	38.50	8.98	31.57
PK	17.8624G	62.78	74.00	-11.22	39.73	3	Horizontal	125	1.68	-	42.65	11.06	30.66
AV	17.86351G	48.66	54.00	-5.34	25.61	3	Horizontal	125	1.68	-	42.65	11.06	30.66

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6205MHz_TnomVnom




EUT V_2TX
Setting 20
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.5526G	61.47	88.20	-26.73	54.90	3	Vertical	222	1.20	-	34.60	7.35	35.38	
RMS	5.6086G	50.23	68.20	-17.97	43.65	3	Vertical	222	1.20	-	34.58	7.40	35.40	
PK	6.2022G	112.18	Inf	-Inf	104.81	3	Vertical	222	1.20	-	35.19	7.70	35.52	
RMS	6.2078G	101.88	Inf	-Inf	94.53	3	Vertical	222	1.20	-	35.17	7.70	35.52	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6205MHz_TnomVnom




EUT_V_2TX
Setting 20
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.673G	61.71	88.20	-26.49	55.34	3	Horizontal	360	1.80	-	34.41	7.40	35.44
RMS	5.6114G	50.19	68.20	-18.01	43.62	3	Horizontal	360	1.80	-	34.58	7.40	35.41
PK	6.1994G	111.07	Inf	-Inf	103.69	3	Horizontal	360	1.80	-	35.20	7.70	35.52
RMS	6.2022G	99.89	Inf	-Inf	92.52	3	Horizontal	360	1.80	-	35.19	7.70	35.52

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6205MHz_TnomVnom




EUT_V_2TX
Setting 20
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.40352G	58.77	74.00	-15.23	44.16	3	Vertical	233	1.80	-	38.90	11.12	35.41
AV	12.40604G	44.65	54.00	-9.35	30.05	3	Vertical	233	1.80	-	38.89	11.12	35.41

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6205MHz_TnomVnom




EUT_V_2TX
 Setting 20
 03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.4109G	62.35	74.00	-11.65	47.74	3	Horizontal	208	1.78	-	38.89	11.13	35.41
AV	12.4055G	47.79	54.00	-6.21	33.19	3	Horizontal	208	1.78	-	38.89	11.12	35.41

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6205MHz_TnomVnom




EUT_V_2TX
Setting 20
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	18.60648G	49.32	83.54	-34.22	46.61	1	Vertical	57	2.47	-	37.76	14.94	49.99	
AV	18.61434G	34.49	63.54	-29.05	31.78	1	Vertical	57	2.47	-	37.75	14.95	49.99	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6205MHz_TnomVnom




EUT_V_2TX
Setting 20
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.60498G	49.31	83.54	-34.23	46.61	1	Horizontal	172	1.09	-	37.76	14.94	50.00
AV	18.60492G	34.45	63.54	-29.09	31.75	1	Horizontal	172	1.09	-	37.76	14.94	50.00

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6405MHz_TnomVnom




EUT_V_2TX
 Setting 19.75
 03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6146G	61.72	88.20	-26.48	55.16	3	Vertical	324	2.19	-	34.57	7.40	35.41
RMS	5.6114G	50.27	68.20	-17.93	43.70	3	Vertical	324	2.19	-	34.58	7.40	35.41
PK	6.405G	113.85	Inf	-Inf	106.70	3	Vertical	324	2.19	-	34.88	7.71	35.44
RMS	6.4018G	102.52	Inf	-Inf	95.37	3	Vertical	324	2.19	-	34.89	7.70	35.44
PK	7.157G	65.97	88.20	-22.23	57.16	3	Vertical	324	2.19	-	36.14	8.20	35.53
RMS	7.157G	54.87	68.20	-13.33	46.06	3	Vertical	324	2.19	-	36.14	8.20	35.53

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6405MHz_TnomVnom




EUT V_2TX
 Setting 19.75
 03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7554G	62.76	88.20	-25.44	56.64	3	Horizontal	360	1.80	-	34.20	7.40	35.48
RMS	5.605G	50.25	68.20	-17.95	43.66	3	Horizontal	360	1.80	-	34.59	7.40	35.40
PK	6.405G	112.91	Inf	-Inf	105.76	3	Horizontal	360	1.80	-	34.88	7.71	35.44
RMS	6.4082G	101.95	Inf	-Inf	94.80	3	Horizontal	360	1.80	-	34.87	7.72	35.44
PK	7.1378G	66.17	88.20	-22.03	57.47	3	Horizontal	360	1.80	-	36.03	8.20	35.53
RMS	7.1634G	54.86	68.20	-13.34	46.01	3	Horizontal	360	1.80	-	36.18	8.20	35.53

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6405MHz_TnomVnom




EUT Y_2TX
Setting 19.75
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.8112G	59.30	88.20	-28.90	43.21	3	Vertical	178	1.44	-	39.31	11.45	34.67	
RMS	12.80784G	45.40	68.20	-22.80	29.32	3	Vertical	178	1.44	-	39.31	11.45	34.68	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6405MHz_TnomVnom




EUT_V_2TX
Setting 19.75
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.81474G	58.98	88.20	-29.22	42.89	3	Horizontal	181	2.33	-	39.31	11.45	34.67
RMS	12.80244G	45.38	68.20	-22.82	29.33	3	Horizontal	181	2.33	-	39.30	11.44	34.69

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6405MHz_TnomVnom




EUT Y_2TX
Setting 19.75
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	19.21854G	49.77	83.54	-33.77	46.48	1	Vertical	313	2.57	-	37.74	15.19	49.64	
AV	19.22556G	35.06	63.54	-28.48	31.79	1	Vertical	313	2.57	-	37.73	15.19	49.65	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6405MHz_TnomVnom




EUT Y_2TX
 Setting 19.75
 03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.2219G	49.21	83.54	-34.33	45.93	1	Horizontal	230	1.19	-	37.73	15.19	49.64
AV	19.22364G	35.07	63.54	-28.47	31.79	1	Horizontal	230	1.19	-	37.73	15.19	49.64

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6445MHz_TnomVnom




EUT_V_2TX
 Setting 3.75
 03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8114G	61.39	88.20	-26.81	55.27	3	Vertical	33	1.55	-	34.22	7.41	35.51
RMS	5.661G	50.11	68.20	-18.09	43.68	3	Vertical	33	1.55	-	34.46	7.40	35.43
PK	6.4418G	97.23	Inf	-Inf	90.14	3	Vertical	33	1.55	-	34.73	7.78	35.42
RMS	6.4482G	86.45	Inf	-Inf	79.36	3	Vertical	33	1.55	-	34.71	7.80	35.42
PK	7.1938G	65.75	88.20	-22.45	56.73	3	Vertical	33	1.55	-	36.36	8.20	35.54
RMS	7.1618G	54.86	68.20	-13.34	46.02	3	Vertical	33	1.55	-	36.17	8.20	35.53

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6445MHz_TnomVnom




EUT_V_2TX
 Setting 3.75
 03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8178G	60.94	88.20	-27.26	54.79	3	Horizontal	360	1.80	-	34.24	7.42	35.51
RMS	5.6482G	50.15	68.20	-18.05	43.67	3	Horizontal	360	1.80	-	34.50	7.40	35.42
PK	6.4482G	97.38	Inf	-Inf	90.29	3	Horizontal	360	1.80	-	34.71	7.80	35.42
RMS	6.445G	85.48	Inf	-Inf	78.39	3	Horizontal	360	1.80	-	34.72	7.79	35.42
PK	7.2034G	66.36	88.20	-21.84	57.27	3	Horizontal	360	1.80	-	36.42	8.21	35.54
RMS	7.1522G	54.85	68.20	-13.35	46.07	3	Horizontal	360	1.80	-	36.11	8.20	35.53

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6445MHz_TnomVnom




EUT V_2TX
Setting 3.75
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.87986G	59.59	88.20	-28.61	43.23	3	Vertical	317	2.23	-	39.38	11.50	34.52	
RMS	12.88112G	45.80	68.20	-22.40	29.43	3	Vertical	317	2.23	-	39.38	11.50	34.51	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6445MHz_TnomVnom




EUT V_2TX
Setting 3.75
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.9032G	60.05	88.20	-28.15	43.59	3	Horizontal	170	1.84	-	39.40	11.52	34.46	
RMS	12.89534G	45.82	68.20	-22.38	29.38	3	Horizontal	170	1.84	-	39.40	11.52	34.48	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6445MHz_TnomVnom




EUT Y_2TX
Setting 3.75
03-B-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.344G	49.03	83.54	-34.51	45.68	1	Vertical	75	1.65	-	37.78	15.24	49.67	
AV	19.3344G	35.08	63.54	-28.46	31.75	1	Vertical	75	1.65	-	37.77	15.23	49.67	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6445MHz_TnomVnom




EUT V_2TX
Setting 3.75
03-B-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.32324G	50.65	83.54	-32.89	47.32	1	Horizontal	348	1.18	-	37.76	15.23	49.66	
AV	19.33428G	35.07	63.54	-28.47	31.74	1	Horizontal	348	1.18	-	37.77	15.23	49.67	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6485MHz_TnomVnom




EUT_V_2TX
 Setting 3.75
 03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.858G	60.83	88.20	-27.37	54.55	3	Vertical	325	2.15	-	34.35	7.46	35.53
RMS	5.921G	50.11	68.20	-18.09	43.47	3	Vertical	325	2.15	-	34.68	7.52	35.56
PK	6.485G	97.54	Inf	-Inf	90.38	3	Vertical	325	2.15	-	34.70	7.87	35.41
RMS	6.488G	85.85	Inf	-Inf	78.67	3	Vertical	325	2.15	-	34.70	7.88	35.40
PK	7.148G	67.46	88.20	-20.74	58.70	3	Vertical	325	2.15	-	36.09	8.20	35.53
RMS	7.16G	54.81	68.20	-13.39	45.98	3	Vertical	325	2.15	-	36.16	8.20	35.53

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6485MHz_TnomVnom




EUT_V_2TX
 Setting 3.75
 03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.759G	64.28	88.20	-23.92	58.16	3	Horizontal	125	1.33	-	34.20	7.40	35.48
RMS	5.918G	50.17	68.20	-18.03	43.54	3	Horizontal	125	1.33	-	34.67	7.52	35.56
PK	6.482G	96.18	Inf	-Inf	89.03	3	Horizontal	125	1.33	-	34.70	7.86	35.41
RMS	6.488G	85.11	Inf	-Inf	77.93	3	Horizontal	125	1.33	-	34.70	7.88	35.40
PK	7.151G	65.52	88.20	-22.68	56.74	3	Horizontal	125	1.33	-	36.11	8.20	35.53
RMS	7.163G	54.87	68.20	-13.33	46.02	3	Horizontal	125	1.33	-	36.18	8.20	35.53

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6485MHz_TnomVnom




EUT Y_2TX
Setting 3.75
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.97768G	60.80	88.20	-27.40	44.03	3	Vertical	339	1.07	-	39.48	11.58	34.29
RMS	12.98188G	46.47	68.20	-21.73	29.68	3	Vertical	339	1.07	-	39.48	11.59	34.28

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6485MHz_TnomVnom




EUT Y_2TX
Setting 3.75
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.97822G	60.46	88.20	-27.74	43.69	3	Horizontal	230	2.48	-	39.48	11.58	34.29	
RMS	12.96748G	46.46	68.20	-21.74	29.73	3	Horizontal	230	2.48	-	39.47	11.57	34.31	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6485MHz_TnomVnom




EUT V_2TX
Setting 3.75
03-B-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.45242G	49.07	83.54	-34.47	45.62	1	Vertical	32	1.06	-	37.86	15.28	49.69	
AV	19.4688G	35.46	63.54	-28.08	31.98	1	Vertical	32	1.06	-	37.88	15.29	49.69	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6485MHz_TnomVnom




EUT V_2TX
Setting 3.75
03-B-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.4532G	49.77	83.54	-33.77	46.32	1	Horizontal	314	1.57	-	37.86	15.28	49.69
AV	19.4688G	35.46	63.54	-28.08	31.98	1	Horizontal	314	1.57	-	37.88	15.29	49.69

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_V_2TX
 Setting 3.75
 03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9062G	61.02	88.20	-27.18	54.44	3	Vertical	69	1.15	-	34.62	7.51	35.55
RMS	5.925G	50.17	68.20	-18.03	43.51	3	Vertical	69	1.15	-	34.70	7.52	35.56
PK	6.525G	97.51	Inf	-Inf	90.16	3	Vertical	69	1.15	-	34.80	7.95	35.40
RMS	6.5278G	86.54	Inf	-Inf	79.18	3	Vertical	69	1.15	-	34.81	7.96	35.41
PK	7.1326G	65.86	88.20	-22.34	57.18	3	Vertical	69	1.15	-	36.00	8.20	35.52
RMS	7.1522G	54.85	68.20	-13.35	46.07	3	Vertical	69	1.15	-	36.11	8.20	35.53

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_V_2TX
 Setting 3.75
 03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8894G	61.48	88.20	-26.72	54.99	3	Horizontal	360	1.99	-	34.54	7.49	35.54
RMS	5.923G	50.14	68.20	-18.06	43.49	3	Horizontal	360	1.99	-	34.69	7.52	35.56
PK	6.5278G	96.73	Inf	-Inf	89.37	3	Horizontal	360	1.99	-	34.81	7.96	35.41
RMS	6.5222G	85.01	Inf	-Inf	77.68	3	Horizontal	360	1.99	-	34.79	7.94	35.40
PK	7.1662G	65.11	88.20	-23.09	56.24	3	Horizontal	360	1.99	-	36.20	8.20	35.53
RMS	7.1662G	54.86	68.20	-13.34	45.99	3	Horizontal	360	1.99	-	36.20	8.20	35.53

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT Y_2TX
Setting 3.75
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.04112G	60.39	88.20	-27.81	43.31	3	Vertical	146	1.71	-	39.62	11.63	34.17
RMS	13.0638G	46.83	68.20	-21.37	29.62	3	Vertical	146	1.71	-	39.69	11.65	34.13

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT V_2TX
 Setting 3.75
 03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.05804G	60.77	88.20	-27.43	43.59	3	Horizontal	261	2.27	-	39.67	11.65	34.14
RMS	13.05852G	46.81	68.20	-21.39	29.62	3	Horizontal	261	2.27	-	39.68	11.65	34.14

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT V_2TX
 Setting 3.75
 03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.58136G	49.60	83.54	-33.94	46.10	1	Vertical	4	2.14	-	37.87	15.33	49.70
AV	19.58922G	35.69	63.54	-27.85	32.19	1	Vertical	4	2.14	-	37.86	15.34	49.70

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT Y_2TX
Setting 3.75
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.57356G	49.91	83.54	-33.63	46.41	1	Horizontal	114	2.59	-	37.87	15.33	49.70
AV	19.5693G	35.71	63.54	-27.83	32.21	1	Horizontal	114	2.59	-	37.87	15.33	49.70

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6565MHz_TnomVnom




EUT_V_2TX
Setting 19.25
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9228G	60.24	88.20	-27.96	53.59	3	Vertical	331	1.80	-	34.69	7.52	35.56
RMS	5.925G	50.03	68.20	-18.17	43.37	3	Vertical	331	1.80	-	34.70	7.52	35.56
PK	6.5676G	113.86	Inf	-Inf	106.26	3	Vertical	331	1.80	-	34.97	8.04	35.41
RMS	6.5676G	101.69	Inf	-Inf	94.09	3	Vertical	331	1.80	-	34.97	8.04	35.41
PK	7.1734G	65.75	88.20	-22.45	56.85	3	Vertical	331	1.80	-	36.24	8.20	35.54
RMS	7.1578G	54.97	68.20	-13.23	46.15	3	Vertical	331	1.80	-	36.15	8.20	35.53

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6565MHz_TnomVnom




EUT_V_2TX
 Setting 19.25
 03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9202G	60.22	88.20	-27.98	53.58	3	Horizontal	345	1.83	-	34.68	7.52	35.56
RMS	5.925G	50.04	68.20	-18.16	43.38	3	Horizontal	345	1.83	-	34.70	7.52	35.56
PK	6.5624G	110.28	Inf	-Inf	102.72	3	Horizontal	345	1.83	-	34.95	8.02	35.41
RMS	6.5624G	99.83	Inf	-Inf	92.27	3	Horizontal	345	1.83	-	34.95	8.02	35.41
PK	7.1578G	66.04	88.20	-22.16	57.22	3	Horizontal	345	1.83	-	36.15	8.20	35.53
RMS	7.1578G	55.05	68.20	-13.15	46.23	3	Horizontal	345	1.83	-	36.15	8.20	35.53

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6565MHz_TnomVnom




EUT_V_2TX
Setting 19.25
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.13336G	62.20	88.20	-26.00	44.68	3	Vertical	221	1.80	-	39.83	11.71	34.02	
RMS	13.13078G	48.24	68.20	-19.96	30.73	3	Vertical	221	1.80	-	39.83	11.70	34.02	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6565MHz_TnomVnom




EUT_V_2TX
Setting 19.25
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.13504G	63.19	88.20	-25.01	45.66	3	Horizontal	194	2.23	-	39.84	11.71	34.02	
RMS	13.12994G	48.86	68.20	-19.34	31.35	3	Horizontal	194	2.23	-	39.83	11.70	34.02	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6565MHz_TnomVnom




EUT Y_2TX
Setting 19.25
03-B-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.69158G	49.43	83.54	-34.11	45.93	1	Vertical	178	2.63	-	37.82	15.38	49.70	
AV	19.68G	35.72	63.54	-27.82	32.22	1	Vertical	178	2.63	-	37.83	15.37	49.70	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6565MHz_TnomVnom




EUT V_2TX
Setting 19.25
03-B-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.68252G	49.99	83.54	-33.55	46.49	1	Horizontal	274	1.71	-	37.83	15.37	49.70
AV	19.68G	35.76	63.54	-27.78	32.26	1	Horizontal	274	1.71	-	37.83	15.37	49.70

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6685MHz_TnomVnom




EUT V_2TX
Setting 19.25
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.6872G	111.70	Inf	-Inf	103.66	3	Vertical	327	1.80	-	35.37	8.10	35.43	
RMS	6.6828G	100.18	Inf	-Inf	92.14	3	Vertical	327	1.80	-	35.37	8.10	35.43	
PK	7.1338G	85.12	88.20	-3.08	76.44	3	Vertical	327	1.80	-	36.00	8.20	35.52	
RMS	7.1294G	65.96	68.20	-2.24	57.30	3	Vertical	327	1.80	-	35.98	8.20	35.52	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6685MHz_TnomVnom




EUT V_2TX
Setting 19.25
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.685G	109.81	Inf	-Inf	101.77	3	Horizontal	0	1.73	-	35.37	8.10	35.43	
RMS	6.6828G	100.26	Inf	-Inf	92.22	3	Horizontal	0	1.73	-	35.37	8.10	35.43	
PK	7.136G	84.35	88.20	-3.85	75.66	3	Horizontal	0	1.73	-	36.02	8.20	35.53	
RMS	7.125G	65.43	68.20	-2.77	56.80	3	Horizontal	0	1.73	-	35.95	8.20	35.52	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6685MHz_TnomVnom




EUT_V_2TX
Setting 19.25
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.37024G	61.10	74.00	-12.90	42.59	3	Vertical	227	1.39	-	40.24	11.90	33.63
AV	13.35548G	47.35	54.00	-6.65	28.91	3	Vertical	227	1.39	-	40.21	11.88	33.65

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6685MHz_TnomVnom




EUT_V_2TX
Setting 19.25
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.37864G	61.98	74.00	-12.02	43.43	3	Horizontal	351	2.00	-	40.26	11.90	33.61
AV	13.35854G	47.35	54.00	-6.65	28.88	3	Horizontal	351	2.00	-	40.22	11.89	33.64

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6685MHz_TnomVnom




EUT V_2TX
Setting 19.25
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.04576G	50.54	83.54	-33.00	47.30	1	Vertical	212	2.24	-	37.44	15.52	49.72
AV	20.05716G	36.52	63.54	-27.02	33.26	1	Vertical	212	2.24	-	37.45	15.53	49.72

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6685MHz_TnomVnom




EUT Y_2TX
Setting 19.25
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.06226G	50.47	83.54	-33.07	47.21	1	Horizontal	122	1.83	-	37.45	15.53	49.72
AV	20.05896G	36.48	63.54	-27.06	33.22	1	Horizontal	122	1.83	-	37.45	15.53	49.72

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_2TX
 Setting 4.5
 03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.8836G	99.67	Inf	-Inf	91.37	3	Vertical	337	1.34	-	35.63	8.14	35.47	
RMS	6.8836G	89.37	Inf	-Inf	81.07	3	Vertical	337	1.34	-	35.63	8.14	35.47	
PK	7.1692G	65.91	88.20	-22.29	57.02	3	Vertical	337	1.34	-	36.22	8.20	35.53	
RMS	7.1552G	54.98	68.20	-13.22	46.18	3	Vertical	337	1.34	-	36.13	8.20	35.53	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_2TX
 Setting 4.5
 03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.8864G	97.57	Inf	-Inf	89.27	3	Horizontal	15	2.01	-	35.63	8.14	35.47	
RMS	6.8836G	86.81	Inf	-Inf	78.51	3	Horizontal	15	2.01	-	35.63	8.14	35.47	
PK	7.1454G	65.86	88.20	-22.34	57.12	3	Horizontal	15	2.01	-	36.07	8.20	35.53	
RMS	7.151G	54.95	68.20	-13.25	46.17	3	Horizontal	15	2.01	-	36.11	8.20	35.53	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_2TX
Setting 4.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.7811G	62.36	88.20	-25.84	42.89	3	Vertical	148	2.63	-	40.76	12.22	33.51	
RMS	13.78266G	48.42	68.20	-19.78	28.93	3	Vertical	148	2.63	-	40.77	12.23	33.51	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_2TX
 Setting 4.5
 03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.77186G	61.97	88.20	-26.23	42.51	3	Horizontal	333	1.40	-	40.74	12.22	33.50
RMS	13.78464G	48.41	68.20	-19.79	28.92	3	Horizontal	333	1.40	-	40.77	12.23	33.51

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_2TX
Setting 4.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	20.65368G	50.73	83.54	-32.81	46.90	1	Vertical	9	1.17	-	37.88	15.79	49.84	
AV	20.66478G	37.02	63.54	-26.52	33.15	1	Vertical	9	1.17	-	37.90	15.80	49.83	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_2TX
 Setting 4.5
 03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.64576G	51.32	83.54	-32.22	47.50	1	Horizontal	63	1.18	-	37.87	15.79	49.84
AV	20.66658G	37.07	63.54	-26.47	33.20	1	Horizontal	63	1.18	-	37.90	15.80	49.83

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6925MHz_TnomVnom




EUT Y_2TX
Setting 4
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.9274G	101.66	Inf	-Inf	93.33	3	Vertical	151	1.69	-	35.65	8.16	35.48	
RMS	6.9262G	91.23	Inf	-Inf	82.90	3	Vertical	151	1.69	-	35.65	8.16	35.48	
PK	7.1338G	66.35	88.20	-21.85	57.67	3	Vertical	151	1.69	-	36.00	8.20	35.52	
RMS	7.153G	55.00	68.20	-13.20	46.21	3	Vertical	151	1.69	-	36.12	8.20	35.53	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6925MHz_TnomVnom




EUT Y_2TX
 Setting 4
 03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9226G	100.18	Inf	-Inf	91.85	3	Horizontal	-0	1.50	-	35.65	8.16	35.48
RMS	6.9262G	89.67	Inf	-Inf	81.34	3	Horizontal	-0	1.50	-	35.65	8.16	35.48
PK	7.1422G	66.12	88.20	-22.08	57.40	3	Horizontal	-0	1.50	-	36.05	8.20	35.53
RMS	7.1542G	54.99	68.20	-13.21	46.19	3	Horizontal	-0	1.50	-	36.13	8.20	35.53

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6925MHz_TnomVnom




EUT_V_2TX
Setting 4
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.8389G	63.02	88.20	-25.18	43.40	3	Vertical	235	1.75	-	40.88	12.27	33.53	
RMS	13.83524G	48.53	68.20	-19.67	28.91	3	Vertical	235	1.75	-	40.87	12.27	33.52	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6925MHz_TnomVnom




EUT_V_2TX
Setting 4
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.86362G	62.70	88.20	-25.50	43.01	3	Horizontal	302	1.26	-	40.93	12.29	33.53
RMS	13.86482G	48.56	68.20	-19.64	28.87	3	Horizontal	302	1.26	-	40.93	12.29	33.53

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6925MHz_TnomVnom




EUT_V_2TX
Setting 4
03-B-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.76354G	50.03	83.54	-33.51	46.00	1	Vertical	215	1.62	-	37.98	15.84	49.79
AV	20.78916G	36.51	63.54	-27.03	32.49	1	Vertical	215	1.62	-	37.94	15.86	49.78

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6925MHz_TnomVnom




EUT_V_2TX
Setting 4
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.76594G	50.20	83.54	-33.34	46.18	1	Horizontal	176	1.95	-	37.97	15.84	49.79
AV	20.78784G	36.48	63.54	-27.06	32.47	1	Horizontal	176	1.95	-	37.94	15.85	49.78

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

7005MHz_TnomVnom




EUT Y_2TX
Setting 4.75
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0034G	102.88	Inf	-Inf	94.47	3	Vertical	317	2.02	-	35.70	8.20	35.49
RMS	7.0034G	91.10	Inf	-Inf	82.69	3	Vertical	317	2.02	-	35.70	8.20	35.49
PK	7.1642G	65.97	88.20	-22.23	57.11	3	Vertical	317	2.02	-	36.19	8.20	35.53
RMS	7.1506G	55.01	68.20	-13.19	46.24	3	Vertical	317	2.02	-	36.10	8.20	35.53

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

7005MHz_TnomVnom




EUT V_2TX
Setting 4.75
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.0074G	100.89	Inf	-Inf	92.48	3	Horizontal	33	1.25	-	35.70	8.20	35.49	
RMS	7.0018G	89.41	Inf	-Inf	81.00	3	Horizontal	33	1.25	-	35.70	8.20	35.49	
PK	7.161G	66.26	88.20	-21.94	57.42	3	Horizontal	33	1.25	-	36.17	8.20	35.53	
RMS	7.1522G	54.98	68.20	-13.22	46.20	3	Horizontal	33	1.25	-	36.11	8.20	35.53	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

7005MHz_TnomVnom




EUT V_2TX
Setting 4.75
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.01912G	63.07	88.20	-25.13	43.01	3	Vertical	95	2.58	-	41.26	12.41	33.61
RMS	14.02302G	49.23	68.20	-18.97	29.17	3	Vertical	95	2.58	-	41.27	12.41	33.62

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

7005MHz_TnomVnom




EUT Y_2TX
Setting 4.75
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.00346G	63.02	88.20	-25.18	43.00	3	Horizontal	360	2.27	-	41.21	12.40	33.59
RMS	14.02392G	49.20	68.20	-19.00	29.14	3	Horizontal	360	2.27	-	41.27	12.41	33.62

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

7005MHz_TnomVnom




EUT V_2TX
Setting 4.75
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.00636G	51.03	83.54	-32.51	47.18	1	Vertical	343	1.96	-	37.60	15.95	49.70
AV	21.01752G	36.71	63.54	-26.83	32.85	1	Vertical	343	1.96	-	37.60	15.96	49.70

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

7005MHz_TnomVnom




EUT Y_2TX
Setting 4.75
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.0294G	50.23	83.54	-33.31	46.36	1	Horizontal	274	2.05	-	37.60	15.96	49.69
AV	21.0195G	36.67	63.54	-26.87	32.81	1	Horizontal	274	2.05	-	37.60	15.96	49.70

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

7085MHz_TnomVnom




EUT Y_2TX
 Setting 16
 01-M-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.075G	112.64	Inf	-Inf	101.89	3	Vertical	344	1.73	-	36.55	7.26	33.06	
RMS	7.0698G	101.19	Inf	-Inf	90.42	3	Vertical	344	1.73	-	36.56	7.27	33.06	
PK	7.125G	84.27	88.20	-3.93	73.42	3	Vertical	344	1.73	-	36.70	7.24	33.09	
RMS	7.125G	67.53	68.20	-0.67	56.68	3	Vertical	344	1.73	-	36.70	7.24	33.09	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

7085MHz_TnomVnom




EUT_V_2TX
Setting 16
01-M-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.0926G	113.23	Inf	-Inf	102.54	3	Horizontal	8	1.76	-	36.51	7.25	33.07	
RMS	7.0694G	104.03	Inf	-Inf	93.26	3	Horizontal	8	1.76	-	36.56	7.27	33.06	
PK	7.1266G	84.39	88.20	-3.81	73.53	3	Horizontal	8	1.76	-	36.71	7.24	33.09	
RMS	7.125G	67.88	68.20	-0.32	57.03	3	Horizontal	8	1.76	-	36.70	7.24	33.09	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

7085MHz_TnomVnom




EUT_V_2TX
Setting 16
01-M-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.16676G	67.81	88.20	-20.39	46.64	3	Vertical	179	2.29	-	40.83	9.95	29.61
RMS	14.16608G	52.98	68.20	-15.22	31.81	3	Vertical	179	2.29	-	40.83	9.95	29.61

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

7085MHz_TnomVnom




EUT_V_2TX
Setting 16
01-M-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	14.16668G	67.67	88.20	-20.53	46.50	3	Horizontal	116	2.20	-	40.83	9.95	29.61	
RMS	14.16528G	53.04	68.20	-15.16	31.87	3	Horizontal	116	2.20	-	40.83	9.95	29.61	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

7085MHz_TnomVnom




EUT Y_2TX
Setting 16
01-M-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	21.25446G	53.01	83.54	-30.53	48.99	1	Vertical	104	1.58	-	37.61	16.06	49.65	
AV	21.25156G	38.91	63.54	-24.63	34.90	1	Vertical	104	1.58	-	37.60	16.06	49.65	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

7085MHz_TnomVnom




EUT_Y_2TX
Setting 16
01-M-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.25546G	52.66	83.54	-30.88	48.64	1	Horizontal	345	1.56	-	37.61	16.06	49.65
AV	21.25152G	38.74	63.54	-24.80	34.73	1	Horizontal	345	1.56	-	37.60	16.06	49.65

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5985MHz_TnomVnom




EUT Y_2TX
Setting 15.5
01-M-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9226G	79.52	88.20	-8.68	70.74	3	Vertical	344	1.80	-	34.99	6.60	32.81	
RMS	5.9226G	66.07	68.20	-2.13	57.29	3	Vertical	344	1.80	-	34.99	6.60	32.81	
PK	6.0006G	108.03	Inf	-Inf	98.97	3	Vertical	344	1.80	-	35.30	6.60	32.84	
RMS	5.9598G	97.97	Inf	-Inf	89.05	3	Vertical	344	1.80	-	35.14	6.60	32.82	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5985MHz_TnomVnom




EUT V_2TX
Setting 15.5
01-M-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9226G	82.18	88.20	-6.02	73.40	3	Horizontal	341	1.15	-	34.99	6.60	32.81	
RMS	5.9232G	68.03	68.20	-0.17	59.25	3	Horizontal	341	1.15	-	34.99	6.60	32.81	
PK	5.973G	108.41	Inf	-Inf	99.45	3	Horizontal	341	1.15	-	35.19	6.60	32.83	
RMS	5.9688G	96.56	Inf	-Inf	87.61	3	Horizontal	341	1.15	-	35.18	6.60	32.83	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5985MHz_TnomVnom




EUT Y_2TX
Setting 15.5
01-M-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.97176G	58.67	74.00	-15.33	42.73	3	Vertical	70	1.30	-	38.50	8.99	31.55	
AV	11.96658G	48.36	54.00	-5.64	32.42	3	Vertical	70	1.30	-	38.50	8.99	31.55	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5985MHz_TnomVnom




EUT_V_2TX
Setting 15.5
01-M-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.97226G	58.52	74.00	-15.48	42.58	3	Horizontal	181	1.74	-	38.50	8.99	31.55
AV	11.96586G	48.54	54.00	-5.46	32.60	3	Horizontal	181	1.74	-	38.50	8.99	31.55

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6225MHz_TnomVnom




EUT Y_2TX
Setting 20
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.769G	64.52	88.20	-23.68	58.40	3	Vertical	325	1.96	-	34.20	7.40	35.48
RMS	5.607G	50.17	68.20	-18.03	43.58	3	Vertical	325	1.96	-	34.59	7.40	35.40
PK	6.24G	109.74	Inf	-Inf	102.50	3	Vertical	325	1.96	-	35.04	7.70	35.50
RMS	6.222G	99.35	Inf	-Inf	92.05	3	Vertical	325	1.96	-	35.11	7.70	35.51

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6225MHz_TnomVnom




EUT Y_2TX
 Setting 20
 03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.781G	61.39	88.20	-26.81	55.28	3	Horizontal	358	1.84	-	34.20	7.40	35.49
RMS	5.61G	50.22	68.20	-17.98	43.65	3	Horizontal	358	1.84	-	34.58	7.40	35.41
PK	6.228G	108.96	Inf	-Inf	101.68	3	Horizontal	358	1.84	-	35.09	7.70	35.51
RMS	6.228G	96.80	Inf	-Inf	89.52	3	Horizontal	358	1.84	-	35.09	7.70	35.51

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6225MHz_TnomVnom




EUT_V_2TX
 Setting 20
 03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.43776G	59.52	74.00	-14.48	44.91	3	Vertical	0	2.98	-	38.86	11.15	35.40
AV	12.44736G	47.98	54.00	-6.02	33.37	3	Vertical	0	2.98	-	38.85	11.16	35.40

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6225MHz_TnomVnom




EUT_V_2TX
 Setting 20
 03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.46218G	60.67	74.00	-13.33	46.06	3	Horizontal	200	1.80	-	38.84	11.17	35.40
AV	12.44574G	49.32	54.00	-4.68	34.71	3	Horizontal	200	1.80	-	38.85	11.16	35.40

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6225MHz_TnomVnom




EUT_V_2TX
Setting 20
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	18.68724G	47.77	83.54	-35.77	44.98	1	Vertical	29	2.20	-	37.73	14.97	49.91	
AV	18.67092G	36.92	63.54	-26.62	34.15	1	Vertical	29	2.20	-	37.73	14.97	49.93	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6225MHz_TnomVnom




EUT Y_2TX
Setting 20
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.68946G	47.83	83.54	-35.71	45.04	1	Horizontal	290	1.42	-	37.72	14.98	49.91
AV	18.66492G	36.83	63.54	-26.71	34.07	1	Horizontal	290	1.42	-	37.73	14.97	49.94

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6385MHz_TnomVnom




EUT V_2TX
Setting 18
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.923G	61.46	88.20	-26.74	54.81	3	Vertical	329	2.14	-	34.69	7.52	35.56
RMS	5.925G	50.39	68.20	-17.81	43.73	3	Vertical	329	2.14	-	34.70	7.52	35.56
PK	6.3878G	111.06	Inf	-Inf	103.90	3	Vertical	329	2.14	-	34.90	7.70	35.44
RMS	6.3878G	98.84	Inf	-Inf	91.68	3	Vertical	329	2.14	-	34.90	7.70	35.44

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6385MHz_TnomVnom




EUT_V_2TX
Setting 18
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.7578G	63.54	88.20	-24.66	57.42	3	Horizontal	360	1.86	-	34.20	7.40	35.48	
RMS	5.9062G	50.27	68.20	-17.93	43.69	3	Horizontal	360	1.86	-	34.62	7.51	35.55	
PK	6.3878G	110.10	Inf	-Inf	102.94	3	Horizontal	360	1.86	-	34.90	7.70	35.44	
RMS	6.3878G	97.94	Inf	-Inf	90.78	3	Horizontal	360	1.86	-	34.90	7.70	35.44	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6385MHz_TnomVnom




EUT Y_2TX
Setting 18
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.78242G	59.28	88.20	-28.92	43.33	3	Vertical	223	1.99	-	39.26	11.43	34.74
RMS	12.76814G	48.39	68.20	-19.81	32.51	3	Vertical	223	1.99	-	39.24	11.41	34.77

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6385MHz_TnomVnom




EUT Y_2TX
Setting 18
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.76118G	58.98	88.20	-29.22	43.14	3	Horizontal	353	1.74	-	39.22	11.41	34.79	
RMS	12.75608G	48.41	68.20	-19.79	32.60	3	Horizontal	353	1.74	-	39.21	11.40	34.80	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6385MHz_TnomVnom




EUT Y_2TX
Setting 18
03-B-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.1604G	48.82	83.54	-34.72	45.48	1	Vertical	297	2.95	-	37.81	15.16	49.63	
AV	19.1517G	38.45	63.54	-25.09	35.10	1	Vertical	297	2.95	-	37.82	15.16	49.63	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6385MHz_TnomVnom




EUT Y_2TX
Setting 18
03-B-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.16958G	48.72	83.54	-34.82	45.38	1	Horizontal	25	1.97	-	37.80	15.17	49.63	
AV	19.15644G	38.12	63.54	-25.42	34.78	1	Horizontal	25	1.97	-	37.81	15.16	49.63	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6465MHz_TnomVnom




EUT_V_2TX
 Setting 7
 03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.907G	61.41	88.20	-26.79	54.82	3	Vertical	327	1.96	-	34.63	7.51	35.55
RMS	5.925G	50.35	68.20	-17.85	43.68	3	Vertical	327	1.96	-	34.70	7.53	35.56
PK	6.453G	97.45	Inf	-Inf	90.36	3	Vertical	327	1.96	-	34.70	7.81	35.42
RMS	6.468G	87.07	Inf	-Inf	79.94	3	Vertical	327	1.96	-	34.70	7.84	35.41
PK	7.173G	65.47	88.20	-22.73	56.56	3	Vertical	327	1.96	-	36.24	8.20	35.53
RMS	7.158G	54.65	68.20	-13.55	45.83	3	Vertical	327	1.96	-	36.15	8.20	35.53

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6465MHz_TnomVnom




EUT_V_2TX
 Setting 7
 03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.733G	61.04	88.20	-27.16	54.88	3	Horizontal	357	1.80	-	34.23	7.40	35.47
RMS	5.919G	50.28	68.20	-17.92	43.64	3	Horizontal	357	1.80	-	34.68	7.52	35.56
PK	6.468G	95.95	Inf	-Inf	88.82	3	Horizontal	357	1.80	-	34.70	7.84	35.41
RMS	6.468G	86.02	Inf	-Inf	78.89	3	Horizontal	357	1.80	-	34.70	7.84	35.41
PK	7.161G	65.50	88.20	-22.70	56.66	3	Horizontal	357	1.80	-	36.17	8.20	35.53
RMS	7.164G	54.70	68.20	-13.50	45.85	3	Horizontal	357	1.80	-	36.18	8.20	35.53

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6465MHz_TnomVnom




EUT Y_2TX
Setting 7
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.936G	60.52	88.20	-27.68	43.92	3	Vertical	143	2.72	-	39.44	11.55	34.39
RMS	12.94074G	49.11	68.20	-19.09	32.50	3	Vertical	143	2.72	-	39.44	11.55	34.38

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6465MHz_TnomVnom




EUT_V_2TX
Setting 7
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.92316G	59.83	88.20	-28.37	43.29	3	Horizontal	40	1.18	-	39.42	11.54	34.42
RMS	12.9225G	49.46	68.20	-18.74	32.92	3	Horizontal	40	1.18	-	39.42	11.54	34.42

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6465MHz_TnomVnom




EUT Y_2TX
Setting 7
03-B-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.40202G	48.97	83.54	-34.57	45.57	1	Vertical	225	1.15	-	37.82	15.26	49.68
AV	19.40898G	37.95	63.54	-25.59	34.54	1	Vertical	225	1.15	-	37.83	15.26	49.68

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6465MHz_TnomVnom




EUT Y_2TX
Setting 7
03-B-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.407G	49.41	83.54	-34.13	46.00	1	Horizontal	170	1.45	-	37.83	15.26	49.68	
AV	19.4028G	37.86	63.54	-25.68	34.46	1	Horizontal	170	1.45	-	37.82	15.26	49.68	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_V_2TX
 Setting 7
 03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9066G	60.71	88.20	-27.49	54.12	3	Vertical	329	1.90	-	34.63	7.51	35.55
RMS	5.9206G	50.36	68.20	-17.84	43.72	3	Vertical	329	1.90	-	34.68	7.52	35.56
PK	6.5478G	98.77	Inf	-Inf	91.29	3	Vertical	329	1.90	-	34.89	8.00	35.41
RMS	6.5394G	87.30	Inf	-Inf	79.87	3	Vertical	329	1.90	-	34.86	7.98	35.41
PK	7.1442G	65.57	88.20	-22.63	56.83	3	Vertical	329	1.90	-	36.07	8.20	35.53
RMS	7.245G	54.70	68.20	-13.50	45.29	3	Vertical	329	1.90	-	36.67	8.29	35.55

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_V_2TX
Setting 7
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.845G	61.55	88.20	-26.65	55.33	3	Horizontal	360	1.79	-	34.29	7.45	35.52
RMS	5.925G	50.36	68.20	-17.84	43.70	3	Horizontal	360	1.79	-	34.70	7.52	35.56
PK	6.5394G	97.21	Inf	-Inf	89.78	3	Horizontal	360	1.79	-	34.86	7.98	35.41
RMS	6.5422G	86.30	Inf	-Inf	78.86	3	Horizontal	360	1.79	-	34.87	7.98	35.41
PK	7.1974G	65.86	88.20	-22.34	56.82	3	Horizontal	360	1.79	-	36.38	8.20	35.54
RMS	7.245G	54.67	68.20	-13.53	45.26	3	Horizontal	360	1.79	-	36.67	8.29	35.55

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT Y_2TX
Setting 7
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.09408G	60.57	88.20	-27.63	43.19	3	Vertical	11	1.82	-	39.78	11.68	34.08
RMS	13.09654G	50.01	68.20	-18.19	32.62	3	Vertical	11	1.82	-	39.79	11.68	34.08

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_V_2TX
Setting 7
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.09804G	62.15	88.20	-26.05	44.76	3	Horizontal	44	1.30	-	39.79	11.68	34.08	
RMS	13.0993G	50.29	68.20	-17.91	32.89	3	Horizontal	44	1.30	-	39.80	11.68	34.08	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_V_2TX
Setting 7
03-B-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.64958G	49.18	83.54	-34.36	45.68	1	Vertical	132	2.28	-	37.84	15.36	49.70	
AV	19.63452G	39.13	63.54	-24.41	35.63	1	Vertical	132	2.28	-	37.85	15.35	49.70	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_V_2TX
 Setting 7
 03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.62468G	49.35	83.54	-34.19	45.85	1	Horizontal	130	2.91	-	37.85	15.35	49.70
AV	19.6392G	39.17	63.54	-24.37	35.67	1	Horizontal	130	2.91	-	37.84	15.36	49.70

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6625MHz_TnomVnom




EUT Y_2TX
 Setting 19.25
 03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.6202G	108.67	Inf	-Inf	100.81	3	Vertical	330	1.80	-	35.18	8.10	35.42	
RMS	6.6226G	98.73	Inf	-Inf	90.86	3	Vertical	330	1.80	-	35.19	8.10	35.42	
PK	7.1674G	65.84	88.20	-22.36	56.97	3	Vertical	330	1.80	-	36.20	8.20	35.53	
RMS	7.1554G	55.09	68.20	-13.11	46.29	3	Vertical	330	1.80	-	36.13	8.20	35.53	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6625MHz_TnomVnom




EUT Y_2TX
 Setting 19.25
 03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.6106G	108.02	Inf	-Inf	100.20	3	Horizontal	4	1.80	-	35.14	8.10	35.42	
RMS	6.6226G	97.48	Inf	-Inf	89.61	3	Horizontal	4	1.80	-	35.19	8.10	35.42	
PK	7.1362G	65.75	88.20	-22.45	57.06	3	Horizontal	4	1.80	-	36.02	8.20	35.53	
RMS	7.153G	55.11	68.20	-13.09	46.32	3	Horizontal	4	1.80	-	36.12	8.20	35.53	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6625MHz_TnomVnom




EUT_V_2TX
Setting 19.25
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.26314G	61.25	74.00	-12.75	43.21	3	Vertical	87	1.80	-	40.03	11.81	33.80	
AV	13.25792G	50.43	54.00	-3.57	32.41	3	Vertical	87	1.80	-	40.02	11.81	33.81	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6625MHz_TnomVnom




EUT_V_2TX
Setting 19.25
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.25304G	62.11	74.00	-11.89	44.12	3	Horizontal	151	2.90	-	40.01	11.80	33.82
AV	13.25294G	51.10	54.00	-2.90	33.11	3	Horizontal	151	2.90	-	40.01	11.80	33.82

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6625MHz_TnomVnom




EUT Y_2TX
Setting 19.25
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	19.88202G	49.67	83.54	-33.87	46.33	1	Vertical	330	1.08	-	37.59	15.45	49.70	
AV	19.8864G	38.99	63.54	-24.55	35.66	1	Vertical	330	1.08	-	37.58	15.45	49.70	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6625MHz_TnomVnom




EUT V_2TX
Setting 19.25
03-B-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.86756G	49.68	83.54	-33.86	46.32	1	Horizontal	75	1.71	-	37.61	15.45	49.70
AV	19.88808G	39.10	63.54	-24.44	35.76	1	Horizontal	75	1.71	-	37.58	15.46	49.70

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6705MHz_TnomVnom




EUT_V_2TX
Setting 19
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.709G	108.04	Inf	-Inf	99.94	3	Vertical	326	1.80	-	35.44	8.10	35.44	
RMS	6.707G	96.92	Inf	-Inf	88.83	3	Vertical	326	1.80	-	35.43	8.10	35.44	
PK	7.157G	82.12	88.20	-6.08	73.31	3	Vertical	326	1.80	-	36.14	8.20	35.53	
RMS	7.135G	65.75	68.20	-2.45	57.07	3	Vertical	326	1.80	-	36.01	8.20	35.53	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6705MHz_TnomVnom




EUT V_2TX
Setting 19
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.709G	107.62	Inf	-Inf	99.52	3	Horizontal	358	1.54	-	35.44	8.10	35.44	
RMS	6.707G	96.27	Inf	-Inf	88.18	3	Horizontal	358	1.54	-	35.43	8.10	35.44	
PK	7.167G	85.15	88.20	-3.05	76.28	3	Horizontal	358	1.54	-	36.20	8.20	35.53	
RMS	7.147G	68.03	68.20	-0.17	59.28	3	Horizontal	358	1.54	-	36.08	8.20	35.53	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6705MHz_TnomVnom




EUT_V_2TX
Setting 19
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.4211G	60.72	88.20	-27.48	42.00	3	Vertical	71	1.56	-	40.32	11.94	33.54	
RMS	13.42254G	50.28	68.20	-17.92	31.56	3	Vertical	71	1.56	-	40.32	11.94	33.54	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6705MHz_TnomVnom




EUT_V_2TX
Setting 19
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.4073G	61.71	88.20	-26.49	43.03	3	Horizontal	238	2.44	-	40.31	11.93	33.56
RMS	13.42254G	50.38	68.20	-17.82	31.66	3	Horizontal	238	2.44	-	40.32	11.94	33.54

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6705MHz_TnomVnom




EUT Y_2TX
Setting 19
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.12892G	49.60	83.54	-33.94	46.29	1	Vertical	86	2.98	-	37.50	15.56	49.75
AV	20.11194G	39.00	63.54	-24.54	35.70	1	Vertical	86	2.98	-	37.49	15.55	49.74

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6705MHz_TnomVnom




EUT V_2TX
 Setting 19
 03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.10222G	50.31	83.54	-33.23	47.02	1	Horizontal	0	2.11	-	37.48	15.55	49.74
AV	20.10594G	39.65	63.54	-23.89	36.36	1	Horizontal	0	2.11	-	37.48	15.55	49.74

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6785MHz_TnomVnom




EUT Y_2TX
Setting 19
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7868G	106.08	Inf	-Inf	97.68	3	Vertical	325	1.80	-	35.75	8.10	35.45
RMS	6.7904G	95.82	Inf	-Inf	87.41	3	Vertical	325	1.80	-	35.76	8.10	35.45
PK	7.2134G	83.24	88.20	-4.96	74.08	3	Vertical	325	1.80	-	36.48	8.23	35.55
RMS	7.1972G	67.76	68.20	-0.44	58.72	3	Vertical	325	1.80	-	36.38	8.20	35.54

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6785MHz_TnomVnom




EUT Y_2TX
Setting 19
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7958G	104.97	Inf	-Inf	96.54	3	Horizontal	354	1.78	-	35.78	8.10	35.45
RMS	6.7904G	94.66	Inf	-Inf	86.25	3	Horizontal	354	1.78	-	35.76	8.10	35.45
PK	7.2134G	80.12	88.20	-8.08	70.96	3	Horizontal	354	1.78	-	36.48	8.23	35.55
RMS	7.1972G	65.37	68.20	-2.83	56.33	3	Horizontal	354	1.78	-	36.38	8.20	35.54

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6785MHz_TnomVnom




EUT Y_2TX
Setting 19
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.56538G	61.49	88.20	-26.71	42.40	3	Vertical	8	1.08	-	40.47	12.05	33.43	
RMS	13.57432G	50.95	68.20	-17.25	31.86	3	Vertical	8	1.08	-	40.47	12.06	33.44	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6785MHz_TnomVnom




EUT Y_2TX
Setting 19
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.57108G	61.77	88.20	-26.43	42.67	3	Horizontal	93	2.03	-	40.47	12.06	33.43	
RMS	13.56106G	51.13	68.20	-17.07	32.05	3	Horizontal	93	2.03	-	40.46	12.05	33.43	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6785MHz_TnomVnom




EUT Y_2TX
Setting 19
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	20.35482G	49.46	83.54	-34.08	46.00	1	Vertical	280	2.39	-	37.64	15.66	49.84	
AV	20.35764G	38.99	63.54	-24.55	35.53	1	Vertical	280	2.39	-	37.64	15.66	49.84	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6785MHz_TnomVnom




EUT Y_2TX
Setting 19
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	20.34144G	49.11	83.54	-34.43	45.66	1	Horizontal	48	2.69	-	37.64	15.65	49.84	
AV	20.35536G	38.74	63.54	-24.80	35.28	1	Horizontal	48	2.69	-	37.64	15.66	49.84	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_2TX
Setting 7.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.8678G	98.75	Inf	-Inf	90.43	3	Vertical	333	1.67	-	35.66	8.13	35.47	
RMS	6.8692G	89.50	Inf	-Inf	81.18	3	Vertical	333	1.67	-	35.66	8.13	35.47	
PK	7.2066G	66.16	88.20	-22.04	57.05	3	Vertical	333	1.67	-	36.44	8.21	35.54	
RMS	7.1618G	55.14	68.20	-13.06	46.30	3	Vertical	333	1.67	-	36.17	8.20	35.53	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_2TX
 Setting 7.5
 03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.8678G	98.18	Inf	-Inf	89.86	3	Horizontal	360	1.74	-	35.66	8.13	35.47	
RMS	6.8622G	88.23	Inf	-Inf	79.89	3	Horizontal	360	1.74	-	35.68	8.13	35.47	
PK	7.1688G	66.02	88.20	-22.18	57.14	3	Horizontal	360	1.74	-	36.21	8.20	35.53	
RMS	7.1548G	55.08	68.20	-13.12	46.28	3	Horizontal	360	1.74	-	36.13	8.20	35.53	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_2TX
Setting 7.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.72904G	62.17	88.20	-26.03	42.82	3	Vertical	186	2.12	-	40.66	12.18	33.49
RMS	13.71644G	51.29	68.20	-16.91	31.97	3	Vertical	186	2.12	-	40.63	12.17	33.48

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_2TX
Setting 7.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.74266G	62.07	88.20	-26.13	42.68	3	Horizontal	185	2.64	-	40.69	12.19	33.49
RMS	13.72412G	51.23	68.20	-16.97	31.89	3	Horizontal	185	2.64	-	40.65	12.18	33.49

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_2TX
 Setting 7.5
 03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.5809G	51.04	83.54	-32.50	47.35	1	Vertical	229	2.03	-	37.80	15.76	49.87
AV	20.58744G	40.02	63.54	-23.52	36.33	1	Vertical	229	2.03	-	37.80	15.76	49.87

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_2TX
 Setting 7.5
 03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.59926G	50.68	83.54	-32.86	46.95	1	Horizontal	62	2.19	-	37.82	15.77	49.86
AV	20.58156G	40.21	63.54	-23.33	36.52	1	Horizontal	62	2.19	-	37.80	15.76	49.87

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6945MHz_TnomVnom




EUT Y_2TX
Setting 7.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9486G	102.86	Inf	-Inf	94.47	3	Vertical	349	1.80	-	35.70	8.17	35.48
RMS	6.9462G	91.57	Inf	-Inf	83.19	3	Vertical	349	1.80	-	35.69	8.17	35.48
PK	7.2066G	66.45	88.20	-21.75	57.34	3	Vertical	349	1.80	-	36.44	8.21	35.54
RMS	7.155G	55.16	68.20	-13.04	46.36	3	Vertical	349	1.80	-	36.13	8.20	35.53

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6945MHz_TnomVnom




EUT_V_2TX
Setting 7.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9486G	101.51	Inf	-Inf	93.12	3	Horizontal	186	2.08	-	35.70	8.17	35.48
RMS	6.9474G	91.40	Inf	-Inf	83.02	3	Horizontal	186	2.08	-	35.69	8.17	35.48
PK	7.167G	66.34	88.20	-21.86	57.47	3	Horizontal	186	2.08	-	36.20	8.20	35.53
RMS	7.1574G	55.12	68.20	-13.08	46.31	3	Horizontal	186	2.08	-	36.14	8.20	35.53

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6945MHz_TnomVnom




EUT_V_2TX
Setting 7.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.88454G	61.97	88.20	-26.23	42.23	3	Vertical	261	2.90	-	40.97	12.31	33.54
RMS	13.90494G	52.02	68.20	-16.18	32.24	3	Vertical	261	2.90	-	41.01	12.32	33.55

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6945MHz_TnomVnom




EUT Y_2TX
Setting 7.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.8888G	62.45	88.20	-25.75	42.70	3	Horizontal	263	1.58	-	40.98	12.31	33.54
RMS	13.88742G	51.49	68.20	-16.71	31.75	3	Horizontal	263	1.58	-	40.97	12.31	33.54

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6945MHz_TnomVnom




EUT_V_2TX
Setting 7.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.83854G	49.48	83.54	-34.06	45.50	1	Vertical	306	2.52	-	37.86	15.88	49.76
AV	20.8224G	39.06	63.54	-24.48	35.08	1	Vertical	306	2.52	-	37.88	15.87	49.77

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6945MHz_TnomVnom




EUT Y_2TX
Setting 7.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.8419G	50.40	83.54	-33.14	46.43	1	Horizontal	244	2.29	-	37.85	15.88	49.76
AV	20.84886G	38.91	63.54	-24.63	34.95	1	Horizontal	244	2.29	-	37.84	15.88	49.76

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

7025MHz_TnomVnom




EUT_V_2TX
Setting 15
01-M-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.013G	109.30	Inf	-Inf	98.66	3	Vertical	39	1.37	-	36.38	7.29	33.03	
RMS	6.9974G	96.77	Inf	-Inf	86.18	3	Vertical	39	1.37	-	36.31	7.30	33.02	
PK	7.1258G	81.27	88.20	-6.93	70.41	3	Vertical	39	1.37	-	36.71	7.24	33.09	
RMS	7.1252G	67.98	68.20	-0.22	57.13	3	Vertical	39	1.37	-	36.70	7.24	33.09	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

7025MHz_TnomVnom




EUT Y_2TX
Setting 15
01-M-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.013G	107.72	Inf	-Inf	97.08	3	Horizontal	38	1.18	-	36.38	7.29	33.03
RMS	7.001G	97.15	Inf	-Inf	86.56	3	Horizontal	38	1.18	-	36.31	7.30	33.02
PK	7.1258G	79.16	88.20	-9.04	68.30	3	Horizontal	38	1.18	-	36.71	7.24	33.09
RMS	7.1252G	67.70	68.20	-0.50	56.85	3	Horizontal	38	1.18	-	36.70	7.24	33.09

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

7025MHz_TnomVnom




EUT_Y_2TX
 Setting 15
 01-M-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	14.04946G	64.14	88.20	-24.06	42.85	3	Vertical	319	1.77	-	40.90	9.91	29.52	
RMS	14.0548G	53.95	68.20	-14.25	32.66	3	Vertical	319	1.77	-	40.90	9.92	29.53	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

7025MHz_TnomVnom




EUT_V_2TX
Setting 15
01-M-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	14.04924G	63.41	88.20	-24.79	42.12	3	Horizontal	29	2.51	-	40.90	9.91	29.52	
RMS	14.05428G	54.01	68.20	-14.19	32.72	3	Horizontal	29	2.51	-	40.90	9.92	29.53	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

7025MHz_TnomVnom




EUT_V_2TX
Setting 15
01-M-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.07752G	50.30	83.54	-33.24	46.40	1	Vertical	127	2.05	-	37.60	15.98	49.68
AV	21.0705G	39.83	63.54	-23.71	35.94	1	Vertical	127	2.05	-	37.60	15.98	49.69

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

7025MHz_TnomVnom




EUT_V_2TX
 Setting 15
 01-M-S-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	21.08208G	50.44	83.54	-33.10	46.53	1	Horizontal	242	1.83	-	37.60	15.99	49.68	
AV	21.0729G	39.41	63.54	-24.13	35.52	1	Horizontal	242	1.83	-	37.60	15.98	49.69	

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6025MHz_TnomVnom




EUT Y_2TX
 Setting 14.75
 01-M-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8866G	82.53	88.20	-5.67	73.85	3	Vertical	33	1.20	-	34.87	6.60	32.79
RMS	5.9226G	67.71	68.20	-0.49	58.93	3	Vertical	33	1.20	-	34.99	6.60	32.81
PK	6.0002G	105.28	Inf	-Inf	96.22	3	Vertical	33	1.20	-	35.30	6.60	32.84
RMS	6.0298G	94.76	Inf	-Inf	85.72	3	Vertical	33	1.20	-	35.24	6.64	32.84

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6025MHz_TnomVnom




EUT Y_2TX
 Setting 14.75
 01-M-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8866G	84.10	88.20	-4.10	75.42	3	Horizontal	342	1.06	-	34.87	6.60	32.79
RMS	5.925G	67.18	68.20	-1.02	58.39	3	Horizontal	342	1.06	-	35.00	6.60	32.81
PK	6.0002G	107.52	Inf	-Inf	98.46	3	Horizontal	342	1.06	-	35.30	6.60	32.84
RMS	6.0298G	96.52	Inf	-Inf	87.48	3	Horizontal	342	1.06	-	35.24	6.64	32.84

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6025MHz_TnomVnom




EUT Y_2TX
Setting 14.75
01-M-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.0538G	58.83	74.00	-15.17	42.81	3	Vertical	146	1.45	-	38.55	9.02	31.55
AV	12.05058G	48.90	54.00	-5.10	32.88	3	Vertical	146	1.45	-	38.55	9.02	31.55

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6025MHz_TnomVnom




EUT Y_2TX
Setting 14.75
01-M-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.0501G	59.20	74.00	-14.80	43.18	3	Horizontal	283	1.26	-	38.55	9.02	31.55
AV	12.048G	49.22	54.00	-4.78	33.19	3	Horizontal	283	1.26	-	38.55	9.02	31.54

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6025MHz_TnomVnom




EUT Y_2TX
Setting 14.75
01-M-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.0751G	44.53	83.54	-39.01	42.43	1	Vertical	300	1.52	-	37.64	14.73	50.27
AV	18.07326G	34.78	63.54	-28.76	32.68	1	Vertical	300	1.52	-	37.64	14.73	50.27

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6025MHz_TnomVnom




EUT Y_2TX
Setting 14.75
01-M-S-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	18.073G	44.37	83.54	-39.17	42.27	1	Horizontal	268	1.51	-	37.64	14.73	50.27	
AV	18.0704G	34.64	63.54	-28.90	32.54	1	Horizontal	268	1.51	-	37.64	14.73	50.27	

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6185MHz_TnomVnom




EUT_V_2TX
Setting 19.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9218G	68.33	88.20	-19.87	61.68	3	Vertical	226	1.70	-	34.69	7.52	35.56
RMS	5.919G	52.28	68.20	-15.92	45.64	3	Vertical	226	1.70	-	34.68	7.52	35.56
PK	6.1822G	108.44	Inf	-Inf	101.15	3	Vertical	226	1.70	-	35.13	7.69	35.53
RMS	6.1794G	97.97	Inf	-Inf	90.69	3	Vertical	226	1.70	-	35.12	7.69	35.53

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6185MHz_TnomVnom




EUT_V_2TX
Setting 19.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9218G	66.75	88.20	-21.45	60.10	3	Horizontal	-0	2.12	-	34.69	7.52	35.56
RMS	5.919G	51.33	68.20	-16.87	44.69	3	Horizontal	-0	2.12	-	34.68	7.52	35.56
PK	6.1878G	107.12	Inf	-Inf	99.80	3	Horizontal	-0	2.12	-	35.15	7.69	35.52
RMS	6.1822G	96.06	Inf	-Inf	88.77	3	Horizontal	-0	2.12	-	35.13	7.69	35.53

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6185MHz_TnomVnom




EUT Y_2TX
Setting 19.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.35608G	59.05	74.00	-14.95	44.53	3	Vertical	287	1.80	-	38.86	11.08	35.42
AV	12.36202G	48.04	54.00	-5.96	33.51	3	Vertical	287	1.80	-	38.86	11.09	35.42

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6185MHz_TnomVnom




EUT_V_2TX
Setting 19.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.37018G	59.60	74.00	-14.40	45.05	3	Horizontal	16	1.84	-	38.87	11.10	35.42	
AV	12.35704G	48.49	54.00	-5.51	33.96	3	Horizontal	16	1.84	-	38.86	11.09	35.42	

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6185MHz_TnomVnom




EUT Y_2TX
Setting 19.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.54786G	48.40	83.54	-35.14	45.75	1	Vertical	61	2.66	-	37.78	14.92	50.05
AV	18.55584G	37.44	63.54	-26.10	34.78	1	Vertical	61	2.66	-	37.78	14.92	50.04

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6185MHz_TnomVnom




EUT_V_2TX
Setting 19.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.55512G	48.84	83.54	-34.70	46.18	1	Horizontal	182	1.91	-	37.78	14.92	50.04
AV	18.5673G	37.78	63.54	-25.76	35.11	1	Horizontal	182	1.91	-	37.77	14.93	50.03

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6345MHz_TnomVnom



EUT Y_2TX
Setting 16
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.757G	61.67	88.20	-26.53	55.55	3	Vertical	333	1.55	-	34.20	7.40	35.48
RMS	5.607G	50.46	68.20	-17.74	43.87	3	Vertical	333	1.55	-	34.59	7.40	35.40
PK	6.348G	104.88	Inf	-Inf	97.74	3	Vertical	333	1.55	-	34.90	7.70	35.46
RMS	6.339G	94.25	Inf	-Inf	87.09	3	Vertical	333	1.55	-	34.92	7.70	35.46