


802.11ax HEW40_Nss1,(MCS0)_1TX

6205MHz_TnomVnom




EUT V_1TX
 Setting 23
 01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.923G	60.51	88.20	-27.69	51.73	3	Horizontal	175	2.71	-	34.99	6.60	32.81	
RMS	5.9242G	50.01	68.20	-18.19	41.22	3	Horizontal	175	2.71	-	35.00	6.60	32.81	
PK	6.2038G	108.14	Inf	-Inf	98.62	3	Horizontal	175	2.71	-	35.47	6.90	32.85	
RMS	6.2026G	98.79	Inf	-Inf	89.26	3	Horizontal	175	2.71	-	35.48	6.90	32.85	

802.11ax HEW40_Nss1,(MCS0)_1TX

6205MHz_TnomVnom




EUT_V_1TX
Setting 23
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.40632G	60.27	74.00	-13.73	43.98	3	Vertical	235	1.80	-	38.69	9.18	31.58
AV	12.40584G	46.78	54.00	-7.22	30.49	3	Vertical	235	1.80	-	38.69	9.18	31.58

802.11ax HEW40_Nss1,(MCS0)_1TX

6205MHz_TnomVnom




EUT_V_1TX
 Setting 23
 01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.39928G	63.47	74.00	-10.53	47.17	3	Horizontal	205	1.79	-	38.70	9.18	31.58
AV	12.40584G	50.74	54.00	-3.26	34.45	3	Horizontal	205	1.79	-	38.69	9.18	31.58

802.11ax HEW40_Nss1,(MCS0)_1TX

6205MHz_TnomVnom




EUT_V_1TX
Setting 23
01-C-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	18.61766G	47.91	83.54	-35.63	45.19	1	Vertical	204	2.89	-	37.75	14.95	49.98	
AV	18.61759G	33.61	63.54	-29.93	30.89	1	Vertical	204	2.89	-	37.75	14.95	49.98	

802.11ax HEW40_Nss1,(MCS0)_1TX

6205MHz_TnomVnom




EUT_V_1TX
Setting 23
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.61364G	47.39	83.54	-36.15	44.68	1	Horizontal	38	1.18	-	37.75	14.95	49.99
AV	18.61729G	33.67	63.54	-29.87	30.95	1	Horizontal	38	1.18	-	37.75	14.95	49.98

802.11ax HEW40_Nss1,(MCS0)_1TX

6405MHz_TnomVnom




EUT_V_1TX
Setting 18.5
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.877G	60.62	88.20	-27.58	51.96	3	Vertical	321	1.74	-	34.85	6.60	32.79
RMS	5.9226G	49.97	68.20	-18.23	41.19	3	Vertical	321	1.74	-	34.99	6.60	32.81
PK	6.4002G	112.62	Inf	-Inf	102.88	3	Vertical	321	1.74	-	35.60	7.00	32.86
RMS	6.4074G	103.64	Inf	-Inf	93.93	3	Vertical	321	1.74	-	35.57	7.00	32.86

802.11ax HEW40_Nss1,(MCS0)_1TX

6405MHz_TnomVnom




EUT V_1TX
Setting 18.5
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9082G	60.67	88.20	-27.53	51.94	3	Horizontal	156	1.81	-	34.93	6.60	32.80
RMS	5.9226G	49.97	68.20	-18.23	41.19	3	Horizontal	156	1.81	-	34.99	6.60	32.81
PK	6.4002G	103.94	Inf	-Inf	94.20	3	Horizontal	156	1.81	-	35.60	7.00	32.86
RMS	6.4074G	94.90	Inf	-Inf	85.19	3	Horizontal	156	1.81	-	35.57	7.00	32.86

802.11ax HEW40_Nss1,(MCS0)_1TX

6405MHz_TnomVnom




EUT_V_1TX
 Setting 18.5
 01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.80568G	61.35	88.20	-26.85	43.72	3	Vertical	278	1.80	-	39.21	9.36	30.94
RMS	12.80568G	48.05	68.20	-20.15	30.42	3	Vertical	278	1.80	-	39.21	9.36	30.94

802.11ax HEW40_Nss1,(MCS0)_1TX

6405MHz_TnomVnom




EUT_V_1TX
Setting 18.5
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.80152G	64.30	88.20	-23.90	46.68	3	Horizontal	207	1.80	-	39.20	9.36	30.94	
RMS	12.80568G	51.12	68.20	-17.08	33.49	3	Horizontal	207	1.80	-	39.21	9.36	30.94	

802.11ax HEW40_Nss1,(MCS0)_1TX

6405MHz_TnomVnom




EUT_V_1TX
Setting 18.5
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.21399G	48.76	83.54	-34.78	45.47	1	Vertical	2	1.99	-	37.74	15.19	49.64
AV	19.21822G	34.23	63.54	-29.31	30.94	1	Vertical	2	1.99	-	37.74	15.19	49.64

802.11ax HEW40_Nss1,(MCS0)_1TX

6405MHz_TnomVnom




EUT_V_1TX
Setting 18.5
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.21762G	48.03	83.54	-35.51	44.74	1	Horizontal	137	1.32	-	37.74	15.19	49.64
AV	19.21438G	34.17	63.54	-29.37	30.88	1	Horizontal	137	1.32	-	37.74	15.19	49.64

802.11ax HEW40_Nss1,(MCS0)_1TX

6445MHz_TnomVnom




EUT_V_1TX
 Setting 8.75
 01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.8366G	60.66	88.20	-27.54	52.14	3	Vertical	321	2.18	-	34.69	6.60	32.77	
RMS	5.925G	50.04	68.20	-18.16	41.25	3	Vertical	321	2.18	-	35.00	6.60	32.81	
PK	6.445G	100.44	Inf	-Inf	90.88	3	Vertical	321	2.18	-	35.42	7.00	32.86	
RMS	6.4424G	90.93	Inf	-Inf	81.36	3	Vertical	321	2.18	-	35.43	7.00	32.86	

802.11ax HEW40_Nss1,(MCS0)_1TX

6445MHz_TnomVnom




EUT V_1TX
Setting 8.75
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.8626G	61.06	88.20	-27.14	52.42	3	Horizontal	155	1.61	-	34.83	6.60	32.79	
RMS	5.9224G	49.94	68.20	-18.26	41.16	3	Horizontal	155	1.61	-	34.99	6.60	32.81	
PK	6.4476G	91.84	Inf	-Inf	82.29	3	Horizontal	155	1.61	-	35.41	7.00	32.86	
RMS	6.4424G	82.40	Inf	-Inf	72.83	3	Horizontal	155	1.61	-	35.43	7.00	32.86	

802.11ax HEW40_Nss1,(MCS0)_1TX

6445MHz_TnomVnom




EUT_V_1TX
 Setting 8.75
 01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.88895G	58.55	88.20	-29.65	40.62	3	Vertical	262	1.12	-	39.29	9.40	30.76
RMS	12.8924G	45.06	68.20	-23.14	27.12	3	Vertical	262	1.12	-	39.29	9.40	30.75

802.11ax HEW40_Nss1,(MCS0)_1TX

6445MHz_TnomVnom




EUT_V_1TX
 Setting 8.75
 01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.88857G	59.25	88.20	-28.95	41.32	3	Horizontal	37	2.07	-	39.29	9.40	30.76
RMS	12.88927G	45.07	68.20	-23.13	27.14	3	Horizontal	37	2.07	-	39.29	9.40	30.76

802.11ax HEW40_Nss1,(MCS0)_1TX

6445MHz_TnomVnom




EUT_V_1TX
Setting 8.75
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	19.33177G	47.20	83.54	-36.34	43.87	1	Vertical	303	2.30	-	37.77	15.23	49.67	
AV	19.33222G	34.43	63.54	-29.11	31.10	1	Vertical	303	2.30	-	37.77	15.23	49.67	

802.11ax HEW40_Nss1,(MCS0)_1TX

6445MHz_TnomVnom




EUT V_1TX
 Setting 8.75
 01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	19.33263G	47.35	83.54	-36.19	44.02	1	Horizontal	46	2.20	-	37.77	15.23	49.67	
AV	19.33892G	34.64	63.54	-28.90	31.30	1	Horizontal	46	2.20	-	37.77	15.24	49.67	

802.11ax HEW40_Nss1,(MCS0)_1TX

6485MHz_TnomVnom




EUT V_1TX
 Setting 8.75
 01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.911G	61.40	88.20	-26.80	52.66	3	Vertical	157	1.91	-	34.94	6.60	32.80
RMS	5.922G	50.01	68.20	-18.19	41.23	3	Vertical	157	1.91	-	34.99	6.60	32.81
PK	6.4878G	99.28	Inf	-Inf	89.59	3	Vertical	157	1.91	-	35.55	7.00	32.86
RMS	6.4822G	90.16	Inf	-Inf	80.49	3	Vertical	157	1.91	-	35.53	7.00	32.86
PK	7.1738G	63.19	88.20	-25.01	52.09	3	Vertical	157	1.91	-	37.00	7.21	33.11
RMS	7.1738G	53.06	68.20	-15.14	41.96	3	Vertical	157	1.91	-	37.00	7.21	33.11

802.11ax HEW40_Nss1,(MCS0)_1TX

6485MHz_TnomVnom




EUT_V_1TX
 Setting 8.75
 01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8382G	60.66	88.20	-27.54	52.13	3	Horizontal	136	1.72	-	34.71	6.60	32.78
RMS	5.925G	49.95	68.20	-18.25	41.16	3	Horizontal	136	1.72	-	35.00	6.60	32.81
PK	6.4878G	92.35	Inf	-Inf	82.66	3	Horizontal	136	1.72	-	35.55	7.00	32.86
RMS	6.4878G	82.53	Inf	-Inf	72.84	3	Horizontal	136	1.72	-	35.55	7.00	32.86
PK	7.1402G	62.87	88.20	-25.33	51.91	3	Horizontal	136	1.72	-	36.82	7.23	33.09
RMS	7.1458G	52.98	68.20	-15.22	41.98	3	Horizontal	136	1.72	-	36.87	7.23	33.10

802.11ax HEW40_Nss1,(MCS0)_1TX

6485MHz_TnomVnom




EUT Y_1TX
 Setting 8.75
 01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.97207G	60.39	88.20	-27.81	42.01	3	Vertical	159	2.29	-	39.52	9.44	30.58	
RMS	12.97236G	45.85	68.20	-22.35	27.47	3	Vertical	159	2.29	-	39.52	9.44	30.58	

802.11ax HEW40_Nss1,(MCS0)_1TX

6485MHz_TnomVnom




EUT_V_1TX
 Setting 8.75
 01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.97202G	59.48	88.20	-28.72	41.10	3	Horizontal	158	2.81	-	39.52	9.44	30.58
RMS	12.96998G	45.77	68.20	-22.43	27.40	3	Horizontal	158	2.81	-	39.51	9.44	30.58

802.11ax HEW40_Nss1,(MCS0)_1TX

6485MHz_TnomVnom




EUT_V_1TX
Setting 8.75
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.45335G	47.90	83.54	-35.64	44.45	1	Vertical	255	2.48	-	37.86	15.28	49.69
AV	19.45334G	34.71	63.54	-28.83	31.26	1	Vertical	255	2.48	-	37.86	15.28	49.69

802.11ax HEW40_Nss1,(MCS0)_1TX

6485MHz_TnomVnom




EUT_V_1TX
Setting 8.75
01-C-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.45484G	47.74	83.54	-35.80	44.29	1	Horizontal	64	1.86	-	37.86	15.28	49.69	
AV	19.45482G	34.64	63.54	-28.90	31.19	1	Horizontal	64	1.86	-	37.86	15.28	49.69	

802.11ax HEW40_Nss1,(MCS0)_1TX

6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_V_1TX
 Setting 9
 01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.853G	60.30	88.20	-27.90	51.67	3	Vertical	158	1.90	-	34.81	6.60	32.78
RMS	5.9202G	50.02	68.20	-18.18	41.25	3	Vertical	158	1.90	-	34.98	6.60	32.81
PK	6.5278G	99.96	Inf	-Inf	90.12	3	Vertical	158	1.90	-	35.71	7.00	32.87
RMS	6.5278G	90.05	Inf	-Inf	80.21	3	Vertical	158	1.90	-	35.71	7.00	32.87
PK	7.1466G	63.57	88.20	-24.63	52.57	3	Vertical	158	1.90	-	36.87	7.23	33.10
RMS	7.225G	53.01	68.20	-15.19	41.82	3	Vertical	158	1.90	-	37.10	7.23	33.14

802.11ax HEW40_Nss1,(MCS0)_1TX

6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_V_1TX
 Setting 9
 01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8754G	60.34	88.20	-27.86	51.68	3	Horizontal	138	1.77	-	34.85	6.60	32.79
RMS	5.923G	50.02	68.20	-18.18	41.24	3	Horizontal	138	1.77	-	34.99	6.60	32.81
PK	6.5278G	92.19	Inf	-Inf	82.35	3	Horizontal	138	1.77	-	35.71	7.00	32.87
RMS	6.5278G	82.74	Inf	-Inf	72.90	3	Horizontal	138	1.77	-	35.71	7.00	32.87
PK	7.1886G	63.13	88.20	-25.07	51.99	3	Horizontal	138	1.77	-	37.05	7.21	33.12
RMS	7.1438G	53.00	68.20	-15.20	42.01	3	Horizontal	138	1.77	-	36.85	7.23	33.09

802.11ax HEW40_Nss1,(MCS0)_1TX

6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_V_1TX
 Setting 9
 01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.04939G	60.65	88.20	-27.55	41.98	3	Vertical	304	2.30	-	39.65	9.47	30.45
RMS	13.04983G	46.28	68.20	-21.92	27.61	3	Vertical	304	2.30	-	39.65	9.47	30.45

802.11ax HEW40_Nss1,(MCS0)_1TX

6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_V_1TX
 Setting 9
 01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.05195G	60.66	88.20	-27.54	41.98	3	Horizontal	67	1.46	-	39.65	9.47	30.44
RMS	13.05168G	46.34	68.20	-21.86	27.66	3	Horizontal	67	1.46	-	39.65	9.47	30.44

802.11ax HEW40_Nss1,(MCS0)_1TX

6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_V_1TX
Setting 9
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.57135G	48.07	74.00	-25.93	44.57	1	Vertical	119	2.54	-	37.87	15.33	49.70
AV	19.57231G	34.78	54.00	-19.22	31.28	1	Vertical	119	2.54	-	37.87	15.33	49.70

802.11ax HEW40_Nss1,(MCS0)_1TX

6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_V_1TX
 Setting 9
 01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.57223G	47.59	83.54	-35.95	44.09	1	Horizontal	44	1.55	-	37.87	15.33	49.70
AV	19.5733G	34.78	63.54	-28.76	31.28	1	Horizontal	44	1.55	-	37.87	15.33	49.70

802.11ax HEW40_Nss1,(MCS0)_1TX

6565MHz_TnomVnom




EUT_V_1TX
 Setting 22.5
 01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.5602G	112.34	Inf	-Inf	102.40	3	Vertical	155	1.14	-	35.82	7.00	32.88
RMS	6.5674G	103.35	Inf	-Inf	93.40	3	Vertical	155	1.14	-	35.83	7.00	32.88
PK	7.1626G	63.04	88.20	-25.16	51.97	3	Vertical	155	1.14	-	36.95	7.22	33.10
RMS	7.1482G	52.99	68.20	-15.21	41.97	3	Vertical	155	1.14	-	36.89	7.23	33.10

802.11ax HEW40_Nss1,(MCS0)_1TX

6565MHz_TnomVnom




EUT V_1TX
 Setting 22.5
 01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.5674G	106.36	Inf	-Inf	96.41	3	Horizontal	137	1.77	-	35.83	7.00	32.88	
RMS	6.5626G	96.68	Inf	-Inf	86.73	3	Horizontal	137	1.77	-	35.83	7.00	32.88	
PK	7.141G	63.31	88.20	-24.89	52.34	3	Horizontal	137	1.77	-	36.83	7.23	33.09	
RMS	7.1458G	53.03	68.20	-15.17	42.03	3	Horizontal	137	1.77	-	36.87	7.23	33.10	

802.11ax HEW40_Nss1,(MCS0)_1TX

6565MHz_TnomVnom




EUT_V_1TX
 Setting 22.5
 01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.1287G	60.73	88.20	-27.47	41.79	3	Vertical	275	1.80	-	39.76	9.51	30.33
RMS	13.1259G	47.24	68.20	-20.96	28.31	3	Vertical	275	1.80	-	39.75	9.51	30.33

802.11ax HEW40_Nss1,(MCS0)_1TX

6565MHz_TnomVnom




EUT_V_1TX
 Setting 22.5
 01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.13G	60.49	88.20	-27.71	41.55	3	Horizontal	72	2.41	-	39.76	9.51	30.33	
RMS	13.135G	47.22	68.20	-20.98	28.26	3	Horizontal	72	2.41	-	39.77	9.51	30.32	

802.11ax HEW40_Nss1,(MCS0)_1TX

6565MHz_TnomVnom




EUT_V_1TX
Setting 22.5
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.69689G	49.61	83.54	-33.93	46.11	1	Vertical	320	1.78	-	37.82	15.38	49.70
AV	19.69494G	36.11	63.54	-27.43	32.61	1	Vertical	320	1.78	-	37.82	15.38	49.70

802.11ax HEW40_Nss1,(MCS0)_1TX

6565MHz_TnomVnom




EUT_V_1TX
Setting 22.5
01-C-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.69127G	49.00	83.54	-34.54	45.50	1	Horizontal	317	1.86	-	37.82	15.38	49.70
AV	19.69396G	35.51	63.54	-28.03	32.01	1	Horizontal	317	1.86	-	37.82	15.38	49.70

802.11ax HEW40_Nss1,(MCS0)_1TX

6685MHz_TnomVnom




EUT Y_1TX
 Setting 23
 01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.681G	111.91	Inf	-Inf	101.89	3	Vertical	240	1.51	-	35.94	7.00	32.92	
RMS	6.683G	103.14	Inf	-Inf	93.13	3	Vertical	240	1.51	-	35.93	7.00	32.92	
PK	7.131G	63.37	88.20	-24.83	52.48	3	Vertical	240	1.51	-	36.75	7.23	33.09	
RMS	7.175G	53.11	68.20	-15.09	42.01	3	Vertical	240	1.51	-	37.00	7.21	33.11	

802.11ax HEW40_Nss1,(MCS0)_1TX

6685MHz_TnomVnom




EUT_V_1TX
 Setting 23
 01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.687G	104.11	Inf	-Inf	94.10	3	Horizontal	135	1.67	-	35.93	7.00	32.92	
RMS	6.687G	94.53	Inf	-Inf	84.52	3	Horizontal	135	1.67	-	35.93	7.00	32.92	
PK	7.165G	63.30	88.20	-24.90	52.23	3	Horizontal	135	1.67	-	36.96	7.22	33.11	
RMS	7.175G	53.05	68.20	-15.15	41.95	3	Horizontal	135	1.67	-	37.00	7.21	33.11	

802.11ax HEW40_Nss1,(MCS0)_1TX

6685MHz_TnomVnom




EUT_V_1TX
 Setting 23
 01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.3636G	60.83	74.00	-13.17	41.07	3	Vertical	311	1.81	-	40.13	9.61	29.98
AV	13.3735G	47.29	54.00	-6.71	27.49	3	Vertical	311	1.81	-	40.15	9.62	29.97

802.11ax HEW40_Nss1,(MCS0)_1TX

6685MHz_TnomVnom




EUT_V_1TX
 Setting 23
 01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.37024G	60.22	74.00	-13.78	40.43	3	Horizontal	92	1.88	-	40.14	9.62	29.97
AV	13.37036G	46.39	54.00	-7.61	26.60	3	Horizontal	92	1.88	-	40.14	9.62	29.97

802.11ax HEW40_Nss1,(MCS0)_1TX

6685MHz_TnomVnom




EUT_V_1TX
Setting 23
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.0554G	48.20	83.54	-35.34	44.96	1	Vertical	347	2.76	-	37.44	15.52	49.72
AV	20.05151G	35.02	63.54	-28.52	31.78	1	Vertical	347	2.76	-	37.44	15.52	49.72

802.11ax HEW40_Nss1,(MCS0)_1TX

6685MHz_TnomVnom




EUT_V_1TX
Setting 23
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	20.05446G	48.25	83.54	-35.29	45.01	1	Horizontal	341	1.12	-	37.44	15.52	49.72	
AV	20.05524G	34.92	63.54	-28.62	31.68	1	Horizontal	341	1.12	-	37.44	15.52	49.72	

802.11ax HEW40_Nss1,(MCS0)_1TX

6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT V_1TX
 Setting 8.75
 01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.885G	99.38	Inf	-Inf	88.91	3	Vertical	235	2.15	-	36.32	7.13	32.98	
RMS	6.8864G	89.68	Inf	-Inf	79.22	3	Vertical	235	2.15	-	36.31	7.13	32.98	
PK	7.1832G	64.37	88.20	-23.83	53.25	3	Vertical	235	2.15	-	37.03	7.21	33.12	
RMS	7.2238G	53.28	68.20	-14.92	42.10	3	Vertical	235	2.15	-	37.10	7.22	33.14	

802.11ax HEW40_Nss1,(MCS0)_1TX

6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT V_1TX
 Setting 8.75
 01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8878G	92.08	Inf	-Inf	81.63	3	Horizontal	350	2.86	-	36.30	7.13	32.98
RMS	6.8878G	82.11	Inf	-Inf	71.66	3	Horizontal	350	2.86	-	36.30	7.13	32.98
PK	7.2028G	63.99	88.20	-24.21	52.82	3	Horizontal	350	2.86	-	37.10	7.20	33.13
RMS	7.2154G	53.32	68.20	-14.88	42.13	3	Horizontal	350	2.86	-	37.10	7.22	33.13

802.11ax HEW40_Nss1,(MCS0)_1TX

6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_1TX
 Setting 8.75
 01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.76782G	63.80	88.20	-24.40	42.92	3	Vertical	167	1.62	-	40.70	9.80	29.62
RMS	13.76767G	49.56	68.20	-18.64	28.68	3	Vertical	167	1.62	-	40.70	9.80	29.62

802.11ax HEW40_Nss1,(MCS0)_1TX

6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_1TX
 Setting 8.75
 01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.76938G	63.48	88.20	-24.72	42.59	3	Horizontal	231	2.87	-	40.71	9.80	29.62
RMS	13.77188G	49.58	68.20	-18.62	28.68	3	Horizontal	231	2.87	-	40.72	9.80	29.62

802.11ax HEW40_Nss1,(MCS0)_1TX

6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT V_1TX
Setting 8.75
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.65604G	48.61	83.54	-34.93	44.76	1	Vertical	229	2.96	-	37.89	15.80	49.84
AV	20.65569G	35.06	63.54	-28.48	31.21	1	Vertical	229	2.96	-	37.89	15.80	49.84

802.11ax HEW40_Nss1,(MCS0)_1TX

6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_1TX
 Setting 8.75
 01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.65342G	49.17	83.54	-34.37	45.34	1	Horizontal	245	1.18	-	37.88	15.79	49.84
AV	20.65554G	35.06	63.54	-28.48	31.22	1	Horizontal	245	1.18	-	37.89	15.79	49.84

802.11ax HEW40_Nss1,(MCS0)_1TX

6925MHz_TnomVnom




EUT V_1TX
 Setting 8.25
 01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.9274G	100.08	Inf	-Inf	89.53	3	Vertical	65	1.21	-	36.36	7.19	33.00	
RMS	6.9274G	90.13	Inf	-Inf	79.58	3	Vertical	65	1.21	-	36.36	7.19	33.00	
PK	7.2214G	64.33	88.20	-23.87	53.15	3	Vertical	65	1.21	-	37.10	7.22	33.14	
RMS	7.1938G	53.30	68.20	-14.90	42.14	3	Vertical	65	1.21	-	37.08	7.20	33.12	

802.11ax HEW40_Nss1,(MCS0)_1TX

6925MHz_TnomVnom




EUT V_1TX
 Setting 8.25
 01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9274G	91.94	Inf	-Inf	81.39	3	Horizontal	355	2.68	-	36.36	7.19	33.00
RMS	6.9262G	82.15	Inf	-Inf	71.60	3	Horizontal	355	2.68	-	36.36	7.19	33.00
PK	7.1914G	64.60	88.20	-23.60	53.45	3	Horizontal	355	2.68	-	37.07	7.20	33.12
RMS	7.207G	53.28	68.20	-14.92	42.10	3	Horizontal	355	2.68	-	37.10	7.21	33.13

802.11ax HEW40_Nss1,(MCS0)_1TX

6925MHz_TnomVnom




EUT_V_1TX
 Setting 8.25
 01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.84756G	64.19	88.20	-24.01	43.09	3	Vertical	39	2.95	-	40.85	9.83	29.58
RMS	13.85211G	49.80	68.20	-18.40	28.70	3	Vertical	39	2.95	-	40.85	9.83	29.58

802.11ax HEW40_Nss1,(MCS0)_1TX

6925MHz_TnomVnom




EUT_V_1TX
 Setting 8.25
 01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.85175G	64.08	88.20	-24.12	42.98	3	Horizontal	342	2.74	-	40.85	9.83	29.58
RMS	13.85047G	49.86	68.20	-18.34	28.76	3	Horizontal	342	2.74	-	40.85	9.83	29.58

802.11ax HEW40_Nss1,(MCS0)_1TX

6925MHz_TnomVnom




EUT V_1TX
Setting 8.25
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.77834G	50.03	83.54	-33.51	46.02	1	Vertical	204	2.59	-	37.95	15.85	49.79
AV	20.77303G	36.18	63.54	-27.36	32.16	1	Vertical	204	2.59	-	37.96	15.85	49.79

802.11ax HEW40_Nss1,(MCS0)_1TX

6925MHz_TnomVnom




EUT V_1TX
Setting 8.25
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.77553G	49.48	83.54	-34.06	45.46	1	Horizontal	193	2.43	-	37.96	15.85	49.79
AV	20.77321G	35.91	63.54	-27.63	31.89	1	Horizontal	193	2.43	-	37.96	15.85	49.79

802.11ax HEW40_Nss1,(MCS0)_1TX

7005MHz_TnomVnom




EUT_V_1TX
 Setting 8
 01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.0082G	101.56	Inf	-Inf	90.93	3	Vertical	65	1.21	-	36.35	7.30	33.02	
RMS	7.0026G	91.34	Inf	-Inf	80.74	3	Vertical	65	1.21	-	36.32	7.30	33.02	
PK	7.1586G	64.18	88.20	-24.02	53.13	3	Vertical	65	1.21	-	36.93	7.22	33.10	
RMS	7.2034G	53.36	68.20	-14.84	42.19	3	Vertical	65	1.21	-	37.10	7.20	33.13	

802.11ax HEW40_Nss1,(MCS0)_1TX

7005MHz_TnomVnom




EUT V_1TX
 Setting 8
 01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.0074G	92.39	Inf	-Inf	81.77	3	Horizontal	355	2.68	-	36.34	7.30	33.02	
RMS	7.0074G	82.45	Inf	-Inf	71.83	3	Horizontal	355	2.68	-	36.34	7.30	33.02	
PK	7.1418G	64.38	88.20	-23.82	53.41	3	Horizontal	355	2.68	-	36.83	7.23	33.09	
RMS	7.205G	53.34	68.20	-14.86	42.16	3	Horizontal	355	2.68	-	37.10	7.21	33.13	

802.11ax HEW40_Nss1,(MCS0)_1TX

7005MHz_TnomVnom




EUT_V_1TX
 Setting 8
 01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	14.01021G	64.51	88.20	-23.69	43.21	3	Vertical	291	1.54	-	40.90	9.90	29.50	
RMS	14.01233G	50.32	68.20	-17.88	29.02	3	Vertical	291	1.54	-	40.90	9.90	29.50	

802.11ax HEW40_Nss1,(MCS0)_1TX

7005MHz_TnomVnom




EUT_V_1TX
 Setting 8
 01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.00997G	63.88	88.20	-24.32	42.58	3	Horizontal	345	2.75	-	40.90	9.90	29.50
RMS	14.00937G	50.31	68.20	-17.89	29.01	3	Horizontal	345	2.75	-	40.90	9.90	29.50

802.11ax HEW40_Nss1,(MCS0)_1TX

7005MHz_TnomVnom




EUT_V_1TX
Setting 8
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	21.01105G	49.28	83.54	-34.26	45.43	1	Vertical	110	2.93	-	37.60	15.95	49.70	
AV	21.01218G	35.20	63.54	-28.34	31.34	1	Vertical	110	2.93	-	37.60	15.96	49.70	

802.11ax HEW40_Nss1,(MCS0)_1TX

7005MHz_TnomVnom




EUT_V_1TX
Setting 8
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.01266G	49.03	83.54	-34.51	45.17	1	Horizontal	35	2.60	-	37.60	15.96	49.70
AV	21.01713G	35.30	63.54	-28.24	31.44	1	Horizontal	35	2.60	-	37.60	15.96	49.70

802.11ax HEW40_Nss1,(MCS0)_1TX

7085MHz_TnomVnom




EUT V_1TX
 Setting 9.75
 01-M-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0878G	111.61	Inf	-Inf	100.90	3	Vertical	34	2.60	-	36.52	7.26	33.07
RMS	7.0938G	101.55	Inf	-Inf	90.86	3	Vertical	34	2.60	-	36.51	7.25	33.07
PK	7.1326G	81.44	88.20	-6.76	70.54	3	Vertical	34	2.60	-	36.76	7.23	33.09
RMS	7.125G	67.20	68.20	-1.00	56.35	3	Vertical	34	2.60	-	36.70	7.24	33.09

802.11ax HEW40_Nss1,(MCS0)_1TX

7085MHz_TnomVnom




EUT V_1TX
 Setting 9.75
 01-M-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0874G	102.61	Inf	-Inf	91.89	3	Horizontal	28	2.93	-	36.53	7.26	33.07
RMS	7.0714G	93.22	Inf	-Inf	82.46	3	Horizontal	28	2.93	-	36.56	7.26	33.06
PK	7.1278G	75.70	88.20	-12.50	64.83	3	Horizontal	28	2.93	-	36.72	7.24	33.09
RMS	7.125G	59.37	68.20	-8.83	48.52	3	Horizontal	28	2.93	-	36.70	7.24	33.09

802.11ax HEW40_Nss1,(MCS0)_1TX

7085MHz_TnomVnom




EUT_V_1TX
 Setting 9.75
 01-M-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	14.17494G	62.94	88.20	-25.26	41.77	3	Vertical	345	2.20	-	40.83	9.95	29.61	
RMS	14.17274G	49.92	68.20	-18.28	28.75	3	Vertical	345	2.20	-	40.83	9.95	29.61	

802.11ax HEW40_Nss1,(MCS0)_1TX

7085MHz_TnomVnom




EUT_V_1TX
Setting 9.75
01-M-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.16922G	62.88	88.20	-25.32	41.71	3	Horizontal	273	1.03	-	40.83	9.95	29.61
RMS	14.17252G	49.92	68.20	-18.28	28.75	3	Horizontal	273	1.03	-	40.83	9.95	29.61

802.11ax HEW40_Nss1,(MCS0)_1TX

7085MHz_TnomVnom




EUT_V_1TX
 Setting 9.75
 01-M-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	21.25582G	48.52	83.54	-35.02	44.49	1	Vertical	358	1.58	-	37.61	16.07	49.65
AV	21.2569G	35.64	63.54	-27.90	31.61	1	Vertical	358	1.58	-	37.61	16.07	49.65

802.11ax HEW40_Nss1,(MCS0)_1TX

7085MHz_TnomVnom




EUT_V_1TX
Setting 9.75
01-M-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.25322G	48.46	83.54	-35.08	44.45	1	Horizontal	165	1.58	-	37.60	16.06	49.65
AV	21.25952G	35.63	63.54	-27.91	31.60	1	Horizontal	165	1.58	-	37.61	16.07	49.65

802.11ax HEW80_Nss1,(MCS0)_1TX

5985MHz_TnomVnom




EUT_V_1TX
 Setting 11.25
 01-M-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.922G	80.58	88.20	-7.62	71.80	3	Vertical	18	2.44	-	34.99	6.60	32.81	
RMS	5.923G	67.72	68.20	-0.48	58.94	3	Vertical	18	2.44	-	34.99	6.60	32.81	
PK	6.01G	107.45	Inf	-Inf	98.39	3	Vertical	18	2.44	-	35.28	6.62	32.84	
RMS	6.018G	100.24	Inf	-Inf	91.19	3	Vertical	18	2.44	-	35.26	6.63	32.84	

802.11ax HEW80_Nss1,(MCS0)_1TX

5985MHz_TnomVnom




EUT V_1TX
 Setting 11.25
 01-M-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.916G	73.27	88.20	-14.93	64.52	3	Horizontal	349	2.87	-	34.96	6.60	32.81	
RMS	5.925G	60.30	68.20	-7.90	51.51	3	Horizontal	349	2.87	-	35.00	6.60	32.81	
PK	5.967G	99.87	Inf	-Inf	90.93	3	Horizontal	349	2.87	-	35.17	6.60	32.83	
RMS	5.968G	91.98	Inf	-Inf	83.04	3	Horizontal	349	2.87	-	35.17	6.60	32.83	

802.11ax HEW80_Nss1,(MCS0)_1TX

5985MHz_TnomVnom




EUT_V_1TX
 Setting 11.25
 01-M-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.9669G	58.17	74.00	-15.83	42.23	3	Vertical	289	1.20	-	38.50	8.99	31.55
AV	11.96678G	48.95	54.00	-5.05	33.01	3	Vertical	289	1.20	-	38.50	8.99	31.55

802.11ax HEW80_Nss1,(MCS0)_1TX

5985MHz_TnomVnom




EUT_V_1TX
Setting 11.25
01-M-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.96662G	58.19	74.00	-15.81	42.25	3	Horizontal	177	2.21	-	38.50	8.99	31.55
AV	11.97014G	48.81	54.00	-5.19	32.87	3	Horizontal	177	2.21	-	38.50	8.99	31.55

802.11ax HEW80_Nss1,(MCS0)_1TX

6225MHz_TnomVnom




EUT Y_1TX
 Setting 23
 01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.923G	61.72	88.20	-26.48	52.94	3	Vertical	318	1.75	-	34.99	6.60	32.81
RMS	5.921G	50.18	68.20	-18.02	41.41	3	Vertical	318	1.75	-	34.98	6.60	32.81
PK	6.229G	111.19	Inf	-Inf	101.86	3	Vertical	318	1.75	-	35.27	6.91	32.85
RMS	6.223G	101.20	Inf	-Inf	91.82	3	Vertical	318	1.75	-	35.32	6.91	32.85

802.11ax HEW80_Nss1,(MCS0)_1TX

6225MHz_TnomVnom




EUT Y_1TX
 Setting 23
 01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.873G	60.92	88.20	-27.28	52.26	3	Horizontal	173	2.56	-	34.85	6.60	32.79	
RMS	5.921G	50.03	68.20	-18.17	41.26	3	Horizontal	173	2.56	-	34.98	6.60	32.81	
PK	6.219G	105.28	Inf	-Inf	95.87	3	Horizontal	173	2.56	-	35.35	6.91	32.85	
RMS	6.219G	95.75	Inf	-Inf	86.34	3	Horizontal	173	2.56	-	35.35	6.91	32.85	

802.11ax HEW80_Nss1,(MCS0)_1TX

6225MHz_TnomVnom




EUT_V_1TX
Setting 23
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.45122G	58.44	74.00	-15.56	42.23	3	Vertical	337	2.01	-	38.60	9.20	31.59
AV	12.44683G	47.40	54.00	-6.60	31.17	3	Vertical	337	2.01	-	38.61	9.20	31.58

802.11ax HEW80_Nss1,(MCS0)_1TX

6225MHz_TnomVnom




EUT_V_1TX
 Setting 23
 01-C-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	12.44619G	58.32	74.00	-15.68	42.09	3	Horizontal	79	1.52	-	38.61	9.20	31.58	
AV	12.45341G	47.30	54.00	-6.70	31.10	3	Horizontal	79	1.52	-	38.59	9.20	31.59	

802.11ax HEW80_Nss1,(MCS0)_1TX

6225MHz_TnomVnom




EUT_V_1TX
Setting 23
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.67842G	47.33	83.54	-36.21	44.55	1	Vertical	227	1.79	-	37.73	14.97	49.92
AV	18.67343G	36.73	63.54	-26.81	33.96	1	Vertical	227	1.79	-	37.73	14.97	49.93

802.11ax HEW80_Nss1,(MCS0)_1TX

6225MHz_TnomVnom




EUT_V_1TX
Setting 23
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.6775G	48.00	83.54	-35.54	45.22	1	Horizontal	227	1.79	-	37.73	14.97	49.92
AV	18.67151G	37.27	63.54	-26.27	34.50	1	Horizontal	227	1.79	-	37.73	14.97	49.93

802.11ax HEW80_Nss1,(MCS0)_1TX

6385MHz_TnomVnom




EUT V_1TX
 Setting 17.75
 01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8762G	60.54	88.20	-27.66	51.88	3	Vertical	320	1.67	-	34.85	6.60	32.79
RMS	5.9218G	50.00	68.20	-18.20	41.22	3	Vertical	320	1.67	-	34.99	6.60	32.81
PK	6.3874G	108.11	Inf	-Inf	98.46	3	Vertical	320	1.67	-	35.52	6.99	32.86
RMS	6.3826G	99.17	Inf	-Inf	89.54	3	Vertical	320	1.67	-	35.50	6.99	32.86

802.11ax HEW80_Nss1,(MCS0)_1TX

6385MHz_TnomVnom




EUT V_1TX
 Setting 17.75
 01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.905G	60.91	88.20	-27.29	52.19	3	Horizontal	157	1.62	-	34.92	6.60	32.80	
RMS	5.9242G	49.99	68.20	-18.21	41.20	3	Horizontal	157	1.62	-	35.00	6.60	32.81	
PK	6.3874G	100.98	Inf	-Inf	91.33	3	Horizontal	157	1.62	-	35.52	6.99	32.86	
RMS	6.3874G	91.75	Inf	-Inf	82.10	3	Horizontal	157	1.62	-	35.52	6.99	32.86	

802.11ax HEW80_Nss1,(MCS0)_1TX

6385MHz_TnomVnom




EUT_V_1TX
Setting 17.75
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.76796G	58.57	88.20	-29.63	41.10	3	Vertical	112	1.64	-	39.14	9.35	31.02	
RMS	12.76952G	48.10	68.20	-20.10	30.62	3	Vertical	112	1.64	-	39.14	9.35	31.01	

802.11ax HEW80_Nss1,(MCS0)_1TX

6385MHz_TnomVnom




EUT_V_1TX
 Setting 17.75
 01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.76924G	58.97	88.20	-29.23	41.49	3	Horizontal	270	1.17	-	39.14	9.35	31.01
RMS	12.7681G	48.24	68.20	-19.96	30.77	3	Horizontal	270	1.17	-	39.14	9.35	31.02

802.11ax HEW80_Nss1,(MCS0)_1TX

6385MHz_TnomVnom




EUT_V_1TX
Setting 17.75
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	19.15255G	48.35	83.54	-35.19	45.00	1	Vertical	310	1.05	-	37.82	15.16	49.63	
AV	19.15858G	37.22	63.54	-26.32	33.88	1	Vertical	310	1.05	-	37.81	15.16	49.63	

802.11ax HEW80_Nss1,(MCS0)_1TX

6385MHz_TnomVnom




EUT_V_1TX
Setting 17.75
01-C-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.15113G	48.28	83.54	-35.26	44.93	1	Horizontal	311	1.67	-	37.82	15.16	49.63
AV	19.15796G	37.34	63.54	-26.20	34.00	1	Horizontal	311	1.67	-	37.81	15.16	49.63

802.11ax HEW80_Nss1,(MCS0)_1TX

6465MHz_TnomVnom




EUT_V_1TX
Setting 11.5
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.8592G	60.32	88.20	-27.88	51.68	3	Vertical	323	1.79	-	34.82	6.60	32.78	
RMS	5.9216G	50.00	68.20	-18.20	41.22	3	Vertical	323	1.79	-	34.99	6.60	32.81	
PK	6.4598G	98.98	Inf	-Inf	89.40	3	Vertical	323	1.79	-	35.44	7.00	32.86	
RMS	6.4598G	89.48	Inf	-Inf	79.90	3	Vertical	323	1.79	-	35.44	7.00	32.86	

802.11ax HEW80_Nss1,(MCS0)_1TX

6465MHz_TnomVnom




EUT V_1TX
Setting 11.5
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9242G	61.63	88.20	-26.57	52.84	3	Horizontal	138	1.80	-	35.00	6.60	32.81	
RMS	5.9242G	49.96	68.20	-18.24	41.17	3	Horizontal	138	1.80	-	35.00	6.60	32.81	
PK	6.4598G	90.63	Inf	-Inf	81.05	3	Horizontal	138	1.80	-	35.44	7.00	32.86	
RMS	6.4624G	81.18	Inf	-Inf	71.59	3	Horizontal	138	1.80	-	35.45	7.00	32.86	

802.11ax HEW80_Nss1,(MCS0)_1TX

6465MHz_TnomVnom




EUT_V_1TX
Setting 11.5
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.92954G	59.42	88.20	-28.78	41.28	3	Vertical	142	2.58	-	39.39	9.42	30.67	
RMS	12.93126G	48.85	68.20	-19.35	30.71	3	Vertical	142	2.58	-	39.39	9.42	30.67	

802.11ax HEW80_Nss1,(MCS0)_1TX

6465MHz_TnomVnom




EUT_V_1TX
Setting 11.5
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.92932G	59.54	88.20	-28.66	41.40	3	Horizontal	296	2.43	-	39.39	9.42	30.67
RMS	12.93016G	48.76	68.20	-19.44	30.62	3	Horizontal	296	2.43	-	39.39	9.42	30.67

802.11ax HEW80_Nss1,(MCS0)_1TX

6465MHz_TnomVnom




EUT_V_1TX
 Setting 11.5
 01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.39386G	47.67	83.54	-35.87	44.27	1	Vertical	289	1.50	-	37.82	15.26	49.68
AV	19.3953G	36.74	63.54	-26.80	33.34	1	Vertical	289	1.50	-	37.82	15.26	49.68

802.11ax HEW80_Nss1,(MCS0)_1TX

6465MHz_TnomVnom




EUT_V_1TX
Setting 11.5
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.39218G	47.96	83.54	-35.58	44.57	1	Horizontal	294	1.44	-	37.81	15.26	49.68
AV	19.39177G	36.93	63.54	-26.61	33.54	1	Horizontal	294	1.44	-	37.81	15.26	49.68

802.11ax HEW80_Nss1,(MCS0)_1TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_V_1TX
 Setting 11.75
 01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9178G	61.56	88.20	-26.64	52.80	3	Vertical	61	1.71	-	34.97	6.60	32.81
RMS	5.9234G	50.07	68.20	-18.13	41.29	3	Vertical	61	1.71	-	34.99	6.60	32.81
PK	6.5478G	99.02	Inf	-Inf	89.11	3	Vertical	61	1.71	-	35.79	7.00	32.88
RMS	6.5478G	89.34	Inf	-Inf	79.43	3	Vertical	61	1.71	-	35.79	7.00	32.88
PK	7.189G	64.01	88.20	-24.19	52.86	3	Vertical	61	1.71	-	37.06	7.21	33.12
RMS	7.231G	53.32	68.20	-14.88	42.13	3	Vertical	61	1.71	-	37.10	7.23	33.14

802.11ax HEW80_Nss1,(MCS0)_1TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_V_1TX
 Setting 11.75
 01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9122G	60.87	88.20	-27.33	52.12	3	Horizontal	138	1.80	-	34.95	6.60	32.80
RMS	5.9234G	50.03	68.20	-18.17	41.25	3	Horizontal	138	1.80	-	34.99	6.60	32.81
PK	6.5478G	91.19	Inf	-Inf	81.28	3	Horizontal	138	1.80	-	35.79	7.00	32.88
RMS	6.5478G	81.76	Inf	-Inf	71.85	3	Horizontal	138	1.80	-	35.79	7.00	32.88
PK	7.1442G	64.00	88.20	-24.20	53.01	3	Horizontal	138	1.80	-	36.85	7.23	33.09
RMS	7.231G	53.29	68.20	-14.91	42.10	3	Horizontal	138	1.80	-	37.10	7.23	33.14

802.11ax HEW80_Nss1,(MCS0)_1TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_V_1TX
 Setting 11.75
 01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.09231G	61.25	88.20	-26.95	42.45	3	Vertical	266	1.25	-	39.69	9.49	30.38
RMS	13.08984G	49.77	68.20	-18.43	30.98	3	Vertical	266	1.25	-	39.69	9.49	30.39

802.11ax HEW80_Nss1,(MCS0)_1TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_V_1TX
 Setting 11.75
 01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.09022G	60.76	88.20	-27.44	41.97	3	Horizontal	281	2.69	-	39.69	9.49	30.39
RMS	13.09248G	49.69	68.20	-18.51	30.89	3	Horizontal	281	2.69	-	39.69	9.49	30.38

802.11ax HEW80_Nss1,(MCS0)_1TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_V_1TX
Setting 11.75
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.63761G	48.45	83.54	-35.09	44.95	1	Vertical	357	1.00	-	37.84	15.36	49.70
AV	19.63484G	38.05	63.54	-25.49	34.55	1	Vertical	357	1.00	-	37.85	15.35	49.70

802.11ax HEW80_Nss1,(MCS0)_1TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_V_1TX
Setting 11.75
01-C-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.63572G	49.31	83.54	-34.23	45.81	1	Horizontal	145	1.80	-	37.85	15.35	49.70
AV	19.63702G	38.33	63.54	-25.21	34.83	1	Horizontal	145	1.80	-	37.85	15.35	49.70

802.11ax HEW80_Nss1,(MCS0)_1TX

6625MHz_TnomVnom




EUT V_1TX
 Setting 22.5
 01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6202G	109.32	Inf	-Inf	99.28	3	Vertical	244	1.55	-	35.94	7.00	32.90
RMS	6.6274G	99.93	Inf	-Inf	89.88	3	Vertical	244	1.55	-	35.95	7.00	32.90
PK	7.1746G	64.07	88.20	-24.13	52.97	3	Vertical	244	1.55	-	37.00	7.21	33.11
RMS	7.2178G	53.37	68.20	-14.83	42.18	3	Vertical	244	1.55	-	37.10	7.22	33.13

802.11ax HEW80_Nss1,(MCS0)_1TX

6625MHz_TnomVnom




EUT V_1TX
 Setting 22.5
 01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.637G	101.41	Inf	-Inf	91.34	3	Horizontal	137	1.76	-	35.97	7.00	32.90
RMS	6.6274G	92.24	Inf	-Inf	82.19	3	Horizontal	137	1.76	-	35.95	7.00	32.90
PK	7.177G	64.55	88.20	-23.65	53.44	3	Horizontal	137	1.76	-	37.01	7.21	33.11
RMS	7.189G	53.35	68.20	-14.85	42.20	3	Horizontal	137	1.76	-	37.06	7.21	33.12

802.11ax HEW80_Nss1,(MCS0)_1TX

6625MHz_TnomVnom




EUT_V_1TX
Setting 22.5
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.25302G	60.41	74.00	-13.59	41.05	3	Vertical	212	2.67	-	39.95	9.56	30.15
AV	13.25314G	50.06	54.00	-3.94	30.70	3	Vertical	212	2.67	-	39.95	9.56	30.15

802.11ax HEW80_Nss1,(MCS0)_1TX

6625MHz_TnomVnom




EUT_V_1TX
 Setting 22.5
 01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.2503G	61.03	74.00	-12.97	41.67	3	Horizontal	146	1.18	-	39.95	9.56	30.15
AV	13.2511G	50.15	54.00	-3.85	30.79	3	Horizontal	146	1.18	-	39.95	9.56	30.15

802.11ax HEW80_Nss1,(MCS0)_1TX

6625MHz_TnomVnom




EUT_V_1TX
Setting 22.5
01-C-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.87898G	48.16	83.54	-35.38	44.82	1	Vertical	336	2.77	-	37.59	15.45	49.70	
AV	19.87374G	37.65	63.54	-25.89	34.30	1	Vertical	336	2.77	-	37.60	15.45	49.70	

802.11ax HEW80_Nss1,(MCS0)_1TX

6625MHz_TnomVnom




EUT_V_1TX
Setting 22.5
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.87302G	48.42	83.54	-35.12	45.07	1	Horizontal	345	1.23	-	37.60	15.45	49.70
AV	19.87566G	38.30	63.54	-25.24	34.95	1	Horizontal	345	1.23	-	37.60	15.45	49.70

802.11ax HEW80_Nss1,(MCS0)_1TX

6705MHz_TnomVnom




EUT Y_1TX
 Setting 23
 01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.699G	110.35	Inf	-Inf	100.37	3	Vertical	309	1.73	-	35.90	7.00	32.92	
RMS	6.703G	101.18	Inf	-Inf	91.18	3	Vertical	309	1.73	-	35.92	7.00	32.92	
PK	7.201G	65.62	88.20	-22.58	54.44	3	Vertical	309	1.73	-	37.10	7.20	33.12	
RMS	7.203G	53.92	68.20	-14.28	42.75	3	Vertical	309	1.73	-	37.10	7.20	33.13	

802.11ax HEW80_Nss1,(MCS0)_1TX

6705MHz_TnomVnom




EUT_V_1TX
 Setting 23
 01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.709G	105.20	Inf	-Inf	95.18	3	Horizontal	185	2.47	-	35.95	7.00	32.93	
RMS	6.703G	95.33	Inf	-Inf	85.33	3	Horizontal	185	2.47	-	35.92	7.00	32.92	
PK	7.133G	64.82	88.20	-23.38	53.92	3	Horizontal	185	2.47	-	36.76	7.23	33.09	
RMS	7.187G	53.87	68.20	-14.33	42.73	3	Horizontal	185	2.47	-	37.05	7.21	33.12	

802.11ax HEW80_Nss1,(MCS0)_1TX

6705MHz_TnomVnom




EUT_V_1TX
Setting 23
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.41189G	60.51	88.20	-27.69	40.58	3	Vertical	143	2.65	-	40.20	9.64	29.91
RMS	13.41096G	49.94	68.20	-18.26	30.02	3	Vertical	143	2.65	-	40.20	9.63	29.91

802.11ax HEW80_Nss1,(MCS0)_1TX

6705MHz_TnomVnom




EUT_V_1TX
 Setting 23
 01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.4132G	60.70	88.20	-27.50	40.77	3	Horizontal	168	1.12	-	40.20	9.64	29.91	
RMS	13.4085G	49.79	68.20	-18.41	29.88	3	Horizontal	168	1.12	-	40.20	9.63	29.92	

802.11ax HEW80_Nss1,(MCS0)_1TX

6705MHz_TnomVnom




EUT_V_1TX
Setting 23
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.11388G	48.08	83.54	-35.46	44.79	1	Vertical	87	2.66	-	37.49	15.55	49.75
AV	20.11206G	37.74	63.54	-25.80	34.44	1	Vertical	87	2.66	-	37.49	15.55	49.74

802.11ax HEW80_Nss1,(MCS0)_1TX

6705MHz_TnomVnom




EUT_V_1TX
 Setting 23
 01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.11334G	48.55	83.54	-34.99	45.26	1	Horizontal	163	2.83	-	37.49	15.55	49.75
AV	20.11897G	37.94	63.54	-25.60	34.64	1	Horizontal	163	2.83	-	37.50	15.55	49.75

802.11ax HEW80_Nss1,(MCS0)_1TX

6785MHz_TnomVnom




EUT V_1TX
Setting 20.75
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7802G	111.36	Inf	-Inf	101.11	3	Vertical	312	2.24	-	36.20	7.00	32.95
RMS	6.7834G	101.71	Inf	-Inf	91.46	3	Vertical	312	2.24	-	36.20	7.00	32.95
PK	7.1386G	64.27	88.20	-23.93	53.32	3	Vertical	312	2.24	-	36.81	7.23	33.09
RMS	7.1274G	53.95	68.20	-14.25	43.08	3	Vertical	312	2.24	-	36.72	7.24	33.09

802.11ax HEW80_Nss1,(MCS0)_1TX

6785MHz_TnomVnom




EUT V_1TX
 Setting 20.75
 01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7802G	102.51	Inf	-Inf	92.26	3	Horizontal	169	2.60	-	36.20	7.00	32.95
RMS	6.7834G	93.05	Inf	-Inf	82.80	3	Horizontal	169	2.60	-	36.20	7.00	32.95
PK	7.1722G	63.95	88.20	-24.25	52.86	3	Horizontal	169	2.60	-	36.99	7.21	33.11
RMS	7.1514G	53.75	68.20	-14.45	42.72	3	Horizontal	169	2.60	-	36.91	7.22	33.10

802.11ax HEW80_Nss1,(MCS0)_1TX

6785MHz_TnomVnom




EUT V_1TX
Setting 20.75
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.57032G	60.79	88.20	-27.41	40.55	3	Vertical	150	2.45	-	40.27	9.71	29.74
RMS	13.56731G	50.33	68.20	-17.87	30.09	3	Vertical	150	2.45	-	40.27	9.71	29.74

802.11ax HEW80_Nss1,(MCS0)_1TX

6785MHz_TnomVnom




EUT_V_1TX
 Setting 20.75
 01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.56843G	60.57	88.20	-27.63	40.33	3	Horizontal	275	1.57	-	40.27	9.71	29.74
RMS	13.57272G	50.06	68.20	-18.14	29.82	3	Horizontal	275	1.57	-	40.27	9.71	29.74

802.11ax HEW80_Nss1,(MCS0)_1TX

6785MHz_TnomVnom




EUT_V_1TX
Setting 20.75
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	20.35767G	49.24	83.54	-34.30	45.78	1	Vertical	271	2.53	-	37.64	15.66	49.84	
AV	20.35862G	39.28	63.54	-24.26	35.82	1	Vertical	271	2.53	-	37.64	15.66	49.84	

802.11ax HEW80_Nss1,(MCS0)_1TX

6785MHz_TnomVnom




EUT_V_1TX
Setting 20.75
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.35831G	50.07	83.54	-33.47	46.61	1	Horizontal	215	2.77	-	37.64	15.66	49.84
AV	20.35196G	38.96	63.54	-24.58	35.50	1	Horizontal	215	2.77	-	37.64	15.66	49.84

802.11ax HEW80_Nss1,(MCS0)_1TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_1TX
 Setting 11.5
 01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8674G	99.39	Inf	-Inf	88.81	3	Vertical	268	1.78	-	36.46	7.10	32.98
RMS	6.8674G	90.02	Inf	-Inf	79.44	3	Vertical	268	1.78	-	36.46	7.10	32.98
PK	7.1422G	64.08	88.20	-24.12	53.10	3	Vertical	268	1.78	-	36.84	7.23	33.09
RMS	7.1506G	53.74	68.20	-14.46	42.72	3	Vertical	268	1.78	-	36.90	7.22	33.10

802.11ax HEW80_Nss1,(MCS0)_1TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT V_1TX
 Setting 11.5
 01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8806G	91.40	Inf	-Inf	80.90	3	Horizontal	347	3.00	-	36.36	7.12	32.98
RMS	6.8674G	81.56	Inf	-Inf	70.98	3	Horizontal	347	3.00	-	36.46	7.10	32.98
PK	7.129G	64.32	88.20	-23.88	53.44	3	Horizontal	347	3.00	-	36.73	7.24	33.09
RMS	7.1458G	53.69	68.20	-14.51	42.69	3	Horizontal	347	3.00	-	36.87	7.23	33.10

802.11ax HEW80_Nss1,(MCS0)_1TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_1TX
 Setting 11.5
 01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.72974G	63.65	88.20	-24.55	42.93	3	Vertical	257	2.68	-	40.59	9.78	29.65
RMS	13.72918G	53.01	68.20	-15.19	32.29	3	Vertical	257	2.68	-	40.59	9.78	29.65

802.11ax HEW80_Nss1,(MCS0)_1TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_1TX
 Setting 11.5
 01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.72648G	63.47	88.20	-24.73	42.76	3	Horizontal	206	1.33	-	40.58	9.78	29.65
RMS	13.7311G	53.10	68.20	-15.10	32.38	3	Horizontal	206	1.33	-	40.59	9.78	29.65

802.11ax HEW80_Nss1,(MCS0)_1TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_1TX
Setting 11.5
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.59796G	48.66	83.54	-34.88	44.93	1	Vertical	185	1.26	-	37.82	15.77	49.86
AV	20.5926G	38.44	63.54	-25.10	34.72	1	Vertical	185	1.26	-	37.81	15.77	49.86

802.11ax HEW80_Nss1,(MCS0)_1TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_1TX
 Setting 11.5
 01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.59106G	48.36	83.54	-35.18	44.64	1	Horizontal	242	2.04	-	37.81	15.77	49.86
AV	20.5965G	38.28	63.54	-25.26	34.55	1	Horizontal	242	2.04	-	37.82	15.77	49.86

802.11ax HEW80_Nss1,(MCS0)_1TX

6945MHz_TnomVnom




EUT V_1TX
Setting 10.5
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9486G	102.39	Inf	-Inf	91.68	3	Vertical	63	1.35	-	36.49	7.22	33.00
RMS	6.9474G	92.63	Inf	-Inf	81.93	3	Vertical	63	1.35	-	36.48	7.22	33.00
PK	7.2282G	64.41	88.20	-23.79	53.22	3	Vertical	63	1.35	-	37.10	7.23	33.14
RMS	7.1994G	53.88	68.20	-14.32	42.70	3	Vertical	63	1.35	-	37.10	7.20	33.12

802.11ax HEW80_Nss1,(MCS0)_1TX

6945MHz_TnomVnom




EUT_V_1TX
 Setting 10.5
 01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9402G	90.51	Inf	-Inf	79.86	3	Horizontal	342	1.80	-	36.44	7.21	33.00
RMS	6.9426G	81.24	Inf	-Inf	70.57	3	Horizontal	342	1.80	-	36.46	7.21	33.00
PK	7.209G	65.18	88.20	-23.02	54.00	3	Horizontal	342	1.80	-	37.10	7.21	33.13
RMS	7.2378G	53.83	68.20	-14.37	42.63	3	Horizontal	342	1.80	-	37.10	7.24	33.14

802.11ax HEW80_Nss1,(MCS0)_1TX

6945MHz_TnomVnom




EUT_V_1TX
Setting 10.5
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.88885G	64.05	88.20	-24.15	42.86	3	Vertical	98	1.57	-	40.89	9.85	29.55	
RMS	13.8889G	53.55	68.20	-14.65	32.36	3	Vertical	98	1.57	-	40.89	9.85	29.55	

802.11ax HEW80_Nss1,(MCS0)_1TX

6945MHz_TnomVnom




EUT_V_1TX
 Setting 10.5
 01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.88862G	64.39	88.20	-23.81	43.20	3	Horizontal	296	2.88	-	40.89	9.85	29.55	
RMS	13.89056G	53.93	68.20	-14.27	32.74	3	Horizontal	296	2.88	-	40.89	9.85	29.55	

802.11ax HEW80_Nss1,(MCS0)_1TX

6945MHz_TnomVnom




EUT_V_1TX
Setting 10.5
01-C-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.8363G	49.83	83.54	-33.71	45.86	1	Vertical	291	2.47	-	37.86	15.88	49.77
AV	20.83382G	39.52	63.54	-24.02	35.54	1	Vertical	291	2.47	-	37.87	15.88	49.77

802.11ax HEW80_Nss1,(MCS0)_1TX

6945MHz_TnomVnom




EUT_V_1TX
Setting 10.5
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.83572G	50.06	83.54	-33.48	46.09	1	Horizontal	6	1.64	-	37.86	15.88	49.77
AV	20.83788G	40.00	63.54	-23.54	36.02	1	Horizontal	6	1.64	-	37.86	15.88	49.76

802.11ax HEW80_Nss1,(MCS0)_1TX

7025MHz_TnomVnom




EUT_V_1TX
 Setting 10.5
 01-M-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0066G	106.53	Inf	-Inf	95.91	3	Vertical	50	1.66	-	36.34	7.30	33.02
RMS	7.0002G	98.74	Inf	-Inf	88.16	3	Vertical	50	1.66	-	36.30	7.30	33.02
PK	7.125G	79.58	88.20	-8.62	68.73	3	Vertical	50	1.66	-	36.70	7.24	33.09
RMS	7.125G	67.88	68.20	-0.32	57.03	3	Vertical	50	1.66	-	36.70	7.24	33.09

802.11ax HEW80_Nss1,(MCS0)_1TX

7025MHz_TnomVnom




EUT_V_1TX
 Setting 10.5
 01-M-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.0066G	100.75	Inf	-Inf	90.13	3	Horizontal	29	2.87	-	36.34	7.30	33.02	
RMS	6.9986G	92.87	Inf	-Inf	82.28	3	Horizontal	29	2.87	-	36.31	7.30	33.02	
PK	7.125G	74.48	88.20	-13.72	63.63	3	Horizontal	29	2.87	-	36.70	7.24	33.09	
RMS	7.125G	63.15	68.20	-5.05	52.30	3	Horizontal	29	2.87	-	36.70	7.24	33.09	

802.11ax HEW80_Nss1,(MCS0)_1TX

7025MHz_TnomVnom




EUT_V_1TX
 Setting 10.5
 01-M-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	14.05248G	63.83	88.20	-24.37	42.54	3	Vertical	198	1.53	-	40.90	9.92	29.53	
RMS	14.05262G	52.75	68.20	-15.45	31.46	3	Vertical	198	1.53	-	40.90	9.92	29.53	

802.11ax HEW80_Nss1,(MCS0)_1TX

7025MHz_TnomVnom




EUT_V_1TX
 Setting 10.5
 01-M-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	14.04764G	62.46	88.20	-25.74	41.17	3	Horizontal	296	1.84	-	40.90	9.91	29.52	
RMS	14.0484G	52.76	68.20	-15.44	31.47	3	Horizontal	296	1.84	-	40.90	9.91	29.52	

802.11ax HEW80_Nss1,(MCS0)_1TX

7025MHz_TnomVnom




EUT_V_1TX
Setting 10.5
01-M-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.07368G	47.82	83.54	-35.72	43.93	1	Vertical	357	1.53	-	37.60	15.98	49.69
AV	21.07572G	37.84	63.54	-25.70	33.94	1	Vertical	357	1.53	-	37.60	15.98	49.68

802.11ax HEW80_Nss1,(MCS0)_1TX

7025MHz_TnomVnom




EUT_V_1TX
Setting 10.5
01-M-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.07594G	47.49	83.54	-36.05	43.59	1	Horizontal	326	1.56	-	37.60	15.98	49.68
AV	21.07704G	37.85	63.54	-25.69	33.95	1	Horizontal	326	1.56	-	37.60	15.98	49.68

802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TnomVnom




EUT_V_1TX
 Setting 16.25
 01-M-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.8906G	81.04	88.20	-7.16	72.36	3	Vertical	19	2.31	-	34.88	6.60	32.80	
RMS	5.9162G	68.17	68.20	-0.03	59.42	3	Vertical	19	2.31	-	34.96	6.60	32.81	
PK	6.0538G	103.42	Inf	-Inf	94.37	3	Vertical	19	2.31	-	35.21	6.68	32.84	
RMS	6.0986G	96.13	Inf	-Inf	86.92	3	Vertical	19	2.31	-	35.30	6.75	32.84	

802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TnomVnom




EUT Y_1TX
 Setting 16.25
 01-M-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8906G	72.77	88.20	-15.43	64.09	3	Horizontal	349	2.93	-	34.88	6.60	32.80
RMS	5.9018G	59.29	68.20	-8.91	50.58	3	Horizontal	349	2.93	-	34.91	6.60	32.80
PK	5.993G	94.72	Inf	-Inf	85.69	3	Horizontal	349	2.93	-	35.27	6.60	32.84
RMS	5.993G	86.69	Inf	-Inf	77.66	3	Horizontal	349	2.93	-	35.27	6.60	32.84

802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TnomVnom




EUT_V_1TX
Setting 16.25
01-M-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.052G	58.44	74.00	-15.56	42.42	3	Vertical	348	2.50	-	38.55	9.02	31.55
AV	12.04626G	48.52	54.00	-5.48	32.49	3	Vertical	348	2.50	-	38.55	9.02	31.54

802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TnomVnom




EUT_V_1TX
 Setting 16.25
 01-M-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.0466G	58.21	74.00	-15.79	42.18	3	Horizontal	348	1.98	-	38.55	9.02	31.54
AV	12.04716G	49.02	54.00	-4.98	32.99	3	Horizontal	348	1.98	-	38.55	9.02	31.54

802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TnomVnom




EUT_V_1TX
Setting 16.25
01-M-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	18.07482G	44.86	83.54	-38.68	42.76	1	Vertical	281	1.52	-	37.64	14.73	50.27	
AV	18.07146G	35.19	63.54	-28.35	33.09	1	Vertical	281	1.52	-	37.64	14.73	50.27	

802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TnomVnom




EUT_V_1TX
 Setting 16.25
 01-M-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	18.07252G	45.44	83.54	-38.10	43.34	1	Horizontal	359	1.58	-	37.64	14.73	50.27
AV	18.07706G	35.16	63.54	-28.38	33.06	1	Horizontal	359	1.58	-	37.64	14.73	50.27

802.11ax HEW160_Nss1,(MCS0)_1TX

6185MHz_TnomVnom




EUT_V_1TX
 Setting 23
 01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9178G	62.67	88.20	-25.53	53.91	3	Vertical	287	1.80	-	34.97	6.60	32.81
RMS	5.921G	51.69	68.20	-16.51	42.92	3	Vertical	287	1.80	-	34.98	6.60	32.81
PK	6.169G	108.10	Inf	-Inf	98.72	3	Vertical	287	1.80	-	35.38	6.85	32.85
RMS	6.1882G	98.56	Inf	-Inf	89.08	3	Vertical	287	1.80	-	35.45	6.88	32.85

802.11ax HEW160_Nss1,(MCS0)_1TX

6185MHz_TnomVnom




EUT_V_1TX
 Setting 23
 01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.921G	65.74	88.20	-22.46	56.97	3	Horizontal	182	2.90	-	34.98	6.60	32.81	
RMS	5.921G	52.48	68.20	-15.72	43.71	3	Horizontal	182	2.90	-	34.98	6.60	32.81	
PK	6.1818G	103.48	Inf	-Inf	94.03	3	Horizontal	182	2.90	-	35.43	6.87	32.85	
RMS	6.1882G	93.89	Inf	-Inf	84.41	3	Horizontal	182	2.90	-	35.45	6.88	32.85	

802.11ax HEW160_Nss1,(MCS0)_1TX

6185MHz_TnomVnom




EUT_V_1TX
Setting 23
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.3707G	57.10	74.00	-16.90	40.87	3	Vertical	54	2.67	-	38.64	9.17	31.58	
AV	12.37355G	46.85	54.00	-7.15	30.61	3	Vertical	54	2.67	-	38.65	9.17	31.58	

802.11ax HEW160_Nss1,(MCS0)_1TX

6185MHz_TnomVnom




EUT_V_1TX
 Setting 23
 01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.36813G	57.90	74.00	-16.10	41.67	3	Horizontal	188	1.74	-	38.64	9.17	31.58
AV	12.37174G	47.02	54.00	-6.98	30.79	3	Horizontal	188	1.74	-	38.64	9.17	31.58

802.11ax HEW160_Nss1,(MCS0)_1TX

6185MHz_TnomVnom




EUT_V_1TX
Setting 23
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.55788G	47.25	83.54	-36.29	44.59	1	Vertical	193	2.74	-	37.78	14.92	50.04
AV	18.55284G	36.66	63.54	-26.88	34.01	1	Vertical	193	2.74	-	37.78	14.92	50.05

802.11ax HEW160_Nss1,(MCS0)_1TX

6185MHz_TnomVnom




EUT_V_1TX
Setting 23
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.5565G	46.72	83.54	-36.82	44.06	1	Horizontal	256	2.31	-	37.78	14.92	50.04
AV	18.55202G	36.37	63.54	-27.17	33.72	1	Horizontal	256	2.31	-	37.78	14.92	50.05

802.11ax HEW160_Nss1,(MCS0)_1TX

6345MHz_TnomVnom




EUT Y_1TX
 Setting 15
 01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.909G	60.59	88.20	-27.61	51.85	3	Vertical	226	1.85	-	34.94	6.60	32.80	
RMS	5.921G	50.76	68.20	-17.44	41.99	3	Vertical	226	1.85	-	34.98	6.60	32.81	
PK	6.369G	106.66	Inf	-Inf	97.12	3	Vertical	226	1.85	-	35.41	6.98	32.85	
RMS	6.349G	97.80	Inf	-Inf	88.38	3	Vertical	226	1.85	-	35.30	6.97	32.85	

802.11ax HEW160_Nss1,(MCS0)_1TX

6345MHz_TnomVnom




EUT_V_1TX
 Setting 15
 01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.909G	61.49	88.20	-26.71	52.75	3	Horizontal	174	2.67	-	34.94	6.60	32.80	
RMS	5.923G	50.71	68.20	-17.49	41.93	3	Horizontal	174	2.67	-	34.99	6.60	32.81	
PK	6.357G	101.57	Inf	-Inf	92.10	3	Horizontal	174	2.67	-	35.34	6.98	32.85	
RMS	6.349G	92.53	Inf	-Inf	83.11	3	Horizontal	174	2.67	-	35.30	6.97	32.85	

802.11ax HEW160_Nss1,(MCS0)_1TX

6345MHz_TnomVnom




EUT_V_1TX
Setting 15
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.69354G	58.77	74.00	-15.23	41.66	3	Vertical	283	2.03	-	38.98	9.31	31.18
AV	12.6933G	48.22	54.00	-5.78	31.11	3	Vertical	283	2.03	-	38.98	9.31	31.18

802.11ax HEW160_Nss1,(MCS0)_1TX

6345MHz_TnomVnom




EUT_V_1TX
 Setting 15
 01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.68715G	58.93	74.00	-15.07	41.85	3	Horizontal	265	1.14	-	38.96	9.31	31.19
AV	12.68997G	48.05	54.00	-5.95	30.95	3	Horizontal	265	1.14	-	38.97	9.31	31.18

802.11ax HEW160_Nss1,(MCS0)_1TX

6345MHz_TnomVnom




EUT_V_1TX
Setting 15
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.03575G	47.40	83.54	-36.14	43.94	1	Vertical	313	1.83	-	37.96	15.11	49.61
AV	19.03209G	36.53	63.54	-27.01	33.07	1	Vertical	313	1.83	-	37.96	15.11	49.61

802.11ax HEW160_Nss1,(MCS0)_1TX

6345MHz_TnomVnom




EUT_V_1TX
Setting 15
01-C-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.03204G	47.62	83.54	-35.92	44.16	1	Horizontal	253	1.97	-	37.96	15.11	49.61
AV	19.03874G	36.75	63.54	-26.79	33.29	1	Horizontal	253	1.97	-	37.95	15.12	49.61

802.11ax HEW160_Nss1,(MCS0)_1TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_V_1TX
 Setting 14
 01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8554G	61.16	88.20	-27.04	52.53	3	Vertical	222	1.85	-	34.81	6.60	32.78
RMS	5.925G	50.92	68.20	-17.28	42.13	3	Vertical	222	1.85	-	35.00	6.60	32.81
PK	6.4882G	101.21	Inf	-Inf	91.52	3	Vertical	222	1.85	-	35.55	7.00	32.86
RMS	6.4966G	91.83	Inf	-Inf	82.10	3	Vertical	222	1.85	-	35.59	7.00	32.86
PK	7.177G	65.83	88.20	-22.37	54.72	3	Vertical	222	1.85	-	37.01	7.21	33.11
RMS	7.1938G	54.11	68.20	-14.09	42.95	3	Vertical	222	1.85	-	37.08	7.20	33.12

802.11ax HEW160_Nss1,(MCS0)_1TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_V_1TX
 Setting 14
 01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8274G	61.33	88.20	-26.87	52.88	3	Horizontal	154	2.64	-	34.62	6.60	32.77
RMS	5.925G	50.92	68.20	-17.28	42.13	3	Horizontal	154	2.64	-	35.00	6.60	32.81
PK	6.4882G	90.63	Inf	-Inf	80.94	3	Horizontal	154	2.64	-	35.55	7.00	32.86
RMS	6.4966G	81.22	Inf	-Inf	71.49	3	Horizontal	154	2.64	-	35.59	7.00	32.86
PK	7.1826G	64.61	88.20	-23.59	53.48	3	Horizontal	154	2.64	-	37.03	7.21	33.11
RMS	7.191G	54.06	68.20	-14.14	42.92	3	Horizontal	154	2.64	-	37.06	7.20	33.12

802.11ax HEW160_Nss1,(MCS0)_1TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_V_1TX
 Setting 14
 01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.01294G	59.67	88.20	-28.53	41.10	3	Vertical	344	2.13	-	39.61	9.46	30.50
RMS	13.0071G	49.23	68.20	-18.97	30.68	3	Vertical	344	2.13	-	39.61	9.45	30.51

802.11ax HEW160_Nss1,(MCS0)_1TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_V_1TX
 Setting 14
 01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.00613G	59.98	88.20	-28.22	41.43	3	Horizontal	197	2.57	-	39.61	9.45	30.51	
RMS	13.0068G	49.30	68.20	-18.90	30.75	3	Horizontal	197	2.57	-	39.61	9.45	30.51	

802.11ax HEW160_Nss1,(MCS0)_1TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_Y_1TX
 Setting 14
 01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.51586G	47.74	83.54	-35.80	44.24	1	Vertical	33	1.31	-	37.89	15.31	49.70
AV	19.51426G	36.83	63.54	-26.71	33.33	1	Vertical	33	1.31	-	37.89	15.31	49.70

802.11ax HEW160_Nss1,(MCS0)_1TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_Y_1TX
 Setting 14
 01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.51366G	48.25	83.54	-35.29	44.75	1	Horizontal	189	1.21	-	37.89	15.31	49.70
AV	19.51714G	36.68	63.54	-26.86	33.18	1	Horizontal	189	1.21	-	37.89	15.31	49.70

802.11ax HEW160_Nss1,(MCS0)_1TX

6665MHz_TnomVnom




EUT_V_1TX
 Setting 18.75
 01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.6606G	108.01	Inf	-Inf	97.94	3	Vertical	218	1.90	-	35.98	7.00	32.91	
RMS	6.6694G	98.42	Inf	-Inf	88.37	3	Vertical	218	1.90	-	35.96	7.00	32.91	
PK	7.1908G	65.39	88.20	-22.81	54.25	3	Vertical	218	1.90	-	37.06	7.20	33.12	
RMS	7.1974G	54.25	68.20	-13.95	43.08	3	Vertical	218	1.90	-	37.09	7.20	33.12	

802.11ax HEW160_Nss1,(MCS0)_1TX

6665MHz_TnomVnom




EUT_V_1TX
 Setting 18.75
 01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.6606G	101.83	Inf	-Inf	91.76	3	Horizontal	185	2.48	-	35.98	7.00	32.91	
RMS	6.6694G	92.68	Inf	-Inf	82.63	3	Horizontal	185	2.48	-	35.96	7.00	32.91	
PK	7.2084G	64.83	88.20	-23.37	53.65	3	Horizontal	185	2.48	-	37.10	7.21	33.13	
RMS	7.2128G	54.10	68.20	-14.10	42.92	3	Horizontal	185	2.48	-	37.10	7.21	33.13	

802.11ax HEW160_Nss1,(MCS0)_1TX

6665MHz_TnomVnom




EUT_V_1TX
Setting 18.75
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.3276G	60.31	74.00	-13.69	40.69	3	Vertical	256	1.96	-	40.06	9.60	30.04
AV	13.33326G	49.49	54.00	-4.51	29.85	3	Vertical	256	1.96	-	40.07	9.60	30.03

802.11ax HEW160_Nss1,(MCS0)_1TX

6665MHz_TnomVnom




EUT V_1TX
Setting 18.75
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.32915G	60.56	74.00	-13.44	40.93	3	Horizontal	185	2.63	-	40.06	9.60	30.03
AV	13.33157G	50.41	54.00	-3.59	30.78	3	Horizontal	185	2.63	-	40.06	9.60	30.03

802.11ax HEW160_Nss1,(MCS0)_1TX

6665MHz_TnomVnom




EUT_V_1TX
Setting 18.75
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.99654G	48.29	83.54	-35.25	45.08	1	Vertical	63	2.75	-	37.41	15.50	49.70
AV	19.99588G	37.78	63.54	-25.76	34.57	1	Vertical	63	2.75	-	37.41	15.50	49.70

802.11ax HEW160_Nss1,(MCS0)_1TX

6665MHz_TnomVnom




EUT_V_1TX
Setting 18.75
01-C-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.99625G	48.66	83.54	-34.88	45.45	1	Horizontal	1	3.00	-	37.41	15.50	49.70
AV	19.99466G	37.92	63.54	-25.62	34.71	1	Horizontal	1	3.00	-	37.41	15.50	49.70

802.11ax HEW160_Nss1,(MCS0)_1TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_1TX
 Setting 14
 01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8378G	99.75	Inf	-Inf	89.16	3	Vertical	268	1.75	-	36.50	7.06	32.97
RMS	6.8298G	90.02	Inf	-Inf	79.51	3	Vertical	268	1.75	-	36.44	7.04	32.97
PK	7.1402G	65.05	88.20	-23.15	54.09	3	Vertical	268	1.75	-	36.82	7.23	33.09
RMS	7.209G	54.10	68.20	-14.10	42.92	3	Vertical	268	1.75	-	37.10	7.21	33.13

802.11ax HEW160_Nss1,(MCS0)_1TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_1TX
 Setting 14
 01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.809G	90.61	Inf	-Inf	80.29	3	Horizontal	170	2.60	-	36.27	7.01	32.96
RMS	6.817G	81.20	Inf	-Inf	70.79	3	Horizontal	170	2.60	-	36.34	7.03	32.96
PK	7.1962G	64.50	88.20	-23.70	53.34	3	Horizontal	170	2.60	-	37.08	7.20	33.12
RMS	7.2074G	54.12	68.20	-14.08	42.94	3	Horizontal	170	2.60	-	37.10	7.21	33.13

802.11ax HEW160_Nss1,(MCS0)_1TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_1TX
 Setting 14
 01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.64848G	63.46	88.20	-24.74	43.01	3	Vertical	68	1.64	-	40.40	9.74	29.69
RMS	13.64812G	52.72	68.20	-15.48	32.27	3	Vertical	68	1.64	-	40.40	9.74	29.69

802.11ax HEW160_Nss1,(MCS0)_1TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_1TX
 Setting 14
 01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.65097G	63.06	88.20	-25.14	42.61	3	Horizontal	3	2.81	-	40.40	9.74	29.69
RMS	13.64985G	52.38	68.20	-15.82	31.93	3	Horizontal	3	2.81	-	40.40	9.74	29.69

802.11ax HEW160_Nss1,(MCS0)_1TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_1TX
Setting 14
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	20.47482G	49.14	83.54	-34.40	45.63	1	Vertical	255	2.20	-	37.69	15.71	49.89	
AV	20.47799G	38.62	63.54	-24.92	35.10	1	Vertical	255	2.20	-	37.69	15.72	49.89	

802.11ax HEW160_Nss1,(MCS0)_1TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_1TX
 Setting 14
 01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.4759G	49.46	83.54	-34.08	45.95	1	Horizontal	171	1.16	-	37.69	15.71	49.89
AV	20.47162G	38.48	63.54	-25.06	34.97	1	Horizontal	171	1.16	-	37.69	15.71	49.89

802.11ax HEW160_Nss1,(MCS0)_1TX

6985MHz_TnomVnom




EUT_V_1TX
 Setting 13
 01-M-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.013G	101.56	Inf	-Inf	90.92	3	Vertical	36	2.21	-	36.38	7.29	33.03
RMS	7.012G	93.74	Inf	-Inf	83.11	3	Vertical	36	2.21	-	36.37	7.29	33.03
PK	7.13G	81.24	88.20	-6.96	70.35	3	Vertical	36	2.21	-	36.74	7.24	33.09
RMS	7.128G	68.19	68.20	-0.01	57.32	3	Vertical	36	2.21	-	36.72	7.24	33.09

802.11ax HEW160_Nss1,(MCS0)_1TX

6985MHz_TnomVnom




EUT_V_1TX
Setting 13
01-M-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.97G	94.02	Inf	-Inf	83.36	3	Horizontal	28	2.90	-	36.42	7.25	33.01	
RMS	6.977G	86.59	Inf	-Inf	75.94	3	Horizontal	28	2.90	-	36.39	7.27	33.01	
PK	7.13G	73.73	88.20	-14.47	62.84	3	Horizontal	28	2.90	-	36.74	7.24	33.09	
RMS	7.128G	60.35	68.20	-7.85	49.48	3	Horizontal	28	2.90	-	36.72	7.24	33.09	

802.11ax HEW160_Nss1,(MCS0)_1TX

6985MHz_TnomVnom




EUT V_1TX
 Setting 16.25
 01-M-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.9703G	62.39	88.20	-25.81	41.11	3	Vertical	133	1.10	-	40.90	9.89	29.51	
RMS	13.9747G	52.49	68.20	-15.71	31.20	3	Vertical	133	1.10	-	40.90	9.89	29.50	

802.11ax HEW160_Nss1,(MCS0)_1TX

6985MHz_TnomVnom




EUT_V_1TX
 Setting 16.25
 01-M-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.96774G	62.32	88.20	-25.88	41.04	3	Horizontal	359	2.88	-	40.90	9.89	29.51	
RMS	13.96722G	52.48	68.20	-15.72	31.20	3	Horizontal	359	2.88	-	40.90	9.89	29.51	

802.11ax HEW160_Nss1,(MCS0)_1TX

6985MHz_TnomVnom




EUT_V_1TX
Setting 16.25
01-M-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.95214G	47.69	83.54	-35.85	43.80	1	Vertical	309	1.57	-	37.68	15.93	49.72
AV	20.9574G	38.05	63.54	-25.49	34.17	1	Vertical	309	1.57	-	37.67	15.93	49.72

802.11ax HEW160_Nss1,(MCS0)_1TX

6985MHz_TnomVnom



EUT_V_1TX
Setting 16.25
01-M-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.95248G	47.84	83.54	-35.70	43.95	1	Horizontal	240	1.51	-	37.68	15.93	49.72
AV	20.9554G	38.16	63.54	-25.38	34.28	1	Horizontal	240	1.51	-	37.67	15.93	49.72



RSE TX above 1GHz
<Full RU> low power_Non-beamforming mode_1TX_Ant. 3


Appendix E.4

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80_Nss1.(MCS0)_1TX	Pass	AV	11.9841G	53.97	54.00	-0.03	3	Horizontal	211	1.79	-

802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TnomVnom




EUT Y_1TX
 Setting 14
 01-M-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9242G	68.73	88.20	-19.47	59.94	3	Vertical	90	1.46	-	35.00	6.60	32.81	
RMS	5.925G	52.83	68.20	-15.37	44.04	3	Vertical	90	1.46	-	35.00	6.60	32.81	
PK	5.9546G	112.85	Inf	-Inf	103.95	3	Vertical	90	1.46	-	35.12	6.60	32.82	
RMS	5.9538G	102.29	Inf	-Inf	93.39	3	Vertical	90	1.46	-	35.12	6.60	32.82	

802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TnomVnom




EUT_V_1TX
Setting 14
01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.91264G	57.97	74.00	-16.03	42.06	3	Vertical	38	1.80	-	38.50	8.98	31.57
AV	11.91726G	48.32	54.00	-5.68	32.41	3	Vertical	38	1.80	-	38.50	8.98	31.57

802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TnomVnom




EUT_V_1TX
Setting 14
01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.9076G	63.81	74.00	-10.19	47.91	3	Horizontal	211	1.80	-	38.50	8.98	31.58
AV	11.9115G	53.77	54.00	-0.23	37.87	3	Horizontal	211	1.80	-	38.50	8.98	31.58

802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TnomVnom




EUT_V_1TX
 Setting 23
 03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.923G	58.62	88.20	-29.58	51.97	3	Vertical	70	1.78	-	34.69	7.52	35.56	
RMS	5.921G	47.58	68.20	-20.62	40.94	3	Vertical	70	1.78	-	34.68	7.52	35.56	
PK	6.195G	117.98	Inf	-Inf	110.62	3	Vertical	70	1.78	-	35.18	7.70	35.52	
RMS	6.195G	108.34	Inf	-Inf	100.98	3	Vertical	70	1.78	-	35.18	7.70	35.52	

802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TnomVnom




EUT_V_1TX
 Setting 23
 03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.39114G	58.51	74.00	-15.49	43.92	3	Vertical	229	1.69	-	38.89	11.11	35.41
AV	12.38742G	45.04	54.00	-8.96	30.45	3	Vertical	229	1.69	-	38.89	11.11	35.41

802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TnomVnom




EUT_V_1TX
Setting 23
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.39366G	65.07	74.00	-8.93	50.48	3	Horizontal	204	2.31	-	38.89	11.11	35.41
AV	12.38736G	50.97	54.00	-3.03	36.38	3	Horizontal	204	2.31	-	38.89	11.11	35.41

802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TnomVnom




EUT_V_1TX
Setting 23
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.5901G	46.41	83.54	-37.13	43.72	1	Vertical	97	2.66	-	37.76	14.94	50.01
AV	18.58704G	32.44	63.54	-31.10	29.75	1	Vertical	97	2.66	-	37.77	14.93	50.01

802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TnomVnom




EUT_V_1TX
Setting 23
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	18.57942G	45.81	83.54	-37.73	43.13	1	Horizontal	144	2.34	-	37.77	14.93	50.02	
AV	18.58572G	32.42	63.54	-31.12	29.73	1	Horizontal	144	2.34	-	37.77	14.93	50.01	

802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TnomVnom




EUT V_1TX
 Setting 19.5
 03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8774G	59.32	88.20	-28.88	52.92	3	Vertical	70	1.80	-	34.46	7.48	35.54
RMS	5.9158G	47.49	68.20	-20.71	40.87	3	Vertical	70	1.80	-	34.66	7.52	35.56
PK	6.4182G	117.54	Inf	-Inf	110.40	3	Vertical	70	1.80	-	34.83	7.74	35.43
RMS	6.415G	108.99	Inf	-Inf	101.85	3	Vertical	70	1.80	-	34.84	7.73	35.43
PK	7.1382G	60.71	88.20	-27.49	52.01	3	Vertical	70	1.80	-	36.03	8.20	35.53
RMS	7.2118G	50.29	68.20	-17.91	41.15	3	Vertical	70	1.80	-	36.47	8.22	35.55

802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TnomVnom




EUT_V_1TX
Setting 19.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.82724G	58.69	88.20	-29.51	42.54	3	Vertical	227	1.80	-	39.33	11.46	34.64
RMS	12.8273G	44.66	68.20	-23.54	28.51	3	Vertical	227	1.80	-	39.33	11.46	34.64

802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TnomVnom




EUT_V_1TX
 Setting 19.5
 03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.83372G	64.25	88.20	-23.95	48.07	3	Horizontal	204	2.20	-	39.33	11.47	34.62
RMS	12.8273G	50.54	68.20	-17.66	34.39	3	Horizontal	204	2.20	-	39.33	11.46	34.64

802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TnomVnom




EUT_V_1TX
Setting 19.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.25586G	46.52	83.54	-37.02	43.27	1	Vertical	158	1.19	-	37.70	15.20	49.65
AV	19.23G	33.00	63.54	-30.54	29.74	1	Vertical	158	1.19	-	37.72	15.19	49.65

802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TnomVnom




EUT_V_1TX
 Setting 19.5
 03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.2345G	45.81	83.54	-37.73	42.55	1	Horizontal	248	2.89	-	37.72	15.19	49.65
AV	19.23006G	32.84	63.54	-30.70	29.58	1	Horizontal	248	2.89	-	37.72	15.19	49.65

802.11ax HEW20_Nss1,(MCS0)_1TX

6435MHz_TnomVnom




EUT V_1TX
 Setting 5.75
 03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.875G	58.47	88.20	-29.73	52.09	3	Vertical	71	1.79	-	34.45	7.47	35.54
RMS	5.925G	47.50	68.20	-20.70	40.84	3	Vertical	71	1.79	-	34.70	7.52	35.56
PK	6.435G	102.08	Inf	-Inf	94.98	3	Vertical	71	1.79	-	34.76	7.77	35.43
RMS	6.435G	93.38	Inf	-Inf	86.28	3	Vertical	71	1.79	-	34.76	7.77	35.43
PK	7.1902G	60.89	88.20	-27.31	51.89	3	Vertical	71	1.79	-	36.34	8.20	35.54
RMS	7.2318G	50.44	68.20	-17.76	41.14	3	Vertical	71	1.79	-	36.59	8.26	35.55

802.11ax HEW20_Nss1,(MCS0)_1TX

6435MHz_TnomVnom




EUT_V_1TX
Setting 5.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.8628G	56.60	88.20	-31.60	40.31	3	Vertical	338	2.59	-	39.36	11.49	34.56	
RMS	12.8697G	42.79	68.20	-25.41	26.46	3	Vertical	338	2.59	-	39.37	11.50	34.54	

802.11ax HEW20_Nss1,(MCS0)_1TX

6435MHz_TnomVnom




EUT V_1TX
 Setting 5.75
 03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.86106G	56.55	88.20	-31.65	40.26	3	Horizontal	208	1.90	-	39.36	11.49	34.56
RMS	12.87006G	42.72	68.20	-25.48	26.39	3	Horizontal	208	1.90	-	39.37	11.50	34.54

802.11ax HEW20_Nss1,(MCS0)_1TX

6435MHz_TnomVnom




EUT_V_1TX
Setting 5.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.31616G	47.16	83.54	-36.38	43.84	1	Vertical	326	2.72	-	37.75	15.23	49.66
AV	19.29186G	32.86	63.54	-30.68	29.57	1	Vertical	326	2.72	-	37.73	15.22	49.66

802.11ax HEW20_Nss1,(MCS0)_1TX

6435MHz_TnomVnom




EUT_V_1TX
Setting 5.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.2954G	46.16	83.54	-37.38	42.86	1	Horizontal	219	2.53	-	37.74	15.22	49.66
AV	19.29786G	32.67	63.54	-30.87	29.37	1	Horizontal	219	2.53	-	37.74	15.22	49.66

802.11ax HEW20_Nss1,(MCS0)_1TX

6475MHz_TnomVnom




EUT_V_1TX
 Setting 6
 03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.746G	58.15	88.20	-30.05	52.01	3	Vertical	73	1.81	-	34.21	7.40	35.47
RMS	5.92G	47.54	68.20	-20.66	40.90	3	Vertical	73	1.81	-	34.68	7.52	35.56
PK	6.478G	102.31	Inf	-Inf	95.16	3	Vertical	73	1.81	-	34.70	7.86	35.41
RMS	6.475G	92.91	Inf	-Inf	85.77	3	Vertical	73	1.81	-	34.70	7.85	35.41
PK	7.192G	60.91	88.20	-27.29	51.90	3	Vertical	73	1.81	-	36.35	8.20	35.54
RMS	7.216G	50.30	68.20	-17.90	41.12	3	Vertical	73	1.81	-	36.50	8.23	35.55

802.11ax HEW20_Nss1,(MCS0)_1TX

6475MHz_TnomVnom




EUT_V_1TX
Setting 6
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.94418G	56.48	88.20	-31.72	39.85	3	Vertical	235	2.89	-	39.44	11.56	34.37
RMS	12.95144G	42.85	68.20	-25.35	26.19	3	Vertical	235	2.89	-	39.45	11.56	34.35

802.11ax HEW20_Nss1,(MCS0)_1TX

6475MHz_TnomVnom




EUT_V_1TX
 Setting 6
 03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.95774G	56.23	88.20	-31.97	39.54	3	Horizontal	258	1.42	-	39.46	11.57	34.34	
RMS	12.95306G	42.86	68.20	-25.34	26.20	3	Horizontal	258	1.42	-	39.45	11.56	34.35	

802.11ax HEW20_Nss1,(MCS0)_1TX

6475MHz_TnomVnom




EUT_V_1TX
Setting 6
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.43988G	46.59	83.54	-36.95	43.15	1	Vertical	280	2.32	-	37.85	15.28	49.69
AV	19.41138G	33.04	63.54	-30.50	29.63	1	Vertical	280	2.32	-	37.83	15.26	49.68

802.11ax HEW20_Nss1,(MCS0)_1TX

6475MHz_TnomVnom




EUT_V_1TX
Setting 6
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.437G	46.84	83.54	-36.70	43.41	1	Horizontal	187	2.65	-	37.85	15.27	49.69
AV	19.41384G	32.99	63.54	-30.55	29.57	1	Horizontal	187	2.65	-	37.83	15.27	49.68

802.11ax HEW20_Nss1,(MCS0)_1TX

6515MHz_TnomVnom




EUT_V_1TX
 Setting 6
 03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8962G	57.77	88.20	-30.43	51.24	3	Vertical	88	1.83	-	34.58	7.50	35.55
RMS	5.9214G	47.53	68.20	-20.67	40.88	3	Vertical	88	1.83	-	34.69	7.52	35.56
PK	6.5178G	102.29	Inf	-Inf	94.98	3	Vertical	88	1.83	-	34.77	7.94	35.40
RMS	6.515G	92.88	Inf	-Inf	85.59	3	Vertical	88	1.83	-	34.76	7.93	35.40
PK	7.173G	60.59	88.20	-27.61	51.68	3	Vertical	88	1.83	-	36.24	8.20	35.53
RMS	7.215G	50.04	68.20	-18.16	40.87	3	Vertical	88	1.83	-	36.49	8.23	35.55

802.11ax HEW20_Nss1,(MCS0)_1TX

6515MHz_TnomVnom




EUT_V_1TX
 Setting 6
 03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.03906G	58.22	88.20	-29.98	41.15	3	Vertical	56	2.25	-	39.62	11.63	34.18	
RMS	13.03174G	44.01	68.20	-24.19	26.97	3	Vertical	56	2.25	-	39.60	11.63	34.19	

802.11ax HEW20_Nss1,(MCS0)_1TX

6515MHz_TnomVnom




EUT_V_1TX
 Setting 6
 03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.01614G	57.52	88.20	-30.68	40.57	3	Horizontal	116	3.00	-	39.55	11.61	34.21
RMS	13.03348G	44.20	68.20	-24.00	27.15	3	Horizontal	116	3.00	-	39.60	11.63	34.18

802.11ax HEW20_Nss1,(MCS0)_1TX

6515MHz_TnomVnom




EUT_V_1TX
Setting 6
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.53054G	47.15	83.54	-36.39	43.65	1	Vertical	36	2.72	-	37.89	15.31	49.70
AV	19.55814G	33.40	63.54	-30.14	29.90	1	Vertical	36	2.72	-	37.88	15.32	49.70

802.11ax HEW20_Nss1,(MCS0)_1TX

6515MHz_TnomVnom




EUT_V_1TX
Setting 6
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.53114G	46.98	83.54	-36.56	43.48	1	Horizontal	252	2.52	-	37.89	15.31	49.70
AV	19.55526G	33.50	63.54	-30.04	30.00	1	Horizontal	252	2.52	-	37.88	15.32	49.70

802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TnomVnom




EUT_V_1TX
 Setting 21
 03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8406G	57.51	88.20	-30.69	51.31	3	Vertical	69	1.80	-	34.28	7.44	35.52
RMS	5.9246G	47.53	68.20	-20.67	40.87	3	Vertical	69	1.80	-	34.70	7.52	35.56
PK	6.5378G	119.57	Inf	-Inf	112.15	3	Vertical	69	1.80	-	34.85	7.98	35.41
RMS	6.535G	110.56	Inf	-Inf	103.16	3	Vertical	69	1.80	-	34.84	7.97	35.41
PK	7.207G	61.65	88.20	-26.55	52.54	3	Vertical	69	1.80	-	36.44	8.21	35.54
RMS	7.2322G	50.36	68.20	-17.84	41.06	3	Vertical	69	1.80	-	36.59	8.26	35.55

802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TnomVnom




EUT_V_1TX
Setting 21
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0634G	59.06	88.20	-29.14	41.85	3	Vertical	232	1.80	-	39.69	11.65	34.13
RMS	13.06742G	45.09	68.20	-23.11	27.87	3	Vertical	232	1.80	-	39.70	11.65	34.13

802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TnomVnom




EUT_V_1TX
 Setting 21
 03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.07234G	60.79	88.20	-27.41	43.53	3	Horizontal	144	2.24	-	39.72	11.66	34.12	
RMS	13.06748G	47.39	68.20	-20.81	30.17	3	Horizontal	144	2.24	-	39.70	11.65	34.13	

802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TnomVnom




EUT_V_1TX
Setting 21
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.60266G	47.68	83.54	-35.86	44.18	1	Vertical	176	1.22	-	37.86	15.34	49.70
AV	19.60746G	34.09	63.54	-29.45	30.59	1	Vertical	176	1.22	-	37.86	15.34	49.70

802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TnomVnom




EUT_V_1TX
Setting 21
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.60422G	48.03	83.54	-35.51	44.53	1	Horizontal	312	2.66	-	37.86	15.34	49.70
AV	19.60836G	34.10	63.54	-29.44	30.60	1	Horizontal	312	2.66	-	37.86	15.34	49.70

802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TnomVnom




EUT_V_1TX
Setting 23
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.6972G	120.21	Inf	-Inf	112.16	3	Vertical	69	1.70	-	35.39	8.10	35.44	
RMS	6.695G	111.24	Inf	-Inf	103.19	3	Vertical	69	1.70	-	35.39	8.10	35.44	
PK	7.135G	60.98	88.20	-27.22	52.30	3	Vertical	69	1.70	-	36.01	8.20	35.53	
RMS	7.2318G	50.43	68.20	-17.77	41.13	3	Vertical	69	1.70	-	36.59	8.26	35.55	

802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TnomVnom




EUT_V_1TX
Setting 23
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.39498G	59.83	74.00	-14.17	41.20	3	Vertical	315	1.80	-	40.29	11.92	33.58
AV	13.3927G	45.89	54.00	-8.11	27.28	3	Vertical	315	1.80	-	40.29	11.91	33.59

802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TnomVnom




EUT_V_1TX
Setting 23
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.39366G	63.59	74.00	-10.41	44.98	3	Horizontal	147	2.92	-	40.29	11.91	33.59
AV	13.38754G	49.95	54.00	-4.05	31.36	3	Horizontal	147	2.92	-	40.28	11.91	33.60

802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TnomVnom




EUT_V_1TX
Setting 23
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	20.08296G	47.20	83.54	-36.34	43.92	1	Vertical	194	2.06	-	37.47	15.54	49.73	
AV	20.08236G	34.00	63.54	-29.54	30.72	1	Vertical	194	2.06	-	37.47	15.54	49.73	

802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TnomVnom




EUT_V_1TX
Setting 23
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.0748G	48.16	83.54	-35.38	44.90	1	Horizontal	233	2.74	-	37.46	15.53	49.73
AV	20.0823G	34.03	63.54	-29.51	30.75	1	Horizontal	233	2.74	-	37.47	15.54	49.73

802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TnomVnom




EUT_V_1TX
 Setting 23
 01-M-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.8536G	120.20	Inf	-Inf	109.52	3	Vertical	56	1.50	-	36.57	7.08	32.97	
RMS	6.8522G	111.16	Inf	-Inf	100.47	3	Vertical	56	1.50	-	36.58	7.08	32.97	
PK	7.1924G	64.40	88.20	-23.80	53.25	3	Vertical	56	1.50	-	37.07	7.20	33.12	
RMS	7.1994G	53.27	68.20	-14.93	42.09	3	Vertical	56	1.50	-	37.10	7.20	33.12	

802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TnomVnom




EUT_V_1TX
Setting 23
01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.7085G	62.00	88.20	-26.20	41.36	3	Vertical	64	1.80	-	40.53	9.77	29.66	
RMS	13.70304G	49.81	68.20	-18.39	29.19	3	Vertical	64	1.80	-	40.51	9.77	29.66	

802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TnomVnom




EUT_V_1TX
Setting 23
01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.70724G	66.10	88.20	-22.10	45.47	3	Horizontal	211	2.54	-	40.52	9.77	29.66	
RMS	13.70718G	53.65	68.20	-14.55	33.02	3	Horizontal	211	2.54	-	40.52	9.77	29.66	

802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TnomVnom




EUT_V_1TX
Setting 23
01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.57766G	47.82	83.54	-35.72	44.14	1	Vertical	150	2.17	-	37.79	15.76	49.87
AV	20.56956G	34.61	63.54	-28.93	30.94	1	Vertical	150	2.17	-	37.78	15.76	49.87

802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TnomVnom




EUT_V_1TX
Setting 23
01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.56866G	47.01	83.54	-36.53	43.34	1	Horizontal	194	1.68	-	37.78	15.76	49.87
AV	20.57184G	34.63	63.54	-28.91	30.95	1	Horizontal	194	1.68	-	37.79	15.76	49.87

802.11ax HEW20_Nss1,(MCS0)_1TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_1TX
 Setting 6
 03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.875G	103.63	Inf	-Inf	95.31	3	Vertical	76	1.70	-	35.65	8.14	35.47
RMS	6.8736G	93.26	Inf	-Inf	84.94	3	Vertical	76	1.70	-	35.65	8.14	35.47
PK	7.1368G	61.66	88.20	-26.54	52.97	3	Vertical	76	1.70	-	36.02	8.20	35.53
RMS	7.218G	50.31	68.20	-17.89	41.11	3	Vertical	76	1.70	-	36.51	8.24	35.55

802.11ax HEW20_Nss1,(MCS0)_1TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_1TX
 Setting 6
 03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.73902G	61.65	88.20	-26.55	42.27	3	Vertical	240	2.92	-	40.68	12.19	33.49
RMS	13.73524G	47.65	68.20	-20.55	28.28	3	Vertical	240	2.92	-	40.67	12.19	33.49

802.11ax HEW20_Nss1,(MCS0)_1TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_1TX
 Setting 6
 03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.76074G	61.41	88.20	-26.79	41.98	3	Horizontal	83	1.39	-	40.72	12.21	33.50
RMS	13.7353G	47.65	68.20	-20.55	28.28	3	Horizontal	83	1.39	-	40.67	12.19	33.49

802.11ax HEW20_Nss1,(MCS0)_1TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_1TX
 Setting 6
 03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.61912G	47.17	83.54	-36.37	43.40	1	Vertical	163	2.61	-	37.84	15.78	49.85
AV	20.61624G	33.81	63.54	-29.73	30.04	1	Vertical	163	2.61	-	37.84	15.78	49.85

802.11ax HEW20_Nss1,(MCS0)_1TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_1TX
Setting 6
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.6133G	47.30	83.54	-36.24	43.53	1	Horizontal	272	1.10	-	37.84	15.78	49.85
AV	20.61102G	33.83	63.54	-29.71	30.09	1	Horizontal	272	1.10	-	37.83	15.77	49.86

802.11ax HEW20_Nss1,(MCS0)_1TX

6895MHz_TnomVnom




EUT_V_1TX
 Setting 6
 03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.8964G	101.77	Inf	-Inf	93.48	3	Vertical	79	1.82	-	35.61	8.15	35.47	
RMS	6.8936G	92.46	Inf	-Inf	84.17	3	Vertical	79	1.82	-	35.61	8.15	35.47	
PK	7.21G	61.10	88.20	-27.10	51.96	3	Vertical	79	1.82	-	36.46	8.22	35.54	
RMS	7.231G	50.44	68.20	-17.76	41.14	3	Vertical	79	1.82	-	36.59	8.26	35.55	

802.11ax HEW20_Nss1,(MCS0)_1TX

6895MHz_TnomVnom




EUT_V_1TX
Setting 6
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.80158G	61.05	88.20	-27.15	41.52	3	Vertical	323	2.22	-	40.80	12.24	33.51
RMS	13.79426G	47.37	68.20	-20.83	27.85	3	Vertical	323	2.22	-	40.79	12.24	33.51

802.11ax HEW20_Nss1,(MCS0)_1TX

6895MHz_TnomVnom




EUT_V_1TX
Setting 6
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.78814G	61.16	88.20	-27.04	41.66	3	Horizontal	214	1.88	-	40.78	12.23	33.51	
RMS	13.78388G	47.55	68.20	-20.65	28.06	3	Horizontal	214	1.88	-	40.77	12.23	33.51	

802.11ax HEW20_Nss1,(MCS0)_1TX

6895MHz_TnomVnom




EUT_V_1TX
Setting 6
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	20.67768G	48.80	83.54	-34.74	44.92	1	Vertical	113	2.99	-	37.91	15.80	49.83	
AV	20.6775G	34.23	63.54	-29.31	30.35	1	Vertical	113	2.99	-	37.91	15.80	49.83	

802.11ax HEW20_Nss1,(MCS0)_1TX

6895MHz_TnomVnom




EUT_V_1TX
Setting 6
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.67726G	48.45	83.54	-35.09	44.57	1	Horizontal	58	1.59	-	37.91	15.80	49.83
AV	20.68014G	34.20	63.54	-29.34	30.30	1	Horizontal	58	1.59	-	37.92	15.81	49.83

802.11ax HEW20_Nss1,(MCS0)_1TX

6995MHz_TnomVnom




EUT V_1TX
 Setting 5.25
 03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.995G	103.29	Inf	-Inf	94.88	3	Vertical	76	1.70	-	35.70	8.20	35.49
RMS	6.994G	92.91	Inf	-Inf	84.50	3	Vertical	76	1.70	-	35.70	8.20	35.49
PK	7.24G	61.25	88.20	-26.95	51.88	3	Vertical	76	1.70	-	36.64	8.28	35.55
RMS	7.241G	50.41	68.20	-17.79	41.03	3	Vertical	76	1.70	-	36.65	8.28	35.55

802.11ax HEW20_Nss1,(MCS0)_1TX

6995MHz_TnomVnom




EUT_V_1TX
 Setting 5.25
 03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.99408G	62.35	88.20	-25.85	42.34	3	Vertical	244	1.05	-	41.19	12.40	33.58	
RMS	14.00278G	48.95	68.20	-19.25	28.92	3	Vertical	244	1.05	-	41.21	12.40	33.58	

802.11ax HEW20_Nss1,(MCS0)_1TX

6995MHz_TnomVnom




EUT V_1TX
Setting 5.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.99546G	62.30	88.20	-25.90	42.29	3	Horizontal	57	1.60	-	41.19	12.40	33.58
RMS	14.0017G	48.91	68.20	-19.29	28.88	3	Horizontal	57	1.60	-	41.21	12.40	33.58

802.11ax HEW20_Nss1,(MCS0)_1TX

6995MHz_TnomVnom




EUT V_1TX
Setting 5.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.97564G	47.44	83.54	-36.10	43.57	1	Vertical	235	1.61	-	37.64	15.94	49.71
AV	20.9823G	33.66	63.54	-29.88	29.80	1	Vertical	235	1.61	-	37.63	15.94	49.71

802.11ax HEW20_Nss1,(MCS0)_1TX

6995MHz_TnomVnom




EUT_V_1TX
Setting 5.25
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.98806G	46.99	83.54	-36.55	43.13	1	Horizontal	83	1.99	-	37.62	15.94	49.70
AV	20.99334G	33.60	63.54	-29.94	29.74	1	Horizontal	83	1.99	-	37.61	15.95	49.70

802.11ax HEW20_Nss1,(MCS0)_1TX

7095MHz_TnomVnom




EUT V_1TX
 Setting 6.75
 03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.0974G	103.54	Inf	-Inf	95.07	3	Vertical	72	1.62	-	35.79	8.20	35.52	
RMS	7.0958G	92.94	Inf	-Inf	84.46	3	Vertical	72	1.62	-	35.79	8.20	35.51	
PK	7.1914G	61.16	88.20	-27.04	52.15	3	Vertical	72	1.62	-	36.35	8.20	35.54	
RMS	7.195G	50.22	68.20	-17.98	41.19	3	Vertical	72	1.62	-	36.37	8.20	35.54	

802.11ax HEW20_Nss1,(MCS0)_1TX

7095MHz_TnomVnom




EUT_V_1TX
 Setting 6.75
 03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.17608G	62.75	88.20	-25.45	42.54	3	Vertical	132	1.02	-	41.58	12.49	33.86
RMS	14.17638G	49.61	68.20	-18.59	29.40	3	Vertical	132	1.02	-	41.58	12.49	33.86

802.11ax HEW20_Nss1,(MCS0)_1TX

7095MHz_TnomVnom




EUT_V_1TX
 Setting 6.75
 03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.19096G	63.47	88.20	-24.73	43.26	3	Horizontal	32	2.74	-	41.59	12.50	33.88
RMS	14.18742G	49.58	68.20	-18.62	29.38	3	Horizontal	32	2.74	-	41.59	12.49	33.88

802.11ax HEW20_Nss1,(MCS0)_1TX

7095MHz_TnomVnom




EUT_V_1TX
Setting 6.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.28542G	47.67	83.54	-35.87	43.59	1	Vertical	126	2.18	-	37.64	16.08	49.64
AV	21.28434G	34.62	63.54	-28.92	30.54	1	Vertical	126	2.18	-	37.64	16.08	49.64

802.11ax HEW20_Nss1,(MCS0)_1TX

7095MHz_TnomVnom




EUT_V_1TX
 Setting 6.75
 03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	21.29358G	47.75	83.54	-35.79	43.66	1	Horizontal	309	1.25	-	37.65	16.08	49.64	
AV	21.2703G	34.45	63.54	-29.09	30.41	1	Horizontal	309	1.25	-	37.62	16.07	49.65	

802.11ax HEW20_Nss1,(MCS0)_1TX

7115MHz_TnomVnom




EUT_V_1TX
Setting 15
01-M-E-2-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	7.10868G	101.53	Inf	-Inf	90.79	3	Vertical	263	1.80	-	36.57	7.25	33.08	
RMS	7.11128G	91.36	Inf	-Inf	80.61	3	Vertical	263	1.80	-	36.59	7.24	33.08	
PK	7.1275G	79.32	88.20	-8.88	68.45	3	Vertical	263	1.80	-	36.72	7.24	33.09	
RMS	7.1255G	67.83	68.20	-0.37	56.98	3	Vertical	263	1.80	-	36.70	7.24	33.09	

802.11ax HEW20_Nss1,(MCS0)_1TX

7115MHz_TnomVnom




EUT_V_1TX
Setting 15
01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.23168G	64.28	88.20	-23.92	43.22	3	Vertical	173	1.83	-	40.74	9.97	29.65
RMS	14.23072G	51.47	68.20	-16.73	30.41	3	Vertical	173	1.83	-	40.74	9.97	29.65

802.11ax HEW20_Nss1,(MCS0)_1TX

7115MHz_TnomVnom




EUT_V_1TX
Setting 15
01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	14.2315G	64.17	88.20	-24.03	43.11	3	Horizontal	142	2.27	-	40.74	9.97	29.65	
RMS	14.22952G	51.78	68.20	-16.42	30.72	3	Horizontal	142	2.27	-	40.74	9.97	29.65	

802.11ax HEW20_Nss1,(MCS0)_1TX

7115MHz_TnomVnom




EUT_V_1TX
Setting 15
01-M-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	21.3555G	48.46	83.54	-35.08	44.25	1	Vertical	99	1.55	-	37.73	16.11	49.63	
AV	21.35394G	35.83	63.54	-27.71	31.63	1	Vertical	99	1.55	-	37.72	16.11	49.63	

802.11ax HEW20_Nss1,(MCS0)_1TX

7115MHz_TnomVnom




EUT_V_1TX
Setting 15
01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.3528G	48.69	83.54	-34.85	44.49	1	Horizontal	283	2.05	-	37.72	16.11	49.63
AV	21.35298G	35.83	63.54	-27.71	31.63	1	Horizontal	283	2.05	-	37.72	16.11	49.63

802.11ax HEW40_Nss1,(MCS0)_1TX

5965MHz_TnomVnom




EUT_V_1TX
 Setting 17.5
 01-M-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.923G	82.98	88.20	-5.22	74.20	3	Vertical	88	1.36	-	34.99	6.60	32.81	
RMS	5.9238G	67.68	68.20	-0.52	58.89	3	Vertical	88	1.36	-	35.00	6.60	32.81	
PK	5.9678G	113.67	Inf	-Inf	104.73	3	Vertical	88	1.36	-	35.17	6.60	32.83	
RMS	5.9738G	103.46	Inf	-Inf	94.49	3	Vertical	88	1.36	-	35.20	6.60	32.83	

802.11ax HEW40_Nss1,(MCS0)_1TX

5965MHz_TnomVnom




EUT_V_1TX
Setting 17.5
01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.94368G	58.59	74.00	-15.41	42.66	3	Vertical	3	1.05	-	38.50	8.99	31.56
AV	11.94086G	46.04	54.00	-7.96	30.11	3	Vertical	3	1.05	-	38.50	8.99	31.56

802.11ax HEW40_Nss1,(MCS0)_1TX

5965MHz_TnomVnom




EUT_V_1TX
Setting 17.5
01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.93708G	64.57	74.00	-9.43	48.66	3	Horizontal	206	1.65	-	38.50	8.98	31.57
AV	11.92946G	51.81	54.00	-2.19	35.90	3	Horizontal	206	1.65	-	38.50	8.98	31.57

802.11ax HEW40_Nss1,(MCS0)_1TX

6205MHz_TnomVnom




EUT_V_1TX
 Setting 23
 03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.787G	58.07	88.20	-30.13	51.96	3	Vertical	74	1.80	-	34.20	7.40	35.49
RMS	5.919G	47.53	68.20	-20.67	40.89	3	Vertical	74	1.80	-	34.68	7.52	35.56
PK	6.209G	115.48	Inf	-Inf	108.14	3	Vertical	74	1.80	-	35.16	7.70	35.52
RMS	6.207G	105.66	Inf	-Inf	98.31	3	Vertical	74	1.80	-	35.17	7.70	35.52

802.11ax HEW40_Nss1,(MCS0)_1TX

6205MHz_TnomVnom




EUT_V_1TX
 Setting 23
 03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.40604G	57.89	74.00	-16.11	43.29	3	Vertical	284	1.80	-	38.89	11.12	35.41	
AV	12.41348G	43.60	54.00	-10.40	28.99	3	Vertical	284	1.80	-	38.89	11.13	35.41	

802.11ax HEW40_Nss1,(MCS0)_1TX

6205MHz_TnomVnom




EUT_V_1TX
Setting 23
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.41066G	62.64	74.00	-11.36	48.03	3	Horizontal	207	2.36	-	38.89	11.13	35.41
AV	12.4058G	49.00	54.00	-5.00	34.40	3	Horizontal	207	2.36	-	38.89	11.12	35.41

802.11ax HEW40_Nss1,(MCS0)_1TX

6205MHz_TnomVnom




EUT_V_1TX
Setting 23
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.61254G	46.10	83.54	-37.44	43.39	1	Vertical	1	1.38	-	37.75	14.95	49.99
AV	18.61098G	31.91	63.54	-31.63	29.20	1	Vertical	1	1.38	-	37.76	14.94	49.99

802.11ax HEW40_Nss1,(MCS0)_1TX

6205MHz_TnomVnom




EUT_V_1TX
Setting 23
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	18.618G	45.18	83.54	-38.36	42.46	1	Horizontal	238	2.12	-	37.75	14.95	49.98	
AV	18.61074G	31.80	63.54	-31.74	29.09	1	Horizontal	238	2.12	-	37.76	14.94	49.99	

802.11ax HEW40_Nss1,(MCS0)_1TX

6405MHz_TnomVnom




EUT V_1TX
 Setting 18.5
 03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7586G	57.85	88.20	-30.35	51.73	3	Vertical	70	1.80	-	34.20	7.40	35.48
RMS	5.9058G	47.43	68.20	-20.77	40.85	3	Vertical	70	1.80	-	34.62	7.51	35.55
PK	6.4082G	114.78	Inf	-Inf	107.63	3	Vertical	70	1.80	-	34.87	7.72	35.44
RMS	6.4018G	105.53	Inf	-Inf	98.38	3	Vertical	70	1.80	-	34.89	7.70	35.44
PK	7.205G	60.46	88.20	-27.74	51.36	3	Vertical	70	1.80	-	36.43	8.21	35.54
RMS	7.205G	50.13	68.20	-18.07	41.03	3	Vertical	70	1.80	-	36.43	8.21	35.54

802.11ax HEW40_Nss1,(MCS0)_1TX

6405MHz_TnomVnom




EUT_V_1TX
 Setting 18.5
 03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.80382G	57.09	88.20	-31.11	41.04	3	Vertical	228	1.87	-	39.30	11.44	34.69
RMS	12.80574G	43.65	68.20	-24.55	27.59	3	Vertical	228	1.87	-	39.31	11.44	34.69

802.11ax HEW40_Nss1,(MCS0)_1TX

6405MHz_TnomVnom




EUT_V_1TX
 Setting 18.5
 03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8136G	62.54	88.20	-25.66	46.45	3	Horizontal	206	1.79	-	39.31	11.45	34.67
RMS	12.80586G	48.71	68.20	-19.49	32.65	3	Horizontal	206	1.79	-	39.31	11.44	34.69

802.11ax HEW40_Nss1,(MCS0)_1TX

6405MHz_TnomVnom




EUT_V_1TX
Setting 18.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.21434G	46.91	83.54	-36.63	43.62	1	Vertical	182	2.33	-	37.74	15.19	49.64
AV	19.22478G	32.75	63.54	-30.79	29.47	1	Vertical	182	2.33	-	37.73	15.19	49.64

802.11ax HEW40_Nss1,(MCS0)_1TX

6405MHz_TnomVnom




EUT_V_1TX
Setting 18.5
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.22958G	46.20	83.54	-37.34	42.94	1	Horizontal	266	1.32	-	37.72	15.19	49.65
AV	19.22538G	32.88	63.54	-30.66	29.61	1	Horizontal	266	1.32	-	37.73	15.19	49.65

802.11ax HEW40_Nss1,(MCS0)_1TX

6445MHz_TnomVnom




EUT V_1TX
 Setting 8.75
 03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7442G	58.71	88.20	-29.49	52.57	3	Vertical	69	1.78	-	34.21	7.40	35.47
RMS	5.925G	47.42	68.20	-20.78	40.76	3	Vertical	69	1.78	-	34.70	7.52	35.56
PK	6.445G	102.63	Inf	-Inf	95.54	3	Vertical	69	1.78	-	34.72	7.79	35.42
RMS	6.4482G	93.10	Inf	-Inf	86.01	3	Vertical	69	1.78	-	34.71	7.80	35.42
PK	7.1906G	60.57	88.20	-27.63	51.57	3	Vertical	69	1.78	-	36.34	8.20	35.54
RMS	7.245G	50.32	68.20	-17.88	40.91	3	Vertical	69	1.78	-	36.67	8.29	35.55

802.11ax HEW40_Nss1,(MCS0)_1TX

6445MHz_TnomVnom




EUT V_1TX
Setting 8.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.87782G	56.06	88.20	-32.14	39.70	3	Vertical	140	1.71	-	39.38	11.50	34.52
RMS	12.87932G	42.69	68.20	-25.51	26.33	3	Vertical	140	1.71	-	39.38	11.50	34.52

802.11ax HEW40_Nss1,(MCS0)_1TX

6445MHz_TnomVnom




EUT V_1TX
 Setting 8.75
 03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.89012G	56.30	88.20	-31.90	39.89	3	Horizontal	38	1.76	-	39.39	11.51	34.49	
RMS	12.89348G	42.70	68.20	-25.50	26.28	3	Horizontal	38	1.76	-	39.39	11.51	34.48	

802.11ax HEW40_Nss1,(MCS0)_1TX

6445MHz_TnomVnom




EUT V_1TX
Setting 8.75
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.338G	46.50	83.54	-37.04	43.16	1	Vertical	108	1.08	-	37.77	15.24	49.67
AV	19.3224G	32.85	63.54	-30.69	29.52	1	Vertical	108	1.08	-	37.76	15.23	49.66

802.11ax HEW40_Nss1,(MCS0)_1TX

6445MHz_TnomVnom




EUT V_1TX
Setting 8.75
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.3281G	46.71	83.54	-36.83	43.39	1	Horizontal	14	1.36	-	37.76	15.23	49.67
AV	19.32246G	32.77	63.54	-30.77	29.44	1	Horizontal	14	1.36	-	37.76	15.23	49.66

802.11ax HEW40_Nss1,(MCS0)_1TX

6485MHz_TnomVnom




EUT V_1TX
 Setting 8.75
 03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.909G	57.81	88.20	-30.39	51.21	3	Vertical	80	1.71	-	34.64	7.51	35.55
RMS	5.918G	47.43	68.20	-20.77	40.80	3	Vertical	80	1.71	-	34.67	7.52	35.56
PK	6.488G	103.14	Inf	-Inf	95.96	3	Vertical	80	1.71	-	34.70	7.88	35.40
RMS	6.488G	93.00	Inf	-Inf	85.82	3	Vertical	80	1.71	-	34.70	7.88	35.40
PK	7.169G	60.18	88.20	-28.02	51.30	3	Vertical	80	1.71	-	36.21	8.20	35.53
RMS	7.232G	50.25	68.20	-17.95	40.95	3	Vertical	80	1.71	-	36.59	8.26	35.55

802.11ax HEW40_Nss1,(MCS0)_1TX

6485MHz_TnomVnom




EUT_V_1TX
Setting 8.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.96484G	57.54	88.20	-30.66	40.83	3	Vertical	243	1.89	-	39.46	11.57	34.32	
RMS	12.97534G	43.42	68.20	-24.78	26.66	3	Vertical	243	1.89	-	39.48	11.58	34.30	

802.11ax HEW40_Nss1,(MCS0)_1TX

6485MHz_TnomVnom




EUT_V_1TX
 Setting 8.75
 03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.97144G	57.55	88.20	-30.65	40.81	3	Horizontal	128	1.92	-	39.47	11.58	34.31
RMS	12.98368G	43.40	68.20	-24.80	26.61	3	Horizontal	128	1.92	-	39.48	11.59	34.28

802.11ax HEW40_Nss1,(MCS0)_1TX

6485MHz_TnomVnom




EUT V_1TX
Setting 8.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.46514G	46.37	83.54	-37.17	42.90	1	Vertical	284	1.15	-	37.87	15.29	49.69
AV	19.46148G	32.88	63.54	-30.66	29.42	1	Vertical	284	1.15	-	37.87	15.28	49.69

802.11ax HEW40_Nss1,(MCS0)_1TX

6485MHz_TnomVnom




EUT V_1TX
Setting 8.75
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.45914G	46.04	83.54	-37.50	42.58	1	Horizontal	263	1.57	-	37.87	15.28	49.69
AV	19.45626G	32.78	63.54	-30.76	29.32	1	Horizontal	263	1.57	-	37.87	15.28	49.69

802.11ax HEW40_Nss1,(MCS0)_1TX

6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_V_1TX
 Setting 9
 03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9062G	57.33	88.20	-30.87	50.75	3	Vertical	71	1.78	-	34.62	7.51	35.55
RMS	5.925G	47.39	68.20	-20.81	40.73	3	Vertical	71	1.78	-	34.70	7.52	35.56
PK	6.5278G	103.72	Inf	-Inf	96.36	3	Vertical	71	1.78	-	34.81	7.96	35.41
RMS	6.5278G	93.25	Inf	-Inf	85.89	3	Vertical	71	1.78	-	34.81	7.96	35.41
PK	7.1354G	60.30	88.20	-27.90	51.62	3	Vertical	71	1.78	-	36.01	8.20	35.53
RMS	7.2222G	50.03	68.20	-18.17	40.81	3	Vertical	71	1.78	-	36.53	8.24	35.55

802.11ax HEW40_Nss1,(MCS0)_1TX

6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_V_1TX
 Setting 9
 03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.04886G	58.49	88.20	-29.71	41.36	3	Vertical	80	1.37	-	39.65	11.64	34.16
RMS	13.05588G	44.55	68.20	-23.65	27.39	3	Vertical	80	1.37	-	39.67	11.64	34.15

802.11ax HEW40_Nss1,(MCS0)_1TX

6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_V_1TX
 Setting 9
 03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.04532G	57.94	88.20	-30.26	40.82	3	Horizontal	125	2.53	-	39.64	11.64	34.16
RMS	13.04784G	44.45	68.20	-23.75	27.33	3	Horizontal	125	2.53	-	39.64	11.64	34.16

802.11ax HEW40_Nss1,(MCS0)_1TX

6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_V_1TX
Setting 9
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.56258G	46.67	83.54	-36.87	43.17	1	Vertical	210	2.45	-	37.87	15.33	49.70
AV	19.57188G	33.26	63.54	-30.28	29.76	1	Vertical	210	2.45	-	37.87	15.33	49.70

802.11ax HEW40_Nss1,(MCS0)_1TX

6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_V_1TX
 Setting 9
 03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.58754G	46.85	83.54	-36.69	43.35	1	Horizontal	9	1.42	-	37.86	15.34	49.70
AV	19.56618G	33.04	63.54	-30.50	29.54	1	Horizontal	9	1.42	-	37.87	15.33	49.70

802.11ax HEW40_Nss1,(MCS0)_1TX

6565MHz_TnomVnom




EUT_V_1TX
 Setting 22.25
 03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	57.26	88.20	-30.94	50.60	3	Vertical	71	1.67	-	34.70	7.52	35.56
RMS	5.915G	47.42	68.20	-20.78	40.81	3	Vertical	71	1.67	-	34.66	7.51	35.56
PK	6.5676G	116.49	Inf	-Inf	108.89	3	Vertical	71	1.67	-	34.97	8.04	35.41
RMS	6.5624G	106.70	Inf	-Inf	99.14	3	Vertical	71	1.67	-	34.95	8.02	35.41
PK	7.1786G	60.74	88.20	-27.46	51.81	3	Vertical	71	1.67	-	36.27	8.20	35.54
RMS	7.2098G	50.09	68.20	-18.11	40.95	3	Vertical	71	1.67	-	36.46	8.22	35.54

802.11ax HEW40_Nss1,(MCS0)_1TX

6565MHz_TnomVnom




EUT_V_1TX
Setting 22.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.11554G	58.03	88.20	-30.17	40.57	3	Vertical	334	1.74	-	39.82	11.69	34.05
RMS	13.12028G	44.21	68.20	-23.99	26.73	3	Vertical	334	1.74	-	39.82	11.70	34.04

802.11ax HEW40_Nss1,(MCS0)_1TX

6565MHz_TnomVnom




EUT_V_1TX
Setting 22.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.13894G	57.91	88.20	-30.29	40.37	3	Horizontal	137	2.99	-	39.84	11.71	34.01
RMS	13.12316G	44.16	68.20	-24.04	26.68	3	Horizontal	137	2.99	-	39.82	11.70	34.04

802.11ax HEW40_Nss1,(MCS0)_1TX

6565MHz_TnomVnom




EUT_V_1TX
Setting 22.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.70922G	48.12	83.54	-35.42	44.62	1	Vertical	148	2.89	-	37.82	15.38	49.70
AV	19.68264G	34.12	63.54	-29.42	30.62	1	Vertical	148	2.89	-	37.83	15.37	49.70

802.11ax HEW40_Nss1,(MCS0)_1TX

6565MHz_TnomVnom




EUT_V_1TX
Setting 22.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.68438G	48.10	83.54	-35.44	44.60	1	Horizontal	134	2.33	-	37.83	15.37	49.70
AV	19.70262G	34.11	63.54	-29.43	30.61	1	Horizontal	134	2.33	-	37.82	15.38	49.70

802.11ax HEW40_Nss1,(MCS0)_1TX

6685MHz_TnomVnom




EUT_V_1TX
Setting 23
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.6806G	118.09	Inf	-Inf	110.06	3	Vertical	70	1.71	-	35.36	8.10	35.43	
RMS	6.6828G	108.70	Inf	-Inf	100.66	3	Vertical	70	1.71	-	35.37	8.10	35.43	
PK	7.213G	60.89	88.20	-27.31	51.73	3	Vertical	70	1.71	-	36.48	8.23	35.55	
RMS	7.2328G	50.42	68.20	-17.78	41.10	3	Vertical	70	1.71	-	36.60	8.27	35.55	

802.11ax HEW40_Nss1,(MCS0)_1TX

6685MHz_TnomVnom




EUT_V_1TX
Setting 23
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.3733G	58.88	74.00	-15.12	40.35	3	Vertical	252	2.68	-	40.25	11.90	33.62
AV	13.37552G	44.93	54.00	-9.07	26.40	3	Vertical	252	2.68	-	40.25	11.90	33.62

802.11ax HEW40_Nss1,(MCS0)_1TX

6685MHz_TnomVnom




EUT_V_1TX
Setting 23
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.36022G	58.79	74.00	-15.21	40.32	3	Horizontal	280	2.78	-	40.22	11.89	33.64
AV	13.37612G	44.99	54.00	-9.01	26.46	3	Horizontal	280	2.78	-	40.25	11.90	33.62

802.11ax HEW40_Nss1,(MCS0)_1TX

6685MHz_TnomVnom




EUT_V_1TX
Setting 23
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.058G	47.51	83.54	-36.03	44.25	1	Vertical	199	1.10	-	37.45	15.53	49.72
AV	20.04402G	33.78	63.54	-29.76	30.54	1	Vertical	199	1.10	-	37.44	15.52	49.72

802.11ax HEW40_Nss1,(MCS0)_1TX

6685MHz_TnomVnom




EUT_V_1TX
Setting 23
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.05602G	47.19	83.54	-36.35	43.94	1	Horizontal	325	2.80	-	37.44	15.53	49.72
AV	20.06052G	33.67	63.54	-29.87	30.41	1	Horizontal	325	2.80	-	37.45	15.53	49.72

802.11ax HEW40_Nss1,(MCS0)_1TX

6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT V_1TX
 Setting 8.75
 03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8836G	104.05	Inf	-Inf	95.75	3	Vertical	70	1.61	-	35.63	8.14	35.47
RMS	6.8836G	94.23	Inf	-Inf	85.93	3	Vertical	70	1.61	-	35.63	8.14	35.47
PK	7.2042G	60.42	88.20	-27.78	51.32	3	Vertical	70	1.61	-	36.43	8.21	35.54
RMS	7.2294G	50.40	68.20	-17.80	41.11	3	Vertical	70	1.61	-	36.58	8.26	35.55

802.11ax HEW40_Nss1,(MCS0)_1TX

6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_1TX
 Setting 8.75
 03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.78482G	61.06	88.20	-27.14	41.57	3	Vertical	324	1.85	-	40.77	12.23	33.51
RMS	13.75512G	47.41	68.20	-20.79	28.00	3	Vertical	324	1.85	-	40.71	12.20	33.50

802.11ax HEW40_Nss1,(MCS0)_1TX

6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_1TX
 Setting 8.75
 03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.77252G	61.21	88.20	-26.99	41.74	3	Horizontal	330	2.32	-	40.75	12.22	33.50
RMS	13.7568G	47.53	68.20	-20.67	28.11	3	Horizontal	330	2.32	-	40.71	12.21	33.50

802.11ax HEW40_Nss1,(MCS0)_1TX

6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_1TX
Setting 8.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.66118G	47.48	83.54	-36.06	43.63	1	Vertical	121	1.88	-	37.89	15.80	49.84
AV	20.66892G	33.95	63.54	-29.59	30.08	1	Vertical	121	1.88	-	37.90	15.80	49.83

802.11ax HEW40_Nss1,(MCS0)_1TX

6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_1TX
Setting 8.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.6625G	47.54	83.54	-36.00	43.68	1	Horizontal	280	2.17	-	37.90	15.80	49.84
AV	20.6673G	33.96	63.54	-29.58	30.09	1	Horizontal	280	2.17	-	37.90	15.80	49.83

802.11ax HEW40_Nss1,(MCS0)_1TX

6925MHz_TnomVnom




EUT V_1TX
 Setting 8.25
 03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.9274G	104.56	Inf	-Inf	96.23	3	Vertical	70	1.61	-	35.65	8.16	35.48	
RMS	6.9238G	94.59	Inf	-Inf	86.26	3	Vertical	70	1.61	-	35.65	8.16	35.48	
PK	7.2034G	61.13	88.20	-27.07	52.04	3	Vertical	70	1.61	-	36.42	8.21	35.54	
RMS	7.2226G	50.34	68.20	-17.86	41.10	3	Vertical	70	1.61	-	36.54	8.25	35.55	

802.11ax HEW40_Nss1,(MCS0)_1TX

6925MHz_TnomVnom




EUT V_1TX
Setting 8.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.84736G	60.93	88.20	-27.27	41.29	3	Vertical	331	2.57	-	40.89	12.28	33.53
RMS	13.86326G	47.48	68.20	-20.72	27.79	3	Vertical	331	2.57	-	40.93	12.29	33.53

802.11ax HEW40_Nss1,(MCS0)_1TX

6925MHz_TnomVnom




EUT_V_1TX
Setting 8.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.85012G	61.82	88.20	-26.38	42.17	3	Horizontal	339	2.45	-	40.90	12.28	33.53	
RMS	13.86344G	47.50	68.20	-20.70	27.81	3	Horizontal	339	2.45	-	40.93	12.29	33.53	

802.11ax HEW40_Nss1,(MCS0)_1TX

6925MHz_TnomVnom




EUT V_1TX
Setting 8.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.77026G	48.95	83.54	-34.59	44.92	1	Vertical	320	2.53	-	37.97	15.85	49.79
AV	20.76744G	34.82	63.54	-28.72	30.79	1	Vertical	320	2.53	-	37.97	15.85	49.79

802.11ax HEW40_Nss1,(MCS0)_1TX

6925MHz_TnomVnom




EUT V_1TX
Setting 8.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.76288G	48.26	83.54	-35.28	44.23	1	Horizontal	324	1.88	-	37.98	15.84	49.79
AV	20.76438G	34.71	63.54	-28.83	30.68	1	Horizontal	324	1.88	-	37.98	15.84	49.79

802.11ax HEW40_Nss1,(MCS0)_1TX

7005MHz_TnomVnom




EUT_V_1TX
 Setting 8
 03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0034G	103.65	Inf	-Inf	95.24	3	Vertical	69	1.64	-	35.70	8.20	35.49
RMS	7.0034G	93.68	Inf	-Inf	85.27	3	Vertical	69	1.64	-	35.70	8.20	35.49
PK	7.145G	61.60	88.20	-26.60	52.86	3	Vertical	69	1.64	-	36.07	8.20	35.53
RMS	7.2034G	50.29	68.20	-17.91	41.20	3	Vertical	69	1.64	-	36.42	8.21	35.54

802.11ax HEW40_Nss1,(MCS0)_1TX

7005MHz_TnomVnom




EUT_V_1TX
Setting 8
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.02374G	62.62	88.20	-25.58	42.56	3	Vertical	26	2.06	-	41.27	12.41	33.62
RMS	14.02464G	49.06	68.20	-19.14	29.00	3	Vertical	26	2.06	-	41.27	12.41	33.62

802.11ax HEW40_Nss1,(MCS0)_1TX

7005MHz_TnomVnom




EUT_V_1TX
 Setting 8
 03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	14.00052G	62.76	88.20	-25.44	42.74	3	Horizontal	94	1.91	-	41.20	12.40	33.58	
RMS	14.0217G	49.05	68.20	-19.15	28.98	3	Horizontal	94	1.91	-	41.27	12.41	33.61	

802.11ax HEW40_Nss1,(MCS0)_1TX

7005MHz_TnomVnom




EUT_V_1TX
Setting 8
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.0105G	48.12	83.54	-35.42	44.27	1	Vertical	47	1.29	-	37.60	15.95	49.70
AV	21.02856G	33.77	63.54	-29.77	29.90	1	Vertical	47	1.29	-	37.60	15.96	49.69

802.11ax HEW40_Nss1,(MCS0)_1TX

7005MHz_TnomVnom




EUT_V_1TX
Setting 8
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	21.02058G	48.10	83.54	-35.44	44.24	1	Horizontal	255	2.36	-	37.60	15.96	49.70
AV	21.02856G	33.61	63.54	-29.93	29.74	1	Horizontal	255	2.36	-	37.60	15.96	49.69

802.11ax HEW40_Nss1,(MCS0)_1TX

7085MHz_TnomVnom




EUT V_1TX
 Setting 17.5
 01-M-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0878G	110.73	Inf	-Inf	100.02	3	Vertical	57	1.32	-	36.52	7.26	33.07
RMS	7.0698G	100.69	Inf	-Inf	89.92	3	Vertical	57	1.32	-	36.56	7.27	33.06
PK	7.1378G	86.11	88.20	-2.09	75.17	3	Vertical	57	1.32	-	36.80	7.23	33.09
RMS	7.1266G	67.75	68.20	-0.45	56.89	3	Vertical	57	1.32	-	36.71	7.24	33.09

802.11ax HEW40_Nss1,(MCS0)_1TX

7085MHz_TnomVnom




EUT_V_1TX
 Setting 17.5
 01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.16382G	64.18	88.20	-24.02	42.99	3	Vertical	174	1.89	-	40.84	9.95	29.60
RMS	14.17426G	51.27	68.20	-16.93	30.10	3	Vertical	174	1.89	-	40.83	9.95	29.61

802.11ax HEW40_Nss1,(MCS0)_1TX

7085MHz_TnomVnom




EUT_V_1TX
 Setting 17.5
 01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.18416G	63.99	88.20	-24.21	42.83	3	Horizontal	142	1.86	-	40.82	9.96	29.62
RMS	14.17444G	51.19	68.20	-17.01	30.02	3	Horizontal	142	1.86	-	40.83	9.95	29.61

802.11ax HEW40_Nss1,(MCS0)_1TX

7085MHz_TnomVnom




EUT_V_1TX
Setting 17.5
01-M-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	21.2529G	48.17	83.54	-35.37	44.16	1	Vertical	155	2.07	-	37.60	16.06	49.65	
AV	21.2592G	35.69	63.54	-27.85	31.66	1	Vertical	155	2.07	-	37.61	16.07	49.65	

802.11ax HEW40_Nss1,(MCS0)_1TX

7085MHz_TnomVnom




EUT_V_1TX
Setting 17.5
01-M-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	21.2559G	48.14	83.54	-35.40	44.11	1	Horizontal	230	1.00	-	37.61	16.07	49.65
AV	21.2676G	35.75	63.54	-27.79	31.71	1	Horizontal	230	1.00	-	37.62	16.07	49.65

802.11ax HEW80_Nss1,(MCS0)_1TX

5985MHz_TnomVnom




EUT Y_1TX
 Setting 16.75
 01-M-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.921G	81.07	88.20	-7.13	72.30	3	Vertical	88	1.47	-	34.98	6.60	32.81
RMS	5.923G	67.50	68.20	-0.70	58.72	3	Vertical	88	1.47	-	34.99	6.60	32.81
PK	6.018G	110.53	Inf	-Inf	101.48	3	Vertical	88	1.47	-	35.26	6.63	32.84
RMS	6.019G	100.33	Inf	-Inf	91.28	3	Vertical	88	1.47	-	35.26	6.63	32.84

802.11ax HEW80_Nss1,(MCS0)_1TX

5985MHz_TnomVnom




EUT Y_1TX
Setting 16.75
01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.97282G	58.40	74.00	-15.60	42.46	3	Vertical	213	1.80	-	38.50	8.99	31.55
AV	11.96712G	48.85	54.00	-5.15	32.91	3	Vertical	213	1.80	-	38.50	8.99	31.55

802.11ax HEW80_Nss1,(MCS0)_1TX

5985MHz_TnomVnom




EUT_V_1TX
Setting 16.75
01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.98476G	63.18	74.00	-10.82	47.23	3	Horizontal	211	1.79	-	38.50	9.00	31.55
AV	11.9841G	53.97	54.00	-0.03	38.02	3	Horizontal	211	1.79	-	38.50	9.00	31.55

802.11ax HEW80_Nss1,(MCS0)_1TX

6225MHz_TnomVnom




EUT_V_1TX
 Setting 23
 03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.915G	60.16	88.20	-28.04	53.55	3	Vertical	70	1.74	-	34.66	7.51	35.56
RMS	5.921G	47.95	68.20	-20.25	41.31	3	Vertical	70	1.74	-	34.68	7.52	35.56
PK	6.219G	112.92	Inf	-Inf	105.61	3	Vertical	70	1.74	-	35.12	7.70	35.51
RMS	6.221G	103.30	Inf	-Inf	95.99	3	Vertical	70	1.74	-	35.12	7.70	35.51

802.11ax HEW80_Nss1,(MCS0)_1TX

6225MHz_TnomVnom




EUT_V_1TX
Setting 23
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.45396G	56.53	74.00	-17.47	41.92	3	Vertical	283	2.10	-	38.85	11.16	35.40
AV	12.45678G	45.75	54.00	-8.25	31.14	3	Vertical	283	2.10	-	38.84	11.17	35.40

802.11ax HEW80_Nss1,(MCS0)_1TX

6225MHz_TnomVnom




EUT_V_1TX
Setting 23
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.46218G	60.28	74.00	-13.72	45.67	3	Horizontal	204	2.18	-	38.84	11.17	35.40
AV	12.44568G	49.46	54.00	-4.54	34.85	3	Horizontal	204	2.18	-	38.85	11.16	35.40

802.11ax HEW80_Nss1,(MCS0)_1TX

6225MHz_TnomVnom




EUT_V_1TX
Setting 23
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.66504G	44.67	83.54	-38.87	41.90	1	Vertical	91	1.03	-	37.73	14.97	49.93
AV	18.66606G	34.01	63.54	-29.53	31.24	1	Vertical	91	1.03	-	37.73	14.97	49.93

802.11ax HEW80_Nss1,(MCS0)_1TX

6225MHz_TnomVnom




EUT_V_1TX
Setting 23
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	18.66114G	44.63	83.54	-38.91	41.87	1	Horizontal	230	2.67	-	37.74	14.96	49.94
AV	18.66126G	34.51	63.54	-29.03	31.75	1	Horizontal	230	2.67	-	37.74	14.96	49.94

802.11ax HEW80_Nss1,(MCS0)_1TX

6385MHz_TnomVnom




EUT_V_1TX
 Setting 17.75
 03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8104G	58.14	88.20	-30.06	52.02	3	Vertical	69	1.80	-	34.22	7.41	35.51
RMS	5.909G	47.49	68.20	-20.71	40.89	3	Vertical	69	1.80	-	34.64	7.51	35.55
PK	6.385G	109.70	Inf	-Inf	102.55	3	Vertical	69	1.80	-	34.90	7.70	35.45
RMS	6.3884G	100.43	Inf	-Inf	93.27	3	Vertical	69	1.80	-	34.90	7.70	35.44
PK	7.2316G	60.19	88.20	-28.01	50.89	3	Vertical	69	1.80	-	36.59	8.26	35.55
RMS	7.235G	50.36	68.20	-17.84	41.03	3	Vertical	69	1.80	-	36.61	8.27	35.55

802.11ax HEW80_Nss1,(MCS0)_1TX

6385MHz_TnomVnom




EUT_V_1TX
Setting 17.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.77396G	55.01	88.20	-33.19	39.10	3	Vertical	208	2.23	-	39.25	11.42	34.76
RMS	12.77744G	44.28	68.20	-23.92	28.36	3	Vertical	208	2.23	-	39.25	11.42	34.75

802.11ax HEW80_Nss1,(MCS0)_1TX

6385MHz_TnomVnom




EUT_V_1TX
Setting 17.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.76112G	55.65	88.20	-32.55	39.81	3	Horizontal	99	2.36	-	39.22	11.41	34.79
RMS	12.77774G	44.49	68.20	-23.71	28.56	3	Horizontal	99	2.36	-	39.26	11.42	34.75

802.11ax HEW80_Nss1,(MCS0)_1TX

6385MHz_TnomVnom




EUT_V_1TX
Setting 17.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.1628G	45.64	83.54	-37.90	42.30	1	Vertical	145	1.31	-	37.80	15.17	49.63
AV	19.15332G	35.57	63.54	-27.97	32.22	1	Vertical	145	1.31	-	37.82	15.16	49.63

802.11ax HEW80_Nss1,(MCS0)_1TX

6385MHz_TnomVnom



EUT_V_1TX
Setting 17.75
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.1412G	45.59	83.54	-37.95	42.23	1	Horizontal	305	2.85	-	37.83	15.16	49.63	
AV	19.15494G	34.83	63.54	-28.71	31.49	1	Horizontal	305	2.85	-	37.81	15.16	49.63	