


802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TnomVnom




EUT_V_1TX
 Setting 23
 03-C-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.3689G	58.80	74.00	-15.20	40.29	3	Vertical	178	1.87	-	40.24	11.90	33.63	
AV	13.3876G	45.24	54.00	-8.76	26.65	3	Vertical	178	1.87	-	40.28	11.91	33.60	

802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TnomVnom




EUT_V_1TX
 Setting 23
 03-C-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.3877G	61.32	74.00	-12.68	42.73	3	Horizontal	146	2.77	-	40.28	11.91	33.60
AV	13.3875G	48.23	54.00	-5.77	29.65	3	Horizontal	146	2.77	-	40.27	11.91	33.60

802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TnomVnom




EUT_V_1TX
Setting 23
03-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.07162G	47.58	83.54	-35.96	44.32	1	Vertical	355	2.45	-	37.46	15.53	49.73
AV	20.07756G	33.48	63.54	-30.06	30.22	1	Vertical	355	2.45	-	37.46	15.53	49.73

802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TnomVnom




EUT_V_1TX
Setting 23
03-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.07954G	47.58	83.54	-35.96	44.31	1	Horizontal	336	2.33	-	37.46	15.54	49.73
AV	20.0766G	33.46	63.54	-30.08	30.20	1	Horizontal	336	2.33	-	37.46	15.53	49.73

802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TnomVnom




EUT_V_1TX
Setting 23
01-M-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.862G	115.69	Inf	-Inf	105.08	3	Vertical	75	1.22	-	36.50	7.09	32.98
RMS	6.8578G	106.57	Inf	-Inf	95.91	3	Vertical	75	1.22	-	36.54	7.09	32.97
PK	7.2036G	64.07	88.20	-24.13	52.90	3	Vertical	75	1.22	-	37.10	7.20	33.13
RMS	7.184G	53.09	68.20	-15.11	41.96	3	Vertical	75	1.22	-	37.04	7.21	33.12

802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TnomVnom




EUT_V_1TX
Setting 23
01-M-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8578G	114.27	Inf	-Inf	103.61	3	Horizontal	17	2.02	-	36.54	7.09	32.97
RMS	6.8536G	105.25	Inf	-Inf	94.57	3	Horizontal	17	2.02	-	36.57	7.08	32.97
PK	7.1294G	63.68	88.20	-24.52	52.79	3	Horizontal	17	2.02	-	36.74	7.24	33.09
RMS	7.1882G	53.13	68.20	-15.07	41.99	3	Horizontal	17	2.02	-	37.05	7.21	33.12

802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TnomVnom




EUT_V_1TX
Setting 23
01-M-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.71224G	63.97	88.20	-24.23	43.32	3	Vertical	175	1.18	-	40.54	9.77	29.66
RMS	13.7086G	51.03	68.20	-17.17	30.39	3	Vertical	175	1.18	-	40.53	9.77	29.66

802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TnomVnom




EUT_V_1TX
Setting 23
01-M-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.71756G	66.33	88.20	-21.87	45.66	3	Horizontal	211	1.80	-	40.55	9.77	29.65
RMS	13.70888G	54.18	68.20	-14.02	33.54	3	Horizontal	211	1.80	-	40.53	9.77	29.66

802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TnomVnom




EUT_V_1TX
Setting 23
01-M-S-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.5659G	46.71	83.54	-36.83	43.05	1	Vertical	185	1.53	-	37.78	15.75	49.87
AV	20.56864G	34.60	63.54	-28.94	30.93	1	Vertical	185	1.53	-	37.78	15.76	49.87

802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TnomVnom




EUT_V_1TX
Setting 23
01-M-S-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.56558G	47.14	83.54	-36.40	43.48	1	Horizontal	328	1.51	-	37.78	15.75	49.87
AV	20.56074G	34.54	63.54	-29.00	30.90	1	Horizontal	328	1.51	-	37.77	15.75	49.88

802.11ax HEW20_Nss1,(MCS0)_1TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_1TX
 Setting 6
 03-C-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.875G	99.63	Inf	-Inf	91.31	3	Vertical	321	1.95	-	35.65	8.14	35.47
RMS	6.8738G	89.13	Inf	-Inf	80.81	3	Vertical	321	1.95	-	35.65	8.14	35.47
PK	7.1642G	63.32	88.20	-24.88	54.46	3	Vertical	321	1.95	-	36.19	8.20	35.53
RMS	7.1558G	52.33	68.20	-15.87	43.53	3	Vertical	321	1.95	-	36.13	8.20	35.53

802.11ax HEW20_Nss1,(MCS0)_1TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_1TX
 Setting 6
 03-C-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.8738G	98.25	Inf	-Inf	89.93	3	Horizontal	352	1.80	-	35.65	8.14	35.47	
RMS	6.8738G	88.09	Inf	-Inf	79.77	3	Horizontal	352	1.80	-	35.65	8.14	35.47	
PK	7.1738G	63.66	88.20	-24.54	54.76	3	Horizontal	352	1.80	-	36.24	8.20	35.54	
RMS	7.151G	52.31	68.20	-15.89	43.53	3	Horizontal	352	1.80	-	36.11	8.20	35.53	

802.11ax HEW20_Nss1,(MCS0)_1TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_1TX
 Setting 6
 03-C-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7606G	59.04	88.20	-29.16	39.61	3	Vertical	226	1.85	-	40.72	12.21	33.50
RMS	13.7741G	45.37	68.20	-22.83	25.90	3	Vertical	226	1.85	-	40.75	12.22	33.50

802.11ax HEW20_Nss1,(MCS0)_1TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_1TX
 Setting 6
 03-C-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7695G	59.20	88.20	-29.00	39.74	3	Horizontal	187	2.09	-	40.74	12.22	33.50
RMS	13.7744G	45.32	68.20	-22.88	25.85	3	Horizontal	187	2.09	-	40.75	12.22	33.50

802.11ax HEW20_Nss1,(MCS0)_1TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_1TX
Setting 6
03-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.6232G	47.63	83.54	-35.91	43.85	1	Vertical	282	2.25	-	37.85	15.78	49.85
AV	20.61294G	34.23	63.54	-29.31	30.46	1	Vertical	282	2.25	-	37.84	15.78	49.85

802.11ax HEW20_Nss1,(MCS0)_1TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_1TX
Setting 6
03-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.63346G	47.72	83.54	-35.82	43.92	1	Horizontal	352	1.03	-	37.86	15.79	49.85
AV	20.61384G	34.21	63.54	-29.33	30.44	1	Horizontal	352	1.03	-	37.84	15.78	49.85

802.11ax HEW20_Nss1,(MCS0)_1TX

6895MHz_TnomVnom




EUT V_1TX
 Setting 6.25
 03-C-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.8938G	100.11	Inf	-Inf	91.82	3	Vertical	323	1.87	-	35.61	8.15	35.47	
RMS	6.8938G	89.42	Inf	-Inf	81.13	3	Vertical	323	1.87	-	35.61	8.15	35.47	
PK	7.195G	63.42	88.20	-24.78	54.39	3	Vertical	323	1.87	-	36.37	8.20	35.54	
RMS	7.1566G	52.34	68.20	-15.86	43.53	3	Vertical	323	1.87	-	36.14	8.20	35.53	

802.11ax HEW20_Nss1,(MCS0)_1TX

6895MHz_TnomVnom




EUT V_1TX
 Setting 6.25
 03-C-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.8938G	98.86	Inf	-Inf	90.57	3	Horizontal	354	1.79	-	35.61	8.15	35.47	
RMS	6.8938G	88.45	Inf	-Inf	80.16	3	Horizontal	354	1.79	-	35.61	8.15	35.47	
PK	7.1686G	63.75	88.20	-24.45	54.87	3	Horizontal	354	1.79	-	36.21	8.20	35.53	
RMS	7.1542G	52.29	68.20	-15.91	43.49	3	Horizontal	354	1.79	-	36.13	8.20	35.53	

802.11ax HEW20_Nss1,(MCS0)_1TX

6895MHz_TnomVnom




EUT_V_1TX
Setting 6.25
03-C-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7793G	59.59	88.20	-28.61	40.11	3	Vertical	166	1.53	-	40.76	12.22	33.50
RMS	13.8032G	45.68	68.20	-22.52	26.14	3	Vertical	166	1.53	-	40.81	12.24	33.51

802.11ax HEW20_Nss1,(MCS0)_1TX

6895MHz_TnomVnom




EUT V_1TX
Setting 6.25
03-C-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.769G	59.60	88.20	-28.60	40.14	3	Horizontal	131	1.63	-	40.74	12.22	33.50
RMS	13.8083G	45.65	68.20	-22.55	26.09	3	Horizontal	131	1.63	-	40.82	12.25	33.51

802.11ax HEW20_Nss1,(MCS0)_1TX

6895MHz_TnomVnom




EUT V_1TX
 Setting 6.25
 03-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.68908G	48.44	83.54	-35.10	44.52	1	Vertical	165	2.46	-	37.93	15.81	49.82
AV	20.6835G	34.11	63.54	-29.43	30.21	1	Vertical	165	2.46	-	37.92	15.81	49.83

802.11ax HEW20_Nss1,(MCS0)_1TX

6895MHz_TnomVnom




EUT V_1TX
Setting 6.25
03-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.68854G	48.34	83.54	-35.20	44.42	1	Horizontal	28	1.69	-	37.93	15.81	49.82
AV	20.67984G	34.12	63.54	-29.42	30.22	1	Horizontal	28	1.69	-	37.92	15.81	49.83

802.11ax HEW20_Nss1,(MCS0)_1TX

6995MHz_TnomVnom




EUT_V_1TX
Setting 5.5
03-C-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9942G	101.96	Inf	-Inf	93.55	3	Vertical	325	1.90	-	35.70	8.20	35.49
RMS	6.9942G	91.21	Inf	-Inf	82.80	3	Vertical	325	1.90	-	35.70	8.20	35.49
PK	7.1638G	63.68	88.20	-24.52	54.83	3	Vertical	325	1.90	-	36.18	8.20	35.53
RMS	7.1558G	52.33	68.20	-15.87	43.53	3	Vertical	325	1.90	-	36.13	8.20	35.53

802.11ax HEW20_Nss1,(MCS0)_1TX

6995MHz_TnomVnom




EUT Y_1TX
 Setting 5.5
 03-C-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.9974G	99.70	Inf	-Inf	91.29	3	Horizontal	174	2.38	-	35.70	8.20	35.49	
RMS	6.9958G	90.31	Inf	-Inf	81.90	3	Horizontal	174	2.38	-	35.70	8.20	35.49	
PK	7.155G	63.53	88.20	-24.67	54.73	3	Horizontal	174	2.38	-	36.13	8.20	35.53	
RMS	7.1598G	52.35	68.20	-15.85	43.52	3	Horizontal	174	2.38	-	36.16	8.20	35.53	

802.11ax HEW20_Nss1,(MCS0)_1TX

6995MHz_TnomVnom




EUT_V_1TX
 Setting 5.5
 03-C-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.9958G	59.84	88.20	-28.36	39.83	3	Vertical	331	1.27	-	41.19	12.40	33.58
RMS	14.0001G	46.06	68.20	-22.14	26.04	3	Vertical	331	1.27	-	41.20	12.40	33.58

802.11ax HEW20_Nss1,(MCS0)_1TX

6995MHz_TnomVnom




EUT_V_1TX
Setting 5.5
03-C-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.9741G	59.46	88.20	-28.74	39.50	3	Horizontal	170	1.66	-	41.15	12.38	33.57
RMS	13.9923G	46.11	68.20	-22.09	26.12	3	Horizontal	170	1.66	-	41.18	12.39	33.58

802.11ax HEW20_Nss1,(MCS0)_1TX

6995MHz_TnomVnom




EUT_V_1TX
Setting 5.5
03-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.97594G	47.01	83.54	-36.53	43.14	1	Vertical	333	1.95	-	37.64	15.94	49.71
AV	20.9973G	33.32	63.54	-30.22	29.47	1	Vertical	333	1.95	-	37.60	15.95	49.70

802.11ax HEW20_Nss1,(MCS0)_1TX

6995MHz_TnomVnom




EUT_V_1TX
Setting 5.5
03-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	20.98158G	47.26	83.54	-36.28	43.40	1	Horizontal	97	1.30	-	37.63	15.94	49.71	
AV	20.9961G	33.30	63.54	-30.24	29.44	1	Horizontal	97	1.30	-	37.61	15.95	49.70	

802.11ax HEW20_Nss1,(MCS0)_1TX

7095MHz_TnomVnom




EUT V_1TX
 Setting 6.75
 03-C-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.0942G	101.53	Inf	-Inf	93.05	3	Vertical	324	1.87	-	35.79	8.20	35.51	
RMS	7.0942G	91.04	Inf	-Inf	82.56	3	Vertical	324	1.87	-	35.79	8.20	35.51	
PK	7.1514G	63.41	88.20	-24.79	54.63	3	Vertical	324	1.87	-	36.11	8.20	35.53	
RMS	7.1578G	52.36	68.20	-15.84	43.54	3	Vertical	324	1.87	-	36.15	8.20	35.53	

802.11ax HEW20_Nss1,(MCS0)_1TX

7095MHz_TnomVnom




EUT V_1TX
Setting 6.75
03-C-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.0942G	100.81	Inf	-Inf	92.33	3	Horizontal	183	2.13	-	35.79	8.20	35.51	
RMS	7.0942G	90.33	Inf	-Inf	81.85	3	Horizontal	183	2.13	-	35.79	8.20	35.51	
PK	7.1526G	65.47	88.20	-22.73	56.68	3	Horizontal	183	2.13	-	36.12	8.20	35.53	
RMS	7.1626G	52.36	68.20	-15.84	43.51	3	Horizontal	183	2.13	-	36.18	8.20	35.53	

802.11ax HEW20_Nss1,(MCS0)_1TX

7095MHz_TnomVnom




EUT_V_1TX
Setting 6.75
03-C-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.1721G	60.21	88.20	-27.99	40.00	3	Vertical	272	1.67	-	41.57	12.49	33.85
RMS	14.1674G	46.60	68.20	-21.60	26.39	3	Vertical	272	1.67	-	41.57	12.48	33.84

802.11ax HEW20_Nss1,(MCS0)_1TX

7095MHz_TnomVnom




EUT V_1TX
Setting 6.75
03-C-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.1872G	60.29	88.20	-27.91	40.09	3	Horizontal	121	2.81	-	41.59	12.49	33.88
RMS	14.1713G	46.63	68.20	-21.57	26.42	3	Horizontal	121	2.81	-	41.57	12.49	33.85

802.11ax HEW20_Nss1,(MCS0)_1TX

7095MHz_TnomVnom




EUT V_1TX
Setting 6.75
03-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	21.27192G	48.05	83.54	-35.49	44.00	1	Vertical	80	2.59	-	37.63	16.07	49.65	
AV	21.2712G	34.29	63.54	-29.25	30.24	1	Vertical	80	2.59	-	37.63	16.07	49.65	

802.11ax HEW20_Nss1,(MCS0)_1TX

7095MHz_TnomVnom




EUT V_1TX
Setting 6.75
03-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	21.28662G	47.84	83.54	-35.70	43.76	1	Horizontal	248	1.34	-	37.64	16.08	49.64	
AV	21.27078G	34.25	63.54	-29.29	30.21	1	Horizontal	248	1.34	-	37.62	16.07	49.65	

802.11ax HEW20_Nss1,(MCS0)_1TX

7115MHz_TnomVnom




EUT V_1TX
Setting 5
03-L-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.11365G	89.15	Inf	-Inf	78.38	3	Vertical	310	1.80	-	36.61	7.24	33.08	
RMS	7.11373G	79.49	Inf	-Inf	68.72	3	Vertical	310	1.80	-	36.61	7.24	33.08	
PK	7.1255G	65.08	88.20	-23.12	54.23	3	Vertical	310	1.80	-	36.70	7.24	33.09	
RMS	7.1255G	55.60	68.20	-12.60	44.75	3	Vertical	310	1.80	-	36.70	7.24	33.09	

802.11ax HEW20_Nss1,(MCS0)_1TX

7115MHz_TnomVnom




EUT_V_1TX
Setting 5
03-L-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.11618G	87.47	Inf	-Inf	76.68	3	Horizontal	4	1.79	-	36.63	7.24	33.08	
RMS	7.11543G	78.02	Inf	-Inf	67.24	3	Horizontal	4	1.79	-	36.62	7.24	33.08	
PK	7.1255G	63.46	88.20	-24.74	52.61	3	Horizontal	4	1.79	-	36.70	7.24	33.09	
RMS	7.1255G	55.30	68.20	-12.90	44.45	3	Horizontal	4	1.79	-	36.70	7.24	33.09	

802.11ax HEW20_Nss1,(MCS0)_1TX

7115MHz_TnomVnom




EUT_V_1TX
Setting 14.75
01-M-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	14.22894G	62.56	88.20	-25.64	41.50	3	Vertical	238	1.80	-	40.74	9.97	29.65	
AV	14.23018G	49.96	68.20	-18.24	28.90	3	Vertical	238	1.80	-	40.74	9.97	29.65	

802.11ax HEW20_Nss1,(MCS0)_1TX

7115MHz_TnomVnom




EUT_V_1TX
Setting 14.75
01-M-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.23274G	62.72	88.20	-25.48	41.67	3	Horizontal	334	2.26	-	40.73	9.97	29.65
AV	14.22768G	49.93	68.20	-18.27	28.87	3	Horizontal	334	2.26	-	40.74	9.97	29.65

802.11ax HEW20_Nss1,(MCS0)_1TX

7115MHz_TnomVnom




EUT_V_1TX
Setting 14.75
01-M-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.3491G	52.68	83.54	-30.86	43.96	1	Vertical	4	1.51	-	46.25	12.10	49.63
AV	21.34482G	40.22	63.54	-23.32	31.51	1	Vertical	4	1.51	-	46.24	12.10	49.63

802.11ax HEW20_Nss1,(MCS0)_1TX

7115MHz_TnomVnom




EUT_V_1TX
Setting 14.75
01-M-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.34064G	52.56	83.54	-30.98	43.85	1	Horizontal	337	1.51	-	46.24	12.10	49.63
AV	21.34518G	40.15	63.54	-23.39	31.43	1	Horizontal	337	1.51	-	46.25	12.10	49.63

802.11ax HEW40_Nss1,(MCS0)_1TX

5965MHz_TnomVnom




EUT_V_1TX
 Setting 18.25
 01-M-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9226G	81.99	88.20	-6.21	73.21	3	Vertical	45	1.31	-	34.99	6.60	32.81	
RMS	5.9242G	67.72	68.20	-0.48	58.93	3	Vertical	45	1.31	-	35.00	6.60	32.81	
PK	5.9674G	112.78	Inf	-Inf	103.84	3	Vertical	45	1.31	-	35.17	6.60	32.83	
RMS	5.9738G	102.58	Inf	-Inf	93.61	3	Vertical	45	1.31	-	35.20	6.60	32.83	

802.11ax HEW40_Nss1,(MCS0)_1TX

5965MHz_TnomVnom




EUT V_1TX
 Setting 18.25
 01-M-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9226G	79.38	88.20	-8.82	70.60	3	Horizontal	355	1.21	-	34.99	6.60	32.81
RMS	5.925G	65.69	68.20	-2.51	56.90	3	Horizontal	355	1.21	-	35.00	6.60	32.81
PK	5.9674G	109.90	Inf	-Inf	100.96	3	Horizontal	355	1.21	-	35.17	6.60	32.83
RMS	5.9738G	100.31	Inf	-Inf	91.34	3	Horizontal	355	1.21	-	35.20	6.60	32.83

802.11ax HEW40_Nss1,(MCS0)_1TX

5965MHz_TnomVnom




EUT_V_1TX
Setting 18.25
01-M-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.91446G	59.96	74.00	-14.04	44.05	3	Vertical	54	1.80	-	38.50	8.98	31.57
AV	11.93462G	47.40	54.00	-6.60	31.49	3	Vertical	54	1.80	-	38.50	8.98	31.57

802.11ax HEW40_Nss1,(MCS0)_1TX

5965MHz_TnomVnom




EUT_V_1TX
Setting 18.25
01-M-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.93364G	66.40	74.00	-7.60	50.49	3	Horizontal	207	1.80	-	38.50	8.98	31.57
AV	11.93462G	51.63	54.00	-2.37	35.72	3	Horizontal	207	1.80	-	38.50	8.98	31.57

802.11ax HEW40_Nss1,(MCS0)_1TX

6205MHz_TnomVnom




EUT_V_1TX
 Setting 23
 03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.8762G	58.56	88.20	-29.64	52.16	3	Vertical	222	1.77	-	34.46	7.48	35.54	
RMS	5.6122G	47.51	68.20	-20.69	40.94	3	Vertical	222	1.77	-	34.58	7.40	35.41	
PK	6.2074G	111.62	Inf	-Inf	104.27	3	Vertical	222	1.77	-	35.17	7.70	35.52	
RMS	6.2074G	101.59	Inf	-Inf	94.24	3	Vertical	222	1.77	-	35.17	7.70	35.52	

802.11ax HEW40_Nss1,(MCS0)_1TX

6205MHz_TnomVnom




EUT_V_1TX
 Setting 23
 03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.7514G	58.52	88.20	-29.68	52.40	3	Horizontal	4	1.87	-	34.20	7.40	35.48	
RMS	5.605G	47.50	68.20	-20.70	40.91	3	Horizontal	4	1.87	-	34.59	7.40	35.40	
PK	6.2026G	109.68	Inf	-Inf	102.31	3	Horizontal	4	1.87	-	35.19	7.70	35.52	
RMS	6.2026G	99.85	Inf	-Inf	92.48	3	Horizontal	4	1.87	-	35.19	7.70	35.52	

802.11ax HEW40_Nss1,(MCS0)_1TX

6205MHz_TnomVnom




EUT_V_1TX
 Setting 23
 03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.40208G	57.41	74.00	-16.59	42.80	3	Vertical	234	1.80	-	38.90	11.12	35.41
AV	12.40568G	43.71	54.00	-10.29	29.11	3	Vertical	234	1.80	-	38.89	11.12	35.41

802.11ax HEW40_Nss1,(MCS0)_1TX

6205MHz_TnomVnom




EUT_V_1TX
Setting 23
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.40652G	61.34	74.00	-12.66	46.73	3	Horizontal	210	1.79	-	38.89	11.13	35.41
AV	12.40586G	47.61	54.00	-6.39	33.01	3	Horizontal	210	1.79	-	38.89	11.12	35.41

802.11ax HEW40_Nss1,(MCS0)_1TX

6205MHz_TnomVnom




EUT_V_1TX
Setting 23
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.60084G	45.16	83.54	-38.38	42.46	1	Vertical	7	1.34	-	37.76	14.94	50.00
AV	18.6012G	31.45	63.54	-32.09	28.75	1	Vertical	7	1.34	-	37.76	14.94	50.00

802.11ax HEW40_Nss1,(MCS0)_1TX

6205MHz_TnomVnom




EUT_V_1TX
Setting 23
03-B-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	18.615G	45.16	83.54	-38.38	42.44	1	Horizontal	344	1.03	-	37.75	14.95	49.98	
AV	18.6051G	31.46	63.54	-32.08	28.75	1	Horizontal	344	1.03	-	37.76	14.94	49.99	

802.11ax HEW40_Nss1,(MCS0)_1TX

6405MHz_TnomVnom




EUT_V_1TX
 Setting 18.25
 03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9058G	58.19	88.20	-30.01	51.61	3	Vertical	320	1.95	-	34.62	7.51	35.55
RMS	5.605G	47.47	68.20	-20.73	40.88	3	Vertical	320	1.95	-	34.59	7.40	35.40
PK	6.4082G	108.95	Inf	-Inf	101.80	3	Vertical	320	1.95	-	34.87	7.72	35.44
RMS	6.4082G	99.76	Inf	-Inf	92.61	3	Vertical	320	1.95	-	34.87	7.72	35.44
PK	7.1666G	62.28	88.20	-25.92	53.41	3	Vertical	320	1.95	-	36.20	8.20	35.53
RMS	7.1506G	51.60	68.20	-16.60	42.83	3	Vertical	320	1.95	-	36.10	8.20	35.53

802.11ax HEW40_Nss1,(MCS0)_1TX

6405MHz_TnomVnom




EUT_V_1TX
 Setting 18.25
 03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7618G	58.54	88.20	-29.66	52.42	3	Horizontal	8	1.66	-	34.20	7.40	35.48
RMS	5.6082G	47.52	68.20	-20.68	40.94	3	Horizontal	8	1.66	-	34.58	7.40	35.40
PK	6.4018G	108.13	Inf	-Inf	100.98	3	Horizontal	8	1.66	-	34.89	7.70	35.44
RMS	6.4018G	98.41	Inf	-Inf	91.26	3	Horizontal	8	1.66	-	34.89	7.70	35.44
PK	7.1922G	61.88	88.20	-26.32	52.87	3	Horizontal	8	1.66	-	36.35	8.20	35.54
RMS	7.1474G	51.59	68.20	-16.61	42.84	3	Horizontal	8	1.66	-	36.08	8.20	35.53

802.11ax HEW40_Nss1,(MCS0)_1TX

6405MHz_TnomVnom




EUT_V_1TX
 Setting 18.25
 03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.81564G	58.87	88.20	-29.33	42.76	3	Vertical	264	1.76	-	39.32	11.45	34.66
RMS	12.80574G	44.98	68.20	-23.22	28.92	3	Vertical	264	1.76	-	39.31	11.44	34.69

802.11ax HEW40_Nss1,(MCS0)_1TX

6405MHz_TnomVnom




EUT_V_1TX
 Setting 18.25
 03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.81042G	62.92	88.20	-25.28	46.84	3	Horizontal	198	1.76	-	39.31	11.45	34.68
RMS	12.8058G	48.87	68.20	-19.33	32.81	3	Horizontal	198	1.76	-	39.31	11.44	34.69

802.11ax HEW40_Nss1,(MCS0)_1TX

6405MHz_TnomVnom




EUT_V_1TX
Setting 18.25
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.203G	46.34	83.54	-37.20	43.04	1	Vertical	226	2.03	-	37.76	15.18	49.64
AV	19.21608G	32.79	63.54	-30.75	29.50	1	Vertical	226	2.03	-	37.74	15.19	49.64

802.11ax HEW40_Nss1,(MCS0)_1TX

6405MHz_TnomVnom




EUT V_1TX
Setting 18.25
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.22916G	46.51	83.54	-37.03	43.24	1	Horizontal	46	2.16	-	37.73	15.19	49.65
AV	19.22244G	32.91	63.54	-30.63	29.63	1	Horizontal	46	2.16	-	37.73	15.19	49.64

802.11ax HEW40_Nss1,(MCS0)_1TX

6445MHz_TnomVnom




EUT_V_1TX
 Setting 8.75
 03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8978G	58.23	88.20	-29.97	51.69	3	Vertical	324	1.89	-	34.59	7.50	35.55
RMS	5.645G	47.36	68.20	-20.84	40.87	3	Vertical	324	1.89	-	34.51	7.40	35.42
PK	6.445G	97.25	Inf	-Inf	90.16	3	Vertical	324	1.89	-	34.72	7.79	35.42
RMS	6.4418G	87.00	Inf	-Inf	79.91	3	Vertical	324	1.89	-	34.73	7.78	35.42
PK	7.149G	62.56	88.20	-25.64	53.80	3	Vertical	324	1.89	-	36.09	8.20	35.53
RMS	7.2418G	51.71	68.20	-16.49	42.33	3	Vertical	324	1.89	-	36.65	8.28	35.55

802.11ax HEW40_Nss1,(MCS0)_1TX

6445MHz_TnomVnom




EUT V_1TX
 Setting 8.75
 03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.853G	58.75	88.20	-29.45	52.51	3	Horizontal	356	1.80	-	34.32	7.45	35.53
RMS	5.6514G	47.36	68.20	-20.84	40.90	3	Horizontal	356	1.80	-	34.49	7.40	35.43
PK	6.4482G	96.11	Inf	-Inf	89.02	3	Horizontal	356	1.80	-	34.71	7.80	35.42
RMS	6.4418G	85.68	Inf	-Inf	78.59	3	Horizontal	356	1.80	-	34.73	7.78	35.42
PK	7.1586G	62.23	88.20	-25.97	53.41	3	Horizontal	356	1.80	-	36.15	8.20	35.53
RMS	7.245G	51.73	68.20	-16.47	42.32	3	Horizontal	356	1.80	-	36.67	8.29	35.55

802.11ax HEW40_Nss1,(MCS0)_1TX

6445MHz_TnomVnom




EUT V_1TX
Setting 8.75
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.8882G	56.99	88.20	-31.21	40.59	3	Vertical	323	1.14	-	39.39	11.51	34.50	
RMS	12.88688G	43.86	68.20	-24.34	27.46	3	Vertical	323	1.14	-	39.39	11.51	34.50	

802.11ax HEW40_Nss1,(MCS0)_1TX

6445MHz_TnomVnom




EUT V_1TX
 Setting 8.75
 03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.88298G	57.54	88.20	-30.66	41.16	3	Horizontal	218	1.98	-	39.38	11.51	34.51
RMS	12.88628G	43.90	68.20	-24.30	27.50	3	Horizontal	218	1.98	-	39.39	11.51	34.50

802.11ax HEW40_Nss1,(MCS0)_1TX

6445MHz_TnomVnom




EUT V_1TX
Setting 8.75
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	19.32726G	45.68	83.54	-37.86	42.36	1	Vertical	247	1.39	-	37.76	15.23	49.67	
AV	19.33746G	32.96	63.54	-30.58	29.63	1	Vertical	247	1.39	-	37.77	15.23	49.67	

802.11ax HEW40_Nss1,(MCS0)_1TX

6445MHz_TnomVnom




EUT V_1TX
Setting 8.75
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.32516G	46.01	83.54	-37.53	42.69	1	Horizontal	141	2.55	-	37.76	15.23	49.67
AV	19.33722G	32.88	63.54	-30.66	29.55	1	Horizontal	141	2.55	-	37.77	15.23	49.67

802.11ax HEW40_Nss1,(MCS0)_1TX

6485MHz_TnomVnom




EUT V_1TX
 Setting 8.75
 03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.852G	58.20	88.20	-30.00	51.97	3	Vertical	324	1.94	-	34.31	7.45	35.53
RMS	5.924G	47.10	68.20	-21.10	40.44	3	Vertical	324	1.94	-	34.70	7.52	35.56
PK	6.488G	97.05	Inf	-Inf	89.87	3	Vertical	324	1.94	-	34.70	7.88	35.40
RMS	6.482G	87.05	Inf	-Inf	79.90	3	Vertical	324	1.94	-	34.70	7.86	35.41
PK	7.175G	64.15	88.20	-24.05	55.24	3	Vertical	324	1.94	-	36.25	8.20	35.54
RMS	7.157G	52.32	68.20	-15.88	43.51	3	Vertical	324	1.94	-	36.14	8.20	35.53

802.11ax HEW40_Nss1,(MCS0)_1TX

6485MHz_TnomVnom




EUT_V_1TX
 Setting 8.75
 03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.867G	58.11	88.20	-30.09	51.77	3	Horizontal	348	1.81	-	34.40	7.47	35.53
RMS	5.921G	47.35	68.20	-20.85	40.71	3	Horizontal	348	1.81	-	34.68	7.52	35.56
PK	6.488G	95.38	Inf	-Inf	88.20	3	Horizontal	348	1.81	-	34.70	7.88	35.40
RMS	6.488G	85.74	Inf	-Inf	78.56	3	Horizontal	348	1.81	-	34.70	7.88	35.40
PK	7.196G	62.64	88.20	-25.56	53.60	3	Horizontal	348	1.81	-	36.38	8.20	35.54
RMS	7.163G	51.77	68.20	-16.43	42.92	3	Horizontal	348	1.81	-	36.18	8.20	35.53

802.11ax HEW40_Nss1,(MCS0)_1TX

6485MHz_TnomVnom




EUT Y_1TX
 Setting 8.75
 03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.95554G	57.04	88.20	-31.16	40.36	3	Vertical	62	2.13	-	39.46	11.56	34.34	
RMS	12.95542G	43.57	68.20	-24.63	26.89	3	Vertical	62	2.13	-	39.46	11.56	34.34	

802.11ax HEW40_Nss1,(MCS0)_1TX

6485MHz_TnomVnom




EUT_V_1TX
 Setting 8.75
 03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.96244G	57.47	88.20	-30.73	40.77	3	Horizontal	109	1.92	-	39.46	11.57	34.33	
RMS	12.95554G	43.56	68.20	-24.64	26.88	3	Horizontal	109	1.92	-	39.46	11.56	34.34	

802.11ax HEW40_Nss1,(MCS0)_1TX

6485MHz_TnomVnom




EUT V_1TX
Setting 8.75
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.4589G	46.76	83.54	-36.78	43.30	1	Vertical	184	1.07	-	37.87	15.28	49.69
AV	19.4688G	32.41	63.54	-31.13	28.93	1	Vertical	184	1.07	-	37.88	15.29	49.69

802.11ax HEW40_Nss1,(MCS0)_1TX

6485MHz_TnomVnom




EUT_V_1TX
Setting 8.75
03-B-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.44174G	46.03	83.54	-37.51	42.59	1	Horizontal	139	1.11	-	37.85	15.28	49.69	
AV	19.4667G	32.37	63.54	-31.17	28.90	1	Horizontal	139	1.11	-	37.87	15.29	49.69	

802.11ax HEW40_Nss1,(MCS0)_1TX

6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT V_1TX
 Setting 9
 03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8838G	58.25	88.20	-29.95	51.81	3	Vertical	325	1.94	-	34.50	7.48	35.54
RMS	5.923G	47.14	68.20	-21.06	40.49	3	Vertical	325	1.94	-	34.69	7.52	35.56
PK	6.5278G	98.20	Inf	-Inf	90.84	3	Vertical	325	1.94	-	34.81	7.96	35.41
RMS	6.5222G	88.12	Inf	-Inf	80.79	3	Vertical	325	1.94	-	34.79	7.94	35.40
PK	7.1326G	64.06	88.20	-24.14	55.38	3	Vertical	325	1.94	-	36.00	8.20	35.52
RMS	7.155G	52.45	68.20	-15.75	43.65	3	Vertical	325	1.94	-	36.13	8.20	35.53

802.11ax HEW40_Nss1,(MCS0)_1TX

6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_V_1TX
 Setting 9
 03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9202G	57.52	88.20	-30.68	50.88	3	Horizontal	354	1.80	-	34.68	7.52	35.56
RMS	5.925G	47.11	68.20	-21.09	40.45	3	Horizontal	354	1.80	-	34.70	7.52	35.56
PK	6.525G	96.51	Inf	-Inf	89.16	3	Horizontal	354	1.80	-	34.80	7.95	35.40
RMS	6.5222G	86.38	Inf	-Inf	79.05	3	Horizontal	354	1.80	-	34.79	7.94	35.40
PK	7.1662G	63.00	88.20	-25.20	54.13	3	Horizontal	354	1.80	-	36.20	8.20	35.53
RMS	7.1578G	52.43	68.20	-15.77	43.61	3	Horizontal	354	1.80	-	36.15	8.20	35.53

802.11ax HEW40_Nss1,(MCS0)_1TX

6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_V_1TX
 Setting 9
 03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0482G	57.47	88.20	-30.73	40.35	3	Vertical	214	2.86	-	39.64	11.64	34.16
RMS	13.0605G	43.98	68.20	-24.22	26.79	3	Vertical	214	2.86	-	39.68	11.65	34.14

802.11ax HEW40_Nss1,(MCS0)_1TX

6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_V_1TX
 Setting 9
 03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.05786G	57.84	88.20	-30.36	40.66	3	Horizontal	331	2.20	-	39.67	11.65	34.14
RMS	13.05834G	43.99	68.20	-24.21	26.80	3	Horizontal	331	2.20	-	39.68	11.65	34.14

802.11ax HEW40_Nss1,(MCS0)_1TX

6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_V_1TX
Setting 9
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.57074G	46.50	83.54	-37.04	43.00	1	Vertical	35	2.73	-	37.87	15.33	49.70
AV	19.5615G	32.68	63.54	-30.86	29.18	1	Vertical	35	2.73	-	37.88	15.32	49.70

802.11ax HEW40_Nss1,(MCS0)_1TX

6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_V_1TX
 Setting 9
 03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.57728G	47.09	83.54	-36.45	43.59	1	Horizontal	267	1.57	-	37.87	15.33	49.70
AV	19.58262G	32.69	63.54	-30.85	29.19	1	Horizontal	267	1.57	-	37.87	15.33	49.70

802.11ax HEW40_Nss1,(MCS0)_1TX

6565MHz_TnomVnom




EUT_V_1TX
 Setting 22.5
 03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	57.19	88.20	-31.01	50.53	3	Vertical	326	1.89	-	34.70	7.52	35.56
RMS	5.925G	47.10	68.20	-21.10	40.44	3	Vertical	326	1.89	-	34.70	7.52	35.56
PK	6.5676G	110.24	Inf	-Inf	102.64	3	Vertical	326	1.89	-	34.97	8.04	35.41
RMS	6.5676G	101.28	Inf	-Inf	93.68	3	Vertical	326	1.89	-	34.97	8.04	35.41
PK	7.1448G	63.61	88.20	-24.59	54.87	3	Vertical	326	1.89	-	36.07	8.20	35.53
RMS	7.1578G	52.58	68.20	-15.62	43.76	3	Vertical	326	1.89	-	36.15	8.20	35.53

802.11ax HEW40_Nss1,(MCS0)_1TX

6565MHz_TnomVnom




EUT_V_1TX
 Setting 22.5
 03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.915G	57.14	88.20	-31.06	50.53	3	Horizontal	354	1.80	-	34.66	7.51	35.56
RMS	5.915G	47.08	68.20	-21.12	40.47	3	Horizontal	354	1.80	-	34.66	7.51	35.56
PK	6.5676G	108.98	Inf	-Inf	101.38	3	Horizontal	354	1.80	-	34.97	8.04	35.41
RMS	6.5676G	100.01	Inf	-Inf	92.41	3	Horizontal	354	1.80	-	34.97	8.04	35.41
PK	7.189G	62.97	88.20	-25.23	53.98	3	Horizontal	354	1.80	-	36.33	8.20	35.54
RMS	7.1526G	52.48	68.20	-15.72	43.69	3	Horizontal	354	1.80	-	36.12	8.20	35.53

802.11ax HEW40_Nss1,(MCS0)_1TX

6565MHz_TnomVnom




EUT_V_1TX
Setting 22.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.1225G	59.04	88.20	-29.16	41.56	3	Vertical	266	1.78	-	39.82	11.70	34.04
RMS	13.12874G	44.84	68.20	-23.36	27.34	3	Vertical	266	1.78	-	39.83	11.70	34.03

802.11ax HEW40_Nss1,(MCS0)_1TX

6565MHz_TnomVnom




EUT_V_1TX
Setting 22.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.12352G	61.70	88.20	-26.50	44.21	3	Horizontal	199	2.98	-	39.82	11.70	34.03	
RMS	13.1258G	47.45	68.20	-20.75	29.95	3	Horizontal	199	2.98	-	39.83	11.70	34.03	

802.11ax HEW40_Nss1,(MCS0)_1TX

6565MHz_TnomVnom




EUT_V_1TX
Setting 22.5
03-B-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.70718G	46.62	83.54	-36.92	43.12	1	Vertical	299	2.60	-	37.82	15.38	49.70	
AV	19.6806G	32.93	63.54	-30.61	29.43	1	Vertical	299	2.60	-	37.83	15.37	49.70	

802.11ax HEW40_Nss1,(MCS0)_1TX

6565MHz_TnomVnom




EUT_V_1TX
Setting 22.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.68654G	46.99	83.54	-36.55	43.49	1	Horizontal	131	1.67	-	37.83	15.37	49.70
AV	19.6884G	32.91	63.54	-30.63	29.41	1	Horizontal	131	1.67	-	37.82	15.38	49.70

802.11ax HEW40_Nss1,(MCS0)_1TX

6685MHz_TnomVnom




EUT_V_1TX
 Setting 23
 03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.6872G	111.15	Inf	-Inf	103.11	3	Vertical	322	1.92	-	35.37	8.10	35.43	
RMS	6.6828G	101.67	Inf	-Inf	93.63	3	Vertical	322	1.92	-	35.37	8.10	35.43	
PK	7.2086G	63.09	88.20	-25.11	53.96	3	Vertical	322	1.92	-	36.45	8.22	35.54	
RMS	7.1646G	52.50	68.20	-15.70	43.64	3	Vertical	322	1.92	-	36.19	8.20	35.53	

802.11ax HEW40_Nss1,(MCS0)_1TX

6685MHz_TnomVnom




EUT V_1TX
 Setting 23
 03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.6806G	110.90	Inf	-Inf	102.87	3	Horizontal	355	1.76	-	35.36	8.10	35.43	
RMS	6.6828G	101.51	Inf	-Inf	93.47	3	Horizontal	355	1.76	-	35.37	8.10	35.43	
PK	7.2306G	63.37	88.20	-24.83	54.08	3	Horizontal	355	1.76	-	36.58	8.26	35.55	
RMS	7.1448G	52.52	68.20	-15.68	43.78	3	Horizontal	355	1.76	-	36.07	8.20	35.53	

802.11ax HEW40_Nss1,(MCS0)_1TX

6685MHz_TnomVnom




EUT_V_1TX
Setting 23
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.36934G	60.31	74.00	-13.69	41.80	3	Vertical	227	1.80	-	40.24	11.90	33.63
AV	13.36544G	44.76	54.00	-9.24	26.27	3	Vertical	227	1.80	-	40.23	11.89	33.63

802.11ax HEW40_Nss1,(MCS0)_1TX

6685MHz_TnomVnom




EUT_V_1TX
Setting 23
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.35854G	60.78	74.00	-13.22	42.31	3	Horizontal	145	2.46	-	40.22	11.89	33.64
AV	13.36574G	46.57	54.00	-7.43	28.08	3	Horizontal	145	2.46	-	40.23	11.89	33.63

802.11ax HEW40_Nss1,(MCS0)_1TX

6685MHz_TnomVnom




EUT_V_1TX
Setting 23
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.05398G	47.16	83.54	-36.38	43.92	1	Vertical	124	2.96	-	37.44	15.52	49.72
AV	20.05698G	33.37	63.54	-30.17	30.11	1	Vertical	124	2.96	-	37.45	15.53	49.72

802.11ax HEW40_Nss1,(MCS0)_1TX

6685MHz_TnomVnom




EUT_V_1TX
Setting 23
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.06874G	47.00	83.54	-36.54	43.75	1	Horizontal	297	2.63	-	37.45	15.53	49.73
AV	20.05878G	33.35	63.54	-30.19	30.09	1	Horizontal	297	2.63	-	37.45	15.53	49.72

802.11ax HEW40_Nss1,(MCS0)_1TX

6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_1TX
 Setting 9
 03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.8878G	100.00	Inf	-Inf	91.71	3	Vertical	324	1.92	-	35.62	8.14	35.47	
RMS	6.8864G	89.79	Inf	-Inf	81.49	3	Vertical	324	1.92	-	35.63	8.14	35.47	
PK	7.2294G	63.92	88.20	-24.28	54.63	3	Vertical	324	1.92	-	36.58	8.26	35.55	
RMS	7.1552G	52.49	68.20	-15.71	43.69	3	Vertical	324	1.92	-	36.13	8.20	35.53	

802.11ax HEW40_Nss1,(MCS0)_1TX

6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT V_1TX
 Setting 9
 03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.8836G	99.16	Inf	-Inf	90.86	3	Horizontal	356	1.75	-	35.63	8.14	35.47	
RMS	6.8836G	89.09	Inf	-Inf	80.79	3	Horizontal	356	1.75	-	35.63	8.14	35.47	
PK	7.1958G	63.73	88.20	-24.47	54.70	3	Horizontal	356	1.75	-	36.37	8.20	35.54	
RMS	7.1958G	52.58	68.20	-15.62	43.75	3	Horizontal	356	1.75	-	36.16	8.20	35.53	

802.11ax HEW40_Nss1,(MCS0)_1TX

6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_1TX
 Setting 9
 03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.76346G	60.58	88.20	-27.62	41.14	3	Vertical	160	1.00	-	40.73	12.21	33.50
RMS	13.7658G	46.69	68.20	-21.51	27.25	3	Vertical	160	1.00	-	40.73	12.21	33.50

802.11ax HEW40_Nss1,(MCS0)_1TX

6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_1TX
Setting 9
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.77786G	62.47	88.20	-25.73	42.99	3	Horizontal	212	1.72	-	40.76	12.22	33.50
RMS	13.76586G	48.32	68.20	-19.88	28.88	3	Horizontal	212	1.72	-	40.73	12.21	33.50

802.11ax HEW40_Nss1,(MCS0)_1TX

6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_1TX
Setting 9
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.65206G	48.13	83.54	-35.41	44.30	1	Vertical	241	2.09	-	37.88	15.79	49.84
AV	20.66454G	33.94	63.54	-29.60	30.07	1	Vertical	241	2.09	-	37.90	15.80	49.83

802.11ax HEW40_Nss1,(MCS0)_1TX

6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_1TX
Setting 9
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.64342G	48.30	83.54	-35.24	44.48	1	Horizontal	348	2.55	-	37.87	15.79	49.84
AV	20.66328G	33.91	63.54	-29.63	30.04	1	Horizontal	348	2.55	-	37.90	15.80	49.83

802.11ax HEW40_Nss1,(MCS0)_1TX

6925MHz_TnomVnom




EUT Y_1TX
 Setting 8.5
 03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9274G	101.40	Inf	-Inf	93.07	3	Vertical	322	1.93	-	35.65	8.16	35.48
RMS	6.9238G	91.43	Inf	-Inf	83.10	3	Vertical	322	1.93	-	35.65	8.16	35.48
PK	7.165G	64.79	88.20	-23.41	55.93	3	Vertical	322	1.93	-	36.19	8.20	35.53
RMS	7.1554G	52.53	68.20	-15.67	43.73	3	Vertical	322	1.93	-	36.13	8.20	35.53

802.11ax HEW40_Nss1,(MCS0)_1TX

6925MHz_TnomVnom




EUT_V_1TX
 Setting 8.5
 03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.9238G	100.23	Inf	-Inf	91.90	3	Horizontal	355	1.74	-	35.65	8.16	35.48	
RMS	6.9238G	90.27	Inf	-Inf	81.94	3	Horizontal	355	1.74	-	35.65	8.16	35.48	
PK	7.1518G	64.00	88.20	-24.20	55.22	3	Horizontal	355	1.74	-	36.11	8.20	35.53	
RMS	7.153G	52.55	68.20	-15.65	43.76	3	Horizontal	355	1.74	-	36.12	8.20	35.53	

802.11ax HEW40_Nss1,(MCS0)_1TX

6925MHz_TnomVnom




EUT_V_1TX
 Setting 8.5
 03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.8386G	59.61	88.20	-28.59	39.99	3	Vertical	6	2.57	-	40.88	12.27	33.53	
RMS	13.83518G	45.59	68.20	-22.61	25.97	3	Vertical	6	2.57	-	40.87	12.27	33.52	

802.11ax HEW40_Nss1,(MCS0)_1TX

6925MHz_TnomVnom




EUT V_1TX
 Setting 8.5
 03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.8431G	59.65	88.20	-28.55	40.02	3	Horizontal	55	1.95	-	40.89	12.27	33.53
RMS	13.86416G	45.59	68.20	-22.61	25.90	3	Horizontal	55	1.95	-	40.93	12.29	33.53

802.11ax HEW40_Nss1,(MCS0)_1TX

6925MHz_TnomVnom




EUT_V_1TX
Setting 8.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.78154G	47.55	83.54	-35.99	43.54	1	Vertical	15	1.88	-	37.95	15.85	49.79
AV	20.78844G	33.47	63.54	-30.07	29.46	1	Vertical	15	1.88	-	37.94	15.85	49.78

802.11ax HEW40_Nss1,(MCS0)_1TX

6925MHz_TnomVnom




EUT_V_1TX
Setting 8.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.78016G	47.11	83.54	-36.43	43.10	1	Horizontal	312	1.40	-	37.95	15.85	49.79
AV	20.78916G	33.52	63.54	-30.02	29.50	1	Horizontal	312	1.40	-	37.94	15.86	49.78

802.11ax HEW40_Nss1,(MCS0)_1TX

7005MHz_TnomVnom




EUT_V_1TX
 Setting 8
 03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.0034G	101.82	Inf	-Inf	93.41	3	Vertical	319	2.00	-	35.70	8.20	35.49	
RMS	7.0034G	91.93	Inf	-Inf	83.52	3	Vertical	319	2.00	-	35.70	8.20	35.49	
PK	7.1338G	63.90	88.20	-24.30	55.22	3	Vertical	319	2.00	-	36.00	8.20	35.52	
RMS	7.1618G	52.49	68.20	-15.71	43.65	3	Vertical	319	2.00	-	36.17	8.20	35.53	

802.11ax HEW40_Nss1,(MCS0)_1TX

7005MHz_TnomVnom




EUT_V_1TX
 Setting 8
 03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.0082G	101.12	Inf	-Inf	92.71	3	Horizontal	182	2.21	-	35.70	8.20	35.49	
RMS	7.0034G	91.05	Inf	-Inf	82.64	3	Horizontal	182	2.21	-	35.70	8.20	35.49	
PK	7.1458G	63.48	88.20	-24.72	54.74	3	Horizontal	182	2.21	-	36.07	8.20	35.53	
RMS	7.157G	52.49	68.20	-15.71	43.68	3	Horizontal	182	2.21	-	36.14	8.20	35.53	

802.11ax HEW40_Nss1,(MCS0)_1TX

7005MHz_TnomVnom




EUT_V_1TX
Setting 8
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.02044G	59.97	88.20	-28.23	39.91	3	Vertical	241	2.35	-	41.26	12.41	33.61
RMS	14.025G	46.07	68.20	-22.13	26.00	3	Vertical	241	2.35	-	41.28	12.41	33.62

802.11ax HEW40_Nss1,(MCS0)_1TX

7005MHz_TnomVnom




EUT_V_1TX
 Setting 8
 03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.99734G	60.60	88.20	-27.60	40.59	3	Horizontal	55	1.20	-	41.19	12.40	33.58	
RMS	14.025G	46.08	68.20	-22.12	26.01	3	Horizontal	55	1.20	-	41.28	12.41	33.62	

802.11ax HEW40_Nss1,(MCS0)_1TX

7005MHz_TnomVnom




EUT_V_1TX
Setting 8
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.0066G	47.20	83.54	-36.34	43.35	1	Vertical	232	2.65	-	37.60	15.95	49.70
AV	21.02568G	33.30	63.54	-30.24	29.43	1	Vertical	232	2.65	-	37.60	15.96	49.69

802.11ax HEW40_Nss1,(MCS0)_1TX

7005MHz_TnomVnom




EUT_V_1TX
Setting 8
03-B-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	21.00864G	47.97	83.54	-35.57	44.12	1	Horizontal	265	2.35	-	37.60	15.95	49.70
AV	21.02718G	33.34	63.54	-30.20	29.47	1	Horizontal	265	2.35	-	37.60	15.96	49.69

802.11ax HEW40_Nss1,(MCS0)_1TX

7085MHz_TnomVnom




EUT V_1TX
 Setting 17.75
 01-M-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0982G	108.44	Inf	-Inf	97.76	3	Vertical	77	1.73	-	36.50	7.25	33.07
RMS	7.0938G	98.62	Inf	-Inf	87.93	3	Vertical	77	1.73	-	36.51	7.25	33.07
PK	7.1266G	84.48	88.20	-3.72	73.62	3	Vertical	77	1.73	-	36.71	7.24	33.09
RMS	7.125G	67.20	68.20	-1.00	56.35	3	Vertical	77	1.73	-	36.70	7.24	33.09

802.11ax HEW40_Nss1,(MCS0)_1TX

7085MHz_TnomVnom




EUT_V_1TX
 Setting 17.75
 01-M-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0982G	107.93	Inf	-Inf	97.25	3	Horizontal	21	2.21	-	36.50	7.25	33.07
RMS	7.0938G	98.01	Inf	-Inf	87.32	3	Horizontal	21	2.21	-	36.51	7.25	33.07
PK	7.1262G	85.73	88.20	-2.47	74.87	3	Horizontal	21	2.21	-	36.71	7.24	33.09
RMS	7.1258G	67.14	68.20	-1.06	56.28	3	Horizontal	21	2.21	-	36.71	7.24	33.09

802.11ax HEW40_Nss1,(MCS0)_1TX

7085MHz_TnomVnom




EUT_V_1TX
Setting 17.75
01-M-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.17454G	62.27	88.20	-25.93	41.10	3	Vertical	128	1.95	-	40.83	9.95	29.61
RMS	14.17392G	49.59	68.20	-18.61	28.42	3	Vertical	128	1.95	-	40.83	9.95	29.61

802.11ax HEW40_Nss1,(MCS0)_1TX

7085MHz_TnomVnom




EUT_V_1TX
Setting 17.75
01-M-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.17396G	62.62	88.20	-25.58	41.45	3	Horizontal	22	1.38	-	40.83	9.95	29.61
RMS	14.17156G	49.68	68.20	-18.52	28.51	3	Horizontal	22	1.38	-	40.83	9.95	29.61

802.11ax HEW40_Nss1,(MCS0)_1TX

7085MHz_TnomVnom




EUT_V_1TX
Setting 17.75
01-M-S-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	21.25388G	47.72	83.54	-35.82	43.71	1	Vertical	265	1.56	-	37.60	16.06	49.65	
AV	21.25904G	35.28	63.54	-28.26	31.25	1	Vertical	265	1.56	-	37.61	16.07	49.65	

802.11ax HEW40_Nss1,(MCS0)_1TX

7085MHz_TnomVnom




EUT_V_1TX
Setting 17.75
01-M-S-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	21.254G	47.54	83.54	-36.00	43.53	1	Horizontal	289	1.54	-	37.60	16.06	49.65
AV	21.25856G	35.28	63.54	-28.26	31.25	1	Horizontal	289	1.54	-	37.61	16.07	49.65

802.11ax HEW80_Nss1,(MCS0)_1TX

5985MHz_TnomVnom




EUT_V_1TX
 Setting 18
 01-M-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9214G	80.33	88.20	-7.87	71.55	3	Vertical	46	1.32	-	34.99	6.60	32.81
RMS	5.9184G	67.45	68.20	-0.75	58.69	3	Vertical	46	1.32	-	34.97	6.60	32.81
PK	5.973G	108.51	Inf	-Inf	99.55	3	Vertical	46	1.32	-	35.19	6.60	32.83
RMS	5.9712G	98.79	Inf	-Inf	89.84	3	Vertical	46	1.32	-	35.18	6.60	32.83

802.11ax HEW80_Nss1,(MCS0)_1TX

5985MHz_TnomVnom




EUT_V_1TX
 Setting 18
 01-M-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9214G	79.00	88.20	-9.20	70.22	3	Horizontal	357	1.19	-	34.99	6.60	32.81	
RMS	5.9184G	65.82	68.20	-2.38	57.06	3	Horizontal	357	1.19	-	34.97	6.60	32.81	
PK	6.018G	106.85	Inf	-Inf	97.80	3	Horizontal	357	1.19	-	35.26	6.63	32.84	
RMS	6.0174G	96.68	Inf	-Inf	87.62	3	Horizontal	357	1.19	-	35.27	6.63	32.84	

802.11ax HEW80_Nss1,(MCS0)_1TX

5985MHz_TnomVnom




EUT_Y_1TX
 Setting 18
 01-M-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.97488G	58.55	74.00	-15.45	42.61	3	Vertical	272	2.60	-	38.50	8.99	31.55
AV	11.97128G	48.50	54.00	-5.50	32.56	3	Vertical	272	2.60	-	38.50	8.99	31.55
PK	17.95116G	60.16	74.00	-13.84	36.90	3	Vertical	5	1.82	-	42.85	11.09	30.68
AV	17.9503G	50.38	54.00	-3.62	27.12	3	Vertical	5	1.82	-	42.85	11.09	30.68

802.11ax HEW80_Nss1,(MCS0)_1TX

5985MHz_TnomVnom




EUT_Y_1TX
 Setting 18
 01-M-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.96626G	58.51	74.00	-15.49	42.57	3	Horizontal	324	2.79	-	38.50	8.99	31.55
AV	11.96908G	48.87	54.00	-5.13	32.93	3	Horizontal	324	2.79	-	38.50	8.99	31.55
PK	17.95846G	60.35	74.00	-13.65	37.08	3	Horizontal	125	2.13	-	42.86	11.09	30.68
AV	17.95785G	50.70	54.00	-3.30	27.43	3	Horizontal	125	2.13	-	42.86	11.09	30.68

802.11ax HEW80_Nss1,(MCS0)_1TX

6225MHz_TnomVnom




EUT V_1TX
 Setting 23
 03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.821G	58.29	88.20	-29.91	52.14	3	Vertical	220	1.69	-	34.24	7.42	35.51
RMS	5.925G	47.56	68.20	-20.64	40.89	3	Vertical	220	1.69	-	34.70	7.53	35.56
PK	6.219G	108.14	Inf	-Inf	100.83	3	Vertical	220	1.69	-	35.12	7.70	35.51
RMS	6.231G	98.49	Inf	-Inf	91.22	3	Vertical	220	1.69	-	35.08	7.70	35.51

802.11ax HEW80_Nss1,(MCS0)_1TX

6225MHz_TnomVnom




EUT_V_1TX
Setting 23
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.903G	58.68	88.20	-29.52	52.12	3	Horizontal	8	1.74	-	34.61	7.50	35.55
RMS	5.925G	47.51	68.20	-20.69	40.84	3	Horizontal	8	1.74	-	34.70	7.53	35.56
PK	6.229G	106.38	Inf	-Inf	99.11	3	Horizontal	8	1.74	-	35.08	7.70	35.51
RMS	6.221G	96.62	Inf	-Inf	89.31	3	Horizontal	8	1.74	-	35.12	7.70	35.51

802.11ax HEW80_Nss1,(MCS0)_1TX

6225MHz_TnomVnom




EUT_V_1TX
Setting 23
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.44448G	56.68	74.00	-17.32	42.06	3	Vertical	235	1.80	-	38.86	11.16	35.40
AV	12.45018G	45.74	54.00	-8.26	31.13	3	Vertical	235	1.80	-	38.85	11.16	35.40

802.11ax HEW80_Nss1,(MCS0)_1TX

6225MHz_TnomVnom




EUT_V_1TX
 Setting 23
 03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.46212G	59.50	74.00	-14.50	44.89	3	Horizontal	204	2.85	-	38.84	11.17	35.40
AV	12.44526G	48.49	54.00	-5.51	33.88	3	Horizontal	204	2.85	-	38.85	11.16	35.40

802.11ax HEW80_Nss1,(MCS0)_1TX

6225MHz_TnomVnom




EUT_V_1TX
Setting 23
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.6876G	45.18	83.54	-38.36	42.39	1	Vertical	225	1.80	-	37.72	14.98	49.91
AV	18.67038G	34.59	63.54	-28.95	31.82	1	Vertical	225	1.80	-	37.73	14.97	49.93

802.11ax HEW80_Nss1,(MCS0)_1TX

6225MHz_TnomVnom




EUT_V_1TX
Setting 23
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.67512G	44.83	83.54	-38.71	42.05	1	Horizontal	23	1.74	-	37.73	14.97	49.92
AV	18.67938G	34.45	63.54	-29.09	31.67	1	Horizontal	23	1.74	-	37.73	14.97	49.92

802.11ax HEW80_Nss1,(MCS0)_1TX

6385MHz_TnomVnom




EUT V_1TX
 Setting 17.75
 03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8978G	58.42	88.20	-29.78	51.88	3	Vertical	322	2.07	-	34.59	7.50	35.55
RMS	5.8922G	47.44	68.20	-20.76	40.95	3	Vertical	322	2.07	-	34.55	7.49	35.55
PK	6.3878G	104.73	Inf	-Inf	97.57	3	Vertical	322	2.07	-	34.90	7.70	35.44
RMS	6.3822G	94.72	Inf	-Inf	87.57	3	Vertical	322	2.07	-	34.90	7.70	35.45

802.11ax HEW80_Nss1,(MCS0)_1TX

6385MHz_TnomVnom




EUT V_1TX
 Setting 17.75
 03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8838G	58.47	88.20	-29.73	52.03	3	Horizontal	8	1.70	-	34.50	7.48	35.54
RMS	5.923G	47.44	68.20	-20.76	40.79	3	Horizontal	8	1.70	-	34.69	7.52	35.56
PK	6.3878G	103.93	Inf	-Inf	96.77	3	Horizontal	8	1.70	-	34.90	7.70	35.44
RMS	6.3878G	93.81	Inf	-Inf	86.65	3	Horizontal	8	1.70	-	34.90	7.70	35.44

802.11ax HEW80_Nss1,(MCS0)_1TX

6385MHz_TnomVnom




EUT_V_1TX
 Setting 17.75
 03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.7814G	56.22	88.20	-31.98	40.27	3	Vertical	242	2.37	-	39.26	11.43	34.74	
RMS	12.77486G	45.34	68.20	-22.86	29.43	3	Vertical	242	2.37	-	39.25	11.42	34.76	

802.11ax HEW80_Nss1,(MCS0)_1TX

6385MHz_TnomVnom




EUT_V_1TX
Setting 17.75
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.779G	56.60	88.20	-31.60	40.67	3	Horizontal	254	2.19	-	39.26	11.42	34.75
RMS	12.78188G	46.14	68.20	-22.06	30.19	3	Horizontal	254	2.19	-	39.26	11.43	34.74

802.11ax HEW80_Nss1,(MCS0)_1TX

6385MHz_TnomVnom




EUT_V_1TX
Setting 17.75
03-B-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.14846G	46.01	83.54	-37.53	42.66	1	Vertical	121	2.14	-	37.82	15.16	49.63
AV	19.15428G	35.26	63.54	-28.28	31.92	1	Vertical	121	2.14	-	37.81	15.16	49.63

802.11ax HEW80_Nss1,(MCS0)_1TX

6385MHz_TnomVnom




EUT_V_1TX
 Setting 17.75
 03-B-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.14402G	45.71	83.54	-37.83	42.35	1	Horizontal	55	2.76	-	37.83	15.16	49.63
AV	19.14714G	35.16	63.54	-28.38	31.81	1	Horizontal	55	2.76	-	37.82	15.16	49.63

802.11ax HEW80_Nss1,(MCS0)_1TX

6465MHz_TnomVnom




EUT_V_1TX
Setting 11.75
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.859G	58.18	88.20	-30.02	51.90	3	Vertical	327	1.91	-	34.35	7.46	35.53
RMS	5.925G	47.44	68.20	-20.76	40.77	3	Vertical	327	1.91	-	34.70	7.53	35.56
PK	6.468G	96.22	Inf	-Inf	89.09	3	Vertical	327	1.91	-	34.70	7.84	35.41
RMS	6.468G	86.90	Inf	-Inf	79.77	3	Vertical	327	1.91	-	34.70	7.84	35.41
PK	7.173G	62.74	88.20	-25.46	53.83	3	Vertical	327	1.91	-	36.24	8.20	35.53
RMS	7.149G	51.55	68.20	-16.65	42.79	3	Vertical	327	1.91	-	36.09	8.20	35.53

802.11ax HEW80_Nss1,(MCS0)_1TX

6465MHz_TnomVnom




EUT_V_1TX
 Setting 11.75
 03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.922G	59.70	88.20	-28.50	53.05	3	Horizontal	356	1.80	-	34.69	7.52	35.56
RMS	5.922G	47.45	68.20	-20.75	40.80	3	Horizontal	356	1.80	-	34.69	7.52	35.56
PK	6.468G	95.63	Inf	-Inf	88.50	3	Horizontal	356	1.80	-	34.70	7.84	35.41
RMS	6.468G	85.66	Inf	-Inf	78.53	3	Horizontal	356	1.80	-	34.70	7.84	35.41
PK	7.167G	63.44	88.20	-24.76	54.57	3	Horizontal	356	1.80	-	36.20	8.20	35.53
RMS	7.158G	51.63	68.20	-16.57	42.81	3	Horizontal	356	1.80	-	36.15	8.20	35.53

802.11ax HEW80_Nss1,(MCS0)_1TX

6465MHz_TnomVnom




EUT_V_1TX
Setting 11.75
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.94188G	57.40	88.20	-30.80	40.78	3	Vertical	314	2.28	-	39.44	11.55	34.37	
RMS	12.93822G	46.53	68.20	-21.67	29.92	3	Vertical	314	2.28	-	39.44	11.55	34.38	

802.11ax HEW80_Nss1,(MCS0)_1TX

6465MHz_TnomVnom




EUT_V_1TX
 Setting 11.75
 03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.94206G	57.02	88.20	-31.18	40.40	3	Horizontal	322	1.81	-	39.44	11.55	34.37
RMS	12.92844G	46.18	68.20	-22.02	29.61	3	Horizontal	322	1.81	-	39.43	11.54	34.40

802.11ax HEW80_Nss1,(MCS0)_1TX

6465MHz_TnomVnom




EUT_V_1TX
 Setting 11.75
 03-B-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.40988G	45.97	83.54	-37.57	42.56	1	Vertical	222	2.68	-	37.83	15.26	49.68	
AV	19.40868G	35.57	63.54	-27.97	32.16	1	Vertical	222	2.68	-	37.83	15.26	49.68	

802.11ax HEW80_Nss1,(MCS0)_1TX

6465MHz_TnomVnom




EUT_V_1TX
Setting 11.75
03-B-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.39734G	46.41	83.54	-37.13	43.01	1	Horizontal	60	1.87	-	37.82	15.26	49.68
AV	19.40736G	35.36	63.54	-28.18	31.95	1	Horizontal	60	1.87	-	37.83	15.26	49.68

802.11ax HEW80_Nss1,(MCS0)_1TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_V_1TX
 Setting 12
 03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.901G	59.02	88.20	-29.18	52.47	3	Vertical	324	1.73	-	34.60	7.50	35.55
RMS	5.925G	47.53	68.20	-20.67	40.87	3	Vertical	324	1.73	-	34.70	7.52	35.56
PK	6.5478G	97.51	Inf	-Inf	90.03	3	Vertical	324	1.73	-	34.89	8.00	35.41
RMS	6.5422G	88.16	Inf	-Inf	80.72	3	Vertical	324	1.73	-	34.87	7.98	35.41
PK	7.1974G	62.10	88.20	-26.10	53.06	3	Vertical	324	1.73	-	36.38	8.20	35.54
RMS	7.245G	51.74	68.20	-16.46	42.33	3	Vertical	324	1.73	-	36.67	8.29	35.55

802.11ax HEW80_Nss1,(MCS0)_1TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_V_1TX
 Setting 12
 03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8954G	58.04	88.20	-30.16	51.52	3	Horizontal	354	1.78	-	34.57	7.50	35.55
RMS	5.925G	47.44	68.20	-20.76	40.78	3	Horizontal	354	1.78	-	34.70	7.52	35.56
PK	6.5478G	95.65	Inf	-Inf	88.17	3	Horizontal	354	1.78	-	34.89	8.00	35.41
RMS	6.5422G	86.77	Inf	-Inf	79.33	3	Horizontal	354	1.78	-	34.87	7.98	35.41
PK	7.1862G	62.84	88.20	-25.36	53.86	3	Horizontal	354	1.78	-	36.32	8.20	35.54
RMS	7.245G	51.66	68.20	-16.54	42.25	3	Horizontal	354	1.78	-	36.67	8.29	35.55

802.11ax HEW80_Nss1,(MCS0)_1TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_V_1TX
Setting 12
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.09726G	57.47	88.20	-30.73	40.08	3	Vertical	232	1.31	-	39.79	11.68	34.08
RMS	13.07878G	46.81	68.20	-21.39	29.52	3	Vertical	232	1.31	-	39.74	11.66	34.11

802.11ax HEW80_Nss1,(MCS0)_1TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_V_1TX
Setting 12
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.07962G	57.02	88.20	-31.18	39.73	3	Horizontal	342	2.47	-	39.74	11.66	34.11
RMS	13.09402G	46.77	68.20	-21.43	29.39	3	Horizontal	342	2.47	-	39.78	11.68	34.08

802.11ax HEW80_Nss1,(MCS0)_1TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_V_1TX
Setting 12
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.62324G	47.79	83.54	-35.75	44.29	1	Vertical	307	2.47	-	37.85	15.35	49.70
AV	19.64868G	35.71	63.54	-27.83	32.21	1	Vertical	307	2.47	-	37.84	15.36	49.70

802.11ax HEW80_Nss1,(MCS0)_1TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_V_1TX
 Setting 12
 03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.63806G	46.18	83.54	-37.36	42.68	1	Horizontal	16	1.41	-	37.84	15.36	49.70
AV	19.63938G	35.99	63.54	-27.55	32.49	1	Horizontal	16	1.41	-	37.84	15.36	49.70

802.11ax HEW80_Nss1,(MCS0)_1TX

6625MHz_TnomVnom




EUT V_1TX
Setting 22.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6202G	108.07	Inf	-Inf	100.21	3	Vertical	325	1.78	-	35.18	8.10	35.42
RMS	6.6226G	98.49	Inf	-Inf	90.62	3	Vertical	325	1.78	-	35.19	8.10	35.42
PK	7.1866G	62.25	88.20	-25.95	53.27	3	Vertical	325	1.78	-	36.32	8.20	35.54
RMS	7.1578G	51.62	68.20	-16.58	42.80	3	Vertical	325	1.78	-	36.15	8.20	35.53

802.11ax HEW80_Nss1,(MCS0)_1TX

6625MHz_TnomVnom




EUT V_1TX
Setting 22.5
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.613G	107.17	Inf	-Inf	99.34	3	Horizontal	354	1.74	-	35.15	8.10	35.42	
RMS	6.6226G	97.72	Inf	-Inf	89.85	3	Horizontal	354	1.74	-	35.19	8.10	35.42	
PK	7.1626G	63.09	88.20	-25.11	54.24	3	Horizontal	354	1.74	-	36.18	8.20	35.53	
RMS	7.1602G	51.59	68.20	-16.61	42.76	3	Horizontal	354	1.74	-	36.16	8.20	35.53	

802.11ax HEW80_Nss1,(MCS0)_1TX

6625MHz_TnomVnom




EUT_V_1TX
 Setting 22.5
 03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.2585G	58.07	74.00	-15.93	40.05	3	Vertical	99	2.29	-	40.02	11.81	33.81
AV	13.26122G	47.02	54.00	-6.98	29.00	3	Vertical	99	2.29	-	40.02	11.81	33.81

802.11ax HEW80_Nss1,(MCS0)_1TX

6625MHz_TnomVnom




EUT_V_1TX
 Setting 22.5
 03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.25972G	58.09	74.00	-15.91	40.07	3	Horizontal	338	2.34	-	40.02	11.81	33.81
AV	13.25562G	47.02	54.00	-6.98	29.03	3	Horizontal	338	2.34	-	40.01	11.80	33.82

802.11ax HEW80_Nss1,(MCS0)_1TX

6625MHz_TnomVnom




EUT V_1TX
Setting 22.5
03-B-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.86318G	47.27	83.54	-36.27	43.90	1	Vertical	72	1.25	-	37.62	15.45	49.70
AV	19.8897G	35.90	63.54	-27.64	32.56	1	Vertical	72	1.25	-	37.58	15.46	49.70

802.11ax HEW80_Nss1,(MCS0)_1TX

6625MHz_TnomVnom




EUT_V_1TX
Setting 22.5
03-B-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.87482G	46.63	83.54	-36.91	43.28	1	Horizontal	355	2.68	-	37.60	15.45	49.70
AV	19.86G	35.89	63.54	-27.65	32.53	1	Horizontal	355	2.68	-	37.62	15.44	49.70

802.11ax HEW80_Nss1,(MCS0)_1TX

6705MHz_TnomVnom




EUT Y_1TX
 Setting 23
 03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.709G	107.42	Inf	-Inf	99.32	3	Vertical	325	1.91	-	35.44	8.10	35.44	
RMS	6.707G	97.58	Inf	-Inf	89.49	3	Vertical	325	1.91	-	35.43	8.10	35.44	
PK	7.155G	62.03	88.20	-26.17	53.23	3	Vertical	325	1.91	-	36.13	8.20	35.53	
RMS	7.159G	51.64	68.20	-16.56	42.82	3	Vertical	325	1.91	-	36.15	8.20	35.53	

802.11ax HEW80_Nss1,(MCS0)_1TX

6705MHz_TnomVnom




EUT_V_1TX
 Setting 23
 03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.709G	107.51	Inf	-Inf	99.41	3	Horizontal	354	1.80	-	35.44	8.10	35.44	
RMS	6.707G	97.13	Inf	-Inf	89.04	3	Horizontal	354	1.80	-	35.43	8.10	35.44	
PK	7.125G	62.32	88.20	-25.88	53.69	3	Horizontal	354	1.80	-	35.95	8.20	35.52	
RMS	7.159G	51.66	68.20	-16.54	42.84	3	Horizontal	354	1.80	-	36.15	8.20	35.53	

802.11ax HEW80_Nss1,(MCS0)_1TX

6705MHz_TnomVnom




EUT_V_1TX
 Setting 23
 03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.41258G	58.91	88.20	-29.29	40.23	3	Vertical	360	2.09	-	40.31	11.93	33.56
RMS	13.4232G	47.72	68.20	-20.48	29.00	3	Vertical	360	2.09	-	40.32	11.94	33.54

802.11ax HEW80_Nss1,(MCS0)_1TX

6705MHz_TnomVnom




EUT_V_1TX
 Setting 23
 03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.42452G	58.75	88.20	-29.45	40.03	3	Horizontal	337	2.77	-	40.32	11.94	33.54
RMS	13.41926G	47.82	68.20	-20.38	29.10	3	Horizontal	337	2.77	-	40.32	11.94	33.54

802.11ax HEW80_Nss1,(MCS0)_1TX

6705MHz_TnomVnom




EUT_V_1TX
Setting 23
03-B-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	20.10054G	47.18	83.54	-36.36	43.89	1	Vertical	326	2.91	-	37.48	15.55	49.74	
AV	20.1201G	36.43	63.54	-27.11	33.13	1	Vertical	326	2.91	-	37.50	15.55	49.75	

802.11ax HEW80_Nss1,(MCS0)_1TX

6705MHz_TnomVnom




EUT_V_1TX
Setting 23
03-B-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	20.10708G	46.95	83.54	-36.59	43.65	1	Horizontal	63	2.39	-	37.49	15.55	49.74	
AV	20.1189G	36.82	63.54	-26.72	33.52	1	Horizontal	63	2.39	-	37.50	15.55	49.75	

802.11ax HEW80_Nss1,(MCS0)_1TX

6785MHz_TnomVnom




EUT_V_1TX
 Setting 20.75
 03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.7886G	108.07	Inf	-Inf	99.67	3	Vertical	324	1.95	-	35.75	8.10	35.45	
RMS	6.7868G	97.77	Inf	-Inf	89.37	3	Vertical	324	1.95	-	35.75	8.10	35.45	
PK	7.145G	63.26	88.20	-24.94	54.52	3	Vertical	324	1.95	-	36.07	8.20	35.53	
RMS	7.1486G	51.69	68.20	-16.51	42.93	3	Vertical	324	1.95	-	36.09	8.20	35.53	

802.11ax HEW80_Nss1,(MCS0)_1TX

6785MHz_TnomVnom




EUT V_1TX
 Setting 20.75
 03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.7886G	107.53	Inf	-Inf	99.13	3	Horizontal	356	1.76	-	35.75	8.10	35.45	
RMS	6.7796G	97.63	Inf	-Inf	89.26	3	Horizontal	356	1.76	-	35.72	8.10	35.45	
PK	7.2242G	62.52	88.20	-25.68	53.27	3	Horizontal	356	1.76	-	36.55	8.25	35.55	
RMS	7.1504G	51.71	68.20	-16.49	42.94	3	Horizontal	356	1.76	-	36.10	8.20	35.53	

802.11ax HEW80_Nss1,(MCS0)_1TX

6785MHz_TnomVnom




EUT_V_1TX
 Setting 20.75
 03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.58146G	59.59	88.20	-28.61	40.48	3	Vertical	166	1.80	-	40.48	12.07	33.44	
RMS	13.58416G	48.60	68.20	-19.60	29.49	3	Vertical	166	1.80	-	40.48	12.07	33.44	

802.11ax HEW80_Nss1,(MCS0)_1TX

6785MHz_TnomVnom




EUT_V_1TX
 Setting 20.75
 03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.5817G	61.22	88.20	-26.98	42.11	3	Horizontal	146	2.39	-	40.48	12.07	33.44
RMS	13.5769G	50.73	68.20	-17.47	31.63	3	Horizontal	146	2.39	-	40.48	12.06	33.44

802.11ax HEW80_Nss1,(MCS0)_1TX

6785MHz_TnomVnom




EUT_V_1TX
Setting 20.75
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.3529G	46.98	83.54	-36.56	43.52	1	Vertical	348	1.34	-	37.64	15.66	49.84
AV	20.35068G	35.92	63.54	-27.62	32.46	1	Vertical	348	1.34	-	37.64	15.66	49.84

802.11ax HEW80_Nss1,(MCS0)_1TX

6785MHz_TnomVnom




EUT_V_1TX
Setting 20.75
03-B-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.3487G	46.20	83.54	-37.34	42.74	1	Horizontal	319	2.86	-	37.64	15.66	49.84
AV	20.34774G	36.12	63.54	-27.42	32.66	1	Horizontal	319	2.86	-	37.64	15.66	49.84

802.11ax HEW80_Nss1,(MCS0)_1TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT V_1TX
 Setting 11.5
 03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8692G	99.50	Inf	-Inf	91.18	3	Vertical	322	2.06	-	35.66	8.13	35.47
RMS	6.8622G	88.12	Inf	-Inf	79.78	3	Vertical	322	2.06	-	35.68	8.13	35.47
PK	7.1968G	62.45	88.20	-25.75	53.41	3	Vertical	322	2.06	-	36.38	8.20	35.54
RMS	7.1506G	51.67	68.20	-16.53	42.90	3	Vertical	322	2.06	-	36.10	8.20	35.53

802.11ax HEW80_Nss1,(MCS0)_1TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT V_1TX
 Setting 11.5
 03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8594G	98.43	Inf	-Inf	90.08	3	Horizontal	355	1.73	-	35.68	8.13	35.46
RMS	6.8622G	88.00	Inf	-Inf	79.66	3	Horizontal	355	1.73	-	35.68	8.13	35.47
PK	7.2066G	62.68	88.20	-25.52	53.57	3	Horizontal	355	1.73	-	36.44	8.21	35.54
RMS	7.1618G	51.64	68.20	-16.56	42.80	3	Horizontal	355	1.73	-	36.17	8.20	35.53

802.11ax HEW80_Nss1,(MCS0)_1TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_1TX
 Setting 11.5
 03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.71764G	59.27	88.20	-28.93	39.94	3	Vertical	194	1.77	-	40.64	12.17	33.48
RMS	13.7168G	48.66	68.20	-19.54	29.34	3	Vertical	194	1.77	-	40.63	12.17	33.48

802.11ax HEW80_Nss1,(MCS0)_1TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_1TX
 Setting 11.5
 03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.71512G	58.65	88.20	-29.55	39.33	3	Horizontal	221	1.84	-	40.63	12.17	33.48
RMS	13.71944G	48.41	68.20	-19.79	29.07	3	Horizontal	221	1.84	-	40.64	12.18	33.48

802.11ax HEW80_Nss1,(MCS0)_1TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_1TX
Setting 11.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.58132G	48.93	83.54	-34.61	45.24	1	Vertical	92	2.53	-	37.80	15.76	49.87
AV	20.59212G	37.36	63.54	-26.18	33.64	1	Vertical	92	2.53	-	37.81	15.77	49.86

802.11ax HEW80_Nss1,(MCS0)_1TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_1TX
Setting 11.5
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.60598G	48.06	83.54	-35.48	44.32	1	Horizontal	234	1.70	-	37.83	15.77	49.86
AV	20.60658G	37.28	63.54	-26.26	33.54	1	Horizontal	234	1.70	-	37.83	15.77	49.86

802.11ax HEW80_Nss1,(MCS0)_1TX

6945MHz_TnomVnom




EUT Y_1TX
 Setting 10.75
 03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.9486G	99.54	Inf	-Inf	91.15	3	Vertical	326	1.80	-	35.70	8.17	35.48	
RMS	6.9474G	89.59	Inf	-Inf	81.21	3	Vertical	326	1.80	-	35.69	8.17	35.48	
PK	7.1418G	62.64	88.20	-25.56	53.92	3	Vertical	326	1.80	-	36.05	8.20	35.53	
RMS	7.245G	51.71	68.20	-16.49	42.30	3	Vertical	326	1.80	-	36.67	8.29	35.55	

802.11ax HEW80_Nss1,(MCS0)_1TX

6945MHz_TnomVnom




EUT_V_1TX
 Setting 10.75
 03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.9486G	98.83	Inf	-Inf	90.44	3	Horizontal	355	1.72	-	35.70	8.17	35.48	
RMS	6.9474G	88.89	Inf	-Inf	80.51	3	Horizontal	355	1.72	-	35.69	8.17	35.48	
PK	7.1514G	62.46	88.20	-25.74	53.68	3	Horizontal	355	1.72	-	36.11	8.20	35.53	
RMS	7.2414G	51.65	68.20	-16.55	42.27	3	Horizontal	355	1.72	-	36.65	8.28	35.55	

802.11ax HEW80_Nss1,(MCS0)_1TX

6945MHz_TnomVnom




EUT_V_1TX
Setting 10.75
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.8804G	59.60	88.20	-28.60	39.88	3	Vertical	198	2.10	-	40.96	12.30	33.54	
RMS	13.89738G	49.42	68.20	-18.78	29.66	3	Vertical	198	2.10	-	40.99	12.32	33.55	

802.11ax HEW80_Nss1,(MCS0)_1TX

6945MHz_TnomVnom




EUT_V_1TX
 Setting 10.75
 03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.8894G	59.95	88.20	-28.25	40.20	3	Horizontal	101	1.24	-	40.98	12.31	33.54
RMS	13.89876G	48.86	68.20	-19.34	29.09	3	Horizontal	101	1.24	-	41.00	12.32	33.55

802.11ax HEW80_Nss1,(MCS0)_1TX

6945MHz_TnomVnom




EUT_V_1TX
Setting 10.75
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.83362G	47.18	83.54	-36.36	43.20	1	Vertical	170	2.52	-	37.87	15.88	49.77
AV	20.84112G	36.20	63.54	-27.34	32.23	1	Vertical	170	2.52	-	37.85	15.88	49.76

802.11ax HEW80_Nss1,(MCS0)_1TX

6945MHz_TnomVnom




EUT_V_1TX
Setting 10.75
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.84418G	47.09	83.54	-36.45	43.12	1	Horizontal	157	2.57	-	37.85	15.88	49.76
AV	20.82312G	36.36	63.54	-27.18	32.38	1	Horizontal	157	2.57	-	37.88	15.87	49.77

802.11ax HEW80_Nss1,(MCS0)_1TX

7025MHz_TnomVnom




EUT_V_1TX
 Setting 17.5
 01-M-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.9874G	106.44	Inf	-Inf	95.83	3	Vertical	74	1.69	-	36.35	7.28	33.02	
RMS	6.9874G	97.19	Inf	-Inf	86.58	3	Vertical	74	1.69	-	36.35	7.28	33.02	
PK	7.1314G	77.85	88.20	-10.35	66.96	3	Vertical	74	1.69	-	36.75	7.23	33.09	
RMS	7.125G	67.59	68.20	-0.61	56.74	3	Vertical	74	1.69	-	36.70	7.24	33.09	

802.11ax HEW80_Nss1,(MCS0)_1TX

7025MHz_TnomVnom




EUT V_1TX
 Setting 17.5
 01-M-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.013G	105.08	Inf	-Inf	94.44	3	Horizontal	17	1.80	-	36.38	7.29	33.03	
RMS	7.0002G	95.99	Inf	-Inf	85.41	3	Horizontal	17	1.80	-	36.30	7.30	33.02	
PK	7.1314G	76.23	88.20	-11.97	65.34	3	Horizontal	17	1.80	-	36.75	7.23	33.09	
RMS	7.125G	66.20	68.20	-2.00	55.35	3	Horizontal	17	1.80	-	36.70	7.24	33.09	

802.11ax HEW80_Nss1,(MCS0)_1TX

7025MHz_TnomVnom




EUT_V_1TX
Setting 17.5
01-M-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.04974G	62.28	88.20	-25.92	40.99	3	Vertical	114	2.71	-	40.90	9.91	29.52
RMS	14.0455G	52.86	68.20	-15.34	31.57	3	Vertical	114	2.71	-	40.90	9.91	29.52

802.11ax HEW80_Nss1,(MCS0)_1TX

7025MHz_TnomVnom




EUT_V_1TX
Setting 17.5
01-M-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.04588G	62.82	88.20	-25.38	41.53	3	Horizontal	353	1.98	-	40.90	9.91	29.52
RMS	14.05416G	53.00	68.20	-15.20	31.71	3	Horizontal	353	1.98	-	40.90	9.92	29.53

802.11ax HEW80_Nss1,(MCS0)_1TX

7025MHz_TnomVnom




EUT_V_1TX
Setting 17.5
01-M-S-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	21.0715G	47.77	83.54	-35.77	43.88	1	Vertical	44	1.50	-	37.60	15.98	49.69
AV	21.07G	37.73	63.54	-25.81	33.84	1	Vertical	44	1.50	-	37.60	15.98	49.69

802.11ax HEW80_Nss1,(MCS0)_1TX

7025MHz_TnomVnom




EUT V_1TX
Setting 17.5
01-M-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.07878G	47.40	83.54	-36.14	43.49	1	Horizontal	153	1.56	-	37.60	15.99	49.68
AV	21.07218G	37.63	63.54	-25.91	33.74	1	Horizontal	153	1.56	-	37.60	15.98	49.69

802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TnomVnom




EUT Y_1TX
 Setting 16.75
 01-M-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.901G	83.26	88.20	-4.94	74.56	3	Vertical	72	1.40	-	34.90	6.60	32.80
RMS	5.901G	67.84	68.20	-0.36	59.14	3	Vertical	72	1.40	-	34.90	6.60	32.80
PK	6G	104.42	Inf	-Inf	95.36	3	Vertical	72	1.40	-	35.30	6.60	32.84
RMS	6.03G	94.84	Inf	-Inf	85.80	3	Vertical	72	1.40	-	35.24	6.64	32.84

802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TnomVnom




EUT_V_1TX
 Setting 16.75
 01-M-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.901G	79.97	88.20	-8.23	71.27	3	Horizontal	360	1.17	-	34.90	6.60	32.80
RMS	5.923G	65.41	68.20	-2.79	56.63	3	Horizontal	360	1.17	-	34.99	6.60	32.81
PK	6.103G	102.26	Inf	-Inf	93.05	3	Horizontal	360	1.17	-	35.30	6.75	32.84
RMS	6.03G	92.94	Inf	-Inf	83.90	3	Horizontal	360	1.17	-	35.24	6.64	32.84

802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TnomVnom




EUT_V_1TX
Setting 16.75
01-M-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.05054G	58.43	74.00	-15.57	42.41	3	Vertical	299	2.00	-	38.55	9.02	31.55
AV	12.05398G	48.75	54.00	-5.25	32.73	3	Vertical	299	2.00	-	38.55	9.02	31.55

802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TnomVnom




EUT_V_1TX
Setting 16.75
01-M-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.05132G	59.09	74.00	-14.91	43.07	3	Horizontal	42	2.03	-	38.55	9.02	31.55
AV	12.05398G	48.58	54.00	-5.42	32.56	3	Horizontal	42	2.03	-	38.55	9.02	31.55

802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TnomVnom




EUT_V_1TX
Setting 16.75
01-M-S-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	18.07096G	45.92	83.54	-37.62	43.82	1	Vertical	239	1.55	-	37.64	14.73	50.27
AV	18.0788G	35.10	63.54	-28.44	33.00	1	Vertical	239	1.55	-	37.64	14.73	50.27

802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TnomVnom




EUT_V_1TX
Setting 16.75
01-M-S-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	18.07216G	44.34	83.54	-39.20	42.24	1	Horizontal	271	1.50	-	37.64	14.73	50.27
AV	18.07634G	34.96	63.54	-28.58	32.86	1	Horizontal	271	1.50	-	37.64	14.73	50.27

802.11ax HEW160_Nss1,(MCS0)_1TX

6185MHz_TnomVnom




EUT V_1TX
 Setting 23
 03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.921G	69.81	88.20	-18.39	63.17	3	Vertical	221	1.79	-	34.68	7.52	35.56	
RMS	5.921G	53.67	68.20	-14.53	47.03	3	Vertical	221	1.79	-	34.68	7.52	35.56	
PK	6.181G	105.03	Inf	-Inf	97.75	3	Vertical	221	1.79	-	35.12	7.69	35.53	
RMS	6.181G	95.62	Inf	-Inf	88.34	3	Vertical	221	1.79	-	35.12	7.69	35.53	

802.11ax HEW160_Nss1,(MCS0)_1TX

6185MHz_TnomVnom




EUT V_1TX
 Setting 23
 03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.907G	67.06	88.20	-21.14	60.47	3	Horizontal	5	1.89	-	34.63	7.51	35.55
RMS	5.919G	51.51	68.20	-16.69	44.87	3	Horizontal	5	1.89	-	34.68	7.52	35.56
PK	6.181G	103.65	Inf	-Inf	96.37	3	Horizontal	5	1.89	-	35.12	7.69	35.53
RMS	6.189G	94.06	Inf	-Inf	86.73	3	Horizontal	5	1.89	-	35.16	7.69	35.52

802.11ax HEW160_Nss1,(MCS0)_1TX

6185MHz_TnomVnom




EUT_V_1TX
Setting 23
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.38074G	59.75	74.00	-14.25	45.18	3	Vertical	176	2.54	-	38.88	11.10	35.41
AV	12.38338G	48.25	54.00	-5.75	33.67	3	Vertical	176	2.54	-	38.88	11.11	35.41

802.11ax HEW160_Nss1,(MCS0)_1TX

6185MHz_TnomVnom




EUT_V_1TX
 Setting 23
 03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.38392G	59.59	74.00	-14.41	45.01	3	Horizontal	203	2.62	-	38.88	11.11	35.41
AV	12.3811G	48.06	54.00	-5.94	33.49	3	Horizontal	203	2.62	-	38.88	11.10	35.41

802.11ax HEW160_Nss1,(MCS0)_1TX

6185MHz_TnomVnom




EUT_V_1TX
Setting 23
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.55476G	45.59	83.54	-37.95	42.94	1	Vertical	68	1.16	-	37.78	14.92	50.05
AV	18.56256G	34.90	63.54	-28.64	32.24	1	Vertical	68	1.16	-	37.77	14.93	50.04

802.11ax HEW160_Nss1,(MCS0)_1TX

6185MHz_TnomVnom




EUT_V_1TX
Setting 23
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.56118G	45.09	83.54	-38.45	42.43	1	Horizontal	19	2.83	-	37.78	14.92	50.04
AV	18.54672G	34.34	63.54	-29.20	31.69	1	Horizontal	19	2.83	-	37.78	14.92	50.05

802.11ax HEW160_Nss1,(MCS0)_1TX

6345MHz_TnomVnom




EUT_V_1TX
 Setting 15
 03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.913G	58.69	88.20	-29.51	52.09	3	Vertical	320	1.91	-	34.65	7.51	35.56
RMS	5.919G	47.67	68.20	-20.53	41.03	3	Vertical	320	1.91	-	34.68	7.52	35.56
PK	6.342G	103.16	Inf	-Inf	96.00	3	Vertical	320	1.91	-	34.92	7.70	35.46
RMS	6.342G	93.52	Inf	-Inf	86.36	3	Vertical	320	1.91	-	34.92	7.70	35.46

802.11ax HEW160_Nss1,(MCS0)_1TX

6345MHz_TnomVnom




EUT_V_1TX
Setting 15
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.658G	58.69	88.20	-29.51	52.25	3	Horizontal	6	1.69	-	34.47	7.40	35.43
RMS	5.922G	47.70	68.20	-20.50	41.05	3	Horizontal	6	1.69	-	34.69	7.52	35.56
PK	6.342G	101.82	Inf	-Inf	94.66	3	Horizontal	6	1.69	-	34.92	7.70	35.46
RMS	6.342G	92.14	Inf	-Inf	84.98	3	Horizontal	6	1.69	-	34.92	7.70	35.46

802.11ax HEW160_Nss1,(MCS0)_1TX

6345MHz_TnomVnom




EUT_V_1TX
Setting 15
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.69474G	56.55	74.00	-17.45	41.05	3	Vertical	8	2.32	-	39.08	11.36	34.94
AV	12.69648G	45.79	54.00	-8.21	30.28	3	Vertical	8	2.32	-	39.09	11.36	34.94

802.11ax HEW160_Nss1,(MCS0)_1TX

6345MHz_TnomVnom




EUT_V_1TX
 Setting 15
 03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.68412G	56.71	74.00	-17.29	41.28	3	Horizontal	316	2.50	-	39.05	11.35	34.97
AV	12.6867G	45.50	54.00	-8.50	30.05	3	Horizontal	316	2.50	-	39.06	11.35	34.96

802.11ax HEW160_Nss1,(MCS0)_1TX

6345MHz_TnomVnom




EUT_V_1TX
Setting 15
03-B-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.02072G	45.62	83.54	-37.92	42.13	1	Vertical	319	1.48	-	37.98	15.11	49.60
AV	19.0239G	34.78	63.54	-28.76	31.30	1	Vertical	319	1.48	-	37.97	15.11	49.60

802.11ax HEW160_Nss1,(MCS0)_1TX

6345MHz_TnomVnom




EUT_V_1TX
Setting 15
03-B-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.03326G	45.79	83.54	-37.75	42.33	1	Horizontal	187	2.99	-	37.96	15.11	49.61
AV	19.02924G	34.87	63.54	-28.67	31.41	1	Horizontal	187	2.99	-	37.96	15.11	49.61

802.11ax HEW160_Nss1,(MCS0)_1TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_V_1TX
 Setting 14.25
 03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8106G	58.61	88.20	-29.59	52.49	3	Vertical	326	2.02	-	34.22	7.41	35.51
RMS	5.925G	47.55	68.20	-20.65	40.89	3	Vertical	326	2.02	-	34.70	7.52	35.56
PK	6.5078G	96.81	Inf	-Inf	89.56	3	Vertical	326	2.02	-	34.73	7.92	35.40
RMS	6.5106G	88.05	Inf	-Inf	80.79	3	Vertical	326	2.02	-	34.74	7.92	35.40
PK	7.1518G	61.77	88.20	-26.43	52.99	3	Vertical	326	2.02	-	36.11	8.20	35.53
RMS	7.1518G	51.75	68.20	-16.45	42.97	3	Vertical	326	2.02	-	36.11	8.20	35.53

802.11ax HEW160_Nss1,(MCS0)_1TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_V_1TX
 Setting 14.25
 03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9002G	58.38	88.20	-29.82	51.83	3	Horizontal	353	1.79	-	34.60	7.50	35.55
RMS	5.9198G	47.47	68.20	-20.73	40.83	3	Horizontal	353	1.79	-	34.68	7.52	35.56
PK	6.5022G	96.16	Inf	-Inf	88.95	3	Horizontal	353	1.79	-	34.71	7.90	35.40
RMS	6.5022G	86.71	Inf	-Inf	79.50	3	Horizontal	353	1.79	-	34.71	7.90	35.40
PK	7.163G	62.50	88.20	-25.70	53.65	3	Horizontal	353	1.79	-	36.18	8.20	35.53
RMS	7.1462G	51.72	68.20	-16.48	42.97	3	Horizontal	353	1.79	-	36.08	8.20	35.53

802.11ax HEW160_Nss1,(MCS0)_1TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_V_1TX
 Setting 14.25
 03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.99812G	57.66	88.20	-30.54	40.80	3	Vertical	205	1.49	-	39.50	11.60	34.24
RMS	13.01498G	47.04	68.20	-21.16	30.11	3	Vertical	205	1.49	-	39.54	11.61	34.22

802.11ax HEW160_Nss1,(MCS0)_1TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_V_1TX
 Setting 14.25
 03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.00502G	58.03	88.20	-30.17	41.14	3	Horizontal	38	1.33	-	39.52	11.60	34.23
RMS	12.99962G	47.05	68.20	-21.15	30.19	3	Horizontal	38	1.33	-	39.50	11.60	34.24

802.11ax HEW160_Nss1,(MCS0)_1TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_V_1TX
 Setting 14.25
 03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.52628G	46.79	83.54	-36.75	43.29	1	Vertical	248	2.62	-	37.89	15.31	49.70
AV	19.51926G	36.02	63.54	-27.52	32.52	1	Vertical	248	2.62	-	37.89	15.31	49.70

802.11ax HEW160_Nss1,(MCS0)_1TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_V_1TX
 Setting 14.25
 03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.52106G	45.83	83.54	-37.71	42.33	1	Horizontal	8	2.37	-	37.89	15.31	49.70
AV	19.51386G	35.60	63.54	-27.94	32.10	1	Horizontal	8	2.37	-	37.89	15.31	49.70

802.11ax HEW160_Nss1,(MCS0)_1TX

6665MHz_TnomVnom




EUT_V_1TX
 Setting 18.75
 03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.6606G	104.36	Inf	-Inf	96.37	3	Vertical	352	1.79	-	35.32	8.10	35.43	
RMS	6.6672G	94.69	Inf	-Inf	86.69	3	Vertical	352	1.79	-	35.33	8.10	35.43	
PK	7.1402G	64.82	88.20	-23.38	56.11	3	Vertical	352	1.79	-	36.04	8.20	35.53	
RMS	7.1292G	52.40	68.20	-15.80	43.74	3	Vertical	352	1.79	-	35.98	8.20	35.52	

802.11ax HEW160_Nss1,(MCS0)_1TX

6665MHz_TnomVnom




EUT_V_1TX
 Setting 18.75
 03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.6496G	104.74	Inf	-Inf	96.77	3	Horizontal	326	1.80	-	35.30	8.10	35.43	
RMS	6.6694G	94.72	Inf	-Inf	86.71	3	Horizontal	326	1.80	-	35.34	8.10	35.43	
PK	7.1292G	66.46	88.20	-21.74	57.80	3	Horizontal	326	1.80	-	35.98	8.20	35.52	
RMS	7.1314G	53.31	68.20	-14.89	44.64	3	Horizontal	326	1.80	-	35.99	8.20	35.52	

802.11ax HEW160_Nss1,(MCS0)_1TX

6665MHz_TnomVnom




EUT_V_1TX
Setting 18.75
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.33984G	58.40	74.00	-15.60	40.03	3	Vertical	360	2.23	-	40.18	11.87	33.68
AV	13.33402G	48.50	54.00	-5.50	30.15	3	Vertical	360	2.23	-	40.17	11.87	33.69

802.11ax HEW160_Nss1,(MCS0)_1TX

6665MHz_TnomVnom




EUT_V_1TX
Setting 18.75
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.32088G	58.44	74.00	-15.56	40.15	3	Horizontal	184	1.71	-	40.14	11.86	33.71
AV	13.3369G	47.96	54.00	-6.04	29.60	3	Horizontal	184	1.71	-	40.17	11.87	33.68

802.11ax HEW160_Nss1,(MCS0)_1TX

6665MHz_TnomVnom




EUT_V_1TX
Setting 18.75
03-B-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.99086G	47.04	83.54	-36.50	43.83	1	Vertical	4	1.42	-	37.41	15.50	49.70
AV	20.00016G	36.47	63.54	-27.07	33.27	1	Vertical	4	1.42	-	37.40	15.50	49.70

802.11ax HEW160_Nss1,(MCS0)_1TX

6665MHz_TnomVnom




EUT_V_1TX
Setting 18.75
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.00532G	47.58	83.54	-35.96	44.38	1	Horizontal	3	2.87	-	37.40	15.50	49.70
AV	19.99746G	36.27	63.54	-27.27	33.07	1	Horizontal	3	2.87	-	37.40	15.50	49.70

802.11ax HEW160_Nss1,(MCS0)_1TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_1TX
Setting 14
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.8378G	97.53	Inf	-Inf	89.15	3	Vertical	324	2.07	-	35.72	8.12	35.46	
RMS	6.8298G	88.07	Inf	-Inf	79.68	3	Vertical	324	2.07	-	35.74	8.11	35.46	
PK	7.1834G	62.93	88.20	-25.27	53.97	3	Vertical	324	2.07	-	36.30	8.20	35.54	
RMS	7.1626G	51.77	68.20	-16.43	42.92	3	Vertical	324	2.07	-	36.18	8.20	35.53	

802.11ax HEW160_Nss1,(MCS0)_1TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_1TX
 Setting 14
 03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.8378G	97.15	Inf	-Inf	88.77	3	Horizontal	354	1.78	-	35.72	8.12	35.46	
RMS	6.8298G	87.88	Inf	-Inf	79.49	3	Horizontal	354	1.78	-	35.74	8.11	35.46	
PK	7.1306G	63.08	88.20	-25.12	54.42	3	Horizontal	354	1.78	-	35.98	8.20	35.52	
RMS	7.1562G	51.78	68.20	-16.42	42.97	3	Horizontal	354	1.78	-	36.14	8.20	35.53	

802.11ax HEW160_Nss1,(MCS0)_1TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_1TX
 Setting 14
 03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.6434G	58.63	88.20	-29.57	39.44	3	Vertical	317	1.82	-	40.54	12.11	33.46
RMS	13.63566G	47.95	68.20	-20.25	28.76	3	Vertical	317	1.82	-	40.54	12.11	33.46

802.11ax HEW160_Nss1,(MCS0)_1TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_1TX
 Setting 14
 03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.65156G	58.64	88.20	-29.56	39.43	3	Horizontal	245	1.44	-	40.55	12.12	33.46
RMS	13.63938G	47.87	68.20	-20.33	28.68	3	Horizontal	245	1.44	-	40.54	12.11	33.46

802.11ax HEW160_Nss1,(MCS0)_1TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_Y_1TX
Setting 14
03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.4678G	47.30	83.54	-36.24	43.79	1	Vertical	153	1.92	-	37.69	15.71	49.89
AV	20.47878G	36.49	63.54	-27.05	32.97	1	Vertical	153	1.92	-	37.69	15.72	49.89

802.11ax HEW160_Nss1,(MCS0)_1TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_1TX
 Setting 14
 03-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.47368G	47.06	83.54	-36.48	43.55	1	Horizontal	140	2.82	-	37.69	15.71	49.89
AV	20.4867G	36.71	63.54	-26.83	33.19	1	Horizontal	140	2.82	-	37.69	15.72	49.89

802.11ax HEW160_Nss1,(MCS0)_1TX

6985MHz_TnomVnom




EUT_V_1TX
 Setting 15.25
 01-M-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.96G	102.69	Inf	-Inf	92.00	3	Vertical	76	1.70	-	36.46	7.24	33.01
RMS	6.98G	93.02	Inf	-Inf	82.38	3	Vertical	76	1.70	-	36.38	7.27	33.01
PK	7.127G	81.96	88.20	-6.24	71.09	3	Vertical	76	1.70	-	36.72	7.24	33.09
RMS	7.128G	68.16	68.20	-0.04	57.29	3	Vertical	76	1.70	-	36.72	7.24	33.09

802.11ax HEW160_Nss1,(MCS0)_1TX

6985MHz_TnomVnom




EUT_V_1TX
 Setting 15.25
 01-M-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.013G	101.95	Inf	-Inf	91.31	3	Horizontal	19	1.94	-	36.38	7.29	33.03	
RMS	7.013G	92.01	Inf	-Inf	81.37	3	Horizontal	19	1.94	-	36.38	7.29	33.03	
PK	7.128G	80.36	88.20	-7.84	69.49	3	Horizontal	19	1.94	-	36.72	7.24	33.09	
RMS	7.132G	66.96	68.20	-1.24	56.06	3	Horizontal	19	1.94	-	36.76	7.23	33.09	

802.11ax HEW160_Nss1,(MCS0)_1TX

6985MHz_TnomVnom




EUT_V_1TX
Setting 15.25
01-M-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.96562G	61.86	88.20	-26.34	40.59	3	Vertical	55	2.35	-	40.90	9.88	29.51	
RMS	13.97346G	52.38	68.20	-15.82	31.10	3	Vertical	55	2.35	-	40.90	9.89	29.51	

802.11ax HEW160_Nss1,(MCS0)_1TX

6985MHz_TnomVnom




EUT_V_1TX
Setting 15.25
01-M-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.97282G	62.25	88.20	-25.95	40.97	3	Horizontal	323	1.52	-	40.90	9.89	29.51
RMS	13.96638G	52.66	68.20	-15.54	31.39	3	Horizontal	323	1.52	-	40.90	9.88	29.51

802.11ax HEW160_Nss1,(MCS0)_1TX

6985MHz_TnomVnom




EUT_V_1TX
Setting 15.25
01-M-S-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.95192G	47.29	83.54	-36.25	43.40	1	Vertical	198	1.53	-	37.68	15.93	49.72
AV	20.95188G	38.17	63.54	-25.37	34.28	1	Vertical	198	1.53	-	37.68	15.93	49.72

802.11ax HEW160_Nss1,(MCS0)_1TX

6985MHz_TnomVnom



EUT_V_1TX
Setting 15.25
01-M-S-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.95414G	48.36	83.54	-35.18	44.48	1	Horizontal	343	1.53	-	37.67	15.93	49.72
AV	20.9536G	38.05	63.54	-25.49	34.17	1	Horizontal	343	1.53	-	37.67	15.93	49.72



RSE TX above 1GHz
<Full RU> low power_Non-beamforming mode_1TX_Ant. 2


Appendix E.3

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	RMS	7.1255G	68.19	68.20	-0.01	3	Vertical	31	1.62	-

802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TnomVnom




EUT_V_1TX
Setting 19
01-M-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.925G	71.66	88.20	-16.54	62.87	3	Vertical	36	1.82	-	35.00	6.60	32.81	
RMS	5.9246G	54.25	68.20	-13.95	45.46	3	Vertical	36	1.82	-	35.00	6.60	32.81	
PK	5.9546G	116.58	Inf	-Inf	107.68	3	Vertical	36	1.82	-	35.12	6.60	32.82	
RMS	5.9578G	106.14	Inf	-Inf	97.23	3	Vertical	36	1.82	-	35.13	6.60	32.82	

802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TnomVnom




EUT_V_1TX
 Setting 19
 01-M-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9242G	63.11	88.20	-25.09	54.32	3	Horizontal	58	1.79	-	35.00	6.60	32.81	
RMS	5.925G	51.41	68.20	-16.79	42.62	3	Horizontal	58	1.79	-	35.00	6.60	32.81	
PK	5.9546G	106.87	Inf	-Inf	97.97	3	Horizontal	58	1.79	-	35.12	6.60	32.82	
RMS	5.9578G	96.39	Inf	-Inf	87.48	3	Horizontal	58	1.79	-	35.13	6.60	32.82	

802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TnomVnom




EUT_V_1TX
Setting 19
01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.915G	57.61	74.00	-16.39	41.70	3	Vertical	228	1.80	-	38.50	8.98	31.57	
AV	11.9078G	45.60	54.00	-8.40	29.70	3	Vertical	228	1.80	-	38.50	8.98	31.58	

802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TnomVnom




EUT_V_1TX
Setting 19
01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.91306G	66.41	74.00	-7.59	50.50	3	Horizontal	204	1.80	-	38.50	8.98	31.57
AV	11.90862G	53.76	54.00	-0.24	37.86	3	Horizontal	204	1.80	-	38.50	8.98	31.58

802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TnomVnom




EUT Y_1TX
 Setting 23
 01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9108G	61.07	88.20	-27.13	52.33	3	Vertical	243	1.74	-	34.94	6.60	32.80	
RMS	5.915G	48.20	68.20	-20.00	39.45	3	Vertical	243	1.74	-	34.96	6.60	32.81	
PK	6.195G	117.65	Inf	-Inf	108.13	3	Vertical	243	1.74	-	35.48	6.89	32.85	
RMS	6.1964G	105.46	Inf	-Inf	95.93	3	Vertical	243	1.74	-	35.49	6.89	32.85	

802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TnomVnom




EUT_V_1TX
Setting 23
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.8576G	61.31	88.20	-26.89	52.67	3	Horizontal	176	2.71	-	34.82	6.60	32.78	
RMS	5.9206G	48.19	68.20	-20.01	39.42	3	Horizontal	176	2.71	-	34.98	6.60	32.81	
PK	6.195G	111.25	Inf	-Inf	101.73	3	Horizontal	176	2.71	-	35.48	6.89	32.85	
RMS	6.1964G	98.34	Inf	-Inf	88.81	3	Horizontal	176	2.71	-	35.49	6.89	32.85	

802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TnomVnom




EUT_V_1TX
 Setting 23
 01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.38976G	61.93	74.00	-12.07	45.65	3	Vertical	236	1.79	-	38.68	9.18	31.58
AV	12.3888G	48.07	54.00	-5.93	31.80	3	Vertical	236	1.79	-	38.68	9.17	31.58

802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TnomVnom




EUT Y_1TX
 Setting 23
 01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.39336G	66.25	74.00	-7.75	49.96	3	Horizontal	205	1.80	-	38.69	9.18	31.58
AV	12.38912G	52.71	54.00	-1.29	36.43	3	Horizontal	205	1.80	-	38.68	9.18	31.58

802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TnomVnom




EUT_V_1TX
Setting 23
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.58529G	46.98	83.54	-36.56	44.29	1	Vertical	132	1.66	-	37.77	14.93	50.01
AV	18.58879G	34.25	63.54	-29.29	31.56	1	Vertical	132	1.66	-	37.76	14.94	50.01

802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TnomVnom




EUT V_1TX
Setting 23
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.58887G	47.71	83.54	-35.83	45.02	1	Horizontal	254	1.69	-	37.76	14.94	50.01
AV	18.58138G	34.35	63.54	-29.19	31.67	1	Horizontal	254	1.69	-	37.77	14.93	50.02

802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TnomVnom




EUT_V_1TX
Setting 19.5
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8966G	60.58	88.20	-27.62	51.89	3	Vertical	324	1.72	-	34.89	6.60	32.80
RMS	5.9206G	48.17	68.20	-20.03	39.40	3	Vertical	324	1.72	-	34.98	6.60	32.81
PK	6.4174G	115.96	Inf	-Inf	106.29	3	Vertical	324	1.72	-	35.53	7.00	32.86
RMS	6.415G	104.82	Inf	-Inf	95.14	3	Vertical	324	1.72	-	35.54	7.00	32.86

802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TnomVnom




EUT_V_1TX
Setting 19.5
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9206G	60.77	88.20	-27.43	52.00	3	Horizontal	157	1.62	-	34.98	6.60	32.81	
RMS	5.9206G	48.23	68.20	-19.97	39.46	3	Horizontal	157	1.62	-	34.98	6.60	32.81	
PK	6.4174G	107.25	Inf	-Inf	97.58	3	Horizontal	157	1.62	-	35.53	7.00	32.86	
RMS	6.415G	96.41	Inf	-Inf	86.73	3	Horizontal	157	1.62	-	35.54	7.00	32.86	

802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TnomVnom




EUT_V_1TX
Setting 19.5
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.83336G	63.59	88.20	-24.61	45.86	3	Vertical	273	1.80	-	39.23	9.38	30.88	
RMS	12.8276G	49.41	68.20	-18.79	31.70	3	Vertical	273	1.80	-	39.23	9.37	30.89	

802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TnomVnom




EUT_V_1TX
 Setting 19.5
 01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.83336G	66.37	88.20	-21.83	48.64	3	Horizontal	202	1.80	-	39.23	9.38	30.88
RMS	12.82736G	52.65	68.20	-15.55	34.94	3	Horizontal	202	1.80	-	39.23	9.37	30.89

802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TnomVnom




EUT_V_1TX
Setting 19.5
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.24286G	48.46	83.54	-35.08	45.20	1	Vertical	130	2.21	-	37.71	15.20	49.65
AV	19.24458G	35.05	63.54	-28.49	31.79	1	Vertical	130	2.21	-	37.71	15.20	49.65

802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TnomVnom




EUT_V_1TX
Setting 19.5
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.24324G	47.92	83.54	-35.62	44.66	1	Horizontal	275	2.22	-	37.71	15.20	49.65
AV	19.24198G	34.31	63.54	-29.23	31.05	1	Horizontal	275	2.22	-	37.71	15.20	49.65

802.11ax HEW20_Nss1,(MCS0)_1TX

6435MHz_TnomVnom




EUT V_1TX
 Setting 5.75
 01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8318G	60.42	88.20	-27.78	51.94	3	Vertical	322	1.80	-	34.65	6.60	32.77
RMS	5.925G	50.03	68.20	-18.17	41.24	3	Vertical	322	1.80	-	35.00	6.60	32.81
PK	6.435G	101.46	Inf	-Inf	91.86	3	Vertical	322	1.80	-	35.46	7.00	32.86
RMS	6.435G	90.86	Inf	-Inf	81.26	3	Vertical	322	1.80	-	35.46	7.00	32.86

802.11ax HEW20_Nss1,(MCS0)_1TX

6435MHz_TnomVnom




EUT_V_1TX
 Setting 5.75
 01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9176G	60.91	88.20	-27.29	52.15	3	Horizontal	161	1.00	-	34.97	6.60	32.81	
RMS	5.9228G	50.02	68.20	-18.18	41.24	3	Horizontal	161	1.00	-	34.99	6.60	32.81	
PK	6.4376G	91.03	Inf	-Inf	81.44	3	Horizontal	161	1.00	-	35.45	7.00	32.86	
RMS	6.435G	82.19	Inf	-Inf	72.59	3	Horizontal	161	1.00	-	35.46	7.00	32.86	

802.11ax HEW20_Nss1,(MCS0)_1TX

6435MHz_TnomVnom




EUT_V_1TX
Setting 5.75
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.87127G	59.13	88.20	-29.07	41.27	3	Vertical	193	2.68	-	39.27	9.39	30.80
RMS	12.86968G	44.97	68.20	-23.23	27.11	3	Vertical	193	2.68	-	39.27	9.39	30.80

802.11ax HEW20_Nss1,(MCS0)_1TX

6435MHz_TnomVnom




EUT_V_1TX
Setting 5.75
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.86971G	58.80	88.20	-29.40	40.94	3	Horizontal	319	1.20	-	39.27	9.39	30.80
RMS	12.86852G	44.93	68.20	-23.27	27.07	3	Horizontal	319	1.20	-	39.27	9.39	30.80

802.11ax HEW20_Nss1,(MCS0)_1TX

6435MHz_TnomVnom




EUT V_1TX
Setting 5.75
01-C-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.30604G	47.71	83.54	-35.83	44.41	1	Vertical	99	1.12	-	37.74	15.22	49.66	
AV	19.3057G	34.82	63.54	-28.72	31.52	1	Vertical	99	1.12	-	37.74	15.22	49.66	

802.11ax HEW20_Nss1,(MCS0)_1TX

6435MHz_TnomVnom




EUT_V_1TX
Setting 5.75
01-C-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.30287G	47.79	83.54	-35.75	44.49	1	Horizontal	353	2.82	-	37.74	15.22	49.66	
AV	19.3085G	34.08	63.54	-29.46	30.77	1	Horizontal	353	2.82	-	37.75	15.22	49.66	

802.11ax HEW20_Nss1,(MCS0)_1TX

6475MHz_TnomVnom




EUT_V_1TX
 Setting 6
 01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.803G	60.22	88.20	-27.98	51.96	3	Vertical	324	1.88	-	34.42	6.60	32.76
RMS	5.9234G	50.05	68.20	-18.15	41.27	3	Vertical	324	1.88	-	34.99	6.60	32.81
PK	6.475G	99.04	Inf	-Inf	89.40	3	Vertical	324	1.88	-	35.50	7.00	32.86
RMS	6.475G	89.70	Inf	-Inf	80.06	3	Vertical	324	1.88	-	35.50	7.00	32.86
PK	7.1274G	63.30	88.20	-24.90	52.43	3	Vertical	324	1.88	-	36.72	7.24	33.09
RMS	7.1722G	53.06	68.20	-15.14	41.97	3	Vertical	324	1.88	-	36.99	7.21	33.11

802.11ax HEW20_Nss1,(MCS0)_1TX

6475MHz_TnomVnom




EUT_V_1TX
 Setting 6
 01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8702G	59.99	88.20	-28.21	51.34	3	Horizontal	138	2.75	-	34.84	6.60	32.79
RMS	5.9234G	49.97	68.20	-18.23	41.19	3	Horizontal	138	2.75	-	34.99	6.60	32.81
PK	6.475G	92.51	Inf	-Inf	82.87	3	Horizontal	138	2.75	-	35.50	7.00	32.86
RMS	6.475G	81.74	Inf	-Inf	72.10	3	Horizontal	138	2.75	-	35.50	7.00	32.86
PK	7.1386G	63.28	88.20	-24.92	52.33	3	Horizontal	138	2.75	-	36.81	7.23	33.09
RMS	7.1722G	53.05	68.20	-15.15	41.96	3	Horizontal	138	2.75	-	36.99	7.21	33.11

802.11ax HEW20_Nss1,(MCS0)_1TX

6475MHz_TnomVnom




EUT_V_1TX
Setting 6
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.95238G	59.37	88.20	-28.83	41.10	3	Vertical	216	1.46	-	39.46	9.43	30.62	
RMS	12.9506G	45.55	68.20	-22.65	27.30	3	Vertical	216	1.46	-	39.45	9.43	30.63	

802.11ax HEW20_Nss1,(MCS0)_1TX

6475MHz_TnomVnom




EUT_V_1TX
 Setting 6
 01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.94761G	59.50	88.20	-28.70	41.26	3	Horizontal	61	2.80	-	39.44	9.43	30.63
RMS	12.95064G	45.54	68.20	-22.66	27.29	3	Horizontal	61	2.80	-	39.45	9.43	30.63

802.11ax HEW20_Nss1,(MCS0)_1TX

6475MHz_TnomVnom




EUT_V_1TX
Setting 6
01-C-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.42377G	48.38	83.54	-35.16	44.95	1	Vertical	274	2.73	-	37.84	15.27	49.68
AV	19.42198G	34.38	63.54	-29.16	30.95	1	Vertical	274	2.73	-	37.84	15.27	49.68

802.11ax HEW20_Nss1,(MCS0)_1TX

6475MHz_TnomVnom




EUT_V_1TX
Setting 6
01-C-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.42732G	48.67	83.54	-34.87	45.25	1	Horizontal	202	2.22	-	37.84	15.27	49.69
AV	19.42554G	35.00	63.54	-28.54	31.58	1	Horizontal	202	2.22	-	37.84	15.27	49.69

802.11ax HEW20_Nss1,(MCS0)_1TX

6515MHz_TnomVnom




EUT_V_1TX
Setting 6
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.815G	60.23	88.20	-27.97	51.88	3	Vertical	61	1.10	-	34.52	6.60	32.77
RMS	5.9242G	50.00	68.20	-18.20	41.21	3	Vertical	61	1.10	-	35.00	6.60	32.81
PK	6.5178G	99.07	Inf	-Inf	89.27	3	Vertical	61	1.10	-	35.67	7.00	32.87
RMS	6.515G	89.16	Inf	-Inf	79.36	3	Vertical	61	1.10	-	35.66	7.00	32.86
PK	7.187G	63.24	88.20	-24.96	52.10	3	Vertical	61	1.10	-	37.05	7.21	33.12
RMS	7.1926G	53.22	68.20	-14.98	42.07	3	Vertical	61	1.10	-	37.07	7.20	33.12

802.11ax HEW20_Nss1,(MCS0)_1TX

6515MHz_TnomVnom




EUT_V_1TX
 Setting 6
 01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.857G	60.65	88.20	-27.55	52.02	3	Horizontal	137	1.77	-	34.81	6.60	32.78
RMS	5.9242G	49.98	68.20	-18.22	41.19	3	Horizontal	137	1.77	-	35.00	6.60	32.81
PK	6.5178G	92.03	Inf	-Inf	82.23	3	Horizontal	137	1.77	-	35.67	7.00	32.87
RMS	6.515G	82.06	Inf	-Inf	72.26	3	Horizontal	137	1.77	-	35.66	7.00	32.86
PK	7.1758G	64.25	88.20	-23.95	53.15	3	Horizontal	137	1.77	-	37.00	7.21	33.11
RMS	7.1926G	53.16	68.20	-15.04	42.01	3	Horizontal	137	1.77	-	37.07	7.20	33.12

802.11ax HEW20_Nss1,(MCS0)_1TX

6515MHz_TnomVnom




EUT_V_1TX
 Setting 6
 01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.02849G	60.66	88.20	-27.54	42.05	3	Vertical	211	1.24	-	39.63	9.46	30.48
RMS	13.02975G	46.11	68.20	-22.09	27.50	3	Vertical	211	1.24	-	39.63	9.46	30.48

802.11ax HEW20_Nss1,(MCS0)_1TX

6515MHz_TnomVnom




EUT_V_1TX
 Setting 6
 01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.03149G	59.97	88.20	-28.23	41.35	3	Horizontal	189	2.15	-	39.63	9.46	30.47	
RMS	13.02754G	46.15	68.20	-22.05	27.54	3	Horizontal	189	2.15	-	39.63	9.46	30.48	

802.11ax HEW20_Nss1,(MCS0)_1TX

6515MHz_TnomVnom




EUT_V_1TX
Setting 6
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.54871G	47.60	83.54	-35.94	44.10	1	Vertical	6	1.08	-	37.88	15.32	49.70
AV	19.5431G	34.72	63.54	-28.82	31.22	1	Vertical	6	1.08	-	37.88	15.32	49.70

802.11ax HEW20_Nss1,(MCS0)_1TX

6515MHz_TnomVnom




EUT_V_1TX
Setting 6
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.54193G	47.85	83.54	-35.69	44.35	1	Horizontal	250	2.97	-	37.88	15.32	49.70
AV	19.54849G	34.70	63.54	-28.84	31.20	1	Horizontal	250	2.97	-	37.88	15.32	49.70

802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TnomVnom




EUT_V_1TX
Setting 21
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8602G	59.92	88.20	-28.28	51.28	3	Vertical	62	1.61	-	34.82	6.60	32.78
RMS	5.9218G	48.17	68.20	-20.03	39.39	3	Vertical	62	1.61	-	34.99	6.60	32.81
PK	6.5378G	116.40	Inf	-Inf	106.52	3	Vertical	62	1.61	-	35.75	7.00	32.87
RMS	6.535G	105.16	Inf	-Inf	95.29	3	Vertical	62	1.61	-	35.74	7.00	32.87
PK	7.1258G	63.55	88.20	-24.65	52.69	3	Vertical	62	1.61	-	36.71	7.24	33.09
RMS	7.2126G	51.46	68.20	-16.74	40.28	3	Vertical	62	1.61	-	37.10	7.21	33.13

802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TnomVnom




EUT_V_1TX
Setting 21
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9106G	61.33	88.20	-26.87	52.59	3	Horizontal	137	1.68	-	34.94	6.60	32.80
RMS	5.9246G	48.23	68.20	-19.97	39.44	3	Horizontal	137	1.68	-	35.00	6.60	32.81
PK	6.535G	108.15	Inf	-Inf	98.28	3	Horizontal	137	1.68	-	35.74	7.00	32.87
RMS	6.535G	97.58	Inf	-Inf	87.71	3	Horizontal	137	1.68	-	35.74	7.00	32.87
PK	7.2182G	64.49	88.20	-23.71	53.30	3	Horizontal	137	1.68	-	37.10	7.22	33.13
RMS	7.2266G	51.48	68.20	-16.72	40.29	3	Horizontal	137	1.68	-	37.10	7.23	33.14

802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TnomVnom




EUT_V_1TX
Setting 21
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.06968G	60.85	88.20	-27.35	42.12	3	Vertical	276	1.79	-	39.67	9.48	30.42
RMS	13.06712G	47.99	68.20	-20.21	29.26	3	Vertical	276	1.79	-	39.67	9.48	30.42

802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TnomVnom




EUT_V_1TX
 Setting 21
 01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0684G	64.57	88.20	-23.63	45.84	3	Horizontal	146	2.65	-	39.67	9.48	30.42
RMS	13.0678G	50.78	68.20	-17.42	32.05	3	Horizontal	146	2.65	-	39.67	9.48	30.42

802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TnomVnom




EUT_V_1TX
Setting 21
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.60358G	47.92	83.54	-35.62	44.42	1	Vertical	20	2.84	-	37.86	15.34	49.70
AV	19.60681G	35.22	63.54	-28.32	31.72	1	Vertical	20	2.84	-	37.86	15.34	49.70

802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TnomVnom




EUT_V_1TX
Setting 21
01-C-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.60262G	48.53	83.54	-35.01	45.03	1	Horizontal	258	1.00	-	37.86	15.34	49.70
AV	19.6031G	35.12	63.54	-28.42	31.62	1	Horizontal	258	1.00	-	37.86	15.34	49.70

802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TnomVnom




EUT_V_1TX
Setting 23
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.695G	114.59	Inf	-Inf	104.60	3	Vertical	240	1.46	-	35.91	7.00	32.92	
RMS	6.695G	104.40	Inf	-Inf	94.41	3	Vertical	240	1.46	-	35.91	7.00	32.92	
PK	7.1922G	63.80	88.20	-24.40	52.65	3	Vertical	240	1.46	-	37.07	7.20	33.12	
RMS	7.1922G	51.45	68.20	-16.75	40.30	3	Vertical	240	1.46	-	37.07	7.20	33.12	

802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TnomVnom




EUT_V_1TX
Setting 23
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.695G	106.80	Inf	-Inf	96.81	3	Horizontal	134	1.68	-	35.91	7.00	32.92	
RMS	6.695G	95.89	Inf	-Inf	85.90	3	Horizontal	134	1.68	-	35.91	7.00	32.92	
PK	7.2252G	64.41	88.20	-23.79	53.22	3	Horizontal	134	1.68	-	37.10	7.23	33.14	
RMS	7.2274G	51.52	68.20	-16.68	40.33	3	Horizontal	134	1.68	-	37.10	7.23	33.14	

802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TnomVnom




EUT_V_1TX
Setting 23
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.39336G	62.89	74.00	-11.11	43.01	3	Vertical	305	1.88	-	40.19	9.63	29.94	
AV	13.38734G	48.16	54.00	-5.84	28.32	3	Vertical	305	1.88	-	40.17	9.62	29.95	

802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TnomVnom




EUT_V_1TX
Setting 23
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.39155G	65.25	74.00	-8.75	45.38	3	Horizontal	144	2.79	-	40.18	9.63	29.94	
AV	13.3875G	50.66	54.00	-3.34	30.81	3	Horizontal	144	2.79	-	40.18	9.62	29.95	

802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TnomVnom




EUT_V_1TX
Setting 23
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	20.08454G	47.90	83.54	-35.64	44.62	1	Vertical	10	2.94	-	37.47	15.54	49.73	
AV	20.08359G	35.07	63.54	-28.47	31.79	1	Vertical	10	2.94	-	37.47	15.54	49.73	

802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TnomVnom




EUT_V_1TX
Setting 23
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.08108G	48.00	83.54	-35.54	44.73	1	Horizontal	68	2.26	-	37.46	15.54	49.73
AV	20.08391G	35.02	63.54	-28.52	31.74	1	Horizontal	68	2.26	-	37.47	15.54	49.73

802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TnomVnom




EUT_V_1TX
Setting 6
01-M-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.8522G	117.68	Inf	-Inf	106.99	3	Vertical	26	1.54	-	36.58	7.08	32.97	
RMS	6.8578G	108.38	Inf	-Inf	97.72	3	Vertical	26	1.54	-	36.54	7.09	32.97	
PK	7.1616G	63.45	88.20	-24.75	52.38	3	Vertical	26	1.54	-	36.95	7.22	33.10	
RMS	7.1994G	53.30	68.20	-14.90	42.12	3	Vertical	26	1.54	-	37.10	7.20	33.12	

802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TnomVnom




EUT_V_1TX
Setting 6
01-M-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.855G	107.86	Inf	-Inf	97.19	3	Horizontal	30	2.29	-	36.56	7.08	32.97
RMS	6.8522G	99.07	Inf	-Inf	88.38	3	Horizontal	30	2.29	-	36.58	7.08	32.97
PK	7.1728G	63.88	88.20	-24.32	52.79	3	Horizontal	30	2.29	-	36.99	7.21	33.11
RMS	7.2008G	53.34	68.20	-14.86	42.16	3	Horizontal	30	2.29	-	37.10	7.20	33.12

802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TnomVnom




EUT_V_1TX
 Setting 6
 01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.69812G	62.71	88.20	-25.49	42.12	3	Vertical	305	1.79	-	40.50	9.76	29.67	
RMS	13.70682G	50.39	68.20	-17.81	29.76	3	Vertical	305	1.79	-	40.52	9.77	29.66	

802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TnomVnom




EUT_V_1TX
 Setting 6
 01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.70988G	65.96	88.20	-22.24	45.32	3	Horizontal	209	1.90	-	40.53	9.77	29.66
RMS	13.707G	53.54	68.20	-14.66	32.91	3	Horizontal	209	1.90	-	40.52	9.77	29.66

802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TnomVnom




EUT_V_1TX
Setting 6
01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.5533G	47.23	83.54	-36.31	43.60	1	Vertical	102	2.85	-	37.76	15.75	49.88
AV	20.57922G	34.74	63.54	-28.80	31.05	1	Vertical	102	2.85	-	37.80	15.76	49.87

802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TnomVnom




EUT_V_1TX
Setting 6
01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.55954G	47.53	83.54	-36.01	43.89	1	Horizontal	37	2.83	-	37.77	15.75	49.88
AV	20.57922G	34.74	63.54	-28.80	31.05	1	Horizontal	37	2.83	-	37.80	15.76	49.87

802.11ax HEW20_Nss1,(MCS0)_1TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_1TX
 Setting 6
 01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.875G	99.29	Inf	-Inf	88.76	3	Vertical	233	1.80	-	36.40	7.11	32.98	
RMS	6.8738G	88.69	Inf	-Inf	78.15	3	Vertical	233	1.80	-	36.41	7.11	32.98	
PK	7.175G	64.36	88.20	-23.84	53.26	3	Vertical	233	1.80	-	37.00	7.21	33.11	
RMS	7.1714G	53.18	68.20	-15.02	42.09	3	Vertical	233	1.80	-	36.99	7.21	33.11	

802.11ax HEW20_Nss1,(MCS0)_1TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_1TX
 Setting 6
 01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.875G	91.19	Inf	-Inf	80.66	3	Horizontal	187	2.81	-	36.40	7.11	32.98
RMS	6.8738G	80.93	Inf	-Inf	70.39	3	Horizontal	187	2.81	-	36.41	7.11	32.98
PK	7.1282G	63.69	88.20	-24.51	52.81	3	Horizontal	187	2.81	-	36.73	7.24	33.09
RMS	7.1642G	53.15	68.20	-15.05	42.08	3	Horizontal	187	2.81	-	36.96	7.22	33.11

802.11ax HEW20_Nss1,(MCS0)_1TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_1TX
 Setting 6
 01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7489G	62.97	88.20	-25.23	42.17	3	Vertical	186	2.91	-	40.65	9.79	29.64
RMS	13.7527G	49.56	68.20	-18.64	28.74	3	Vertical	186	2.91	-	40.66	9.79	29.63

802.11ax HEW20_Nss1,(MCS0)_1TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_1TX
 Setting 6
 01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.74626G	63.40	88.20	-24.80	42.61	3	Horizontal	50	1.46	-	40.64	9.79	29.64
RMS	13.74902G	49.50	68.20	-18.70	28.70	3	Horizontal	50	1.46	-	40.65	9.79	29.64

802.11ax HEW20_Nss1,(MCS0)_1TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_1TX
 Setting 6
 01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.62236G	48.59	83.54	-34.95	44.81	1	Vertical	74	1.08	-	37.85	15.78	49.85
AV	20.62329G	35.86	63.54	-27.68	32.08	1	Vertical	74	1.08	-	37.85	15.78	49.85

802.11ax HEW20_Nss1,(MCS0)_1TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_1TX
Setting 6
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.62265G	48.74	83.54	-34.80	44.96	1	Horizontal	56	2.08	-	37.85	15.78	49.85
AV	20.62202G	35.11	63.54	-28.43	31.33	1	Horizontal	56	2.08	-	37.85	15.78	49.85

802.11ax HEW20_Nss1,(MCS0)_1TX

6895MHz_TnomVnom




EUT_V_1TX
 Setting 6
 01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.895G	100.37	Inf	-Inf	89.98	3	Vertical	236	2.16	-	36.24	7.14	32.99	
RMS	6.8962G	89.98	Inf	-Inf	79.60	3	Vertical	236	2.16	-	36.23	7.14	32.99	
PK	7.135G	63.84	88.20	-24.36	52.92	3	Vertical	236	2.16	-	36.78	7.23	33.09	
RMS	7.1938G	53.24	68.20	-14.96	42.08	3	Vertical	236	2.16	-	37.08	7.20	33.12	

802.11ax HEW20_Nss1,(MCS0)_1TX

6895MHz_TnomVnom




EUT Y_1TX
Setting 6
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.895G	93.82	Inf	-Inf	83.43	3	Horizontal	350	2.87	-	36.24	7.14	32.99
RMS	6.8962G	83.15	Inf	-Inf	72.77	3	Horizontal	350	2.87	-	36.23	7.14	32.99
PK	7.1902G	63.77	88.20	-24.43	52.63	3	Horizontal	350	2.87	-	37.06	7.20	33.12
RMS	7.1938G	53.24	68.20	-14.96	42.08	3	Horizontal	350	2.87	-	37.08	7.20	33.12

802.11ax HEW20_Nss1,(MCS0)_1TX

6895MHz_TnomVnom




EUT_V_1TX
 Setting 6
 01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.7895G	63.78	88.20	-24.42	42.81	3	Vertical	90	1.58	-	40.77	9.81	29.61	
RMS	13.79179G	49.69	68.20	-18.51	28.71	3	Vertical	90	1.58	-	40.78	9.81	29.61	

802.11ax HEW20_Nss1,(MCS0)_1TX

6895MHz_TnomVnom




EUT_V_1TX
 Setting 6
 01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.78619G	63.06	88.20	-25.14	42.11	3	Horizontal	306	1.11	-	40.76	9.80	29.61
RMS	13.78754G	49.67	68.20	-18.53	28.72	3	Horizontal	306	1.11	-	40.76	9.80	29.61

802.11ax HEW20_Nss1,(MCS0)_1TX

6895MHz_TnomVnom




EUT_V_1TX
Setting 6
01-C-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	20.68724G	49.61	83.54	-33.93	45.71	1	Vertical	144	1.04	-	37.92	15.81	49.83	
AV	20.68577G	35.95	63.54	-27.59	32.05	1	Vertical	144	1.04	-	37.92	15.81	49.83	

802.11ax HEW20_Nss1,(MCS0)_1TX

6895MHz_TnomVnom




EUT_V_1TX
Setting 6
01-C-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.68497G	48.61	83.54	-34.93	44.71	1	Horizontal	239	1.08	-	37.92	15.81	49.83
AV	20.685G	35.32	63.54	-28.22	31.42	1	Horizontal	239	1.08	-	37.92	15.81	49.83

802.11ax HEW20_Nss1,(MCS0)_1TX

6995MHz_TnomVnom




EUT V_1TX
 Setting 5.25
 01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.995G	100.77	Inf	-Inf	90.18	3	Vertical	65	2.04	-	36.32	7.29	33.02	
RMS	6.9958G	90.46	Inf	-Inf	79.87	3	Vertical	65	2.04	-	36.32	7.29	33.02	
PK	7.1838G	63.65	88.20	-24.55	52.52	3	Vertical	65	2.04	-	37.04	7.21	33.12	
RMS	7.1926G	53.21	68.20	-14.99	42.06	3	Vertical	65	2.04	-	37.07	7.20	33.12	

802.11ax HEW20_Nss1,(MCS0)_1TX

6995MHz_TnomVnom




EUT V_1TX
 Setting 5.25
 01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.995G	91.77	Inf	-Inf	81.18	3	Horizontal	137	3.00	-	36.32	7.29	33.02	
RMS	6.9942G	81.43	Inf	-Inf	70.84	3	Horizontal	137	3.00	-	36.32	7.29	33.02	
PK	7.1478G	64.65	88.20	-23.55	53.64	3	Horizontal	137	3.00	-	36.88	7.23	33.10	
RMS	7.1806G	53.20	68.20	-15.00	42.08	3	Horizontal	137	3.00	-	37.02	7.21	33.11	

802.11ax HEW20_Nss1,(MCS0)_1TX

6995MHz_TnomVnom




EUT_V_1TX
Setting 5.25
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.99198G	64.38	88.20	-23.82	43.07	3	Vertical	289	2.72	-	40.90	9.90	29.49
RMS	13.99258G	50.53	68.20	-17.67	29.22	3	Vertical	289	2.72	-	40.90	9.90	29.49

802.11ax HEW20_Nss1,(MCS0)_1TX

6995MHz_TnomVnom




EUT Y_1TX
Setting 5.25
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.99072G	64.41	88.20	-23.79	43.11	3	Horizontal	215	1.16	-	40.90	9.90	29.50
RMS	13.98674G	50.50	68.20	-17.70	29.21	3	Horizontal	215	1.16	-	40.90	9.89	29.50

802.11ax HEW20_Nss1,(MCS0)_1TX

6995MHz_TnomVnom




EUT_V_1TX
Setting 5.25
01-C-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.98209G	49.28	83.54	-34.26	45.42	1	Vertical	343	2.19	-	37.63	15.94	49.71
AV	20.98727G	36.06	63.54	-27.48	32.21	1	Vertical	343	2.19	-	37.62	15.94	49.71

802.11ax HEW20_Nss1,(MCS0)_1TX

6995MHz_TnomVnom




EUT_V_1TX
Setting 5.25
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.98154G	49.49	83.54	-34.05	45.63	1	Horizontal	184	1.90	-	37.63	15.94	49.71
AV	20.98246G	35.93	63.54	-27.61	32.07	1	Horizontal	184	1.90	-	37.63	15.94	49.71

802.11ax HEW20_Nss1,(MCS0)_1TX

7095MHz_TnomVnom




EUT V_1TX
Setting 6.75
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.0946G	101.02	Inf	-Inf	90.33	3	Vertical	65	1.29	-	36.51	7.25	33.07	
RMS	7.0942G	90.62	Inf	-Inf	79.93	3	Vertical	65	1.29	-	36.51	7.25	33.07	
PK	7.1482G	64.43	88.20	-23.77	53.41	3	Vertical	65	1.29	-	36.89	7.23	33.10	
RMS	7.1914G	53.21	68.20	-14.99	42.06	3	Vertical	65	1.29	-	37.07	7.20	33.12	

802.11ax HEW20_Nss1,(MCS0)_1TX

7095MHz_TnomVnom




EUT V_1TX
Setting 6.75
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0942G	93.55	Inf	-Inf	82.86	3	Horizontal	133	2.81	-	36.51	7.25	33.07
RMS	7.0942G	83.19	Inf	-Inf	72.50	3	Horizontal	133	2.81	-	36.51	7.25	33.07
PK	7.139G	64.42	88.20	-23.78	53.47	3	Horizontal	133	2.81	-	36.81	7.23	33.09
RMS	7.195G	53.24	68.20	-14.96	42.08	3	Horizontal	133	2.81	-	37.08	7.20	33.12

802.11ax HEW20_Nss1,(MCS0)_1TX

7095MHz_TnomVnom




EUT_V_1TX
 Setting 6.75
 01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.18642G	64.22	88.20	-23.98	43.07	3	Vertical	26	2.71	-	40.81	9.96	29.62
RMS	14.1928G	50.08	68.20	-18.12	28.93	3	Vertical	26	2.71	-	40.81	9.96	29.62

802.11ax HEW20_Nss1,(MCS0)_1TX

7095MHz_TnomVnom




EUT_V_1TX
Setting 6.75
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.19096G	64.08	88.20	-24.12	42.93	3	Horizontal	229	2.50	-	40.81	9.96	29.62
RMS	14.18814G	50.09	68.20	-18.11	28.94	3	Horizontal	229	2.50	-	40.81	9.96	29.62

802.11ax HEW20_Nss1,(MCS0)_1TX

7095MHz_TnomVnom




EUT V_1TX
Setting 6.75
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.28433G	49.80	83.54	-33.74	45.72	1	Vertical	308	1.14	-	37.64	16.08	49.64
AV	21.28841G	36.12	63.54	-27.42	32.03	1	Vertical	308	1.14	-	37.65	16.08	49.64

802.11ax HEW20_Nss1,(MCS0)_1TX

7095MHz_TnomVnom




EUT V_1TX
Setting 6.75
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.28116G	50.45	83.54	-33.09	46.37	1	Horizontal	213	1.22	-	37.64	16.08	49.64
AV	21.28468G	36.15	63.54	-27.39	32.07	1	Horizontal	213	1.22	-	37.64	16.08	49.64

802.11ax HEW20_Nss1,(MCS0)_1TX

7115MHz_TnomVnom




EUT_V_1TX
Setting 6
01-M-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.10868G	103.94	Inf	-Inf	93.20	3	Vertical	31	1.62	-	36.57	7.25	33.08	
RMS	7.11368G	93.41	Inf	-Inf	82.64	3	Vertical	31	1.62	-	36.61	7.24	33.08	
PK	7.1275G	80.51	88.20	-7.69	69.64	3	Vertical	31	1.62	-	36.72	7.24	33.09	
RMS	7.1255G	68.19	68.20	-0.01	57.34	3	Vertical	31	1.62	-	36.70	7.24	33.09	

802.11ax HEW20_Nss1,(MCS0)_1TX

7115MHz_TnomVnom




EUT V_1TX
Setting 6
01-M-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.10993G	91.27	Inf	-Inf	80.52	3	Horizontal	356	1.88	-	36.58	7.25	33.08
RMS	7.11365G	80.91	Inf	-Inf	70.14	3	Horizontal	356	1.88	-	36.61	7.24	33.08
PK	7.1275G	69.09	88.20	-19.11	58.22	3	Horizontal	356	1.88	-	36.72	7.24	33.09
RMS	7.1255G	58.03	68.20	-10.17	47.18	3	Horizontal	356	1.88	-	36.70	7.24	33.09

802.11ax HEW20_Nss1,(MCS0)_1TX

7115MHz_TnomVnom




EUT_V_1TX
Setting 6
01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.2306G	63.85	88.20	-24.35	42.79	3	Vertical	178	1.81	-	40.74	9.97	29.65
RMS	14.22886G	50.68	68.20	-17.52	29.62	3	Vertical	178	1.81	-	40.74	9.97	29.65

802.11ax HEW20_Nss1,(MCS0)_1TX

7115MHz_TnomVnom




EUT_V_1TX
Setting 6
01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	14.2189G	63.86	88.20	-24.34	42.77	3	Horizontal	218	1.63	-	40.76	9.97	29.64	
RMS	14.2297G	51.12	68.20	-17.08	30.06	3	Horizontal	218	1.63	-	40.74	9.97	29.65	

802.11ax HEW20_Nss1,(MCS0)_1TX

7115MHz_TnomVnom




EUT_V_1TX
Setting 6
01-M-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	21.35574G	48.17	83.54	-35.37	43.96	1	Vertical	96	1.22	-	37.73	16.11	49.63
AV	21.3531G	35.91	63.54	-27.63	31.71	1	Vertical	96	1.22	-	37.72	16.11	49.63

802.11ax HEW20_Nss1,(MCS0)_1TX

7115MHz_TnomVnom




EUT_V_1TX
Setting 6
01-M-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	21.34902G	49.01	83.54	-34.53	44.81	1	Horizontal	253	2.76	-	37.72	16.11	49.63
AV	21.35112G	35.92	63.54	-27.62	31.72	1	Horizontal	253	2.76	-	37.72	16.11	49.63

802.11ax HEW40_Nss1,(MCS0)_1TX

5965MHz_TnomVnom




EUT Y_1TX
 Setting 8.5
 01-M-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.923G	79.76	88.20	-8.44	70.98	3	Vertical	18	2.35	-	34.99	6.60	32.81	
RMS	5.9238G	67.90	68.20	-0.30	59.11	3	Vertical	18	2.35	-	35.00	6.60	32.81	
PK	5.9678G	113.55	Inf	-Inf	104.61	3	Vertical	18	2.35	-	35.17	6.60	32.83	
RMS	5.9674G	103.18	Inf	-Inf	94.24	3	Vertical	18	2.35	-	35.17	6.60	32.83	

802.11ax HEW40_Nss1,(MCS0)_1TX

5965MHz_TnomVnom




EUT_V_1TX
 Setting 8.5
 01-M-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.925G	71.61	88.20	-16.59	62.82	3	Horizontal	344	2.88	-	35.00	6.60	32.81	
RMS	5.925G	59.96	68.20	-8.24	51.17	3	Horizontal	344	2.88	-	35.00	6.60	32.81	
PK	5.9678G	104.85	Inf	-Inf	95.91	3	Horizontal	344	2.88	-	35.17	6.60	32.83	
RMS	5.9678G	94.70	Inf	-Inf	85.76	3	Horizontal	344	2.88	-	35.17	6.60	32.83	

802.11ax HEW40_Nss1,(MCS0)_1TX

5965MHz_TnomVnom




EUT_V_1TX
Setting 8.5
01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.93672G	59.78	74.00	-14.22	43.87	3	Vertical	229	1.77	-	38.50	8.98	31.57
AV	11.93336G	47.13	54.00	-6.87	31.22	3	Vertical	229	1.77	-	38.50	8.98	31.57

802.11ax HEW40_Nss1,(MCS0)_1TX

5965MHz_TnomVnom




EUT_V_1TX
 Setting 8.5
 01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.93696G	60.57	74.00	-13.43	44.66	3	Horizontal	205	1.78	-	38.50	8.98	31.57
AV	11.92964G	50.20	54.00	-3.80	34.29	3	Horizontal	205	1.78	-	38.50	8.98	31.57

802.11ax HEW40_Nss1,(MCS0)_1TX

6205MHz_TnomVnom



EUT_V_1TX
 Setting 23
 01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9074G	60.27	88.20	-27.93	51.54	3	Vertical	315	1.78	-	34.93	6.60	32.80	
RMS	5.9218G	50.02	68.20	-18.18	41.24	3	Vertical	315	1.78	-	34.99	6.60	32.81	
PK	6.2074G	113.85	Inf	-Inf	104.36	3	Vertical	315	1.78	-	35.44	6.90	32.85	
RMS	6.2026G	104.52	Inf	-Inf	94.99	3	Vertical	315	1.78	-	35.48	6.90	32.85	