


## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6195MHz\_TnomVnom




EUT V\_1TX  
Setting 20.75  
01-C-K-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 12.383G      | 66.53             | 74.00             | -7.47          | 50.27         | 3           | Horizontal | 203            | 1.80          | -       | 38.67      | 9.17       | 31.58      |  |
| AV   | 12.3812G     | 53.73             | 54.00             | -0.27          | 37.48         | 3           | Horizontal | 203            | 1.80          | -       | 38.66      | 9.17       | 31.58      |  |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6195MHz\_TnomVnom




EUT\_V\_1TX  
Setting 20.75  
01-C-K-4

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |
|------|----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |
| PK   | 18.6058G | 47.22    | 83.54    | -36.32 | 44.51  | 1    | Vertical  | 254     | 2.35   | -       | 37.76 | 14.94 | 49.99 |
| AV   | 18.6041G | 33.33    | 63.54    | -30.21 | 30.63  | 1    | Vertical  | 254     | 2.35   | -       | 37.76 | 14.94 | 50.00 |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6195MHz\_TnomVnom




EUT V\_1TX  
Setting 20.75  
01-C-K-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 18.58G       | 46.74             | 83.54             | -36.80         | 44.06         | 1           | Horizontal | 55             | 1.38          | -       | 37.77      | 14.93      | 50.02      |
| AV   | 18.6098G     | 33.37             | 63.54             | -30.17         | 30.66         | 1           | Horizontal | 55             | 1.38          | -       | 37.76      | 14.94      | 49.99      |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6415MHz\_TnomVnom




EUT V\_1TX  
Setting 21  
01-C-K-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 5.923G       | 60.43             | 88.20             | -27.77         | 51.65         | 3           | Vertical  | 223            | 1.80          | -       | 34.99      | 6.60       | 32.81      |  |
| RMS  | 5.923G       | 50.00             | 68.20             | -18.20         | 41.22         | 3           | Vertical  | 223            | 1.80          | -       | 34.99      | 6.60       | 32.81      |  |
| PK   | 6.4126G      | 116.86            | Inf               | -Inf           | 107.17        | 3           | Vertical  | 223            | 1.80          | -       | 35.55      | 7.00       | 32.86      |  |
| RMS  | 6.4126G      | 108.95            | Inf               | -Inf           | 99.26         | 3           | Vertical  | 223            | 1.80          | -       | 35.55      | 7.00       | 32.86      |  |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6415MHz\_TnomVnom




EUT V\_1TX  
Setting 21  
01-C-K-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 5.8774G      | 61.11             | 88.20             | -27.09         | 52.45         | 3           | Horizontal | 319            | 1.67          | -       | 34.85      | 6.60       | 32.79      |  |
| RMS  | 5.925G       | 50.03             | 68.20             | -18.17         | 41.24         | 3           | Horizontal | 319            | 1.67          | -       | 35.00      | 6.60       | 32.81      |  |
| PK   | 6.4126G      | 109.24            | Inf               | -Inf           | 99.55         | 3           | Horizontal | 319            | 1.67          | -       | 35.55      | 7.00       | 32.86      |  |
| RMS  | 6.4126G      | 101.61            | Inf               | -Inf           | 91.92         | 3           | Horizontal | 319            | 1.67          | -       | 35.55      | 7.00       | 32.86      |  |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6415MHz\_TnomVnom




EUT\_V\_1TX  
Setting 21  
01-C-K-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 12.8214G     | 62.80             | 88.20             | -25.40         | 45.11         | 3           | Vertical  | 261            | 1.80          | -       | 39.22      | 9.37       | 30.90      |  |
| RMS  | 12.8212G     | 50.58             | 68.20             | -17.62         | 32.89         | 3           | Vertical  | 261            | 1.80          | -       | 39.22      | 9.37       | 30.90      |  |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6415MHz\_TnomVnom




EUT\_V\_1TX  
 Setting 21  
 01-C-K-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.8226G     | 66.69             | 88.20             | -21.51         | 49.00         | 3           | Horizontal | 206            | 1.80          | -       | 39.22      | 9.37       | 30.90      |
| RMS  | 12.8212G     | 54.56             | 68.20             | -13.64         | 36.87         | 3           | Horizontal | 206            | 1.80          | -       | 39.22      | 9.37       | 30.90      |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6415MHz\_TnomVnom




EUT\_V\_1TX  
Setting 21  
01-C-K-4

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |
|------|----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |
| PK   | 19.2444G | 47.54    | 83.54    | -36.00 | 44.28  | 1    | Vertical  | 238     | 2.88   | -       | 37.71 | 15.20 | 49.65 |
| AV   | 19.2298G | 33.81    | 63.54    | -29.73 | 30.55  | 1    | Vertical  | 238     | 2.88   | -       | 37.72 | 15.19 | 49.65 |



## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6415MHz\_TnomVnom




EUT\_V\_1TX  
Setting 21  
01-C-K-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.2228G     | 47.61             | 83.54             | -35.93         | 44.33         | 1           | Horizontal | 291            | 2.97          | -       | 37.73      | 15.19      | 49.64      |
| AV   | 19.2222G     | 33.65             | 63.54             | -29.89         | 30.37         | 1           | Horizontal | 291            | 2.97          | -       | 37.73      | 15.19      | 49.64      |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6535MHz\_TnomVnom




EUT V\_1TX  
Setting 20.75  
01-C-K-3-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.905G       | 61.22             | 88.20             | -26.98         | 52.50         | 3           | Vertical  | 220            | 1.80          | -       | 34.92      | 6.60       | 32.80      |
| RMS  | 5.9246G      | 49.93             | 68.20             | -18.27         | 41.14         | 3           | Vertical  | 220            | 1.80          | -       | 35.00      | 6.60       | 32.81      |
| PK   | 6.5378G      | 115.43            | Inf               | -Inf           | 105.55        | 3           | Vertical  | 220            | 1.80          | -       | 35.75      | 7.00       | 32.87      |
| RMS  | 6.5378G      | 107.17            | Inf               | -Inf           | 97.29         | 3           | Vertical  | 220            | 1.80          | -       | 35.75      | 7.00       | 32.87      |
| PK   | 7.207G       | 63.92             | 88.20             | -24.28         | 52.74         | 3           | Vertical  | 220            | 1.80          | -       | 37.10      | 7.21       | 33.13      |
| RMS  | 7.2182G      | 53.04             | 68.20             | -15.16         | 41.85         | 3           | Vertical  | 220            | 1.80          | -       | 37.10      | 7.22       | 33.13      |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6535MHz\_TnomVnom




EUT V\_1TX  
Setting 20.75  
01-C-K-3-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.9022G      | 60.72             | 88.20             | -27.48         | 52.01         | 3           | Horizontal | 336            | 1.80          | -       | 34.91      | 6.60       | 32.80      |
| RMS  | 5.9246G      | 49.89             | 68.20             | -18.31         | 41.10         | 3           | Horizontal | 336            | 1.80          | -       | 35.00      | 6.60       | 32.81      |
| PK   | 6.5378G      | 105.97            | Inf               | -Inf           | 96.09         | 3           | Horizontal | 336            | 1.80          | -       | 35.75      | 7.00       | 32.87      |
| RMS  | 6.5378G      | 97.67             | Inf               | -Inf           | 87.79         | 3           | Horizontal | 336            | 1.80          | -       | 35.75      | 7.00       | 32.87      |
| PK   | 7.2238G      | 64.82             | 88.20             | -23.38         | 53.64         | 3           | Horizontal | 336            | 1.80          | -       | 37.10      | 7.22       | 33.14      |
| RMS  | 7.2232G      | 53.06             | 68.20             | -15.14         | 41.87         | 3           | Horizontal | 336            | 1.80          | -       | 37.10      | 7.23       | 33.14      |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6535MHz\_TnomVnom




EUT V\_1TX  
Setting 20.75  
01-C-K-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.0754G     | 61.62             | 88.20             | -26.58         | 42.87         | 3           | Vertical  | 229            | 1.80          | -       | 39.68      | 9.48       | 30.41      |
| RMS  | 13.0785G     | 47.92             | 68.20             | -20.28         | 29.15         | 3           | Vertical  | 229            | 1.80          | -       | 39.68      | 9.49       | 30.40      |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6535MHz\_TnomVnom




EUT V\_1TX  
Setting 20.75  
01-C-K-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.0763G     | 64.99             | 88.20             | -23.21         | 46.24         | 3           | Horizontal | 149            | 2.69          | -       | 39.68      | 9.48       | 30.41      |
| RMS  | 13.0762G     | 50.90             | 68.20             | -17.30         | 32.15         | 3           | Horizontal | 149            | 2.69          | -       | 39.68      | 9.48       | 30.41      |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6535MHz\_TnomVnom




EUT Y\_1TX  
Setting 20.75  
01-C-K-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |
| PK   | 19.60481G | 48.28    | 83.54    | -35.26 | 44.78  | 1    | Vertical  | 39      | 2.15   | -       | 37.86 | 15.34 | 49.70 |  |
| AV   | 19.60654G | 34.18    | 63.54    | -29.36 | 30.68  | 1    | Vertical  | 39      | 2.15   | -       | 37.86 | 15.34 | 49.70 |  |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6535MHz\_TnomVnom




EUT V\_1TX  
Setting 20.75  
01-C-K-3

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |
|------|----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |
| PK   | 19.6035G | 47.51    | 83.54    | -36.03 | 44.01  | 1    | Horizontal | 39      | 1.78   | -       | 37.86 | 15.34 | 49.70 |
| AV   | 19.603G  | 34.81    | 63.54    | -28.73 | 31.31  | 1    | Horizontal | 39      | 1.78   | -       | 37.86 | 15.34 | 49.70 |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6695MHz\_TnomVnom




EUT V\_1TX  
Setting 21  
01-C-K-3-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 6.6972G      | 116.18            | Inf               | -Inf           | 106.19        | 3           | Vertical  | 71             | 1.33          | -       | 35.91      | 7.00       | 32.92      |  |
| RMS  | 6.6972G      | 107.80            | Inf               | -Inf           | 97.81         | 3           | Vertical  | 71             | 1.33          | -       | 35.91      | 7.00       | 32.92      |  |
| PK   | 7.1438G      | 63.45             | 88.20             | -24.75         | 52.46         | 3           | Vertical  | 71             | 1.33          | -       | 36.85      | 7.23       | 33.09      |  |
| RMS  | 7.223G       | 53.14             | 68.20             | -15.06         | 41.96         | 3           | Vertical  | 71             | 1.33          | -       | 37.10      | 7.22       | 33.14      |  |



## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6695MHz\_TnomVnom




EUT V\_1TX  
Setting 21  
01-C-K-3-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 6.6972G      | 105.83            | Inf               | -Inf           | 95.84         | 3           | Horizontal | 340            | 1.80          | -       | 35.91      | 7.00       | 32.92      |  |
| RMS  | 6.6972G      | 97.00             | Inf               | -Inf           | 87.01         | 3           | Horizontal | 340            | 1.80          | -       | 35.91      | 7.00       | 32.92      |  |
| PK   | 7.2098G      | 64.41             | 88.20             | -23.79         | 53.23         | 3           | Horizontal | 340            | 1.80          | -       | 37.10      | 7.21       | 33.13      |  |
| RMS  | 7.245G       | 53.13             | 68.20             | -15.07         | 41.93         | 3           | Horizontal | 340            | 1.80          | -       | 37.10      | 7.25       | 33.15      |  |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6695MHz\_TnomVnom




EUT V\_1TX  
Setting 21  
01-C-K-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.39854G    | 62.23             | 74.00             | -11.77         | 42.33         | 3           | Vertical  | 233            | 2.52          | -       | 40.20      | 9.63       | 29.93      |
| AV   | 13.39616G    | 48.75             | 54.00             | -5.25          | 28.86         | 3           | Vertical  | 233            | 2.52          | -       | 40.19      | 9.63       | 29.93      |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6695MHz\_TnomVnom




EUT V\_1TX  
Setting 21  
01-C-K-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.39868G    | 63.70             | 74.00             | -10.30         | 43.80         | 3           | Horizontal | 145            | 2.65          | -       | 40.20      | 9.63       | 29.93      |
| AV   | 13.39854G    | 50.32             | 54.00             | -3.68          | 30.42         | 3           | Horizontal | 145            | 2.65          | -       | 40.20      | 9.63       | 29.93      |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6695MHz\_TnomVnom




EUT V\_1TX  
Setting 21  
01-C-K-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.08486G    | 47.70             | 83.54             | -35.84         | 44.42         | 1           | Vertical  | 344            | 2.13          | -       | 37.47      | 15.54      | 49.73      |
| AV   | 20.08403G    | 33.73             | 63.54             | -29.81         | 30.45         | 1           | Vertical  | 344            | 2.13          | -       | 37.47      | 15.54      | 49.73      |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6695MHz\_TnomVnom




EUT V\_1TX  
Setting 21  
01-C-K-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.08357G    | 47.86             | 83.54             | -35.68         | 44.58         | 1           | Horizontal | 270            | 2.12          | -       | 37.47      | 15.54      | 49.73      |
| AV   | 20.08578G    | 34.55             | 63.54             | -28.99         | 31.27         | 1           | Horizontal | 270            | 2.12          | -       | 37.47      | 15.54      | 49.73      |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6855MHz\_TnomVnom




EUT\_V\_1TX  
Setting 23  
01-M-G-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 6.848G       | 121.24            | Inf               | -Inf           | 110.56        | 3           | Vertical  | 31             | 2.58          | -       | 36.58      | 7.07       | 32.97      |
| RMS  | 6.8508G      | 112.50            | Inf               | -Inf           | 101.80        | 3           | Vertical  | 31             | 2.58          | -       | 36.59      | 7.08       | 32.97      |
| PK   | 7.177G       | 64.03             | 88.20             | -24.17         | 52.92         | 3           | Vertical  | 31             | 2.58          | -       | 37.01      | 7.21       | 33.11      |
| RMS  | 7.1896G      | 53.14             | 68.20             | -15.06         | 41.99         | 3           | Vertical  | 31             | 2.58          | -       | 37.06      | 7.21       | 33.12      |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6855MHz\_TnomVnom




EUT V\_1TX  
 Setting 23  
 01-M-G-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 6.848G       | 109.97            | Inf               | -Inf           | 99.29         | 3           | Horizontal | 33             | 2.43          | -       | 36.58      | 7.07       | 32.97      |
| RMS  | 6.8522G      | 101.14            | Inf               | -Inf           | 90.45         | 3           | Horizontal | 33             | 2.43          | -       | 36.58      | 7.08       | 32.97      |
| PK   | 7.1574G      | 64.22             | 88.20             | -23.98         | 53.17         | 3           | Horizontal | 33             | 2.43          | -       | 36.93      | 7.22       | 33.10      |
| RMS  | 7.1882G      | 53.14             | 68.20             | -15.06         | 42.00         | 3           | Horizontal | 33             | 2.43          | -       | 37.05      | 7.21       | 33.12      |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6855MHz\_TnomVnom




EUT\_V\_1TX  
Setting 23  
01-M-G-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.6996G     | 62.90             | 88.20             | -25.30         | 42.30         | 3           | Vertical  | 294            | 1.79          | -       | 40.50      | 9.76       | 29.66      |
| RMS  | 13.70088G    | 50.77             | 68.20             | -17.43         | 30.16         | 3           | Vertical  | 294            | 1.79          | -       | 40.50      | 9.77       | 29.66      |



## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6855MHz\_TnomVnom




EUT\_V\_1TX  
Setting 23  
01-M-G-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 13.69928G    | 66.76             | 88.20             | -21.44         | 46.16         | 3           | Horizontal | 214            | 1.94          | -       | 40.50      | 9.76       | 29.66      |  |
| RMS  | 13.70096G    | 54.86             | 68.20             | -13.34         | 34.25         | 3           | Horizontal | 214            | 1.94          | -       | 40.50      | 9.77       | 29.66      |  |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6855MHz\_TnomVnom




EUT\_V\_1TX  
Setting 23  
01-M-G-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.56252G    | 47.92             | 83.54             | -35.62         | 44.26         | 1           | Vertical  | 22             | 1.53          | -       | 37.78      | 15.75      | 49.87      |
| AV   | 20.56818G    | 34.60             | 63.54             | -28.94         | 30.93         | 1           | Vertical  | 22             | 1.53          | -       | 37.78      | 15.76      | 49.87      |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6855MHz\_TnomVnom



EUT\_V\_1TX  
Setting 23  
01-M-G-2

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |
| PK   | 20.56024G | 48.11    | 83.54    | -35.43 | 44.47  | 1    | Horizontal | 163     | 1.52   | -       | 37.77 | 15.75 | 49.88 |
| AV   | 20.56814G | 34.60    | 63.54    | -28.94 | 30.93  | 1    | Horizontal | 163     | 1.52   | -       | 37.78 | 15.76 | 49.87 |



**RSE TX above 1GHz**  
**<Partial RU> standard power\_RU26\_1TX\_Ant. 3**


**Appendix E.38**

**Summary**

| Mode                           | Result | Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comments |
|--------------------------------|--------|------|--------------|-------------------|-------------------|----------------|-------------|------------|----------------|---------------|----------|
| 5.925-6.425GHz                 | -      | -    | -            | -                 | -                 | -              | -           | -          | -              | -             | -        |
| 802.11ax HEW20_Nss1.(MCS0)_1TX | Pass   | AV   | 11.8928G     | 53.78             | 54.00             | -0.22          | 3           | Horizontal | 213            | 1.80          | -        |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 5955MHz\_TnomVnom




EUT V\_1TX  
Setting 13.25  
01-M-E-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 5.867G       | 63.25             | 88.20             | -24.95         | 54.61         | 3           | Vertical  | 89             | 1.72          | -       | 34.83      | 6.60       | 32.79      |  |
| RMS  | 5.9058G      | 51.63             | 68.20             | -16.57         | 42.91         | 3           | Vertical  | 89             | 1.72          | -       | 34.92      | 6.60       | 32.80      |  |
| PK   | 5.9466G      | 120.04            | Inf               | -Inf           | 111.17        | 3           | Vertical  | 89             | 1.72          | -       | 35.09      | 6.60       | 32.82      |  |
| RMS  | 5.9466G      | 110.32            | Inf               | -Inf           | 101.45        | 3           | Vertical  | 89             | 1.72          | -       | 35.09      | 6.60       | 32.82      |  |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 5955MHz\_TnomVnom




EUT\_V\_1TX  
Setting 13.25  
01-M-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.8936G     | 58.66             | 74.00             | -15.34         | 42.77         | 3           | Vertical  | 19             | 1.80          | -       | 38.50      | 8.97       | 31.58      |
| AV   | 11.8928G     | 47.07             | 54.00             | -6.93          | 31.18         | 3           | Vertical  | 19             | 1.80          | -       | 38.50      | 8.97       | 31.58      |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 5955MHz\_TnomVnom




EUT\_V\_1TX  
Setting 13.25  
01-M-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.8932G     | 68.67             | 74.00             | -5.33          | 52.78         | 3           | Horizontal | 213            | 1.80          | -       | 38.50      | 8.97       | 31.58      |
| AV   | 11.8928G     | 53.78             | 54.00             | -0.22          | 37.89         | 3           | Horizontal | 213            | 1.80          | -       | 38.50      | 8.97       | 31.58      |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6195MHz\_TnomVnom




EUT\_V\_1TX  
Setting 15  
03-D-E-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 5.7414G      | 59.52             | 88.20             | -28.68         | 53.37         | 3           | Vertical  | 68             | 1.79          | -       | 34.22      | 7.40       | 35.47      |  |
| RMS  | 5.925G       | 47.48             | 68.20             | -20.72         | 40.82         | 3           | Vertical  | 68             | 1.79          | -       | 34.70      | 7.52       | 35.56      |  |
| PK   | 6.1866G      | 120.72            | Inf               | -Inf           | 113.41        | 3           | Vertical  | 68             | 1.79          | -       | 35.15      | 7.69       | 35.53      |  |
| RMS  | 6.1866G      | 110.64            | Inf               | -Inf           | 103.33        | 3           | Vertical  | 68             | 1.79          | -       | 35.15      | 7.69       | 35.53      |  |



## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6195MHz\_TnomVnom




EUT\_V\_1TX  
Setting 15  
03-D-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.3726G     | 60.15             | 74.00             | -13.85         | 45.60         | 3           | Vertical  | 228            | 1.69          | -       | 38.87      | 11.10      | 35.42      |
| AV   | 12.373G      | 46.51             | 54.00             | -7.49          | 31.96         | 3           | Vertical  | 228            | 1.69          | -       | 38.87      | 11.10      | 35.42      |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6195MHz\_TnomVnom




EUT\_V\_1TX  
Setting 15  
03-D-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.3728G     | 67.89             | 74.00             | -6.11          | 53.34         | 3           | Horizontal | 205            | 2.30          | -       | 38.87      | 11.10      | 35.42      |
| AV   | 12.3732G     | 53.23             | 54.00             | -0.77          | 38.68         | 3           | Horizontal | 205            | 2.30          | -       | 38.87      | 11.10      | 35.42      |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6195MHz\_TnomVnom




EUT\_V\_1TX  
Setting 15  
03-D-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 18.5526G     | 45.38             | 83.54             | -38.16         | 42.73         | 1           | Vertical  | 65             | 1.38          | -       | 37.78      | 14.92      | 50.05      |
| AV   | 18.5468G     | 32.07             | 63.54             | -31.47         | 29.42         | 1           | Vertical  | 65             | 1.38          | -       | 37.78      | 14.92      | 50.05      |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6195MHz\_TnomVnom




EUT\_V\_1TX  
Setting 15  
03-D-E-2

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |
|------|----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |
| PK   | 18.5956G | 44.98    | 83.54    | -38.56 | 42.28  | 1    | Horizontal | 106     | 1.81   | -       | 37.76 | 14.94 | 50.00 |  |
| AV   | 18.5466G | 32.11    | 63.54    | -31.43 | 29.46  | 1    | Horizontal | 106     | 1.81   | -       | 37.78 | 14.92 | 50.05 |  |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6415MHz\_TnomVnom




EUT V\_1TX  
Setting 15.5  
03-D-E-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.7142G      | 59.49             | 88.20             | -28.71         | 53.28         | 3           | Vertical  | 71             | 1.80          | -       | 34.27      | 7.40       | 35.46      |
| RMS  | 5.919G       | 47.50             | 68.20             | -20.70         | 40.86         | 3           | Vertical  | 71             | 1.80          | -       | 34.68      | 7.52       | 35.56      |
| PK   | 6.4086G      | 120.47            | Inf               | -Inf           | 113.32        | 3           | Vertical  | 71             | 1.80          | -       | 34.87      | 7.72       | 35.44      |
| RMS  | 6.4086G      | 107.04            | Inf               | -Inf           | 99.89         | 3           | Vertical  | 71             | 1.80          | -       | 34.87      | 7.72       | 35.44      |
| PK   | 7.199G       | 61.47             | 88.20             | -26.73         | 52.42         | 3           | Vertical  | 71             | 1.80          | -       | 36.39      | 8.20       | 35.54      |
| RMS  | 7.199G       | 50.21             | 68.20             | -17.99         | 41.16         | 3           | Vertical  | 71             | 1.80          | -       | 36.39      | 8.20       | 35.54      |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6415MHz\_TnomVnom




EUT\_V\_1TX  
Setting 15.5  
03-D-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.8122G     | 59.37             | 88.20             | -28.83         | 43.28         | 3           | Vertical  | 227            | 1.80          | -       | 39.31      | 11.45      | 34.67      |
| RMS  | 12.813G      | 46.29             | 68.20             | -21.91         | 30.20         | 3           | Vertical  | 227            | 1.80          | -       | 39.31      | 11.45      | 34.67      |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6415MHz\_TnomVnom




EUT\_V\_1TX  
Setting 15.5  
03-D-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.8136G     | 68.31             | 88.20             | -19.89         | 52.22         | 3           | Horizontal | 203            | 2.18          | -       | 39.31      | 11.45      | 34.67      |
| RMS  | 12.813G      | 52.81             | 68.20             | -15.39         | 36.72         | 3           | Horizontal | 203            | 2.18          | -       | 39.31      | 11.45      | 34.67      |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6415MHz\_TnomVnom




EUT\_V\_1TX  
Setting 15.5  
03-D-E-2

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |
|------|----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |
| PK   | 19.2096G | 46.06    | 83.54    | -37.48 | 42.77  | 1    | Vertical  | 184     | 1.36   | -       | 37.75 | 15.18 | 49.64 |  |
| AV   | 19.2136G | 32.92    | 63.54    | -30.62 | 29.63  | 1    | Vertical  | 184     | 1.36   | -       | 37.74 | 15.19 | 49.64 |  |



## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6415MHz\_TnomVnom




EUT\_V\_1TX  
Setting 15.5  
03-D-E-2

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |
|------|----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |
| PK   | 19.2434G | 46.18    | 83.54    | -37.36 | 42.92  | 1    | Horizontal | 143     | 1.48   | -       | 37.71 | 15.20 | 49.65 |  |
| AV   | 19.2138G | 32.83    | 63.54    | -30.71 | 29.54  | 1    | Horizontal | 143     | 1.48   | -       | 37.74 | 15.19 | 49.64 |  |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6535MHz\_TnomVnom




EUT\_V\_1TX  
Setting 15.25  
03-D-E-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.8826G      | 58.71             | 88.20             | -29.49         | 52.27         | 3           | Vertical  | 69             | 1.74          | -       | 34.50      | 7.48       | 35.54      |
| RMS  | 5.919G       | 47.45             | 68.20             | -20.75         | 40.81         | 3           | Vertical  | 69             | 1.74          | -       | 34.68      | 7.52       | 35.56      |
| PK   | 6.5434G      | 120.98            | Inf               | -Inf           | 113.53        | 3           | Vertical  | 69             | 1.74          | -       | 34.87      | 7.99       | 35.41      |
| RMS  | 6.5434G      | 109.49            | Inf               | -Inf           | 102.04        | 3           | Vertical  | 69             | 1.74          | -       | 34.87      | 7.99       | 35.41      |
| PK   | 7.1958G      | 62.08             | 88.20             | -26.12         | 53.05         | 3           | Vertical  | 69             | 1.74          | -       | 36.37      | 8.20       | 35.54      |
| RMS  | 7.2322G      | 50.41             | 68.20             | -17.79         | 41.11         | 3           | Vertical  | 69             | 1.74          | -       | 36.59      | 8.26       | 35.55      |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6535MHz\_TnomVnom




EUT V\_1TX  
Setting 15.25  
03-D-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 13.0866G     | 58.74             | 88.20             | -29.46         | 41.41         | 3           | Vertical  | 236            | 1.93          | -       | 39.76      | 11.67      | 34.10      |  |
| RMS  | 13.0864G     | 45.01             | 68.20             | -23.19         | 27.68         | 3           | Vertical  | 236            | 1.93          | -       | 39.76      | 11.67      | 34.10      |  |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6535MHz\_TnomVnom




EUT V\_1TX  
 Setting 15.25  
 03-D-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.0856G     | 61.26             | 88.20             | -26.94         | 43.93         | 3           | Horizontal | 147            | 3.00          | -       | 39.76      | 11.67      | 34.10      |
| RMS  | 13.0868G     | 47.90             | 68.20             | -20.30         | 30.57         | 3           | Horizontal | 147            | 3.00          | -       | 39.76      | 11.67      | 34.10      |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6535MHz\_TnomVnom




EUT\_V\_1TX  
Setting 15.25  
03-D-E-2

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |
|------|----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |
| PK   | 19.61G   | 47.27    | 83.54    | -36.27 | 43.77  | 1    | Vertical  | 61      | 1.46   | -       | 37.86 | 15.34 | 49.70 |
| AV   | 19.5934G | 33.43    | 63.54    | -30.11 | 29.93  | 1    | Vertical  | 61      | 1.46   | -       | 37.86 | 15.34 | 49.70 |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6535MHz\_TnomVnom




EUT\_V\_1TX  
Setting 15.25  
03-D-E-2

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |
|------|----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |
| PK   | 19.616G  | 47.66    | 83.54    | -35.88 | 44.16  | 1    | Horizontal | 176     | 2.75   | -       | 37.85 | 15.35 | 49.70 |
| AV   | 19.6212G | 33.39    | 63.54    | -30.15 | 29.89  | 1    | Horizontal | 176     | 2.75   | -       | 37.85 | 15.35 | 49.70 |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6695MHz\_TnomVnom




EUT\_V\_1TX  
Setting 15.25  
03-D-E-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 6.7038G      | 122.30            | Inf               | -Inf           | 114.22        | 3           | Vertical  | 70             | 1.69          | -       | 35.42      | 8.10       | 35.44      |
| RMS  | 6.7038G      | 111.68            | Inf               | -Inf           | 103.60        | 3           | Vertical  | 70             | 1.69          | -       | 35.42      | 8.10       | 35.44      |
| PK   | 7.1548G      | 62.63             | 88.20             | -25.57         | 53.83         | 3           | Vertical  | 70             | 1.69          | -       | 36.13      | 8.20       | 35.53      |
| RMS  | 7.2318G      | 50.48             | 68.20             | -17.72         | 41.18         | 3           | Vertical  | 70             | 1.69          | -       | 36.59      | 8.26       | 35.55      |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6695MHz\_TnomVnom




EUT V\_1TX  
Setting 15.25  
03-D-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.407G      | 58.97             | 88.20             | -29.23         | 40.29         | 3           | Vertical  | 316            | 1.80          | -       | 40.31      | 11.93      | 33.56      |
| RMS  | 13.4066G     | 46.10             | 68.20             | -22.10         | 27.43         | 3           | Vertical  | 316            | 1.80          | -       | 40.31      | 11.93      | 33.57      |



## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6695MHz\_TnomVnom




EUT\_V\_1TX  
Setting 15.25  
03-D-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 13.4068G     | 63.19             | 88.20             | -25.01         | 44.51         | 3           | Horizontal | 147            | 2.66          | -       | 40.31      | 11.93      | 33.56      |  |
| RMS  | 13.4068G     | 49.79             | 68.20             | -18.41         | 31.11         | 3           | Horizontal | 147            | 2.66          | -       | 40.31      | 11.93      | 33.56      |  |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6695MHz\_TnomVnom




EUT\_V\_1TX  
Setting 15.25  
03-D-E-2

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |
|------|----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |
| PK   | 20.0492G | 47.01    | 83.54    | -36.53 | 43.77  | 1    | Vertical  | 74      | 2.45   | -       | 37.44 | 15.52 | 49.72 |
| AV   | 20.045G  | 33.52    | 63.54    | -30.02 | 30.28  | 1    | Vertical  | 74      | 2.45   | -       | 37.44 | 15.52 | 49.72 |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6695MHz\_TnomVnom




EUT\_V\_1TX  
Setting 15.25  
03-D-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.0986G     | 46.58             | 83.54             | -36.96         | 43.30         | 1           | Horizontal | 292            | 2.51          | -       | 37.48      | 15.54      | 49.74      |
| AV   | 20.0444G     | 33.50             | 63.54             | -30.04         | 30.26         | 1           | Horizontal | 292            | 2.51          | -       | 37.44      | 15.52      | 49.72      |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6855MHz\_TnomVnom




EUT V\_1TX  
Setting 23  
01-M-E-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 6.8634G      | 125.15            | Inf               | -Inf           | 114.54        | 3           | Vertical  | 56             | 1.47          | -       | 36.49      | 7.10       | 32.98      |
| RMS  | 6.8634G      | 119.79            | Inf               | -Inf           | 109.18        | 3           | Vertical  | 56             | 1.47          | -       | 36.49      | 7.10       | 32.98      |
| PK   | 7.198G       | 65.22             | 88.20             | -22.98         | 54.05         | 3           | Vertical  | 56             | 1.47          | -       | 37.09      | 7.20       | 33.12      |
| RMS  | 7.2022G      | 53.24             | 68.20             | -14.96         | 42.07         | 3           | Vertical  | 56             | 1.47          | -       | 37.10      | 7.20       | 33.13      |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6855MHz\_TnomVnom




EUT\_V\_1TX  
 Setting 23  
 01-M-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.7274G     | 64.96             | 88.20             | -23.24         | 44.25         | 3           | Vertical  | 164            | 2.22          | -       | 40.58      | 9.78       | 29.65      |
| RMS  | 13.7266G     | 55.05             | 68.20             | -13.15         | 34.34         | 3           | Vertical  | 164            | 2.22          | -       | 40.58      | 9.78       | 29.65      |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6855MHz\_TnomVnom




EUT\_V\_1TX  
 Setting 23  
 01-M-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 13.7254G     | 69.35             | 88.20             | -18.85         | 48.64         | 3           | Horizontal | 211            | 2.57          | -       | 40.58      | 9.78       | 29.65      |  |
| RMS  | 13.7268G     | 61.35             | 68.20             | -6.85          | 40.64         | 3           | Horizontal | 211            | 2.57          | -       | 40.58      | 9.78       | 29.65      |  |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6855MHz\_TnomVnom




EUT\_V\_1TX  
Setting 23  
01-M-E-2

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |
|------|----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |
| PK   | 20.6066G | 47.02    | 83.54    | -36.52 | 43.28  | 1    | Vertical  | 249     | 2.52   | -       | 37.83 | 15.77 | 49.86 |
| AV   | 20.59G   | 35.18    | 63.54    | -28.36 | 31.46  | 1    | Vertical  | 249     | 2.52   | -       | 37.81 | 15.77 | 49.86 |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6855MHz\_TnomVnom



EUT\_V\_1TX  
Setting 23  
01-M-E-2

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |
|------|----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |
| PK   | 20.5884G | 46.93    | 83.54    | -36.61 | 43.22  | 1    | Horizontal | 47      | 1.13   | -       | 37.81 | 15.76 | 49.86 |  |
| AV   | 20.5906G | 35.11    | 63.54    | -28.43 | 31.39  | 1    | Horizontal | 47      | 1.13   | -       | 37.81 | 15.77 | 49.86 |  |





**RSE TX above 1GHz**  
**<Partial RU> standard power\_RU52\_1TX\_Ant. 3**


**Appendix E.39**

**Summary**

| Mode                           | Result | Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comments |
|--------------------------------|--------|------|--------------|-------------------|-------------------|----------------|-------------|-----------|----------------|---------------|----------|
| 6.875-7.125GHz                 | -      | -    | -            | -                 | -                 | -              | -           | -         | -              | -             | -        |
| 802.11ax HEW20_Nss1,(MCS0)_1TX | Pass   | RMS  | 7.1255G      | 68.16             | 68.20             | -0.04          | 3           | Vertical  | 263            | 1.71          | -        |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 5955MHz\_TnomVnom




EUT V\_1TX  
Setting 13.75  
01-M-E-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.9178G      | 67.09             | 88.20             | -21.11         | 58.33         | 3           | Vertical  | 70             | 1.42          | -       | 34.97      | 6.60       | 32.81      |
| RMS  | 5.9182G      | 51.76             | 68.20             | -16.44         | 43.00         | 3           | Vertical  | 70             | 1.42          | -       | 34.97      | 6.60       | 32.81      |
| PK   | 5.949G       | 119.39            | Inf               | -Inf           | 110.51        | 3           | Vertical  | 70             | 1.42          | -       | 35.10      | 6.60       | 32.82      |
| RMS  | 5.9486G      | 108.73            | Inf               | -Inf           | 99.86         | 3           | Vertical  | 70             | 1.42          | -       | 35.09      | 6.60       | 32.82      |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 5955MHz\_TnomVnom




EUT\_V\_1TX  
Setting 13.75  
01-M-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.9476G     | 58.95             | 74.00             | -15.05         | 43.02         | 3           | Vertical  | 242            | 1.80          | -       | 38.50      | 8.99       | 31.56      |
| AV   | 11.8952G     | 46.18             | 54.00             | -7.82          | 30.29         | 3           | Vertical  | 242            | 1.80          | -       | 38.50      | 8.97       | 31.58      |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 5955MHz\_TnomVnom




EUT\_V\_1TX  
Setting 13.75  
01-M-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 11.8948G     | 66.75             | 74.00             | -7.25          | 50.86         | 3           | Horizontal | 213            | 1.38          | -       | 38.50      | 8.97       | 31.58      |  |
| AV   | 11.8952G     | 53.88             | 54.00             | -0.12          | 37.99         | 3           | Horizontal | 213            | 1.38          | -       | 38.50      | 8.97       | 31.58      |  |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6195MHz\_TnomVnom




EUT\_V\_1TX  
 Setting 17.75  
 03-D-E-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.877G       | 59.04             | 88.20             | -29.16         | 52.64         | 3           | Vertical  | 67             | 1.76          | -       | 34.46      | 7.48       | 35.54      |
| RMS  | 5.919G       | 48.01             | 68.20             | -20.19         | 41.37         | 3           | Vertical  | 67             | 1.76          | -       | 34.68      | 7.52       | 35.56      |
| PK   | 6.189G       | 121.29            | Inf               | -Inf           | 113.96        | 3           | Vertical  | 67             | 1.76          | -       | 35.16      | 7.69       | 35.52      |
| RMS  | 6.189G       | 112.04            | Inf               | -Inf           | 104.71        | 3           | Vertical  | 67             | 1.76          | -       | 35.16      | 7.69       | 35.52      |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6195MHz\_TnomVnom




EUT V\_1TX  
Setting 17.75  
03-D-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.3762G     | 58.65             | 74.00             | -15.35         | 44.08         | 3           | Vertical  | 282            | 1.73          | -       | 38.88      | 11.10      | 35.41      |
| AV   | 12.376G      | 45.70             | 54.00             | -8.30          | 31.13         | 3           | Vertical  | 282            | 1.73          | -       | 38.88      | 11.10      | 35.41      |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6195MHz\_TnomVnom




EUT V\_1TX  
 Setting 17.75  
 03-D-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.3782G     | 66.87             | 74.00             | -7.13          | 52.30         | 3           | Horizontal | 203            | 2.16          | -       | 38.88      | 11.10      | 35.41      |
| AV   | 12.376G      | 52.89             | 54.00             | -1.11          | 38.32         | 3           | Horizontal | 203            | 2.16          | -       | 38.88      | 11.10      | 35.41      |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6195MHz\_TnomVnom




EUT\_V\_1TX  
Setting 17.75  
03-D-E-2

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |
|------|----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |
| PK   | 18.6338G | 46.10    | 83.54    | -37.44 | 43.37  | 1    | Vertical  | 15      | 1.88   | -       | 37.75 | 14.95 | 49.97 |
| AV   | 18.535G  | 32.15    | 63.54    | -31.39 | 29.51  | 1    | Vertical  | 15      | 1.88   | -       | 37.79 | 14.91 | 50.06 |



## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6195MHz\_TnomVnom




EUT\_V\_1TX  
 Setting 17.75  
 03-D-E-2

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |
|------|----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |
| PK   | 18.6028G | 45.44    | 83.54    | -38.10 | 42.74  | 1    | Horizontal | 184     | 2.23   | -       | 37.76 | 14.94 | 50.00 |  |
| AV   | 18.535G  | 32.16    | 63.54    | -31.38 | 29.52  | 1    | Horizontal | 184     | 2.23   | -       | 37.79 | 14.91 | 50.06 |  |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6415MHz\_TnomVnom




EUT V\_1TX  
Setting 18.25  
03-D-E-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.919G       | 59.20             | 88.20             | -29.00         | 52.56         | 3           | Vertical  | 67             | 1.67          | -       | 34.68      | 7.52       | 35.56      |
| RMS  | 5.925G       | 47.90             | 68.20             | -20.30         | 41.24         | 3           | Vertical  | 67             | 1.67          | -       | 34.70      | 7.52       | 35.56      |
| PK   | 6.4086G      | 119.86            | Inf               | -Inf           | 112.71        | 3           | Vertical  | 67             | 1.67          | -       | 34.87      | 7.72       | 35.44      |
| RMS  | 6.4086G      | 110.98            | Inf               | -Inf           | 103.83        | 3           | Vertical  | 67             | 1.67          | -       | 34.87      | 7.72       | 35.44      |
| PK   | 7.167G       | 61.58             | 88.20             | -26.62         | 52.71         | 3           | Vertical  | 67             | 1.67          | -       | 36.20      | 8.20       | 35.53      |
| RMS  | 7.2054G      | 50.67             | 68.20             | -17.53         | 41.57         | 3           | Vertical  | 67             | 1.67          | -       | 36.43      | 8.21       | 35.54      |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6415MHz\_TnomVnom




EUT\_V\_1TX  
Setting 18.25  
03-D-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 12.8184G     | 59.73             | 88.20             | -28.47         | 43.62         | 3           | Vertical  | 255            | 1.56          | -       | 39.32      | 11.45      | 34.66      |  |
| RMS  | 12.8162G     | 46.59             | 68.20             | -21.61         | 30.48         | 3           | Vertical  | 255            | 1.56          | -       | 39.32      | 11.45      | 34.66      |  |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6415MHz\_TnomVnom




EUT\_V\_1TX  
Setting 18.25  
03-D-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.8182G     | 66.19             | 88.20             | -22.01         | 50.08         | 3           | Horizontal | 202            | 2.09          | -       | 39.32      | 11.45      | 34.66      |
| RMS  | 12.8162G     | 52.66             | 68.20             | -15.54         | 36.55         | 3           | Horizontal | 202            | 2.09          | -       | 39.32      | 11.45      | 34.66      |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6415MHz\_TnomVnom




EUT\_V\_1TX  
Setting 18.25  
03-D-E-2

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |
|------|----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |
| PK   | 19.2288G | 46.34    | 83.54    | -37.20 | 43.07  | 1    | Vertical  | 350     | 1.62   | -       | 37.73 | 15.19 | 49.65 |
| AV   | 19.2222G | 33.06    | 63.54    | -30.48 | 29.78  | 1    | Vertical  | 350     | 1.62   | -       | 37.73 | 15.19 | 49.64 |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6415MHz\_TnomVnom




EUT\_V\_1TX  
Setting 18.25  
03-D-E-2

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |
|------|----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |
| PK   | 19.1954G | 46.22    | 83.54    | -37.32 | 42.91  | 1    | Horizontal | 113     | 1.06   | -       | 37.77 | 15.18 | 49.64 |  |
| AV   | 19.2166G | 32.94    | 63.54    | -30.60 | 29.65  | 1    | Horizontal | 113     | 1.06   | -       | 37.74 | 15.19 | 49.64 |  |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6435MHz\_TnomVnom




EUT V\_1TX  
Setting -0.5  
03-D-E-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.9166G      | 59.04             | 88.20             | -29.16         | 52.41         | 3           | Vertical  | 99             | 1.70          | -       | 34.67      | 7.52       | 35.56      |
| RMS  | 5.9198G      | 47.71             | 68.20             | -20.49         | 41.07         | 3           | Vertical  | 99             | 1.70          | -       | 34.68      | 7.52       | 35.56      |
| PK   | 6.4286G      | 102.63            | Inf               | -Inf           | 95.51         | 3           | Vertical  | 99             | 1.70          | -       | 34.79      | 7.76       | 35.43      |
| RMS  | 6.4286G      | 92.20             | Inf               | -Inf           | 85.08         | 3           | Vertical  | 99             | 1.70          | -       | 34.79      | 7.76       | 35.43      |
| PK   | 7.1262G      | 60.63             | 88.20             | -27.57         | 51.99         | 3           | Vertical  | 99             | 1.70          | -       | 35.96      | 8.20       | 35.52      |
| RMS  | 7.235G       | 50.69             | 68.20             | -17.51         | 41.36         | 3           | Vertical  | 99             | 1.70          | -       | 36.61      | 8.27       | 35.55      |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6435MHz\_TnomVnom




EUT\_V\_1TX  
 Setting -0.5  
 03-D-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 12.8994G     | 56.66             | 88.20             | -31.54         | 40.21         | 3           | Vertical  | 32             | 1.74          | -       | 39.40      | 11.52      | 34.47      |  |
| RMS  | 12.9162G     | 43.13             | 68.20             | -25.07         | 26.61         | 3           | Vertical  | 32             | 1.74          | -       | 39.42      | 11.53      | 34.43      |  |



## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6435MHz\_TnomVnom




EUT\_V\_1TX  
 Setting -0.5  
 03-D-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 12.8402G     | 55.79             | 88.20             | -32.41         | 39.59         | 3           | Horizontal | 279            | 2.54          | -       | 39.34      | 11.47      | 34.61      |  |
| RMS  | 12.8826G     | 43.12             | 68.20             | -25.08         | 26.74         | 3           | Horizontal | 279            | 2.54          | -       | 39.38      | 11.51      | 34.51      |  |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6435MHz\_TnomVnom




EUT\_V\_1TX  
Setting -0.5  
03-D-E-2

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |
|------|----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |
| PK   | 19.3426G | 47.62    | 83.54    | -35.92 | 44.28  | 1    | Vertical  | 139     | 2.95   | -       | 37.77 | 15.24 | 49.67 |
| AV   | 19.3284G | 33.85    | 63.54    | -29.69 | 30.53  | 1    | Vertical  | 139     | 2.95   | -       | 37.76 | 15.23 | 49.67 |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6435MHz\_TnomVnom




EUT\_V\_1TX  
Setting -0.5  
03-D-E-2

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |
|------|----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |
| PK   | 19.3026G | 47.41    | 83.54    | -36.13 | 44.11  | 1    | Horizontal | 23      | 2.86   | -       | 37.74 | 15.22 | 49.66 |  |
| AV   | 19.2956G | 33.66    | 63.54    | -29.88 | 30.36  | 1    | Horizontal | 23      | 2.86   | -       | 37.74 | 15.22 | 49.66 |  |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6475MHz\_TnomVnom




EUT\_V\_1TX  
Setting -0.5  
03-D-E-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.925G       | 58.08             | 88.20             | -30.12         | 51.42         | 3           | Vertical  | 68             | 1.66          | -       | 34.70      | 7.52       | 35.56      |
| RMS  | 5.902G       | 47.73             | 68.20             | -20.47         | 41.17         | 3           | Vertical  | 68             | 1.66          | -       | 34.61      | 7.50       | 35.55      |
| PK   | 6.469G       | 101.34            | Inf               | -Inf           | 94.21         | 3           | Vertical  | 68             | 1.66          | -       | 34.70      | 7.84       | 35.41      |
| RMS  | 6.469G       | 91.49             | Inf               | -Inf           | 84.36         | 3           | Vertical  | 68             | 1.66          | -       | 34.70      | 7.84       | 35.41      |
| PK   | 7.195G       | 61.07             | 88.20             | -27.13         | 52.04         | 3           | Vertical  | 68             | 1.66          | -       | 36.37      | 8.20       | 35.54      |
| RMS  | 7.225G       | 50.63             | 68.20             | -17.57         | 41.38         | 3           | Vertical  | 68             | 1.66          | -       | 36.55      | 8.25       | 35.55      |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6475MHz\_TnomVnom




EUT\_V\_1TX  
 Setting -0.5  
 03-D-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 12.9982G     | 56.89             | 88.20             | -31.31         | 40.03         | 3           | Vertical  | 203            | 2.36          | -       | 39.50      | 11.60      | 34.24      |  |
| RMS  | 12.9984G     | 44.25             | 68.20             | -23.95         | 27.39         | 3           | Vertical  | 203            | 2.36          | -       | 39.50      | 11.60      | 34.24      |  |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6475MHz\_TnomVnom




EUT\_V\_1TX  
 Setting -0.5  
 03-D-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.997G      | 56.53             | 88.20             | -31.67         | 39.68         | 3           | Horizontal | 218            | 2.41          | -       | 39.50      | 11.60      | 34.25      |
| RMS  | 12.9986G     | 44.23             | 68.20             | -23.97         | 27.37         | 3           | Horizontal | 218            | 2.41          | -       | 39.50      | 11.60      | 34.24      |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6475MHz\_TnomVnom




EUT\_V\_1TX  
Setting -0.5  
03-D-E-2

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |
|------|----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |
| PK   | 19.4502G | 46.86    | 83.54    | -36.68 | 43.41  | 1    | Vertical  | 54      | 1.80   | -       | 37.86 | 15.28 | 49.69 |  |
| AV   | 19.375G  | 33.77    | 63.54    | -29.77 | 30.40  | 1    | Vertical  | 54      | 1.80   | -       | 37.80 | 15.25 | 49.68 |  |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6475MHz\_TnomVnom




EUT\_V\_1TX  
Setting -0.5  
03-D-E-2

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |
|------|----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |
| PK   | 19.3954G | 47.95    | 83.54    | -35.59 | 44.55  | 1    | Horizontal | 266     | 1.08   | -       | 37.82 | 15.26 | 49.68 |  |
| AV   | 19.3756G | 33.63    | 63.54    | -29.91 | 30.26  | 1    | Horizontal | 266     | 1.08   | -       | 37.80 | 15.25 | 49.68 |  |



## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6515MHz\_TnomVnom




EUT V\_1TX  
 Setting -0.25  
 03-D-E-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.8738G      | 58.76             | 88.20             | -29.44         | 52.39         | 3           | Vertical  | 77             | 1.69          | -       | 34.44      | 7.47       | 35.54      |
| RMS  | 5.9242G      | 47.81             | 68.20             | -20.39         | 41.15         | 3           | Vertical  | 77             | 1.69          | -       | 34.70      | 7.52       | 35.56      |
| PK   | 6.5094G      | 102.73            | Inf               | -Inf           | 95.47         | 3           | Vertical  | 77             | 1.69          | -       | 34.74      | 7.92       | 35.40      |
| RMS  | 6.5094G      | 91.90             | Inf               | -Inf           | 84.64         | 3           | Vertical  | 77             | 1.69          | -       | 34.74      | 7.92       | 35.40      |
| PK   | 7.1478G      | 61.16             | 88.20             | -27.04         | 52.40         | 3           | Vertical  | 77             | 1.69          | -       | 36.09      | 8.20       | 35.53      |
| RMS  | 7.215G       | 50.64             | 68.20             | -17.56         | 41.47         | 3           | Vertical  | 77             | 1.69          | -       | 36.49      | 8.23       | 35.55      |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6515MHz\_TnomVnom




EUT\_V\_1TX  
Setting -0.25  
03-D-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.0758G     | 57.99             | 88.20             | -30.21         | 40.71         | 3           | Vertical  | 161            | 2.44          | -       | 39.73      | 11.66      | 34.11      |
| RMS  | 13.0766G     | 44.70             | 68.20             | -23.50         | 27.42         | 3           | Vertical  | 161            | 2.44          | -       | 39.73      | 11.66      | 34.11      |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6515MHz\_TnomVnom




EUT\_V\_1TX  
Setting -0.25  
03-D-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.0466G     | 58.48             | 88.20             | -29.72         | 41.36         | 3           | Horizontal | 151            | 1.38          | -       | 39.64      | 11.64      | 34.16      |
| RMS  | 13.074G      | 44.68             | 68.20             | -23.52         | 27.42         | 3           | Horizontal | 151            | 1.38          | -       | 39.72      | 11.66      | 34.12      |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6515MHz\_TnomVnom




EUT V\_1TX  
Setting -0.25  
03-D-E-2

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |
|------|----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |
| PK   | 19.545G  | 47.20    | 83.54    | -36.34 | 43.70  | 1    | Vertical  | 196     | 2.12   | -       | 37.88 | 15.32 | 49.70 |
| AV   | 19.5444G | 33.91    | 63.54    | -29.63 | 30.41  | 1    | Vertical  | 196     | 2.12   | -       | 37.88 | 15.32 | 49.70 |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6515MHz\_TnomVnom




EUT\_V\_1TX  
Setting -0.25  
03-D-E-2

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |
|------|----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |
| PK   | 19.5064G | 47.42    | 83.54    | -36.12 | 43.92  | 1    | Horizontal | 302     | 2.96   | -       | 37.90 | 15.30 | 49.70 |
| AV   | 19.5902G | 33.91    | 63.54    | -29.63 | 30.41  | 1    | Horizontal | 302     | 2.96   | -       | 37.86 | 15.34 | 49.70 |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6535MHz\_TnomVnom




EUT V\_1TX  
 Setting 18.25  
 03-D-E-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.905G       | 59.39             | 88.20             | -28.81         | 52.82         | 3           | Vertical  | 68             | 1.66          | -       | 34.62      | 7.50       | 35.55      |
| RMS  | 5.919G       | 47.79             | 68.20             | -20.41         | 41.15         | 3           | Vertical  | 68             | 1.66          | -       | 34.68      | 7.52       | 35.56      |
| PK   | 6.5406G      | 119.21            | Inf               | -Inf           | 111.78        | 3           | Vertical  | 68             | 1.66          | -       | 34.86      | 7.98       | 35.41      |
| RMS  | 6.5406G      | 108.89            | Inf               | -Inf           | 101.46        | 3           | Vertical  | 68             | 1.66          | -       | 34.86      | 7.98       | 35.41      |
| PK   | 7.207G       | 60.78             | 88.20             | -27.42         | 51.67         | 3           | Vertical  | 68             | 1.66          | -       | 36.44      | 8.21       | 35.54      |
| RMS  | 7.235G       | 50.75             | 68.20             | -17.45         | 41.42         | 3           | Vertical  | 68             | 1.66          | -       | 36.61      | 8.27       | 35.55      |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6535MHz\_TnomVnom




EUT V\_1TX  
 Setting 18.25  
 03-D-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.0438G     | 58.45             | 88.20             | -29.75         | 41.35         | 3           | Vertical  | 251            | 1.80          | -       | 39.63      | 11.64      | 34.17      |
| RMS  | 13.0838G     | 45.29             | 68.20             | -22.91         | 27.97         | 3           | Vertical  | 251            | 1.80          | -       | 39.75      | 11.67      | 34.10      |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6535MHz\_TnomVnom




EUT\_V\_1TX  
Setting 18.25  
03-D-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.0836G     | 61.44             | 88.20             | -26.76         | 44.12         | 3           | Horizontal | 144            | 3.00          | -       | 39.75      | 11.67      | 34.10      |
| RMS  | 13.084G      | 48.56             | 68.20             | -19.64         | 31.24         | 3           | Horizontal | 144            | 3.00          | -       | 39.75      | 11.67      | 34.10      |



## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6535MHz\_TnomVnom




EUT\_V\_1TX  
Setting 18.25  
03-D-E-2

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |
|------|----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |
| PK   | 19.5962G | 47.36    | 83.54    | -36.18 | 43.86  | 1    | Vertical  | 164     | 2.88   | -       | 37.86 | 15.34 | 49.70 |  |
| AV   | 19.6518G | 34.24    | 63.54    | -29.30 | 30.74  | 1    | Vertical  | 164     | 2.88   | -       | 37.84 | 15.36 | 49.70 |  |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6535MHz\_TnomVnom




EUT\_V\_1TX  
Setting 18.25  
03-D-E-2

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |
|------|----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |
| PK   | 19.6174G | 47.77    | 83.54    | -35.77 | 44.27  | 1    | Horizontal | 50      | 1.86   | -       | 37.85 | 15.35 | 49.70 |  |
| AV   | 19.6452G | 34.15    | 63.54    | -29.39 | 30.65  | 1    | Horizontal | 50      | 1.86   | -       | 37.84 | 15.36 | 49.70 |  |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6695MHz\_TnomVnom




EUT V\_1TX  
Setting 18.25  
03-D-E-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 6.7016G      | 120.08            | Inf               | -Inf           | 112.01        | 3           | Vertical  | 67             | 1.60          | -       | 35.41      | 8.10       | 35.44      |
| RMS  | 6.7016G      | 111.98            | Inf               | -Inf           | 103.91        | 3           | Vertical  | 67             | 1.60          | -       | 35.41      | 8.10       | 35.44      |
| PK   | 7.1944G      | 61.62             | 88.20             | -26.58         | 52.59         | 3           | Vertical  | 67             | 1.60          | -       | 36.37      | 8.20       | 35.54      |
| RMS  | 7.2428G      | 50.75             | 68.20             | -17.45         | 41.35         | 3           | Vertical  | 67             | 1.60          | -       | 36.66      | 8.29       | 35.55      |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6695MHz\_TnomVnom




EUT\_V\_1TX  
Setting 18.25  
03-D-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.3982G     | 58.79             | 74.00             | -15.21         | 40.15         | 3           | Vertical  | 7              | 2.13          | -       | 40.30      | 11.92      | 33.58      |
| AV   | 13.3998G     | 45.41             | 54.00             | -8.59          | 26.77         | 3           | Vertical  | 7              | 2.13          | -       | 40.30      | 11.92      | 33.58      |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6695MHz\_TnomVnom




EUT\_V\_1TX  
Setting 18.25  
03-D-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.3902G     | 59.18             | 74.00             | -14.82         | 40.58         | 3           | Horizontal | 324            | 2.17          | -       | 40.28      | 11.91      | 33.59      |
| AV   | 13.3938G     | 45.39             | 54.00             | -8.61          | 26.77         | 3           | Horizontal | 324            | 2.17          | -       | 40.29      | 11.92      | 33.59      |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6695MHz\_TnomVnom




EUT\_V\_1TX  
Setting 18.25  
03-D-E-2

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |
|------|----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |
| PK   | 20.0732G | 47.42    | 83.54    | -36.12 | 44.16  | 1    | Vertical  | 230     | 2.94   | -       | 37.46 | 15.53 | 49.73 |
| AV   | 20.039G  | 34.15    | 63.54    | -29.39 | 30.92  | 1    | Vertical  | 230     | 2.94   | -       | 37.43 | 15.52 | 49.72 |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6695MHz\_TnomVnom




EUT V\_1TX  
Setting 18.25  
03-D-E-2

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |
|------|----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |
| PK   | 20.0734G | 47.56    | 83.54    | -35.98 | 44.30  | 1    | Horizontal | 70      | 1.13   | -       | 37.46 | 15.53 | 49.73 |
| AV   | 20.0436G | 34.14    | 63.54    | -29.40 | 30.91  | 1    | Horizontal | 70      | 1.13   | -       | 37.43 | 15.52 | 49.72 |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6855MHz\_TnomVnom




EUT\_V\_1TX  
 Setting 23  
 01-M-E-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 6.862G       | 124.12            | Inf               | -Inf           | 113.51        | 3           | Vertical  | 56             | 1.39          | -       | 36.50      | 7.09       | 32.98      |
| RMS  | 6.862G       | 116.77            | Inf               | -Inf           | 106.16        | 3           | Vertical  | 56             | 1.39          | -       | 36.50      | 7.09       | 32.98      |
| PK   | 7.1798G      | 64.92             | 88.20             | -23.28         | 53.80         | 3           | Vertical  | 56             | 1.39          | -       | 37.02      | 7.21       | 33.11      |
| RMS  | 7.2008G      | 53.39             | 68.20             | -14.81         | 42.21         | 3           | Vertical  | 56             | 1.39          | -       | 37.10      | 7.20       | 33.12      |



## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6855MHz\_TnomVnom




EUT\_V\_1TX  
 Setting 23  
 01-M-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.703G      | 62.39             | 88.20             | -25.81         | 41.77         | 3           | Vertical  | 4              | 1.80          | -       | 40.51      | 9.77       | 29.66      |
| RMS  | 13.7254G     | 50.51             | 68.20             | -17.69         | 29.80         | 3           | Vertical  | 4              | 1.80          | -       | 40.58      | 9.78       | 29.65      |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6855MHz\_TnomVnom




EUT\_V\_1TX  
 Setting 23  
 01-M-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.7248G     | 67.06             | 88.20             | -21.14         | 46.36         | 3           | Horizontal | 209            | 1.91          | -       | 40.57      | 9.78       | 29.65      |
| RMS  | 13.724G      | 56.86             | 68.20             | -11.34         | 36.16         | 3           | Horizontal | 209            | 1.91          | -       | 40.57      | 9.78       | 29.65      |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6855MHz\_TnomVnom




EUT\_V\_1TX  
Setting 23  
01-M-E-2

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |
|------|----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |
| PK   | 20.6124G | 47.40    | 83.54    | -36.14 | 43.65  | 1    | Vertical  | 334     | 2.97   | -       | 37.83 | 15.78 | 49.86 |
| AV   | 20.6006G | 34.94    | 63.54    | -28.60 | 31.21  | 1    | Vertical  | 334     | 2.97   | -       | 37.82 | 15.77 | 49.86 |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6855MHz\_TnomVnom




EUT\_V\_1TX  
Setting 23  
01-M-E-2

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |
|------|----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |
| PK   | 20.6124G | 47.11    | 83.54    | -36.43 | 43.36  | 1    | Horizontal | 240     | 1.77   | -       | 37.83 | 15.78 | 49.86 |
| AV   | 20.6084G | 35.01    | 63.54    | -28.53 | 31.27  | 1    | Horizontal | 240     | 1.77   | -       | 37.83 | 15.77 | 49.86 |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6895MHz\_TnomVnom




EUT V\_1TX  
Setting -0.5  
03-D-E-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 6.9034G      | 100.36            | Inf               | -Inf           | 92.07         | 3           | Vertical  | 263            | 1.70          | -       | 35.61      | 8.15       | 35.47      |  |
| RMS  | 6.902G       | 91.50             | Inf               | -Inf           | 83.22         | 3           | Vertical  | 263            | 1.70          | -       | 35.60      | 8.15       | 35.47      |  |
| PK   | 7.1456G      | 61.59             | 88.20             | -26.61         | 52.85         | 3           | Vertical  | 263            | 1.70          | -       | 36.07      | 8.20       | 35.53      |  |
| RMS  | 7.245G       | 50.79             | 68.20             | -17.41         | 41.38         | 3           | Vertical  | 263            | 1.70          | -       | 36.67      | 8.29       | 35.55      |  |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6895MHz\_TnomVnom




EUT\_V\_1TX  
Setting -0.5  
03-D-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 13.7946G     | 61.57             | 88.20             | -26.63         | 42.05         | 3           | Vertical  | 160            | 2.19          | -       | 40.79      | 12.24      | 33.51      |  |
| RMS  | 13.741G      | 48.18             | 68.20             | -20.02         | 28.80         | 3           | Vertical  | 160            | 2.19          | -       | 40.68      | 12.19      | 33.49      |  |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6895MHz\_TnomVnom




EUT\_V\_1TX  
 Setting -0.5  
 03-D-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.7732G     | 61.38             | 88.20             | -26.82         | 41.91         | 3           | Horizontal | 291            | 2.73          | -       | 40.75      | 12.22      | 33.50      |
| RMS  | 13.7404G     | 48.20             | 68.20             | -20.00         | 28.82         | 3           | Horizontal | 291            | 2.73          | -       | 40.68      | 12.19      | 33.49      |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6895MHz\_TnomVnom




EUT V\_1TX  
Setting -0.5  
03-D-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.718G      | 48.21             | 83.54             | -35.33         | 44.24         | 1           | Vertical  | 306            | 1.12          | -       | 37.96      | 15.82      | 49.81      |
| AV   | 20.735G      | 35.05             | 63.54             | -28.49         | 31.05         | 1           | Vertical  | 306            | 1.12          | -       | 37.98      | 15.83      | 49.81      |



## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6895MHz\_TnomVnom




EUT\_V\_1TX  
Setting -0.5  
03-D-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.7348G     | 47.93             | 83.54             | -35.61         | 43.93         | 1           | Horizontal | 284            | 1.87          | -       | 37.98      | 15.83      | 49.81      |
| AV   | 20.7348G     | 34.90             | 63.54             | -28.64         | 30.90         | 1           | Horizontal | 284            | 1.87          | -       | 37.98      | 15.83      | 49.81      |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6995MHz\_TnomVnom




EUT V\_1TX  
Setting -1  
03-D-E-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 7.003G       | 99.99             | Inf               | -Inf           | 91.58         | 3           | Vertical  | 255            | 1.58          | -       | 35.70      | 8.20       | 35.49      |  |
| RMS  | 7.001G       | 91.69             | Inf               | -Inf           | 83.28         | 3           | Vertical  | 255            | 1.58          | -       | 35.70      | 8.20       | 35.49      |  |
| PK   | 7.218G       | 61.53             | 88.20             | -26.67         | 52.33         | 3           | Vertical  | 255            | 1.58          | -       | 36.51      | 8.24       | 35.55      |  |
| RMS  | 7.245G       | 50.77             | 68.20             | -17.43         | 41.36         | 3           | Vertical  | 255            | 1.58          | -       | 36.67      | 8.29       | 35.55      |  |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6995MHz\_TnomVnom




EUT V\_1TX  
Setting -1  
03-D-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 14.034G      | 63.29             | 88.20             | -24.91         | 43.20         | 3           | Vertical  | 85             | 1.93          | -       | 41.30      | 12.42      | 33.63      |
| RMS  | 14.039G      | 49.72             | 68.20             | -18.48         | 29.62         | 3           | Vertical  | 85             | 1.93          | -       | 41.32      | 12.42      | 33.64      |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6995MHz\_TnomVnom




EUT\_V\_1TX  
 Setting -1  
 03-D-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 14.0084G     | 63.35             | 88.20             | -24.85         | 43.31         | 3           | Horizontal | 295            | 1.85          | -       | 41.23      | 12.40      | 33.59      |
| RMS  | 14.0332G     | 49.84             | 68.20             | -18.36         | 29.75         | 3           | Horizontal | 295            | 1.85          | -       | 41.30      | 12.42      | 33.63      |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6995MHz\_TnomVnom




EUT V\_1TX  
Setting -1  
03-D-E-2

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |
|------|----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |
| PK   | 20.9942G | 48.42    | 83.54    | -35.12 | 44.56  | 1    | Vertical  | 290     | 2.72   | -       | 37.61 | 15.95 | 49.70 |
| AV   | 21.0248G | 34.82    | 63.54    | -28.72 | 30.96  | 1    | Vertical  | 290     | 2.72   | -       | 37.60 | 15.96 | 49.70 |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6995MHz\_TnomVnom




EUT\_V\_1TX  
Setting -1  
03-D-E-2

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |
|------|----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |
| PK   | 20.9994G | 48.80    | 83.54    | -34.74 | 44.95  | 1    | Horizontal | 299     | 2.18   | -       | 37.60 | 15.95 | 49.70 |
| AV   | 21.0338G | 34.90    | 63.54    | -28.64 | 31.02  | 1    | Horizontal | 299     | 2.18   | -       | 37.60 | 15.97 | 49.69 |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 7095MHz\_TnomVnom




EUT V\_1TX  
Setting 2.25  
03-D-E-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 7.1028G      | 99.90             | Inf               | -Inf           | 91.40         | 3           | Vertical  | 246            | 1.54          | -       | 35.82      | 8.20       | 35.52      |
| RMS  | 7.101G       | 91.64             | Inf               | -Inf           | 83.15         | 3           | Vertical  | 246            | 1.54          | -       | 35.81      | 8.20       | 35.52      |
| PK   | 7.245G       | 61.58             | 88.20             | -26.62         | 52.17         | 3           | Vertical  | 246            | 1.54          | -       | 36.67      | 8.29       | 35.55      |
| RMS  | 7.245G       | 50.78             | 68.20             | -17.42         | 41.37         | 3           | Vertical  | 246            | 1.54          | -       | 36.67      | 8.29       | 35.55      |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 7095MHz\_TnomVnom




EUT\_V\_1TX  
 Setting 2.25  
 03-D-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 14.2398G     | 63.35             | 88.20             | -24.85         | 43.19         | 3           | Vertical  | 129            | 1.11          | -       | 41.60      | 12.52      | 33.96      |
| RMS  | 14.1562G     | 50.19             | 68.20             | -18.01         | 29.98         | 3           | Vertical  | 129            | 1.11          | -       | 41.56      | 12.48      | 33.83      |



## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 7095MHz\_TnomVnom




EUT\_V\_1TX  
Setting 2.25  
03-D-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 14.1952G     | 63.03             | 88.20             | -25.17         | 42.82         | 3           | Horizontal | 127            | 3.00          | -       | 41.60      | 12.50      | 33.89      |  |
| RMS  | 14.142G      | 50.21             | 68.20             | -17.99         | 30.00         | 3           | Horizontal | 127            | 3.00          | -       | 41.54      | 12.47      | 33.80      |  |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 7095MHz\_TnomVnom




EUT V\_1TX  
Setting 2.25  
03-D-E-2

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |
|------|----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |
| PK   | 21.3022G | 49.83    | 83.54    | -33.71 | 45.72  | 1    | Vertical  | 347     | 1.01   | -       | 37.66 | 16.09 | 49.64 |  |
| AV   | 21.3346G | 36.06    | 63.54    | -27.48 | 31.89  | 1    | Vertical  | 347     | 1.01   | -       | 37.70 | 16.10 | 49.63 |  |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 7095MHz\_TnomVnom




EUT\_V\_1TX  
Setting 2.25  
03-D-E-2

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |
|------|----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |
| PK   | 21.244G  | 48.96    | 83.54    | -34.58 | 44.95  | 1    | Horizontal | 109     | 2.26   | -       | 37.60 | 16.06 | 49.65 |
| AV   | 21.3344G | 35.93    | 63.54    | -27.61 | 31.76  | 1    | Horizontal | 109     | 2.26   | -       | 37.70 | 16.10 | 49.63 |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 7115MHz\_TnomVnom




EUT\_V\_1TX  
 Setting 12.75  
 01-M-E-2-10

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |
|------|----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |
| PK   | 7.1211G  | 100.76   | Inf      | -Inf   | 89.93  | 3    | Vertical  | 263     | 1.71   | -       | 36.67 | 7.24 | 33.08 |  |
| RMS  | 7.12118G | 94.41    | Inf      | -Inf   | 83.58  | 3    | Vertical  | 263     | 1.71   | -       | 36.67 | 7.24 | 33.08 |  |
| PK   | 7.1255G  | 79.23    | 88.20    | -8.97  | 68.38  | 3    | Vertical  | 263     | 1.71   | -       | 36.70 | 7.24 | 33.09 |  |
| RMS  | 7.1255G  | 68.16    | 68.20    | -0.04  | 57.31  | 3    | Vertical  | 263     | 1.71   | -       | 36.70 | 7.24 | 33.09 |  |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 7115MHz\_TnomVnom




EUT\_V\_1TX  
Setting 12.75  
01-M-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 14.2454G     | 63.52             | 88.20             | -24.68         | 42.50         | 3           | Vertical  | 173            | 1.87          | -       | 40.71      | 9.97       | 29.66      |
| RMS  | 14.2442G     | 52.12             | 68.20             | -16.08         | 31.10         | 3           | Vertical  | 173            | 1.87          | -       | 40.71      | 9.97       | 29.66      |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 7115MHz\_TnomVnom




EUT\_V\_1TX  
Setting 12.75  
01-M-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 14.2436G     | 63.69             | 88.20             | -24.51         | 42.67         | 3           | Horizontal | 145            | 1.96          | -       | 40.71      | 9.97       | 29.66      |  |
| RMS  | 14.2442G     | 52.72             | 68.20             | -15.48         | 31.70         | 3           | Horizontal | 145            | 1.96          | -       | 40.71      | 9.97       | 29.66      |  |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 7115MHz\_TnomVnom




EUT\_V\_1TX  
Setting 12.75  
01-M-E-2

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |
|------|----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |
| PK   | 21.3698G | 48.96    | 83.54    | -34.58 | 44.73  | 1    | Vertical  | 34      | 2.73   | -       | 37.74 | 16.12 | 49.63 |  |
| AV   | 21.3732G | 36.10    | 63.54    | -27.44 | 31.86  | 1    | Vertical  | 34      | 2.73   | -       | 37.75 | 16.12 | 49.63 |  |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 7115MHz\_TnomVnom



EUT\_V\_1TX  
Setting 12.75  
01-M-E-2

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |
|------|----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |
| PK   | 21.3446G | 48.71    | 83.54    | -34.83 | 44.52  | 1    | Horizontal | 173     | 1.87   | -       | 37.71 | 16.11 | 49.63 |  |
| AV   | 21.37G   | 36.10    | 63.54    | -27.44 | 31.87  | 1    | Horizontal | 173     | 1.87   | -       | 37.74 | 16.12 | 49.63 |  |





**RSE TX above 1GHz**  
**<Partial RU> standard power\_RU106\_1TX\_Ant. 3**


**Appendix E.40**

**Summary**

| Mode                           | Result | Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comments |
|--------------------------------|--------|------|--------------|-------------------|-------------------|----------------|-------------|------------|----------------|---------------|----------|
| 5.925-6.425GHz                 | -      | -    | -            | -                 | -                 | -              | -           | -          | -              | -             | -        |
| 802.11ax HEW20_Nss1,(MCS0)_1TX | Pass   | AV   | 11.901G      | 53.76             | 54.00             | -0.24          | 3           | Horizontal | 201            | 1.92          | -        |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 5955MHz\_TnomVnom




EUT V\_1TX  
Setting 15.5  
01-M-E-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.9234G      | 81.39             | 88.20             | -6.81          | 72.61         | 3           | Vertical  | 92             | 1.80          | -       | 34.99      | 6.60       | 32.81      |
| RMS  | 5.9218G      | 53.07             | 68.20             | -15.13         | 44.29         | 3           | Vertical  | 92             | 1.80          | -       | 34.99      | 6.60       | 32.81      |
| PK   | 5.9518G      | 115.01            | Inf               | -Inf           | 106.12        | 3           | Vertical  | 92             | 1.80          | -       | 35.11      | 6.60       | 32.82      |
| RMS  | 5.9522G      | 105.99            | Inf               | -Inf           | 97.10         | 3           | Vertical  | 92             | 1.80          | -       | 35.11      | 6.60       | 32.82      |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 5955MHz\_TnomVnom




EUT\_V\_1TX  
Setting 15.5  
01-M-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 11.8886G     | 58.45             | 74.00             | -15.55         | 42.56         | 3           | Vertical  | 57             | 1.80          | -       | 38.50      | 8.97       | 31.58      |  |
| AV   | 11.9024G     | 45.83             | 54.00             | -8.17          | 29.93         | 3           | Vertical  | 57             | 1.80          | -       | 38.50      | 8.98       | 31.58      |  |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 5955MHz\_TnomVnom




EUT\_V\_1TX  
Setting 15.5  
01-M-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 11.9014G     | 65.63             | 74.00             | -8.37          | 49.73         | 3           | Horizontal | 201            | 1.92          | -       | 38.50      | 8.98       | 31.58      |  |
| AV   | 11.901G      | 53.76             | 54.00             | -0.24          | 37.86         | 3           | Horizontal | 201            | 1.92          | -       | 38.50      | 8.98       | 31.58      |  |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6195MHz\_TnomVnom




EUT V\_1TX  
 Setting 20.75  
 03-D-E-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.875G       | 59.60             | 88.20             | -28.60         | 53.22         | 3           | Vertical  | 69             | 1.70          | -       | 34.45      | 7.47       | 35.54      |
| RMS  | 5.923G       | 47.88             | 68.20             | -20.32         | 41.23         | 3           | Vertical  | 69             | 1.70          | -       | 34.69      | 7.52       | 35.56      |
| PK   | 6.193G       | 119.70            | Inf               | -Inf           | 112.35        | 3           | Vertical  | 69             | 1.70          | -       | 35.17      | 7.70       | 35.52      |
| RMS  | 6.193G       | 111.62            | Inf               | -Inf           | 104.27        | 3           | Vertical  | 69             | 1.70          | -       | 35.17      | 7.70       | 35.52      |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6195MHz\_TnomVnom




EUT V\_1TX  
Setting 20.75  
03-D-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 12.3826G     | 59.96             | 74.00             | -14.04         | 45.38         | 3           | Vertical  | 233            | 1.71          | -       | 38.88      | 11.11      | 35.41      |  |
| AV   | 12.3814G     | 47.40             | 54.00             | -6.60          | 32.82         | 3           | Vertical  | 233            | 1.71          | -       | 38.88      | 11.11      | 35.41      |  |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6195MHz\_TnomVnom




EUT V\_1TX  
Setting 20.75  
03-D-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.3826G     | 65.00             | 74.00             | -9.00          | 50.42         | 3           | Horizontal | 208            | 2.46          | -       | 38.88      | 11.11      | 35.41      |
| AV   | 12.3812G     | 52.97             | 54.00             | -1.03          | 38.40         | 3           | Horizontal | 208            | 2.46          | -       | 38.88      | 11.10      | 35.41      |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6195MHz\_TnomVnom




EUT\_V\_1TX  
Setting 20.75  
03-D-E-2

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |
|------|----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |
| PK   | 18.6236G | 46.92    | 83.54    | -36.62 | 44.20  | 1    | Vertical  | 339     | 1.28   | -       | 37.75 | 14.95 | 49.98 |  |
| AV   | 18.6296G | 32.89    | 63.54    | -30.65 | 30.16  | 1    | Vertical  | 339     | 1.28   | -       | 37.75 | 14.95 | 49.97 |  |



## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6195MHz\_TnomVnom




EUT\_V\_1TX  
Setting 20.75  
03-D-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 18.5756G     | 46.89             | 83.54             | -36.65         | 44.21         | 1           | Horizontal | 84             | 1.52          | -       | 37.77      | 14.93      | 50.02      |
| AV   | 18.6196G     | 33.02             | 63.54             | -30.52         | 30.30         | 1           | Horizontal | 84             | 1.52          | -       | 37.75      | 14.95      | 49.98      |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6415MHz\_TnomVnom




EUT\_V\_1TX  
Setting 21  
03-D-E-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.89G        | 58.52             | 88.20             | -29.68         | 52.04         | 3           | Vertical  | 68             | 1.80          | -       | 34.54      | 7.49       | 35.55      |
| RMS  | 5.908G       | 47.81             | 68.20             | -20.39         | 41.22         | 3           | Vertical  | 68             | 1.80          | -       | 34.63      | 7.51       | 35.55      |
| PK   | 6.412G       | 119.68            | Inf               | -Inf           | 112.55        | 3           | Vertical  | 68             | 1.80          | -       | 34.85      | 7.72       | 35.44      |
| RMS  | 6.412G       | 111.26            | Inf               | -Inf           | 104.13        | 3           | Vertical  | 68             | 1.80          | -       | 34.85      | 7.72       | 35.44      |
| PK   | 7.132G       | 61.26             | 88.20             | -26.94         | 52.59         | 3           | Vertical  | 68             | 1.80          | -       | 35.99      | 8.20       | 35.52      |
| RMS  | 7.147G       | 50.34             | 68.20             | -17.86         | 41.59         | 3           | Vertical  | 68             | 1.80          | -       | 36.08      | 8.20       | 35.53      |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6415MHz\_TnomVnom




EUT\_V\_1TX  
Setting 21  
03-D-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.8216G     | 58.98             | 88.20             | -29.22         | 42.85         | 3           | Vertical  | 218            | 1.80          | -       | 39.32      | 11.46      | 34.65      |
| RMS  | 12.8212G     | 45.78             | 68.20             | -22.42         | 29.65         | 3           | Vertical  | 218            | 1.80          | -       | 39.32      | 11.46      | 34.65      |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6415MHz\_TnomVnom




EUT\_V\_1TX  
Setting 21  
03-D-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.8228G     | 65.08             | 88.20             | -23.12         | 48.95         | 3           | Horizontal | 209            | 2.17          | -       | 39.32      | 11.46      | 34.65      |
| RMS  | 12.8212G     | 52.74             | 68.20             | -15.46         | 36.61         | 3           | Horizontal | 209            | 2.17          | -       | 39.32      | 11.46      | 34.65      |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6415MHz\_TnomVnom




EUT\_V\_1TX  
Setting 21  
03-D-E-2

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |
|------|----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |
| PK   | 19.2614G | 47.28    | 83.54    | -36.26 | 44.02  | 1    | Vertical  | 78      | 1.39   | -       | 37.71 | 15.20 | 49.65 |  |
| AV   | 19.2368G | 34.01    | 63.54    | -29.53 | 30.75  | 1    | Vertical  | 78      | 1.39   | -       | 37.72 | 15.19 | 49.65 |  |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6415MHz\_TnomVnom




EUT\_V\_1TX  
Setting 21  
03-D-E-2

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |
|------|----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |
| PK   | 19.2666G | 47.60    | 83.54    | -35.94 | 44.33  | 1    | Horizontal | 148     | 2.93   | -       | 37.71 | 15.21 | 49.65 |  |
| AV   | 19.225G  | 34.04    | 63.54    | -29.50 | 30.77  | 1    | Horizontal | 148     | 2.93   | -       | 37.73 | 15.19 | 49.65 |  |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6535MHz\_TnomVnom




EUT V\_1TX  
Setting 20.75  
03-D-E-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.8938G      | 57.64             | 88.20             | -30.56         | 51.14         | 3           | Vertical  | 68             | 1.69          | -       | 34.56      | 7.49       | 35.55      |
| RMS  | 5.9078G      | 47.77             | 68.20             | -20.43         | 41.18         | 3           | Vertical  | 68             | 1.69          | -       | 34.63      | 7.51       | 35.55      |
| PK   | 6.5378G      | 119.60            | Inf               | -Inf           | 112.18        | 3           | Vertical  | 68             | 1.69          | -       | 34.85      | 7.98       | 35.41      |
| RMS  | 6.5378G      | 111.12            | Inf               | -Inf           | 103.70        | 3           | Vertical  | 68             | 1.69          | -       | 34.85      | 7.98       | 35.41      |
| PK   | 7.2042G      | 61.73             | 88.20             | -26.47         | 52.63         | 3           | Vertical  | 68             | 1.69          | -       | 36.43      | 8.21       | 35.54      |
| RMS  | 7.2322G      | 50.81             | 68.20             | -17.39         | 41.51         | 3           | Vertical  | 68             | 1.69          | -       | 36.59      | 8.26       | 35.55      |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6535MHz\_TnomVnom




EUT V\_1TX  
Setting 20.75  
03-D-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.069G      | 58.15             | 88.20             | -30.05         | 40.91         | 3           | Vertical  | 253            | 1.80          | -       | 39.71      | 11.66      | 34.13      |
| RMS  | 13.0786G     | 45.16             | 68.20             | -23.04         | 27.87         | 3           | Vertical  | 253            | 1.80          | -       | 39.74      | 11.66      | 34.11      |



## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6535MHz\_TnomVnom




EUT V\_1TX  
Setting 20.75  
03-D-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.0758G     | 61.26             | 88.20             | -26.94         | 43.98         | 3           | Horizontal | 144            | 2.97          | -       | 39.73      | 11.66      | 34.11      |
| RMS  | 13.0786G     | 47.38             | 68.20             | -20.82         | 30.09         | 3           | Horizontal | 144            | 2.97          | -       | 39.74      | 11.66      | 34.11      |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6535MHz\_TnomVnom




EUT\_V\_1TX  
Setting 20.75  
03-D-E-2

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |
|------|----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |
| PK   | 19.604G  | 48.22    | 83.54    | -35.32 | 44.72  | 1    | Vertical  | 93      | 1.91   | -       | 37.86 | 15.34 | 49.70 |  |
| AV   | 19.6512G | 34.29    | 63.54    | -29.25 | 30.79  | 1    | Vertical  | 93      | 1.91   | -       | 37.84 | 15.36 | 49.70 |  |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6535MHz\_TnomVnom




EUT\_V\_1TX  
Setting 20.75  
03-D-E-2

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |
|------|----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |
| PK   | 19.557G  | 47.45    | 83.54    | -36.09 | 43.95  | 1    | Horizontal | 308     | 2.40   | -       | 37.88 | 15.32 | 49.70 |
| AV   | 19.6498G | 34.48    | 63.54    | -29.06 | 30.98  | 1    | Horizontal | 308     | 2.40   | -       | 37.84 | 15.36 | 49.70 |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6695MHz\_TnomVnom




EUT V\_1TX  
Setting 21  
03-D-E-2-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |
|------|---------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |
| PK   | 6.6972G | 119.83   | Inf      | -Inf   | 111.78 | 3    | Vertical  | 68      | 1.59   | -       | 35.39 | 8.10 | 35.44 |
| RMS  | 6.6972G | 111.43   | Inf      | -Inf   | 103.38 | 3    | Vertical  | 68      | 1.59   | -       | 35.39 | 8.10 | 35.44 |
| PK   | 7.2164G | 62.04    | 88.20    | -26.16 | 52.86  | 3    | Vertical  | 68      | 1.59   | -       | 36.50 | 8.23 | 35.55 |
| RMS  | 7.2428G | 50.77    | 68.20    | -17.43 | 41.37  | 3    | Vertical  | 68      | 1.59   | -       | 36.66 | 8.29 | 35.55 |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6695MHz\_TnomVnom




EUT\_V\_1TX  
Setting 21  
03-D-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.3988G     | 60.17             | 74.00             | -13.83         | 41.53         | 3           | Vertical  | 168            | 2.05          | -       | 40.30      | 11.92      | 33.58      |
| AV   | 13.3986G     | 46.45             | 54.00             | -7.55          | 27.81         | 3           | Vertical  | 168            | 2.05          | -       | 40.30      | 11.92      | 33.58      |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6695MHz\_TnomVnom




EUT\_V\_1TX  
Setting 21  
03-D-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.3994G     | 62.72             | 74.00             | -11.28         | 44.08         | 3           | Horizontal | 150            | 2.79          | -       | 40.30      | 11.92      | 33.58      |
| AV   | 13.3962G     | 49.40             | 54.00             | -4.60          | 30.77         | 3           | Horizontal | 150            | 2.79          | -       | 40.29      | 11.92      | 33.58      |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6695MHz\_TnomVnom




EUT\_V\_1TX  
Setting 21  
03-D-E-2

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |
|------|----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |
| PK   | 20.0824G | 48.00    | 83.54    | -35.54 | 44.72  | 1    | Vertical  | 29      | 2.31   | -       | 37.47 | 15.54 | 49.73 |
| AV   | 20.0434G | 34.52    | 63.54    | -29.02 | 31.29  | 1    | Vertical  | 29      | 2.31   | -       | 37.43 | 15.52 | 49.72 |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6695MHz\_TnomVnom




EUT\_V\_1TX  
Setting 21  
03-D-E-2

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |
|------|----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |
| PK   | 20.0894G | 47.45    | 83.54    | -36.09 | 44.18  | 1    | Horizontal | 109     | 1.14   | -       | 37.47 | 15.54 | 49.74 |
| AV   | 20.0438G | 34.38    | 63.54    | -29.16 | 31.14  | 1    | Horizontal | 109     | 1.14   | -       | 37.44 | 15.52 | 49.72 |



## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6855MHz\_TnomVnom




EUT V\_1TX  
Setting 23  
01-M-E-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 6.8592G      | 123.34            | Inf               | -Inf           | 112.69        | 3           | Vertical  | 56             | 1.48          | -       | 36.53      | 7.09       | 32.97      |  |
| RMS  | 6.8578G      | 114.66            | Inf               | -Inf           | 104.00        | 3           | Vertical  | 56             | 1.48          | -       | 36.54      | 7.09       | 32.97      |  |
| PK   | 7.1798G      | 64.58             | 88.20             | -23.62         | 53.46         | 3           | Vertical  | 56             | 1.48          | -       | 37.02      | 7.21       | 33.11      |  |
| RMS  | 7.1994G      | 53.37             | 68.20             | -14.83         | 42.19         | 3           | Vertical  | 56             | 1.48          | -       | 37.10      | 7.20       | 33.12      |  |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6855MHz\_TnomVnom




EUT\_V\_1TX  
Setting 23  
01-M-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.7156G     | 62.79             | 88.20             | -25.41         | 42.12         | 3           | Vertical  | 183            | 1.70          | -       | 40.55      | 9.77       | 29.65      |
| RMS  | 13.7208G     | 50.85             | 68.20             | -17.35         | 30.17         | 3           | Vertical  | 183            | 1.70          | -       | 40.56      | 9.77       | 29.65      |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6855MHz\_TnomVnom




EUT\_V\_1TX  
Setting 23  
01-M-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.721G      | 67.05             | 88.20             | -21.15         | 46.37         | 3           | Horizontal | 206            | 3.00          | -       | 40.56      | 9.77       | 29.65      |
| RMS  | 13.7208G     | 55.13             | 68.20             | -13.07         | 34.45         | 3           | Horizontal | 206            | 3.00          | -       | 40.56      | 9.77       | 29.65      |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6855MHz\_TnomVnom




EUT\_V\_1TX  
Setting 23  
01-M-E-2

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |
|------|----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |
| PK   | 20.5792G | 47.78    | 83.54    | -35.76 | 44.09  | 1    | Vertical  | 188     | 2.11   | -       | 37.80 | 15.76 | 49.87 |
| AV   | 20.5806G | 34.97    | 63.54    | -28.57 | 31.28  | 1    | Vertical  | 188     | 2.11   | -       | 37.80 | 15.76 | 49.87 |

## 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6855MHz\_TnomVnom



EUT\_V\_1TX  
Setting 23  
01-M-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.53G       | 47.10             | 83.54             | -36.44         | 43.51         | 1           | Horizontal | 328            | 2.66          | -       | 37.74      | 15.74      | 49.89      |
| AV   | 20.6002G     | 35.01             | 63.54             | -28.53         | 31.28         | 1           | Horizontal | 328            | 2.66          | -       | 37.82      | 15.77      | 49.86      |



**RSE TX above 1GHz**  
**<Partial RU> standard power\_RU26\_2TX\_Ant. 1**


**Appendix E.41**

**Summary**

| Mode                           | Result | Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comments |
|--------------------------------|--------|------|--------------|-------------------|-------------------|----------------|-------------|------------|----------------|---------------|----------|
| 5.925-6.425GHz                 | -      | -    | -            | -                 | -                 | -              | -           | -          | -              | -             | -        |
| 802.11ax HEW20_Nss1.(MCS0)_2TX | Pass   | AV   | 11.8929G     | 53.94             | 54.00             | -0.06          | 3           | Horizontal | 209            | 1.80          | -        |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 5955MHz\_TnomVnom




EUT Y\_2TX  
 Setting 12.75  
 01-M-G-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.92G        | 62.11             | 88.20             | -26.09         | 53.34         | 3           | Vertical  | 47             | 1.23          | -       | 34.98      | 6.60       | 32.81      |
| RMS  | 5.906G       | 50.67             | 68.20             | -17.53         | 41.95         | 3           | Vertical  | 47             | 1.23          | -       | 34.92      | 6.60       | 32.80      |
| PK   | 5.947G       | 118.35            | Inf               | -Inf           | 109.48        | 3           | Vertical  | 47             | 1.23          | -       | 35.09      | 6.60       | 32.82      |
| RMS  | 5.9466G      | 103.66            | Inf               | -Inf           | 94.79         | 3           | Vertical  | 47             | 1.23          | -       | 35.09      | 6.60       | 32.82      |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 5955MHz\_TnomVnom




EUT V\_2TX  
 Setting 12.75  
 01-M-G-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 5.9086G      | 62.52             | 88.20             | -25.68         | 53.79         | 3           | Horizontal | 45             | 2.31          | -       | 34.93      | 6.60       | 32.80      |  |
| RMS  | 5.9058G      | 50.69             | 68.20             | -17.51         | 41.97         | 3           | Horizontal | 45             | 2.31          | -       | 34.92      | 6.60       | 32.80      |  |
| PK   | 5.9468G      | 117.47            | Inf               | -Inf           | 108.60        | 3           | Horizontal | 45             | 2.31          | -       | 35.09      | 6.60       | 32.82      |  |
| RMS  | 5.9468G      | 107.83            | Inf               | -Inf           | 98.96         | 3           | Horizontal | 45             | 2.31          | -       | 35.09      | 6.60       | 32.82      |  |



## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 5955MHz\_TnomVnom




EUT V\_2TX  
Setting 12.75  
01-M-G-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.8931G     | 60.61             | 74.00             | -13.39         | 44.72         | 3           | Vertical  | 253            | 1.80          | -       | 38.50      | 8.97       | 31.58      |
| AV   | 11.893G      | 46.94             | 54.00             | -7.06          | 31.05         | 3           | Vertical  | 253            | 1.80          | -       | 38.50      | 8.97       | 31.58      |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 5955MHz\_TnomVnom




EUT Y\_2TX  
 Setting 12.75  
 01-M-G-2

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |
|------|----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |
| PK   | 11.8931G | 68.60    | 74.00    | -5.40  | 52.71  | 3    | Horizontal | 209     | 1.80   | -       | 38.50 | 8.97 | 31.58 |  |
| AV   | 11.8929G | 53.94    | 54.00    | -0.06  | 38.05  | 3    | Horizontal | 209     | 1.80   | -       | 38.50 | 8.97 | 31.58 |  |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6195MHz\_TnomVnom




EUT V\_2TX  
 Setting 11  
 01-C-E-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 5.809G       | 61.62             | 88.20             | -26.58         | 53.31         | 3           | Vertical  | 222            | 1.56          | -       | 34.47      | 6.60       | 32.76      |  |
| RMS  | 5.925G       | 50.17             | 68.20             | -18.03         | 41.38         | 3           | Vertical  | 222            | 1.56          | -       | 35.00      | 6.60       | 32.81      |  |
| PK   | 6.187G       | 113.97            | Inf               | -Inf           | 104.49        | 3           | Vertical  | 222            | 1.56          | -       | 35.45      | 6.88       | 32.85      |  |
| RMS  | 6.187G       | 103.09            | Inf               | -Inf           | 93.61         | 3           | Vertical  | 222            | 1.56          | -       | 35.45      | 6.88       | 32.85      |  |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6195MHz\_TnomVnom




EUT Y\_2TX  
 Setting 11  
 01-C-E-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.897G       | 61.64             | 88.20             | -26.56         | 52.95         | 3           | Horizontal | 338            | 1.73          | -       | 34.89      | 6.60       | 32.80      |
| RMS  | 5.919G       | 50.18             | 68.20             | -18.02         | 41.41         | 3           | Horizontal | 338            | 1.73          | -       | 34.98      | 6.60       | 32.81      |
| PK   | 6.187G       | 116.31            | Inf               | -Inf           | 106.83        | 3           | Horizontal | 338            | 1.73          | -       | 35.45      | 6.88       | 32.85      |
| RMS  | 6.187G       | 104.47            | Inf               | -Inf           | 94.99         | 3           | Horizontal | 338            | 1.73          | -       | 35.45      | 6.88       | 32.85      |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6195MHz\_TnomVnom




EUT\_V\_2TX  
 Setting 11  
 01-C-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.3756G     | 57.90             | 74.00             | -16.10         | 41.66         | 3           | Vertical  | 78             | 1.80          | -       | 38.65      | 9.17       | 31.58      |
| AV   | 12.4192G     | 44.23             | 54.00             | -9.77          | 27.96         | 3           | Vertical  | 78             | 1.80          | -       | 38.66      | 9.19       | 31.58      |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6195MHz\_TnomVnom




EUT\_V\_2TX  
 Setting 11  
 01-C-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.3728G     | 58.82             | 74.00             | -15.18         | 42.58         | 3           | Horizontal | 212            | 1.80          | -       | 38.65      | 9.17       | 31.58      |
| AV   | 12.3726G     | 45.29             | 54.00             | -8.71          | 29.05         | 3           | Horizontal | 212            | 1.80          | -       | 38.65      | 9.17       | 31.58      |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6195MHz\_TnomVnom




EUT\_V\_2TX  
Setting 11  
01-C-E-2

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |
|------|----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |
| PK   | 18.6228G | 46.88    | 83.54    | -36.66 | 44.16  | 1    | Vertical  | 211     | 1.86   | -       | 37.75 | 14.95 | 49.98 |  |
| AV   | 18.6316G | 33.55    | 63.54    | -29.99 | 30.82  | 1    | Vertical  | 211     | 1.86   | -       | 37.75 | 14.95 | 49.97 |  |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6195MHz\_TnomVnom




EUT\_V\_2TX  
 Setting 11  
 01-C-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 18.6154G     | 47.11             | 83.54             | -36.43         | 44.39         | 1           | Horizontal | 113            | 2.57          | -       | 37.75      | 14.95      | 49.98      |
| AV   | 18.6346G     | 33.54             | 63.54             | -30.00         | 30.81         | 1           | Horizontal | 113            | 2.57          | -       | 37.75      | 14.95      | 49.97      |



## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6415MHz\_TnomVnom




EUT\_V\_2TX  
 Setting 11  
 01-C-E-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 5.9194G      | 61.00             | 88.20             | -27.20         | 52.23         | 3           | Vertical  | 217            | 1.80          | -       | 34.98      | 6.60       | 32.81      |  |
| RMS  | 5.9194G      | 50.17             | 68.20             | -18.03         | 41.40         | 3           | Vertical  | 217            | 1.80          | -       | 34.98      | 6.60       | 32.81      |  |
| PK   | 6.4066G      | 113.77            | Inf               | -Inf           | 104.06        | 3           | Vertical  | 217            | 1.80          | -       | 35.57      | 7.00       | 32.86      |  |
| RMS  | 6.4066G      | 101.60            | Inf               | -Inf           | 91.89         | 3           | Vertical  | 217            | 1.80          | -       | 35.57      | 7.00       | 32.86      |  |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6415MHz\_TnomVnom




EUT V\_2TX  
Setting 11  
01-C-E-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.8858G      | 61.27             | 88.20             | -26.93         | 52.59         | 3           | Horizontal | 335            | 1.80          | -       | 34.87      | 6.60       | 32.79      |
| RMS  | 5.925G       | 50.18             | 68.20             | -18.02         | 41.39         | 3           | Horizontal | 335            | 1.80          | -       | 35.00      | 6.60       | 32.81      |
| PK   | 6.4066G      | 114.75            | Inf               | -Inf           | 105.04        | 3           | Horizontal | 335            | 1.80          | -       | 35.57      | 7.00       | 32.86      |
| RMS  | 6.4066G      | 102.72            | Inf               | -Inf           | 93.01         | 3           | Horizontal | 335            | 1.80          | -       | 35.57      | 7.00       | 32.86      |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6415MHz\_TnomVnom




EUT\_V\_2TX  
Setting 11  
01-C-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.8732G     | 60.30             | 88.20             | -27.90         | 42.43         | 3           | Vertical  | 313            | 1.80          | -       | 39.27      | 9.39       | 30.79      |
| RMS  | 12.8722G     | 45.29             | 68.20             | -22.91         | 27.42         | 3           | Vertical  | 313            | 1.80          | -       | 39.27      | 9.39       | 30.79      |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6415MHz\_TnomVnom




EUT\_V\_2TX  
Setting 11  
01-C-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 12.8136G     | 59.96             | 88.20             | -28.24         | 42.30         | 3           | Horizontal | 215            | 1.80          | -       | 39.21      | 9.37       | 30.92      |  |
| RMS  | 12.813G      | 46.14             | 68.20             | -22.06         | 28.48         | 3           | Horizontal | 215            | 1.80          | -       | 39.21      | 9.37       | 30.92      |  |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6415MHz\_TnomVnom




EUT\_V\_2TX  
Setting 11  
01-C-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.1992G     | 47.49             | 83.54             | -36.05         | 44.19         | 1           | Vertical  | 275            | 2.08          | -       | 37.76      | 15.18      | 49.64      |
| AV   | 19.2182G     | 33.88             | 63.54             | -29.66         | 30.59         | 1           | Vertical  | 275            | 2.08          | -       | 37.74      | 15.19      | 49.64      |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6415MHz\_TnomVnom




EUT\_V\_2TX  
Setting 11  
01-C-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.1972G     | 47.34             | 83.54             | -36.20         | 44.04         | 1           | Horizontal | 318            | 2.76          | -       | 37.76      | 15.18      | 49.64      |
| AV   | 19.2028G     | 33.86             | 63.54             | -29.68         | 30.56         | 1           | Horizontal | 318            | 2.76          | -       | 37.76      | 15.18      | 49.64      |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6535MHz\_TnomVnom




EUT\_V\_2TX  
Setting 10.75  
01-C-E-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.919G       | 61.21             | 88.20             | -26.99         | 52.44         | 3           | Vertical  | 209            | 1.25          | -       | 34.98      | 6.60       | 32.81      |
| RMS  | 5.9162G      | 49.91             | 68.20             | -18.29         | 41.16         | 3           | Vertical  | 209            | 1.25          | -       | 34.96      | 6.60       | 32.81      |
| PK   | 6.5434G      | 116.26            | Inf               | -Inf           | 106.36        | 3           | Vertical  | 209            | 1.25          | -       | 35.77      | 7.00       | 32.87      |
| RMS  | 6.5434G      | 102.92            | Inf               | -Inf           | 93.02         | 3           | Vertical  | 209            | 1.25          | -       | 35.77      | 7.00       | 32.87      |
| PK   | 7.1538G      | 65.17             | 88.20             | -23.03         | 54.13         | 3           | Vertical  | 209            | 1.25          | -       | 36.92      | 7.22       | 33.10      |
| RMS  | 7.2294G      | 53.15             | 68.20             | -15.05         | 41.96         | 3           | Vertical  | 209            | 1.25          | -       | 37.10      | 7.23       | 33.14      |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6535MHz\_TnomVnom




EUT\_V\_2TX  
 Setting 10.75  
 01-C-E-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.8826G      | 61.81             | 88.20             | -26.39         | 53.13         | 3           | Horizontal | 348            | 1.80          | -       | 34.87      | 6.60       | 32.79      |
| RMS  | 5.919G       | 50.00             | 68.20             | -18.20         | 41.23         | 3           | Horizontal | 348            | 1.80          | -       | 34.98      | 6.60       | 32.81      |
| PK   | 6.5434G      | 115.30            | Inf               | -Inf           | 105.40        | 3           | Horizontal | 348            | 1.80          | -       | 35.77      | 7.00       | 32.87      |
| RMS  | 6.5434G      | 103.36            | Inf               | -Inf           | 93.46         | 3           | Horizontal | 348            | 1.80          | -       | 35.77      | 7.00       | 32.87      |
| PK   | 7.1846G      | 64.52             | 88.20             | -23.68         | 53.39         | 3           | Horizontal | 348            | 1.80          | -       | 37.04      | 7.21       | 33.12      |
| RMS  | 7.2266G      | 53.23             | 68.20             | -14.97         | 42.04         | 3           | Horizontal | 348            | 1.80          | -       | 37.10      | 7.23       | 33.14      |



## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6535MHz\_TnomVnom




EUT\_V\_2TX  
Setting 10.75  
01-C-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 13.0694G     | 60.56             | 88.20             | -27.64         | 41.83         | 3           | Vertical  | 295            | 1.70          | -       | 39.67      | 9.48       | 30.42      |  |
| RMS  | 13.087G      | 47.58             | 68.20             | -20.62         | 28.79         | 3           | Vertical  | 295            | 1.70          | -       | 39.69      | 9.49       | 30.39      |  |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6535MHz\_TnomVnom




EUT V\_2TX  
 Setting 10.75  
 01-C-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 13.0882G     | 61.82             | 88.20             | -26.38         | 43.03         | 3           | Horizontal | 198            | 1.70          | -       | 39.69      | 9.49       | 30.39      |  |
| RMS  | 13.0876G     | 48.07             | 68.20             | -20.13         | 29.28         | 3           | Horizontal | 198            | 1.70          | -       | 39.69      | 9.49       | 30.39      |  |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6535MHz\_TnomVnom




EUT\_V\_2TX  
Setting 10.75  
01-C-E-2

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |
|------|----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |
| PK   | 19.6504G | 48.49    | 83.54    | -35.05 | 44.99  | 1    | Vertical  | 65      | 2.46   | -       | 37.84 | 15.36 | 49.70 |
| AV   | 19.6538G | 34.86    | 63.54    | -28.68 | 31.36  | 1    | Vertical  | 65      | 2.46   | -       | 37.84 | 15.36 | 49.70 |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6535MHz\_TnomVnom




EUT\_V\_2TX  
Setting 10.75  
01-C-E-2

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |
|------|----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |
| PK   | 19.6338G | 47.98    | 83.54    | -35.56 | 44.48  | 1    | Horizontal | 26      | 2.64   | -       | 37.85 | 15.35 | 49.70 |
| AV   | 19.6542G | 34.92    | 63.54    | -28.62 | 31.42  | 1    | Horizontal | 26      | 2.64   | -       | 37.84 | 15.36 | 49.70 |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6695MHz\_TnomVnom




EUT\_V\_2TX  
 Setting 11  
 01-C-E-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 6.7038G      | 113.28            | Inf               | -Inf           | 103.29        | 3           | Vertical  | 310            | 1.80          | -       | 35.92      | 7.00       | 32.93      |
| RMS  | 6.7038G      | 100.62            | Inf               | -Inf           | 90.63         | 3           | Vertical  | 310            | 1.80          | -       | 35.92      | 7.00       | 32.93      |
| PK   | 7.2296G      | 64.53             | 88.20             | -23.67         | 53.34         | 3           | Vertical  | 310            | 1.80          | -       | 37.10      | 7.23       | 33.14      |
| RMS  | 7.245G       | 53.33             | 68.20             | -14.87         | 42.13         | 3           | Vertical  | 310            | 1.80          | -       | 37.10      | 7.25       | 33.15      |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6695MHz\_TnomVnom




EUT V\_2TX  
Setting 11  
01-C-E-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 6.7038G      | 113.14            | Inf               | -Inf           | 103.15        | 3           | Horizontal | 348            | 1.80          | -       | 35.92      | 7.00       | 32.93      |
| RMS  | 6.7038G      | 100.66            | Inf               | -Inf           | 90.67         | 3           | Horizontal | 348            | 1.80          | -       | 35.92      | 7.00       | 32.93      |
| PK   | 7.1504G      | 64.52             | 88.20             | -23.68         | 53.50         | 3           | Horizontal | 348            | 1.80          | -       | 36.90      | 7.22       | 33.10      |
| RMS  | 7.245G       | 53.31             | 68.20             | -14.89         | 42.11         | 3           | Horizontal | 348            | 1.80          | -       | 37.10      | 7.25       | 33.15      |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6695MHz\_TnomVnom




EUT\_V\_2TX  
 Setting 11  
 01-C-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.407G      | 60.46             | 88.20             | -27.74         | 40.55         | 3           | Vertical  | 298            | 1.80          | -       | 40.20      | 9.63       | 29.92      |
| RMS  | 13.4076G     | 46.96             | 68.20             | -21.24         | 27.05         | 3           | Vertical  | 298            | 1.80          | -       | 40.20      | 9.63       | 29.92      |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6695MHz\_TnomVnom




EUT\_V\_2TX  
 Setting 11  
 01-C-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.4216G     | 60.58             | 88.20             | -27.62         | 40.64         | 3           | Horizontal | 146            | 2.27          | -       | 40.20      | 9.64       | 29.90      |
| RMS  | 13.4068G     | 47.35             | 68.20             | -20.85         | 27.44         | 3           | Horizontal | 146            | 2.27          | -       | 40.20      | 9.63       | 29.92      |



## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6695MHz\_TnomVnom




EUT\_V\_2TX  
Setting 11  
01-C-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.1266G     | 47.82             | 83.54             | -35.72         | 44.51         | 1           | Vertical  | 297            | 1.53          | -       | 37.50      | 15.56      | 49.75      |
| AV   | 20.1338G     | 34.62             | 63.54             | -28.92         | 31.30         | 1           | Vertical  | 297            | 1.53          | -       | 37.51      | 15.56      | 49.75      |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6695MHz\_TnomVnom




EUT\_V\_2TX  
 Setting 11  
 01-C-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.1172G     | 47.59             | 83.54             | -35.95         | 44.30         | 1           | Horizontal | 156            | 2.51          | -       | 37.49      | 15.55      | 49.75      |
| AV   | 20.1336G     | 34.61             | 63.54             | -28.93         | 31.29         | 1           | Horizontal | 156            | 2.51          | -       | 37.51      | 15.56      | 49.75      |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6855MHz\_TnomVnom




EUT V\_2TX  
 Setting 23  
 01-M-G-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 6.8466G      | 123.70            | Inf               | -Inf           | 113.03        | 3           | Vertical  | 16             | 1.80          | -       | 36.57      | 7.07       | 32.97      |
| RMS  | 6.8466G      | 114.07            | Inf               | -Inf           | 103.40        | 3           | Vertical  | 16             | 1.80          | -       | 36.57      | 7.07       | 32.97      |
| PK   | 7.177G       | 64.70             | 88.20             | -23.50         | 53.59         | 3           | Vertical  | 16             | 1.80          | -       | 37.01      | 7.21       | 33.11      |
| RMS  | 7.1812G      | 52.82             | 68.20             | -15.38         | 41.70         | 3           | Vertical  | 16             | 1.80          | -       | 37.02      | 7.21       | 33.11      |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6855MHz\_TnomVnom




EUT Y\_2TX  
 Setting 23  
 01-M-G-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 6.8466G      | 123.66            | Inf               | -Inf           | 112.99        | 3           | Horizontal | 8              | 1.79          | -       | 36.57      | 7.07       | 32.97      |
| RMS  | 6.8466G      | 115.17            | Inf               | -Inf           | 104.50        | 3           | Horizontal | 8              | 1.79          | -       | 36.57      | 7.07       | 32.97      |
| PK   | 7.1714G      | 64.07             | 88.20             | -24.13         | 52.98         | 3           | Horizontal | 8              | 1.79          | -       | 36.99      | 7.21       | 33.11      |
| RMS  | 7.184G       | 52.84             | 68.20             | -15.36         | 41.71         | 3           | Horizontal | 8              | 1.79          | -       | 37.04      | 7.21       | 33.12      |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6855MHz\_TnomVnom




EUT\_V\_2TX  
 Setting 23  
 01-M-G-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.6943G     | 67.55             | 88.20             | -20.65         | 46.97         | 3           | Vertical  | 348            | 1.80          | -       | 40.49      | 9.76       | 29.67      |
| RMS  | 13.6932G     | 57.76             | 68.20             | -10.44         | 37.18         | 3           | Vertical  | 348            | 1.80          | -       | 40.49      | 9.76       | 29.67      |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6855MHz\_TnomVnom




EUT\_V\_2TX  
 Setting 23  
 01-M-G-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.6928G     | 69.10             | 88.20             | -19.10         | 48.52         | 3           | Horizontal | 213            | 2.76          | -       | 40.49      | 9.76       | 29.67      |
| RMS  | 13.6933G     | 60.16             | 68.20             | -8.04          | 39.58         | 3           | Horizontal | 213            | 2.76          | -       | 40.49      | 9.76       | 29.67      |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6855MHz\_TnomVnom




EUT Y\_2TX  
Setting 23  
01-M-G-2

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |
| PK   | 20.56508G | 46.30    | 83.54    | -37.24 | 42.64  | 1    | Vertical  | 212     | 1.52   | -       | 37.78 | 15.75 | 49.87 |
| AV   | 20.56972G | 34.03    | 63.54    | -29.51 | 30.36  | 1    | Vertical  | 212     | 1.52   | -       | 37.78 | 15.76 | 49.87 |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6855MHz\_TnomVnom



EUT\_V\_2TX  
Setting 23  
01-M-G-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.5652G     | 46.38             | 83.54             | -37.16         | 42.72         | 1           | Horizontal | 311            | 1.52          | -       | 37.78      | 15.75      | 49.87      |
| AV   | 20.56874G    | 34.10             | 63.54             | -29.44         | 30.43         | 1           | Horizontal | 311            | 1.52          | -       | 37.78      | 15.76      | 49.87      |





**RSE TX above 1GHz**  
**<Partial RU> standard power\_RU52\_2TX\_Ant. 1**


**Appendix E.42**

**Summary**

| Mode                           | Result | Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comments |
|--------------------------------|--------|------|--------------|-------------------|-------------------|----------------|-------------|------------|----------------|---------------|----------|
| 5.925-6.425GHz                 | -      | -    | -            | -                 | -                 | -              | -           | -          | -              | -             | -        |
| 802.11ax HEW20_Nss1.(MCS0)_2TX | Pass   | AV   | 11.8952G     | 53.68             | 54.00             | -0.32          | 3           | Horizontal | 208            | 1.80          | -        |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 5955MHz\_TnomVnom




EUT V\_2TX  
 Setting 13.5  
 01-M-G-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.9094G      | 66.49             | 88.20             | -21.71         | 57.75         | 3           | Vertical  | 73             | 1.80          | -       | 34.94      | 6.60       | 32.80      |
| RMS  | 5.925G       | 50.56             | 68.20             | -17.64         | 41.77         | 3           | Vertical  | 73             | 1.80          | -       | 35.00      | 6.60       | 32.81      |
| PK   | 5.9492G      | 116.49            | Inf               | -Inf           | 107.61        | 3           | Vertical  | 73             | 1.80          | -       | 35.10      | 6.60       | 32.82      |
| RMS  | 5.9486G      | 104.88            | Inf               | -Inf           | 96.01         | 3           | Vertical  | 73             | 1.80          | -       | 35.09      | 6.60       | 32.82      |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 5955MHz\_TnomVnom




EUT Y\_2TX  
 Setting 13.5  
 01-M-G-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.9164G      | 62.34             | 88.20             | -25.86         | 53.58         | 3           | Horizontal | 358            | 1.79          | -       | 34.97      | 6.60       | 32.81      |
| RMS  | 5.9066G      | 50.51             | 68.20             | -17.69         | 41.78         | 3           | Horizontal | 358            | 1.79          | -       | 34.93      | 6.60       | 32.80      |
| PK   | 5.9492G      | 116.18            | Inf               | -Inf           | 107.30        | 3           | Horizontal | 358            | 1.79          | -       | 35.10      | 6.60       | 32.82      |
| RMS  | 5.9486G      | 103.92            | Inf               | -Inf           | 95.05         | 3           | Horizontal | 358            | 1.79          | -       | 35.09      | 6.60       | 32.82      |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 5955MHz\_TnomVnom




EUT\_V\_2TX  
Setting 13.5  
01-M-G-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.8964G     | 59.60             | 74.00             | -14.40         | 43.71         | 3           | Vertical  | 5              | 1.80          | -       | 38.50      | 8.97       | 31.58      |
| AV   | 11.8943G     | 47.38             | 54.00             | -6.62          | 31.49         | 3           | Vertical  | 5              | 1.80          | -       | 38.50      | 8.97       | 31.58      |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 5955MHz\_TnomVnom




EUT\_V\_2TX  
 Setting 13.5  
 01-M-G-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.8947G     | 66.89             | 74.00             | -7.11          | 51.00         | 3           | Horizontal | 208            | 1.80          | -       | 38.50      | 8.97       | 31.58      |
| AV   | 11.8952G     | 53.68             | 54.00             | -0.32          | 37.79         | 3           | Horizontal | 208            | 1.80          | -       | 38.50      | 8.97       | 31.58      |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6195MHz\_TnomVnom




EUT V\_2TX  
 Setting 15.25  
 01-C-E-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.717G       | 61.17             | 88.20             | -27.03         | 53.16         | 3           | Vertical  | 210            | 1.09          | -       | 34.14      | 6.60       | 32.73      |
| RMS  | 5.925G       | 50.12             | 68.20             | -18.08         | 41.33         | 3           | Vertical  | 210            | 1.09          | -       | 35.00      | 6.60       | 32.81      |
| PK   | 6.189G       | 118.00            | Inf               | -Inf           | 108.51        | 3           | Vertical  | 210            | 1.09          | -       | 35.46      | 6.88       | 32.85      |
| RMS  | 6.189G       | 104.70            | Inf               | -Inf           | 95.21         | 3           | Vertical  | 210            | 1.09          | -       | 35.46      | 6.88       | 32.85      |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6195MHz\_TnomVnom




EUT V\_2TX  
Setting 15.25  
01-C-E-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 5.885G       | 61.21             | 88.20             | -26.99         | 52.53         | 3           | Horizontal | 330            | 1.80          | -       | 34.87      | 6.60       | 32.79      |  |
| RMS  | 5.923G       | 50.18             | 68.20             | -18.02         | 41.40         | 3           | Horizontal | 330            | 1.80          | -       | 34.99      | 6.60       | 32.81      |  |
| PK   | 6.189G       | 118.41            | Inf               | -Inf           | 108.92        | 3           | Horizontal | 330            | 1.80          | -       | 35.46      | 6.88       | 32.85      |  |
| RMS  | 6.189G       | 104.93            | Inf               | -Inf           | 95.44         | 3           | Horizontal | 330            | 1.80          | -       | 35.46      | 6.88       | 32.85      |  |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6195MHz\_TnomVnom




EUT\_V\_2TX  
 Setting 15.25  
 01-C-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.4041G     | 59.46             | 74.00             | -14.54         | 43.17         | 3           | Vertical  | 226            | 1.80          | -       | 38.69      | 9.18       | 31.58      |
| AV   | 12.405G      | 45.26             | 54.00             | -8.74          | 28.97         | 3           | Vertical  | 226            | 1.80          | -       | 38.69      | 9.18       | 31.58      |



## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6195MHz\_TnomVnom




EUT V\_2TX  
 Setting 15.25  
 01-C-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.4045G     | 62.49             | 74.00             | -11.51         | 46.20         | 3           | Horizontal | 205            | 1.79          | -       | 38.69      | 9.18       | 31.58      |
| AV   | 12.4046G     | 47.67             | 54.00             | -6.33          | 31.38         | 3           | Horizontal | 205            | 1.79          | -       | 38.69      | 9.18       | 31.58      |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6195MHz\_TnomVnom




EUT\_V\_2TX  
 Setting 15.25  
 01-C-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 18.59604G    | 46.88             | 83.54             | -36.66         | 44.18         | 1           | Vertical  | 320            | 1.01          | -       | 37.76      | 14.94      | 50.00      |
| AV   | 18.59646G    | 33.22             | 63.54             | -30.32         | 30.52         | 1           | Vertical  | 320            | 1.01          | -       | 37.76      | 14.94      | 50.00      |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6195MHz\_TnomVnom




EUT\_V\_2TX  
 Setting 15.25  
 01-C-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 18.59964G    | 47.55             | 83.54             | -35.99         | 44.85         | 1           | Horizontal | 116            | 2.03          | -       | 37.76      | 14.94      | 50.00      |
| AV   | 18.59964G    | 33.22             | 63.54             | -30.32         | 30.52         | 1           | Horizontal | 116            | 2.03          | -       | 37.76      | 14.94      | 50.00      |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6415MHz\_TnomVnom




EUT V\_2TX  
 Setting 13.75  
 01-C-E-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.919G       | 61.22             | 88.20             | -26.98         | 52.45         | 3           | Vertical  | 216            | 1.75          | -       | 34.98      | 6.60       | 32.81      |
| RMS  | 5.919G       | 50.07             | 68.20             | -18.13         | 41.30         | 3           | Vertical  | 216            | 1.75          | -       | 34.98      | 6.60       | 32.81      |
| PK   | 6.4086G      | 114.18            | Inf               | -Inf           | 104.47        | 3           | Vertical  | 216            | 1.75          | -       | 35.57      | 7.00       | 32.86      |
| RMS  | 6.4086G      | 103.57            | Inf               | -Inf           | 93.86         | 3           | Vertical  | 216            | 1.75          | -       | 35.57      | 7.00       | 32.86      |
| PK   | 7.151G       | 63.50             | 88.20             | -24.70         | 52.48         | 3           | Vertical  | 216            | 1.75          | -       | 36.90      | 7.22       | 33.10      |
| RMS  | 7.199G       | 53.28             | 68.20             | -14.92         | 42.10         | 3           | Vertical  | 216            | 1.75          | -       | 37.10      | 7.20       | 33.12      |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6415MHz\_TnomVnom




EUT V\_2TX  
Setting 13.75  
01-C-E-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.6406G      | 60.70             | 88.20             | -27.50         | 52.76         | 3           | Horizontal | 345            | 1.80          | -       | 34.04      | 6.60       | 32.70      |
| RMS  | 5.9222G      | 50.10             | 68.20             | -18.10         | 41.32         | 3           | Horizontal | 345            | 1.80          | -       | 34.99      | 6.60       | 32.81      |
| PK   | 6.4086G      | 115.33            | Inf               | -Inf           | 105.62        | 3           | Horizontal | 345            | 1.80          | -       | 35.57      | 7.00       | 32.86      |
| RMS  | 6.4086G      | 104.31            | Inf               | -Inf           | 94.60         | 3           | Horizontal | 345            | 1.80          | -       | 35.57      | 7.00       | 32.86      |
| PK   | 7.1606G      | 64.19             | 88.20             | -24.01         | 53.13         | 3           | Horizontal | 345            | 1.80          | -       | 36.94      | 7.22       | 33.10      |
| RMS  | 7.215G       | 53.32             | 68.20             | -14.88         | 42.13         | 3           | Horizontal | 345            | 1.80          | -       | 37.10      | 7.22       | 33.13      |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6415MHz\_TnomVnom




EUT\_V\_2TX  
Setting 13.75  
01-C-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.84356G    | 60.88             | 88.20             | -27.32         | 43.11         | 3           | Vertical  | 301            | 1.80          | -       | 39.24      | 9.38       | 30.85      |
| RMS  | 12.8438G     | 46.36             | 68.20             | -21.84         | 28.59         | 3           | Vertical  | 301            | 1.80          | -       | 39.24      | 9.38       | 30.85      |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6415MHz\_TnomVnom




EUT\_V\_2TX  
Setting 13.75  
01-C-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 12.8435G     | 64.85             | 88.20             | -23.35         | 47.08         | 3           | Horizontal | 201            | 1.82          | -       | 39.24      | 9.38       | 30.85      |  |
| RMS  | 12.84392G    | 49.73             | 68.20             | -18.47         | 31.96         | 3           | Horizontal | 201            | 1.82          | -       | 39.24      | 9.38       | 30.85      |  |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6415MHz\_TnomVnom




EUT\_V\_2TX  
 Setting 13.75  
 01-C-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.2423G     | 48.86             | 83.54             | -34.68         | 45.60         | 1           | Vertical  | 286            | 2.56          | -       | 37.71      | 15.20      | 49.65      |
| AV   | 19.23066G    | 33.70             | 63.54             | -29.84         | 30.44         | 1           | Vertical  | 286            | 2.56          | -       | 37.72      | 15.19      | 49.65      |



## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6415MHz\_TnomVnom




EUT\_V\_2TX  
 Setting 13.75  
 01-C-E-2

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |
| PK   | 19.25268G | 46.97    | 83.54    | -36.57 | 43.72  | 1    | Horizontal | 267     | 1.24   | -       | 37.70 | 15.20 | 49.65 |  |
| AV   | 19.23024G | 33.70    | 63.54    | -29.84 | 30.44  | 1    | Horizontal | 267     | 1.24   | -       | 37.72 | 15.19 | 49.65 |  |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6535MHz\_TnomVnom




EUT\_V\_2TX  
Setting 13.5  
01-C-E-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.8854G      | 60.67             | 88.20             | -27.53         | 51.99         | 3           | Vertical  | 217            | 1.38          | -       | 34.87      | 6.60       | 32.79      |
| RMS  | 5.9218G      | 50.15             | 68.20             | -18.05         | 41.37         | 3           | Vertical  | 217            | 1.38          | -       | 34.99      | 6.60       | 32.81      |
| PK   | 6.5406G      | 113.74            | Inf               | -Inf           | 103.85        | 3           | Vertical  | 217            | 1.38          | -       | 35.76      | 7.00       | 32.87      |
| RMS  | 6.5434G      | 101.91            | Inf               | -Inf           | 92.01         | 3           | Vertical  | 217            | 1.38          | -       | 35.77      | 7.00       | 32.87      |
| PK   | 7.1482G      | 63.99             | 88.20             | -24.21         | 52.97         | 3           | Vertical  | 217            | 1.38          | -       | 36.89      | 7.23       | 33.10      |
| RMS  | 7.2266G      | 53.46             | 68.20             | -14.74         | 42.27         | 3           | Vertical  | 217            | 1.38          | -       | 37.10      | 7.23       | 33.14      |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6535MHz\_TnomVnom




EUT\_V\_2TX  
Setting 13.5  
01-C-E-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.835G       | 60.46             | 88.20             | -27.74         | 51.95         | 3           | Horizontal | 344            | 1.80          | -       | 34.68      | 6.60       | 32.77      |
| RMS  | 5.9162G      | 50.14             | 68.20             | -18.06         | 41.39         | 3           | Horizontal | 344            | 1.80          | -       | 34.96      | 6.60       | 32.81      |
| PK   | 6.5406G      | 114.77            | Inf               | -Inf           | 104.88        | 3           | Horizontal | 344            | 1.80          | -       | 35.76      | 7.00       | 32.87      |
| RMS  | 6.5434G      | 103.05            | Inf               | -Inf           | 93.15         | 3           | Horizontal | 344            | 1.80          | -       | 35.77      | 7.00       | 32.87      |
| PK   | 7.235G       | 63.79             | 88.20             | -24.41         | 52.60         | 3           | Horizontal | 344            | 1.80          | -       | 37.10      | 7.23       | 33.14      |
| RMS  | 7.235G       | 53.43             | 68.20             | -14.77         | 42.24         | 3           | Horizontal | 344            | 1.80          | -       | 37.10      | 7.23       | 33.14      |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6535MHz\_TnomVnom




EUT\_V\_2TX  
 Setting 13.5  
 01-C-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.08416G    | 61.12             | 88.20             | -27.08         | 42.35         | 3           | Vertical  | 302            | 1.80          | -       | 39.68      | 9.49       | 30.40      |
| RMS  | 13.08482G    | 47.10             | 68.20             | -21.10         | 28.32         | 3           | Vertical  | 302            | 1.80          | -       | 39.68      | 9.49       | 30.39      |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6535MHz\_TnomVnom




EUT\_V\_2TX  
 Setting 13.5  
 01-C-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.08368G    | 61.54             | 88.20             | -26.66         | 42.77         | 3           | Horizontal | 191            | 2.64          | -       | 39.68      | 9.49       | 30.40      |
| RMS  | 13.08458G    | 47.93             | 68.20             | -20.27         | 29.15         | 3           | Horizontal | 191            | 2.64          | -       | 39.68      | 9.49       | 30.39      |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6535MHz\_TnomVnom




EUT\_V\_2TX  
Setting 13.5  
01-C-E-2

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |
| PK   | 19.6002G  | 48.04    | 83.54    | -35.50 | 44.54  | 1    | Vertical  | 85      | 2.57   | -       | 37.86 | 15.34 | 49.70 |
| AV   | 19.61838G | 34.41    | 63.54    | -29.13 | 30.91  | 1    | Vertical  | 85      | 2.57   | -       | 37.85 | 15.35 | 49.70 |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6535MHz\_TnomVnom




EUT\_V\_2TX  
Setting 13.5  
01-C-E-2

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |
| PK   | 19.60722G | 48.77    | 83.54    | -34.77 | 45.27  | 1    | Horizontal | 232     | 2.46   | -       | 37.86 | 15.34 | 49.70 |  |
| AV   | 19.61532G | 34.43    | 63.54    | -29.11 | 30.93  | 1    | Horizontal | 232     | 2.46   | -       | 37.85 | 15.35 | 49.70 |  |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6695MHz\_TnomVnom




EUT V\_2TX  
Setting 13.5  
01-C-E-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 6.7016G      | 111.09            | Inf               | -Inf           | 101.10        | 3           | Vertical  | 307            | 1.80          | -       | 35.91      | 7.00       | 32.92      |
| RMS  | 6.7016G      | 101.67            | Inf               | -Inf           | 91.68         | 3           | Vertical  | 307            | 1.80          | -       | 35.91      | 7.00       | 32.92      |
| PK   | 7.1922G      | 64.68             | 88.20             | -23.52         | 53.53         | 3           | Vertical  | 307            | 1.80          | -       | 37.07      | 7.20       | 33.12      |
| RMS  | 7.2428G      | 53.48             | 68.20             | -14.72         | 42.29         | 3           | Vertical  | 307            | 1.80          | -       | 37.10      | 7.24       | 33.15      |



## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6695MHz\_TnomVnom




EUT V\_2TX  
Setting 13.5  
01-C-E-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 6.7016G      | 111.12            | Inf               | -Inf           | 101.13        | 3           | Horizontal | 325            | 1.06          | -       | 35.91      | 7.00       | 32.92      |  |
| RMS  | 6.7016G      | 100.97            | Inf               | -Inf           | 90.98         | 3           | Horizontal | 325            | 1.06          | -       | 35.91      | 7.00       | 32.92      |  |
| PK   | 7.179G       | 64.71             | 88.20             | -23.49         | 53.59         | 3           | Horizontal | 325            | 1.06          | -       | 37.02      | 7.21       | 33.11      |  |
| RMS  | 7.2362G      | 53.48             | 68.20             | -14.72         | 42.28         | 3           | Horizontal | 325            | 1.06          | -       | 37.10      | 7.24       | 33.14      |  |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6695MHz\_TnomVnom




EUT\_V\_2TX  
 Setting 13.5  
 01-C-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.4047G     | 60.21             | 88.20             | -27.99         | 40.30         | 3           | Vertical  | 300            | 1.76          | -       | 40.20      | 9.63       | 29.92      |
| RMS  | 13.40494G    | 47.26             | 68.20             | -20.94         | 27.35         | 3           | Vertical  | 300            | 1.76          | -       | 40.20      | 9.63       | 29.92      |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6695MHz\_TnomVnom




EUT\_V\_2TX  
 Setting 13.5  
 01-C-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 13.4035G     | 62.03             | 88.20             | -26.17         | 42.12         | 3           | Horizontal | 141            | 2.42          | -       | 40.20      | 9.63       | 29.92      |  |
| RMS  | 13.4038G     | 48.06             | 68.20             | -20.14         | 28.15         | 3           | Horizontal | 141            | 2.42          | -       | 40.20      | 9.63       | 29.92      |  |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6695MHz\_TnomVnom




EUT\_V\_2TX  
Setting 13.5  
01-C-E-2

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |
| PK   | 20.09124G | 47.80    | 83.54    | -35.74 | 44.53  | 1    | Vertical  | 351     | 2.01   | -       | 37.47 | 15.54 | 49.74 |
| AV   | 20.0973G  | 34.08    | 63.54    | -29.46 | 30.80  | 1    | Vertical  | 351     | 2.01   | -       | 37.48 | 15.54 | 49.74 |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6695MHz\_TnomVnom




EUT V\_2TX  
Setting 13.5  
01-C-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.08644G    | 47.48             | 83.54             | -36.06         | 44.20         | 1           | Horizontal | 283            | 2.90          | -       | 37.47      | 15.54      | 49.73      |
| AV   | 20.09826G    | 34.14             | 63.54             | -29.40         | 30.86         | 1           | Horizontal | 283            | 2.90          | -       | 37.48      | 15.54      | 49.74      |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6855MHz\_TnomVnom




EUT V\_2TX  
 Setting -5.5  
 01-M-G-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 6.8494G      | 122.43            | Inf               | -Inf           | 111.73        | 3           | Vertical  | 344            | 1.67          | -       | 36.60      | 7.07       | 32.97      |
| RMS  | 6.848G       | 109.58            | Inf               | -Inf           | 98.90         | 3           | Vertical  | 344            | 1.67          | -       | 36.58      | 7.07       | 32.97      |
| PK   | 7.1812G      | 64.17             | 88.20             | -24.03         | 53.05         | 3           | Vertical  | 344            | 1.67          | -       | 37.02      | 7.21       | 33.11      |
| RMS  | 7.1924G      | 52.78             | 68.20             | -15.42         | 41.63         | 3           | Vertical  | 344            | 1.67          | -       | 37.07      | 7.20       | 33.12      |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6855MHz\_TnomVnom




EUT V\_2TX  
 Setting -5.5  
 01-M-G-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 6.8494G      | 123.07            | Inf               | -Inf           | 112.37        | 3           | Horizontal | 6              | 1.73          | -       | 36.60      | 7.07       | 32.97      |  |
| RMS  | 6.848G       | 109.64            | Inf               | -Inf           | 98.96         | 3           | Horizontal | 6              | 1.73          | -       | 36.58      | 7.07       | 32.97      |  |
| PK   | 7.1378G      | 63.72             | 88.20             | -24.48         | 52.78         | 3           | Horizontal | 6              | 1.73          | -       | 36.80      | 7.23       | 33.09      |  |
| RMS  | 7.1728G      | 52.78             | 68.20             | -15.42         | 41.69         | 3           | Horizontal | 6              | 1.73          | -       | 36.99      | 7.21       | 33.11      |  |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6855MHz\_TnomVnom




EUT\_V\_2TX  
 Setting -5.5  
 01-M-G-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.6965G     | 67.73             | 88.20             | -20.47         | 47.15         | 3           | Vertical  | 146            | 1.19          | -       | 40.49      | 9.76       | 29.67      |
| RMS  | 13.6961G     | 57.37             | 68.20             | -10.83         | 36.79         | 3           | Vertical  | 146            | 1.19          | -       | 40.49      | 9.76       | 29.67      |



## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6855MHz\_TnomVnom




EUT V\_2TX  
 Setting -5.5  
 01-M-G-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.6964G     | 69.04             | 88.20             | -19.16         | 48.46         | 3           | Horizontal | 213            | 2.73          | -       | 40.49      | 9.76       | 29.67      |
| RMS  | 13.6962G     | 57.37             | 68.20             | -10.83         | 36.79         | 3           | Horizontal | 213            | 2.73          | -       | 40.49      | 9.76       | 29.67      |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6855MHz\_TnomVnom




EUT V\_2TX  
Setting -5.5  
01-M-G-2

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |
| PK   | 20.56002G | 46.61    | 83.54    | -36.93 | 42.97  | 1    | Vertical  | 317     | 1.51   | -       | 37.77 | 15.75 | 49.88 |  |
| AV   | 20.56834G | 34.02    | 63.54    | -29.52 | 30.35  | 1    | Vertical  | 317     | 1.51   | -       | 37.78 | 15.76 | 49.87 |  |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6855MHz\_TnomVnom



EUT\_V\_2TX  
 Setting -5.5  
 01-M-G-2

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |
| PK   | 20.56748G | 46.98    | 83.54    | -36.56 | 43.31  | 1    | Horizontal | 136     | 1.52   | -       | 37.78 | 15.76 | 49.87 |  |
| AV   | 20.56816G | 34.02    | 63.54    | -29.52 | 30.35  | 1    | Horizontal | 136     | 1.52   | -       | 37.78 | 15.76 | 49.87 |  |



**RSE TX above 1GHz**  
**<Partial RU> standard power\_RU106\_2TX\_Ant. 1**


**Appendix E.43**

**Summary**

| Mode                           | Result | Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comments |
|--------------------------------|--------|------|--------------|-------------------|-------------------|----------------|-------------|------------|----------------|---------------|----------|
| 5.925-6.425GHz                 | -      | -    | -            | -                 | -                 | -              | -           | -          | -              | -             | -        |
| 802.11ax HEW20_Nss1.(MCS0)_2TX | Pass   | AV   | 11.9013G     | 53.63             | 54.00             | -0.37          | 3           | Horizontal | 220            | 1.77          | -        |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 5955MHz\_TnomVnom




EUT Y\_2TX  
 Setting 16  
 01-M-G-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 5.925G       | 71.43             | 88.20             | -16.77         | 62.64         | 3           | Vertical  | 47             | 1.23          | -       | 35.00      | 6.60       | 32.81      |  |
| RMS  | 5.925G       | 52.83             | 68.20             | -15.37         | 44.04         | 3           | Vertical  | 47             | 1.23          | -       | 35.00      | 6.60       | 32.81      |  |
| PK   | 5.952G       | 116.02            | Inf               | -Inf           | 107.13        | 3           | Vertical  | 47             | 1.23          | -       | 35.11      | 6.60       | 32.82      |  |
| RMS  | 5.9524G      | 105.32            | Inf               | -Inf           | 96.43         | 3           | Vertical  | 47             | 1.23          | -       | 35.11      | 6.60       | 32.82      |  |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 5955MHz\_TnomVnom




EUT\_V\_2TX  
 Setting 16  
 01-M-G-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.9248G      | 67.57             | 88.20             | -20.63         | 58.78         | 3           | Horizontal | 44             | 2.32          | -       | 35.00      | 6.60       | 32.81      |
| RMS  | 5.9244G      | 50.94             | 68.20             | -17.26         | 42.15         | 3           | Horizontal | 44             | 2.32          | -       | 35.00      | 6.60       | 32.81      |
| PK   | 5.952G       | 114.33            | Inf               | -Inf           | 105.44        | 3           | Horizontal | 44             | 2.32          | -       | 35.11      | 6.60       | 32.82      |
| RMS  | 5.9498G      | 104.29            | Inf               | -Inf           | 95.41         | 3           | Horizontal | 44             | 2.32          | -       | 35.10      | 6.60       | 32.82      |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 5955MHz\_TnomVnom




EUT\_V\_2TX  
 Setting 16  
 01-M-G-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.9028G     | 60.01             | 74.00             | -13.99         | 44.11         | 3           | Vertical  | 265            | 1.80          | -       | 38.50      | 8.98       | 31.58      |
| AV   | 11.9013G     | 45.97             | 54.00             | -8.03          | 30.07         | 3           | Vertical  | 265            | 1.80          | -       | 38.50      | 8.98       | 31.58      |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 5955MHz\_TnomVnom




EUT\_V\_2TX  
 Setting 16  
 01-M-G-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 11.9027G     | 67.32             | 74.00             | -6.68          | 51.42         | 3           | Horizontal | 220            | 1.77          | -       | 38.50      | 8.98       | 31.58      |  |
| AV   | 11.9013G     | 53.63             | 54.00             | -0.37          | 37.73         | 3           | Horizontal | 220            | 1.77          | -       | 38.50      | 8.98       | 31.58      |  |



## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6195MHz\_TnomVnom




EUT V\_2TX  
Setting 16  
01-C-E-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.7862G      | 60.86             | 88.20             | -27.34         | 52.61         | 3           | Vertical  | 213            | 1.37          | -       | 34.40      | 6.60       | 32.75      |
| RMS  | 5.9178G      | 50.15             | 68.20             | -18.05         | 41.39         | 3           | Vertical  | 213            | 1.37          | -       | 34.97      | 6.60       | 32.81      |
| PK   | 6.1922G      | 115.26            | Inf               | -Inf           | 105.75        | 3           | Vertical  | 213            | 1.37          | -       | 35.47      | 6.89       | 32.85      |
| RMS  | 6.1922G      | 104.55            | Inf               | -Inf           | 95.04         | 3           | Vertical  | 213            | 1.37          | -       | 35.47      | 6.89       | 32.85      |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6195MHz\_TnomVnom




EUT Y\_2TX  
Setting 16  
01-C-E-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.8366G      | 61.40             | 88.20             | -26.80         | 52.88         | 3           | Horizontal | 339            | 1.80          | -       | 34.69      | 6.60       | 32.77      |
| RMS  | 5.925G       | 50.13             | 68.20             | -18.07         | 41.34         | 3           | Horizontal | 339            | 1.80          | -       | 35.00      | 6.60       | 32.81      |
| PK   | 6.1922G      | 115.58            | Inf               | -Inf           | 106.07        | 3           | Horizontal | 339            | 1.80          | -       | 35.47      | 6.89       | 32.85      |
| RMS  | 6.1922G      | 104.63            | Inf               | -Inf           | 95.12         | 3           | Horizontal | 339            | 1.80          | -       | 35.47      | 6.89       | 32.85      |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6195MHz\_TnomVnom




EUT\_V\_2TX  
Setting 16  
01-C-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.3805G     | 59.03             | 74.00             | -14.97         | 42.78         | 3           | Vertical  | 228            | 1.80          | -       | 38.66      | 9.17       | 31.58      |
| AV   | 12.3804G     | 44.80             | 54.00             | -9.20          | 28.55         | 3           | Vertical  | 228            | 1.80          | -       | 38.66      | 9.17       | 31.58      |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6195MHz\_TnomVnom




EUT\_V\_2TX  
Setting 16  
01-C-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.3825G     | 62.75             | 74.00             | -11.25         | 46.50         | 3           | Horizontal | 204            | 1.80          | -       | 38.66      | 9.17       | 31.58      |
| AV   | 12.3844G     | 47.63             | 54.00             | -6.37          | 31.37         | 3           | Horizontal | 204            | 1.80          | -       | 38.67      | 9.17       | 31.58      |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6195MHz\_TnomVnom




EUT\_V\_2TX  
 Setting 16  
 01-C-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 18.5778G     | 46.74             | 83.54             | -36.80         | 44.06         | 1           | Vertical  | 233            | 2.37          | -       | 37.77      | 14.93      | 50.02      |
| AV   | 18.6061G     | 33.37             | 63.54             | -30.17         | 30.66         | 1           | Vertical  | 233            | 2.37          | -       | 37.76      | 14.94      | 49.99      |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6195MHz\_TnomVnom




EUT\_V\_2TX  
 Setting 16  
 01-C-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 18.5826G     | 47.23             | 83.54             | -36.31         | 44.55         | 1           | Horizontal | 51             | 1.73          | -       | 37.77      | 14.93      | 50.02      |
| AV   | 18.6062G     | 33.39             | 63.54             | -30.15         | 30.68         | 1           | Horizontal | 51             | 1.73          | -       | 37.76      | 14.94      | 49.99      |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6415MHz\_TnomVnom




EUT Y\_2TX  
 Setting 16.25  
 01-C-E-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 5.925G       | 61.09             | 88.20             | -27.11         | 52.30         | 3           | Vertical  | 210            | 1.14          | -       | 35.00      | 6.60       | 32.81      |  |
| RMS  | 5.9222G      | 50.13             | 68.20             | -18.07         | 41.35         | 3           | Vertical  | 210            | 1.14          | -       | 34.99      | 6.60       | 32.81      |  |
| PK   | 6.4122G      | 116.00            | Inf               | -Inf           | 106.31        | 3           | Vertical  | 210            | 1.14          | -       | 35.55      | 7.00       | 32.86      |  |
| RMS  | 6.4122G      | 105.30            | Inf               | -Inf           | 95.61         | 3           | Vertical  | 210            | 1.14          | -       | 35.55      | 7.00       | 32.86      |  |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6415MHz\_TnomVnom




EUT V\_2TX  
 Setting 16.25  
 01-C-E-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.8242G      | 60.38             | 88.20             | -27.82         | 51.96         | 3           | Horizontal | 340            | 1.80          | -       | 34.59      | 6.60       | 32.77      |
| RMS  | 5.9222G      | 50.09             | 68.20             | -18.11         | 41.31         | 3           | Horizontal | 340            | 1.80          | -       | 34.99      | 6.60       | 32.81      |
| PK   | 6.4122G      | 115.07            | Inf               | -Inf           | 105.38        | 3           | Horizontal | 340            | 1.80          | -       | 35.55      | 7.00       | 32.86      |
| RMS  | 6.4122G      | 105.95            | Inf               | -Inf           | 96.26         | 3           | Horizontal | 340            | 1.80          | -       | 35.55      | 7.00       | 32.86      |



## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6415MHz\_TnomVnom




EUT Y\_2TX  
Setting 16.25  
01-C-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.8215G     | 61.33             | 88.20             | -26.87         | 43.64         | 3           | Vertical  | 303            | 1.14          | -       | 39.22      | 9.37       | 30.90      |
| RMS  | 12.8213G     | 47.50             | 68.20             | -20.70         | 29.81         | 3           | Vertical  | 303            | 1.14          | -       | 39.22      | 9.37       | 30.90      |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6415MHz\_TnomVnom




EUT V\_2TX  
Setting 16.25  
01-C-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 12.8238G     | 64.71             | 88.20             | -23.49         | 47.02         | 3           | Horizontal | 202            | 1.80          | -       | 39.22      | 9.37       | 30.90      |  |
| RMS  | 12.8213G     | 50.73             | 68.20             | -17.47         | 33.04         | 3           | Horizontal | 202            | 1.80          | -       | 39.22      | 9.37       | 30.90      |  |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6415MHz\_TnomVnom




EUT\_V\_2TX  
Setting 16.25  
01-C-E-2

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |
|------|----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |
| PK   | 19.2204G | 47.95    | 83.54    | -35.59 | 44.66  | 1    | Vertical  | 314     | 2.77   | -       | 37.74 | 15.19 | 49.64 |
| AV   | 19.2243G | 33.81    | 63.54    | -29.73 | 30.53  | 1    | Vertical  | 314     | 2.77   | -       | 37.73 | 15.19 | 49.64 |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6415MHz\_TnomVnom




EUT\_V\_2TX  
 Setting 16.25  
 01-C-E-2

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |
|------|----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |
| PK   | 19.2436G | 47.45    | 83.54    | -36.09 | 44.19  | 1    | Horizontal | 277     | 2.60   | -       | 37.71 | 15.20 | 49.65 |  |
| AV   | 19.2235G | 33.81    | 63.54    | -29.73 | 30.53  | 1    | Horizontal | 277     | 2.60   | -       | 37.73 | 15.19 | 49.64 |  |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6535MHz\_TnomVnom




EUT\_V\_2TX  
Setting 16  
01-C-E-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.8854G      | 60.40             | 88.20             | -27.80         | 51.72         | 3           | Vertical  | 216            | 1.45          | -       | 34.87      | 6.60       | 32.79      |
| RMS  | 5.919G       | 50.15             | 68.20             | -18.05         | 41.38         | 3           | Vertical  | 216            | 1.45          | -       | 34.98      | 6.60       | 32.81      |
| PK   | 6.5378G      | 113.95            | Inf               | -Inf           | 104.07        | 3           | Vertical  | 216            | 1.45          | -       | 35.75      | 7.00       | 32.87      |
| RMS  | 6.5378G      | 104.21            | Inf               | -Inf           | 94.33         | 3           | Vertical  | 216            | 1.45          | -       | 35.75      | 7.00       | 32.87      |
| PK   | 7.1846G      | 63.71             | 88.20             | -24.49         | 52.58         | 3           | Vertical  | 216            | 1.45          | -       | 37.04      | 7.21       | 33.12      |
| RMS  | 7.207G       | 53.38             | 68.20             | -14.82         | 42.20         | 3           | Vertical  | 216            | 1.45          | -       | 37.10      | 7.21       | 33.13      |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6535MHz\_TnomVnom




EUT\_V\_2TX  
 Setting 16  
 01-C-E-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.9246G      | 61.37             | 88.20             | -26.83         | 52.58         | 3           | Horizontal | 348            | 1.79          | -       | 35.00      | 6.60       | 32.81      |
| RMS  | 5.9246G      | 50.16             | 68.20             | -18.04         | 41.37         | 3           | Horizontal | 348            | 1.79          | -       | 35.00      | 6.60       | 32.81      |
| PK   | 6.5378G      | 116.05            | Inf               | -Inf           | 106.17        | 3           | Horizontal | 348            | 1.79          | -       | 35.75      | 7.00       | 32.87      |
| RMS  | 6.5378G      | 104.42            | Inf               | -Inf           | 94.54         | 3           | Horizontal | 348            | 1.79          | -       | 35.75      | 7.00       | 32.87      |
| PK   | 7.2266G      | 64.01             | 88.20             | -24.19         | 52.82         | 3           | Horizontal | 348            | 1.79          | -       | 37.10      | 7.23       | 33.14      |
| RMS  | 7.235G       | 53.39             | 68.20             | -14.81         | 42.20         | 3           | Horizontal | 348            | 1.79          | -       | 37.10      | 7.23       | 33.14      |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6535MHz\_TnomVnom




EUT\_V\_2TX  
Setting 16  
01-C-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 13.075G      | 60.87             | 88.20             | -27.33         | 42.12         | 3           | Vertical  | 298            | 1.80          | -       | 39.68      | 9.48       | 30.41      |  |
| RMS  | 13.0795G     | 47.43             | 68.20             | -20.77         | 28.66         | 3           | Vertical  | 298            | 1.80          | -       | 39.68      | 9.49       | 30.40      |  |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6535MHz\_TnomVnom




EUT\_V\_2TX  
Setting 16  
01-C-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 13.0796G     | 62.27             | 88.20             | -25.93         | 43.50         | 3           | Horizontal | 201            | 1.78          | -       | 39.68      | 9.49       | 30.40      |  |
| RMS  | 13.0795G     | 48.22             | 68.20             | -19.98         | 29.45         | 3           | Horizontal | 201            | 1.78          | -       | 39.68      | 9.49       | 30.40      |  |



## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6535MHz\_TnomVnom




EUT Y\_2TX  
Setting 16  
01-C-E-2

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |
|------|----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |
| PK   | 19.6049G | 48.24    | 83.54    | -35.30 | 44.74  | 1    | Vertical  | 106     | 2.43   | -       | 37.86 | 15.34 | 49.70 |
| AV   | 19.6251G | 34.68    | 63.54    | -28.86 | 31.18  | 1    | Vertical  | 106     | 2.43   | -       | 37.85 | 15.35 | 49.70 |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6535MHz\_TnomVnom




EUT\_V\_2TX  
Setting 16  
01-C-E-2

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |
|------|----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |
| PK   | 19.6293G | 47.69    | 83.54    | -35.85 | 44.19  | 1    | Horizontal | 12      | 1.20   | -       | 37.85 | 15.35 | 49.70 |
| AV   | 19.6219G | 34.72    | 63.54    | -28.82 | 31.22  | 1    | Horizontal | 12      | 1.20   | -       | 37.85 | 15.35 | 49.70 |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6695MHz\_TnomVnom




EUT V\_2TX  
Setting 16  
01-C-E-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 6.6972G      | 111.18            | Inf               | -Inf           | 101.19        | 3           | Vertical  | 338            | 1.88          | -       | 35.91      | 7.00       | 32.92      |  |
| RMS  | 6.6972G      | 102.03            | Inf               | -Inf           | 92.04         | 3           | Vertical  | 338            | 1.88          | -       | 35.91      | 7.00       | 32.92      |  |
| PK   | 7.2054G      | 64.51             | 88.20             | -23.69         | 53.33         | 3           | Vertical  | 338            | 1.88          | -       | 37.10      | 7.21       | 33.13      |  |
| RMS  | 7.2384G      | 53.45             | 68.20             | -14.75         | 42.25         | 3           | Vertical  | 338            | 1.88          | -       | 37.10      | 7.24       | 33.14      |  |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6695MHz\_TnomVnom




EUT\_V\_2TX  
 Setting 16  
 01-C-E-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 6.6972G      | 112.15            | Inf               | -Inf           | 102.16        | 3           | Horizontal | 345            | 1.77          | -       | 35.91      | 7.00       | 32.92      |  |
| RMS  | 6.6972G      | 102.07            | Inf               | -Inf           | 92.08         | 3           | Horizontal | 345            | 1.77          | -       | 35.91      | 7.00       | 32.92      |  |
| PK   | 7.1878G      | 63.97             | 88.20             | -24.23         | 52.83         | 3           | Horizontal | 345            | 1.77          | -       | 37.05      | 7.21       | 33.12      |  |
| RMS  | 7.2428G      | 53.41             | 68.20             | -14.79         | 42.22         | 3           | Horizontal | 345            | 1.77          | -       | 37.10      | 7.24       | 33.15      |  |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6695MHz\_TnomVnom




EUT\_V\_2TX  
Setting 16  
01-C-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.3975G     | 61.55             | 74.00             | -12.45         | 41.65         | 3           | Vertical  | 295            | 1.67          | -       | 40.20      | 9.63       | 29.93      |
| AV   | 13.3976G     | 47.65             | 54.00             | -6.35          | 27.75         | 3           | Vertical  | 295            | 1.67          | -       | 40.20      | 9.63       | 29.93      |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6695MHz\_TnomVnom




EUT\_V\_2TX  
Setting 16  
01-C-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.3984G     | 62.57             | 74.00             | -11.43         | 42.67         | 3           | Horizontal | 148            | 2.80          | -       | 40.20      | 9.63       | 29.93      |
| AV   | 13.3985G     | 48.62             | 54.00             | -5.38          | 28.72         | 3           | Horizontal | 148            | 2.80          | -       | 40.20      | 9.63       | 29.93      |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6695MHz\_TnomVnom




EUT\_V\_2TX  
Setting 16  
01-C-E-2

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |
|------|----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |
| PK   | 20.1049G | 47.75    | 83.54    | -35.79 | 44.46  | 1    | Vertical  | 338     | 2.11   | -       | 37.48 | 15.55 | 49.74 |  |
| AV   | 20.1078G | 34.36    | 63.54    | -29.18 | 31.06  | 1    | Vertical  | 338     | 2.11   | -       | 37.49 | 15.55 | 49.74 |  |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6695MHz\_TnomVnom




EUT Y\_2TX  
 Setting 16  
 01-C-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.065G      | 48.02             | 83.54             | -35.52         | 44.77         | 1           | Horizontal | 280            | 1.04          | -       | 37.45      | 15.53      | 49.73      |
| AV   | 20.1077G     | 34.37             | 63.54             | -29.17         | 31.07         | 1           | Horizontal | 280            | 1.04          | -       | 37.49      | 15.55      | 49.74      |



## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6855MHz\_TnomVnom




EUT Y\_2TX  
Setting 23  
01-M-G-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 6.848G       | 121.32            | Inf               | -Inf           | 110.64        | 3           | Vertical  | 17             | 1.80          | -       | 36.58      | 7.07       | 32.97      |
| RMS  | 6.8522G      | 110.04            | Inf               | -Inf           | 99.35         | 3           | Vertical  | 17             | 1.80          | -       | 36.58      | 7.08       | 32.97      |
| PK   | 7.205G       | 63.41             | 88.20             | -24.79         | 52.23         | 3           | Vertical  | 17             | 1.80          | -       | 37.10      | 7.21       | 33.13      |
| RMS  | 7.1728G      | 51.74             | 68.20             | -16.46         | 40.65         | 3           | Vertical  | 17             | 1.80          | -       | 36.99      | 7.21       | 33.11      |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6855MHz\_TnomVnom




EUT Y\_2TX  
 Setting 23  
 01-M-G-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 6.848G       | 119.63            | Inf               | -Inf           | 108.95        | 3           | Horizontal | 4              | 1.80          | -       | 36.58      | 7.07       | 32.97      |  |
| RMS  | 6.8508G      | 106.61            | Inf               | -Inf           | 95.91         | 3           | Horizontal | 4              | 1.80          | -       | 36.59      | 7.08       | 32.97      |  |
| PK   | 7.2008G      | 63.84             | 88.20             | -24.36         | 52.66         | 3           | Horizontal | 4              | 1.80          | -       | 37.10      | 7.20       | 33.12      |  |
| RMS  | 7.1966G      | 51.79             | 68.20             | -16.41         | 40.62         | 3           | Horizontal | 4              | 1.80          | -       | 37.09      | 7.20       | 33.12      |  |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6855MHz\_TnomVnom




EUT\_V\_2TX  
Setting 23  
01-M-G-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.70104G    | 68.44             | 88.20             | -19.76         | 47.83         | 3           | Vertical  | 344            | 2.17          | -       | 40.50      | 9.77       | 29.66      |
| RMS  | 13.70168G    | 54.54             | 68.20             | -13.66         | 33.92         | 3           | Vertical  | 344            | 2.17          | -       | 40.51      | 9.77       | 29.66      |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6855MHz\_TnomVnom




EUT\_V\_2TX  
 Setting 23  
 01-M-G-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.69984G    | 68.64             | 88.20             | -19.56         | 48.04         | 3           | Horizontal | 214            | 2.74          | -       | 40.50      | 9.76       | 29.66      |
| RMS  | 13.70168G    | 54.49             | 68.20             | -13.71         | 33.87         | 3           | Horizontal | 214            | 2.74          | -       | 40.51      | 9.77       | 29.66      |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6855MHz\_TnomVnom




EUT V\_2TX  
Setting 23  
01-M-G-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.56874G    | 49.15             | 83.54             | -34.39         | 45.48         | 1           | Vertical  | 282            | 1.54          | -       | 37.78      | 15.76      | 49.87      |
| AV   | 20.56174G    | 34.66             | 63.54             | -28.88         | 31.02         | 1           | Vertical  | 282            | 1.54          | -       | 37.77      | 15.75      | 49.88      |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6855MHz\_TnomVnom



EUT V\_2TX  
 Setting 23  
 01-M-G-2

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |
| PK   | 20.56168G | 47.98    | 83.54    | -35.56 | 44.34  | 1    | Horizontal | 145     | 1.54   | -       | 37.77 | 15.75 | 49.88 |  |
| AV   | 20.5617G  | 34.38    | 63.54    | -29.16 | 30.74  | 1    | Horizontal | 145     | 1.54   | -       | 37.77 | 15.75 | 49.88 |  |



**RSE TX above 1GHz**  
**<Partial RU> standard power\_RU26\_2TX\_Ant. 2**


**Appendix E.44**

**Summary**

| Mode                           | Result | Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comments |
|--------------------------------|--------|------|--------------|-------------------|-------------------|----------------|-------------|------------|----------------|---------------|----------|
| 5.925-6.425GHz                 | -      | -    | -            | -                 | -                 | -              | -           | -          | -              | -             | -        |
| 802.11ax HEW20_Nss1,(MCS0)_2TX | Pass   | AV   | 11.89288G    | 53.67             | 54.00             | -0.33          | 3           | Horizontal | 211            | 1.80          | -        |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 5955MHz\_TnomVnom




EUT Y\_2TX  
Setting 10.75  
01-M-G-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.9062G      | 63.42             | 88.20             | -24.78         | 54.70         | 3           | Vertical  | 60             | 1.80          | -       | 34.92      | 6.60       | 32.80      |
| RMS  | 5.9244G      | 50.85             | 68.20             | -17.35         | 42.06         | 3           | Vertical  | 60             | 1.80          | -       | 35.00      | 6.60       | 32.81      |
| PK   | 5.9466G      | 112.98            | Inf               | -Inf           | 104.11        | 3           | Vertical  | 60             | 1.80          | -       | 35.09      | 6.60       | 32.82      |
| RMS  | 5.9468G      | 98.50             | Inf               | -Inf           | 89.63         | 3           | Vertical  | 60             | 1.80          | -       | 35.09      | 6.60       | 32.82      |



## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 5955MHz\_TnomVnom




EUT V\_2TX  
Setting 10.75  
01-M-G-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 5.9154G      | 62.35             | 88.20             | -25.85         | 53.60         | 3           | Horizontal | 60             | 1.78          | -       | 34.96      | 6.60       | 32.81      |  |
| AV   | 5.9162G      | 50.85             | 68.20             | -17.35         | 42.10         | 3           | Horizontal | 60             | 1.78          | -       | 34.96      | 6.60       | 32.81      |  |
| PK   | 5.9468G      | 113.64            | Inf               | -Inf           | 104.77        | 3           | Horizontal | 60             | 1.78          | -       | 35.09      | 6.60       | 32.82      |  |
| AV   | 5.9462G      | 97.99             | Inf               | -Inf           | 89.13         | 3           | Horizontal | 60             | 1.78          | -       | 35.08      | 6.60       | 32.82      |  |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 5955MHz\_TnomVnom




EUT\_V\_2TX  
 Setting 10.75  
 01-M-G-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.89352G    | 60.05             | 74.00             | -13.95         | 44.16         | 3           | Vertical  | 24             | 1.74          | -       | 38.50      | 8.97       | 31.58      |
| AV   | 11.8928G     | 47.29             | 54.00             | -6.71          | 31.40         | 3           | Vertical  | 24             | 1.74          | -       | 38.50      | 8.97       | 31.58      |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 5955MHz\_TnomVnom




EUT\_V\_2TX  
 Setting 10.75  
 01-M-G-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.89296G    | 67.31             | 74.00             | -6.69          | 51.42         | 3           | Horizontal | 211            | 1.80          | -       | 38.50      | 8.97       | 31.58      |
| AV   | 11.89288G    | 53.67             | 54.00             | -0.33          | 37.78         | 3           | Horizontal | 211            | 1.80          | -       | 38.50      | 8.97       | 31.58      |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6195MHz\_TnomVnom




EUT Y\_2TX  
 Setting 10.75  
 01-C-K-3-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 5.925G       | 61.12             | 88.20             | -27.08         | 52.33         | 3           | Vertical  | 27             | 1.80          | -       | 35.00      | 6.60       | 32.81      |  |
| RMS  | 5.925G       | 49.99             | 68.20             | -18.21         | 41.20         | 3           | Vertical  | 27             | 1.80          | -       | 35.00      | 6.60       | 32.81      |  |
| PK   | 6.1866G      | 115.46            | Inf               | -Inf           | 105.98        | 3           | Vertical  | 27             | 1.80          | -       | 35.45      | 6.88       | 32.85      |  |
| RMS  | 6.1866G      | 103.23            | Inf               | -Inf           | 93.75         | 3           | Vertical  | 27             | 1.80          | -       | 35.45      | 6.88       | 32.85      |  |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6195MHz\_TnomVnom




EUT Y\_2TX  
Setting 10.75  
01-C-K-3-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.9046G      | 62.13             | 88.20             | -26.07         | 53.41         | 3           | Horizontal | 144            | 1.80          | -       | 34.92      | 6.60       | 32.80      |
| RMS  | 5.9238G      | 50.00             | 68.20             | -18.20         | 41.21         | 3           | Horizontal | 144            | 1.80          | -       | 35.00      | 6.60       | 32.81      |
| PK   | 6.1866G      | 107.79            | Inf               | -Inf           | 98.31         | 3           | Horizontal | 144            | 1.80          | -       | 35.45      | 6.88       | 32.85      |
| RMS  | 6.1866G      | 97.31             | Inf               | -Inf           | 87.83         | 3           | Horizontal | 144            | 1.80          | -       | 35.45      | 6.88       | 32.85      |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6195MHz\_TnomVnom




EUT\_V\_2TX  
Setting 10.75  
01-C-K-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.38982G    | 58.31             | 74.00             | -15.69         | 42.03         | 3           | Vertical  | 205            | 2.31          | -       | 38.68      | 9.18       | 31.58      |
| AV   | 12.39018G    | 44.52             | 54.00             | -9.48          | 28.24         | 3           | Vertical  | 205            | 2.31          | -       | 38.68      | 9.18       | 31.58      |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6195MHz\_TnomVnom




EUT\_V\_2TX  
Setting 10.75  
01-C-K-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.38938G    | 57.52             | 74.00             | -16.48         | 41.24         | 3           | Horizontal | 24             | 2.36          | -       | 38.68      | 9.18       | 31.58      |
| AV   | 12.38968G    | 43.83             | 54.00             | -10.17         | 27.55         | 3           | Horizontal | 24             | 2.36          | -       | 38.68      | 9.18       | 31.58      |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6195MHz\_TnomVnom




EUT Y\_2TX  
Setting 10.75  
01-C-K-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |
| PK   | 18.58366G | 46.95    | 83.54    | -36.59 | 44.27  | 1    | Vertical  | 254     | 2.29   | -       | 37.77 | 14.93 | 50.02 |
| AV   | 18.58421G | 33.78    | 63.54    | -29.76 | 31.10  | 1    | Vertical  | 254     | 2.29   | -       | 37.77 | 14.93 | 50.02 |



## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6195MHz\_TnomVnom




EUT Y\_2TX  
Setting 10.75  
01-C-K-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |
| PK   | 18.58675G | 46.81    | 83.54    | -36.73 | 44.12  | 1    | Horizontal | 282     | 1.95   | -       | 37.77 | 14.93 | 50.01 |  |
| AV   | 18.58554G | 33.83    | 63.54    | -29.71 | 31.14  | 1    | Horizontal | 282     | 1.95   | -       | 37.77 | 14.93 | 50.01 |  |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6415MHz\_TnomVnom




EUT Y\_2TX  
Setting 10.75  
01-C-K-3-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.8558G      | 61.59             | 88.20             | -26.61         | 52.96         | 3           | Vertical  | 1              | 1.80          | -       | 34.81      | 6.60       | 32.78      |
| RMS  | 5.923G       | 49.90             | 68.20             | -18.30         | 41.12         | 3           | Vertical  | 1              | 1.80          | -       | 34.99      | 6.60       | 32.81      |
| PK   | 6.4078G      | 116.36            | Inf               | -Inf           | 106.65        | 3           | Vertical  | 1              | 1.80          | -       | 35.57      | 7.00       | 32.86      |
| RMS  | 6.4078G      | 102.82            | Inf               | -Inf           | 93.11         | 3           | Vertical  | 1              | 1.80          | -       | 35.57      | 7.00       | 32.86      |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6415MHz\_TnomVnom




EUT Y\_2TX  
Setting 10.75  
01-C-K-3-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.923G       | 60.93             | 88.20             | -27.27         | 52.15         | 3           | Horizontal | 140            | 1.75          | -       | 34.99      | 6.60       | 32.81      |
| RMS  | 5.925G       | 49.88             | 68.20             | -18.32         | 41.09         | 3           | Horizontal | 140            | 1.75          | -       | 35.00      | 6.60       | 32.81      |
| PK   | 6.4078G      | 109.38            | Inf               | -Inf           | 99.67         | 3           | Horizontal | 140            | 1.75          | -       | 35.57      | 7.00       | 32.86      |
| RMS  | 6.4078G      | 95.37             | Inf               | -Inf           | 85.66         | 3           | Horizontal | 140            | 1.75          | -       | 35.57      | 7.00       | 32.86      |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6415MHz\_TnomVnom




EUT Y\_2TX  
 Setting 10.75  
 01-C-K-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 12.8307G     | 58.46             | 88.20             | -29.74         | 40.74         | 3           | Vertical  | 109            | 1.81          | -       | 39.23      | 9.37       | 30.88      |  |
| RMS  | 12.82832G    | 44.37             | 68.20             | -23.83         | 26.66         | 3           | Vertical  | 109            | 1.81          | -       | 39.23      | 9.37       | 30.89      |  |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6415MHz\_TnomVnom




EUT V\_2TX  
Setting 10.75  
01-C-K-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.82955G    | 58.18             | 88.20             | -30.02         | 40.46         | 3           | Horizontal | 164            | 2.32          | -       | 39.23      | 9.37       | 30.88      |
| RMS  | 12.83051G    | 44.38             | 68.20             | -23.82         | 26.66         | 3           | Horizontal | 164            | 2.32          | -       | 39.23      | 9.37       | 30.88      |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6415MHz\_TnomVnom




EUT Y\_2TX  
Setting 10.75  
01-C-K-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |
| PK   | 19.24598G | 46.67    | 83.54    | -36.87 | 43.42  | 1    | Vertical  | 173     | 1.82   | -       | 37.70 | 15.20 | 49.65 |
| AV   | 19.24492G | 33.27    | 63.54    | -30.27 | 30.01  | 1    | Vertical  | 173     | 1.82   | -       | 37.71 | 15.20 | 49.65 |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6415MHz\_TnomVnom




EUT Y\_2TX  
Setting 10.75  
01-C-K-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |
| PK   | 19.24458G | 46.91    | 83.54    | -36.63 | 43.65  | 1    | Horizontal | 116     | 2.07   | -       | 37.71 | 15.20 | 49.65 |
| AV   | 19.243G   | 33.25    | 63.54    | -30.29 | 29.99  | 1    | Horizontal | 116     | 2.07   | -       | 37.71 | 15.20 | 49.65 |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6535MHz\_TnomVnom




EUT\_V\_2TX  
Setting 10.75  
01-C-K-3-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.8378G      | 60.91             | 88.20             | -27.29         | 52.39         | 3           | Vertical  | 218            | 1.80          | -       | 34.70      | 6.60       | 32.78      |
| RMS  | 5.9218G      | 49.90             | 68.20             | -18.30         | 41.12         | 3           | Vertical  | 218            | 1.80          | -       | 34.99      | 6.60       | 32.81      |
| PK   | 6.5434G      | 113.68            | Inf               | -Inf           | 103.78        | 3           | Vertical  | 218            | 1.80          | -       | 35.77      | 7.00       | 32.87      |
| RMS  | 6.5434G      | 101.78            | Inf               | -Inf           | 91.88         | 3           | Vertical  | 218            | 1.80          | -       | 35.77      | 7.00       | 32.87      |
| PK   | 7.2294G      | 64.54             | 88.20             | -23.66         | 53.35         | 3           | Vertical  | 218            | 1.80          | -       | 37.10      | 7.23       | 33.14      |
| RMS  | 7.2322G      | 53.15             | 68.20             | -15.05         | 41.96         | 3           | Vertical  | 218            | 1.80          | -       | 37.10      | 7.23       | 33.14      |



## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6535MHz\_TnomVnom




EUT\_V\_2TX  
Setting 10.75  
01-C-K-3-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.8882G      | 61.84             | 88.20             | -26.36         | 53.16         | 3           | Horizontal | 59             | 1.80          | -       | 34.88      | 6.60       | 32.80      |
| RMS  | 5.9246G      | 49.96             | 68.20             | -18.24         | 41.17         | 3           | Horizontal | 59             | 1.80          | -       | 35.00      | 6.60       | 32.81      |
| PK   | 6.5434G      | 108.59            | Inf               | -Inf           | 98.69         | 3           | Horizontal | 59             | 1.80          | -       | 35.77      | 7.00       | 32.87      |
| RMS  | 6.5434G      | 95.19             | Inf               | -Inf           | 85.29         | 3           | Horizontal | 59             | 1.80          | -       | 35.77      | 7.00       | 32.87      |
| PK   | 7.2322G      | 64.79             | 88.20             | -23.41         | 53.60         | 3           | Horizontal | 59             | 1.80          | -       | 37.10      | 7.23       | 33.14      |
| RMS  | 7.2322G      | 53.12             | 68.20             | -15.08         | 41.93         | 3           | Horizontal | 59             | 1.80          | -       | 37.10      | 7.23       | 33.14      |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6535MHz\_TnomVnom




EUT Y\_2TX  
Setting 10.75  
01-C-K-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.0681G     | 60.17             | 88.20             | -28.03         | 41.44         | 3           | Vertical  | 229            | 1.32          | -       | 39.67      | 9.48       | 30.42      |
| RMS  | 13.0705G     | 46.30             | 68.20             | -21.90         | 27.57         | 3           | Vertical  | 229            | 1.32          | -       | 39.67      | 9.48       | 30.42      |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6535MHz\_TnomVnom




EUT\_V\_2TX  
Setting 10.75  
01-C-K-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.06972G    | 59.91             | 88.20             | -28.29         | 41.18         | 3           | Horizontal | 82             | 2.73          | -       | 39.67      | 9.48       | 30.42      |
| RMS  | 13.06962G    | 46.25             | 68.20             | -21.95         | 27.52         | 3           | Horizontal | 82             | 2.73          | -       | 39.67      | 9.48       | 30.42      |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6535MHz\_TnomVnom




EUT Y\_2TX  
Setting 10.75  
01-C-K-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |
| PK   | 19.6038G  | 48.17    | 83.54    | -35.37 | 44.67  | 1    | Vertical  | 349     | 2.32   | -       | 37.86 | 15.34 | 49.70 |  |
| AV   | 19.60614G | 34.31    | 63.54    | -29.23 | 30.81  | 1    | Vertical  | 349     | 2.32   | -       | 37.86 | 15.34 | 49.70 |  |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6535MHz\_TnomVnom




EUT Y\_2TX  
Setting 10.75  
01-C-K-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |
| PK   | 19.60452G | 48.07    | 83.54    | -35.47 | 44.57  | 1    | Horizontal | 197     | 1.46   | -       | 37.86 | 15.34 | 49.70 |
| AV   | 19.60579G | 34.36    | 63.54    | -29.18 | 30.86  | 1    | Horizontal | 197     | 1.46   | -       | 37.86 | 15.34 | 49.70 |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6695MHz\_TnomVnom




EUT Y\_2TX  
Setting 10.75  
01-C-K-3-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 6.7038G      | 116.81            | Inf               | -Inf           | 106.82        | 3           | Vertical  | 70             | 1.16          | -       | 35.92      | 7.00       | 32.93      |  |
| RMS  | 6.7038G      | 103.62            | Inf               | -Inf           | 93.63         | 3           | Vertical  | 70             | 1.16          | -       | 35.92      | 7.00       | 32.93      |  |
| PK   | 7.168G       | 64.45             | 88.20             | -23.75         | 53.37         | 3           | Vertical  | 70             | 1.16          | -       | 36.97      | 7.22       | 33.11      |  |
| RMS  | 7.2208G      | 53.19             | 68.20             | -15.01         | 42.00         | 3           | Vertical  | 70             | 1.16          | -       | 37.10      | 7.22       | 33.13      |  |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6695MHz\_TnomVnom




EUT V\_2TX  
Setting 10.75  
01-C-K-3-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 6.7038G      | 106.18            | Inf               | -Inf           | 96.19         | 3           | Horizontal | 61             | 1.80          | -       | 35.92      | 7.00       | 32.93      |
| RMS  | 6.7038G      | 94.48             | Inf               | -Inf           | 84.49         | 3           | Horizontal | 61             | 1.80          | -       | 35.92      | 7.00       | 32.93      |
| PK   | 7.1306G      | 64.69             | 88.20             | -23.51         | 53.81         | 3           | Horizontal | 61             | 1.80          | -       | 36.74      | 7.23       | 33.09      |
| RMS  | 7.234G       | 53.18             | 68.20             | -15.02         | 41.99         | 3           | Horizontal | 61             | 1.80          | -       | 37.10      | 7.23       | 33.14      |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6695MHz\_TnomVnom




EUT Y\_2TX  
Setting 10.75  
01-C-K-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.39178G    | 60.22             | 74.00             | -13.78         | 40.35         | 3           | Vertical  | 307            | 2.52          | -       | 40.18      | 9.63       | 29.94      |
| AV   | 13.38829G    | 46.98             | 54.00             | -7.02          | 27.13         | 3           | Vertical  | 307            | 2.52          | -       | 40.18      | 9.62       | 29.95      |



## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6695MHz\_TnomVnom




EUT Y\_2TX  
Setting 10.75  
01-C-K-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.3887G     | 59.78             | 74.00             | -14.22         | 39.92         | 3           | Horizontal | 193            | 1.63          | -       | 40.18      | 9.62       | 29.94      |
| AV   | 13.38926G    | 46.32             | 54.00             | -7.68          | 26.45         | 3           | Horizontal | 193            | 1.63          | -       | 40.18      | 9.63       | 29.94      |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6695MHz\_TnomVnom




EUT Y\_2TX  
Setting 10.75  
01-C-K-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.08553G    | 47.43             | 83.54             | -36.11         | 44.15         | 1           | Vertical  | 129            | 2.09          | -       | 37.47      | 15.54      | 49.73      |
| AV   | 20.08518G    | 34.56             | 63.54             | -28.98         | 31.28         | 1           | Vertical  | 129            | 2.09          | -       | 37.47      | 15.54      | 49.73      |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6695MHz\_TnomVnom




EUT V\_2TX  
Setting 10.75  
01-C-K-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |
| PK   | 20.08501G | 47.66    | 83.54    | -35.88 | 44.38  | 1    | Horizontal | 188     | 2.67   | -       | 37.47 | 15.54 | 49.73 |
| AV   | 20.08561G | 34.75    | 63.54    | -28.79 | 31.47  | 1    | Horizontal | 188     | 2.67   | -       | 37.47 | 15.54 | 49.73 |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6855MHz\_TnomVnom




EUT V\_2TX  
 Setting -8  
 01-M-G-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 6.8466G      | 125.20            | Inf               | -Inf           | 114.53        | 3           | Vertical  | 51             | 1.66          | -       | 36.57      | 7.07       | 32.97      |
| RMS  | 6.8466G      | 116.27            | Inf               | -Inf           | 105.60        | 3           | Vertical  | 51             | 1.66          | -       | 36.57      | 7.07       | 32.97      |
| PK   | 7.1602G      | 64.21             | 88.20             | -23.99         | 53.15         | 3           | Vertical  | 51             | 1.66          | -       | 36.94      | 7.22       | 33.10      |
| RMS  | 7.1826G      | 53.18             | 68.20             | -15.02         | 42.05         | 3           | Vertical  | 51             | 1.66          | -       | 37.03      | 7.21       | 33.11      |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6855MHz\_TnomVnom




EUT V\_2TX  
Setting -8  
01-M-G-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 6.8466G      | 112.84            | Inf               | -Inf           | 102.17        | 3           | Horizontal | 352            | 1.61          | -       | 36.57      | 7.07       | 32.97      |
| RMS  | 6.8466G      | 103.09            | Inf               | -Inf           | 92.42         | 3           | Horizontal | 352            | 1.61          | -       | 36.57      | 7.07       | 32.97      |
| PK   | 7.198G       | 63.83             | 88.20             | -24.37         | 52.66         | 3           | Horizontal | 352            | 1.61          | -       | 37.09      | 7.20       | 33.12      |
| RMS  | 7.1868G      | 53.15             | 68.20             | -15.05         | 42.01         | 3           | Horizontal | 352            | 1.61          | -       | 37.05      | 7.21       | 33.12      |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6855MHz\_TnomVnom




EUT\_V\_2TX  
Setting -8  
01-M-G-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.69216G    | 66.81             | 88.20             | -21.39         | 46.24         | 3           | Vertical  | 282            | 1.80          | -       | 40.48      | 9.76       | 29.67      |
| RMS  | 13.69152G    | 57.39             | 68.20             | -10.81         | 36.82         | 3           | Vertical  | 282            | 1.80          | -       | 40.48      | 9.76       | 29.67      |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6855MHz\_TnomVnom




EUT\_V\_2TX  
 Setting -8  
 01-M-G-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.69264G    | 66.92             | 88.20             | -21.28         | 46.34         | 3           | Horizontal | 145            | 1.80          | -       | 40.49      | 9.76       | 29.67      |
| RMS  | 13.69312G    | 57.44             | 68.20             | -10.76         | 36.86         | 3           | Horizontal | 145            | 1.80          | -       | 40.49      | 9.76       | 29.67      |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6855MHz\_TnomVnom




EUT\_V\_2TX  
Setting -8  
01-M-G-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.5679G     | 47.09             | 83.54             | -36.45         | 43.42         | 1           | Vertical  | 215            | 1.56          | -       | 37.78      | 15.76      | 49.87      |
| AV   | 20.56746G    | 34.37             | 63.54             | -29.17         | 30.70         | 1           | Vertical  | 215            | 1.56          | -       | 37.78      | 15.76      | 49.87      |



## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6855MHz\_TnomVnom



EUT\_V\_2TX  
Setting -8  
01-M-G-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.56456G    | 46.96             | 83.54             | -36.58         | 43.30         | 1           | Horizontal | 200            | 1.57          | -       | 37.78      | 15.75      | 49.87      |
| AV   | 20.56864G    | 34.37             | 63.54             | -29.17         | 30.70         | 1           | Horizontal | 200            | 1.57          | -       | 37.78      | 15.76      | 49.87      |



**RSE TX above 1GHz**  
**<Partial RU> standard power\_RU52\_2TX\_Ant. 2**


**Appendix E.45**

**Summary**

| Mode                           | Result | Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comments |
|--------------------------------|--------|------|--------------|-------------------|-------------------|----------------|-------------|------------|----------------|---------------|----------|
| 5.925-6.425GHz                 | -      | -    | -            | -                 | -                 | -              | -           | -          | -              | -             | -        |
| 802.11ax HEW20_Nss1,(MCS0)_2TX | Pass   | AV   | 11.89528G    | 53.54             | 54.00             | -0.46          | 3           | Horizontal | 211            | 1.80          | -        |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 5955MHz\_TnomVnom




EUT V\_2TX  
Setting 13.5  
01-M-G-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.9174G      | 67.28             | 88.20             | -20.92         | 58.52         | 3           | Vertical  | 41             | 2.29          | -       | 34.97      | 6.60       | 32.81      |
| RMS  | 5.9186G      | 51.63             | 68.20             | -16.57         | 42.87         | 3           | Vertical  | 41             | 2.29          | -       | 34.97      | 6.60       | 32.81      |
| PK   | 5.9492G      | 122.64            | Inf               | -Inf           | 113.76        | 3           | Vertical  | 41             | 2.29          | -       | 35.10      | 6.60       | 32.82      |
| RMS  | 5.9472G      | 110.52            | Inf               | -Inf           | 101.65        | 3           | Vertical  | 41             | 2.29          | -       | 35.09      | 6.60       | 32.82      |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 5955MHz\_TnomVnom




EUT V\_2TX  
Setting 13.5  
01-M-G-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 5.9168G      | 63.63             | 88.20             | -24.57         | 54.87         | 3           | Horizontal | 59             | 1.85          | -       | 34.97      | 6.60       | 32.81      |  |
| AV   | 5.9164G      | 50.92             | 68.20             | -17.28         | 42.16         | 3           | Horizontal | 59             | 1.85          | -       | 34.97      | 6.60       | 32.81      |  |
| PK   | 5.9492G      | 113.09            | Inf               | -Inf           | 104.21        | 3           | Horizontal | 59             | 1.85          | -       | 35.10      | 6.60       | 32.82      |  |
| AV   | 5.9474G      | 100.67            | Inf               | -Inf           | 91.80         | 3           | Horizontal | 59             | 1.85          | -       | 35.09      | 6.60       | 32.82      |  |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 5955MHz\_TnomVnom




EUT\_V\_2TX  
Setting 13.5  
01-M-G-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.89416G    | 60.90             | 74.00             | -13.10         | 45.01         | 3           | Vertical  | 24             | 1.71          | -       | 38.50      | 8.97       | 31.58      |
| AV   | 11.89528G    | 47.45             | 54.00             | -6.55          | 31.56         | 3           | Vertical  | 24             | 1.71          | -       | 38.50      | 8.97       | 31.58      |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 5955MHz\_TnomVnom




EUT\_V\_2TX  
Setting 13.5  
01-M-G-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.89408G    | 65.44             | 74.00             | -8.56          | 49.55         | 3           | Horizontal | 211            | 1.80          | -       | 38.50      | 8.97       | 31.58      |
| AV   | 11.89528G    | 53.54             | 54.00             | -0.46          | 37.65         | 3           | Horizontal | 211            | 1.80          | -       | 38.50      | 8.97       | 31.58      |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6195MHz\_TnomVnom




EUT V\_2TX  
Setting 13.5  
01-C-E-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.847G       | 60.73             | 88.20             | -27.47         | 52.13         | 3           | Vertical  | 237            | 1.79          | -       | 34.78      | 6.60       | 32.78      |
| RMS  | 5.925G       | 50.15             | 68.20             | -18.05         | 41.36         | 3           | Vertical  | 237            | 1.79          | -       | 35.00      | 6.60       | 32.81      |
| PK   | 6.189G       | 114.71            | Inf               | -Inf           | 105.22        | 3           | Vertical  | 237            | 1.79          | -       | 35.46      | 6.88       | 32.85      |
| RMS  | 6.189G       | 104.65            | Inf               | -Inf           | 95.16         | 3           | Vertical  | 237            | 1.79          | -       | 35.46      | 6.88       | 32.85      |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6195MHz\_TnomVnom




EUT V\_2TX  
Setting 13.5  
01-C-E-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.867G       | 61.40             | 88.20             | -26.80         | 52.76         | 3           | Horizontal | 61             | 1.78          | -       | 34.83      | 6.60       | 32.79      |
| RMS  | 5.923G       | 50.19             | 68.20             | -18.01         | 41.41         | 3           | Horizontal | 61             | 1.78          | -       | 34.99      | 6.60       | 32.81      |
| PK   | 6.189G       | 109.86            | Inf               | -Inf           | 100.37        | 3           | Horizontal | 61             | 1.78          | -       | 35.46      | 6.88       | 32.85      |
| RMS  | 6.189G       | 97.57             | Inf               | -Inf           | 88.08         | 3           | Horizontal | 61             | 1.78          | -       | 35.46      | 6.88       | 32.85      |



## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6195MHz\_TnomVnom




EUT\_V\_2TX  
Setting 13.5  
01-C-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.3949G     | 58.22             | 74.00             | -15.78         | 41.93         | 3           | Vertical  | 230            | 1.80          | -       | 38.69      | 9.18       | 31.58      |
| AV   | 12.3754G     | 44.58             | 54.00             | -9.42          | 28.34         | 3           | Vertical  | 230            | 1.80          | -       | 38.65      | 9.17       | 31.58      |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6195MHz\_TnomVnom




EUT\_V\_2TX  
Setting 13.5  
01-C-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.3766G     | 57.82             | 74.00             | -16.18         | 41.58         | 3           | Horizontal | 160            | 1.71          | -       | 38.65      | 9.17       | 31.58      |
| AV   | 12.3755G     | 44.58             | 54.00             | -9.42          | 28.34         | 3           | Horizontal | 160            | 1.71          | -       | 38.65      | 9.17       | 31.58      |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6195MHz\_TnomVnom




EUT V\_2TX  
Setting 13.5  
01-C-E-2

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |
|------|----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |
| PK   | 18.5873G | 47.26    | 83.54    | -36.28 | 44.57  | 1    | Vertical  | 245     | 1.05   | -       | 37.77 | 14.93 | 50.01 |  |
| AV   | 18.6054G | 33.42    | 63.54    | -30.12 | 30.71  | 1    | Vertical  | 245     | 1.05   | -       | 37.76 | 14.94 | 49.99 |  |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6195MHz\_TnomVnom




EUT\_V\_2TX  
Setting 13.5  
01-C-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 18.6058G     | 47.24             | 83.54             | -36.30         | 44.53         | 1           | Horizontal | 63             | 1.67          | -       | 37.76      | 14.94      | 49.99      |
| AV   | 18.608G      | 33.39             | 63.54             | -30.15         | 30.68         | 1           | Horizontal | 63             | 1.67          | -       | 37.76      | 14.94      | 49.99      |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6415MHz\_TnomVnom




EUT V\_2TX  
 Setting 13.75  
 01-C-E-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.9138G      | 61.18             | 88.20             | -27.02         | 52.43         | 3           | Vertical  | 71             | 1.52          | -       | 34.96      | 6.60       | 32.81      |
| RMS  | 5.925G       | 50.19             | 68.20             | -18.01         | 41.40         | 3           | Vertical  | 71             | 1.52          | -       | 35.00      | 6.60       | 32.81      |
| PK   | 6.4094G      | 115.54            | Inf               | -Inf           | 105.84        | 3           | Vertical  | 71             | 1.52          | -       | 35.56      | 7.00       | 32.86      |
| RMS  | 6.4094G      | 105.41            | Inf               | -Inf           | 95.71         | 3           | Vertical  | 71             | 1.52          | -       | 35.56      | 7.00       | 32.86      |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6415MHz\_TnomVnom




EUT V\_2TX  
Setting 13.75  
01-C-E-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.8214G      | 61.49             | 88.20             | -26.71         | 53.09         | 3           | Horizontal | 62             | 1.68          | -       | 34.57      | 6.60       | 32.77      |
| RMS  | 5.9222G      | 50.15             | 68.20             | -18.05         | 41.37         | 3           | Horizontal | 62             | 1.68          | -       | 34.99      | 6.60       | 32.81      |
| PK   | 6.4094G      | 110.44            | Inf               | -Inf           | 100.74        | 3           | Horizontal | 62             | 1.68          | -       | 35.56      | 7.00       | 32.86      |
| RMS  | 6.4094G      | 96.10             | Inf               | -Inf           | 86.40         | 3           | Horizontal | 62             | 1.68          | -       | 35.56      | 7.00       | 32.86      |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6415MHz\_TnomVnom




EUT\_V\_2TX  
 Setting 13.75  
 01-C-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 12.8181G     | 60.08             | 88.20             | -28.12         | 42.40         | 3           | Vertical  | 274            | 1.80          | -       | 39.22      | 9.37       | 30.91      |  |
| RMS  | 12.8163G     | 45.98             | 68.20             | -22.22         | 28.30         | 3           | Vertical  | 274            | 1.80          | -       | 39.22      | 9.37       | 30.91      |  |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6415MHz\_TnomVnom




EUT\_V\_2TX  
Setting 13.75  
01-C-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 12.8149G     | 62.75             | 88.20             | -25.45         | 45.09         | 3           | Horizontal | 209            | 1.80          | -       | 39.21      | 9.37       | 30.92      |  |
| RMS  | 12.8155G     | 48.29             | 68.20             | -19.91         | 30.61         | 3           | Horizontal | 209            | 1.80          | -       | 39.22      | 9.37       | 30.91      |  |



## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6415MHz\_TnomVnom




EUT\_V\_2TX  
 Setting 13.75  
 01-C-E-2

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |
|------|----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |
| PK   | 19.2483G | 47.36    | 83.54    | -36.18 | 44.11  | 1    | Vertical  | 356     | 2.42   | -       | 37.70 | 15.20 | 49.65 |  |
| AV   | 19.2237G | 33.73    | 63.54    | -29.81 | 30.45  | 1    | Vertical  | 356     | 2.42   | -       | 37.73 | 15.19 | 49.64 |  |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6415MHz\_TnomVnom




EUT\_V\_2TX  
Setting 13.75  
01-C-E-2

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |
|------|----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |
| PK   | 19.2229G | 47.28    | 83.54    | -36.26 | 44.00  | 1    | Horizontal | 24      | 2.26   | -       | 37.73 | 15.19 | 49.64 |
| AV   | 19.2216G | 33.72    | 63.54    | -29.82 | 30.44  | 1    | Horizontal | 24      | 2.26   | -       | 37.73 | 15.19 | 49.64 |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6535MHz\_TnomVnom




EUT V\_2TX  
Setting 13.5  
01-C-E-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.8798G      | 60.18             | 88.20             | -28.02         | 51.51         | 3           | Vertical  | 72             | 1.22          | -       | 34.86      | 6.60       | 32.79      |
| RMS  | 5.9218G      | 50.13             | 68.20             | -18.07         | 41.35         | 3           | Vertical  | 72             | 1.22          | -       | 34.99      | 6.60       | 32.81      |
| PK   | 6.5406G      | 115.13            | Inf               | -Inf           | 105.24        | 3           | Vertical  | 72             | 1.22          | -       | 35.76      | 7.00       | 32.87      |
| RMS  | 6.5434G      | 103.63            | Inf               | -Inf           | 93.73         | 3           | Vertical  | 72             | 1.22          | -       | 35.77      | 7.00       | 32.87      |
| PK   | 7.1398G      | 63.41             | 88.20             | -24.79         | 52.45         | 3           | Vertical  | 72             | 1.22          | -       | 36.82      | 7.23       | 33.09      |
| RMS  | 7.2294G      | 53.27             | 68.20             | -14.93         | 42.08         | 3           | Vertical  | 72             | 1.22          | -       | 37.10      | 7.23       | 33.14      |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6535MHz\_TnomVnom




EUT\_V\_2TX  
Setting 13.5  
01-C-E-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.8742G      | 60.23             | 88.20             | -27.97         | 51.57         | 3           | Horizontal | 62             | 1.82          | -       | 34.85      | 6.60       | 32.79      |
| RMS  | 5.9246G      | 50.10             | 68.20             | -18.10         | 41.31         | 3           | Horizontal | 62             | 1.82          | -       | 35.00      | 6.60       | 32.81      |
| PK   | 6.5406G      | 105.46            | Inf               | -Inf           | 95.57         | 3           | Horizontal | 62             | 1.82          | -       | 35.76      | 7.00       | 32.87      |
| RMS  | 6.5434G      | 93.87             | Inf               | -Inf           | 83.97         | 3           | Horizontal | 62             | 1.82          | -       | 35.77      | 7.00       | 32.87      |
| PK   | 7.1622G      | 64.72             | 88.20             | -23.48         | 53.65         | 3           | Horizontal | 62             | 1.82          | -       | 36.95      | 7.22       | 33.10      |
| RMS  | 7.2266G      | 53.31             | 68.20             | -14.89         | 42.12         | 3           | Horizontal | 62             | 1.82          | -       | 37.10      | 7.23       | 33.14      |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6535MHz\_TnomVnom




EUT\_V\_2TX  
Setting 13.5  
01-C-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 13.0824G     | 60.27             | 88.20             | -27.93         | 41.50         | 3           | Vertical  | 288            | 1.80          | -       | 39.68      | 9.49       | 30.40      |  |
| RMS  | 13.084G      | 46.65             | 68.20             | -21.55         | 27.88         | 3           | Vertical  | 288            | 1.80          | -       | 39.68      | 9.49       | 30.40      |  |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6535MHz\_TnomVnom




EUT\_V\_2TX  
 Setting 13.5  
 01-C-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 13.084G      | 61.54             | 88.20             | -26.66         | 42.77         | 3           | Horizontal | 141            | 2.82          | -       | 39.68      | 9.49       | 30.40      |  |
| RMS  | 13.0838G     | 47.38             | 68.20             | -20.82         | 28.61         | 3           | Horizontal | 141            | 2.82          | -       | 39.68      | 9.49       | 30.40      |  |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6535MHz\_TnomVnom




EUT\_V\_2TX  
Setting 13.5  
01-C-E-2

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |
|------|----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |
| PK   | 19.6064G | 47.72    | 83.54    | -35.82 | 44.22  | 1    | Vertical  | 22      | 2.75   | -       | 37.86 | 15.34 | 49.70 |  |
| AV   | 19.6285G | 34.56    | 63.54    | -28.98 | 31.06  | 1    | Vertical  | 22      | 2.75   | -       | 37.85 | 15.35 | 49.70 |  |

## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6535MHz\_TnomVnom




EUT\_V\_2TX  
Setting 13.5  
01-C-E-2

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |
|------|----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |
| PK   | 19.6082G | 48.10    | 83.54    | -35.44 | 44.60  | 1    | Horizontal | 196     | 2.75   | -       | 37.86 | 15.34 | 49.70 |
| AV   | 19.6284G | 34.59    | 63.54    | -28.95 | 31.09  | 1    | Horizontal | 196     | 2.75   | -       | 37.85 | 15.35 | 49.70 |



## 802.11ax HEW20\_Nss1,(MCS0)\_2TX

### 6695MHz\_TnomVnom



EUT V\_2TX  
Setting 13.5  
01-C-E-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 6.7016G      | 115.89            | Inf               | -Inf           | 105.90        | 3           | Vertical  | 71             | 1.33          | -       | 35.91      | 7.00       | 32.92      |
| RMS  | 6.7016G      | 105.55            | Inf               | -Inf           | 95.56         | 3           | Vertical  | 71             | 1.33          | -       | 35.91      | 7.00       | 32.92      |
| PK   | 7.157G       | 64.11             | 88.20             | -24.09         | 53.06         | 3           | Vertical  | 71             | 1.33          | -       | 36.93      | 7.22       | 33.10      |
| RMS  | 7.2318G      | 53.34             | 68.20             | -14.86         | 42.15         | 3           | Vertical  | 71             | 1.33          | -       | 37.10      | 7.23       | 33.14      |