


802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6785MHz_TnomVnom




EUT Y_2TX
Setting 19
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.7802G	105.61	Inf	-Inf	95.36	3	Horizontal	340	2.98	-	36.20	7.00	32.95	
RMS	6.7898G	95.35	Inf	-Inf	85.10	3	Horizontal	340	2.98	-	36.20	7.00	32.95	
PK	7.1674G	67.49	88.20	-20.71	56.41	3	Horizontal	340	2.98	-	36.97	7.22	33.11	
RMS	7.1802G	56.26	68.20	-11.94	45.14	3	Horizontal	340	2.98	-	37.02	7.21	33.11	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6785MHz_TnomVnom




EUT_V_2TX
Setting 19
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.5917G	64.41	88.20	-23.79	44.13	3	Vertical	276	1.80	-	40.29	9.72	29.73	
RMS	13.59828G	54.33	68.20	-13.87	34.03	3	Vertical	276	1.80	-	40.30	9.72	29.72	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6785MHz_TnomVnom




EUT_V_2TX
Setting 19
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.60164G	64.84	88.20	-23.36	44.54	3	Horizontal	219	1.77	-	40.30	9.72	29.72	
RMS	13.5966G	54.91	68.20	-13.29	34.61	3	Horizontal	219	1.77	-	40.30	9.72	29.72	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6785MHz_TnomVnom




EUT Y_2TX
Setting 19
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.35378G	51.99	83.54	-31.55	48.53	1	Vertical	189	2.67	-	37.64	15.66	49.84
AV	20.35448G	41.08	63.54	-22.46	37.62	1	Vertical	189	2.67	-	37.64	15.66	49.84

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6785MHz_TnomVnom




EUT_V_2TX
Setting 19
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.35317G	51.76	83.54	-31.78	48.30	1	Horizontal	221	2.28	-	37.64	15.66	49.84
AV	20.35212G	40.64	63.54	-22.90	37.18	1	Horizontal	221	2.28	-	37.64	15.66	49.84

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6025MHz_TnomVnom




EUT_V_2TX
Setting 15
01-M-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.89G	82.76	88.20	-5.44	74.08	3	Vertical	58	2.28	-	34.88	6.60	32.80
RMS	5.916G	67.76	68.20	-0.44	59.01	3	Vertical	58	2.28	-	34.96	6.60	32.81
PK	6.03G	107.59	Inf	-Inf	98.55	3	Vertical	58	2.28	-	35.24	6.64	32.84
RMS	6.03G	99.70	Inf	-Inf	90.66	3	Vertical	58	2.28	-	35.24	6.64	32.84

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6025MHz_TnomVnom




EUT Y_2TX
 Setting 15
 01-M-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.89G	75.66	88.20	-12.54	66.98	3	Horizontal	59	1.95	-	34.88	6.60	32.80	
RMS	5.9G	61.52	68.20	-6.68	52.82	3	Horizontal	59	1.95	-	34.90	6.60	32.80	
PK	6.017G	98.16	Inf	-Inf	89.10	3	Horizontal	59	1.95	-	35.27	6.63	32.84	
RMS	6.02G	91.12	Inf	-Inf	82.07	3	Horizontal	59	1.95	-	35.26	6.63	32.84	

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6025MHz_TnomVnom




EUT_V_2TX
Setting 15
01-M-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.05058G	61.26	74.00	-12.74	45.24	3	Vertical	71	1.55	-	38.55	9.02	31.55
AV	12.04808G	51.64	54.00	-2.36	35.61	3	Vertical	71	1.55	-	38.55	9.02	31.54

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6025MHz_TnomVnom




EUT_Y_2TX
Setting 15
01-M-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.0453G	61.17	74.00	-12.83	45.14	3	Horizontal	176	2.70	-	38.55	9.02	31.54
AV	12.0461G	51.36	54.00	-2.64	35.33	3	Horizontal	176	2.70	-	38.55	9.02	31.54

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6025MHz_TnomVnom




EUT Y_2TX
Setting 15
01-M-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	18.07278G	48.42	83.54	-35.12	46.32	1	Vertical	128	1.56	-	37.64	14.73	50.27	
AV	18.07078G	38.01	63.54	-25.53	35.91	1	Vertical	128	1.56	-	37.64	14.73	50.27	

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6025MHz_TnomVnom




EUT_V_2TX
Setting 15
01-M-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	18.07238G	47.13	83.54	-36.41	45.03	1	Horizontal	79	1.57	-	37.64	14.73	50.27	
AV	18.07744G	37.80	63.54	-25.74	35.70	1	Horizontal	79	1.57	-	37.64	14.73	50.27	

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6185MHz_TnomVnom




EUT_V_2TX
Setting 19.5
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.897G	65.98	88.20	-22.22	57.29	3	Vertical	229	1.76	-	34.89	6.60	32.80
RMS	5.9178G	53.64	68.20	-14.56	44.88	3	Vertical	229	1.76	-	34.97	6.60	32.81
PK	6.1802G	111.63	Inf	-Inf	102.19	3	Vertical	229	1.76	-	35.42	6.87	32.85
RMS	6.1818G	100.98	Inf	-Inf	91.53	3	Vertical	229	1.76	-	35.43	6.87	32.85

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6185MHz_TnomVnom




EUT_V_2TX
Setting 19.5
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9114G	66.86	88.20	-21.34	58.11	3	Horizontal	182	2.74	-	34.95	6.60	32.80
RMS	5.921G	53.86	68.20	-14.34	45.09	3	Horizontal	182	2.74	-	34.98	6.60	32.81
PK	6.1818G	106.54	Inf	-Inf	97.09	3	Horizontal	182	2.74	-	35.43	6.87	32.85
RMS	6.1818G	95.49	Inf	-Inf	86.04	3	Horizontal	182	2.74	-	35.43	6.87	32.85

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6185MHz_TnomVnom




EUT_V_2TX
Setting 19.5
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.39156G	62.57	74.00	-11.43	46.29	3	Vertical	234	1.77	-	38.68	9.18	31.58	
AV	12.39114G	51.50	54.00	-2.50	35.22	3	Vertical	234	1.77	-	38.68	9.18	31.58	

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6185MHz_TnomVnom




EUT Y_2TX
Setting 19.5
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.39128G	63.29	74.00	-10.71	47.01	3	Horizontal	145	1.76	-	38.68	9.18	31.58
AV	12.39128G	52.02	54.00	-1.98	35.74	3	Horizontal	145	1.76	-	38.68	9.18	31.58

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6185MHz_TnomVnom




EUT Y_2TX
Setting 19.5
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	18.55328G	49.55	83.54	-33.99	46.90	1	Vertical	27	1.79	-	37.78	14.92	50.05	
AV	18.55584G	38.87	63.54	-24.67	36.21	1	Vertical	27	1.79	-	37.78	14.92	50.04	

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6185MHz_TnomVnom




EUT Y_2TX
Setting 19.5
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	18.55289G	50.20	83.54	-33.34	47.55	1	Horizontal	58	3.00	-	37.78	14.92	50.05	
AV	18.5529G	38.69	63.54	-24.85	36.03	1	Horizontal	58	3.00	-	37.78	14.92	50.04	

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6345MHz_TnomVnom




EUT Y_2TX
Setting 16
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.881G	63.53	88.20	-24.67	54.86	3	Vertical	224	1.79	-	34.86	6.60	32.79
RMS	5.923G	53.16	68.20	-15.04	44.38	3	Vertical	224	1.79	-	34.99	6.60	32.81
PK	6.375G	110.55	Inf	-Inf	100.97	3	Vertical	224	1.79	-	35.45	6.99	32.86
RMS	6.353G	100.16	Inf	-Inf	90.71	3	Vertical	224	1.79	-	35.32	6.98	32.85

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6345MHz_TnomVnom




EUT_V_2TX
Setting 16
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.881G	63.92	88.20	-24.28	55.25	3	Horizontal	205	2.66	-	34.86	6.60	32.79
RMS	5.925G	53.15	68.20	-15.05	44.36	3	Horizontal	205	2.66	-	35.00	6.60	32.81
PK	6.349G	101.51	Inf	-Inf	92.09	3	Horizontal	205	2.66	-	35.30	6.97	32.85
RMS	6.349G	91.90	Inf	-Inf	82.48	3	Horizontal	205	2.66	-	35.30	6.97	32.85

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6345MHz_TnomVnom




EUT_Y_2TX
Setting 16
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.6909G	60.75	74.00	-13.25	43.65	3	Vertical	128	1.09	-	38.97	9.31	31.18
AV	12.68755G	50.34	54.00	-3.66	33.26	3	Vertical	128	1.09	-	38.96	9.31	31.19

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6345MHz_TnomVnom




EUT Y_2TX
Setting 16
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.6883G	62.01	74.00	-11.99	44.93	3	Horizontal	243	1.54	-	38.96	9.31	31.19
AV	12.68817G	50.15	54.00	-3.85	33.07	3	Horizontal	243	1.54	-	38.96	9.31	31.19

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6345MHz_TnomVnom




EUT Y_2TX
Setting 16
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.03804G	50.03	83.54	-33.51	46.57	1	Vertical	330	1.30	-	37.95	15.12	49.61
AV	19.03289G	39.15	63.54	-24.39	35.69	1	Vertical	330	1.30	-	37.96	15.11	49.61

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6345MHz_TnomVnom




EUT Y_2TX
Setting 16
01-C-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.03424G	49.73	83.54	-33.81	46.27	1	Horizontal	135	1.69	-	37.96	15.11	49.61	
AV	19.03662G	39.28	63.54	-24.26	35.82	1	Horizontal	135	1.69	-	37.96	15.11	49.61	

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6665MHz_TnomVnom




EUT Y_2TX
 Setting 18.5
 01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.6496G	111.18	Inf	-Inf	101.09	3	Vertical	216	1.80	-	36.00	7.00	32.91	
RMS	6.6694G	99.87	Inf	-Inf	89.82	3	Vertical	216	1.80	-	35.96	7.00	32.91	
PK	7.1534G	67.44	88.20	-20.76	56.41	3	Vertical	216	1.80	-	36.91	7.22	33.10	
RMS	7.1974G	56.32	68.20	-11.88	45.15	3	Vertical	216	1.80	-	37.09	7.20	33.12	

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6665MHz_TnomVnom




EUT Y_2TX
 Setting 18.5
 01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.6628G	103.02	Inf	-Inf	92.96	3	Horizontal	60	1.74	-	35.97	7.00	32.91	
RMS	6.6606G	92.48	Inf	-Inf	82.41	3	Horizontal	60	1.74	-	35.98	7.00	32.91	
PK	7.1732G	66.95	88.20	-21.25	55.86	3	Horizontal	60	1.74	-	36.99	7.21	33.11	
RMS	7.1974G	56.32	68.20	-11.88	45.15	3	Horizontal	60	1.74	-	37.09	7.20	33.12	

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6665MHz_TnomVnom




EUT Y_2TX
Setting 18.5
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.32759G	63.51	74.00	-10.49	43.89	3	Vertical	307	2.44	-	40.06	9.60	30.04	
AV	13.32829G	52.14	54.00	-1.86	32.51	3	Vertical	307	2.44	-	40.06	9.60	30.03	

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6665MHz_TnomVnom




EUT Y_2TX
Setting 18.5
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.29272G	63.40	74.00	-10.60	43.92	3	Horizontal	295	2.65	-	39.99	9.58	30.09
AV	13.33624G	51.80	54.00	-2.20	32.15	3	Horizontal	295	2.65	-	40.07	9.60	30.02

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6665MHz_TnomVnom




EUT Y_2TX
Setting 18.5
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.99773G	50.30	83.54	-33.24	47.10	1	Vertical	295	1.02	-	37.40	15.50	49.70
AV	19.99828G	39.23	63.54	-24.31	36.03	1	Vertical	295	1.02	-	37.40	15.50	49.70

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6665MHz_TnomVnom



EUT Y_2TX
Setting 18.5
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.99202G	50.35	83.54	-33.19	47.14	1	Horizontal	211	1.19	-	37.41	15.50	49.70
AV	19.99157G	39.01	63.54	-24.53	35.80	1	Horizontal	211	1.19	-	37.41	15.50	49.70



RSE TX above 1GHz
<Full RU> standard power_Beamforming mode_2TX_Ant. 3


Appendix E.31

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW160-BF_Nss1,(MCS0)_2TX	Pass	RMS	5.901G	68.19	68.20	-0.01	3	Vertical	87	1.54	-

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5955MHz_TnomVnom




EUT Y_2TX
Setting 15
01-M-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.863G	66.13	88.20	-22.07	57.49	3	Vertical	90	1.54	-	34.83	6.60	32.79	
RMS	5.925G	54.80	68.20	-13.40	46.01	3	Vertical	90	1.54	-	35.00	6.60	32.81	
PK	5.9542G	120.06	Inf	-Inf	111.16	3	Vertical	90	1.54	-	35.12	6.60	32.82	
RMS	5.9538G	107.59	Inf	-Inf	98.69	3	Vertical	90	1.54	-	35.12	6.60	32.82	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5955MHz_TnomVnom




EUT_V_2TX
Setting 15
01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.91516G	61.29	74.00	-12.71	45.38	3	Vertical	230	1.77	-	38.50	8.98	31.57	
AV	11.91276G	49.06	54.00	-4.94	33.15	3	Vertical	230	1.77	-	38.50	8.98	31.57	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5955MHz_TnomVnom




EUT_V_2TX
Setting 15
01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.91606G	66.37	74.00	-7.63	50.46	3	Horizontal	200	1.80	-	38.50	8.98	31.57
AV	11.90868G	53.76	54.00	-0.24	37.86	3	Horizontal	200	1.80	-	38.50	8.98	31.58

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6195MHz_TnomVnom




EUT Y_2TX
 Setting 19.75
 03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.865G	62.41	88.20	-25.79	56.09	3	Vertical	75	1.80	-	34.39	7.46	35.53
RMS	5.907G	51.33	68.20	-16.87	44.74	3	Vertical	75	1.80	-	34.63	7.51	35.55
PK	6.197G	123.18	Inf	-Inf	115.81	3	Vertical	75	1.80	-	35.19	7.70	35.52
RMS	6.193G	111.35	Inf	-Inf	104.00	3	Vertical	75	1.80	-	35.17	7.70	35.52

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6195MHz_TnomVnom




EUT_V_2TX
Setting 19.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.38802G	62.18	74.00	-11.82	47.59	3	Vertical	224	1.90	-	38.89	11.11	35.41
AV	12.39036G	48.42	54.00	-5.58	33.83	3	Vertical	224	1.90	-	38.89	11.11	35.41

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6195MHz_TnomVnom




EUT_V_2TX
Setting 19.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.3933G	66.77	74.00	-7.23	52.18	3	Horizontal	204	2.33	-	38.89	11.11	35.41
AV	12.3903G	53.23	54.00	-0.77	38.64	3	Horizontal	204	2.33	-	38.89	11.11	35.41

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6195MHz_TnomVnom




EUT Y_2TX
Setting 19.75
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	18.58602G	49.17	83.54	-34.37	46.48	1	Vertical	38	1.76	-	37.77	14.93	50.01	
AV	18.5988G	35.89	63.54	-27.65	33.19	1	Vertical	38	1.76	-	37.76	14.94	50.00	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6195MHz_TnomVnom




EUT Y_2TX
Setting 19.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	18.59904G	50.10	83.54	-33.44	47.40	1	Horizontal	293	1.25	-	37.76	14.94	50.00	
AV	18.57306G	36.03	63.54	-27.51	33.36	1	Horizontal	293	1.25	-	37.77	14.93	50.03	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6415MHz_TnomVnom




EUT_V_2TX
Setting 19.75
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8678G	62.25	88.20	-25.95	55.90	3	Vertical	71	1.80	-	34.41	7.47	35.53
RMS	5.919G	51.20	68.20	-17.00	44.56	3	Vertical	71	1.80	-	34.68	7.52	35.56
PK	6.415G	123.07	Inf	-Inf	115.93	3	Vertical	71	1.80	-	34.84	7.73	35.43
RMS	6.415G	112.30	Inf	-Inf	105.16	3	Vertical	71	1.80	-	34.84	7.73	35.43
PK	7.2086G	64.36	88.20	-23.84	55.23	3	Vertical	71	1.80	-	36.45	8.22	35.54
RMS	7.2118G	54.15	68.20	-14.05	45.01	3	Vertical	71	1.80	-	36.47	8.22	35.55

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6415MHz_TnomVnom




EUT_V_2TX
Setting 19.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.83354G	65.87	88.20	-22.33	49.69	3	Vertical	204	2.33	-	39.33	11.47	34.62	
RMS	12.82886G	51.36	68.20	-16.84	35.20	3	Vertical	204	2.33	-	39.33	11.46	34.63	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6415MHz_TnomVnom




EUT_V_2TX
Setting 19.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.83162G	66.09	88.20	-22.11	49.92	3	Horizontal	144	1.80	-	39.33	11.47	34.63	
RMS	12.83138G	51.72	68.20	-16.48	35.55	3	Horizontal	144	1.80	-	39.33	11.47	34.63	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6415MHz_TnomVnom




EUT_V_2TX
Setting 19.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.23906G	51.00	83.54	-32.54	47.74	1	Vertical	72	1.89	-	37.71	15.20	49.65
AV	19.24356G	36.99	63.54	-26.55	33.73	1	Vertical	72	1.89	-	37.71	15.20	49.65

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6415MHz_TnomVnom




EUT_V_2TX
Setting 19.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.25898G	51.40	83.54	-32.14	48.14	1	Horizontal	162	1.56	-	37.71	15.20	49.65
AV	19.23846G	37.08	63.54	-26.46	33.82	1	Horizontal	162	1.56	-	37.71	15.20	49.65

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6535MHz_TnomVnom




EUT V_2TX
 Setting 19.25
 03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9246G	61.73	88.20	-26.47	55.07	3	Vertical	72	1.80	-	34.70	7.52	35.56
RMS	5.919G	51.14	68.20	-17.06	44.50	3	Vertical	72	1.80	-	34.68	7.52	35.56
PK	6.535G	121.91	Inf	-Inf	114.51	3	Vertical	72	1.80	-	34.84	7.97	35.41
RMS	6.535G	111.90	Inf	-Inf	104.50	3	Vertical	72	1.80	-	34.84	7.97	35.41
PK	7.1958G	64.78	88.20	-23.42	55.75	3	Vertical	72	1.80	-	36.37	8.20	35.54
RMS	7.235G	54.19	68.20	-14.01	44.86	3	Vertical	72	1.80	-	36.61	8.27	35.55

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6535MHz_TnomVnom




EUT_V_2TX
Setting 19.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.08476G	61.87	88.20	-26.33	44.55	3	Vertical	240	1.78	-	39.75	11.67	34.10	
RMS	13.07486G	48.06	68.20	-20.14	30.80	3	Vertical	240	1.78	-	39.72	11.66	34.12	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6535MHz_TnomVnom




EUT_V_2TX
Setting 19.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.06916G	63.77	88.20	-24.43	46.53	3	Horizontal	146	2.03	-	39.71	11.66	34.13	
RMS	13.06934G	49.55	68.20	-18.65	32.30	3	Horizontal	146	2.03	-	39.71	11.66	34.12	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6535MHz_TnomVnom




EUT V_2TX
Setting 19.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.61748G	51.36	83.54	-32.18	47.86	1	Vertical	159	1.16	-	37.85	15.35	49.70
AV	19.61748G	37.31	63.54	-26.23	33.81	1	Vertical	159	1.16	-	37.85	15.35	49.70

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6535MHz_TnomVnom




EUT Y_2TX
Setting 19.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.5939G	50.36	83.54	-33.18	46.86	1	Horizontal	354	1.61	-	37.86	15.34	49.70
AV	19.6041G	37.32	63.54	-26.22	33.82	1	Horizontal	354	1.61	-	37.86	15.34	49.70

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6695MHz_TnomVnom




EUT Y_2TX
Setting 19.25
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6972G	125.00	Inf	-Inf	116.95	3	Vertical	72	1.76	-	35.39	8.10	35.44
RMS	6.695G	112.87	Inf	-Inf	104.82	3	Vertical	72	1.76	-	35.39	8.10	35.44
PK	7.2362G	65.12	88.20	-23.08	55.78	3	Vertical	72	1.76	-	36.62	8.27	35.55
RMS	7.245G	54.16	68.20	-14.04	44.75	3	Vertical	72	1.76	-	36.67	8.29	35.55

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6695MHz_TnomVnom




EUT_V_2TX
Setting 19.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.3903G	64.59	74.00	-9.41	45.99	3	Vertical	217	2.63	-	40.28	11.91	33.59	
AV	13.3903G	50.35	54.00	-3.65	31.75	3	Vertical	217	2.63	-	40.28	11.91	33.59	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6695MHz_TnomVnom




EUT_V_2TX
Setting 19.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.38994G	65.27	74.00	-8.73	46.67	3	Horizontal	198	3.00	-	40.28	11.91	33.59
AV	13.39006G	52.19	54.00	-1.81	33.59	3	Horizontal	198	3.00	-	40.28	11.91	33.59

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6695MHz_TnomVnom




EUT_V_2TX
Setting 19.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.09262G	52.19	83.54	-31.35	48.92	1	Vertical	149	2.10	-	37.47	15.54	49.74
AV	20.07942G	38.01	63.54	-25.53	34.74	1	Vertical	149	2.10	-	37.46	15.54	49.73

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6695MHz_TnomVnom




EUT_V_2TX
Setting 19.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.08224G	51.72	83.54	-31.82	48.44	1	Horizontal	13	2.41	-	37.47	15.54	49.73
AV	20.07444G	37.97	63.54	-25.57	34.71	1	Horizontal	13	2.41	-	37.46	15.53	49.73

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6855MHz_TnomVnom




EUT Y_2TX
Setting 23
01-M-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.855G	124.16	Inf	-Inf	113.49	3	Vertical	90	1.68	-	36.56	7.08	32.97	
RMS	6.8536G	113.49	Inf	-Inf	102.81	3	Vertical	90	1.68	-	36.57	7.08	32.97	
PK	7.1672G	66.93	88.20	-21.27	55.85	3	Vertical	90	1.68	-	36.97	7.22	33.11	
RMS	7.184G	56.22	68.20	-11.98	45.09	3	Vertical	90	1.68	-	37.04	7.21	33.12	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6855MHz_TnomVnom




EUT_V_2TX
Setting 23
01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.70724G	66.69	88.20	-21.51	46.06	3	Vertical	153	1.00	-	40.52	9.77	29.66	
RMS	13.70712G	52.88	68.20	-15.32	32.25	3	Vertical	153	1.00	-	40.52	9.77	29.66	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6855MHz_TnomVnom




EUT_V_2TX
Setting 23
01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.7091G	68.18	88.20	-20.02	47.54	3	Horizontal	199	2.95	-	40.53	9.77	29.66	
RMS	13.70994G	55.13	68.20	-13.07	34.49	3	Horizontal	199	2.95	-	40.53	9.77	29.66	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6855MHz_TnomVnom




EUT Y_2TX
Setting 23
01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.55126G	50.39	83.54	-33.15	46.76	1	Vertical	184	1.35	-	37.76	15.75	49.88
AV	20.57406G	37.49	63.54	-26.05	33.81	1	Vertical	184	1.35	-	37.79	15.76	49.87

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6855MHz_TnomVnom




EUT_V_2TX
Setting 23
01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.58G	50.35	83.54	-33.19	46.66	1	Horizontal	202	1.69	-	37.80	15.76	49.87
AV	20.57256G	37.49	63.54	-26.05	33.81	1	Horizontal	202	1.69	-	37.79	15.76	49.87

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5965MHz_TnomVnom




EUT Y_2TX
 Setting 16.5
 01-M-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9226G	86.47	88.20	-1.73	77.69	3	Vertical	86	1.55	-	34.99	6.60	32.81
RMS	5.9234G	67.84	68.20	-0.36	59.06	3	Vertical	86	1.55	-	34.99	6.60	32.81
PK	5.9678G	118.74	Inf	-Inf	109.80	3	Vertical	86	1.55	-	35.17	6.60	32.83
RMS	5.9738G	106.38	Inf	-Inf	97.41	3	Vertical	86	1.55	-	35.20	6.60	32.83

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5965MHz_TnomVnom




EUT_V_2TX
Setting 16.5
01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.93516G	61.17	74.00	-12.83	45.26	3	Vertical	231	1.83	-	38.50	8.98	31.57	
AV	11.94404G	48.67	54.00	-5.33	32.74	3	Vertical	231	1.83	-	38.50	8.99	31.56	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5965MHz_TnomVnom




EUT_V_2TX
Setting 16.5
01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.9372G	66.19	74.00	-7.81	50.28	3	Horizontal	211	1.70	-	38.50	8.98	31.57	
AV	11.9297G	53.62	54.00	-0.38	37.71	3	Horizontal	211	1.70	-	38.50	8.98	31.57	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6205MHz_TnomVnom




EUT_V_2TX
Setting 20
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.915G	62.03	88.20	-26.17	55.42	3	Vertical	71	1.77	-	34.66	7.51	35.56
RMS	5.925G	51.25	68.20	-16.95	44.58	3	Vertical	71	1.77	-	34.70	7.53	35.56
PK	6.205G	119.73	Inf	-Inf	112.37	3	Vertical	71	1.77	-	35.18	7.70	35.52
RMS	6.203G	109.99	Inf	-Inf	102.62	3	Vertical	71	1.77	-	35.19	7.70	35.52

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6205MHz_TnomVnom




EUT_V_2TX
Setting 20
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.39824G	60.62	74.00	-13.38	46.01	3	Vertical	224	1.66	-	38.90	11.12	35.41	
AV	12.41048G	46.98	54.00	-7.02	32.37	3	Vertical	224	1.66	-	38.89	11.13	35.41	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6205MHz_TnomVnom




EUT_V_2TX
Setting 20
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.41072G	66.56	74.00	-7.44	51.95	3	Horizontal	207	2.28	-	38.89	11.13	35.41
AV	12.41522G	51.24	54.00	-2.76	36.64	3	Horizontal	207	2.28	-	38.88	11.13	35.41

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6205MHz_TnomVnom




EUT_V_2TX
Setting 20
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	18.60636G	49.90	83.54	-33.64	47.19	1	Vertical	293	1.11	-	37.76	14.94	49.99	
AV	18.62622G	36.01	63.54	-27.53	33.28	1	Vertical	293	1.11	-	37.75	14.95	49.97	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6205MHz_TnomVnom




EUT_V_2TX
Setting 20
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	18.62088G	50.60	83.54	-32.94	47.88	1	Horizontal	162	1.37	-	37.75	14.95	49.98	
AV	18.609G	36.04	63.54	-27.50	33.33	1	Horizontal	162	1.37	-	37.76	14.94	49.99	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6405MHz_TnomVnom




EUT Y_2TX
Setting 19.75
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	62.33	88.20	-25.87	55.66	3	Vertical	73	1.80	-	34.70	7.53	35.56
RMS	5.915G	51.22	68.20	-16.98	44.61	3	Vertical	73	1.80	-	34.66	7.51	35.56
PK	6.405G	121.37	Inf	-Inf	114.22	3	Vertical	73	1.80	-	34.88	7.71	35.44
RMS	6.4078G	110.45	Inf	-Inf	103.30	3	Vertical	73	1.80	-	34.87	7.72	35.44

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6405MHz_TnomVnom




EUT_V_2TX
Setting 19.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.81042G	60.56	88.20	-27.64	44.48	3	Vertical	252	2.42	-	39.31	11.45	34.68	
RMS	12.81624G	47.10	68.20	-21.10	30.99	3	Vertical	252	2.42	-	39.32	11.45	34.66	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6405MHz_TnomVnom




EUT_V_2TX
Setting 19.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.81366G	63.52	88.20	-24.68	47.43	3	Horizontal	210	1.47	-	39.31	11.45	34.67	
RMS	12.80598G	50.47	68.20	-17.73	34.41	3	Horizontal	210	1.47	-	39.31	11.44	34.69	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6405MHz_TnomVnom




EUT Y_2TX
Setting 19.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	19.21572G	50.30	83.54	-33.24	47.01	1	Vertical	279	1.45	-	37.74	15.19	49.64	
AV	19.22976G	36.99	63.54	-26.55	33.73	1	Vertical	279	1.45	-	37.72	15.19	49.65	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6405MHz_TnomVnom




EUT V_2TX
Setting 19.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	19.2237G	51.38	83.54	-32.16	48.10	1	Horizontal	72	2.03	-	37.73	15.19	49.64	
AV	19.2285G	36.97	63.54	-26.57	33.70	1	Horizontal	72	2.03	-	37.73	15.19	49.65	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6565MHz_TnomVnom




EUT_V_2TX
Setting 19.25
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	61.32	88.20	-26.88	54.66	3	Vertical	73	1.79	-	34.70	7.52	35.56
RMS	5.9176G	51.29	68.20	-16.91	44.66	3	Vertical	73	1.79	-	34.67	7.52	35.56
PK	6.5676G	122.46	Inf	-Inf	114.86	3	Vertical	73	1.79	-	34.97	8.04	35.41
RMS	6.5624G	111.13	Inf	-Inf	103.57	3	Vertical	73	1.79	-	34.95	8.02	35.41
PK	7.1344G	65.30	88.20	-22.90	56.61	3	Vertical	73	1.79	-	36.01	8.20	35.52
RMS	7.2072G	54.18	68.20	-14.02	45.07	3	Vertical	73	1.79	-	36.44	8.21	35.54

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6565MHz_TnomVnom




EUT_V_2TX
Setting 19.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.13318G	61.67	88.20	-26.53	44.15	3	Vertical	302	2.91	-	39.83	11.71	34.02	
RMS	13.14422G	47.86	68.20	-20.34	30.30	3	Vertical	302	2.91	-	39.84	11.72	34.00	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6565MHz_TnomVnom




EUT_V_2TX
Setting 19.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.13972G	62.07	88.20	-26.13	44.53	3	Horizontal	153	2.34	-	39.84	11.71	34.01	
RMS	13.13042G	48.58	68.20	-19.62	31.07	3	Horizontal	153	2.34	-	39.83	11.70	34.02	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6565MHz_TnomVnom




EUT Y_2TX
Setting 19.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.6956G	48.80	83.54	-34.74	45.30	1	Vertical	115	2.45	-	37.82	15.38	49.70
AV	19.68498G	35.74	63.54	-27.80	32.24	1	Vertical	115	2.45	-	37.83	15.37	49.70

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6565MHz_TnomVnom




EUT_V_2TX
Setting 19.25
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.70034G	49.59	83.54	-33.95	46.09	1	Horizontal	-0	1.50	-	37.82	15.38	49.70
AV	19.68498G	35.77	63.54	-27.77	32.27	1	Horizontal	-0	1.50	-	37.83	15.37	49.70

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6685MHz_TnomVnom




EUT Y_2TX
Setting 19
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6872G	120.93	Inf	-Inf	112.89	3	Vertical	71	1.73	-	35.37	8.10	35.43
RMS	6.6872G	111.48	Inf	-Inf	103.44	3	Vertical	71	1.73	-	35.37	8.10	35.43
PK	7.2064G	64.17	88.20	-24.03	55.06	3	Vertical	71	1.73	-	36.44	8.21	35.54
RMS	7.2306G	53.36	68.20	-14.84	44.07	3	Vertical	71	1.73	-	36.58	8.26	35.55

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6685MHz_TnomVnom




EUT_V_2TX
Setting 19
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.37648G	61.64	74.00	-12.36	43.11	3	Vertical	152	2.28	-	40.25	11.90	33.62	
AV	13.37522G	48.39	54.00	-5.61	29.86	3	Vertical	152	2.28	-	40.25	11.90	33.62	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6685MHz_TnomVnom




EUT_V_2TX
Setting 19
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.35728G	63.04	74.00	-10.96	44.59	3	Horizontal	203	2.97	-	40.21	11.89	33.65
AV	13.37024G	49.30	54.00	-4.70	30.79	3	Horizontal	203	2.97	-	40.24	11.90	33.63

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6685MHz_TnomVnom




EUT_V_2TX
Setting 19
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	20.0568G	49.69	83.54	-33.85	46.43	1	Vertical	175.2	1.51	-	37.45	15.53	49.72	
AV	20.0628G	35.89	63.54	-27.65	32.64	1	Vertical	175.2	1.51	-	37.45	15.53	49.73	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6685MHz_TnomVnom




EUT Y_2TX
Setting 19
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.0422G	49.94	83.54	-33.60	46.71	1	Horizontal	318	1.50	-	37.43	15.52	49.72
AV	20.052G	37.01	63.54	-26.53	33.77	1	Horizontal	318	1.50	-	37.44	15.52	49.72

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5985MHz_TnomVnom




EUT_V_2TX
Setting 14
01-M-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9162G	77.47	88.20	-10.73	68.72	3	Vertical	67	1.57	-	34.96	6.60	32.81	
RMS	5.9234G	61.00	68.20	-7.20	52.22	3	Vertical	67	1.57	-	34.99	6.60	32.81	
PK	6.0098G	112.00	Inf	-Inf	102.95	3	Vertical	67	1.57	-	35.28	6.61	32.84	
RMS	6.0186G	103.68	Inf	-Inf	94.63	3	Vertical	67	1.57	-	35.26	6.63	32.84	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5985MHz_TnomVnom




EUT Y_2TX
Setting 14
01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.98422G	61.45	74.00	-12.55	45.50	3	Vertical	68	1.80	-	38.50	9.00	31.55	
AV	11.98434G	51.58	54.00	-2.42	35.63	3	Vertical	68	1.80	-	38.50	9.00	31.55	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5985MHz_TnomVnom




EUT_Y_2TX
Setting 14
01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.95968G	63.82	74.00	-10.18	47.89	3	Horizontal	199	1.80	-	38.50	8.99	31.56	
AV	11.973G	53.84	54.00	-0.16	37.90	3	Horizontal	199	1.80	-	38.50	8.99	31.55	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6225MHz_TnomVnom




EUT Y_2TX
 Setting 20
 03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.915G	63.12	88.20	-25.08	56.51	3	Vertical	72	1.82	-	34.66	7.51	35.56
RMS	5.925G	51.48	68.20	-16.72	44.81	3	Vertical	72	1.82	-	34.70	7.53	35.56
PK	6.229G	118.31	Inf	-Inf	111.04	3	Vertical	72	1.82	-	35.08	7.70	35.51
RMS	6.231G	107.06	Inf	-Inf	99.79	3	Vertical	72	1.82	-	35.08	7.70	35.51

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6225MHz_TnomVnom




EUT_V_2TX
Setting 20
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.43632G	59.37	74.00	-14.63	44.76	3	Vertical	223	1.80	-	38.86	11.15	35.40
AV	12.45792G	48.43	54.00	-5.57	33.82	3	Vertical	223	1.80	-	38.84	11.17	35.40

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6225MHz_TnomVnom




EUT_V_2TX
Setting 20
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.46224G	62.00	74.00	-12.00	47.39	3	Horizontal	205	2.61	-	38.84	11.17	35.40
AV	12.453G	51.86	54.00	-2.14	37.25	3	Horizontal	205	2.61	-	38.85	11.16	35.40

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6225MHz_TnomVnom




EUT Y_2TX
Setting 20
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	18.66126G	49.73	83.54	-33.81	46.97	1	Vertical	43	2.46	-	37.74	14.96	49.94	
AV	18.66804G	39.40	63.54	-24.14	36.63	1	Vertical	43	2.46	-	37.73	14.97	49.93	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6225MHz_TnomVnom




EUT_V_2TX
Setting 20
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	18.68718G	49.62	83.54	-33.92	46.83	1	Horizontal	297	1.97	-	37.73	14.97	49.91	
AV	18.67608G	39.42	63.54	-24.12	36.64	1	Horizontal	297	1.97	-	37.73	14.97	49.92	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6385MHz_TnomVnom




EUT_V_2TX
Setting 18
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7858G	61.36	88.20	-26.84	55.25	3	Vertical	72	1.80	-	34.20	7.40	35.49
RMS	5.925G	51.27	68.20	-16.93	44.61	3	Vertical	72	1.80	-	34.70	7.52	35.56
PK	6.399G	116.62	Inf	-Inf	109.46	3	Vertical	72	1.80	-	34.90	7.70	35.44
RMS	6.3878G	106.34	Inf	-Inf	99.18	3	Vertical	72	1.80	-	34.90	7.70	35.44

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6385MHz_TnomVnom




EUT_V_2TX
Setting 18
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.76724G	59.42	88.20	-28.78	43.56	3	Vertical	43	1.41	-	39.23	11.41	34.78	
RMS	12.75638G	48.20	68.20	-20.00	32.38	3	Vertical	43	1.41	-	39.21	11.41	34.80	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6385MHz_TnomVnom




EUT_V_2TX
Setting 18
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.76436G	58.77	88.20	-29.43	42.91	3	Horizontal	192	2.23	-	39.23	11.41	34.78
RMS	12.76946G	48.40	68.20	-19.80	32.51	3	Horizontal	192	2.23	-	39.24	11.42	34.77

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6385MHz_TnomVnom




EUT Y_2TX
Setting 18
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.16382G	50.48	83.54	-33.06	47.14	1	Vertical	150	1.41	-	37.80	15.17	49.63
AV	19.15506G	40.01	63.54	-23.53	36.67	1	Vertical	150	1.41	-	37.81	15.16	49.63

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6385MHz_TnomVnom




EUT_V_2TX
Setting 18
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	19.1673G	50.54	83.54	-33.00	47.20	1	Horizontal	198	1.45	-	37.80	15.17	49.63	
AV	19.16328G	40.15	63.54	-23.39	36.81	1	Horizontal	198	1.45	-	37.80	15.17	49.63	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6625MHz_TnomVnom




EUT V_2TX
Setting 19.25
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.613G	119.14	Inf	-Inf	111.31	3	Vertical	72	1.80	-	35.15	8.10	35.42	
RMS	6.6226G	108.72	Inf	-Inf	100.85	3	Vertical	72	1.80	-	35.19	8.10	35.42	
PK	7.189G	66.51	88.20	-21.69	57.52	3	Vertical	72	1.80	-	36.33	8.20	35.54	
RMS	7.2226G	54.37	68.20	-13.83	45.13	3	Vertical	72	1.80	-	36.54	8.25	35.55	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6625MHz_TnomVnom




EUT_V_2TX
Setting 19.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.24434G	62.78	88.20	-25.42	44.82	3	Vertical	176	1.68	-	39.99	11.80	33.83	
RMS	13.24604G	50.83	68.20	-17.37	32.87	3	Vertical	176	1.68	-	39.99	11.80	33.83	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6625MHz_TnomVnom




EUT_V_2TX
Setting 19.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.23038G	61.17	88.20	-27.03	43.29	3	Horizontal	226	1.08	-	39.96	11.78	33.86
RMS	13.23902G	50.73	68.20	-17.47	32.80	3	Horizontal	226	1.08	-	39.98	11.79	33.84

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6625MHz_TnomVnom




EUT_V_2TX
Setting 19.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.87344G	51.88	83.54	-31.66	48.53	1	Vertical	329	1.85	-	37.60	15.45	49.70
AV	19.88916G	41.27	63.54	-22.27	37.93	1	Vertical	329	1.85	-	37.58	15.46	49.70

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6625MHz_TnomVnom




EUT Y_2TX
Setting 19.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	19.86348G	52.35	83.54	-31.19	48.98	1	Horizontal	103	1.86	-	37.62	15.45	49.70	
AV	19.86342G	41.06	63.54	-22.48	37.69	1	Horizontal	103	1.86	-	37.62	15.45	49.70	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6705MHz_TnomVnom




EUT_V_2TX
Setting 19
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.693G	118.12	Inf	-Inf	110.06	3	Vertical	73	1.80	-	35.39	8.10	35.43
RMS	6.703G	107.54	Inf	-Inf	99.47	3	Vertical	73	1.80	-	35.41	8.10	35.44
PK	7.199G	65.26	88.20	-22.94	56.21	3	Vertical	73	1.80	-	36.39	8.20	35.54
RMS	7.201G	53.49	68.20	-14.71	44.42	3	Vertical	73	1.80	-	36.41	8.20	35.54

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6705MHz_TnomVnom




EUT_V_2TX
Setting 19
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.40168G	62.51	88.20	-25.69	43.86	3	Vertical	334	2.19	-	40.30	11.92	33.57	
RMS	13.40784G	52.04	68.20	-16.16	33.36	3	Vertical	334	2.19	-	40.31	11.93	33.56	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6705MHz_TnomVnom




EUT_V_2TX
Setting 19
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.42104G	61.98	88.20	-26.22	43.26	3	Horizontal	176	1.75	-	40.32	11.94	33.54
RMS	13.41642G	51.73	68.20	-16.47	33.03	3	Horizontal	176	1.75	-	40.32	11.93	33.55

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6705MHz_TnomVnom




EUT Y_2TX
Setting 19
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.1231G	51.91	83.54	-31.63	48.60	1	Vertical	122	2.32	-	37.50	15.56	49.75
AV	20.12382G	40.81	63.54	-22.73	37.50	1	Vertical	122	2.32	-	37.50	15.56	49.75

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6705MHz_TnomVnom




EUT_V_2TX
Setting 19
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.1066G	51.77	83.54	-31.77	48.47	1	Horizontal	47	2.46	-	37.49	15.55	49.74
AV	20.11068G	41.20	63.54	-22.34	37.90	1	Horizontal	47	2.46	-	37.49	15.55	49.74

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6785MHz_TnomVnom




EUT_V_2TX
Setting 19
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7886G	119.96	Inf	-Inf	111.56	3	Vertical	72	1.74	-	35.75	8.10	35.45
RMS	6.7832G	109.31	Inf	-Inf	100.93	3	Vertical	72	1.74	-	35.73	8.10	35.45
PK	7.1774G	64.34	88.20	-23.86	55.42	3	Vertical	72	1.74	-	36.26	8.20	35.54
RMS	7.2314G	53.82	68.20	-14.38	44.52	3	Vertical	72	1.74	-	36.59	8.26	35.55

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6785MHz_TnomVnom




EUT_V_2TX
Setting 19
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.57972G	61.95	88.20	-26.25	42.85	3	Vertical	25	1.33	-	40.48	12.06	33.44	
RMS	13.5604G	51.73	68.20	-16.47	32.65	3	Vertical	25	1.33	-	40.46	12.05	33.43	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6785MHz_TnomVnom




EUT_V_2TX
Setting 19
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.5766G	62.68	88.20	-25.52	43.58	3	Horizontal	241	2.89	-	40.48	12.06	33.44	
RMS	13.5823G	51.58	68.20	-16.62	32.47	3	Horizontal	241	2.89	-	40.48	12.07	33.44	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6785MHz_TnomVnom




EUT_V_2TX
Setting 19
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.35782G	49.41	83.54	-34.13	45.95	1	Vertical	266	2.55	-	37.64	15.66	49.84
AV	20.34528G	39.58	63.54	-23.96	36.12	1	Vertical	266	2.55	-	37.64	15.66	49.84

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6785MHz_TnomVnom




EUT Y_2TX
Setting 19
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	20.34984G	49.49	83.54	-34.05	46.03	1	Horizontal	248	1.33	-	37.64	15.66	49.84	
AV	20.35104G	38.91	63.54	-24.63	35.45	1	Horizontal	248	1.33	-	37.64	15.66	49.84	

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6025MHz_TnomVnom




EUT_V_2TX
Setting 13.25
01-M-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.901G	86.18	88.20	-2.02	77.48	3	Vertical	87	1.54	-	34.90	6.60	32.80	
RMS	5.901G	68.19	68.20	-0.01	59.49	3	Vertical	87	1.54	-	34.90	6.60	32.80	
PK	6G	109.33	Inf	-Inf	100.27	3	Vertical	87	1.54	-	35.30	6.60	32.84	
RMS	6.021G	99.93	Inf	-Inf	90.88	3	Vertical	87	1.54	-	35.26	6.63	32.84	

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6025MHz_TnomVnom




EUT_V_2TX
Setting 13.25
01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.04982G	61.31	74.00	-12.69	45.28	3	Vertical	0	2.78	-	38.55	9.02	31.54	
AV	12.0545G	51.67	54.00	-2.33	35.65	3	Vertical	0	2.78	-	38.55	9.02	31.55	

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6025MHz_TnomVnom




EUT_V_2TX
Setting 13.25
01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.0458G	62.52	74.00	-11.48	46.49	3	Horizontal	218	1.45	-	38.55	9.02	31.54
AV	12.05864G	52.94	54.00	-1.06	36.90	3	Horizontal	218	1.45	-	38.56	9.03	31.55

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6025MHz_TnomVnom




EUT Y_2TX
Setting 13.25
01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	18.07614G	47.87	83.54	-35.67	45.77	1	Vertical	259	2.58	-	37.64	14.73	50.27	
AV	18.07668G	38.12	63.54	-25.42	36.02	1	Vertical	259	2.58	-	37.64	14.73	50.27	

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6025MHz_TnomVnom




EUT V_2TX
Setting 13.25
01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	18.0696G	47.95	83.54	-35.59	45.85	1	Horizontal	157	1.62	-	37.64	14.73	50.27	
AV	18.0855G	38.36	63.54	-25.18	36.27	1	Horizontal	157	1.62	-	37.63	14.73	50.27	

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6185MHz_TnomVnom




EUT V_2TX
Setting 19.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.907G	77.69	88.20	-10.51	71.10	3	Vertical	74	1.80	-	34.63	7.51	35.55
RMS	5.917G	59.69	68.20	-8.51	53.06	3	Vertical	74	1.80	-	34.67	7.52	35.56
PK	6.179G	114.70	Inf	-Inf	107.42	3	Vertical	74	1.80	-	35.12	7.69	35.53
RMS	6.181G	104.97	Inf	-Inf	97.69	3	Vertical	74	1.80	-	35.12	7.69	35.53

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6185MHz_TnomVnom




EUT Y_2TX
Setting 19.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.3847G	60.14	74.00	-13.86	45.56	3	Vertical	211	1.80	-	38.88	11.11	35.41	
AV	12.37024G	48.89	54.00	-5.11	34.34	3	Vertical	211	1.80	-	38.87	11.10	35.42	

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6185MHz_TnomVnom




EUT_V_2TX
Setting 19.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.35674G	59.17	74.00	-14.83	44.64	3	Horizontal	65	2.36	-	38.86	11.09	35.42
AV	12.3811G	48.81	54.00	-5.19	34.24	3	Horizontal	65	2.36	-	38.88	11.10	35.41

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6185MHz_TnomVnom




EUT_V_2TX
Setting 19.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	18.54924G	50.16	83.54	-33.38	47.51	1	Vertical	225	1.28	-	37.78	14.92	50.05	
AV	18.54318G	39.16	63.54	-24.38	36.52	1	Vertical	225	1.28	-	37.78	14.92	50.06	

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6185MHz_TnomVnom




EUT_V_2TX
Setting 19.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.5595G	49.64	83.54	-33.90	46.98	1	Horizontal	106	1.38	-	37.78	14.92	50.04
AV	18.54576G	39.26	63.54	-24.28	36.61	1	Horizontal	106	1.38	-	37.78	14.92	50.05

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6345MHz_TnomVnom




EUT Y_2TX
 Setting 16
 03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.91G	64.03	88.20	-24.17	57.43	3	Vertical	72	1.73	-	34.64	7.51	35.55
RMS	5.916G	51.75	68.20	-16.45	45.13	3	Vertical	72	1.73	-	34.66	7.52	35.56
PK	6.357G	114.41	Inf	-Inf	107.27	3	Vertical	72	1.73	-	34.90	7.70	35.46
RMS	6.342G	103.01	Inf	-Inf	95.85	3	Vertical	72	1.73	-	34.92	7.70	35.46

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6345MHz_TnomVnom




EUT Y_2TX
Setting 16
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.69612G	59.42	74.00	-14.58	43.91	3	Vertical	352	1.63	-	39.09	11.36	34.94	
AV	12.69398G	48.59	54.00	-5.41	33.09	3	Vertical	352	1.63	-	39.08	11.36	34.94	

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6345MHz_TnomVnom




EUT Y_2TX
Setting 16
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.6978G	59.94	74.00	-14.06	44.43	3	Horizontal	83	2.74	-	39.09	11.36	34.94	
AV	12.68034G	48.65	54.00	-5.35	33.25	3	Horizontal	83	2.74	-	39.04	11.34	34.98	

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6345MHz_TnomVnom




EUT_V_2TX
Setting 16
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.04088G	51.36	83.54	-32.18	47.90	1	Vertical	215	2.47	-	37.95	15.12	49.61
AV	19.04076G	40.41	63.54	-23.13	36.95	1	Vertical	215	2.47	-	37.95	15.12	49.61

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6345MHz_TnomVnom




EUT_V_2TX
Setting 16
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	19.02168G	51.02	83.54	-32.52	47.54	1	Horizontal	323	1.22	-	37.97	15.11	49.60	
AV	19.04052G	40.31	63.54	-23.23	36.85	1	Horizontal	323	1.22	-	37.95	15.12	49.61	

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6665MHz_TnomVnom




EUT V_2TX
Setting 18.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.6628G	118.45	Inf	-Inf	110.45	3	Vertical	72	1.76	-	35.33	8.10	35.43	
RMS	6.6606G	107.28	Inf	-Inf	99.29	3	Vertical	72	1.76	-	35.32	8.10	35.43	
PK	7.1292G	70.65	88.20	-17.55	61.99	3	Vertical	72	1.76	-	35.98	8.20	35.52	
RMS	7.1292G	55.52	68.20	-12.68	46.86	3	Vertical	72	1.76	-	35.98	8.20	35.52	

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6665MHz_TnomVnom




EUT Y_2TX
Setting 18.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.3444G	61.86	74.00	-12.14	43.46	3	Vertical	304	2.06	-	40.19	11.88	33.67	
AV	13.31818G	51.47	54.00	-2.53	33.19	3	Vertical	304	2.06	-	40.14	11.85	33.71	

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6665MHz_TnomVnom




EUT Y_2TX
Setting 18.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.32814G	62.07	74.00	-11.93	43.75	3	Horizontal	127	1.66	-	40.16	11.86	33.70
AV	13.33774G	51.11	54.00	-2.89	32.74	3	Horizontal	127	1.66	-	40.18	11.87	33.68

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6665MHz_TnomVnom




EUT Y_2TX
Setting 18.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.00088G	52.59	83.54	-30.95	49.39	1	Vertical	2	2.59	-	37.40	15.50	49.70
AV	20.00514G	41.13	63.54	-22.41	37.93	1	Vertical	2	2.59	-	37.40	15.50	49.70

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6665MHz_TnomVnom



EUT_V_2TX
Setting 18.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.98324G	51.63	83.54	-31.91	48.41	1	Horizontal	147	1.31	-	37.43	15.49	49.70
AV	20.00052G	40.96	63.54	-22.58	37.76	1	Horizontal	147	1.31	-	37.40	15.50	49.70



RSE TX above 1GHz
<Partial RU> standard power_RU26_1TX_Ant. 1


Appendix E.32

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	AV	11.89279G	53.68	54.00	-0.32	3	Horizontal	207	1.86	-

802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TnomVnom




EUT_V_1TX
 Setting 12.25
 01-M-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8906G	62.62	88.20	-25.58	53.94	3	Vertical	44	1.24	-	34.88	6.60	32.80
RMS	5.9058G	51.13	68.20	-17.07	42.41	3	Vertical	44	1.24	-	34.92	6.60	32.80
PK	5.9466G	117.20	Inf	-Inf	108.33	3	Vertical	44	1.24	-	35.09	6.60	32.82
RMS	5.9466G	107.53	Inf	-Inf	98.66	3	Vertical	44	1.24	-	35.09	6.60	32.82

802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TnomVnom




EUT V_1TX
Setting 12.25
01-M-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.8986G	62.20	88.20	-26.00	53.50	3	Horizontal	356	1.07	-	34.90	6.60	32.80	
RMS	5.9062G	50.98	68.20	-17.22	42.26	3	Horizontal	356	1.07	-	34.92	6.60	32.80	
PK	5.9462G	114.08	Inf	-Inf	105.22	3	Horizontal	356	1.07	-	35.08	6.60	32.82	
RMS	5.9466G	104.86	Inf	-Inf	95.99	3	Horizontal	356	1.07	-	35.09	6.60	32.82	

802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TnomVnom




EUT_V_1TX
Setting 12.25
01-M-S-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	11.89391G	58.78	74.00	-15.22	42.89	3	Vertical	241	1.76	-	38.50	8.97	31.58	
AV	11.89291G	46.59	54.00	-7.41	30.70	3	Vertical	241	1.76	-	38.50	8.97	31.58	

802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TnomVnom




EUT_V_1TX
 Setting 12.25
 01-M-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.89335G	69.32	74.00	-4.68	53.43	3	Horizontal	207	1.86	-	38.50	8.97	31.58	
AV	11.89279G	53.68	54.00	-0.32	37.79	3	Horizontal	207	1.86	-	38.50	8.97	31.58	

802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TnomVnom




EUT_V_1TX
Setting 15.25
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.5174G	59.31	88.20	-28.89	52.75	3	Vertical	236	1.12	-	34.60	7.32	35.36	
RMS	5.6098G	47.40	68.20	-20.80	40.82	3	Vertical	236	1.12	-	34.58	7.40	35.40	
PK	6.1866G	117.69	Inf	-Inf	110.38	3	Vertical	236	1.12	-	35.15	7.69	35.53	
RMS	6.1866G	106.58	Inf	-Inf	99.27	3	Vertical	236	1.12	-	35.15	7.69	35.53	

802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TnomVnom




EUT_V_1TX
Setting 15.25
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.6322G	59.14	88.20	-29.06	52.62	3	Horizontal	2	1.88	-	34.54	7.40	35.42	
RMS	5.6154G	47.38	68.20	-20.82	40.82	3	Horizontal	2	1.88	-	34.57	7.40	35.41	
PK	6.1866G	114.78	Inf	-Inf	107.47	3	Horizontal	2	1.88	-	35.15	7.69	35.53	
RMS	6.1866G	103.31	Inf	-Inf	96.00	3	Horizontal	2	1.88	-	35.15	7.69	35.53	

802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TnomVnom




EUT V_1TX
Setting 15.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.3736G	56.45	74.00	-17.55	41.90	3	Vertical	255	1.80	-	38.87	11.10	35.42
AV	12.3734G	43.34	54.00	-10.66	28.79	3	Vertical	255	1.80	-	38.87	11.10	35.42

802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TnomVnom




EUT V_1TX
Setting 15.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.3736G	68.10	74.00	-5.90	53.55	3	Horizontal	213	2.10	-	38.87	11.10	35.42
AV	12.373G	51.19	54.00	-2.81	36.64	3	Horizontal	213	2.10	-	38.87	11.10	35.42

802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TnomVnom




EUT_V_1TX
Setting 15.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.2236G	45.34	83.54	-38.20	42.06	1	Vertical	160	1.76	-	37.73	15.19	49.64
AV	19.2328G	32.18	63.54	-31.36	28.92	1	Vertical	160	1.76	-	37.72	15.19	49.65

802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TnomVnom




EUT_V_1TX
Setting 15.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.2526G	45.82	83.54	-37.72	42.57	1	Horizontal	67	1.08	-	37.70	15.20	49.65
AV	19.2288G	32.10	63.54	-31.44	28.83	1	Horizontal	67	1.08	-	37.73	15.19	49.65

802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TnomVnom




EUT_V_1TX
 Setting 15.5
 03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	59.16	88.20	-29.04	52.50	3	Vertical	285	2.06	-	34.70	7.52	35.56
RMS	5.925G	47.33	68.20	-20.87	40.67	3	Vertical	285	2.06	-	34.70	7.52	35.56
PK	6.4054G	114.82	Inf	-Inf	107.67	3	Vertical	285	2.06	-	34.88	7.71	35.44
RMS	6.4054G	101.77	Inf	-Inf	94.62	3	Vertical	285	2.06	-	34.88	7.71	35.44
PK	7.1254G	63.84	88.20	-24.36	55.21	3	Vertical	285	2.06	-	35.95	8.20	35.52
RMS	7.1574G	52.11	68.20	-16.09	43.30	3	Vertical	285	2.06	-	36.14	8.20	35.53

802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TnomVnom




EUT V_1TX
Setting 15.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	59.63	88.20	-28.57	52.97	3	Horizontal	3	1.79	-	34.70	7.52	35.56
RMS	5.925G	47.29	68.20	-20.91	40.63	3	Horizontal	3	1.79	-	34.70	7.52	35.56
PK	6.4054G	113.87	Inf	-Inf	106.72	3	Horizontal	3	1.79	-	34.88	7.71	35.44
RMS	6.4054G	100.11	Inf	-Inf	92.96	3	Horizontal	3	1.79	-	34.88	7.71	35.44
PK	7.1318G	63.39	88.20	-24.81	54.72	3	Horizontal	3	1.79	-	35.99	8.20	35.52
RMS	7.1606G	52.15	68.20	-16.05	43.32	3	Horizontal	3	1.79	-	36.16	8.20	35.53

802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TnomVnom




EUT_V_1TX
Setting 15.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8136G	62.10	88.20	-26.10	46.01	3	Vertical	230	1.78	-	39.31	11.45	34.67
RMS	12.813G	46.72	68.20	-21.48	30.63	3	Vertical	230	1.78	-	39.31	11.45	34.67

802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TnomVnom




EUT_V_1TX
 Setting 15.5
 03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8136G	67.17	88.20	-21.03	51.08	3	Horizontal	213	1.80	-	39.31	11.45	34.67
RMS	12.8132G	51.89	68.20	-16.31	35.80	3	Horizontal	213	1.80	-	39.31	11.45	34.67

802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TnomVnom




EUT_V_1TX
 Setting 15.5
 03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.2454G	45.74	83.54	-37.80	42.48	1	Vertical	338	1.58	-	37.71	15.20	49.65	
AV	19.236G	32.12	63.54	-31.42	28.86	1	Vertical	338	1.58	-	37.72	15.19	49.65	

802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TnomVnom




EUT_V_1TX
Setting 15.5
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.2082G	46.41	83.54	-37.13	43.12	1	Horizontal	126	2.99	-	37.75	15.18	49.64
AV	19.2378G	32.17	63.54	-31.37	28.91	1	Horizontal	126	2.99	-	37.71	15.20	49.65

802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TnomVnom




EUT_V_1TX
 Setting 15.25
 03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.891G	59.40	88.20	-28.80	52.91	3	Vertical	327	1.74	-	34.55	7.49	35.55
RMS	5.9246G	47.16	68.20	-21.04	40.50	3	Vertical	327	1.74	-	34.70	7.52	35.56
PK	6.5434G	115.88	Inf	-Inf	108.43	3	Vertical	327	1.74	-	34.87	7.99	35.41
RMS	6.5434G	105.21	Inf	-Inf	97.76	3	Vertical	327	1.74	-	34.87	7.99	35.41
PK	7.1734G	63.50	88.20	-24.70	54.60	3	Vertical	327	1.74	-	36.24	8.20	35.54
RMS	7.151G	52.15	68.20	-16.05	43.37	3	Vertical	327	1.74	-	36.11	8.20	35.53

802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TnomVnom




EUT_V_1TX
Setting 15.25
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8574G	58.87	88.20	-29.33	52.60	3	Horizontal	355	1.79	-	34.34	7.46	35.53
RMS	5.9246G	47.20	68.20	-21.00	40.54	3	Horizontal	355	1.79	-	34.70	7.52	35.56
PK	6.5434G	112.38	Inf	-Inf	104.93	3	Horizontal	355	1.79	-	34.87	7.99	35.41
RMS	6.5434G	102.57	Inf	-Inf	95.12	3	Horizontal	355	1.79	-	34.87	7.99	35.41
PK	7.1426G	64.04	88.20	-24.16	55.31	3	Horizontal	355	1.79	-	36.06	8.20	35.53
RMS	7.151G	52.13	68.20	-16.07	43.35	3	Horizontal	355	1.79	-	36.11	8.20	35.53

802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TnomVnom




EUT_V_1TX
Setting 15.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0862G	59.32	88.20	-28.88	41.99	3	Vertical	216	2.76	-	39.76	11.67	34.10
RMS	13.0868G	45.81	68.20	-22.39	28.48	3	Vertical	216	2.76	-	39.76	11.67	34.10

802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TnomVnom




EUT_V_1TX
 Setting 15.25
 03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0868G	63.97	88.20	-24.23	46.64	3	Horizontal	212	3.00	-	39.76	11.67	34.10
RMS	13.0866G	49.27	68.20	-18.93	31.94	3	Horizontal	212	3.00	-	39.76	11.67	34.10

802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TnomVnom




EUT_V_1TX
Setting 15.25
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.5926G	46.24	83.54	-37.30	42.74	1	Vertical	331	1.03	-	37.86	15.34	49.70	
AV	19.5842G	32.82	63.54	-30.72	29.32	1	Vertical	331	1.03	-	37.87	15.33	49.70	

802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TnomVnom




EUT_V_1TX
Setting 15.25
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.5734G	46.58	83.54	-36.96	43.08	1	Horizontal	67	2.26	-	37.87	15.33	49.70
AV	19.5896G	32.60	63.54	-30.94	29.10	1	Horizontal	67	2.26	-	37.86	15.34	49.70

802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TnomVnom




EUT V_1TX
 Setting 15.25
 03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7038G	115.52	Inf	-Inf	107.44	3	Vertical	322	1.89	-	35.42	8.10	35.44
RMS	6.7038G	104.81	Inf	-Inf	96.73	3	Vertical	322	1.89	-	35.42	8.10	35.44
PK	7.234G	63.72	88.20	-24.48	54.40	3	Vertical	322	1.89	-	36.60	8.27	35.55
RMS	7.1614G	52.37	68.20	-15.83	43.53	3	Vertical	322	1.89	-	36.17	8.20	35.53

802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TnomVnom




EUT V_1TX
Setting 15.25
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7038G	113.83	Inf	-Inf	105.75	3	Horizontal	356	1.50	-	35.42	8.10	35.44
RMS	6.7038G	102.66	Inf	-Inf	94.58	3	Horizontal	356	1.50	-	35.42	8.10	35.44
PK	7.1526G	64.06	88.20	-24.14	55.27	3	Horizontal	356	1.50	-	36.12	8.20	35.53
RMS	7.1504G	52.41	68.20	-15.79	43.64	3	Horizontal	356	1.50	-	36.10	8.20	35.53

802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TnomVnom




EUT_V_1TX
Setting 15.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.4158G	59.46	88.20	-28.74	40.76	3	Vertical	172	1.80	-	40.32	11.93	33.55	
RMS	13.4064G	45.21	68.20	-22.99	26.54	3	Vertical	172	1.80	-	40.31	11.93	33.57	

802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TnomVnom




EUT_V_1TX
Setting 15.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.4074G	62.02	88.20	-26.18	43.34	3	Horizontal	200	2.97	-	40.31	11.93	33.56	
RMS	13.4068G	48.34	68.20	-19.86	29.66	3	Horizontal	200	2.97	-	40.31	11.93	33.56	

802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TnomVnom




EUT_V_1TX
Setting 15.25
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.09856G	47.12	83.54	-36.42	43.84	1	Vertical	85	2.81	-	37.48	15.54	49.74
AV	20.07132G	33.09	63.54	-30.45	29.83	1	Vertical	85	2.81	-	37.46	15.53	49.73

802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TnomVnom




EUT_V_1TX
Setting 15.25
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.08506G	47.68	83.54	-35.86	44.40	1	Horizontal	41	2.45	-	37.47	15.54	49.73
AV	20.07108G	33.08	63.54	-30.46	29.82	1	Horizontal	41	2.45	-	37.46	15.53	49.73

802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TnomVnom




EUT V_1TX
 Setting 23
 01-M-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8466G	120.87	Inf	-Inf	110.20	3	Vertical	75	1.27	-	36.57	7.07	32.97
RMS	6.8466G	115.75	Inf	-Inf	105.08	3	Vertical	75	1.27	-	36.57	7.07	32.97
PK	7.1574G	64.05	88.20	-24.15	53.00	3	Vertical	75	1.27	-	36.93	7.22	33.10
RMS	7.1854G	53.18	68.20	-15.02	42.05	3	Vertical	75	1.27	-	37.04	7.21	33.12

802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TnomVnom




EUT V_1TX
 Setting 23
 01-M-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8466G	119.44	Inf	-Inf	108.77	3	Horizontal	17	1.72	-	36.57	7.07	32.97
RMS	6.8466G	114.27	Inf	-Inf	103.60	3	Horizontal	17	1.72	-	36.57	7.07	32.97
PK	7.198G	63.64	88.20	-24.56	52.47	3	Horizontal	17	1.72	-	37.09	7.20	33.12
RMS	7.1882G	53.13	68.20	-15.07	41.99	3	Horizontal	17	1.72	-	37.05	7.21	33.12

802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TnomVnom




EUT_V_1TX
Setting 23
01-M-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.6933G	68.79	88.20	-19.41	48.21	3	Vertical	297	1.84	-	40.49	9.76	29.67	
RMS	13.6929G	60.62	68.20	-7.58	40.04	3	Vertical	297	1.84	-	40.49	9.76	29.67	

802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TnomVnom




EUT_V_1TX
 Setting 23
 01-M-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.6931G	68.64	88.20	-19.56	48.06	3	Horizontal	215	2.88	-	40.49	9.76	29.67
RMS	13.6929G	60.41	68.20	-7.79	39.83	3	Horizontal	215	2.88	-	40.49	9.76	29.67

802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TnomVnom




EUT_V_1TX
Setting 23
01-M-S-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	20.56196G	46.70	83.54	-36.84	43.06	1	Vertical	358	1.50	-	37.77	15.75	49.88	
AV	20.56556G	34.58	63.54	-28.96	30.92	1	Vertical	358	1.50	-	37.78	15.75	49.87	

802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TnomVnom



EUT_V_1TX
Setting 23
01-M-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.56752G	47.02	83.54	-36.52	43.35	1	Horizontal	122	1.58	-	37.78	15.76	49.87
AV	20.56658G	34.58	63.54	-28.96	30.92	1	Horizontal	122	1.58	-	37.78	15.75	49.87



RSE TX above 1GHz
<Partial RU> standard power_RU52_1TX_Ant. 1


Appendix E.33

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	AV	11.89523G	53.88	54.00	-0.12	3	Horizontal	220	1.80	-

802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TnomVnom




EUT V_1TX
Setting 13.75
01-M-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9186G	64.29	88.20	-23.91	55.53	3	Vertical	44	1.25	-	34.97	6.60	32.81
RMS	5.9186G	51.76	68.20	-16.44	43.00	3	Vertical	44	1.25	-	34.97	6.60	32.81
PK	5.949G	117.41	Inf	-Inf	108.53	3	Vertical	44	1.25	-	35.10	6.60	32.82
RMS	5.9482G	107.28	Inf	-Inf	98.41	3	Vertical	44	1.25	-	35.09	6.60	32.82

802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TnomVnom




EUT_V_1TX
Setting 13.75
01-M-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9126G	62.99	88.20	-25.21	54.25	3	Horizontal	360	2.41	-	34.95	6.60	32.81
RMS	5.9142G	51.06	68.20	-17.14	42.31	3	Horizontal	360	2.41	-	34.96	6.60	32.81
PK	5.949G	114.42	Inf	-Inf	105.54	3	Horizontal	360	2.41	-	35.10	6.60	32.82
RMS	5.9486G	104.37	Inf	-Inf	95.50	3	Horizontal	360	2.41	-	35.09	6.60	32.82

802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TnomVnom




EUT_V_1TX
Setting 13.75
01-M-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.89795G	60.52	74.00	-13.48	44.63	3	Vertical	3	1.77	-	38.50	8.97	31.58
AV	11.89519G	47.67	54.00	-6.33	31.78	3	Vertical	3	1.77	-	38.50	8.97	31.58

802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TnomVnom




EUT V_1TX
Setting 13.75
01-M-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.89815G	65.95	74.00	-8.05	50.06	3	Horizontal	220	1.80	-	38.50	8.97	31.58
AV	11.89523G	53.88	54.00	-0.12	37.99	3	Horizontal	220	1.80	-	38.50	8.97	31.58

802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TnomVnom




EUT_V_1TX
Setting 17.75
03-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9118G	57.96	88.20	-30.24	51.36	3	Vertical	235	1.12	-	34.65	7.51	35.56
RMS	5.9238G	47.09	68.20	-21.11	40.43	3	Vertical	235	1.12	-	34.70	7.52	35.56
PK	6.189G	117.44	Inf	-Inf	110.11	3	Vertical	235	1.12	-	35.16	7.69	35.52
RMS	6.189G	106.86	Inf	-Inf	99.53	3	Vertical	235	1.12	-	35.16	7.69	35.52

802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TnomVnom




EUT_V_1TX
Setting 17.75
03-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9118G	57.65	88.20	-30.55	51.05	3	Horizontal	0	1.88	-	34.65	7.51	35.56
RMS	5.925G	47.04	68.20	-21.16	40.37	3	Horizontal	0	1.88	-	34.70	7.53	35.56
PK	6.189G	114.17	Inf	-Inf	106.84	3	Horizontal	0	1.88	-	35.16	7.69	35.52
RMS	6.189G	103.52	Inf	-Inf	96.19	3	Horizontal	0	1.88	-	35.16	7.69	35.52

802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TnomVnom




EUT_V_1TX
Setting 17.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.3756G	58.39	74.00	-15.61	43.82	3	Vertical	261	1.80	-	38.88	11.10	35.41
AV	12.376G	45.50	54.00	-8.50	30.93	3	Vertical	261	1.80	-	38.88	11.10	35.41

802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TnomVnom




EUT_V_1TX
Setting 17.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.3762G	64.45	74.00	-9.55	49.88	3	Horizontal	208	1.80	-	38.88	11.10	35.41
AV	12.3762G	50.66	54.00	-3.34	36.09	3	Horizontal	208	1.80	-	38.88	11.10	35.41

802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TnomVnom




EUT_V_1TX
Setting 17.75
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	18.6032G	45.20	83.54	-38.34	42.50	1	Vertical	129	1.26	-	37.76	14.94	50.00	
AV	18.5358G	31.25	63.54	-32.29	28.61	1	Vertical	129	1.26	-	37.79	14.91	50.06	

802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TnomVnom




EUT_V_1TX
Setting 17.75
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	18.5786G	44.56	83.54	-38.98	41.88	1	Horizontal	179	2.19	-	37.77	14.93	50.02	
AV	18.5376G	31.25	63.54	-32.29	28.61	1	Horizontal	179	2.19	-	37.78	14.92	50.06	

802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TnomVnom




EUT_V_1TX
Setting 18.25
03-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8654G	57.58	88.20	-30.62	51.25	3	Vertical	332	1.64	-	34.39	7.47	35.53
RMS	5.9206G	47.00	68.20	-21.20	40.36	3	Vertical	332	1.64	-	34.68	7.52	35.56
PK	6.4102G	114.05	Inf	-Inf	106.91	3	Vertical	332	1.64	-	34.86	7.72	35.44
RMS	6.4078G	103.50	Inf	-Inf	96.35	3	Vertical	332	1.64	-	34.87	7.72	35.44

802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TnomVnom




EUT V_1TX
Setting 18.25
03-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9182G	57.90	88.20	-30.30	51.27	3	Horizontal	355	1.87	-	34.67	7.52	35.56
RMS	5.9182G	46.98	68.20	-21.22	40.35	3	Horizontal	355	1.87	-	34.67	7.52	35.56
PK	6.4102G	113.72	Inf	-Inf	106.58	3	Horizontal	355	1.87	-	34.86	7.72	35.44
RMS	6.4078G	102.92	Inf	-Inf	95.77	3	Horizontal	355	1.87	-	34.87	7.72	35.44

802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TnomVnom




EUT_V_1TX
Setting 18.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8184G	59.76	88.20	-28.44	43.65	3	Vertical	215	1.80	-	39.32	11.45	34.66
RMS	12.816G	46.19	68.20	-22.01	30.08	3	Vertical	215	1.80	-	39.32	11.45	34.66

802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TnomVnom




EUT_V_1TX
 Setting 18.25
 03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8164G	65.45	88.20	-22.75	49.34	3	Horizontal	206	1.80	-	39.32	11.45	34.66
RMS	12.8162G	52.02	68.20	-16.18	35.91	3	Horizontal	206	1.80	-	39.32	11.45	34.66

802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TnomVnom




EUT_V_1TX
Setting 18.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.2296G	46.10	83.54	-37.44	42.84	1	Vertical	340	1.04	-	37.72	15.19	49.65
AV	19.233G	32.16	63.54	-31.38	28.90	1	Vertical	340	1.04	-	37.72	15.19	49.65

802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TnomVnom




EUT_V_1TX
Setting 18.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.2846G	46.27	83.54	-37.27	42.99	1	Horizontal	271	1.93	-	37.73	15.21	49.66
AV	19.2278G	32.08	63.54	-31.46	28.81	1	Horizontal	271	1.93	-	37.73	15.19	49.65

802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TnomVnom




EUT_V_1TX
Setting 18.25
03-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9106G	57.87	88.20	-30.33	51.28	3	Vertical	327	1.74	-	34.64	7.51	35.56
RMS	5.9218G	46.89	68.20	-21.31	40.24	3	Vertical	327	1.74	-	34.69	7.52	35.56
PK	6.5406G	113.64	Inf	-Inf	106.21	3	Vertical	327	1.74	-	34.86	7.98	35.41
RMS	6.5434G	103.52	Inf	-Inf	96.07	3	Vertical	327	1.74	-	34.87	7.99	35.41
PK	7.1314G	63.53	88.20	-24.67	54.86	3	Vertical	327	1.74	-	35.99	8.20	35.52
RMS	7.1566G	52.52	68.20	-15.68	43.71	3	Vertical	327	1.74	-	36.14	8.20	35.53

802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TnomVnom




EUT_V_1TX
 Setting 18.25
 03-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.877G	57.59	88.20	-30.61	51.19	3	Horizontal	355	1.78	-	34.46	7.48	35.54
RMS	5.919G	46.90	68.20	-21.30	40.26	3	Horizontal	355	1.78	-	34.68	7.52	35.56
PK	6.5406G	110.80	Inf	-Inf	103.37	3	Horizontal	355	1.78	-	34.86	7.98	35.41
RMS	6.5434G	100.83	Inf	-Inf	93.38	3	Horizontal	355	1.78	-	34.87	7.99	35.41
PK	7.2154G	64.09	88.20	-24.11	54.92	3	Horizontal	355	1.78	-	36.49	8.23	35.55
RMS	7.151G	52.55	68.20	-15.65	43.77	3	Horizontal	355	1.78	-	36.11	8.20	35.53

802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TnomVnom




EUT_V_1TX
 Setting 18.25
 03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0848G	57.94	88.20	-30.26	40.62	3	Vertical	307	1.80	-	39.75	11.67	34.10
RMS	13.0838G	44.69	68.20	-23.51	27.37	3	Vertical	307	1.80	-	39.75	11.67	34.10

802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TnomVnom




EUT V_1TX
Setting 18.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0848G	61.19	88.20	-27.01	43.87	3	Horizontal	202	2.92	-	39.75	11.67	34.10
RMS	13.0842G	48.00	68.20	-20.20	30.68	3	Horizontal	202	2.92	-	39.75	11.67	34.10

802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TnomVnom




EUT_V_1TX
Setting 18.25
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.6322G	47.05	83.54	-36.49	43.55	1	Vertical	213	1.96	-	37.85	15.35	49.70
AV	19.6446G	32.79	63.54	-30.75	29.29	1	Vertical	213	1.96	-	37.84	15.36	49.70

802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TnomVnom




EUT V_1TX
Setting 18.25
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.651G	46.54	83.54	-37.00	43.04	1	Horizontal	51	2.25	-	37.84	15.36	49.70
AV	19.5902G	32.76	63.54	-30.78	29.26	1	Horizontal	51	2.25	-	37.86	15.34	49.70

802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TnomVnom




EUT_V_1TX
Setting 18.25
03-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.7016G	113.04	Inf	-Inf	104.97	3	Vertical	328	1.73	-	35.41	8.10	35.44	
RMS	6.7016G	104.92	Inf	-Inf	96.85	3	Vertical	328	1.73	-	35.41	8.10	35.44	
PK	7.1592G	63.40	88.20	-24.80	54.57	3	Vertical	328	1.73	-	36.16	8.20	35.53	
RMS	7.1548G	52.54	68.20	-15.66	43.74	3	Vertical	328	1.73	-	36.13	8.20	35.53	

802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TnomVnom




EUT_V_1TX
Setting 18.25
03-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7016G	111.86	Inf	-Inf	103.79	3	Horizontal	355	1.51	-	35.41	8.10	35.44
RMS	6.7016G	103.41	Inf	-Inf	95.34	3	Horizontal	355	1.51	-	35.41	8.10	35.44
PK	7.1636G	63.04	88.20	-25.16	54.19	3	Horizontal	355	1.51	-	36.18	8.20	35.53
RMS	7.1548G	52.55	68.20	-15.65	43.75	3	Horizontal	355	1.51	-	36.13	8.20	35.53

802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TnomVnom




EUT_V_1TX
 Setting 18.25
 03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.4356G	58.47	88.20	-29.73	39.70	3	Vertical	178	1.98	-	40.34	11.95	33.52
RMS	13.4038G	44.83	68.20	-23.37	26.18	3	Vertical	178	1.98	-	40.30	11.92	33.57

802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TnomVnom




EUT_V_1TX
 Setting 18.25
 03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.4022G	62.77	88.20	-25.43	44.12	3	Horizontal	202	2.43	-	40.30	11.92	33.57
RMS	13.4038G	48.79	68.20	-19.41	30.14	3	Horizontal	202	2.43	-	40.30	11.92	33.57

802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TnomVnom




EUT_V_1TX
Setting 18.25
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.0578G	46.99	83.54	-36.55	43.73	1	Vertical	97	1.23	-	37.45	15.53	49.72
AV	20.0762G	33.33	63.54	-30.21	30.07	1	Vertical	97	1.23	-	37.46	15.53	49.73

802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TnomVnom




EUT_V_1TX
Setting 18.25
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	20.1078G	46.91	83.54	-36.63	43.61	1	Horizontal	217	2.29	-	37.49	15.55	49.74	
AV	20.0516G	33.33	63.54	-30.21	30.09	1	Horizontal	217	2.29	-	37.44	15.52	49.72	

802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TnomVnom




EUT_V_1TX
Setting 23
01-M-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.848G	119.72	Inf	-Inf	109.04	3	Vertical	76	1.35	-	36.58	7.07	32.97
RMS	6.848G	112.87	Inf	-Inf	102.19	3	Vertical	76	1.35	-	36.58	7.07	32.97
PK	7.198G	64.06	88.20	-24.14	52.89	3	Vertical	76	1.35	-	37.09	7.20	33.12
RMS	7.17G	53.15	68.20	-15.05	42.07	3	Vertical	76	1.35	-	36.98	7.21	33.11

802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TnomVnom




EUT_V_1TX
Setting 23
01-M-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8494G	118.31	Inf	-Inf	107.61	3	Horizontal	17	2.02	-	36.60	7.07	32.97
RMS	6.848G	111.10	Inf	-Inf	100.42	3	Horizontal	17	2.02	-	36.58	7.07	32.97
PK	7.142G	64.45	88.20	-23.75	53.47	3	Horizontal	17	2.02	-	36.84	7.23	33.09
RMS	7.1784G	53.17	68.20	-15.03	42.06	3	Horizontal	17	2.02	-	37.01	7.21	33.11

802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TnomVnom




EUT_V_1TX
 Setting 23
 01-M-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7087G	74.97	88.20	-13.23	54.33	3	Vertical	283	1.69	-	40.53	9.77	29.66
RMS	13.70834G	60.13	68.20	-8.07	39.49	3	Vertical	283	1.69	-	40.53	9.77	29.66

802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TnomVnom




EUT_V_1TX
 Setting 23
 01-M-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.70876G	75.25	88.20	-12.95	54.61	3	Horizontal	193	2.80	-	40.53	9.77	29.66
RMS	13.7084G	60.22	68.20	-7.98	39.58	3	Horizontal	193	2.80	-	40.53	9.77	29.66

802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TnomVnom




EUT_V_1TX
Setting 23
01-M-S-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.56276G	46.49	83.54	-37.05	42.83	1	Vertical	197	1.54	-	37.78	15.75	49.87
AV	20.5675G	34.37	63.54	-29.17	30.70	1	Vertical	197	1.54	-	37.78	15.76	49.87

802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TnomVnom



EUT_V_1TX
 Setting 23
 01-M-S-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	20.56858G	47.08	83.54	-36.46	43.41	1	Horizontal	330	1.57	-	37.78	15.76	49.87	
AV	20.5677G	34.37	63.54	-29.17	30.70	1	Horizontal	330	1.57	-	37.78	15.76	49.87	



RSE TX above 1GHz
<Partial RU> standard power_RU106_1TX_Ant. 1


Appendix E.34

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	AV	11.90111G	53.74	54.00	-0.26	3	Vertical	296	2.24	-

802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TnomVnom




EUT_V_1TX
Setting 15.75
01-M-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9222G	67.03	88.20	-21.17	58.25	3	Vertical	42	1.14	-	34.99	6.60	32.81
RMS	5.925G	51.84	68.20	-16.36	43.05	3	Vertical	42	1.14	-	35.00	6.60	32.81
PK	5.9518G	113.81	Inf	-Inf	104.92	3	Vertical	42	1.14	-	35.11	6.60	32.82
RMS	5.9522G	105.25	Inf	-Inf	96.36	3	Vertical	42	1.14	-	35.11	6.60	32.82

802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TnomVnom




EUT V_1TX
Setting 15.75
01-M-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9198G	66.64	88.20	-21.56	57.87	3	Horizontal	360	1.70	-	34.98	6.60	32.81
RMS	5.9238G	51.33	68.20	-16.87	42.54	3	Horizontal	360	1.70	-	35.00	6.60	32.81
PK	5.9522G	111.12	Inf	-Inf	102.23	3	Horizontal	360	1.70	-	35.11	6.60	32.82
RMS	5.9522G	102.40	Inf	-Inf	93.51	3	Horizontal	360	1.70	-	35.11	6.60	32.82

802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TnomVnom




EUT_V_1TX
Setting 15.75
01-M-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.90141G	65.67	74.00	-8.33	49.77	3	Vertical	296	2.24	-	38.50	8.98	31.58
AV	11.90111G	53.74	54.00	-0.26	37.84	3	Vertical	296	2.24	-	38.50	8.98	31.58

802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TnomVnom




EUT_V_1TX
Setting 15.75
01-M-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.89711G	65.88	74.00	-8.12	49.99	3	Horizontal	209	1.50	-	38.50	8.97	31.58
AV	11.90101G	53.52	54.00	-0.48	37.62	3	Horizontal	209	1.50	-	38.50	8.98	31.58

802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TnomVnom




EUT_V_1TX
Setting 20.75
03-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	58.48	88.20	-29.72	51.81	3	Vertical	223	1.94	-	34.70	7.53	35.56
RMS	5.9238G	46.94	68.20	-21.26	40.28	3	Vertical	223	1.94	-	34.70	7.52	35.56
PK	6.1926G	112.47	Inf	-Inf	105.12	3	Vertical	223	1.94	-	35.17	7.70	35.52
RMS	6.1926G	104.65	Inf	-Inf	97.30	3	Vertical	223	1.94	-	35.17	7.70	35.52

802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TnomVnom




EUT V_1TX
Setting 20.75
03-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.919G	58.56	88.20	-29.64	51.92	3	Horizontal	198	1.80	-	34.68	7.52	35.56
RMS	5.925G	46.92	68.20	-21.28	40.25	3	Horizontal	198	1.80	-	34.70	7.53	35.56
PK	6.1926G	111.11	Inf	-Inf	103.76	3	Horizontal	198	1.80	-	35.17	7.70	35.52
RMS	6.1926G	103.17	Inf	-Inf	95.82	3	Horizontal	198	1.80	-	35.17	7.70	35.52

802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TnomVnom




EUT V_1TX
Setting 20.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.3828G	58.72	74.00	-15.28	44.14	3	Vertical	263	1.79	-	38.88	11.11	35.41
AV	12.38124G	45.46	54.00	-8.54	30.89	3	Vertical	263	1.79	-	38.88	11.10	35.41

802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TnomVnom




EUT V_1TX
Setting 20.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.38262G	63.44	74.00	-10.56	48.86	3	Horizontal	209	1.80	-	38.88	11.11	35.41
AV	12.3813G	51.21	54.00	-2.79	36.63	3	Horizontal	209	1.80	-	38.88	11.11	35.41

802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TnomVnom




EUT_V_1TX
Setting 20.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.58584G	44.93	83.54	-38.61	42.24	1	Vertical	1	1.84	-	37.77	14.93	50.01
AV	18.57096G	30.79	63.54	-32.75	28.12	1	Vertical	1	1.84	-	37.77	14.93	50.03

802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TnomVnom




EUT V_1TX
Setting 20.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.59226G	44.63	83.54	-38.91	41.94	1	Horizontal	298	2.24	-	37.76	14.94	50.01
AV	18.57114G	30.77	63.54	-32.77	28.10	1	Horizontal	298	2.24	-	37.77	14.93	50.03

802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TnomVnom




EUT V_1TX
Setting 21.25
03-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9158G	57.90	88.20	-30.30	51.28	3	Vertical	329	1.80	-	34.66	7.52	35.56
RMS	5.925G	46.99	68.20	-21.21	40.33	3	Vertical	329	1.80	-	34.70	7.52	35.56
PK	6.4126G	112.19	Inf	-Inf	105.04	3	Vertical	329	1.80	-	34.85	7.73	35.43
RMS	6.4126G	104.13	Inf	-Inf	96.98	3	Vertical	329	1.80	-	34.85	7.73	35.43

802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TnomVnom




EUT V_1TX
Setting 21.25
03-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8342G	57.31	88.20	-30.89	51.13	3	Horizontal	0	1.85	-	34.27	7.43	35.52
RMS	5.923G	46.92	68.20	-21.28	40.27	3	Horizontal	0	1.85	-	34.69	7.52	35.56
PK	6.4126G	111.50	Inf	-Inf	104.35	3	Horizontal	0	1.85	-	34.85	7.73	35.43
RMS	6.4126G	103.37	Inf	-Inf	96.22	3	Horizontal	0	1.85	-	34.85	7.73	35.43

802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TnomVnom




EUT V_1TX
Setting 21.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.82106G	59.36	88.20	-28.84	43.23	3	Vertical	265	1.80	-	39.32	11.46	34.65
RMS	12.82124G	45.43	68.20	-22.77	29.30	3	Vertical	265	1.80	-	39.32	11.46	34.65

802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TnomVnom




EUT V_1TX
Setting 21.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.82058G	64.99	88.20	-23.21	48.86	3	Horizontal	207	1.71	-	39.32	11.46	34.65
RMS	12.82124G	52.77	68.20	-15.43	36.64	3	Horizontal	207	1.71	-	39.32	11.46	34.65

802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TnomVnom




EUT_V_1TX
Setting 21.25
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.2303G	45.41	83.54	-38.13	42.15	1	Vertical	170	2.46	-	37.72	15.19	49.65	
AV	19.23318G	31.59	63.54	-31.95	28.33	1	Vertical	170	2.46	-	37.72	15.19	49.65	

802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TnomVnom




EUT_V_1TX
Setting 21.25
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.25886G	45.66	83.54	-37.88	42.40	1	Horizontal	111	1.04	-	37.71	15.20	49.65	
AV	19.23348G	31.55	63.54	-31.99	28.29	1	Horizontal	111	1.04	-	37.72	15.19	49.65	

802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TnomVnom




EUT V_1TX
Setting 20.75
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8994G	57.46	88.20	-30.74	50.91	3	Vertical	326	1.97	-	34.60	7.50	35.55
RMS	5.9162G	46.83	68.20	-21.37	40.21	3	Vertical	326	1.97	-	34.66	7.52	35.56
PK	6.5378G	114.73	Inf	-Inf	107.31	3	Vertical	326	1.97	-	34.85	7.98	35.41
RMS	6.5378G	106.34	Inf	-Inf	98.92	3	Vertical	326	1.97	-	34.85	7.98	35.41
PK	7.1454G	62.84	88.20	-25.36	54.10	3	Vertical	326	1.97	-	36.07	8.20	35.53
RMS	7.1594G	52.14	68.20	-16.06	43.31	3	Vertical	326	1.97	-	36.16	8.20	35.53

802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TnomVnom




EUT V_1TX
Setting 20.75
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9022G	57.64	88.20	-30.56	51.08	3	Horizontal	333	2.96	-	34.61	7.50	35.55
RMS	5.9246G	46.90	68.20	-21.30	40.24	3	Horizontal	333	2.96	-	34.70	7.52	35.56
PK	6.5378G	112.39	Inf	-Inf	104.97	3	Horizontal	333	2.96	-	34.85	7.98	35.41
RMS	6.5378G	103.85	Inf	-Inf	96.43	3	Horizontal	333	2.96	-	34.85	7.98	35.41
PK	7.1398G	62.84	88.20	-25.36	54.13	3	Horizontal	333	2.96	-	36.04	8.20	35.53
RMS	7.1426G	52.05	68.20	-16.15	43.32	3	Horizontal	333	2.96	-	36.06	8.20	35.53

802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TnomVnom




EUT V_1TX
Setting 20.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.07636G	59.22	88.20	-28.98	41.94	3	Vertical	308	1.80	-	39.73	11.66	34.11
RMS	13.07864G	44.41	68.20	-23.79	27.12	3	Vertical	308	1.80	-	39.74	11.66	34.11

802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TnomVnom




EUT V_1TX
Setting 20.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.07876G	61.31	88.20	-26.89	44.02	3	Horizontal	202	1.80	-	39.74	11.66	34.11	
RMS	13.07618G	47.52	68.20	-20.68	30.24	3	Horizontal	202	1.80	-	39.73	11.66	34.11	

802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TnomVnom




EUT_V_1TX
Setting 20.75
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.59216G	46.41	83.54	-37.13	42.91	1	Vertical	126	1.58	-	37.86	15.34	49.70
AV	19.59366G	32.48	63.54	-31.06	28.98	1	Vertical	126	1.58	-	37.86	15.34	49.70

802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TnomVnom




EUT_V_1TX
Setting 20.75
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.59168G	46.00	83.54	-37.54	42.50	1	Horizontal	336	2.51	-	37.86	15.34	49.70
AV	19.5939G	32.51	63.54	-31.03	29.01	1	Horizontal	336	2.51	-	37.86	15.34	49.70

802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TnomVnom




EUT_V_1TX
Setting 21
03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.6972G	114.09	Inf	-Inf	106.04	3	Vertical	325	1.90	-	35.39	8.10	35.44	
RMS	6.6972G	105.83	Inf	-Inf	97.78	3	Vertical	325	1.90	-	35.39	8.10	35.44	
PK	7.146G	63.31	88.20	-24.89	54.56	3	Vertical	325	1.90	-	36.08	8.20	35.53	
RMS	7.157G	52.11	68.20	-16.09	43.30	3	Vertical	325	1.90	-	36.14	8.20	35.53	

802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TnomVnom




EUT_V_1TX
 Setting 21
 03-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.6972G	111.34	Inf	-Inf	103.29	3	Horizontal	355	1.75	-	35.39	8.10	35.44	
RMS	6.6972G	102.87	Inf	-Inf	94.82	3	Horizontal	355	1.75	-	35.39	8.10	35.44	
PK	7.1394G	63.23	88.20	-24.97	54.52	3	Horizontal	355	1.75	-	36.04	8.20	35.53	
RMS	7.1548G	52.10	68.20	-16.10	43.30	3	Horizontal	355	1.75	-	36.13	8.20	35.53	

802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TnomVnom




EUT_V_1TX
Setting 21
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.39792G	61.25	74.00	-12.75	42.61	3	Vertical	207	1.00	-	40.30	11.92	33.58	
AV	13.39558G	46.98	54.00	-7.02	28.35	3	Vertical	207	1.00	-	40.29	11.92	33.58	

802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TnomVnom




EUT_V_1TX
Setting 21
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.39966G	62.54	74.00	-11.46	43.90	3	Horizontal	207	3.00	-	40.30	11.92	33.58
AV	13.39984G	47.96	54.00	-6.04	29.32	3	Horizontal	207	3.00	-	40.30	11.92	33.58

802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TnomVnom




EUT_V_1TX
Setting 21
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.07756G	47.48	83.54	-36.06	44.22	1	Vertical	48	2.31	-	37.46	15.53	49.73
AV	20.0874G	33.05	63.54	-30.49	29.77	1	Vertical	48	2.31	-	37.47	15.54	49.73

802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TnomVnom




EUT V_1TX
Setting 21
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	20.0949G	46.63	83.54	-36.91	43.35	1	Horizontal	322	2.85	-	37.48	15.54	49.74	
AV	20.07G	33.11	63.54	-30.43	29.85	1	Horizontal	322	2.85	-	37.46	15.53	49.73	

802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TnomVnom




EUT_V_1TX
Setting 23
01-M-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.848G	118.23	Inf	-Inf	107.55	3	Vertical	74	1.34	-	36.58	7.07	32.97
RMS	6.8508G	109.52	Inf	-Inf	98.82	3	Vertical	74	1.34	-	36.59	7.08	32.97
PK	7.198G	64.34	88.20	-23.86	53.17	3	Vertical	74	1.34	-	37.09	7.20	33.12
RMS	7.1966G	53.15	68.20	-15.05	41.98	3	Vertical	74	1.34	-	37.09	7.20	33.12

802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TnomVnom




EUT_V_1TX
Setting 23
01-M-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.848G	116.80	Inf	-Inf	106.12	3	Horizontal	17	2.02	-	36.58	7.07	32.97	
RMS	6.8508G	108.20	Inf	-Inf	97.50	3	Horizontal	17	2.02	-	36.59	7.08	32.97	
PK	7.1336G	64.45	88.20	-23.75	53.54	3	Horizontal	17	2.02	-	36.77	7.23	33.09	
RMS	7.1882G	53.22	68.20	-14.98	42.08	3	Horizontal	17	2.02	-	37.05	7.21	33.12	

802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TnomVnom




EUT_V_1TX
Setting 23
01-M-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7093G	77.63	88.20	-10.57	56.99	3	Vertical	164	2.24	-	40.53	9.77	29.66
RMS	13.70542G	64.21	68.20	-3.99	43.58	3	Vertical	164	2.24	-	40.52	9.77	29.66

802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TnomVnom




EUT_V_1TX
Setting 23
01-M-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.70586G	75.10	88.20	-13.10	54.47	3	Horizontal	241	1.34	-	40.52	9.77	29.66
RMS	13.70536G	66.21	68.20	-1.99	45.58	3	Horizontal	241	1.34	-	40.52	9.77	29.66

802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TnomVnom




EUT_V_1TX
Setting 23
01-M-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.56836G	46.69	83.54	-36.85	43.02	1	Vertical	268	1.58	-	37.78	15.76	49.87
AV	20.56926G	34.30	63.54	-29.24	30.63	1	Vertical	268	1.58	-	37.78	15.76	49.87

802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TnomVnom



EUT_V_1TX
Setting 23
01-M-S-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	20.56232G	47.42	83.54	-36.12	43.78	1	Horizontal	189	1.57	-	37.77	15.75	49.88	
AV	20.5694G	34.30	63.54	-29.24	30.63	1	Horizontal	189	1.57	-	37.78	15.76	49.87	



RSE TX above 1GHz
<Partial RU> standard power_RU26_1TX_Ant. 2


Appendix E.35

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	AV	11.89287G	53.88	54.00	-0.12	3	Horizontal	199	2.27	-

802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TnomVnom




EUT V_1TX
Setting 12.5
01-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9082G	63.38	88.20	-24.82	54.65	3	Vertical	19	2.26	-	34.93	6.60	32.80
RMS	5.9094G	50.93	68.20	-17.27	42.19	3	Vertical	19	2.26	-	34.94	6.60	32.80
PK	5.9466G	103.51	Inf	-Inf	94.64	3	Vertical	19	2.26	-	35.09	6.60	32.82
RMS	5.9466G	93.80	Inf	-Inf	84.93	3	Vertical	19	2.26	-	35.09	6.60	32.82

802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TnomVnom




EUT V_1TX
Setting 12.5
01-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.879G	63.26	88.20	-24.94	54.59	3	Horizontal	346	2.87	-	34.86	6.60	32.79	
RMS	5.9174G	50.88	68.20	-17.32	42.12	3	Horizontal	346	2.87	-	34.97	6.60	32.81	
PK	5.9466G	108.85	Inf	-Inf	99.98	3	Horizontal	346	2.87	-	35.09	6.60	32.82	
RMS	5.9466G	99.94	Inf	-Inf	91.07	3	Horizontal	346	2.87	-	35.09	6.60	32.82	

802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TnomVnom




EUT_V_1TX
Setting 12.5
01-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.89339G	65.21	74.00	-8.79	49.32	3	Vertical	231	1.79	-	38.50	8.97	31.58
AV	11.89275G	51.71	54.00	-2.29	35.82	3	Vertical	231	1.79	-	38.50	8.97	31.58

802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TnomVnom




EUT_V_1TX
Setting 12.5
01-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.89295G	68.91	74.00	-5.09	53.02	3	Horizontal	199	2.27	-	38.50	8.97	31.58
AV	11.89287G	53.88	54.00	-0.12	37.99	3	Horizontal	199	2.27	-	38.50	8.97	31.58

802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TnomVnom




EUT_V_1TX
Setting 15
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.8974G	61.70	88.20	-26.50	53.01	3	Vertical	230	1.77	-	34.89	6.60	32.80	
RMS	5.9238G	50.11	68.20	-18.09	41.32	3	Vertical	230	1.77	-	35.00	6.60	32.81	
PK	6.1866G	121.45	Inf	-Inf	111.97	3	Vertical	230	1.77	-	35.45	6.88	32.85	
RMS	6.1866G	109.57	Inf	-Inf	100.09	3	Vertical	230	1.77	-	35.45	6.88	32.85	

802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TnomVnom




EUT_V_1TX
Setting 15
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9226G	61.56	88.20	-26.64	52.78	3	Horizontal	182	2.69	-	34.99	6.60	32.81	
RMS	5.925G	50.10	68.20	-18.10	41.31	3	Horizontal	182	2.69	-	35.00	6.60	32.81	
PK	6.1866G	114.92	Inf	-Inf	105.44	3	Horizontal	182	2.69	-	35.45	6.88	32.85	
RMS	6.1866G	103.69	Inf	-Inf	94.21	3	Horizontal	182	2.69	-	35.45	6.88	32.85	

802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TnomVnom




EUT_V_1TX
 Setting 15
 01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.3726G	63.31	74.00	-10.69	47.07	3	Vertical	232	1.72	-	38.65	9.17	31.58
AV	12.3732G	48.68	54.00	-5.32	32.44	3	Vertical	232	1.72	-	38.65	9.17	31.58

802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TnomVnom




EUT_V_1TX
Setting 15
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.37212G	67.43	74.00	-6.57	51.20	3	Horizontal	203	1.80	-	38.64	9.17	31.58
AV	12.37272G	51.38	54.00	-2.62	35.14	3	Horizontal	203	1.80	-	38.65	9.17	31.58

802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TnomVnom




EUT_V_1TX
Setting 15
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	18.5856G	47.54	83.54	-36.00	44.85	1	Vertical	181	1.55	-	37.77	14.93	50.01	
AV	18.61308G	33.70	63.54	-29.84	30.99	1	Vertical	181	1.55	-	37.75	14.95	49.99	

802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TnomVnom




EUT_V_1TX
Setting 15
01-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	18.59016G	47.79	83.54	-35.75	45.10	1	Horizontal	283	2.71	-	37.76	14.94	50.01
AV	18.609G	33.78	63.54	-29.76	31.07	1	Horizontal	283	2.71	-	37.76	14.94	49.99

802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TnomVnom




EUT V_1TX
Setting 15.5
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.911G	61.56	88.20	-26.64	52.82	3	Vertical	222	1.80	-	34.94	6.60	32.80	
RMS	5.925G	50.04	68.20	-18.16	41.25	3	Vertical	222	1.80	-	35.00	6.60	32.81	
PK	6.4078G	121.96	Inf	-Inf	112.25	3	Vertical	222	1.80	-	35.57	7.00	32.86	
RMS	6.4078G	107.73	Inf	-Inf	98.02	3	Vertical	222	1.80	-	35.57	7.00	32.86	

802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TnomVnom




EUT_V_1TX
Setting 15.5
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8942G	61.44	88.20	-26.76	52.75	3	Horizontal	322	1.72	-	34.89	6.60	32.80
RMS	5.923G	50.02	68.20	-18.18	41.24	3	Horizontal	322	1.72	-	34.99	6.60	32.81
PK	6.4078G	115.06	Inf	-Inf	105.35	3	Horizontal	322	1.72	-	35.57	7.00	32.86
RMS	6.4078G	101.97	Inf	-Inf	92.26	3	Horizontal	322	1.72	-	35.57	7.00	32.86

802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TnomVnom




EUT_V_1TX
 Setting 15.5
 01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.81392G	64.84	88.20	-23.36	47.18	3	Vertical	262	1.80	-	39.21	9.37	30.92	
RMS	12.81344G	49.97	68.20	-18.23	32.31	3	Vertical	262	1.80	-	39.21	9.37	30.92	

802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TnomVnom




EUT_V_1TX
Setting 15.5
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.81368G	69.32	88.20	-18.88	51.66	3	Horizontal	206	2.15	-	39.21	9.37	30.92
RMS	12.81308G	54.90	68.20	-13.30	37.24	3	Horizontal	206	2.15	-	39.21	9.37	30.92

802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TnomVnom




EUT_V_1TX
Setting 15.5
01-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.22328G	47.34	83.54	-36.20	44.06	1	Vertical	235	1.73	-	37.73	15.19	49.64	
AV	19.21728G	34.13	63.54	-29.41	30.84	1	Vertical	235	1.73	-	37.74	15.19	49.64	

802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TnomVnom




EUT_V_1TX
Setting 15.5
01-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.257G	48.05	83.54	-35.49	44.79	1	Horizontal	195	2.06	-	37.71	15.20	49.65	
AV	19.21788G	34.13	63.54	-29.41	30.84	1	Horizontal	195	2.06	-	37.74	15.19	49.64	

802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TnomVnom




EUT_V_1TX
Setting 15.25
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8798G	61.21	88.20	-26.99	52.54	3	Vertical	220	1.78	-	34.86	6.60	32.79
RMS	5.9246G	50.19	68.20	-18.01	41.40	3	Vertical	220	1.78	-	35.00	6.60	32.81
PK	6.5434G	117.50	Inf	-Inf	107.60	3	Vertical	220	1.78	-	35.77	7.00	32.87
RMS	6.5434G	106.92	Inf	-Inf	97.02	3	Vertical	220	1.78	-	35.77	7.00	32.87
PK	7.2098G	65.11	88.20	-23.09	53.93	3	Vertical	220	1.78	-	37.10	7.21	33.13
RMS	7.235G	53.41	68.20	-14.79	42.22	3	Vertical	220	1.78	-	37.10	7.23	33.14

802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TnomVnom




EUT_V_1TX
Setting 15.25
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.835G	61.51	88.20	-26.69	53.00	3	Horizontal	143	1.92	-	34.68	6.60	32.77
RMS	5.9246G	50.22	68.20	-17.98	41.43	3	Horizontal	143	1.92	-	35.00	6.60	32.81
PK	6.5434G	106.87	Inf	-Inf	96.97	3	Horizontal	143	1.92	-	35.77	7.00	32.87
RMS	6.5434G	95.86	Inf	-Inf	85.96	3	Horizontal	143	1.92	-	35.77	7.00	32.87
PK	7.137G	64.75	88.20	-23.45	53.81	3	Horizontal	143	1.92	-	36.80	7.23	33.09
RMS	7.2182G	53.38	68.20	-14.82	42.19	3	Horizontal	143	1.92	-	37.10	7.22	33.13

802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TnomVnom




EUT_V_1TX
Setting 15.25
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.05404G	60.95	88.20	-27.25	42.27	3	Vertical	265	1.80	-	39.65	9.47	30.44	
RMS	13.05344G	47.97	68.20	-20.23	29.29	3	Vertical	265	1.80	-	39.65	9.47	30.44	

802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TnomVnom




EUT_V_1TX
Setting 15.25
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.05368G	65.77	88.20	-22.43	47.09	3	Horizontal	151	1.80	-	39.65	9.47	30.44	
RMS	13.0532G	49.93	68.20	-18.27	31.25	3	Horizontal	151	1.80	-	39.65	9.47	30.44	

802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TnomVnom




EUT_V_1TX
Setting 15.25
01-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.57932G	48.07	83.54	-35.47	44.57	1	Vertical	208	2.19	-	37.87	15.33	49.70	
AV	19.63452G	35.07	63.54	-28.47	31.57	1	Vertical	208	2.19	-	37.85	15.35	49.70	

802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TnomVnom




EUT_V_1TX
Setting 15.25
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.57884G	48.13	83.54	-35.41	44.63	1	Horizontal	44	1.22	-	37.87	15.33	49.70
AV	19.61628G	35.05	63.54	-28.49	31.55	1	Horizontal	44	1.22	-	37.85	15.35	49.70

802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TnomVnom




EUT V_1TX
Setting 15.25
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7038G	116.83	Inf	-Inf	106.84	3	Vertical	216	1.80	-	35.92	7.00	32.93
RMS	6.7038G	106.07	Inf	-Inf	96.08	3	Vertical	216	1.80	-	35.92	7.00	32.93
PK	7.2318G	65.08	88.20	-23.12	53.89	3	Vertical	216	1.80	-	37.10	7.23	33.14
RMS	7.2362G	53.40	68.20	-14.80	42.20	3	Vertical	216	1.80	-	37.10	7.24	33.14

802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TnomVnom




EUT V_1TX
Setting 15.25
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7038G	110.13	Inf	-Inf	100.14	3	Horizontal	355	2.90	-	35.92	7.00	32.93
RMS	6.7038G	99.03	Inf	-Inf	89.04	3	Horizontal	355	2.90	-	35.92	7.00	32.93
PK	7.2032G	64.90	88.20	-23.30	53.73	3	Horizontal	355	2.90	-	37.10	7.20	33.13
RMS	7.234G	53.36	68.20	-14.84	42.17	3	Horizontal	355	2.90	-	37.10	7.23	33.14

802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TnomVnom




EUT_V_1TX
Setting 15.25
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.3736G	63.22	74.00	-10.78	43.42	3	Vertical	269	1.80	-	40.15	9.62	29.97
AV	13.3733G	49.41	54.00	-4.59	29.61	3	Vertical	269	1.80	-	40.15	9.62	29.97

802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TnomVnom




EUT_V_1TX
Setting 15.25
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.373G	63.95	74.00	-10.05	44.15	3	Horizontal	298	1.42	-	40.15	9.62	29.97
AV	13.373G	50.89	54.00	-3.11	31.09	3	Horizontal	298	1.42	-	40.15	9.62	29.97

802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TnomVnom




EUT_V_1TX
Setting 15.25
01-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	20.10492G	47.52	83.54	-36.02	44.23	1	Vertical	1	2.17	-	37.48	15.55	49.74	
AV	20.11104G	34.57	63.54	-28.97	31.27	1	Vertical	1	2.17	-	37.49	15.55	49.74	

802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TnomVnom




EUT_V_1TX
Setting 15.25
01-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	20.07348G	47.84	83.54	-35.70	44.58	1	Horizontal	264	2.81	-	37.46	15.53	49.73	
AV	20.1018G	34.58	63.54	-28.96	31.29	1	Horizontal	264	2.81	-	37.48	15.55	49.74	

802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TnomVnom




EUT_V_1TX
 Setting 23
 01-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8466G	122.19	Inf	-Inf	111.52	3	Vertical	49	1.54	-	36.57	7.07	32.97
RMS	6.8466G	117.04	Inf	-Inf	106.37	3	Vertical	49	1.54	-	36.57	7.07	32.97
PK	7.128G	63.98	88.20	-24.22	53.11	3	Vertical	49	1.54	-	36.72	7.24	33.09
RMS	7.1854G	53.21	68.20	-14.99	42.08	3	Vertical	49	1.54	-	37.04	7.21	33.12

802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TnomVnom




EUT V_1TX
Setting 23
01-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.8466G	112.65	Inf	-Inf	101.98	3	Horizontal	32	2.44	-	36.57	7.07	32.97	
RMS	6.8466G	107.40	Inf	-Inf	96.73	3	Horizontal	32	2.44	-	36.57	7.07	32.97	
PK	7.1266G	64.11	88.20	-24.09	53.25	3	Horizontal	32	2.44	-	36.71	7.24	33.09	
RMS	7.1994G	53.22	68.20	-14.98	42.04	3	Horizontal	32	2.44	-	37.10	7.20	33.12	

802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TnomVnom




EUT_V_1TX
 Setting 23
 01-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.69272G	65.33	88.20	-22.87	44.75	3	Vertical	254	1.80	-	40.49	9.76	29.67	
RMS	13.69284G	54.29	68.20	-13.91	33.71	3	Vertical	254	1.80	-	40.49	9.76	29.67	

802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TnomVnom




EUT_V_1TX
Setting 23
01-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.6922G	69.61	88.20	-18.59	49.04	3	Horizontal	204	2.67	-	40.48	9.76	29.67
RMS	13.6928G	61.19	68.20	-7.01	40.61	3	Horizontal	204	2.67	-	40.49	9.76	29.67

802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TnomVnom




EUT_V_1TX
Setting 23
01-C-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.5637G	47.17	83.54	-36.37	43.51	1	Vertical	322	1.50	-	37.78	15.75	49.87
AV	20.56244G	34.65	63.54	-28.89	31.01	1	Vertical	322	1.50	-	37.77	15.75	49.88

802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TnomVnom



EUT_V_1TX
Setting 23
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.56276G	47.08	83.54	-36.46	43.42	1	Horizontal	358	1.58	-	37.78	15.75	49.87
AV	20.56862G	34.70	63.54	-28.84	31.03	1	Horizontal	358	1.58	-	37.78	15.76	49.87



RSE TX above 1GHz
<Partial RU> standard power_RU52_1TX_Ant. 2


Appendix E.36

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1.(MCS0)_1TX	Pass	AV	11.8952G	53.83	54.00	-0.17	3	Horizontal	211	1.80	-

802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TnomVnom




EUT V_1TX
 Setting 14.75
 01-M-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9192G	62.20	88.20	-26.00	53.43	3	Vertical	41	2.28	-	34.98	6.60	32.81
RMS	5.9056G	51.09	68.20	-17.11	42.37	3	Vertical	41	2.28	-	34.92	6.60	32.80
PK	5.9492G	117.30	Inf	-Inf	108.42	3	Vertical	41	2.28	-	35.10	6.60	32.82
RMS	5.9486G	107.43	Inf	-Inf	98.56	3	Vertical	41	2.28	-	35.09	6.60	32.82

802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TnomVnom




EUT V_1TX
 Setting 14.75
 01-M-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.911G	62.40	88.20	-25.80	53.66	3	Horizontal	345	2.86	-	34.94	6.60	32.80	
RMS	5.9162G	50.92	68.20	-17.28	42.17	3	Horizontal	345	2.86	-	34.96	6.60	32.81	
PK	5.9492G	108.35	Inf	-Inf	99.47	3	Horizontal	345	2.86	-	35.10	6.60	32.82	
RMS	5.9486G	98.46	Inf	-Inf	89.59	3	Horizontal	345	2.86	-	35.09	6.60	32.82	

802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TnomVnom




EUT_V_1TX
Setting 14.75
01-M-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.8936G	59.82	74.00	-14.18	43.93	3	Vertical	22	1.80	-	38.50	8.97	31.58
AV	11.8955G	47.30	54.00	-6.70	31.41	3	Vertical	22	1.80	-	38.50	8.97	31.58

802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TnomVnom




EUT_V_1TX
Setting 14.75
01-M-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.8941G	66.13	74.00	-7.87	50.24	3	Horizontal	211	1.80	-	38.50	8.97	31.58
AV	11.8952G	53.83	54.00	-0.17	37.94	3	Horizontal	211	1.80	-	38.50	8.97	31.58

802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TnomVnom




EUT V_1TX
 Setting 17.75
 01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.873G	61.34	88.20	-26.86	52.68	3	Vertical	232	1.78	-	34.85	6.60	32.79
RMS	5.919G	50.12	68.20	-18.08	41.35	3	Vertical	232	1.78	-	34.98	6.60	32.81
PK	6.189G	119.45	Inf	-Inf	109.96	3	Vertical	232	1.78	-	35.46	6.88	32.85
RMS	6.189G	108.57	Inf	-Inf	99.08	3	Vertical	232	1.78	-	35.46	6.88	32.85

802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TnomVnom




EUT_V_1TX
 Setting 17.75
 01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.749G	60.78	88.20	-27.42	52.53	3	Horizontal	189	2.90	-	34.39	6.60	32.74	
RMS	5.925G	50.06	68.20	-18.14	41.27	3	Horizontal	189	2.90	-	35.00	6.60	32.81	
PK	6.189G	110.83	Inf	-Inf	101.34	3	Horizontal	189	2.90	-	35.46	6.88	32.85	
RMS	6.189G	100.59	Inf	-Inf	91.10	3	Horizontal	189	2.90	-	35.46	6.88	32.85	

802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TnomVnom




EUT_V_1TX
Setting 17.75
01-C-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.3782G	63.01	74.00	-10.99	46.76	3	Vertical	235	1.80	-	38.66	9.17	31.58
AV	12.3761G	49.12	54.00	-4.88	32.88	3	Vertical	235	1.80	-	38.65	9.17	31.58

802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TnomVnom




EUT_V_1TX
Setting 17.75
01-C-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.3784G	67.04	74.00	-6.96	50.79	3	Horizontal	203	1.80	-	38.66	9.17	31.58
AV	12.3761G	53.08	54.00	-0.92	36.84	3	Horizontal	203	1.80	-	38.65	9.17	31.58

802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TnomVnom




EUT_V_1TX
Setting 17.75
01-C-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.5885G	46.93	83.54	-36.61	44.24	1	Vertical	7	1.54	-	37.76	14.94	50.01
AV	18.5887G	33.39	63.54	-30.15	30.70	1	Vertical	7	1.54	-	37.76	14.94	50.01

802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TnomVnom




EUT_V_1TX
Setting 17.75
01-C-K-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	18.604G	47.11	83.54	-36.43	44.41	1	Horizontal	268	2.98	-	37.76	14.94	50.00	
AV	18.6063G	33.44	63.54	-30.10	30.73	1	Horizontal	268	2.98	-	37.76	14.94	49.99	

802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TnomVnom




EUT V_1TX
Setting 18.25
01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9222G	61.04	88.20	-27.16	52.26	3	Vertical	223	1.80	-	34.99	6.60	32.81	
RMS	5.925G	49.99	68.20	-18.21	41.20	3	Vertical	223	1.80	-	35.00	6.60	32.81	
PK	6.4094G	119.52	Inf	-Inf	109.82	3	Vertical	223	1.80	-	35.56	7.00	32.86	
RMS	6.4094G	107.44	Inf	-Inf	97.74	3	Vertical	223	1.80	-	35.56	7.00	32.86	

802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TnomVnom




EUT V_1TX
Setting 18.25
01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.813G	60.30	88.20	-27.90	51.97	3	Horizontal	322	1.72	-	34.50	6.60	32.77	
RMS	5.925G	50.04	68.20	-18.16	41.25	3	Horizontal	322	1.72	-	35.00	6.60	32.81	
PK	6.4094G	112.18	Inf	-Inf	102.48	3	Horizontal	322	1.72	-	35.56	7.00	32.86	
RMS	6.4094G	100.22	Inf	-Inf	90.52	3	Horizontal	322	1.72	-	35.56	7.00	32.86	

802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TnomVnom




EUT V_1TX
Setting 18.25
01-C-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8162G	64.38	88.20	-23.82	46.70	3	Vertical	259	1.80	-	39.22	9.37	30.91
RMS	12.816G	51.13	68.20	-17.07	33.45	3	Vertical	259	1.80	-	39.22	9.37	30.91

802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TnomVnom




EUT_V_1TX
Setting 18.25
01-C-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.8162G	67.89	88.20	-20.31	50.21	3	Horizontal	202	1.87	-	39.22	9.37	30.91	
RMS	12.8162G	54.53	68.20	-13.67	36.85	3	Horizontal	202	1.87	-	39.22	9.37	30.91	

802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TnomVnom




EUT_V_1TX
Setting 18.25
01-C-K-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.2398G	47.16	83.54	-36.38	43.90	1	Vertical	101	2.74	-	37.71	15.20	49.65
AV	19.2287G	33.98	63.54	-29.56	30.71	1	Vertical	101	2.74	-	37.73	15.19	49.65

802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TnomVnom




EUT V_1TX
Setting 18.25
01-C-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.231G	47.05	83.54	-36.49	43.79	1	Horizontal	73	2.08	-	37.72	15.19	49.65
AV	19.2321G	33.95	63.54	-29.59	30.69	1	Horizontal	73	2.08	-	37.72	15.19	49.65

802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TnomVnom




EUT_V_1TX
Setting 18.25
01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9106G	60.42	88.20	-27.78	51.68	3	Vertical	63	1.79	-	34.94	6.60	32.80
RMS	5.9218G	50.00	68.20	-18.20	41.22	3	Vertical	63	1.79	-	34.99	6.60	32.81
PK	6.5406G	116.01	Inf	-Inf	106.12	3	Vertical	63	1.79	-	35.76	7.00	32.87
RMS	6.5406G	105.77	Inf	-Inf	95.88	3	Vertical	63	1.79	-	35.76	7.00	32.87
PK	7.1678G	63.33	88.20	-24.87	52.25	3	Vertical	63	1.79	-	36.97	7.22	33.11
RMS	7.1986G	53.26	68.20	-14.94	42.09	3	Vertical	63	1.79	-	37.09	7.20	33.12

802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TnomVnom




EUT_V_1TX
Setting 18.25
01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8882G	61.07	88.20	-27.13	52.39	3	Horizontal	63	2.93	-	34.88	6.60	32.80
RMS	5.9246G	50.05	68.20	-18.15	41.26	3	Horizontal	63	2.93	-	35.00	6.60	32.81
PK	6.5406G	109.13	Inf	-Inf	99.24	3	Horizontal	63	2.93	-	35.76	7.00	32.87
RMS	6.5406G	98.99	Inf	-Inf	89.10	3	Horizontal	63	2.93	-	35.76	7.00	32.87
PK	7.1706G	63.83	88.20	-24.37	52.75	3	Horizontal	63	2.93	-	36.98	7.21	33.11
RMS	7.2238G	53.19	68.20	-15.01	42.01	3	Horizontal	63	2.93	-	37.10	7.22	33.14

802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TnomVnom




EUT_V_1TX
 Setting 18.25
 01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0848G	61.07	88.20	-27.13	42.29	3	Vertical	230	1.41	-	39.68	9.49	30.39
RMS	13.0836G	48.11	68.20	-20.09	29.34	3	Vertical	230	1.41	-	39.68	9.49	30.40

802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TnomVnom




EUT_V_1TX
Setting 18.25
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.0834G	62.85	88.20	-25.35	44.08	3	Horizontal	148	1.80	-	39.68	9.49	30.40	
RMS	13.0842G	49.50	68.20	-18.70	30.73	3	Horizontal	148	1.80	-	39.68	9.49	30.40	

802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TnomVnom




EUT_V_1TX
Setting 18.25
01-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.6382G	48.34	83.54	-35.20	44.84	1	Vertical	6	1.88	-	37.84	15.36	49.70
AV	19.6538G	34.97	63.54	-28.57	31.47	1	Vertical	6	1.88	-	37.84	15.36	49.70

802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TnomVnom




EUT_V_1TX
Setting 18.25
01-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.6486G	48.07	83.54	-35.47	44.57	1	Horizontal	44	1.52	-	37.84	15.36	49.70	
AV	19.6474G	34.96	63.54	-28.58	31.46	1	Horizontal	44	1.52	-	37.84	15.36	49.70	

802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TnomVnom




EUT V_1TX
Setting 18.25
01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7016G	116.47	Inf	-Inf	106.48	3	Vertical	217	1.80	-	35.91	7.00	32.92
RMS	6.7016G	108.16	Inf	-Inf	98.17	3	Vertical	217	1.80	-	35.91	7.00	32.92
PK	7.1724G	63.75	88.20	-24.45	52.66	3	Vertical	217	1.80	-	36.99	7.21	33.11
RMS	7.2252G	53.33	68.20	-14.87	42.14	3	Vertical	217	1.80	-	37.10	7.23	33.14

802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TnomVnom




EUT_V_1TX
Setting 18.25
01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7016G	107.50	Inf	-Inf	97.51	3	Horizontal	356	2.79	-	35.91	7.00	32.92
RMS	6.7016G	99.57	Inf	-Inf	89.58	3	Horizontal	356	2.79	-	35.91	7.00	32.92
PK	7.2032G	64.23	88.20	-23.97	53.06	3	Horizontal	356	2.79	-	37.10	7.20	33.13
RMS	7.2428G	53.32	68.20	-14.88	42.13	3	Horizontal	356	2.79	-	37.10	7.24	33.15

802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TnomVnom




EUT_V_1TX
 Setting 18.25
 01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.4032G	62.33	88.20	-25.87	42.42	3	Vertical	269	1.80	-	40.20	9.63	29.92	
RMS	13.4042G	49.22	68.20	-18.98	29.31	3	Vertical	269	1.80	-	40.20	9.63	29.92	

802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TnomVnom




EUT_V_1TX
Setting 18.25
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.4054G	63.46	88.20	-24.74	43.55	3	Horizontal	300	1.37	-	40.20	9.63	29.92	
RMS	13.404G	50.19	68.20	-18.01	30.28	3	Horizontal	300	1.37	-	40.20	9.63	29.92	

802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TnomVnom




EUT_V_1TX
Setting 18.25
01-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.092G	47.85	83.54	-35.69	44.58	1	Vertical	86	1.17	-	37.47	15.54	49.74
AV	20.1248G	34.77	63.54	-28.77	31.46	1	Vertical	86	1.17	-	37.50	15.56	49.75

802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TnomVnom




EUT_V_1TX
Setting 18.25
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.0578G	47.64	83.54	-35.90	44.38	1	Horizontal	13	2.51	-	37.45	15.53	49.72
AV	20.1282G	34.79	63.54	-28.75	31.48	1	Horizontal	13	2.51	-	37.50	15.56	49.75

802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TnomVnom




EUT V_1TX
Setting -0.5
01-M-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.848G	122.24	Inf	-Inf	111.56	3	Vertical	34	2.24	-	36.58	7.07	32.97
RMS	6.848G	114.87	Inf	-Inf	104.19	3	Vertical	34	2.24	-	36.58	7.07	32.97
PK	7.1574G	64.09	88.20	-24.11	53.04	3	Vertical	34	2.24	-	36.93	7.22	33.10
RMS	7.1826G	53.13	68.20	-15.07	42.00	3	Vertical	34	2.24	-	37.03	7.21	33.11

802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TnomVnom




EUT V_1TX
Setting -0.5
01-M-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.8494G	111.72	Inf	-Inf	101.02	3	Horizontal	34	2.43	-	36.60	7.07	32.97	
RMS	6.848G	104.47	Inf	-Inf	93.79	3	Horizontal	34	2.43	-	36.58	7.07	32.97	
PK	7.1658G	63.73	88.20	-24.47	52.66	3	Horizontal	34	2.43	-	36.96	7.22	33.11	
RMS	7.1994G	53.14	68.20	-15.06	41.96	3	Horizontal	34	2.43	-	37.10	7.20	33.12	

802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TnomVnom




EUT_V_1TX
Setting -0.5
01-M-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.69408G	63.69	88.20	-24.51	43.11	3	Vertical	293	1.74	-	40.49	9.76	29.67
RMS	13.69536G	51.74	68.20	-16.46	31.16	3	Vertical	293	1.74	-	40.49	9.76	29.67

802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TnomVnom




EUT_V_1TX
Setting -0.5
01-M-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	13.69608G	67.90	88.20	-20.30	47.32	3	Horizontal	210	1.80	-	40.49	9.76	29.67
RMS	13.69536G	56.41	68.20	-11.79	35.83	3	Horizontal	210	1.80	-	40.49	9.76	29.67

802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TnomVnom




EUT_V_1TX
Setting -0.5
01-M-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.56738G	47.32	83.54	-36.22	43.65	1	Vertical	214	1.50	-	37.78	15.76	49.87
AV	20.56798G	34.60	63.54	-28.94	30.93	1	Vertical	214	1.50	-	37.78	15.76	49.87

802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TnomVnom



EUT_V_1TX
Setting -0.5
01-M-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	20.56012G	48.36	83.54	-35.18	44.72	1	Horizontal	73	1.55	-	37.77	15.75	49.88	
AV	20.56798G	34.60	63.54	-28.94	30.93	1	Horizontal	73	1.55	-	37.78	15.76	49.87	



RSE TX above 1GHz
<Partial RU> standard power_RU106_1TX_Ant. 2


Appendix E.37

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1.(MCS0)_1TX	Pass	AV	12.3812G	53.73	54.00	-0.27	3	Horizontal	203	1.80	-

802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TnomVnom




EUT V_1TX
 Setting 15.75
 01-M-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9238G	62.30	88.20	-25.90	53.51	3	Vertical	41	2.30	-	35.00	6.60	32.81
RMS	5.9234G	51.14	68.20	-17.06	42.36	3	Vertical	41	2.30	-	34.99	6.60	32.81
PK	5.9518G	114.00	Inf	-Inf	105.11	3	Vertical	41	2.30	-	35.11	6.60	32.82
RMS	5.9524G	105.54	Inf	-Inf	96.65	3	Vertical	41	2.30	-	35.11	6.60	32.82

802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TnomVnom




EUT V_1TX
Setting 15.75
01-M-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9158G	62.30	88.20	-25.90	53.55	3	Horizontal	344	2.86	-	34.96	6.60	32.81	
RMS	5.9102G	50.90	68.20	-17.30	42.16	3	Horizontal	344	2.86	-	34.94	6.60	32.80	
PK	5.952G	105.38	Inf	-Inf	96.49	3	Horizontal	344	2.86	-	35.11	6.60	32.82	
RMS	5.9524G	96.97	Inf	-Inf	88.08	3	Horizontal	344	2.86	-	35.11	6.60	32.82	

802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TnomVnom




EUT V_1TX
 Setting 15.75
 01-M-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.8966G	59.73	74.00	-14.27	43.84	3	Vertical	18	1.78	-	38.50	8.97	31.58	
AV	11.9002G	47.10	54.00	-6.90	31.20	3	Vertical	18	1.78	-	38.50	8.98	31.58	

802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TnomVnom




EUT V_1TX
Setting 15.75
01-M-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.9012G	65.03	74.00	-8.97	49.13	3	Horizontal	199	1.80	-	38.50	8.98	31.58
AV	11.901G	53.61	54.00	-0.39	37.71	3	Horizontal	199	1.80	-	38.50	8.98	31.58

802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TnomVnom




EUT V_1TX
Setting 20.75
01-C-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9058G	60.57	88.20	-27.63	51.85	3	Vertical	233	1.79	-	34.92	6.60	32.80	
RMS	5.925G	50.11	68.20	-18.09	41.32	3	Vertical	233	1.79	-	35.00	6.60	32.81	
PK	6.1914G	117.30	Inf	-Inf	107.79	3	Vertical	233	1.79	-	35.47	6.89	32.85	
RMS	6.1926G	109.43	Inf	-Inf	99.92	3	Vertical	233	1.79	-	35.47	6.89	32.85	

802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TnomVnom




EUT V_1TX
Setting 20.75
01-C-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.925G	61.10	88.20	-27.10	52.31	3	Horizontal	183	2.68	-	35.00	6.60	32.81	
RMS	5.9214G	50.07	68.20	-18.13	41.29	3	Horizontal	183	2.68	-	34.99	6.60	32.81	
PK	6.1938G	110.32	Inf	-Inf	100.80	3	Horizontal	183	2.68	-	35.48	6.89	32.85	
RMS	6.1926G	102.37	Inf	-Inf	92.86	3	Horizontal	183	2.68	-	35.47	6.89	32.85	

802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TnomVnom



EUT V_1TX
Setting 20.75
01-C-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.3824G	62.24	74.00	-11.76	45.99	3	Vertical	235	1.80	-	38.66	9.17	31.58
AV	12.3812G	49.29	54.00	-4.71	33.04	3	Vertical	235	1.80	-	38.66	9.17	31.58