


802.11ax HEW20_Nss1,(MCS0)_2TX

6475MHz_TnomVnom




EUT_V_2TX
Setting -8
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	19.4642G	47.34	83.54	-36.20	43.87	1	Horizontal	4	1.27	-	37.87	15.29	49.69	
AV	19.4418G	33.69	63.54	-29.85	30.25	1	Horizontal	4	1.27	-	37.85	15.28	49.69	

802.11ax HEW20_Nss1,(MCS0)_2TX

6515MHz_TnomVnom




EUT V_2TX
Setting -7.5
01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8822G	61.07	88.20	-27.13	52.40	3	Vertical	218	1.60	-	34.86	6.60	32.79
RMS	5.9214G	49.90	68.20	-18.30	41.12	3	Vertical	218	1.60	-	34.99	6.60	32.81
PK	6.5066G	97.76	Inf	-Inf	87.99	3	Vertical	218	1.60	-	35.63	7.00	32.86
RMS	6.5066G	84.32	Inf	-Inf	74.55	3	Vertical	218	1.60	-	35.63	7.00	32.86
PK	7.201G	64.19	88.20	-24.01	53.01	3	Vertical	218	1.60	-	37.10	7.20	33.12
RMS	7.1982G	53.10	68.20	-15.10	41.93	3	Vertical	218	1.60	-	37.09	7.20	33.12

802.11ax HEW20_Nss1,(MCS0)_2TX

6515MHz_TnomVnom




EUT V_2TX
Setting -7.5
01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9186G	62.14	88.20	-26.06	53.38	3	Horizontal	340	1.79	-	34.97	6.60	32.81
RMS	5.9214G	49.98	68.20	-18.22	41.20	3	Horizontal	340	1.79	-	34.99	6.60	32.81
PK	6.5066G	99.14	Inf	-Inf	89.37	3	Horizontal	340	1.79	-	35.63	7.00	32.86
RMS	6.5066G	85.33	Inf	-Inf	75.56	3	Horizontal	340	1.79	-	35.63	7.00	32.86
PK	7.2094G	65.71	88.20	-22.49	54.53	3	Horizontal	340	1.79	-	37.10	7.21	33.13
RMS	7.1954G	53.11	68.20	-15.09	41.95	3	Horizontal	340	1.79	-	37.08	7.20	33.12

802.11ax HEW20_Nss1,(MCS0)_2TX

6515MHz_TnomVnom




EUT V_2TX
Setting -7.5
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0466G	60.64	88.20	-27.56	41.97	3	Vertical	244	2.09	-	39.65	9.47	30.45
RMS	13.055G	46.57	68.20	-21.63	27.88	3	Vertical	244	2.09	-	39.66	9.47	30.44

802.11ax HEW20_Nss1,(MCS0)_2TX

6515MHz_TnomVnom




EUT V_2TX
Setting -7.5
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.0106G	59.76	88.20	-28.44	41.20	3	Horizontal	241	1.24	-	39.61	9.45	30.50	
RMS	13.08G	46.59	68.20	-21.61	27.82	3	Horizontal	241	1.24	-	39.68	9.49	30.40	

802.11ax HEW20_Nss1,(MCS0)_2TX

6515MHz_TnomVnom




EUT_V_2TX
Setting -7.5
01-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.5476G	46.95	83.54	-36.59	43.45	1	Vertical	306	1.50	-	37.88	15.32	49.70
AV	19.5924G	34.09	63.54	-29.45	30.59	1	Vertical	306	1.50	-	37.86	15.34	49.70

802.11ax HEW20_Nss1,(MCS0)_2TX

6515MHz_TnomVnom




EUT V_2TX
Setting -7.5
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.4958G	47.84	83.54	-35.70	44.34	1	Horizontal	320	1.00	-	37.90	15.30	49.70
AV	19.5924G	34.04	63.54	-29.50	30.54	1	Horizontal	320	1.00	-	37.86	15.34	49.70

802.11ax HEW20_Nss1,(MCS0)_2TX

6535MHz_TnomVnom




EUT_V_2TX
Setting 10.75
01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.919G	61.21	88.20	-26.99	52.44	3	Vertical	209	1.25	-	34.98	6.60	32.81
RMS	5.9162G	49.91	68.20	-18.29	41.16	3	Vertical	209	1.25	-	34.96	6.60	32.81
PK	6.5434G	116.26	Inf	-Inf	106.36	3	Vertical	209	1.25	-	35.77	7.00	32.87
RMS	6.5434G	102.92	Inf	-Inf	93.02	3	Vertical	209	1.25	-	35.77	7.00	32.87
PK	7.1538G	65.17	88.20	-23.03	54.13	3	Vertical	209	1.25	-	36.92	7.22	33.10
RMS	7.2294G	53.15	68.20	-15.05	41.96	3	Vertical	209	1.25	-	37.10	7.23	33.14

802.11ax HEW20_Nss1,(MCS0)_2TX

6535MHz_TnomVnom




EUT_V_2TX
Setting 10.75
01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8826G	61.81	88.20	-26.39	53.13	3	Horizontal	348	1.80	-	34.87	6.60	32.79
RMS	5.919G	50.00	68.20	-18.20	41.23	3	Horizontal	348	1.80	-	34.98	6.60	32.81
PK	6.5434G	115.30	Inf	-Inf	105.40	3	Horizontal	348	1.80	-	35.77	7.00	32.87
RMS	6.5434G	103.36	Inf	-Inf	93.46	3	Horizontal	348	1.80	-	35.77	7.00	32.87
PK	7.1846G	64.52	88.20	-23.68	53.39	3	Horizontal	348	1.80	-	37.04	7.21	33.12
RMS	7.2266G	53.23	68.20	-14.97	42.04	3	Horizontal	348	1.80	-	37.10	7.23	33.14

802.11ax HEW20_Nss1,(MCS0)_2TX

6535MHz_TnomVnom




EUT_V_2TX
Setting 10.75
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0694G	60.56	88.20	-27.64	41.83	3	Vertical	295	1.70	-	39.67	9.48	30.42
RMS	13.087G	47.58	68.20	-20.62	28.79	3	Vertical	295	1.70	-	39.69	9.49	30.39

802.11ax HEW20_Nss1,(MCS0)_2TX

6535MHz_TnomVnom




EUT_V_2TX
Setting 10.75
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.0882G	61.82	88.20	-26.38	43.03	3	Horizontal	198	1.70	-	39.69	9.49	30.39	
RMS	13.0876G	48.07	68.20	-20.13	29.28	3	Horizontal	198	1.70	-	39.69	9.49	30.39	

802.11ax HEW20_Nss1,(MCS0)_2TX

6535MHz_TnomVnom




EUT_V_2TX
Setting 10.75
01-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.6504G	48.49	83.54	-35.05	44.99	1	Vertical	65	2.46	-	37.84	15.36	49.70	
AV	19.6538G	34.86	63.54	-28.68	31.36	1	Vertical	65	2.46	-	37.84	15.36	49.70	

802.11ax HEW20_Nss1,(MCS0)_2TX

6535MHz_TnomVnom




EUT_V_2TX
Setting 10.75
01-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.6338G	47.98	83.54	-35.56	44.48	1	Horizontal	26	2.64	-	37.85	15.35	49.70
AV	19.6542G	34.92	63.54	-28.62	31.42	1	Horizontal	26	2.64	-	37.84	15.36	49.70

802.11ax HEW20_Nss1,(MCS0)_2TX

6695MHz_TnomVnom




EUT_V_2TX
 Setting 11
 01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7038G	113.28	Inf	-Inf	103.29	3	Vertical	310	1.80	-	35.92	7.00	32.93
RMS	6.7038G	100.62	Inf	-Inf	90.63	3	Vertical	310	1.80	-	35.92	7.00	32.93
PK	7.2296G	64.53	88.20	-23.67	53.34	3	Vertical	310	1.80	-	37.10	7.23	33.14
RMS	7.245G	53.33	68.20	-14.87	42.13	3	Vertical	310	1.80	-	37.10	7.25	33.15

802.11ax HEW20_Nss1,(MCS0)_2TX

6695MHz_TnomVnom




EUT V_2TX
Setting 11
01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7038G	113.14	Inf	-Inf	103.15	3	Horizontal	348	1.80	-	35.92	7.00	32.93
RMS	6.7038G	100.66	Inf	-Inf	90.67	3	Horizontal	348	1.80	-	35.92	7.00	32.93
PK	7.1504G	64.52	88.20	-23.68	53.50	3	Horizontal	348	1.80	-	36.90	7.22	33.10
RMS	7.245G	53.31	68.20	-14.89	42.11	3	Horizontal	348	1.80	-	37.10	7.25	33.15

802.11ax HEW20_Nss1,(MCS0)_2TX

6695MHz_TnomVnom




EUT_V_2TX
Setting 11
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.407G	60.46	88.20	-27.74	40.55	3	Vertical	298	1.80	-	40.20	9.63	29.92	
RMS	13.4076G	46.96	68.20	-21.24	27.05	3	Vertical	298	1.80	-	40.20	9.63	29.92	

802.11ax HEW20_Nss1,(MCS0)_2TX

6695MHz_TnomVnom




EUT_V_2TX
 Setting 11
 01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.4216G	60.58	88.20	-27.62	40.64	3	Horizontal	146	2.27	-	40.20	9.64	29.90
RMS	13.4068G	47.35	68.20	-20.85	27.44	3	Horizontal	146	2.27	-	40.20	9.63	29.92

802.11ax HEW20_Nss1,(MCS0)_2TX

6695MHz_TnomVnom




EUT_V_2TX
Setting 11
01-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.1266G	47.82	83.54	-35.72	44.51	1	Vertical	297	1.53	-	37.50	15.56	49.75
AV	20.1338G	34.62	63.54	-28.92	31.30	1	Vertical	297	1.53	-	37.51	15.56	49.75

802.11ax HEW20_Nss1,(MCS0)_2TX

6695MHz_TnomVnom




EUT_V_2TX
Setting 11
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.1172G	47.59	83.54	-35.95	44.30	1	Horizontal	156	2.51	-	37.49	15.55	49.75
AV	20.1336G	34.61	63.54	-28.93	31.29	1	Horizontal	156	2.51	-	37.51	15.56	49.75

802.11ax HEW20_Nss1,(MCS0)_2TX

6855MHz_TnomVnom




EUT Y_2TX
 Setting 23
 01-M-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8466G	123.70	Inf	-Inf	113.03	3	Vertical	16	1.80	-	36.57	7.07	32.97
RMS	6.8466G	114.07	Inf	-Inf	103.40	3	Vertical	16	1.80	-	36.57	7.07	32.97
PK	7.177G	64.70	88.20	-23.50	53.59	3	Vertical	16	1.80	-	37.01	7.21	33.11
RMS	7.1812G	52.82	68.20	-15.38	41.70	3	Vertical	16	1.80	-	37.02	7.21	33.11

802.11ax HEW20_Nss1,(MCS0)_2TX

6855MHz_TnomVnom




EUT_V_2TX
 Setting 23
 01-M-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.8466G	123.66	Inf	-Inf	112.99	3	Horizontal	8	1.79	-	36.57	7.07	32.97	
RMS	6.8466G	115.17	Inf	-Inf	104.50	3	Horizontal	8	1.79	-	36.57	7.07	32.97	
PK	7.1714G	64.07	88.20	-24.13	52.98	3	Horizontal	8	1.79	-	36.99	7.21	33.11	
RMS	7.184G	52.84	68.20	-15.36	41.71	3	Horizontal	8	1.79	-	37.04	7.21	33.12	

802.11ax HEW20_Nss1,(MCS0)_2TX

6855MHz_TnomVnom




EUT_V_2TX
Setting 23
01-M-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.6943G	67.55	88.20	-20.65	46.97	3	Vertical	348	1.80	-	40.49	9.76	29.67	
RMS	13.6932G	57.76	68.20	-10.44	37.18	3	Vertical	348	1.80	-	40.49	9.76	29.67	

802.11ax HEW20_Nss1,(MCS0)_2TX

6855MHz_TnomVnom




EUT_V_2TX
 Setting 23
 01-M-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.6928G	69.10	88.20	-19.10	48.52	3	Horizontal	213	2.76	-	40.49	9.76	29.67	
RMS	13.6933G	60.16	68.20	-8.04	39.58	3	Horizontal	213	2.76	-	40.49	9.76	29.67	

802.11ax HEW20_Nss1,(MCS0)_2TX

6855MHz_TnomVnom




EUT_V_2TX
Setting 23
01-M-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.56508G	46.30	83.54	-37.24	42.64	1	Vertical	212	1.52	-	37.78	15.75	49.87
AV	20.56972G	34.03	63.54	-29.51	30.36	1	Vertical	212	1.52	-	37.78	15.76	49.87

802.11ax HEW20_Nss1,(MCS0)_2TX

6855MHz_TnomVnom




EUT_V_2TX
Setting 23
01-M-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.5652G	46.38	83.54	-37.16	42.72	1	Horizontal	311	1.52	-	37.78	15.75	49.87
AV	20.56874G	34.10	63.54	-29.44	30.43	1	Horizontal	311	1.52	-	37.78	15.76	49.87

802.11ax HEW20_Nss1,(MCS0)_2TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_2TX
Setting -7.75
01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.8834G	97.11	Inf	-Inf	86.63	3	Vertical	214	1.74	-	36.33	7.13	32.98	
RMS	6.8834G	85.58	Inf	-Inf	75.10	3	Vertical	214	1.74	-	36.33	7.13	32.98	
PK	7.1844G	64.76	88.20	-23.44	53.63	3	Vertical	214	1.74	-	37.04	7.21	33.12	
RMS	7.197G	53.27	68.20	-14.93	42.10	3	Vertical	214	1.74	-	37.09	7.20	33.12	

802.11ax HEW20_Nss1,(MCS0)_2TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT V_2TX
 Setting -7.75
 01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.8834G	95.16	Inf	-Inf	84.68	3	Horizontal	349	1.82	-	36.33	7.13	32.98	
RMS	6.8834G	83.43	Inf	-Inf	72.95	3	Horizontal	349	1.82	-	36.33	7.13	32.98	
PK	7.1662G	65.03	88.20	-23.17	53.96	3	Horizontal	349	1.82	-	36.96	7.22	33.11	
RMS	7.2124G	53.32	68.20	-14.88	42.14	3	Horizontal	349	1.82	-	37.10	7.21	33.13	

802.11ax HEW20_Nss1,(MCS0)_2TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT V_2TX
 Setting -7.75
 01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7746G	64.28	88.20	-23.92	43.38	3	Vertical	238	1.11	-	40.72	9.80	29.62
RMS	13.7916G	49.91	68.20	-18.29	28.94	3	Vertical	238	1.11	-	40.77	9.81	29.61

802.11ax HEW20_Nss1,(MCS0)_2TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_2TX
Setting -7.75
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7532G	63.13	88.20	-25.07	42.31	3	Horizontal	42	2.52	-	40.66	9.79	29.63
RMS	13.798G	49.94	68.20	-18.26	28.95	3	Horizontal	42	2.52	-	40.79	9.81	29.61

802.11ax HEW20_Nss1,(MCS0)_2TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_2TX
 Setting -7.75
 01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.6536G	48.70	83.54	-34.84	44.87	1	Vertical	78	2.51	-	37.88	15.79	49.84
AV	20.6744G	35.12	63.54	-28.42	31.24	1	Vertical	78	2.51	-	37.91	15.80	49.83

802.11ax HEW20_Nss1,(MCS0)_2TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_2TX
Setting -7.75
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.5984G	48.93	83.54	-34.61	45.20	1	Horizontal	249	1.74	-	37.82	15.77	49.86
AV	20.6738G	35.13	63.54	-28.41	31.25	1	Horizontal	249	1.74	-	37.91	15.80	49.83

802.11ax HEW20_Nss1,(MCS0)_2TX

6895MHz_TnomVnom




EUT V_2TX
Setting -7.75
01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9034G	95.96	Inf	-Inf	85.57	3	Vertical	309	1.80	-	36.22	7.16	32.99
RMS	6.9034G	86.05	Inf	-Inf	75.66	3	Vertical	309	1.80	-	36.22	7.16	32.99
PK	7.238G	64.83	88.20	-23.37	53.63	3	Vertical	309	1.80	-	37.10	7.24	33.14
RMS	7.2114G	53.34	68.20	-14.86	42.16	3	Vertical	309	1.80	-	37.10	7.21	33.13

802.11ax HEW20_Nss1,(MCS0)_2TX

6895MHz_TnomVnom




EUT V_2TX
 Setting -7.75
 01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9034G	96.48	Inf	-Inf	86.09	3	Horizontal	326	1.28	-	36.22	7.16	32.99
RMS	6.9034G	82.72	Inf	-Inf	72.33	3	Horizontal	326	1.28	-	36.22	7.16	32.99
PK	7.1498G	65.47	88.20	-22.73	54.44	3	Horizontal	326	1.28	-	36.90	7.23	33.10
RMS	7.203G	53.34	68.20	-14.86	42.17	3	Horizontal	326	1.28	-	37.10	7.20	33.13

802.11ax HEW20_Nss1,(MCS0)_2TX

6895MHz_TnomVnom




EUT V_2TX
Setting -7.75
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7632G	63.85	88.20	-24.35	43.00	3	Vertical	2	2.67	-	40.69	9.79	29.63
RMS	13.8364G	50.02	68.20	-18.18	28.93	3	Vertical	2	2.67	-	40.84	9.83	29.58

802.11ax HEW20_Nss1,(MCS0)_2TX

6895MHz_TnomVnom




EUT V_2TX
 Setting -7.75
 01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7532G	64.01	88.20	-24.19	43.19	3	Horizontal	182	1.90	-	40.66	9.79	29.63
RMS	13.7354G	50.05	68.20	-18.15	29.30	3	Horizontal	182	1.90	-	40.61	9.78	29.64

802.11ax HEW20_Nss1,(MCS0)_2TX

6895MHz_TnomVnom




EUT_V_2TX
Setting -7.75
01-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.6978G	49.17	83.54	-34.37	45.24	1	Vertical	3	1.96	-	37.94	15.81	49.82
AV	20.733G	35.93	63.54	-27.61	31.93	1	Vertical	3	1.96	-	37.98	15.83	49.81

802.11ax HEW20_Nss1,(MCS0)_2TX

6895MHz_TnomVnom




EUT_V_2TX
Setting -7.75
01-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.7172G	49.15	83.54	-34.39	45.18	1	Horizontal	193	2.42	-	37.96	15.82	49.81
AV	20.73G	35.85	63.54	-27.69	31.85	1	Horizontal	193	2.42	-	37.98	15.83	49.81

802.11ax HEW20_Nss1,(MCS0)_2TX

6995MHz_TnomVnom




EUT V_2TX
 Setting -8.75
 01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.004G	97.18	Inf	-Inf	86.58	3	Vertical	215	1.80	-	36.32	7.30	33.02	
RMS	7.003G	86.43	Inf	-Inf	75.83	3	Vertical	215	1.80	-	36.32	7.30	33.02	
PK	7.195G	65.54	88.20	-22.66	54.38	3	Vertical	215	1.80	-	37.08	7.20	33.12	
RMS	7.197G	53.32	68.20	-14.88	42.15	3	Vertical	215	1.80	-	37.09	7.20	33.12	

802.11ax HEW20_Nss1,(MCS0)_2TX

6995MHz_TnomVnom




EUT V_2TX
 Setting -8.75
 01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.003G	99.05	Inf	-Inf	88.45	3	Horizontal	348	1.69	-	36.32	7.30	33.02
RMS	7.003G	88.63	Inf	-Inf	78.03	3	Horizontal	348	1.69	-	36.32	7.30	33.02
PK	7.178G	65.41	88.20	-22.79	54.30	3	Horizontal	348	1.69	-	37.01	7.21	33.11
RMS	7.206G	53.30	68.20	-14.90	42.12	3	Horizontal	348	1.69	-	37.10	7.21	33.13

802.11ax HEW20_Nss1,(MCS0)_2TX

6995MHz_TnomVnom




EUT V_2TX
Setting -8.75
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	14.0178G	64.14	88.20	-24.06	42.83	3	Vertical	249	2.48	-	40.90	9.91	29.50	
RMS	14.0324G	50.88	68.20	-17.32	29.58	3	Vertical	249	2.48	-	40.90	9.91	29.51	

802.11ax HEW20_Nss1,(MCS0)_2TX

6995MHz_TnomVnom




EUT_V_2TX
Setting -8.75
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.9924G	65.04	88.20	-23.16	43.73	3	Horizontal	41	2.49	-	40.90	9.90	29.49	
RMS	14.0292G	50.85	68.20	-17.35	29.55	3	Horizontal	41	2.49	-	40.90	9.91	29.51	

802.11ax HEW20_Nss1,(MCS0)_2TX

6995MHz_TnomVnom




EUT V_2TX
Setting -8.75
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.9542G	49.18	83.54	-34.36	45.30	1	Vertical	277	1.53	-	37.67	15.93	49.72
AV	20.9368G	35.48	63.54	-28.06	31.59	1	Vertical	277	1.53	-	37.70	15.92	49.73

802.11ax HEW20_Nss1,(MCS0)_2TX

6995MHz_TnomVnom




EUT_V_2TX
Setting -8.75
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.9896G	48.40	83.54	-35.14	44.53	1	Horizontal	92	2.88	-	37.62	15.95	49.70
AV	20.9352G	35.47	63.54	-28.07	31.58	1	Horizontal	92	2.88	-	37.70	15.92	49.73

802.11ax HEW20_Nss1,(MCS0)_2TX

7095MHz_TnomVnom




EUT V_2TX
 Setting -7
 01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.1034G	96.88	Inf	-Inf	86.17	3	Vertical	211	1.59	-	36.53	7.25	33.07	
RMS	7.1034G	85.13	Inf	-Inf	74.42	3	Vertical	211	1.59	-	36.53	7.25	33.07	
PK	7.2216G	65.23	88.20	-22.97	54.05	3	Vertical	211	1.59	-	37.10	7.22	33.14	
RMS	7.2042G	53.30	68.20	-14.90	42.13	3	Vertical	211	1.59	-	37.10	7.20	33.13	

802.11ax HEW20_Nss1,(MCS0)_2TX

7095MHz_TnomVnom




EUT Y_2TX
Setting -7
01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.1028G	95.85	Inf	-Inf	85.15	3	Horizontal	325	1.19	-	36.52	7.25	33.07
RMS	7.1034G	83.84	Inf	-Inf	73.13	3	Horizontal	325	1.19	-	36.53	7.25	33.07
PK	7.1994G	65.19	88.20	-23.01	54.01	3	Horizontal	325	1.19	-	37.10	7.20	33.12
RMS	7.1934G	53.30	68.20	-14.90	42.15	3	Horizontal	325	1.19	-	37.07	7.20	33.12

802.11ax HEW20_Nss1,(MCS0)_2TX

7095MHz_TnomVnom




EUT_V_2TX
Setting -7
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	14.1562G	63.79	88.20	-24.41	42.60	3	Vertical	97	2.14	-	40.84	9.95	29.60	
RMS	14.141G	50.55	68.20	-17.65	29.34	3	Vertical	97	2.14	-	40.86	9.94	29.59	

802.11ax HEW20_Nss1,(MCS0)_2TX

7095MHz_TnomVnom




EUT_V_2TX
 Setting -7
 01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.141G	64.16	88.20	-24.04	42.95	3	Horizontal	314	2.83	-	40.86	9.94	29.59
RMS	14.1408G	50.53	68.20	-17.67	29.32	3	Horizontal	314	2.83	-	40.86	9.94	29.59

802.11ax HEW20_Nss1,(MCS0)_2TX

7095MHz_TnomVnom




EUT_V_2TX
Setting -7
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	21.3016G	49.87	83.54	-33.67	45.76	1	Vertical	255	2.13	-	37.66	16.09	49.64	
AV	21.3316G	36.61	63.54	-26.93	32.44	1	Vertical	255	2.13	-	37.70	16.10	49.63	

802.11ax HEW20_Nss1,(MCS0)_2TX

7095MHz_TnomVnom




EUT_V_2TX
Setting -7
01-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	21.3322G	50.22	83.54	-33.32	46.05	1	Horizontal	172	2.74	-	37.70	16.10	49.63
AV	21.3344G	36.61	63.54	-26.93	32.44	1	Horizontal	172	2.74	-	37.70	16.10	49.63

802.11ax HEW20_Nss1,(MCS0)_2TX

7115MHz_TnomVnom




EUT_V_2TX
Setting 9
03-G-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.12363G	103.92	Inf	-Inf	94.84	3	Vertical	36	1.28	-	35.94	8.20	35.06	
RMS	7.12393G	90.46	Inf	-Inf	81.38	3	Vertical	36	1.28	-	35.94	8.20	35.06	
PK	7.1255G	83.19	88.20	-5.01	74.10	3	Vertical	36	1.28	-	35.95	8.20	35.06	
RMS	7.1255G	64.70	68.20	-3.50	55.61	3	Vertical	36	1.28	-	35.95	8.20	35.06	

802.11ax HEW20_Nss1,(MCS0)_2TX

7115MHz_TnomVnom




EUT_V_2TX
Setting 9
03-G-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.12333G	97.31	Inf	-Inf	88.23	3	Horizontal	353.9	1.77	-	35.94	8.20	35.06	
RMS	7.12398G	89.40	Inf	-Inf	80.32	3	Horizontal	353.9	1.77	-	35.94	8.20	35.06	
PK	7.1255G	76.62	88.20	-11.58	67.53	3	Horizontal	353.9	1.77	-	35.95	8.20	35.06	
RMS	7.1255G	64.17	68.20	-4.03	55.08	3	Horizontal	353.9	1.77	-	35.95	8.20	35.06	

802.11ax HEW20_Nss1,(MCS0)_2TX

7115MHz_TnomVnom




EUT_V_2TX
 Setting 9
 03-G-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.2142G	69.46	88.20	-18.74	48.35	3	Vertical	169	1.80	-	41.60	12.51	33.00
RMS	14.2132G	60.02	68.20	-8.18	38.91	3	Vertical	169	1.80	-	41.60	12.51	33.00

802.11ax HEW20_Nss1,(MCS0)_2TX

7115MHz_TnomVnom




EUT_V_2TX
 Setting 9
 03-G-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.214G	72.26	88.20	-15.94	51.15	3	Horizontal	203	2.56	-	41.60	12.51	33.00
RMS	14.2131G	63.27	68.20	-4.93	42.16	3	Horizontal	203	2.56	-	41.60	12.51	33.00

802.11ax HEW20_Nss1,(MCS0)_2TX

7115MHz_TnomVnom




EUT Y_2TX
Setting 9
03-G-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.34958G	47.57	83.54	-35.97	43.37	1	Vertical	31	1.55	-	37.72	16.11	49.63
AV	21.34944G	35.03	63.54	-28.51	30.83	1	Vertical	31	1.55	-	37.72	16.11	49.63

802.11ax HEW20_Nss1,(MCS0)_2TX

7115MHz_TnomVnom



EUT V_2TX
Setting 9
03-G-S-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	21.3464G	48.04	83.54	-35.50	43.84	1	Horizontal	72	1.57	-	37.72	16.11	49.63
AV	21.34946G	35.03	63.54	-28.51	30.83	1	Horizontal	72	1.57	-	37.72	16.11	49.63



RSE TX above 1GHz
<Partial RU> low power_RU52_2TX_Ant. 1


Appendix E.18

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1.(MCS0)_2TX	Pass	AV	11.8952G	53.68	54.00	-0.32	3	Horizontal	208	1.80	-

802.11ax HEW20_Nss1,(MCS0)_2TX

5955MHz_TnomVnom




EUT Y_2TX
 Setting 13.5
 01-M-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9094G	66.49	88.20	-21.71	57.75	3	Vertical	73	1.80	-	34.94	6.60	32.80	
RMS	5.925G	50.56	68.20	-17.64	41.77	3	Vertical	73	1.80	-	35.00	6.60	32.81	
PK	5.9492G	116.49	Inf	-Inf	107.61	3	Vertical	73	1.80	-	35.10	6.60	32.82	
RMS	5.9486G	104.88	Inf	-Inf	96.01	3	Vertical	73	1.80	-	35.09	6.60	32.82	

802.11ax HEW20_Nss1,(MCS0)_2TX

5955MHz_TnomVnom




EUT V_2TX
 Setting 13.5
 01-M-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9164G	62.34	88.20	-25.86	53.58	3	Horizontal	358	1.79	-	34.97	6.60	32.81
RMS	5.9066G	50.51	68.20	-17.69	41.78	3	Horizontal	358	1.79	-	34.93	6.60	32.80
PK	5.9492G	116.18	Inf	-Inf	107.30	3	Horizontal	358	1.79	-	35.10	6.60	32.82
RMS	5.9486G	103.92	Inf	-Inf	95.05	3	Horizontal	358	1.79	-	35.09	6.60	32.82

802.11ax HEW20_Nss1,(MCS0)_2TX

5955MHz_TnomVnom




EUT_V_2TX
Setting 13.5
01-M-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.8964G	59.60	74.00	-14.40	43.71	3	Vertical	5	1.80	-	38.50	8.97	31.58
AV	11.8943G	47.38	54.00	-6.62	31.49	3	Vertical	5	1.80	-	38.50	8.97	31.58

802.11ax HEW20_Nss1,(MCS0)_2TX

5955MHz_TnomVnom




EUT_V_2TX
Setting 13.5
01-M-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.8947G	66.89	74.00	-7.11	51.00	3	Horizontal	208	1.80	-	38.50	8.97	31.58
AV	11.8952G	53.68	54.00	-0.32	37.79	3	Horizontal	208	1.80	-	38.50	8.97	31.58

802.11ax HEW20_Nss1,(MCS0)_2TX

6195MHz_TnomVnom




EUT V_2TX
 Setting 15.25
 01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.717G	61.17	88.20	-27.03	53.16	3	Vertical	210	1.09	-	34.14	6.60	32.73	
RMS	5.925G	50.12	68.20	-18.08	41.33	3	Vertical	210	1.09	-	35.00	6.60	32.81	
PK	6.189G	118.00	Inf	-Inf	108.51	3	Vertical	210	1.09	-	35.46	6.88	32.85	
RMS	6.189G	104.70	Inf	-Inf	95.21	3	Vertical	210	1.09	-	35.46	6.88	32.85	

802.11ax HEW20_Nss1,(MCS0)_2TX

6195MHz_TnomVnom




EUT V_2TX
Setting 15.25
01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.885G	61.21	88.20	-26.99	52.53	3	Horizontal	330	1.80	-	34.87	6.60	32.79	
RMS	5.923G	50.18	68.20	-18.02	41.40	3	Horizontal	330	1.80	-	34.99	6.60	32.81	
PK	6.189G	118.41	Inf	-Inf	108.92	3	Horizontal	330	1.80	-	35.46	6.88	32.85	
RMS	6.189G	104.93	Inf	-Inf	95.44	3	Horizontal	330	1.80	-	35.46	6.88	32.85	

802.11ax HEW20_Nss1,(MCS0)_2TX

6195MHz_TnomVnom




EUT_V_2TX
Setting 15.25
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.4041G	59.46	74.00	-14.54	43.17	3	Vertical	226	1.80	-	38.69	9.18	31.58
AV	12.405G	45.26	54.00	-8.74	28.97	3	Vertical	226	1.80	-	38.69	9.18	31.58

802.11ax HEW20_Nss1,(MCS0)_2TX

6195MHz_TnomVnom




EUT_V_2TX
Setting 15.25
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.4045G	62.49	74.00	-11.51	46.20	3	Horizontal	205	1.79	-	38.69	9.18	31.58
AV	12.4046G	47.67	54.00	-6.33	31.38	3	Horizontal	205	1.79	-	38.69	9.18	31.58

802.11ax HEW20_Nss1,(MCS0)_2TX

6195MHz_TnomVnom




EUT V_2TX
Setting 15.25
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.59604G	46.88	83.54	-36.66	44.18	1	Vertical	320	1.01	-	37.76	14.94	50.00
AV	18.59646G	33.22	63.54	-30.32	30.52	1	Vertical	320	1.01	-	37.76	14.94	50.00

802.11ax HEW20_Nss1,(MCS0)_2TX

6195MHz_TnomVnom




EUT_V_2TX
Setting 15.25
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.59964G	47.55	83.54	-35.99	44.85	1	Horizontal	116	2.03	-	37.76	14.94	50.00
AV	18.59964G	33.22	63.54	-30.32	30.52	1	Horizontal	116	2.03	-	37.76	14.94	50.00

802.11ax HEW20_Nss1,(MCS0)_2TX

6415MHz_TnomVnom




EUT V_2TX
 Setting 13.75
 01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.919G	61.22	88.20	-26.98	52.45	3	Vertical	216	1.75	-	34.98	6.60	32.81
RMS	5.919G	50.07	68.20	-18.13	41.30	3	Vertical	216	1.75	-	34.98	6.60	32.81
PK	6.4086G	114.18	Inf	-Inf	104.47	3	Vertical	216	1.75	-	35.57	7.00	32.86
RMS	6.4086G	103.57	Inf	-Inf	93.86	3	Vertical	216	1.75	-	35.57	7.00	32.86
PK	7.151G	63.50	88.20	-24.70	52.48	3	Vertical	216	1.75	-	36.90	7.22	33.10
RMS	7.199G	53.28	68.20	-14.92	42.10	3	Vertical	216	1.75	-	37.10	7.20	33.12

802.11ax HEW20_Nss1,(MCS0)_2TX

6415MHz_TnomVnom




EUT_V_2TX
Setting 13.75
01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6406G	60.70	88.20	-27.50	52.76	3	Horizontal	345	1.80	-	34.04	6.60	32.70
RMS	5.9222G	50.10	68.20	-18.10	41.32	3	Horizontal	345	1.80	-	34.99	6.60	32.81
PK	6.4086G	115.33	Inf	-Inf	105.62	3	Horizontal	345	1.80	-	35.57	7.00	32.86
RMS	6.4086G	104.31	Inf	-Inf	94.60	3	Horizontal	345	1.80	-	35.57	7.00	32.86
PK	7.1606G	64.19	88.20	-24.01	53.13	3	Horizontal	345	1.80	-	36.94	7.22	33.10
RMS	7.215G	53.32	68.20	-14.88	42.13	3	Horizontal	345	1.80	-	37.10	7.22	33.13

802.11ax HEW20_Nss1,(MCS0)_2TX

6415MHz_TnomVnom




EUT_V_2TX
Setting 13.75
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.84356G	60.88	88.20	-27.32	43.11	3	Vertical	301	1.80	-	39.24	9.38	30.85	
RMS	12.8438G	46.36	68.20	-21.84	28.59	3	Vertical	301	1.80	-	39.24	9.38	30.85	

802.11ax HEW20_Nss1,(MCS0)_2TX

6415MHz_TnomVnom




EUT_V_2TX
Setting 13.75
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8435G	64.85	88.20	-23.35	47.08	3	Horizontal	201	1.82	-	39.24	9.38	30.85
RMS	12.84392G	49.73	68.20	-18.47	31.96	3	Horizontal	201	1.82	-	39.24	9.38	30.85

802.11ax HEW20_Nss1,(MCS0)_2TX

6415MHz_TnomVnom




EUT_V_2TX
Setting 13.75
01-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.2423G	48.86	83.54	-34.68	45.60	1	Vertical	286	2.56	-	37.71	15.20	49.65	
AV	19.23066G	33.70	63.54	-29.84	30.44	1	Vertical	286	2.56	-	37.72	15.19	49.65	

802.11ax HEW20_Nss1,(MCS0)_2TX

6415MHz_TnomVnom




EUT V_2TX
Setting 13.75
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.25268G	46.97	83.54	-36.57	43.72	1	Horizontal	267	1.24	-	37.70	15.20	49.65
AV	19.23024G	33.70	63.54	-29.84	30.44	1	Horizontal	267	1.24	-	37.72	15.19	49.65

802.11ax HEW20_Nss1,(MCS0)_2TX

6435MHz_TnomVnom




EUT V_2TX
Setting -5.5
01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9134G	60.33	88.20	-27.87	51.59	3	Vertical	196	1.80	-	34.95	6.60	32.81
RMS	5.9198G	50.10	68.20	-18.10	41.33	3	Vertical	196	1.80	-	34.98	6.60	32.81
PK	6.4286G	97.28	Inf	-Inf	87.65	3	Vertical	196	1.80	-	35.49	7.00	32.86
RMS	6.4286G	83.94	Inf	-Inf	74.31	3	Vertical	196	1.80	-	35.49	7.00	32.86
PK	7.1934G	63.59	88.20	-24.61	52.44	3	Vertical	196	1.80	-	37.07	7.20	33.12
RMS	7.1998G	53.35	68.20	-14.85	42.17	3	Vertical	196	1.80	-	37.10	7.20	33.12

802.11ax HEW20_Nss1,(MCS0)_2TX

6435MHz_TnomVnom




EUT V_2TX
 Setting -5.5
 01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.923G	61.18	88.20	-27.02	52.40	3	Horizontal	315	1.82	-	34.99	6.60	32.81
RMS	5.923G	50.09	68.20	-18.11	41.31	3	Horizontal	315	1.82	-	34.99	6.60	32.81
PK	6.4286G	96.05	Inf	-Inf	86.42	3	Horizontal	315	1.82	-	35.49	7.00	32.86
RMS	6.4286G	85.52	Inf	-Inf	75.89	3	Horizontal	315	1.82	-	35.49	7.00	32.86
PK	7.2126G	63.92	88.20	-24.28	52.74	3	Horizontal	315	1.82	-	37.10	7.21	33.13
RMS	7.1966G	53.34	68.20	-14.86	42.17	3	Horizontal	315	1.82	-	37.09	7.20	33.12

802.11ax HEW20_Nss1,(MCS0)_2TX

6435MHz_TnomVnom




EUT_V_2TX
Setting -5.5
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8586G	58.95	88.20	-29.25	41.12	3	Vertical	245	1.36	-	39.26	9.39	30.82
RMS	12.8808G	45.21	68.20	-22.99	27.31	3	Vertical	245	1.36	-	39.28	9.40	30.78

802.11ax HEW20_Nss1,(MCS0)_2TX

6435MHz_TnomVnom




EUT_V_2TX
Setting -5.5
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.87276G	58.95	88.20	-29.25	41.08	3	Horizontal	155	2.53	-	39.27	9.39	30.79
RMS	12.88302G	45.20	68.20	-23.00	27.29	3	Horizontal	155	2.53	-	39.28	9.40	30.77

802.11ax HEW20_Nss1,(MCS0)_2TX

6435MHz_TnomVnom




EUT_V_2TX
Setting -5.5
01-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.3146G	46.84	83.54	-36.70	43.52	1	Vertical	299	1.45	-	37.75	15.23	49.66	
AV	19.29444G	33.52	63.54	-30.02	30.22	1	Vertical	299	1.45	-	37.74	15.22	49.66	

802.11ax HEW20_Nss1,(MCS0)_2TX

6435MHz_TnomVnom




EUT_V_2TX
Setting -5.5
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.3176G	48.54	83.54	-35.00	45.22	1	Horizontal	268	1.73	-	37.75	15.23	49.66
AV	19.29144G	33.50	63.54	-30.04	30.21	1	Horizontal	268	1.73	-	37.73	15.22	49.66

802.11ax HEW20_Nss1,(MCS0)_2TX

6475MHz_TnomVnom




EUT V_2TX
Setting -5.5
01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.866G	60.50	88.20	-27.70	51.86	3	Vertical	202	1.87	-	34.83	6.60	32.79
RMS	5.923G	50.15	68.20	-18.05	41.37	3	Vertical	202	1.87	-	34.99	6.60	32.81
PK	6.469G	94.66	Inf	-Inf	85.04	3	Vertical	202	1.87	-	35.48	7.00	32.86
RMS	6.469G	83.23	Inf	-Inf	73.61	3	Vertical	202	1.87	-	35.48	7.00	32.86
PK	7.225G	63.71	88.20	-24.49	52.52	3	Vertical	202	1.87	-	37.10	7.23	33.14
RMS	7.207G	53.36	68.20	-14.84	42.18	3	Vertical	202	1.87	-	37.10	7.21	33.13

802.11ax HEW20_Nss1,(MCS0)_2TX

6475MHz_TnomVnom




EUT_V_2TX
 Setting -5.5
 01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.875G	60.63	88.20	-27.57	51.97	3	Horizontal	344	1.76	-	34.85	6.60	32.79
RMS	5.923G	50.14	68.20	-18.06	41.36	3	Horizontal	344	1.76	-	34.99	6.60	32.81
PK	6.469G	95.70	Inf	-Inf	86.08	3	Horizontal	344	1.76	-	35.48	7.00	32.86
RMS	6.469G	84.40	Inf	-Inf	74.78	3	Horizontal	344	1.76	-	35.48	7.00	32.86
PK	7.15G	63.51	88.20	-24.69	52.49	3	Horizontal	344	1.76	-	36.90	7.22	33.10
RMS	7.204G	53.34	68.20	-14.86	42.17	3	Horizontal	344	1.76	-	37.10	7.20	33.13

802.11ax HEW20_Nss1,(MCS0)_2TX

6475MHz_TnomVnom




EUT_V_2TX
Setting -5.5
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.95246G	59.47	88.20	-28.73	41.20	3	Vertical	100	1.90	-	39.46	9.43	30.62	
RMS	12.96488G	45.60	68.20	-22.60	27.28	3	Vertical	100	1.90	-	39.49	9.43	30.60	

802.11ax HEW20_Nss1,(MCS0)_2TX

6475MHz_TnomVnom




EUT V_2TX
Setting -5.5
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.95264G	59.02	88.20	-29.18	40.75	3	Horizontal	227	2.89	-	39.46	9.43	30.62	
RMS	12.965G	45.60	68.20	-22.60	27.26	3	Horizontal	227	2.89	-	39.50	9.43	30.59	

802.11ax HEW20_Nss1,(MCS0)_2TX

6475MHz_TnomVnom




EUT_V_2TX
Setting -5.5
01-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.42158G	47.59	83.54	-35.95	44.16	1	Vertical	271	1.36	-	37.84	15.27	49.68
AV	19.43934G	33.38	63.54	-30.16	29.94	1	Vertical	271	1.36	-	37.85	15.28	49.69

802.11ax HEW20_Nss1,(MCS0)_2TX

6475MHz_TnomVnom




EUT_V_2TX
Setting -5.5
01-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.43412G	46.88	83.54	-36.66	43.45	1	Horizontal	189	2.40	-	37.85	15.27	49.69
AV	19.43628G	33.33	63.54	-30.21	29.90	1	Horizontal	189	2.40	-	37.85	15.27	49.69

802.11ax HEW20_Nss1,(MCS0)_2TX

6515MHz_TnomVnom




EUT_V_2TX
Setting -5.5
01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.85G	60.80	88.20	-27.40	52.18	3	Vertical	213	1.70	-	34.80	6.60	32.78
RMS	5.9242G	50.19	68.20	-18.01	41.40	3	Vertical	213	1.70	-	35.00	6.60	32.81
PK	6.5094G	96.66	Inf	-Inf	86.88	3	Vertical	213	1.70	-	35.64	7.00	32.86
RMS	6.5094G	83.78	Inf	-Inf	74.00	3	Vertical	213	1.70	-	35.64	7.00	32.86
PK	7.1646G	63.84	88.20	-24.36	52.77	3	Vertical	213	1.70	-	36.96	7.22	33.11
RMS	7.1982G	53.35	68.20	-14.85	42.18	3	Vertical	213	1.70	-	37.09	7.20	33.12

802.11ax HEW20_Nss1,(MCS0)_2TX

6515MHz_TnomVnom




EUT V_2TX
 Setting -5.5
 01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8262G	60.58	88.20	-27.62	52.14	3	Horizontal	313	1.96	-	34.61	6.60	32.77
RMS	5.9242G	50.09	68.20	-18.11	41.30	3	Horizontal	313	1.96	-	35.00	6.60	32.81
PK	6.5094G	97.91	Inf	-Inf	88.13	3	Horizontal	313	1.96	-	35.64	7.00	32.86
RMS	6.5094G	84.79	Inf	-Inf	75.01	3	Horizontal	313	1.96	-	35.64	7.00	32.86
PK	7.1422G	63.71	88.20	-24.49	52.73	3	Horizontal	313	1.96	-	36.84	7.23	33.09
RMS	7.1982G	53.38	68.20	-14.82	42.21	3	Horizontal	313	1.96	-	37.09	7.20	33.12

802.11ax HEW20_Nss1,(MCS0)_2TX

6515MHz_TnomVnom




EUT_V_2TX
Setting -5.5
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.03672G	59.98	88.20	-28.22	41.34	3	Vertical	353	1.02	-	39.64	9.47	30.47	
RMS	13.045G	46.31	68.20	-21.89	27.64	3	Vertical	353	1.02	-	39.65	9.47	30.45	

802.11ax HEW20_Nss1,(MCS0)_2TX

6515MHz_TnomVnom




EUT_V_2TX
Setting -5.5
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.02028G	59.55	88.20	-28.65	40.96	3	Horizontal	288	2.84	-	39.62	9.46	30.49
RMS	13.045G	46.33	68.20	-21.87	27.66	3	Horizontal	288	2.84	-	39.65	9.47	30.45

802.11ax HEW20_Nss1,(MCS0)_2TX

6515MHz_TnomVnom




EUT_V_2TX
Setting -5.5
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	19.53432G	47.44	83.54	-36.10	43.94	1	Vertical	343	2.50	-	37.89	15.31	49.70	
AV	19.55904G	33.55	63.54	-29.99	30.05	1	Vertical	343	2.50	-	37.88	15.32	49.70	

802.11ax HEW20_Nss1,(MCS0)_2TX

6515MHz_TnomVnom




EUT_V_2TX
Setting -5.5
01-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.54272G	48.40	83.54	-35.14	44.90	1	Horizontal	321	2.30	-	37.88	15.32	49.70
AV	19.5594G	33.57	63.54	-29.97	30.07	1	Horizontal	321	2.30	-	37.88	15.32	49.70

802.11ax HEW20_Nss1,(MCS0)_2TX

6535MHz_TnomVnom




EUT_V_2TX
Setting 13.5
01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8854G	60.67	88.20	-27.53	51.99	3	Vertical	217	1.38	-	34.87	6.60	32.79
RMS	5.9218G	50.15	68.20	-18.05	41.37	3	Vertical	217	1.38	-	34.99	6.60	32.81
PK	6.5406G	113.74	Inf	-Inf	103.85	3	Vertical	217	1.38	-	35.76	7.00	32.87
RMS	6.5434G	101.91	Inf	-Inf	92.01	3	Vertical	217	1.38	-	35.77	7.00	32.87
PK	7.1482G	63.99	88.20	-24.21	52.97	3	Vertical	217	1.38	-	36.89	7.23	33.10
RMS	7.2266G	53.46	68.20	-14.74	42.27	3	Vertical	217	1.38	-	37.10	7.23	33.14

802.11ax HEW20_Nss1,(MCS0)_2TX

6535MHz_TnomVnom




EUT V_2TX
Setting 13.5
01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.835G	60.46	88.20	-27.74	51.95	3	Horizontal	344	1.80	-	34.68	6.60	32.77
RMS	5.9162G	50.14	68.20	-18.06	41.39	3	Horizontal	344	1.80	-	34.96	6.60	32.81
PK	6.5406G	114.77	Inf	-Inf	104.88	3	Horizontal	344	1.80	-	35.76	7.00	32.87
RMS	6.5434G	103.05	Inf	-Inf	93.15	3	Horizontal	344	1.80	-	35.77	7.00	32.87
PK	7.235G	63.79	88.20	-24.41	52.60	3	Horizontal	344	1.80	-	37.10	7.23	33.14
RMS	7.235G	53.43	68.20	-14.77	42.24	3	Horizontal	344	1.80	-	37.10	7.23	33.14

802.11ax HEW20_Nss1,(MCS0)_2TX

6535MHz_TnomVnom




EUT_V_2TX
Setting 13.5
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.08416G	61.12	88.20	-27.08	42.35	3	Vertical	302	1.80	-	39.68	9.49	30.40	
RMS	13.08482G	47.10	68.20	-21.10	28.32	3	Vertical	302	1.80	-	39.68	9.49	30.39	

802.11ax HEW20_Nss1,(MCS0)_2TX

6535MHz_TnomVnom




EUT_V_2TX
Setting 13.5
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.08368G	61.54	88.20	-26.66	42.77	3	Horizontal	191	2.64	-	39.68	9.49	30.40
RMS	13.08458G	47.93	68.20	-20.27	29.15	3	Horizontal	191	2.64	-	39.68	9.49	30.39

802.11ax HEW20_Nss1,(MCS0)_2TX

6535MHz_TnomVnom




EUT_V_2TX
Setting 13.5
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.6002G	48.04	83.54	-35.50	44.54	1	Vertical	85	2.57	-	37.86	15.34	49.70
AV	19.61838G	34.41	63.54	-29.13	30.91	1	Vertical	85	2.57	-	37.85	15.35	49.70

802.11ax HEW20_Nss1,(MCS0)_2TX

6535MHz_TnomVnom




EUT_V_2TX
Setting 13.5
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.60722G	48.77	83.54	-34.77	45.27	1	Horizontal	232	2.46	-	37.86	15.34	49.70
AV	19.61532G	34.43	63.54	-29.11	30.93	1	Horizontal	232	2.46	-	37.85	15.35	49.70

802.11ax HEW20_Nss1,(MCS0)_2TX

6695MHz_TnomVnom




EUT_V_2TX
Setting 13.5
01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7016G	111.09	Inf	-Inf	101.10	3	Vertical	307	1.80	-	35.91	7.00	32.92
RMS	6.7016G	101.67	Inf	-Inf	91.68	3	Vertical	307	1.80	-	35.91	7.00	32.92
PK	7.1922G	64.68	88.20	-23.52	53.53	3	Vertical	307	1.80	-	37.07	7.20	33.12
RMS	7.2428G	53.48	68.20	-14.72	42.29	3	Vertical	307	1.80	-	37.10	7.24	33.15

802.11ax HEW20_Nss1,(MCS0)_2TX

6695MHz_TnomVnom




EUT V_2TX
Setting 13.5
01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7016G	111.12	Inf	-Inf	101.13	3	Horizontal	325	1.06	-	35.91	7.00	32.92
RMS	6.7016G	100.97	Inf	-Inf	90.98	3	Horizontal	325	1.06	-	35.91	7.00	32.92
PK	7.179G	64.71	88.20	-23.49	53.59	3	Horizontal	325	1.06	-	37.02	7.21	33.11
RMS	7.2362G	53.48	68.20	-14.72	42.28	3	Horizontal	325	1.06	-	37.10	7.24	33.14

802.11ax HEW20_Nss1,(MCS0)_2TX

6695MHz_TnomVnom




EUT_V_2TX
Setting 13.5
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.4047G	60.21	88.20	-27.99	40.30	3	Vertical	300	1.76	-	40.20	9.63	29.92	
RMS	13.40494G	47.26	68.20	-20.94	27.35	3	Vertical	300	1.76	-	40.20	9.63	29.92	

802.11ax HEW20_Nss1,(MCS0)_2TX

6695MHz_TnomVnom




EUT_V_2TX
 Setting 13.5
 01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.4035G	62.03	88.20	-26.17	42.12	3	Horizontal	141	2.42	-	40.20	9.63	29.92	
RMS	13.4038G	48.06	68.20	-20.14	28.15	3	Horizontal	141	2.42	-	40.20	9.63	29.92	

802.11ax HEW20_Nss1,(MCS0)_2TX

6695MHz_TnomVnom




EUT V_2TX
Setting 13.5
01-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	20.09124G	47.80	83.54	-35.74	44.53	1	Vertical	351	2.01	-	37.47	15.54	49.74	
AV	20.0973G	34.08	63.54	-29.46	30.80	1	Vertical	351	2.01	-	37.48	15.54	49.74	

802.11ax HEW20_Nss1,(MCS0)_2TX

6695MHz_TnomVnom




EUT V_2TX
Setting 13.5
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.08644G	47.48	83.54	-36.06	44.20	1	Horizontal	283	2.90	-	37.47	15.54	49.73
AV	20.09826G	34.14	63.54	-29.40	30.86	1	Horizontal	283	2.90	-	37.48	15.54	49.74

802.11ax HEW20_Nss1,(MCS0)_2TX

6855MHz_TnomVnom




EUT V_2TX
Setting -5.5
01-M-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8494G	122.43	Inf	-Inf	111.73	3	Vertical	344	1.67	-	36.60	7.07	32.97
RMS	6.848G	109.58	Inf	-Inf	98.90	3	Vertical	344	1.67	-	36.58	7.07	32.97
PK	7.1812G	64.17	88.20	-24.03	53.05	3	Vertical	344	1.67	-	37.02	7.21	33.11
RMS	7.1924G	52.78	68.20	-15.42	41.63	3	Vertical	344	1.67	-	37.07	7.20	33.12

802.11ax HEW20_Nss1,(MCS0)_2TX

6855MHz_TnomVnom




EUT V_2TX
Setting -5.5
01-M-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8494G	123.07	Inf	-Inf	112.37	3	Horizontal	6	1.73	-	36.60	7.07	32.97
RMS	6.848G	109.64	Inf	-Inf	98.96	3	Horizontal	6	1.73	-	36.58	7.07	32.97
PK	7.1378G	63.72	88.20	-24.48	52.78	3	Horizontal	6	1.73	-	36.80	7.23	33.09
RMS	7.1728G	52.78	68.20	-15.42	41.69	3	Horizontal	6	1.73	-	36.99	7.21	33.11

802.11ax HEW20_Nss1,(MCS0)_2TX

6855MHz_TnomVnom




EUT_V_2TX
Setting -5.5
01-M-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.6965G	67.73	88.20	-20.47	47.15	3	Vertical	146	1.19	-	40.49	9.76	29.67	
RMS	13.6961G	57.37	68.20	-10.83	36.79	3	Vertical	146	1.19	-	40.49	9.76	29.67	

802.11ax HEW20_Nss1,(MCS0)_2TX

6855MHz_TnomVnom




EUT_V_2TX
Setting -5.5
01-M-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.6964G	69.04	88.20	-19.16	48.46	3	Horizontal	213	2.73	-	40.49	9.76	29.67
RMS	13.6962G	57.37	68.20	-10.83	36.79	3	Horizontal	213	2.73	-	40.49	9.76	29.67

802.11ax HEW20_Nss1,(MCS0)_2TX

6855MHz_TnomVnom




EUT V_2TX
Setting -5.5
01-M-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.56002G	46.61	83.54	-36.93	42.97	1	Vertical	317	1.51	-	37.77	15.75	49.88
AV	20.56834G	34.02	63.54	-29.52	30.35	1	Vertical	317	1.51	-	37.78	15.76	49.87

802.11ax HEW20_Nss1,(MCS0)_2TX

6855MHz_TnomVnom




EUT V_2TX
Setting -5.5
01-M-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.56748G	46.98	83.54	-36.56	43.31	1	Horizontal	136	1.52	-	37.78	15.76	49.87
AV	20.56816G	34.02	63.54	-29.52	30.35	1	Horizontal	136	1.52	-	37.78	15.76	49.87

802.11ax HEW20_Nss1,(MCS0)_2TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT V_2TX
 Setting -5.25
 01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8806G	93.12	Inf	-Inf	82.62	3	Vertical	311	1.80	-	36.36	7.12	32.98
RMS	6.882G	82.34	Inf	-Inf	71.86	3	Vertical	311	1.80	-	36.34	7.12	32.98
PK	7.134G	64.06	88.20	-24.14	53.15	3	Vertical	311	1.80	-	36.77	7.23	33.09
RMS	7.211G	53.48	68.20	-14.72	42.30	3	Vertical	311	1.80	-	37.10	7.21	33.13

802.11ax HEW20_Nss1,(MCS0)_2TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT V_2TX
 Setting -5.25
 01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8806G	91.13	Inf	-Inf	80.63	3	Horizontal	301	1.25	-	36.36	7.12	32.98
RMS	6.882G	82.00	Inf	-Inf	71.52	3	Horizontal	301	1.25	-	36.34	7.12	32.98
PK	7.127G	66.17	88.20	-22.03	55.30	3	Horizontal	301	1.25	-	36.72	7.24	33.09
RMS	7.2068G	53.44	68.20	-14.76	42.26	3	Horizontal	301	1.25	-	37.10	7.21	33.13

802.11ax HEW20_Nss1,(MCS0)_2TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_2TX
Setting -5.25
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.76122G	63.76	88.20	-24.44	42.92	3	Vertical	113	2.44	-	40.68	9.79	29.63
RMS	13.75534G	49.62	68.20	-18.58	28.79	3	Vertical	113	2.44	-	40.67	9.79	29.63

802.11ax HEW20_Nss1,(MCS0)_2TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_2TX
Setting -5.25
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.73518G	63.94	88.20	-24.26	43.19	3	Horizontal	195	2.02	-	40.61	9.78	29.64
RMS	13.75468G	49.61	68.20	-18.59	28.79	3	Horizontal	195	2.02	-	40.66	9.79	29.63

802.11ax HEW20_Nss1,(MCS0)_2TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_2TX
Setting -5.25
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.6295G	48.78	83.54	-34.76	44.99	1	Vertical	242	1.20	-	37.86	15.78	49.85
AV	20.6139G	34.61	63.54	-28.93	30.84	1	Vertical	242	1.20	-	37.84	15.78	49.85

802.11ax HEW20_Nss1,(MCS0)_2TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_2TX
Setting -5.25
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.6118G	48.64	83.54	-34.90	44.89	1	Horizontal	324	1.26	-	37.83	15.78	49.86
AV	20.61996G	34.61	63.54	-28.93	30.84	1	Horizontal	324	1.26	-	37.84	15.78	49.85

802.11ax HEW20_Nss1,(MCS0)_2TX

6895MHz_TnomVnom




EUT V_2TX
Setting -5.25
01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9034G	91.34	Inf	-Inf	80.95	3	Vertical	302	1.87	-	36.22	7.16	32.99
RMS	6.902G	80.13	Inf	-Inf	69.76	3	Vertical	302	1.87	-	36.21	7.15	32.99
PK	7.2324G	64.48	88.20	-23.72	53.29	3	Vertical	302	1.87	-	37.10	7.23	33.14
RMS	7.2226G	53.44	68.20	-14.76	42.26	3	Vertical	302	1.87	-	37.10	7.22	33.14

802.11ax HEW20_Nss1,(MCS0)_2TX

6895MHz_TnomVnom




EUT V_2TX
Setting -5.25
01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.902G	92.34	Inf	-Inf	81.97	3	Horizontal	186	1.70	-	36.21	7.15	32.99
RMS	6.902G	81.93	Inf	-Inf	71.56	3	Horizontal	186	1.70	-	36.21	7.15	32.99
PK	7.236G	65.01	88.20	-23.19	53.81	3	Horizontal	186	1.70	-	37.10	7.24	33.14
RMS	7.2002G	53.46	68.20	-14.74	42.28	3	Horizontal	186	1.70	-	37.10	7.20	33.12

802.11ax HEW20_Nss1,(MCS0)_2TX

6895MHz_TnomVnom




EUT V_2TX
Setting -5.25
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7888G	64.07	88.20	-24.13	43.11	3	Vertical	74	2.25	-	40.77	9.80	29.61
RMS	13.80332G	49.77	68.20	-18.43	28.76	3	Vertical	74	2.25	-	40.80	9.81	29.60

802.11ax HEW20_Nss1,(MCS0)_2TX

6895MHz_TnomVnom




EUT_V_2TX
 Setting -5.25
 01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.79294G	63.46	88.20	-24.74	42.48	3	Horizontal	330	1.12	-	40.78	9.81	29.61
RMS	13.80374G	49.79	68.20	-18.41	28.78	3	Horizontal	330	1.12	-	40.80	9.81	29.60

802.11ax HEW20_Nss1,(MCS0)_2TX

6895MHz_TnomVnom




EUT_V_2TX
Setting -5.25
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.68596G	49.29	83.54	-34.25	45.39	1	Vertical	59	1.24	-	37.92	15.81	49.83
AV	20.69412G	34.95	63.54	-28.59	31.03	1	Vertical	59	1.24	-	37.93	15.81	49.82

802.11ax HEW20_Nss1,(MCS0)_2TX

6895MHz_TnomVnom




EUT_V_2TX
Setting -5.25
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.6796G	48.74	83.54	-34.80	44.84	1	Horizontal	316	1.50	-	37.92	15.81	49.83
AV	20.69394G	34.97	63.54	-28.57	31.05	1	Horizontal	316	1.50	-	37.93	15.81	49.82

802.11ax HEW20_Nss1,(MCS0)_2TX

6995MHz_TnomVnom




EUT V_2TX
Setting -4.25
01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.001G	98.10	Inf	-Inf	87.51	3	Vertical	215	1.80	-	36.31	7.30	33.02	
RMS	7.002G	88.96	Inf	-Inf	78.37	3	Vertical	215	1.80	-	36.31	7.30	33.02	
PK	7.147G	64.61	88.20	-23.59	53.60	3	Vertical	215	1.80	-	36.88	7.23	33.10	
RMS	7.201G	53.41	68.20	-14.79	42.23	3	Vertical	215	1.80	-	37.10	7.20	33.12	

802.11ax HEW20_Nss1,(MCS0)_2TX

6995MHz_TnomVnom




EUT V_2TX
Setting -4.25
01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.001G	96.17	Inf	-Inf	85.58	3	Horizontal	193	1.74	-	36.31	7.30	33.02	
RMS	7.002G	86.77	Inf	-Inf	76.18	3	Horizontal	193	1.74	-	36.31	7.30	33.02	
PK	7.231G	64.67	88.20	-23.53	53.48	3	Horizontal	193	1.74	-	37.10	7.23	33.14	
RMS	7.199G	53.43	68.20	-14.77	42.25	3	Horizontal	193	1.74	-	37.10	7.20	33.12	

802.11ax HEW20_Nss1,(MCS0)_2TX

6995MHz_TnomVnom




EUT_V_2TX
Setting -4.25
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.98376G	65.94	88.20	-22.26	44.65	3	Vertical	92	1.13	-	40.90	9.89	29.50
RMS	13.999G	50.53	68.20	-17.67	29.22	3	Vertical	92	1.13	-	40.90	9.90	29.49

802.11ax HEW20_Nss1,(MCS0)_2TX

6995MHz_TnomVnom




EUT_V_2TX
Setting -4.25
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.9864G	64.43	88.20	-23.77	43.14	3	Horizontal	185	1.78	-	40.90	9.89	29.50	
RMS	14.005G	50.48	68.20	-17.72	29.17	3	Horizontal	185	1.78	-	40.90	9.90	29.49	

802.11ax HEW20_Nss1,(MCS0)_2TX

6995MHz_TnomVnom




EUT_V_2TX
Setting -4.25
01-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.97876G	49.41	83.54	-34.13	45.55	1	Vertical	254	1.66	-	37.63	15.94	49.71
AV	20.97294G	34.85	63.54	-28.69	30.98	1	Vertical	254	1.66	-	37.64	15.94	49.71

802.11ax HEW20_Nss1,(MCS0)_2TX

6995MHz_TnomVnom




EUT V_2TX
Setting -4.25
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.99376G	49.62	83.54	-33.92	45.76	1	Horizontal	88	2.01	-	37.61	15.95	49.70
AV	20.97102G	34.87	63.54	-28.67	30.99	1	Horizontal	88	2.01	-	37.65	15.94	49.71

802.11ax HEW20_Nss1,(MCS0)_2TX

7095MHz_TnomVnom




EUT V_2TX
Setting -4.25
01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.101G	95.13	Inf	-Inf	84.44	3	Vertical	311	1.30	-	36.51	7.25	33.07
RMS	7.101G	86.33	Inf	-Inf	75.64	3	Vertical	311	1.30	-	36.51	7.25	33.07
PK	7.2168G	64.72	88.20	-23.48	53.53	3	Vertical	311	1.30	-	37.10	7.22	33.13
RMS	7.233G	53.38	68.20	-14.82	42.19	3	Vertical	311	1.30	-	37.10	7.23	33.14

802.11ax HEW20_Nss1,(MCS0)_2TX

7095MHz_TnomVnom




EUT V_2TX
 Setting -4.25
 01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.101G	93.69	Inf	-Inf	83.00	3	Horizontal	329	1.80	-	36.51	7.25	33.07
RMS	7.1022G	83.58	Inf	-Inf	72.88	3	Horizontal	329	1.80	-	36.52	7.25	33.07
PK	7.239G	65.43	88.20	-22.77	54.23	3	Horizontal	329	1.80	-	37.10	7.24	33.14
RMS	7.1976G	53.38	68.20	-14.82	42.21	3	Horizontal	329	1.80	-	37.09	7.20	33.12

802.11ax HEW20_Nss1,(MCS0)_2TX

7095MHz_TnomVnom




EUT_V_2TX
Setting -4.25
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.17932G	63.60	88.20	-24.60	42.45	3	Vertical	166	2.09	-	40.82	9.95	29.62
RMS	14.19282G	50.18	68.20	-18.02	29.03	3	Vertical	166	2.09	-	40.81	9.96	29.62

802.11ax HEW20_Nss1,(MCS0)_2TX

7095MHz_TnomVnom




EUT_V_2TX
Setting -4.25
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.19156G	63.46	88.20	-24.74	42.31	3	Horizontal	257	2.09	-	40.81	9.96	29.62
RMS	14.19594G	50.17	68.20	-18.03	29.04	3	Horizontal	257	2.09	-	40.80	9.96	29.63

802.11ax HEW20_Nss1,(MCS0)_2TX

7095MHz_TnomVnom




EUT_V_2TX
Setting -4.25
01-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	21.28758G	49.18	83.54	-34.36	45.09	1	Vertical	91	1.13	-	37.65	16.08	49.64	
AV	21.29724G	35.49	63.54	-28.05	31.39	1	Vertical	91	1.13	-	37.66	16.08	49.64	

802.11ax HEW20_Nss1,(MCS0)_2TX

7095MHz_TnomVnom




EUT_V_2TX
Setting -4.25
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.27102G	49.02	83.54	-34.52	44.97	1	Horizontal	174	1.99	-	37.63	16.07	49.65
AV	21.29736G	35.66	63.54	-27.88	31.56	1	Horizontal	174	1.99	-	37.66	16.08	49.64

802.11ax HEW20_Nss1,(MCS0)_2TX

7115MHz_TnomVnom




EUT_V_2TX
Setting 10
03-G-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.12115G	100.34	Inf	-Inf	91.27	3	Vertical	37	1.28	-	35.93	8.20	35.06	
RMS	7.12243G	90.31	Inf	-Inf	81.24	3	Vertical	37	1.28	-	35.93	8.20	35.06	
PK	7.1255G	79.79	88.20	-8.41	70.70	3	Vertical	37	1.28	-	35.95	8.20	35.06	
RMS	7.1255G	65.47	68.20	-2.73	56.38	3	Vertical	37	1.28	-	35.95	8.20	35.06	

802.11ax HEW20_Nss1,(MCS0)_2TX

7115MHz_TnomVnom




EUT_V_2TX
Setting 10
03-G-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.12118G	97.12	Inf	-Inf	88.05	3	Horizontal	35	1.70	-	35.93	8.20	35.06	
RMS	7.12248G	85.40	Inf	-Inf	76.33	3	Horizontal	35	1.70	-	35.93	8.20	35.06	
PK	7.1255G	76.86	88.20	-11.34	67.77	3	Horizontal	35	1.70	-	35.95	8.20	35.06	
RMS	7.1255G	59.68	68.20	-8.52	50.59	3	Horizontal	35	1.70	-	35.95	8.20	35.06	

802.11ax HEW20_Nss1,(MCS0)_2TX

7115MHz_TnomVnom




EUT_V_2TX
Setting 10
03-G-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.2163G	67.99	88.20	-20.21	46.88	3	Vertical	169	1.80	-	41.60	12.51	33.00
RMS	14.2162G	54.45	68.20	-13.75	33.34	3	Vertical	169	1.80	-	41.60	12.51	33.00

802.11ax HEW20_Nss1,(MCS0)_2TX

7115MHz_TnomVnom




EUT_V_2TX
Setting 10
03-G-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	14.216G	70.51	88.20	-17.69	49.40	3	Horizontal	206	2.77	-	41.60	12.51	33.00	
RMS	14.2163G	56.99	68.20	-11.21	35.88	3	Horizontal	206	2.77	-	41.60	12.51	33.00	

802.11ax HEW20_Nss1,(MCS0)_2TX

7115MHz_TnomVnom




EUT_V_2TX
Setting 10
03-G-S-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	21.34522G	50.36	83.54	-33.18	46.17	1	Vertical	150	1.58	-	37.71	16.11	49.63	
AV	21.3413G	36.23	63.54	-27.31	32.05	1	Vertical	150	1.58	-	37.71	16.10	49.63	

802.11ax HEW20_Nss1,(MCS0)_2TX

7115MHz_TnomVnom



EUT_V_2TX
Setting 10
03-G-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.34064G	49.94	83.54	-33.60	45.76	1	Horizontal	270	1.50	-	37.71	16.10	49.63
AV	21.34086G	36.15	63.54	-27.39	31.97	1	Horizontal	270	1.50	-	37.71	16.10	49.63



RSE TX above 1GHz
<Partial RU> low power_RU106_2TX_Ant. 1


Appendix E.19

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1.(MCS0)_2TX	Pass	AV	11.9013G	53.63	54.00	-0.37	3	Horizontal	220	1.77	-

802.11ax HEW20_Nss1,(MCS0)_2TX

5955MHz_TnomVnom




EUT Y_2TX
Setting 16
01-M-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.925G	71.43	88.20	-16.77	62.64	3	Vertical	47	1.23	-	35.00	6.60	32.81	
RMS	5.925G	52.83	68.20	-15.37	44.04	3	Vertical	47	1.23	-	35.00	6.60	32.81	
PK	5.952G	116.02	Inf	-Inf	107.13	3	Vertical	47	1.23	-	35.11	6.60	32.82	
RMS	5.9524G	105.32	Inf	-Inf	96.43	3	Vertical	47	1.23	-	35.11	6.60	32.82	

802.11ax HEW20_Nss1,(MCS0)_2TX

5955MHz_TnomVnom




EUT Y_2TX
Setting 16
01-M-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9248G	67.57	88.20	-20.63	58.78	3	Horizontal	44	2.32	-	35.00	6.60	32.81	
RMS	5.9244G	50.94	68.20	-17.26	42.15	3	Horizontal	44	2.32	-	35.00	6.60	32.81	
PK	5.952G	114.33	Inf	-Inf	105.44	3	Horizontal	44	2.32	-	35.11	6.60	32.82	
RMS	5.9498G	104.29	Inf	-Inf	95.41	3	Horizontal	44	2.32	-	35.10	6.60	32.82	

802.11ax HEW20_Nss1,(MCS0)_2TX

5955MHz_TnomVnom




EUT_V_2TX
Setting 16
01-M-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.9028G	60.01	74.00	-13.99	44.11	3	Vertical	265	1.80	-	38.50	8.98	31.58
AV	11.9013G	45.97	54.00	-8.03	30.07	3	Vertical	265	1.80	-	38.50	8.98	31.58

802.11ax HEW20_Nss1,(MCS0)_2TX

5955MHz_TnomVnom




EUT_V_2TX
Setting 16
01-M-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.9027G	67.32	74.00	-6.68	51.42	3	Horizontal	220	1.77	-	38.50	8.98	31.58	
AV	11.9013G	53.63	54.00	-0.37	37.73	3	Horizontal	220	1.77	-	38.50	8.98	31.58	

802.11ax HEW20_Nss1,(MCS0)_2TX

6195MHz_TnomVnom




EUT Y_2TX
Setting 16
01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7862G	60.86	88.20	-27.34	52.61	3	Vertical	213	1.37	-	34.40	6.60	32.75
RMS	5.9178G	50.15	68.20	-18.05	41.39	3	Vertical	213	1.37	-	34.97	6.60	32.81
PK	6.1922G	115.26	Inf	-Inf	105.75	3	Vertical	213	1.37	-	35.47	6.89	32.85
RMS	6.1922G	104.55	Inf	-Inf	95.04	3	Vertical	213	1.37	-	35.47	6.89	32.85

802.11ax HEW20_Nss1,(MCS0)_2TX

6195MHz_TnomVnom




EUT V_2TX
Setting 16
01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8366G	61.40	88.20	-26.80	52.88	3	Horizontal	339	1.80	-	34.69	6.60	32.77
RMS	5.925G	50.13	68.20	-18.07	41.34	3	Horizontal	339	1.80	-	35.00	6.60	32.81
PK	6.1922G	115.58	Inf	-Inf	106.07	3	Horizontal	339	1.80	-	35.47	6.89	32.85
RMS	6.1922G	104.63	Inf	-Inf	95.12	3	Horizontal	339	1.80	-	35.47	6.89	32.85

802.11ax HEW20_Nss1,(MCS0)_2TX

6195MHz_TnomVnom




EUT_V_2TX
Setting 16
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.3805G	59.03	74.00	-14.97	42.78	3	Vertical	228	1.80	-	38.66	9.17	31.58	
AV	12.3804G	44.80	54.00	-9.20	28.55	3	Vertical	228	1.80	-	38.66	9.17	31.58	

802.11ax HEW20_Nss1,(MCS0)_2TX

6195MHz_TnomVnom




EUT_V_2TX
Setting 16
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.3825G	62.75	74.00	-11.25	46.50	3	Horizontal	204	1.80	-	38.66	9.17	31.58
AV	12.3844G	47.63	54.00	-6.37	31.37	3	Horizontal	204	1.80	-	38.67	9.17	31.58

802.11ax HEW20_Nss1,(MCS0)_2TX

6195MHz_TnomVnom




EUT_Y_2TX
Setting 16
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.5778G	46.74	83.54	-36.80	44.06	1	Vertical	233	2.37	-	37.77	14.93	50.02
AV	18.6061G	33.37	63.54	-30.17	30.66	1	Vertical	233	2.37	-	37.76	14.94	49.99

802.11ax HEW20_Nss1,(MCS0)_2TX

6195MHz_TnomVnom




EUT_V_2TX
Setting 16
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.5826G	47.23	83.54	-36.31	44.55	1	Horizontal	51	1.73	-	37.77	14.93	50.02
AV	18.6062G	33.39	63.54	-30.15	30.68	1	Horizontal	51	1.73	-	37.76	14.94	49.99

802.11ax HEW20_Nss1,(MCS0)_2TX

6415MHz_TnomVnom




EUT V_2TX
Setting 16.25
01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.925G	61.09	88.20	-27.11	52.30	3	Vertical	210	1.14	-	35.00	6.60	32.81	
RMS	5.9222G	50.13	68.20	-18.07	41.35	3	Vertical	210	1.14	-	34.99	6.60	32.81	
PK	6.4122G	116.00	Inf	-Inf	106.31	3	Vertical	210	1.14	-	35.55	7.00	32.86	
RMS	6.4122G	105.30	Inf	-Inf	95.61	3	Vertical	210	1.14	-	35.55	7.00	32.86	

802.11ax HEW20_Nss1,(MCS0)_2TX

6415MHz_TnomVnom




EUT V_2TX
Setting 16.25
01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.8242G	60.38	88.20	-27.82	51.96	3	Horizontal	340	1.80	-	34.59	6.60	32.77	
RMS	5.9222G	50.09	68.20	-18.11	41.31	3	Horizontal	340	1.80	-	34.99	6.60	32.81	
PK	6.4122G	115.07	Inf	-Inf	105.38	3	Horizontal	340	1.80	-	35.55	7.00	32.86	
RMS	6.4122G	105.95	Inf	-Inf	96.26	3	Horizontal	340	1.80	-	35.55	7.00	32.86	

802.11ax HEW20_Nss1,(MCS0)_2TX

6415MHz_TnomVnom




EUT V_2TX
Setting 16.25
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8215G	61.33	88.20	-26.87	43.64	3	Vertical	303	1.14	-	39.22	9.37	30.90
RMS	12.8213G	47.50	68.20	-20.70	29.81	3	Vertical	303	1.14	-	39.22	9.37	30.90

802.11ax HEW20_Nss1,(MCS0)_2TX

6415MHz_TnomVnom




EUT V_2TX
Setting 16.25
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8238G	64.71	88.20	-23.49	47.02	3	Horizontal	202	1.80	-	39.22	9.37	30.90
RMS	12.8213G	50.73	68.20	-17.47	33.04	3	Horizontal	202	1.80	-	39.22	9.37	30.90

802.11ax HEW20_Nss1,(MCS0)_2TX

6415MHz_TnomVnom




EUT_V_2TX
Setting 16.25
01-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.2204G	47.95	83.54	-35.59	44.66	1	Vertical	314	2.77	-	37.74	15.19	49.64
AV	19.2243G	33.81	63.54	-29.73	30.53	1	Vertical	314	2.77	-	37.73	15.19	49.64

802.11ax HEW20_Nss1,(MCS0)_2TX

6415MHz_TnomVnom




EUT_V_2TX
Setting 16.25
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.2436G	47.45	83.54	-36.09	44.19	1	Horizontal	277	2.60	-	37.71	15.20	49.65
AV	19.2235G	33.81	63.54	-29.73	30.53	1	Horizontal	277	2.60	-	37.73	15.19	49.64

802.11ax HEW20_Nss1,(MCS0)_2TX

6435MHz_TnomVnom




EUT V_2TX
 Setting -3.25
 01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8942G	61.87	88.20	-26.33	53.18	3	Vertical	202	1.80	-	34.89	6.60	32.80
RMS	5.925G	50.15	68.20	-18.05	41.36	3	Vertical	202	1.80	-	35.00	6.60	32.81
PK	6.4318G	94.52	Inf	-Inf	84.91	3	Vertical	202	1.80	-	35.47	7.00	32.86
RMS	6.4318G	84.96	Inf	-Inf	75.35	3	Vertical	202	1.80	-	35.47	7.00	32.86
PK	7.2286G	64.12	88.20	-24.08	52.93	3	Vertical	202	1.80	-	37.10	7.23	33.14
RMS	7.2318G	53.30	68.20	-14.90	42.11	3	Vertical	202	1.80	-	37.10	7.23	33.14

802.11ax HEW20_Nss1,(MCS0)_2TX

6435MHz_TnomVnom




EUT V_2TX
Setting -3.25
01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8654G	61.00	88.20	-27.20	52.36	3	Horizontal	339	1.80	-	34.83	6.60	32.79
RMS	5.9166G	50.09	68.20	-18.11	41.33	3	Horizontal	339	1.80	-	34.97	6.60	32.81
PK	6.4318G	96.90	Inf	-Inf	87.29	3	Horizontal	339	1.80	-	35.47	7.00	32.86
RMS	6.4318G	85.64	Inf	-Inf	76.03	3	Horizontal	339	1.80	-	35.47	7.00	32.86
PK	7.2126G	63.95	88.20	-24.25	52.77	3	Horizontal	339	1.80	-	37.10	7.21	33.13
RMS	7.2318G	53.38	68.20	-14.82	42.19	3	Horizontal	339	1.80	-	37.10	7.23	33.14

802.11ax HEW20_Nss1,(MCS0)_2TX

6435MHz_TnomVnom




EUT V_2TX
Setting -3.25
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.8898G	58.81	88.20	-29.39	40.88	3	Vertical	170	2.01	-	39.29	9.40	30.76	
RMS	12.894G	45.41	68.20	-22.79	27.47	3	Vertical	170	2.01	-	39.29	9.40	30.75	

802.11ax HEW20_Nss1,(MCS0)_2TX

6435MHz_TnomVnom




EUT V_2TX
Setting -3.25
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8567G	58.59	88.20	-29.61	40.77	3	Horizontal	210	2.10	-	39.26	9.39	30.83
RMS	12.894G	45.34	68.20	-22.86	27.40	3	Horizontal	210	2.10	-	39.29	9.40	30.75

802.11ax HEW20_Nss1,(MCS0)_2TX

6435MHz_TnomVnom




EUT V_2TX
Setting -3.25
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.2833G	47.39	83.54	-36.15	44.11	1	Vertical	275	2.35	-	37.73	15.21	49.66
AV	19.2841G	33.48	63.54	-30.06	30.20	1	Vertical	275	2.35	-	37.73	15.21	49.66

802.11ax HEW20_Nss1,(MCS0)_2TX

6435MHz_TnomVnom




EUT V_2TX
Setting -3.25
01-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.2879G	47.00	83.54	-36.54	43.71	1	Horizontal	87	2.87	-	37.73	15.22	49.66
AV	19.286G	33.49	63.54	-30.05	30.21	1	Horizontal	87	2.87	-	37.73	15.21	49.66

802.11ax HEW20_Nss1,(MCS0)_2TX

6475MHz_TnomVnom




EUT V_2TX
 Setting -3.25
 01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.893G	60.54	88.20	-27.66	51.85	3	Vertical	202	1.80	-	34.89	6.60	32.80
RMS	5.925G	50.13	68.20	-18.07	41.34	3	Vertical	202	1.80	-	35.00	6.60	32.81
PK	6.472G	93.58	Inf	-Inf	83.95	3	Vertical	202	1.80	-	35.49	7.00	32.86
RMS	6.472G	84.39	Inf	-Inf	74.76	3	Vertical	202	1.80	-	35.49	7.00	32.86
PK	7.144G	64.49	88.20	-23.71	53.50	3	Vertical	202	1.80	-	36.85	7.23	33.09
RMS	7.198G	53.38	68.20	-14.82	42.21	3	Vertical	202	1.80	-	37.09	7.20	33.12

802.11ax HEW20_Nss1,(MCS0)_2TX

6475MHz_TnomVnom




EUT V_2TX
 Setting -3.25
 01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.92G	61.20	88.20	-27.00	52.43	3	Horizontal	340	1.76	-	34.98	6.60	32.81
RMS	5.92G	50.07	68.20	-18.13	41.30	3	Horizontal	340	1.76	-	34.98	6.60	32.81
PK	6.472G	96.31	Inf	-Inf	86.68	3	Horizontal	340	1.76	-	35.49	7.00	32.86
RMS	6.472G	85.36	Inf	-Inf	75.73	3	Horizontal	340	1.76	-	35.49	7.00	32.86
PK	7.222G	64.37	88.20	-23.83	53.19	3	Horizontal	340	1.76	-	37.10	7.22	33.14
RMS	7.201G	53.38	68.20	-14.82	42.20	3	Horizontal	340	1.76	-	37.10	7.20	33.12

802.11ax HEW20_Nss1,(MCS0)_2TX

6475MHz_TnomVnom




EUT V_2TX
Setting -3.25
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.9562G	58.97	88.20	-29.23	40.68	3	Vertical	208	1.83	-	39.47	9.43	30.61	
RMS	12.9749G	46.01	68.20	-22.19	27.62	3	Vertical	208	1.83	-	39.52	9.44	30.57	

802.11ax HEW20_Nss1,(MCS0)_2TX

6475MHz_TnomVnom




EUT V_2TX
Setting -3.25
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.9589G	59.42	88.20	-28.78	41.12	3	Horizontal	211	2.44	-	39.48	9.43	30.61	
RMS	12.9748G	46.01	68.20	-22.19	27.62	3	Horizontal	211	2.44	-	39.52	9.44	30.57	

802.11ax HEW20_Nss1,(MCS0)_2TX

6475MHz_TnomVnom




EUT_V_2TX
Setting -3.25
01-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.4104G	47.81	83.54	-35.73	44.40	1	Vertical	144	2.02	-	37.83	15.26	49.68	
AV	19.449G	33.49	63.54	-30.05	30.04	1	Vertical	144	2.02	-	37.86	15.28	49.69	

802.11ax HEW20_Nss1,(MCS0)_2TX

6475MHz_TnomVnom




EUT_V_2TX
Setting -3.25
01-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.4132G	47.84	83.54	-35.70	44.42	1	Horizontal	166	2.08	-	37.83	15.27	49.68	
AV	19.4498G	33.48	63.54	-30.06	30.03	1	Horizontal	166	2.08	-	37.86	15.28	49.69	

802.11ax HEW20_Nss1,(MCS0)_2TX

6515MHz_TnomVnom




EUT V_2TX
Setting -2.75
01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9214G	60.56	88.20	-27.64	51.78	3	Vertical	207	1.10	-	34.99	6.60	32.81
RMS	5.9242G	50.11	68.20	-18.09	41.32	3	Vertical	207	1.10	-	35.00	6.60	32.81
PK	6.5122G	97.08	Inf	-Inf	87.29	3	Vertical	207	1.10	-	35.65	7.00	32.86
RMS	6.5122G	86.04	Inf	-Inf	76.25	3	Vertical	207	1.10	-	35.65	7.00	32.86
PK	7.1366G	64.26	88.20	-23.94	53.33	3	Vertical	207	1.10	-	36.79	7.23	33.09
RMS	7.201G	53.34	68.20	-14.86	42.16	3	Vertical	207	1.10	-	37.10	7.20	33.12

802.11ax HEW20_Nss1,(MCS0)_2TX

6515MHz_TnomVnom




EUT V_2TX
Setting -2.75
01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8738G	60.94	88.20	-27.26	52.28	3	Horizontal	342	1.80	-	34.85	6.60	32.79
RMS	5.9214G	50.14	68.20	-18.06	41.36	3	Horizontal	342	1.80	-	34.99	6.60	32.81
PK	6.5122G	97.03	Inf	-Inf	87.24	3	Horizontal	342	1.80	-	35.65	7.00	32.86
RMS	6.5122G	86.19	Inf	-Inf	76.40	3	Horizontal	342	1.80	-	35.65	7.00	32.86
PK	7.2094G	63.40	88.20	-24.80	52.22	3	Horizontal	342	1.80	-	37.10	7.21	33.13
RMS	7.187G	53.35	68.20	-14.85	42.21	3	Horizontal	342	1.80	-	37.05	7.21	33.12

802.11ax HEW20_Nss1,(MCS0)_2TX

6515MHz_TnomVnom




EUT V_2TX
Setting -2.75
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0392G	60.04	88.20	-28.16	41.39	3	Vertical	36	2.45	-	39.64	9.47	30.46
RMS	13.0543G	46.53	68.20	-21.67	27.85	3	Vertical	36	2.45	-	39.65	9.47	30.44

802.11ax HEW20_Nss1,(MCS0)_2TX

6515MHz_TnomVnom




EUT V_2TX
Setting -2.75
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0131G	60.19	88.20	-28.01	41.62	3	Horizontal	294	2.49	-	39.61	9.46	30.50
RMS	13.0541G	46.52	68.20	-21.68	27.84	3	Horizontal	294	2.49	-	39.65	9.47	30.44

802.11ax HEW20_Nss1,(MCS0)_2TX

6515MHz_TnomVnom




EUT_V_2TX
Setting -2.75
01-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.5697G	47.47	83.54	-36.07	43.97	1	Vertical	173	1.15	-	37.87	15.33	49.70
AV	19.567G	33.83	63.54	-29.71	30.33	1	Vertical	173	1.15	-	37.87	15.33	49.70

802.11ax HEW20_Nss1,(MCS0)_2TX

6515MHz_TnomVnom




EUT_V_2TX
Setting -2.75
01-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.5601G	47.36	83.54	-36.18	43.86	1	Horizontal	338	2.33	-	37.88	15.32	49.70	
AV	19.567G	33.81	63.54	-29.73	30.31	1	Horizontal	338	2.33	-	37.87	15.33	49.70	

802.11ax HEW20_Nss1,(MCS0)_2TX

6535MHz_TnomVnom




EUT_V_2TX
Setting 16
01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8854G	60.40	88.20	-27.80	51.72	3	Vertical	216	1.45	-	34.87	6.60	32.79
RMS	5.919G	50.15	68.20	-18.05	41.38	3	Vertical	216	1.45	-	34.98	6.60	32.81
PK	6.5378G	113.95	Inf	-Inf	104.07	3	Vertical	216	1.45	-	35.75	7.00	32.87
RMS	6.5378G	104.21	Inf	-Inf	94.33	3	Vertical	216	1.45	-	35.75	7.00	32.87
PK	7.1846G	63.71	88.20	-24.49	52.58	3	Vertical	216	1.45	-	37.04	7.21	33.12
RMS	7.207G	53.38	68.20	-14.82	42.20	3	Vertical	216	1.45	-	37.10	7.21	33.13

802.11ax HEW20_Nss1,(MCS0)_2TX

6535MHz_TnomVnom




EUT_V_2TX
 Setting 16
 01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9246G	61.37	88.20	-26.83	52.58	3	Horizontal	348	1.79	-	35.00	6.60	32.81
RMS	5.9246G	50.16	68.20	-18.04	41.37	3	Horizontal	348	1.79	-	35.00	6.60	32.81
PK	6.5378G	116.05	Inf	-Inf	106.17	3	Horizontal	348	1.79	-	35.75	7.00	32.87
RMS	6.5378G	104.42	Inf	-Inf	94.54	3	Horizontal	348	1.79	-	35.75	7.00	32.87
PK	7.2266G	64.01	88.20	-24.19	52.82	3	Horizontal	348	1.79	-	37.10	7.23	33.14
RMS	7.235G	53.39	68.20	-14.81	42.20	3	Horizontal	348	1.79	-	37.10	7.23	33.14

802.11ax HEW20_Nss1,(MCS0)_2TX

6535MHz_TnomVnom




EUT_V_2TX
Setting 16
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.075G	60.87	88.20	-27.33	42.12	3	Vertical	298	1.80	-	39.68	9.48	30.41	
RMS	13.0795G	47.43	68.20	-20.77	28.66	3	Vertical	298	1.80	-	39.68	9.49	30.40	

802.11ax HEW20_Nss1,(MCS0)_2TX

6535MHz_TnomVnom




EUT_V_2TX
Setting 16
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.0796G	62.27	88.20	-25.93	43.50	3	Horizontal	201	1.78	-	39.68	9.49	30.40	
RMS	13.0795G	48.22	68.20	-19.98	29.45	3	Horizontal	201	1.78	-	39.68	9.49	30.40	

802.11ax HEW20_Nss1,(MCS0)_2TX

6535MHz_TnomVnom




EUT_V_2TX
Setting 16
01-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.6049G	48.24	83.54	-35.30	44.74	1	Vertical	106	2.43	-	37.86	15.34	49.70	
AV	19.6251G	34.68	63.54	-28.86	31.18	1	Vertical	106	2.43	-	37.85	15.35	49.70	

802.11ax HEW20_Nss1,(MCS0)_2TX

6535MHz_TnomVnom




EUT_V_2TX
Setting 16
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.6293G	47.69	83.54	-35.85	44.19	1	Horizontal	12	1.20	-	37.85	15.35	49.70
AV	19.6219G	34.72	63.54	-28.82	31.22	1	Horizontal	12	1.20	-	37.85	15.35	49.70

802.11ax HEW20_Nss1,(MCS0)_2TX

6695MHz_TnomVnom




EUT V_2TX
Setting 16
01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.6972G	111.18	Inf	-Inf	101.19	3	Vertical	338	1.88	-	35.91	7.00	32.92	
RMS	6.6972G	102.03	Inf	-Inf	92.04	3	Vertical	338	1.88	-	35.91	7.00	32.92	
PK	7.2054G	64.51	88.20	-23.69	53.33	3	Vertical	338	1.88	-	37.10	7.21	33.13	
RMS	7.2384G	53.45	68.20	-14.75	42.25	3	Vertical	338	1.88	-	37.10	7.24	33.14	

802.11ax HEW20_Nss1,(MCS0)_2TX

6695MHz_TnomVnom




EUT_V_2TX
Setting 16
01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6972G	112.15	Inf	-Inf	102.16	3	Horizontal	345	1.77	-	35.91	7.00	32.92
RMS	6.6972G	102.07	Inf	-Inf	92.08	3	Horizontal	345	1.77	-	35.91	7.00	32.92
PK	7.1878G	63.97	88.20	-24.23	52.83	3	Horizontal	345	1.77	-	37.05	7.21	33.12
RMS	7.2428G	53.41	68.20	-14.79	42.22	3	Horizontal	345	1.77	-	37.10	7.24	33.15

802.11ax HEW20_Nss1,(MCS0)_2TX

6695MHz_TnomVnom




EUT_V_2TX
Setting 16
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.3975G	61.55	74.00	-12.45	41.65	3	Vertical	295	1.67	-	40.20	9.63	29.93
AV	13.3976G	47.65	54.00	-6.35	27.75	3	Vertical	295	1.67	-	40.20	9.63	29.93

802.11ax HEW20_Nss1,(MCS0)_2TX

6695MHz_TnomVnom




EUT_V_2TX
Setting 16
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.3984G	62.57	74.00	-11.43	42.67	3	Horizontal	148	2.80	-	40.20	9.63	29.93
AV	13.3985G	48.62	54.00	-5.38	28.72	3	Horizontal	148	2.80	-	40.20	9.63	29.93

802.11ax HEW20_Nss1,(MCS0)_2TX

6695MHz_TnomVnom




EUT_V_2TX
Setting 16
01-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	20.1049G	47.75	83.54	-35.79	44.46	1	Vertical	338	2.11	-	37.48	15.55	49.74	
AV	20.1078G	34.36	63.54	-29.18	31.06	1	Vertical	338	2.11	-	37.49	15.55	49.74	

802.11ax HEW20_Nss1,(MCS0)_2TX

6695MHz_TnomVnom




EUT_V_2TX
Setting 16
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.065G	48.02	83.54	-35.52	44.77	1	Horizontal	280	1.04	-	37.45	15.53	49.73
AV	20.1077G	34.37	63.54	-29.17	31.07	1	Horizontal	280	1.04	-	37.49	15.55	49.74

802.11ax HEW20_Nss1,(MCS0)_2TX

6855MHz_TnomVnom




EUT_V_2TX
Setting 23
01-M-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.848G	121.32	Inf	-Inf	110.64	3	Vertical	17	1.80	-	36.58	7.07	32.97	
RMS	6.8522G	110.04	Inf	-Inf	99.35	3	Vertical	17	1.80	-	36.58	7.08	32.97	
PK	7.205G	63.41	88.20	-24.79	52.23	3	Vertical	17	1.80	-	37.10	7.21	33.13	
RMS	7.1728G	51.74	68.20	-16.46	40.65	3	Vertical	17	1.80	-	36.99	7.21	33.11	

802.11ax HEW20_Nss1,(MCS0)_2TX

6855MHz_TnomVnom




EUT_V_2TX
Setting 23
01-M-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.848G	119.63	Inf	-Inf	108.95	3	Horizontal	4	1.80	-	36.58	7.07	32.97	
RMS	6.8508G	106.61	Inf	-Inf	95.91	3	Horizontal	4	1.80	-	36.59	7.08	32.97	
PK	7.2008G	63.84	88.20	-24.36	52.66	3	Horizontal	4	1.80	-	37.10	7.20	33.12	
RMS	7.1966G	51.79	68.20	-16.41	40.62	3	Horizontal	4	1.80	-	37.09	7.20	33.12	

802.11ax HEW20_Nss1,(MCS0)_2TX

6855MHz_TnomVnom




EUT_V_2TX
Setting 23
01-M-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.70104G	68.44	88.20	-19.76	47.83	3	Vertical	344	2.17	-	40.50	9.77	29.66
RMS	13.70168G	54.54	68.20	-13.66	33.92	3	Vertical	344	2.17	-	40.51	9.77	29.66

802.11ax HEW20_Nss1,(MCS0)_2TX

6855MHz_TnomVnom




EUT_V_2TX
Setting 23
01-M-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.69984G	68.64	88.20	-19.56	48.04	3	Horizontal	214	2.74	-	40.50	9.76	29.66	
RMS	13.70168G	54.49	68.20	-13.71	33.87	3	Horizontal	214	2.74	-	40.51	9.77	29.66	

802.11ax HEW20_Nss1,(MCS0)_2TX

6855MHz_TnomVnom




EUT V_2TX
Setting 23
01-M-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.56874G	49.15	83.54	-34.39	45.48	1	Vertical	282	1.54	-	37.78	15.76	49.87
AV	20.56174G	34.66	63.54	-28.88	31.02	1	Vertical	282	1.54	-	37.77	15.75	49.88

802.11ax HEW20_Nss1,(MCS0)_2TX

6855MHz_TnomVnom




EUT V_2TX
Setting 23
01-M-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.56168G	47.98	83.54	-35.56	44.34	1	Horizontal	145	1.54	-	37.77	15.75	49.88
AV	20.5617G	34.38	63.54	-29.16	30.74	1	Horizontal	145	1.54	-	37.77	15.75	49.88

802.11ax HEW20_Nss1,(MCS0)_2TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT V_2TX
 Setting -2.25
 01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8778G	96.25	Inf	-Inf	85.73	3	Vertical	211	1.74	-	36.38	7.12	32.98
RMS	6.8792G	85.73	Inf	-Inf	75.22	3	Vertical	211	1.74	-	36.37	7.12	32.98
PK	7.1368G	64.65	88.20	-23.55	53.72	3	Vertical	211	1.74	-	36.79	7.23	33.09
RMS	7.2082G	53.41	68.20	-14.79	42.23	3	Vertical	211	1.74	-	37.10	7.21	33.13

802.11ax HEW20_Nss1,(MCS0)_2TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT V_2TX
Setting -2.25
01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.8778G	95.63	Inf	-Inf	85.11	3	Horizontal	343	2.57	-	36.38	7.12	32.98	
RMS	6.8792G	85.70	Inf	-Inf	75.19	3	Horizontal	343	2.57	-	36.37	7.12	32.98	
PK	7.169G	65.62	88.20	-22.58	54.53	3	Horizontal	343	2.57	-	36.98	7.22	33.11	
RMS	7.1984G	53.39	68.20	-14.81	42.22	3	Horizontal	343	2.57	-	37.09	7.20	33.12	

802.11ax HEW20_Nss1,(MCS0)_2TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_2TX
Setting -2.25
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7335G	63.23	88.20	-24.97	42.49	3	Vertical	353	1.04	-	40.60	9.78	29.64
RMS	13.7681G	49.82	68.20	-18.38	28.94	3	Vertical	353	1.04	-	40.70	9.80	29.62

802.11ax HEW20_Nss1,(MCS0)_2TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_2TX
Setting -2.25
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7657G	63.64	88.20	-24.56	42.78	3	Horizontal	82	1.79	-	40.70	9.79	29.63
RMS	13.7684G	49.79	68.20	-18.41	28.90	3	Horizontal	82	1.79	-	40.71	9.80	29.62

802.11ax HEW20_Nss1,(MCS0)_2TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_2TX
Setting -2.25
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.6483G	48.71	83.54	-34.83	44.88	1	Vertical	157	1.67	-	37.88	15.79	49.84
AV	20.6482G	34.87	63.54	-28.67	31.04	1	Vertical	157	1.67	-	37.88	15.79	49.84

802.11ax HEW20_Nss1,(MCS0)_2TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_2TX
Setting -2.25
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.6423G	48.56	83.54	-34.98	44.74	1	Horizontal	59	1.78	-	37.87	15.79	49.84
AV	20.6477G	34.83	63.54	-28.71	31.00	1	Horizontal	59	1.78	-	37.88	15.79	49.84

802.11ax HEW20_Nss1,(MCS0)_2TX

6895MHz_TnomVnom




EUT V_2TX
Setting -2.25
01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.8978G	96.79	Inf	-Inf	86.41	3	Vertical	212	1.68	-	36.22	7.15	32.99	
RMS	6.8978G	86.36	Inf	-Inf	75.98	3	Vertical	212	1.68	-	36.22	7.15	32.99	
PK	7.161G	64.25	88.20	-23.95	53.19	3	Vertical	212	1.68	-	36.94	7.22	33.10	
RMS	7.2114G	53.40	68.20	-14.80	42.22	3	Vertical	212	1.68	-	37.10	7.21	33.13	

802.11ax HEW20_Nss1,(MCS0)_2TX

6895MHz_TnomVnom




EUT V_2TX
Setting -2.25
01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8964G	94.84	Inf	-Inf	84.46	3	Horizontal	349	1.66	-	36.23	7.14	32.99
RMS	6.8978G	85.19	Inf	-Inf	74.81	3	Horizontal	349	1.66	-	36.22	7.15	32.99
PK	7.245G	64.11	88.20	-24.09	52.91	3	Horizontal	349	1.66	-	37.10	7.25	33.15
RMS	7.2002G	53.39	68.20	-14.81	42.21	3	Horizontal	349	1.66	-	37.10	7.20	33.12

802.11ax HEW20_Nss1,(MCS0)_2TX

6895MHz_TnomVnom




EUT_V_2TX
 Setting -2.25
 01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7971G	64.11	88.20	-24.09	43.12	3	Vertical	228	1.57	-	40.79	9.81	29.61
RMS	13.8095G	49.93	68.20	-18.27	28.91	3	Vertical	228	1.57	-	40.81	9.81	29.60

802.11ax HEW20_Nss1,(MCS0)_2TX

6895MHz_TnomVnom




EUT V_2TX
 Setting -2.25
 01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.7948G	63.87	88.20	-24.33	42.89	3	Horizontal	25	2.98	-	40.78	9.81	29.61	
RMS	13.8123G	49.95	68.20	-18.25	28.92	3	Horizontal	25	2.98	-	40.81	9.82	29.60	

802.11ax HEW20_Nss1,(MCS0)_2TX

6895MHz_TnomVnom




EUT V_2TX
Setting -2.25
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.681G	48.91	83.54	-34.63	45.01	1	Vertical	205	1.57	-	37.92	15.81	49.83
AV	20.7073G	35.65	63.54	-27.89	31.70	1	Vertical	205	1.57	-	37.95	15.82	49.82

802.11ax HEW20_Nss1,(MCS0)_2TX

6895MHz_TnomVnom




EUT V_2TX
Setting -2.25
01-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	20.6725G	49.10	83.54	-34.44	45.22	1	Horizontal	235	1.38	-	37.91	15.80	49.83	
AV	20.7073G	35.63	63.54	-27.91	31.68	1	Horizontal	235	1.38	-	37.95	15.82	49.82	

802.11ax HEW20_Nss1,(MCS0)_2TX

6995MHz_TnomVnom




EUT V_2TX
 Setting -1.75
 01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.998G	97.63	Inf	-Inf	87.04	3	Vertical	213	1.80	-	36.31	7.30	33.02	
RMS	6.997G	88.62	Inf	-Inf	78.03	3	Vertical	213	1.80	-	36.31	7.30	33.02	
PK	7.159G	64.69	88.20	-23.51	53.63	3	Vertical	213	1.80	-	36.94	7.22	33.10	
RMS	7.197G	53.37	68.20	-14.83	42.20	3	Vertical	213	1.80	-	37.09	7.20	33.12	

802.11ax HEW20_Nss1,(MCS0)_2TX

6995MHz_TnomVnom




EUT V_2TX
 Setting -1.75
 01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.998G	96.17	Inf	-Inf	85.58	3	Horizontal	327	2.86	-	36.31	7.30	33.02	
RMS	6.998G	87.54	Inf	-Inf	76.95	3	Horizontal	327	2.86	-	36.31	7.30	33.02	
PK	7.149G	64.49	88.20	-23.71	53.47	3	Horizontal	327	2.86	-	36.89	7.23	33.10	
RMS	7.211G	53.34	68.20	-14.86	42.16	3	Horizontal	327	2.86	-	37.10	7.21	33.13	

802.11ax HEW20_Nss1,(MCS0)_2TX

6995MHz_TnomVnom




EUT_V_2TX
Setting -1.75
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.0113G	64.77	88.20	-23.43	43.47	3	Vertical	108	1.88	-	40.90	9.90	29.50
RMS	14.0116G	50.70	68.20	-17.50	29.40	3	Vertical	108	1.88	-	40.90	9.90	29.50

802.11ax HEW20_Nss1,(MCS0)_2TX

6995MHz_TnomVnom




EUT_V_2TX
Setting -1.75
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.9694G	64.81	88.20	-23.39	43.53	3	Horizontal	321	1.90	-	40.90	9.89	29.51
RMS	14.0118G	50.72	68.20	-17.48	29.42	3	Horizontal	321	1.90	-	40.90	9.90	29.50

802.11ax HEW20_Nss1,(MCS0)_2TX

6995MHz_TnomVnom




EUT_V_2TX
Setting -1.75
01-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.9712G	48.70	83.54	-34.84	44.82	1	Vertical	11	1.80	-	37.65	15.94	49.71
AV	20.96G	35.18	63.54	-28.36	31.31	1	Vertical	11	1.80	-	37.66	15.93	49.72

802.11ax HEW20_Nss1,(MCS0)_2TX

6995MHz_TnomVnom




EUT V_2TX
Setting -1.75
01-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	21.0097G	48.63	83.54	-34.91	44.78	1	Horizontal	184	1.86	-	37.60	15.95	49.70	
AV	20.96G	35.10	63.54	-28.44	31.23	1	Horizontal	184	1.86	-	37.66	15.93	49.72	

802.11ax HEW20_Nss1,(MCS0)_2TX

7095MHz_TnomVnom




EUT V_2TX
Setting -2.5
01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.098G	93.84	Inf	-Inf	83.16	3	Vertical	212	1.80	-	36.50	7.25	33.07	
RMS	7.0986G	84.48	Inf	-Inf	73.80	3	Vertical	212	1.80	-	36.50	7.25	33.07	
PK	7.173G	65.01	88.20	-23.19	53.92	3	Vertical	212	1.80	-	36.99	7.21	33.11	
RMS	7.2348G	53.34	68.20	-14.86	42.15	3	Vertical	212	1.80	-	37.10	7.23	33.14	

802.11ax HEW20_Nss1,(MCS0)_2TX

7095MHz_TnomVnom




EUT V_2TX
 Setting -2.5
 01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.0974G	93.49	Inf	-Inf	82.80	3	Horizontal	332	1.02	-	36.51	7.25	33.07	
RMS	7.0974G	83.51	Inf	-Inf	72.82	3	Horizontal	332	1.02	-	36.51	7.25	33.07	
PK	7.2078G	64.26	88.20	-23.94	53.08	3	Horizontal	332	1.02	-	37.10	7.21	33.13	
RMS	7.2234G	53.36	68.20	-14.84	42.18	3	Horizontal	332	1.02	-	37.10	7.22	33.14	

802.11ax HEW20_Nss1,(MCS0)_2TX

7095MHz_TnomVnom




EUT_V_2TX
Setting -2.5
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	14.1967G	64.24	88.20	-23.96	43.11	3	Vertical	148	2.80	-	40.80	9.96	29.63	
RMS	14.1679G	50.42	68.20	-17.78	29.25	3	Vertical	148	2.80	-	40.83	9.95	29.61	

802.11ax HEW20_Nss1,(MCS0)_2TX

7095MHz_TnomVnom




EUT_V_2TX
 Setting -2.5
 01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.191G	63.82	88.20	-24.38	42.67	3	Horizontal	71	2.62	-	40.81	9.96	29.62
RMS	14.171G	50.40	68.20	-17.80	29.23	3	Horizontal	71	2.62	-	40.83	9.95	29.61

802.11ax HEW20_Nss1,(MCS0)_2TX

7095MHz_TnomVnom




EUT_V_2TX
Setting -2.5
01-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	21.3085G	49.79	83.54	-33.75	45.67	1	Vertical	298	1.88	-	37.67	16.09	49.64
AV	21.3054G	36.36	63.54	-27.18	32.24	1	Vertical	298	1.88	-	37.67	16.09	49.64

802.11ax HEW20_Nss1,(MCS0)_2TX

7095MHz_TnomVnom




EUT_V_2TX
Setting -2.5
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.2902G	50.25	83.54	-33.29	46.16	1	Horizontal	342	1.73	-	37.65	16.08	49.64
AV	21.3052G	36.38	63.54	-27.16	32.26	1	Horizontal	342	1.73	-	37.67	16.09	49.64

802.11ax HEW20_Nss1,(MCS0)_2TX

7115MHz_TnomVnom




EUT_V_2TX
Setting 10
03-G-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.11803G	98.07	Inf	-Inf	89.01	3	Vertical	36	1.31	-	35.91	8.20	35.05	
RMS	7.11873G	88.86	Inf	-Inf	79.80	3	Vertical	36	1.31	-	35.91	8.20	35.05	
PK	7.1255G	76.60	88.20	-11.60	67.51	3	Vertical	36	1.31	-	35.95	8.20	35.06	
RMS	7.1255G	64.35	68.20	-3.85	55.26	3	Vertical	36	1.31	-	35.95	8.20	35.06	

802.11ax HEW20_Nss1,(MCS0)_2TX

7115MHz_TnomVnom




EUT_V_2TX
Setting 10
03-G-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.11808G	94.78	Inf	-Inf	85.72	3	Horizontal	37	2.08	-	35.91	8.20	35.05	
RMS	7.1225G	82.76	Inf	-Inf	73.68	3	Horizontal	37	2.08	-	35.94	8.20	35.06	
PK	7.1255G	74.14	88.20	-14.06	65.05	3	Horizontal	37	2.08	-	35.95	8.20	35.06	
RMS	7.1255G	57.63	68.20	-10.57	48.54	3	Horizontal	37	2.08	-	35.95	8.20	35.06	

802.11ax HEW20_Nss1,(MCS0)_2TX

7115MHz_TnomVnom




EUT_V_2TX
 Setting 10
 03-G-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.2066G	63.91	88.20	-24.29	42.80	3	Vertical	260	1.18	-	41.60	12.50	32.99
RMS	14.2253G	50.31	68.20	-17.89	29.21	3	Vertical	260	1.18	-	41.60	12.51	33.01

802.11ax HEW20_Nss1,(MCS0)_2TX

7115MHz_TnomVnom




EUT_V_2TX
Setting 10
03-G-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.2433G	64.23	88.20	-23.97	43.14	3	Horizontal	340	1.97	-	41.60	12.52	33.03
RMS	14.2289G	50.32	68.20	-17.88	29.22	3	Horizontal	340	1.97	-	41.60	12.51	33.01

802.11ax HEW20_Nss1,(MCS0)_2TX

7115MHz_TnomVnom




EUT_V_2TX
Setting 10
03-G-S-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	21.3447G	50.42	83.54	-33.12	46.23	1	Vertical	323	1.21	-	37.71	16.11	49.63	
AV	21.37G	36.86	63.54	-26.68	32.63	1	Vertical	323	1.21	-	37.74	16.12	49.63	

802.11ax HEW20_Nss1,(MCS0)_2TX

7115MHz_TnomVnom



EUT_V_2TX
Setting 10
03-G-S-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	21.368G	50.64	83.54	-32.90	46.41	1	Horizontal	44	1.45	-	37.74	16.12	49.63
AV	21.3684G	36.86	63.54	-26.68	32.63	1	Horizontal	44	1.45	-	37.74	16.12	49.63



RSE TX above 1GHz
<Partial RU> low power_RU26_2TX_Ant. 2


Appendix E.20

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	AV	11.89288G	53.67	54.00	-0.33	3	Horizontal	211	1.80	-

802.11ax HEW20_Nss1,(MCS0)_2TX

5955MHz_TnomVnom




EUT Y_2TX
 Setting 10.75
 01-M-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9062G	63.42	88.20	-24.78	54.70	3	Vertical	60	1.80	-	34.92	6.60	32.80	
RMS	5.9244G	50.85	68.20	-17.35	42.06	3	Vertical	60	1.80	-	35.00	6.60	32.81	
PK	5.9466G	112.98	Inf	-Inf	104.11	3	Vertical	60	1.80	-	35.09	6.60	32.82	
RMS	5.9468G	98.50	Inf	-Inf	89.63	3	Vertical	60	1.80	-	35.09	6.60	32.82	

802.11ax HEW20_Nss1,(MCS0)_2TX

5955MHz_TnomVnom




EUT Y_2TX
 Setting 10.75
 01-M-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9154G	62.35	88.20	-25.85	53.60	3	Horizontal	60	1.78	-	34.96	6.60	32.81	
AV	5.9162G	50.85	68.20	-17.35	42.10	3	Horizontal	60	1.78	-	34.96	6.60	32.81	
PK	5.9468G	113.64	Inf	-Inf	104.77	3	Horizontal	60	1.78	-	35.09	6.60	32.82	
AV	5.9462G	97.99	Inf	-Inf	89.13	3	Horizontal	60	1.78	-	35.08	6.60	32.82	

802.11ax HEW20_Nss1,(MCS0)_2TX

5955MHz_TnomVnom




EUT_V_2TX
Setting 10.75
01-M-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.89352G	60.05	74.00	-13.95	44.16	3	Vertical	24	1.74	-	38.50	8.97	31.58
AV	11.8928G	47.29	54.00	-6.71	31.40	3	Vertical	24	1.74	-	38.50	8.97	31.58

802.11ax HEW20_Nss1,(MCS0)_2TX

5955MHz_TnomVnom




EUT_V_2TX
Setting 10.75
01-M-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.89296G	67.31	74.00	-6.69	51.42	3	Horizontal	211	1.80	-	38.50	8.97	31.58
AV	11.89288G	53.67	54.00	-0.33	37.78	3	Horizontal	211	1.80	-	38.50	8.97	31.58

802.11ax HEW20_Nss1,(MCS0)_2TX

6195MHz_TnomVnom




EUT Y_2TX
Setting 10.75
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.925G	61.12	88.20	-27.08	52.33	3	Vertical	27	1.80	-	35.00	6.60	32.81	
RMS	5.925G	49.99	68.20	-18.21	41.20	3	Vertical	27	1.80	-	35.00	6.60	32.81	
PK	6.1866G	115.46	Inf	-Inf	105.98	3	Vertical	27	1.80	-	35.45	6.88	32.85	
RMS	6.1866G	103.23	Inf	-Inf	93.75	3	Vertical	27	1.80	-	35.45	6.88	32.85	

802.11ax HEW20_Nss1,(MCS0)_2TX

6195MHz_TnomVnom




EUT Y_2TX
Setting 10.75
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9046G	62.13	88.20	-26.07	53.41	3	Horizontal	144	1.80	-	34.92	6.60	32.80
RMS	5.9238G	50.00	68.20	-18.20	41.21	3	Horizontal	144	1.80	-	35.00	6.60	32.81
PK	6.1866G	107.79	Inf	-Inf	98.31	3	Horizontal	144	1.80	-	35.45	6.88	32.85
RMS	6.1866G	97.31	Inf	-Inf	87.83	3	Horizontal	144	1.80	-	35.45	6.88	32.85

802.11ax HEW20_Nss1,(MCS0)_2TX

6195MHz_TnomVnom




EUT_V_2TX
 Setting 10.75
 01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.38982G	58.31	74.00	-15.69	42.03	3	Vertical	205	2.31	-	38.68	9.18	31.58
AV	12.39018G	44.52	54.00	-9.48	28.24	3	Vertical	205	2.31	-	38.68	9.18	31.58

802.11ax HEW20_Nss1,(MCS0)_2TX

6195MHz_TnomVnom




EUT_V_2TX
Setting 10.75
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.38938G	57.52	74.00	-16.48	41.24	3	Horizontal	24	2.36	-	38.68	9.18	31.58
AV	12.38968G	43.83	54.00	-10.17	27.55	3	Horizontal	24	2.36	-	38.68	9.18	31.58

802.11ax HEW20_Nss1,(MCS0)_2TX

6195MHz_TnomVnom




EUT Y_2TX
Setting 10.75
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.58366G	46.95	83.54	-36.59	44.27	1	Vertical	254	2.29	-	37.77	14.93	50.02
AV	18.58421G	33.78	63.54	-29.76	31.10	1	Vertical	254	2.29	-	37.77	14.93	50.02

802.11ax HEW20_Nss1,(MCS0)_2TX

6195MHz_TnomVnom




EUT Y_2TX
Setting 10.75
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.58675G	46.81	83.54	-36.73	44.12	1	Horizontal	282	1.95	-	37.77	14.93	50.01
AV	18.58554G	33.83	63.54	-29.71	31.14	1	Horizontal	282	1.95	-	37.77	14.93	50.01

802.11ax HEW20_Nss1,(MCS0)_2TX

6415MHz_TnomVnom




EUT Y_2TX
Setting 10.75
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8558G	61.59	88.20	-26.61	52.96	3	Vertical	1	1.80	-	34.81	6.60	32.78
RMS	5.923G	49.90	68.20	-18.30	41.12	3	Vertical	1	1.80	-	34.99	6.60	32.81
PK	6.4078G	116.36	Inf	-Inf	106.65	3	Vertical	1	1.80	-	35.57	7.00	32.86
RMS	6.4078G	102.82	Inf	-Inf	93.11	3	Vertical	1	1.80	-	35.57	7.00	32.86

802.11ax HEW20_Nss1,(MCS0)_2TX

6415MHz_TnomVnom




EUT V_2TX
Setting 10.75
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.923G	60.93	88.20	-27.27	52.15	3	Horizontal	140	1.75	-	34.99	6.60	32.81	
RMS	5.925G	49.88	68.20	-18.32	41.09	3	Horizontal	140	1.75	-	35.00	6.60	32.81	
PK	6.4078G	109.38	Inf	-Inf	99.67	3	Horizontal	140	1.75	-	35.57	7.00	32.86	
RMS	6.4078G	95.37	Inf	-Inf	85.66	3	Horizontal	140	1.75	-	35.57	7.00	32.86	

802.11ax HEW20_Nss1,(MCS0)_2TX

6415MHz_TnomVnom




EUT_V_2TX
Setting 10.75
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.8307G	58.46	88.20	-29.74	40.74	3	Vertical	109	1.81	-	39.23	9.37	30.88	
RMS	12.82832G	44.37	68.20	-23.83	26.66	3	Vertical	109	1.81	-	39.23	9.37	30.89	

802.11ax HEW20_Nss1,(MCS0)_2TX

6415MHz_TnomVnom




EUT V_2TX
Setting 10.75
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.82955G	58.18	88.20	-30.02	40.46	3	Horizontal	164	2.32	-	39.23	9.37	30.88	
RMS	12.83051G	44.38	68.20	-23.82	26.66	3	Horizontal	164	2.32	-	39.23	9.37	30.88	

802.11ax HEW20_Nss1,(MCS0)_2TX

6415MHz_TnomVnom




EUT Y_2TX
Setting 10.75
01-C-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.24598G	46.67	83.54	-36.87	43.42	1	Vertical	173	1.82	-	37.70	15.20	49.65
AV	19.24492G	33.27	63.54	-30.27	30.01	1	Vertical	173	1.82	-	37.71	15.20	49.65

802.11ax HEW20_Nss1,(MCS0)_2TX

6415MHz_TnomVnom




EUT Y_2TX
Setting 10.75
01-C-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.24458G	46.91	83.54	-36.63	43.65	1	Horizontal	116	2.07	-	37.71	15.20	49.65
AV	19.243G	33.25	63.54	-30.29	29.99	1	Horizontal	116	2.07	-	37.71	15.20	49.65

802.11ax HEW20_Nss1,(MCS0)_2TX

6435MHz_TnomVnom




EUT V_2TX
Setting -7.75
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9072G	61.26	88.20	-26.94	52.53	3	Vertical	221	1.72	-	34.93	6.60	32.80
RMS	5.9228G	50.03	68.20	-18.17	41.25	3	Vertical	221	1.72	-	34.99	6.60	32.81
PK	6.4272G	96.62	Inf	-Inf	86.99	3	Vertical	221	1.72	-	35.49	7.00	32.86
RMS	6.4272G	85.50	Inf	-Inf	75.87	3	Vertical	221	1.72	-	35.49	7.00	32.86

802.11ax HEW20_Nss1,(MCS0)_2TX

6435MHz_TnomVnom




EUT V_2TX
Setting -7.75
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.785G	61.91	88.20	-26.29	53.66	3	Horizontal	141	1.80	-	34.40	6.60	32.75
RMS	5.9202G	50.01	68.20	-18.19	41.24	3	Horizontal	141	1.80	-	34.98	6.60	32.81
PK	6.4272G	90.46	Inf	-Inf	80.83	3	Horizontal	141	1.80	-	35.49	7.00	32.86
RMS	6.4272G	78.99	Inf	-Inf	69.36	3	Horizontal	141	1.80	-	35.49	7.00	32.86

802.11ax HEW20_Nss1,(MCS0)_2TX

6435MHz_TnomVnom




EUT V_2TX
Setting -7.75
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.87145G	59.14	88.20	-29.06	41.28	3	Vertical	291	1.06	-	39.27	9.39	30.80	
RMS	12.87109G	45.77	68.20	-22.43	27.91	3	Vertical	291	1.06	-	39.27	9.39	30.80	

802.11ax HEW20_Nss1,(MCS0)_2TX

6435MHz_TnomVnom




EUT V_2TX
Setting -7.75
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.87127G	58.80	88.20	-29.40	40.94	3	Horizontal	163	1.87	-	39.27	9.39	30.80
RMS	12.87078G	45.01	68.20	-23.19	27.15	3	Horizontal	163	1.87	-	39.27	9.39	30.80

802.11ax HEW20_Nss1,(MCS0)_2TX

6435MHz_TnomVnom




EUT V_2TX
Setting -7.75
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.30448G	46.29	83.54	-37.25	42.99	1	Vertical	3	2.11	-	37.74	15.22	49.66
AV	19.30454G	33.54	63.54	-30.00	30.24	1	Vertical	3	2.11	-	37.74	15.22	49.66

802.11ax HEW20_Nss1,(MCS0)_2TX

6435MHz_TnomVnom




EUT_V_2TX
Setting -7.75
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.30662G	46.79	83.54	-36.75	43.48	1	Horizontal	245	2.39	-	37.75	15.22	49.66
AV	19.30406G	33.44	63.54	-30.10	30.14	1	Horizontal	245	2.39	-	37.74	15.22	49.66

802.11ax HEW20_Nss1,(MCS0)_2TX

6475MHz_TnomVnom




EUT_V_2TX
Setting -8
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8674G	61.26	88.20	-26.94	52.62	3	Vertical	220	1.68	-	34.83	6.60	32.79
RMS	5.9234G	49.95	68.20	-18.25	41.17	3	Vertical	220	1.68	-	34.99	6.60	32.81
PK	6.4666G	96.88	Inf	-Inf	87.27	3	Vertical	220	1.68	-	35.47	7.00	32.86
RMS	6.4666G	84.79	Inf	-Inf	75.18	3	Vertical	220	1.68	-	35.47	7.00	32.86
PK	7.1498G	64.13	88.20	-24.07	53.10	3	Vertical	220	1.68	-	36.90	7.23	33.10
RMS	7.1582G	53.02	68.20	-15.18	41.97	3	Vertical	220	1.68	-	36.93	7.22	33.10

802.11ax HEW20_Nss1,(MCS0)_2TX

6475MHz_TnomVnom




EUT_V_2TX
Setting -8
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.845G	62.17	88.20	-26.03	53.59	3	Horizontal	140	1.78	-	34.76	6.60	32.78
RMS	5.925G	49.91	68.20	-18.29	41.12	3	Horizontal	140	1.78	-	35.00	6.60	32.81
PK	6.4666G	90.56	Inf	-Inf	80.95	3	Horizontal	140	1.78	-	35.47	7.00	32.86
RMS	6.4666G	77.88	Inf	-Inf	68.27	3	Horizontal	140	1.78	-	35.47	7.00	32.86
PK	7.175G	64.35	88.20	-23.85	53.25	3	Horizontal	140	1.78	-	37.00	7.21	33.11
RMS	7.1554G	53.01	68.20	-15.19	41.97	3	Horizontal	140	1.78	-	36.92	7.22	33.10

802.11ax HEW20_Nss1,(MCS0)_2TX

6475MHz_TnomVnom




EUT_V_2TX
Setting -8
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.94918G	58.89	88.20	-29.31	40.64	3	Vertical	353	1.88	-	39.45	9.43	30.63	
RMS	12.94862G	45.52	68.20	-22.68	27.27	3	Vertical	353	1.88	-	39.45	9.43	30.63	

802.11ax HEW20_Nss1,(MCS0)_2TX

6475MHz_TnomVnom




EUT_V_2TX
Setting -8
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.95101G	58.88	88.20	-29.32	40.62	3	Horizontal	165	1.79	-	39.45	9.43	30.62
RMS	12.95177G	45.59	68.20	-22.61	27.32	3	Horizontal	165	1.79	-	39.46	9.43	30.62

802.11ax HEW20_Nss1,(MCS0)_2TX

6475MHz_TnomVnom




EUT_V_2TX
Setting -8
01-C-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.4231G	47.27	83.54	-36.27	43.84	1	Vertical	351	1.80	-	37.84	15.27	49.68	
AV	19.425G	33.53	63.54	-30.01	30.11	1	Vertical	351	1.80	-	37.84	15.27	49.69	

802.11ax HEW20_Nss1,(MCS0)_2TX

6475MHz_TnomVnom




EUT_V_2TX
Setting -8
01-C-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.42699G	46.72	83.54	-36.82	43.30	1	Horizontal	349	1.96	-	37.84	15.27	49.69
AV	19.42624G	32.88	63.54	-30.66	29.46	1	Horizontal	349	1.96	-	37.84	15.27	49.69

802.11ax HEW20_Nss1,(MCS0)_2TX

6515MHz_TnomVnom




EUT V_2TX
Setting -7.75
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8178G	61.89	88.20	-26.31	53.52	3	Vertical	219	1.66	-	34.54	6.60	32.77
RMS	5.9242G	49.90	68.20	-18.30	41.11	3	Vertical	219	1.66	-	35.00	6.60	32.81
PK	6.5066G	96.06	Inf	-Inf	86.29	3	Vertical	219	1.66	-	35.63	7.00	32.86
RMS	6.5066G	83.85	Inf	-Inf	74.08	3	Vertical	219	1.66	-	35.63	7.00	32.86
PK	7.1282G	64.00	88.20	-24.20	53.12	3	Vertical	219	1.66	-	36.73	7.24	33.09
RMS	7.1814G	53.17	68.20	-15.03	42.04	3	Vertical	219	1.66	-	37.03	7.21	33.11

802.11ax HEW20_Nss1,(MCS0)_2TX

6515MHz_TnomVnom




EUT_V_2TX
Setting -7.75
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8654G	60.84	88.20	-27.36	52.20	3	Horizontal	142	1.80	-	34.83	6.60	32.79
RMS	5.9242G	49.94	68.20	-18.26	41.15	3	Horizontal	142	1.80	-	35.00	6.60	32.81
PK	6.5066G	88.85	Inf	-Inf	79.08	3	Horizontal	142	1.80	-	35.63	7.00	32.86
RMS	6.5066G	77.07	Inf	-Inf	67.30	3	Horizontal	142	1.80	-	35.63	7.00	32.86
PK	7.131G	64.84	88.20	-23.36	53.95	3	Horizontal	142	1.80	-	36.75	7.23	33.09
RMS	7.1954G	53.09	68.20	-15.11	41.93	3	Horizontal	142	1.80	-	37.08	7.20	33.12

802.11ax HEW20_Nss1,(MCS0)_2TX

6515MHz_TnomVnom




EUT V_2TX
Setting -7.75
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.02896G	59.81	88.20	-28.39	41.20	3	Vertical	47	1.83	-	39.63	9.46	30.48
RMS	13.02926G	46.26	68.20	-21.94	27.65	3	Vertical	47	1.83	-	39.63	9.46	30.48

802.11ax HEW20_Nss1,(MCS0)_2TX

6515MHz_TnomVnom




EUT V_2TX
Setting -7.75
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.02827G	61.02	88.20	-27.18	42.41	3	Horizontal	360	1.80	-	39.63	9.46	30.48
RMS	13.03157G	46.24	68.20	-21.96	27.62	3	Horizontal	360	1.80	-	39.63	9.46	30.47

802.11ax HEW20_Nss1,(MCS0)_2TX

6515MHz_TnomVnom




EUT V_2TX
Setting -7.75
01-C-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.54514G	47.48	83.54	-36.06	43.98	1	Vertical	244	2.41	-	37.88	15.32	49.70
AV	19.54479G	33.44	63.54	-30.10	29.94	1	Vertical	244	2.41	-	37.88	15.32	49.70

802.11ax HEW20_Nss1,(MCS0)_2TX

6515MHz_TnomVnom




EUT V_2TX
Setting -7.75
01-C-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.54446G	47.72	83.54	-35.82	44.22	1	Horizontal	139	1.61	-	37.88	15.32	49.70
AV	19.5434G	33.43	63.54	-30.11	29.93	1	Horizontal	139	1.61	-	37.88	15.32	49.70

802.11ax HEW20_Nss1,(MCS0)_2TX

6535MHz_TnomVnom




EUT_V_2TX
Setting 10.75
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8378G	60.91	88.20	-27.29	52.39	3	Vertical	218	1.80	-	34.70	6.60	32.78
RMS	5.9218G	49.90	68.20	-18.30	41.12	3	Vertical	218	1.80	-	34.99	6.60	32.81
PK	6.5434G	113.68	Inf	-Inf	103.78	3	Vertical	218	1.80	-	35.77	7.00	32.87
RMS	6.5434G	101.78	Inf	-Inf	91.88	3	Vertical	218	1.80	-	35.77	7.00	32.87
PK	7.2294G	64.54	88.20	-23.66	53.35	3	Vertical	218	1.80	-	37.10	7.23	33.14
RMS	7.2322G	53.15	68.20	-15.05	41.96	3	Vertical	218	1.80	-	37.10	7.23	33.14

802.11ax HEW20_Nss1,(MCS0)_2TX

6535MHz_TnomVnom




EUT_V_2TX
Setting 10.75
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8882G	61.84	88.20	-26.36	53.16	3	Horizontal	59	1.80	-	34.88	6.60	32.80
RMS	5.9246G	49.96	68.20	-18.24	41.17	3	Horizontal	59	1.80	-	35.00	6.60	32.81
PK	6.5434G	108.59	Inf	-Inf	98.69	3	Horizontal	59	1.80	-	35.77	7.00	32.87
RMS	6.5434G	95.19	Inf	-Inf	85.29	3	Horizontal	59	1.80	-	35.77	7.00	32.87
PK	7.2322G	64.79	88.20	-23.41	53.60	3	Horizontal	59	1.80	-	37.10	7.23	33.14
RMS	7.2322G	53.12	68.20	-15.08	41.93	3	Horizontal	59	1.80	-	37.10	7.23	33.14

802.11ax HEW20_Nss1,(MCS0)_2TX

6535MHz_TnomVnom




EUT Y_2TX
Setting 10.75
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0681G	60.17	88.20	-28.03	41.44	3	Vertical	229	1.32	-	39.67	9.48	30.42
RMS	13.0705G	46.30	68.20	-21.90	27.57	3	Vertical	229	1.32	-	39.67	9.48	30.42

802.11ax HEW20_Nss1,(MCS0)_2TX

6535MHz_TnomVnom




EUT V_2TX
Setting 10.75
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.06972G	59.91	88.20	-28.29	41.18	3	Horizontal	82	2.73	-	39.67	9.48	30.42	
RMS	13.06962G	46.25	68.20	-21.95	27.52	3	Horizontal	82	2.73	-	39.67	9.48	30.42	

802.11ax HEW20_Nss1,(MCS0)_2TX

6535MHz_TnomVnom




EUT V_2TX
Setting 10.75
01-C-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.6038G	48.17	83.54	-35.37	44.67	1	Vertical	349	2.32	-	37.86	15.34	49.70
AV	19.60614G	34.31	63.54	-29.23	30.81	1	Vertical	349	2.32	-	37.86	15.34	49.70

802.11ax HEW20_Nss1,(MCS0)_2TX

6535MHz_TnomVnom




EUT Y_2TX
Setting 10.75
01-C-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.60452G	48.07	83.54	-35.47	44.57	1	Horizontal	197	1.46	-	37.86	15.34	49.70
AV	19.60579G	34.36	63.54	-29.18	30.86	1	Horizontal	197	1.46	-	37.86	15.34	49.70

802.11ax HEW20_Nss1,(MCS0)_2TX

6695MHz_TnomVnom




EUT V_2TX
Setting 10.75
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7038G	116.81	Inf	-Inf	106.82	3	Vertical	70	1.16	-	35.92	7.00	32.93
RMS	6.7038G	103.62	Inf	-Inf	93.63	3	Vertical	70	1.16	-	35.92	7.00	32.93
PK	7.168G	64.45	88.20	-23.75	53.37	3	Vertical	70	1.16	-	36.97	7.22	33.11
RMS	7.2208G	53.19	68.20	-15.01	42.00	3	Vertical	70	1.16	-	37.10	7.22	33.13

802.11ax HEW20_Nss1,(MCS0)_2TX

6695MHz_TnomVnom




EUT V_2TX
Setting 10.75
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7038G	106.18	Inf	-Inf	96.19	3	Horizontal	61	1.80	-	35.92	7.00	32.93
RMS	6.7038G	94.48	Inf	-Inf	84.49	3	Horizontal	61	1.80	-	35.92	7.00	32.93
PK	7.1306G	64.69	88.20	-23.51	53.81	3	Horizontal	61	1.80	-	36.74	7.23	33.09
RMS	7.234G	53.18	68.20	-15.02	41.99	3	Horizontal	61	1.80	-	37.10	7.23	33.14

802.11ax HEW20_Nss1,(MCS0)_2TX

6695MHz_TnomVnom




EUT_V_2TX
Setting 10.75
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.39178G	60.22	74.00	-13.78	40.35	3	Vertical	307	2.52	-	40.18	9.63	29.94
AV	13.38829G	46.98	54.00	-7.02	27.13	3	Vertical	307	2.52	-	40.18	9.62	29.95

802.11ax HEW20_Nss1,(MCS0)_2TX

6695MHz_TnomVnom




EUT_V_2TX
Setting 10.75
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.3887G	59.78	74.00	-14.22	39.92	3	Horizontal	193	1.63	-	40.18	9.62	29.94
AV	13.38926G	46.32	54.00	-7.68	26.45	3	Horizontal	193	1.63	-	40.18	9.63	29.94

802.11ax HEW20_Nss1,(MCS0)_2TX

6695MHz_TnomVnom




EUT V_2TX
Setting 10.75
01-C-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.08553G	47.43	83.54	-36.11	44.15	1	Vertical	129	2.09	-	37.47	15.54	49.73
AV	20.08518G	34.56	63.54	-28.98	31.28	1	Vertical	129	2.09	-	37.47	15.54	49.73

802.11ax HEW20_Nss1,(MCS0)_2TX

6695MHz_TnomVnom




EUT_V_2TX
Setting 10.75
01-C-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.08501G	47.66	83.54	-35.88	44.38	1	Horizontal	188	2.67	-	37.47	15.54	49.73
AV	20.08561G	34.75	63.54	-28.79	31.47	1	Horizontal	188	2.67	-	37.47	15.54	49.73

802.11ax HEW20_Nss1,(MCS0)_2TX

6855MHz_TnomVnom




EUT_V_2TX
Setting -8
01-M-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.8466G	125.20	Inf	-Inf	114.53	3	Vertical	51	1.66	-	36.57	7.07	32.97	
RMS	6.8466G	116.27	Inf	-Inf	105.60	3	Vertical	51	1.66	-	36.57	7.07	32.97	
PK	7.1602G	64.21	88.20	-23.99	53.15	3	Vertical	51	1.66	-	36.94	7.22	33.10	
RMS	7.1826G	53.18	68.20	-15.02	42.05	3	Vertical	51	1.66	-	37.03	7.21	33.11	

802.11ax HEW20_Nss1,(MCS0)_2TX

6855MHz_TnomVnom




EUT V_2TX
Setting -8
01-M-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8466G	112.84	Inf	-Inf	102.17	3	Horizontal	352	1.61	-	36.57	7.07	32.97
RMS	6.8466G	103.09	Inf	-Inf	92.42	3	Horizontal	352	1.61	-	36.57	7.07	32.97
PK	7.198G	63.83	88.20	-24.37	52.66	3	Horizontal	352	1.61	-	37.09	7.20	33.12
RMS	7.1868G	53.15	68.20	-15.05	42.01	3	Horizontal	352	1.61	-	37.05	7.21	33.12

802.11ax HEW20_Nss1,(MCS0)_2TX

6855MHz_TnomVnom




EUT_V_2TX
Setting -8
01-M-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.69216G	66.81	88.20	-21.39	46.24	3	Vertical	282	1.80	-	40.48	9.76	29.67
RMS	13.69152G	57.39	68.20	-10.81	36.82	3	Vertical	282	1.80	-	40.48	9.76	29.67

802.11ax HEW20_Nss1,(MCS0)_2TX

6855MHz_TnomVnom




EUT_V_2TX
Setting -8
01-M-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.69264G	66.92	88.20	-21.28	46.34	3	Horizontal	145	1.80	-	40.49	9.76	29.67
RMS	13.69312G	57.44	68.20	-10.76	36.86	3	Horizontal	145	1.80	-	40.49	9.76	29.67

802.11ax HEW20_Nss1,(MCS0)_2TX

6855MHz_TnomVnom




EUT_V_2TX
Setting -8
01-M-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.5679G	47.09	83.54	-36.45	43.42	1	Vertical	215	1.56	-	37.78	15.76	49.87
AV	20.56746G	34.37	63.54	-29.17	30.70	1	Vertical	215	1.56	-	37.78	15.76	49.87

802.11ax HEW20_Nss1,(MCS0)_2TX

6855MHz_TnomVnom




EUT_V_2TX
Setting -8
01-M-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.56456G	46.96	83.54	-36.58	43.30	1	Horizontal	200	1.57	-	37.78	15.75	49.87
AV	20.56864G	34.37	63.54	-29.17	30.70	1	Horizontal	200	1.57	-	37.78	15.76	49.87

802.11ax HEW20_Nss1,(MCS0)_2TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_2TX
Setting -7.75
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8834G	97.63	Inf	-Inf	87.15	3	Vertical	70	1.12	-	36.33	7.13	32.98
RMS	6.8834G	84.68	Inf	-Inf	74.20	3	Vertical	70	1.12	-	36.33	7.13	32.98
PK	7.1366G	64.32	88.20	-23.88	53.39	3	Vertical	70	1.12	-	36.79	7.23	33.09
RMS	7.1666G	53.02	68.20	-15.18	41.94	3	Vertical	70	1.12	-	36.97	7.22	33.11

802.11ax HEW20_Nss1,(MCS0)_2TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_2TX
 Setting -7.75
 01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8834G	87.13	Inf	-Inf	76.65	3	Horizontal	132	1.70	-	36.33	7.13	32.98
RMS	6.8834G	76.08	Inf	-Inf	65.60	3	Horizontal	132	1.70	-	36.33	7.13	32.98
PK	7.1702G	65.14	88.20	-23.06	54.06	3	Horizontal	132	1.70	-	36.98	7.21	33.11
RMS	7.175G	53.02	68.20	-15.18	41.92	3	Horizontal	132	1.70	-	37.00	7.21	33.11

802.11ax HEW20_Nss1,(MCS0)_2TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT V_2TX
Setting -7.75
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.75003G	63.14	88.20	-25.06	42.33	3	Vertical	334	1.39	-	40.65	9.79	29.63	
RMS	13.74858G	49.55	68.20	-18.65	28.75	3	Vertical	334	1.39	-	40.65	9.79	29.64	

802.11ax HEW20_Nss1,(MCS0)_2TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT V_2TX
Setting -7.75
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.74894G	63.49	88.20	-24.71	42.69	3	Horizontal	185	2.22	-	40.65	9.79	29.64
RMS	13.74909G	49.58	68.20	-18.62	28.78	3	Horizontal	185	2.22	-	40.65	9.79	29.64

802.11ax HEW20_Nss1,(MCS0)_2TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT V_2TX
Setting -7.75
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.62494G	48.45	83.54	-35.09	44.67	1	Vertical	229	1.13	-	37.85	15.78	49.85
AV	20.62697G	34.55	63.54	-28.99	30.77	1	Vertical	229	1.13	-	37.85	15.78	49.85

802.11ax HEW20_Nss1,(MCS0)_2TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT V_2TX
Setting -7.75
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.62487G	48.48	83.54	-35.06	44.70	1	Horizontal	114	1.39	-	37.85	15.78	49.85
AV	20.62374G	35.22	63.54	-28.32	31.44	1	Horizontal	114	1.39	-	37.85	15.78	49.85

802.11ax HEW20_Nss1,(MCS0)_2TX

6895MHz_TnomVnom




EUT V_2TX
Setting -7.75
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9034G	96.63	Inf	-Inf	86.24	3	Vertical	70	1.30	-	36.22	7.16	32.99
RMS	6.9034G	84.79	Inf	-Inf	74.40	3	Vertical	70	1.30	-	36.22	7.16	32.99
PK	7.1926G	65.23	88.20	-22.97	54.08	3	Vertical	70	1.30	-	37.07	7.20	33.12
RMS	7.1938G	53.16	68.20	-15.04	42.00	3	Vertical	70	1.30	-	37.08	7.20	33.12

802.11ax HEW20_Nss1,(MCS0)_2TX

6895MHz_TnomVnom




EUT V_2TX
Setting -7.75
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9034G	87.14	Inf	-Inf	76.75	3	Horizontal	132	1.78	-	36.22	7.16	32.99
RMS	6.9034G	76.33	Inf	-Inf	65.94	3	Horizontal	132	1.78	-	36.22	7.16	32.99
PK	7.1878G	64.80	88.20	-23.40	53.66	3	Horizontal	132	1.78	-	37.05	7.21	33.12
RMS	7.1926G	53.13	68.20	-15.07	41.98	3	Horizontal	132	1.78	-	37.07	7.20	33.12

802.11ax HEW20_Nss1,(MCS0)_2TX

6895MHz_TnomVnom




EUT V_2TX
Setting -7.75
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.792G	63.26	88.20	-24.94	42.28	3	Vertical	131	1.85	-	40.78	9.81	29.61
RMS	13.79113G	49.66	68.20	-18.54	28.69	3	Vertical	131	1.85	-	40.77	9.81	29.61

802.11ax HEW20_Nss1,(MCS0)_2TX

6895MHz_TnomVnom




EUT V_2TX
Setting -7.75
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.79036G	63.38	88.20	-24.82	42.41	3	Horizontal	51	1.10	-	40.77	9.81	29.61	
RMS	13.78858G	49.68	68.20	-18.52	28.72	3	Horizontal	51	1.10	-	40.77	9.80	29.61	

802.11ax HEW20_Nss1,(MCS0)_2TX

6895MHz_TnomVnom




EUT V_2TX
Setting -7.75
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.68451G	48.99	83.54	-34.55	45.09	1	Vertical	264	1.74	-	37.92	15.81	49.83
AV	20.68508G	35.21	63.54	-28.33	31.31	1	Vertical	264	1.74	-	37.92	15.81	49.83

802.11ax HEW20_Nss1,(MCS0)_2TX

6895MHz_TnomVnom




EUT V_2TX
Setting -7.75
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.68489G	48.56	83.54	-34.98	44.66	1	Horizontal	249	2.03	-	37.92	15.81	49.83
AV	20.68569G	35.91	63.54	-27.63	32.01	1	Horizontal	249	2.03	-	37.92	15.81	49.83

802.11ax HEW20_Nss1,(MCS0)_2TX

6995MHz_TnomVnom




EUT V_2TX
Setting -8.75
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0038G	101.61	Inf	-Inf	91.01	3	Vertical	68	1.60	-	36.32	7.30	33.02
RMS	7.003G	89.32	Inf	-Inf	78.72	3	Vertical	68	1.60	-	36.32	7.30	33.02
PK	7.1438G	64.67	88.20	-23.53	53.68	3	Vertical	68	1.60	-	36.85	7.23	33.09
RMS	7.195G	53.13	68.20	-15.07	41.97	3	Vertical	68	1.60	-	37.08	7.20	33.12

802.11ax HEW20_Nss1,(MCS0)_2TX

6995MHz_TnomVnom




EUT V_2TX
Setting -8.75
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0038G	93.04	Inf	-Inf	82.44	3	Horizontal	348	2.37	-	36.32	7.30	33.02
RMS	7.003G	80.41	Inf	-Inf	69.81	3	Horizontal	348	2.37	-	36.32	7.30	33.02
PK	7.1942G	64.81	88.20	-23.39	53.65	3	Horizontal	348	2.37	-	37.08	7.20	33.12
RMS	7.1886G	53.17	68.20	-15.03	42.03	3	Horizontal	348	2.37	-	37.05	7.21	33.12

802.11ax HEW20_Nss1,(MCS0)_2TX

6995MHz_TnomVnom




EUT V_2TX
Setting -8.75
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.9896G	64.17	88.20	-24.03	42.87	3	Vertical	347	2.87	-	40.90	9.90	29.50
RMS	13.98879G	51.32	68.20	-16.88	30.03	3	Vertical	347	2.87	-	40.90	9.89	29.50

802.11ax HEW20_Nss1,(MCS0)_2TX

6995MHz_TnomVnom




EUT V_2TX
 Setting -8.75
 01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.99191G	64.43	88.20	-23.77	43.12	3	Horizontal	177	1.68	-	40.90	9.90	29.49
RMS	13.99025G	50.61	68.20	-17.59	29.31	3	Horizontal	177	1.68	-	40.90	9.90	29.50

802.11ax HEW20_Nss1,(MCS0)_2TX

6995MHz_TnomVnom




EUT_V_2TX
Setting -8.75
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.98454G	48.37	83.54	-35.17	44.52	1	Vertical	215	1.72	-	37.62	15.94	49.71
AV	20.98672G	35.23	63.54	-28.31	31.38	1	Vertical	215	1.72	-	37.62	15.94	49.71

802.11ax HEW20_Nss1,(MCS0)_2TX

6995MHz_TnomVnom




EUT V_2TX
Setting -8.75
01-C-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	20.98523G	47.69	83.54	-35.85	43.84	1	Horizontal	336	1.01	-	37.62	15.94	49.71	
AV	20.98625G	35.23	63.54	-28.31	31.38	1	Horizontal	336	1.01	-	37.62	15.94	49.71	

802.11ax HEW20_Nss1,(MCS0)_2TX

7095MHz_TnomVnom




EUT_V_2TX
Setting -7
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.1034G	100.45	Inf	-Inf	89.74	3	Vertical	71	1.24	-	36.53	7.25	33.07
RMS	7.1034G	90.00	Inf	-Inf	79.29	3	Vertical	71	1.24	-	36.53	7.25	33.07
PK	7.1922G	65.59	88.20	-22.61	54.44	3	Vertical	71	1.24	-	37.07	7.20	33.12
RMS	7.1946G	53.14	68.20	-15.06	41.98	3	Vertical	71	1.24	-	37.08	7.20	33.12

802.11ax HEW20_Nss1,(MCS0)_2TX

7095MHz_TnomVnom




EUT_V_2TX
Setting -7
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.103G	88.69	Inf	-Inf	77.99	3	Horizontal	61	1.80	-	36.52	7.25	33.07
RMS	7.1038G	78.03	Inf	-Inf	67.32	3	Horizontal	61	1.80	-	36.53	7.25	33.07
PK	7.1518G	65.47	88.20	-22.73	54.44	3	Horizontal	61	1.80	-	36.91	7.22	33.10
RMS	7.1922G	53.17	68.20	-15.03	42.02	3	Horizontal	61	1.80	-	37.07	7.20	33.12

802.11ax HEW20_Nss1,(MCS0)_2TX

7095MHz_TnomVnom




EUT_V_2TX
Setting -7
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.18866G	63.82	88.20	-24.38	42.67	3	Vertical	359	2.70	-	40.81	9.96	29.62
RMS	14.18983G	50.12	68.20	-18.08	28.97	3	Vertical	359	2.70	-	40.81	9.96	29.62

802.11ax HEW20_Nss1,(MCS0)_2TX

7095MHz_TnomVnom




EUT_V_2TX
 Setting -7
 01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.19088G	63.80	88.20	-24.40	42.65	3	Horizontal	288	2.25	-	40.81	9.96	29.62
RMS	14.1911G	50.07	68.20	-18.13	28.92	3	Horizontal	288	2.25	-	40.81	9.96	29.62

802.11ax HEW20_Nss1,(MCS0)_2TX

7095MHz_TnomVnom




EUT V_2TX
Setting -7
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.28472G	49.85	83.54	-33.69	45.77	1	Vertical	87	2.87	-	37.64	16.08	49.64
AV	21.28521G	36.04	63.54	-27.50	31.96	1	Vertical	87	2.87	-	37.64	16.08	49.64

802.11ax HEW20_Nss1,(MCS0)_2TX

7095MHz_TnomVnom




EUT_V_2TX
Setting -7
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.28595G	50.20	83.54	-33.34	46.12	1	Horizontal	236	1.18	-	37.64	16.08	49.64
AV	21.28426G	36.67	63.54	-26.87	32.59	1	Horizontal	236	1.18	-	37.64	16.08	49.64

802.11ax HEW20_Nss1,(MCS0)_2TX

7115MHz_TnomVnom




EUT_V_2TX
Setting 10
03-G-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.12258G	103.49	Inf	-Inf	94.41	3	Vertical	69	1.70	-	35.94	8.20	35.06	
RMS	7.12315G	90.42	Inf	-Inf	81.34	3	Vertical	69	1.70	-	35.94	8.20	35.06	
PK	7.1255G	82.28	88.20	-5.92	73.19	3	Vertical	69	1.70	-	35.95	8.20	35.06	
RMS	7.1255G	65.14	68.20	-3.06	56.05	3	Vertical	69	1.70	-	35.95	8.20	35.06	

802.11ax HEW20_Nss1,(MCS0)_2TX

7115MHz_TnomVnom




EUT_V_2TX
Setting 10
03-G-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.12333G	100.17	Inf	-Inf	91.09	3	Horizontal	64	1.60	-	35.94	8.20	35.06	
RMS	7.12398G	90.40	Inf	-Inf	81.32	3	Horizontal	64	1.60	-	35.94	8.20	35.06	
PK	7.1255G	78.87	88.20	-9.33	69.78	3	Horizontal	64	1.60	-	35.95	8.20	35.06	
RMS	7.1255G	65.57	68.20	-2.63	56.48	3	Horizontal	64	1.60	-	35.95	8.20	35.06	

802.11ax HEW20_Nss1,(MCS0)_2TX

7115MHz_TnomVnom




EUT_V_2TX
 Setting 10
 03-G-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.21368G	69.25	88.20	-18.95	48.14	3	Vertical	235	1.80	-	41.60	12.51	33.00
RMS	14.21312G	60.89	68.20	-7.31	39.78	3	Vertical	235	1.80	-	41.60	12.51	33.00

802.11ax HEW20_Nss1,(MCS0)_2TX

7115MHz_TnomVnom




EUT_V_2TX
Setting 10
03-G-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.21256G	69.50	88.20	-18.70	48.39	3	Horizontal	49	1.80	-	41.60	12.51	33.00
RMS	14.21304G	61.26	68.20	-6.94	40.15	3	Horizontal	49	1.80	-	41.60	12.51	33.00

802.11ax HEW20_Nss1,(MCS0)_2TX

7115MHz_TnomVnom




EUT_Y_2TX
Setting 10
03-G-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	21.34934G	48.11	83.54	-35.43	43.91	1	Vertical	23	1.51	-	37.72	16.11	49.63	
AV	21.34706G	36.22	63.54	-27.32	32.02	1	Vertical	23	1.51	-	37.72	16.11	49.63	

802.11ax HEW20_Nss1,(MCS0)_2TX

7115MHz_TnomVnom



EUT_V_2TX
Setting 10
03-G-S-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	21.34216G	48.32	83.54	-35.22	44.14	1	Horizontal	193	1.50	-	37.71	16.10	49.63
AV	21.34262G	36.15	63.54	-27.39	31.97	1	Horizontal	193	1.50	-	37.71	16.10	49.63



RSE TX above 1GHz
<Partial RU> low power_RU52_2TX_Ant. 2


Appendix E.21

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	RMS	7.1255G	67.96	68.20	-0.24	3	Vertical	67	1.50	-

802.11ax HEW20_Nss1,(MCS0)_2TX

5955MHz_TnomVnom



EUT_V_2TX
 Setting 13.5
 01-M-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9174G	67.28	88.20	-20.92	58.52	3	Vertical	41	2.29	-	34.97	6.60	32.81
RMS	5.9186G	51.63	68.20	-16.57	42.87	3	Vertical	41	2.29	-	34.97	6.60	32.81
PK	5.9492G	122.64	Inf	-Inf	113.76	3	Vertical	41	2.29	-	35.10	6.60	32.82
RMS	5.9472G	110.52	Inf	-Inf	101.65	3	Vertical	41	2.29	-	35.09	6.60	32.82