


802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TnomVnom




EUT_V_1TX
Setting 15.75
01-M-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.9012G	65.03	74.00	-8.97	49.13	3	Horizontal	199	1.80	-	38.50	8.98	31.58
AV	11.901G	53.61	54.00	-0.39	37.71	3	Horizontal	199	1.80	-	38.50	8.98	31.58

802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TnomVnom




EUT V_1TX
Setting 20.75
01-C-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9058G	60.57	88.20	-27.63	51.85	3	Vertical	233	1.79	-	34.92	6.60	32.80
RMS	5.925G	50.11	68.20	-18.09	41.32	3	Vertical	233	1.79	-	35.00	6.60	32.81
PK	6.1914G	117.30	Inf	-Inf	107.79	3	Vertical	233	1.79	-	35.47	6.89	32.85
RMS	6.1926G	109.43	Inf	-Inf	99.92	3	Vertical	233	1.79	-	35.47	6.89	32.85

802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TnomVnom




EUT V_1TX
Setting 20.75
01-C-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.925G	61.10	88.20	-27.10	52.31	3	Horizontal	183	2.68	-	35.00	6.60	32.81	
RMS	5.9214G	50.07	68.20	-18.13	41.29	3	Horizontal	183	2.68	-	34.99	6.60	32.81	
PK	6.1938G	110.32	Inf	-Inf	100.80	3	Horizontal	183	2.68	-	35.48	6.89	32.85	
RMS	6.1926G	102.37	Inf	-Inf	92.86	3	Horizontal	183	2.68	-	35.47	6.89	32.85	

802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TnomVnom




EUT V_1TX
Setting 20.75
01-C-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.3824G	62.24	74.00	-11.76	45.99	3	Vertical	235	1.80	-	38.66	9.17	31.58
AV	12.3812G	49.29	54.00	-4.71	33.04	3	Vertical	235	1.80	-	38.66	9.17	31.58

802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TnomVnom




EUT V_1TX
Setting 20.75
01-C-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.383G	66.53	74.00	-7.47	50.27	3	Horizontal	203	1.80	-	38.67	9.17	31.58
AV	12.3812G	53.73	54.00	-0.27	37.48	3	Horizontal	203	1.80	-	38.66	9.17	31.58

802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TnomVnom




EUT_V_1TX
Setting 20.75
01-C-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.6058G	47.22	83.54	-36.32	44.51	1	Vertical	254	2.35	-	37.76	14.94	49.99
AV	18.6041G	33.33	63.54	-30.21	30.63	1	Vertical	254	2.35	-	37.76	14.94	50.00

802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TnomVnom




EUT_V_1TX
Setting 20.75
01-C-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.58G	46.74	83.54	-36.80	44.06	1	Horizontal	55	1.38	-	37.77	14.93	50.02
AV	18.6098G	33.37	63.54	-30.17	30.66	1	Horizontal	55	1.38	-	37.76	14.94	49.99

802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TnomVnom




EUT V_1TX
Setting 21
01-C-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.923G	60.43	88.20	-27.77	51.65	3	Vertical	223	1.80	-	34.99	6.60	32.81
RMS	5.923G	50.00	68.20	-18.20	41.22	3	Vertical	223	1.80	-	34.99	6.60	32.81
PK	6.4126G	116.86	Inf	-Inf	107.17	3	Vertical	223	1.80	-	35.55	7.00	32.86
RMS	6.4126G	108.95	Inf	-Inf	99.26	3	Vertical	223	1.80	-	35.55	7.00	32.86

802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TnomVnom




EUT V_1TX
Setting 21
01-C-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.8774G	61.11	88.20	-27.09	52.45	3	Horizontal	319	1.67	-	34.85	6.60	32.79	
RMS	5.925G	50.03	68.20	-18.17	41.24	3	Horizontal	319	1.67	-	35.00	6.60	32.81	
PK	6.4126G	109.24	Inf	-Inf	99.55	3	Horizontal	319	1.67	-	35.55	7.00	32.86	
RMS	6.4126G	101.61	Inf	-Inf	91.92	3	Horizontal	319	1.67	-	35.55	7.00	32.86	

802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TnomVnom




EUT_V_1TX
Setting 21
01-C-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.8214G	62.80	88.20	-25.40	45.11	3	Vertical	261	1.80	-	39.22	9.37	30.90	
RMS	12.8212G	50.58	68.20	-17.62	32.89	3	Vertical	261	1.80	-	39.22	9.37	30.90	

802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TnomVnom




EUT_V_1TX
Setting 21
01-C-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.8226G	66.69	88.20	-21.51	49.00	3	Horizontal	206	1.80	-	39.22	9.37	30.90	
RMS	12.8212G	54.56	68.20	-13.64	36.87	3	Horizontal	206	1.80	-	39.22	9.37	30.90	

802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TnomVnom




EUT_V_1TX
Setting 21
01-C-K-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.2444G	47.54	83.54	-36.00	44.28	1	Vertical	238	2.88	-	37.71	15.20	49.65
AV	19.2298G	33.81	63.54	-29.73	30.55	1	Vertical	238	2.88	-	37.72	15.19	49.65

802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TnomVnom




EUT_V_1TX
Setting 21
01-C-K-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.2228G	47.61	83.54	-35.93	44.33	1	Horizontal	291	2.97	-	37.73	15.19	49.64
AV	19.2222G	33.65	63.54	-29.89	30.37	1	Horizontal	291	2.97	-	37.73	15.19	49.64

802.11ax HEW20_Nss1,(MCS0)_1TX

6435MHz_TnomVnom




EUT V_1TX
Setting 2.75
01-C-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9228G	60.23	88.20	-27.97	51.45	3	Vertical	325	1.80	-	34.99	6.60	32.81	
RMS	5.9228G	50.01	68.20	-18.19	41.23	3	Vertical	325	1.80	-	34.99	6.60	32.81	
PK	6.4324G	97.18	Inf	-Inf	87.57	3	Vertical	325	1.80	-	35.47	7.00	32.86	
RMS	6.4324G	88.49	Inf	-Inf	78.88	3	Vertical	325	1.80	-	35.47	7.00	32.86	

802.11ax HEW20_Nss1,(MCS0)_1TX

6435MHz_TnomVnom




EUT V_1TX
Setting 2.75
01-C-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8344G	60.58	88.20	-27.62	52.07	3	Horizontal	319	1.63	-	34.68	6.60	32.77
RMS	5.9228G	50.02	68.20	-18.18	41.24	3	Horizontal	319	1.63	-	34.99	6.60	32.81
PK	6.4324G	91.67	Inf	-Inf	82.06	3	Horizontal	319	1.63	-	35.47	7.00	32.86
RMS	6.4324G	83.00	Inf	-Inf	73.39	3	Horizontal	319	1.63	-	35.47	7.00	32.86

802.11ax HEW20_Nss1,(MCS0)_1TX

6435MHz_TnomVnom




EUT V_1TX
Setting 2.75
01-C-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8912G	58.61	88.20	-29.59	40.67	3	Vertical	28	1.65	-	39.29	9.40	30.75
RMS	12.8941G	45.35	68.20	-22.85	27.41	3	Vertical	28	1.65	-	39.29	9.40	30.75

802.11ax HEW20_Nss1,(MCS0)_1TX

6435MHz_TnomVnom




EUT_V_1TX
Setting 2.75
01-C-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.8602G	58.77	88.20	-29.43	40.94	3	Horizontal	196	1.18	-	39.26	9.39	30.82	
RMS	12.8937G	45.49	68.20	-22.71	27.55	3	Horizontal	196	1.18	-	39.29	9.40	30.75	

802.11ax HEW20_Nss1,(MCS0)_1TX

6435MHz_TnomVnom




EUT V_1TX
Setting 2.75
01-C-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.2916G	47.71	83.54	-35.83	44.42	1	Vertical	125	2.72	-	37.73	15.22	49.66
RMS	19.2835G	33.55	63.54	-29.99	30.27	1	Vertical	125	2.72	-	37.73	15.21	49.66

802.11ax HEW20_Nss1,(MCS0)_1TX

6435MHz_TnomVnom




EUT V_1TX
Setting 2.75
01-C-K-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.2968G	47.03	83.54	-36.51	43.73	1	Horizontal	173	1.04	-	37.74	15.22	49.66	
RMS	19.2847G	33.49	63.54	-30.05	30.21	1	Horizontal	173	1.04	-	37.73	15.21	49.66	

802.11ax HEW20_Nss1,(MCS0)_1TX

6475MHz_TnomVnom




EUT V_1TX
Setting 2.75
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9234G	61.08	88.20	-27.12	52.30	3	Vertical	222	1.78	-	34.99	6.60	32.81
RMS	5.9206G	49.92	68.20	-18.28	41.15	3	Vertical	222	1.78	-	34.98	6.60	32.81
PK	6.4722G	98.94	Inf	-Inf	89.31	3	Vertical	222	1.78	-	35.49	7.00	32.86
RMS	6.4722G	90.17	Inf	-Inf	80.54	3	Vertical	222	1.78	-	35.49	7.00	32.86
PK	7.161G	64.12	88.20	-24.08	53.06	3	Vertical	222	1.78	-	36.94	7.22	33.10
RMS	7.1722G	52.98	68.20	-15.22	41.89	3	Vertical	222	1.78	-	36.99	7.21	33.11

802.11ax HEW20_Nss1,(MCS0)_1TX

6475MHz_TnomVnom




EUT_V_1TX
Setting 2.75
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8366G	61.21	88.20	-26.99	52.69	3	Horizontal	179	2.60	-	34.69	6.60	32.77
RMS	5.9234G	49.96	68.20	-18.24	41.18	3	Horizontal	179	2.60	-	34.99	6.60	32.81
PK	6.4722G	89.10	Inf	-Inf	79.47	3	Horizontal	179	2.60	-	35.49	7.00	32.86
RMS	6.4722G	80.18	Inf	-Inf	70.55	3	Horizontal	179	2.60	-	35.49	7.00	32.86
PK	7.1554G	63.00	88.20	-25.20	51.96	3	Horizontal	179	2.60	-	36.92	7.22	33.10
RMS	7.1722G	53.06	68.20	-15.14	41.97	3	Horizontal	179	2.60	-	36.99	7.21	33.11

802.11ax HEW20_Nss1,(MCS0)_1TX

6475MHz_TnomVnom




EUT V_1TX
Setting 2.75
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.94834G	59.24	88.20	-28.96	40.99	3	Vertical	119	1.77	-	39.45	9.43	30.63	
RMS	12.94867G	45.43	68.20	-22.77	27.18	3	Vertical	119	1.77	-	39.45	9.43	30.63	

802.11ax HEW20_Nss1,(MCS0)_1TX

6475MHz_TnomVnom




EUT_V_1TX
 Setting 2.75
 01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.94818G	59.29	88.20	-28.91	41.05	3	Horizontal	264	2.04	-	39.44	9.43	30.63
RMS	12.95208G	45.41	68.20	-22.79	27.14	3	Horizontal	264	2.04	-	39.46	9.43	30.62

802.11ax HEW20_Nss1,(MCS0)_1TX

6475MHz_TnomVnom




EUT V_1TX
Setting 2.75
01-C-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.42302G	46.82	83.54	-36.72	43.39	1	Vertical	229	1.80	-	37.84	15.27	49.68	
AV	19.42746G	32.92	63.54	-30.62	29.50	1	Vertical	229	1.80	-	37.84	15.27	49.69	

802.11ax HEW20_Nss1,(MCS0)_1TX

6475MHz_TnomVnom




EUT V_1TX
Setting 2.75
01-C-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.42476G	46.41	83.54	-37.13	42.98	1	Horizontal	328	2.23	-	37.84	15.27	49.68	
AV	19.42596G	33.71	63.54	-29.83	30.29	1	Horizontal	328	2.23	-	37.84	15.27	49.69	

802.11ax HEW20_Nss1,(MCS0)_1TX

6515MHz_TnomVnom




EUT V_1TX
Setting 2.75
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8878G	60.81	88.20	-27.39	52.13	3	Vertical	220	1.73	-	34.88	6.60	32.80
RMS	5.9214G	49.86	68.20	-18.34	41.08	3	Vertical	220	1.73	-	34.99	6.60	32.81
PK	6.5122G	99.18	Inf	-Inf	89.39	3	Vertical	220	1.73	-	35.65	7.00	32.86
RMS	6.5122G	89.84	Inf	-Inf	80.05	3	Vertical	220	1.73	-	35.65	7.00	32.86
PK	7.1338G	63.65	88.20	-24.55	52.74	3	Vertical	220	1.73	-	36.77	7.23	33.09
RMS	7.1954G	53.04	68.20	-15.16	41.88	3	Vertical	220	1.73	-	37.08	7.20	33.12

802.11ax HEW20_Nss1,(MCS0)_1TX

6515MHz_TnomVnom




EUT_V_1TX
Setting 2.75
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9186G	60.85	88.20	-27.35	52.09	3	Horizontal	356	2.54	-	34.97	6.60	32.81
RMS	5.9242G	49.92	68.20	-18.28	41.13	3	Horizontal	356	2.54	-	35.00	6.60	32.81
PK	6.5122G	90.42	Inf	-Inf	80.63	3	Horizontal	356	2.54	-	35.65	7.00	32.86
RMS	6.5122G	81.44	Inf	-Inf	71.65	3	Horizontal	356	2.54	-	35.65	7.00	32.86
PK	7.2094G	63.56	88.20	-24.64	52.38	3	Horizontal	356	2.54	-	37.10	7.21	33.13
RMS	7.1758G	53.03	68.20	-15.17	41.93	3	Horizontal	356	2.54	-	37.00	7.21	33.11

802.11ax HEW20_Nss1,(MCS0)_1TX

6515MHz_TnomVnom




EUT_V_1TX
Setting 2.75
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.03107G	59.40	88.20	-28.80	40.78	3	Vertical	86	1.39	-	39.63	9.46	30.47
RMS	13.02881G	46.07	68.20	-22.13	27.46	3	Vertical	86	1.39	-	39.63	9.46	30.48

802.11ax HEW20_Nss1,(MCS0)_1TX

6515MHz_TnomVnom




EUT_V_1TX
Setting 2.75
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.03188G	59.22	88.20	-28.98	40.60	3	Horizontal	178	2.39	-	39.63	9.46	30.47
RMS	13.02909G	46.62	68.20	-21.58	28.01	3	Horizontal	178	2.39	-	39.63	9.46	30.48

802.11ax HEW20_Nss1,(MCS0)_1TX

6515MHz_TnomVnom




EUT V_1TX
Setting 2.75
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.54432G	47.07	83.54	-36.47	43.57	1	Vertical	298	2.50	-	37.88	15.32	49.70
AV	19.54558G	34.06	63.54	-29.48	30.56	1	Vertical	298	2.50	-	37.88	15.32	49.70

802.11ax HEW20_Nss1,(MCS0)_1TX

6515MHz_TnomVnom




EUT_V_1TX
Setting 2.75
01-C-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.54543G	47.91	83.54	-35.63	44.41	1	Horizontal	5	1.79	-	37.88	15.32	49.70
AV	19.54427G	33.95	63.54	-29.59	30.45	1	Horizontal	5	1.79	-	37.88	15.32	49.70

802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TnomVnom




EUT_V_1TX
Setting 20.75
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.905G	61.22	88.20	-26.98	52.50	3	Vertical	220	1.80	-	34.92	6.60	32.80
RMS	5.9246G	49.93	68.20	-18.27	41.14	3	Vertical	220	1.80	-	35.00	6.60	32.81
PK	6.5378G	115.43	Inf	-Inf	105.55	3	Vertical	220	1.80	-	35.75	7.00	32.87
RMS	6.5378G	107.17	Inf	-Inf	97.29	3	Vertical	220	1.80	-	35.75	7.00	32.87
PK	7.207G	63.92	88.20	-24.28	52.74	3	Vertical	220	1.80	-	37.10	7.21	33.13
RMS	7.2182G	53.04	68.20	-15.16	41.85	3	Vertical	220	1.80	-	37.10	7.22	33.13

802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TnomVnom




EUT_V_1TX
Setting 20.75
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9022G	60.72	88.20	-27.48	52.01	3	Horizontal	336	1.80	-	34.91	6.60	32.80
RMS	5.9246G	49.89	68.20	-18.31	41.10	3	Horizontal	336	1.80	-	35.00	6.60	32.81
PK	6.5378G	105.97	Inf	-Inf	96.09	3	Horizontal	336	1.80	-	35.75	7.00	32.87
RMS	6.5378G	97.67	Inf	-Inf	87.79	3	Horizontal	336	1.80	-	35.75	7.00	32.87
PK	7.2238G	64.82	88.20	-23.38	53.64	3	Horizontal	336	1.80	-	37.10	7.22	33.14
RMS	7.2232G	53.06	68.20	-15.14	41.87	3	Horizontal	336	1.80	-	37.10	7.23	33.14

802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TnomVnom




EUT V_1TX
Setting 20.75
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.0754G	61.62	88.20	-26.58	42.87	3	Vertical	229	1.80	-	39.68	9.48	30.41	
RMS	13.0785G	47.92	68.20	-20.28	29.15	3	Vertical	229	1.80	-	39.68	9.49	30.40	

802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TnomVnom




EUT V_1TX
Setting 20.75
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0763G	64.99	88.20	-23.21	46.24	3	Horizontal	149	2.69	-	39.68	9.48	30.41
RMS	13.0762G	50.90	68.20	-17.30	32.15	3	Horizontal	149	2.69	-	39.68	9.48	30.41

802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TnomVnom




EUT_V_1TX
Setting 20.75
01-C-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.60481G	48.28	83.54	-35.26	44.78	1	Vertical	39	2.15	-	37.86	15.34	49.70
AV	19.60654G	34.18	63.54	-29.36	30.68	1	Vertical	39	2.15	-	37.86	15.34	49.70

802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TnomVnom




EUT V_1TX
Setting 20.75
01-C-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.6035G	47.51	83.54	-36.03	44.01	1	Horizontal	39	1.78	-	37.86	15.34	49.70	
AV	19.603G	34.81	63.54	-28.73	31.31	1	Horizontal	39	1.78	-	37.86	15.34	49.70	

802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TnomVnom




EUT V_1TX
Setting 21
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6972G	116.18	Inf	-Inf	106.19	3	Vertical	71	1.33	-	35.91	7.00	32.92
RMS	6.6972G	107.80	Inf	-Inf	97.81	3	Vertical	71	1.33	-	35.91	7.00	32.92
PK	7.1438G	63.45	88.20	-24.75	52.46	3	Vertical	71	1.33	-	36.85	7.23	33.09
RMS	7.223G	53.14	68.20	-15.06	41.96	3	Vertical	71	1.33	-	37.10	7.22	33.14

802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TnomVnom




EUT V_1TX
Setting 21
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.6972G	105.83	Inf	-Inf	95.84	3	Horizontal	340	1.80	-	35.91	7.00	32.92	
RMS	6.6972G	97.00	Inf	-Inf	87.01	3	Horizontal	340	1.80	-	35.91	7.00	32.92	
PK	7.2098G	64.41	88.20	-23.79	53.23	3	Horizontal	340	1.80	-	37.10	7.21	33.13	
RMS	7.245G	53.13	68.20	-15.07	41.93	3	Horizontal	340	1.80	-	37.10	7.25	33.15	

802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TnomVnom




EUT V_1TX
Setting 21
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.39854G	62.23	74.00	-11.77	42.33	3	Vertical	233	2.52	-	40.20	9.63	29.93
AV	13.39616G	48.75	54.00	-5.25	28.86	3	Vertical	233	2.52	-	40.19	9.63	29.93

802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TnomVnom




EUT_V_1TX
Setting 21
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.39868G	63.70	74.00	-10.30	43.80	3	Horizontal	145	2.65	-	40.20	9.63	29.93	
AV	13.39854G	50.32	54.00	-3.68	30.42	3	Horizontal	145	2.65	-	40.20	9.63	29.93	

802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TnomVnom




EUT_V_1TX
Setting 21
01-C-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	20.08486G	47.70	83.54	-35.84	44.42	1	Vertical	344	2.13	-	37.47	15.54	49.73	
AV	20.08403G	33.73	63.54	-29.81	30.45	1	Vertical	344	2.13	-	37.47	15.54	49.73	

802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TnomVnom




EUT_V_1TX
Setting 21
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.08357G	47.86	83.54	-35.68	44.58	1	Horizontal	270	2.12	-	37.47	15.54	49.73
AV	20.08578G	34.55	63.54	-28.99	31.27	1	Horizontal	270	2.12	-	37.47	15.54	49.73

802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TnomVnom




EUT V_1TX
Setting 23
01-M-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.848G	121.24	Inf	-Inf	110.56	3	Vertical	31	2.58	-	36.58	7.07	32.97
RMS	6.8508G	112.50	Inf	-Inf	101.80	3	Vertical	31	2.58	-	36.59	7.08	32.97
PK	7.177G	64.03	88.20	-24.17	52.92	3	Vertical	31	2.58	-	37.01	7.21	33.11
RMS	7.1896G	53.14	68.20	-15.06	41.99	3	Vertical	31	2.58	-	37.06	7.21	33.12

802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TnomVnom




EUT V_1TX
Setting 23
01-M-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.848G	109.97	Inf	-Inf	99.29	3	Horizontal	33	2.43	-	36.58	7.07	32.97
RMS	6.8522G	101.14	Inf	-Inf	90.45	3	Horizontal	33	2.43	-	36.58	7.08	32.97
PK	7.1574G	64.22	88.20	-23.98	53.17	3	Horizontal	33	2.43	-	36.93	7.22	33.10
RMS	7.1882G	53.14	68.20	-15.06	42.00	3	Horizontal	33	2.43	-	37.05	7.21	33.12

802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TnomVnom




EUT_V_1TX
Setting 23
01-M-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.6996G	62.90	88.20	-25.30	42.30	3	Vertical	294	1.79	-	40.50	9.76	29.66
RMS	13.70088G	50.77	68.20	-17.43	30.16	3	Vertical	294	1.79	-	40.50	9.77	29.66

802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TnomVnom




EUT_V_1TX
Setting 23
01-M-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.69928G	66.76	88.20	-21.44	46.16	3	Horizontal	214	1.94	-	40.50	9.76	29.66	
RMS	13.70096G	54.86	68.20	-13.34	34.25	3	Horizontal	214	1.94	-	40.50	9.77	29.66	

802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TnomVnom




EUT_V_1TX
Setting 23
01-M-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.56252G	47.92	83.54	-35.62	44.26	1	Vertical	22	1.53	-	37.78	15.75	49.87
AV	20.56818G	34.60	63.54	-28.94	30.93	1	Vertical	22	1.53	-	37.78	15.76	49.87

802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TnomVnom




EUT_V_1TX
Setting 23
01-M-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.56024G	48.11	83.54	-35.43	44.47	1	Horizontal	163	1.52	-	37.77	15.75	49.88
AV	20.56814G	34.60	63.54	-28.94	30.93	1	Horizontal	163	1.52	-	37.78	15.76	49.87

802.11ax HEW20_Nss1,(MCS0)_1TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_1TX
 Setting 2.75
 01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8774G	96.42	Inf	-Inf	85.90	3	Vertical	325	1.80	-	36.38	7.12	32.98
RMS	6.8774G	87.75	Inf	-Inf	77.23	3	Vertical	325	1.80	-	36.38	7.12	32.98
PK	7.1474G	63.94	88.20	-24.26	52.93	3	Vertical	325	1.80	-	36.88	7.23	33.10
RMS	7.1666G	52.96	68.20	-15.24	41.88	3	Vertical	325	1.80	-	36.97	7.22	33.11

802.11ax HEW20_Nss1,(MCS0)_1TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT V_1TX
Setting 2.75
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8774G	86.72	Inf	-Inf	76.20	3	Horizontal	343	1.82	-	36.38	7.12	32.98
RMS	6.8774G	77.50	Inf	-Inf	66.98	3	Horizontal	343	1.82	-	36.38	7.12	32.98
PK	7.1414G	63.78	88.20	-24.42	52.81	3	Horizontal	343	1.82	-	36.83	7.23	33.09
RMS	7.1642G	52.96	68.20	-15.24	41.89	3	Horizontal	343	1.82	-	36.96	7.22	33.11

802.11ax HEW20_Nss1,(MCS0)_1TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_1TX
Setting 2.75
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.75122G	63.25	88.20	-24.95	42.44	3	Vertical	351	2.23	-	40.65	9.79	29.63
RMS	13.75053G	49.37	68.20	-18.83	28.56	3	Vertical	351	2.23	-	40.65	9.79	29.63

802.11ax HEW20_Nss1,(MCS0)_1TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_1TX
 Setting 2.75
 01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.74755G	62.97	88.20	-25.23	42.18	3	Horizontal	162	2.81	-	40.64	9.79	29.64
RMS	13.74893G	49.40	68.20	-18.80	28.60	3	Horizontal	162	2.81	-	40.65	9.79	29.64

802.11ax HEW20_Nss1,(MCS0)_1TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_1TX
Setting 2.75
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.62707G	48.87	83.54	-34.67	45.09	1	Vertical	161	2.56	-	37.85	15.78	49.85
AV	20.62666G	34.49	63.54	-29.05	30.71	1	Vertical	161	2.56	-	37.85	15.78	49.85

802.11ax HEW20_Nss1,(MCS0)_1TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT V_1TX
Setting 2.75
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.62467G	48.14	83.54	-35.40	44.36	1	Horizontal	12	1.99	-	37.85	15.78	49.85
AV	20.62385G	35.23	63.54	-28.31	31.45	1	Horizontal	12	1.99	-	37.85	15.78	49.85

802.11ax HEW20_Nss1,(MCS0)_1TX

6895MHz_TnomVnom




EUT V_1TX
Setting 2.75
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8974G	97.30	Inf	-Inf	86.92	3	Vertical	313	1.66	-	36.22	7.15	32.99
RMS	6.8974G	88.37	Inf	-Inf	77.99	3	Vertical	313	1.66	-	36.22	7.15	32.99
PK	7.1626G	64.48	88.20	-23.72	53.41	3	Vertical	313	1.66	-	36.95	7.22	33.10
RMS	7.189G	53.05	68.20	-15.15	41.90	3	Vertical	313	1.66	-	37.06	7.21	33.12

802.11ax HEW20_Nss1,(MCS0)_1TX

6895MHz_TnomVnom




EUT V_1TX
Setting 2.75
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.8974G	86.68	Inf	-Inf	76.30	3	Horizontal	344.7	1.80	-	36.22	7.15	32.99	
RMS	6.8974G	77.83	Inf	-Inf	67.45	3	Horizontal	344.7	1.80	-	36.22	7.15	32.99	
PK	7.1734G	64.10	88.20	-24.10	53.01	3	Horizontal	344.7	1.80	-	36.99	7.21	33.11	
RMS	7.1878G	53.10	68.20	-15.10	41.96	3	Horizontal	344.7	1.80	-	37.05	7.21	33.12	

802.11ax HEW20_Nss1,(MCS0)_1TX

6895MHz_TnomVnom




EUT_V_1TX
Setting 2.75
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.79242G	63.27	88.20	-24.93	42.29	3	Vertical	144	2.91	-	40.78	9.81	29.61
RMS	13.79065G	49.53	68.20	-18.67	28.56	3	Vertical	144	2.91	-	40.77	9.81	29.61

802.11ax HEW20_Nss1,(MCS0)_1TX

6895MHz_TnomVnom




EUT_V_1TX
Setting 2.75
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.78941G	63.40	88.20	-24.80	42.43	3	Horizontal	189	2.31	-	40.77	9.81	29.61
RMS	13.79105G	49.57	68.20	-18.63	28.60	3	Horizontal	189	2.31	-	40.77	9.81	29.61

802.11ax HEW20_Nss1,(MCS0)_1TX

6895MHz_TnomVnom




EUT V_1TX
Setting 2.75
01-C-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	20.68363G	50.51	83.54	-33.03	46.61	1	Vertical	302	2.86	-	37.92	15.81	49.83	
AV	20.68284G	36.30	63.54	-27.24	32.40	1	Vertical	302	2.86	-	37.92	15.81	49.83	

802.11ax HEW20_Nss1,(MCS0)_1TX

6895MHz_TnomVnom




EUT V_1TX
Setting 2.75
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.68749G	50.00	83.54	-33.54	46.10	1	Horizontal	83	1.65	-	37.92	15.81	49.83
AV	20.68555G	35.56	63.54	-27.98	31.66	1	Horizontal	83	1.65	-	37.92	15.81	49.83

802.11ax HEW20_Nss1,(MCS0)_1TX

6995MHz_TnomVnom




EUT V_1TX
Setting 2.5
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9974G	98.86	Inf	-Inf	88.27	3	Vertical	320	1.61	-	36.31	7.30	33.02
RMS	6.9974G	90.15	Inf	-Inf	79.56	3	Vertical	320	1.61	-	36.31	7.30	33.02
PK	7.1774G	64.47	88.20	-23.73	53.36	3	Vertical	320	1.61	-	37.01	7.21	33.11
RMS	7.1926G	53.05	68.20	-15.15	41.90	3	Vertical	320	1.61	-	37.07	7.20	33.12

802.11ax HEW20_Nss1,(MCS0)_1TX

6995MHz_TnomVnom




EUT V_1TX
Setting 2.5
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9974G	89.20	Inf	-Inf	78.61	3	Horizontal	342	2.77	-	36.31	7.30	33.02
RMS	6.9974G	80.45	Inf	-Inf	69.86	3	Horizontal	342	2.77	-	36.31	7.30	33.02
PK	7.1494G	64.32	88.20	-23.88	53.29	3	Horizontal	342	2.77	-	36.90	7.23	33.10
RMS	7.1894G	53.13	68.20	-15.07	41.98	3	Horizontal	342	2.77	-	37.06	7.21	33.12

802.11ax HEW20_Nss1,(MCS0)_1TX

6995MHz_TnomVnom




EUT_V_1TX
Setting 2.5
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.98786G	64.20	88.20	-24.00	42.91	3	Vertical	180	2.21	-	40.90	9.89	29.50	
RMS	13.99026G	50.32	68.20	-17.88	29.02	3	Vertical	180	2.21	-	40.90	9.90	29.50	

802.11ax HEW20_Nss1,(MCS0)_1TX

6995MHz_TnomVnom




EUT_V_1TX
Setting 2.5
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.9897G	64.15	88.20	-24.05	42.85	3	Horizontal	167	2.99	-	40.90	9.90	29.50	
RMS	13.99027G	50.30	68.20	-17.90	29.00	3	Horizontal	167	2.99	-	40.90	9.90	29.50	

802.11ax HEW20_Nss1,(MCS0)_1TX

6995MHz_TnomVnom




EUT_V_1TX
Setting 2.5
01-C-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.98665G	48.62	83.54	-34.92	44.77	1	Vertical	290	1.52	-	37.62	15.94	49.71
AV	20.9874G	35.02	63.54	-28.52	31.17	1	Vertical	290	1.52	-	37.62	15.94	49.71

802.11ax HEW20_Nss1,(MCS0)_1TX

6995MHz_TnomVnom




EUT_V_1TX
Setting 2.5
01-C-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.98668G	47.99	83.54	-35.55	44.14	1	Horizontal	343	1.08	-	37.62	15.94	49.71
AV	20.986G	34.42	63.54	-29.12	30.57	1	Horizontal	343	1.08	-	37.62	15.94	49.71

802.11ax HEW20_Nss1,(MCS0)_1TX

7095MHz_TnomVnom




EUT V_1TX
Setting 4.25
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0978G	98.99	Inf	-Inf	88.31	3	Vertical	35	1.75	-	36.50	7.25	33.07
RMS	7.097G	90.45	Inf	-Inf	79.76	3	Vertical	35	1.75	-	36.51	7.25	33.07
PK	7.143G	63.99	88.20	-24.21	53.01	3	Vertical	35	1.75	-	36.84	7.23	33.09
RMS	7.1466G	52.93	68.20	-15.27	41.93	3	Vertical	35	1.75	-	36.87	7.23	33.10

802.11ax HEW20_Nss1,(MCS0)_1TX

7095MHz_TnomVnom




EUT_V_1TX
Setting 4.25
01-C-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.0978G	88.22	Inf	-Inf	77.54	3	Horizontal	59	2.34	-	36.50	7.25	33.07	
RMS	7.097G	79.68	Inf	-Inf	68.99	3	Horizontal	59	2.34	-	36.51	7.25	33.07	
PK	7.1842G	64.39	88.20	-23.81	53.26	3	Horizontal	59	2.34	-	37.04	7.21	33.12	
RMS	7.1918G	53.10	68.20	-15.10	41.95	3	Horizontal	59	2.34	-	37.07	7.20	33.12	

802.11ax HEW20_Nss1,(MCS0)_1TX

7095MHz_TnomVnom




EUT_V_1TX
Setting 4.25
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.18807G	64.00	88.20	-24.20	42.85	3	Vertical	345	2.17	-	40.81	9.96	29.62
RMS	14.18999G	49.94	68.20	-18.26	28.79	3	Vertical	345	2.17	-	40.81	9.96	29.62

802.11ax HEW20_Nss1,(MCS0)_1TX

7095MHz_TnomVnom




EUT_V_1TX
Setting 4.25
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.19112G	63.53	88.20	-24.67	42.38	3	Horizontal	105	2.41	-	40.81	9.96	29.62
RMS	14.18757G	49.86	68.20	-18.34	28.71	3	Horizontal	105	2.41	-	40.81	9.96	29.62

802.11ax HEW20_Nss1,(MCS0)_1TX

7095MHz_TnomVnom




EUT V_1TX
Setting 4.25
01-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.28521G	49.77	83.54	-33.77	45.69	1	Vertical	131	1.67	-	37.64	16.08	49.64
AV	21.28644G	36.83	63.54	-26.71	32.75	1	Vertical	131	1.67	-	37.64	16.08	49.64

802.11ax HEW20_Nss1,(MCS0)_1TX

7095MHz_TnomVnom




EUT_V_1TX
Setting 4.25
01-C-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	21.28309G	50.42	83.54	-33.12	46.34	1	Horizontal	114	2.08	-	37.64	16.08	49.64
AV	21.28345G	36.19	63.54	-27.35	32.11	1	Horizontal	114	2.08	-	37.64	16.08	49.64

802.11ax HEW20_Nss1,(MCS0)_1TX

7115MHz_TnomVnom




EUT_V_1TX
Setting 10
03-G-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.118G	93.49	Inf	-Inf	84.43	3	Vertical	25	1.21	-	35.91	8.20	35.05	
RMS	7.1187G	86.93	Inf	-Inf	77.87	3	Vertical	25	1.21	-	35.91	8.20	35.05	
PK	7.1255G	71.69	88.20	-16.51	62.60	3	Vertical	25	1.21	-	35.95	8.20	35.06	
RMS	7.1255G	61.04	68.20	-7.16	51.95	3	Vertical	25	1.21	-	35.95	8.20	35.06	

802.11ax HEW20_Nss1,(MCS0)_1TX

7115MHz_TnomVnom




EUT_V_1TX
Setting 10
03-G-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.11803G	93.76	Inf	-Inf	84.70	3	Horizontal	63	1.43	-	35.91	8.20	35.05	
RMS	7.11868G	86.89	Inf	-Inf	77.83	3	Horizontal	63	1.43	-	35.91	8.20	35.05	
PK	7.1255G	72.24	88.20	-15.96	63.15	3	Horizontal	63	1.43	-	35.95	8.20	35.06	
RMS	7.1255G	61.25	68.20	-6.95	52.16	3	Horizontal	63	1.43	-	35.95	8.20	35.06	

802.11ax HEW20_Nss1,(MCS0)_1TX

7115MHz_TnomVnom




EUT_V_1TX
Setting 10
03-G-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.2144G	64.63	88.20	-23.57	43.52	3	Vertical	188	1.82	-	41.60	12.51	33.00
RMS	14.22064G	53.73	68.20	-14.47	32.62	3	Vertical	188	1.82	-	41.60	12.51	33.00

802.11ax HEW20_Nss1,(MCS0)_1TX

7115MHz_TnomVnom




EUT_V_1TX
Setting 10
03-G-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.21704G	65.88	88.20	-22.32	44.77	3	Horizontal	146	1.94	-	41.60	12.51	33.00
RMS	14.22056G	54.67	68.20	-13.53	33.56	3	Horizontal	146	1.94	-	41.60	12.51	33.00

802.11ax HEW20_Nss1,(MCS0)_1TX

7115MHz_TnomVnom




EUT_V_1TX
Setting 10
03-G-S-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	21.3403G	48.57	83.54	-34.97	44.39	1	Vertical	167	1.50	-	37.71	16.10	49.63
AV	21.34728G	36.29	63.54	-27.25	32.09	1	Vertical	167	1.50	-	37.72	16.11	49.63

802.11ax HEW20_Nss1,(MCS0)_1TX

7115MHz_TnomVnom



EUT_V_1TX
Setting 10
03-G-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.34766G	48.17	83.54	-35.37	43.97	1	Horizontal	327	1.57	-	37.72	16.11	49.63
AV	21.34206G	36.22	63.54	-27.32	32.04	1	Horizontal	327	1.57	-	37.71	16.10	49.63



RSE TX above 1GHz
<Partial RU> low power_RU26_1TX_Ant. 3


Appendix E.14

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1.(MCS0)_1TX	Pass	RMS	7.1255G	68.07	68.20	-0.13	3	Vertical	263	1.71	-

802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TnomVnom




EUT V_1TX
Setting 13.25
01-M-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.867G	63.25	88.20	-24.95	54.61	3	Vertical	89	1.72	-	34.83	6.60	32.79	
RMS	5.9058G	51.63	68.20	-16.57	42.91	3	Vertical	89	1.72	-	34.92	6.60	32.80	
PK	5.9466G	120.04	Inf	-Inf	111.17	3	Vertical	89	1.72	-	35.09	6.60	32.82	
RMS	5.9466G	110.32	Inf	-Inf	101.45	3	Vertical	89	1.72	-	35.09	6.60	32.82	

802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TnomVnom




EUT_V_1TX
Setting 13.25
01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.8936G	58.66	74.00	-15.34	42.77	3	Vertical	19	1.80	-	38.50	8.97	31.58
AV	11.8928G	47.07	54.00	-6.93	31.18	3	Vertical	19	1.80	-	38.50	8.97	31.58

802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TnomVnom




EUT_V_1TX
 Setting 13.25
 01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.8932G	68.67	74.00	-5.33	52.78	3	Horizontal	213	1.80	-	38.50	8.97	31.58
AV	11.8928G	53.78	54.00	-0.22	37.89	3	Horizontal	213	1.80	-	38.50	8.97	31.58

802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TnomVnom




EUT_V_1TX
Setting 15
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.7414G	59.52	88.20	-28.68	53.37	3	Vertical	68	1.79	-	34.22	7.40	35.47	
RMS	5.925G	47.48	68.20	-20.72	40.82	3	Vertical	68	1.79	-	34.70	7.52	35.56	
PK	6.1866G	120.72	Inf	-Inf	113.41	3	Vertical	68	1.79	-	35.15	7.69	35.53	
RMS	6.1866G	110.64	Inf	-Inf	103.33	3	Vertical	68	1.79	-	35.15	7.69	35.53	

802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TnomVnom




EUT_V_1TX
Setting 15
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.3726G	60.15	74.00	-13.85	45.60	3	Vertical	228	1.69	-	38.87	11.10	35.42
AV	12.373G	46.51	54.00	-7.49	31.96	3	Vertical	228	1.69	-	38.87	11.10	35.42

802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TnomVnom




EUT_V_1TX
Setting 15
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.3728G	67.89	74.00	-6.11	53.34	3	Horizontal	205	2.30	-	38.87	11.10	35.42
AV	12.3732G	53.23	54.00	-0.77	38.68	3	Horizontal	205	2.30	-	38.87	11.10	35.42

802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TnomVnom




EUT_V_1TX
Setting 15
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.5526G	45.38	83.54	-38.16	42.73	1	Vertical	65	1.38	-	37.78	14.92	50.05
AV	18.5468G	32.07	63.54	-31.47	29.42	1	Vertical	65	1.38	-	37.78	14.92	50.05

802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TnomVnom




EUT_V_1TX
Setting 15
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.5956G	44.98	83.54	-38.56	42.28	1	Horizontal	106	1.81	-	37.76	14.94	50.00
AV	18.5466G	32.11	63.54	-31.43	29.46	1	Horizontal	106	1.81	-	37.78	14.92	50.05

802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TnomVnom




EUT V_1TX
Setting 15.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7142G	59.49	88.20	-28.71	53.28	3	Vertical	71	1.80	-	34.27	7.40	35.46
RMS	5.919G	47.50	68.20	-20.70	40.86	3	Vertical	71	1.80	-	34.68	7.52	35.56
PK	6.4086G	120.47	Inf	-Inf	113.32	3	Vertical	71	1.80	-	34.87	7.72	35.44
RMS	6.4086G	107.04	Inf	-Inf	99.89	3	Vertical	71	1.80	-	34.87	7.72	35.44
PK	7.199G	61.47	88.20	-26.73	52.42	3	Vertical	71	1.80	-	36.39	8.20	35.54
RMS	7.199G	50.21	68.20	-17.99	41.16	3	Vertical	71	1.80	-	36.39	8.20	35.54

802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TnomVnom




EUT_V_1TX
 Setting 15.5
 03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8122G	59.37	88.20	-28.83	43.28	3	Vertical	227	1.80	-	39.31	11.45	34.67
RMS	12.813G	46.29	68.20	-21.91	30.20	3	Vertical	227	1.80	-	39.31	11.45	34.67

802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TnomVnom




EUT_V_1TX
 Setting 15.5
 03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.8136G	68.31	88.20	-19.89	52.22	3	Horizontal	203	2.18	-	39.31	11.45	34.67	
RMS	12.813G	52.81	68.20	-15.39	36.72	3	Horizontal	203	2.18	-	39.31	11.45	34.67	

802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TnomVnom




EUT_V_1TX
Setting 15.5
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.2096G	46.06	83.54	-37.48	42.77	1	Vertical	184	1.36	-	37.75	15.18	49.64	
AV	19.2136G	32.92	63.54	-30.62	29.63	1	Vertical	184	1.36	-	37.74	15.19	49.64	

802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TnomVnom




EUT_V_1TX
Setting 15.5
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.2434G	46.18	83.54	-37.36	42.92	1	Horizontal	143	1.48	-	37.71	15.20	49.65	
AV	19.2138G	32.83	63.54	-30.71	29.54	1	Horizontal	143	1.48	-	37.74	15.19	49.64	

802.11ax HEW20_Nss1,(MCS0)_1TX

6435MHz_TnomVnom




EUT V_1TX
 Setting -3.25
 03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9228G	59.35	88.20	-28.85	52.70	3	Vertical	70	1.80	-	34.69	7.52	35.56	
RMS	5.925G	47.50	68.20	-20.70	40.84	3	Vertical	70	1.80	-	34.70	7.52	35.56	
PK	6.4272G	103.09	Inf	-Inf	95.98	3	Vertical	70	1.80	-	34.79	7.75	35.43	
RMS	6.4272G	92.54	Inf	-Inf	85.43	3	Vertical	70	1.80	-	34.79	7.75	35.43	

802.11ax HEW20_Nss1,(MCS0)_1TX

6435MHz_TnomVnom




EUT V_1TX
Setting -3.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8852G	55.93	88.20	-32.27	39.53	3	Vertical	37	2.46	-	39.39	11.51	34.50
RMS	12.9192G	42.59	68.20	-25.61	26.06	3	Vertical	37	2.46	-	39.42	11.54	34.43

802.11ax HEW20_Nss1,(MCS0)_1TX

6435MHz_TnomVnom




EUT V_1TX
Setting -3.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8394G	56.09	88.20	-32.11	39.89	3	Horizontal	64	2.99	-	39.34	11.47	34.61
RMS	12.9184G	42.79	68.20	-25.41	26.27	3	Horizontal	64	2.99	-	39.42	11.53	34.43

802.11ax HEW20_Nss1,(MCS0)_1TX

6435MHz_TnomVnom




EUT_V_1TX
Setting -3.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.3486G	45.69	83.54	-37.85	42.34	1	Vertical	114	1.68	-	37.78	15.24	49.67
AV	19.255G	32.56	63.54	-30.98	29.31	1	Vertical	114	1.68	-	37.70	15.20	49.65

802.11ax HEW20_Nss1,(MCS0)_1TX

6435MHz_TnomVnom




EUT V_1TX
Setting -3.25
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.2584G	46.38	83.54	-37.16	43.12	1	Horizontal	212	2.22	-	37.71	15.20	49.65
AV	19.255G	32.41	63.54	-31.13	29.16	1	Horizontal	212	2.22	-	37.70	15.20	49.65

802.11ax HEW20_Nss1,(MCS0)_1TX

6475MHz_TnomVnom




EUT V_1TX
Setting -3.25
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.743G	58.65	88.20	-29.55	52.51	3	Vertical	65	1.90	-	34.21	7.40	35.47
RMS	5.92G	47.52	68.20	-20.68	40.88	3	Vertical	65	1.90	-	34.68	7.52	35.56
PK	6.466G	101.93	Inf	-Inf	94.81	3	Vertical	65	1.90	-	34.70	7.83	35.41
RMS	6.466G	90.53	Inf	-Inf	83.41	3	Vertical	65	1.90	-	34.70	7.83	35.41
PK	7.216G	61.52	88.20	-26.68	52.34	3	Vertical	65	1.90	-	36.50	8.23	35.55
RMS	7.219G	50.32	68.20	-17.88	41.12	3	Vertical	65	1.90	-	36.51	8.24	35.55

802.11ax HEW20_Nss1,(MCS0)_1TX

6475MHz_TnomVnom




EUT V_1TX
Setting -3.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.9882G	56.62	88.20	-31.58	39.81	3	Vertical	274	1.17	-	39.49	11.59	34.27
RMS	13G	43.66	68.20	-24.54	26.80	3	Vertical	274	1.17	-	39.50	11.60	34.24

802.11ax HEW20_Nss1,(MCS0)_1TX

6475MHz_TnomVnom




EUT V_1TX
Setting -3.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.998G	56.44	88.20	-31.76	39.58	3	Horizontal	39	1.70	-	39.50	11.60	34.24
RMS	12.998G	43.91	68.20	-24.29	27.05	3	Horizontal	39	1.70	-	39.50	11.60	34.24

802.11ax HEW20_Nss1,(MCS0)_1TX

6475MHz_TnomVnom




EUT V_1TX
Setting -3.25
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.3992G	46.55	83.54	-36.99	43.15	1	Vertical	43	2.24	-	37.82	15.26	49.68	
AV	19.4198G	32.77	63.54	-30.77	29.34	1	Vertical	43	2.24	-	37.84	15.27	49.68	

802.11ax HEW20_Nss1,(MCS0)_1TX

6475MHz_TnomVnom




EUT_V_1TX
Setting -3.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.4226G	46.47	83.54	-37.07	43.04	1	Horizontal	30	1.45	-	37.84	15.27	49.68
AV	19.375G	32.72	63.54	-30.82	29.35	1	Horizontal	30	1.45	-	37.80	15.25	49.68

802.11ax HEW20_Nss1,(MCS0)_1TX

6515MHz_TnomVnom




EUT_V_1TX
Setting -3
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8206G	58.80	88.20	-29.40	52.65	3	Vertical	71	1.86	-	34.24	7.42	35.51
RMS	5.9242G	47.48	68.20	-20.72	40.82	3	Vertical	71	1.86	-	34.70	7.52	35.56
PK	6.5066G	102.35	Inf	-Inf	95.11	3	Vertical	71	1.86	-	34.73	7.91	35.40
RMS	6.5066G	91.22	Inf	-Inf	83.98	3	Vertical	71	1.86	-	34.73	7.91	35.40
PK	7.1338G	61.50	88.20	-26.70	52.82	3	Vertical	71	1.86	-	36.00	8.20	35.52
RMS	7.145G	50.10	68.20	-18.10	41.36	3	Vertical	71	1.86	-	36.07	8.20	35.53

802.11ax HEW20_Nss1,(MCS0)_1TX

6515MHz_TnomVnom




EUT_V_1TX
 Setting -3
 03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.9996G	57.36	88.20	-30.84	40.50	3	Vertical	257	2.94	-	39.50	11.60	34.24
RMS	13.0698G	44.31	68.20	-23.89	27.06	3	Vertical	257	2.94	-	39.71	11.66	34.12

802.11ax HEW20_Nss1,(MCS0)_1TX

6515MHz_TnomVnom




EUT_V_1TX
 Setting -3
 03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0026G	58.72	88.20	-29.48	41.85	3	Horizontal	225	1.81	-	39.51	11.60	34.24
RMS	13.07G	44.26	68.20	-23.94	27.01	3	Horizontal	225	1.81	-	39.71	11.66	34.12

802.11ax HEW20_Nss1,(MCS0)_1TX

6515MHz_TnomVnom




EUT_V_1TX
Setting -3
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	19.5642G	46.59	83.54	-36.95	43.09	1	Vertical	155	1.40	-	37.87	15.33	49.70	
AV	19.5498G	33.07	63.54	-30.47	29.57	1	Vertical	155	1.40	-	37.88	15.32	49.70	

802.11ax HEW20_Nss1,(MCS0)_1TX

6515MHz_TnomVnom




EUT_V_1TX
Setting -3
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.5274G	46.07	83.54	-37.47	42.57	1	Horizontal	316	2.71	-	37.89	15.31	49.70
AV	19.5606G	33.00	63.54	-30.54	29.50	1	Horizontal	316	2.71	-	37.88	15.32	49.70

802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TnomVnom




EUT_V_1TX
Setting 15.25
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8826G	58.71	88.20	-29.49	52.27	3	Vertical	69	1.74	-	34.50	7.48	35.54
RMS	5.919G	47.45	68.20	-20.75	40.81	3	Vertical	69	1.74	-	34.68	7.52	35.56
PK	6.5434G	120.98	Inf	-Inf	113.53	3	Vertical	69	1.74	-	34.87	7.99	35.41
RMS	6.5434G	109.49	Inf	-Inf	102.04	3	Vertical	69	1.74	-	34.87	7.99	35.41
PK	7.1958G	62.08	88.20	-26.12	53.05	3	Vertical	69	1.74	-	36.37	8.20	35.54
RMS	7.2322G	50.41	68.20	-17.79	41.11	3	Vertical	69	1.74	-	36.59	8.26	35.55

802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TnomVnom




EUT_V_1TX
Setting 15.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0866G	58.74	88.20	-29.46	41.41	3	Vertical	236	1.93	-	39.76	11.67	34.10
RMS	13.0864G	45.01	68.20	-23.19	27.68	3	Vertical	236	1.93	-	39.76	11.67	34.10

802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TnomVnom




EUT_V_1TX
Setting 15.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0856G	61.26	88.20	-26.94	43.93	3	Horizontal	147	3.00	-	39.76	11.67	34.10
RMS	13.0868G	47.90	68.20	-20.30	30.57	3	Horizontal	147	3.00	-	39.76	11.67	34.10

802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TnomVnom




EUT_V_1TX
Setting 15.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.61G	47.27	83.54	-36.27	43.77	1	Vertical	61	1.46	-	37.86	15.34	49.70
AV	19.5934G	33.43	63.54	-30.11	29.93	1	Vertical	61	1.46	-	37.86	15.34	49.70

802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TnomVnom




EUT_V_1TX
Setting 15.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.616G	47.66	83.54	-35.88	44.16	1	Horizontal	176	2.75	-	37.85	15.35	49.70
AV	19.6212G	33.39	63.54	-30.15	29.89	1	Horizontal	176	2.75	-	37.85	15.35	49.70

802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TnomVnom




EUT V_1TX
Setting 15.25
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7038G	122.30	Inf	-Inf	114.22	3	Vertical	70	1.69	-	35.42	8.10	35.44
RMS	6.7038G	111.68	Inf	-Inf	103.60	3	Vertical	70	1.69	-	35.42	8.10	35.44
PK	7.1548G	62.63	88.20	-25.57	53.83	3	Vertical	70	1.69	-	36.13	8.20	35.53
RMS	7.2318G	50.48	68.20	-17.72	41.18	3	Vertical	70	1.69	-	36.59	8.26	35.55

802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TnomVnom




EUT_V_1TX
Setting 15.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.407G	58.97	88.20	-29.23	40.29	3	Vertical	316	1.80	-	40.31	11.93	33.56	
RMS	13.4066G	46.10	68.20	-22.10	27.43	3	Vertical	316	1.80	-	40.31	11.93	33.57	

802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TnomVnom




EUT_V_1TX
Setting 15.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.4068G	63.19	88.20	-25.01	44.51	3	Horizontal	147	2.66	-	40.31	11.93	33.56	
RMS	13.4068G	49.79	68.20	-18.41	31.11	3	Horizontal	147	2.66	-	40.31	11.93	33.56	

802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TnomVnom




EUT_V_1TX
Setting 15.25
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.0492G	47.01	83.54	-36.53	43.77	1	Vertical	74	2.45	-	37.44	15.52	49.72
AV	20.045G	33.52	63.54	-30.02	30.28	1	Vertical	74	2.45	-	37.44	15.52	49.72

802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TnomVnom




EUT V_1TX
Setting 15.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.0986G	46.58	83.54	-36.96	43.30	1	Horizontal	292	2.51	-	37.48	15.54	49.74
AV	20.0444G	33.50	63.54	-30.04	30.26	1	Horizontal	292	2.51	-	37.44	15.52	49.72

802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TnomVnom




EUT_V_1TX
Setting 23
01-M-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8634G	125.15	Inf	-Inf	114.54	3	Vertical	56	1.47	-	36.49	7.10	32.98
RMS	6.8634G	119.79	Inf	-Inf	109.18	3	Vertical	56	1.47	-	36.49	7.10	32.98
PK	7.198G	65.22	88.20	-22.98	54.05	3	Vertical	56	1.47	-	37.09	7.20	33.12
RMS	7.2022G	53.24	68.20	-14.96	42.07	3	Vertical	56	1.47	-	37.10	7.20	33.13

802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TnomVnom




EUT_V_1TX
Setting 23
01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.7274G	64.96	88.20	-23.24	44.25	3	Vertical	164	2.22	-	40.58	9.78	29.65	
RMS	13.7266G	55.05	68.20	-13.15	34.34	3	Vertical	164	2.22	-	40.58	9.78	29.65	

802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TnomVnom




EUT_V_1TX
 Setting 23
 01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.7254G	69.35	88.20	-18.85	48.64	3	Horizontal	211	2.57	-	40.58	9.78	29.65	
RMS	13.7268G	61.35	68.20	-6.85	40.64	3	Horizontal	211	2.57	-	40.58	9.78	29.65	

802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TnomVnom




EUT_V_1TX
Setting 23
01-M-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	20.6066G	47.02	83.54	-36.52	43.28	1	Vertical	249	2.52	-	37.83	15.77	49.86	
AV	20.59G	35.18	63.54	-28.36	31.46	1	Vertical	249	2.52	-	37.81	15.77	49.86	

802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TnomVnom




EUT_V_1TX
Setting 23
01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.5884G	46.93	83.54	-36.61	43.22	1	Horizontal	47	1.13	-	37.81	15.76	49.86
AV	20.5906G	35.11	63.54	-28.43	31.39	1	Horizontal	47	1.13	-	37.81	15.77	49.86

802.11ax HEW20_Nss1,(MCS0)_1TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT V_1TX
Setting -3.25
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8834G	104.40	Inf	-Inf	96.10	3	Vertical	71	1.69	-	35.63	8.14	35.47
RMS	6.8834G	94.42	Inf	-Inf	86.12	3	Vertical	71	1.69	-	35.63	8.14	35.47
PK	7.1662G	62.55	88.20	-25.65	53.68	3	Vertical	71	1.69	-	36.20	8.20	35.53
RMS	7.2236G	50.34	68.20	-17.86	41.10	3	Vertical	71	1.69	-	36.54	8.25	35.55

802.11ax HEW20_Nss1,(MCS0)_1TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT V_1TX
Setting -3.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7406G	61.97	88.20	-26.23	42.59	3	Vertical	120	1.59	-	40.68	12.19	33.49
RMS	13.7038G	47.75	68.20	-20.45	28.46	3	Vertical	120	1.59	-	40.61	12.16	33.48

802.11ax HEW20_Nss1,(MCS0)_1TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT V_1TX
 Setting -3.25
 03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7252G	61.21	88.20	-26.99	41.87	3	Horizontal	259	1.87	-	40.65	12.18	33.49
RMS	13.703G	47.79	68.20	-20.41	28.50	3	Horizontal	259	1.87	-	40.61	12.16	33.48

802.11ax HEW20_Nss1,(MCS0)_1TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT V_1TX
Setting -3.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.6214G	47.94	83.54	-35.60	44.16	1	Vertical	8	1.93	-	37.85	15.78	49.85
AV	20.672G	34.00	63.54	-29.54	30.12	1	Vertical	8	1.93	-	37.91	15.80	49.83

802.11ax HEW20_Nss1,(MCS0)_1TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_1TX
Setting -3.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.6122G	48.21	83.54	-35.33	44.46	1	Horizontal	285	1.64	-	37.83	15.78	49.86
AV	20.6722G	33.97	63.54	-29.57	30.09	1	Horizontal	285	1.64	-	37.91	15.80	49.83

802.11ax HEW20_Nss1,(MCS0)_1TX

6895MHz_TnomVnom




EUT V_1TX
Setting -3.25
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.9034G	103.81	Inf	-Inf	95.52	3	Vertical	72	1.75	-	35.61	8.15	35.47	
RMS	6.9034G	93.57	Inf	-Inf	85.28	3	Vertical	72	1.75	-	35.61	8.15	35.47	
PK	7.1274G	61.85	88.20	-26.35	53.21	3	Vertical	72	1.75	-	35.96	8.20	35.52	
RMS	7.2282G	50.48	68.20	-17.72	41.20	3	Vertical	72	1.75	-	36.57	8.26	35.55	

802.11ax HEW20_Nss1,(MCS0)_1TX

6895MHz_TnomVnom




EUT V_1TX
Setting -3.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7564G	61.13	88.20	-27.07	41.71	3	Vertical	299	1.13	-	40.71	12.21	33.50
RMS	13.743G	47.82	68.20	-20.38	28.43	3	Vertical	299	1.13	-	40.69	12.19	33.49

802.11ax HEW20_Nss1,(MCS0)_1TX

6895MHz_TnomVnom




EUT V_1TX
 Setting -3.25
 03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.8034G	61.51	88.20	-26.69	41.97	3	Horizontal	148	1.91	-	40.81	12.24	33.51
RMS	13.7404G	47.87	68.20	-20.33	28.49	3	Horizontal	148	1.91	-	40.68	12.19	33.49

802.11ax HEW20_Nss1,(MCS0)_1TX

6895MHz_TnomVnom




EUT_V_1TX
Setting -3.25
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.702G	47.84	83.54	-35.70	43.90	1	Vertical	110	1.19	-	37.94	15.82	49.82
AV	20.7344G	34.45	63.54	-29.09	30.45	1	Vertical	110	1.19	-	37.98	15.83	49.81

802.11ax HEW20_Nss1,(MCS0)_1TX

6895MHz_TnomVnom




EUT_V_1TX
Setting -3.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.6758G	47.80	83.54	-35.74	43.92	1	Horizontal	68	1.12	-	37.91	15.80	49.83
AV	20.7338G	34.48	63.54	-29.06	30.48	1	Horizontal	68	1.12	-	37.98	15.83	49.81

802.11ax HEW20_Nss1,(MCS0)_1TX

6995MHz_TnomVnom




EUT V_1TX
Setting -3.75
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.003G	102.50	Inf	-Inf	94.09	3	Vertical	72	1.75	-	35.70	8.20	35.49
RMS	7.004G	92.29	Inf	-Inf	83.88	3	Vertical	72	1.75	-	35.70	8.20	35.49
PK	7.244G	62.28	88.20	-25.92	52.88	3	Vertical	72	1.75	-	36.66	8.29	35.55
RMS	7.241G	50.49	68.20	-17.71	41.11	3	Vertical	72	1.75	-	36.65	8.28	35.55

802.11ax HEW20_Nss1,(MCS0)_1TX

6995MHz_TnomVnom




EUT V_1TX
Setting -3.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.0132G	62.40	88.20	-25.80	42.35	3	Vertical	317	2.01	-	41.24	12.41	33.60
RMS	14.0398G	49.38	68.20	-18.82	29.28	3	Vertical	317	2.01	-	41.32	12.42	33.64

802.11ax HEW20_Nss1,(MCS0)_1TX

6995MHz_TnomVnom




EUT V_1TX
Setting -3.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	14.0318G	62.43	88.20	-25.77	42.34	3	Horizontal	315	1.75	-	41.30	12.42	33.63	
RMS	14.0396G	49.49	68.20	-18.71	29.39	3	Horizontal	315	1.75	-	41.32	12.42	33.64	

802.11ax HEW20_Nss1,(MCS0)_1TX

6995MHz_TnomVnom




EUT_V_1TX
Setting -3.75
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	21.0314G	47.77	83.54	-35.77	43.90	1	Vertical	147	2.97	-	37.60	15.96	49.69
AV	21.0266G	34.38	63.54	-29.16	30.51	1	Vertical	147	2.97	-	37.60	15.96	49.69

802.11ax HEW20_Nss1,(MCS0)_1TX

6995MHz_TnomVnom




EUT_V_1TX
Setting -3.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.016G	47.76	83.54	-35.78	43.90	1	Horizontal	157	1.23	-	37.60	15.96	49.70
AV	21.0292G	34.43	63.54	-29.11	30.56	1	Horizontal	157	1.23	-	37.60	15.96	49.69

802.11ax HEW20_Nss1,(MCS0)_1TX

7095MHz_TnomVnom




EUT V_1TX
Setting -1.5
03-D-E-2-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	7.104G	102.99	Inf	-Inf	94.49	3	Vertical	72	1.55	-	35.82	8.20	35.52	
RMS	7.1034G	93.31	Inf	-Inf	84.81	3	Vertical	72	1.55	-	35.82	8.20	35.52	
PK	7.1292G	62.48	88.20	-25.72	53.82	3	Vertical	72	1.55	-	35.98	8.20	35.52	
RMS	7.245G	50.56	68.20	-17.64	41.15	3	Vertical	72	1.55	-	36.67	8.29	35.55	

802.11ax HEW20_Nss1,(MCS0)_1TX

7095MHz_TnomVnom




EUT_V_1TX
Setting -1.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.1556G	63.80	88.20	-24.40	43.59	3	Vertical	319	1.73	-	41.56	12.48	33.83
RMS	14.142G	49.69	68.20	-18.51	29.48	3	Vertical	319	1.73	-	41.54	12.47	33.80

802.11ax HEW20_Nss1,(MCS0)_1TX

7095MHz_TnomVnom




EUT_V_1TX
Setting -1.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	14.1976G	62.99	88.20	-25.21	42.78	3	Horizontal	230	1.36	-	41.60	12.50	33.89	
RMS	14.142G	49.85	68.20	-18.35	29.64	3	Horizontal	230	1.36	-	41.54	12.47	33.80	

802.11ax HEW20_Nss1,(MCS0)_1TX

7095MHz_TnomVnom




EUT_V_1TX
Setting -1.5
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	21.3134G	49.00	83.54	-34.54	44.87	1	Vertical	333	2.07	-	37.68	16.09	49.64	
AV	21.3262G	35.42	63.54	-28.12	31.26	1	Vertical	333	2.07	-	37.69	16.10	49.63	

802.11ax HEW20_Nss1,(MCS0)_1TX

7095MHz_TnomVnom




EUT_V_1TX
Setting -1.5
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	21.287G	48.99	83.54	-34.55	44.91	1	Horizontal	198	1.38	-	37.64	16.08	49.64
AV	21.324G	35.36	63.54	-28.18	31.21	1	Horizontal	198	1.38	-	37.69	16.10	49.64

802.11ax HEW20_Nss1,(MCS0)_1TX

7115MHz_TnomVnom




EUT_V_1TX
Setting 11
01-M-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.1236G	102.85	Inf	-Inf	92.00	3	Vertical	263	1.71	-	36.69	7.24	33.08	
RMS	7.1226G	94.51	Inf	-Inf	83.67	3	Vertical	263	1.71	-	36.68	7.24	33.08	
PK	7.1255G	81.39	88.20	-6.81	70.54	3	Vertical	263	1.71	-	36.70	7.24	33.09	
RMS	7.1255G	68.07	68.20	-0.13	57.22	3	Vertical	263	1.71	-	36.70	7.24	33.09	

802.11ax HEW20_Nss1,(MCS0)_1TX

7115MHz_TnomVnom




EUT_V_1TX
 Setting 11
 01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.21614G	62.47	88.20	-25.73	41.38	3	Vertical	169	2.50	-	40.77	9.96	29.64
RMS	14.21884G	49.86	68.20	-18.34	28.77	3	Vertical	169	2.50	-	40.76	9.97	29.64

802.11ax HEW20_Nss1,(MCS0)_1TX

7115MHz_TnomVnom




EUT_V_1TX
Setting 11
01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.22646G	62.30	88.20	-25.90	41.23	3	Horizontal	65	1.77	-	40.75	9.97	29.65
RMS	14.21674G	49.94	68.20	-18.26	28.84	3	Horizontal	65	1.77	-	40.77	9.97	29.64

802.11ax HEW20_Nss1,(MCS0)_1TX

7115MHz_TnomVnom




EUT_V_1TX
Setting 11
01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	21.35868G	48.76	83.54	-34.78	44.55	1	Vertical	56	2.59	-	37.73	16.11	49.63	
AV	21.35628G	35.91	63.54	-27.63	31.70	1	Vertical	56	2.59	-	37.73	16.11	49.63	

802.11ax HEW20_Nss1,(MCS0)_1TX

7115MHz_TnomVnom



EUT_V_1TX
Setting 11
01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.33438G	48.33	83.54	-35.21	44.16	1	Horizontal	47	1.19	-	37.70	16.10	49.63
AV	21.35646G	35.91	63.54	-27.63	31.70	1	Horizontal	47	1.19	-	37.73	16.11	49.63



RSE TX above 1GHz
<Partial RU> low power_RU52_1TX_Ant. 3


Appendix E.15

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1.(MCS0)_1TX	Pass	RMS	7.1255G	68.16	68.20	-0.04	3	Vertical	263	1.71	-

802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TnomVnom




EUT_V_1TX
Setting 13.75
01-M-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9178G	67.09	88.20	-21.11	58.33	3	Vertical	70	1.42	-	34.97	6.60	32.81
RMS	5.9182G	51.76	68.20	-16.44	43.00	3	Vertical	70	1.42	-	34.97	6.60	32.81
PK	5.949G	119.39	Inf	-Inf	110.51	3	Vertical	70	1.42	-	35.10	6.60	32.82
RMS	5.9486G	108.73	Inf	-Inf	99.86	3	Vertical	70	1.42	-	35.09	6.60	32.82

802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TnomVnom




EUT_V_1TX
Setting 13.75
01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.9476G	58.95	74.00	-15.05	43.02	3	Vertical	242	1.80	-	38.50	8.99	31.56	
AV	11.8952G	46.18	54.00	-7.82	30.29	3	Vertical	242	1.80	-	38.50	8.97	31.58	

802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TnomVnom




EUT_V_1TX
Setting 13.75
01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.8948G	66.75	74.00	-7.25	50.86	3	Horizontal	213	1.38	-	38.50	8.97	31.58
AV	11.8952G	53.88	54.00	-0.12	37.99	3	Horizontal	213	1.38	-	38.50	8.97	31.58

802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TnomVnom




EUT V_1TX
 Setting 17.75
 03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.877G	59.04	88.20	-29.16	52.64	3	Vertical	67	1.76	-	34.46	7.48	35.54	
RMS	5.919G	48.01	68.20	-20.19	41.37	3	Vertical	67	1.76	-	34.68	7.52	35.56	
PK	6.189G	121.29	Inf	-Inf	113.96	3	Vertical	67	1.76	-	35.16	7.69	35.52	
RMS	6.189G	112.04	Inf	-Inf	104.71	3	Vertical	67	1.76	-	35.16	7.69	35.52	

802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TnomVnom




EUT_V_1TX
Setting 17.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.3762G	58.65	74.00	-15.35	44.08	3	Vertical	282	1.73	-	38.88	11.10	35.41
AV	12.376G	45.70	54.00	-8.30	31.13	3	Vertical	282	1.73	-	38.88	11.10	35.41

802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TnomVnom




EUT_V_1TX
Setting 17.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.3782G	66.87	74.00	-7.13	52.30	3	Horizontal	203	2.16	-	38.88	11.10	35.41
AV	12.376G	52.89	54.00	-1.11	38.32	3	Horizontal	203	2.16	-	38.88	11.10	35.41

802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TnomVnom




EUT_V_1TX
Setting 17.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.6338G	46.10	83.54	-37.44	43.37	1	Vertical	15	1.88	-	37.75	14.95	49.97
AV	18.535G	32.15	63.54	-31.39	29.51	1	Vertical	15	1.88	-	37.79	14.91	50.06

802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TnomVnom




EUT V_1TX
Setting 17.75
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	18.6028G	45.44	83.54	-38.10	42.74	1	Horizontal	184	2.23	-	37.76	14.94	50.00	
AV	18.535G	32.16	63.54	-31.38	29.52	1	Horizontal	184	2.23	-	37.79	14.91	50.06	

802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TnomVnom




EUT V_1TX
 Setting 18.25
 03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.919G	59.20	88.20	-29.00	52.56	3	Vertical	67	1.67	-	34.68	7.52	35.56
RMS	5.925G	47.90	68.20	-20.30	41.24	3	Vertical	67	1.67	-	34.70	7.52	35.56
PK	6.4086G	119.86	Inf	-Inf	112.71	3	Vertical	67	1.67	-	34.87	7.72	35.44
RMS	6.4086G	110.98	Inf	-Inf	103.83	3	Vertical	67	1.67	-	34.87	7.72	35.44
PK	7.167G	61.58	88.20	-26.62	52.71	3	Vertical	67	1.67	-	36.20	8.20	35.53
RMS	7.2054G	50.67	68.20	-17.53	41.57	3	Vertical	67	1.67	-	36.43	8.21	35.54

802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TnomVnom




EUT_V_1TX
Setting 18.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.8184G	59.73	88.20	-28.47	43.62	3	Vertical	255	1.56	-	39.32	11.45	34.66	
RMS	12.8162G	46.59	68.20	-21.61	30.48	3	Vertical	255	1.56	-	39.32	11.45	34.66	

802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TnomVnom




EUT_V_1TX
Setting 18.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8182G	66.19	88.20	-22.01	50.08	3	Horizontal	202	2.09	-	39.32	11.45	34.66
RMS	12.8162G	52.66	68.20	-15.54	36.55	3	Horizontal	202	2.09	-	39.32	11.45	34.66

802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TnomVnom




EUT V_1TX
Setting 18.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	19.2288G	46.34	83.54	-37.20	43.07	1	Vertical	350	1.62	-	37.73	15.19	49.65	
AV	19.2222G	33.06	63.54	-30.48	29.78	1	Vertical	350	1.62	-	37.73	15.19	49.64	

802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TnomVnom




EUT_V_1TX
Setting 18.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.1954G	46.22	83.54	-37.32	42.91	1	Horizontal	113	1.06	-	37.77	15.18	49.64
AV	19.2166G	32.94	63.54	-30.60	29.65	1	Horizontal	113	1.06	-	37.74	15.19	49.64

802.11ax HEW20_Nss1,(MCS0)_1TX

6435MHz_TnomVnom




EUT V_1TX
Setting -0.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9166G	59.04	88.20	-29.16	52.41	3	Vertical	99	1.70	-	34.67	7.52	35.56
RMS	5.9198G	47.71	68.20	-20.49	41.07	3	Vertical	99	1.70	-	34.68	7.52	35.56
PK	6.4286G	102.63	Inf	-Inf	95.51	3	Vertical	99	1.70	-	34.79	7.76	35.43
RMS	6.4286G	92.20	Inf	-Inf	85.08	3	Vertical	99	1.70	-	34.79	7.76	35.43
PK	7.1262G	60.63	88.20	-27.57	51.99	3	Vertical	99	1.70	-	35.96	8.20	35.52
RMS	7.235G	50.69	68.20	-17.51	41.36	3	Vertical	99	1.70	-	36.61	8.27	35.55

802.11ax HEW20_Nss1,(MCS0)_1TX

6435MHz_TnomVnom




EUT_V_1TX
Setting -0.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.8994G	56.66	88.20	-31.54	40.21	3	Vertical	32	1.74	-	39.40	11.52	34.47	
RMS	12.9162G	43.13	68.20	-25.07	26.61	3	Vertical	32	1.74	-	39.42	11.53	34.43	

802.11ax HEW20_Nss1,(MCS0)_1TX

6435MHz_TnomVnom




EUT_V_1TX
Setting -0.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8402G	55.79	88.20	-32.41	39.59	3	Horizontal	279	2.54	-	39.34	11.47	34.61
RMS	12.8826G	43.12	68.20	-25.08	26.74	3	Horizontal	279	2.54	-	39.38	11.51	34.51

802.11ax HEW20_Nss1,(MCS0)_1TX

6435MHz_TnomVnom




EUT V_1TX
Setting -0.5
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.3426G	47.62	83.54	-35.92	44.28	1	Vertical	139	2.95	-	37.77	15.24	49.67
AV	19.3284G	33.85	63.54	-29.69	30.53	1	Vertical	139	2.95	-	37.76	15.23	49.67

802.11ax HEW20_Nss1,(MCS0)_1TX

6435MHz_TnomVnom




EUT_V_1TX
Setting -0.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.3026G	47.41	83.54	-36.13	44.11	1	Horizontal	23	2.86	-	37.74	15.22	49.66
AV	19.2956G	33.66	63.54	-29.88	30.36	1	Horizontal	23	2.86	-	37.74	15.22	49.66

802.11ax HEW20_Nss1,(MCS0)_1TX

6475MHz_TnomVnom




EUT V_1TX
 Setting -0.5
 03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	58.08	88.20	-30.12	51.42	3	Vertical	68	1.66	-	34.70	7.52	35.56
RMS	5.902G	47.73	68.20	-20.47	41.17	3	Vertical	68	1.66	-	34.61	7.50	35.55
PK	6.469G	101.34	Inf	-Inf	94.21	3	Vertical	68	1.66	-	34.70	7.84	35.41
RMS	6.469G	91.49	Inf	-Inf	84.36	3	Vertical	68	1.66	-	34.70	7.84	35.41
PK	7.195G	61.07	88.20	-27.13	52.04	3	Vertical	68	1.66	-	36.37	8.20	35.54
RMS	7.225G	50.63	68.20	-17.57	41.38	3	Vertical	68	1.66	-	36.55	8.25	35.55

802.11ax HEW20_Nss1,(MCS0)_1TX

6475MHz_TnomVnom




EUT_V_1TX
Setting -0.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.9982G	56.89	88.20	-31.31	40.03	3	Vertical	203	2.36	-	39.50	11.60	34.24	
RMS	12.9984G	44.25	68.20	-23.95	27.39	3	Vertical	203	2.36	-	39.50	11.60	34.24	

802.11ax HEW20_Nss1,(MCS0)_1TX

6475MHz_TnomVnom




EUT_V_1TX
Setting -0.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.997G	56.53	88.20	-31.67	39.68	3	Horizontal	218	2.41	-	39.50	11.60	34.25
RMS	12.9986G	44.23	68.20	-23.97	27.37	3	Horizontal	218	2.41	-	39.50	11.60	34.24

802.11ax HEW20_Nss1,(MCS0)_1TX

6475MHz_TnomVnom




EUT_V_1TX
Setting -0.5
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.4502G	46.86	83.54	-36.68	43.41	1	Vertical	54	1.80	-	37.86	15.28	49.69	
AV	19.375G	33.77	63.54	-29.77	30.40	1	Vertical	54	1.80	-	37.80	15.25	49.68	

802.11ax HEW20_Nss1,(MCS0)_1TX

6475MHz_TnomVnom




EUT_V_1TX
Setting -0.5
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.3954G	47.95	83.54	-35.59	44.55	1	Horizontal	266	1.08	-	37.82	15.26	49.68	
AV	19.3756G	33.63	63.54	-29.91	30.26	1	Horizontal	266	1.08	-	37.80	15.25	49.68	

802.11ax HEW20_Nss1,(MCS0)_1TX

6515MHz_TnomVnom




EUT_V_1TX
Setting -0.25
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8738G	58.76	88.20	-29.44	52.39	3	Vertical	77	1.69	-	34.44	7.47	35.54
RMS	5.9242G	47.81	68.20	-20.39	41.15	3	Vertical	77	1.69	-	34.70	7.52	35.56
PK	6.5094G	102.73	Inf	-Inf	95.47	3	Vertical	77	1.69	-	34.74	7.92	35.40
RMS	6.5094G	91.90	Inf	-Inf	84.64	3	Vertical	77	1.69	-	34.74	7.92	35.40
PK	7.1478G	61.16	88.20	-27.04	52.40	3	Vertical	77	1.69	-	36.09	8.20	35.53
RMS	7.215G	50.64	68.20	-17.56	41.47	3	Vertical	77	1.69	-	36.49	8.23	35.55

802.11ax HEW20_Nss1,(MCS0)_1TX

6515MHz_TnomVnom




EUT_V_1TX
Setting -0.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0758G	57.99	88.20	-30.21	40.71	3	Vertical	161	2.44	-	39.73	11.66	34.11
RMS	13.0766G	44.70	68.20	-23.50	27.42	3	Vertical	161	2.44	-	39.73	11.66	34.11

802.11ax HEW20_Nss1,(MCS0)_1TX

6515MHz_TnomVnom




EUT_V_1TX
Setting -0.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0466G	58.48	88.20	-29.72	41.36	3	Horizontal	151	1.38	-	39.64	11.64	34.16
RMS	13.074G	44.68	68.20	-23.52	27.42	3	Horizontal	151	1.38	-	39.72	11.66	34.12

802.11ax HEW20_Nss1,(MCS0)_1TX

6515MHz_TnomVnom




EUT_V_1TX
Setting -0.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.545G	47.20	83.54	-36.34	43.70	1	Vertical	196	2.12	-	37.88	15.32	49.70
AV	19.5444G	33.91	63.54	-29.63	30.41	1	Vertical	196	2.12	-	37.88	15.32	49.70

802.11ax HEW20_Nss1,(MCS0)_1TX

6515MHz_TnomVnom




EUT_V_1TX
Setting -0.25
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.5064G	47.42	83.54	-36.12	43.92	1	Horizontal	302	2.96	-	37.90	15.30	49.70
AV	19.5902G	33.91	63.54	-29.63	30.41	1	Horizontal	302	2.96	-	37.86	15.34	49.70

802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TnomVnom




EUT_V_1TX
Setting 18.25
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.905G	59.39	88.20	-28.81	52.82	3	Vertical	68	1.66	-	34.62	7.50	35.55
RMS	5.919G	47.79	68.20	-20.41	41.15	3	Vertical	68	1.66	-	34.68	7.52	35.56
PK	6.5406G	119.21	Inf	-Inf	111.78	3	Vertical	68	1.66	-	34.86	7.98	35.41
RMS	6.5406G	108.89	Inf	-Inf	101.46	3	Vertical	68	1.66	-	34.86	7.98	35.41
PK	7.207G	60.78	88.20	-27.42	51.67	3	Vertical	68	1.66	-	36.44	8.21	35.54
RMS	7.235G	50.75	68.20	-17.45	41.42	3	Vertical	68	1.66	-	36.61	8.27	35.55

802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TnomVnom




EUT_V_1TX
Setting 18.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.0438G	58.45	88.20	-29.75	41.35	3	Vertical	251	1.80	-	39.63	11.64	34.17	
RMS	13.0838G	45.29	68.20	-22.91	27.97	3	Vertical	251	1.80	-	39.75	11.67	34.10	

802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TnomVnom




EUT_V_1TX
Setting 18.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0836G	61.44	88.20	-26.76	44.12	3	Horizontal	144	3.00	-	39.75	11.67	34.10
RMS	13.084G	48.56	68.20	-19.64	31.24	3	Horizontal	144	3.00	-	39.75	11.67	34.10

802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TnomVnom




EUT V_1TX
Setting 18.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.5962G	47.36	83.54	-36.18	43.86	1	Vertical	164	2.88	-	37.86	15.34	49.70
AV	19.6518G	34.24	63.54	-29.30	30.74	1	Vertical	164	2.88	-	37.84	15.36	49.70

802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TnomVnom




EUT_V_1TX
Setting 18.25
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.6174G	47.77	83.54	-35.77	44.27	1	Horizontal	50	1.86	-	37.85	15.35	49.70
AV	19.6452G	34.15	63.54	-29.39	30.65	1	Horizontal	50	1.86	-	37.84	15.36	49.70

802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TnomVnom




EUT V_1TX
Setting 18.25
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7016G	120.08	Inf	-Inf	112.01	3	Vertical	67	1.60	-	35.41	8.10	35.44
RMS	6.7016G	111.98	Inf	-Inf	103.91	3	Vertical	67	1.60	-	35.41	8.10	35.44
PK	7.1944G	61.62	88.20	-26.58	52.59	3	Vertical	67	1.60	-	36.37	8.20	35.54
RMS	7.2428G	50.75	68.20	-17.45	41.35	3	Vertical	67	1.60	-	36.66	8.29	35.55

802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TnomVnom




EUT_V_1TX
Setting 18.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.3982G	58.79	74.00	-15.21	40.15	3	Vertical	7	2.13	-	40.30	11.92	33.58	
AV	13.3998G	45.41	54.00	-8.59	26.77	3	Vertical	7	2.13	-	40.30	11.92	33.58	

802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TnomVnom




EUT_V_1TX
Setting 18.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.3902G	59.18	74.00	-14.82	40.58	3	Horizontal	324	2.17	-	40.28	11.91	33.59
AV	13.3938G	45.39	54.00	-8.61	26.77	3	Horizontal	324	2.17	-	40.29	11.92	33.59

802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TnomVnom




EUT_V_1TX
Setting 18.25
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.0732G	47.42	83.54	-36.12	44.16	1	Vertical	230	2.94	-	37.46	15.53	49.73
AV	20.039G	34.15	63.54	-29.39	30.92	1	Vertical	230	2.94	-	37.43	15.52	49.72

802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TnomVnom




EUT_V_1TX
Setting 18.25
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.0734G	47.56	83.54	-35.98	44.30	1	Horizontal	70	1.13	-	37.46	15.53	49.73
AV	20.0436G	34.14	63.54	-29.40	30.91	1	Horizontal	70	1.13	-	37.43	15.52	49.72

802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TnomVnom




EUT_V_1TX
Setting 23
01-M-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.862G	124.12	Inf	-Inf	113.51	3	Vertical	56	1.39	-	36.50	7.09	32.98
RMS	6.862G	116.77	Inf	-Inf	106.16	3	Vertical	56	1.39	-	36.50	7.09	32.98
PK	7.1798G	64.92	88.20	-23.28	53.80	3	Vertical	56	1.39	-	37.02	7.21	33.11
RMS	7.2008G	53.39	68.20	-14.81	42.21	3	Vertical	56	1.39	-	37.10	7.20	33.12

802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TnomVnom




EUT_V_1TX
Setting 23
01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.703G	62.39	88.20	-25.81	41.77	3	Vertical	4	1.80	-	40.51	9.77	29.66
RMS	13.7254G	50.51	68.20	-17.69	29.80	3	Vertical	4	1.80	-	40.58	9.78	29.65

802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TnomVnom




EUT_V_1TX
Setting 23
01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.7248G	67.06	88.20	-21.14	46.36	3	Horizontal	209	1.91	-	40.57	9.78	29.65	
RMS	13.724G	56.86	68.20	-11.34	36.16	3	Horizontal	209	1.91	-	40.57	9.78	29.65	

802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TnomVnom




EUT_V_1TX
Setting 23
01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.6124G	47.40	83.54	-36.14	43.65	1	Vertical	334	2.97	-	37.83	15.78	49.86
AV	20.6006G	34.94	63.54	-28.60	31.21	1	Vertical	334	2.97	-	37.82	15.77	49.86

802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TnomVnom




EUT_V_1TX
Setting 23
01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.6124G	47.11	83.54	-36.43	43.36	1	Horizontal	240	1.77	-	37.83	15.78	49.86
AV	20.6084G	35.01	63.54	-28.53	31.27	1	Horizontal	240	1.77	-	37.83	15.77	49.86

802.11ax HEW20_Nss1,(MCS0)_1TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT V_1TX
Setting -0.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.8834G	100.14	Inf	-Inf	91.84	3	Vertical	155	1.50	-	35.63	8.14	35.47	
RMS	6.882G	91.58	Inf	-Inf	83.27	3	Vertical	155	1.50	-	35.64	8.14	35.47	
PK	7.1914G	61.31	88.20	-26.89	52.30	3	Vertical	155	1.50	-	36.35	8.20	35.54	
RMS	7.218G	50.67	68.20	-17.53	41.47	3	Vertical	155	1.50	-	36.51	8.24	35.55	

802.11ax HEW20_Nss1,(MCS0)_1TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_1TX
Setting -0.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7144G	62.18	88.20	-26.02	42.86	3	Vertical	227	1.34	-	40.63	12.17	33.48
RMS	13.7G	48.17	68.20	-20.03	28.89	3	Vertical	227	1.34	-	40.60	12.16	33.48

802.11ax HEW20_Nss1,(MCS0)_1TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_1TX
Setting -0.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.743G	62.17	88.20	-26.03	42.78	3	Horizontal	144	1.68	-	40.69	12.19	33.49
RMS	13.713G	48.16	68.20	-20.04	28.84	3	Horizontal	144	1.68	-	40.63	12.17	33.48

802.11ax HEW20_Nss1,(MCS0)_1TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_1TX
Setting -0.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.6106G	48.28	83.54	-35.26	44.54	1	Vertical	23	2.66	-	37.83	15.77	49.86
AV	20.579G	34.48	63.54	-29.06	30.80	1	Vertical	23	2.66	-	37.79	15.76	49.87

802.11ax HEW20_Nss1,(MCS0)_1TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_1TX
Setting -0.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.594G	48.20	83.54	-35.34	44.48	1	Horizontal	336	2.25	-	37.81	15.77	49.86
AV	20.5792G	34.62	63.54	-28.92	30.93	1	Horizontal	336	2.25	-	37.80	15.76	49.87

802.11ax HEW20_Nss1,(MCS0)_1TX

6895MHz_TnomVnom




EUT V_1TX
Setting -0.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.9034G	100.36	Inf	-Inf	92.07	3	Vertical	263	1.70	-	35.61	8.15	35.47	
RMS	6.902G	91.50	Inf	-Inf	83.22	3	Vertical	263	1.70	-	35.60	8.15	35.47	
PK	7.1456G	61.59	88.20	-26.61	52.85	3	Vertical	263	1.70	-	36.07	8.20	35.53	
RMS	7.245G	50.79	68.20	-17.41	41.38	3	Vertical	263	1.70	-	36.67	8.29	35.55	

802.11ax HEW20_Nss1,(MCS0)_1TX

6895MHz_TnomVnom




EUT_V_1TX
Setting -0.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.7946G	61.57	88.20	-26.63	42.05	3	Vertical	160	2.19	-	40.79	12.24	33.51	
RMS	13.741G	48.18	68.20	-20.02	28.80	3	Vertical	160	2.19	-	40.68	12.19	33.49	

802.11ax HEW20_Nss1,(MCS0)_1TX

6895MHz_TnomVnom




EUT_V_1TX
Setting -0.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7732G	61.38	88.20	-26.82	41.91	3	Horizontal	291	2.73	-	40.75	12.22	33.50
RMS	13.7404G	48.20	68.20	-20.00	28.82	3	Horizontal	291	2.73	-	40.68	12.19	33.49

802.11ax HEW20_Nss1,(MCS0)_1TX

6895MHz_TnomVnom




EUT_V_1TX
Setting -0.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.718G	48.21	83.54	-35.33	44.24	1	Vertical	306	1.12	-	37.96	15.82	49.81
AV	20.735G	35.05	63.54	-28.49	31.05	1	Vertical	306	1.12	-	37.98	15.83	49.81

802.11ax HEW20_Nss1,(MCS0)_1TX

6895MHz_TnomVnom




EUT_V_1TX
Setting -0.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.7348G	47.93	83.54	-35.61	43.93	1	Horizontal	284	1.87	-	37.98	15.83	49.81
AV	20.7348G	34.90	63.54	-28.64	30.90	1	Horizontal	284	1.87	-	37.98	15.83	49.81

802.11ax HEW20_Nss1,(MCS0)_1TX

6995MHz_TnomVnom




EUT V_1TX
Setting -1
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.003G	99.99	Inf	-Inf	91.58	3	Vertical	255	1.58	-	35.70	8.20	35.49	
RMS	7.001G	91.69	Inf	-Inf	83.28	3	Vertical	255	1.58	-	35.70	8.20	35.49	
PK	7.218G	61.53	88.20	-26.67	52.33	3	Vertical	255	1.58	-	36.51	8.24	35.55	
RMS	7.245G	50.77	68.20	-17.43	41.36	3	Vertical	255	1.58	-	36.67	8.29	35.55	

802.11ax HEW20_Nss1,(MCS0)_1TX

6995MHz_TnomVnom




EUT_V_1TX
Setting -1
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.034G	63.29	88.20	-24.91	43.20	3	Vertical	85	1.93	-	41.30	12.42	33.63
RMS	14.039G	49.72	68.20	-18.48	29.62	3	Vertical	85	1.93	-	41.32	12.42	33.64

802.11ax HEW20_Nss1,(MCS0)_1TX

6995MHz_TnomVnom




EUT_V_1TX
Setting -1
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.0084G	63.35	88.20	-24.85	43.31	3	Horizontal	295	1.85	-	41.23	12.40	33.59
RMS	14.0332G	49.84	68.20	-18.36	29.75	3	Horizontal	295	1.85	-	41.30	12.42	33.63

802.11ax HEW20_Nss1,(MCS0)_1TX

6995MHz_TnomVnom




EUT V_1TX
Setting -1
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.9942G	48.42	83.54	-35.12	44.56	1	Vertical	290	2.72	-	37.61	15.95	49.70
AV	21.0248G	34.82	63.54	-28.72	30.96	1	Vertical	290	2.72	-	37.60	15.96	49.70

802.11ax HEW20_Nss1,(MCS0)_1TX

6995MHz_TnomVnom




EUT_V_1TX
Setting -1
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	20.9994G	48.80	83.54	-34.74	44.95	1	Horizontal	299	2.18	-	37.60	15.95	49.70	
AV	21.0338G	34.90	63.54	-28.64	31.02	1	Horizontal	299	2.18	-	37.60	15.97	49.69	

802.11ax HEW20_Nss1,(MCS0)_1TX

7095MHz_TnomVnom




EUT V_1TX
Setting 2.25
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.1028G	99.90	Inf	-Inf	91.40	3	Vertical	246	1.54	-	35.82	8.20	35.52	
RMS	7.101G	91.64	Inf	-Inf	83.15	3	Vertical	246	1.54	-	35.81	8.20	35.52	
PK	7.245G	61.58	88.20	-26.62	52.17	3	Vertical	246	1.54	-	36.67	8.29	35.55	
RMS	7.245G	50.78	68.20	-17.42	41.37	3	Vertical	246	1.54	-	36.67	8.29	35.55	

802.11ax HEW20_Nss1,(MCS0)_1TX

7095MHz_TnomVnom




EUT V_1TX
 Setting 2.25
 03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	14.2398G	63.35	88.20	-24.85	43.19	3	Vertical	129	1.11	-	41.60	12.52	33.96	
RMS	14.1562G	50.19	68.20	-18.01	29.98	3	Vertical	129	1.11	-	41.56	12.48	33.83	

802.11ax HEW20_Nss1,(MCS0)_1TX

7095MHz_TnomVnom




EUT_V_1TX
Setting 2.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	14.1952G	63.03	88.20	-25.17	42.82	3	Horizontal	127	3.00	-	41.60	12.50	33.89	
RMS	14.142G	50.21	68.20	-17.99	30.00	3	Horizontal	127	3.00	-	41.54	12.47	33.80	

802.11ax HEW20_Nss1,(MCS0)_1TX

7095MHz_TnomVnom




EUT V_1TX
Setting 2.25
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	21.3022G	49.83	83.54	-33.71	45.72	1	Vertical	347	1.01	-	37.66	16.09	49.64	
AV	21.3346G	36.06	63.54	-27.48	31.89	1	Vertical	347	1.01	-	37.70	16.10	49.63	

802.11ax HEW20_Nss1,(MCS0)_1TX

7095MHz_TnomVnom




EUT_V_1TX
Setting 2.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.244G	48.96	83.54	-34.58	44.95	1	Horizontal	109	2.26	-	37.60	16.06	49.65
AV	21.3344G	35.93	63.54	-27.61	31.76	1	Horizontal	109	2.26	-	37.70	16.10	49.63

802.11ax HEW20_Nss1,(MCS0)_1TX

7115MHz_TnomVnom




EUT_V_1TX
Setting 12.75
01-M-E-2-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	7.1211G	100.76	Inf	-Inf	89.93	3	Vertical	263	1.71	-	36.67	7.24	33.08	
RMS	7.12118G	94.41	Inf	-Inf	83.58	3	Vertical	263	1.71	-	36.67	7.24	33.08	
PK	7.1255G	79.23	88.20	-8.97	68.38	3	Vertical	263	1.71	-	36.70	7.24	33.09	
RMS	7.1255G	68.16	68.20	-0.04	57.31	3	Vertical	263	1.71	-	36.70	7.24	33.09	

802.11ax HEW20_Nss1,(MCS0)_1TX

7115MHz_TnomVnom




EUT_V_1TX
Setting 12.75
01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.2454G	63.52	88.20	-24.68	42.50	3	Vertical	173	1.87	-	40.71	9.97	29.66
RMS	14.2442G	52.12	68.20	-16.08	31.10	3	Vertical	173	1.87	-	40.71	9.97	29.66

802.11ax HEW20_Nss1,(MCS0)_1TX

7115MHz_TnomVnom




EUT_V_1TX
Setting 12.75
01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.2436G	63.69	88.20	-24.51	42.67	3	Horizontal	145	1.96	-	40.71	9.97	29.66
RMS	14.2442G	52.72	68.20	-15.48	31.70	3	Horizontal	145	1.96	-	40.71	9.97	29.66

802.11ax HEW20_Nss1,(MCS0)_1TX

7115MHz_TnomVnom




EUT_V_1TX
Setting 12.75
01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.3698G	48.96	83.54	-34.58	44.73	1	Vertical	34	2.73	-	37.74	16.12	49.63
AV	21.3732G	36.10	63.54	-27.44	31.86	1	Vertical	34	2.73	-	37.75	16.12	49.63

802.11ax HEW20_Nss1,(MCS0)_1TX

7115MHz_TnomVnom



EUT_V_1TX
Setting 12.75
01-M-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	21.3446G	48.71	83.54	-34.83	44.52	1	Horizontal	173	1.87	-	37.71	16.11	49.63
AV	21.37G	36.10	63.54	-27.44	31.87	1	Horizontal	173	1.87	-	37.74	16.12	49.63



RSE TX above 1GHz
<Partial RU> low power_RU106_1TX_Ant. 3


Appendix E.16

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1.(MCS0)_1TX	Pass	RMS	7.1255G	68.12	68.20	-0.08	3	Vertical	262	1.74	-

802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TnomVnom




EUT_V_1TX
Setting 15.5
01-M-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9234G	81.39	88.20	-6.81	72.61	3	Vertical	92	1.80	-	34.99	6.60	32.81
RMS	5.9218G	53.07	68.20	-15.13	44.29	3	Vertical	92	1.80	-	34.99	6.60	32.81
PK	5.9518G	115.01	Inf	-Inf	106.12	3	Vertical	92	1.80	-	35.11	6.60	32.82
RMS	5.9522G	105.99	Inf	-Inf	97.10	3	Vertical	92	1.80	-	35.11	6.60	32.82

802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TnomVnom




EUT Y_1TX
Setting 15.5
01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.8886G	58.45	74.00	-15.55	42.56	3	Vertical	57	1.80	-	38.50	8.97	31.58
AV	11.9024G	45.83	54.00	-8.17	29.93	3	Vertical	57	1.80	-	38.50	8.98	31.58

802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TnomVnom




EUT_V_1TX
Setting 15.5
01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.9014G	65.63	74.00	-8.37	49.73	3	Horizontal	201	1.92	-	38.50	8.98	31.58
AV	11.901G	53.76	54.00	-0.24	37.86	3	Horizontal	201	1.92	-	38.50	8.98	31.58

802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TnomVnom




EUT_V_1TX
Setting 20.75
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.875G	59.60	88.20	-28.60	53.22	3	Vertical	69	1.70	-	34.45	7.47	35.54
RMS	5.923G	47.88	68.20	-20.32	41.23	3	Vertical	69	1.70	-	34.69	7.52	35.56
PK	6.193G	119.70	Inf	-Inf	112.35	3	Vertical	69	1.70	-	35.17	7.70	35.52
RMS	6.193G	111.62	Inf	-Inf	104.27	3	Vertical	69	1.70	-	35.17	7.70	35.52

802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TnomVnom




EUT V_1TX
Setting 20.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.3826G	59.96	74.00	-14.04	45.38	3	Vertical	233	1.71	-	38.88	11.11	35.41	
AV	12.3814G	47.40	54.00	-6.60	32.82	3	Vertical	233	1.71	-	38.88	11.11	35.41	

802.11ax HEW20_Nss1,(MCS0)_1TX

7095MHz_TnomVnom




EUT V_1TX
Setting 4.25
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.0974G	100.21	Inf	-Inf	91.74	3	Vertical	250	1.49	-	35.79	8.20	35.52	
RMS	7.0974G	91.27	Inf	-Inf	82.80	3	Vertical	250	1.49	-	35.79	8.20	35.52	
PK	7.1736G	62.15	88.20	-26.05	53.25	3	Vertical	250	1.49	-	36.24	8.20	35.54	
RMS	7.2336G	50.81	68.20	-17.39	41.49	3	Vertical	250	1.49	-	36.60	8.27	35.55	

802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TnomVnom




EUT_V_1TX
Setting 20.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.6236G	46.92	83.54	-36.62	44.20	1	Vertical	339	1.28	-	37.75	14.95	49.98
AV	18.6296G	32.89	63.54	-30.65	30.16	1	Vertical	339	1.28	-	37.75	14.95	49.97

802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TnomVnom




EUT_V_1TX
Setting 20.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.5756G	46.89	83.54	-36.65	44.21	1	Horizontal	84	1.52	-	37.77	14.93	50.02
AV	18.6196G	33.02	63.54	-30.52	30.30	1	Horizontal	84	1.52	-	37.75	14.95	49.98

802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TnomVnom




EUT_V_1TX
Setting 21
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.89G	58.52	88.20	-29.68	52.04	3	Vertical	68	1.80	-	34.54	7.49	35.55
RMS	5.908G	47.81	68.20	-20.39	41.22	3	Vertical	68	1.80	-	34.63	7.51	35.55
PK	6.412G	119.68	Inf	-Inf	112.55	3	Vertical	68	1.80	-	34.85	7.72	35.44
RMS	6.412G	111.26	Inf	-Inf	104.13	3	Vertical	68	1.80	-	34.85	7.72	35.44
PK	7.132G	61.26	88.20	-26.94	52.59	3	Vertical	68	1.80	-	35.99	8.20	35.52
RMS	7.147G	50.34	68.20	-17.86	41.59	3	Vertical	68	1.80	-	36.08	8.20	35.53

802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TnomVnom




EUT_V_1TX
Setting 21
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8216G	58.98	88.20	-29.22	42.85	3	Vertical	218	1.80	-	39.32	11.46	34.65
RMS	12.8212G	45.78	68.20	-22.42	29.65	3	Vertical	218	1.80	-	39.32	11.46	34.65

802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TnomVnom




EUT_V_1TX
Setting 21
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8228G	65.08	88.20	-23.12	48.95	3	Horizontal	209	2.17	-	39.32	11.46	34.65
RMS	12.8212G	52.74	68.20	-15.46	36.61	3	Horizontal	209	2.17	-	39.32	11.46	34.65

802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TnomVnom




EUT_V_1TX
Setting 21
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.2614G	47.28	83.54	-36.26	44.02	1	Vertical	78	1.39	-	37.71	15.20	49.65	
AV	19.2368G	34.01	63.54	-29.53	30.75	1	Vertical	78	1.39	-	37.72	15.19	49.65	

802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TnomVnom




EUT_V_1TX
Setting 21
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.2666G	47.60	83.54	-35.94	44.33	1	Horizontal	148	2.93	-	37.71	15.21	49.65
AV	19.225G	34.04	63.54	-29.50	30.77	1	Horizontal	148	2.93	-	37.73	15.19	49.65

802.11ax HEW20_Nss1,(MCS0)_1TX

6435MHz_TnomVnom




EUT V_1TX
Setting 2.75
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.651G	58.51	88.20	-29.69	52.04	3	Vertical	68	1.69	-	34.50	7.40	35.43
RMS	5.9198G	47.78	68.20	-20.42	41.14	3	Vertical	68	1.69	-	34.68	7.52	35.56
PK	6.4318G	101.73	Inf	-Inf	94.63	3	Vertical	68	1.69	-	34.77	7.76	35.43
RMS	6.4318G	92.49	Inf	-Inf	85.39	3	Vertical	68	1.69	-	34.77	7.76	35.43
PK	7.2158G	61.31	88.20	-26.89	52.14	3	Vertical	68	1.69	-	36.49	8.23	35.55
RMS	7.2318G	50.75	68.20	-17.45	41.45	3	Vertical	68	1.69	-	36.59	8.26	35.55

802.11ax HEW20_Nss1,(MCS0)_1TX

6435MHz_TnomVnom




EUT V_1TX
Setting 2.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8758G	56.79	88.20	-31.41	40.44	3	Vertical	292	1.64	-	39.38	11.50	34.53
RMS	12.9154G	43.25	68.20	-24.95	26.73	3	Vertical	292	1.64	-	39.42	11.53	34.43

802.11ax HEW20_Nss1,(MCS0)_1TX

6435MHz_TnomVnom




EUT V_1TX
 Setting 2.75
 03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.88G	56.63	88.20	-31.57	40.27	3	Horizontal	22	1.30	-	39.38	11.50	34.52	
RMS	12.894G	43.26	68.20	-24.94	26.83	3	Horizontal	22	1.30	-	39.39	11.52	34.48	

802.11ax HEW20_Nss1,(MCS0)_1TX

6435MHz_TnomVnom




EUT V_1TX
Setting 2.75
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.3402G	46.99	83.54	-36.55	43.65	1	Vertical	267	2.67	-	37.77	15.24	49.67
AV	19.2584G	33.74	63.54	-29.80	30.48	1	Vertical	267	2.67	-	37.71	15.20	49.65

802.11ax HEW20_Nss1,(MCS0)_1TX

6435MHz_TnomVnom




EUT V_1TX
Setting 2.75
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.3418G	47.48	83.54	-36.06	44.14	1	Horizontal	159	2.98	-	37.77	15.24	49.67
AV	19.267G	33.67	63.54	-29.87	30.40	1	Horizontal	159	2.98	-	37.71	15.21	49.65

802.11ax HEW20_Nss1,(MCS0)_1TX

6475MHz_TnomVnom




EUT V_1TX
Setting 2.75
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.872G	58.20	88.20	-30.00	51.84	3	Vertical	68	1.69	-	34.43	7.47	35.54
RMS	5.908G	47.77	68.20	-20.43	41.18	3	Vertical	68	1.69	-	34.63	7.51	35.55
PK	6.472G	100.26	Inf	-Inf	93.13	3	Vertical	68	1.69	-	34.70	7.84	35.41
RMS	6.472G	93.05	Inf	-Inf	85.92	3	Vertical	68	1.69	-	34.70	7.84	35.41
PK	7.204G	61.64	88.20	-26.56	52.55	3	Vertical	68	1.69	-	36.42	8.21	35.54
RMS	7.198G	50.56	68.20	-17.64	41.51	3	Vertical	68	1.69	-	36.39	8.20	35.54

802.11ax HEW20_Nss1,(MCS0)_1TX

6475MHz_TnomVnom




EUT V_1TX
Setting 2.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.9992G	56.90	88.20	-31.30	40.04	3	Vertical	244	1.61	-	39.50	11.60	34.24
RMS	13G	44.35	68.20	-23.85	27.49	3	Vertical	244	1.61	-	39.50	11.60	34.24

802.11ax HEW20_Nss1,(MCS0)_1TX

6475MHz_TnomVnom




EUT V_1TX
Setting 2.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.9808G	57.44	88.20	-30.76	40.66	3	Horizontal	295	1.33	-	39.48	11.58	34.28
RMS	12.9982G	44.36	68.20	-23.84	27.50	3	Horizontal	295	1.33	-	39.50	11.60	34.24

802.11ax HEW20_Nss1,(MCS0)_1TX

6475MHz_TnomVnom




EUT V_1TX
Setting 2.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.4612G	47.21	83.54	-36.33	43.75	1	Vertical	172	1.65	-	37.87	15.28	49.69
AV	19.3812G	33.75	63.54	-29.79	30.38	1	Vertical	172	1.65	-	37.80	15.25	49.68

802.11ax HEW20_Nss1,(MCS0)_1TX

6475MHz_TnomVnom




EUT V_1TX
Setting 2.75
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.4556G	48.16	83.54	-35.38	44.71	1	Horizontal	18	1.50	-	37.86	15.28	49.69	
AV	19.3758G	33.70	63.54	-29.84	30.33	1	Horizontal	18	1.50	-	37.80	15.25	49.68	

802.11ax HEW20_Nss1,(MCS0)_1TX

6515MHz_TnomVnom




EUT V_1TX
Setting 2.75
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8878G	58.33	88.20	-29.87	51.85	3	Vertical	75	1.85	-	34.53	7.49	35.54
RMS	5.9242G	47.78	68.20	-20.42	41.12	3	Vertical	75	1.85	-	34.70	7.52	35.56
PK	6.5122G	102.30	Inf	-Inf	95.03	3	Vertical	75	1.85	-	34.75	7.92	35.40
RMS	6.5122G	93.10	Inf	-Inf	85.83	3	Vertical	75	1.85	-	34.75	7.92	35.40
PK	7.1478G	60.90	88.20	-27.30	52.14	3	Vertical	75	1.85	-	36.09	8.20	35.53
RMS	7.215G	50.61	68.20	-17.59	41.44	3	Vertical	75	1.85	-	36.49	8.23	35.55

802.11ax HEW20_Nss1,(MCS0)_1TX

6515MHz_TnomVnom




EUT V_1TX
Setting 2.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.9988G	57.55	88.20	-30.65	40.69	3	Vertical	108	2.54	-	39.50	11.60	34.24
RMS	13.079G	44.61	68.20	-23.59	27.32	3	Vertical	108	2.54	-	39.74	11.66	34.11

802.11ax HEW20_Nss1,(MCS0)_1TX

6515MHz_TnomVnom




EUT_V_1TX
 Setting 2.75
 03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0466G	58.03	88.20	-30.17	40.91	3	Horizontal	317	1.18	-	39.64	11.64	34.16
RMS	13.0708G	44.73	68.20	-23.47	27.48	3	Horizontal	317	1.18	-	39.71	11.66	34.12

802.11ax HEW20_Nss1,(MCS0)_1TX

6515MHz_TnomVnom




EUT V_1TX
Setting 2.75
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.5862G	47.24	83.54	-36.30	43.74	1	Vertical	254	2.52	-	37.87	15.33	49.70	
AV	19.5884G	34.05	63.54	-29.49	30.55	1	Vertical	254	2.52	-	37.86	15.34	49.70	

802.11ax HEW20_Nss1,(MCS0)_1TX

6515MHz_TnomVnom




EUT V_1TX
Setting 2.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.5118G	47.76	83.54	-35.78	44.26	1	Horizontal	141	2.83	-	37.90	15.30	49.70
AV	19.5946G	34.07	63.54	-29.47	30.57	1	Horizontal	141	2.83	-	37.86	15.34	49.70

802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TnomVnom




EUT_V_1TX
 Setting 20.75
 03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8938G	57.64	88.20	-30.56	51.14	3	Vertical	68	1.69	-	34.56	7.49	35.55
RMS	5.9078G	47.77	68.20	-20.43	41.18	3	Vertical	68	1.69	-	34.63	7.51	35.55
PK	6.5378G	119.60	Inf	-Inf	112.18	3	Vertical	68	1.69	-	34.85	7.98	35.41
RMS	6.5378G	111.12	Inf	-Inf	103.70	3	Vertical	68	1.69	-	34.85	7.98	35.41
PK	7.2042G	61.73	88.20	-26.47	52.63	3	Vertical	68	1.69	-	36.43	8.21	35.54
RMS	7.2322G	50.81	68.20	-17.39	41.51	3	Vertical	68	1.69	-	36.59	8.26	35.55

802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TnomVnom




EUT_V_1TX
Setting 20.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.069G	58.15	88.20	-30.05	40.91	3	Vertical	253	1.80	-	39.71	11.66	34.13	
RMS	13.0786G	45.16	68.20	-23.04	27.87	3	Vertical	253	1.80	-	39.74	11.66	34.11	

802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TnomVnom




EUT V_1TX
Setting 20.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0758G	61.26	88.20	-26.94	43.98	3	Horizontal	144	2.97	-	39.73	11.66	34.11
RMS	13.0786G	47.38	68.20	-20.82	30.09	3	Horizontal	144	2.97	-	39.74	11.66	34.11

802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TnomVnom




EUT_V_1TX
Setting 20.75
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.604G	48.22	83.54	-35.32	44.72	1	Vertical	93	1.91	-	37.86	15.34	49.70
AV	19.6512G	34.29	63.54	-29.25	30.79	1	Vertical	93	1.91	-	37.84	15.36	49.70

802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TnomVnom




EUT_V_1TX
Setting 20.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.557G	47.45	83.54	-36.09	43.95	1	Horizontal	308	2.40	-	37.88	15.32	49.70
AV	19.6498G	34.48	63.54	-29.06	30.98	1	Horizontal	308	2.40	-	37.84	15.36	49.70

802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TnomVnom




EUT V_1TX
Setting 21
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6972G	119.83	Inf	-Inf	111.78	3	Vertical	68	1.59	-	35.39	8.10	35.44
RMS	6.6972G	111.43	Inf	-Inf	103.38	3	Vertical	68	1.59	-	35.39	8.10	35.44
PK	7.2164G	62.04	88.20	-26.16	52.86	3	Vertical	68	1.59	-	36.50	8.23	35.55
RMS	7.2428G	50.77	68.20	-17.43	41.37	3	Vertical	68	1.59	-	36.66	8.29	35.55

802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TnomVnom




EUT_V_1TX
Setting 21
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.3988G	60.17	74.00	-13.83	41.53	3	Vertical	168	2.05	-	40.30	11.92	33.58
AV	13.3986G	46.45	54.00	-7.55	27.81	3	Vertical	168	2.05	-	40.30	11.92	33.58

802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TnomVnom




EUT V_1TX
Setting 21
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.3994G	62.72	74.00	-11.28	44.08	3	Horizontal	150	2.79	-	40.30	11.92	33.58	
AV	13.3962G	49.40	54.00	-4.60	30.77	3	Horizontal	150	2.79	-	40.29	11.92	33.58	

802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TnomVnom




EUT_V_1TX
Setting 21
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.0824G	48.00	83.54	-35.54	44.72	1	Vertical	29	2.31	-	37.47	15.54	49.73
AV	20.0434G	34.52	63.54	-29.02	31.29	1	Vertical	29	2.31	-	37.43	15.52	49.72

802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TnomVnom




EUT_V_1TX
Setting 21
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.0894G	47.45	83.54	-36.09	44.18	1	Horizontal	109	1.14	-	37.47	15.54	49.74
AV	20.0438G	34.38	63.54	-29.16	31.14	1	Horizontal	109	1.14	-	37.44	15.52	49.72

802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TnomVnom




EUT_V_1TX
Setting 23
01-M-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8592G	123.34	Inf	-Inf	112.69	3	Vertical	56	1.48	-	36.53	7.09	32.97
RMS	6.8578G	114.66	Inf	-Inf	104.00	3	Vertical	56	1.48	-	36.54	7.09	32.97
PK	7.1798G	64.58	88.20	-23.62	53.46	3	Vertical	56	1.48	-	37.02	7.21	33.11
RMS	7.1994G	53.37	68.20	-14.83	42.19	3	Vertical	56	1.48	-	37.10	7.20	33.12

802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TnomVnom




EUT_V_1TX
Setting 23
01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.7156G	62.79	88.20	-25.41	42.12	3	Vertical	183	1.70	-	40.55	9.77	29.65	
RMS	13.7208G	50.85	68.20	-17.35	30.17	3	Vertical	183	1.70	-	40.56	9.77	29.65	

802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TnomVnom




EUT_V_1TX
Setting 23
01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.721G	67.05	88.20	-21.15	46.37	3	Horizontal	206	3.00	-	40.56	9.77	29.65
RMS	13.7208G	55.13	68.20	-13.07	34.45	3	Horizontal	206	3.00	-	40.56	9.77	29.65

802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TnomVnom




EUT_V_1TX
Setting 23
01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.5792G	47.78	83.54	-35.76	44.09	1	Vertical	188	2.11	-	37.80	15.76	49.87
AV	20.5806G	34.97	63.54	-28.57	31.28	1	Vertical	188	2.11	-	37.80	15.76	49.87

802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TnomVnom




EUT_V_1TX
Setting 23
01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.53G	47.10	83.54	-36.44	43.51	1	Horizontal	328	2.66	-	37.74	15.74	49.89
AV	20.6002G	35.01	63.54	-28.53	31.28	1	Horizontal	328	2.66	-	37.82	15.77	49.86

802.11ax HEW20_Nss1,(MCS0)_1TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT V_1TX
Setting 2.75
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.8778G	100.75	Inf	-Inf	92.44	3	Vertical	155	1.33	-	35.64	8.14	35.47	
RMS	6.8778G	91.99	Inf	-Inf	83.68	3	Vertical	155	1.33	-	35.64	8.14	35.47	
PK	7.2208G	61.30	88.20	-26.90	52.09	3	Vertical	155	1.33	-	36.52	8.24	35.55	
RMS	7.2166G	50.67	68.20	-17.53	41.49	3	Vertical	155	1.33	-	36.50	8.23	35.55	

802.11ax HEW20_Nss1,(MCS0)_1TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_1TX
 Setting 2.75
 03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7634G	61.45	88.20	-26.75	42.01	3	Vertical	217	2.25	-	40.73	12.21	33.50
RMS	13.709G	48.46	68.20	-19.74	29.15	3	Vertical	217	2.25	-	40.62	12.17	33.48

802.11ax HEW20_Nss1,(MCS0)_1TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT V_1TX
Setting 2.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.7184G	62.09	88.20	-26.11	42.76	3	Horizontal	248	2.01	-	40.64	12.17	33.48	
RMS	13.7212G	48.52	68.20	-19.68	29.19	3	Horizontal	248	2.01	-	40.64	12.18	33.49	

802.11ax HEW20_Nss1,(MCS0)_1TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT V_1TX
Setting 2.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.5756G	48.01	83.54	-35.53	44.33	1	Vertical	276	2.28	-	37.79	15.76	49.87
AV	20.5796G	34.92	63.54	-28.62	31.23	1	Vertical	276	2.28	-	37.80	15.76	49.87

802.11ax HEW20_Nss1,(MCS0)_1TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT V_1TX
Setting 2.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.5842G	48.04	83.54	-35.50	44.35	1	Horizontal	68	2.68	-	37.80	15.76	49.87
AV	20.575G	34.85	63.54	-28.69	31.17	1	Horizontal	68	2.68	-	37.79	15.76	49.87

802.11ax HEW20_Nss1,(MCS0)_1TX

6895MHz_TnomVnom




EUT V_1TX
Setting 2.75
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.8978G	99.70	Inf	-Inf	91.42	3	Vertical	250	1.49	-	35.60	8.15	35.47	
RMS	6.8978G	90.64	Inf	-Inf	82.36	3	Vertical	250	1.49	-	35.60	8.15	35.47	
PK	7.1442G	61.85	88.20	-26.35	53.11	3	Vertical	250	1.49	-	36.07	8.20	35.53	
RMS	7.245G	50.76	68.20	-17.44	41.35	3	Vertical	250	1.49	-	36.67	8.29	35.55	

802.11ax HEW20_Nss1,(MCS0)_1TX

6895MHz_TnomVnom




EUT_V_1TX
Setting 2.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.8144G	61.33	88.20	-26.87	41.77	3	Vertical	102	2.62	-	40.83	12.25	33.52	
RMS	13.7414G	48.30	68.20	-19.90	28.92	3	Vertical	102	2.62	-	40.68	12.19	33.49	

802.11ax HEW20_Nss1,(MCS0)_1TX

6895MHz_TnomVnom




EUT V_1TX
Setting 2.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7876G	61.27	88.20	-26.93	41.77	3	Horizontal	346	2.17	-	40.78	12.23	33.51
RMS	13.7474G	48.31	68.20	-19.89	28.91	3	Horizontal	346	2.17	-	40.69	12.20	33.49

802.11ax HEW20_Nss1,(MCS0)_1TX

6895MHz_TnomVnom




EUT V_1TX
Setting 2.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	20.7168G	48.47	83.54	-35.07	44.50	1	Vertical	249	2.35	-	37.96	15.82	49.81	
AV	20.735G	35.04	63.54	-28.50	31.04	1	Vertical	249	2.35	-	37.98	15.83	49.81	

802.11ax HEW20_Nss1,(MCS0)_1TX

6895MHz_TnomVnom




EUT V_1TX
Setting 2.75
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.66G	48.58	83.54	-34.96	44.73	1	Horizontal	14	2.35	-	37.89	15.80	49.84
AV	20.7348G	35.12	63.54	-28.42	31.12	1	Horizontal	14	2.35	-	37.98	15.83	49.81

802.11ax HEW20_Nss1,(MCS0)_1TX

6995MHz_TnomVnom




EUT V_1TX
Setting 2.5
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.998G	99.73	Inf	-Inf	91.32	3	Vertical	300	1.61	-	35.70	8.20	35.49	
RMS	6.997G	91.00	Inf	-Inf	82.59	3	Vertical	300	1.61	-	35.70	8.20	35.49	
PK	7.218G	63.83	88.20	-24.37	54.63	3	Vertical	300	1.61	-	36.51	8.24	35.55	
RMS	7.229G	50.78	68.20	-17.42	41.50	3	Vertical	300	1.61	-	36.57	8.26	35.55	

802.11ax HEW20_Nss1,(MCS0)_1TX

6995MHz_TnomVnom




EUT_V_1TX
Setting 2.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.0328G	63.19	88.20	-25.01	43.10	3	Vertical	290	2.65	-	41.30	12.42	33.63
RMS	14.0356G	49.89	68.20	-18.31	29.80	3	Vertical	290	2.65	-	41.31	12.42	33.64

802.11ax HEW20_Nss1,(MCS0)_1TX

6995MHz_TnomVnom




EUT_V_1TX
Setting 2.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.0232G	63.44	88.20	-24.76	43.38	3	Horizontal	36	1.31	-	41.27	12.41	33.62
RMS	14.039G	49.93	68.20	-18.27	29.83	3	Horizontal	36	1.31	-	41.32	12.42	33.64

802.11ax HEW20_Nss1,(MCS0)_1TX

6995MHz_TnomVnom




EUT_V_1TX
Setting 2.5
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.0256G	48.24	83.54	-35.30	44.37	1	Vertical	147	2.18	-	37.60	15.96	49.69
AV	21.0178G	34.95	63.54	-28.59	31.09	1	Vertical	147	2.18	-	37.60	15.96	49.70

802.11ax HEW20_Nss1,(MCS0)_1TX

6995MHz_TnomVnom




EUT_V_1TX
Setting 2.5
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.97G	48.42	83.54	-35.12	44.54	1	Horizontal	28	2.85	-	37.65	15.94	49.71
AV	21.0274G	34.94	63.54	-28.60	31.07	1	Horizontal	28	2.85	-	37.60	15.96	49.69

802.11ax HEW20_Nss1,(MCS0)_1TX

7095MHz_TnomVnom




EUT V_1TX
Setting 4.25
03-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.0974G	100.21	Inf	-Inf	91.74	3	Vertical	250	1.49	-	35.79	8.20	35.52	
RMS	7.0974G	91.27	Inf	-Inf	82.80	3	Vertical	250	1.49	-	35.79	8.20	35.52	
PK	7.1736G	62.15	88.20	-26.05	53.25	3	Vertical	250	1.49	-	36.24	8.20	35.54	
RMS	7.2336G	50.81	68.20	-17.39	41.49	3	Vertical	250	1.49	-	36.60	8.27	35.55	

802.11ax HEW20_Nss1,(MCS0)_1TX

7095MHz_TnomVnom




EUT_V_1TX
Setting 4.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.153G	63.84	88.20	-24.36	43.63	3	Vertical	105	2.51	-	41.55	12.48	33.82
RMS	14.1506G	50.22	68.20	-17.98	30.01	3	Vertical	105	2.51	-	41.55	12.48	33.82

802.11ax HEW20_Nss1,(MCS0)_1TX

7095MHz_TnomVnom




EUT_V_1TX
Setting 4.25
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.161G	64.42	88.20	-23.78	44.21	3	Horizontal	251	1.38	-	41.56	12.48	33.83
RMS	14.1642G	50.30	68.20	-17.90	30.10	3	Horizontal	251	1.38	-	41.56	12.48	33.84

802.11ax HEW20_Nss1,(MCS0)_1TX

7095MHz_TnomVnom




EUT_V_1TX
Setting 4.25
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	21.331G	50.54	83.54	-33.00	46.37	1	Vertical	191	1.32	-	37.70	16.10	49.63
AV	21.334G	36.21	63.54	-27.33	32.04	1	Vertical	191	1.32	-	37.70	16.10	49.63

802.11ax HEW20_Nss1,(MCS0)_1TX

7095MHz_TnomVnom




EUT_V_1TX
Setting 4.25
03-D-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	21.331G	49.02	83.54	-34.52	44.85	1	Horizontal	223	1.01	-	37.70	16.10	49.63	
AV	21.3338G	36.08	63.54	-27.46	31.91	1	Horizontal	223	1.01	-	37.70	16.10	49.63	

802.11ax HEW20_Nss1,(MCS0)_1TX

7115MHz_TnomVnom




EUT_V_1TX
Setting 13.75
01-M-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.10868G	100.37	Inf	-Inf	89.63	3	Vertical	262	1.74	-	36.57	7.25	33.08
RMS	7.1174G	93.75	Inf	-Inf	82.95	3	Vertical	262	1.74	-	36.64	7.24	33.08
PK	7.1255G	79.19	88.20	-9.01	68.34	3	Vertical	262	1.74	-	36.70	7.24	33.09
RMS	7.1255G	68.12	68.20	-0.08	57.27	3	Vertical	262	1.74	-	36.70	7.24	33.09

802.11ax HEW20_Nss1,(MCS0)_1TX

7115MHz_TnomVnom




EUT_V_1TX
Setting 13.75
01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.2386G	61.97	88.20	-26.23	40.94	3	Vertical	176	1.88	-	40.72	9.97	29.66
RMS	14.2408G	49.89	68.20	-18.31	28.86	3	Vertical	176	1.88	-	40.72	9.97	29.66

802.11ax HEW20_Nss1,(MCS0)_1TX

7115MHz_TnomVnom




EUT_V_1TX
Setting 13.75
01-M-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.2436G	63.07	88.20	-25.13	42.05	3	Horizontal	146	1.99	-	40.71	9.97	29.66
RMS	14.2384G	50.06	68.20	-18.14	29.03	3	Horizontal	146	1.99	-	40.72	9.97	29.66

802.11ax HEW20_Nss1,(MCS0)_1TX

7115MHz_TnomVnom




EUT_V_1TX
Setting 13.75
01-M-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	21.3572G	48.42	83.54	-35.12	44.21	1	Vertical	201	2.32	-	37.73	16.11	49.63	
AV	21.3914G	36.14	63.54	-27.40	31.86	1	Vertical	201	2.32	-	37.77	16.13	49.62	

802.11ax HEW20_Nss1,(MCS0)_1TX

7115MHz_TnomVnom



EUT_V_1TX
Setting 13.75
01-M-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	21.333G	48.12	83.54	-35.42	43.95	1	Horizontal	331	2.08	-	37.70	16.10	49.63
AV	21.3762G	36.09	63.54	-27.45	31.84	1	Horizontal	331	2.08	-	37.75	16.12	49.62



RSE TX above 1GHz
<Partial RU> low power_RU26_2TX_Ant. 1


Appendix E.17

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1.(MCS0)_2TX	Pass	AV	11.8929G	53.94	54.00	-0.06	3	Horizontal	209	1.80	-

802.11ax HEW20_Nss1,(MCS0)_2TX

5955MHz_TnomVnom




EUT Y_2TX
 Setting 12.75
 01-M-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.92G	62.11	88.20	-26.09	53.34	3	Vertical	47	1.23	-	34.98	6.60	32.81
RMS	5.906G	50.67	68.20	-17.53	41.95	3	Vertical	47	1.23	-	34.92	6.60	32.80
PK	5.947G	118.35	Inf	-Inf	109.48	3	Vertical	47	1.23	-	35.09	6.60	32.82
RMS	5.9466G	103.66	Inf	-Inf	94.79	3	Vertical	47	1.23	-	35.09	6.60	32.82

802.11ax HEW20_Nss1,(MCS0)_2TX

5955MHz_TnomVnom




EUT V_2TX
 Setting 12.75
 01-M-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9086G	62.52	88.20	-25.68	53.79	3	Horizontal	45	2.31	-	34.93	6.60	32.80	
RMS	5.9058G	50.69	68.20	-17.51	41.97	3	Horizontal	45	2.31	-	34.92	6.60	32.80	
PK	5.9468G	117.47	Inf	-Inf	108.60	3	Horizontal	45	2.31	-	35.09	6.60	32.82	
RMS	5.9468G	107.83	Inf	-Inf	98.96	3	Horizontal	45	2.31	-	35.09	6.60	32.82	

802.11ax HEW20_Nss1,(MCS0)_2TX

5955MHz_TnomVnom




EUT V_2TX
Setting 12.75
01-M-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.8931G	60.61	74.00	-13.39	44.72	3	Vertical	253	1.80	-	38.50	8.97	31.58
AV	11.893G	46.94	54.00	-7.06	31.05	3	Vertical	253	1.80	-	38.50	8.97	31.58

802.11ax HEW20_Nss1,(MCS0)_2TX

5955MHz_TnomVnom




EUT V_2TX
Setting 12.75
01-M-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.8931G	68.60	74.00	-5.40	52.71	3	Horizontal	209	1.80	-	38.50	8.97	31.58	
AV	11.8929G	53.94	54.00	-0.06	38.05	3	Horizontal	209	1.80	-	38.50	8.97	31.58	

802.11ax HEW20_Nss1,(MCS0)_2TX

6195MHz_TnomVnom




EUT Y_2TX
 Setting 11
 01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.809G	61.62	88.20	-26.58	53.31	3	Vertical	222	1.56	-	34.47	6.60	32.76
RMS	5.925G	50.17	68.20	-18.03	41.38	3	Vertical	222	1.56	-	35.00	6.60	32.81
PK	6.187G	113.97	Inf	-Inf	104.49	3	Vertical	222	1.56	-	35.45	6.88	32.85
RMS	6.187G	103.09	Inf	-Inf	93.61	3	Vertical	222	1.56	-	35.45	6.88	32.85

802.11ax HEW20_Nss1,(MCS0)_2TX

6195MHz_TnomVnom




EUT Y_2TX
 Setting 11
 01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.897G	61.64	88.20	-26.56	52.95	3	Horizontal	338	1.73	-	34.89	6.60	32.80	
RMS	5.919G	50.18	68.20	-18.02	41.41	3	Horizontal	338	1.73	-	34.98	6.60	32.81	
PK	6.187G	116.31	Inf	-Inf	106.83	3	Horizontal	338	1.73	-	35.45	6.88	32.85	
RMS	6.187G	104.47	Inf	-Inf	94.99	3	Horizontal	338	1.73	-	35.45	6.88	32.85	

802.11ax HEW20_Nss1,(MCS0)_2TX

6195MHz_TnomVnom




EUT_V_2TX
Setting 11
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.3756G	57.90	74.00	-16.10	41.66	3	Vertical	78	1.80	-	38.65	9.17	31.58
AV	12.4192G	44.23	54.00	-9.77	27.96	3	Vertical	78	1.80	-	38.66	9.19	31.58

802.11ax HEW20_Nss1,(MCS0)_2TX

6195MHz_TnomVnom




EUT_V_2TX
 Setting 11
 01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.3728G	58.82	74.00	-15.18	42.58	3	Horizontal	212	1.80	-	38.65	9.17	31.58
AV	12.3726G	45.29	54.00	-8.71	29.05	3	Horizontal	212	1.80	-	38.65	9.17	31.58

802.11ax HEW20_Nss1,(MCS0)_2TX

6195MHz_TnomVnom




EUT_V_2TX
Setting 11
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	18.6228G	46.88	83.54	-36.66	44.16	1	Vertical	211	1.86	-	37.75	14.95	49.98	
AV	18.6316G	33.55	63.54	-29.99	30.82	1	Vertical	211	1.86	-	37.75	14.95	49.97	

802.11ax HEW20_Nss1,(MCS0)_2TX

6195MHz_TnomVnom




EUT_V_2TX
Setting 11
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.6154G	47.11	83.54	-36.43	44.39	1	Horizontal	113	2.57	-	37.75	14.95	49.98
AV	18.6346G	33.54	63.54	-30.00	30.81	1	Horizontal	113	2.57	-	37.75	14.95	49.97

802.11ax HEW20_Nss1,(MCS0)_2TX

6415MHz_TnomVnom




EUT V_2TX
 Setting 11
 01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9194G	61.00	88.20	-27.20	52.23	3	Vertical	217	1.80	-	34.98	6.60	32.81
RMS	5.9194G	50.17	68.20	-18.03	41.40	3	Vertical	217	1.80	-	34.98	6.60	32.81
PK	6.4066G	113.77	Inf	-Inf	104.06	3	Vertical	217	1.80	-	35.57	7.00	32.86
RMS	6.4066G	101.60	Inf	-Inf	91.89	3	Vertical	217	1.80	-	35.57	7.00	32.86

802.11ax HEW20_Nss1,(MCS0)_2TX

6415MHz_TnomVnom




EUT V_2TX
 Setting 11
 01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.8858G	61.27	88.20	-26.93	52.59	3	Horizontal	335	1.80	-	34.87	6.60	32.79	
RMS	5.925G	50.18	68.20	-18.02	41.39	3	Horizontal	335	1.80	-	35.00	6.60	32.81	
PK	6.4066G	114.75	Inf	-Inf	105.04	3	Horizontal	335	1.80	-	35.57	7.00	32.86	
RMS	6.4066G	102.72	Inf	-Inf	93.01	3	Horizontal	335	1.80	-	35.57	7.00	32.86	

802.11ax HEW20_Nss1,(MCS0)_2TX

6415MHz_TnomVnom




EUT_V_2TX
Setting 11
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8732G	60.30	88.20	-27.90	42.43	3	Vertical	313	1.80	-	39.27	9.39	30.79
RMS	12.8722G	45.29	68.20	-22.91	27.42	3	Vertical	313	1.80	-	39.27	9.39	30.79

802.11ax HEW20_Nss1,(MCS0)_2TX

6415MHz_TnomVnom




EUT_V_2TX
Setting 11
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.8136G	59.96	88.20	-28.24	42.30	3	Horizontal	215	1.80	-	39.21	9.37	30.92	
RMS	12.813G	46.14	68.20	-22.06	28.48	3	Horizontal	215	1.80	-	39.21	9.37	30.92	

802.11ax HEW20_Nss1,(MCS0)_2TX

6415MHz_TnomVnom




EUT_V_2TX
Setting 11
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.1992G	47.49	83.54	-36.05	44.19	1	Vertical	275	2.08	-	37.76	15.18	49.64
AV	19.2182G	33.88	63.54	-29.66	30.59	1	Vertical	275	2.08	-	37.74	15.19	49.64

802.11ax HEW20_Nss1,(MCS0)_2TX

6415MHz_TnomVnom




EUT_V_2TX
Setting 11
01-C-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.1972G	47.34	83.54	-36.20	44.04	1	Horizontal	318	2.76	-	37.76	15.18	49.64	
AV	19.2028G	33.86	63.54	-29.68	30.56	1	Horizontal	318	2.76	-	37.76	15.18	49.64	

802.11ax HEW20_Nss1,(MCS0)_2TX

6435MHz_TnomVnom




EUT_V_2TX
Setting -7.75
01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7662G	61.72	88.20	-26.48	53.47	3	Vertical	216	1.80	-	34.40	6.60	32.75
RMS	5.9166G	50.21	68.20	-17.99	41.45	3	Vertical	216	1.80	-	34.97	6.60	32.81
PK	6.4286G	96.40	Inf	-Inf	86.77	3	Vertical	216	1.80	-	35.49	7.00	32.86
RMS	6.4286G	82.05	Inf	-Inf	72.42	3	Vertical	216	1.80	-	35.49	7.00	32.86
PK	7.1646G	64.76	88.20	-23.44	53.69	3	Vertical	216	1.80	-	36.96	7.22	33.11
RMS	7.2318G	53.47	68.20	-14.73	42.28	3	Vertical	216	1.80	-	37.10	7.23	33.14

802.11ax HEW20_Nss1,(MCS0)_2TX

6435MHz_TnomVnom




EUT V_2TX
 Setting -7.75
 01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.635G	61.66	88.20	-26.54	53.74	3	Horizontal	337	1.80	-	34.01	6.60	32.69
RMS	5.9198G	50.11	68.20	-18.09	41.34	3	Horizontal	337	1.80	-	34.98	6.60	32.81
PK	6.4286G	98.87	Inf	-Inf	89.24	3	Horizontal	337	1.80	-	35.49	7.00	32.86
RMS	6.4254G	83.33	Inf	-Inf	73.69	3	Horizontal	337	1.80	-	35.50	7.00	32.86
PK	7.2094G	64.80	88.20	-23.40	53.62	3	Horizontal	337	1.80	-	37.10	7.21	33.13
RMS	7.1966G	53.33	68.20	-14.87	42.16	3	Horizontal	337	1.80	-	37.09	7.20	33.12

802.11ax HEW20_Nss1,(MCS0)_2TX

6435MHz_TnomVnom




EUT V_2TX
Setting -7.75
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.8312G	59.01	88.20	-29.19	41.29	3	Vertical	173	1.84	-	39.23	9.37	30.88	
RMS	12.9176G	45.61	68.20	-22.59	27.55	3	Vertical	173	1.84	-	39.35	9.41	30.70	

802.11ax HEW20_Nss1,(MCS0)_2TX

6435MHz_TnomVnom




EUT V_2TX
 Setting -7.75
 01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.8938G	58.62	88.20	-29.58	40.68	3	Horizontal	164	1.11	-	39.29	9.40	30.75	
RMS	12.9176G	45.65	68.20	-22.55	27.59	3	Horizontal	164	1.11	-	39.35	9.41	30.70	

802.11ax HEW20_Nss1,(MCS0)_2TX

6435MHz_TnomVnom




EUT V_2TX
Setting -7.75
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.2758G	46.94	83.54	-36.60	43.67	1	Vertical	115	2.34	-	37.72	15.21	49.66
AV	19.2568G	33.61	63.54	-29.93	30.35	1	Vertical	115	2.34	-	37.71	15.20	49.65

802.11ax HEW20_Nss1,(MCS0)_2TX

6435MHz_TnomVnom




EUT V_2TX
Setting -7.75
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.3134G	47.45	83.54	-36.09	44.13	1	Horizontal	4	2.41	-	37.75	15.23	49.66
AV	19.2564G	33.62	63.54	-29.92	30.36	1	Horizontal	4	2.41	-	37.71	15.20	49.65

802.11ax HEW20_Nss1,(MCS0)_2TX

6475MHz_TnomVnom




EUT_V_2TX
Setting -8
01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.824G	61.14	88.20	-27.06	52.72	3	Vertical	219	1.80	-	34.59	6.60	32.77
RMS	5.925G	50.01	68.20	-18.19	41.22	3	Vertical	219	1.80	-	35.00	6.60	32.81
PK	6.466G	97.41	Inf	-Inf	87.81	3	Vertical	219	1.80	-	35.46	7.00	32.86
RMS	6.466G	83.87	Inf	-Inf	74.27	3	Vertical	219	1.80	-	35.46	7.00	32.86
PK	7.171G	64.58	88.20	-23.62	53.50	3	Vertical	219	1.80	-	36.98	7.21	33.11
RMS	7.198G	53.15	68.20	-15.05	41.98	3	Vertical	219	1.80	-	37.09	7.20	33.12

802.11ax HEW20_Nss1,(MCS0)_2TX

6475MHz_TnomVnom




EUT_V_2TX
Setting -8
01-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.764G	61.18	88.20	-27.02	52.93	3	Horizontal	340	1.75	-	34.40	6.60	32.75
RMS	5.925G	50.03	68.20	-18.17	41.24	3	Horizontal	340	1.75	-	35.00	6.60	32.81
PK	6.466G	97.75	Inf	-Inf	88.15	3	Horizontal	340	1.75	-	35.46	7.00	32.86
RMS	6.466G	84.96	Inf	-Inf	75.36	3	Horizontal	340	1.75	-	35.46	7.00	32.86
PK	7.219G	64.86	88.20	-23.34	53.67	3	Horizontal	340	1.75	-	37.10	7.22	33.13
RMS	7.195G	53.14	68.20	-15.06	41.98	3	Horizontal	340	1.75	-	37.08	7.20	33.12

802.11ax HEW20_Nss1,(MCS0)_2TX

6475MHz_TnomVnom




EUT_V_2TX
 Setting -8
 01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.9316G	59.15	88.20	-29.05	41.01	3	Vertical	79	2.12	-	39.39	9.42	30.67
RMS	12.9982G	46.23	68.20	-21.97	27.71	3	Vertical	79	2.12	-	39.59	9.45	30.52

802.11ax HEW20_Nss1,(MCS0)_2TX

6475MHz_TnomVnom




EUT_V_2TX
Setting -8
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.9984G	59.82	88.20	-28.38	41.29	3	Horizontal	300	2.43	-	39.60	9.45	30.52	
RMS	12.995G	46.20	68.20	-22.00	27.69	3	Horizontal	300	2.43	-	39.59	9.45	30.53	

802.11ax HEW20_Nss1,(MCS0)_2TX

6475MHz_TnomVnom



EUT_V_2TX
Setting -8
01-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.3846G	46.96	83.54	-36.58	43.58	1	Vertical	116	1.03	-	37.81	15.25	49.68
AV	19.4514G	33.73	63.54	-29.81	30.28	1	Vertical	116	1.03	-	37.86	15.28	49.69