


6.425-6.525GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

6445MHz\_TX




EUT\_Y\_2TX  
Setting -2.5(S0 1)  
03-E-R-7

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.33563G | 53.79    | 83.54    | -29.75 | 49.58  | 1    | Vertical  | 186     | 2.08   | -       | 37.80 | 15.21 | 48.80 |  |  |  |
| AV   | 19.32453G | 39.93    | 63.54    | -23.61 | 35.72  | 1    | Vertical  | 186     | 2.08   | -       | 37.80 | 15.21 | 48.80 |  |  |  |

6.425-6.525GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

6445MHz\_TX




EUT\_Y\_2TX  
Setting -2.5(S0 1)  
03-E-R-7

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 19.33176G    | 53.75             | 83.54             | -29.79         | 49.54         | 1           | Horizontal | 168            | 1.21          | -       | 37.80      | 15.21      | 48.80      |  |  |  |
| AV   | 19.32624G    | 39.96             | 63.54             | -23.58         | 35.75         | 1           | Horizontal | 168            | 1.21          | -       | 37.80      | 15.21      | 48.80      |  |  |  |

6.425-6.525GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

6485MHz\_TX




EUT\_Y\_2TX  
Setting -2.5(S0 1)  
03-E-R-7

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.98305G | 57.12    | 88.20    | -31.08 | 51.15  | 3    | Vertical  | 302     | 1.68   | -       | 39.30 | 11.76 | 45.09 |  |  |  |
| RMS  | 12.9583G  | 43.10    | 68.20    | -25.10 | 37.16  | 3    | Vertical  | 302     | 1.68   | -       | 39.30 | 11.76 | 45.12 |  |  |  |

6.425-6.525GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

6485MHz\_TX




EUT\_Y\_2TX  
Setting -2.5(S0 1)  
03-E-R-7

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.97882G | 56.54    | 88.20    | -31.66 | 50.57  | 3    | Horizontal | 232     | 1.41   | -       | 39.30 | 11.76 | 45.09 |  |  |  |
| RMS  | 12.96121G | 42.84    | 68.20    | -25.36 | 36.89  | 3    | Horizontal | 232     | 1.41   | -       | 39.30 | 11.76 | 45.11 |  |  |  |

6.425-6.525GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

6485MHz\_TX




EUT\_Y\_2TX  
Setting -2.5(S0 1)  
03-E-R-7

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.45227G | 54.90    | 83.54    | -28.64 | 50.80  | 1    | Vertical  | 115     | 2.05   | -       | 37.70 | 15.20 | 48.80 |  |  |  |
| AV   | 19.46013G | 41.29    | 63.54    | -22.25 | 37.17  | 1    | Vertical  | 115     | 2.05   | -       | 37.72 | 15.20 | 48.80 |  |  |  |

6.425-6.525GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

6485MHz\_TX




EUT\_Y\_2TX  
Setting -2.5(S0 1)  
03-E-R-7

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.45212G | 55.70    | 83.54    | -27.84 | 51.60  | 1    | Horizontal | 89      | 3.00   | -       | 37.70 | 15.20 | 48.80 |  |  |  |
| AV   | 19.46544G | 41.19    | 63.54    | -22.35 | 37.06  | 1    | Horizontal | 89      | 3.00   | -       | 37.73 | 15.20 | 48.80 |  |  |  |

6.425-6.525GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

6525MHz Straddle 6.425-6.525GHz\_TX




EUT\_Y\_2TX  
Setting -2.5(S0 1)  
03-E-R-7

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.05195G    | 56.11             | 88.20             | -32.09         | 49.98         | 3           | Vertical  | 207            | 1.44          | -       | 39.41      | 11.75      | 45.03      |  |  |  |
| RMS  | 13.04118G    | 42.55             | 68.20             | -25.65         | 36.46         | 3           | Vertical  | 207            | 1.44          | -       | 39.38      | 11.75      | 45.04      |  |  |  |

6.425-6.525GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

6525MHz Straddle 6.425-6.525GHz\_TX




EUT\_Y\_2TX  
Setting -2.5(S0 1)  
03-E-R-7

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.04007G | 56.29    | 88.20    | -31.91 | 50.20  | 3    | Horizontal | 258     | 2.29   | -       | 39.38 | 11.75 | 45.04 |  |  |  |
| RMS  | 13.03608G | 42.49    | 68.20    | -25.71 | 36.41  | 3    | Horizontal | 258     | 2.29   | -       | 39.37 | 11.75 | 45.04 |  |  |  |

6.425-6.525GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

6525MHz Straddle 6.425-6.525GHz\_TX




EUT\_Y\_2TX  
Setting -2.5(S0 1)  
03-E-R-7

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.58037G | 55.28    | 74.00    | -18.72 | 51.18  | 1    | Vertical  | 228     | 2.57   | -       | 37.70 | 15.20 | 48.80 |  |  |  |
| AV   | 19.56834G | 41.80    | 54.00    | -12.20 | 37.70  | 1    | Vertical  | 228     | 2.57   | -       | 37.70 | 15.20 | 48.80 |  |  |  |

6.425-6.525GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

6525MHz Straddle 6.425-6.525GHz\_TX




EUT\_Y\_2TX  
Setting -2.5(S0 1)  
03-E-R-7

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.56597G | 55.16    | 83.54    | -28.38 | 51.06  | 1    | Horizontal | 269     | 2.50   | -       | 37.70 | 15.20 | 48.80 |  |  |  |
| AV   | 19.57533G | 41.70    | 63.54    | -21.84 | 37.60  | 1    | Horizontal | 269     | 2.50   | -       | 37.70 | 15.20 | 48.80 |  |  |  |

6.875-7.125GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

6925MHz\_TX




EUT\_Y\_2TX  
Setting -4(S0 1)  
03-E-R-7

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.84685G | 60.39    | 88.20    | -27.81 | 52.33  | 3    | Vertical  | 330     | 1.93   | -       | 40.79 | 11.69 | 44.42 |  |  |  |
| RMS  | 13.86404G | 46.61    | 68.20    | -21.59 | 38.50  | 3    | Vertical  | 330     | 1.93   | -       | 40.83 | 11.69 | 44.41 |  |  |  |

6.875-7.125GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

6925MHz\_TX




EUT\_Y\_2TX  
Setting -4(S0 1)  
03-E-R-7

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.86401G | 59.42    | 88.20    | -28.78 | 51.31  | 3    | Horizontal | 135     | 1.32   | -       | 40.83 | 11.69 | 44.41 |  |  |  |
| RMS  | 13.85276G | 46.06    | 68.20    | -22.14 | 37.97  | 3    | Horizontal | 135     | 1.32   | -       | 40.81 | 11.69 | 44.41 |  |  |  |

6.875-7.125GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

6925MHz\_TX




EUT\_Y\_2TX  
Setting -4(S0 1)  
03-E-R-7

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.7762G     | 55.54             | 83.54             | -28.00         | 50.54         | 1           | Vertical  | 58             | 2.78          | -       | 37.90      | 15.80      | 48.70      |  |  |  |
| AV   | 20.76219G    | 41.72             | 63.54             | -21.82         | 36.73         | 1           | Vertical  | 58             | 2.78          | -       | 37.90      | 15.79      | 48.70      |  |  |  |

6.875-7.125GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

6925MHz\_TX




EUT\_V\_2TX  
Setting -4(S0 1)  
03-E-R-7

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.77176G | 55.01    | 83.54    | -28.53 | 50.01  | 1    | Horizontal | 162     | 2.48   | -       | 37.90 | 15.80 | 48.70 |  |  |  |
| AV   | 20.7681G  | 41.72    | 63.54    | -21.82 | 36.72  | 1    | Horizontal | 162     | 2.48   | -       | 37.90 | 15.80 | 48.70 |  |  |  |

6.875-7.125GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

7005MHz\_TX




EUT\_Y\_2TX  
Setting -4.5(S0 1)  
03-E-R-7

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.99992G | 59.76    | 88.20    | -28.44 | 51.19  | 3    | Vertical  | 349     | 1.20   | -       | 41.20 | 11.68 | 44.31 |  |  |  |
| RMS  | 13.99857G | 46.41    | 68.20    | -21.79 | 37.85  | 3    | Vertical  | 349     | 1.20   | -       | 41.19 | 11.68 | 44.31 |  |  |  |

6.875-7.125GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

7005MHz\_TX




EUT Y\_2TX  
Setting -4.5(S0 1)  
03-E-R-7

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 14.02317G | 60.21    | 88.20    | -27.99 | 51.65  | 3    | Horizontal | 358     | 2.46   | -       | 41.20 | 11.70 | 44.34 |  |  |  |
| RMS  | 13.99917G | 46.42    | 68.20    | -21.78 | 37.85  | 3    | Horizontal | 358     | 2.46   | -       | 41.20 | 11.68 | 44.31 |  |  |  |

6.875-7.125GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX


7005MHz\_TX

EUT\_Y\_2TX  
Setting -4.5(S0 1)  
03-E-R-7

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 21.01299G | 53.91    | 83.54    | -29.63 | 48.61  | 1    | Vertical  | 128     | 2.41   | -       | 38.00 | 16.00 | 48.70 |  |  |  |
| AV   | 21.0294G  | 40.71    | 63.54    | -22.83 | 35.39  | 1    | Vertical  | 128     | 2.41   | -       | 38.00 | 16.01 | 48.69 |  |  |  |

6.875-7.125GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

7005MHz\_TX




EUT\_Y\_2TX  
Setting -4.5(S0 1)  
03-E-R-7

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 21.01986G    | 54.68             | 83.54             | -28.86         | 49.38         | 1           | Horizontal | 148            | 2.24          | -       | 38.00      | 16.00      | 48.70      |  |  |  |
| AV   | 21.02589G    | 40.73             | 63.54             | -22.81         | 35.41         | 1           | Horizontal | 148            | 2.24          | -       | 38.00      | 16.01      | 48.69      |  |  |  |

6.875-7.125GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

7085MHz\_TX




EUT\_Y\_2TX  
Setting -5(S0 1)  
03-E-R-7-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |  |
|------|---------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |  |
| PK   | 7.0714G | 90.02    | Inf      | -Inf   | 81.09  | 3    | Vertical  | 173     | 1.80   | -       | 35.64 | 8.43 | 35.14 |  |  |  |  |
| RMS  | 7.0712G | 80.78    | Inf      | -Inf   | 71.85  | 3    | Vertical  | 173     | 1.80   | -       | 35.64 | 8.43 | 35.14 |  |  |  |  |
| PK   | 7.1318G | 62.11    | 88.20    | -26.09 | 52.94  | 3    | Vertical  | 173     | 1.80   | -       | 35.83 | 8.48 | 35.14 |  |  |  |  |
| RMS  | 7.1724G | 51.08    | 68.20    | -17.12 | 41.67  | 3    | Vertical  | 173     | 1.80   | -       | 36.03 | 8.52 | 35.14 |  |  |  |  |

6.875-7.125GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

7085MHz\_TX




EUT\_Y\_2TX  
Setting -5(S0 1)  
03-E-R-7-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 7.0762G | 90.09    | Inf      | -Inf   | 81.15  | 3    | Horizontal | 173     | 1.80   | -       | 35.65 | 8.43 | 35.14 |  |  |  |
| RMS  | 7.0712G | 81.08    | Inf      | -Inf   | 72.15  | 3    | Horizontal | 173     | 1.80   | -       | 35.64 | 8.43 | 35.14 |  |  |  |
| PK   | 7.1498G | 62.45    | 88.20    | -25.75 | 53.19  | 3    | Horizontal | 173     | 1.80   | -       | 35.90 | 8.50 | 35.14 |  |  |  |
| RMS  | 7.1834G | 51.04    | 68.20    | -17.16 | 41.55  | 3    | Horizontal | 173     | 1.80   | -       | 36.10 | 8.53 | 35.14 |  |  |  |

6.875-7.125GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

7085MHz\_TX




EUT\_Y\_2TX  
Setting -5(S0 1)  
03-E-R-7

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 14.17429G | 59.02    | 88.20    | -29.18 | 50.15  | 3    | Vertical  | 132     | 2.39   | -       | 41.60 | 11.82 | 44.55 |  |  |  |
| RMS  | 14.15608G | 45.46    | 68.20    | -22.74 | 36.66  | 3    | Vertical  | 132     | 2.39   | -       | 41.52 | 11.80 | 44.52 |  |  |  |

6.875-7.125GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

7085MHz\_TX




EUT\_Y\_2TX  
Setting -5(S0 1)  
03-E-R-7

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 14.16976G    | 59.40             | 88.20             | -28.80         | 50.55         | 3           | Horizontal | 36             | 1.03          | -       | 41.58      | 11.81      | 44.54      |  |  |  |
| RMS  | 14.15908G    | 45.62             | 68.20             | -22.58         | 36.80         | 3           | Horizontal | 36             | 1.03          | -       | 41.54      | 11.81      | 44.53      |  |  |  |

6.875-7.125GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

7085MHz\_TX




EUT\_Y\_2TX  
Setting -5(S0 1)  
03-E-R-7

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 21.24351G | 55.28    | 83.54    | -28.26 | 49.74  | 1    | Vertical  | 47      | 2.45   | -       | 38.01 | 16.18 | 48.65 |  |  |  |
| AV   | 21.26571G | 41.73    | 63.54    | -21.81 | 36.15  | 1    | Vertical  | 47      | 2.45   | -       | 38.03 | 16.20 | 48.65 |  |  |  |

6.875-7.125GHz\_802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX


7085MHz\_TX

EUT\_Y\_2TX  
Setting -5(S0 1)  
03-E-R-7

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 21.26649G    | 55.32             | 83.54             | -28.22         | 49.74         | 1           | Horizontal | 141            | 2.71          | -       | 38.03      | 16.20      | 48.65      |  |  |  |
| AV   | 21.26826G    | 41.91             | 63.54             | -21.63         | 36.32         | 1           | Horizontal | 141            | 2.71          | -       | 38.04      | 16.20      | 48.65      |  |  |  |

6.425-6.525GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

6465MHz\_TX




EUT\_Y\_2TX  
Setting 1(S0 1)  
03-E-R-7

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.94005G | 61.29    | 88.20    | -26.91 | 55.39  | 3    | Vertical  | 296     | 2.76   | -       | 39.28 | 11.76 | 45.14 |  |  |  |
| RMS  | 12.93753G | 47.69    | 68.20    | -20.51 | 41.79  | 3    | Vertical  | 296     | 2.76   | -       | 39.28 | 11.76 | 45.14 |  |  |  |

6.425-6.525GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX


6465MHz\_TX

EUT\_Y\_2TX  
Setting 1(S0 1)  
03-E-R-7

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.93813G | 60.00    | 88.20    | -28.20 | 54.10  | 3    | Horizontal | 146     | 1.72   | -       | 39.28 | 11.76 | 45.14 |  |  |  |
| RMS  | 12.92223G | 47.48    | 68.20    | -20.72 | 41.64  | 3    | Horizontal | 146     | 1.72   | -       | 39.24 | 11.76 | 45.16 |  |  |  |

6.425-6.525GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

6465MHz\_TX




EUT\_Y\_2TX  
Setting 1(S0 1)  
03-E-R-7

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.39764G | 57.08    | 83.54    | -26.46 | 52.77  | 1    | Vertical  | 215     | 2.17   | -       | 37.90 | 15.21 | 48.80 |  |  |  |
| AV   | 19.40403G | 45.10    | 63.54    | -18.44 | 40.81  | 1    | Vertical  | 215     | 2.17   | -       | 37.88 | 15.21 | 48.80 |  |  |  |

6.425-6.525GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

6465MHz\_TX




EUT\_Y\_2TX  
Setting 1(S0 1)  
03-E-R-7

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.39608G | 57.44    | 83.54    | -26.10 | 53.14  | 1    | Horizontal | 273     | 2.41   | -       | 37.89 | 15.21 | 48.80 |  |  |  |
| AV   | 19.40454G | 45.14    | 63.54    | -18.40 | 40.85  | 1    | Horizontal | 273     | 2.41   | -       | 37.88 | 15.21 | 48.80 |  |  |  |

6.425-6.525GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

6545MHz Straddle 6.425-6.525GHz\_TX




EUT\_Y\_2TX  
Setting 0.5(S0 1)  
03-E-R-7

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.07671G | 67.56    | 88.20    | -20.64 | 49.95  | 3    | Vertical  | 82      | 1.29   | -       | 39.51 | 11.75 | 33.65 |  |  |  |
| RMS  | 13.09582G | 55.64    | 68.20    | -12.56 | 37.91  | 3    | Vertical  | 82      | 1.29   | -       | 39.58 | 11.75 | 33.60 |  |  |  |

6.425-6.525GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

6545MHz Straddle 6.425-6.525GHz\_TX




EUT\_Y\_2TX  
Setting 0.5(S0 1)  
03-E-R-7

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.09465G | 67.38    | 88.20    | -20.82 | 49.65  | 3    | Horizontal | 317     | 1.99   | -       | 39.58 | 11.75 | 33.60 |  |  |  |
| RMS  | 13.10224G | 55.14    | 68.20    | -13.06 | 37.37  | 3    | Horizontal | 317     | 1.99   | -       | 39.60 | 11.75 | 33.58 |  |  |  |

6.425-6.525GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

6545MHz Straddle 6.425-6.525GHz\_TX




EUT\_Y\_2TX  
Setting 0.5(S0 1)  
03-E-R-7

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.64016G | 54.50    | 83.54    | -29.04 | 50.41  | 1    | Vertical  | 80      | 2.82   | -       | 37.70 | 15.19 | 48.80 |  |  |  |
| AV   | 19.62369G | 42.36    | 63.54    | -21.18 | 38.27  | 1    | Vertical  | 80      | 2.82   | -       | 37.70 | 15.19 | 48.80 |  |  |  |

6.425-6.525GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

6545MHz Straddle 6.425-6.525GHz\_TX




EUT\_Y\_2TX  
Setting 0.5(S0 1)  
03-E-R-7

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.64823G | 54.66    | 83.54    | -28.88 | 50.57  | 1    | Horizontal | 147     | 1.08   | -       | 37.70 | 15.19 | 48.80 |  |  |  |
| AV   | 19.62333G | 42.52    | 63.54    | -21.02 | 38.43  | 1    | Horizontal | 147     | 1.08   | -       | 37.70 | 15.19 | 48.80 |  |  |  |

6.875-7.125GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

6945MHz\_TX




EUT\_Y\_2TX  
Setting -1.5(S0 0.5)  
03-E-R-7

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.89693G    | 60.05             | 88.20             | -28.15         | 51.85         | 3           | Vertical  | 177            | 2.40          | -       | 40.89      | 11.69      | 44.38      |  |  |  |
| RMS  | 13.90218G    | 47.67             | 68.20             | -20.53         | 39.46         | 3           | Vertical  | 177            | 2.40          | -       | 40.90      | 11.69      | 44.38      |  |  |  |

6.875-7.125GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

6945MHz\_TX




EUT\_Y\_2TX  
Setting -1.5(S0 0.5)  
03-E-R-7

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.90314G | 60.78    | 88.20    | -27.42 | 52.56  | 3    | Horizontal | 271     | 2.86   | -       | 40.91 | 11.69 | 44.38 |  |  |  |
| RMS  | 13.905G   | 47.49    | 68.20    | -20.71 | 39.27  | 3    | Horizontal | 271     | 2.86   | -       | 40.91 | 11.69 | 44.38 |  |  |  |

6.875-7.125GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

6945MHz\_TX




EUT\_Y\_2TX  
Setting -1.5(S0 0.5)  
03-E-R-7

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.83116G | 54.73    | 83.54    | -28.81 | 49.68  | 1    | Vertical  | 36      | 2.40   | -       | 37.90 | 15.85 | 48.70 |  |  |  |
| AV   | 20.82291G | 42.19    | 63.54    | -21.35 | 37.15  | 1    | Vertical  | 36      | 2.40   | -       | 37.90 | 15.84 | 48.70 |  |  |  |

6.875-7.125GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

6945MHz\_TX




EUT\_Y\_2TX  
Setting -1.5(S0 0.5)  
03-E-R-7

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.82657G | 54.60    | 83.54    | -28.94 | 49.56  | 1    | Horizontal | 261     | 1.32   | -       | 37.90 | 15.84 | 48.70 |  |  |  |
| AV   | 20.82609G | 42.23    | 63.54    | -21.31 | 37.19  | 1    | Horizontal | 261     | 1.32   | -       | 37.90 | 15.84 | 48.70 |  |  |  |

6.875-7.125GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

7025MHz\_TX




EUT\_Y\_2TX  
Setting -2(S0 0.5)  
03-E-R-7-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 7.0066G | 91.02    | Inf      | -Inf   | 82.17  | 3    | Vertical  | 169     | 1.86   | -       | 35.60 | 8.38 | 35.13 |  |  |  |
| RMS  | 7.0002G | 82.92    | Inf      | -Inf   | 74.08  | 3    | Vertical  | 169     | 1.86   | -       | 35.60 | 8.37 | 35.13 |  |  |  |
| PK   | 7.1322G | 61.60    | 88.20    | -26.60 | 52.43  | 3    | Vertical  | 169     | 1.86   | -       | 35.83 | 8.48 | 35.14 |  |  |  |
| RMS  | 7.2134G | 51.32    | 68.20    | -16.88 | 41.64  | 3    | Vertical  | 169     | 1.86   | -       | 36.28 | 8.55 | 35.15 |  |  |  |

6.875-7.125GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

7025MHz\_TX




EUT\_Y\_2TX  
Setting -2(S0 0.5)  
03-E-R-7-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 7.0066G | 89.39    | Inf      | -Inf   | 80.54  | 3    | Horizontal | 174     | 1.80   | -       | 35.60 | 8.38 | 35.13 |  |  |  |
| RMS  | 7.0002G | 80.96    | Inf      | -Inf   | 72.12  | 3    | Horizontal | 174     | 1.80   | -       | 35.60 | 8.37 | 35.13 |  |  |  |
| PK   | 7.2154G | 62.29    | 88.20    | -25.91 | 52.60  | 3    | Horizontal | 174     | 1.80   | -       | 36.29 | 8.55 | 35.15 |  |  |  |
| RMS  | 7.2234G | 51.30    | 68.20    | -16.90 | 41.55  | 3    | Horizontal | 174     | 1.80   | -       | 36.34 | 8.56 | 35.15 |  |  |  |

6.875-7.125GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

7025MHz\_TX




EUT\_Y\_2TX  
Setting -2(S0 0.5)  
03-E-R-7

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 14.065G   | 60.61    | 88.20    | -27.59 | 52.05  | 3    | Vertical  | 92      | 1.36   | -       | 41.23 | 11.73 | 44.40 |  |  |  |
| RMS  | 14.06389G | 47.22    | 68.20    | -20.98 | 38.66  | 3    | Vertical  | 92      | 1.36   | -       | 41.23 | 11.73 | 44.40 |  |  |  |

6.875-7.125GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX


7025MHz\_TX

EUT\_Y\_2TX  
Setting -2(S0 0.5)  
03-E-R-7

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 14.04166G | 60.05    | 88.20    | -28.15 | 51.51  | 3    | Horizontal | 290     | 1.91   | -       | 41.20 | 11.71 | 44.37 |  |  |  |
| RMS  | 14.04781G | 47.31    | 68.20    | -20.89 | 38.77  | 3    | Horizontal | 290     | 1.91   | -       | 41.20 | 11.72 | 44.38 |  |  |  |

6.875-7.125GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

7025MHz\_TX




EUT\_Y\_2TX  
Setting -2(S0 0.5)  
03-E-R-7

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 21.0645G  | 55.56    | 83.54    | -27.98 | 50.21  | 1    | Vertical  | 100     | 2.02   | -       | 38.00 | 16.04 | 48.69 |  |  |  |
| AV   | 21.07806G | 43.54    | 63.54    | -20.00 | 38.17  | 1    | Vertical  | 100     | 2.02   | -       | 38.00 | 16.05 | 48.68 |  |  |  |

6.875-7.125GHz\_802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

7025MHz\_TX




EUT\_Y\_2TX  
Setting -2(S0 0.5)  
03-E-R-7

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 21.07161G    | 56.07             | 83.54             | -27.47         | 50.72         | 1           | Horizontal | 152            | 1.54          | -       | 38.00      | 16.04      | 48.69      |  |  |  |
| AV   | 21.07872G    | 43.51             | 63.54             | -20.03         | 38.14         | 1           | Horizontal | 152            | 1.54          | -       | 38.00      | 16.05      | 48.68      |  |  |  |

6.425-6.525GHz\_802.11ax HEW160-BF\_Nss1,(MCS0)\_2TX

6505MHz Straddle 6.425-6.525GHz\_TX




EUT\_Y\_2TX  
Setting 1(S0 0.5)  
03-E-R-7

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.00505G    | 56.51             | 88.20             | -31.69         | 50.52         | 3           | Vertical  | 194            | 2.57          | -       | 39.31      | 11.75      | 45.07      |  |  |  |
| RMS  | 13.0214G     | 43.96             | 68.20             | -24.24         | 37.92         | 3           | Vertical  | 194            | 2.57          | -       | 39.34      | 11.75      | 45.05      |  |  |  |

6.425-6.525GHz\_802.11ax HEW160-BF\_Nss1,(MCS0)\_2TX


6505MHz Straddle 6.425-6.525GHz\_TX

EUT\_Y\_2TX  
Setting 1(S0 0.5)  
03-E-R-7

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.00619G | 56.57    | 88.20    | -31.63 | 50.57  | 3    | Horizontal | 170     | 2.37   | -       | 39.31 | 11.75 | 45.06 |  |  |  |
| RMS  | 13.01588G | 43.88    | 68.20    | -24.32 | 37.86  | 3    | Horizontal | 170     | 2.37   | -       | 39.33 | 11.75 | 45.06 |  |  |  |

6.425-6.525GHz\_802.11ax HEW160-BF\_Nss1,(MCS0)\_2TX

6505MHz Straddle 6.425-6.525GHz\_TX




EUT\_Y\_2TX  
Setting 1(S0 0.5)  
03-E-R-7

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.51986G | 55.52    | 83.54    | -28.02 | 51.36  | 1    | Vertical  | 239     | 1.43   | -       | 37.76 | 15.20 | 48.80 |  |  |  |
| AV   | 19.50714G | 43.06    | 63.54    | -20.48 | 38.87  | 1    | Vertical  | 239     | 1.43   | -       | 37.79 | 15.20 | 48.80 |  |  |  |

6.425-6.525GHz\_802.11ax HEW160-BF\_Nss1,(MCS0)\_2TX

6505MHz Straddle 6.425-6.525GHz\_TX




EUT\_Y\_2TX  
Setting 1(S0 0.5)  
03-E-R-7

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.50636G | 55.56    | 83.54    | -27.98 | 51.37  | 1    | Horizontal | 54      | 2.13   | -       | 37.79 | 15.20 | 48.80 |  |  |  |
| AV   | 19.50096G | 43.03    | 63.54    | -20.51 | 38.83  | 1    | Horizontal | 54      | 2.13   | -       | 37.80 | 15.20 | 48.80 |  |  |  |

6.875-7.125GHz\_802.11ax HEW160-BF\_Nss1,(MCS0)\_2TX

6985MHz\_TX




EUT\_Y\_2TX  
Setting -1.5(S0 0.5)  
03-E-R-7-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |  |
|------|---------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |  |
| PK   | 6.991G  | 88.86    | Inf      | -Inf   | 79.99  | 3    | Vertical  | 137     | 1.80   | -       | 35.60 | 8.40 | 35.13 |  |  |  |  |
| RMS  | 7.0005G | 79.68    | Inf      | -Inf   | 70.84  | 3    | Vertical  | 137     | 1.80   | -       | 35.60 | 8.37 | 35.13 |  |  |  |  |
| PK   | 7.1455G | 62.37    | 88.20    | -25.83 | 53.14  | 3    | Vertical  | 137     | 1.80   | -       | 35.88 | 8.49 | 35.14 |  |  |  |  |
| RMS  | 7.231G  | 51.48    | 68.20    | -16.72 | 41.68  | 3    | Vertical  | 137     | 1.80   | -       | 36.39 | 8.56 | 35.15 |  |  |  |  |

6.875-7.125GHz\_802.11ax HEW160-BF\_Nss1,(MCS0)\_2TX

6985MHz\_TX




EUT\_Y\_2TX  
Setting -1.5(S0 0.5)  
03-E-R-7-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 7.01G   | 87.47    | Inf      | -Inf   | 78.62  | 3    | Horizontal | 173     | 1.80   | -       | 35.60 | 8.38 | 35.13 |  |  |  |
| RMS  | 7.0005G | 78.81    | Inf      | -Inf   | 69.97  | 3    | Horizontal | 173     | 1.80   | -       | 35.60 | 8.37 | 35.13 |  |  |  |
| PK   | 7.205G  | 62.28    | 88.20    | -25.92 | 52.66  | 3    | Horizontal | 173     | 1.80   | -       | 36.23 | 8.54 | 35.15 |  |  |  |
| RMS  | 7.231G  | 51.45    | 68.20    | -16.75 | 41.65  | 3    | Horizontal | 173     | 1.80   | -       | 36.39 | 8.56 | 35.15 |  |  |  |

6.875-7.125GHz\_802.11ax HEW160-BF\_Nss1,(MCS0)\_2TX

6985MHz\_TX




EUT\_Y\_2TX  
Setting -1.5(S0 0.5)  
03-E-R-7

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.95518G    | 60.03             | 88.20             | -28.17         | 51.67         | 3           | Vertical  | 216            | 2.95          | -       | 41.02      | 11.68      | 44.34      |  |  |  |
| RMS  | 13.96115G    | 47.74             | 68.20             | -20.46         | 39.36         | 3           | Vertical  | 216            | 2.95          | -       | 41.04      | 11.68      | 44.34      |  |  |  |

6.875-7.125GHz\_802.11ax HEW160-BF\_Nss1,(MCS0)\_2TX

6985MHz\_TX




EUT\_Y\_2TX  
Setting -1.5(S0 0.5)  
03-E-R-7

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.9721G     | 59.86             | 88.20             | -28.34         | 51.42         | 3           | Horizontal | 202            | 2.32          | -       | 41.09      | 11.68      | 44.33      |  |  |  |
| RMS  | 13.96553G    | 47.65             | 68.20             | -20.55         | 39.24         | 3           | Horizontal | 202            | 2.32          | -       | 41.06      | 11.68      | 44.33      |  |  |  |

6.875-7.125GHz\_802.11ax HEW160-BF\_Nss1,(MCS0)\_2TX


6985MHz\_TX

EUT\_Y\_2TX  
Setting -1.5(S0 0.5)  
03-E-R-7

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.95029G    | 53.51             | 83.54             | -30.03         | 48.37         | 1           | Vertical  | 289            | 2.74          | -       | 37.90      | 15.94      | 48.70      |  |  |  |
| AV   | 20.96787G    | 41.53             | 63.54             | -22.01         | 36.33         | 1           | Vertical  | 289            | 2.74          | -       | 37.94      | 15.96      | 48.70      |  |  |  |

6.875-7.125GHz\_802.11ax HEW160-BF\_Nss1,(MCS0)\_2TX

6985MHz\_TX



EUT\_Y\_2TX  
Setting -1.5(S0 0.5)  
03-E-R-7

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.96676G    | 54.10             | 83.54             | -29.44         | 48.91         | 1           | Horizontal | 179            | 2.49          | -       | 37.93      | 15.96      | 48.70      |  |  |  |
| AV   | 20.96733G    | 41.62             | 63.54             | -21.92         | 36.43         | 1           | Horizontal | 179            | 2.49          | -       | 37.93      | 15.96      | 48.70      |  |  |  |




Test Mode: Mode 2

Summary

| Mode                                       | Result | Type | Freq    | Level    | Limit    | Margin | Dist | Condition | Azimuth | Height | Comments |
|--------------------------------------------|--------|------|---------|----------|----------|--------|------|-----------|---------|--------|----------|
|                                            |        |      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (m)  |           | (°)     | (m)    |          |
| 6.875-7.125GHz                             | -      | -    | -       | -        | -        | -      | -    | -         | -       | -      | -        |
| 802.11ax HEW20_Nss1,(MCS0),RU 26,#RU 8_2TX | Pass   | RMS  | 7.1255G | 56.37    | 68.20    | -11.83 | 3    | Vertical  | 149     | 2.58   | BP 1MHz  |

6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_1TX

6435MHz\_TX




EUT\_Y\_1TX  
Setting -8.5  
03-V-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.87072G | 44.23    | 88.20    | -43.97 | 38.48  | 3    | Vertical  | 350     | 2.58   | -       | 39.20 | 11.76 | 45.21 |  |  |  |
| RMS  | 12.87096G | 31.36    | 68.20    | -36.84 | 25.61  | 3    | Vertical  | 350     | 2.58   | -       | 39.20 | 11.76 | 45.21 |  |  |  |

6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_1TX


6435MHz\_TX

EUT\_Y\_1TX  
Setting -8.5  
03-V-Y-1

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 12.86839G    | 44.48             | 88.20             | -43.72         | 38.74         | 3           | Horizontal | 162            | 1.06          | -       | 39.20      | 11.76      | 45.22      |  |  |  |
| RMS  | 12.8691G     | 31.46             | 68.20             | -36.74         | 25.72         | 3           | Horizontal | 162            | 1.06          | -       | 39.20      | 11.76      | 45.22      |  |  |  |

6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_1TX

6435MHz\_TX




EUT\_Y\_1TX  
Setting -8.5  
03-V-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.30435G | 54.04    | 83.54    | -29.50 | 49.83  | 1    | Vertical  | 148     | 1.53   | -       | 37.80 | 15.21 | 48.80 |  |  |  |
| AV   | 19.30566G | 39.49    | 63.54    | -24.05 | 35.28  | 1    | Vertical  | 148     | 1.53   | -       | 37.80 | 15.21 | 48.80 |  |  |  |

6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_1TX

6435MHz\_TX




EUT\_Y\_1TX  
Setting -8.5  
03-V-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.30504G | 53.96    | 83.54    | -29.58 | 49.75  | 1    | Horizontal | 100     | 1.54   | -       | 37.80 | 15.21 | 48.80 |  |  |  |
| AV   | 19.3059G  | 39.46    | 63.54    | -24.08 | 35.25  | 1    | Horizontal | 100     | 1.54   | -       | 37.80 | 15.21 | 48.80 |  |  |  |

6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 37\_1TX

6435MHz\_TX




EUT\_Y\_1TX  
Setting -4.5  
03-V-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.87036G | 44.84    | 88.20    | -43.36 | 39.10  | 3    | Vertical  | 0       | 1.49   | -       | 39.20 | 11.76 | 45.22 |  |  |  |
| RMS  | 12.86939G | 34.25    | 68.20    | -33.95 | 28.51  | 3    | Vertical  | 0       | 1.49   | -       | 39.20 | 11.76 | 45.22 |  |  |  |

6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 37\_1TX

6435MHz\_TX




EUT\_Y\_1TX  
Setting -4.5  
03-V-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.87064G | 44.49    | 88.20    | -43.71 | 38.74  | 3    | Horizontal | 259     | 1.42   | -       | 39.20 | 11.76 | 45.21 |  |  |  |
| RMS  | 12.87036G | 34.79    | 68.20    | -33.41 | 29.05  | 3    | Horizontal | 259     | 1.42   | -       | 39.20 | 11.76 | 45.22 |  |  |  |

6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 37\_1TX

6435MHz\_TX




EUT\_Y\_1TX  
Setting -4.5  
03-V-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.3046G  | 53.42    | 83.54    | -30.12 | 49.21  | 1    | Vertical  | 307     | 1.52   | -       | 37.80 | 15.21 | 48.80 |  |  |  |
| AV   | 19.30461G | 39.91    | 63.54    | -23.63 | 35.70  | 1    | Vertical  | 307     | 1.52   | -       | 37.80 | 15.21 | 48.80 |  |  |  |

6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 37\_1TX

6435MHz\_TX




EUT\_Y\_1TX  
Setting -4.5  
03-V-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.30533G | 54.02    | 83.54    | -29.52 | 49.81  | 1    | Horizontal | 130     | 1.50   | -       | 37.80 | 15.21 | 48.80 |  |  |  |
| AV   | 19.30437G | 39.59    | 63.54    | -23.95 | 35.38  | 1    | Horizontal | 130     | 1.50   | -       | 37.80 | 15.21 | 48.80 |  |  |  |

6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 53\_1TX


6435MHz\_TX

EUT\_Y\_1TX  
Setting -1.5  
03-V-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.87069G | 44.77    | 88.20    | -43.43 | 39.02  | 3    | Vertical  | 222     | 1.67   | -       | 39.20 | 11.76 | 45.21 |  |  |  |
| RMS  | 12.86924G | 34.54    | 68.20    | -33.66 | 28.80  | 3    | Vertical  | 222     | 1.67   | -       | 39.20 | 11.76 | 45.22 |  |  |  |

6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 53\_1TX


6435MHz\_TX

EUT\_Y\_1TX  
Setting -1.5  
03-V-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.86848G | 44.43    | 88.20    | -43.77 | 38.69  | 3    | Horizontal | 205     | 1.28   | -       | 39.20 | 11.76 | 45.22 |  |  |  |
| RMS  | 12.86919G | 34.31    | 68.20    | -33.89 | 28.57  | 3    | Horizontal | 205     | 1.28   | -       | 39.20 | 11.76 | 45.22 |  |  |  |

6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 53\_1TX


6435MHz\_TX

EUT\_Y\_1TX  
Setting -1.5  
03-V-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.30421G | 53.66    | 83.54    | -29.88 | 49.45  | 1    | Vertical  | 254     | 1.53   | -       | 37.80 | 15.21 | 48.80 |  |  |  |
| AV   | 19.30507G | 40.16    | 63.54    | -23.38 | 35.95  | 1    | Vertical  | 254     | 1.53   | -       | 37.80 | 15.21 | 48.80 |  |  |  |

6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 53\_1TX


6435MHz\_TX

EUT\_Y\_1TX  
Setting -1.5  
03-V-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.30429G | 53.39    | 83.54    | -30.15 | 49.18  | 1    | Horizontal | 322     | 1.51   | -       | 37.80 | 15.21 | 48.80 |  |  |  |
| AV   | 19.3057G  | 39.98    | 63.54    | -23.56 | 35.77  | 1    | Horizontal | 322     | 1.51   | -       | 37.80 | 15.21 | 48.80 |  |  |  |

6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_1TX

6475MHz\_TX




EUT\_V\_1TX  
Setting -8.5  
03-V-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.94934G | 44.34    | 88.20    | -43.86 | 38.41  | 3    | Vertical  | 353     | 2.35   | -       | 39.30 | 11.76 | 45.13 |  |  |  |
| RMS  | 12.94906G | 31.56    | 68.20    | -36.64 | 25.63  | 3    | Vertical  | 353     | 2.35   | -       | 39.30 | 11.76 | 45.13 |  |  |  |

6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_1TX

6475MHz\_TX




EUT\_V\_1TX  
Setting -8.5  
03-V-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.94889G | 44.19    | 88.20    | -44.01 | 38.26  | 3    | Horizontal | 33      | 2.18   | -       | 39.30 | 11.76 | 45.13 |  |  |  |
| RMS  | 12.95193G | 31.60    | 68.20    | -36.60 | 25.66  | 3    | Horizontal | 33      | 2.18   | -       | 39.30 | 11.76 | 45.12 |  |  |  |

6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_1TX


6475MHz\_TX

EUT\_Y\_1TX  
Setting -8.5  
03-V-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.42411G | 53.41    | 83.54    | -30.13 | 49.21  | 1    | Vertical  | 275     | 1.55   | -       | 37.80 | 15.20 | 48.80 |  |  |  |
| AV   | 19.42582G | 38.91    | 63.54    | -24.63 | 34.71  | 1    | Vertical  | 275     | 1.55   | -       | 37.80 | 15.20 | 48.80 |  |  |  |

6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_1TX


6475MHz\_TX

EUT\_V\_1TX  
Setting -8.5  
03-V-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.42563G | 53.50    | 83.54    | -30.04 | 49.30  | 1    | Horizontal | 231     | 1.54   | -       | 37.80 | 15.20 | 48.80 |  |  |  |
| AV   | 19.4259G  | 38.88    | 63.54    | -24.66 | 34.68  | 1    | Horizontal | 231     | 1.54   | -       | 37.80 | 15.20 | 48.80 |  |  |  |

6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 37\_1TX


6475MHz\_TX

EUT\_Y\_1TX  
Setting -5  
03-V-Y-1

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 12.95097G    | 44.28             | 88.20             | -43.92         | 38.34         | 3           | Vertical  | 165            | 2.30          | -       | 39.30      | 11.76      | 45.12      |  |  |  |
| RMS  | 12.95089G    | 34.11             | 68.20             | -34.09         | 28.17         | 3           | Vertical  | 165            | 2.30          | -       | 39.30      | 11.76      | 45.12      |  |  |  |

6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 37\_1TX

6475MHz\_TX




EUT\_V\_1TX  
Setting -5  
03-V-Y-1

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 12.94827G    | 44.29             | 88.20             | -43.91         | 38.36         | 3           | Horizontal | 73             | 1.10          | -       | 39.30      | 11.76      | 45.13      |  |  |  |
| RMS  | 12.95174G    | 34.20             | 68.20             | -34.00         | 28.26         | 3           | Horizontal | 73             | 1.10          | -       | 39.30      | 11.76      | 45.12      |  |  |  |

6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 37\_1TX


6475MHz\_TX

EUT\_Y\_1TX  
Setting -5  
03-V-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.42521G | 53.38    | 83.54    | -30.16 | 49.18  | 1    | Vertical  | 45      | 1.51   | -       | 37.80 | 15.20 | 48.80 |  |  |  |
| AV   | 19.42549G | 38.87    | 63.54    | -24.67 | 34.67  | 1    | Vertical  | 45      | 1.51   | -       | 37.80 | 15.20 | 48.80 |  |  |  |

6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 37\_1TX


6475MHz\_TX

EUT\_Y\_1TX  
Setting -5  
03-V-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.4253G  | 53.45    | 83.54    | -30.09 | 49.25  | 1    | Horizontal | 197     | 1.51   | -       | 37.80 | 15.20 | 48.80 |  |  |  |
| AV   | 19.42545G | 38.89    | 63.54    | -24.65 | 34.69  | 1    | Horizontal | 197     | 1.51   | -       | 37.80 | 15.20 | 48.80 |  |  |  |

6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 53\_1TX


6475MHz\_TX

EUT\_V\_1TX  
Setting -2  
03-V-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.95048G | 44.62    | 88.20    | -43.58 | 38.69  | 3    | Vertical  | 322     | 2.70   | -       | 39.30 | 11.76 | 45.13 |  |  |  |
| RMS  | 12.9506G  | 35.01    | 68.20    | -33.19 | 29.08  | 3    | Vertical  | 322     | 2.70   | -       | 39.30 | 11.76 | 45.13 |  |  |  |

6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 53\_1TX

6475MHz\_TX




EUT\_Y\_1TX  
Setting -2  
03-V-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.95245G | 44.52    | 88.20    | -43.68 | 38.58  | 3    | Horizontal | 166     | 2.09   | -       | 39.30 | 11.76 | 45.12 |  |  |  |
| RMS  | 12.94948G | 34.65    | 68.20    | -33.55 | 28.72  | 3    | Horizontal | 166     | 2.09   | -       | 39.30 | 11.76 | 45.13 |  |  |  |

6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 53\_1TX


6475MHz\_TX

EUT\_Y\_1TX  
Setting -2  
03-V-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.4246G  | 54.09    | 83.54    | -29.45 | 49.89  | 1    | Vertical  | 299     | 1.51   | -       | 37.80 | 15.20 | 48.80 |  |  |  |
| AV   | 19.42452G | 39.29    | 63.54    | -24.25 | 35.09  | 1    | Vertical  | 299     | 1.51   | -       | 37.80 | 15.20 | 48.80 |  |  |  |

6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 53\_1TX

6475MHz\_TX




EUT\_Y\_1TX  
Setting -2  
03-V-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.42577G | 53.60    | 83.54    | -29.94 | 49.40  | 1    | Horizontal | 351     | 1.51   | -       | 37.80 | 15.20 | 48.80 |  |  |  |
| AV   | 19.42556G | 38.34    | 63.54    | -25.20 | 34.14  | 1    | Horizontal | 351     | 1.51   | -       | 37.80 | 15.20 | 48.80 |  |  |  |

6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_1TX


6515MHz\_TX

EUT\_V\_1TX  
Setting -8.5  
03-V-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.0304G  | 43.60    | 88.20    | -44.60 | 37.54  | 3    | Vertical  | 199     | 2.22   | -       | 39.36 | 11.75 | 45.05 |  |  |  |
| RMS  | 13.02903G | 31.22    | 68.20    | -36.98 | 25.16  | 3    | Vertical  | 199     | 2.22   | -       | 39.36 | 11.75 | 45.05 |  |  |  |

6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_1TX


6515MHz\_TX

EUT\_Y\_1TX  
Setting -8.5  
03-V-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.02824G | 43.98    | 88.20    | -44.22 | 37.92  | 3    | Horizontal | 259     | 2.36   | -       | 39.36 | 11.75 | 45.05 |  |  |  |
| RMS  | 13.03062G | 31.33    | 68.20    | -36.87 | 25.26  | 3    | Horizontal | 259     | 2.36   | -       | 39.36 | 11.75 | 45.04 |  |  |  |

6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_1TX

6515MHz\_TX




EUT\_V\_1TX  
Setting -8.5  
03-V-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.54587G | 52.92    | 83.54    | -30.62 | 48.81  | 1    | Vertical  | 94      | 1.54   | -       | 37.71 | 15.20 | 48.80 |  |  |  |
| AV   | 19.54588G | 41.20    | 63.54    | -22.34 | 37.09  | 1    | Vertical  | 94      | 1.54   | -       | 37.71 | 15.20 | 48.80 |  |  |  |

6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_1TX


6515MHz\_TX

EUT\_V\_1TX  
Setting -8.5  
03-V-Y-1

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 19.54426G    | 52.42             | 83.54             | -31.12         | 48.31         | 1           | Horizontal | 263            | 1.50          | -       | 37.71      | 15.20      | 48.80      |  |  |  |
| AV   | 19.54469G    | 41.21             | 63.54             | -22.33         | 37.10         | 1           | Horizontal | 263            | 1.50          | -       | 37.71      | 15.20      | 48.80      |  |  |  |

6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_1TX


6515MHz\_TX

EUT\_Y\_1TX  
Setting -4.5  
03-V-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.02954G | 43.50    | 88.20    | -44.70 | 37.44  | 3    | Vertical  | 35      | 2.19   | -       | 39.36 | 11.75 | 45.05 |  |  |  |
| RMS  | 13.03021G | 33.60    | 68.20    | -34.60 | 27.54  | 3    | Vertical  | 35      | 2.19   | -       | 39.36 | 11.75 | 45.05 |  |  |  |

6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_1TX

6515MHz\_TX




EUT\_Y\_1TX  
Setting -4.5  
03-V-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.02997G | 43.82    | 88.20    | -44.38 | 37.76  | 3    | Horizontal | 46      | 1.46   | -       | 39.36 | 11.75 | 45.05 |  |  |  |
| RMS  | 13.02947G | 34.01    | 68.20    | -34.19 | 27.95  | 3    | Horizontal | 46      | 1.46   | -       | 39.36 | 11.75 | 45.05 |  |  |  |

6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_1TX

6515MHz\_TX




EUT\_Y\_1TX  
Setting -4.5  
03-V-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.54589G | 52.87    | 83.54    | -30.67 | 48.76  | 1    | Vertical  | 316     | 1.52   | -       | 37.71 | 15.20 | 48.80 |  |  |  |
| AV   | 19.54601G | 41.60    | 63.54    | -21.94 | 37.49  | 1    | Vertical  | 316     | 1.52   | -       | 37.71 | 15.20 | 48.80 |  |  |  |

6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_1TX


6515MHz\_TX

EUT\_Y\_1TX  
Setting -4.5  
03-V-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.5441G  | 52.95    | 83.54    | -30.59 | 48.84  | 1    | Horizontal | 244     | 1.50   | -       | 37.71 | 15.20 | 48.80 |  |  |  |
| AV   | 19.54416G | 41.77    | 63.54    | -21.77 | 37.66  | 1    | Horizontal | 244     | 1.50   | -       | 37.71 | 15.20 | 48.80 |  |  |  |

6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_1TX

6515MHz\_TX




EUT\_V\_1TX  
Setting -2  
03-V-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.0296G  | 44.48    | 88.20    | -43.72 | 38.42  | 3    | Vertical  | 310     | 2.91   | -       | 39.36 | 11.75 | 45.05 |  |  |  |
| RMS  | 13.02989G | 32.64    | 68.20    | -35.56 | 26.58  | 3    | Vertical  | 310     | 2.91   | -       | 39.36 | 11.75 | 45.05 |  |  |  |

6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_1TX


6515MHz\_TX

EUT\_V\_1TX  
Setting -2  
03-V-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.03131G | 44.04    | 88.20    | -44.16 | 37.97  | 3    | Horizontal | 193     | 2.88   | -       | 39.36 | 11.75 | 45.04 |  |  |  |
| RMS  | 13.02888G | 32.82    | 68.20    | -35.38 | 26.76  | 3    | Horizontal | 193     | 2.88   | -       | 39.36 | 11.75 | 45.05 |  |  |  |

6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_1TX


6515MHz\_TX

EUT\_V\_1TX  
Setting -2  
03-V-Y-1

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 19.54477G    | 52.45             | 83.54             | -31.09         | 48.34         | 1           | Vertical  | 97             | 1.54          | -       | 37.71      | 15.20      | 48.80      |  |  |  |
| AV   | 19.54508G    | 41.21             | 63.54             | -22.33         | 37.10         | 1           | Vertical  | 97             | 1.54          | -       | 37.71      | 15.20      | 48.80      |  |  |  |

6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_1TX

6515MHz\_TX




EUT\_Y\_1TX  
Setting -2  
03-V-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.5442G  | 52.68    | 83.54    | -30.86 | 48.57  | 1    | Horizontal | 258     | 1.52   | -       | 37.71 | 15.20 | 48.80 |  |  |  |
| AV   | 19.54444G | 41.57    | 63.54    | -21.97 | 37.46  | 1    | Horizontal | 258     | 1.52   | -       | 37.71 | 15.20 | 48.80 |  |  |  |

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_1TX


6895MHz\_TX

EUT\_V\_1TX  
Setting -10 (S0 -0.5)  
03-V-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.78994G | 46.61    | 88.20    | -41.59 | 38.69  | 3    | Vertical  | 331     | 1.85   | -       | 40.68 | 11.70 | 44.46 |  |  |  |
| RMS  | 13.79011G | 33.11    | 68.20    | -35.09 | 25.19  | 3    | Vertical  | 331     | 1.85   | -       | 40.68 | 11.70 | 44.46 |  |  |  |

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_1TX

6895MHz\_TX




EUT\_Y\_1TX  
Setting -10 (S0 -0.5)  
03-V-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.7886G  | 45.98    | 88.20    | -42.22 | 38.06  | 3    | Horizontal | 127     | 1.55   | -       | 40.68 | 11.70 | 44.46 |  |  |  |
| RMS  | 13.79158G | 33.12    | 68.20    | -35.08 | 25.20  | 3    | Horizontal | 127     | 1.55   | -       | 40.68 | 11.70 | 44.46 |  |  |  |

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_1TX

6895MHz\_TX




EUT\_Y\_1TX  
Setting -10 (S0 -0.5)  
03-V-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.68423G | 55.32    | 83.54    | -28.22 | 50.39  | 1    | Vertical  | 291     | 1.55   | -       | 37.90 | 15.73 | 48.70 |  |  |  |
| AV   | 20.68593G | 41.81    | 63.54    | -21.73 | 36.88  | 1    | Vertical  | 291     | 1.55   | -       | 37.90 | 15.73 | 48.70 |  |  |  |

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_1TX

6895MHz\_TX




EUT\_V\_1TX  
Setting -10 (S0 -0.5)  
03-V-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.68554G | 55.44    | 83.54    | -28.10 | 50.51  | 1    | Horizontal | 327     | 1.51   | -       | 37.90 | 15.73 | 48.70 |  |  |  |
| AV   | 20.68599G | 41.79    | 63.54    | -21.75 | 36.86  | 1    | Horizontal | 327     | 1.51   | -       | 37.90 | 15.73 | 48.70 |  |  |  |

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 37\_1TX

6895MHz\_TX




EUT\_Y\_1TX  
Setting -6.5  
03-V-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.78997G | 46.06    | 88.20    | -42.14 | 38.14  | 3    | Vertical  | 96      | 1.52   | -       | 40.68 | 11.70 | 44.46 |  |  |  |
| RMS  | 13.78942G | 35.71    | 68.20    | -32.49 | 27.79  | 3    | Vertical  | 96      | 1.52   | -       | 40.68 | 11.70 | 44.46 |  |  |  |

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 37\_1TX

6895MHz\_TX




EUT\_V\_1TX  
Setting -6.5  
03-V-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.79188G | 46.12    | 88.20    | -42.08 | 38.20  | 3    | Horizontal | 140     | 1.97   | -       | 40.68 | 11.70 | 44.46 |  |  |  |
| RMS  | 13.78983G | 35.78    | 68.20    | -32.42 | 27.86  | 3    | Horizontal | 140     | 1.97   | -       | 40.68 | 11.70 | 44.46 |  |  |  |

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 37\_1TX


6895MHz\_TX

EUT\_Y\_1TX  
Setting -6.5  
03-V-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.68596G | 55.08    | 83.54    | -28.46 | 50.15  | 1    | Vertical  | 158     | 1.53   | -       | 37.90 | 15.73 | 48.70 |  |  |  |
| AV   | 20.68484G | 41.87    | 63.54    | -21.67 | 36.94  | 1    | Vertical  | 158     | 1.53   | -       | 37.90 | 15.73 | 48.70 |  |  |  |

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 37\_1TX


6895MHz\_TX

EUT\_V\_1TX  
Setting -6.5  
03-V-Y-1

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.685G      | 55.17             | 83.54             | -28.37         | 50.24         | 1           | Horizontal | 130            | 1.52          | -       | 37.90      | 15.73      | 48.70      |  |  |  |
| AV   | 20.68539G    | 41.91             | 63.54             | -21.63         | 36.98         | 1           | Horizontal | 130            | 1.52          | -       | 37.90      | 15.73      | 48.70      |  |  |  |

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 53\_1TX

6895MHz\_TX




EUT\_V\_1TX  
Setting -3  
03-V-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.79047G | 46.17    | 88.20    | -42.03 | 38.25  | 3    | Vertical  | 181     | 2.73   | -       | 40.68 | 11.70 | 44.46 |  |  |  |
| RMS  | 13.79072G | 35.73    | 68.20    | -32.47 | 27.81  | 3    | Vertical  | 181     | 2.73   | -       | 40.68 | 11.70 | 44.46 |  |  |  |

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 53\_1TX

6895MHz\_TX




EUT\_Y\_1TX  
Setting -3  
03-V-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.78851G | 45.91    | 88.20    | -42.29 | 37.99  | 3    | Horizontal | 274     | 2.13   | -       | 40.68 | 11.70 | 44.46 |  |  |  |
| RMS  | 13.78814G | 36.12    | 68.20    | -32.08 | 28.20  | 3    | Horizontal | 274     | 2.13   | -       | 40.68 | 11.70 | 44.46 |  |  |  |

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 53\_1TX


6895MHz\_TX

EUT\_V\_1TX  
Setting -3  
03-V-Y-1

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.68497G    | 55.30             | 83.54             | -28.24         | 50.37         | 1           | Vertical  | 160            | 1.53          | -       | 37.90      | 15.73      | 48.70      |  |  |  |
| AV   | 20.68447G    | 41.25             | 63.54             | -22.29         | 36.32         | 1           | Vertical  | 160            | 1.53          | -       | 37.90      | 15.73      | 48.70      |  |  |  |

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 53\_1TX

6895MHz\_TX




EUT\_V\_1TX  
Setting -3  
03-V-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.68471G | 55.11    | 83.54    | -28.43 | 50.18  | 1    | Horizontal | 131     | 1.52   | -       | 37.90 | 15.73 | 48.70 |  |  |  |
| AV   | 20.68436G | 42.08    | 63.54    | -21.46 | 37.15  | 1    | Horizontal | 131     | 1.52   | -       | 37.90 | 15.73 | 48.70 |  |  |  |

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_1TX

7095MHz\_TX




EUT\_Y\_1TX  
Setting -10 (S0 -0.5)  
03-V-R-7-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 7.1028G | 100.42   | Inf      | -Inf   | 91.39  | 3    | Vertical  | 157     | 2.06   | -       | 35.71 | 8.46 | 35.14 |  |  |  |
| RMS  | 7.1032G | 87.89    | Inf      | -Inf   | 78.86  | 3    | Vertical  | 157     | 2.06   | -       | 35.71 | 8.46 | 35.14 |  |  |  |
| PK   | 7.1566G | 64.38    | 88.20    | -23.82 | 55.08  | 3    | Vertical  | 157     | 2.06   | -       | 35.94 | 8.50 | 35.14 |  |  |  |
| RMS  | 7.1844G | 52.63    | 68.20    | -15.57 | 43.13  | 3    | Vertical  | 157     | 2.06   | -       | 36.11 | 8.53 | 35.14 |  |  |  |

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_1TX

7095MHz\_TX




EUT\_Y\_1TX  
Setting -10 (S0 -0.5)  
03-V-R-7-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 7.103G       | 96.85             | Inf               | -Inf           | 87.82         | 3           | Horizontal | 341            | 1.80          | -       | 35.71      | 8.46       | 35.14      |  |  |  |
| RMS  | 7.1032G      | 86.81             | Inf               | -Inf           | 77.78         | 3           | Horizontal | 341            | 1.80          | -       | 35.71      | 8.46       | 35.14      |  |  |  |
| PK   | 7.1878G      | 64.08             | 88.20             | -24.12         | 54.57         | 3           | Horizontal | 341            | 1.80          | -       | 36.13      | 8.53       | 35.15      |  |  |  |
| RMS  | 7.1946G      | 52.54             | 68.20             | -15.66         | 42.98         | 3           | Horizontal | 341            | 1.80          | -       | 36.17      | 8.54       | 35.15      |  |  |  |

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_1TX

7095MHz\_TX




EUT\_Y\_1TX  
Setting -10 (S0 -0.5)  
03-V-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 14.19034G | 47.33    | 88.20    | -40.87 | 38.41  | 3    | Vertical  | 333     | 2.01   | -       | 41.66 | 11.83 | 44.57 |  |  |  |
| RMS  | 14.18988G | 34.33    | 68.20    | -33.87 | 25.41  | 3    | Vertical  | 333     | 2.01   | -       | 41.66 | 11.83 | 44.57 |  |  |  |

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_1TX

7095MHz\_TX




EUT\_V\_1TX  
Setting -10 (S0 -0.5)  
03-V-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 14.19222G | 47.25    | 88.20    | -40.95 | 38.32  | 3    | Horizontal | 98      | 2.73   | -       | 41.67 | 11.83 | 44.57 |  |  |  |
| RMS  | 14.18789G | 34.35    | 68.20    | -33.85 | 25.44  | 3    | Horizontal | 98      | 2.73   | -       | 41.65 | 11.83 | 44.57 |  |  |  |

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_1TX

7095MHz\_TX




EUT\_V\_1TX  
Setting -10 (S0 -0.5)  
03-V-Y-1

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 21.28592G    | 56.49             | 83.54             | -27.05         | 50.84         | 1           | Vertical  | 248            | 1.52          | -       | 38.07      | 16.22      | 48.64      |  |  |  |
| AV   | 21.28586G    | 41.80             | 63.54             | -21.74         | 36.15         | 1           | Vertical  | 248            | 1.52          | -       | 38.07      | 16.22      | 48.64      |  |  |  |

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_1TX

7095MHz\_TX




EUT\_V\_1TX  
Setting -10 (S0 -0.5)  
03-V-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 21.28594G | 56.21    | 83.54    | -27.33 | 50.56  | 1    | Horizontal | 19      | 1.55   | -       | 38.07 | 16.22 | 48.64 |  |  |  |
| AV   | 21.28591G | 41.83    | 63.54    | -21.71 | 36.18  | 1    | Horizontal | 19      | 1.55   | -       | 38.07 | 16.22 | 48.64 |  |  |  |

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_1TX


7095MHz\_TX

EUT\_Y\_1TX  
Setting -6.5  
03-V-R-7-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 7.1028G | 94.38    | Inf      | -Inf   | 85.35  | 3    | Vertical  | 156     | 1.80   | -       | 35.71 | 8.46 | 35.14 |  |  |  |
| RMS  | 7.1014G | 85.97    | Inf      | -Inf   | 76.94  | 3    | Vertical  | 156     | 1.80   | -       | 35.71 | 8.46 | 35.14 |  |  |  |
| PK   | 7.1794G | 64.76    | 88.20    | -23.44 | 55.30  | 3    | Vertical  | 156     | 1.80   | -       | 36.08 | 8.52 | 35.14 |  |  |  |
| RMS  | 7.1926G | 52.56    | 68.20    | -15.64 | 43.02  | 3    | Vertical  | 156     | 1.80   | -       | 36.16 | 8.53 | 35.15 |  |  |  |

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_1TX

7095MHz\_TX




EUT\_Y\_1TX  
Setting -6.5  
03-V-R-7-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 7.1028G      | 95.25             | Inf               | -Inf           | 86.22         | 3           | Horizontal | 338            | 2.37          | -       | 35.71      | 8.46       | 35.14      |  |  |  |
| RMS  | 7.1014G      | 87.25             | Inf               | -Inf           | 78.22         | 3           | Horizontal | 338            | 2.37          | -       | 35.71      | 8.46       | 35.14      |  |  |  |
| PK   | 7.189G       | 64.61             | 88.20             | -23.59         | 55.10         | 3           | Horizontal | 338            | 2.37          | -       | 36.13      | 8.53       | 35.15      |  |  |  |
| RMS  | 7.1936G      | 52.61             | 68.20             | -15.59         | 43.07         | 3           | Horizontal | 338            | 2.37          | -       | 36.16      | 8.53       | 35.15      |  |  |  |

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_1TX


7095MHz\_TX

EUT\_Y\_1TX  
Setting -6.5  
03-V-Y-1

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 14.19063G    | 47.51             | 88.20             | -40.69         | 38.59         | 3           | Vertical  | 243            | 2.19          | -       | 41.66      | 11.83      | 44.57      |  |  |  |
| RMS  | 14.18946G    | 38.08             | 68.20             | -30.12         | 29.16         | 3           | Vertical  | 243            | 2.19          | -       | 41.66      | 11.83      | 44.57      |  |  |  |

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_1TX


7095MHz\_TX

EUT\_Y\_1TX  
Setting -6.5  
03-V-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 14.18888G | 46.67    | 88.20    | -41.53 | 37.75  | 3    | Horizontal | 338     | 2.03   | -       | 41.66 | 11.83 | 44.57 |  |  |  |
| RMS  | 14.19107G | 36.92    | 68.20    | -31.28 | 28.00  | 3    | Horizontal | 338     | 2.03   | -       | 41.66 | 11.83 | 44.57 |  |  |  |

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_1TX

7095MHz\_TX




EUT\_V\_1TX  
Setting -6.5  
03-V-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 21.28513G | 56.30    | 83.54    | -27.24 | 50.65  | 1    | Vertical  | 297     | 1.54   | -       | 38.07 | 16.22 | 48.64 |  |  |  |
| AV   | 21.28428G | 43.09    | 63.54    | -20.45 | 37.44  | 1    | Vertical  | 297     | 1.54   | -       | 38.07 | 16.22 | 48.64 |  |  |  |

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_1TX

7095MHz\_TX




EUT\_V\_1TX  
Setting -6.5  
03-V-Y-1

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 21.28459G    | 56.49             | 83.54             | -27.05         | 50.84         | 1           | Horizontal | 228            | 1.51          | -       | 38.07      | 16.22      | 48.64      |  |  |  |
| AV   | 21.28427G    | 43.31             | 63.54             | -20.23         | 37.66         | 1           | Horizontal | 228            | 1.51          | -       | 38.07      | 16.22      | 48.64      |  |  |  |

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_1TX

7095MHz\_TX




EUT\_Y\_1TX  
Setting -3.5  
03-V-R-7-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 7.0978G | 93.93    | Inf      | -Inf   | 84.92  | 3    | Vertical  | 157     | 1.80   | -       | 35.70 | 8.45 | 35.14 |  |  |  |
| RMS  | 7.0974G | 85.08    | Inf      | -Inf   | 76.08  | 3    | Vertical  | 157     | 1.80   | -       | 35.69 | 8.45 | 35.14 |  |  |  |
| PK   | 7.1888G | 64.52    | 88.20    | -23.68 | 55.01  | 3    | Vertical  | 157     | 1.80   | -       | 36.13 | 8.53 | 35.15 |  |  |  |
| RMS  | 7.1828G | 52.50    | 68.20    | -15.70 | 43.01  | 3    | Vertical  | 157     | 1.80   | -       | 36.10 | 8.53 | 35.14 |  |  |  |

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_1TX

7095MHz\_TX




EUT\_Y\_1TX  
Setting -3.5  
03-V-R-7-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |  |
|------|---------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |  |
| PK   | 7.0978G | 95.14    | Inf      | -Inf   | 86.13  | 3    | Horizontal | 351     | 2.31   | -       | 35.70 | 8.45 | 35.14 |  |  |  |  |
| RMS  | 7.0978G | 86.26    | Inf      | -Inf   | 77.25  | 3    | Horizontal | 351     | 2.31   | -       | 35.70 | 8.45 | 35.14 |  |  |  |  |
| PK   | 7.1904G | 64.46    | 88.20    | -23.74 | 54.94  | 3    | Horizontal | 351     | 2.31   | -       | 36.14 | 8.53 | 35.15 |  |  |  |  |
| RMS  | 7.1842G | 52.56    | 68.20    | -15.64 | 43.06  | 3    | Horizontal | 351     | 2.31   | -       | 36.11 | 8.53 | 35.14 |  |  |  |  |

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_1TX


7095MHz\_TX

EUT\_Y\_1TX  
Setting -3.5  
03-V-Y-1

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 14.19038G    | 47.37             | 88.20             | -40.83         | 38.45         | 3           | Vertical  | 288            | 1.79          | -       | 41.66      | 11.83      | 44.57      |  |  |  |
| RMS  | 14.18965G    | 35.66             | 68.20             | -32.54         | 26.74         | 3           | Vertical  | 288            | 1.79          | -       | 41.66      | 11.83      | 44.57      |  |  |  |

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_1TX

7095MHz\_TX




EUT\_Y\_1TX  
Setting -3.5  
03-V-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 14.18976G | 46.96    | 88.20    | -41.24 | 38.04  | 3    | Horizontal | 344     | 1.55   | -       | 41.66 | 11.83 | 44.57 |  |  |  |
| RMS  | 14.18785G | 35.93    | 68.20    | -32.27 | 27.02  | 3    | Horizontal | 344     | 1.55   | -       | 41.65 | 11.83 | 44.57 |  |  |  |

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_1TX

7095MHz\_TX




EUT\_Y\_1TX  
Setting -3.5  
03-V-Y-1

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 21.28418G    | 56.33             | 83.54             | -27.21         | 50.68         | 1           | Vertical  | 228            | 1.55          | -       | 38.07      | 16.22      | 48.64      |  |  |  |
| AV   | 21.28578G    | 41.06             | 63.54             | -22.48         | 35.41         | 1           | Vertical  | 228            | 1.55          | -       | 38.07      | 16.22      | 48.64      |  |  |  |

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_1TX

7095MHz\_TX




EUT\_V\_1TX  
Setting -3.5  
03-V-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 21.28554G | 55.84    | 83.54    | -27.70 | 50.19  | 1    | Horizontal | 83      | 1.54   | -       | 38.07 | 16.22 | 48.64 |  |  |  |
| AV   | 21.28498G | 41.92    | 63.54    | -21.62 | 36.27  | 1    | Horizontal | 83      | 1.54   | -       | 38.07 | 16.22 | 48.64 |  |  |  |

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_1TX

7115MHz\_TX




EUT\_Y\_1TX  
Setting -10 (S0 -0.5)  
03-V-R-7-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 7.1235G | 94.95    | Inf      | -Inf   | 85.83  | 3    | Vertical  | 142     | 2.16   | BP 1MHz | 35.79 | 8.47 | 35.14 |  |  |  |
| RMS  | 7.1235G | 88.96    | Inf      | -Inf   | 79.84  | 3    | Vertical  | 142     | 2.16   | BP 1MHz | 35.79 | 8.47 | 35.14 |  |  |  |
| PK   | 7.1255G | 65.56    | 88.20    | -22.64 | 56.42  | 3    | Vertical  | 142     | 2.16   | BP 1MHz | 35.80 | 8.48 | 35.14 |  |  |  |
| RMS  | 7.1255G | 55.98    | 68.20    | -12.22 | 46.84  | 3    | Vertical  | 142     | 2.16   | BP 1MHz | 35.80 | 8.48 | 35.14 |  |  |  |

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_1TX

7115MHz\_TX




EUT\_Y\_1TX  
Setting -10 (S0 -0.5)  
03-V-R-7-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 7.1235G | 95.54    | Inf      | -Inf   | 86.42  | 3    | Horizontal | 339     | 2.31   | BP 1MHz | 35.79 | 8.47 | 35.14 |  |  |  |
| RMS  | 7.1235G | 89.72    | Inf      | -Inf   | 80.60  | 3    | Horizontal | 339     | 2.31   | BP 1MHz | 35.79 | 8.47 | 35.14 |  |  |  |
| PK   | 7.1255G | 65.77    | 88.20    | -22.43 | 56.63  | 3    | Horizontal | 339     | 2.31   | BP 1MHz | 35.80 | 8.48 | 35.14 |  |  |  |
| RMS  | 7.1255G | 55.79    | 68.20    | -12.41 | 46.65  | 3    | Horizontal | 339     | 2.31   | BP 1MHz | 35.80 | 8.48 | 35.14 |  |  |  |

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_1TX

7115MHz\_TX




EUT\_Y\_1TX  
Setting -10 (S0 -0.5)  
03-V-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 14.23068G | 48.04    | 88.20    | -40.16 | 39.04  | 3    | Vertical  | 23      | 2.63   | -       | 41.76 | 11.86 | 44.62 |  |  |  |
| RMS  | 14.22909G | 34.71    | 68.20    | -33.49 | 25.71  | 3    | Vertical  | 23      | 2.63   | -       | 41.76 | 11.86 | 44.62 |  |  |  |

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_1TX

7115MHz\_TX




EUT\_V\_1TX  
Setting -10 (S0 -0.5)  
03-V-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 14.22769G | 47.91    | 88.20    | -40.29 | 38.91  | 3    | Horizontal | 148     | 1.37   | -       | 41.76 | 11.86 | 44.62 |  |  |  |
| RMS  | 14.22815G | 34.77    | 68.20    | -33.43 | 25.77  | 3    | Horizontal | 148     | 1.37   | -       | 41.76 | 11.86 | 44.62 |  |  |  |

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_1TX

7115MHz\_TX




EUT\_V\_1TX  
Setting -10 (S0 -0.5)  
03-V-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 21.3454G  | 59.06    | 83.54    | -24.48 | 53.32  | 1    | Vertical  | 44      | 1.52   | -       | 38.10 | 16.27 | 48.63 |  |  |  |
| AV   | 21.34589G | 46.72    | 63.54    | -16.82 | 40.98  | 1    | Vertical  | 44      | 1.52   | -       | 38.10 | 16.27 | 48.63 |  |  |  |

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_1TX

7115MHz\_TX




EUT\_V\_1TX  
Setting -10 (S0 -0.5)  
03-V-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 21.34565G | 59.56    | 83.54    | -23.98 | 53.82  | 1    | Horizontal | 204     | 1.50   | -       | 38.10 | 16.27 | 48.63 |  |  |  |
| AV   | 21.34594G | 46.71    | 63.54    | -16.83 | 40.97  | 1    | Horizontal | 204     | 1.50   | -       | 38.10 | 16.27 | 48.63 |  |  |  |

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_1TX

7115MHz\_TX




EUT\_Y\_1TX  
Setting -6.5  
03-V-R-7-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 7.1215G | 93.24    | Inf      | -Inf   | 84.12  | 3    | Vertical  | 142.1   | 1.80   | BP 1MHz | 35.79 | 8.47 | 35.14 |  |  |  |
| RMS  | 7.1215G | 87.53    | Inf      | -Inf   | 78.41  | 3    | Vertical  | 142.1   | 1.80   | BP 1MHz | 35.79 | 8.47 | 35.14 |  |  |  |
| PK   | 7.1255G | 64.84    | 88.20    | -23.36 | 55.70  | 3    | Vertical  | 142.1   | 1.80   | BP 1MHz | 35.80 | 8.48 | 35.14 |  |  |  |
| RMS  | 7.1255G | 55.34    | 68.20    | -12.86 | 46.20  | 3    | Vertical  | 142.1   | 1.80   | BP 1MHz | 35.80 | 8.48 | 35.14 |  |  |  |

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_1TX

7115MHz\_TX




EUT\_Y\_1TX  
Setting -6.5  
03-V-R-7-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 7.1215G | 93.77    | Inf      | -Inf   | 84.65  | 3    | Horizontal | 338     | 2.14   | BP 1MHz | 35.79 | 8.47 | 35.14 |  |  |  |
| RMS  | 7.1215G | 88.10    | Inf      | -Inf   | 78.98  | 3    | Horizontal | 338     | 2.14   | BP 1MHz | 35.79 | 8.47 | 35.14 |  |  |  |
| PK   | 7.1255G | 65.89    | 88.20    | -22.31 | 56.75  | 3    | Horizontal | 338     | 2.14   | BP 1MHz | 35.80 | 8.48 | 35.14 |  |  |  |
| RMS  | 7.1255G | 56.25    | 68.20    | -11.95 | 47.11  | 3    | Horizontal | 338     | 2.14   | BP 1MHz | 35.80 | 8.48 | 35.14 |  |  |  |

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_1TX

7115MHz\_TX




EUT\_Y\_1TX  
Setting -6.5  
03-V-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 14.23043G | 47.45    | 88.20    | -40.75 | 38.45  | 3    | Vertical  | 201     | 1.35   | -       | 41.76 | 11.86 | 44.62 |  |  |  |
| RMS  | 14.23032G | 37.83    | 68.20    | -30.37 | 28.83  | 3    | Vertical  | 201     | 1.35   | -       | 41.76 | 11.86 | 44.62 |  |  |  |

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_1TX

7115MHz\_TX




EUT\_Y\_1TX  
Setting -6.5  
03-V-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 14.22881G | 47.52    | 88.20    | -40.68 | 38.52  | 3    | Horizontal | 312     | 2.90   | -       | 41.76 | 11.86 | 44.62 |  |  |  |
| RMS  | 14.23223G | 37.29    | 68.20    | -30.91 | 28.30  | 3    | Horizontal | 312     | 2.90   | -       | 41.76 | 11.86 | 44.63 |  |  |  |

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_1TX

7115MHz\_TX

EUT\_Y\_1TX  
Setting -6.5  
03-V-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 21.34575G | 59.35    | 83.54    | -24.19 | 53.61  | 1    | Vertical  | 44      | 1.52   | -       | 38.10 | 16.27 | 48.63 |  |  |  |
| AV   | 21.34404G | 45.68    | 63.54    | -17.86 | 39.94  | 1    | Vertical  | 44      | 1.52   | -       | 38.10 | 16.27 | 48.63 |  |  |  |

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_1TX


7115MHz\_TX

EUT\_Y\_1TX  
Setting -6.5  
03-V-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 21.34557G | 58.92    | 83.54    | -24.62 | 53.18  | 1    | Horizontal | 51      | 1.51   | -       | 38.10 | 16.27 | 48.63 |  |  |  |
| AV   | 21.34495G | 44.96    | 63.54    | -18.58 | 39.22  | 1    | Horizontal | 51      | 1.51   | -       | 38.10 | 16.27 | 48.63 |  |  |  |

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_1TX

7115MHz\_TX




EUT\_Y\_1TX  
Setting -3.5  
03-V-R-7-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 7.1195G | 92.74    | Inf      | -Inf   | 83.63  | 3    | Vertical  | 142     | 1.84   | BP 1MHz | 35.78 | 8.47 | 35.14 |  |  |  |
| RMS  | 7.1195G | 86.98    | Inf      | -Inf   | 77.87  | 3    | Vertical  | 142     | 1.84   | BP 1MHz | 35.78 | 8.47 | 35.14 |  |  |  |
| PK   | 7.1255G | 64.34    | 88.20    | -23.86 | 55.20  | 3    | Vertical  | 142     | 1.84   | BP 1MHz | 35.80 | 8.48 | 35.14 |  |  |  |
| RMS  | 7.1255G | 55.04    | 68.20    | -13.16 | 45.90  | 3    | Vertical  | 142     | 1.84   | BP 1MHz | 35.80 | 8.48 | 35.14 |  |  |  |

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_1TX

7115MHz\_TX




EUT\_Y\_1TX  
Setting -3.5  
03-V-R-7-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 7.1195G | 93.21    | Inf      | -Inf   | 84.10  | 3    | Horizontal | 337     | 2.34   | BP 1MHz | 35.78 | 8.47 | 35.14 |  |  |  |
| RMS  | 7.1175G | 87.33    | Inf      | -Inf   | 78.23  | 3    | Horizontal | 337     | 2.34   | BP 1MHz | 35.77 | 8.47 | 35.14 |  |  |  |
| PK   | 7.1255G | 64.74    | 88.20    | -23.46 | 55.60  | 3    | Horizontal | 337     | 2.34   | BP 1MHz | 35.80 | 8.48 | 35.14 |  |  |  |
| RMS  | 7.1255G | 55.62    | 68.20    | -12.58 | 46.48  | 3    | Horizontal | 337     | 2.34   | BP 1MHz | 35.80 | 8.48 | 35.14 |  |  |  |

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_1TX

7115MHz\_TX




EUT\_Y\_1TX  
Setting -3.5  
03-V-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 14.22959G | 48.06    | 88.20    | -40.14 | 39.06  | 3    | Vertical  | 28      | 2.47   | -       | 41.76 | 11.86 | 44.62 |  |  |  |
| RMS  | 14.23047G | 36.45    | 68.20    | -31.75 | 27.45  | 3    | Vertical  | 28      | 2.47   | -       | 41.76 | 11.86 | 44.62 |  |  |  |

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_1TX

7115MHz\_TX




EUT\_Y\_1TX  
Setting -3.5  
03-V-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 14.23106G | 47.50    | 88.20    | -40.70 | 38.50  | 3    | Horizontal | 196     | 2.69   | -       | 41.76 | 11.86 | 44.62 |  |  |  |
| RMS  | 14.22787G | 36.48    | 68.20    | -31.72 | 27.48  | 3    | Horizontal | 196     | 2.69   | -       | 41.76 | 11.86 | 44.62 |  |  |  |

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_1TX


7115MHz\_TX

EUT\_V\_1TX  
Setting -3.5  
03-V-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 21.34474G | 59.73    | 83.54    | -23.81 | 53.99  | 1    | Vertical  | 309     | 1.55   | -       | 38.10 | 16.27 | 48.63 |  |  |  |
| AV   | 21.34487G | 44.89    | 63.54    | -18.65 | 39.15  | 1    | Vertical  | 309     | 1.55   | -       | 38.10 | 16.27 | 48.63 |  |  |  |

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_1TX


7115MHz\_TX

EUT\_Y\_1TX  
Setting -3.5  
03-V-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 21.34455G | 59.06    | 83.54    | -24.48 | 53.32  | 1    | Horizontal | 282     | 1.54   | -       | 38.10 | 16.27 | 48.63 |  |  |  |
| AV   | 21.3455G  | 43.98    | 63.54    | -19.56 | 38.24  | 1    | Horizontal | 282     | 1.54   | -       | 38.10 | 16.27 | 48.63 |  |  |  |

6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_2TX

6435MHz\_TX




EUT\_Y\_2TX  
Setting -10(S1 -5.5)  
03-V-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.87052G | 44.51    | 88.20    | -43.69 | 38.77  | 3    | Vertical  | 265     | 1.13   | -       | 39.20 | 11.76 | 45.22 |  |  |  |
| RMS  | 12.87007G | 31.57    | 68.20    | -36.63 | 25.83  | 3    | Vertical  | 265     | 1.13   | -       | 39.20 | 11.76 | 45.22 |  |  |  |

6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_2TX

6435MHz\_TX




EUT\_Y\_2TX  
Setting -10(S1 -5.5)  
03-V-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.8691G  | 44.61    | 88.20    | -43.59 | 38.87  | 3    | Horizontal | 343     | 1.17   | -       | 39.20 | 11.76 | 45.22 |  |  |  |
| RMS  | 12.86937G | 31.66    | 68.20    | -36.54 | 25.92  | 3    | Horizontal | 343     | 1.17   | -       | 39.20 | 11.76 | 45.22 |  |  |  |

6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_2TX

6435MHz\_TX




EUT\_Y\_2TX  
Setting -10(S1 -5.5)  
03-V-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.30585G | 53.12    | 83.54    | -30.42 | 48.91  | 1    | Vertical  | 108     | 1.51   | -       | 37.80 | 15.21 | 48.80 |  |  |  |
| AV   | 19.30526G | 39.79    | 63.54    | -23.75 | 35.58  | 1    | Vertical  | 108     | 1.51   | -       | 37.80 | 15.21 | 48.80 |  |  |  |

6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_2TX

6435MHz\_TX




EUT\_Y\_2TX  
Setting -10(S1 -5.5)  
03-V-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.30447G | 52.78    | 83.54    | -30.76 | 48.57  | 1    | Horizontal | 23      | 1.54   | -       | 37.80 | 15.21 | 48.80 |  |  |  |
| AV   | 19.305G   | 39.81    | 63.54    | -23.73 | 35.60  | 1    | Horizontal | 23      | 1.54   | -       | 37.80 | 15.21 | 48.80 |  |  |  |

6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 37\_2TX

6435MHz\_TX




EUT\_Y\_2TX  
Setting -8.5(S1 -2)  
03-V-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.86977G | 44.53    | 88.20    | -43.67 | 38.79  | 3    | Vertical  | 322     | 2.00   | -       | 39.20 | 11.76 | 45.22 |  |  |  |
| RMS  | 12.87001G | 34.25    | 68.20    | -33.95 | 28.51  | 3    | Vertical  | 322     | 2.00   | -       | 39.20 | 11.76 | 45.22 |  |  |  |

6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 37\_2TX

6435MHz\_TX




EUT\_Y\_2TX  
Setting -8.5(S1 -2)  
03-V-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.86933G | 44.57    | 88.20    | -43.63 | 38.83  | 3    | Horizontal | 94      | 2.23   | -       | 39.20 | 11.76 | 45.22 |  |  |  |
| RMS  | 12.87155G | 34.55    | 68.20    | -33.65 | 28.80  | 3    | Horizontal | 94      | 2.23   | -       | 39.20 | 11.76 | 45.21 |  |  |  |

6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 37\_2TX

6435MHz\_TX




EUT\_Y\_2TX  
Setting -8.5(S1 -2)  
03-V-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.30434G | 54.09    | 83.54    | -29.45 | 49.88  | 1    | Vertical  | 346     | 1.53   | -       | 37.80 | 15.21 | 48.80 |  |  |  |
| AV   | 19.30528G | 39.34    | 63.54    | -24.20 | 35.13  | 1    | Vertical  | 346     | 1.53   | -       | 37.80 | 15.21 | 48.80 |  |  |  |

6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 37\_2TX

6435MHz\_TX




EUT\_Y\_2TX  
Setting -8.5(S1 -2)  
03-V-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.30452G | 53.38    | 83.54    | -30.16 | 49.17  | 1    | Horizontal | 344     | 1.55   | -       | 37.80 | 15.21 | 48.80 |  |  |  |
| AV   | 19.30421G | 39.79    | 63.54    | -23.75 | 35.58  | 1    | Horizontal | 344     | 1.55   | -       | 37.80 | 15.21 | 48.80 |  |  |  |

6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 53\_2TX

6435MHz\_TX




EUT\_Y\_2TX  
Setting -7(S1 -0.5)  
03-V-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.86902G | 44.49    | 88.20    | -43.71 | 38.75  | 3    | Vertical  | 358     | 2.65   | -       | 39.20 | 11.76 | 45.22 |  |  |  |
| RMS  | 12.86989G | 34.35    | 68.20    | -33.85 | 28.61  | 3    | Vertical  | 358     | 2.65   | -       | 39.20 | 11.76 | 45.22 |  |  |  |

6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 53\_2TX

6435MHz\_TX




EUT\_Y\_2TX  
Setting -7(S1 -0.5)  
03-V-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.87187G | 45.14    | 88.20    | -43.06 | 39.39  | 3    | Horizontal | 147     | 1.84   | -       | 39.20 | 11.76 | 45.21 |  |  |  |
| RMS  | 12.86936G | 34.48    | 68.20    | -33.72 | 28.74  | 3    | Horizontal | 147     | 1.84   | -       | 39.20 | 11.76 | 45.22 |  |  |  |

6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 53\_2TX

6435MHz\_TX




EUT\_Y\_2TX  
Setting -7(S1 -0.5)  
03-V-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.3058G  | 53.21    | 83.54    | -30.33 | 49.00  | 1    | Vertical  | 4       | 1.51   | -       | 37.80 | 15.21 | 48.80 |  |  |  |
| AV   | 19.30524G | 40.87    | 63.54    | -22.67 | 36.66  | 1    | Vertical  | 4       | 1.51   | -       | 37.80 | 15.21 | 48.80 |  |  |  |

6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 53\_2TX

6435MHz\_TX




EUT\_Y\_2TX  
Setting -7(S1 -0.5)  
03-V-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.30471G | 54.13    | 83.54    | -29.41 | 49.92  | 1    | Horizontal | 14      | 1.51   | -       | 37.80 | 15.21 | 48.80 |  |  |  |
| AV   | 19.30419G | 39.80    | 63.54    | -23.74 | 35.59  | 1    | Horizontal | 14      | 1.51   | -       | 37.80 | 15.21 | 48.80 |  |  |  |

6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_2TX

6475MHz\_TX




EUT\_Y\_2TX  
Setting -10(S1 -5.5)  
03-V-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.94944G | 44.60    | 88.20    | -43.60 | 38.67  | 3    | Vertical  | 192     | 3.00   | -       | 39.30 | 11.76 | 45.13 |  |  |  |
| RMS  | 12.94913G | 31.81    | 68.20    | -36.39 | 25.88  | 3    | Vertical  | 192     | 3.00   | -       | 39.30 | 11.76 | 45.13 |  |  |  |

6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_2TX

6475MHz\_TX




EUT\_Y\_2TX  
Setting -10(S1 -5.5)  
03-V-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.95105G | 44.88    | 88.20    | -43.32 | 38.94  | 3    | Horizontal | 58      | 1.86   | -       | 39.30 | 11.76 | 45.12 |  |  |  |
| RMS  | 12.95226G | 31.86    | 68.20    | -36.34 | 25.92  | 3    | Horizontal | 58      | 1.86   | -       | 39.30 | 11.76 | 45.12 |  |  |  |

6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_2TX

6475MHz\_TX




EUT\_Y\_2TX  
Setting -10(S1 -5.5)  
03-V-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.42475G | 53.52    | 83.54    | -30.02 | 49.32  | 1    | Vertical  | 281     | 1.53   | -       | 37.80 | 15.20 | 48.80 |  |  |  |
| AV   | 19.42586G | 38.24    | 63.54    | -25.30 | 34.04  | 1    | Vertical  | 281     | 1.53   | -       | 37.80 | 15.20 | 48.80 |  |  |  |

6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_2TX

6475MHz\_TX




EUT\_Y\_2TX  
Setting -10(S1 -5.5)  
03-V-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.42406G | 53.55    | 83.54    | -29.99 | 49.35  | 1    | Horizontal | 168     | 1.51   | -       | 37.80 | 15.20 | 48.80 |  |  |  |
| AV   | 19.42585G | 38.24    | 63.54    | -25.30 | 34.04  | 1    | Horizontal | 168     | 1.51   | -       | 37.80 | 15.20 | 48.80 |  |  |  |

6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 37\_2TX

6475MHz\_TX




EUT\_Y\_2TX  
Setting -8.5(S1 -2.5)  
03-V-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.95037G | 44.39    | 88.20    | -43.81 | 38.46  | 3    | Vertical  | 287     | 2.22   | -       | 39.30 | 11.76 | 45.13 |  |  |  |
| RMS  | 12.94967G | 34.75    | 68.20    | -33.45 | 28.82  | 3    | Vertical  | 287     | 2.22   | -       | 39.30 | 11.76 | 45.13 |  |  |  |

6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 37\_2TX

6475MHz\_TX




EUT\_Y\_2TX  
Setting -8.5(S1 -2.5)  
03-V-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.9517G  | 45.51    | 88.20    | -42.69 | 39.57  | 3    | Horizontal | 222     | 1.23   | -       | 39.30 | 11.76 | 45.12 |  |  |  |
| RMS  | 12.95192G | 34.48    | 68.20    | -33.72 | 28.54  | 3    | Horizontal | 222     | 1.23   | -       | 39.30 | 11.76 | 45.12 |  |  |  |

6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 37\_2TX

6475MHz\_TX




EUT\_Y\_2TX  
Setting -8.5(S1 -2.5)  
03-V-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.42575G | 53.75    | 83.54    | -29.79 | 49.55  | 1    | Vertical  | 2       | 1.51   | -       | 37.80 | 15.20 | 48.80 |  |  |  |
| AV   | 19.42476G | 38.75    | 63.54    | -24.79 | 34.55  | 1    | Vertical  | 2       | 1.51   | -       | 37.80 | 15.20 | 48.80 |  |  |  |

6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 37\_2TX

6475MHz\_TX




EUT\_Y\_2TX  
Setting -8.5(S1 -2.5)  
03-V-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.42447G | 54.19    | 83.54    | -29.35 | 49.99  | 1    | Horizontal | 147     | 1.55   | -       | 37.80 | 15.20 | 48.80 |  |  |  |
| AV   | 19.42418G | 38.67    | 63.54    | -24.87 | 34.47  | 1    | Horizontal | 147     | 1.55   | -       | 37.80 | 15.20 | 48.80 |  |  |  |

6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 53\_2TX

6475MHz\_TX




EUT\_Y\_2TX  
Setting -7(S1 -0.5)  
03-V-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.94916G | 44.43    | 88.20    | -43.77 | 38.50  | 3    | Vertical  | 181     | 1.72   | -       | 39.30 | 11.76 | 45.13 |  |  |  |
| RMS  | 12.95064G | 34.37    | 68.20    | -33.83 | 28.44  | 3    | Vertical  | 181     | 1.72   | -       | 39.30 | 11.76 | 45.13 |  |  |  |

6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 53\_2TX


6475MHz\_TX

EUT\_Y\_2TX  
Setting -7(S1 -0.5)  
03-V-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.94778G | 44.43    | 88.20    | -43.77 | 38.50  | 3    | Horizontal | 62      | 2.25   | -       | 39.30 | 11.76 | 45.13 |  |  |  |
| RMS  | 12.95125G | 34.84    | 68.20    | -33.36 | 28.90  | 3    | Horizontal | 62      | 2.25   | -       | 39.30 | 11.76 | 45.12 |  |  |  |

6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 53\_2TX

6475MHz\_TX




EUT\_Y\_2TX  
Setting -7(S1 -0.5)  
03-V-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.42595G | 53.89    | 83.54    | -29.65 | 49.69  | 1    | Vertical  | 171     | 1.54   | -       | 37.80 | 15.20 | 48.80 |  |  |  |
| AV   | 19.42422G | 38.32    | 63.54    | -25.22 | 34.12  | 1    | Vertical  | 171     | 1.54   | -       | 37.80 | 15.20 | 48.80 |  |  |  |

6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 53\_2TX

6475MHz\_TX




EUT\_Y\_2TX  
Setting -7(S1 -0.5)  
03-V-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.42458G | 53.71    | 83.54    | -29.83 | 49.51  | 1    | Horizontal | 86      | 1.51   | -       | 37.80 | 15.20 | 48.80 |  |  |  |
| AV   | 19.4248G  | 39.36    | 63.54    | -24.18 | 35.16  | 1    | Horizontal | 86      | 1.51   | -       | 37.80 | 15.20 | 48.80 |  |  |  |

6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_2TX

6515MHz\_TX




EUT\_Y\_2TX  
Setting -10(S1 -6)  
03-V-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.03007G | 44.37    | 88.20    | -43.83 | 38.31  | 3    | Vertical  | 18      | 1.33   | -       | 39.36 | 11.75 | 45.05 |  |  |  |
| RMS  | 13.02908G | 31.43    | 68.20    | -36.77 | 25.37  | 3    | Vertical  | 18      | 1.33   | -       | 39.36 | 11.75 | 45.05 |  |  |  |

6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_2TX

6515MHz\_TX




EUT\_Y\_2TX  
Setting -10(S1 -6)  
03-V-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.03235G | 44.21    | 88.20    | -43.99 | 38.14  | 3    | Horizontal | 154     | 1.62   | -       | 39.36 | 11.75 | 45.04 |  |  |  |
| RMS  | 13.02939G | 31.55    | 68.20    | -36.65 | 25.49  | 3    | Horizontal | 154     | 1.62   | -       | 39.36 | 11.75 | 45.05 |  |  |  |

6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_2TX

6515MHz\_TX




EUT\_Y\_2TX  
Setting -10(S1 -6)  
03-V-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.54453G | 52.86    | 83.54    | -30.68 | 48.75  | 1    | Vertical  | 175     | 1.51   | -       | 37.71 | 15.20 | 48.80 |  |  |  |
| AV   | 19.54498G | 38.35    | 63.54    | -25.19 | 34.24  | 1    | Vertical  | 175     | 1.51   | -       | 37.71 | 15.20 | 48.80 |  |  |  |

6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_2TX


6515MHz\_TX

EUT\_Y\_2TX  
Setting -10(S1 -6)  
03-V-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.54502G | 52.36    | 83.54    | -31.18 | 48.25  | 1    | Horizontal | 101     | 1.55   | -       | 37.71 | 15.20 | 48.80 |  |  |  |
| AV   | 19.54547G | 38.35    | 63.54    | -25.19 | 34.24  | 1    | Horizontal | 101     | 1.55   | -       | 37.71 | 15.20 | 48.80 |  |  |  |

6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_2TX

6515MHz\_TX




EUT\_Y\_2TX  
Setting -8.5(S1 -2)  
03-V-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.03099G | 44.31    | 88.20    | -43.89 | 38.24  | 3    | Vertical  | 216     | 1.93   | -       | 39.36 | 11.75 | 45.04 |  |  |  |
| RMS  | 13.02975G | 33.80    | 68.20    | -34.40 | 27.74  | 3    | Vertical  | 216     | 1.93   | -       | 39.36 | 11.75 | 45.05 |  |  |  |

6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_2TX

6515MHz\_TX




EUT\_Y\_2TX  
Setting -8.5(S1 -2)  
03-V-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.0309G  | 44.81    | 88.20    | -43.39 | 38.74  | 3    | Horizontal | 128     | 2.00   | -       | 39.36 | 11.75 | 45.04 |  |  |  |
| RMS  | 13.02836G | 33.76    | 68.20    | -34.44 | 27.70  | 3    | Horizontal | 128     | 2.00   | -       | 39.36 | 11.75 | 45.05 |  |  |  |

6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_2TX

6515MHz\_TX




EUT\_Y\_2TX  
Setting -8.5(S1 -2)  
03-V-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.54411G | 52.42    | 83.54    | -31.12 | 48.31  | 1    | Vertical  | 144     | 1.52   | -       | 37.71 | 15.20 | 48.80 |  |  |  |
| AV   | 19.54464G | 38.83    | 63.54    | -24.71 | 34.72  | 1    | Vertical  | 144     | 1.52   | -       | 37.71 | 15.20 | 48.80 |  |  |  |

6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_2TX

6515MHz\_TX




EUT\_Y\_2TX  
Setting -8.5(S1 -2)  
03-V-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.5445G  | 53.03    | 83.54    | -30.51 | 48.92  | 1    | Horizontal | 205     | 1.52   | -       | 37.71 | 15.20 | 48.80 |  |  |  |
| AV   | 19.54533G | 38.92    | 63.54    | -24.62 | 34.81  | 1    | Horizontal | 205     | 1.52   | -       | 37.71 | 15.20 | 48.80 |  |  |  |

6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_2TX


6515MHz\_TX

EUT\_Y\_2TX  
Setting -7(S1 -0.5)  
03-V-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.02916G | 44.67    | 88.20    | -43.53 | 38.61  | 3    | Vertical  | 274     | 2.93   | -       | 39.36 | 11.75 | 45.05 |  |  |  |
| RMS  | 13.02957G | 34.14    | 68.20    | -34.06 | 28.08  | 3    | Vertical  | 274     | 2.93   | -       | 39.36 | 11.75 | 45.05 |  |  |  |

6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_2TX

6515MHz\_TX




EUT\_Y\_2TX  
Setting -7(S1 -0.5)  
03-V-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.0309G  | 44.62    | 88.20    | -43.58 | 38.55  | 3    | Horizontal | 351     | 2.81   | -       | 39.36 | 11.75 | 45.04 |  |  |  |
| RMS  | 13.03207G | 34.04    | 68.20    | -34.16 | 27.97  | 3    | Horizontal | 351     | 2.81   | -       | 39.36 | 11.75 | 45.04 |  |  |  |

6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_2TX

6515MHz\_TX




EUT\_Y\_2TX  
Setting -7(S1 -0.5)  
03-V-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.54479G | 52.67    | 83.54    | -30.87 | 48.56  | 1    | Vertical  | 343     | 1.52   | -       | 37.71 | 15.20 | 48.80 |  |  |  |
| AV   | 19.54499G | 38.76    | 63.54    | -24.78 | 34.65  | 1    | Vertical  | 343     | 1.52   | -       | 37.71 | 15.20 | 48.80 |  |  |  |

6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_2TX

6515MHz\_TX




EUT\_Y\_2TX  
Setting -7(S1 -0.5)  
03-V-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.54557G | 52.89    | 83.54    | -30.65 | 48.78  | 1    | Horizontal | 264     | 1.53   | -       | 37.71 | 15.20 | 48.80 |  |  |  |
| AV   | 19.5453G  | 38.80    | 63.54    | -24.74 | 34.69  | 1    | Horizontal | 264     | 1.53   | -       | 37.71 | 15.20 | 48.80 |  |  |  |

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_2TX

6895MHz\_TX




EUT\_Y\_2TX  
Setting -10(S1 -5.5)  
03-V-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.79047G | 46.11    | 88.20    | -42.09 | 38.19  | 3    | Vertical  | 141     | 1.60   | -       | 40.68 | 11.70 | 44.46 |  |  |  |
| RMS  | 13.7894G  | 33.24    | 68.20    | -34.96 | 25.32  | 3    | Vertical  | 141     | 1.60   | -       | 40.68 | 11.70 | 44.46 |  |  |  |

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_2TX

6895MHz\_TX




EUT\_Y\_2TX  
Setting -10(S1 -5.5)  
03-V-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.79142G | 45.64    | 88.20    | -42.56 | 37.72  | 3    | Horizontal | 50      | 2.62   | -       | 40.68 | 11.70 | 44.46 |  |  |  |
| RMS  | 13.78846G | 33.25    | 68.20    | -34.95 | 25.33  | 3    | Horizontal | 50      | 2.62   | -       | 40.68 | 11.70 | 44.46 |  |  |  |

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_2TX

6895MHz\_TX




EUT\_Y\_2TX  
Setting -10(S1 -5.5)  
03-V-Y-1

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.68547G    | 55.81             | 83.54             | -27.73         | 50.88         | 1           | Vertical  | 125            | 1.55          | -       | 37.90      | 15.73      | 48.70      |  |  |  |
| AV   | 20.68586G    | 41.94             | 63.54             | -21.60         | 37.01         | 1           | Vertical  | 125            | 1.55          | -       | 37.90      | 15.73      | 48.70      |  |  |  |

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 0\_2TX

6895MHz\_TX




EUT\_Y\_2TX  
Setting -10(S1 -5.5)  
03-V-Y-1

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.68539G    | 55.89             | 83.54             | -27.65         | 50.96         | 1           | Horizontal | 352            | 1.51          | -       | 37.90      | 15.73      | 48.70      |  |  |  |
| AV   | 20.68496G    | 41.93             | 63.54             | -21.61         | 37.00         | 1           | Horizontal | 352            | 1.51          | -       | 37.90      | 15.73      | 48.70      |  |  |  |

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 37\_2TX

6895MHz\_TX




EUT\_Y\_2TX  
Setting -8.5(S1 -2)  
03-V-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.78958G | 45.80    | 88.20    | -42.40 | 37.88  | 3    | Vertical  | 261     | 2.43   | -       | 40.68 | 11.70 | 44.46 |  |  |  |
| RMS  | 13.78908G | 36.01    | 68.20    | -32.19 | 28.09  | 3    | Vertical  | 261     | 2.43   | -       | 40.68 | 11.70 | 44.46 |  |  |  |

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 37\_2TX

6895MHz\_TX




EUT\_Y\_2TX  
Setting -8.5(S1 -2)  
03-V-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.79131G | 46.02    | 88.20    | -42.18 | 38.10  | 3    | Horizontal | 84      | 2.13   | -       | 40.68 | 11.70 | 44.46 |  |  |  |
| RMS  | 13.7912G  | 36.09    | 68.20    | -32.11 | 28.17  | 3    | Horizontal | 84      | 2.13   | -       | 40.68 | 11.70 | 44.46 |  |  |  |

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 37\_2TX

6895MHz\_TX




EUT\_Y\_2TX  
Setting -8.5(S1 -2)  
03-V-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.68476G | 55.48    | 83.54    | -28.06 | 50.55  | 1    | Vertical  | 276     | 1.54   | -       | 37.90 | 15.73 | 48.70 |  |  |  |
| AV   | 20.68465G | 42.28    | 63.54    | -21.26 | 37.35  | 1    | Vertical  | 276     | 1.54   | -       | 37.90 | 15.73 | 48.70 |  |  |  |

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 37\_2TX

6895MHz\_TX




EUT\_Y\_2TX  
Setting -8.5(S1 -2)  
03-V-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.68522G | 55.36    | 83.54    | -28.18 | 50.43  | 1    | Horizontal | 329     | 1.52   | -       | 37.90 | 15.73 | 48.70 |  |  |  |
| AV   | 20.68555G | 41.19    | 63.54    | -22.35 | 36.26  | 1    | Horizontal | 329     | 1.52   | -       | 37.90 | 15.73 | 48.70 |  |  |  |

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 53\_2TX

6895MHz\_TX




EUT\_Y\_2TX  
Setting -7(S1 -0.5)  
03-V-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.79053G | 46.14    | 88.20    | -42.06 | 38.22  | 3    | Vertical  | 247     | 1.50   | -       | 40.68 | 11.70 | 44.46 |  |  |  |
| RMS  | 13.78997G | 36.22    | 68.20    | -31.98 | 28.30  | 3    | Vertical  | 247     | 1.50   | -       | 40.68 | 11.70 | 44.46 |  |  |  |

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 53\_2TX

6895MHz\_TX




EUT\_Y\_2TX  
Setting -7(S1 -0.5)  
03-V-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.7919G  | 46.43    | 88.20    | -41.77 | 38.51  | 3    | Horizontal | 319     | 2.35   | -       | 40.68 | 11.70 | 44.46 |  |  |  |
| RMS  | 13.78894G | 35.84    | 68.20    | -32.36 | 27.92  | 3    | Horizontal | 319     | 2.35   | -       | 40.68 | 11.70 | 44.46 |  |  |  |

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 53\_2TX

6895MHz\_TX




EUT\_Y\_2TX  
Setting -7(S1 -0.5)  
03-V-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.68407G | 55.31    | 83.54    | -28.23 | 50.38  | 1    | Vertical  | 281     | 1.52   | -       | 37.90 | 15.73 | 48.70 |  |  |  |
| AV   | 20.68424G | 42.29    | 63.54    | -21.25 | 37.36  | 1    | Vertical  | 281     | 1.52   | -       | 37.90 | 15.73 | 48.70 |  |  |  |

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 53\_2TX


6895MHz\_TX

EUT\_Y\_2TX  
Setting -7(S1 -0.5)  
03-V-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.68566G | 55.34    | 83.54    | -28.20 | 50.41  | 1    | Horizontal | 203     | 1.53   | -       | 37.90 | 15.73 | 48.70 |  |  |  |
| AV   | 20.6855G  | 41.07    | 63.54    | -22.47 | 36.14  | 1    | Horizontal | 203     | 1.53   | -       | 37.90 | 15.73 | 48.70 |  |  |  |

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_2TX

7095MHz\_TX




EUT\_Y\_2TX  
Setting -9.5(S1 -4)  
03-V-R-7-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 7.1028G      | 101.39            | Inf               | -Inf           | 92.36         | 3           | Vertical  | 168            | 1.28          | -       | 35.71      | 8.46       | 35.14      |  |  |  |
| RMS  | 7.1032G      | 89.96             | Inf               | -Inf           | 80.93         | 3           | Vertical  | 168            | 1.28          | -       | 35.71      | 8.46       | 35.14      |  |  |  |
| PK   | 7.1728G      | 64.22             | 88.20             | -23.98         | 54.80         | 3           | Vertical  | 168            | 1.28          | -       | 36.04      | 8.52       | 35.14      |  |  |  |
| RMS  | 7.193G       | 52.43             | 68.20             | -15.77         | 42.89         | 3           | Vertical  | 168            | 1.28          | -       | 36.16      | 8.53       | 35.15      |  |  |  |

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_2TX


7095MHz\_TX

EUT\_Y\_2TX  
Setting -9.5(S1 -4)  
03-V-R-7-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 7.103G       | 101.24            | Inf               | -Inf           | 92.21         | 3           | Horizontal | 148            | 1.47          | -       | 35.71      | 8.46       | 35.14      |  |  |  |
| RMS  | 7.1032G      | 86.94             | Inf               | -Inf           | 77.91         | 3           | Horizontal | 148            | 1.47          | -       | 35.71      | 8.46       | 35.14      |  |  |  |
| PK   | 7.1832G      | 65.42             | 88.20             | -22.78         | 55.93         | 3           | Horizontal | 148            | 1.47          | -       | 36.10      | 8.53       | 35.14      |  |  |  |
| RMS  | 7.1868G      | 52.43             | 68.20             | -15.77         | 42.92         | 3           | Horizontal | 148            | 1.47          | -       | 36.12      | 8.53       | 35.14      |  |  |  |

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_2TX

7095MHz\_TX




EUT\_Y\_2TX  
Setting -9.5(S1 -4)  
03-V-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 14.18904G | 47.20    | 88.20    | -41.00 | 38.28  | 3    | Vertical  | 265     | 1.05   | -       | 41.66 | 11.83 | 44.57 |  |  |  |
| RMS  | 14.18982G | 34.21    | 68.20    | -33.99 | 25.29  | 3    | Vertical  | 265     | 1.05   | -       | 41.66 | 11.83 | 44.57 |  |  |  |

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_2TX

7095MHz\_TX




EUT\_Y\_2TX  
Setting -9.5(S1 -4)  
03-V-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 14.18884G | 47.05    | 88.20    | -41.15 | 38.13  | 3    | Horizontal | 154     | 1.51   | -       | 41.66 | 11.83 | 44.57 |  |  |  |
| RMS  | 14.1882G  | 34.21    | 68.20    | -33.99 | 25.30  | 3    | Horizontal | 154     | 1.51   | -       | 41.65 | 11.83 | 44.57 |  |  |  |

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_2TX


7095MHz\_TX

EUT\_Y\_2TX  
Setting -9.5(S1 -4)  
03-V-Y-1

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 21.28508G    | 58.74             | 83.54             | -24.80         | 53.09         | 1           | Vertical  | 145            | 1.52          | -       | 38.07      | 16.22      | 48.64      |  |  |  |
| AV   | 21.28588G    | 44.70             | 63.54             | -18.84         | 39.05         | 1           | Vertical  | 145            | 1.52          | -       | 38.07      | 16.22      | 48.64      |  |  |  |

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_2TX

7095MHz\_TX




EUT\_Y\_2TX  
Setting -9.5(S1 -4)  
03-V-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 21.28553G | 59.12    | 83.54    | -24.42 | 53.47  | 1    | Horizontal | 91      | 1.50   | -       | 38.07 | 16.22 | 48.64 |  |  |  |
| AV   | 21.28596G | 44.66    | 63.54    | -18.88 | 39.01  | 1    | Horizontal | 91      | 1.50   | -       | 38.07 | 16.22 | 48.64 |  |  |  |

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_2TX

7095MHz\_TX




EUT\_Y\_2TX  
Setting -7.5(S1 -1.5)  
03-V-R-7-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |  |
|------|---------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |  |
| PK   | 7.1028G | 97.27    | Inf      | -Inf   | 88.24  | 3    | Vertical  | 171     | 1.80   | -       | 35.71 | 8.46 | 35.14 |  |  |  |  |
| RMS  | 7.1012G | 87.98    | Inf      | -Inf   | 78.96  | 3    | Vertical  | 171     | 1.80   | -       | 35.70 | 8.46 | 35.14 |  |  |  |  |
| PK   | 7.1844G | 64.34    | 88.20    | -23.86 | 54.84  | 3    | Vertical  | 171     | 1.80   | -       | 36.11 | 8.53 | 35.14 |  |  |  |  |
| RMS  | 7.1908G | 52.43    | 68.20    | -15.77 | 42.91  | 3    | Vertical  | 171     | 1.80   | -       | 36.14 | 8.53 | 35.15 |  |  |  |  |

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_2TX

7095MHz\_TX




EUT\_Y\_2TX  
Setting -7.5(S1 -1.5)  
03-V-R-7-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 7.1028G | 97.08    | Inf      | -Inf   | 88.05  | 3    | Horizontal | 150     | 1.80   | -       | 35.71 | 8.46 | 35.14 |  |  |  |
| RMS  | 7.1012G | 84.66    | Inf      | -Inf   | 75.64  | 3    | Horizontal | 150     | 1.80   | -       | 35.70 | 8.46 | 35.14 |  |  |  |
| PK   | 7.1862G | 64.48    | 88.20    | -23.72 | 54.97  | 3    | Horizontal | 150     | 1.80   | -       | 36.12 | 8.53 | 35.14 |  |  |  |
| RMS  | 7.191G  | 52.66    | 68.20    | -15.54 | 43.13  | 3    | Horizontal | 150     | 1.80   | -       | 36.15 | 8.53 | 35.15 |  |  |  |

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_2TX

7095MHz\_TX




EUT\_Y\_2TX  
Setting -7.5(S1 -1.5)  
03-V-Y-1

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 14.18947G    | 47.30             | 88.20             | -40.90         | 38.38         | 3           | Vertical  | 329            | 1.51          | -       | 41.66      | 11.83      | 44.57      |  |  |  |
| RMS  | 14.18996G    | 37.19             | 68.20             | -31.01         | 28.27         | 3           | Vertical  | 329            | 1.51          | -       | 41.66      | 11.83      | 44.57      |  |  |  |

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_2TX

7095MHz\_TX




EUT\_Y\_2TX  
Setting -7.5(S1 -1.5)  
03-V-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 14.18993G | 46.89    | 88.20    | -41.31 | 37.97  | 3    | Horizontal | 122     | 1.49   | -       | 41.66 | 11.83 | 44.57 |  |  |  |
| RMS  | 14.18872G | 37.05    | 68.20    | -31.15 | 28.14  | 3    | Horizontal | 122     | 1.49   | -       | 41.65 | 11.83 | 44.57 |  |  |  |

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_2TX

7095MHz\_TX




EUT\_Y\_2TX  
Setting -7.5(S1 -1.5)  
03-V-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 21.28479G | 59.23    | 83.54    | -24.31 | 53.58  | 1    | Vertical  | 192     | 1.53   | -       | 38.07 | 16.22 | 48.64 |  |  |  |
| AV   | 21.28484G | 45.64    | 63.54    | -17.90 | 39.99  | 1    | Vertical  | 192     | 1.53   | -       | 38.07 | 16.22 | 48.64 |  |  |  |

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_2TX

7095MHz\_TX




EUT\_Y\_2TX  
Setting -7.5(S1 -1.5)  
03-V-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 21.28435G | 59.24    | 83.54    | -24.30 | 53.59  | 1    | Horizontal | 184     | 1.52   | -       | 38.07 | 16.22 | 48.64 |  |  |  |
| AV   | 21.28566G | 45.06    | 63.54    | -18.48 | 39.41  | 1    | Horizontal | 184     | 1.52   | -       | 38.07 | 16.22 | 48.64 |  |  |  |

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_2TX


7095MHz\_TX

EUT\_Y\_2TX  
Setting -6(S1 -0.5)  
03-V-R-7-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 7.0978G      | 96.94             | Inf               | -Inf           | 87.93         | 3           | Vertical  | 170            | 1.80          | -       | 35.70      | 8.45       | 35.14      |  |  |  |
| RMS  | 7.0972G      | 86.59             | Inf               | -Inf           | 77.59         | 3           | Vertical  | 170            | 1.80          | -       | 35.69      | 8.45       | 35.14      |  |  |  |
| PK   | 7.175G       | 64.71             | 88.20             | -23.49         | 55.28         | 3           | Vertical  | 170            | 1.80          | -       | 36.05      | 8.52       | 35.14      |  |  |  |
| RMS  | 7.1856G      | 52.52             | 68.20             | -15.68         | 43.02         | 3           | Vertical  | 170            | 1.80          | -       | 36.11      | 8.53       | 35.14      |  |  |  |

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_2TX

7095MHz\_TX




EUT\_Y\_2TX  
Setting -6(S1 -0.5)  
03-V-R-7-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |  |
|------|---------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |  |
| PK   | 7.0978G | 97.25    | Inf      | -Inf   | 88.24  | 3    | Horizontal | 147     | 1.73   | -       | 35.70 | 8.45 | 35.14 |  |  |  |  |
| RMS  | 7.0986G | 84.56    | Inf      | -Inf   | 75.55  | 3    | Horizontal | 147     | 1.73   | -       | 35.70 | 8.45 | 35.14 |  |  |  |  |
| PK   | 7.1732G | 64.11    | 88.20    | -24.09 | 54.69  | 3    | Horizontal | 147     | 1.73   | -       | 36.04 | 8.52 | 35.14 |  |  |  |  |
| RMS  | 7.1856G | 52.47    | 68.20    | -15.73 | 42.97  | 3    | Horizontal | 147     | 1.73   | -       | 36.11 | 8.53 | 35.14 |  |  |  |  |

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_2TX

7095MHz\_TX




EUT\_Y\_2TX  
Setting -6(S1 -0.5)  
03-V-Y-1

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 14.18932G    | 46.96             | 88.20             | -41.24         | 38.04         | 3           | Vertical  | 33             | 1.36          | -       | 41.66      | 11.83      | 44.57      |  |  |  |
| RMS  | 14.19069G    | 36.83             | 68.20             | -31.37         | 27.91         | 3           | Vertical  | 33             | 1.36          | -       | 41.66      | 11.83      | 44.57      |  |  |  |

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_2TX


7095MHz\_TX

EUT\_Y\_2TX  
Setting -6(S1 -0.5)  
03-V-Y-1

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 14.18899G    | 47.42             | 88.20             | -40.78         | 38.50         | 3           | Horizontal | 180            | 1.73          | -       | 41.66      | 11.83      | 44.57      |  |  |  |
| RMS  | 14.19236G    | 37.22             | 68.20             | -30.98         | 28.29         | 3           | Horizontal | 180            | 1.73          | -       | 41.67      | 11.83      | 44.57      |  |  |  |

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_2TX

7095MHz\_TX




EUT\_Y\_2TX  
Setting -6(S1 -0.5)  
03-V-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 21.28531G | 59.38    | 83.54    | -24.16 | 53.73  | 1    | Vertical  | 185     | 1.51   | -       | 38.07 | 16.22 | 48.64 |  |  |  |
| AV   | 21.2847G  | 44.25    | 63.54    | -19.29 | 38.60  | 1    | Vertical  | 185     | 1.51   | -       | 38.07 | 16.22 | 48.64 |  |  |  |

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_2TX


7095MHz\_TX

EUT\_Y\_2TX  
Setting -6(S1 -0.5)  
03-V-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 21.28458G | 58.80    | 83.54    | -24.74 | 53.15  | 1    | Horizontal | 182     | 1.52   | -       | 38.07 | 16.22 | 48.64 |  |  |  |
| AV   | 21.28564G | 43.99    | 63.54    | -19.55 | 38.34  | 1    | Horizontal | 182     | 1.52   | -       | 38.07 | 16.22 | 48.64 |  |  |  |

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_2TX

7115MHz\_TX




EUT\_Y\_2TX  
Setting -10(S1 -3)  
03-V-R-7-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 7.1235G | 98.70    | Inf      | -Inf   | 89.58  | 3    | Vertical  | 149     | 2.58   | BP 1MHz | 35.79 | 8.47 | 35.14 |  |  |  |
| RMS  | 7.1235G | 90.13    | Inf      | -Inf   | 81.01  | 3    | Vertical  | 149     | 2.58   | BP 1MHz | 35.79 | 8.47 | 35.14 |  |  |  |
| PK   | 7.1255G | 67.11    | 88.20    | -21.09 | 57.97  | 3    | Vertical  | 149     | 2.58   | BP 1MHz | 35.80 | 8.48 | 35.14 |  |  |  |
| RMS  | 7.1255G | 56.37    | 68.20    | -11.83 | 47.23  | 3    | Vertical  | 149     | 2.58   | BP 1MHz | 35.80 | 8.48 | 35.14 |  |  |  |

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_2TX

7115MHz\_TX




EUT\_Y\_2TX  
Setting -10(S1 -3)  
03-V-R-7-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 7.1235G | 96.51    | Inf      | -Inf   | 87.39  | 3    | Horizontal | 183     | 1.80   | BP 1MHz | 35.79 | 8.47 | 35.14 |  |  |  |
| RMS  | 7.1235G | 88.24    | Inf      | -Inf   | 79.12  | 3    | Horizontal | 183     | 1.80   | BP 1MHz | 35.79 | 8.47 | 35.14 |  |  |  |
| PK   | 7.1255G | 65.38    | 88.20    | -22.82 | 56.24  | 3    | Horizontal | 183     | 1.80   | BP 1MHz | 35.80 | 8.48 | 35.14 |  |  |  |
| RMS  | 7.1255G | 55.15    | 68.20    | -13.05 | 46.01  | 3    | Horizontal | 183     | 1.80   | BP 1MHz | 35.80 | 8.48 | 35.14 |  |  |  |

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_2TX

7115MHz\_TX




EUT\_Y\_2TX  
Setting -10(S1 -3)  
03-V-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 14.23068G | 47.51    | 88.20    | -40.69 | 38.51  | 3    | Vertical  | 303     | 1.16   | -       | 41.76 | 11.86 | 44.62 |  |  |  |
| RMS  | 14.22934G | 34.76    | 68.20    | -33.44 | 25.76  | 3    | Vertical  | 303     | 1.16   | -       | 41.76 | 11.86 | 44.62 |  |  |  |

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_2TX

7115MHz\_TX




EUT\_Y\_2TX  
Setting -10(S1 -3)  
03-V-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 14.23147G | 49.15    | 88.20    | -39.05 | 40.15  | 3    | Horizontal | 182     | 2.81   | -       | 41.76 | 11.86 | 44.62 |  |  |  |
| RMS  | 14.23019G | 34.83    | 68.20    | -33.37 | 25.83  | 3    | Horizontal | 182     | 2.81   | -       | 41.76 | 11.86 | 44.62 |  |  |  |

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_2TX


7115MHz\_TX

EUT\_Y\_2TX  
Setting -10(S1 -3)  
03-V-Y-1

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 21.34519G    | 59.19             | 83.54             | -24.35         | 53.45         | 1           | Vertical  | 292            | 1.53          | -       | 38.10      | 16.27      | 48.63      |  |  |  |
| AV   | 21.34586G    | 49.72             | 63.54             | -13.82         | 43.98         | 1           | Vertical  | 292            | 1.53          | -       | 38.10      | 16.27      | 48.63      |  |  |  |

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 26,#RU 8\_2TX

7115MHz\_TX




EUT\_Y\_2TX  
Setting -10(S1 -3)  
03-V-Y-1

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 21.34454G    | 59.47             | 83.54             | -24.07         | 53.73         | 1           | Horizontal | 243            | 1.51          | -       | 38.10      | 16.27      | 48.63      |  |  |  |
| AV   | 21.3459G     | 49.72             | 63.54             | -13.82         | 43.98         | 1           | Horizontal | 243            | 1.51          | -       | 38.10      | 16.27      | 48.63      |  |  |  |

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_2TX

7115MHz\_TX




EUT\_Y\_2TX  
Setting -8.5(S1 -0.5)  
03-V-R-7-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 7.1215G | 95.83    | Inf      | -Inf   | 86.71  | 3    | Vertical  | 144     | 1.80   | BP 1MHz | 35.79 | 8.47 | 35.14 |  |  |  |
| RMS  | 7.1225G | 88.54    | Inf      | -Inf   | 79.42  | 3    | Vertical  | 144     | 1.80   | BP 1MHz | 35.79 | 8.47 | 35.14 |  |  |  |
| PK   | 7.1255G | 66.64    | 88.20    | -21.56 | 57.50  | 3    | Vertical  | 144     | 1.80   | BP 1MHz | 35.80 | 8.48 | 35.14 |  |  |  |
| RMS  | 7.1255G | 55.88    | 68.20    | -12.32 | 46.74  | 3    | Vertical  | 144     | 1.80   | BP 1MHz | 35.80 | 8.48 | 35.14 |  |  |  |

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_2TX

7115MHz\_TX




EUT\_Y\_2TX  
Setting -8.5(S1 -0.5)  
03-V-R-7-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 7.1215G | 95.09    | Inf      | -Inf   | 85.97  | 3    | Horizontal | 150     | 1.80   | BP 1MHz | 35.79 | 8.47 | 35.14 |  |  |  |
| RMS  | 7.1215G | 86.79    | Inf      | -Inf   | 77.67  | 3    | Horizontal | 150     | 1.80   | BP 1MHz | 35.79 | 8.47 | 35.14 |  |  |  |
| PK   | 7.1255G | 66.29    | 88.20    | -21.91 | 57.15  | 3    | Horizontal | 150     | 1.80   | BP 1MHz | 35.80 | 8.48 | 35.14 |  |  |  |
| RMS  | 7.1255G | 55.03    | 68.20    | -13.17 | 45.89  | 3    | Horizontal | 150     | 1.80   | BP 1MHz | 35.80 | 8.48 | 35.14 |  |  |  |

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_2TX

7115MHz\_TX




EUT\_Y\_2TX  
Setting -8.5(S1 -0.5)  
03-V-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 14.22931G | 47.72    | 88.20    | -40.48 | 38.72  | 3    | Vertical  | 291     | 2.39   | -       | 41.76 | 11.86 | 44.62 |  |  |  |
| RMS  | 14.22976G | 37.45    | 68.20    | -30.75 | 28.45  | 3    | Vertical  | 291     | 2.39   | -       | 41.76 | 11.86 | 44.62 |  |  |  |

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_2TX

7115MHz\_TX




EUT\_Y\_2TX  
Setting -8.5(S1 -0.5)  
03-V-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 14.22948G | 47.67    | 88.20    | -40.53 | 38.67  | 3    | Horizontal | 94      | 2.28   | -       | 41.76 | 11.86 | 44.62 |  |  |  |
| RMS  | 14.23033G | 37.53    | 68.20    | -30.67 | 28.53  | 3    | Horizontal | 94      | 2.28   | -       | 41.76 | 11.86 | 44.62 |  |  |  |

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_2TX

7115MHz\_TX




EUT\_Y\_2TX  
Setting -8.5(S1 -0.5)  
03-V-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 21.34584G | 58.84    | 83.54    | -24.70 | 53.10  | 1    | Vertical  | 187     | 1.53   | -       | 38.10 | 16.27 | 48.63 |  |  |  |
| AV   | 21.34574G | 48.93    | 63.54    | -14.61 | 43.19  | 1    | Vertical  | 187     | 1.53   | -       | 38.10 | 16.27 | 48.63 |  |  |  |

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 52,#RU 40\_2TX

7115MHz\_TX




EUT\_Y\_2TX  
Setting -8.5(S1 -0.5)  
03-V-Y-1

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 21.34526G    | 59.21             | 83.54             | -24.33         | 53.47         | 1           | Horizontal | 109            | 1.55          | -       | 38.10      | 16.27      | 48.63      |  |  |  |
| AV   | 21.34576G    | 47.24             | 63.54             | -16.30         | 41.50         | 1           | Horizontal | 109            | 1.55          | -       | 38.10      | 16.27      | 48.63      |  |  |  |

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_2TX

7115MHz\_TX




EUT\_Y\_2TX  
Setting -6.5  
03-V-R-7-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |  |
|------|---------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |  |
| PK   | 7.1195G | 95.53    | Inf      | -Inf   | 86.42  | 3    | Vertical  | 148     | 2.60   | BP 1MHz | 35.78 | 8.47 | 35.14 |  |  |  |  |
| RMS  | 7.1185G | 87.21    | Inf      | -Inf   | 78.11  | 3    | Vertical  | 148     | 2.60   | BP 1MHz | 35.77 | 8.47 | 35.14 |  |  |  |  |
| PK   | 7.1255G | 66.91    | 88.20    | -21.29 | 57.77  | 3    | Vertical  | 148     | 2.60   | BP 1MHz | 35.80 | 8.48 | 35.14 |  |  |  |  |
| RMS  | 7.1255G | 55.36    | 68.20    | -12.84 | 46.22  | 3    | Vertical  | 148     | 2.60   | BP 1MHz | 35.80 | 8.48 | 35.14 |  |  |  |  |

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_2TX

7115MHz\_TX




EUT\_Y\_2TX  
Setting -6.5  
03-V-R-7-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 7.1175G | 94.10    | Inf      | -Inf   | 85.00  | 3    | Horizontal | 149     | 1.80   | BP 1MHz | 35.77 | 8.47 | 35.14 |  |  |  |
| RMS  | 7.1225G | 83.08    | Inf      | -Inf   | 73.96  | 3    | Horizontal | 149     | 1.80   | BP 1MHz | 35.79 | 8.47 | 35.14 |  |  |  |
| PK   | 7.1255G | 63.96    | 88.20    | -24.24 | 54.82  | 3    | Horizontal | 149     | 1.80   | BP 1MHz | 35.80 | 8.48 | 35.14 |  |  |  |
| RMS  | 7.1255G | 53.87    | 68.20    | -14.33 | 44.73  | 3    | Horizontal | 149     | 1.80   | BP 1MHz | 35.80 | 8.48 | 35.14 |  |  |  |

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_2TX

7115MHz\_TX




EUT\_Y\_2TX  
Setting -6.5  
03-V-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 14.22966G | 47.28    | 88.20    | -40.92 | 38.28  | 3    | Vertical  | 355     | 2.74   | -       | 41.76 | 11.86 | 44.62 |  |  |  |
| RMS  | 14.23007G | 37.31    | 68.20    | -30.89 | 28.31  | 3    | Vertical  | 355     | 2.74   | -       | 41.76 | 11.86 | 44.62 |  |  |  |

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_2TX

7115MHz\_TX




EUT\_Y\_2TX  
Setting -6.5  
03-V-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 14.23155G | 47.28    | 88.20    | -40.92 | 38.28  | 3    | Horizontal | 183     | 1.17   | -       | 41.76 | 11.86 | 44.62 |  |  |  |
| RMS  | 14.22814G | 37.46    | 68.20    | -30.74 | 28.46  | 3    | Horizontal | 183     | 1.17   | -       | 41.76 | 11.86 | 44.62 |  |  |  |

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_2TX


7115MHz\_TX

EUT\_Y\_2TX  
Setting -6.5  
03-V-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 21.34411G | 59.43    | 83.54    | -24.11 | 53.69  | 1    | Vertical  | 46      | 1.53   | -       | 38.10 | 16.27 | 48.63 |  |  |  |
| AV   | 21.34438G | 49.28    | 63.54    | -14.26 | 43.54  | 1    | Vertical  | 46      | 1.53   | -       | 38.10 | 16.27 | 48.63 |  |  |  |

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0),RU 106,#RU 54\_2TX

7115MHz\_TX

EUT\_Y\_2TX  
Setting -6.5  
03-V-Y-1

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 21.34532G    | 59.15             | 83.54             | -24.39         | 53.41         | 1           | Horizontal | 187            | 1.52          | -       | 38.10      | 16.27      | 48.63      |  |  |  |
| AV   | 21.34488G    | 48.34             | 63.54             | -15.20         | 42.60         | 1           | Horizontal | 187            | 1.52          | -       | 38.10      | 16.27      | 48.63      |  |  |  |




Test Mode: Mode 3

Summary

| Mode                           | Result | Type | Freq    | Level    | Limit    | Margin | Dist | Condition | Azimuth | Height | Comments |
|--------------------------------|--------|------|---------|----------|----------|--------|------|-----------|---------|--------|----------|
|                                |        |      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (m)  |           | (°)     | (m)    |          |
| 6.875-7.125GHz                 | -      | -    | -       | -        | -        | -      | -    | -         | -       | -      | -        |
| 802.11ax HEW20_Nss1,(MCS0)_1TX | Pass   | RMS  | 7.1255G | 58.76    | 68.20    | -9.44  | 3    | Vertical  | 186     | 1.89   | BP 1MHz  |

6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX


6435MHz\_TX

EUT\_Y\_1TX  
Setting 2  
02-C-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.87084G | 45.36    | 88.20    | -42.84 | 39.58  | 3    | Vertical  | 325     | 2.22   | -       | 39.04 | 11.95 | 45.21 |  |  |  |
| RMS  | 12.87013G | 31.05    | 68.20    | -37.15 | 25.28  | 3    | Vertical  | 325     | 2.22   | -       | 39.04 | 11.95 | 45.22 |  |  |  |

6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX


6435MHz\_TX

EUT\_Y\_1TX  
Setting 2  
02-C-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.87072G | 45.57    | 88.20    | -42.63 | 39.79  | 3    | Horizontal | 50      | 2.91   | -       | 39.04 | 11.95 | 45.21 |  |  |  |
| RMS  | 12.87076G | 31.10    | 68.20    | -37.10 | 25.32  | 3    | Horizontal | 50      | 2.91   | -       | 39.04 | 11.95 | 45.21 |  |  |  |

6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX


6435MHz\_TX

EUT\_Y\_1TX  
Setting 2  
02-C-Y-1

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 19.307G      | 54.16             | 83.54             | -29.38         | 49.95         | 1           | Vertical  | 289            | 2.24          | -       | 37.80      | 15.21      | 48.80      |  |  |  |
| AV   | 19.3027G     | 39.86             | 63.54             | -23.68         | 35.65         | 1           | Vertical  | 289            | 2.24          | -       | 37.80      | 15.21      | 48.80      |  |  |  |

6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

6435MHz\_TX




EUT\_Y\_1TX  
Setting 2  
02-C-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.30351G | 53.78    | 83.54    | -29.76 | 49.57  | 1    | Horizontal | 42      | 1.76   | -       | 37.80 | 15.21 | 48.80 |  |  |  |
| AV   | 19.30737G | 39.87    | 63.54    | -23.67 | 35.66  | 1    | Horizontal | 42      | 1.76   | -       | 37.80 | 15.21 | 48.80 |  |  |  |

6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX


6475MHz\_TX

EUT\_Y\_1TX  
Setting 1.5  
02-C-Y-1

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 12.94983G    | 46.24             | 88.20             | -41.96         | 40.13         | 3           | Vertical  | 240            | 1.72          | -       | 39.30      | 11.94      | 45.13      |  |  |  |
| RMS  | 12.94947G    | 31.90             | 68.20             | -36.30         | 25.79         | 3           | Vertical  | 240            | 1.72          | -       | 39.30      | 11.94      | 45.13      |  |  |  |

6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

6475MHz\_TX




EUT\_Y\_1TX  
Setting 1.5  
02-C-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.95044G | 46.43    | 88.20    | -41.77 | 40.32  | 3    | Horizontal | 77      | 1.86   | -       | 39.30 | 11.94 | 45.13 |  |  |  |
| RMS  | 12.94966G | 31.91    | 68.20    | -36.29 | 25.80  | 3    | Horizontal | 77      | 1.86   | -       | 39.30 | 11.94 | 45.13 |  |  |  |

6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

6475MHz\_TX




EUT\_Y\_1TX  
Setting 1.5  
02-C-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.42504G | 53.55    | 83.54    | -29.99 | 49.35  | 1    | Vertical  | 164     | 1.07   | -       | 37.80 | 15.20 | 48.80 |  |  |  |
| AV   | 19.42266G | 39.37    | 63.54    | -24.17 | 35.16  | 1    | Vertical  | 164     | 1.07   | -       | 37.81 | 15.20 | 48.80 |  |  |  |

6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

6475MHz\_TX




EUT\_Y\_1TX  
Setting 1.5  
02-C-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |  |
| PK   | 19.42599G | 53.39    | 83.54    | -30.15 | 49.19  | 1    | Horizontal | 278     | 1.02   | -       | 37.80 | 15.20 | 48.80 |  |  |  |  |
| AV   | 19.42251G | 39.30    | 63.54    | -24.24 | 35.09  | 1    | Horizontal | 278     | 1.02   | -       | 37.81 | 15.20 | 48.80 |  |  |  |  |

6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX


6515MHz\_TX

EUT\_Y\_1TX  
Setting 1.5  
02-C-Y-1

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.02967G    | 46.36             | 88.20             | -41.84         | 40.08         | 3           | Vertical  | 107            | 1.68          | -       | 39.40      | 11.93      | 45.05      |  |  |  |
| RMS  | 13.03087G    | 32.03             | 68.20             | -36.17         | 25.74         | 3           | Vertical  | 107            | 1.68          | -       | 39.40      | 11.93      | 45.04      |  |  |  |

6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

6515MHz\_TX




EUT\_V\_1TX  
Setting 1.5  
02-C-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.03085G | 46.18    | 88.20    | -42.02 | 39.89  | 3    | Horizontal | 131     | 2.04   | -       | 39.40 | 11.93 | 45.04 |  |  |  |
| RMS  | 13.03099G | 32.00    | 68.20    | -36.20 | 25.71  | 3    | Horizontal | 131     | 2.04   | -       | 39.40 | 11.93 | 45.04 |  |  |  |

6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX


6515MHz\_TX

EUT\_Y\_1TX  
Setting 1.5  
02-C-Y-1

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.5452G | 53.52    | 83.54    | -30.02 | 49.41  | 1    | Vertical  | 337     | 1.04   | -       | 37.71 | 15.20 | 48.80 |  |  |  |
| AV   | 19.5442G | 38.87    | 63.54    | -24.67 | 34.76  | 1    | Vertical  | 337     | 1.04   | -       | 37.71 | 15.20 | 48.80 |  |  |  |

6.425-6.525GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX


6515MHz\_TX

EUT\_Y\_1TX  
Setting 1.5  
02-C-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.54483G | 52.92    | 83.54    | -30.62 | 48.81  | 1    | Horizontal | 170     | 1.17   | -       | 37.71 | 15.20 | 48.80 |  |  |  |
| AV   | 19.54439G | 38.79    | 63.54    | -24.75 | 34.68  | 1    | Horizontal | 170     | 1.17   | -       | 37.71 | 15.20 | 48.80 |  |  |  |

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX


6895MHz\_TX

EUT\_Y\_1TX  
Setting 0.5  
02-C-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.7892G  | 51.41    | 88.20    | -36.79 | 43.04  | 3    | Vertical  | 234     | 1.25   | -       | 41.02 | 11.81 | 44.46 |  |  |  |
| RMS  | 13.79076G | 36.84    | 68.20    | -31.36 | 28.47  | 3    | Vertical  | 234     | 1.25   | -       | 41.02 | 11.81 | 44.46 |  |  |  |

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

6895MHz\_TX




EUT\_Y\_1TX  
Setting 0.5  
02-C-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.78934G | 50.91    | 88.20    | -37.29 | 42.54  | 3    | Horizontal | 332     | 1.06   | -       | 41.02 | 11.81 | 44.46 |  |  |  |
| RMS  | 13.79079G | 36.83    | 68.20    | -31.37 | 28.46  | 3    | Horizontal | 332     | 1.06   | -       | 41.02 | 11.81 | 44.46 |  |  |  |

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX


6895MHz\_TX

EUT\_Y\_1TX  
Setting 0.5  
02-C-Y-1

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.68662G    | 55.99             | 83.54             | -27.55         | 51.06         | 1           | Vertical  | 173            | 2.20          | -       | 37.90      | 15.73      | 48.70      |  |  |  |
| AV   | 20.68691G    | 41.71             | 63.54             | -21.83         | 36.78         | 1           | Vertical  | 173            | 2.20          | -       | 37.90      | 15.73      | 48.70      |  |  |  |

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

6895MHz\_TX




EUT\_Y\_1TX  
Setting 0.5  
02-C-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.68349G | 55.51    | 83.54    | -28.03 | 50.58  | 1    | Horizontal | 35      | 1.91   | -       | 37.90 | 15.73 | 48.70 |  |  |  |
| AV   | 20.68688G | 41.61    | 63.54    | -21.93 | 36.68  | 1    | Horizontal | 35      | 1.91   | -       | 37.90 | 15.73 | 48.70 |  |  |  |

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX


6995MHz\_TX

EUT\_Y\_1TX  
Setting 0  
02-C-Y-1

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.99061G    | 52.42             | 88.20             | -35.78         | 43.48         | 3           | Vertical  | 212            | 2.47          | -       | 41.48      | 11.78      | 44.32      |  |  |  |
| RMS  | 13.98908G    | 37.73             | 68.20             | -30.47         | 28.79         | 3           | Vertical  | 212            | 2.47          | -       | 41.48      | 11.78      | 44.32      |  |  |  |

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

6995MHz\_TX

EUT\_Y\_1TX  
Setting 0  
02-C-Y-1

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.99059G    | 51.67             | 88.20             | -36.53         | 42.73         | 3           | Horizontal | 267            | 1.50          | -       | 41.48      | 11.78      | 44.32      |  |  |  |
| RMS  | 13.98928G    | 37.73             | 68.20             | -30.47         | 28.79         | 3           | Horizontal | 267            | 1.50          | -       | 41.48      | 11.78      | 44.32      |  |  |  |

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

6995MHz\_TX

EUT\_Y\_1TX  
Setting 0  
02-C-Y-1

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.98405G    | 59.25             | 83.54             | -24.29         | 54.01         | 1           | Vertical  | 168            | 2.18          | -       | 37.97      | 15.97      | 48.70      |  |  |  |
| AV   | 20.9851G     | 44.77             | 63.54             | -18.77         | 39.53         | 1           | Vertical  | 168            | 2.18          | -       | 37.97      | 15.97      | 48.70      |  |  |  |

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

6995MHz\_TX




EUT\_Y\_1TX  
Setting 0  
02-C-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.98441G | 58.64    | 83.54    | -24.90 | 53.40  | 1    | Horizontal | 248     | 2.69   | -       | 37.97 | 15.97 | 48.70 |  |  |  |
| AV   | 20.98517G | 44.68    | 63.54    | -18.86 | 39.44  | 1    | Horizontal | 248     | 2.69   | -       | 37.97 | 15.97 | 48.70 |  |  |  |

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

7095MHz\_TX




EUT\_Y\_1TX  
Setting -0.5  
02-C-K-5-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |  |
|------|---------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |  |
| PK   | 7.0944G | 99.91    | Inf      | -Inf   | 86.83  | 3    | Vertical  | 187     | 1.80   | -       | 35.39 | 9.11 | 31.42 |  |  |  |  |
| RMS  | 7.0915G | 89.77    | Inf      | -Inf   | 76.71  | 3    | Vertical  | 187     | 1.80   | -       | 35.38 | 9.10 | 31.42 |  |  |  |  |
| PK   | 7.1412G | 65.36    | 88.20    | -22.84 | 51.90  | 3    | Vertical  | 187     | 1.80   | -       | 35.65 | 9.23 | 31.42 |  |  |  |  |
| RMS  | 7.1364G | 54.06    | 68.20    | -14.14 | 40.65  | 3    | Vertical  | 187     | 1.80   | -       | 35.62 | 9.21 | 31.42 |  |  |  |  |

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

7095MHz\_TX




EUT\_Y\_1TX  
Setting -0.5  
02-C-K-5-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |  |
|------|---------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |  |
| PK   | 7.0945G | 96.36    | Inf      | -Inf   | 83.28  | 3    | Horizontal | 198     | 1.75   | -       | 35.39 | 9.11 | 31.42 |  |  |  |  |
| RMS  | 7.0937G | 86.00    | Inf      | -Inf   | 72.92  | 3    | Horizontal | 198     | 1.75   | -       | 35.39 | 9.11 | 31.42 |  |  |  |  |
| PK   | 7.1436G | 65.47    | 88.20    | -22.73 | 52.00  | 3    | Horizontal | 198     | 1.75   | -       | 35.66 | 9.23 | 31.42 |  |  |  |  |
| RMS  | 7.1427G | 53.65    | 68.20    | -14.55 | 40.18  | 3    | Horizontal | 198     | 1.75   | -       | 35.66 | 9.23 | 31.42 |  |  |  |  |

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

7095MHz\_TX




EUT\_Y\_1TX  
Setting -0.5  
02-C-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 14.18951G | 52.45    | 88.20    | -35.75 | 42.97  | 3    | Vertical  | 113     | 1.57   | -       | 42.26 | 11.79 | 44.57 |  |  |  |
| RMS  | 14.18941G | 38.22    | 68.20    | -29.98 | 28.74  | 3    | Vertical  | 113     | 1.57   | -       | 42.26 | 11.79 | 44.57 |  |  |  |

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

7095MHz\_TX




EUT\_Y\_1TX  
Setting -0.5  
02-C-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 14.18963G | 52.36    | 88.20    | -35.84 | 42.88  | 3    | Horizontal | 340     | 1.42   | -       | 42.26 | 11.79 | 44.57 |  |  |  |
| RMS  | 14.18969G | 38.24    | 68.20    | -29.96 | 28.76  | 3    | Horizontal | 340     | 1.42   | -       | 42.26 | 11.79 | 44.57 |  |  |  |

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

7095MHz\_TX




EUT\_Y\_1TX  
Setting -0.5  
02-C-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 21.28296G | 59.18    | 83.54    | -24.36 | 53.53  | 1    | Vertical  | 142     | 2.48   | -       | 38.07 | 16.22 | 48.64 |  |  |  |
| AV   | 21.2827G  | 45.27    | 63.54    | -18.27 | 39.62  | 1    | Vertical  | 142     | 2.48   | -       | 38.07 | 16.22 | 48.64 |  |  |  |

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

7095MHz\_TX




EUT\_Y\_1TX  
Setting -0.5  
02-C-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 21.28651G | 59.27    | 83.54    | -24.27 | 53.62  | 1    | Horizontal | 41      | 1.31   | -       | 38.07 | 16.22 | 48.64 |  |  |  |
| AV   | 21.28332G | 45.24    | 63.54    | -18.30 | 39.59  | 1    | Horizontal | 41      | 1.31   | -       | 38.07 | 16.22 | 48.64 |  |  |  |

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

7115MHz\_TX




EUT\_Y\_1TX  
Setting -0.5  
02-C-K-5-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 7.1115G | 96.64    | Inf      | -Inf   | 83.44  | 3    | Vertical  | 186     | 1.89   | BP 1MHz | 35.47 | 9.15 | 31.42 |  |  |  |
| RMS  | 7.1115G | 90.05    | Inf      | -Inf   | 76.85  | 3    | Vertical  | 186     | 1.89   | BP 1MHz | 35.47 | 9.15 | 31.42 |  |  |  |
| PK   | 7.1255G | 67.61    | 88.20    | -20.59 | 54.29  | 3    | Vertical  | 186     | 1.89   | BP 1MHz | 35.55 | 9.19 | 31.42 |  |  |  |
| RMS  | 7.1255G | 58.76    | 68.20    | -9.44  | 45.44  | 3    | Vertical  | 186     | 1.89   | BP 1MHz | 35.55 | 9.19 | 31.42 |  |  |  |

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX


7115MHz\_TX

EUT\_Y\_1TX  
Setting -0.5  
02-C-K-5-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 7.1125G | 94.84    | Inf      | -Inf   | 81.62  | 3    | Horizontal | 182     | 1.80   | BP 1MHz | 35.48 | 9.16 | 31.42 |  |  |  |
| RMS  | 7.1095G | 88.40    | Inf      | -Inf   | 75.21  | 3    | Horizontal | 182     | 1.80   | BP 1MHz | 35.46 | 9.15 | 31.42 |  |  |  |
| PK   | 7.1255G | 66.59    | 88.20    | -21.61 | 53.27  | 3    | Horizontal | 182     | 1.80   | BP 1MHz | 35.55 | 9.19 | 31.42 |  |  |  |
| RMS  | 7.1255G | 58.04    | 68.20    | -10.16 | 44.72  | 3    | Horizontal | 182     | 1.80   | BP 1MHz | 35.55 | 9.19 | 31.42 |  |  |  |

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

7115MHz\_TX




EUT\_Y\_1TX  
Setting -0.5  
02-C-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 14.22983G | 52.37    | 88.20    | -35.83 | 42.90  | 3    | Vertical  | 84      | 1.46   | -       | 42.30 | 11.79 | 44.62 |  |  |  |
| RMS  | 14.23032G | 38.14    | 68.20    | -30.06 | 28.67  | 3    | Vertical  | 84      | 1.46   | -       | 42.30 | 11.79 | 44.62 |  |  |  |

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX


7115MHz\_TX

EUT\_Y\_1TX  
Setting -0.5  
02-C-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 14.22991G | 52.40    | 88.20    | -35.80 | 42.93  | 3    | Horizontal | 169     | 2.05   | -       | 42.30 | 11.79 | 44.62 |  |  |  |
| RMS  | 14.22934G | 38.15    | 68.20    | -30.05 | 28.68  | 3    | Horizontal | 169     | 2.05   | -       | 42.30 | 11.79 | 44.62 |  |  |  |

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

7115MHz\_TX




EUT\_Y\_1TX  
Setting -0.5  
02-C-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 21.34689G | 60.59    | 83.54    | -22.95 | 54.85  | 1    | Vertical  | 172     | 1.82   | -       | 38.10 | 16.27 | 48.63 |  |  |  |
| AV   | 21.34399G | 46.00    | 63.54    | -17.54 | 40.26  | 1    | Vertical  | 172     | 1.82   | -       | 38.10 | 16.27 | 48.63 |  |  |  |

6.875-7.125GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

7115MHz\_TX




EUT\_Y\_1TX  
Setting -0.5  
02-C-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 21.3441G  | 60.46    | 83.54    | -23.08 | 54.72  | 1    | Horizontal | 112     | 2.12   | -       | 38.10 | 16.27 | 48.63 |  |  |  |
| AV   | 21.34281G | 46.01    | 63.54    | -17.53 | 40.28  | 1    | Horizontal | 112     | 2.12   | -       | 38.10 | 16.26 | 48.63 |  |  |  |

6.425-6.525GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX


6445MHz\_TX

EUT\_Y\_1TX  
Setting 4.5  
02-C-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.89035G | 45.99    | 88.20    | -42.21 | 40.15  | 3    | Vertical  | 54      | 2.79   | -       | 39.08 | 11.95 | 45.19 |  |  |  |
| RMS  | 12.89022G | 31.28    | 68.20    | -36.92 | 25.44  | 3    | Vertical  | 54      | 2.79   | -       | 39.08 | 11.95 | 45.19 |  |  |  |

6.425-6.525GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

6445MHz\_TX




EUT\_Y\_1TX  
Setting 4.5  
02-C-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.89075G | 45.00    | 88.20    | -43.20 | 39.16  | 3    | Horizontal | 21      | 2.49   | -       | 39.08 | 11.95 | 45.19 |  |  |  |
| RMS  | 12.89028G | 31.26    | 68.20    | -36.94 | 25.42  | 3    | Horizontal | 21      | 2.49   | -       | 39.08 | 11.95 | 45.19 |  |  |  |

6.425-6.525GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX


6445MHz\_TX

EUT\_Y\_1TX  
Setting 4.5  
02-C-Y-1

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 19.33439G    | 53.45             | 83.54             | -30.09         | 49.24         | 1           | Vertical  | 65             | 1.20          | -       | 37.80      | 15.21      | 48.80      |  |  |  |
| AV   | 19.33363G    | 39.41             | 63.54             | -24.13         | 35.20         | 1           | Vertical  | 65             | 1.20          | -       | 37.80      | 15.21      | 48.80      |  |  |  |

6.425-6.525GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

6445MHz\_TX




EUT\_Y\_1TX  
Setting 4.5  
02-C-Y-1

| Type | Freq       | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|------------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)       | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.333777G | 53.42    | 83.54    | -30.12 | 49.21  | 1    | Horizontal | 132     | 1.38   | -       | 37.80 | 15.21 | 48.80 |  |  |  |
| AV   | 19.33348G  | 39.42    | 63.54    | -24.12 | 35.21  | 1    | Horizontal | 132     | 1.38   | -       | 37.80 | 15.21 | 48.80 |  |  |  |

6.425-6.525GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX


6485MHz\_TX

EUT\_Y\_1TX  
Setting 4.5  
02-C-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.97052G | 45.85    | 88.20    | -42.35 | 39.68  | 3    | Vertical  | 255     | 2.46   | -       | 39.34 | 11.93 | 45.10 |  |  |  |
| RMS  | 12.96968G | 31.75    | 68.20    | -36.45 | 25.58  | 3    | Vertical  | 255     | 2.46   | -       | 39.34 | 11.93 | 45.10 |  |  |  |

6.425-6.525GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

6485MHz\_TX




EUT\_Y\_1TX  
Setting 4.5  
02-C-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.96986G | 45.78    | 88.20    | -42.42 | 39.61  | 3    | Horizontal | 127     | 1.48   | -       | 39.34 | 11.93 | 45.10 |  |  |  |
| RMS  | 12.9695G  | 31.73    | 68.20    | -36.47 | 25.56  | 3    | Horizontal | 127     | 1.48   | -       | 39.34 | 11.93 | 45.10 |  |  |  |

6.425-6.525GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX


6485MHz\_TX

EUT\_Y\_1TX  
Setting 4.5  
02-C-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.45452G | 52.98    | 83.54    | -30.56 | 48.87  | 1    | Vertical  | 97      | 1.18   | -       | 37.71 | 15.20 | 48.80 |  |  |  |
| AV   | 19.45594G | 38.73    | 63.54    | -24.81 | 34.62  | 1    | Vertical  | 97      | 1.18   | -       | 37.71 | 15.20 | 48.80 |  |  |  |

6.425-6.525GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

6485MHz\_TX




EUT\_Y\_1TX  
Setting 4.5  
02-C-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.45678G | 52.64    | 83.54    | -30.90 | 48.53  | 1    | Horizontal | 360     | 1.39   | -       | 37.71 | 15.20 | 48.80 |  |  |  |
| AV   | 19.45612G | 38.74    | 63.54    | -24.80 | 34.63  | 1    | Horizontal | 360     | 1.39   | -       | 37.71 | 15.20 | 48.80 |  |  |  |

6.425-6.525GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

6525MHz Straddle 6.425-6.525GHz\_TX




EUT\_Y\_1TX  
Setting 4.5  
02-C-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.04909G | 45.68    | 88.20    | -42.52 | 39.39  | 3    | Vertical  | 143     | 1.02   | -       | 39.40 | 11.92 | 45.03 |  |  |  |
| RMS  | 13.0509G  | 31.74    | 68.20    | -36.46 | 25.45  | 3    | Vertical  | 143     | 1.02   | -       | 39.40 | 11.92 | 45.03 |  |  |  |

6.425-6.525GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX


6525MHz Straddle 6.425-6.525GHz\_TX

EUT\_Y\_1TX  
Setting 4.5  
02-C-Y-1

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.05026G    | 45.92             | 88.20             | -42.28         | 39.63         | 3           | Horizontal | 323            | 2.29          | -       | 39.40      | 11.92      | 45.03      |  |  |  |
| RMS  | 13.05084G    | 31.67             | 68.20             | -36.53         | 25.38         | 3           | Horizontal | 323            | 2.29          | -       | 39.40      | 11.92      | 45.03      |  |  |  |

6.425-6.525GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

6525MHz Straddle 6.425-6.525GHz\_TX




EUT\_Y\_1TX  
Setting 4.5  
02-C-Y-1

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 19.57731G    | 52.72             | 83.54             | -30.82         | 48.62         | 1           | Vertical  | 55             | 1.65          | -       | 37.70      | 15.20      | 48.80      |  |  |  |
| AV   | 19.5726G     | 38.66             | 63.54             | -24.88         | 34.56         | 1           | Vertical  | 55             | 1.65          | -       | 37.70      | 15.20      | 48.80      |  |  |  |

6.425-6.525GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX


6525MHz Straddle 6.425-6.525GHz\_TX

EUT\_Y\_1TX  
Setting 4.5  
02-C-Y-1

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 19.57372G    | 52.59             | 83.54             | -30.95         | 48.49         | 1           | Horizontal | 219            | 2.47          | -       | 37.70      | 15.20      | 48.80      |  |  |  |
| AV   | 19.57268G    | 38.62             | 63.54             | -24.92         | 34.52         | 1           | Horizontal | 219            | 2.47          | -       | 37.70      | 15.20      | 48.80      |  |  |  |

6.875-7.125GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX


6925MHz\_TX

EUT\_Y\_1TX  
Setting 3.5  
02-C-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.85049G | 51.08    | 88.20    | -37.12 | 42.49  | 3    | Vertical  | 73      | 1.47   | -       | 41.20 | 11.80 | 44.41 |  |  |  |
| RMS  | 13.85055G | 36.95    | 68.20    | -31.25 | 28.36  | 3    | Vertical  | 73      | 1.47   | -       | 41.20 | 11.80 | 44.41 |  |  |  |

6.875-7.125GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX


6925MHz\_TX

EUT\_Y\_1TX  
Setting 3.5  
02-C-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.84914G | 51.45    | 88.20    | -36.75 | 42.87  | 3    | Horizontal | 48      | 1.62   | -       | 41.20 | 11.80 | 44.42 |  |  |  |
| RMS  | 13.85086G | 36.94    | 68.20    | -31.26 | 28.35  | 3    | Horizontal | 48      | 1.62   | -       | 41.20 | 11.80 | 44.41 |  |  |  |

6.875-7.125GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX


6925MHz\_TX

EUT\_Y\_1TX  
Setting 3.5  
02-C-Y-1

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.77409G    | 56.71             | 83.54             | -26.83         | 51.71         | 1           | Vertical  | 190            | 2.37          | -       | 37.90      | 15.80      | 48.70      |  |  |  |
| AV   | 20.77704G    | 42.71             | 63.54             | -20.83         | 37.71         | 1           | Vertical  | 190            | 2.37          | -       | 37.90      | 15.80      | 48.70      |  |  |  |

6.875-7.125GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX


6925MHz\_TX

EUT\_V\_1TX  
Setting 3.5  
02-C-Y-1

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.77368G    | 56.97             | 83.54             | -26.57         | 51.97         | 1           | Horizontal | 80             | 2.23          | -       | 37.90      | 15.80      | 48.70      |  |  |  |
| AV   | 20.77573G    | 42.69             | 63.54             | -20.85         | 37.69         | 1           | Horizontal | 80             | 2.23          | -       | 37.90      | 15.80      | 48.70      |  |  |  |

6.875-7.125GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX


7005MHz\_TX

EUT\_Y\_1TX  
Setting 3.5  
02-C-Y-1

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 14.00976G    | 51.93             | 88.20             | -36.27         | 42.93         | 3           | Vertical  | 11             | 1.48          | -       | 41.54      | 11.78      | 44.32      |  |  |  |
| RMS  | 14.00985G    | 37.66             | 68.20             | -30.54         | 28.66         | 3           | Vertical  | 11             | 1.48          | -       | 41.54      | 11.78      | 44.32      |  |  |  |

6.875-7.125GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

7005MHz\_TX

EUT\_Y\_1TX  
Setting 3.5  
02-C-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 14.00944G | 51.76    | 88.20    | -36.44 | 42.76  | 3    | Horizontal | 84      | 1.29   | -       | 41.54 | 11.78 | 44.32 |  |  |  |
| RMS  | 14.01004G | 37.67    | 68.20    | -30.53 | 28.67  | 3    | Horizontal | 84      | 1.29   | -       | 41.54 | 11.78 | 44.32 |  |  |  |

6.875-7.125GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX


7005MHz\_TX

EUT\_Y\_1TX  
Setting 3.5  
02-C-Y-1

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 21.01343G    | 58.91             | 83.54             | -24.63         | 53.61         | 1           | Vertical  | 60             | 2.09          | -       | 38.00      | 16.00      | 48.70      |  |  |  |
| AV   | 21.01534G    | 44.79             | 63.54             | -18.75         | 39.49         | 1           | Vertical  | 60             | 2.09          | -       | 38.00      | 16.00      | 48.70      |  |  |  |

6.875-7.125GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX


7005MHz\_TX

EUT\_Y\_1TX  
Setting 3.5  
02-C-Y-1

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 21.0158G     | 58.73             | 83.54             | -24.81         | 53.43         | 1           | Horizontal | 310            | 1.84          | -       | 38.00      | 16.00      | 48.70      |  |  |  |
| AV   | 21.0125G     | 44.72             | 63.54             | -18.82         | 39.42         | 1           | Horizontal | 310            | 1.84          | -       | 38.00      | 16.00      | 48.70      |  |  |  |

6.875-7.125GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

7085MHz\_TX




EUT\_Y\_1TX  
Setting 3  
02-C-K-5-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |  |
|------|---------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |  |
| PK   | 7.0878G | 99.46    | Inf      | -Inf   | 86.40  | 3    | Vertical  | 188     | 1.80   | -       | 35.38 | 9.10 | 31.42 |  |  |  |  |
| RMS  | 7.0764G | 89.13    | Inf      | -Inf   | 76.13  | 3    | Vertical  | 188     | 1.80   | -       | 35.35 | 9.07 | 31.42 |  |  |  |  |
| PK   | 7.1514G | 65.58    | 88.20    | -22.62 | 52.04  | 3    | Vertical  | 188     | 1.80   | -       | 35.71 | 9.25 | 31.42 |  |  |  |  |
| RMS  | 7.1838G | 53.82    | 68.20    | -14.38 | 40.01  | 3    | Vertical  | 188     | 1.80   | -       | 35.90 | 9.33 | 31.42 |  |  |  |  |

6.875-7.125GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

7085MHz\_TX




EUT\_Y\_1TX  
Setting 3  
02-C-K-5-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 7.0876G | 98.97    | Inf      | -Inf   | 85.92  | 3    | Horizontal | 190     | 1.75   | -       | 35.38 | 9.09 | 31.42 |  |  |  |
| RMS  | 7.081G  | 88.76    | Inf      | -Inf   | 75.74  | 3    | Horizontal | 190     | 1.75   | -       | 35.36 | 9.08 | 31.42 |  |  |  |
| PK   | 7.1738G | 64.86    | 88.20    | -23.34 | 51.13  | 3    | Horizontal | 190     | 1.75   | -       | 35.84 | 9.31 | 31.42 |  |  |  |
| RMS  | 7.1826G | 53.85    | 68.20    | -14.35 | 40.04  | 3    | Horizontal | 190     | 1.75   | -       | 35.90 | 9.33 | 31.42 |  |  |  |

6.875-7.125GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX


7085MHz\_TX

EUT\_Y\_1TX  
Setting 3  
02-C-Y-1

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 14.17021G    | 52.77             | 88.20             | -35.43         | 43.34         | 3           | Vertical  | 182            | 2.36          | -       | 42.18      | 11.79      | 44.54      |  |  |  |
| RMS  | 14.16928G    | 38.33             | 68.20             | -29.87         | 28.90         | 3           | Vertical  | 182            | 2.36          | -       | 42.18      | 11.79      | 44.54      |  |  |  |

6.875-7.125GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

7085MHz\_TX




EUT\_Y\_1TX  
Setting 3  
02-C-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 14.16986G | 53.67    | 88.20    | -34.53 | 44.24  | 3    | Horizontal | 76      | 2.47   | -       | 42.18 | 11.79 | 44.54 |  |  |  |
| RMS  | 14.16928G | 38.33    | 68.20    | -29.87 | 28.90  | 3    | Horizontal | 76      | 2.47   | -       | 42.18 | 11.79 | 44.54 |  |  |  |

6.875-7.125GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

7085MHz\_TX




EUT\_Y\_1TX  
Setting 3  
02-C-Y-1

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 21.25621G    | 59.83             | 83.54             | -23.71         | 54.28         | 1           | Vertical  | 290            | 2.58          | -       | 38.01      | 16.19      | 48.65      |  |  |  |
| AV   | 21.2525G     | 45.37             | 63.54             | -18.17         | 39.82         | 1           | Vertical  | 290            | 2.58          | -       | 38.01      | 16.19      | 48.65      |  |  |  |

6.875-7.125GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

7085MHz\_TX




EUT\_Y\_1TX  
Setting 3  
02-C-Y-1

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 21.25571G    | 59.36             | 83.54             | -24.18         | 53.81         | 1           | Horizontal | 338            | 1.56          | -       | 38.01      | 16.19      | 48.65      |  |  |  |
| AV   | 21.25278G    | 45.35             | 63.54             | -18.19         | 39.80         | 1           | Horizontal | 338            | 1.56          | -       | 38.01      | 16.19      | 48.65      |  |  |  |

6.425-6.525GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX


6465MHz\_TX

EUT\_Y\_1TX  
Setting 7.5  
02-C-Y-1

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 12.93226G    | 46.53             | 88.20             | -41.67         | 40.51         | 3           | Vertical  | 134            | 2.87          | -       | 39.23      | 11.94      | 45.15      |  |  |  |
| RMS  | 12.93244G    | 34.17             | 68.20             | -34.03         | 28.15         | 3           | Vertical  | 134            | 2.87          | -       | 39.23      | 11.94      | 45.15      |  |  |  |

6.425-6.525GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX

6465MHz\_TX




EUT\_Y\_1TX  
Setting 7.5  
02-C-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.9307G  | 46.35    | 88.20    | -41.85 | 40.34  | 3    | Horizontal | 99      | 1.26   | -       | 39.22 | 11.94 | 45.15 |  |  |  |
| RMS  | 12.93231G | 34.15    | 68.20    | -34.05 | 28.13  | 3    | Horizontal | 99      | 1.26   | -       | 39.23 | 11.94 | 45.15 |  |  |  |

6.425-6.525GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX

6465MHz\_TX




EUT\_Y\_1TX  
Setting 7.5  
02-C-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.39604G | 52.71    | 83.54    | -30.83 | 48.41  | 1    | Vertical  | 327     | 2.65   | -       | 37.89 | 15.21 | 48.80 |  |  |  |
| AV   | 19.39271G | 40.57    | 63.54    | -22.97 | 36.27  | 1    | Vertical  | 327     | 2.65   | -       | 37.89 | 15.21 | 48.80 |  |  |  |

6.425-6.525GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX


6465MHz\_TX

EUT\_Y\_1TX  
Setting 7.5  
02-C-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.39503G | 52.95    | 83.54    | -30.59 | 48.65  | 1    | Horizontal | 214     | 2.78   | -       | 37.89 | 15.21 | 48.80 |  |  |  |
| AV   | 19.39276G | 40.70    | 63.54    | -22.84 | 36.40  | 1    | Horizontal | 214     | 2.78   | -       | 37.89 | 15.21 | 48.80 |  |  |  |

6.425-6.525GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX


6545MHz Straddle 6.425-6.525GHz\_TX

EUT\_Y\_1TX  
Setting 7  
02-C-Y-1

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.08911G    | 47.23             | 88.20             | -40.97         | 40.75         | 3           | Vertical  | 42             | 1.82          | -       | 39.56      | 11.92      | 45.00      |  |  |  |
| RMS  | 13.08935G    | 34.68             | 68.20             | -33.52         | 28.20         | 3           | Vertical  | 42             | 1.82          | -       | 39.56      | 11.92      | 45.00      |  |  |  |

6.425-6.525GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX


6545MHz Straddle 6.425-6.525GHz\_TX

EUT\_Y\_1TX  
Setting 7  
02-C-Y-1

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.08963G    | 48.01             | 88.20             | -40.19         | 41.53         | 3           | Horizontal | 225            | 1.48          | -       | 39.56      | 11.92      | 45.00      |  |  |  |
| RMS  | 13.08911G    | 34.73             | 68.20             | -33.47         | 28.25         | 3           | Horizontal | 225            | 1.48          | -       | 39.56      | 11.92      | 45.00      |  |  |  |

6.425-6.525GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX

6545MHz Straddle 6.425-6.525GHz\_TX




EUT\_Y\_1TX  
Setting 7  
02-C-Y-1

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 19.63718G    | 52.80             | 83.54             | -30.74         | 48.71         | 1           | Vertical  | 327            | 1.22          | -       | 37.70      | 15.19      | 48.80      |  |  |  |
| AV   | 19.63628G    | 40.88             | 63.54             | -22.66         | 36.79         | 1           | Vertical  | 327            | 1.22          | -       | 37.70      | 15.19      | 48.80      |  |  |  |

6.425-6.525GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX

6545MHz Straddle 6.425-6.525GHz\_TX




EUT\_Y\_1TX  
Setting 7  
02-C-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.63465G | 52.96    | 83.54    | -30.58 | 48.87  | 1    | Horizontal | 134     | 2.59   | -       | 37.70 | 15.19 | 48.80 |  |  |  |
| AV   | 19.63461G | 40.81    | 63.54    | -22.73 | 36.72  | 1    | Horizontal | 134     | 2.59   | -       | 37.70 | 15.19 | 48.80 |  |  |  |

6.875-7.125GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX

6945MHz\_TX




EUT\_Y\_1TX  
Setting 6  
02-C-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.88941G | 51.74    | 88.20    | -36.46 | 43.05  | 3    | Vertical  | 183     | 1.83   | -       | 41.28 | 11.80 | 44.39 |  |  |  |
| RMS  | 13.88922G | 39.04    | 68.20    | -29.16 | 30.35  | 3    | Vertical  | 183     | 1.83   | -       | 41.28 | 11.80 | 44.39 |  |  |  |

6.875-7.125GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX

6945MHz\_TX




EUT\_Y\_1TX  
Setting 6  
02-C-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.89056G | 52.29    | 88.20    | -35.91 | 43.60  | 3    | Horizontal | 119     | 2.10   | -       | 41.28 | 11.80 | 44.39 |  |  |  |
| RMS  | 13.89068G | 39.20    | 68.20    | -29.00 | 30.51  | 3    | Horizontal | 119     | 2.10   | -       | 41.28 | 11.80 | 44.39 |  |  |  |

6.875-7.125GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX

6945MHz\_TX




EUT\_V\_1TX  
Setting 6  
02-C-Y-1

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.83502G    | 57.61             | 83.54             | -25.93         | 52.56         | 1           | Vertical  | 41             | 1.79          | -       | 37.90      | 15.85      | 48.70      |  |  |  |
| AV   | 20.83254G    | 44.94             | 63.54             | -18.60         | 39.89         | 1           | Vertical  | 41             | 1.79          | -       | 37.90      | 15.85      | 48.70      |  |  |  |

6.875-7.125GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX


6945MHz\_TX

EUT\_Y\_1TX  
Setting 6  
02-C-Y-1

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.83404G    | 57.24             | 83.54             | -26.30         | 52.19         | 1           | Horizontal | 306            | 2.02          | -       | 37.90      | 15.85      | 48.70      |  |  |  |
| AV   | 20.83279G    | 44.99             | 63.54             | -18.55         | 39.94         | 1           | Horizontal | 306            | 2.02          | -       | 37.90      | 15.85      | 48.70      |  |  |  |

6.875-7.125GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX

7025MHz\_TX




EUT\_Y\_1TX  
Setting 6  
02-C-K-5-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 6.9886G | 98.42    | Inf      | -Inf   | 85.64  | 3    | Vertical  | 182     | 1.80   | -       | 35.30 | 8.89 | 31.41 |  |  |  |
| RMS  | 6.991G  | 88.95    | Inf      | -Inf   | 76.18  | 3    | Vertical  | 182     | 1.80   | -       | 35.30 | 8.88 | 31.41 |  |  |  |
| PK   | 7.201G  | 64.72    | 88.20    | -23.48 | 50.77  | 3    | Vertical  | 182     | 1.80   | -       | 36.00 | 9.37 | 31.42 |  |  |  |
| RMS  | 7.2162G | 54.42    | 68.20    | -13.78 | 40.41  | 3    | Vertical  | 182     | 1.80   | -       | 36.06 | 9.37 | 31.42 |  |  |  |

6.875-7.125GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX


7025MHz\_TX

EUT\_Y\_1TX  
Setting 6  
02-C-K-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 6.9962G      | 98.20             | Inf               | -Inf           | 85.44         | 3           | Horizontal | 182            | 1.90          | -       | 35.30      | 8.88       | 31.42      |  |  |  |
| RMS  | 6.9966G      | 88.63             | Inf               | -Inf           | 75.87         | 3           | Horizontal | 182            | 1.90          | -       | 35.30      | 8.88       | 31.42      |  |  |  |
| PK   | 7.1866G      | 64.81             | 88.20             | -23.39         | 50.97         | 3           | Horizontal | 182            | 1.90          | -       | 35.92      | 9.34       | 31.42      |  |  |  |
| RMS  | 7.223G       | 54.33             | 68.20             | -13.87         | 40.29         | 3           | Horizontal | 182            | 1.90          | -       | 36.09      | 9.37       | 31.42      |  |  |  |

6.875-7.125GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX


7025MHz\_TX

EUT\_Y\_1TX  
Setting 6  
02-C-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 14.05045G | 52.23    | 88.20    | -35.97 | 43.13  | 3    | Vertical  | 249     | 1.52   | -       | 41.70 | 11.78 | 44.38 |  |  |  |
| RMS  | 14.05048G | 39.91    | 68.20    | -28.29 | 30.81  | 3    | Vertical  | 249     | 1.52   | -       | 41.70 | 11.78 | 44.38 |  |  |  |

6.875-7.125GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX


7025MHz\_TX

EUT\_Y\_1TX  
Setting 6  
02-C-Y-1

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 14.04984G    | 52.45             | 88.20             | -35.75         | 43.35         | 3           | Horizontal | 108            | 1.35          | -       | 41.70      | 11.78      | 44.38      |  |  |  |
| RMS  | 14.05023G    | 40.02             | 68.20             | -28.18         | 30.92         | 3           | Horizontal | 108            | 1.35          | -       | 41.70      | 11.78      | 44.38      |  |  |  |

6.875-7.125GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX


7025MHz\_TX

EUT\_Y\_1TX  
Setting 6  
02-C-Y-1

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 21.07587G    | 59.22             | 83.54             | -24.32         | 53.85         | 1           | Vertical  | 121            | 1.96          | -       | 38.00      | 16.05      | 48.68      |  |  |  |
| AV   | 21.07491G    | 46.26             | 63.54             | -17.28         | 40.90         | 1           | Vertical  | 121            | 1.96          | -       | 38.00      | 16.05      | 48.69      |  |  |  |

6.875-7.125GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX

7025MHz\_TX




EUT\_Y\_1TX  
Setting 6  
02-C-Y-1

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 21.07293G    | 59.41             | 83.54             | -24.13         | 54.06         | 1           | Horizontal | 200            | 1.87          | -       | 38.00      | 16.04      | 48.69      |  |  |  |
| AV   | 21.07483G    | 46.28             | 63.54             | -17.26         | 40.92         | 1           | Horizontal | 200            | 1.87          | -       | 38.00      | 16.05      | 48.69      |  |  |  |

6.425-6.525GHz\_802.11ax HEW160\_Nss1,(MCS0)\_1TX


6505MHz Straddle 6.425-6.525GHz\_TX

EUT\_Y\_1TX  
Setting 7.5  
02-C-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.01032G | 45.56    | 88.20    | -42.64 | 39.29  | 3    | Vertical  | 129     | 2.26   | -       | 39.40 | 11.93 | 45.06 |  |  |  |
| RMS  | 13.01074G | 33.42    | 68.20    | -34.78 | 27.15  | 3    | Vertical  | 129     | 2.26   | -       | 39.40 | 11.93 | 45.06 |  |  |  |

6.425-6.525GHz\_802.11ax HEW160\_Nss1,(MCS0)\_1TX


6505MHz Straddle 6.425-6.525GHz\_TX

EUT\_Y\_1TX  
Setting 7.5  
02-C-Y-1

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.00943G    | 45.78             | 88.20             | -42.42         | 39.51         | 3           | Horizontal | 281            | 1.37          | -       | 39.40      | 11.93      | 45.06      |  |  |  |
| RMS  | 13.00909G    | 33.67             | 68.20             | -34.53         | 27.40         | 3           | Horizontal | 281            | 1.37          | -       | 39.40      | 11.93      | 45.06      |  |  |  |

6.425-6.525GHz\_802.11ax HEW160\_Nss1,(MCS0)\_1TX


6505MHz Straddle 6.425-6.525GHz\_TX

EUT\_Y\_1TX  
Setting 7.5  
02-C-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.51409G | 52.82    | 83.54    | -30.72 | 48.65  | 1    | Vertical  | 303     | 1.36   | -       | 37.77 | 15.20 | 48.80 |  |  |  |
| AV   | 19.51534G | 40.13    | 63.54    | -23.41 | 35.96  | 1    | Vertical  | 303     | 1.36   | -       | 37.77 | 15.20 | 48.80 |  |  |  |

6.425-6.525GHz\_802.11ax HEW160\_Nss1,(MCS0)\_1TX


6505MHz Straddle 6.425-6.525GHz\_TX

EUT\_Y\_1TX  
Setting 7.5  
02-C-Y-1

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 19.51396G    | 52.76             | 83.54             | -30.78         | 48.59         | 1           | Horizontal | 213            | 2.08          | -       | 37.77      | 15.20      | 48.80      |  |  |  |
| AV   | 19.51258G    | 40.12             | 63.54             | -23.42         | 35.95         | 1           | Horizontal | 213            | 2.08          | -       | 37.77      | 15.20      | 48.80      |  |  |  |

6.875-7.125GHz\_802.11ax HEW160\_Nss1,(MCS0)\_1TX


6985MHz\_TX

EUT\_Y\_1TX  
Setting 6  
02-C-K-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 7.0225G      | 95.89             | Inf               | -Inf           | 83.07         | 3           | Vertical  | 186            | 1.85          | -       | 35.30      | 8.94       | 31.42      |  |  |  |
| RMS  | 6.99G        | 86.86             | Inf               | -Inf           | 74.09         | 3           | Vertical  | 186            | 1.85          | -       | 35.30      | 8.88       | 31.41      |  |  |  |
| PK   | 7.1275G      | 71.03             | 88.20             | -17.17         | 57.69         | 3           | Vertical  | 186            | 1.85          | -       | 35.57      | 9.19       | 31.42      |  |  |  |
| RMS  | 7.127G       | 56.14             | 68.20             | -12.06         | 42.81         | 3           | Vertical  | 186            | 1.85          | -       | 35.56      | 9.19       | 31.42      |  |  |  |

6.875-7.125GHz\_802.11ax HEW160\_Nss1,(MCS0)\_1TX

6985MHz\_TX




EUT\_Y\_1TX  
Setting 6  
02-C-K-5-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 7.0225G | 94.93    | Inf      | -Inf   | 82.11  | 3    | Horizontal | 172     | 1.78   | -       | 35.30 | 8.94 | 31.42 |  |  |  |
| RMS  | 6.99G   | 85.23    | Inf      | -Inf   | 72.46  | 3    | Horizontal | 172     | 1.78   | -       | 35.30 | 8.88 | 31.41 |  |  |  |
| PK   | 7.1275G | 68.96    | 88.20    | -19.24 | 55.62  | 3    | Horizontal | 172     | 1.78   | -       | 35.57 | 9.19 | 31.42 |  |  |  |
| RMS  | 7.1275G | 55.49    | 68.20    | -12.71 | 42.15  | 3    | Horizontal | 172     | 1.78   | -       | 35.57 | 9.19 | 31.42 |  |  |  |

6.875-7.125GHz\_802.11ax HEW160\_Nss1,(MCS0)\_1TX


6985MHz\_TX

EUT\_Y\_1TX  
Setting 6  
02-C-Y-1

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.96935G    | 52.06             | 88.20             | -36.14         | 43.17         | 3           | Vertical  | 8              | 1.01          | -       | 41.44      | 11.78      | 44.33      |  |  |  |
| RMS  | 13.97069G    | 39.35             | 68.20             | -28.85         | 30.46         | 3           | Vertical  | 8              | 1.01          | -       | 41.44      | 11.78      | 44.33      |  |  |  |

6.875-7.125GHz\_802.11ax HEW160\_Nss1,(MCS0)\_1TX


6985MHz\_TX

EUT\_Y\_1TX  
Setting 6  
02-C-Y-1

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.96967G    | 51.71             | 88.20             | -36.49         | 42.82         | 3           | Horizontal | 93             | 2.57          | -       | 41.44      | 11.78      | 44.33      |  |  |  |
| RMS  | 13.9697G     | 39.34             | 68.20             | -28.86         | 30.45         | 3           | Horizontal | 93             | 2.57          | -       | 41.44      | 11.78      | 44.33      |  |  |  |

6.875-7.125GHz\_802.11ax HEW160\_Nss1,(MCS0)\_1TX


6985MHz\_TX

EUT\_Y\_1TX  
Setting 6  
02-R-Y-1

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.95594G    | 58.51             | 83.54             | -25.03         | 53.35         | 1           | Vertical  | 257            | 2.35          | -       | 37.91      | 15.95      | 48.70      |  |  |  |
| AV   | 20.95326G    | 45.63             | 63.54             | -17.91         | 40.47         | 1           | Vertical  | 257            | 2.35          | -       | 37.91      | 15.95      | 48.70      |  |  |  |

6.875-7.125GHz\_802.11ax HEW160\_Nss1,(MCS0)\_1TX


6985MHz\_TX

EUT\_Y\_1TX  
Setting 6  
02-R-Y-1

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.95251G    | 58.51             | 83.54             | -25.03         | 53.35         | 1           | Horizontal | 245            | 1.68          | -       | 37.91      | 15.95      | 48.70      |  |  |  |
| AV   | 20.95578G    | 45.59             | 63.54             | -17.95         | 40.43         | 1           | Horizontal | 245            | 1.68          | -       | 37.91      | 15.95      | 48.70      |  |  |  |

6.425-6.525GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

6435MHz\_TX




EUT\_Y\_2TX  
Setting -6.5(S0 2.5)  
02-C-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.8702G  | 49.13    | 88.20    | -39.07 | 43.36  | 3    | Vertical  | 63      | 1.67   | -       | 39.04 | 11.95 | 45.22 |  |  |  |
| RMS  | 12.86995G | 34.80    | 68.20    | -33.40 | 29.03  | 3    | Vertical  | 63      | 1.67   | -       | 39.04 | 11.95 | 45.22 |  |  |  |

6.425-6.525GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

6435MHz\_TX




EUT\_Y\_2TX  
Setting -6.5(S0 2.5)  
02-C-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.87056G | 49.55    | 88.20    | -38.65 | 43.77  | 3    | Horizontal | 338     | 1.76   | -       | 39.04 | 11.95 | 45.21 |  |  |  |
| RMS  | 12.87003G | 34.82    | 68.20    | -33.38 | 29.05  | 3    | Horizontal | 338     | 1.76   | -       | 39.04 | 11.95 | 45.22 |  |  |  |

6.425-6.525GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

6435MHz\_TX




EUT\_Y\_2TX  
Setting -6.5(S0 2.5)  
02-C-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.30469G | 56.63    | 83.54    | -26.91 | 52.42  | 1    | Vertical  | 48      | 2.79   | -       | 37.80 | 15.21 | 48.80 |  |  |  |
| AV   | 19.30298G | 42.32    | 63.54    | -21.22 | 38.11  | 1    | Vertical  | 48      | 2.79   | -       | 37.80 | 15.21 | 48.80 |  |  |  |

6.425-6.525GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

6435MHz\_TX




EUT\_Y\_2TX  
Setting -6.5(S0 2.5)  
02-C-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.30727G | 56.32    | 83.54    | -27.22 | 52.11  | 1    | Horizontal | 256     | 1.88   | -       | 37.80 | 15.21 | 48.80 |  |  |  |
| AV   | 19.3056G  | 42.29    | 63.54    | -21.25 | 38.08  | 1    | Horizontal | 256     | 1.88   | -       | 37.80 | 15.21 | 48.80 |  |  |  |

6.425-6.525GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

6475MHz\_TX




EUT\_Y\_2TX  
Setting -7(S0 2.5)  
02-C-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.95013G | 50.10    | 88.20    | -38.10 | 43.99  | 3    | Vertical  | 30      | 1.89   | -       | 39.30 | 11.94 | 45.13 |  |  |  |
| RMS  | 12.94976G | 35.21    | 68.20    | -32.99 | 29.10  | 3    | Vertical  | 30      | 1.89   | -       | 39.30 | 11.94 | 45.13 |  |  |  |

6.425-6.525GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

6475MHz\_TX




EUT\_Y\_2TX  
Setting -7(S0 2.5)  
02-C-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.94981G | 49.40    | 88.20    | -38.80 | 43.29  | 3    | Horizontal | 315     | 1.22   | -       | 39.30 | 11.94 | 45.13 |  |  |  |
| RMS  | 12.94994G | 35.31    | 68.20    | -32.89 | 29.20  | 3    | Horizontal | 315     | 1.22   | -       | 39.30 | 11.94 | 45.13 |  |  |  |

6.425-6.525GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

6475MHz\_TX




EUT\_Y\_2TX  
Setting -7(S0 2.5)  
02-C-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.42493G | 56.08    | 83.54    | -27.46 | 51.88  | 1    | Vertical  | 147     | 2.15   | -       | 37.80 | 15.20 | 48.80 |  |  |  |
| AV   | 19.4225G  | 41.90    | 63.54    | -21.64 | 37.69  | 1    | Vertical  | 147     | 2.15   | -       | 37.81 | 15.20 | 48.80 |  |  |  |

6.425-6.525GHz\_802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

6475MHz\_TX



EUT\_Y\_2TX  
Setting -7(S0 2.5)  
02-C-Y-1

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.42643G | 55.83    | 83.54    | -27.71 | 51.64  | 1    | Horizontal | 218     | 2.60   | -       | 37.79 | 15.20 | 48.80 |  |  |  |
| AV   | 19.42253G | 41.98    | 63.54    | -21.56 | 37.77  | 1    | Horizontal | 218     | 2.60   | -       | 37.81 | 15.20 | 48.80 |  |  |  |