


7.10 Transmit power control (TPC) mechanism

Input Power:	3.3 Vdc	Environmental Conditions:	25°C, 60% RH	Tested By:	Kevin Ko
--------------	---------	---------------------------	--------------	------------	----------

BW (MHz)	Frequency (MHz)	Chain	High RSSI PSD (dBm/MHz)	Low RSSI PSD (dBm/MHz)	High RSSI Total PSD (dBm/MHz)	Low RSSI Total PSD (dBm/MHz)	Delta (dB)	Limit (dB)	Test Result
160	6185	0	-24.01	-16.67	-22.18	-14.59	7.59	> 6	Pass
		1	-26.81	-18.79					
160	6665	0	-24.57	-16.70	-22.16	-14.69	7.47	> 6	Pass
		1	-25.87	-19.00					



8 Pictures of Test Arrangements

Please refer to the attached file (Test Setup Photo)

9 Information of the Testing Laboratories

We, Bureau Veritas Consumer Products Services (H.K.) Ltd., Taoyuan Branch, were founded in 1988 to provide our best service in EMC, Radio, Telecom and Safety consultation. Our laboratories are FCC recognized accredited test firms and accredited according to ISO/IEC 17025.

If you have any comments, please feel free to contact us at the following:

Lin Kou EMC/RF Lab

Tel: 886-2-26052180

Fax: 886-2-26051924

Hsin Chu EMC/RF/Telecom Lab

Tel: 886-3-6668565

Fax: 886-3-6668323

Hwa Ya EMC/RF/Safety Lab

Tel: 886-3-3183232

Fax: 886-3-3270892

Email: service.adt@bureauveritas.com

Web Site: <http://ee.bureauveritas.com.tw>

The address and road map of all our labs can be found in our web site also.

--- END ---