

## 5. Product Specifications

### ▶ Hardware

CPU	32Bits RISC CPU
RAM	4MB SDRAM
Flash Memory	4MB
LCD	4 inch, 4 line, 128x64 dots (0.48dot pitch), Back light
KeyPad	16 Key
MSR	ISO 3 Track Structure
IC Card Module	Competible with all IC Card(EMV Level 1) with 4 SAM Module
Interface	USB 2 Port (Data & Power port 1, Power port 1)

2 Modulate Switch (Volume 1, LCD Brightness 1)

USB Memory Stick Port

Support Voice indicator(MP3 Type)

### ▶ Dimension

110(W) x 210(L) X 100(H)

### ▶ Power

bove DC 5V 600mA (Using PC USB Power)

### ▶ Environment

Windows 2000, Windows XP

### ▶ Option

IrFM Module

Finger print Module

## System Requirement

## • Minimum

O/S	Windows 2000
CPU	Pentium III 800
M/M	128MB
USB	USB 1.1, 2.0
Power	USB

## • Recommend

O/S	Windows 2000
CPU	Pentium 4 1.2GHz
M/M	256MB
USB	USB 1.1, 2.0
Power	USB

## Warranty Card

Product Name	PinPad	Model Name	MIT-2000
Purchase date		Serial No	
Purchase place		Price	

## 1) In Warranty

- Length of the Warranty period is 1 year from the original purchase date
- Morningl.T** warrants the new hardware product will be free from defects in material and workmanship, under normal use
- Morningl.T** warrants any physical media and user manuals will be free from defects in material, under normal use

## 2) Out of Warranty

- Damage caused by improper installation, improper or abnormal use, misuse, neglect, or accident.
- Damage caused by another device or software used with the product
- The product serial number has been altered, defaced, or removed.
- The product is altered or modified in any way or if warranty repairs are attempted without authorization from **Morningl.T**

# Memo

# Memo